CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
UNITED STATES -	406	...	...	...	-	33	64	89	92	88	33	5
WHITE------FEMALE--	220	...	...	...	-	14	31	47	53	55	16	4
ALL OTHER--FEMALE--	186	...	...	...	-	19	33	42	39	33	17	1
BLACK---FEMALE--	162	...	...	...	-	18	29	38	33	28	14	-
ALABAMA ----------	10	...	...	...	-	2	1	1	-	5	1	-
WHITE------FEMALE--	4	...	...	...	-	1	1	-	-	1	1	-
ALL OTHER--FEMALE--	6	...	...	...	-	1	-	1	-	4	-	-
BLACK---FEMALE--	6	...	...	...	-	1	-	1	-	4	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	6	...	...	...	-	1	-	1	2	2	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	1	1	1	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	1	-	-	1	1	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	...	...	...	-	-	4	2	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	-	3	1	1	-	1	-
BLACK---FEMALE--	5	...	...	...	-	-	2	1	1	-	1	-
CALIFORNIA ----------	43	...	...	...	-	3	6	9	8	10	6	-
WHITE------FEMALE--	28	...	...	...	-	1	4	8	5	6	4	-
ALL OTHER--FEMALE--	15	...	...	...	-	2	2	1	3	4	2	-
BLACK---FEMALE--	9	...	...	...	-	2	-	-	2	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3052

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
UNITED STATES -	2	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	2	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	2	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	1	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
COLORADO ----------	4	...	...	...	-	-	-	-	2	2	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
CONNECTICUT ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
DELAWARE ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
FLORIDA ----------	35	...	...	...	-	1	5	10	7	7	4	-
WHITE------FEMALE--	19	...	...	...	-	1	1	5	3	7	2	-
ALL OTHER--FEMALE--	16	...	...	...	-	-	4	5	4	-	2	-
BLACK---FEMALE--	16	...	...	...	-	-	4	5	4	-	2	-
GEORGIA ----------	26	...	...	...	-	4	5	5	8	2	2	-
WHITE------FEMALE--	11	...	...	...	-	1	2	2	4	1	1	-
ALL OTHER--FEMALE--	15	...	...	...	-	3	3	3	4	1	1	-
BLACK---FEMALE--	15	...	...	...	-	3	3	3	4	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	1	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3054

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
HAWAII ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	18	...	...	...	-	4	3	5	2	3	1	-
WHITE------FEMALE--	9	...	...	...	-	4	1	2	1	1	-	-
ALL OTHER--FEMALE--	9	...	...	...	-	-	2	3	1	2	1	-
BLACK---FEMALE--	8	...	...	...	-	-	2	2	1	2	1	-
INDIANA ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	3	...	...	...	-	-	-	-	2	1	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	2	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	4	...	...	...	-	1	-	2	1	-	-	-
WHITE------FEMALE--	4	...	...	...	-	1	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
KENTUCKY ----------	4	...	...	...	-	-	-	1	2	-	1	-
WHITE------FEMALE--	4	...	...	...	-	-	-	1	2	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	...	...	...	-	1	2	2	-	2	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	1	2	2	-	-	1	-
BLACK---FEMALE--	6	...	...	...	-	1	2	2	-	-	1	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	3	...	...	...	-	-	1	1	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	...	...	...	-	1	2	3	4	-	-	1
WHITE------FEMALE--	8	...	...	...	-	1	1	2	3	-	-	1
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	1	1	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
MINNESOTA ----------	4	...	...	...	-	-	1	1	-	1	1	-
WHITE------FEMALE--	3	...	...	...	-	-	1	1	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	...	...	...	-	-	4	-	2	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	2	-	2	1	-	-
BLACK---FEMALE--	5	...	...	...	-	-	2	-	2	1	-	-
MISSOURI ----------	9	...	...	...	-	-	2	2	3	1	1	-
WHITE------FEMALE--	5	...	...	...	-	-	1	1	2	1	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	1	1	1	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	1	1	-	-	1	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	...	...	...	-	-	-	1	-	-	1	2
WHITE------FEMALE--	4	...	...	...	-	-	-	1	-	-	1	2
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
NEW HAMPSHIRE ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	...	...	...	-	1	-	-	2	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
NEW MEXICO ----------	4	...	...	...	-	-	1	-	1	2	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	37	...	...	...	-	3	6	11	8	8	1	-
WHITE------FEMALE--	16	...	...	...	-	1	3	5	4	3	-	-
ALL OTHER--FEMALE--	21	...	...	...	-	2	3	6	4	5	1	-
BLACK---FEMALE--	19	...	...	...	-	2	3	5	3	5	1	-
NORTH CAROLINA ---------	15	...	...	...	-	3	1	6	-	4	1	-
WHITE------FEMALE--	4	...	...	...	-	1	1	1	-	1	-	-
ALL OTHER--FEMALE--	11	...	...	...	-	2	-	5	-	3	1	-
BLACK---FEMALE--	11	...	...	...	-	2	-	5	-	3	1	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
OHIO ----------	17	...	...	...	-	2	2	6	4	2	1	-
WHITE------FEMALE--	9	...	...	...	-	-	-	5	2	2	-	-
ALL OTHER--FEMALE--	8	...	...	...	-	2	2	1	2	-	1	-
BLACK---FEMALE--	8	...	...	...	-	2	2	1	2	-	1	-
OKLAHOMA ----------	4	...	...	...	-	-	1	-	1	1	1	-
WHITE------FEMALE--	3	...	...	...	-	-	1	-	-	1	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
OREGON ----------	3	...	...	...	-	-	1	-	1	1	-	-
WHITE------FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	13	...	...	...	-	-	2	2	3	4	2	-
WHITE------FEMALE--	10	...	...	...	-	-	1	2	2	3	2	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
RHODE ISLAND ----------	2	...	...	...	-	-	-	-	-	2	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	...	...	...	-	1	1	3	1	3	1	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	8	...	...	...	-	1	-	3	-	3	1	-
BLACK---FEMALE--	7	...	...	...	-	1	-	3	-	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	...	...	...	-	3	2	-	3	3	1	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	3	-	-	-
ALL OTHER--FEMALE--	9	...	...	...	-	3	2	-	-	3	1	-
BLACK---FEMALE--	9	...	...	...	-	3	2	-	-	3	1	-
TEXAS ----------	34	...	...	...	-	2	6	6	7	11	2	-
WHITE------FEMALE--	21	...	...	...	-	2	4	2	5	8	-	-
ALL OTHER--FEMALE--	13	...	...	...	-	-	2	4	2	3	2	-
BLACK---FEMALE--	10	...	...	...	-	-	2	4	2	1	1	-
UTAH ----------	5	...	...	...	-	-	1	3	1	-	-	-
WHITE------FEMALE--	5	...	...	...	-	-	1	3	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	...	...	...	-	-	1	1	6	3	-	1
WHITE------FEMALE--	4	...	...	...	-	-	1	-	-	2	-	1
ALL OTHER--FEMALE--	8	...	...	...	-	-	-	1	6	1	-	-
BLACK---FEMALE--	7	...	...	...	-	-	-	-	6	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
WASHINGTON ----------	6	...	...	...	-	-	-	2	1	2	-	1
WHITE------FEMALE--	4	...	...	...	-	-	-	1	1	2	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	-	-	-	1
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	3	...	...	...	-	-	-	1	2	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WISCONSIN ----------	4	...	...	...	-	-	1	2	-	1	-	-
WHITE------FEMALE--	3	...	...	...	-	-	1	1	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
UNITED STATES -	31	...	...	...	-	3	5	5	10	6	2	-
WHITE------FEMALE--	15	...	...	...	-	2	2	1	5	3	2	-
ALL OTHER--FEMALE--	16	...	...	...	-	1	3	4	5	3	-	-
BLACK---FEMALE--	15	...	...	...	-	1	3	4	4	3	-	-
ALABAMA ----------	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3061

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3062

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	5	...	...	...	-	1	-	1	2	1	-	-
WHITE------FEMALE--	3	...	...	...	-	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
GEORGIA ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3062

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3063

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	...	...	...	-	1	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3063

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3064

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3064

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3065

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3065

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	4	...	...	...	-	-	1	1	2	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
NORTH CAROLINA ---------	2	...	...	...	-	-	-	-	-	2	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3067

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
OHIO ----------	3	...	...	...	-	-	1	1	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3067

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3069

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
WASHINGTON ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3070

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
UNITED STATES -	19	...	...	...	-	1	4	2	7	3	2	-
WHITE------FEMALE--	8	...	...	...	-	1	1	-	3	1	2	-
ALL OTHER--FEMALE--	11	...	...	...	-	-	3	2	4	2	-	-
BLACK---FEMALE--	10	...	...	...	-	-	3	2	3	2	-	-
ALABAMA ----------	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3070

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
GEORGIA ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3071

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	...	...	...	-	1	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3072

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3073

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	2	...	...	...	-	-	-	1	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
NORTH CAROLINA ---------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
OHIO ----------	2	...	...	...	-	-	1	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3078

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (O00)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ectopic pregnancy (O00)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
UNITED STATES -	4	...	...	...	-	-	-	1	2	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3080

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3080

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3081

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3081

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3082

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3082

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3084

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3085

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
OHIO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3085

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spontaneous abortion (O03)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spontaneous abortion (O03)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
UNITED STATES -	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3088

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3090

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3091

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3094

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
OHIO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (O04)												
WASHINGTON ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Medical abortion (O04)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
UNITED STATES -	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3098

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3100

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3101

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
OHIO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3104

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other abortion (O05)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other abortion (O05)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
UNITED STATES -	7	...	...	...	-	2	1	1	1	2	-	-
WHITE------FEMALE--	5	...	...	...	-	1	1	1	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	3	...	...	...	-	1	-	-	1	1	-	-
WHITE------FEMALE--	3	...	...	...	-	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
OHIO ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
UNITED STATES -	308	...	...	...	-	28	44	68	70	65	29	4
WHITE------FEMALE--	168	...	...	...	-	12	23	36	41	39	14	3
ALL OTHER--FEMALE--	140	...	...	...	-	16	21	32	29	26	15	1
BLACK---FEMALE--	120	...	...	...	-	15	18	29	25	21	12	-
ALABAMA ----------	6	...	...	...	-	2	-	1	-	2	1	-
WHITE------FEMALE--	2	...	...	...	-	1	-	-	-	-	1	-
ALL OTHER--FEMALE--	4	...	...	...	-	1	-	1	-	2	-	-
BLACK---FEMALE--	4	...	...	...	-	1	-	1	-	2	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	4	...	...	...	-	1	-	-	1	2	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	...	...	...	-	-	4	1	1	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	6	...	...	...	-	-	3	1	1	-	1	-
BLACK---FEMALE--	5	...	...	...	-	-	2	1	1	-	1	-
CALIFORNIA ----------	33	...	...	...	-	3	5	8	5	7	5	-
WHITE------FEMALE--	22	...	...	...	-	1	4	7	3	4	3	-
ALL OTHER--FEMALE--	11	...	...	...	-	2	1	1	2	3	2	-
BLACK---FEMALE--	7	...	...	...	-	2	-	-	2	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
COLORADO ----------	4	...	...	...	-	-	-	-	2	2	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
CONNECTICUT ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
DELAWARE ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
FLORIDA ----------	22	...	...	...	-	-	2	9	4	4	3	-
WHITE------FEMALE--	14	...	...	...	-	-	1	5	2	4	2	-
ALL OTHER--FEMALE--	8	...	...	...	-	-	1	4	2	-	1	-
BLACK---FEMALE--	8	...	...	...	-	-	1	4	2	-	1	-
GEORGIA ----------	20	...	...	...	-	4	3	3	7	2	1	-
WHITE------FEMALE--	8	...	...	...	-	1	2	1	3	1	-	-
ALL OTHER--FEMALE--	12	...	...	...	-	3	1	2	4	1	1	-
BLACK---FEMALE--	12	...	...	...	-	3	1	2	4	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
HAWAII ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	...	...	...	-	3	1	5	2	3	1	-
WHITE------FEMALE--	7	...	...	...	-	3	-	2	1	1	-	-
ALL OTHER--FEMALE--	8	...	...	...	-	-	1	3	1	2	1	-
BLACK---FEMALE--	7	...	...	...	-	-	1	2	1	2	1	-
INDIANA ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	2	...	...	...	-	-	-	-	1	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	3	...	...	...	-	1	-	2	-	-	-	-
WHITE------FEMALE--	3	...	...	...	-	1	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
KENTUCKY ----------	3	...	...	...	-	-	-	-	2	-	1	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	2	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	7	...	...	...	-	-	2	2	-	2	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	2	2	-	-	1	-
BLACK---FEMALE--	5	...	...	...	-	-	2	2	-	-	1	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	2	...	...	...	-	-	1	-	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	...	...	...	-	1	1	3	4	-	-	1
WHITE------FEMALE--	8	...	...	...	-	1	1	2	3	-	-	1
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3118

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
MINNESOTA ----------	4	...	...	...	-	-	1	1	-	1	1	-
WHITE------FEMALE--	3	...	...	...	-	-	1	1	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	...	...	...	-	-	1	-	1	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
MISSOURI ----------	7	...	...	...	-	-	2	1	2	1	1	-
WHITE------FEMALE--	3	...	...	...	-	-	1	-	1	1	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	1	1	1	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	1	1	-	-	1	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	...	...	...	-	-	-	-	-	-	1	1
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	...	...	...	-	1	-	-	2	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
NEW MEXICO ----------	4	...	...	...	-	-	1	-	1	2	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	31	...	...	...	-	3	5	8	6	8	1	-
WHITE------FEMALE--	13	...	...	...	-	1	2	4	3	3	-	-
ALL OTHER--FEMALE--	18	...	...	...	-	2	3	4	3	5	1	-
BLACK---FEMALE--	17	...	...	...	-	2	3	4	2	5	1	-
NORTH CAROLINA ---------	12	...	...	...	-	2	1	6	-	2	1	-
WHITE------FEMALE--	4	...	...	...	-	1	1	1	-	1	-	-
ALL OTHER--FEMALE--	8	...	...	...	-	1	-	5	-	1	1	-
BLACK---FEMALE--	8	...	...	...	-	1	-	5	-	1	1	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
OHIO ----------	11	...	...	...	-	2	1	3	2	2	1	-
WHITE------FEMALE--	4	...	...	...	-	-	-	2	-	2	-	-
ALL OTHER--FEMALE--	7	...	...	...	-	2	1	1	2	-	1	-
BLACK---FEMALE--	7	...	...	...	-	2	1	1	2	-	1	-
OKLAHOMA ----------	3	...	...	...	-	-	-	-	1	1	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	1	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
OREGON ----------	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	...	...	...	-	-	-	2	3	3	2	-
WHITE------FEMALE--	9	...	...	...	-	-	-	2	2	3	2	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	...	...	...	-	1	1	3	1	3	1	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	8	...	...	...	-	1	-	3	-	3	1	-
BLACK---FEMALE--	7	...	...	...	-	1	-	3	-	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3121

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	...	...	...	-	2	2	-	3	2	1	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	3	-	-	-
ALL OTHER--FEMALE--	7	...	...	...	-	2	2	-	-	2	1	-
BLACK---FEMALE--	7	...	...	...	-	2	2	-	-	2	1	-
TEXAS ----------	25	...	...	...	-	2	5	4	7	6	1	-
WHITE------FEMALE--	15	...	...	...	-	2	3	2	5	3	-	-
ALL OTHER--FEMALE--	10	...	...	...	-	-	2	2	2	3	1	-
BLACK---FEMALE--	7	...	...	...	-	-	2	2	2	1	-	-
UTAH ----------	4	...	...	...	-	-	-	3	1	-	-	-
WHITE------FEMALE--	4	...	...	...	-	-	-	3	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	...	...	...	-	-	1	1	2	3	-	1
WHITE------FEMALE--	4	...	...	...	-	-	1	-	-	2	-	1
ALL OTHER--FEMALE--	4	...	...	...	-	-	-	1	2	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (O10-O92)												
WASHINGTON ----------	3	...	...	...	-	-	-	1	1	-	-	1
WHITE------FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	...	...	...	-	-	1	1	-	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other direct obstetric deaths (O10-O92)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3124

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
UNITED STATES -	90	...	...	...	-	9	14	22	17	19	8	1
WHITE------FEMALE--	50	...	...	...	-	5	7	11	10	12	4	1
ALL OTHER--FEMALE--	40	...	...	...	-	4	7	11	7	7	4	-
BLACK---FEMALE--	35	...	...	...	-	3	6	10	7	5	4	-
ALABAMA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	...	...	...	-	-	-	1	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
CALIFORNIA ----------	12	...	...	...	-	-	2	4	3	3	-	-
WHITE------FEMALE--	8	...	...	...	-	-	2	3	1	2	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	-	1	2	1	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3124

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
COLORADO ----------	3	...	...	...	-	-	-	-	2	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	8	...	...	...	-	-	1	3	-	2	2	-
WHITE------FEMALE--	4	...	...	...	-	-	-	1	-	2	1	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	1	2	-	-	1	-
BLACK---FEMALE--	4	...	...	...	-	-	1	2	-	-	1	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	...	...	...	-	1	1	-	1	1	-	-
WHITE------FEMALE--	3	...	...	...	-	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
INDIANA ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
KENTUCKY ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	...	...	...	-	-	1	1	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	1	-	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	1	1	-	-	1	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	...	...	...	-	-	-	1	1	-	-	1
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
MISSOURI ----------	2	...	...	...	-	-	1	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	11	...	...	...	-	3	-	4	1	3	-	-
WHITE------FEMALE--	4	...	...	...	-	1	-	1	-	2	-	-
ALL OTHER--FEMALE--	7	...	...	...	-	2	-	3	1	1	-	-
BLACK---FEMALE--	7	...	...	...	-	2	-	3	1	1	-	-
NORTH CAROLINA ---------	3	...	...	...	-	1	-	1	-	-	1	-
WHITE------FEMALE--	2	...	...	...	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3129

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
OHIO ----------	5	...	...	...	-	1	-	-	1	2	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	1	-	-	1	-	1	-
BLACK---FEMALE--	3	...	...	...	-	1	-	-	1	-	1	-
OKLAHOMA ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	...	...	...	-	-	-	2	-	-	1	-
WHITE------FEMALE--	3	...	...	...	-	-	-	2	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	...	...	...	-	-	1	-	1	2	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	...	...	...	-	-	2	-	1	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	2	-	-	1	-	-
BLACK---FEMALE--	3	...	...	...	-	-	2	-	-	1	-	-
TEXAS ----------	6	...	...	...	-	1	-	2	2	1	-	-
WHITE------FEMALE--	5	...	...	...	-	1	-	1	2	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
UTAH ----------	3	...	...	...	-	-	-	2	1	-	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3132

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (O11,O13-O16)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Eclampsia and pre-eclampsia (O11,O13-O16)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
UNITED STATES -	45	...	...	...	-	4	5	8	11	13	4	-
WHITE------FEMALE--	27	...	...	...	-	-	3	5	9	7	3	-
ALL OTHER--FEMALE--	18	...	...	...	-	4	2	3	2	6	1	-
BLACK---FEMALE--	13	...	...	...	-	4	1	2	-	5	1	-
ALABAMA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	...	...	...	-	-	-	-	1	1	1	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	1	1	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	2	...	...	...	-	-	-	2	-	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
GEORGIA ----------	5	...	...	...	-	2	2	-	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	2	1	-	-	-	-	-
BLACK---FEMALE--	3	...	...	...	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3134

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
HAWAII ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	...	...	...	-	-	-	2	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3135

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
MINNESOTA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	6	...	...	...	-	-	1	2	2	1	-	-
WHITE------FEMALE--	4	...	...	...	-	-	1	1	1	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
OHIO ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	...	...	...	-	-	-	-	2	1	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	1	1	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	-	1	1	-
TEXAS ----------	6	...	...	...	-	-	1	1	1	3	-	-
WHITE------FEMALE--	4	...	...	...	-	-	1	-	1	2	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
WASHINGTON ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3142

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
UNITED STATES -	84	...	...	...	-	6	12	18	23	16	6	3
WHITE------FEMALE--	47	...	...	...	-	4	8	9	12	9	3	2
ALL OTHER--FEMALE--	37	...	...	...	-	2	4	9	11	7	3	1
BLACK---FEMALE--	32	...	...	...	-	2	4	8	10	5	3	-
ALABAMA ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	2	...	...	...	-	-	-	-	-	2	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	...	...	...	-	-	3	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	2	-	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	2	-	-	-	-	-
CALIFORNIA ----------	4	...	...	...	-	1	1	-	-	1	1	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	-	-	1	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
COLORADO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
FLORIDA ----------	7	...	...	...	-	-	1	3	2	1	-	-
WHITE------FEMALE--	4	...	...	...	-	-	1	2	-	1	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	1	2	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	1	2	-	-	-
GEORGIA ----------	7	...	...	...	-	1	1	1	3	-	1	-
WHITE------FEMALE--	2	...	...	...	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	5	...	...	...	-	-	-	1	3	-	1	-
BLACK---FEMALE--	5	...	...	...	-	-	-	1	3	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	...	...	...	-	1	-	-	1	2	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	-	1	2	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	-	1	2	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	2	...	...	...	-	-	-	2	-	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
KENTUCKY ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	...	...	...	-	1	-	1	3	-	-	-
WHITE------FEMALE--	5	...	...	...	-	1	-	1	3	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
MINNESOTA ----------	2	...	...	...	-	-	1	1	-	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
MISSOURI ----------	3	...	...	...	-	-	-	-	2	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	1	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	...	...	...	-	-	-	-	-	-	1	1
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
NEW MEXICO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	3	...	...	...	-	-	-	1	1	-	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	3	...	...	...	-	-	-	3	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	3	-	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	3	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
OHIO ----------	2	...	...	...	-	-	-	1	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
OKLAHOMA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	...	...	...	-	-	-	-	2	1	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	-	2	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	...	...	...	-	-	-	3	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	3	-	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
TEXAS ----------	7	...	...	...	-	-	3	-	2	2	-	-
WHITE------FEMALE--	4	...	...	...	-	-	2	-	2	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	-	-	2	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
UTAH ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	...	...	...	-	-	-	1	1	1	-	1
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (O85-O92)												
WASHINGTON ----------	2	...	...	...	-	-	-	-	1	-	-	1
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications predominantly related to the puerperium (O85-O92)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
UNITED STATES -	53	...	...	...	-	2	9	10	15	13	2	2
WHITE------FEMALE--	32	...	...	...	-	1	7	6	10	6	1	1
ALL OTHER--FEMALE--	21	...	...	...	-	1	2	4	5	7	1	1
BLACK---FEMALE--	16	...	...	...	-	1	2	3	4	5	1	-
ALABAMA ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	2	...	...	...	-	-	-	-	-	2	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	...	...	...	-	-	2	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
CALIFORNIA ----------	3	...	...	...	-	-	1	-	-	1	1	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	-	-	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
COLORADO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
FLORIDA ----------	7	...	...	...	-	-	1	3	2	1	-	-
WHITE------FEMALE--	4	...	...	...	-	-	1	2	-	1	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	1	2	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	-	1	2	-	-	-
GEORGIA ----------	2	...	...	...	-	-	1	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	...	...	...	-	-	-	-	-	2	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	...	...	...	-	-	-	1	2	-	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	1	2	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
MINNESOTA ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
MISSOURI ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	...	...	...	-	-	-	-	-	-	-	1
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	2	...	...	...	-	-	-	-	1	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
OHIO ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
TEXAS ----------	5	...	...	...	-	-	2	-	1	2	-	-
WHITE------FEMALE--	3	...	...	...	-	-	2	-	1	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	...	...	...	-	-	-	1	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (O88)												
WASHINGTON ----------	2	...	...	...	-	-	-	-	1	-	-	1
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric embolism (O88)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
UNITED STATES -	31	...	...	...	-	4	3	8	8	3	4	1
WHITE------FEMALE--	15	...	...	...	-	3	1	3	2	3	2	1
ALL OTHER--FEMALE--	16	...	...	...	-	1	2	5	6	-	2	-
BLACK---FEMALE--	16	...	...	...	-	1	2	5	6	-	2	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
CALIFORNIA ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3160

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
GEORGIA ----------	5	...	...	...	-	1	-	1	2	-	1	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	-	1	2	-	1	-
BLACK---FEMALE--	4	...	...	...	-	-	-	1	2	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3162

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	...	...	...	-	1	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
KENTUCKY ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	...	...	...	-	1	-	-	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
MINNESOTA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
NEW MEXICO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	...	...	...	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
OHIO ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	...	...	...	-	-	-	2	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	2	...	...	...	-	-	1	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
UTAH ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	...	...	...	-	-	-	-	1	-	-	1
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications predominately related to the puerperium (O85-O87,O89-O92)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
UNITED STATES -	89	...	...	...	-	9	13	20	19	17	11	-
WHITE------FEMALE--	44	...	...	...	-	3	5	11	10	11	4	-
ALL OTHER--FEMALE--	45	...	...	...	-	6	8	9	9	6	7	-
BLACK---FEMALE--	40	...	...	...	-	6	7	9	8	6	4	-
ALABAMA ----------	3	...	...	...	-	1	-	1	-	-	1	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	1	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	1	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
CALIFORNIA ----------	14	...	...	...	-	2	2	4	1	2	3	-
WHITE------FEMALE--	9	...	...	...	-	1	1	4	1	1	1	-
ALL OTHER--FEMALE--	5	...	...	...	-	1	1	-	-	1	2	-
BLACK---FEMALE--	3	...	...	...	-	1	-	-	-	1	1	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
FLORIDA ----------	5	...	...	...	-	-	-	1	2	1	1	-
WHITE------FEMALE--	4	...	...	...	-	-	-	-	2	1	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
GEORGIA ----------	8	...	...	...	-	1	-	2	3	2	-	-
WHITE------FEMALE--	4	...	...	...	-	-	-	1	2	1	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	1	-	1	1	1	-	-
BLACK---FEMALE--	4	...	...	...	-	1	-	1	1	1	-	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	...	...	...	-	1	-	3	-	-	1	-
WHITE------FEMALE--	2	...	...	...	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	-	2	-	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	-	2	-	-	1	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
KENTUCKY ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	...	...	...	-	-	-	1	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	...	...	...	-	-	1	1	-	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	1	...	...	...	-	-	-	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	2	...	...	...	-	-	1	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3174

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	11	...	...	...	-	-	4	1	2	4	-	-
WHITE------FEMALE--	3	...	...	...	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	8	...	...	...	-	-	3	-	1	4	-	-
BLACK---FEMALE--	8	...	...	...	-	-	3	-	1	4	-	-
NORTH CAROLINA ---------	5	...	...	...	-	1	1	2	-	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	1	-	2	-	-	-	-
BLACK---FEMALE--	3	...	...	...	-	1	-	2	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
OHIO ----------	3	...	...	...	-	-	1	2	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	1	-	-	-	-
OKLAHOMA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	...	...	...	-	-	-	-	1	1	1	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	1	1	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	...	...	...	-	1	-	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	-	-	1	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	-	-	1	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
TEXAS ----------	6	...	...	...	-	1	1	1	2	-	1	-
WHITE------FEMALE--	2	...	...	...	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	4	...	...	...	-	-	1	-	2	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	1	-	2	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	...	...	...	-	-	-	-	1	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
UNITED STATES -	5	...	...	...	-	-	-	2	-	3	-	-
WHITE------FEMALE--	3	...	...	...	-	-	-	2	-	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALABAMA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3184

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
OHIO ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric death of unspecified cause (O95)												
WASHINGTON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Obstetric death of unspecified cause (O95)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
UNITED STATES -	15	...	...	...	-	1	3	1	2	5	1	-
WHITE------FEMALE--	6	...	...	...	-	-	1	-	1	4	-	-
ALL OTHER--FEMALE--	9	...	...	...	-	1	2	1	1	1	1	-
BLACK---FEMALE--	8	...	...	...	-	1	2	1	-	1	1	-
ALABAMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	...	...	...	-	-	-	-	1	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
UNITED STATES -	2	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	2	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	2	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	1	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3188

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	3	...	...	...	-	-	1	-	-	-	1	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	1	-	-	-	1	-
BLACK---FEMALE--	3	...	...	...	-	-	1	-	-	-	1	-
GEORGIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	1	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	1	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
KENTUCKY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3191

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
MISSOURI ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
NEW HAMPSHIRE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3193

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
OHIO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	...	...	...	-	1	-	-	-	1	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-
BLACK---FEMALE--	2	...	...	...	-	1	-	-	-	1	-	-
TEXAS ----------	3	...	...	...	-	-	-	1	-	2	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
UTAH ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3195

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
WASHINGTON ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3196

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
UNITED STATES -	47	...	...	...	-	1	12	13	10	9	1	1
WHITE------FEMALE--	28	...	...	...	-	-	5	8	6	8	-	1
ALL OTHER--FEMALE--	19	...	...	...	-	1	7	5	4	1	1	-
BLACK---FEMALE--	17	...	...	...	-	1	6	4	4	1	1	-
ALABAMA ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARIZONA ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	...	...	...	-	-	1	1	1	1	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	-	-	1	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3196

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
UNITED STATES -	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALABAMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARIZONA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ARKANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CALIFORNIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
COLORADO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
FLORIDA ----------	5	...	...	...	-	-	2	-	1	2	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	2	-	1	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	2	-	1	-	-	-
GEORGIA ----------	4	...	...	...	-	-	2	2	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	...	...	...	-	-	2	1	-	-	-	-
BLACK---FEMALE--	3	...	...	...	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3197

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
COLORADO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
CONNECTICUT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DELAWARE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
DISTRICT OF COLUMBIA ---	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
FLORIDA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
GEORGIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3198

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
HAWAII ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
INDIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
KANSAS ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
HAWAII ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IDAHO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ILLINOIS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
INDIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
IOWA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
KANSAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
KENTUCKY ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MARYLAND ----------	1	...	...	...	-	-	-	1	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3199

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
KENTUCKY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
LOUISIANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MAINE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MARYLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MASSACHUSETTS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MICHIGAN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3200

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
MINNESOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	...	...	...	-	-	2	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	1	-	1	-	-	-
MISSOURI ----------	2	...	...	...	-	-	-	1	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	...	...	...	-	-	-	1	-	-	-	1
WHITE------FEMALE--	2	...	...	...	-	-	-	1	-	-	-	1
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3200

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
MINNESOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSISSIPPI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MISSOURI ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
MONTANA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEBRASKA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEVADA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3201

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
NEW HAMPSHIRE ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NEW YORK ----------	2	...	...	...	-	-	-	2	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	...	...	...	-	1	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3201

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
NEW HAMPSHIRE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW JERSEY ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW MEXICO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NEW YORK ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
NORTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
OHIO ----------	2	...	...	...	-	-	-	1	1	-	-	-
WHITE------FEMALE--	2	...	...	...	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
OREGON ----------	1	...	...	...	-	-	-	-	1	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3202

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
OHIO ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OKLAHOMA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
OREGON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
PENNSYLVANIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
RHODE ISLAND ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
SOUTH CAROLINA ---------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
SOUTH DAKOTA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
TEXAS ----------	5	...	...	...	-	-	1	1	-	2	1	-
WHITE------FEMALE--	3	...	...	...	-	-	1	-	-	2	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	1	-	-	1	-
BLACK---FEMALE--	2	...	...	...	-	-	-	1	-	-	1	-
UTAH ----------	1	...	...	...	-	-	1	-	-	-	-	-
WHITE------FEMALE--	1	...	...	...	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VERMONT ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	...	...	...	-	-	-	-	2	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	...	...	...	-	-	-	-	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
SOUTH DAKOTA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TENNESSEE ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
TEXAS ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
UTAH ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VERMONT ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (O98-O99)												
WASHINGTON ----------	1	...	...	...	-	-	-	-	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	...	...	...	-	-	-	1	-	1	-	-
WHITE------FEMALE--	1	...	...	...	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	...	...	...	-	-	-	1	-	-	-	-
WYOMING ----------	-	...	...	...	-	-	-	-	-	-	-	-
WHITE------FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	...	...	...	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Indirect obstetric deaths (O98-O99)												
WASHINGTON ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WEST VIRGINIA ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WISCONSIN ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
WYOMING ----------	-	...	...	...	...	...	...	...	...	...	...	-
WHITE------FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
ALL OTHER--FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-
BLACK---FEMALE--	-	...	...	...	...	...	...	...	...	...	...	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3205

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
UNITED STATES -	14,259	14,084	92	25	18	11	5	2	5	2	1	2
WHITE------MALE----	4,884	4,815	30	10	7	6	4	-	2	2	-	2
FEMALE--	3,764	3,707	26	9	7	5	-	2	3	-	1	-
ALL OTHER--MALE----	3,160	3,126	26	4	2	-	-	-	-	-	-	-
FEMALE--	2,451	2,436	10	2	2	-	1	-	-	-	-	-
BLACK---MALE----	2,907	2,883	19	2	1	-	-	-	-	-	-	-
FEMALE--	2,243	2,230	10	-	2	-	1	-	-	-	-	-
ALABAMA ----------	309	307	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	65	65	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	54	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	118	117	1	-	-	-	-	-	-	-	-	-
FEMALE--	71	71	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	117	116	1	-	-	-	-	-	-	-	-	-
FEMALE--	70	70	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	255	249	3	1	-	1	-	-	1	-	-	-
WHITE------MALE----	117	114	2	-	-	1	-	-	-	-	-	-
FEMALE--	88	86	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	29	28	-	1	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	120	119	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	46	46	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	34	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,379	1,349	15	6	2	4	1	-	1	-	-	-
WHITE------MALE----	569	559	2	3	-	3	1	-	-	-	-	-
FEMALE--	454	441	8	2	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	197	191	4	1	1	-	-	-	-	-	-	-
FEMALE--	159	158	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	130	127	2	1	-	-	-	-	-	-	-	-
FEMALE--	115	114	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3205

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
UNITED STATES -	-	1	2	1	1	1	-	-	1	-	-	5
WHITE------MALE----	-	-	1	-	1	1	-	-	1	-	-	2
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3206

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
COLORADO ----------	197	195	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	96	95	-	-	-	-	1	-	-	-	-	-
FEMALE--	69	68	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	160	158	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	63	61	-	-	2	-	-	-	-	-	-	-
FEMALE--	52	52	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	51	51	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	78	78	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	37	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	37	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	764	752	11	1	-	-	-	-	-	-	-	-
WHITE------MALE----	224	221	2	1	-	-	-	-	-	-	-	-
FEMALE--	186	183	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	201	197	4	-	-	-	-	-	-	-	-	-
FEMALE--	153	151	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	195	191	4	-	-	-	-	-	-	-	-	-
FEMALE--	153	151	2	-	-	-	-	-	-	-	-	-
GEORGIA ----------	549	542	5	-	1	-	-	-	1	-	-	-
WHITE------MALE----	106	104	1	-	-	-	-	-	1	-	-	-
FEMALE--	87	83	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	203	202	1	-	-	-	-	-	-	-	-	-
FEMALE--	153	153	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	199	198	1	-	-	-	-	-	-	-	-	-
FEMALE--	147	147	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3206

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
HAWAII ----------	64	63	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	27	1	-	-	-	-	-	-	-	-	-
FEMALE--	25	25	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	66	62	3	1	-	-	-	-	-	-	-	-
WHITE------MALE----	32	30	1	1	-	-	-	-	-	-	-	-
FEMALE--	30	28	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	820	819	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	251	251	-	-	-	-	-	-	-	-	-	-
FEMALE--	192	191	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	232	232	-	-	-	-	-	-	-	-	-	-
FEMALE--	145	145	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	222	222	-	-	-	-	-	-	-	-	-	-
FEMALE--	136	136	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	342	335	4	-	1	-	-	1	-	-	-	-
WHITE------MALE----	159	156	3	-	-	-	-	-	-	-	-	-
FEMALE--	97	93	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	45	45	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	41	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	44	44	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	41	-	-	-	-	-	-	-	-	-	-
IOWA ----------	93	90	-	1	-	1	-	-	1	-	-	-
WHITE------MALE----	49	47	-	1	-	-	-	-	1	-	-	-
FEMALE--	32	31	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	125	122	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	65	63	1	1	-	-	-	-	-	-	-	-
FEMALE--	40	39	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
KENTUCKY ----------	173	169	3	-	-	-	-	-	-	-	-	1
WHITE------MALE----	88	84	3	-	-	-	-	-	-	-	-	1
FEMALE--	53	53	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	311	310	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	44	44	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	49	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	108	107	1	-	-	-	-	-	-	-	-	-
FEMALE--	110	110	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	108	107	1	-	-	-	-	-	-	-	-	-
FEMALE--	110	110	-	-	-	-	-	-	-	-	-	-
MAINE ----------	39	38	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	18	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	340	339	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	69	69	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	44	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	121	121	-	-	-	-	-	-	-	-	-	-
FEMALE--	106	105	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	116	116	-	-	-	-	-	-	-	-	-	-
FEMALE--	101	100	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	271	268	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	106	105	1	-	-	-	-	-	-	-	-	-
FEMALE--	100	98	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	34	34	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	29	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	583	576	3	-	1	1	-	-	1	-	-	-
WHITE------MALE----	190	189	1	-	-	-	-	-	-	-	-	-
FEMALE--	108	105	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	157	154	2	-	-	-	-	-	-	-	-	-
FEMALE--	128	128	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	153	151	1	-	-	-	-	-	-	-	-	-
FEMALE--	123	123	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3208

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
MINNESOTA ----------	164	163	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	72	72	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	52	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	16	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	211	208	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	43	41	2	-	-	-	-	-	-	-	-	-
FEMALE--	26	26	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	82	81	1	-	-	-	-	-	-	-	-	-
FEMALE--	60	60	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	82	81	1	-	-	-	-	-	-	-	-	-
FEMALE--	58	58	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	295	293	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	104	103	1	-	-	-	-	-	-	-	-	-
FEMALE--	65	65	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	69	69	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	56	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	68	68	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	55	1	-	-	-	-	-	-	-	-	-
MONTANA ----------	22	22	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	83	80	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	38	37	-	-	-	1	-	-	-	-	-	-
FEMALE--	27	25	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	73	72	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	8	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
NEW HAMPSHIRE ----------	51	50	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	28	27	-	-	-	1	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	467	462	3	-	-	1	-	-	-	-	-	-
WHITE------MALE----	144	142	1	-	-	-	-	-	-	-	-	-
FEMALE--	116	115	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	115	113	2	-	-	-	-	-	-	-	-	-
FEMALE--	92	92	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	106	104	2	-	-	-	-	-	-	-	-	-
FEMALE--	87	87	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	81	80	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	37	36	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	904	892	5	2	2	-	-	-	-	1	-	-
WHITE------MALE----	294	290	1	-	1	-	-	-	-	1	-	-
FEMALE--	238	236	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	198	194	2	1	-	-	-	-	-	-	-	-
FEMALE--	174	172	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	183	181	-	1	-	-	-	-	-	-	-	-
FEMALE--	158	157	-	-	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	584	581	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	164	163	-	-	-	-	-	-	-	-	-	-
FEMALE--	123	122	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	181	181	-	-	-	-	-	-	-	-	-	-
FEMALE--	116	115	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	173	173	-	-	-	-	-	-	-	-	-	-
FEMALE--	105	104	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3210

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3211

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
OHIO ----------	659	654	3	2	-	-	-	-	-	-	-	-
WHITE------MALE----	230	227	2	1	-	-	-	-	-	-	-	-
FEMALE--	206	204	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	129	129	-	-	-	-	-	-	-	-	-	-
FEMALE--	94	94	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	127	127	-	-	-	-	-	-	-	-	-	-
FEMALE--	93	93	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	174	171	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	81	80	1	-	-	-	-	-	-	-	-	-
FEMALE--	57	56	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	22	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	19	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
OREGON ----------	121	120	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	63	62	-	-	-	-	-	-	-	1	-	-
FEMALE--	50	50	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	586	581	3	1	-	-	-	-	-	-	-	-
WHITE------MALE----	223	222	-	-	-	-	-	-	-	-	-	-
FEMALE--	149	148	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	102	101	-	1	-	-	-	-	-	-	-	-
FEMALE--	112	110	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	99	99	-	-	-	-	-	-	-	-	-	-
FEMALE--	109	107	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	41	41	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	319	316	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	49	49	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	56	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	128	126	2	-	-	-	-	-	-	-	-	-
FEMALE--	86	85	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	126	124	2	-	-	-	-	-	-	-	-	-
FEMALE--	86	85	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
SOUTH DAKOTA ----------	34	33	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	13	12	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	296	292	1	-	1	1	1	-	-	-	-	-
WHITE------MALE----	83	83	-	-	-	-	-	-	-	-	-	-
FEMALE--	62	60	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	81	80	1	-	-	-	-	-	-	-	-	-
FEMALE--	70	69	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	79	78	1	-	-	-	-	-	-	-	-	-
FEMALE--	69	68	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	1,011	996	8	3	2	-	1	-	-	-	-	1
WHITE------MALE----	407	400	2	2	1	-	1	-	-	-	-	1
FEMALE--	331	327	3	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	165	162	2	-	1	-	-	-	-	-	-	-
FEMALE--	108	107	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	161	158	2	-	1	-	-	-	-	-	-	-
FEMALE--	102	101	1	-	-	-	-	-	-	-	-	-
UTAH ----------	88	87	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	47	46	-	-	1	-	-	-	-	-	-	-
FEMALE--	35	35	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	378	378	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	93	93	-	-	-	-	-	-	-	-	-	-
FEMALE--	83	83	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	113	113	-	-	-	-	-	-	-	-	-	-
FEMALE--	89	89	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	108	108	-	-	-	-	-	-	-	-	-	-
FEMALE--	82	82	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
WASHINGTON ----------	177	173	2	-	2	-	-	-	-	-	-	-
WHITE------MALE----	78	75	2	-	1	-	-	-	-	-	-	-
FEMALE--	57	57	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	18	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	14	-	-	1	-	-	-	-	-	-	-
WEST VIRGINIA ----------	73	73	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	43	43	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	209	206	1	-	1	-	-	-	-	-	1	-
WHITE------MALE----	86	84	1	-	1	-	-	-	-	-	-	-
FEMALE--	65	64	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	18	18	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVI. Certain conditions originating in the perinatal period (P00-P96)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3214

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
UNITED STATES -	2,750	2,738	4	3	2	1	1	-	-	-	-	-
WHITE------MALE----	917	911	2	2	1	-	-	-	-	-	-	-
FEMALE--	776	773	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	581	579	1	1	-	-	-	-	-	-	-	-
FEMALE--	476	475	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	537	535	1	1	-	-	-	-	-	-	-	-
FEMALE--	430	429	-	-	-	-	1	-	-	-	-	-
ALABAMA ----------	46	46	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	45	45	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	18	18	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	227	225	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	76	76	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	87	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	29	1	1	-	-	-	-	-	-	-	-
FEMALE--	33	33	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	19	1	1	-	-	-	-	-	-	-	-
FEMALE--	25	25	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3214

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
COLORADO ----------	48	48	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	37	37	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	16	16	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	46	46	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	190	188	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	46	45	1	-	-	-	-	-	-	-	-	-
FEMALE--	48	47	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	59	59	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	37	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	57	57	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	37	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	56	56	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3216

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
HAWAII ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	13	12	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	123	123	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	40	40	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	62	62	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
IOWA ----------	28	28	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	36	36	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
KENTUCKY ----------	36	36	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	50	50	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	81	81	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	25	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	51	51	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	73	73	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
MINNESOTA ----------	50	50	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	32	32	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	66	66	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	21	20	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3219

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
NEW HAMPSHIRE ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	75	74	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	14	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	16	16	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	134	133	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	51	50	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	41	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	113	113	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	30	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3220

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
OHIO ----------	178	178	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	55	55	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	56	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	40	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	40	40	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	34	34	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	32	32	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	140	140	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	56	56	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	41	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	69	69	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3220

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
SOUTH DAKOTA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	40	39	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	197	196	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	75	74	-	1	-	-	-	-	-	-	-	-
FEMALE--	58	58	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	29	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	29	-	-	-	-	-	-	-	-	-	-
UTAH ----------	19	18	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	11	10	-	-	1	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	72	72	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3222

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
WASHINGTON ----------	38	38	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	15	15	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	33	32	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3222

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
UNITED STATES -	4,399	4,392	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1,319	1,317	2	-	-	-	-	-	-	-	-	-
FEMALE--	1,051	1,049	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1,140	1,138	-	-	-	-	-	-	-	-	-	-
FEMALE--	889	888	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1,070	1,068	-	-	-	-	-	-	-	-	-	-
FEMALE--	831	830	1	-	-	-	-	-	-	-	-	-
ALABAMA ----------	99	99	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	43	43	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	42	42	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	77	77	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	29	29	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	34	34	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	387	387	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	153	153	-	-	-	-	-	-	-	-	-	-
FEMALE--	124	124	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	60	60	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	50	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	39	39	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	34	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3223

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
COLORADO ----------	53	53	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	52	52	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	14	14	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	234	232	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	67	67	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	52	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	58	58	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	55	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	57	57	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	55	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	172	172	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	77	77	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	51	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	76	76	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	50	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3224

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
HAWAII ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	25	25	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	328	328	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	84	84	-	-	-	-	-	-	-	-	-	-
FEMALE--	74	74	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	106	106	-	-	-	-	-	-	-	-	-	-
FEMALE--	64	64	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	104	104	-	-	-	-	-	-	-	-	-	-
FEMALE--	61	61	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	110	109	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	45	45	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	31	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
IOWA ----------	25	25	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	35	35	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3225

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
KENTUCKY ----------	51	50	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	25	1	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	136	136	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	53	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	54	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	53	53	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	54	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	111	111	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	41	41	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	34	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	40	40	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	33	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	97	97	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	33	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	217	216	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	64	64	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	32	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	69	68	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	52	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	69	68	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	52	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Disorders related to short gestation and low birth weight, not elsewhere classified (P07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	48	48	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	82	82	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	28	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	28	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	101	101	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	29	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	15	15	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Disorders related to short gestation and low birth weight, not elsewhere classified (P07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	137	137	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	36	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	38	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	32	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	36	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	35	35	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	213	212	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	61	61	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	45	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	59	58	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	48	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	54	53	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	47	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	196	196	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	52	52	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	28	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	69	69	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	47	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	66	66	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	44	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
OHIO ----------	172	172	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	55	55	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	51	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	47	47	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
OREGON ----------	29	29	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	187	187	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	52	52	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	39	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	46	46	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	50	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	45	45	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	48	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	95	95	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	41	41	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	40	40	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
SOUTH DAKOTA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	93	93	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	32	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	281	280	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	101	100	1	-	-	-	-	-	-	-	-	-
FEMALE--	91	91	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	58	58	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	57	57	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	28	-	-	-	-	-	-	-	-	-	-
UTAH ----------	24	24	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	136	136	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	26	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	44	44	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	44	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	42	42	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	42	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
WASHINGTON ----------	46	46	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	88	88	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	39	39	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3231

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3232

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
UNITED STATES -	30	20	4	-	1	1	-	-	-	1	-	-
WHITE------MALE----	14	9	2	-	-	1	-	-	-	1	-	-
FEMALE--	5	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	4	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	2	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
UNITED STATES -	-	1	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
COLORADO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3234

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3234

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
KENTUCKY ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
NEW HAMPSHIRE ----------	2	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
OHIO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
WASHINGTON ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3240

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Birth trauma (P10-P15)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
UNITED STATES -	654	613	20	8	3	4	4	-	-	-	-	-
WHITE------MALE----	247	229	6	2	2	2	4	-	-	-	-	-
FEMALE--	215	200	8	4	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	113	106	5	2	-	-	-	-	-	-	-	-
FEMALE--	79	78	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	94	90	3	1	-	-	-	-	-	-	-	-
FEMALE--	68	67	1	-	-	-	-	-	-	-	-	-
ALABAMA ----------	16	16	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	80	69	6	2	-	2	1	-	-	-	-	-
WHITE------MALE----	32	28	1	1	-	1	1	-	-	-	-	-
FEMALE--	30	24	4	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	13	12	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3241

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
UNITED STATES -	-	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
COLORADO ----------	18	16	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	10	9	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	7	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	8	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	30	27	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	11	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	17	15	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
HAWAII ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	34	33	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	7	6	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
KENTUCKY ----------	11	10	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	14	14	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	15	14	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
MINNESOTA ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	9	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	5	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	5	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
NEW HAMPSHIRE ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	22	20	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	36	34	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	7	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	6	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	35	35	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
OHIO ----------	45	42	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	18	17	-	1	-	-	-	-	-	-	-	-
FEMALE--	16	14	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	25	24	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
SOUTH DAKOTA ----------	2	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	36	33	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	18	16	1	-	-	-	1	-	-	-	-	-
FEMALE--	14	13	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	16	16	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intrauterine hypoxia and birth asphyxia (P20-P21)												
WASHINGTON ----------	12	11	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	8	7	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	4	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intrauterine hypoxia and birth asphyxia (P20-P21)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
UNITED STATES -	1,113	1,110	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	405	405	-	-	-	-	-	-	-	-	-	-
FEMALE--	302	299	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	250	250	-	-	-	-	-	-	-	-	-	-
FEMALE--	156	156	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	233	233	-	-	-	-	-	-	-	-	-	-
FEMALE--	142	142	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	34	34	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	96	95	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	43	43	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	29	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3250

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
COLORADO ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	34	34	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	48	47	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
HAWAII ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	72	72	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	27	27	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
IOWA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
KENTUCKY ----------	14	14	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
MAINE ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	28	28	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	18	17	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	9	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	83	83	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
MINNESOTA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
NEW HAMPSHIRE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	57	57	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	90	90	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	42	42	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
OHIO ----------	49	49	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	47	47	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	32	32	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
SOUTH DAKOTA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	23	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	89	89	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	41	41	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	29	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
UTAH ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	26	26	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory distress of newborn (P22)												
WASHINGTON ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory distress of newborn (P22)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
UNITED STATES -	1,768	1,718	39	5	5	1	-	-	-	-	-	-
WHITE------MALE----	706	689	11	3	3	-	-	-	-	-	-	-
FEMALE--	470	462	7	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	329	311	16	1	1	-	-	-	-	-	-	-
FEMALE--	263	256	5	1	1	-	-	-	-	-	-	-
BLACK---MALE----	302	290	12	-	-	-	-	-	-	-	-	-
FEMALE--	244	238	5	-	1	-	-	-	-	-	-	-
ALABAMA ----------	32	31	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	15	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	15	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	24	21	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	13	11	2	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	20	20	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	151	144	5	1	1	-	-	-	-	-	-	-
WHITE------MALE----	69	67	1	1	-	-	-	-	-	-	-	-
FEMALE--	45	43	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	15	1	-	1	-	-	-	-	-	-	-
FEMALE--	20	19	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	10	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	13	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
COLORADO ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	19	18	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	9	8	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	80	77	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	30	29	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	23	2	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	22	2	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	80	78	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	13	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	19	1	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	19	1	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
HAWAII ----------	8	7	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	6	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	102	102	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	45	43	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	25	2	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
IOWA ----------	13	11	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	5	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	5	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	17	16	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	7	6	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
KENTUCKY ----------	23	22	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	50	50	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	31	30	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	12	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	12	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	29	28	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	19	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	83	81	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	20	2	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	20	1	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
MINNESOTA ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	19	17	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	8	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	46	46	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	15	14	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
NEW HAMPSHIRE ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	58	58	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	127	124	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	37	37	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	35	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	28	1	-	-	-	-	-	-	-	-	-
FEMALE--	26	24	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	23	-	-	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	66	66	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
OHIO ----------	80	78	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	34	32	2	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	23	21	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	22	22	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	59	56	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	29	29	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	17	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	7	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	7	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	35	34	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	14	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	14	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
SOUTH DAKOTA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	46	45	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	135	131	3	-	1	-	-	-	-	-	-	-
WHITE------MALE----	55	54	-	-	1	-	-	-	-	-	-	-
FEMALE--	48	48	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	18	2	-	-	-	-	-	-	-	-	-
FEMALE--	12	11	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	18	2	-	-	-	-	-	-	-	-	-
FEMALE--	11	10	1	-	-	-	-	-	-	-	-	-
UTAH ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	46	46	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other respiratory conditions originating in the perinatal period (P23-P28)												
WASHINGTON ----------	27	26	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	7	6	-	-	1	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	25	25	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other respiratory conditions originating in the perinatal period (P23-P28)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3268

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
UNITED STATES -	900	871	8	6	5	2	-	2	3	-	1	1
WHITE------MALE----	302	296	1	1	-	2	-	-	1	-	-	1
FEMALE--	257	241	3	4	3	-	-	2	2	-	1	-
ALL OTHER--MALE----	203	199	3	-	1	-	-	-	-	-	-	-
FEMALE--	138	135	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	189	186	2	-	1	-	-	-	-	-	-	-
FEMALE--	124	122	1	-	1	-	-	-	-	-	-	-
ALABAMA ----------	26	25	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	8	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	19	16	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	10	9	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	5	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	60	55	2	1	-	1	-	-	1	-	-	-
WHITE------MALE----	25	24	-	-	-	1	-	-	-	-	-	-
FEMALE--	19	16	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	8	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3268

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
UNITED STATES -	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
COLORADO ----------	15	15	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	58	56	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	19	18	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	8	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	8	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	40	38	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	8	7	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	7	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
HAWAII ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	47	47	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	31	29	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	9	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
IOWA ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3270

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
KENTUCKY ----------	10	9	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	5	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	20	19	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	13	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	13	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	5	4	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	18	18	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	8	7	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	30	29	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	8	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
MINNESOTA ----------	14	13	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
NEW HAMPSHIRE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	30	29	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	12	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	11	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	49	49	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	33	32	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
OHIO ----------	38	38	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	18	18	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	37	37	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
SOUTH DAKOTA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	31	31	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	78	76	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	23	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	12	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	12	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	28	28	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections specific to the perinatal period (P35-P39)												
WASHINGTON ----------	10	9	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	12	11	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections specific to the perinatal period (P35-P39)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
UNITED STATES -	2,645	2,622	11	2	2	2	-	-	2	1	-	1
WHITE------MALE----	974	959	6	2	1	1	-	-	1	1	-	1
FEMALE--	688	681	4	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	539	538	1	-	-	-	-	-	-	-	-	-
FEMALE--	444	444	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	479	478	1	-	-	-	-	-	-	-	-	-
FEMALE--	400	400	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	56	56	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	69	69	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	34	34	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	15	15	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	375	371	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	170	167	-	1	-	1	-	-	-	-	-	-
FEMALE--	119	118	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	49	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	37	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
UNITED STATES -	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
COLORADO ----------	38	38	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	28	28	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	138	138	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	42	42	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	38	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	28	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	135	135	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	53	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	38	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	50	50	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	38	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3278

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3279

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
HAWAII ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	113	113	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	48	48	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	60	59	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	32	31	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
IOWA ----------	10	9	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
KENTUCKY ----------	27	27	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	28	28	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	58	58	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	54	54	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	82	80	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	22	21	1	-	-	-	-	-	-	-	-	-
FEMALE--	20	19	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3280

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
MINNESOTA ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	45	44	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	10	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	51	51	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	23	23	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	16	16	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3281

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
NEW HAMPSHIRE ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	88	87	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	25	1	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	254	250	3	-	1	-	-	-	-	-	-	-
WHITE------MALE----	86	84	1	-	1	-	-	-	-	-	-	-
FEMALE--	63	61	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	51	51	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	54	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	48	48	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	47	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	98	97	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	31	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3282

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
OHIO ----------	96	96	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	29	29	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	29	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	27	27	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	12	11	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	89	89	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	37	37	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	57	56	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	23	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	22	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3283

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
SOUTH DAKOTA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	48	47	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	10	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	193	189	2	1	-	-	-	-	-	-	-	1
WHITE------MALE----	85	83	-	1	-	-	-	-	-	-	-	1
FEMALE--	66	64	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
UTAH ----------	15	15	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	54	54	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3285

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
WASHINGTON ----------	36	35	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	19	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	33	33	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3286

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
UNITED STATES -	10,393	5,473	549	207	221	222	212	212	253	279	273	342
WHITE------MALE----	4,269	2,240	218	69	79	109	95	93	109	128	117	156
FEMALE--	4,028	1,971	167	75	78	61	67	85	99	104	112	136
ALL OTHER--MALE----	1,077	635	92	33	34	30	28	17	23	24	27	29
FEMALE--	1,019	627	72	30	30	22	22	17	22	23	17	21
BLACK---MALE----	899	531	79	25	29	27	24	14	18	19	23	27
FEMALE--	821	494	59	25	27	16	16	14	15	23	12	16
ALABAMA ----------	180	103	8	4	7	4	4	7	3	4	3	1
WHITE------MALE----	55	38	-	1	1	-	1	1	1	-	-	-
FEMALE--	66	29	3	2	4	2	-	4	1	3	3	-
ALL OTHER--MALE----	29	16	4	-	-	1	1	2	1	1	-	1
FEMALE--	30	20	1	1	2	1	2	-	-	-	-	-
BLACK---MALE----	29	16	4	-	-	1	1	2	1	1	-	1
FEMALE--	30	20	1	1	2	1	2	-	-	-	-	-
ALASKA ----------	26	16	1	2	-	1	-	-	1	-	-	-
WHITE------MALE----	7	5	1	-	-	1	-	-	-	-	-	-
FEMALE--	8	6	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	3	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	212	132	12	3	5	3	4	-	2	6	7	11
WHITE------MALE----	102	65	3	1	2	3	2	-	1	2	3	6
FEMALE--	76	48	5	2	1	-	1	-	1	2	4	3
ALL OTHER--MALE----	11	5	2	-	-	-	1	-	-	-	-	1
FEMALE--	23	14	2	-	2	-	-	-	-	2	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	5	1	-	1	-	-	-	-	2	-	-
ARKANSAS ----------	97	58	5	-	1	4	4	1	3	2	3	-
WHITE------MALE----	44	24	3	-	-	2	3	-	1	1	2	-
FEMALE--	33	21	1	-	1	-	1	1	-	-	1	-
ALL OTHER--MALE----	13	10	-	-	-	1	-	-	1	-	-	-
FEMALE--	7	3	1	-	-	1	-	-	1	1	-	-
BLACK---MALE----	11	9	-	-	-	1	-	-	1	-	-	-
FEMALE--	7	3	1	-	-	1	-	-	1	1	-	-
CALIFORNIA ----------	1,258	676	69	38	29	24	34	26	27	31	37	53
WHITE------MALE----	529	299	29	11	7	12	14	12	12	13	10	21
FEMALE--	524	270	22	15	12	7	12	12	10	11	21	24
ALL OTHER--MALE----	106	54	10	8	7	3	5	-	1	4	3	5
FEMALE--	99	53	8	4	3	2	3	2	4	3	3	3
BLACK---MALE----	58	32	5	4	5	2	3	-	-	1	-	5
FEMALE--	43	23	3	2	1	-	2	-	-	3	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3286

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
UNITED STATES -	305	304	253	251	218	249	242	187	100	34	5	2
WHITE------MALE----	140	143	114	95	91	83	96	53	33	6	1	1
FEMALE--	125	132	111	130	100	138	128	117	59	28	4	1
ALL OTHER--MALE----	22	14	12	11	12	19	6	7	2	-	-	-
FEMALE--	18	15	16	15	15	9	12	10	6	-	-	-
BLACK---MALE----	17	12	10	6	10	14	5	7	2	-	-	-
FEMALE--	16	13	11	15	15	8	11	9	6	-	-	-
ALABAMA ----------	6	5	3	6	2	3	3	2	2	-	-	-
WHITE------MALE----	3	4	1	-	1	2	1	-	-	-	-	-
FEMALE--	3	-	1	5	1	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA ----------	2	6	3	4	4	1	1	2	3	1	-	-
WHITE------MALE----	2	3	-	3	2	1	1	1	1	-	-	-
FEMALE--	-	1	2	-	2	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	3	2	1	1	5	2	1	-	-	-	-
WHITE------MALE----	-	2	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	38	27	36	20	19	20	20	23	8	3	-	-
WHITE------MALE----	21	8	15	6	10	7	11	8	3	-	-	-
FEMALE--	12	16	17	13	9	12	8	14	4	3	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	4	2	3	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3287

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
COLORADO ----------	171	90	13	3	-	4	4	1	3	3	5	6
WHITE------MALE----	76	40	7	1	-	2	3	-	2	2	2	4
FEMALE--	82	44	6	2	-	1	1	1	1	-	2	1
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	5	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	1
CONNECTICUT ----------	110	54	7	1	3	1	1	2	3	1	4	3
WHITE------MALE----	57	28	7	-	2	-	1	-	1	1	1	1
FEMALE--	42	21	-	1	-	-	-	2	1	-	2	1
ALL OTHER--MALE----	4	2	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	3	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	3	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	6	3	-	-	1	-	-	-	-	-	-	1
DELAWARE ----------	28	7	-	1	-	-	-	4	-	-	2	1
WHITE------MALE----	14	1	-	1	-	-	-	2	-	-	1	-
FEMALE--	7	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	4	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	21	9	2	1	1	-	-	2	2	-	2	-
WHITE------MALE----	5	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	1	1	-	-	-	1	1	-	1	-
FEMALE--	8	4	1	-	1	-	-	1	-	-	1	-
BLACK---MALE----	7	1	1	1	-	-	-	1	1	-	1	-
FEMALE--	7	3	1	-	1	-	-	1	-	-	1	-
FLORIDA ----------	558	273	36	16	11	8	12	8	11	18	10	16
WHITE------MALE----	212	86	19	4	3	1	8	2	3	9	7	8
FEMALE--	206	97	7	5	1	4	2	4	6	7	2	6
ALL OTHER--MALE----	72	46	3	5	4	2	1	2	1	1	1	1
FEMALE--	68	44	7	2	3	1	1	-	1	1	-	1
BLACK---MALE----	67	42	3	5	3	2	1	2	1	1	1	1
FEMALE--	66	43	6	2	3	1	1	-	1	1	-	1
GEORGIA ----------	305	189	10	6	11	9	6	6	4	5	9	9
WHITE------MALE----	83	53	2	-	2	-	2	1	2	1	5	4
FEMALE--	101	58	2	-	3	3	3	1	2	3	2	2
ALL OTHER--MALE----	67	49	3	2	2	4	1	2	-	1	1	2
FEMALE--	54	29	3	4	4	2	-	2	-	-	1	1
BLACK---MALE----	64	47	3	2	2	3	1	2	-	1	1	2
FEMALE--	52	28	3	3	4	2	-	2	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
COLORADO ----------	5	8	6	2	4	5	3	2	3	-	-	1
WHITE------MALE----	2	3	1	-	2	1	2	-	1	-	-	1
FEMALE--	3	3	5	2	2	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	6	3	4	1	3	3	5	-	-	-	-
WHITE------MALE----	3	3	2	2	1	1	2	1	-	-	-	-
FEMALE--	2	3	1	2	-	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	4	1	1	1	2	2	-	2	-	-	-	-
WHITE------MALE----	3	-	1	1	1	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	11	18	11	21	9	22	25	11	9	-	2	-
WHITE------MALE----	3	7	6	8	7	9	13	4	4	-	1	-
FEMALE--	5	6	5	12	2	13	10	6	5	-	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	2	4	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	2	4	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	11	3	3	6	7	3	6	1	1	-	-	-
WHITE------MALE----	5	2	-	-	1	1	1	1	-	-	-	-
FEMALE--	6	-	2	3	4	1	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	3	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	3	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3288

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
HAWAII ----------	40	24	3	1	1	1	1	-	-	1	1	-
WHITE------MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	4	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	11	-	1	-	-	-	-	-	1	-	-
FEMALE--	14	8	3	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	55	30	2	1	2	1	-	2	3	1	1	-
WHITE------MALE----	31	14	-	-	1	1	-	1	2	1	1	-
FEMALE--	21	13	2	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	505	297	31	8	12	10	8	11	9	12	8	11
WHITE------MALE----	192	120	9	1	4	5	1	5	5	4	2	4
FEMALE--	190	92	9	4	3	4	3	4	4	6	6	5
ALL OTHER--MALE----	61	40	9	1	4	-	2	1	-	2	-	1
FEMALE--	62	45	4	2	1	1	2	1	-	-	-	1
BLACK---MALE----	56	35	9	1	4	-	2	1	-	2	-	1
FEMALE--	52	35	4	2	1	1	2	1	-	-	-	1
INDIANA ----------	258	136	12	4	5	11	4	10	7	3	5	9
WHITE------MALE----	118	66	2	1	3	8	3	5	2	1	2	5
FEMALE--	115	56	8	2	2	3	1	4	3	2	2	4
ALL OTHER--MALE----	17	11	1	-	-	-	-	1	1	-	1	-
FEMALE--	8	3	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	16	11	1	-	-	-	-	-	1	-	1	-
FEMALE--	7	2	1	1	-	-	-	-	1	-	-	-
IOWA ----------	116	45	7	-	3	1	4	1	2	3	5	3
WHITE------MALE----	51	20	1	-	2	-	1	-	1	1	4	2
FEMALE--	54	18	3	-	1	1	3	1	1	2	1	1
ALL OTHER--MALE----	5	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	115	62	5	1	6	2	2	6	2	4	3	6
WHITE------MALE----	56	30	2	-	1	2	2	3	1	1	1	3
FEMALE--	51	28	-	1	5	-	-	3	1	2	2	3
ALL OTHER--MALE----	4	1	2	-	-	-	-	-	-	1	-	-
FEMALE--	4	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	2	-	-	-	-	-	-	1	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
HAWAII ----------	-	1	1	1	3	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	3	-	1	1	2	2	1	-	-	-
WHITE------MALE----	-	1	3	-	1	1	2	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	16	6	13	12	11	6	6	13	4	1	-	-
WHITE------MALE----	5	4	4	5	4	2	2	6	-	-	-	-
FEMALE--	10	2	7	5	7	4	4	7	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	1	-	-	-
INDIANA ----------	6	10	7	2	4	7	9	5	1	-	1	-
WHITE------MALE----	4	4	2	-	3	3	2	2	-	-	-	-
FEMALE--	2	6	4	2	1	3	6	3	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
IOWA ----------	8	5	4	6	4	2	3	3	4	3	-	-
WHITE------MALE----	7	3	-	1	3	-	2	1	2	-	-	-
FEMALE--	1	2	4	5	1	2	1	1	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	3	2	2	1	2	2	1	-	-	-	-
WHITE------MALE----	3	1	2	-	1	1	1	1	-	-	-	-
FEMALE--	-	2	-	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3289

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
KENTUCKY ----------	177	94	8	4	3	11	2	-	4	6	8	5
WHITE------MALE----	91	51	4	2	2	9	-	-	3	5	2	4
FEMALE--	71	34	2	1	1	2	2	-	1	1	5	1
ALL OTHER--MALE----	9	5	2	-	-	-	-	-	-	-	1	-
FEMALE--	6	4	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	5	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	4	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	221	120	12	6	8	1	1	4	10	5	7	9
WHITE------MALE----	66	33	1	1	2	-	-	3	2	3	3	3
FEMALE--	55	23	3	2	3	1	-	-	3	-	3	1
ALL OTHER--MALE----	50	33	4	1	1	-	1	1	2	-	1	2
FEMALE--	50	31	4	2	2	-	-	-	3	2	-	3
BLACK---MALE----	50	33	4	1	1	-	1	1	2	-	1	2
FEMALE--	46	27	4	2	2	-	-	-	3	2	-	3
MAINE ----------	38	15	1	1	1	-	-	-	-	1	4	2
WHITE------MALE----	19	7	-	1	1	-	-	-	-	1	1	-
FEMALE--	18	7	1	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	175	91	9	3	2	2	3	3	4	11	3	7
WHITE------MALE----	50	21	1	2	1	1	-	2	-	4	-	3
FEMALE--	41	15	5	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	42	24	3	1	1	1	2	-	2	1	1	2
FEMALE--	42	31	-	-	-	-	1	1	1	5	1	-
BLACK---MALE----	38	21	2	1	1	1	2	-	2	1	1	2
FEMALE--	39	28	-	-	-	-	1	1	1	5	1	-
MASSACHUSETTS ----------	155	66	12	1	4	4	2	1	3	2	7	7
WHITE------MALE----	60	29	3	1	3	1	1	-	2	-	4	3
FEMALE--	83	32	4	-	1	2	1	1	1	2	3	4
ALL OTHER--MALE----	5	-	4	-	-	1	-	-	-	-	-	-
FEMALE--	7	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	7	5	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	359	186	16	5	7	14	12	13	12	11	15	8
WHITE------MALE----	158	75	7	2	3	10	5	8	5	6	7	5
FEMALE--	126	71	5	1	1	-	4	3	1	4	4	3
ALL OTHER--MALE----	41	25	2	-	3	2	-	-	3	1	4	-
FEMALE--	34	15	2	2	-	2	3	2	3	-	-	-
BLACK---MALE----	39	23	2	-	3	2	-	-	3	1	4	-
FEMALE--	30	13	2	2	-	2	2	2	3	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
KENTUCKY ----------	3	1	10	4	1	3	7	2	1	-	-	-
WHITE------MALE----	2	1	4	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	5	4	1	3	6	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	6	7	3	8	4	2	5	2	-	1	-	-
WHITE------MALE----	2	3	1	4	3	1	1	-	-	-	-	-
FEMALE--	3	1	1	3	1	-	4	2	-	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
MAINE ----------	1	1	2	2	1	3	1	2	-	-	-	-
WHITE------MALE----	1	-	1	1	-	3	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	6	4	7	4	7	2	-	3	-	-	-
WHITE------MALE----	1	3	2	4	2	2	-	-	1	-	-	-
FEMALE--	2	3	1	2	1	4	1	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	6	7	2	11	4	6	4	5	1	-	-	-
WHITE------MALE----	3	4	-	2	-	1	2	1	-	-	-	-
FEMALE--	3	3	2	9	3	5	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	11	10	5	4	8	6	7	3	3	3	-	-
WHITE------MALE----	4	7	3	1	1	2	4	2	-	1	-	-
FEMALE--	5	3	1	3	6	4	2	1	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3290

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
MINNESOTA ----------	190	110	6	3	7	2	1	3	5	4	4	8
WHITE------MALE----	82	46	4	-	1	1	-	-	2	1	2	6
FEMALE--	83	42	1	2	6	1	1	2	3	3	2	2
ALL OTHER--MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	15	13	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	7	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	107	67	9	6	-	1	2	-	1	4	-	3
WHITE------MALE----	25	18	1	-	-	-	-	-	-	2	-	-
FEMALE--	28	12	1	4	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	27	18	6	-	-	1	-	-	-	-	-	1
FEMALE--	27	19	1	2	-	-	-	-	1	1	-	1
BLACK---MALE----	27	18	6	-	-	1	-	-	-	-	-	1
FEMALE--	25	17	1	2	-	-	-	-	1	1	-	1
MISSOURI ----------	219	117	8	1	5	3	2	3	4	7	4	7
WHITE------MALE----	90	53	4	-	1	2	-	3	2	4	1	2
FEMALE--	91	39	3	1	3	-	2	-	2	2	2	4
ALL OTHER--MALE----	18	13	-	-	-	1	-	-	-	-	-	1
FEMALE--	20	12	1	-	1	-	-	-	-	1	1	-
BLACK---MALE----	18	13	-	-	-	1	-	-	-	-	-	1
FEMALE--	19	11	1	-	1	-	-	-	-	1	1	-
MONTANA ----------	32	18	2	-	-	-	-	1	-	-	-	1
WHITE------MALE----	16	6	1	-	-	-	-	1	-	-	-	1
FEMALE--	13	9	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	72	40	2	-	2	-	-	1	2	2	1	4
WHITE------MALE----	35	20	2	-	-	-	-	1	1	-	-	2
FEMALE--	30	14	-	-	1	-	-	-	1	2	1	2
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-
NEVADA ----------	66	44	5	3	2	1	1	1	-	2	2	1
WHITE------MALE----	33	23	3	2	-	-	1	-	-	-	-	1
FEMALE--	25	17	1	1	1	-	-	1	-	2	2	-
ALL OTHER--MALE----	4	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
MINNESOTA ----------	7	8	5	3	1	1	6	4	1	1	-	-
WHITE------MALE----	2	7	3	3	-	1	1	1	1	-	-	-
FEMALE--	5	1	2	-	1	-	5	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	-	1	2	3	2	1	-	1	-	-	-
WHITE------MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MISSOURI ----------	8	6	8	3	8	10	5	4	5	1	-	-
WHITE------MALE----	6	3	2	-	3	3	-	-	-	1	-	-
FEMALE--	1	3	5	3	5	4	4	4	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
MONTANA ----------	1	1	1	1	3	1	-	2	-	-	-	-
WHITE------MALE----	1	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	6	1	1	1	1	4	-	2	1	-	-
WHITE------MALE----	-	4	1	-	-	1	2	-	1	-	-	-
FEMALE--	1	2	-	1	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3291

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
NEW HAMPSHIRE ----------	30	14	3	-	-	-	-	2	1	2	1	-
WHITE------MALE----	17	9	2	-	-	-	-	1	-	1	1	-
FEMALE--	13	5	1	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	248	119	11	4	4	3	4	7	10	11	11	8
WHITE------MALE----	81	37	6	3	3	-	-	2	5	1	5	4
FEMALE--	103	44	1	1	-	1	2	4	4	6	4	3
ALL OTHER--MALE----	35	23	2	-	-	2	1	-	-	1	-	1
FEMALE--	29	15	2	-	1	-	1	1	1	3	2	-
BLACK---MALE----	28	19	1	-	-	2	1	-	-	-	-	1
FEMALE--	25	13	1	-	1	-	-	1	1	3	2	-
NEW MEXICO ----------	91	43	8	4	-	1	3	1	6	2	6	-
WHITE------MALE----	39	15	6	3	-	-	-	1	1	1	4	-
FEMALE--	38	18	2	1	-	-	2	-	3	1	2	-
ALL OTHER--MALE----	9	6	-	-	-	1	-	-	2	-	-	-
FEMALE--	5	4	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	568	303	27	13	15	15	7	13	17	14	6	15
WHITE------MALE----	215	109	8	6	8	7	3	4	10	9	3	6
FEMALE--	212	110	7	3	2	4	3	7	3	3	1	5
ALL OTHER--MALE----	74	42	5	3	3	2	1	-	2	2	1	3
FEMALE--	67	42	7	1	2	2	-	2	2	-	1	1
BLACK---MALE----	65	35	5	3	3	2	1	-	1	2	1	3
FEMALE--	62	38	7	1	2	2	-	2	1	-	1	1
NORTH CAROLINA ---------	320	197	13	7	6	8	6	2	4	5	2	9
WHITE------MALE----	125	81	3	2	2	2	1	2	2	3	-	1
FEMALE--	91	48	3	2	-	3	2	-	2	2	2	4
ALL OTHER--MALE----	49	32	4	2	1	1	-	-	-	-	-	2
FEMALE--	55	36	3	1	3	2	3	-	-	-	-	2
BLACK---MALE----	46	30	4	1	1	1	-	-	-	-	-	2
FEMALE--	48	30	2	1	3	2	3	-	-	-	-	2
NORTH DAKOTA ----------	32	11	4	1	-	1	-	1	-	-	3	1
WHITE------MALE----	19	8	3	1	-	1	-	1	-	-	1	-
FEMALE--	13	3	1	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
NEW HAMPSHIRE ----------	2	-	1	-	-	3	-	-	1	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	6	7	9	7	11	4	4	-	2	-	-
WHITE------MALE----	1	2	3	2	-	4	1	1	-	1	-	-
FEMALE--	2	4	3	5	6	6	3	3	-	1	-	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
NEW MEXICO ----------	2	4	-	2	2	4	1	-	1	-	-	1
WHITE------MALE----	1	2	-	1	2	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	3	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	18	14	15	13	8	16	17	12	6	4	-	-
WHITE------MALE----	5	6	7	5	2	4	5	5	2	1	-	-
FEMALE--	11	7	6	6	2	8	10	7	4	3	-	-
ALL OTHER--MALE----	2	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	1	-	-	-	-	-
BLACK---MALE----	1	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	1	-	-	-	-	-
NORTH CAROLINA ---------	11	8	7	8	11	5	4	5	1	-	1	-
WHITE------MALE----	4	8	1	3	4	3	2	-	1	-	-	-
FEMALE--	4	-	3	5	3	-	2	5	-	-	1	-
ALL OTHER--MALE----	2	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	1	-	-	-	-	-	-
NORTH DAKOTA ----------	1	2	4	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	3	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3292

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
OHIO ----------	444	212	23	6	11	9	7	12	14	16	14	9
WHITE------MALE----	199	90	9	6	6	8	6	8	6	10	6	4
FEMALE--	170	77	7	-	3	-	1	4	7	4	2	4
ALL OTHER--MALE----	44	27	4	-	1	1	-	-	-	1	4	1
FEMALE--	31	18	3	-	1	-	-	-	1	1	2	-
BLACK---MALE----	43	26	4	-	1	1	-	-	-	1	4	1
FEMALE--	30	17	3	-	1	-	-	-	1	1	2	-
OKLAHOMA ----------	161	82	10	4	1	2	6	2	7	-	4	7
WHITE------MALE----	64	30	4	2	-	-	3	2	4	-	2	2
FEMALE--	67	33	3	1	1	1	1	-	2	-	2	4
ALL OTHER--MALE----	16	9	2	1	-	-	1	-	-	-	-	1
FEMALE--	14	10	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	8	5	2	-	-	-	-	-	-	-	-	-
FEMALE--	8	7	1	-	-	-	-	-	-	-	-	-
OREGON ----------	145	69	6	2	2	2	2	3	4	1	6	6
WHITE------MALE----	73	33	4	1	2	-	1	1	4	1	5	4
FEMALE--	62	29	2	1	-	-	1	2	-	-	1	2
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA ----------	380	173	16	7	4	6	8	11	11	13	10	18
WHITE------MALE----	164	76	11	2	2	2	3	4	3	8	6	8
FEMALE--	153	62	3	4	1	2	2	4	7	5	3	8
ALL OTHER--MALE----	30	15	1	-	1	-	3	2	1	-	-	1
FEMALE--	33	20	1	1	-	2	-	1	-	-	1	1
BLACK---MALE----	30	15	1	-	1	-	3	2	1	-	-	1
FEMALE--	27	16	1	1	-	1	-	1	-	-	1	1
RHODE ISLAND ----------	33	14	1	1	-	2	-	1	-	-	1	1
WHITE------MALE----	18	9	-	-	-	1	-	-	-	-	1	1
FEMALE--	13	4	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	161	88	3	2	1	4	3	3	5	4	1	8
WHITE------MALE----	44	25	-	-	1	1	1	1	3	2	-	2
FEMALE--	60	29	-	-	-	1	1	1	1	2	1	6
ALL OTHER--MALE----	27	16	1	-	-	1	1	-	1	-	-	-
FEMALE--	30	18	2	2	-	1	-	1	-	-	-	-
BLACK---MALE----	25	14	1	-	-	1	1	-	1	-	-	-
FEMALE--	30	18	2	2	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
OHIO ----------	15	12	15	11	14	10	17	11	6	-	-	-
WHITE------MALE----	9	6	4	6	3	4	5	1	2	-	-	-
FEMALE--	4	6	10	3	9	6	12	8	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
OKLAHOMA ----------	4	6	6	5	1	5	5	1	2	1	-	-
WHITE------MALE----	1	2	6	1	1	3	-	1	-	-	-	-
FEMALE--	3	3	-	4	-	1	5	-	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	7	1	3	6	6	6	2	1	4	-	-
WHITE------MALE----	2	2	1	3	4	1	3	-	-	1	-	-
FEMALE--	4	4	-	-	2	5	3	2	1	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	14	10	16	6	16	9	14	6	2	-	-
WHITE------MALE----	6	4	3	9	6	3	3	4	1	-	-	-
FEMALE--	4	8	5	5	-	10	5	8	5	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	3	-	1	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	3	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	-	-	-
RHODE ISLAND ----------	2	2	-	1	2	1	1	2	1	-	-	-
WHITE------MALE----	1	2	-	1	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	7	4	2	3	7	2	4	1	-	-	-
WHITE------MALE----	2	1	3	1	-	1	-	-	-	-	-	-
FEMALE--	2	3	1	1	1	6	2	2	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	2	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	2	-	-	2	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3293

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
SOUTH DAKOTA ----------	32	20	-	-	1	-	-	1	-	-	-	3
WHITE------MALE----	11	7	-	-	-	-	-	1	-	-	-	1
FEMALE--	16	8	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	203	109	8	2	3	6	3	4	4	9	3	9
WHITE------MALE----	84	43	1	2	2	6	1	2	3	4	1	3
FEMALE--	74	39	4	-	-	-	1	2	1	4	1	3
ALL OTHER--MALE----	20	12	2	-	-	-	1	-	-	1	1	-
FEMALE--	25	15	1	-	1	-	-	-	-	-	-	3
BLACK---MALE----	18	10	2	-	-	-	1	-	-	1	1	-
FEMALE--	24	15	1	-	1	-	-	-	-	-	-	2
TEXAS ----------	817	424	54	15	15	20	21	16	17	24	17	30
WHITE------MALE----	365	196	24	5	6	11	12	6	7	7	9	15
FEMALE--	335	168	19	6	6	8	6	7	10	11	4	12
ALL OTHER--MALE----	65	30	6	4	3	1	2	3	-	4	3	2
FEMALE--	52	30	5	-	-	-	1	-	-	2	1	1
BLACK---MALE----	61	29	6	4	2	1	2	2	-	4	2	2
FEMALE--	46	27	5	-	-	-	1	-	-	2	-	-
UTAH ----------	121	76	6	2	3	3	4	1	1	6	1	5
WHITE------MALE----	65	47	1	1	-	1	4	-	-	3	-	2
FEMALE--	50	27	3	1	2	2	-	1	1	2	1	3
ALL OTHER--MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT ----------	18	8	-	-	1	-	1	-	1	-	-	2
WHITE------MALE----	7	2	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	6	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	207	111	11	2	5	5	4	3	9	8	5	8
WHITE------MALE----	87	47	6	-	-	2	2	1	2	4	2	4
FEMALE--	73	40	2	-	5	2	1	1	3	3	1	3
ALL OTHER--MALE----	27	12	1	1	-	1	1	1	3	1	2	1
FEMALE--	20	12	2	1	-	-	-	-	1	-	-	-
BLACK---MALE----	26	11	1	1	-	1	1	1	3	1	2	1
FEMALE--	17	10	2	1	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
SOUTH DAKOTA ----------	-	3	1	1	-	-	-	1	-	1	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	8	4	4	6	2	6	3	3	-	-	-
WHITE------MALE----	4	3	2	1	3	1	1	-	1	-	-	-
FEMALE--	2	4	1	1	3	1	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
TEXAS ----------	19	25	16	22	22	11	20	19	8	1	1	-
WHITE------MALE----	7	11	9	11	10	4	7	4	4	-	-	-
FEMALE--	10	13	6	11	9	5	9	10	3	1	1	-
ALL OTHER--MALE----	1	-	-	-	2	2	-	1	1	-	-	-
FEMALE--	1	1	1	-	1	-	4	4	-	-	-	-
BLACK---MALE----	1	-	-	-	2	2	-	1	1	-	-	-
FEMALE--	1	1	1	-	1	-	3	4	-	-	-	-
UTAH ----------	2	1	2	2	1	2	3	-	-	-	-	-
WHITE------MALE----	1	-	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	3	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	6	5	2	6	3	4	2	3	1	-	-
WHITE------MALE----	3	2	3	1	2	-	3	1	2	-	-	-
FEMALE--	-	3	1	1	2	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3294

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
WASHINGTON ----------	205	100	9	3	2	4	4	6	5	8	9	5
WHITE------MALE----	86	39	5	1	1	3	2	2	2	5	2	3
FEMALE--	93	43	3	1	-	1	1	4	3	3	6	2
ALL OTHER--MALE----	13	7	1	1	1	-	-	-	-	-	-	-
FEMALE--	13	11	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	7	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	83	31	4	2	4	2	6	3	1	4	3	-
WHITE------MALE----	42	19	-	-	2	2	2	2	-	4	2	-
FEMALE--	37	10	4	2	2	-	2	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	206	91	18	3	4	5	9	2	9	3	10	7
WHITE------MALE----	92	37	9	-	1	1	5	1	4	2	6	7
FEMALE--	89	42	6	1	2	3	2	-	5	1	4	-
ALL OTHER--MALE----	12	6	2	1	-	1	2	-	-	-	-	-
FEMALE--	13	6	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	10	5	2	-	-	1	2	-	-	-	-	-
FEMALE--	12	5	1	1	1	-	-	1	-	-	-	-
WYOMING ----------	22	9	1	4	1	1	-	1	-	-	-	-
WHITE------MALE----	12	6	-	2	1	-	-	1	-	-	-	-
FEMALE--	10	3	1	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
WASHINGTON ----------	4	4	6	8	3	8	5	4	6	2	-	-
WHITE------MALE----	1	2	5	3	1	1	4	-	3	1	-	-
FEMALE--	2	2	1	4	2	6	1	4	3	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	4	3	3	3	6	2	-	-	-	-	-
WHITE------MALE----	-	1	3	2	-	2	1	-	-	-	-	-
FEMALE--	2	3	-	1	3	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	8	5	4	4	6	7	3	-	1	-	-
WHITE------MALE----	5	4	3	-	2	1	4	-	-	-	-	-
FEMALE--	2	4	2	3	1	5	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
WYOMING ----------	1	2	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3295

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
UNITED STATES -	317	311	2	3	-	1	-	-	-	-	-	-
WHITE------MALE----	101	99	-	1	-	1	-	-	-	-	-	-
FEMALE--	157	154	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	24	1	-	-	-	-	-	-	-	-	-
FEMALE--	34	34	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	15	1	-	-	-	-	-	-	-	-	-
FEMALE--	24	24	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	44	43	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	25	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3295

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
COLORADO ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	14	13	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
HAWAII ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	15	15	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	12	11	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
KENTUCKY ----------	5	4	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
MINNESOTA ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
NEW HAMPSHIRE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3301

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
OHIO ----------	13	12	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
SOUTH DAKOTA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	35	35	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anencephaly and similar malformations (Q00)												
WASHINGTON ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Anencephaly and similar malformations (Q00)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3304

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
UNITED STATES -	112	22	6	4	14	9	12	10	10	4	5	3
WHITE------MALE----	44	9	3	1	6	4	4	2	3	2	2	2
FEMALE--	58	9	2	3	6	3	8	7	7	2	3	1
ALL OTHER--MALE----	5	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	4	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	-	1	1	-	1	-	-	-	-
ALABAMA ----------	6	2	-	-	2	-	-	1	1	-	-	-
WHITE------MALE----	3	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	5	-	1	3	1	-	1	1	-	-	-
WHITE------MALE----	5	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	6	3	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
UNITED STATES -	4	4	1	-	-	2	-	1	1	-	-	-
WHITE------MALE----	2	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	2	3	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
COLORADO ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	7	1	2	1	-	-	2	-	-	-	-	1
WHITE------MALE----	4	1	-	-	-	-	2	-	-	-	-	1
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3305

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
COLORADO ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3306

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
HAWAII ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	2	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	-	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	3	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	2	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
KENTUCKY ----------	4	-	2	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	2	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	1	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	1	-	-	1	-	1	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	1	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3310

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
OHIO ----------	5	-	1	-	-	-	-	1	2	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	7	-	1	-	-	1	2	1	1	-	-	-
WHITE------MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
WASHINGTON ----------	3	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	1	-	-	-	-	-	2	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3312

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Spina bifida (Q05)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	747	357	105	60	44	26	16	20	20	11	16	17
WHITE------MALE----	271	124	39	15	15	10	6	11	4	4	10	7
FEMALE--	286	137	37	24	19	9	7	7	11	4	4	7
ALL OTHER--MALE----	90	44	14	12	6	3	1	-	1	2	1	3
FEMALE--	100	52	15	9	4	4	2	2	4	1	1	-
BLACK---MALE----	74	35	13	8	6	3	1	-	1	2	1	3
FEMALE--	83	43	11	8	2	4	2	1	4	1	1	-
ALABAMA ----------	15	6	3	1	1	1	-	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	2	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	3	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	14	6	2	1	1	-	1	-	1	-	2	-
WHITE------MALE----	6	2	1	-	-	-	1	-	1	-	1	-
FEMALE--	5	3	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	96	35	22	11	6	1	3	1	1	-	6	5
WHITE------MALE----	30	9	9	3	1	-	-	1	-	-	3	1
FEMALE--	42	18	7	5	4	1	1	-	1	-	2	2
ALL OTHER--MALE----	12	4	2	3	-	-	1	-	-	-	-	2
FEMALE--	12	4	4	-	1	-	1	-	-	-	1	-
BLACK---MALE----	8	2	2	1	-	-	1	-	-	-	-	2
FEMALE--	7	3	1	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
UNITED STATES -	13	7	8	8	3	7	6	3	-	-	-	-
WHITE------MALE----	5	3	5	5	2	1	4	1	-	-	-	-
FEMALE--	4	2	2	2	1	6	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	1	-	-	-	-	-
ALABAMA ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
COLORADO ----------	11	3	3	1	-	2	-	1	-	-	-	1
WHITE------MALE----	4	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	2	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT ----------	9	7	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	48	23	8	4	4	1	-	1	1	-	1	1
WHITE------MALE----	23	9	5	1	2	-	-	-	1	-	1	1
FEMALE--	9	5	2	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	7	4	-	2	1	-	-	-	-	-	-	-
FEMALE--	9	5	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	7	4	-	2	1	-	-	-	-	-	-	-
FEMALE--	9	5	1	1	1	-	-	-	-	-	-	-
GEORGIA ----------	14	8	1	2	1	-	-	-	1	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	3	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	1	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	2	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
HAWAII ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	19	6	1	1	1	-	-	-	-	-	-
WHITE------MALE----	12	7	2	-	1	1	-	-	-	-	-	-
FEMALE--	14	7	3	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	13	7	2	2	-	-	-	1	1	-	-	-
WHITE------MALE----	7	4	1	1	-	-	-	1	-	-	-	-
FEMALE--	4	3	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	8	1	1	-	2	1	-	1	-	-	-	1
WHITE------MALE----	3	-	-	-	2	-	-	-	-	-	-	1
FEMALE--	5	1	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	8	3	1	1	1	-	-	1	-	-	-	1
WHITE------MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	5	3	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	13	10	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	8	4	3	1	-	-	-	2	1	-	-
WHITE------MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	-	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	3	2	1	-	-	-	-	1	1	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	3	2	1	-	-	-	-	1	1	-	-
MAINE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	9	5	1	1	-	-	-	-	1	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	12	5	2	-	1	2	1	-	-	-	-	-
WHITE------MALE----	5	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	31	14	4	1	1	3	-	1	3	1	1	1
WHITE------MALE----	13	4	2	-	1	2	-	1	-	-	1	1
FEMALE--	8	4	2	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	2	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	2	-	-	-	1	-	-	2	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	-	-	-	1	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MAINE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	14	7	1	-	4	-	-	1	-	-	-	-
WHITE------MALE----	5	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	4	-	-	4	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	13	5	3	4	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	2	-	-	-	-	-	-	-	-
MISSOURI ----------	12	8	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	4	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	3	3	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
NEW HAMPSHIRE ----------	2	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	9	-	-	1	-	1	-	1	-	1	-
WHITE------MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	6	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	14	7	1	3	-	-	1	-	-	-	2	-
WHITE------MALE----	8	3	1	2	-	-	-	-	-	-	2	-
FEMALE--	5	3	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	48	19	7	3	4	1	2	2	1	1	-	2
WHITE------MALE----	17	7	1	1	2	-	-	1	1	1	-	-
FEMALE--	18	6	3	1	1	-	2	1	-	-	-	1
ALL OTHER--MALE----	7	2	2	1	1	-	-	-	-	-	-	1
FEMALE--	6	4	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	2	2	1	1	-	-	-	-	-	-	1
FEMALE--	6	4	1	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	18	12	1	2	-	-	2	-	-	1	-	-
WHITE------MALE----	5	3	1	-	-	-	1	-	-	-	-	-
FEMALE--	5	3	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	1	-	-	-	-	-
NORTH DAKOTA ----------	2	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	2	2	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
OHIO ----------	26	12	3	1	2	2	-	-	2	1	1	1
WHITE------MALE----	12	5	1	1	1	2	-	-	1	-	1	-
FEMALE--	12	6	1	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	10	5	1	1	-	-	-	-	-	-	-	1
WHITE------MALE----	5	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
OREGON ----------	14	7	3	1	-	1	-	-	-	-	-	-
WHITE------MALE----	6	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA ----------	23	15	2	-	1	1	-	1	-	-	1	-
WHITE------MALE----	11	7	1	-	-	-	-	1	-	-	1	-
FEMALE--	6	5	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	6	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	3	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
SOUTH DAKOTA ----------	2	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	5	-	-	1	1	-	1	1	3	-	-
WHITE------MALE----	8	2	-	-	1	1	-	1	-	2	-	-
FEMALE--	4	2	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	62	34	9	5	2	3	-	1	1	2	-	3
WHITE------MALE----	23	11	5	2	-	1	-	1	-	1	-	2
FEMALE--	26	14	4	2	1	1	-	-	1	-	-	1
ALL OTHER--MALE----	7	3	-	1	1	1	-	-	-	1	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	-	1	1	1	-	-	-	1	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
UTAH ----------	7	3	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	4	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	6	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	18	9	1	1	1	1	-	1	1	1	-	-
WHITE------MALE----	4	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	2	1	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	5	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	20	6	5	3	1	-	2	1	-	-	-	-
WHITE------MALE----	5	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	11	5	4	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	1	-	-	-	-
WYOMING ----------	5	2	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
WASHINGTON ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3322

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
UNITED STATES -	3,551	1,598	203	63	96	120	102	113	132	138	135	127
WHITE------MALE----	1,510	706	80	24	44	65	46	50	62	63	52	59
FEMALE--	1,349	546	57	20	23	28	29	43	52	50	60	53
ALL OTHER--MALE----	373	183	38	11	13	18	17	10	9	13	13	8
FEMALE--	319	163	28	8	16	9	10	10	9	12	10	7
BLACK---MALE----	312	154	31	9	11	16	15	9	7	11	10	8
FEMALE--	267	136	24	6	15	7	9	8	4	12	8	4
ALABAMA ----------	70	43	3	1	2	2	3	5	1	1	2	-
WHITE------MALE----	19	15	-	1	-	-	-	1	-	-	-	-
FEMALE--	24	11	1	-	1	2	-	2	-	-	2	-
ALL OTHER--MALE----	16	10	1	-	-	-	1	2	1	1	-	-
FEMALE--	11	7	1	-	1	-	2	-	-	-	-	-
BLACK---MALE----	16	10	1	-	-	-	1	2	1	1	-	-
FEMALE--	11	7	1	-	1	-	2	-	-	-	-	-
ALASKA ----------	8	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	70	40	5	-	2	2	1	-	1	4	3	5
WHITE------MALE----	35	18	1	-	2	2	-	-	-	2	2	3
FEMALE--	28	18	3	-	-	-	1	-	1	1	1	2
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-
ARKANSAS ----------	43	23	3	-	-	2	2	1	1	1	1	-
WHITE------MALE----	23	13	2	-	-	1	1	-	1	1	-	-
FEMALE--	14	7	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	430	200	24	13	11	13	16	14	16	18	17	20
WHITE------MALE----	190	101	8	3	4	8	6	5	9	6	2	11
FEMALE--	168	69	10	5	3	3	6	7	5	7	12	6
ALL OTHER--MALE----	37	16	4	2	3	2	3	-	-	2	3	1
FEMALE--	35	14	2	3	1	-	1	2	2	3	-	2
BLACK---MALE----	21	13	1	1	2	1	2	-	-	-	-	1
FEMALE--	19	9	1	1	-	-	1	-	-	3	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
UNITED STATES -	95	85	70	83	78	89	85	84	40	13	2	-
WHITE------MALE----	44	38	31	27	32	25	30	17	12	3	-	-
FEMALE--	36	39	28	46	36	58	51	57	25	10	2	-
ALL OTHER--MALE----	11	2	5	5	4	6	2	4	1	-	-	-
FEMALE--	4	6	6	5	6	-	2	6	2	-	-	-
BLACK---MALE----	8	2	4	3	3	4	2	4	1	-	-	-
FEMALE--	2	6	5	5	6	-	2	6	2	-	-	-
ALABAMA ----------	-	-	-	1	1	1	-	2	2	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA ----------	2	1	-	1	-	-	-	1	2	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	1	1	-	3	1	1	-	-	-	-
WHITE------MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	10	13	5	4	8	2	8	5	1	-	-
WHITE------MALE----	8	2	6	1	1	2	2	2	3	-	-	-
FEMALE--	2	6	5	4	3	6	-	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
COLORADO ----------	56	30	5	1	-	2	2	-	1	2	1	3
WHITE------MALE----	33	15	4	1	-	2	2	-	1	1	-	2
FEMALE--	19	12	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	42	13	3	-	2	1	1	1	2	-	2	1
WHITE------MALE----	22	8	3	-	1	-	1	-	-	-	-	1
FEMALE--	15	4	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
DELAWARE ----------	9	2	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	9	5	1	-	1	-	-	-	-	-	2	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	2	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	2	1	-	1	-	-	-	-	-	1	-
FLORIDA ----------	174	67	15	5	2	4	5	1	4	9	6	6
WHITE------MALE----	62	16	8	-	-	1	2	1	1	6	4	4
FEMALE--	71	28	2	3	-	2	1	-	3	2	2	2
ALL OTHER--MALE----	22	12	2	2	1	-	1	-	-	1	-	-
FEMALE--	19	11	3	-	1	1	1	-	-	-	-	-
BLACK---MALE----	20	10	2	2	1	-	1	-	-	1	-	-
FEMALE--	18	11	2	-	1	1	1	-	-	-	-	-
GEORGIA ----------	116	69	3	2	7	6	3	6	1	1	6	3
WHITE------MALE----	26	16	1	-	2	-	1	1	-	-	2	1
FEMALE--	38	24	-	-	1	1	1	1	1	1	2	2
ALL OTHER--MALE----	29	19	1	1	1	3	1	2	-	-	1	-
FEMALE--	23	10	1	1	3	2	-	2	-	-	1	-
BLACK---MALE----	28	18	1	1	1	3	1	2	-	-	1	-
FEMALE--	23	10	1	1	3	2	-	2	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
COLORADO ----------	3	1	-	1	1	-	2	1	-	-	-	-
WHITE------MALE----	2	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	3	1	-	1	1	1	5	-	-	-	-
WHITE------MALE----	2	2	1	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	1	1	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	7	3	6	2	9	11	4	5	-	-	-
WHITE------MALE----	1	2	2	2	1	2	6	1	2	-	-	-
FEMALE--	2	2	1	4	1	7	4	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	2	1	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
HAWAII ----------	10	8	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	26	13	2	1	2	1	-	2	2	1	1	-
WHITE------MALE----	16	9	-	-	1	1	-	1	1	1	1	-
FEMALE--	9	3	2	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	174	84	13	2	6	6	3	8	8	7	5	3
WHITE------MALE----	69	38	4	-	1	3	1	3	4	2	2	1
FEMALE--	70	28	1	2	1	3	1	3	4	4	3	2
ALL OTHER--MALE----	21	9	6	-	3	-	-	1	-	1	-	-
FEMALE--	14	9	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	19	7	6	-	3	-	-	1	-	1	-	-
FEMALE--	13	8	2	-	1	-	1	1	-	-	-	-
INDIANA ----------	89	32	6	1	4	7	2	2	2	3	5	5
WHITE------MALE----	42	18	1	-	2	6	1	2	-	1	2	3
FEMALE--	39	11	4	-	2	1	1	-	2	2	2	2
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	1	1	-	-	-	-	-	-	-	-
IOWA ----------	25	9	4	-	-	-	2	-	1	1	1	-
WHITE------MALE----	11	5	1	-	-	-	1	-	-	1	1	-
FEMALE--	8	1	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	38	17	2	-	3	1	1	2	1	2	3	2
WHITE------MALE----	17	8	-	-	-	1	1	1	-	1	1	1
FEMALE--	18	9	-	-	3	-	-	1	1	-	2	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3324

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
HAWAII ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	-	3	4	7	2	3	2	3	-	-	-
WHITE------MALE----	4	-	-	-	4	-	1	1	-	-	-	-
FEMALE--	1	-	2	4	3	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	4	2	2	2	2	5	-	1	-	1	-
WHITE------MALE----	-	1	-	-	2	2	1	-	-	-	-	-
FEMALE--	1	3	1	2	-	-	4	-	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	1	1	1	-	2	-	-	2	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
KENTUCKY ----------	64	24	4	3	2	7	1	-	1	5	5	-
WHITE------MALE----	35	15	1	2	1	6	-	-	1	4	1	-
FEMALE--	26	8	2	1	1	1	1	-	-	1	4	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	73	38	3	1	3	-	1	2	3	1	5	3
WHITE------MALE----	22	13	-	-	2	-	-	1	1	1	1	-
FEMALE--	20	6	-	-	1	-	-	-	-	-	3	1
ALL OTHER--MALE----	18	9	3	-	-	-	1	1	2	-	1	1
FEMALE--	13	10	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	18	9	3	-	-	-	1	1	2	-	1	1
FEMALE--	12	9	-	1	-	-	-	-	-	-	-	1
MAINE ----------	18	5	-	1	1	-	-	-	-	1	4	2
WHITE------MALE----	7	1	-	1	1	-	-	-	-	1	1	-
FEMALE--	10	3	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	64	31	2	2	1	1	3	2	3	5	2	-
WHITE------MALE----	13	3	-	1	-	1	-	2	-	1	-	-
FEMALE--	15	7	1	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	18	9	1	1	1	-	2	-	1	1	-	-
FEMALE--	18	12	-	-	-	-	1	-	1	2	1	-
BLACK---MALE----	17	9	-	1	1	-	2	-	1	1	-	-
FEMALE--	17	11	-	-	-	-	1	-	1	2	1	-
MASSACHUSETTS ----------	36	13	1	-	1	2	-	-	1	-	2	1
WHITE------MALE----	15	6	-	-	1	1	-	-	-	-	1	-
FEMALE--	19	7	-	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	111	49	1	1	3	5	8	7	7	3	8	3
WHITE------MALE----	58	24	-	1	2	4	4	6	5	1	5	1
FEMALE--	36	20	-	-	-	-	3	-	-	2	-	2
ALL OTHER--MALE----	10	4	-	-	1	1	-	-	1	-	3	-
FEMALE--	7	1	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	10	4	-	-	1	1	-	-	1	-	3	-
FEMALE--	6	1	1	-	-	-	1	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
KENTUCKY ----------	1	1	3	3	-	-	2	1	1	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	1	1	2	-	1	2	2	-	1	-	-
WHITE------MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	2	5	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	1	4	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	3	-	6	1	1	2	1	-	-	-	-
WHITE------MALE----	1	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	4	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN ----------	1	2	3	-	2	3	2	1	1	1	-	-
WHITE------MALE----	-	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	1	-	1	3	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
MINNESOTA ----------	62	34	3	1	1	2	1	1	2	-	2	6
WHITE------MALE----	29	14	2	-	1	1	-	-	1	-	2	4
FEMALE--	24	12	-	1	-	1	1	1	1	-	-	2
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	38	23	4	-	-	1	-	-	-	2	-	1
WHITE------MALE----	11	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	4	3	-	-	1	-	-	-	-	-	1
FEMALE--	11	9	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	4	3	-	-	1	-	-	-	-	-	1
FEMALE--	10	8	-	-	-	-	-	-	-	1	-	-
MISSOURI ----------	78	37	4	1	2	2	1	1	3	2	2	3
WHITE------MALE----	34	17	3	-	1	1	-	1	2	-	1	2
FEMALE--	31	10	1	1	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	7	6	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	4	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	7	6	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	3	-	-	1	-	-	-	-	1	-	-
MONTANA ----------	6	3	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	5	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	20	11	-	-	-	-	-	1	1	1	-	-
WHITE------MALE----	12	8	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	3	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	24	17	1	1	-	1	-	1	-	-	1	-
WHITE------MALE----	12	9	1	1	-	-	-	-	-	-	-	-
FEMALE--	9	7	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3326

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
MINNESOTA ----------	2	1	-	1	-	-	1	3	1	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	1	1	1	2	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	3	-	7	4	2	1	2	-	-	-
WHITE------MALE----	1	-	-	-	3	2	-	-	-	-	-	-
FEMALE--	-	-	3	-	4	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	-	-	1	2	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
NEW HAMPSHIRE ----------	8	2	2	-	-	-	-	1	1	2	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	6	2	1	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	88	24	8	2	2	3	2	4	6	7	5	3
WHITE------MALE----	25	5	4	2	1	-	-	2	3	1	2	2
FEMALE--	39	9	1	-	-	1	1	2	3	5	1	1
ALL OTHER--MALE----	14	6	1	-	-	2	1	-	-	-	-	-
FEMALE--	10	4	2	-	1	-	-	-	-	1	2	-
BLACK---MALE----	10	4	-	-	-	2	1	-	-	-	-	-
FEMALE--	8	3	1	-	1	-	-	-	-	1	2	-
NEW MEXICO ----------	34	14	4	1	-	1	2	1	4	1	2	-
WHITE------MALE----	12	4	3	1	-	-	-	1	1	-	1	-
FEMALE--	17	8	1	-	-	-	1	-	2	1	1	-
ALL OTHER--MALE----	4	2	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	212	101	6	4	8	12	4	9	8	6	2	6
WHITE------MALE----	87	42	2	3	5	6	3	2	5	4	1	2
FEMALE--	76	32	1	-	-	3	1	5	1	1	-	3
ALL OTHER--MALE----	27	14	2	1	1	2	-	-	1	1	-	1
FEMALE--	22	13	1	-	2	1	-	2	1	-	1	-
BLACK---MALE----	21	10	2	1	1	2	-	-	-	1	-	1
FEMALE--	17	9	1	-	2	1	-	2	-	-	1	-
NORTH CAROLINA ---------	108	58	5	2	5	5	2	-	3	-	1	3
WHITE------MALE----	38	24	1	1	2	1	-	-	1	-	-	-
FEMALE--	39	18	2	-	-	2	1	-	2	-	1	2
ALL OTHER--MALE----	17	11	-	1	1	1	-	-	-	-	-	1
FEMALE--	14	5	2	-	2	1	1	-	-	-	-	-
BLACK---MALE----	16	11	-	-	1	1	-	-	-	-	-	1
FEMALE--	12	4	1	-	2	1	1	-	-	-	-	-
NORTH DAKOTA ----------	11	4	1	-	-	-	-	1	-	-	1	-
WHITE------MALE----	5	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	2	3	3	4	5	-	2	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	2	4	4	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	5	1	3	1	8	9	8	3	2	-	-
WHITE------MALE----	3	1	-	-	-	-	3	3	1	1	-	-
FEMALE--	2	4	1	3	-	6	5	5	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	3	3	2	4	4	2	2	4	-	-	-	-
WHITE------MALE----	1	3	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	4	2	-	1	4	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	1	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
OHIO ----------	146	60	8	1	4	3	2	8	5	8	5	4
WHITE------MALE----	72	29	2	1	3	3	2	6	3	3	2	2
FEMALE--	48	17	2	-	1	-	-	2	1	3	1	2
ALL OTHER--MALE----	11	5	2	-	-	-	-	-	-	1	1	-
FEMALE--	15	9	2	-	-	-	-	-	1	1	1	-
BLACK---MALE----	11	5	2	-	-	-	-	-	-	1	1	-
FEMALE--	14	8	2	-	-	-	-	-	1	1	1	-
OKLAHOMA ----------	45	19	4	-	-	1	3	1	4	-	2	1
WHITE------MALE----	17	8	1	-	-	-	2	1	2	-	1	-
FEMALE--	19	7	2	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	6	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
OREGON ----------	43	15	1	1	-	-	1	2	3	-	3	2
WHITE------MALE----	23	6	1	1	-	-	1	1	3	-	3	2
FEMALE--	20	9	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	131	40	5	2	2	4	5	5	6	7	5	8
WHITE------MALE----	53	19	3	-	1	2	2	1	2	5	3	2
FEMALE--	62	16	2	2	1	1	1	3	3	2	1	5
ALL OTHER--MALE----	9	4	-	-	-	-	2	1	1	-	-	-
FEMALE--	7	1	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	9	4	-	-	-	-	2	1	1	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	7	1	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	47	22	1	1	1	4	2	1	1	2	-	4
WHITE------MALE----	16	8	-	-	1	1	-	-	1	2	-	2
FEMALE--	16	7	-	-	-	1	1	-	-	-	-	2
ALL OTHER--MALE----	7	3	-	-	-	1	1	-	-	-	-	-
FEMALE--	8	4	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	7	3	-	-	-	1	1	-	-	-	-	-
FEMALE--	8	4	1	1	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
OHIO ----------	6	5	3	5	6	3	5	4	1	-	-	-
WHITE------MALE----	2	4	1	2	3	2	-	1	1	-	-	-
FEMALE--	2	1	2	2	3	1	5	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	2	-	-	2	2	-	1	1	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	4	-	1	2	1	2	1	-	3	-	-
WHITE------MALE----	1	1	-	1	-	-	1	-	-	1	-	-
FEMALE--	-	3	-	-	2	1	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	5	3	7	2	6	4	7	3	1	-	-
WHITE------MALE----	3	1	-	3	2	1	1	1	1	-	-	-
FEMALE--	1	3	2	2	-	5	3	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	1	-	2	2	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
SOUTH DAKOTA ----------	7	4	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	78	40	5	1	1	2	2	3	2	3	2	3
WHITE------MALE----	33	21	1	1	-	2	1	1	2	1	-	1
FEMALE--	31	14	2	-	-	-	1	2	-	2	1	-
ALL OTHER--MALE----	7	2	2	-	-	-	-	-	-	-	1	-
FEMALE--	7	3	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	7	2	2	-	-	-	-	-	-	-	1	-
FEMALE--	6	3	-	-	1	-	-	-	-	-	-	1
TEXAS ----------	299	116	21	6	7	5	13	12	10	16	6	13
WHITE------MALE----	145	62	10	1	4	4	8	5	4	5	4	3
FEMALE--	114	43	8	2	3	1	3	4	6	8	1	7
ALL OTHER--MALE----	24	6	1	3	-	-	2	3	-	2	-	2
FEMALE--	16	5	2	-	-	-	-	-	-	1	1	1
BLACK---MALE----	23	6	1	3	-	-	2	2	-	2	-	2
FEMALE--	14	5	2	-	-	-	-	-	-	1	-	-
UTAH ----------	44	28	2	2	1	2	1	1	1	4	-	-
WHITE------MALE----	26	20	1	1	-	1	1	-	-	2	-	-
FEMALE--	15	8	-	1	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT ----------	7	2	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	72	37	4	1	2	3	1	1	6	4	1	4
WHITE------MALE----	32	16	3	-	-	1	1	-	2	3	-	3
FEMALE--	23	12	1	-	2	1	-	1	2	-	-	-
ALL OTHER--MALE----	11	5	-	-	-	1	-	-	1	1	1	1
FEMALE--	6	4	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	10	4	-	-	-	1	-	-	1	1	1	1
FEMALE--	5	3	-	1	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
SOUTH DAKOTA ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	1	-	-	1	2	3	2	2	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	6	6	9	10	12	4	8	12	5	1	1	-
WHITE------MALE----	3	3	7	7	6	2	3	2	2	-	-	-
FEMALE--	3	3	1	3	4	1	4	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	4	-	-	-	-
UTAH ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	3	-	1	1	2	-	-	1	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
WASHINGTON ----------	75	27	4	1	1	2	2	3	4	4	6	3
WHITE------MALE----	36	12	2	1	1	2	2	1	2	3	1	2
FEMALE--	31	10	1	-	-	-	-	2	2	1	4	1
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	38	16	1	-	4	2	1	-	-	2	2	-
WHITE------MALE----	19	9	-	-	2	2	-	-	-	2	1	-
FEMALE--	17	6	1	-	2	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	64	22	7	-	1	-	2	1	5	2	6	4
WHITE------MALE----	34	11	4	-	1	-	2	1	2	1	4	4
FEMALE--	24	9	1	-	-	-	-	-	3	1	2	-
ALL OTHER--MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
WASHINGTON ----------	4	2	1	3	2	3	1	1	-	1	-	-
WHITE------MALE----	1	1	1	1	1	-	1	-	-	1	-	-
FEMALE--	2	1	-	2	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	3	1	-	2	3	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	3	1	2	-	2	3	2	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3331

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
UNITED STATES -	885	220	25	15	12	19	19	19	23	46	27	55
WHITE------MALE----	360	84	12	7	2	10	7	7	11	24	12	24
FEMALE--	344	70	7	6	4	3	6	9	8	15	11	21
ALL OTHER--MALE----	87	30	3	1	2	3	2	3	2	3	3	6
FEMALE--	94	36	3	1	4	3	4	-	2	4	1	4
BLACK---MALE----	71	26	2	1	2	3	2	2	1	1	3	5
FEMALE--	76	31	2	1	4	1	2	-	-	4	-	3
ALABAMA ----------	9	2	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	14	2	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	7	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	-	-	-	-	2	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	112	23	2	4	2	4	2	5	3	3	2	10
WHITE------MALE----	47	11	2	2	-	1	1	3	-	2	-	4
FEMALE--	47	7	-	2	1	1	1	2	1	-	2	5
ALL OTHER--MALE----	9	4	-	-	-	1	-	-	-	1	-	-
FEMALE--	9	1	-	-	1	1	-	-	2	-	-	1
BLACK---MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3331

Other congenital malformations of circulatory system (Q25-Q28)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	49	42	35	57	41	50	60	37	25	7	2	-
WHITE------MALE----	26	20	12	21	13	21	23	12	10	1	1	-
FEMALE--	14	14	16	28	21	19	31	22	12	6	1	-
ALL OTHER--MALE----	3	7	2	4	2	6	3	2	-	-	-	-
FEMALE--	6	1	5	4	5	4	3	1	3	-	-	-
BLACK---MALE----	2	6	2	2	2	5	2	2	-	-	-	-
FEMALE--	6	1	2	4	5	3	3	1	3	-	-	-
ALABAMA ----------	-	1	-	2	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	4	2	2	-	-	1	1	-	-	-	-
WHITE------MALE----	-	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	3	5	8	5	6	9	8	1	-	-	-
WHITE------MALE----	5	1	1	3	2	3	5	1	-	-	-	-
FEMALE--	1	2	3	4	3	2	3	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
COLORADO ----------	18	3	1	-	-	-	2	-	2	-	2	1
WHITE------MALE----	7	2	1	-	-	-	1	-	1	-	1	-
FEMALE--	6	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	8	2	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	8	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	58	14	-	1	1	1	1	2	1	5	-	6
WHITE------MALE----	19	3	-	1	-	-	-	1	-	1	-	2
FEMALE--	28	7	-	-	-	-	1	1	1	3	-	4
ALL OTHER--MALE----	5	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	1	-	-
GEORGIA ----------	20	3	-	-	-	-	1	-	1	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
COLORADO ----------	1	3	-	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	1	-	-	-	2	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	1	1	4	-	5	8	3	-	-	2	-
WHITE------MALE----	-	-	1	2	-	3	3	1	-	-	1	-
FEMALE--	-	1	-	1	-	2	4	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
GEORGIA ----------	1	-	1	2	4	3	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	47	15	1	-	1	-	1	2	1	2	-	6
WHITE------MALE----	22	8	1	-	-	-	-	1	1	1	-	3
FEMALE--	15	2	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	4	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	4	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	1	-	-	-	-	1
INDIANA ----------	15	4	-	-	-	2	-	2	1	-	-	1
WHITE------MALE----	7	2	-	-	-	2	-	1	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	17	4	1	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	6	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
HAWAII ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	3	5	3	1	1	-	2	1	-	-	-
WHITE------MALE----	-	2	1	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	4	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
INDIANA ----------	1	-	-	-	-	1	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	1	-	1	2	1	1	1	1	-	-
WHITE------MALE----	2	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
KENTUCKY ----------	10	3	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	17	9	-	-	1	-	-	-	1	1	-	1
WHITE------MALE----	6	3	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	5	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	4	-	-	1	-	-	-	-	-	-	-
MAINE ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	2	-	-	-	-	-	-	-	2	1	2
WHITE------MALE----	6	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	17	1	2	-	-	-	-	-	-	1	1	2
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	21	7	-	1	-	2	-	1	-	1	1	1
WHITE------MALE----	5	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	9	3	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
KENTUCKY ----------	1	-	-	-	-	2	2	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	1	-	-	-	2	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	1	2	1	1	1	-	-	-	-	-
WHITE------MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	1	1	2	-	1	1	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	-	2	-	2	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
MINNESOTA ----------	19	9	1	-	1	-	-	-	1	1	1	-
WHITE------MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	1	-	1	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	3	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	19	9	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	8	5	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	2	-	-	-	-	1	-	-	1	1	-
WHITE------MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of circulatory system (Q25-Q28)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	1	1	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	1	1	-	2	-	2	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	24	3	1	-	-	-	1	-	1	2	3	2
WHITE------MALE----	5	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	13	3	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	8	2	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	47	10	1	-	1	-	-	1	1	3	-	-
WHITE------MALE----	21	6	-	-	1	-	-	-	1	3	-	-
FEMALE--	19	4	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	33	15	1	1	1	1	-	-	-	1	-	1
WHITE------MALE----	15	4	-	-	-	1	-	-	-	1	-	1
FEMALE--	9	5	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	4	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	4	-	-	1	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of circulatory system (Q25-Q28)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	3	1	2	1	1	-	-	1	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	2	4	5	3	1	6	2	3	1	-	-
WHITE------MALE----	-	1	2	1	1	1	2	1	1	-	-	-
FEMALE--	2	-	2	2	-	-	3	1	2	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
NORTH CAROLINA ---------	1	3	-	3	3	1	1	-	-	-	-	-
WHITE------MALE----	1	3	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
OHIO ----------	46	9	2	2	-	-	1	-	2	4	2	2
WHITE------MALE----	26	3	2	2	-	-	1	-	1	4	2	1
FEMALE--	13	2	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	17	7	-	1	-	-	1	-	2	-	-	1
WHITE------MALE----	5	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	3	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	11	3	-	-	1	1	-	-	-	1	-	2
WHITE------MALE----	5	1	-	-	1	-	-	-	-	1	-	1
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	33	3	3	2	-	1	1	1	1	2	2	2
WHITE------MALE----	18	2	2	1	-	-	1	-	1	2	1	1
FEMALE--	11	1	1	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	16	7	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
OHIO ----------	4	2	2	4	4	1	-	3	2	-	-	-
WHITE------MALE----	4	1	-	3	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	3	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	1	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	2	2	2	2	1	3	2	1	-	-	-
WHITE------MALE----	-	-	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	2	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	-	-	-	2	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	7	1	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	-	-	-
TEXAS ----------	70	19	5	1	-	3	3	1	-	3	3	4
WHITE------MALE----	29	5	2	1	-	2	1	-	-	1	2	4
FEMALE--	28	9	2	-	-	1	1	1	-	2	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	4	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	4	1	-	-	-	1	-	-	-	-	-
UTAH ----------	9	2	1	-	-	-	-	-	-	1	1	2
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	20	3	-	1	-	1	1	-	1	2	3	1
WHITE------MALE----	8	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	7	2	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	2	2	-	-	-	-	1	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	4	3	-	4	4	5	5	1	2	-	-	-
WHITE------MALE----	2	2	-	1	-	2	2	-	2	-	-	-
FEMALE--	1	-	-	3	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
UTAH ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	1	-	1	1	1	-	1	1	-	-
WHITE------MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
WASHINGTON ----------	22	5	1	-	-	-	-	1	-	1	-	-
WHITE------MALE----	8	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	3	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	20	4	-	-	2	-	1	-	1	1	2	-
WHITE------MALE----	10	4	-	-	-	-	-	-	1	1	1	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
WASHINGTON ----------	-	-	1	2	-	1	3	2	4	1	-	-
WHITE------MALE----	-	-	1	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	1	1	2	-	2	1	-	1	-	-
WHITE------MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3340

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
UNITED STATES -	607	564	13	5	-	1	1	2	1	3	2	-
WHITE------MALE----	262	242	8	-	-	-	-	-	1	1	2	-
FEMALE--	191	178	1	3	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	97	90	3	1	-	-	1	1	-	-	-	-
FEMALE--	57	54	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	86	79	3	1	-	-	1	1	-	-	-	-
FEMALE--	44	42	1	-	-	-	-	-	-	1	-	-
ALABAMA ----------	12	9	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	16	16	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	81	74	4	1	-	-	-	-	-	-	-	-
WHITE------MALE----	37	33	4	-	-	-	-	-	-	-	-	-
FEMALE--	30	27	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
UNITED STATES -	1	3	1	-	4	3	2	-	-	1	-	-
WHITE------MALE----	-	2	1	-	1	1	2	-	-	1	-	-
FEMALE--	1	1	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
COLORADO ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	29	28	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	15	13	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
HAWAII ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	36	35	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	7	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	6	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
KENTUCKY ----------	12	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	10	10	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	12	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	6	4	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	20	19	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
KENTUCKY ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
MINNESOTA ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
NEW HAMPSHIRE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	21	18	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	9	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	30	28	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	10	9	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	22	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
OHIO ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	6	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	12	11	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	15	13	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	19	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	49	45	1	-	-	-	-	-	1	1	-	-
WHITE------MALE----	20	19	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	20	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
UTAH ----------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	7	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of respiratory system (Q30-Q34)												
WASHINGTON ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	16	15	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of respiratory system (Q30-Q34)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3349

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
UNITED STATES -	2,584	1,452	142	38	29	30	38	32	37	53	54	68
WHITE------MALE----	1,131	644	62	16	6	16	20	14	19	23	26	28
FEMALE--	940	453	42	13	15	10	12	14	11	22	18	27
ALL OTHER--MALE----	275	182	23	6	7	2	5	2	4	3	8	8
FEMALE--	238	173	15	3	1	2	1	2	3	5	2	5
BLACK---MALE----	231	153	20	5	4	2	4	2	3	3	7	7
FEMALE--	186	127	14	2	1	1	-	2	3	5	2	5
ALABAMA ----------	38	20	2	-	2	-	1	-	-	2	-	1
WHITE------MALE----	13	9	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	5	-	-	2	-	-	-	-	2	-	-
ALL OTHER--MALE----	6	1	2	-	-	-	-	-	-	-	-	1
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	2	-	-	-	-	-	-	-	-	1
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	6	5	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	66	45	2	1	1	-	1	-	-	2	2	3
WHITE------MALE----	26	18	1	1	-	-	1	-	-	-	-	1
FEMALE--	25	16	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	11	9	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	1	-	-	-	-	1	-	-
ARKANSAS ----------	20	12	1	-	-	-	2	-	1	-	2	-
WHITE------MALE----	10	3	1	-	-	-	2	-	-	-	2	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	273	162	13	3	4	4	7	3	3	5	5	6
WHITE------MALE----	141	91	5	1	-	2	3	1	2	2	3	2
FEMALE--	89	44	4	-	1	1	3	2	-	3	2	3
ALL OTHER--MALE----	24	11	3	2	3	-	1	-	1	-	-	1
FEMALE--	19	16	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	14	6	2	2	2	-	-	-	-	-	-	1
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
UNITED STATES -	52	58	59	69	81	93	88	62	34	13	-	2
WHITE------MALE----	29	30	23	29	41	34	36	22	11	1	-	1
FEMALE--	20	21	30	37	33	47	45	36	21	12	-	1
ALL OTHER--MALE----	3	4	4	1	3	7	1	1	1	-	-	-
FEMALE--	-	3	2	2	4	5	6	3	1	-	-	-
BLACK---MALE----	3	3	3	1	3	5	1	1	1	-	-	-
FEMALE--	-	3	2	2	4	5	5	2	1	-	-	-
ALABAMA ----------	1	2	-	3	1	1	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	1	4	1	-	-	1	1	-	-
WHITE------MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	5	11	4	7	4	9	7	2	2	-	-
WHITE------MALE----	5	2	4	2	5	2	4	5	-	-	-	-
FEMALE--	1	2	7	2	2	2	5	1	2	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
COLORADO ----------	48	26	4	1	-	-	-	-	-	-	-	1
WHITE------MALE----	17	10	1	-	-	-	-	-	-	-	-	1
FEMALE--	29	14	3	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	30	17	3	1	-	-	-	-	-	1	1	1
WHITE------MALE----	19	11	3	-	-	-	-	-	-	1	1	-
FEMALE--	10	5	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	7	2	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	162	83	8	4	3	1	4	3	3	3	2	1
WHITE------MALE----	72	32	5	2	1	-	4	-	-	2	1	-
FEMALE--	54	27	2	-	1	-	-	1	2	1	-	-
ALL OTHER--MALE----	23	15	-	1	1	1	-	2	-	-	1	1
FEMALE--	13	9	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	21	14	-	1	-	1	-	2	-	-	1	1
FEMALE--	12	8	1	1	-	-	-	-	1	-	-	-
GEORGIA ----------	76	51	2	1	1	1	2	-	1	2	2	2
WHITE------MALE----	33	22	1	-	-	-	1	-	1	1	2	1
FEMALE--	23	12	-	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	11	9	1	1	-	-	-	-	-	-	-	-
FEMALE--	9	8	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	9	1	1	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
COLORADO ----------	1	1	4	1	2	2	1	1	2	-	-	1
WHITE------MALE----	-	-	1	-	1	-	1	-	1	-	-	1
FEMALE--	1	1	3	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	2	-	2	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	4	5	10	6	7	5	4	4	-	-	-
WHITE------MALE----	1	2	2	4	6	3	3	2	2	-	-	-
FEMALE--	-	1	3	6	-	4	2	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	1	1	1	-	4	-	1	-	-	-
WHITE------MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
HAWAII ----------	14	8	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	16	7	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	9	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	132	84	8	3	-	2	2	-	-	3	2	1
WHITE------MALE----	45	33	1	1	-	-	-	-	-	1	-	-
FEMALE--	52	26	4	1	-	1	1	-	-	1	2	-
ALL OTHER--MALE----	17	13	1	-	-	-	1	-	-	1	-	1
FEMALE--	18	12	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	17	13	1	-	-	-	1	-	-	1	-	1
FEMALE--	17	11	2	1	-	1	-	-	-	-	-	-
INDIANA ----------	65	38	4	-	-	1	-	4	1	-	-	2
WHITE------MALE----	29	19	-	-	-	-	-	1	1	-	-	1
FEMALE--	26	11	4	-	-	1	-	3	-	-	-	1
ALL OTHER--MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
IOWA ----------	35	13	-	-	1	-	2	-	1	1	1	-
WHITE------MALE----	15	5	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	7	-	-	1	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	30	17	1	-	-	-	-	2	-	2	-	2
WHITE------MALE----	14	9	1	-	-	-	-	-	-	-	-	1
FEMALE--	15	7	-	-	-	-	-	2	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
HAWAII ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	2	-	-	1	1	2	1	1	-	-	-
WHITE------MALE----	-	1	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	1	1	5	2	2	3	8	-	1	-	-
WHITE------MALE----	-	1	-	3	-	1	1	3	-	-	-	-
FEMALE--	4	-	-	1	2	1	2	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	2	-	2	4	2	3	-	-	-	-
WHITE------MALE----	2	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	3	1	1	3	1	-	2	-	3	2	-	-
WHITE------MALE----	3	1	-	-	1	-	1	-	2	-	-	-
FEMALE--	-	-	1	3	-	-	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	1	-	-	1	2	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
KENTUCKY ----------	42	24	2	-	1	2	-	-	1	-	3	-
WHITE------MALE----	19	12	1	-	1	2	-	-	1	-	1	-
FEMALE--	16	8	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	3	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	60	35	4	1	-	-	-	1	1	2	1	3
WHITE------MALE----	22	10	-	-	-	-	-	1	-	1	1	2
FEMALE--	10	3	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	15	14	-	1	-	-	-	-	-	-	-	-
FEMALE--	13	8	2	-	-	-	-	-	-	1	-	1
BLACK---MALE----	15	14	-	1	-	-	-	-	-	-	-	-
FEMALE--	12	7	2	-	-	-	-	-	-	1	-	1
MAINE ----------	8	5	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	47	22	3	-	-	1	-	1	-	4	-	4
WHITE------MALE----	18	7	1	-	-	-	-	-	-	2	-	2
FEMALE--	12	3	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	4	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	8	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	4	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	8	-	-	-	-	-	1	-	2	-	-
MASSACHUSETTS ----------	47	24	4	1	1	-	1	1	1	-	1	2
WHITE------MALE----	15	8	2	1	1	-	1	-	1	-	1	-
FEMALE--	30	15	1	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	90	49	8	1	1	1	2	1	1	3	2	2
WHITE------MALE----	40	19	4	1	-	1	1	1	-	3	-	2
FEMALE--	35	22	2	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	4	1	-	1	-	-	-	1	-	-	-
FEMALE--	7	4	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	4	1	-	1	-	-	-	1	-	-	-
FEMALE--	4	2	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
KENTUCKY ----------	-	-	4	1	1	-	3	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	1	1	2	2	3	-	3	-	-	-	-	-
WHITE------MALE----	1	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	2	-	-	2	4	-	-	3	-	-	-
WHITE------MALE----	-	2	-	-	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	1	2	2	2	1	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	3	1	1	3	3	1	2	1	2	-	-
WHITE------MALE----	-	3	1	-	-	2	-	1	-	1	-	-
FEMALE--	1	-	-	1	3	1	-	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
MINNESOTA ----------	40	23	1	2	1	-	-	1	-	2	1	-
WHITE------MALE----	15	9	1	-	-	-	-	-	-	1	-	-
FEMALE--	18	8	-	1	1	-	-	1	-	1	1	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	28	18	2	2	-	-	1	-	-	1	-	1
WHITE------MALE----	7	5	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	5	-	2	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	7	5	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	5	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	57	31	2	-	1	-	-	1	1	1	1	2
WHITE------MALE----	23	17	1	-	-	-	-	1	-	-	-	-
FEMALE--	25	10	1	-	1	-	-	-	1	1	-	2
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	1	-
MONTANA ----------	15	7	2	-	-	-	-	-	-	-	-	1
WHITE------MALE----	8	3	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	23	13	1	-	-	-	-	-	1	-	1	3
WHITE------MALE----	10	8	1	-	-	-	-	-	-	-	-	1
FEMALE--	11	3	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	14	12	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
MINNESOTA ----------	-	1	-	2	1	-	3	1	-	1	-	-
WHITE------MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	2	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	3	1	1	-	5	1	3	1	-	-	-
WHITE------MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
MONTANA ----------	1	-	-	1	2	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	1	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
NEW HAMPSHIRE ----------	11	4	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	2	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	56	35	1	1	1	-	-	1	1	-	1	3
WHITE------MALE----	26	15	1	-	1	-	-	-	-	-	1	2
FEMALE--	14	6	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	10	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	4	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	10	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	4	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	22	13	2	-	-	-	-	-	-	1	-	-
WHITE------MALE----	13	7	1	-	-	-	-	-	-	1	-	-
FEMALE--	7	4	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	123	70	8	3	1	1	1	-	5	3	1	3
WHITE------MALE----	41	21	4	1	-	1	-	-	2	1	1	1
FEMALE--	45	27	-	2	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	17	10	1	-	1	-	1	-	1	1	-	-
FEMALE--	20	12	3	-	-	-	-	-	1	-	-	1
BLACK---MALE----	15	8	1	-	1	-	1	-	1	1	-	-
FEMALE--	20	12	3	-	-	-	-	-	1	-	-	1
NORTH CAROLINA ---------	63	42	5	1	-	-	-	2	-	1	1	3
WHITE------MALE----	29	21	1	1	-	-	-	2	-	-	-	-
FEMALE--	12	6	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	12	6	3	-	-	-	-	-	-	-	-	1
FEMALE--	10	9	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	5	3	-	-	-	-	-	-	-	-	1
FEMALE--	10	9	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	6	3	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	5	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
NEW HAMPSHIRE ----------	2	-	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	2	-	4	3	2	-	-	-	-
WHITE------MALE----	1	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	2	-	-	1	1	1	-	-	-	-	1
WHITE------MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	5	5	1	4	6	1	1	-	1	-	-
WHITE------MALE----	1	2	1	1	1	3	-	-	-	-	-	-
FEMALE--	2	3	2	-	2	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	1	-	2	2	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
OHIO ----------	130	63	8	1	2	3	3	2	2	2	5	-
WHITE------MALE----	51	25	4	1	2	3	2	1	1	2	1	-
FEMALE--	56	24	3	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	15	10	1	-	-	-	-	-	-	-	3	-
FEMALE--	8	4	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	9	1	-	-	-	-	-	-	-	3	-
FEMALE--	8	4	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	52	28	4	2	-	-	1	1	1	-	2	1
WHITE------MALE----	23	10	2	1	-	-	-	1	1	-	1	1
FEMALE--	20	11	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	7	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	45	19	2	-	-	-	1	-	1	-	2	1
WHITE------MALE----	27	13	2	-	-	-	-	-	1	-	1	1
FEMALE--	17	5	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	100	57	4	2	-	-	1	3	2	1	1	-
WHITE------MALE----	45	30	4	1	-	-	-	1	-	-	-	-
FEMALE--	35	15	-	1	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	11	5	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	7	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	11	5	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	7	4	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	41	21	1	-	-	-	-	1	2	2	-	2
WHITE------MALE----	11	4	-	-	-	-	-	1	2	-	-	-
FEMALE--	12	3	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	7	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	9	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	9	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
OHIO ----------	2	3	5	2	4	4	12	4	3	-	-	-
WHITE------MALE----	-	-	2	1	-	1	5	-	-	-	-	-
FEMALE--	2	3	3	-	3	3	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
OKLAHOMA ----------	1	2	1	3	1	2	1	1	-	-	-	-
WHITE------MALE----	-	-	1	1	1	2	-	1	-	-	-	-
FEMALE--	1	2	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	1	-	2	3	4	3	1	1	1	-	-
WHITE------MALE----	1	1	-	2	3	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	1	1	3	2	9	1	5	2	1	-	-
WHITE------MALE----	2	-	-	2	2	1	-	2	-	-	-	-
FEMALE--	2	-	1	1	-	5	1	1	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	1	1	1	3	1	1	1	-	-	-
WHITE------MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
SOUTH DAKOTA ----------	8	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	46	24	2	1	-	3	1	-	1	-	1	4
WHITE------MALE----	20	8	-	1	-	3	-	-	1	-	1	1
FEMALE--	15	9	2	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	4	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	4	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	188	109	12	2	3	5	2	1	4	2	5	4
WHITE------MALE----	87	55	4	1	-	3	2	-	2	-	2	2
FEMALE--	70	34	4	1	2	2	-	1	2	-	1	2
ALL OTHER--MALE----	16	10	2	-	1	-	-	-	-	1	2	-
FEMALE--	15	10	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	10	2	-	-	-	-	-	-	1	1	-
FEMALE--	12	8	2	-	-	-	-	-	-	1	-	-
UTAH ----------	28	17	1	-	2	1	-	-	-	1	-	2
WHITE------MALE----	16	11	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	5	1	-	2	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	2	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	54	30	5	-	2	-	1	1	-	2	-	3
WHITE------MALE----	20	11	2	-	-	-	1	1	-	-	-	1
FEMALE--	21	11	1	-	2	-	-	-	-	2	-	2
ALL OTHER--MALE----	5	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	4	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
SOUTH DAKOTA ----------	-	-	-	1	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	-	-	2	-	3	1	-	-	-	-
WHITE------MALE----	1	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	2	6	3	6	6	2	7	6	1	-	-	-
WHITE------MALE----	2	3	1	2	4	-	2	2	-	-	-	-
FEMALE--	-	3	2	4	2	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	1	-	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	3	-	3	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
WASHINGTON ----------	40	21	1	-	-	1	-	-	-	2	2	1
WHITE------MALE----	21	12	1	-	-	-	-	-	-	2	1	1
FEMALE--	16	7	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	19	7	1	1	-	-	1	-	-	1	1	-
WHITE------MALE----	11	5	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	2	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	44	23	3	-	-	3	-	-	1	-	2	2
WHITE------MALE----	23	9	3	-	-	1	-	-	1	-	1	2
FEMALE--	18	12	-	-	-	2	-	-	-	-	1	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	2	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	4	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
WASHINGTON ----------	-	1	2	1	1	4	-	1	2	-	-	-
WHITE------MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	2	-	2	2	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	1	1	2	3	2	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
UNITED STATES -	619	94	13	4	9	7	14	12	27	21	34	70
WHITE------MALE----	267	39	4	2	2	2	6	5	9	11	13	36
FEMALE--	269	40	3	1	4	3	2	4	8	7	16	26
ALL OTHER--MALE----	41	8	4	-	3	2	2	1	6	3	2	4
FEMALE--	42	7	2	1	-	-	4	2	4	-	3	4
BLACK---MALE----	33	6	4	-	3	1	1	-	5	2	2	4
FEMALE--	34	5	2	1	-	-	3	2	4	-	1	4
ALABAMA ----------	9	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	-	1	1	-	-	1	-	-	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA ----------	80	18	1	1	3	-	3	2	2	5	7	11
WHITE------MALE----	29	6	1	1	1	-	1	2	-	3	2	3
FEMALE--	42	10	-	-	1	-	1	-	2	1	3	7
ALL OTHER--MALE----	4	1	-	-	1	-	-	-	-	1	-	1
FEMALE--	5	1	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
UNITED STATES -	86	102	77	33	11	4	-	-	-	-	1	-
WHITE------MALE----	33	49	41	13	2	-	-	-	-	-	-	-
FEMALE--	45	49	33	16	7	4	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	6	3	2	4	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	1	1	4	-	-	-	-	-	-	-	-
ALABAMA ----------	5	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	8	8	7	3	1	-	-	-	-	-	-	-
WHITE------MALE----	2	2	4	-	1	-	-	-	-	-	-	-
FEMALE--	6	6	2	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
COLORADO ----------	9	2	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	4	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	3	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
FLORIDA ----------	24	6	-	-	-	-	-	1	2	1	1	1
WHITE------MALE----	8	2	-	-	-	-	-	-	1	-	1	-
FEMALE--	13	3	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	13	2	-	-	-	1	-	-	-	1	-	2
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
COLORADO ----------	-	3	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	4	2	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	19	4	-	1	1	-	1	-	-	-	1	1
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
INDIANA ----------	18	4	-	-	-	-	1	1	1	-	-	1
WHITE------MALE----	9	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	10	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3360

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
HAWAII ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	2	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	5	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	2	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
KENTUCKY ----------	8	-	-	-	-	-	-	-	1	-	-	4
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	3	-	-	1	-	-	-	3	-	1	2
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	1
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	1
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	8	2	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	15	-	2	-	1	-	-	-	1	1	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	8	-	1	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	34	6	-	-	-	2	2	3	1	2	3	1
WHITE------MALE----	13	2	-	-	-	1	-	-	-	1	1	1
FEMALE--	14	2	-	-	-	-	1	2	-	1	2	-
ALL OTHER--MALE----	4	2	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	4	2	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
KENTUCKY ----------	-	-	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	3	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	3	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	3	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	4	1	3	1	-	-	-	-	-	-	-
WHITE------MALE----	2	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
MINNESOTA ----------	17	1	-	-	-	-	-	-	1	-	-	2
WHITE------MALE----	12	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	1	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
MISSOURI ----------	18	2	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	6	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
MINNESOTA ----------	3	5	5	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	5	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	4	3	4	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	4	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
NEW HAMPSHIRE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	13	3	-	1	-	-	-	-	1	1	1	-
WHITE------MALE----	7	2	-	1	-	-	-	-	1	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	28	2	1	-	-	1	-	1	2	1	3	4
WHITE------MALE----	14	1	-	-	-	-	-	1	1	-	1	3
FEMALE--	11	1	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	23	2	1	-	-	-	1	-	1	2	-	2
WHITE------MALE----	10	1	-	-	-	-	-	-	1	2	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	1
NORTH DAKOTA ----------	6	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	2	1	2	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	2	3	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	2	3	1	1	-	-	-	-	-	1	-
WHITE------MALE----	2	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	1	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3364

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
OHIO ----------	19	1	1	-	1	-	1	-	1	-	1	2
WHITE------MALE----	8	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	9	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	12	4	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	6	2	-	-	-	-	1	-	-	-	-	1
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	30	4	-	-	-	-	-	1	1	2	1	8
WHITE------MALE----	19	2	-	-	-	-	-	1	-	1	1	5
FEMALE--	10	1	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	2	1	-	-	-	-	-	1	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3364

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
OHIO ----------	3	2	5	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	4	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	5	4	3	-	-	-	-	-	-	-	-
WHITE------MALE----	1	3	3	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3365

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	12	2	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	40	6	1	-	2	3	-	-	-	-	3	6
WHITE------MALE----	13	1	-	-	1	1	-	-	-	-	1	4
FEMALE--	23	4	-	-	-	2	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
UTAH ----------	8	2	-	-	-	-	2	-	-	-	-	1
WHITE------MALE----	5	2	-	-	-	-	2	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	15	2	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	9	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
SOUTH DAKOTA ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	3	2	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	5	9	3	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	6	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	1	4	1	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
WASHINGTON ----------	10	4	1	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	1	-	-	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	13	1	-	-	-	-	-	-	2	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	1	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Down's syndrome (Q90)												
WASHINGTON ----------	-	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	4	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
UNITED STATES -	971	855	40	15	17	9	10	4	3	3	-	2
WHITE------MALE----	323	293	10	3	4	1	6	4	-	-	-	-
FEMALE--	434	384	17	3	7	4	3	-	2	3	-	1
ALL OTHER--MALE----	84	71	6	2	2	1	-	-	1	-	-	-
FEMALE--	130	107	7	7	4	3	1	-	-	-	-	1
BLACK---MALE----	72	61	5	1	2	1	-	-	1	-	-	-
FEMALE--	102	85	4	7	4	2	-	-	-	-	-	-
ALABAMA ----------	14	13	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	19	16	1	-	-	1	-	-	-	-	-	1
WHITE------MALE----	11	10	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	6	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	10	9	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	130	116	3	3	-	1	3	-	1	-	-	1
WHITE------MALE----	37	34	-	-	-	-	3	-	-	-	-	-
FEMALE--	74	67	1	1	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	6	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	13	11	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
UNITED STATES -	5	3	2	1	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	3	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
COLORADO ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	42	38	1	1	1	1	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	10	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	9	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	9	1	-	1	-	-	-	-	-	-	-
GEORGIA ----------	38	32	3	1	1	-	-	-	-	1	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	13	2	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	1	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
HAWAII ----------	4	2	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	46	41	3	-	1	-	-	1	-	-	-	-
WHITE------MALE----	18	15	1	-	1	-	-	1	-	-	-	-
FEMALE--	14	13	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	26	23	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	7	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	17	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	11	10	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	18	15	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	8	7	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	19	18	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	18	11	1	1	2	1	-	1	-	-	-	-
WHITE------MALE----	5	3	-	1	-	-	-	1	-	-	-	-
FEMALE--	7	4	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	12	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	13	12	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	38	31	3	1	2	-	-	-	-	-	-	-
WHITE------MALE----	14	13	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	11	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	5	4	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	5	4	-	1	-	-	-	-	-	-	-	-

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
MINNESOTA ----------	23	21	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	9	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	13	12	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	11	9	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
NEVADA ----------	5	3	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
NEW HAMPSHIRE ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	24	22	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	12	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	65	60	2	3	-	-	-	-	-	-	-	-
WHITE------MALE----	20	19	-	1	-	-	-	-	-	-	-	-
FEMALE--	27	25	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	9	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	9	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	7	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	37	34	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	8	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	6	-	1	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
OHIO ----------	38	34	-	-	2	1	-	1	-	-	-	-
WHITE------MALE----	13	12	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA ----------	13	11	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
OREGON ----------	11	11	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	32	28	1	1	1	-	1	-	-	-	-	-
WHITE------MALE----	10	9	-	-	1	-	-	-	-	-	-	-
FEMALE--	16	15	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	4	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	18	17	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
SOUTH DAKOTA ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	11	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	6	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	67	60	4	1	1	-	1	-	-	-	-	-
WHITE------MALE----	33	30	2	-	1	-	-	-	-	-	-	-
FEMALE--	28	25	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	12	11	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	22	20	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	9	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
WASHINGTON ----------	25	22	1	-	-	-	1	1	-	-	-	-
WHITE------MALE----	9	8	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	12	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	3	-	-	-	-	3	-	-	-	-	-
WHITE------MALE----	4	2	-	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	23	18	3	-	-	-	1	-	-	-	-	-
WHITE------MALE----	10	6	2	-	-	-	1	-	-	-	-	-
FEMALE--	8	7	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
UNITED STATES -	26,672	3,538	236	65	72	228	381	446	649	940	1,122	1,168
WHITE------MALE----	10,094	1,321	96	26	28	110	199	211	318	463	542	572
FEMALE--	11,497	906	63	23	19	53	71	101	168	236	266	277
ALL OTHER--MALE----	2,783	751	40	9	14	43	70	76	116	136	198	224
FEMALE--	2,298	560	37	7	11	22	41	58	47	105	116	95
BLACK---MALE----	2,517	669	35	9	11	38	63	67	109	131	176	209
FEMALE--	2,074	498	33	6	7	16	37	49	41	100	107	90
ALABAMA ----------	984	80	11	1	1	3	7	13	19	23	30	40
WHITE------MALE----	298	29	5	-	-	-	2	5	10	9	11	12
FEMALE--	330	17	1	-	1	1	2	2	4	7	5	5
ALL OTHER--MALE----	170	24	3	1	-	1	2	2	5	2	5	18
FEMALE--	186	10	2	-	-	1	1	4	-	5	9	5
BLACK---MALE----	169	24	3	1	-	1	2	2	5	2	5	18
FEMALE--	183	10	2	-	-	1	1	4	-	5	9	4
ALASKA ----------	42	15	1	-	-	2	1	1	1	-	-	-
WHITE------MALE----	12	4	1	-	-	-	-	-	1	-	-	-
FEMALE--	11	2	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	9	4	-	-	-	1	1	-	-	-	-	-
FEMALE--	10	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	243	44	1	-	1	2	5	2	8	14	9	14
WHITE------MALE----	110	22	1	-	1	1	1	1	5	10	7	9
FEMALE--	95	6	-	-	-	-	2	-	2	4	-	3
ALL OTHER--MALE----	26	9	-	-	-	1	2	1	-	-	1	2
FEMALE--	12	7	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	8	5	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	3	-	-	-	-	-	-	1	-	-	-
ARKANSAS ----------	964	56	4	1	1	3	-	5	10	19	19	26
WHITE------MALE----	368	22	3	-	1	-	-	2	5	9	10	13
FEMALE--	455	14	-	-	-	1	-	1	-	6	8	9
ALL OTHER--MALE----	70	6	1	1	-	2	-	2	3	3	-	3
FEMALE--	71	14	-	-	-	-	-	-	2	1	1	1
BLACK---MALE----	69	6	1	1	-	2	-	2	3	3	-	3
FEMALE--	69	14	-	-	-	-	-	-	2	1	1	1
CALIFORNIA ----------	1,096	309	15	10	7	22	33	40	50	58	85	88
WHITE------MALE----	488	106	7	5	2	8	21	23	27	31	44	43
FEMALE--	343	90	5	4	2	8	5	9	15	19	17	26
ALL OTHER--MALE----	157	64	3	1	2	5	3	2	5	5	15	10
FEMALE--	108	49	-	-	1	1	4	6	3	3	9	9
BLACK---MALE----	106	46	2	1	1	3	1	1	4	5	9	7
FEMALE--	72	36	-	-	-	-	2	3	2	2	6	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3376

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
UNITED STATES -	983	908	952	1,140	1,558	1,945	2,468	2,818	2,799	1,592	589	75
WHITE------MALE----	478	437	482	538	731	824	865	807	640	280	79	47
FEMALE--	245	257	271	381	604	856	1,328	1,775	1,956	1,186	441	14
ALL OTHER--MALE----	172	141	121	127	117	125	116	87	59	26	6	9
FEMALE--	88	73	78	94	106	140	159	149	144	100	63	5
BLACK---MALE----	155	132	113	116	105	114	101	74	54	23	6	7
FEMALE--	81	64	69	86	96	125	150	136	129	91	59	4
ALABAMA ----------	41	42	50	55	80	95	103	119	104	50	17	-
WHITE------MALE----	17	17	25	17	31	35	22	22	21	5	3	-
FEMALE--	7	5	8	8	26	29	50	61	58	30	3	-
ALL OTHER--MALE----	11	11	12	15	10	15	10	9	8	5	1	-
FEMALE--	6	9	5	15	13	16	21	27	17	10	10	-
BLACK---MALE----	10	11	12	15	10	15	10	9	8	5	1	-
FEMALE--	6	8	5	15	12	16	21	27	17	10	10	-
ALASKA ----------	-	2	2	-	1	2	5	3	4	2	-	-
WHITE------MALE----	-	1	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	1	2	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	8	6	10	10	14	14	20	24	15	5	5
WHITE------MALE----	5	3	2	5	5	5	6	6	8	-	3	4
FEMALE--	5	4	3	4	5	8	7	11	16	12	2	1
ALL OTHER--MALE----	2	1	1	1	-	1	-	2	-	2	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ARKANSAS ----------	30	37	73	46	103	107	113	128	107	60	16	-
WHITE------MALE----	15	16	44	27	48	49	35	37	25	5	2	-
FEMALE--	7	14	22	11	41	48	70	72	71	48	12	-
ALL OTHER--MALE----	8	6	5	6	4	3	3	7	5	1	1	-
FEMALE--	-	1	2	2	10	7	5	12	6	6	1	-
BLACK---MALE----	8	6	5	5	4	3	3	7	5	1	1	-
FEMALE--	-	1	2	2	10	6	5	11	6	6	1	-
CALIFORNIA ----------	56	44	41	42	25	39	39	32	24	9	3	25
WHITE------MALE----	32	16	19	21	9	17	17	9	9	-	-	22
FEMALE--	14	20	10	12	11	16	17	18	12	7	3	3
ALL OTHER--MALE----	8	3	9	7	4	2	3	4	2	-	-	-
FEMALE--	2	5	3	2	1	4	2	1	1	2	-	-
BLACK---MALE----	6	1	8	3	2	1	1	3	1	-	-	-
FEMALE--	1	3	1	1	1	3	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
COLORADO ----------	365	79	4	2	1	4	1	3	3	10	6	15
WHITE------MALE----	165	37	2	2	-	4	1	1	1	8	2	11
FEMALE--	177	32	1	-	1	-	-	1	2	1	4	3
ALL OTHER--MALE----	10	4	-	-	-	-	-	1	-	1	-	1
FEMALE--	13	6	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	3	-	-	-	-	-	1	-	-	-	1
FEMALE--	10	6	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	156	22	1	-	2	1	2	4	3	4	4	1
WHITE------MALE----	69	13	1	-	1	1	1	1	2	3	1	-
FEMALE--	70	5	-	-	-	-	1	1	1	-	2	1
ALL OTHER--MALE----	9	2	-	-	1	-	-	2	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	8	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	-	1	1	-
DELAWARE ----------	29	8	-	-	-	-	-	-	1	1	-	3
WHITE------MALE----	10	1	-	-	-	-	-	-	1	1	-	2
FEMALE--	13	3	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	331	16	4	2	1	2	3	10	18	20	50	47
WHITE------MALE----	25	-	-	1	-	-	-	-	3	1	3	4
FEMALE--	18	-	-	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	193	11	1	1	1	1	2	7	8	12	33	24
FEMALE--	95	5	3	-	-	1	1	2	7	6	11	16
BLACK---MALE----	191	11	1	1	1	1	2	7	8	12	32	24
FEMALE--	94	5	3	-	-	1	1	1	7	6	11	16
FLORIDA ----------	3,544	185	13	1	4	15	41	47	80	119	124	155
WHITE------MALE----	1,324	62	5	-	-	10	23	24	46	53	77	84
FEMALE--	1,790	47	2	-	3	2	9	15	22	26	23	35
ALL OTHER--MALE----	228	48	4	-	1	1	5	4	9	18	16	23
FEMALE--	202	28	2	1	-	2	4	4	3	22	8	13
BLACK---MALE----	222	47	4	-	1	1	4	3	9	18	14	23
FEMALE--	198	26	2	1	-	2	4	4	3	22	7	13
GEORGIA ----------	881	131	5	1	1	9	14	12	16	26	26	21
WHITE------MALE----	250	42	2	-	-	2	11	1	7	7	15	4
FEMALE--	350	21	1	-	-	3	-	2	3	8	3	5
ALL OTHER--MALE----	132	39	-	1	1	3	1	2	3	6	7	10
FEMALE--	149	29	2	-	-	1	2	7	3	5	1	2
BLACK---MALE----	129	38	-	1	1	3	1	2	3	6	7	10
FEMALE--	141	26	2	-	-	1	2	6	3	5	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
COLORADO ----------	6	8	13	21	11	22	39	31	49	27	10	-
WHITE------MALE----	4	5	7	13	7	7	21	8	13	8	3	-
FEMALE--	2	3	3	8	3	14	18	21	35	19	6	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	1	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
CONNECTICUT ----------	4	5	4	8	12	13	19	18	14	13	1	1
WHITE------MALE----	2	2	3	4	5	6	11	5	3	3	-	1
FEMALE--	1	-	1	3	6	6	8	13	10	10	1	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
DELAWARE ----------	2	1	1	1	-	3	-	2	5	1	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	3	-	-	-
FEMALE--	1	1	-	-	-	3	-	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	46	27	19	20	14	11	10	3	4	1	-	3
WHITE------MALE----	5	1	1	1	3	1	-	-	-	-	-	1
FEMALE--	4	2	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	24	21	12	11	8	5	4	3	2	-	-	2
FEMALE--	13	3	5	7	2	5	6	-	1	1	-	-
BLACK---MALE----	23	21	12	11	8	5	4	3	2	-	-	2
FEMALE--	13	3	5	7	2	5	6	-	1	1	-	-
FLORIDA ----------	83	83	92	115	175	279	414	563	553	311	83	9
WHITE------MALE----	47	36	44	61	88	120	147	180	137	64	13	3
FEMALE--	19	26	26	43	70	139	236	357	395	231	62	2
ALL OTHER--MALE----	9	12	16	5	12	10	12	10	7	3	-	3
FEMALE--	8	9	6	6	5	10	19	16	14	13	8	1
BLACK---MALE----	9	12	16	5	12	10	11	10	7	3	-	3
FEMALE--	8	8	6	6	5	10	19	16	14	13	8	1
GEORGIA ----------	18	22	33	33	48	63	121	102	105	54	20	-
WHITE------MALE----	12	11	14	6	19	15	36	23	15	7	1	-
FEMALE--	3	6	7	15	15	27	58	60	67	33	13	-
ALL OTHER--MALE----	3	3	3	6	6	10	11	6	5	4	2	-
FEMALE--	-	2	9	6	8	11	16	13	18	10	4	-
BLACK---MALE----	3	3	3	6	6	9	11	5	5	4	2	-
FEMALE--	-	2	9	5	7	9	16	13	18	10	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3378

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
HAWAII ----------	58	7	1	-	-	1	-	-	-	-	1	3
WHITE------MALE----	13	1	1	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	4	-	-	-	1	-	-	-	-	1	1
FEMALE--	22	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	143	25	-	-	-	1	1	-	2	4	1	-
WHITE------MALE----	45	13	-	-	-	1	-	-	1	1	-	-
FEMALE--	96	12	-	-	-	-	1	-	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	819	164	11	3	5	22	20	23	29	28	40	42
WHITE------MALE----	263	38	3	1	1	9	8	9	14	11	17	20
FEMALE--	321	27	2	2	1	7	4	6	7	9	11	10
ALL OTHER--MALE----	133	54	3	-	-	2	5	5	7	4	9	10
FEMALE--	102	45	3	-	3	4	3	3	1	4	3	2
BLACK---MALE----	130	51	3	-	-	2	5	5	7	4	9	10
FEMALE--	98	45	3	-	2	4	2	2	1	4	3	2
INDIANA ----------	399	69	5	1	1	4	9	8	10	21	8	16
WHITE------MALE----	159	29	3	-	-	-	4	3	6	14	3	10
FEMALE--	192	23	2	1	1	4	2	3	3	5	2	4
ALL OTHER--MALE----	27	9	-	-	-	-	1	1	1	1	1	2
FEMALE--	21	8	-	-	-	-	2	1	-	1	2	-
BLACK---MALE----	27	9	-	-	-	-	1	1	1	1	1	2
FEMALE--	21	8	-	-	-	-	2	1	-	1	2	-
IOWA ----------	280	47	2	1	-	1	3	2	6	6	4	4
WHITE------MALE----	111	28	-	-	-	1	1	1	1	5	4	2
FEMALE--	166	17	1	1	-	-	2	1	5	1	-	2
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	410	48	1	1	2	-	1	1	2	7	7	16
WHITE------MALE----	135	22	1	1	1	-	1	-	1	4	3	8
FEMALE--	214	12	-	-	1	-	-	-	-	2	1	5
ALL OTHER--MALE----	29	6	-	-	-	-	-	-	1	-	2	2
FEMALE--	32	8	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	29	6	-	-	-	-	-	-	1	-	2	2
FEMALE--	28	8	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
HAWAII ----------	3	2	4	1	4	4	6	7	10	2	2	-
WHITE------MALE----	1	-	1	1	2	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	2	1	2	-	-	-	-
FEMALE--	1	-	2	-	-	2	2	2	7	2	2	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	3	1	3	2	4	9	20	28	22	12	-
WHITE------MALE----	5	1	-	1	2	2	3	6	5	3	1	-
FEMALE--	-	2	1	2	-	2	5	14	23	19	10	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	25	13	26	34	36	49	59	59	57	53	20	1
WHITE------MALE----	12	6	6	13	17	20	15	21	9	11	2	-
FEMALE--	8	3	12	10	12	18	32	35	46	41	17	1
ALL OTHER--MALE----	2	2	3	9	5	6	4	-	2	1	-	-
FEMALE--	3	2	5	2	2	5	8	3	-	-	1	-
BLACK---MALE----	2	2	3	9	5	6	4	-	2	1	-	-
FEMALE--	3	2	5	2	2	4	8	3	-	-	1	-
INDIANA ----------	13	13	14	9	23	30	38	28	38	29	12	-
WHITE------MALE----	10	8	7	5	9	18	12	5	7	4	2	-
FEMALE--	3	4	4	2	10	9	24	22	29	25	10	-
ALL OTHER--MALE----	-	-	2	2	2	2	1	1	1	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	2	2	2	2	1	1	1	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	1	-	-	-
IOWA ----------	6	3	5	6	13	16	23	32	53	28	19	-
WHITE------MALE----	4	1	2	2	7	7	7	12	18	5	3	-
FEMALE--	2	2	3	4	6	9	16	20	35	23	16	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	18	17	9	35	28	35	59	48	47	16	-
WHITE------MALE----	5	8	8	2	18	11	10	14	13	3	1	-
FEMALE--	2	4	5	3	13	13	20	43	33	42	15	-
ALL OTHER--MALE----	3	4	3	2	-	3	1	2	-	-	-	-
FEMALE--	2	2	1	2	4	1	4	-	2	2	-	-
BLACK---MALE----	3	4	3	2	-	3	1	2	-	-	-	-
FEMALE--	2	2	-	2	2	1	4	-	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
KENTUCKY ----------	323	68	-	1	-	2	1	1	7	7	6	8
WHITE------MALE----	122	29	-	1	-	1	1	1	3	4	3	5
FEMALE--	160	27	-	-	-	-	-	-	3	2	1	3
ALL OTHER--MALE----	21	5	-	-	-	-	-	-	-	1	2	-
FEMALE--	20	7	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	21	5	-	-	-	-	-	-	-	1	2	-
FEMALE--	20	7	-	-	-	1	-	-	1	-	-	-
LOUISIANA ----------	603	71	4	2	-	4	9	9	9	15	9	16
WHITE------MALE----	206	26	-	1	-	2	3	3	2	5	4	4
FEMALE--	227	13	1	-	-	1	1	-	1	5	2	6
ALL OTHER--MALE----	84	21	1	-	-	1	4	4	3	4	1	3
FEMALE--	86	11	2	1	-	-	1	2	3	1	2	3
BLACK---MALE----	83	20	1	-	-	1	4	4	3	4	1	3
FEMALE--	84	10	2	1	-	-	1	2	3	1	2	3
MAINE ----------	66	6	2	-	-	-	-	-	2	2	2	1
WHITE------MALE----	25	3	2	-	-	-	-	-	1	2	1	1
FEMALE--	41	3	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	198	64	2	3	3	1	4	10	9	10	13	17
WHITE------MALE----	55	20	-	-	-	1	1	1	2	3	4	7
FEMALE--	38	8	1	-	-	-	2	2	2	1	-	1
ALL OTHER--MALE----	72	23	-	1	2	-	1	6	5	4	8	7
FEMALE--	33	13	1	2	1	-	-	1	-	2	1	2
BLACK---MALE----	69	23	-	1	2	-	1	6	4	4	8	7
FEMALE--	31	12	1	2	1	-	-	1	-	2	1	2
MASSACHUSETTS ----------	370	29	2	3	2	8	7	7	6	20	14	9
WHITE------MALE----	156	14	-	2	1	4	4	3	4	17	9	6
FEMALE--	184	10	1	-	1	3	1	2	2	3	3	2
ALL OTHER--MALE----	14	3	-	-	-	1	-	2	-	-	2	1
FEMALE--	16	2	1	1	-	-	2	-	-	-	-	-
BLACK---MALE----	10	2	-	-	-	1	-	2	-	-	-	1
FEMALE--	14	2	1	1	-	-	2	-	-	-	-	-
MICHIGAN ----------	449	135	9	-	-	1	5	6	5	11	16	16
WHITE------MALE----	150	50	4	-	-	-	1	5	2	5	4	6
FEMALE--	179	26	4	-	-	1	1	-	1	5	4	6
ALL OTHER--MALE----	70	44	-	-	-	-	2	1	2	1	4	3
FEMALE--	50	15	1	-	-	-	1	-	-	-	4	1
BLACK---MALE----	67	42	-	-	-	-	2	1	2	1	4	3
FEMALE--	47	15	1	-	-	-	1	-	-	-	4	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
KENTUCKY ----------	11	15	11	15	17	21	34	34	34	25	5	-
WHITE------MALE----	6	8	6	8	10	5	6	13	5	6	1	-
FEMALE--	4	5	3	5	6	11	25	19	26	17	3	-
ALL OTHER--MALE----	1	1	1	2	-	3	2	1	1	1	-	-
FEMALE--	-	1	1	-	1	2	1	1	2	1	1	-
BLACK---MALE----	1	1	1	2	-	3	2	1	1	1	-	-
FEMALE--	-	1	1	-	1	2	1	1	2	1	1	-
LOUISIANA ----------	14	22	18	27	37	70	70	84	62	35	16	-
WHITE------MALE----	5	12	9	10	12	28	31	29	14	6	-	-
FEMALE--	3	5	4	10	17	24	28	43	37	18	8	-
ALL OTHER--MALE----	5	4	3	3	4	9	6	4	1	2	1	-
FEMALE--	1	1	2	4	4	9	5	8	10	9	7	-
BLACK---MALE----	5	4	3	3	4	9	6	4	1	2	1	-
FEMALE--	1	1	2	4	4	9	5	7	10	9	7	-
MAINE ----------	2	-	3	2	-	3	2	14	10	12	3	-
WHITE------MALE----	1	-	1	1	-	1	-	4	3	4	-	-
FEMALE--	1	-	2	1	-	2	2	10	7	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	7	9	5	5	8	7	4	8	2	2	2
WHITE------MALE----	1	1	2	2	2	2	3	-	1	1	-	1
FEMALE--	-	2	2	1	-	4	-	4	6	1	1	-
ALL OTHER--MALE----	2	4	1	1	2	-	3	-	1	-	-	1
FEMALE--	-	-	4	1	1	2	1	-	-	-	1	-
BLACK---MALE----	2	3	1	1	2	-	2	-	1	-	-	1
FEMALE--	-	-	4	1	-	2	1	-	-	-	1	-
MASSACHUSETTS ----------	8	9	10	14	25	30	38	38	51	33	7	-
WHITE------MALE----	6	5	5	7	10	17	13	7	13	7	2	-
FEMALE--	2	3	2	6	13	10	24	30	37	25	4	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	1	1	1	1	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	1	1	-	-
MICHIGAN ----------	12	11	10	16	30	31	34	37	38	16	9	1
WHITE------MALE----	2	5	4	9	11	11	12	9	4	2	3	1
FEMALE--	7	2	5	3	13	14	17	23	30	12	5	-
ALL OTHER--MALE----	-	2	-	1	3	4	1	-	2	-	-	-
FEMALE--	3	2	1	3	3	2	4	5	2	2	1	-
BLACK---MALE----	-	2	-	1	3	4	1	-	1	-	-	-
FEMALE--	3	2	1	3	3	2	2	4	2	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3380

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
MINNESOTA ----------	1,039	49	8	-	1	2	2	2	4	5	4	10
WHITE------MALE----	363	23	2	-	1	2	1	-	4	3	2	3
FEMALE--	633	12	3	-	-	-	-	2	-	-	1	5
ALL OTHER--MALE----	27	9	1	-	-	-	1	-	-	1	1	2
FEMALE--	16	5	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	2	1	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	293	73	5	1	-	3	3	4	6	4	9	10
WHITE------MALE----	65	17	-	1	-	-	-	3	2	2	4	2
FEMALE--	94	14	2	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	63	26	2	-	-	3	2	-	3	1	2	2
FEMALE--	71	16	1	-	-	-	1	1	-	-	2	3
BLACK---MALE----	63	26	2	-	-	3	2	-	3	1	2	2
FEMALE--	70	16	1	-	-	-	1	1	-	-	2	3
MISSOURI ----------	379	69	4	1	2	2	4	4	8	7	9	8
WHITE------MALE----	154	25	1	1	1	1	3	4	5	4	5	5
FEMALE--	163	17	2	-	1	1	-	-	-	-	2	2
ALL OTHER--MALE----	34	18	-	-	-	-	-	-	3	1	1	-
FEMALE--	28	9	1	-	-	-	1	-	-	2	1	1
BLACK---MALE----	34	18	-	-	-	-	-	-	3	1	1	-
FEMALE--	27	8	1	-	-	-	1	-	-	2	1	1
MONTANA ----------	149	20	-	1	-	1	-	-	1	1	3	2
WHITE------MALE----	54	11	-	-	-	1	-	-	1	1	1	2
FEMALE--	85	5	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	449	25	1	-	-	-	3	-	-	3	5	7
WHITE------MALE----	210	12	1	-	-	-	-	-	-	2	3	7
FEMALE--	201	8	-	-	-	-	2	-	-	1	2	-
ALL OTHER--MALE----	23	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	15	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	3	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	131	29	-	-	-	-	1	3	5	5	4	2
WHITE------MALE----	58	13	-	-	-	-	1	-	2	1	3	2
FEMALE--	58	9	-	-	-	-	-	2	3	3	-	-
ALL OTHER--MALE----	8	4	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	3	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
MINNESOTA ----------	14	19	22	33	69	98	132	179	196	133	57	-
WHITE------MALE----	7	10	12	21	50	41	53	54	41	27	6	-
FEMALE--	4	7	8	12	19	50	78	120	155	106	51	-
ALL OTHER--MALE----	3	1	-	-	-	3	1	4	-	-	-	-
FEMALE--	-	1	2	-	-	4	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	-	-	-	-
MISSISSIPPI ----------	4	4	8	13	20	24	18	34	35	11	4	-
WHITE------MALE----	2	3	3	4	4	5	3	3	4	3	-	-
FEMALE--	-	1	1	4	6	7	6	16	26	4	1	-
ALL OTHER--MALE----	2	-	-	4	4	4	3	2	1	2	-	-
FEMALE--	-	-	4	1	6	8	6	13	4	2	3	-
BLACK---MALE----	2	-	-	4	4	4	3	2	1	2	-	-
FEMALE--	-	-	4	1	6	7	6	13	4	2	3	-
MISSOURI ----------	8	12	12	20	22	23	44	52	34	22	12	-
WHITE------MALE----	5	7	7	11	12	11	15	18	8	1	4	-
FEMALE--	2	3	4	8	8	8	24	29	24	20	8	-
ALL OTHER--MALE----	1	2	-	1	1	1	2	2	1	-	-	-
FEMALE--	-	-	1	-	1	3	3	3	1	1	-	-
BLACK---MALE----	1	2	-	1	1	1	2	2	1	-	-	-
FEMALE--	-	-	1	-	1	3	3	3	1	1	-	-
MONTANA ----------	4	6	1	2	3	6	14	35	26	19	4	-
WHITE------MALE----	4	2	1	1	2	4	4	7	7	4	1	-
FEMALE--	-	4	-	1	-	2	9	27	17	14	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	15	16	31	31	36	55	56	68	50	37	10	-
WHITE------MALE----	8	10	20	20	19	31	29	24	12	10	2	-
FEMALE--	5	2	4	8	12	20	24	41	38	26	8	-
ALL OTHER--MALE----	1	3	4	3	4	-	3	2	-	-	-	-
FEMALE--	1	1	3	-	1	4	-	1	-	1	-	-
BLACK---MALE----	1	3	4	3	3	-	2	2	-	-	-	-
FEMALE--	1	-	2	-	1	3	-	1	-	-	-	-
NEVADA ----------	5	2	5	2	4	10	11	15	20	7	-	1
WHITE------MALE----	2	1	2	2	1	4	8	5	10	-	-	1
FEMALE--	2	1	3	-	3	6	3	10	7	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3381

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
NEW HAMPSHIRE ----------	46	6	-	1	-	-	1	-	1	-	2	3
WHITE------MALE----	18	3	-	1	-	-	-	-	1	-	1	1
FEMALE--	26	1	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	447	64	3	1	-	2	8	12	17	25	21	20
WHITE------MALE----	187	20	2	1	-	-	3	9	7	11	10	12
FEMALE--	171	15	-	-	-	2	-	1	5	7	5	4
ALL OTHER--MALE----	46	13	1	-	-	-	2	1	3	3	5	4
FEMALE--	43	16	-	-	-	-	3	1	2	4	1	-
BLACK---MALE----	40	13	1	-	-	-	2	-	3	3	3	4
FEMALE--	41	16	-	-	-	-	2	1	1	4	1	-
NEW MEXICO ----------	138	20	1	-	1	2	3	5	3	4	4	5
WHITE------MALE----	46	7	1	-	-	-	1	4	-	1	2	2
FEMALE--	75	10	-	-	-	1	2	1	1	3	2	2
ALL OTHER--MALE----	12	1	-	-	1	-	-	-	1	-	-	1
FEMALE--	5	2	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,787	185	18	9	15	28	60	55	111	161	217	162
WHITE------MALE----	814	67	8	-	6	20	41	27	57	83	102	81
FEMALE--	551	47	3	6	1	2	7	13	23	40	62	30
ALL OTHER--MALE----	261	47	3	3	5	4	10	7	23	23	33	39
FEMALE--	161	24	4	-	3	2	2	8	8	15	20	12
BLACK---MALE----	238	45	2	3	4	4	10	5	22	22	30	34
FEMALE--	150	23	4	-	2	1	2	8	7	15	20	10
NORTH CAROLINA ---------	579	122	8	1	-	4	10	5	7	24	17	26
WHITE------MALE----	178	42	1	1	-	1	4	1	2	8	10	10
FEMALE--	242	30	2	-	-	1	2	-	3	7	1	7
ALL OTHER--MALE----	87	27	2	-	-	1	2	2	1	6	4	6
FEMALE--	72	23	3	-	-	1	2	2	1	3	2	3
BLACK---MALE----	81	27	2	-	-	1	2	1	1	6	2	6
FEMALE--	67	20	3	-	-	1	2	1	-	3	2	3
NORTH DAKOTA ----------	78	14	-	-	-	-	-	-	2	2	1	-
WHITE------MALE----	28	8	-	-	-	-	-	-	1	1	-	-
FEMALE--	46	2	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
NEW HAMPSHIRE ----------	1	2	2	1	3	3	5	6	5	3	1	-
WHITE------MALE----	1	1	-	1	1	2	2	2	1	-	-	-
FEMALE--	-	1	2	-	2	1	3	4	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	26	19	12	15	25	25	44	45	45	12	5	1
WHITE------MALE----	15	8	8	7	13	13	15	16	11	3	3	-
FEMALE--	7	6	1	5	9	10	27	25	33	8	1	-
ALL OTHER--MALE----	1	4	3	1	-	1	1	2	-	-	-	1
FEMALE--	3	1	-	2	3	1	1	2	1	1	1	-
BLACK---MALE----	1	4	2	1	-	1	-	2	-	-	-	-
FEMALE--	3	1	-	2	3	1	1	2	1	1	1	-
NEW MEXICO ----------	6	1	2	3	4	10	16	14	20	6	6	2
WHITE------MALE----	2	-	2	2	1	6	6	6	1	2	-	-
FEMALE--	1	1	-	1	2	3	9	8	17	4	6	1
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	136	83	61	79	80	86	67	73	56	22	15	8
WHITE------MALE----	60	44	31	35	37	39	25	23	13	6	5	4
FEMALE--	44	20	18	24	36	31	35	46	39	14	8	2
ALL OTHER--MALE----	20	10	9	8	3	7	3	1	1	1	-	1
FEMALE--	12	9	3	12	4	9	4	3	3	1	2	1
BLACK---MALE----	17	10	7	8	1	7	3	1	1	1	-	1
FEMALE--	12	8	3	8	4	9	4	3	3	1	2	1
NORTH CAROLINA ---------	22	18	15	21	30	40	52	42	66	36	12	1
WHITE------MALE----	7	4	6	7	14	15	15	12	14	2	1	1
FEMALE--	5	8	5	8	10	15	29	24	47	28	10	-
ALL OTHER--MALE----	8	4	2	4	2	7	4	3	2	-	-	-
FEMALE--	2	2	2	2	4	3	4	3	3	6	1	-
BLACK---MALE----	8	4	2	4	1	6	3	3	2	-	-	-
FEMALE--	2	2	2	2	4	3	4	3	3	6	1	-
NORTH DAKOTA ----------	-	1	-	1	1	4	6	14	15	12	5	-
WHITE------MALE----	-	1	-	1	1	2	4	4	1	2	2	-
FEMALE--	-	-	-	-	-	2	2	10	14	10	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3382

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
OHIO ----------	1,669	175	24	5	8	34	47	39	59	77	94	107
WHITE------MALE----	672	69	5	2	6	20	25	20	30	39	45	59
FEMALE--	701	38	10	2	1	3	6	7	12	20	25	24
ALL OTHER--MALE----	180	40	7	-	-	10	10	6	13	12	13	17
FEMALE--	116	28	2	1	1	1	6	6	4	6	11	7
BLACK---MALE----	179	40	6	-	-	10	10	6	13	12	13	17
FEMALE--	113	28	2	-	1	-	6	6	4	6	10	7
OKLAHOMA ----------	384	85	6	1	-	2	12	6	16	26	28	24
WHITE------MALE----	166	32	4	1	-	1	7	5	9	14	17	12
FEMALE--	158	25	2	-	-	1	2	1	5	7	9	12
ALL OTHER--MALE----	37	20	-	-	-	-	2	-	2	2	-	-
FEMALE--	23	8	-	-	-	-	1	-	-	3	2	-
BLACK---MALE----	19	11	-	-	-	-	1	-	-	1	-	-
FEMALE--	11	4	-	-	-	-	1	-	-	2	1	-
OREGON ----------	772	32	2	1	-	2	2	7	5	5	21	14
WHITE------MALE----	338	17	1	-	-	2	1	5	1	2	14	7
FEMALE--	415	9	1	1	-	-	1	2	4	3	6	7
ALL OTHER--MALE----	14	5	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,619	123	7	1	2	8	13	23	28	28	49	59
WHITE------MALE----	659	35	5	-	1	2	7	12	11	15	26	32
FEMALE--	704	40	-	-	1	4	2	4	12	7	13	9
ALL OTHER--MALE----	140	21	-	-	-	1	2	4	4	4	7	13
FEMALE--	116	27	2	1	-	1	2	3	1	2	3	5
BLACK---MALE----	134	20	-	-	-	1	2	4	3	4	7	13
FEMALE--	110	26	2	1	-	1	2	2	1	2	3	5
RHODE ISLAND ----------	90	9	2	-	-	1	1	5	6	9	10	5
WHITE------MALE----	45	4	1	-	-	1	-	4	3	7	6	3
FEMALE--	33	1	-	-	-	-	1	1	2	2	2	2
ALL OTHER--MALE----	6	3	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	1	-
SOUTH CAROLINA ---------	359	66	3	-	1	2	4	8	8	19	24	18
WHITE------MALE----	108	20	-	-	-	-	2	3	3	8	7	6
FEMALE--	126	13	2	-	1	1	-	1	2	5	3	5
ALL OTHER--MALE----	63	12	-	-	-	-	2	3	2	4	10	5
FEMALE--	62	21	1	-	-	1	-	1	1	2	4	2
BLACK---MALE----	62	12	-	-	-	-	2	3	2	4	10	5
FEMALE--	60	20	1	-	-	1	-	1	1	2	4	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
OHIO ----------	71	66	65	68	121	114	140	142	134	51	27	1
WHITE------MALE----	37	33	34	27	46	55	43	40	30	6	1	-
FEMALE--	18	21	20	35	53	53	88	98	97	43	26	1
ALL OTHER--MALE----	13	8	7	4	12	2	3	3	-	-	-	-
FEMALE--	3	4	4	2	10	4	6	1	7	2	-	-
BLACK---MALE----	13	8	7	4	12	2	3	3	-	-	-	-
FEMALE--	3	4	4	2	10	4	6	1	7	2	-	-
OKLAHOMA ----------	12	15	14	12	21	25	27	23	17	5	5	2
WHITE------MALE----	5	6	8	8	10	9	9	7	1	-	-	1
FEMALE--	5	7	4	3	7	14	16	13	14	5	5	1
ALL OTHER--MALE----	2	2	2	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	3	2	-	-	-
BLACK---MALE----	1	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
OREGON ----------	19	31	39	48	62	72	81	100	128	71	30	-
WHITE------MALE----	15	24	25	31	31	39	43	24	32	19	5	-
FEMALE--	4	7	14	14	28	31	36	75	96	51	25	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA ----------	78	80	72	122	149	148	193	184	148	72	29	3
WHITE------MALE----	39	42	41	56	81	71	69	60	35	15	2	2
FEMALE--	11	20	22	47	53	60	104	115	104	50	25	1
ALL OTHER--MALE----	17	12	7	12	9	9	12	4	1	1	-	-
FEMALE--	11	6	2	7	6	8	8	5	8	6	2	-
BLACK---MALE----	16	11	7	12	8	9	12	3	1	1	-	-
FEMALE--	10	6	2	7	6	8	7	4	7	6	2	-
RHODE ISLAND ----------	8	4	3	3	3	2	5	3	3	5	1	2
WHITE------MALE----	4	-	2	3	1	-	2	-	2	-	-	2
FEMALE--	4	1	1	-	2	1	3	3	1	5	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	19	13	10	21	19	34	32	16	19	9	13	1
WHITE------MALE----	9	6	2	8	6	7	10	4	5	1	1	-
FEMALE--	4	1	3	7	7	19	15	10	11	6	10	-
ALL OTHER--MALE----	4	4	1	4	5	3	4	-	-	-	-	-
FEMALE--	2	2	4	2	1	5	3	2	3	2	2	1
BLACK---MALE----	4	4	1	4	5	3	3	-	-	-	-	-
FEMALE--	1	2	4	2	1	5	3	2	3	2	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
SOUTH DAKOTA ----------	65	23	-	-	1	-	-	-	-	1	1	1
WHITE------MALE----	15	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	5	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	663	97	4	1	2	2	2	3	6	14	25	24
WHITE------MALE----	259	34	1	-	-	-	1	3	4	6	15	16
FEMALE--	288	21	2	1	2	-	-	-	2	4	5	4
ALL OTHER--MALE----	58	23	1	-	-	1	1	-	-	3	3	2
FEMALE--	58	19	-	-	-	1	-	-	-	1	2	2
BLACK---MALE----	58	23	1	-	-	1	1	-	-	3	3	2
FEMALE--	58	19	-	-	-	1	-	-	-	1	2	2
TEXAS ----------	1,161	299	16	3	2	17	18	34	35	55	50	51
WHITE------MALE----	479	126	8	1	2	12	11	20	18	31	23	28
FEMALE--	462	85	5	2	-	1	6	9	9	6	15	14
ALL OTHER--MALE----	121	50	2	-	-	2	1	3	6	11	7	8
FEMALE--	99	38	1	-	-	2	-	2	2	7	5	1
BLACK---MALE----	118	47	2	-	-	2	1	3	6	11	7	8
FEMALE--	93	37	-	-	-	1	-	2	2	6	5	1
UTAH ----------	362	24	2	-	2	2	1	5	8	9	15	13
WHITE------MALE----	185	15	2	-	2	2	-	3	4	6	12	8
FEMALE--	165	7	-	-	-	-	1	2	4	3	3	5
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	19	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	594	82	8	1	-	5	7	11	7	12	17	17
WHITE------MALE----	180	27	2	1	-	-	2	1	4	6	7	8
FEMALE--	254	18	3	-	-	3	1	3	1	1	5	3
ALL OTHER--MALE----	71	19	3	-	-	1	2	5	1	2	2	3
FEMALE--	89	18	-	-	-	1	2	2	1	3	3	3
BLACK---MALE----	71	19	3	-	-	1	2	5	1	2	2	3
FEMALE--	85	17	-	-	-	-	2	2	1	3	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
SOUTH DAKOTA ----------	1	1	2	2	1	1	2	5	9	7	7	-
WHITE------MALE----	-	-	1	-	-	-	-	1	5	-	1	-
FEMALE--	-	-	-	-	-	1	-	4	4	7	6	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	25	24	26	43	33	71	69	73	74	37	8	-
WHITE------MALE----	16	17	15	27	12	24	20	23	21	3	1	-
FEMALE--	4	5	9	13	16	40	37	44	47	27	5	-
ALL OTHER--MALE----	3	2	2	-	4	3	4	2	3	1	-	-
FEMALE--	2	-	-	3	1	4	8	4	3	6	2	-
BLACK---MALE----	3	2	2	-	4	3	4	2	3	1	-	-
FEMALE--	2	-	-	3	1	4	8	4	3	6	2	-
TEXAS ----------	48	26	29	29	54	55	75	82	93	65	21	4
WHITE------MALE----	14	17	21	17	25	29	25	17	18	13	-	3
FEMALE--	18	7	5	10	25	24	39	53	68	46	14	1
ALL OTHER--MALE----	9	2	2	2	2	2	3	6	1	1	1	-
FEMALE--	7	-	1	-	2	-	8	6	6	5	6	-
BLACK---MALE----	9	2	2	2	2	2	3	6	1	1	1	-
FEMALE--	6	-	1	-	2	-	8	6	5	5	6	-
UTAH ----------	12	15	15	25	32	26	42	46	41	23	4	-
WHITE------MALE----	10	12	10	16	19	12	21	16	10	5	-	-
FEMALE--	1	2	4	8	11	13	20	29	30	18	4	-
ALL OTHER--MALE----	1	1	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	1	-	1	1	2	1	3	1	1	-
WHITE------MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	16	31	19	36	28	37	60	77	69	32	20	2
WHITE------MALE----	8	15	8	9	14	13	19	17	14	3	2	-
FEMALE--	2	7	5	13	10	21	32	52	35	26	13	-
ALL OTHER--MALE----	3	5	3	5	2	2	5	2	6	-	-	-
FEMALE--	3	4	3	9	2	1	4	6	14	3	5	2
BLACK---MALE----	3	5	3	5	2	2	5	2	6	-	-	-
FEMALE--	3	4	3	9	2	1	4	6	14	3	5	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
WASHINGTON ----------	233	70	4	1	1	1	3	5	5	5	8	7
WHITE------MALE----	91	33	1	1	-	-	1	2	2	2	2	3
FEMALE--	110	22	2	-	1	1	2	2	1	2	4	2
ALL OTHER--MALE----	12	7	-	-	-	-	-	1	1	-	-	1
FEMALE--	20	8	1	-	-	-	-	-	1	1	2	1
BLACK---MALE----	6	3	-	-	-	-	-	1	-	-	-	1
FEMALE--	10	5	-	-	-	-	-	-	-	-	1	1
WEST VIRGINIA ----------	170	24	4	2	-	-	2	-	1	5	5	3
WHITE------MALE----	71	14	3	1	-	-	2	-	-	2	3	3
FEMALE--	96	9	1	1	-	-	-	-	1	3	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	205	61	8	1	2	-	6	5	4	8	5	10
WHITE------MALE----	74	22	6	-	1	-	2	1	2	4	-	5
FEMALE--	93	17	1	1	-	-	1	2	1	2	3	5
ALL OTHER--MALE----	17	11	-	-	-	-	3	1	1	-	-	-
FEMALE--	21	11	1	-	1	-	-	1	-	2	2	-
BLACK---MALE----	15	10	-	-	-	-	3	-	1	-	-	-
FEMALE--	19	10	1	-	1	-	-	1	-	2	1	-
WYOMING ----------	39	7	-	-	-	-	1	1	-	1	-	2
WHITE------MALE----	13	6	-	-	-	-	-	-	-	1	-	2
FEMALE--	25	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
WASHINGTON ----------	11	8	4	6	6	9	16	17	26	12	8	-
WHITE------MALE----	5	3	3	4	4	4	4	3	10	3	1	-
FEMALE--	5	4	1	1	2	3	12	13	14	9	7	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
WEST VIRGINIA ----------	7	4	12	8	13	18	12	16	19	14	1	-
WHITE------MALE----	5	3	3	3	6	7	3	3	3	6	1	-
FEMALE--	2	1	8	4	7	11	9	13	16	8	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	9	8	2	11	5	11	14	13	17	2	-
WHITE------MALE----	1	3	6	-	5	3	5	4	2	2	-	-
FEMALE--	2	4	2	2	5	2	5	10	11	15	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
WYOMING ----------	-	2	-	2	1	1	4	5	5	4	3	-
WHITE------MALE----	-	1	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	4	3	4	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
UNITED STATES -	3,150	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	812	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2,111	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	149	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	72	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	141	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
UNITED STATES -	3	3	13	32	98	215	438	643	847	569	288	-
WHITE------MALE----	2	2	5	17	53	80	141	179	195	95	43	-
FEMALE--	-	1	4	13	34	107	250	433	610	438	220	-
ALL OTHER--MALE----	1	-	3	1	7	12	19	13	13	7	2	-
FEMALE--	-	-	1	1	4	16	28	18	29	29	23	-
BLACK---MALE----	1	-	3	-	7	11	19	11	11	7	2	-
FEMALE--	-	-	1	1	4	14	27	16	27	28	23	-
ALABAMA ----------	-	-	-	-	-	1	3	6	10	14	5	-
WHITE------MALE----	-	-	-	-	-	-	-	-	5	1	1	-
FEMALE--	-	-	-	-	-	-	3	5	3	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	3	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	3	2	-
ALASKA ----------	-	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	1	1	2	5	2	4	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	4	1	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	-	-	6	2	6	4	-
WHITE------MALE----	-	-	-	-	-	-	-	2	1	1	1	-
FEMALE--	-	-	-	-	1	-	-	4	1	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	1	3	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
COLORADO ----------	46	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,605	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	493	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1,025	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	178	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
COLORADO ----------	-	-	-	-	1	2	9	5	17	7	5	-
WHITE------MALE----	-	-	-	-	1	1	3	2	-	3	2	-
FEMALE--	-	-	-	-	-	1	6	3	17	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	1	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	3	10	28	74	136	259	390	400	241	61	-
WHITE------MALE----	2	2	4	15	43	57	92	124	92	53	9	-
FEMALE--	-	1	2	12	24	68	144	253	296	179	45	-
ALL OTHER--MALE----	-	-	3	-	5	6	7	6	4	3	-	-
FEMALE--	-	-	1	1	2	5	16	7	8	6	7	-
BLACK---MALE----	-	-	3	-	5	6	7	6	4	3	-	-
FEMALE--	-	-	1	1	2	5	16	7	8	6	7	-
GEORGIA ----------	-	-	-	1	8	17	46	35	40	21	10	-
WHITE------MALE----	-	-	-	1	6	4	15	7	9	3	1	-
FEMALE--	-	-	-	-	1	5	15	20	22	12	6	-
ALL OTHER--MALE----	-	-	-	-	1	3	8	4	2	1	1	-
FEMALE--	-	-	-	-	-	5	8	4	7	5	2	-
BLACK---MALE----	-	-	-	-	1	3	8	3	2	1	1	-
FEMALE--	-	-	-	-	-	5	8	4	7	5	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3387

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	58	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	41	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	20	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	61	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3387

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
HAWAII ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	5	11	19	14	8	-
WHITE------MALE----	-	-	-	-	-	-	1	5	4	1	1	-
FEMALE--	-	-	-	-	-	1	4	6	15	13	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	1	7	11	13	9	-
WHITE------MALE----	-	-	-	-	-	-	-	2	2	-	1	-
FEMALE--	-	-	-	-	-	-	1	5	9	13	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
INDIANA ----------	-	-	1	-	-	1	1	2	4	5	6	-
WHITE------MALE----	-	-	1	-	-	1	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	2	3	5	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	3	3	24	15	16	-
WHITE------MALE----	-	-	-	-	-	-	1	1	7	3	3	-
FEMALE--	-	-	-	-	-	-	2	2	17	12	13	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	1	1	2	5	7	9	6	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	5	7	8	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
KENTUCKY ----------	28	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
KENTUCKY ----------	-	-	-	-	-	1	2	9	6	7	3	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	1	2	9	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA ----------	-	-	-	-	-	1	3	3	2	3	5	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
MAINE ----------	-	-	-	-	-	-	-	2	3	7	3	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	3	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	1	4	5	2	2	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	3	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	1	1	4	2	4	3	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	1	2	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
MINNESOTA ----------	103	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	34	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
MINNESOTA ----------	-	-	-	-	-	1	13	11	31	28	19	-
WHITE------MALE----	-	-	-	-	-	1	4	5	10	3	3	-
FEMALE--	-	-	-	-	-	-	8	6	21	25	16	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	2	-	-	1	4	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MISSOURI ----------	-	-	-	-	-	-	2	2	2	5	7	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	-	-	-	-	-	-	2	1	2	4	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	2	3	11	7	7	4	-
WHITE------MALE----	-	-	-	-	-	1	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	9	7	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	2	7	15	12	2	-
WHITE------MALE----	-	-	-	-	-	-	-	1	5	3	-	-
FEMALE--	-	-	-	-	-	1	2	6	10	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	-	-	-	-	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	18	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	15	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	39	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	111	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	13	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3390

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	1	1	4	7	3	2	-
WHITE------MALE----	-	-	-	-	-	1	-	1	2	1	1	-
FEMALE--	-	-	-	-	-	-	1	3	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	-	-	-	-	-	1	3	3	6	-	2	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	4	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	-	2	-	4	13	11	8	-
WHITE------MALE----	-	-	-	-	-	2	-	-	2	1	4	-
FEMALE--	-	-	-	1	-	-	-	4	10	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
NORTH CAROLINA ---------	1	-	1	-	2	9	18	15	37	18	10	-
WHITE------MALE----	-	-	-	-	2	1	5	3	10	-	-	-
FEMALE--	-	-	1	-	-	6	11	11	24	14	9	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	4	1	-
BLACK---MALE----	1	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	4	1	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	2	4	3	3	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
OHIO ----------	109	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	77	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	37	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	44	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
OHIO ----------	-	-	-	-	1	10	13	30	33	9	13	-
WHITE------MALE----	-	-	-	-	-	3	2	6	6	1	1	-
FEMALE--	-	-	-	-	1	7	10	24	24	7	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	1	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	1	2	1	4	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	2	10	7	27	20	11	-
WHITE------MALE----	-	-	-	-	-	1	5	-	9	5	1	-
FEMALE--	-	-	-	-	-	1	5	7	18	15	10	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	3	2	17	8	6	-
WHITE------MALE----	-	-	-	-	-	-	1	1	3	2	-	-
FEMALE--	-	-	-	-	-	-	2	1	12	4	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	1	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	2	10	7	6	6	4	8	-
WHITE------MALE----	-	-	-	1	-	2	2	1	2	-	1	-
FEMALE--	-	-	-	-	1	6	4	4	4	3	5	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	2	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
SOUTH DAKOTA ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	19	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	60	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	58	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	46	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3392

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	2	6	6	5	-
WHITE------MALE----	-	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	4	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	1	-	3	9	4	2	-
WHITE------MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	7	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	1	2	4	7	16	21	9	-
WHITE------MALE----	-	-	-	-	-	1	-	-	2	4	-	-
FEMALE--	-	-	-	-	-	1	4	6	14	15	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	2	2	-
UTAH ----------	-	-	-	-	4	4	14	12	12	9	3	-
WHITE------MALE----	-	-	-	-	1	-	5	5	4	1	-	-
FEMALE--	-	-	-	-	3	3	9	7	8	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	2	7	16	11	10	-
WHITE------MALE----	-	-	-	-	-	-	-	-	4	-	2	-
FEMALE--	-	-	-	-	-	-	1	7	7	10	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3393

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Senility (R54)												
WASHINGTON ----------	21	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
WASHINGTON ----------	-	-	-	-	-	2	2	3	5	3	6	-
WHITE------MALE----	-	-	-	-	-	1	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	2	3	3	2	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	1	1	5	3	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	1	1	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	1	2	6	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3394

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
UNITED STATES -	16,553	3,466	192	48	55	175	312	335	531	754	935	972
WHITE------MALE----	6,952	1,292	77	14	20	89	176	164	278	375	464	488
FEMALE--	5,920	888	49	20	17	38	53	78	128	199	217	232
ALL OTHER--MALE----	2,158	735	33	7	12	30	55	56	88	105	158	178
FEMALE--	1,523	551	33	7	6	18	28	37	37	75	96	74
BLACK---MALE----	1,931	654	29	7	11	27	48	48	81	101	139	163
FEMALE--	1,360	491	29	6	2	13	26	29	31	71	88	70
ALABAMA ----------	507	77	7	-	1	2	6	9	14	15	20	26
WHITE------MALE----	160	28	3	-	-	-	2	3	9	5	8	8
FEMALE--	153	16	-	-	1	1	2	1	2	5	4	2
ALL OTHER--MALE----	98	23	2	-	-	-	1	1	3	2	2	14
FEMALE--	96	10	2	-	-	1	1	4	-	3	6	2
BLACK---MALE----	98	23	2	-	-	-	1	1	3	2	2	14
FEMALE--	96	10	2	-	-	1	1	4	-	3	6	2
ALASKA ----------	26	14	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	9	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	4	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	131	44	-	-	1	1	3	1	3	8	7	13
WHITE------MALE----	71	22	-	-	1	-	1	1	2	5	6	8
FEMALE--	31	6	-	-	-	-	1	-	1	3	-	3
ALL OTHER--MALE----	20	9	-	-	-	1	1	-	-	-	1	2
FEMALE--	9	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	854	56	4	1	-	3	-	4	10	17	18	25
WHITE------MALE----	335	22	3	-	-	-	-	1	5	8	10	12
FEMALE--	395	14	-	-	-	1	-	1	-	6	8	9
ALL OTHER--MALE----	60	6	1	1	-	2	-	2	3	2	-	3
FEMALE--	64	14	-	-	-	-	-	-	2	1	-	1
BLACK---MALE----	59	6	1	1	-	2	-	2	3	2	-	3
FEMALE--	62	14	-	-	-	-	-	-	2	1	-	1
CALIFORNIA ----------	1,006	306	15	9	7	21	29	37	43	49	77	82
WHITE------MALE----	452	104	7	5	2	8	19	22	23	28	41	39
FEMALE--	300	89	5	3	2	7	4	9	12	15	15	25
ALL OTHER--MALE----	152	64	3	1	2	5	3	2	5	4	13	10
FEMALE--	102	49	-	-	1	1	3	4	3	2	8	8
BLACK---MALE----	101	46	2	1	1	3	1	1	4	4	7	7
FEMALE--	67	36	-	-	-	-	2	1	2	1	5	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3394

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
UNITED STATES -	781	680	673	755	931	994	1,119	1,160	942	506	163	74
WHITE------MALE----	386	333	361	375	467	450	416	344	220	95	22	46
FEMALE--	197	189	177	239	344	422	578	705	652	363	121	14
ALL OTHER--MALE----	135	105	88	87	70	61	59	48	24	11	4	9
FEMALE--	63	53	47	54	50	61	66	63	46	37	16	5
BLACK---MALE----	122	97	82	77	60	54	48	41	22	9	4	7
FEMALE--	57	47	41	47	42	54	64	59	41	33	15	4
ALABAMA ----------	28	22	33	28	34	36	42	47	37	18	5	-
WHITE------MALE----	12	9	19	8	12	11	7	8	5	2	1	-
FEMALE--	7	2	6	6	12	14	21	20	21	10	-	-
ALL OTHER--MALE----	4	5	6	8	5	4	5	5	4	3	1	-
FEMALE--	5	6	2	6	5	7	9	14	7	3	3	-
BLACK---MALE----	4	5	6	8	5	4	5	5	4	3	1	-
FEMALE--	5	6	2	6	5	7	9	14	7	3	3	-
ALASKA ----------	-	1	1	-	-	1	3	1	2	1	-	-
WHITE------MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	8	4	5	3	7	2	1	3	2	1	5
WHITE------MALE----	4	3	2	4	2	5	-	-	1	-	-	4
FEMALE--	4	4	1	1	1	1	1	-	2	-	1	1
ALL OTHER--MALE----	1	1	1	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ARKANSAS ----------	25	32	64	41	95	95	106	112	91	44	11	-
WHITE------MALE----	13	15	39	24	46	45	35	34	19	3	1	-
FEMALE--	6	12	18	10	37	41	65	62	62	35	8	-
ALL OTHER--MALE----	6	4	5	6	3	3	1	6	4	1	1	-
FEMALE--	-	1	2	1	9	6	5	10	6	5	1	-
BLACK---MALE----	6	4	5	5	3	3	1	6	4	1	1	-
FEMALE--	-	1	2	1	9	5	5	9	6	5	1	-
CALIFORNIA ----------	50	43	40	42	25	36	35	18	12	5	-	25
WHITE------MALE----	28	15	19	21	9	16	15	4	5	-	-	22
FEMALE--	13	20	9	12	11	14	15	10	4	3	-	3
ALL OTHER--MALE----	7	3	9	7	4	2	3	3	2	-	-	-
FEMALE--	2	5	3	2	1	4	2	1	1	2	-	-
BLACK---MALE----	5	1	8	3	2	1	1	2	1	-	-	-
FEMALE--	1	3	1	1	1	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3395

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
COLORADO ----------	215	78	4	1	1	2	-	1	2	7	4	12
WHITE------MALE----	103	37	2	1	-	2	-	-	1	5	1	8
FEMALE--	93	32	1	-	1	-	-	1	1	1	3	3
ALL OTHER--MALE----	9	4	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	5	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	45	22	1	-	1	1	-	3	2	2	3	1
WHITE------MALE----	24	13	1	-	-	1	-	-	2	1	1	-
FEMALE--	13	5	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	5	2	-	-	1	-	-	2	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
DELAWARE ----------	16	8	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	4	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	3	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	323	16	4	2	1	1	3	10	18	19	49	47
WHITE------MALE----	25	-	-	1	-	-	-	-	3	1	3	4
FEMALE--	17	-	-	-	-	-	-	1	-	-	3	3
ALL OTHER--MALE----	190	11	1	1	1	-	2	7	8	12	32	24
FEMALE--	91	5	3	-	-	1	1	2	7	6	11	16
BLACK---MALE----	188	11	1	1	1	-	2	7	8	12	31	24
FEMALE--	90	5	3	-	-	1	1	1	7	6	11	16
FLORIDA ----------	1,564	184	12	1	4	13	37	44	76	106	116	146
WHITE------MALE----	722	62	5	-	-	9	22	22	43	49	74	82
FEMALE--	549	47	1	-	3	2	9	14	21	26	21	31
ALL OTHER--MALE----	173	47	4	-	1	1	3	4	9	14	15	21
FEMALE--	120	28	2	1	-	1	3	4	3	17	6	12
BLACK---MALE----	167	46	4	-	1	1	2	3	9	14	13	21
FEMALE--	116	26	2	1	-	1	3	4	3	17	5	12
GEORGIA ----------	363	129	3	-	1	6	9	4	9	18	19	8
WHITE------MALE----	119	41	1	-	-	2	6	1	6	4	11	4
FEMALE--	106	21	-	-	-	1	-	1	2	7	3	3
ALL OTHER--MALE----	70	38	-	-	1	2	1	-	1	4	4	1
FEMALE--	68	29	2	-	-	1	2	2	-	3	1	-
BLACK---MALE----	69	37	-	-	1	2	1	-	1	4	4	1
FEMALE--	62	26	2	-	-	1	2	1	-	3	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
COLORADO ----------	3	6	12	11	6	12	20	10	13	8	2	-
WHITE------MALE----	2	5	7	7	3	3	11	1	5	1	1	-
FEMALE--	1	1	2	4	2	9	9	7	8	7	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	1	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
CONNECTICUT ----------	1	2	-	-	-	3	1	-	-	1	-	1
WHITE------MALE----	-	2	-	-	-	2	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	45	27	19	20	13	10	8	3	4	1	-	3
WHITE------MALE----	5	1	1	1	3	1	-	-	-	-	-	1
FEMALE--	4	2	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	24	21	12	11	8	5	3	3	2	-	-	2
FEMALE--	12	3	5	7	1	4	5	-	1	1	-	-
BLACK---MALE----	23	21	12	11	8	5	3	3	2	-	-	2
FEMALE--	12	3	5	7	1	4	5	-	1	1	-	-
FLORIDA ----------	68	71	73	80	85	99	110	103	81	34	12	9
WHITE------MALE----	39	32	39	43	39	44	43	34	28	7	3	3
FEMALE--	17	23	20	27	37	47	59	62	51	21	8	2
ALL OTHER--MALE----	7	10	12	5	6	3	5	2	1	-	-	3
FEMALE--	5	6	2	5	3	5	3	5	1	6	1	1
BLACK---MALE----	7	10	12	5	6	3	4	2	1	-	-	3
FEMALE--	5	5	2	5	3	5	3	5	1	6	1	1
GEORGIA ----------	8	5	18	13	13	16	29	24	15	10	6	-
WHITE------MALE----	7	2	7	1	3	4	11	5	1	2	-	-
FEMALE--	1	1	4	6	4	6	13	14	12	4	3	-
ALL OTHER--MALE----	-	2	2	2	2	4	2	1	1	1	1	-
FEMALE--	-	-	5	4	4	2	3	4	1	3	2	-
BLACK---MALE----	-	2	2	2	2	4	2	1	1	1	1	-
FEMALE--	-	-	5	3	3	2	3	4	1	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3396

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
HAWAII ----------	18	6	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	55	25	-	-	-	-	1	-	1	3	1	-
WHITE------MALE----	24	13	-	-	-	-	-	-	1	1	-	-
FEMALE--	31	12	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	478	160	8	3	3	18	13	17	19	22	26	31
WHITE------MALE----	171	36	2	1	1	9	6	5	12	11	12	15
FEMALE--	142	26	1	2	1	6	2	6	4	6	7	8
ALL OTHER--MALE----	97	53	3	-	-	1	4	4	2	3	4	7
FEMALE--	68	45	2	-	1	2	1	2	1	2	3	1
BLACK---MALE----	94	50	3	-	-	1	4	4	2	3	4	7
FEMALE--	65	45	2	-	-	2	1	1	1	2	3	1
INDIANA ----------	175	60	1	1	1	2	7	3	5	15	3	9
WHITE------MALE----	74	26	-	-	-	-	4	2	4	10	-	5
FEMALE--	78	21	1	1	1	2	2	1	1	4	1	3
ALL OTHER--MALE----	14	7	-	-	-	-	1	-	-	-	-	1
FEMALE--	9	6	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	14	7	-	-	-	-	1	-	-	-	-	1
FEMALE--	9	6	-	-	-	-	-	-	-	1	2	-
IOWA ----------	131	46	2	1	-	1	2	1	5	4	1	4
WHITE------MALE----	63	27	-	-	-	1	-	1	-	3	1	2
FEMALE--	65	17	1	1	-	-	2	-	5	1	-	2
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	263	48	1	-	2	-	1	1	-	4	6	15
WHITE------MALE----	96	22	1	-	1	-	1	-	-	3	2	8
FEMALE--	115	12	-	-	1	-	-	-	-	-	1	4
ALL OTHER--MALE----	26	6	-	-	-	-	-	-	-	-	2	2
FEMALE--	26	8	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	26	6	-	-	-	-	-	-	-	-	2	2
FEMALE--	22	8	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
HAWAII ----------	1	-	-	1	1	2	1	-	2	-	1	-
WHITE------MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	1	-	2	2	1	-	5	2	5	2	-
WHITE------MALE----	4	1	-	1	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	5	2	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	17	9	11	16	11	22	19	18	11	15	8	1
WHITE------MALE----	6	5	3	7	6	12	5	10	2	4	1	-
FEMALE--	7	2	4	5	5	6	9	8	8	11	7	1
ALL OTHER--MALE----	2	2	2	4	-	2	3	-	1	-	-	-
FEMALE--	2	-	2	-	-	2	2	-	-	-	-	-
BLACK---MALE----	2	2	2	4	-	2	3	-	1	-	-	-
FEMALE--	2	-	2	-	-	1	2	-	-	-	-	-
INDIANA ----------	10	5	4	3	5	7	11	9	10	2	2	-
WHITE------MALE----	7	2	1	-	3	4	2	1	-	2	1	-
FEMALE--	3	3	2	1	1	3	9	7	10	-	1	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	2	4	3	6	7	7	12	9	9	-	-
WHITE------MALE----	4	1	2	1	4	4	2	5	3	2	-	-
FEMALE--	1	1	2	2	2	3	5	7	6	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	13	14	7	21	22	18	33	15	24	6	-
WHITE------MALE----	5	4	8	2	12	9	4	9	4	1	-	-
FEMALE--	2	3	3	2	6	10	10	23	10	22	6	-
ALL OTHER--MALE----	3	4	2	2	-	3	1	1	-	-	-	-
FEMALE--	2	2	1	1	3	-	3	-	1	1	-	-
BLACK---MALE----	3	4	2	2	-	3	1	1	-	-	-	-
FEMALE--	2	2	-	1	1	-	3	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
KENTUCKY ----------	174	63	-	-	-	2	-	1	6	5	4	4
WHITE------MALE----	76	26	-	-	-	1	-	1	3	3	2	3
FEMALE--	72	26	-	-	-	-	-	-	2	2	1	1
ALL OTHER--MALE----	11	4	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	7	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	11	4	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	7	-	-	-	1	-	-	1	-	-	-
LOUISIANA ----------	299	67	3	1	-	2	6	4	4	8	4	8
WHITE------MALE----	105	24	-	-	-	-	2	1	2	4	1	1
FEMALE--	105	11	-	-	-	1	1	-	1	2	-	3
ALL OTHER--MALE----	47	21	1	-	-	1	2	2	-	2	1	1
FEMALE--	42	11	2	1	-	-	1	1	1	-	2	3
BLACK---MALE----	46	20	1	-	-	1	2	2	-	2	1	1
FEMALE--	41	10	2	1	-	-	1	1	1	-	2	3
MAINE ----------	21	6	2	-	-	-	-	-	1	2	2	1
WHITE------MALE----	12	3	2	-	-	-	-	-	-	2	1	1
FEMALE--	9	3	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	130	64	-	3	2	-	2	2	3	7	10	9
WHITE------MALE----	39	20	-	-	-	-	1	-	-	2	3	4
FEMALE--	17	8	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	52	23	-	1	2	-	1	1	3	3	6	3
FEMALE--	22	13	-	2	-	-	-	-	-	1	1	1
BLACK---MALE----	49	23	-	1	2	-	1	1	2	3	6	3
FEMALE--	21	12	-	2	-	-	-	-	-	1	1	1
MASSACHUSETTS ----------	113	29	1	2	2	5	5	7	3	14	9	7
WHITE------MALE----	63	14	-	1	1	2	4	3	3	14	7	4
FEMALE--	33	10	1	-	1	3	-	2	-	-	-	2
ALL OTHER--MALE----	10	3	-	-	-	-	-	2	-	-	2	1
FEMALE--	7	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	7	2	-	-	-	-	-	2	-	-	-	1
FEMALE--	6	2	-	1	-	-	1	-	-	-	-	-
MICHIGAN ----------	271	130	9	-	-	-	5	5	4	7	12	13
WHITE------MALE----	100	49	4	-	-	-	1	4	2	2	3	4
FEMALE--	77	22	4	-	-	-	1	-	-	4	3	5
ALL OTHER--MALE----	63	44	-	-	-	-	2	1	2	1	3	3
FEMALE--	31	15	1	-	-	-	1	-	-	-	3	1
BLACK---MALE----	61	42	-	-	-	-	2	1	2	1	3	3
FEMALE--	31	15	1	-	-	-	1	-	-	-	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
KENTUCKY ----------	6	11	8	3	7	9	12	8	16	8	1	-
WHITE------MALE----	3	7	5	2	4	1	3	6	3	3	-	-
FEMALE--	2	2	1	-	2	6	7	2	12	5	1	-
ALL OTHER--MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	1	-	-	-
LOUISIANA ----------	5	11	8	12	15	30	30	37	24	14	6	-
WHITE------MALE----	2	6	4	6	3	16	12	13	4	4	-	-
FEMALE--	1	4	2	6	9	8	12	21	15	6	2	-
ALL OTHER--MALE----	2	1	1	-	2	2	3	2	1	2	-	-
FEMALE--	-	-	1	-	1	4	3	1	4	2	4	-
BLACK---MALE----	2	1	1	-	2	2	3	2	1	2	-	-
FEMALE--	-	-	1	-	1	4	3	1	4	2	4	-
MAINE ----------	2	-	1	-	-	-	-	2	1	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	3	8	3	3	1	3	1	2	-	-	1
WHITE------MALE----	1	-	2	1	2	-	2	-	1	-	-	-
FEMALE--	-	1	2	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	2	2	1	1	1	-	1	-	-	-	-	1
FEMALE--	-	-	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	-	-	-	-	-	-	1
FEMALE--	-	-	3	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	4	1	3	4	3	5	1	3	1	1	-
WHITE------MALE----	3	2	-	1	1	-	2	-	-	1	-	-
FEMALE--	-	1	1	1	2	2	3	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
MICHIGAN ----------	9	7	4	7	13	16	8	8	8	3	2	1
WHITE------MALE----	1	2	2	5	6	5	4	3	1	-	1	1
FEMALE--	6	1	1	1	4	8	3	4	6	3	1	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	-	1	-	-	-
FEMALE--	2	2	1	-	2	1	1	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	2	-	-	1	-	-	-
FEMALE--	2	2	1	-	2	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
MINNESOTA ----------	844	49	7	-	1	1	1	-	2	3	1	7
WHITE------MALE----	300	23	2	-	1	1	-	-	2	2	1	1
FEMALE--	505	12	2	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	24	9	1	-	-	-	1	-	-	-	-	2
FEMALE--	15	5	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	1	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	108	70	3	-	-	1	-	3	3	1	5	4
WHITE------MALE----	31	16	-	-	-	-	-	3	2	-	3	2
FEMALE--	24	14	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	30	24	1	-	-	1	-	-	1	-	1	-
FEMALE--	23	16	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	30	24	1	-	-	1	-	-	1	-	1	-
FEMALE--	23	16	1	-	-	-	-	-	-	-	-	1
MISSOURI ----------	208	67	4	1	1	1	3	1	3	3	7	7
WHITE------MALE----	86	25	1	1	-	-	2	1	2	2	3	4
FEMALE--	80	16	2	-	1	1	-	-	-	-	2	2
ALL OTHER--MALE----	24	17	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	9	1	-	-	-	1	-	-	1	1	1
BLACK---MALE----	24	17	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	8	1	-	-	-	1	-	-	1	1	1
MONTANA ----------	85	18	-	1	-	1	-	-	1	1	3	1
WHITE------MALE----	37	9	-	-	-	1	-	-	1	1	1	1
FEMALE--	42	5	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	314	25	1	-	-	-	1	-	-	3	5	6
WHITE------MALE----	171	12	1	-	-	-	-	-	-	2	3	6
FEMALE--	109	8	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	21	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	3	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	54	29	-	-	-	-	1	1	3	2	3	1
WHITE------MALE----	28	13	-	-	-	-	1	-	2	-	2	1
FEMALE--	17	9	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
MINNESOTA ----------	12	11	21	30	63	87	112	160	153	92	31	-
WHITE------MALE----	5	7	11	19	46	36	47	46	29	18	3	-
FEMALE--	4	2	8	11	17	45	65	109	124	74	28	-
ALL OTHER--MALE----	3	1	-	-	-	3	-	4	-	-	-	-
FEMALE--	-	1	2	-	-	3	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
MISSISSIPPI ----------	-	-	1	4	4	3	-	3	2	1	-	-
WHITE------MALE----	-	-	-	2	1	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	3	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
MISSOURI ----------	3	8	8	8	13	8	21	20	15	5	1	-
WHITE------MALE----	2	6	5	5	9	4	6	5	3	-	-	-
FEMALE--	-	2	3	2	4	3	14	13	10	4	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
MONTANA ----------	4	4	1	2	1	3	6	16	13	9	-	-
WHITE------MALE----	4	2	1	1	1	2	1	4	5	2	-	-
FEMALE--	-	2	-	1	-	1	4	12	7	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	14	28	28	32	43	40	47	18	12	3	-
WHITE------MALE----	6	9	19	19	16	26	22	20	4	4	2	-
FEMALE--	1	2	3	6	11	13	15	24	14	7	1	-
ALL OTHER--MALE----	1	3	3	3	4	-	3	2	-	-	-	-
FEMALE--	-	-	3	-	1	4	-	1	-	1	-	-
BLACK---MALE----	1	3	3	3	3	-	2	2	-	-	-	-
FEMALE--	-	-	2	-	1	3	-	1	-	-	-	-
NEVADA ----------	2	2	2	2	1	1	1	-	1	1	-	1
WHITE------MALE----	2	1	1	2	-	-	1	-	1	-	-	1
FEMALE--	-	1	1	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
NEW HAMPSHIRE ----------	24	5	-	-	-	-	1	-	1	-	1	2
WHITE------MALE----	12	3	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	1	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	257	63	3	-	-	1	8	9	14	16	14	19
WHITE------MALE----	117	20	2	-	-	-	3	8	6	7	8	12
FEMALE--	73	15	-	-	-	1	-	-	3	6	4	4
ALL OTHER--MALE----	36	12	1	-	-	-	2	1	3	2	1	3
FEMALE--	31	16	-	-	-	-	3	-	2	1	1	-
BLACK---MALE----	32	12	1	-	-	-	2	-	3	2	-	3
FEMALE--	29	16	-	-	-	-	2	-	1	1	1	-
NEW MEXICO ----------	63	19	-	-	-	-	1	2	3	3	1	4
WHITE------MALE----	20	6	-	-	-	-	-	2	-	1	1	1
FEMALE--	30	10	-	-	-	-	1	-	1	2	-	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,480	183	17	9	12	27	59	53	107	156	211	157
WHITE------MALE----	711	67	8	-	5	20	41	25	57	83	99	79
FEMALE--	395	46	3	6	1	1	7	13	21	38	61	29
ALL OTHER--MALE----	241	47	2	3	4	4	9	7	22	22	32	38
FEMALE--	133	23	4	-	2	2	2	8	7	13	19	11
BLACK---MALE----	222	45	2	3	4	4	9	5	21	21	29	33
FEMALE--	124	22	4	-	1	1	2	8	6	13	19	9
NORTH CAROLINA ---------	289	118	7	1	-	3	8	3	5	18	12	16
WHITE------MALE----	104	39	1	1	-	1	4	1	2	6	7	7
FEMALE--	89	30	2	-	-	1	2	-	1	6	1	6
ALL OTHER--MALE----	54	26	1	-	-	-	1	1	1	4	2	2
FEMALE--	42	23	3	-	-	1	1	1	1	2	2	1
BLACK---MALE----	50	26	1	-	-	-	1	-	1	4	1	2
FEMALE--	37	20	3	-	-	1	1	-	-	2	2	1
NORTH DAKOTA ----------	50	14	-	-	-	-	-	-	2	1	1	-
WHITE------MALE----	21	8	-	-	-	-	-	-	1	-	-	-
FEMALE--	25	2	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
NEW HAMPSHIRE ----------	1	2	2	1	1	2	2	2	1	-	-	-
WHITE------MALE----	1	1	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	1	2	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	22	15	8	9	11	11	11	13	6	1	2	1
WHITE------MALE----	12	5	4	4	7	6	5	4	2	1	1	-
FEMALE--	6	5	1	3	4	4	5	8	4	-	-	-
ALL OTHER--MALE----	1	4	3	1	-	-	-	1	-	-	-	1
FEMALE--	3	1	-	1	-	1	1	-	-	-	1	-
BLACK---MALE----	1	4	2	1	-	-	-	1	-	-	-	-
FEMALE--	3	1	-	1	-	1	1	-	-	-	1	-
NEW MEXICO ----------	5	-	1	1	1	4	5	4	2	2	3	2
WHITE------MALE----	1	-	1	1	-	2	1	2	1	-	-	-
FEMALE--	1	-	-	-	-	1	3	2	1	2	3	1
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	125	79	49	59	48	46	34	25	12	4	-	8
WHITE------MALE----	56	43	25	29	23	20	12	8	5	2	-	4
FEMALE--	41	18	15	16	19	20	16	14	7	1	-	2
ALL OTHER--MALE----	17	10	7	5	3	4	3	1	-	-	-	1
FEMALE--	11	8	2	9	3	2	3	2	-	1	-	1
BLACK---MALE----	15	10	6	5	1	4	3	1	-	-	-	1
FEMALE--	11	8	2	6	3	2	3	2	-	1	-	1
NORTH CAROLINA ---------	17	15	5	9	11	11	6	9	8	4	2	1
WHITE------MALE----	5	4	2	5	6	3	3	3	2	-	1	1
FEMALE--	5	7	2	2	4	4	3	3	6	3	1	-
ALL OTHER--MALE----	5	2	-	2	1	4	-	2	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	5	2	-	2	-	3	-	2	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	1	-	1	-	-
NORTH DAKOTA ----------	-	1	-	1	1	2	4	7	8	6	2	-
WHITE------MALE----	-	1	-	1	1	1	2	2	1	2	1	-
FEMALE--	-	-	-	-	-	1	2	5	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3400

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
OHIO ----------	1,124	173	20	4	7	33	44	34	55	66	88	95
WHITE------MALE----	493	69	2	1	5	20	24	17	29	33	41	53
FEMALE--	374	36	10	2	1	2	6	6	12	19	24	20
ALL OTHER--MALE----	162	40	7	-	-	10	10	5	11	10	12	15
FEMALE--	95	28	1	1	1	1	4	6	3	4	11	7
BLACK---MALE----	161	40	6	-	-	10	10	5	11	10	12	15
FEMALE--	92	28	1	-	1	-	4	6	3	4	10	7
OKLAHOMA ----------	279	83	5	-	-	1	11	6	14	23	26	21
WHITE------MALE----	132	30	3	-	-	-	7	5	7	13	17	10
FEMALE--	102	25	2	-	-	1	2	1	5	7	7	11
ALL OTHER--MALE----	31	20	-	-	-	-	2	-	2	1	-	-
FEMALE--	14	8	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	15	11	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	4	-	-	-	-	-	-	-	1	1	-
OREGON ----------	631	32	1	1	-	2	2	5	5	4	19	12
WHITE------MALE----	287	17	1	-	-	2	1	4	1	2	13	7
FEMALE--	325	9	-	1	-	-	1	1	4	2	5	5
ALL OTHER--MALE----	14	5	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1,010	120	7	1	1	7	9	14	23	21	33	42
WHITE------MALE----	444	34	5	-	-	1	7	6	10	10	17	24
FEMALE--	390	39	-	-	1	4	-	2	10	6	9	6
ALL OTHER--MALE----	103	21	-	-	-	1	-	4	3	4	6	9
FEMALE--	73	26	2	1	-	1	2	2	-	1	1	3
BLACK---MALE----	98	20	-	-	-	1	-	4	2	4	6	9
FEMALE--	69	25	2	1	-	1	2	2	-	1	1	3
RHODE ISLAND ----------	69	9	1	-	-	1	1	4	6	9	10	5
WHITE------MALE----	37	4	1	-	-	1	-	3	3	7	6	3
FEMALE--	22	1	-	-	-	-	1	1	2	2	2	2
ALL OTHER--MALE----	5	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	1	-
SOUTH CAROLINA ---------	230	64	3	-	1	2	4	4	6	18	18	13
WHITE------MALE----	78	19	-	-	-	-	2	1	3	7	6	5
FEMALE--	63	13	2	-	1	1	-	1	1	5	3	4
ALL OTHER--MALE----	45	12	-	-	-	-	2	2	1	4	5	3
FEMALE--	44	20	1	-	-	1	-	-	1	2	4	1
BLACK---MALE----	45	12	-	-	-	-	2	2	1	4	5	3
FEMALE--	42	19	1	-	-	1	-	-	1	2	4	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3400

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
OHIO ----------	66	52	49	44	78	54	56	48	40	14	3	1
WHITE------MALE----	34	27	23	15	33	25	20	12	9	1	-	-
FEMALE--	17	16	15	24	32	24	31	32	28	13	3	1
ALL OTHER--MALE----	13	5	7	3	8	1	2	3	-	-	-	-
FEMALE--	2	4	4	2	5	4	3	1	3	-	-	-
BLACK---MALE----	13	5	7	3	8	1	2	3	-	-	-	-
FEMALE--	2	4	4	2	5	4	3	1	3	-	-	-
OKLAHOMA ----------	9	14	10	9	14	7	7	11	4	1	1	2
WHITE------MALE----	4	6	8	7	7	2	1	4	-	-	-	1
FEMALE--	4	6	1	1	5	5	6	6	4	1	1	1
ALL OTHER--MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	17	28	36	46	58	64	65	79	91	47	17	-
WHITE------MALE----	13	21	24	29	30	35	34	19	20	11	3	-
FEMALE--	4	7	12	14	25	27	29	59	71	35	14	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA ----------	58	53	49	81	108	78	111	88	60	30	13	3
WHITE------MALE----	30	29	32	42	60	39	40	31	17	7	1	2
FEMALE--	7	12	12	28	37	31	58	53	40	22	12	1
ALL OTHER--MALE----	16	7	4	7	8	4	7	2	-	-	-	-
FEMALE--	5	5	1	4	3	4	6	2	3	1	-	-
BLACK---MALE----	15	6	4	7	7	4	7	2	-	-	-	-
FEMALE--	4	5	1	4	3	4	5	1	3	1	-	-
RHODE ISLAND ----------	7	4	1	2	2	-	1	1	1	1	1	2
WHITE------MALE----	3	-	1	2	-	-	-	-	1	-	-	2
FEMALE--	4	1	-	-	2	-	1	1	-	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	9	8	11	13	12	14	7	2	2	3	1
WHITE------MALE----	8	4	2	3	6	3	4	3	1	1	-	-
FEMALE--	3	1	2	4	3	6	6	3	-	1	3	-
ALL OTHER--MALE----	2	3	1	3	3	2	2	-	-	-	-	-
FEMALE--	2	1	3	1	1	1	2	1	1	-	-	1
BLACK---MALE----	2	3	1	3	3	2	2	-	-	-	-	-
FEMALE--	1	1	3	1	1	1	2	1	1	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3401

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
SOUTH DAKOTA ----------	36	23	-	-	1	-	-	-	-	1	1	1
WHITE------MALE----	9	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	5	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	504	95	2	-	1	1	2	3	4	7	17	20
WHITE------MALE----	210	33	1	-	-	-	1	3	2	3	12	14
FEMALE--	201	21	1	-	1	-	-	-	2	3	2	3
ALL OTHER--MALE----	49	23	-	-	-	-	1	-	-	1	3	2
FEMALE--	44	18	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	49	23	-	-	-	-	1	-	-	1	3	2
FEMALE--	44	18	-	-	-	1	-	-	-	-	-	1
TEXAS ----------	778	295	11	3	1	9	13	20	25	37	34	38
WHITE------MALE----	357	126	5	1	1	6	10	12	16	20	18	23
FEMALE--	264	84	4	2	-	1	2	7	5	5	8	10
ALL OTHER--MALE----	91	47	1	-	-	-	1	1	3	6	4	5
FEMALE--	66	38	1	-	-	2	-	-	1	6	4	-
BLACK---MALE----	88	44	1	-	-	-	1	1	3	6	4	5
FEMALE--	61	37	-	-	-	1	-	-	1	5	4	-
UTAH ----------	274	24	2	-	1	1	-	4	6	6	14	11
WHITE------MALE----	150	15	2	-	1	1	-	2	3	3	11	6
FEMALE--	113	7	-	-	-	-	-	2	3	3	3	5
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	309	82	7	1	-	2	6	8	7	10	11	11
WHITE------MALE----	110	27	2	1	-	-	2	1	4	5	4	5
FEMALE--	102	18	2	-	-	-	1	3	1	1	3	2
ALL OTHER--MALE----	48	19	3	-	-	1	2	4	1	2	1	2
FEMALE--	49	18	-	-	-	1	1	-	1	2	3	2
BLACK---MALE----	48	19	3	-	-	1	2	4	1	2	1	2
FEMALE--	45	17	-	-	-	-	1	-	1	2	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3401

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
SOUTH DAKOTA ----------	1	1	1	2	1	-	2	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	20	16	35	23	49	55	56	46	25	4	-
WHITE------MALE----	15	15	10	21	7	22	16	17	14	3	1	-
FEMALE--	3	3	6	11	13	22	29	35	28	16	2	-
ALL OTHER--MALE----	3	2	-	-	3	3	4	1	2	1	-	-
FEMALE--	2	-	-	3	-	2	6	3	2	5	1	-
BLACK---MALE----	3	2	-	-	3	3	4	1	2	1	-	-
FEMALE--	2	-	-	3	-	2	6	3	2	5	1	-
TEXAS ----------	36	16	18	20	32	30	39	42	32	18	5	4
WHITE------MALE----	14	11	13	10	18	19	13	9	5	4	-	3
FEMALE--	13	4	3	8	12	9	21	26	23	12	4	1
ALL OTHER--MALE----	7	1	1	2	2	2	3	3	-	1	1	-
FEMALE--	2	-	1	-	-	-	2	4	4	1	-	-
BLACK---MALE----	7	1	1	2	2	2	3	3	-	1	1	-
FEMALE--	1	-	1	-	-	-	2	4	4	1	-	-
UTAH ----------	12	15	14	24	28	19	25	30	27	10	1	-
WHITE------MALE----	10	12	9	15	18	11	14	10	5	2	-	-
FEMALE--	1	2	4	8	8	8	10	19	21	8	1	-
ALL OTHER--MALE----	1	1	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	19	6	14	17	10	21	24	26	11	5	2
WHITE------MALE----	5	9	2	2	12	4	8	7	8	2	-	-
FEMALE--	-	5	1	7	4	6	10	13	13	8	4	-
ALL OTHER--MALE----	2	3	1	2	-	-	1	1	3	-	-	-
FEMALE--	2	2	2	3	1	-	2	3	2	1	1	2
BLACK---MALE----	2	3	1	2	-	-	1	1	3	-	-	-
FEMALE--	2	2	2	3	1	-	2	3	2	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3402

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
WASHINGTON ----------	140	70	4	-	-	1	1	4	3	5	4	2
WHITE------MALE----	58	33	1	-	-	-	-	2	-	2	1	1
FEMALE--	55	22	2	-	-	1	1	1	1	2	2	1
ALL OTHER--MALE----	11	7	-	-	-	-	-	1	1	-	-	-
FEMALE--	16	8	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	5	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	77	24	3	-	-	-	1	-	1	3	2	1
WHITE------MALE----	38	14	2	-	-	-	1	-	-	2	2	1
FEMALE--	36	9	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	111	60	7	1	1	-	4	3	3	4	2	8
WHITE------MALE----	47	21	6	-	1	-	1	1	2	2	-	4
FEMALE--	35	17	-	1	-	-	1	1	-	1	1	4
ALL OTHER--MALE----	15	11	-	-	-	-	2	1	1	-	-	-
FEMALE--	14	11	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	10	-	-	-	-	2	-	1	-	-	-
FEMALE--	12	10	1	-	-	-	-	-	-	1	-	-
WYOMING ----------	19	7	-	-	-	-	1	-	-	1	-	2
WHITE------MALE----	10	6	-	-	-	-	-	-	-	1	-	2
FEMALE--	9	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
WASHINGTON ----------	9	6	2	5	2	3	6	5	7	1	-	-
WHITE------MALE----	4	1	2	3	1	1	2	1	3	-	-	-
FEMALE--	4	4	-	1	1	1	4	3	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	3	1	6	5	6	10	2	6	2	1	-	-
WHITE------MALE----	3	1	2	1	4	3	1	1	-	-	-	-
FEMALE--	-	-	3	3	2	7	1	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	6	3	2	-	-	2	1	1	1	-	-
WHITE------MALE----	1	3	2	-	-	-	2	-	-	1	-	-
FEMALE--	1	3	1	2	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	1	-	-	1	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3403

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
UNITED STATES -	2,648	2,648	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1,013	1,013	-	-	-	-	-	-	-	-	-	-
FEMALE--	698	698	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	540	540	-	-	-	-	-	-	-	-	-	-
FEMALE--	397	397	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	477	477	-	-	-	-	-	-	-	-	-	-
FEMALE--	362	362	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	56	56	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	14	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	14	14	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	37	37	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	240	240	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	83	83	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	71	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	50	50	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	36	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	35	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
COLORADO ----------	72	72	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	8	8	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	105	105	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	42	42	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	119	119	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	36	36	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	37	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	28	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	36	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	26	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
HAWAII ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	107	107	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	27	27	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	54	54	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
IOWA ----------	42	42	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	44	44	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
KENTUCKY ----------	38	38	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	63	63	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
MAINE ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	58	58	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	12	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	24	24	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	120	120	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	45	45	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	40	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	38	38	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
MINNESOTA ----------	41	41	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	67	67	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	57	57	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	9	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	24	24	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	12	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	19	19	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
NEW HAMPSHIRE ----------	5	5	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	44	44	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	13	13	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	78	78	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	13	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	100	100	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	27	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	18	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	12	12	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
OHIO ----------	111	111	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	48	48	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	25	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	24	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	51	51	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
OREGON ----------	29	29	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	109	109	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	30	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	37	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	19	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	18	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	51	51	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3410

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
SOUTH DAKOTA ----------	21	21	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	88	88	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	212	212	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	88	88	-	-	-	-	-	-	-	-	-	-
FEMALE--	64	64	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	37	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	36	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	22	-	-	-	-	-	-	-	-	-	-
UTAH ----------	17	17	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	11	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	55	55	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sudden infant death syndrome (R95)												
WASHINGTON ----------	69	69	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	33	33	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	21	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	22	22	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	13	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	56	56	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	20	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	10	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	10	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	6	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sudden infant death syndrome (R95)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3412

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
UNITED STATES -	13,905	818	192	48	55	175	312	335	531	754	935	972
WHITE------MALE----	5,939	279	77	14	20	89	176	164	278	375	464	488
FEMALE--	5,222	190	49	20	17	38	53	78	128	199	217	232
ALL OTHER--MALE----	1,618	195	33	7	12	30	55	56	88	105	158	178
FEMALE--	1,126	154	33	7	6	18	28	37	37	75	96	74
BLACK---MALE----	1,454	177	29	7	11	27	48	48	81	101	139	163
FEMALE--	998	129	29	6	2	13	26	29	31	71	88	70
ALABAMA ----------	451	21	7	-	1	2	6	9	14	15	20	26
WHITE------MALE----	138	6	3	-	-	-	2	3	9	5	8	8
FEMALE--	141	4	-	-	1	1	2	1	2	5	4	2
ALL OTHER--MALE----	84	9	2	-	-	-	1	1	3	2	2	14
FEMALE--	88	2	2	-	-	1	1	4	-	3	6	2
BLACK---MALE----	84	9	2	-	-	-	1	1	3	2	2	14
FEMALE--	88	2	2	-	-	1	1	4	-	3	6	2
ALASKA ----------	12	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	94	7	-	-	1	1	3	1	3	8	7	13
WHITE------MALE----	50	1	-	-	1	-	1	1	2	5	6	8
FEMALE--	26	1	-	-	-	-	1	-	1	3	-	3
ALL OTHER--MALE----	12	1	-	-	-	1	1	-	-	-	1	2
FEMALE--	6	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	837	39	4	1	-	3	-	4	10	17	18	25
WHITE------MALE----	327	14	3	-	-	-	-	1	5	8	10	12
FEMALE--	391	10	-	-	-	1	-	1	-	6	8	9
ALL OTHER--MALE----	58	4	1	1	-	2	-	2	3	2	-	3
FEMALE--	61	11	-	-	-	-	-	-	2	1	-	1
BLACK---MALE----	57	4	1	1	-	2	-	2	3	2	-	3
FEMALE--	59	11	-	-	-	-	-	-	2	1	-	1
CALIFORNIA ----------	766	66	15	9	7	21	29	37	43	49	77	82
WHITE------MALE----	369	21	7	5	2	8	19	22	23	28	41	39
FEMALE--	229	18	5	3	2	7	4	9	12	15	15	25
ALL OTHER--MALE----	102	14	3	1	2	5	3	2	5	4	13	10
FEMALE--	66	13	-	-	1	1	3	4	3	2	8	8
BLACK---MALE----	66	11	2	1	1	3	1	1	4	4	7	7
FEMALE--	40	9	-	-	-	-	2	1	2	1	5	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3412

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
UNITED STATES -	781	680	673	755	931	994	1,119	1,160	942	506	163	74
WHITE------MALE----	386	333	361	375	467	450	416	344	220	95	22	46
FEMALE--	197	189	177	239	344	422	578	705	652	363	121	14
ALL OTHER--MALE----	135	105	88	87	70	61	59	48	24	11	4	9
FEMALE--	63	53	47	54	50	61	66	63	46	37	16	5
BLACK---MALE----	122	97	82	77	60	54	48	41	22	9	4	7
FEMALE--	57	47	41	47	42	54	64	59	41	33	15	4
ALABAMA ----------	28	22	33	28	34	36	42	47	37	18	5	-
WHITE------MALE----	12	9	19	8	12	11	7	8	5	2	1	-
FEMALE--	7	2	6	6	12	14	21	20	21	10	-	-
ALL OTHER--MALE----	4	5	6	8	5	4	5	5	4	3	1	-
FEMALE--	5	6	2	6	5	7	9	14	7	3	3	-
BLACK---MALE----	4	5	6	8	5	4	5	5	4	3	1	-
FEMALE--	5	6	2	6	5	7	9	14	7	3	3	-
ALASKA ----------	-	1	1	-	-	1	3	1	2	1	-	-
WHITE------MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	8	4	5	3	7	2	1	3	2	1	5
WHITE------MALE----	4	3	2	4	2	5	-	-	1	-	-	4
FEMALE--	4	4	1	1	1	1	1	-	2	-	1	1
ALL OTHER--MALE----	1	1	1	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ARKANSAS ----------	25	32	64	41	95	95	106	112	91	44	11	-
WHITE------MALE----	13	15	39	24	46	45	35	34	19	3	1	-
FEMALE--	6	12	18	10	37	41	65	62	62	35	8	-
ALL OTHER--MALE----	6	4	5	6	3	3	1	6	4	1	1	-
FEMALE--	-	1	2	1	9	6	5	10	6	5	1	-
BLACK---MALE----	6	4	5	5	3	3	1	6	4	1	1	-
FEMALE--	-	1	2	1	9	5	5	9	6	5	1	-
CALIFORNIA ----------	50	43	40	42	25	36	35	18	12	5	-	25
WHITE------MALE----	28	15	19	21	9	16	15	4	5	-	-	22
FEMALE--	13	20	9	12	11	14	15	10	4	3	-	3
ALL OTHER--MALE----	7	3	9	7	4	2	3	3	2	-	-	-
FEMALE--	2	5	3	2	1	4	2	1	1	2	-	-
BLACK---MALE----	5	1	8	3	2	1	1	2	1	-	-	-
FEMALE--	1	3	1	1	1	3	2	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
COLORADO ----------	143	6	4	1	1	2	-	1	2	7	4	12
WHITE------MALE----	70	4	2	1	-	2	-	-	1	5	1	8
FEMALE--	62	1	1	-	1	-	-	1	1	1	3	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	24	1	1	-	1	1	-	3	2	2	3	1
WHITE------MALE----	12	1	1	-	-	1	-	-	2	1	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE ----------	8	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	322	15	4	2	1	1	3	10	18	19	49	47
WHITE------MALE----	25	-	-	1	-	-	-	-	3	1	3	4
FEMALE--	17	-	-	-	-	-	-	1	-	-	3	3
ALL OTHER--MALE----	190	11	1	1	1	-	2	7	8	12	32	24
FEMALE--	90	4	3	-	-	1	1	2	7	6	11	16
BLACK---MALE----	188	11	1	1	1	-	2	7	8	12	31	24
FEMALE--	89	4	3	-	-	1	1	1	7	6	11	16
FLORIDA ----------	1,459	79	12	1	4	13	37	44	76	106	116	146
WHITE------MALE----	680	20	5	-	-	9	22	22	43	49	74	82
FEMALE--	527	25	1	-	3	2	9	14	21	26	21	31
ALL OTHER--MALE----	146	20	4	-	1	1	3	4	9	14	15	21
FEMALE--	106	14	2	1	-	1	3	4	3	17	6	12
BLACK---MALE----	141	20	4	-	1	1	2	3	9	14	13	21
FEMALE--	102	12	2	1	-	1	3	4	3	17	5	12
GEORGIA ----------	244	10	3	-	1	6	9	4	9	18	19	8
WHITE------MALE----	83	5	1	-	-	2	6	1	6	4	11	4
FEMALE--	88	3	-	-	-	1	-	1	2	7	3	3
ALL OTHER--MALE----	33	1	-	-	1	2	1	-	1	4	4	1
FEMALE--	40	1	2	-	-	1	2	2	-	3	1	-
BLACK---MALE----	33	1	-	-	1	2	1	-	1	4	4	1
FEMALE--	36	-	2	-	-	1	2	1	-	3	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
COLORADO ----------	3	6	12	11	6	12	20	10	13	8	2	-
WHITE------MALE----	2	5	7	7	3	3	11	1	5	1	1	-
FEMALE--	1	1	2	4	2	9	9	7	8	7	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	1	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
CONNECTICUT ----------	1	2	-	-	-	3	1	-	-	1	-	1
WHITE------MALE----	-	2	-	-	-	2	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	45	27	19	20	13	10	8	3	4	1	-	3
WHITE------MALE----	5	1	1	1	3	1	-	-	-	-	-	1
FEMALE--	4	2	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	24	21	12	11	8	5	3	3	2	-	-	2
FEMALE--	12	3	5	7	1	4	5	-	1	1	-	-
BLACK---MALE----	23	21	12	11	8	5	3	3	2	-	-	2
FEMALE--	12	3	5	7	1	4	5	-	1	1	-	-
FLORIDA ----------	68	71	73	80	85	99	110	103	81	34	12	9
WHITE------MALE----	39	32	39	43	39	44	43	34	28	7	3	3
FEMALE--	17	23	20	27	37	47	59	62	51	21	8	2
ALL OTHER--MALE----	7	10	12	5	6	3	5	2	1	-	-	3
FEMALE--	5	6	2	5	3	5	3	5	1	6	1	1
BLACK---MALE----	7	10	12	5	6	3	4	2	1	-	-	3
FEMALE--	5	5	2	5	3	5	3	5	1	6	1	1
GEORGIA ----------	8	5	18	13	13	16	29	24	15	10	6	-
WHITE------MALE----	7	2	7	1	3	4	11	5	1	2	-	-
FEMALE--	1	1	4	6	4	6	13	14	12	4	3	-
ALL OTHER--MALE----	-	2	2	2	2	4	2	1	1	1	1	-
FEMALE--	-	-	5	4	4	2	3	4	1	3	2	-
BLACK---MALE----	-	2	2	2	2	4	2	1	1	1	1	-
FEMALE--	-	-	5	3	3	2	3	4	1	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3414

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
HAWAII ----------	13	1	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	34	4	-	-	-	-	1	-	1	3	1	-
WHITE------MALE----	13	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	21	2	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	371	53	8	3	3	18	13	17	19	22	26	31
WHITE------MALE----	144	9	2	1	1	9	6	5	12	11	12	15
FEMALE--	122	6	1	2	1	6	2	6	4	6	7	8
ALL OTHER--MALE----	64	20	3	-	-	1	4	4	2	3	4	7
FEMALE--	41	18	2	-	1	2	1	2	1	2	3	1
BLACK---MALE----	64	20	3	-	-	1	4	4	2	3	4	7
FEMALE--	38	18	2	-	-	2	1	1	1	2	3	1
INDIANA ----------	121	6	1	1	1	2	7	3	5	15	3	9
WHITE------MALE----	49	1	-	-	-	-	4	2	4	10	-	5
FEMALE--	60	3	1	1	1	2	2	1	1	4	1	3
ALL OTHER--MALE----	9	2	-	-	-	-	1	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	9	2	-	-	-	-	1	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
IOWA ----------	89	4	2	1	-	1	2	1	5	4	1	4
WHITE------MALE----	38	2	-	-	-	1	-	1	-	3	1	2
FEMALE--	50	2	1	1	-	-	2	-	5	1	-	2
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	219	4	1	-	2	-	1	1	-	4	6	15
WHITE------MALE----	76	2	1	-	1	-	1	-	-	3	2	8
FEMALE--	103	-	-	-	1	-	-	-	-	-	1	4
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	19	1	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	21	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	15	1	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
HAWAII ----------	1	-	-	1	1	2	1	-	2	-	1	-
WHITE------MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	1	-	2	2	1	-	5	2	5	2	-
WHITE------MALE----	4	1	-	1	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	5	2	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	17	9	11	16	11	22	19	18	11	15	8	1
WHITE------MALE----	6	5	3	7	6	12	5	10	2	4	1	-
FEMALE--	7	2	4	5	5	6	9	8	8	11	7	1
ALL OTHER--MALE----	2	2	2	4	-	2	3	-	1	-	-	-
FEMALE--	2	-	2	-	-	2	2	-	-	-	-	-
BLACK---MALE----	2	2	2	4	-	2	3	-	1	-	-	-
FEMALE--	2	-	2	-	-	1	2	-	-	-	-	-
INDIANA ----------	10	5	4	3	5	7	11	9	10	2	2	-
WHITE------MALE----	7	2	1	-	3	4	2	1	-	2	1	-
FEMALE--	3	3	2	1	1	3	9	7	10	-	1	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	2	4	3	6	7	7	12	9	9	-	-
WHITE------MALE----	4	1	2	1	4	4	2	5	3	2	-	-
FEMALE--	1	1	2	2	2	3	5	7	6	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	13	14	7	21	22	18	33	15	24	6	-
WHITE------MALE----	5	4	8	2	12	9	4	9	4	1	-	-
FEMALE--	2	3	3	2	6	10	10	23	10	22	6	-
ALL OTHER--MALE----	3	4	2	2	-	3	1	1	-	-	-	-
FEMALE--	2	2	1	1	3	-	3	-	1	1	-	-
BLACK---MALE----	3	4	2	2	-	3	1	1	-	-	-	-
FEMALE--	2	2	-	1	1	-	3	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
KENTUCKY ----------	136	25	-	-	-	2	-	1	6	5	4	4
WHITE------MALE----	61	11	-	-	-	1	-	1	3	3	2	3
FEMALE--	57	11	-	-	-	-	-	-	2	2	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	3	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	3	-	-	-	1	-	-	1	-	-	-
LOUISIANA ----------	236	4	3	1	-	2	6	4	4	8	4	8
WHITE------MALE----	83	2	-	-	-	-	2	1	2	4	1	1
FEMALE--	94	-	-	-	-	1	1	-	1	2	-	3
ALL OTHER--MALE----	28	2	1	-	-	1	2	2	-	2	1	1
FEMALE--	31	-	2	1	-	-	1	1	1	-	2	3
BLACK---MALE----	28	2	1	-	-	1	2	2	-	2	1	1
FEMALE--	31	-	2	1	-	-	1	1	1	-	2	3
MAINE ----------	16	1	2	-	-	-	-	-	1	2	2	1
WHITE------MALE----	10	1	2	-	-	-	-	-	-	2	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	72	6	-	3	2	-	2	2	3	7	10	9
WHITE------MALE----	21	2	-	-	-	-	1	-	-	2	3	4
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	32	3	-	1	2	-	1	1	3	3	6	3
FEMALE--	10	1	-	2	-	-	-	-	-	1	1	1
BLACK---MALE----	29	3	-	1	2	-	1	1	2	3	6	3
FEMALE--	9	-	-	2	-	-	-	-	-	1	1	1
MASSACHUSETTS ----------	89	5	1	2	2	5	5	7	3	14	9	7
WHITE------MALE----	52	3	-	1	1	2	4	3	3	14	7	4
FEMALE--	24	1	1	-	1	3	-	2	-	-	-	2
ALL OTHER--MALE----	8	1	-	-	-	-	-	2	-	-	2	1
FEMALE--	5	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	4	-	-	1	-	-	1	-	-	-	-	-
MICHIGAN ----------	151	10	9	-	-	-	5	5	4	7	12	13
WHITE------MALE----	55	4	4	-	-	-	1	4	2	2	3	4
FEMALE--	56	1	4	-	-	-	1	-	-	4	3	5
ALL OTHER--MALE----	23	4	-	-	-	-	2	1	2	1	3	3
FEMALE--	17	1	1	-	-	-	1	-	-	-	3	1
BLACK---MALE----	23	4	-	-	-	-	2	1	2	1	3	3
FEMALE--	17	1	1	-	-	-	1	-	-	-	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
KENTUCKY ----------	6	11	8	3	7	9	12	8	16	8	1	-
WHITE------MALE----	3	7	5	2	4	1	3	6	3	3	-	-
FEMALE--	2	2	1	-	2	6	7	2	12	5	1	-
ALL OTHER--MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	1	-	-	-
LOUISIANA ----------	5	11	8	12	15	30	30	37	24	14	6	-
WHITE------MALE----	2	6	4	6	3	16	12	13	4	4	-	-
FEMALE--	1	4	2	6	9	8	12	21	15	6	2	-
ALL OTHER--MALE----	2	1	1	-	2	2	3	2	1	2	-	-
FEMALE--	-	-	1	-	1	4	3	1	4	2	4	-
BLACK---MALE----	2	1	1	-	2	2	3	2	1	2	-	-
FEMALE--	-	-	1	-	1	4	3	1	4	2	4	-
MAINE ----------	2	-	1	-	-	-	-	2	1	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	3	8	3	3	1	3	1	2	-	-	1
WHITE------MALE----	1	-	2	1	2	-	2	-	1	-	-	-
FEMALE--	-	1	2	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	2	2	1	1	1	-	1	-	-	-	-	1
FEMALE--	-	-	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	-	-	-	-	-	-	1
FEMALE--	-	-	3	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	4	1	3	4	3	5	1	3	1	1	-
WHITE------MALE----	3	2	-	1	1	-	2	-	-	1	-	-
FEMALE--	-	1	1	1	2	2	3	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
MICHIGAN ----------	9	7	4	7	13	16	8	8	8	3	2	1
WHITE------MALE----	1	2	2	5	6	5	4	3	1	-	1	1
FEMALE--	6	1	1	1	4	8	3	4	6	3	1	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	-	1	-	-	-
FEMALE--	2	2	1	-	2	1	1	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	2	-	-	1	-	-	-
FEMALE--	2	2	1	-	2	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
MINNESOTA ----------	803	8	7	-	1	1	1	-	2	3	1	7
WHITE------MALE----	280	3	2	-	1	1	-	-	2	2	1	1
FEMALE--	494	1	2	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	18	3	1	-	-	-	1	-	-	-	-	2
FEMALE--	11	1	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	41	3	3	-	-	1	-	3	3	1	5	4
WHITE------MALE----	15	-	-	-	-	-	-	3	2	-	3	2
FEMALE--	11	1	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	1	1	-	-	1	-	-	1	-	1	-
FEMALE--	8	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	1	1	-	-	1	-	-	1	-	1	-
FEMALE--	8	1	1	-	-	-	-	-	-	-	-	1
MISSOURI ----------	151	10	4	1	1	1	3	1	3	3	7	7
WHITE------MALE----	64	3	1	1	-	-	2	1	2	2	3	4
FEMALE--	66	2	2	-	1	1	-	-	-	-	2	2
ALL OTHER--MALE----	11	4	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	1	1	-	-	-	1	-	-	1	1	1
BLACK---MALE----	11	4	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	1	-	-	-	1	-	-	1	1	1
MONTANA ----------	76	9	-	1	-	1	-	-	1	1	3	1
WHITE------MALE----	33	5	-	-	-	1	-	-	1	1	1	1
FEMALE--	38	1	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	290	1	1	-	-	-	1	-	-	3	5	6
WHITE------MALE----	159	-	1	-	-	-	-	-	-	2	3	6
FEMALE--	101	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	35	10	-	-	-	-	1	1	3	2	3	1
WHITE------MALE----	20	5	-	-	-	-	1	-	2	-	2	1
FEMALE--	11	3	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
MINNESOTA ----------	12	11	21	30	63	87	112	160	153	92	31	-
WHITE------MALE----	5	7	11	19	46	36	47	46	29	18	3	-
FEMALE--	4	2	8	11	17	45	65	109	124	74	28	-
ALL OTHER--MALE----	3	1	-	-	-	3	-	4	-	-	-	-
FEMALE--	-	1	2	-	-	3	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
MISSISSIPPI ----------	-	-	1	4	4	3	-	3	2	1	-	-
WHITE------MALE----	-	-	-	2	1	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	3	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
MISSOURI ----------	3	8	8	8	13	8	21	20	15	5	1	-
WHITE------MALE----	2	6	5	5	9	4	6	5	3	-	-	-
FEMALE--	-	2	3	2	4	3	14	13	10	4	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
MONTANA ----------	4	4	1	2	1	3	6	16	13	9	-	-
WHITE------MALE----	4	2	1	1	1	2	1	4	5	2	-	-
FEMALE--	-	2	-	1	-	1	4	12	7	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	14	28	28	32	43	40	47	18	12	3	-
WHITE------MALE----	6	9	19	19	16	26	22	20	4	4	2	-
FEMALE--	1	2	3	6	11	13	15	24	14	7	1	-
ALL OTHER--MALE----	1	3	3	3	4	-	3	2	-	-	-	-
FEMALE--	-	-	3	-	1	4	-	1	-	1	-	-
BLACK---MALE----	1	3	3	3	3	-	2	2	-	-	-	-
FEMALE--	-	-	2	-	1	3	-	1	-	-	-	-
NEVADA ----------	2	2	2	2	1	1	1	-	1	1	-	1
WHITE------MALE----	2	1	1	2	-	-	1	-	1	-	-	1
FEMALE--	-	1	1	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
NEW HAMPSHIRE ----------	19	-	-	-	-	-	1	-	1	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	213	19	3	-	-	1	8	9	14	16	14	19
WHITE------MALE----	101	4	2	-	-	-	3	8	6	7	8	12
FEMALE--	63	5	-	-	-	1	-	-	3	6	4	4
ALL OTHER--MALE----	31	7	1	-	-	-	2	1	3	2	1	3
FEMALE--	18	3	-	-	-	-	3	-	2	1	1	-
BLACK---MALE----	27	7	1	-	-	-	2	-	3	2	-	3
FEMALE--	16	3	-	-	-	-	2	-	1	1	1	-
NEW MEXICO ----------	50	6	-	-	-	-	1	2	3	3	1	4
WHITE------MALE----	15	1	-	-	-	-	-	2	-	1	1	1
FEMALE--	24	4	-	-	-	-	1	-	1	2	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,402	105	17	9	12	27	59	53	107	156	211	157
WHITE------MALE----	685	41	8	-	5	20	41	25	57	83	99	79
FEMALE--	376	27	3	6	1	1	7	13	21	38	61	29
ALL OTHER--MALE----	221	27	2	3	4	4	9	7	22	22	32	38
FEMALE--	120	10	4	-	2	2	2	8	7	13	19	11
BLACK---MALE----	203	26	2	3	4	4	9	5	21	21	29	33
FEMALE--	111	9	4	-	1	1	2	8	6	13	19	9
NORTH CAROLINA ---------	189	18	7	1	-	3	8	3	5	18	12	16
WHITE------MALE----	72	7	1	1	-	1	4	1	2	6	7	7
FEMALE--	62	3	2	-	-	1	2	-	1	6	1	6
ALL OTHER--MALE----	32	4	1	-	-	-	1	1	1	4	2	2
FEMALE--	23	4	3	-	-	1	1	1	1	2	2	1
BLACK---MALE----	28	4	1	-	-	-	1	-	1	4	1	2
FEMALE--	19	2	3	-	-	1	1	-	-	2	2	1
NORTH DAKOTA ----------	38	2	-	-	-	-	-	-	2	1	1	-
WHITE------MALE----	14	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	24	1	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
NEW HAMPSHIRE ----------	1	2	2	1	1	2	2	2	1	-	-	-
WHITE------MALE----	1	1	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	1	2	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	22	15	8	9	11	11	11	13	6	1	2	1
WHITE------MALE----	12	5	4	4	7	6	5	4	2	1	1	-
FEMALE--	6	5	1	3	4	4	5	8	4	-	-	-
ALL OTHER--MALE----	1	4	3	1	-	-	-	1	-	-	-	1
FEMALE--	3	1	-	1	-	1	1	-	-	-	1	-
BLACK---MALE----	1	4	2	1	-	-	-	1	-	-	-	-
FEMALE--	3	1	-	1	-	1	1	-	-	-	1	-
NEW MEXICO ----------	5	-	1	1	1	4	5	4	2	2	3	2
WHITE------MALE----	1	-	1	1	-	2	1	2	1	-	-	-
FEMALE--	1	-	-	-	-	1	3	2	1	2	3	1
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	125	79	49	59	48	46	34	25	12	4	-	8
WHITE------MALE----	56	43	25	29	23	20	12	8	5	2	-	4
FEMALE--	41	18	15	16	19	20	16	14	7	1	-	2
ALL OTHER--MALE----	17	10	7	5	3	4	3	1	-	-	-	1
FEMALE--	11	8	2	9	3	2	3	2	-	1	-	1
BLACK---MALE----	15	10	6	5	1	4	3	1	-	-	-	1
FEMALE--	11	8	2	6	3	2	3	2	-	1	-	1
NORTH CAROLINA ---------	17	15	5	9	11	11	6	9	8	4	2	1
WHITE------MALE----	5	4	2	5	6	3	3	3	2	-	1	1
FEMALE--	5	7	2	2	4	4	3	3	6	3	1	-
ALL OTHER--MALE----	5	2	-	2	1	4	-	2	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	5	2	-	2	-	3	-	2	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	1	-	1	-	-
NORTH DAKOTA ----------	-	1	-	1	1	2	4	7	8	6	2	-
WHITE------MALE----	-	1	-	1	1	1	2	2	1	2	1	-
FEMALE--	-	-	-	-	-	1	2	5	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3418

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
OHIO ----------	1,013	62	20	4	7	33	44	34	55	66	88	95
WHITE------MALE----	445	21	2	1	5	20	24	17	29	33	41	53
FEMALE--	349	11	10	2	1	2	6	6	12	19	24	20
ALL OTHER--MALE----	138	16	7	-	-	10	10	5	11	10	12	15
FEMALE--	81	14	1	1	1	1	4	6	3	4	11	7
BLACK---MALE----	137	16	6	-	-	10	10	5	11	10	12	15
FEMALE--	78	14	1	-	1	-	4	6	3	4	10	7
OKLAHOMA ----------	228	32	5	-	-	1	11	6	14	23	26	21
WHITE------MALE----	115	13	3	-	-	-	7	5	7	13	17	10
FEMALE--	83	6	2	-	-	1	2	1	5	7	7	11
ALL OTHER--MALE----	21	10	-	-	-	-	2	-	2	1	-	-
FEMALE--	9	3	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	9	5	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
OREGON ----------	602	3	1	1	-	2	2	5	5	4	19	12
WHITE------MALE----	272	2	1	-	-	2	1	4	1	2	13	7
FEMALE--	316	-	-	1	-	-	1	1	4	2	5	5
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	901	11	7	1	1	7	9	14	23	21	33	42
WHITE------MALE----	414	4	5	-	-	1	7	6	10	10	17	24
FEMALE--	353	2	-	-	1	4	-	2	10	6	9	6
ALL OTHER--MALE----	84	2	-	-	-	1	-	4	3	4	6	9
FEMALE--	50	3	2	1	-	1	2	2	-	1	1	3
BLACK---MALE----	80	2	-	-	-	1	-	4	2	4	6	9
FEMALE--	47	3	2	1	-	1	2	2	-	1	1	3
RHODE ISLAND ----------	65	5	1	-	-	1	1	4	6	9	10	5
WHITE------MALE----	35	2	1	-	-	1	-	3	3	7	6	3
FEMALE--	21	-	-	-	-	-	1	1	2	2	2	2
ALL OTHER--MALE----	5	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
SOUTH CAROLINA ---------	179	13	3	-	1	2	4	4	6	18	18	13
WHITE------MALE----	62	3	-	-	-	-	2	1	3	7	6	5
FEMALE--	52	2	2	-	1	1	-	1	1	5	3	4
ALL OTHER--MALE----	35	2	-	-	-	-	2	2	1	4	5	3
FEMALE--	30	6	1	-	-	1	-	-	1	2	4	1
BLACK---MALE----	35	2	-	-	-	-	2	2	1	4	5	3
FEMALE--	28	5	1	-	-	1	-	-	1	2	4	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
OHIO ----------	66	52	49	44	78	54	56	48	40	14	3	1
WHITE------MALE----	34	27	23	15	33	25	20	12	9	1	-	-
FEMALE--	17	16	15	24	32	24	31	32	28	13	3	1
ALL OTHER--MALE----	13	5	7	3	8	1	2	3	-	-	-	-
FEMALE--	2	4	4	2	5	4	3	1	3	-	-	-
BLACK---MALE----	13	5	7	3	8	1	2	3	-	-	-	-
FEMALE--	2	4	4	2	5	4	3	1	3	-	-	-
OKLAHOMA ----------	9	14	10	9	14	7	7	11	4	1	1	2
WHITE------MALE----	4	6	8	7	7	2	1	4	-	-	-	1
FEMALE--	4	6	1	1	5	5	6	6	4	1	1	1
ALL OTHER--MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	17	28	36	46	58	64	65	79	91	47	17	-
WHITE------MALE----	13	21	24	29	30	35	34	19	20	11	3	-
FEMALE--	4	7	12	14	25	27	29	59	71	35	14	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA ----------	58	53	49	81	108	78	111	88	60	30	13	3
WHITE------MALE----	30	29	32	42	60	39	40	31	17	7	1	2
FEMALE--	7	12	12	28	37	31	58	53	40	22	12	1
ALL OTHER--MALE----	16	7	4	7	8	4	7	2	-	-	-	-
FEMALE--	5	5	1	4	3	4	6	2	3	1	-	-
BLACK---MALE----	15	6	4	7	7	4	7	2	-	-	-	-
FEMALE--	4	5	1	4	3	4	5	1	3	1	-	-
RHODE ISLAND ----------	7	4	1	2	2	-	1	1	1	1	1	2
WHITE------MALE----	3	-	1	2	-	-	-	-	1	-	-	2
FEMALE--	4	1	-	-	2	-	1	1	-	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	9	8	11	13	12	14	7	2	2	3	1
WHITE------MALE----	8	4	2	3	6	3	4	3	1	1	-	-
FEMALE--	3	1	2	4	3	6	6	3	-	1	3	-
ALL OTHER--MALE----	2	3	1	3	3	2	2	-	-	-	-	-
FEMALE--	2	1	3	1	1	1	2	1	1	-	-	1
BLACK---MALE----	2	3	1	3	3	2	2	-	-	-	-	-
FEMALE--	1	1	3	1	1	1	2	1	1	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
SOUTH DAKOTA ----------	15	2	-	-	1	-	-	-	-	1	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	416	7	2	-	1	1	2	3	4	7	17	20
WHITE------MALE----	179	2	1	-	-	-	1	3	2	3	12	14
FEMALE--	182	2	1	-	1	-	-	-	2	3	2	3
ALL OTHER--MALE----	28	2	-	-	-	-	1	-	-	1	3	2
FEMALE--	27	1	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	28	2	-	-	-	-	1	-	-	1	3	2
FEMALE--	27	1	-	-	-	1	-	-	-	-	-	1
TEXAS ----------	566	83	11	3	1	9	13	20	25	37	34	38
WHITE------MALE----	269	38	5	1	1	6	10	12	16	20	18	23
FEMALE--	200	20	4	2	-	1	2	7	5	5	8	10
ALL OTHER--MALE----	54	10	1	-	-	-	1	1	3	6	4	5
FEMALE--	43	15	1	-	-	2	-	-	1	6	4	-
BLACK---MALE----	52	8	1	-	-	-	1	1	3	6	4	5
FEMALE--	39	15	-	-	-	1	-	-	1	5	4	-
UTAH ----------	257	7	2	-	1	1	-	4	6	6	14	11
WHITE------MALE----	139	4	2	-	1	1	-	2	3	3	11	6
FEMALE--	109	3	-	-	-	-	-	2	3	3	3	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	254	27	7	1	-	2	6	8	7	10	11	11
WHITE------MALE----	89	6	2	1	-	-	2	1	4	5	4	5
FEMALE--	87	3	2	-	-	-	1	3	1	1	3	2
ALL OTHER--MALE----	35	6	3	-	-	1	2	4	1	2	1	2
FEMALE--	43	12	-	-	-	1	1	-	1	2	3	2
BLACK---MALE----	35	6	3	-	-	1	2	4	1	2	1	2
FEMALE--	39	11	-	-	-	-	1	-	1	2	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
SOUTH DAKOTA ----------	1	1	1	2	1	-	2	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	20	16	35	23	49	55	56	46	25	4	-
WHITE------MALE----	15	15	10	21	7	22	16	17	14	3	1	-
FEMALE--	3	3	6	11	13	22	29	35	28	16	2	-
ALL OTHER--MALE----	3	2	-	-	3	3	4	1	2	1	-	-
FEMALE--	2	-	-	3	-	2	6	3	2	5	1	-
BLACK---MALE----	3	2	-	-	3	3	4	1	2	1	-	-
FEMALE--	2	-	-	3	-	2	6	3	2	5	1	-
TEXAS ----------	36	16	18	20	32	30	39	42	32	18	5	4
WHITE------MALE----	14	11	13	10	18	19	13	9	5	4	-	3
FEMALE--	13	4	3	8	12	9	21	26	23	12	4	1
ALL OTHER--MALE----	7	1	1	2	2	2	3	3	-	1	1	-
FEMALE--	2	-	1	-	-	-	2	4	4	1	-	-
BLACK---MALE----	7	1	1	2	2	2	3	3	-	1	1	-
FEMALE--	1	-	1	-	-	-	2	4	4	1	-	-
UTAH ----------	12	15	14	24	28	19	25	30	27	10	1	-
WHITE------MALE----	10	12	9	15	18	11	14	10	5	2	-	-
FEMALE--	1	2	4	8	8	8	10	19	21	8	1	-
ALL OTHER--MALE----	1	1	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	19	6	14	17	10	21	24	26	11	5	2
WHITE------MALE----	5	9	2	2	12	4	8	7	8	2	-	-
FEMALE--	-	5	1	7	4	6	10	13	13	8	4	-
ALL OTHER--MALE----	2	3	1	2	-	-	1	1	3	-	-	-
FEMALE--	2	2	2	3	1	-	2	3	2	1	1	2
BLACK---MALE----	2	3	1	2	-	-	1	1	3	-	-	-
FEMALE--	2	2	2	3	1	-	2	3	2	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
WASHINGTON ----------	71	1	4	-	-	1	1	4	3	5	4	2
WHITE------MALE----	25	-	1	-	-	-	-	2	-	2	1	1
FEMALE--	34	1	2	-	-	1	1	1	1	2	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	55	2	3	-	-	-	1	-	1	3	2	1
WHITE------MALE----	25	1	2	-	-	-	1	-	-	2	2	1
FEMALE--	28	1	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	55	4	7	1	1	-	4	3	3	4	2	8
WHITE------MALE----	27	1	6	-	1	-	1	1	2	2	-	4
FEMALE--	19	1	-	1	-	-	1	1	-	1	1	4
ALL OTHER--MALE----	5	1	-	-	-	-	2	1	1	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-
WYOMING ----------	13	1	-	-	-	-	1	-	-	1	-	2
WHITE------MALE----	5	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
WASHINGTON ----------	9	6	2	5	2	3	6	5	7	1	-	-
WHITE------MALE----	4	1	2	3	1	1	2	1	3	-	-	-
FEMALE--	4	4	-	1	1	1	4	3	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	3	1	6	5	6	10	2	6	2	1	-	-
WHITE------MALE----	3	1	2	1	4	3	1	1	-	-	-	-
FEMALE--	-	-	3	3	2	7	1	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	6	3	2	-	-	2	1	1	1	-	-
WHITE------MALE----	1	3	2	-	-	-	2	-	-	1	-	-
FEMALE--	1	3	1	2	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	1	-	-	1	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
UNITED STATES -	6,969	72	44	17	17	53	69	111	118	186	186	196
WHITE------MALE----	2,330	29	19	12	8	21	23	47	40	88	78	84
FEMALE--	3,466	18	14	3	2	15	18	23	40	37	48	45
ALL OTHER--MALE----	547	16	7	2	2	13	15	20	28	31	40	46
FEMALE--	626	9	4	-	5	4	13	21	10	30	20	21
BLACK---MALE----	514	15	6	2	-	11	15	19	28	30	37	46
FEMALE--	573	7	4	-	5	3	11	20	10	29	19	20
ALABAMA ----------	438	3	4	1	-	1	1	4	5	8	10	14
WHITE------MALE----	131	1	2	-	-	-	-	2	1	4	3	4
FEMALE--	156	1	1	-	-	-	-	1	2	2	1	3
ALL OTHER--MALE----	69	1	1	1	-	1	1	1	2	-	3	4
FEMALE--	82	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	68	1	1	1	-	1	1	1	2	-	3	4
FEMALE--	79	-	-	-	-	-	-	-	-	2	3	2
ALASKA ----------	12	1	1	-	-	2	-	1	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	96	-	1	-	-	1	2	1	5	6	2	1
WHITE------MALE----	36	-	1	-	-	1	-	-	3	5	1	1
FEMALE--	52	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS ----------	91	-	-	-	1	-	-	1	-	2	1	1
WHITE------MALE----	28	-	-	-	1	-	-	1	-	1	-	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	85	3	-	1	-	1	4	3	7	9	8	6
WHITE------MALE----	34	2	-	-	-	-	2	1	4	3	3	4
FEMALE--	40	1	-	1	-	1	1	-	3	4	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	6	-	-	-	-	-	1	2	-	1	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	2	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
UNITED STATES -	199	225	266	353	529	736	911	1,015	1,010	517	138	1
WHITE------MALE----	90	102	116	146	211	294	308	284	225	90	14	1
FEMALE--	48	67	90	129	226	327	500	637	694	385	100	-
ALL OTHER--MALE----	36	36	30	39	40	52	38	26	22	8	-	-
FEMALE--	25	20	30	39	52	63	65	68	69	34	24	-
BLACK---MALE----	32	35	28	39	38	49	34	22	21	7	-	-
FEMALE--	24	17	27	38	50	57	59	61	61	30	21	-
ALABAMA ----------	13	20	17	27	46	58	58	66	57	18	7	-
WHITE------MALE----	5	8	6	9	19	24	15	14	11	2	1	-
FEMALE--	-	3	2	2	14	15	26	36	34	12	1	-
ALL OTHER--MALE----	7	6	6	7	5	11	5	4	3	-	-	-
FEMALE--	1	3	3	9	8	8	12	12	9	4	5	-
BLACK---MALE----	6	6	6	7	5	11	5	4	3	-	-	-
FEMALE--	1	2	3	9	7	8	12	12	9	4	5	-
ALASKA ----------	-	1	1	-	1	-	1	1	1	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	2	4	6	6	10	14	19	9	4	-
WHITE------MALE----	1	-	-	1	3	-	5	5	6	-	3	-
FEMALE--	1	-	2	3	3	6	5	7	13	8	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	5	9	5	7	12	7	10	14	10	1	-
WHITE------MALE----	2	1	5	3	2	4	-	1	5	1	-	-
FEMALE--	1	2	4	1	3	7	5	6	8	8	1	-
ALL OTHER--MALE----	2	2	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	1	-	-
BLACK---MALE----	2	2	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	1	-	-
CALIFORNIA ----------	6	1	1	-	-	3	4	13	9	4	2	-
WHITE------MALE----	4	1	-	-	-	1	2	5	2	-	-	-
FEMALE--	1	-	1	-	-	2	2	7	7	4	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
COLORADO ----------	104	1	-	1	-	2	1	2	1	3	2	3
WHITE------MALE----	50	-	-	1	-	2	1	1	-	3	1	3
FEMALE--	50	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	107	-	-	-	1	-	2	1	1	2	1	-
WHITE------MALE----	45	-	-	-	1	-	1	1	-	2	-	-
FEMALE--	53	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
DELAWARE ----------	10	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	1	-	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	375	1	1	-	-	2	4	3	4	13	7	9
WHITE------MALE----	109	-	-	-	-	1	1	2	3	4	3	2
FEMALE--	216	-	1	-	-	-	-	1	1	-	1	4
ALL OTHER--MALE----	21	1	-	-	-	-	2	-	-	4	1	2
FEMALE--	29	-	-	-	-	1	1	-	-	5	2	1
BLACK---MALE----	21	1	-	-	-	-	2	-	-	4	1	2
FEMALE--	29	-	-	-	-	1	1	-	-	5	2	1
GEORGIA ----------	340	2	2	1	-	3	5	8	7	8	7	13
WHITE------MALE----	85	1	1	-	-	-	5	-	1	3	4	-
FEMALE--	163	-	1	-	-	2	-	1	1	1	-	2
ALL OTHER--MALE----	42	1	-	1	-	1	-	2	2	2	3	9
FEMALE--	50	-	-	-	-	-	-	5	3	2	-	2
BLACK---MALE----	41	1	-	1	-	1	-	2	2	2	3	9
FEMALE--	48	-	-	-	-	-	-	5	3	2	-	2

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	3	2	1	10	4	8	10	16	19	12	3	-
WHITE------MALE----	2	-	-	6	3	3	7	5	8	4	-	-
FEMALE--	1	2	1	4	1	4	3	11	10	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT ----------	3	3	4	8	12	10	18	17	12	11	1	-
WHITE------MALE----	2	-	3	4	5	4	11	5	3	3	-	-
FEMALE--	-	-	1	3	6	5	7	12	8	8	1	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
DELAWARE ----------	1	-	-	1	-	2	-	2	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	1	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
FLORIDA ----------	13	9	9	7	16	44	45	70	72	36	10	-
WHITE------MALE----	6	2	1	3	6	19	12	22	17	4	1	-
FEMALE--	2	2	4	4	9	24	33	42	48	31	9	-
ALL OTHER--MALE----	2	2	1	-	1	1	-	2	2	-	-	-
FEMALE--	3	3	3	-	-	-	-	4	5	1	-	-
BLACK---MALE----	2	2	1	-	1	1	-	2	2	-	-	-
FEMALE--	3	3	3	-	-	-	-	4	5	1	-	-
GEORGIA ----------	10	17	15	19	27	30	46	43	50	23	4	-
WHITE------MALE----	5	9	7	4	10	7	10	11	5	2	-	-
FEMALE--	2	5	3	9	10	16	30	26	33	17	4	-
ALL OTHER--MALE----	3	1	1	4	3	3	1	1	2	2	-	-
FEMALE--	-	2	4	2	4	4	5	5	10	2	-	-
BLACK---MALE----	3	1	1	4	3	2	1	1	2	2	-	-
FEMALE--	-	2	4	2	4	2	5	5	10	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
HAWAII ----------	38	1	1	-	-	1	-	-	-	-	-	1
WHITE------MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	30	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	300	4	3	-	2	4	7	6	10	6	14	11
WHITE------MALE----	87	2	1	-	-	-	2	4	2	-	5	5
FEMALE--	144	1	1	-	-	1	2	-	3	3	4	2
ALL OTHER--MALE----	36	1	-	-	-	1	1	1	5	1	5	3
FEMALE--	33	-	1	-	2	2	2	1	-	2	-	1
BLACK---MALE----	36	1	-	-	-	1	1	1	5	1	5	3
FEMALE--	32	-	1	-	2	2	1	1	-	2	-	1
INDIANA ----------	204	9	4	-	-	2	2	5	5	6	5	7
WHITE------MALE----	80	3	3	-	-	-	-	1	2	4	3	5
FEMALE--	99	2	1	-	-	2	-	2	2	1	1	1
ALL OTHER--MALE----	13	2	-	-	-	-	-	1	1	1	1	1
FEMALE--	12	2	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	13	2	-	-	-	-	-	1	1	1	1	1
FEMALE--	12	2	-	-	-	-	2	1	-	-	-	-
IOWA ----------	88	1	-	-	-	-	1	1	1	2	3	-
WHITE------MALE----	33	1	-	-	-	-	1	-	1	2	3	-
FEMALE--	55	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	116	-	-	1	-	-	-	-	2	3	1	1
WHITE------MALE----	37	-	-	1	-	-	-	-	1	1	1	-
FEMALE--	71	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
HAWAII ----------	2	2	4	-	3	2	4	6	8	2	1	-
WHITE------MALE----	-	-	1	-	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	1	2	-	-	-	-
FEMALE--	1	-	2	-	-	1	2	2	5	2	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	1	1	-	2	4	4	7	3	2	-
WHITE------MALE----	1	-	-	-	-	2	2	1	1	1	-	-
FEMALE--	-	2	1	1	-	-	1	3	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	4	15	18	25	27	39	34	35	25	3	-
WHITE------MALE----	6	1	3	6	11	8	10	9	5	7	-	-
FEMALE--	1	1	8	5	7	12	22	22	29	17	3	-
ALL OTHER--MALE----	-	-	1	5	5	4	1	-	1	1	-	-
FEMALE--	1	2	3	2	2	3	6	3	-	-	-	-
BLACK---MALE----	-	-	1	5	5	4	1	-	1	1	-	-
FEMALE--	1	2	3	2	2	3	6	3	-	-	-	-
INDIANA ----------	3	8	9	6	18	22	26	17	24	22	4	-
WHITE------MALE----	3	6	5	5	6	13	9	4	6	2	-	-
FEMALE--	-	1	2	1	9	6	15	13	16	20	4	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	-	1	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	-	1	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	1	-	-	-
IOWA ----------	1	1	1	3	7	9	13	17	20	4	3	-
WHITE------MALE----	-	-	-	1	3	3	4	6	8	-	-	-
FEMALE--	1	1	1	2	4	6	9	11	12	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	5	3	2	13	5	15	21	26	14	4	-
WHITE------MALE----	-	4	-	-	6	1	6	5	9	1	1	-
FEMALE--	-	1	2	1	7	3	8	15	16	12	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	1	-	-

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	121	5	-	1	-	-	1	-	1	2	2	4
WHITE------MALE----	43	3	-	1	-	-	1	-	-	1	1	2
FEMALE--	65	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	287	4	1	1	-	2	3	5	5	7	5	8
WHITE------MALE----	99	2	-	1	-	2	1	2	-	1	3	3
FEMALE--	114	2	1	-	-	-	-	-	-	3	2	3
ALL OTHER--MALE----	35	-	-	-	-	-	2	2	3	2	-	2
FEMALE--	39	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	35	-	-	-	-	-	2	2	3	2	-	2
FEMALE--	38	-	-	-	-	-	-	1	2	1	-	-
MAINE ----------	30	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	67	-	2	-	1	1	2	8	6	3	3	8
WHITE------MALE----	16	-	-	-	-	1	-	1	2	1	1	3
FEMALE--	20	-	1	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	5	2	1	2	4
FEMALE--	11	-	1	-	1	-	-	1	-	1	-	1
BLACK---MALE----	20	-	-	-	-	-	-	5	2	1	2	4
FEMALE--	10	-	1	-	1	-	-	1	-	1	-	1
MASSACHUSETTS ----------	243	-	1	1	-	3	2	-	3	6	5	2
WHITE------MALE----	90	-	-	1	-	2	-	-	1	3	2	2
FEMALE--	140	-	-	-	-	-	1	-	2	3	3	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	163	5	-	-	-	1	-	1	1	4	4	3
WHITE------MALE----	46	1	-	-	-	-	-	1	-	3	1	2
FEMALE--	93	4	-	-	-	1	-	-	1	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	5	4	3	12	10	11	20	17	12	10	1	-
WHITE------MALE----	3	1	1	6	6	4	3	7	1	2	-	-
FEMALE--	2	3	2	5	4	4	16	8	9	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
LOUISIANA ----------	9	11	10	15	22	39	37	44	36	18	5	-
WHITE------MALE----	3	6	5	4	9	12	18	15	10	2	-	-
FEMALE--	2	1	2	4	8	15	15	22	21	10	3	-
ALL OTHER--MALE----	3	3	2	3	2	7	3	1	-	-	-	-
FEMALE--	1	1	1	4	3	5	1	6	5	6	2	-
BLACK---MALE----	3	3	2	3	2	7	3	1	-	-	-	-
FEMALE--	1	1	1	4	3	5	1	5	5	6	2	-
MAINE ----------	-	-	2	2	-	3	2	10	6	4	-	-
WHITE------MALE----	-	-	1	1	-	1	-	2	1	1	-	-
FEMALE--	-	-	1	1	-	2	2	8	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	4	1	2	2	7	4	3	6	1	2	1
WHITE------MALE----	-	1	-	1	-	2	1	-	-	1	-	1
FEMALE--	-	1	-	1	-	3	-	3	5	-	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	1	-
BLACK---MALE----	-	2	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	1	-
MASSACHUSETTS ----------	5	5	9	11	21	27	32	33	43	30	4	-
WHITE------MALE----	3	3	5	6	9	17	10	6	13	6	1	-
FEMALE--	2	2	1	5	11	8	21	26	30	23	2	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	-	1	1	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	-	1	-	-
MICHIGAN ----------	3	4	6	9	17	14	25	25	28	9	4	-
WHITE------MALE----	1	3	2	4	5	5	8	5	3	1	1	-
FEMALE--	1	1	4	2	9	6	13	17	22	6	3	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	-	1	-	-	-
FEMALE--	1	-	-	3	1	1	3	3	2	2	-	-
BLACK---MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	3	1	1	1	3	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
MINNESOTA ----------	92	-	1	-	-	1	1	2	2	2	3	3
WHITE------MALE----	37	-	-	-	-	1	1	-	2	1	1	2
FEMALE--	52	-	1	-	-	-	-	2	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	176	3	2	1	-	2	3	1	3	3	4	6
WHITE------MALE----	34	1	-	1	-	-	-	-	-	2	1	-
FEMALE--	63	-	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	33	2	1	-	-	2	2	-	2	1	1	2
FEMALE--	46	-	-	-	-	-	1	1	-	-	2	2
BLACK---MALE----	33	2	1	-	-	2	2	-	2	1	1	2
FEMALE--	45	-	-	-	-	-	1	1	-	-	2	2
MISSOURI ----------	153	2	-	-	1	1	1	3	5	4	2	1
WHITE------MALE----	64	-	-	-	1	1	1	3	3	2	2	1
FEMALE--	69	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	2	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	2	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
MONTANA ----------	30	2	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	12	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	96	-	-	-	-	-	2	-	-	-	-	1
WHITE------MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	62	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	74	-	-	-	-	-	-	2	2	3	1	1
WHITE------MALE----	29	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	39	-	-	-	-	-	-	2	2	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
MINNESOTA ----------	2	8	1	3	6	10	7	8	12	13	7	-
WHITE------MALE----	2	3	1	2	4	4	2	3	2	6	-	-
FEMALE--	-	5	-	1	2	5	5	5	10	7	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI ----------	4	4	7	9	14	21	18	30	29	9	3	-
WHITE------MALE----	2	3	3	2	3	4	3	3	4	2	-	-
FEMALE--	-	1	-	4	1	7	6	15	21	4	-	-
ALL OTHER--MALE----	2	-	-	3	4	3	3	2	1	2	-	-
FEMALE--	-	-	4	-	6	7	6	10	3	1	3	-
BLACK---MALE----	2	-	-	3	4	3	3	2	1	2	-	-
FEMALE--	-	-	4	-	6	6	6	10	3	1	3	-
MISSOURI ----------	5	4	4	12	9	15	21	30	17	12	4	-
WHITE------MALE----	3	1	2	6	3	7	9	12	5	-	2	-
FEMALE--	2	1	1	6	4	5	8	15	12	12	2	-
ALL OTHER--MALE----	-	2	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	2	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	2	-	-	-	-
MONTANA ----------	-	2	-	-	2	1	5	8	6	3	-	-
WHITE------MALE----	-	-	-	-	1	1	2	1	2	2	-	-
FEMALE--	-	2	-	-	-	-	3	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	2	3	3	4	11	14	14	17	13	5	-
WHITE------MALE----	2	1	1	1	3	5	7	3	3	3	-	-
FEMALE--	4	-	1	2	1	6	7	11	14	10	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	2	-	3	9	10	15	17	6	-	-
WHITE------MALE----	-	-	1	-	1	4	7	5	8	-	-	-
FEMALE--	2	-	1	-	2	5	3	10	6	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
NEW HAMPSHIRE ----------	21	1	-	1	-	-	-	-	-	-	1	1
WHITE------MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	172	1	-	1	-	1	-	3	3	9	7	1
WHITE------MALE----	64	-	-	1	-	-	-	1	1	4	2	-
FEMALE--	87	-	-	-	-	1	-	1	2	1	1	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	4	1
FEMALE--	11	-	-	-	-	-	-	1	-	3	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	11	-	-	-	-	-	-	1	-	3	-	-
NEW MEXICO ----------	60	1	1	-	1	2	2	3	-	1	3	1
WHITE------MALE----	25	1	1	-	-	-	1	2	-	-	1	1
FEMALE--	33	-	-	-	-	1	1	1	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	268	2	1	-	3	1	1	2	4	5	6	5
WHITE------MALE----	94	-	-	-	1	-	-	2	-	-	3	2
FEMALE--	129	1	-	-	-	1	-	-	2	2	1	1
ALL OTHER--MALE----	19	-	1	-	1	-	1	-	1	1	1	1
FEMALE--	26	1	-	-	1	-	-	-	1	2	1	1
BLACK---MALE----	15	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	24	1	-	-	1	-	-	-	1	2	1	1
NORTH CAROLINA ---------	179	4	1	-	-	1	2	2	2	6	5	10
WHITE------MALE----	53	3	-	-	-	-	-	-	-	2	3	3
FEMALE--	77	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	28	1	1	-	-	1	1	1	-	2	2	4
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	2
BLACK---MALE----	26	1	1	-	-	1	1	1	-	2	1	4
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	2
NORTH DAKOTA ----------	15	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	2	1	3	4	4	3	-	-
WHITE------MALE----	-	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	4	4	6	14	13	32	28	32	8	1	-
WHITE------MALE----	3	3	4	3	6	6	10	11	7	1	1	-
FEMALE--	1	1	-	2	5	6	21	14	25	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	2	-	1	-	-
NEW MEXICO ----------	1	1	1	2	3	5	8	7	12	4	1	-
WHITE------MALE----	1	-	1	1	1	4	5	3	-	2	-	-
FEMALE--	-	1	-	1	2	1	3	4	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	4	12	19	32	38	33	44	31	7	7	-
WHITE------MALE----	4	1	6	6	14	17	13	15	6	3	1	-
FEMALE--	3	2	3	7	17	11	19	28	22	4	5	-
ALL OTHER--MALE----	3	-	2	3	-	3	-	-	1	-	-	-
FEMALE--	1	1	1	3	1	7	1	1	2	-	1	-
BLACK---MALE----	2	-	1	3	-	3	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	7	1	1	2	-	1	-
NORTH CAROLINA ---------	4	3	9	12	17	20	28	18	21	14	-	-
WHITE------MALE----	2	-	4	2	6	11	7	6	2	2	-	-
FEMALE--	-	1	2	6	6	5	15	10	17	11	-	-
ALL OTHER--MALE----	2	2	2	2	1	2	3	-	1	-	-	-
FEMALE--	-	-	1	2	4	2	3	2	1	1	-	-
BLACK---MALE----	2	2	2	2	1	2	2	-	1	-	-	-
FEMALE--	-	-	1	2	4	2	3	2	1	1	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	2	5	3	3	-	-
WHITE------MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
OHIO ----------	436	2	4	1	1	1	3	5	4	11	6	12
WHITE------MALE----	160	-	3	1	1	-	1	3	1	6	4	6
FEMALE--	242	2	-	-	-	1	-	1	-	1	1	4
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	2	2	1	2
FEMALE--	16	-	1	-	-	-	2	-	1	2	-	-
BLACK---MALE----	18	-	-	-	-	-	-	1	2	2	1	2
FEMALE--	16	-	1	-	-	-	2	-	1	2	-	-
OKLAHOMA ----------	97	2	1	1	-	1	1	-	2	3	2	3
WHITE------MALE----	34	2	1	1	-	1	-	-	2	1	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
OREGON ----------	64	-	1	-	-	-	-	2	-	1	2	2
WHITE------MALE----	30	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	34	-	1	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	572	3	-	-	1	1	4	9	5	7	16	17
WHITE------MALE----	208	1	-	-	1	1	-	6	1	5	9	8
FEMALE--	290	1	-	-	-	-	2	2	2	1	4	3
ALL OTHER--MALE----	37	-	-	-	-	-	2	-	1	-	1	4
FEMALE--	37	1	-	-	-	-	-	1	1	1	2	2
BLACK---MALE----	36	-	-	-	-	-	2	-	1	-	1	4
FEMALE--	36	1	-	-	-	-	-	-	1	1	2	2
RHODE ISLAND ----------	21	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	85	2	-	-	-	-	-	4	2	1	6	5
WHITE------MALE----	21	1	-	-	-	-	-	2	-	1	1	1
FEMALE--	36	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	-	5	2
FEMALE--	13	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	1	1	-	5	2
FEMALE--	13	1	-	-	-	-	-	1	-	-	-	1

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	5	14	16	24	42	50	71	64	61	28	11	-
WHITE------MALE----	3	6	11	12	13	27	21	22	15	4	-	-
FEMALE--	1	5	5	11	20	22	47	42	45	23	11	-
ALL OTHER--MALE----	-	3	-	1	4	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	5	-	2	-	1	1	-	-
BLACK---MALE----	-	3	-	1	4	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	5	-	2	-	1	1	-	-
OKLAHOMA ----------	3	1	4	3	7	18	20	11	11	3	-	-
WHITE------MALE----	1	-	-	1	3	7	8	3	1	-	-	-
FEMALE--	1	1	3	2	2	9	10	7	9	3	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OREGON ----------	2	3	3	2	4	6	6	14	10	4	2	-
WHITE------MALE----	2	3	1	2	1	3	4	5	3	3	1	-
FEMALE--	-	-	2	-	3	3	2	9	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	20	27	23	41	41	69	79	94	71	34	10	-
WHITE------MALE----	9	13	9	14	21	32	28	28	15	6	1	-
FEMALE--	4	8	10	19	16	29	44	61	52	24	8	-
ALL OTHER--MALE----	1	5	3	5	1	5	5	2	1	1	-	-
FEMALE--	6	1	1	3	3	3	2	3	3	3	1	-
BLACK---MALE----	1	5	3	5	1	5	5	1	1	1	-	-
FEMALE--	6	1	1	3	3	3	2	3	3	3	1	-
RHODE ISLAND ----------	1	-	2	1	1	2	4	2	2	4	-	-
WHITE------MALE----	1	-	1	1	1	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	4	2	9	4	12	11	3	11	3	2	-
WHITE------MALE----	1	2	-	4	-	2	4	-	2	-	-	-
FEMALE--	1	-	1	3	3	7	5	3	7	2	2	-
ALL OTHER--MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	3	1	-	2	1	-	-
BLACK---MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	3	1	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
SOUTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	140	2	2	1	1	1	-	-	2	7	8	4
WHITE------MALE----	46	1	-	-	-	-	-	-	2	3	3	2
FEMALE--	71	-	1	1	1	-	-	-	-	1	3	1
ALL OTHER--MALE----	9	-	1	-	-	1	-	-	-	2	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	9	-	1	-	-	1	-	-	-	2	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	1	2	1
TEXAS ----------	323	4	5	-	1	8	5	14	10	18	16	13
WHITE------MALE----	115	-	3	-	1	6	1	8	2	11	5	5
FEMALE--	151	1	1	-	-	-	4	2	4	1	7	4
ALL OTHER--MALE----	30	3	1	-	-	2	-	2	3	5	3	3
FEMALE--	27	-	-	-	-	-	-	2	1	1	1	1
BLACK---MALE----	30	3	1	-	-	2	-	2	3	5	3	3
FEMALE--	26	-	-	-	-	-	-	2	1	1	1	1
UTAH ----------	30	-	-	-	1	1	1	1	2	3	1	2
WHITE------MALE----	19	-	-	-	1	1	-	1	1	3	1	2
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	239	-	1	-	-	3	1	3	-	2	6	6
WHITE------MALE----	64	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	120	-	1	-	-	3	-	-	-	-	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	-	-	-	-	-	1	2	-	1	-	1
BLACK---MALE----	19	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	-	-	-	-	-	1	2	-	1	-	1

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	1	-	-	1	-	3	2	1	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	4	10	8	10	21	14	14	19	8	2	-
WHITE------MALE----	1	2	5	6	5	2	4	5	5	-	-	-
FEMALE--	1	2	3	2	3	17	8	7	12	7	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	1	1	-
BLACK---MALE----	-	-	2	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	1	1	-
TEXAS ----------	12	10	11	9	21	23	32	33	45	26	7	-
WHITE------MALE----	-	6	8	7	7	9	12	8	11	5	-	-
FEMALE--	5	3	2	2	13	14	14	21	31	19	3	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	3	1	-	-	-
FEMALE--	5	-	-	-	1	-	6	1	2	2	4	-
BLACK---MALE----	2	1	1	-	-	-	-	3	1	-	-	-
FEMALE--	5	-	-	-	1	-	6	1	1	2	4	-
UTAH ----------	-	-	1	1	-	3	3	4	2	4	-	-
WHITE------MALE----	-	-	1	1	-	1	2	1	1	2	-	-
FEMALE--	-	-	-	-	-	2	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	1	-	1	-	2	1	2	1	-	-
WHITE------MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	12	13	22	11	27	37	46	27	10	5	-
WHITE------MALE----	3	6	6	7	2	9	11	10	2	1	-	-
FEMALE--	2	2	4	6	6	15	21	32	15	8	2	-
ALL OTHER--MALE----	1	2	2	3	2	2	3	1	-	-	-	-
FEMALE--	1	2	1	6	1	1	2	3	10	1	3	-
BLACK---MALE----	1	2	2	3	2	2	3	1	-	-	-	-
FEMALE--	1	2	1	6	1	1	2	3	10	1	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
WASHINGTON ----------	72	-	-	1	1	-	2	1	2	-	4	5
WHITE------MALE----	28	-	-	1	-	-	1	-	2	-	1	2
FEMALE--	40	-	-	-	1	-	1	1	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
WEST VIRGINIA ----------	81	-	1	2	-	-	1	-	-	2	3	2
WHITE------MALE----	30	-	1	1	-	-	1	-	-	-	1	2
FEMALE--	51	-	-	1	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	84	1	1	-	1	-	2	2	1	4	3	2
WHITE------MALE----	26	1	-	-	-	-	1	-	-	2	-	1
FEMALE--	49	-	1	-	-	-	-	1	1	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	1	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	1	-	1	1	-
WYOMING ----------	17	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	2	2	2	1	4	4	8	9	14	8	2	-
WHITE------MALE----	1	2	1	1	3	2	2	2	5	2	-	-
FEMALE--	1	-	1	-	1	2	6	7	8	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	4	3	6	3	7	7	9	9	12	10	-	-
WHITE------MALE----	2	2	1	2	2	4	2	2	2	5	-	-
FEMALE--	2	1	5	1	5	3	7	7	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	3	5	-	11	5	9	12	10	10	1	-
WHITE------MALE----	-	-	4	-	5	3	3	3	2	1	-	-
FEMALE--	1	1	1	-	5	2	5	9	8	9	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
WYOMING ----------	-	1	-	1	1	1	3	2	4	2	1	-
WHITE------MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3430

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
UNITED STATES -	150,672	1,284	2,341	1,660	2,162	10,560	12,451	11,003	11,094	13,127	13,226	11,104
WHITE------MALE----	83,247	498	940	671	1,105	5,781	7,176	6,374	6,538	7,796	7,997	6,687
FEMALE--	39,245	335	680	458	547	2,213	1,808	1,685	2,004	2,694	2,748	2,323
ALL OTHER--MALE----	20,531	246	411	328	351	2,067	2,892	2,369	1,974	1,957	1,792	1,578
FEMALE--	7,649	205	310	203	159	499	575	575	578	680	689	516
BLACK---MALE----	17,447	218	350	296	296	1,736	2,520	2,042	1,667	1,653	1,572	1,377
FEMALE--	6,111	187	268	170	132	383	436	434	456	562	559	419
ALABAMA ----------	3,395	29	60	47	54	272	299	263	247	262	287	205
WHITE------MALE----	1,587	10	14	9	25	123	136	117	110	128	158	101
FEMALE--	839	5	15	9	13	62	44	51	61	58	56	34
ALL OTHER--MALE----	674	9	17	14	9	64	99	74	54	58	51	48
FEMALE--	295	5	14	15	7	23	20	21	22	18	22	22
BLACK---MALE----	665	9	17	14	9	64	98	73	53	57	51	47
FEMALE--	289	5	13	15	7	21	20	21	21	18	21	22
ALASKA ----------	472	5	9	7	4	42	31	51	49	60	47	35
WHITE------MALE----	213	1	1	1	2	13	15	20	19	33	24	17
FEMALE--	64	1	-	1	1	4	5	4	6	5	10	5
ALL OTHER--MALE----	137	1	5	4	1	20	8	21	18	16	5	8
FEMALE--	58	2	3	1	-	5	3	6	6	6	8	5
BLACK---MALE----	10	-	-	-	-	1	1	2	2	2	1	-
FEMALE--	4	1	-	-	-	-	-	-	1	1	1	-
ARIZONA ----------	3,576	32	57	22	44	219	293	295	281	339	337	292
WHITE------MALE----	2,136	15	25	10	22	133	181	193	173	214	215	194
FEMALE--	889	10	14	5	11	39	46	41	52	65	76	54
ALL OTHER--MALE----	389	4	14	4	6	38	52	40	43	43	33	35
FEMALE--	162	3	4	3	5	9	14	21	13	17	13	9
BLACK---MALE----	101	2	2	2	1	10	16	15	9	12	8	7
FEMALE--	33	1	1	-	-	3	4	3	2	3	4	2
ARKANSAS ----------	1,915	24	37	26	44	140	158	131	145	156	160	122
WHITE------MALE----	1,084	10	15	15	24	90	92	76	85	91	96	76
FEMALE--	490	3	9	7	10	28	24	21	30	45	33	18
ALL OTHER--MALE----	255	7	9	4	8	15	37	24	26	15	22	23
FEMALE--	86	4	4	-	2	7	5	10	4	5	9	5
BLACK---MALE----	248	7	9	4	8	14	35	24	25	13	22	22
FEMALE--	84	4	4	-	2	6	5	10	4	5	9	5
CALIFORNIA ----------	14,772	109	275	137	207	974	1,321	1,131	1,183	1,406	1,452	1,365
WHITE------MALE----	8,881	52	139	62	118	574	882	720	770	899	913	843
FEMALE--	3,373	31	76	39	41	184	155	170	206	276	306	306
ALL OTHER--MALE----	1,771	15	28	20	24	172	232	188	159	166	157	153
FEMALE--	747	11	32	16	24	44	52	53	48	65	76	63
BLACK---MALE----	1,083	8	16	10	10	97	160	121	103	111	106	111
FEMALE--	369	9	23	6	14	22	26	27	27	37	49	35

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3430

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
UNITED STATES -	8,281	6,298	5,123	5,432	6,409	7,689	8,021	7,132	4,332	1,483	270	190
WHITE------MALE----	4,997	3,762	3,012	3,139	3,571	4,039	4,014	3,076	1,494	401	55	124
FEMALE--	1,859	1,532	1,256	1,538	2,041	2,853	3,366	3,534	2,575	982	188	26
ALL OTHER--MALE----	1,045	752	580	494	484	456	323	249	115	28	8	32
FEMALE--	380	252	275	261	313	341	318	273	148	72	19	8
BLACK---MALE----	879	612	459	415	395	369	247	193	90	25	6	30
FEMALE--	282	194	205	202	239	275	265	220	133	67	16	7
ALABAMA ----------	212	149	135	141	161	191	149	128	73	28	3	-
WHITE------MALE----	110	94	77	83	81	88	53	38	26	6	-	-
FEMALE--	43	28	23	32	47	72	62	70	34	17	3	-
ALL OTHER--MALE----	44	21	20	16	22	20	15	14	5	-	-	-
FEMALE--	15	6	15	10	11	11	19	6	8	5	-	-
BLACK---MALE----	42	21	20	15	22	19	15	14	5	-	-	-
FEMALE--	15	6	14	10	11	11	19	6	8	5	-	-
ALASKA ----------	34	21	14	15	17	13	7	7	1	3	-	-
WHITE------MALE----	20	12	7	3	9	6	4	4	-	2	-	-
FEMALE--	4	3	1	4	2	3	2	2	1	-	-	-
ALL OTHER--MALE----	8	5	3	6	5	2	1	-	-	-	-	-
FEMALE--	2	1	3	2	1	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	209	156	128	110	122	186	164	145	81	26	7	31
WHITE------MALE----	128	89	75	67	70	97	92	73	32	11	1	26
FEMALE--	49	50	33	33	42	74	60	63	46	15	6	5
ALL OTHER--MALE----	19	11	13	7	8	8	6	5	-	-	-	-
FEMALE--	13	6	7	3	2	7	6	4	3	-	-	-
BLACK---MALE----	4	1	3	2	1	3	2	1	-	-	-	-
FEMALE--	3	1	2	1	-	1	-	2	-	-	-	-
ARKANSAS ----------	96	78	65	80	85	93	103	90	61	19	2	-
WHITE------MALE----	64	52	36	46	43	55	50	45	19	3	1	-
FEMALE--	21	12	19	26	29	29	41	36	35	13	1	-
ALL OTHER--MALE----	8	10	8	4	10	4	10	5	4	2	-	-
FEMALE--	3	4	2	4	3	5	2	4	3	1	-	-
BLACK---MALE----	8	10	8	4	10	4	10	5	4	2	-	-
FEMALE--	3	3	2	4	3	5	2	4	3	1	-	-
CALIFORNIA ----------	924	656	512	495	544	613	585	493	249	77	20	44
WHITE------MALE----	592	394	313	291	289	340	302	233	93	25	5	32
FEMALE--	181	148	106	137	170	205	222	207	142	47	13	5
ALL OTHER--MALE----	102	84	64	48	44	43	32	25	7	3	-	5
FEMALE--	49	30	29	19	41	25	29	28	7	2	2	2
BLACK---MALE----	66	47	32	25	17	19	11	4	3	3	-	3
FEMALE--	18	15	12	4	9	9	12	8	3	1	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3431

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
COLORADO ----------	2,457	12	32	29	34	181	179	196	177	221	246	209
WHITE------MALE----	1,517	5	20	15	18	112	123	131	114	145	176	130
FEMALE--	761	3	6	11	13	51	42	43	47	60	51	64
ALL OTHER--MALE----	124	1	2	1	-	14	14	18	11	11	15	11
FEMALE--	55	3	4	2	3	4	-	4	5	5	4	4
BLACK---MALE----	86	1	1	-	-	9	10	12	6	8	11	11
FEMALE--	32	3	4	1	1	4	-	2	3	5	1	2
CONNECTICUT ----------	1,526	6	8	12	12	71	122	90	110	152	122	125
WHITE------MALE----	885	4	6	5	6	52	78	59	64	97	77	88
FEMALE--	452	1	1	5	5	12	18	4	21	37	29	20
ALL OTHER--MALE----	136	-	-	1	1	7	25	20	17	13	15	8
FEMALE--	53	1	1	1	-	-	1	7	8	5	1	9
BLACK---MALE----	126	-	-	1	1	7	24	19	16	12	13	8
FEMALE--	43	1	1	1	-	-	1	5	8	5	1	7
DELAWARE ----------	398	-	9	5	8	22	23	29	28	42	36	36
WHITE------MALE----	220	-	3	1	2	12	12	22	19	26	25	26
FEMALE--	105	-	2	2	2	6	4	1	5	7	4	7
ALL OTHER--MALE----	56	-	2	-	1	3	6	6	4	7	6	2
FEMALE--	17	-	2	2	3	1	1	-	-	2	1	1
BLACK---MALE----	52	-	1	-	1	2	6	6	4	6	6	2
FEMALE--	16	-	2	2	3	1	1	-	-	1	1	1
DISTRICT OF COLUMBIA ---	389	2	4	2	3	51	47	40	29	36	26	26
WHITE------MALE----	30	-	-	-	1	2	-	2	5	5	1	2
FEMALE--	15	-	-	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	290	1	2	2	2	43	44	36	22	28	23	20
FEMALE--	54	1	2	-	-	6	2	1	2	3	-	2
BLACK---MALE----	288	1	2	2	2	43	44	36	22	27	23	19
FEMALE--	51	1	2	-	-	5	2	-	2	3	-	2
FLORIDA ----------	9,169	77	167	89	115	521	637	642	632	804	818	700
WHITE------MALE----	5,262	26	51	38	52	256	362	395	388	484	533	452
FEMALE--	2,452	22	54	21	31	125	89	114	121	192	173	144
ALL OTHER--MALE----	1,077	18	40	20	23	110	156	112	96	91	82	74
FEMALE--	378	11	22	10	9	30	30	21	27	37	30	30
BLACK---MALE----	1,032	18	40	19	20	104	146	111	91	85	81	70
FEMALE--	351	11	21	10	8	29	26	19	25	35	27	24
GEORGIA ----------	4,741	47	83	77	85	364	390	396	363	404	380	339
WHITE------MALE----	2,191	11	24	25	39	169	192	190	174	186	188	172
FEMALE--	1,101	9	21	15	13	63	54	58	58	79	73	60
ALL OTHER--MALE----	1,048	12	24	22	26	101	125	118	98	107	95	81
FEMALE--	401	15	14	15	7	31	19	30	33	32	24	26
BLACK---MALE----	997	10	22	22	26	97	119	107	90	104	92	77
FEMALE--	391	14	13	15	7	31	17	29	32	32	24	24

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3431

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
COLORADO ----------	146	113	76	64	94	108	126	112	67	29	5	1
WHITE------MALE----	102	75	47	48	54	52	58	52	28	10	1	1
FEMALE--	34	32	23	11	33	51	67	58	38	19	4	-
ALL OTHER--MALE----	7	4	5	1	2	4	1	1	1	-	-	-
FEMALE--	3	2	1	4	5	1	-	1	-	-	-	-
BLACK---MALE----	5	3	2	1	2	3	-	-	1	-	-	-
FEMALE--	1	-	-	2	2	-	-	1	-	-	-	-
CONNECTICUT ----------	75	59	60	45	63	95	104	99	66	26	4	-
WHITE------MALE----	44	42	43	23	42	48	41	38	17	11	-	-
FEMALE--	19	11	10	15	19	40	61	58	47	15	4	-
ALL OTHER--MALE----	8	4	4	6	1	3	-	2	1	-	-	-
FEMALE--	4	2	3	1	1	4	2	1	1	-	-	-
BLACK---MALE----	6	3	3	6	1	3	-	2	1	-	-	-
FEMALE--	4	2	3	-	-	2	-	1	1	-	-	-
DELAWARE ----------	21	20	7	6	17	25	23	22	14	4	1	-
WHITE------MALE----	11	9	6	3	10	10	10	7	6	-	-	-
FEMALE--	4	5	1	1	6	10	12	14	7	4	1	-
ALL OTHER--MALE----	6	6	-	1	1	4	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	6	6	-	1	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	23	13	10	14	18	10	13	11	4	4	1	2
WHITE------MALE----	1	1	1	2	-	5	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	3	1	2	-	1
ALL OTHER--MALE----	18	9	7	10	7	4	5	3	2	-	1	1
FEMALE--	4	2	2	2	11	1	6	5	1	1	-	-
BLACK---MALE----	18	9	7	10	7	4	5	3	2	-	1	1
FEMALE--	4	2	1	2	11	1	6	5	1	1	-	-
FLORIDA ----------	551	412	315	354	450	501	592	429	251	69	15	28
WHITE------MALE----	350	233	203	228	248	283	313	229	97	23	3	15
FEMALE--	130	116	64	100	159	172	243	179	146	41	10	6
ALL OTHER--MALE----	52	52	34	18	28	28	21	10	4	1	2	5
FEMALE--	19	11	14	8	15	18	15	11	4	4	-	2
BLACK---MALE----	49	50	33	17	27	28	21	10	4	1	2	5
FEMALE--	18	11	13	7	15	16	15	11	4	4	-	2
GEORGIA ----------	278	207	177	164	199	214	239	170	112	40	9	4
WHITE------MALE----	125	108	93	83	102	93	103	66	38	7	1	2
FEMALE--	64	49	38	37	59	84	99	78	62	22	6	-
ALL OTHER--MALE----	65	40	28	25	22	20	17	13	5	2	-	2
FEMALE--	24	10	18	19	16	17	20	13	7	9	2	-
BLACK---MALE----	63	38	25	25	22	19	17	13	5	2	-	2
FEMALE--	23	10	18	19	15	17	20	13	7	9	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3432

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
HAWAII ----------	515	7	5	-	4	20	31	41	43	53	52	43
WHITE------MALE----	128	-	1	-	1	2	5	9	8	17	21	21
FEMALE--	51	-	-	-	1	1	1	4	2	3	5	3
ALL OTHER--MALE----	237	4	3	-	2	12	19	20	28	27	20	14
FEMALE--	99	3	1	-	-	5	6	8	5	6	6	5
BLACK---MALE----	7	-	-	-	-	-	1	-	3	-	2	1
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
IDAHO ----------	834	6	18	13	22	82	60	49	54	69	50	45
WHITE------MALE----	544	3	12	6	14	58	42	36	37	47	34	29
FEMALE--	262	3	6	6	8	19	10	11	14	21	15	12
ALL OTHER--MALE----	19	-	-	1	-	4	6	1	2	-	-	4
FEMALE--	9	-	-	-	-	1	2	1	1	1	1	-
BLACK---MALE----	3	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6,422	61	106	55	70	502	604	544	466	551	582	468
WHITE------MALE----	3,230	18	32	9	25	240	317	276	228	316	278	255
FEMALE--	1,460	12	31	18	17	83	67	68	71	81	113	81
ALL OTHER--MALE----	1,296	19	19	16	16	164	197	167	128	109	132	104
FEMALE--	436	12	24	12	12	15	23	33	39	45	59	28
BLACK---MALE----	1,250	19	19	16	15	158	192	163	125	106	129	102
FEMALE--	406	11	22	12	12	13	23	28	37	44	55	27
INDIANA ----------	3,481	61	72	47	48	268	280	267	260	262	277	217
WHITE------MALE----	1,988	28	34	18	26	154	152	162	167	165	180	136
FEMALE--	1,021	13	21	19	16	70	60	44	51	58	58	53
ALL OTHER--MALE----	347	14	13	6	4	41	56	50	30	27	28	21
FEMALE--	125	6	4	4	2	3	12	11	12	12	11	7
BLACK---MALE----	337	14	13	6	4	41	56	47	26	25	28	21
FEMALE--	119	6	4	4	2	3	11	10	12	11	11	7
IOWA ----------	1,521	8	19	18	21	113	108	88	86	102	91	89
WHITE------MALE----	931	3	14	7	12	71	77	62	57	81	64	61
FEMALE--	535	4	4	9	9	34	25	17	22	20	23	19
ALL OTHER--MALE----	39	1	-	-	-	5	5	8	5	-	3	7
FEMALE--	16	-	1	2	-	3	1	1	2	1	1	2
BLACK---MALE----	26	1	-	-	-	4	2	6	2	-	1	5
FEMALE--	4	-	1	-	-	-	-	1	-	-	-	1
KANSAS ----------	1,608	12	27	17	33	122	140	101	106	111	114	121
WHITE------MALE----	972	8	14	10	16	71	91	66	72	77	66	78
FEMALE--	489	4	7	5	14	28	24	18	25	24	36	30
ALL OTHER--MALE----	110	-	3	1	3	20	18	15	7	8	9	9
FEMALE--	37	-	3	1	-	3	7	2	2	2	3	4
BLACK---MALE----	91	-	3	1	3	18	16	12	6	8	5	6
FEMALE--	27	-	3	1	-	3	7	1	1	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
HAWAII ----------	38	23	10	13	20	30	31	29	17	5	-	-
WHITE------MALE----	15	7	3	2	1	4	7	3	1	-	-	-
FEMALE--	7	3	-	3	1	7	1	4	2	3	-	-
ALL OTHER--MALE----	14	10	5	4	10	10	11	13	9	2	-	-
FEMALE--	2	3	2	4	8	9	12	9	5	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	41	40	30	32	30	43	53	54	34	7	1	1
WHITE------MALE----	28	32	21	20	22	26	30	28	15	3	-	1
FEMALE--	13	7	8	11	8	17	23	26	19	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	319	234	214	218	246	313	337	305	161	56	9	1
WHITE------MALE----	184	126	111	120	130	168	187	139	54	17	-	-
FEMALE--	62	63	52	54	81	105	114	148	96	36	7	-
ALL OTHER--MALE----	46	36	35	29	20	24	21	5	5	1	2	1
FEMALE--	27	9	16	15	15	16	15	13	6	2	-	-
BLACK---MALE----	41	36	33	26	18	21	19	5	3	1	2	1
FEMALE--	24	7	14	15	13	15	15	11	6	2	-	-
INDIANA ----------	165	126	96	129	156	195	202	185	118	39	8	3
WHITE------MALE----	103	79	62	78	95	104	107	76	47	12	1	2
FEMALE--	47	31	29	37	49	78	89	98	68	25	7	-
ALL OTHER--MALE----	10	14	3	6	10	8	3	1	1	-	-	1
FEMALE--	5	2	2	8	2	5	3	10	2	2	-	-
BLACK---MALE----	10	14	3	6	9	8	3	1	1	-	-	1
FEMALE--	4	2	2	7	2	5	3	9	2	2	-	-
IOWA ----------	77	68	55	61	71	93	112	122	75	34	10	-
WHITE------MALE----	56	47	37	41	41	53	66	53	17	8	3	-
FEMALE--	19	21	15	20	29	39	46	69	58	26	7	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	67	67	58	45	77	84	108	91	72	32	3	-
WHITE------MALE----	47	52	44	26	51	41	66	38	28	10	-	-
FEMALE--	17	10	10	16	26	39	40	52	41	20	3	-
ALL OTHER--MALE----	2	2	3	2	-	3	2	1	1	1	-	-
FEMALE--	1	3	1	1	-	1	-	-	2	1	-	-
BLACK---MALE----	-	2	3	2	-	2	1	1	1	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
KENTUCKY ----------	2,495	26	28	29	36	176	176	193	195	221	200	183
WHITE------MALE----	1,587	12	13	11	20	114	120	135	144	166	141	120
FEMALE--	718	11	8	10	13	41	33	33	38	42	48	51
ALL OTHER--MALE----	132	-	5	5	3	17	16	17	9	10	9	10
FEMALE--	58	3	2	3	-	4	7	8	4	3	2	2
BLACK---MALE----	129	-	5	5	3	17	16	16	9	9	8	10
FEMALE--	55	3	2	3	-	3	7	8	4	3	2	1
LOUISIANA ----------	3,060	40	56	40	69	269	316	232	262	284	267	198
WHITE------MALE----	1,338	8	16	9	28	120	136	120	118	133	113	92
FEMALE--	613	3	10	7	7	41	28	26	30	50	48	30
ALL OTHER--MALE----	829	12	17	16	22	87	124	74	91	74	89	64
FEMALE--	280	17	13	8	12	21	28	12	23	27	17	12
BLACK---MALE----	814	11	17	16	22	86	121	71	89	73	88	63
FEMALE--	271	17	13	8	12	19	27	12	22	26	17	12
MAINE ----------	672	3	4	4	11	56	45	29	54	62	49	43
WHITE------MALE----	466	2	3	4	7	38	28	22	41	48	38	31
FEMALE--	201	1	1	-	3	16	17	7	13	14	11	11
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2,925	25	39	22	32	235	280	261	242	311	309	227
WHITE------MALE----	1,185	7	9	7	12	75	104	92	96	119	142	102
FEMALE--	533	3	8	1	10	42	22	22	35	48	36	33
ALL OTHER--MALE----	948	7	14	7	9	105	140	127	92	113	98	69
FEMALE--	259	8	8	7	1	13	14	20	19	31	33	23
BLACK---MALE----	907	7	13	7	9	103	139	124	91	109	94	68
FEMALE--	241	7	8	7	1	12	12	19	18	30	31	21
MASSACHUSETTS ----------	2,324	12	14	10	28	115	159	168	194	226	228	141
WHITE------MALE----	1,393	4	6	5	18	67	100	111	139	154	147	101
FEMALE--	762	5	6	3	7	28	32	37	38	54	67	34
ALL OTHER--MALE----	135	2	1	1	2	18	22	17	14	16	10	6
FEMALE--	34	1	1	1	1	2	5	3	3	2	4	-
BLACK---MALE----	114	2	-	1	2	18	19	10	13	15	9	6
FEMALE--	24	1	-	1	1	1	4	-	3	1	4	-
MICHIGAN ----------	5,183	58	103	65	75	335	464	424	385	419	470	390
WHITE------MALE----	2,620	22	42	21	38	173	228	203	203	236	263	207
FEMALE--	1,292	15	22	15	17	66	67	53	59	82	92	75
ALL OTHER--MALE----	922	13	23	20	17	72	148	143	90	73	80	74
FEMALE--	349	8	16	9	3	24	21	25	33	28	35	34
BLACK---MALE----	872	12	23	20	17	66	142	137	88	67	73	71
FEMALE--	319	8	16	9	3	20	16	23	32	26	30	32

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
KENTUCKY ----------	134	118	82	107	112	124	109	135	83	23	3	2
WHITE------MALE----	89	74	54	72	67	80	52	63	32	7	-	1
FEMALE--	39	36	22	32	38	40	52	66	47	15	3	-
ALL OTHER--MALE----	4	6	3	2	5	3	2	3	2	-	-	1
FEMALE--	2	2	3	1	2	1	3	3	2	1	-	-
BLACK---MALE----	4	6	3	2	5	3	2	3	2	-	-	1
FEMALE--	2	2	2	1	2	1	3	3	2	1	-	-
LOUISIANA ----------	149	130	93	101	120	146	109	94	64	21	-	-
WHITE------MALE----	66	70	38	50	52	61	47	37	17	7	-	-
FEMALE--	35	29	25	27	35	52	50	34	38	8	-	-
ALL OTHER--MALE----	39	22	20	18	18	19	7	12	3	1	-	-
FEMALE--	9	9	10	6	15	14	5	11	6	5	-	-
BLACK---MALE----	39	22	18	18	18	19	7	12	3	1	-	-
FEMALE--	6	9	10	6	15	13	5	11	6	5	-	-
MAINE ----------	32	29	27	30	37	39	39	45	27	3	4	-
WHITE------MALE----	25	19	20	23	26	25	24	26	15	1	-	-
FEMALE--	7	9	7	7	11	14	15	19	12	2	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	167	87	77	86	115	122	112	82	68	11	6	9
WHITE------MALE----	77	42	42	44	61	52	49	24	22	4	-	3
FEMALE--	18	14	15	19	31	44	42	40	37	6	6	1
ALL OTHER--MALE----	57	23	12	11	16	21	9	7	5	1	-	5
FEMALE--	15	8	8	12	7	5	12	11	4	-	-	-
BLACK---MALE----	54	21	8	9	12	16	6	7	4	1	-	5
FEMALE--	12	7	8	9	7	5	12	11	4	-	-	-
MASSACHUSETTS ----------	122	96	78	79	84	126	134	140	103	57	10	-
WHITE------MALE----	84	72	49	49	44	72	74	53	29	15	-	-
FEMALE--	30	21	20	25	38	53	59	80	73	42	10	-
ALL OTHER--MALE----	7	2	7	4	1	-	-	4	1	-	-	-
FEMALE--	1	1	2	1	1	1	1	3	-	-	-	-
BLACK---MALE----	7	-	5	4	-	-	-	3	-	-	-	-
FEMALE--	1	-	2	1	1	-	1	2	-	-	-	-
MICHIGAN ----------	291	213	171	178	217	261	241	240	132	39	10	2
WHITE------MALE----	163	111	88	103	103	140	120	101	43	10	2	-
FEMALE--	68	61	46	50	78	89	102	125	76	27	7	-
ALL OTHER--MALE----	42	27	25	13	25	18	4	8	5	-	1	1
FEMALE--	18	14	12	12	11	14	15	6	8	2	-	1
BLACK---MALE----	39	24	23	13	22	16	4	8	5	-	1	1
FEMALE--	15	14	9	11	10	14	15	5	8	2	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
MINNESOTA ----------	2,461	30	31	36	29	166	145	109	147	176	179	135
WHITE------MALE----	1,396	15	17	15	22	95	80	68	109	110	121	90
FEMALE--	854	8	8	15	3	49	34	17	19	44	37	35
ALL OTHER--MALE----	157	6	2	5	4	18	21	22	13	18	16	8
FEMALE--	54	1	4	1	-	4	10	2	6	4	5	2
BLACK---MALE----	87	5	1	2	1	9	10	13	6	8	15	6
FEMALE--	22	-	3	-	-	2	4	1	2	2	1	1
MISSISSIPPI ----------	2,339	22	50	37	52	197	222	185	160	197	194	145
WHITE------MALE----	992	6	14	14	20	81	79	70	66	86	89	66
FEMALE--	429	3	11	8	11	29	23	24	25	23	23	23
ALL OTHER--MALE----	648	6	14	9	17	62	96	65	52	62	65	42
FEMALE--	270	7	11	6	4	25	24	26	17	26	17	14
BLACK---MALE----	637	6	13	9	17	60	94	65	51	60	63	42
FEMALE--	262	7	11	6	4	25	23	25	16	25	17	14
MISSOURI ----------	3,674	34	39	40	60	314	256	246	245	311	303	222
WHITE------MALE----	2,037	12	16	14	33	184	140	143	139	187	191	139
FEMALE--	1,058	7	10	12	14	72	33	38	44	76	69	52
ALL OTHER--MALE----	436	6	8	10	9	51	71	53	49	37	30	24
FEMALE--	143	9	5	4	4	7	12	12	13	11	13	7
BLACK---MALE----	415	6	8	10	9	51	68	48	44	34	27	24
FEMALE--	135	9	5	4	4	6	11	10	12	10	13	7
MONTANA ----------	674	6	6	9	13	59	54	32	37	51	56	52
WHITE------MALE----	399	2	2	2	10	30	29	22	17	33	36	36
FEMALE--	181	4	3	3	1	19	8	3	9	12	11	9
ALL OTHER--MALE----	69	-	1	2	2	9	13	5	9	3	3	6
FEMALE--	25	-	-	2	-	1	4	2	2	3	6	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	950	3	11	14	11	86	74	56	63	69	65	56
WHITE------MALE----	586	1	6	10	5	59	52	38	43	47	48	38
FEMALE--	304	1	2	4	6	19	12	12	11	18	12	15
ALL OTHER--MALE----	36	1	1	-	-	6	6	4	6	4	2	2
FEMALE--	24	-	2	-	-	2	4	2	3	-	3	1
BLACK---MALE----	26	1	-	-	-	6	5	4	4	2	1	1
FEMALE--	16	-	2	-	-	2	3	2	-	-	3	1
NEVADA ----------	1,361	15	27	12	11	74	101	103	116	134	141	121
WHITE------MALE----	871	8	10	6	5	46	64	67	75	89	90	74
FEMALE--	333	5	9	5	4	14	17	16	25	28	32	35
ALL OTHER--MALE----	105	1	2	-	2	11	12	18	13	10	8	9
FEMALE--	52	1	6	1	-	3	8	2	3	7	11	3
BLACK---MALE----	69	-	1	-	2	6	8	11	10	7	8	8
FEMALE--	25	1	3	-	-	1	3	1	1	1	8	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
MINNESOTA ----------	113	81	69	94	113	143	195	217	170	63	18	2
WHITE------MALE----	77	48	47	48	69	76	114	90	63	15	7	-
FEMALE--	25	28	21	40	40	64	78	125	106	47	11	-
ALL OTHER--MALE----	7	4	1	5	-	3	1	2	-	-	-	1
FEMALE--	4	1	-	1	4	-	2	-	1	1	-	1
BLACK---MALE----	3	2	-	2	-	2	-	1	-	-	-	1
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	1
MISSISSIPPI ----------	110	118	95	99	103	110	85	85	56	15	2	-
WHITE------MALE----	51	67	46	45	56	57	41	26	11	1	-	-
FEMALE--	18	21	17	22	25	30	24	30	29	10	-	-
ALL OTHER--MALE----	33	21	23	21	16	12	9	16	7	-	-	-
FEMALE--	8	9	9	11	6	11	11	13	9	4	2	-
BLACK---MALE----	32	21	23	21	16	12	9	16	7	-	-	-
FEMALE--	8	8	7	11	5	11	11	13	9	4	2	-
MISSOURI ----------	185	149	112	138	167	214	225	236	130	46	2	-
WHITE------MALE----	118	90	73	77	102	120	98	106	40	14	1	-
FEMALE--	37	42	31	46	52	79	113	115	86	29	1	-
ALL OTHER--MALE----	21	16	8	11	8	8	9	6	-	1	-	-
FEMALE--	9	1	-	4	5	7	5	9	4	2	-	-
BLACK---MALE----	21	15	8	11	7	8	9	6	-	1	-	-
FEMALE--	8	1	-	4	4	7	5	9	4	2	-	-
MONTANA ----------	35	38	26	25	28	39	34	38	19	12	4	1
WHITE------MALE----	21	24	18	16	16	25	27	18	9	4	1	1
FEMALE--	13	7	6	4	10	12	7	20	10	8	2	-
ALL OTHER--MALE----	1	7	1	4	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	42	38	27	31	45	45	75	59	52	24	4	-
WHITE------MALE----	32	28	20	20	29	27	34	25	18	6	-	-
FEMALE--	8	7	5	10	15	18	40	33	34	18	4	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	88	70	66	61	58	65	45	27	16	6	-	4
WHITE------MALE----	62	51	43	46	40	40	31	13	6	2	-	3
FEMALE--	22	16	16	13	15	24	11	13	9	4	-	-
ALL OTHER--MALE----	2	3	6	2	2	-	2	1	-	-	-	1
FEMALE--	2	-	1	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	1	2	1	2	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
NEW HAMPSHIRE ----------	503	2	4	3	6	30	45	35	42	33	48	32
WHITE------MALE----	344	-	1	1	6	22	29	28	31	27	36	27
FEMALE--	152	2	3	2	-	6	13	7	10	6	11	5
ALL OTHER--MALE----	3	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	4	-	-	-	-	2	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
NEW JERSEY ----------	3,254	17	40	23	30	155	225	217	228	306	305	241
WHITE------MALE----	1,713	5	12	5	14	83	111	114	132	172	183	145
FEMALE--	886	6	5	8	7	32	35	28	28	65	62	40
ALL OTHER--MALE----	468	3	10	9	6	29	67	66	46	50	40	42
FEMALE--	187	3	13	1	3	11	12	9	22	19	20	14
BLACK---MALE----	434	3	10	9	6	28	61	59	44	47	39	40
FEMALE--	157	3	13	1	3	8	9	9	16	18	15	10
NEW MEXICO ----------	1,501	17	12	15	24	125	123	109	125	165	144	142
WHITE------MALE----	943	9	6	8	10	79	82	59	83	105	96	105
FEMALE--	318	4	3	2	10	13	14	25	16	36	33	14
ALL OTHER--MALE----	167	2	2	3	3	24	20	15	19	19	9	19
FEMALE--	73	2	1	2	1	9	7	10	7	5	6	4
BLACK---MALE----	18	1	-	1	-	2	3	1	3	1	-	4
FEMALE--	6	-	-	-	1	1	-	-	1	3	-	-
NEW YORK ----------	7,223	40	88	66	90	457	561	515	572	604	569	511
WHITE------MALE----	3,762	11	30	27	41	231	296	299	311	358	343	291
FEMALE--	1,809	13	28	16	22	84	69	60	76	102	91	80
ALL OTHER--MALE----	1,204	8	17	17	18	112	168	123	155	108	95	98
FEMALE--	448	8	13	6	9	30	28	33	30	36	40	42
BLACK---MALE----	1,069	8	15	16	16	101	156	113	136	94	85	90
FEMALE--	380	8	12	5	8	25	25	27	21	32	35	36
NORTH CAROLINA ---------	4,967	41	68	60	62	307	468	390	361	425	432	357
WHITE------MALE----	2,470	18	25	20	30	149	239	213	197	218	227	204
FEMALE--	1,168	4	20	12	12	67	56	53	58	74	82	65
ALL OTHER--MALE----	937	10	11	18	17	73	131	98	78	93	85	77
FEMALE--	392	9	12	10	3	18	42	26	28	40	38	11
BLACK---MALE----	852	8	10	17	15	65	115	91	69	84	80	72
FEMALE--	353	9	10	8	2	14	37	24	27	36	33	11
NORTH DAKOTA ----------	364	2	6	1	6	31	43	24	24	18	19	22
WHITE------MALE----	199	1	1	-	3	12	29	14	14	9	10	13
FEMALE--	114	-	1	-	3	11	5	4	5	5	6	6
ALL OTHER--MALE----	33	-	2	-	-	6	7	2	4	4	2	2
FEMALE--	18	1	2	1	-	2	2	4	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
NEW HAMPSHIRE ----------	28	13	24	25	21	26	37	27	16	4	2	-
WHITE------MALE----	25	8	14	20	14	14	22	13	6	-	-	-
FEMALE--	3	5	10	5	7	12	15	14	10	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	171	121	129	126	153	189	236	178	116	36	8	4
WHITE------MALE----	105	69	74	68	89	101	107	70	44	8	1	1
FEMALE--	44	28	33	38	45	73	116	96	65	27	5	-
ALL OTHER--MALE----	16	19	16	12	9	8	8	7	2	-	-	3
FEMALE--	6	5	6	8	10	7	5	5	5	1	2	-
BLACK---MALE----	16	14	14	11	7	7	7	7	2	-	-	3
FEMALE--	6	3	4	7	8	7	4	5	5	1	2	-
NEW MEXICO ----------	91	53	38	48	43	59	59	59	28	17	2	3
WHITE------MALE----	62	36	26	32	25	37	35	30	9	6	1	2
FEMALE--	18	11	8	8	11	17	22	23	18	11	-	1
ALL OTHER--MALE----	7	4	2	2	6	3	1	5	1	-	1	-
FEMALE--	4	2	2	6	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	445	314	256	291	305	414	408	367	235	94	12	9
WHITE------MALE----	250	171	131	160	151	198	186	150	97	20	4	6
FEMALE--	84	71	65	78	116	173	183	199	125	66	6	2
ALL OTHER--MALE----	89	48	39	37	21	20	18	6	5	1	-	1
FEMALE--	22	24	21	16	17	23	21	12	8	7	2	-
BLACK---MALE----	79	42	34	33	16	14	13	2	4	1	-	1
FEMALE--	21	23	16	10	13	20	18	9	8	6	2	-
NORTH CAROLINA ---------	260	225	168	190	250	272	242	211	132	36	3	7
WHITE------MALE----	130	118	81	90	135	127	104	88	39	11	1	6
FEMALE--	60	44	48	51	67	89	107	101	74	21	2	1
ALL OTHER--MALE----	52	46	24	30	32	27	18	11	6	-	-	-
FEMALE--	18	17	15	19	16	29	13	11	13	4	-	-
BLACK---MALE----	48	43	21	28	30	24	15	11	6	-	-	-
FEMALE--	18	16	12	17	14	25	12	11	13	4	-	-
NORTH DAKOTA ----------	18	14	13	12	20	15	29	20	18	7	2	-
WHITE------MALE----	10	8	9	6	11	10	19	7	9	3	1	-
FEMALE--	5	5	3	4	9	5	10	13	9	4	1	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
OHIO ----------	5,407	55	70	54	68	366	407	334	351	452	470	343
WHITE------MALE----	3,004	26	31	28	35	209	280	184	210	287	307	197
FEMALE--	1,597	15	28	13	20	91	52	62	68	96	90	76
ALL OTHER--MALE----	568	9	5	9	5	51	62	71	57	51	54	53
FEMALE--	238	5	6	4	8	15	13	17	16	18	19	17
BLACK---MALE----	544	9	4	9	5	48	58	71	56	48	52	53
FEMALE--	226	4	6	4	7	14	13	17	16	15	18	17
OKLAHOMA ----------	2,401	23	43	31	34	190	198	180	171	180	202	161
WHITE------MALE----	1,340	11	14	16	26	95	111	113	98	102	122	100
FEMALE--	674	3	17	10	2	49	34	34	42	44	50	38
ALL OTHER--MALE----	272	7	6	2	4	36	42	24	21	26	25	14
FEMALE--	115	2	6	3	2	10	11	9	10	8	5	9
BLACK---MALE----	144	5	3	1	-	24	24	9	10	12	13	7
FEMALE--	56	2	3	3	-	5	5	3	3	3	1	6
OREGON ----------	1,882	16	23	17	29	96	127	118	119	165	154	169
WHITE------MALE----	1,227	8	12	10	23	64	92	91	80	109	111	121
FEMALE--	566	6	11	7	5	23	23	18	28	47	38	44
ALL OTHER--MALE----	64	-	-	-	-	8	10	7	9	8	4	3
FEMALE--	25	2	-	-	1	1	2	2	2	1	1	1
BLACK---MALE----	27	-	-	-	-	5	4	4	4	1	3	2
FEMALE--	8	2	-	-	1	-	1	1	-	-	-	1
PENNSYLVANIA ----------	6,901	32	88	72	72	443	574	439	474	548	611	465
WHITE------MALE----	3,880	13	33	32	39	245	332	265	273	343	381	298
FEMALE--	1,998	5	34	24	16	108	98	67	93	118	136	102
ALL OTHER--MALE----	806	7	15	11	13	81	130	88	93	68	66	53
FEMALE--	217	7	6	5	4	9	14	19	15	19	28	12
BLACK---MALE----	771	7	14	11	13	78	129	83	89	64	62	51
FEMALE--	196	7	4	4	4	8	13	15	12	18	25	12
RHODE ISLAND ----------	432	-	4	7	4	19	29	19	29	44	40	28
WHITE------MALE----	250	-	2	2	1	12	18	12	21	26	27	21
FEMALE--	147	-	2	3	2	3	6	3	4	14	10	6
ALL OTHER--MALE----	25	-	-	1	-	4	4	3	3	4	1	-
FEMALE--	10	-	-	1	1	-	1	1	1	-	2	1
BLACK---MALE----	20	-	-	1	-	3	2	3	3	4	1	-
FEMALE--	10	-	-	1	1	-	1	1	1	-	2	1
SOUTH CAROLINA ---------	2,696	31	50	38	50	192	241	193	194	230	230	210
WHITE------MALE----	1,212	9	16	7	19	95	103	88	99	111	116	92
FEMALE--	587	6	10	10	9	27	28	25	24	36	44	44
ALL OTHER--MALE----	652	9	19	17	15	53	88	62	54	63	52	65
FEMALE--	245	7	5	4	7	17	22	18	17	20	18	9
BLACK---MALE----	645	9	19	17	15	53	88	62	54	62	50	65
FEMALE--	244	7	5	4	7	17	21	18	17	20	18	9

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
OHIO ----------	274	232	185	227	253	331	355	301	205	66	8	-
WHITE------MALE----	157	139	105	141	140	154	169	132	60	13	-	-
FEMALE--	76	62	54	65	91	140	157	153	131	50	7	-
ALL OTHER--MALE----	26	20	20	13	16	15	18	7	6	-	-	-
FEMALE--	15	11	6	8	6	22	11	9	8	3	1	-
BLACK---MALE----	22	18	19	11	16	15	17	7	6	-	-	-
FEMALE--	13	11	5	8	6	21	10	9	8	3	1	-
OKLAHOMA ----------	124	103	95	93	101	124	136	103	76	26	5	2
WHITE------MALE----	78	70	50	53	65	65	64	48	32	5	-	2
FEMALE--	32	20	26	32	27	44	59	48	42	18	3	-
ALL OTHER--MALE----	7	8	14	8	4	11	8	2	-	2	1	-
FEMALE--	7	5	5	-	5	4	5	5	2	1	1	-
BLACK---MALE----	4	4	6	2	3	9	5	1	-	2	-	-
FEMALE--	3	4	2	-	5	2	4	1	1	-	-	-
OREGON ----------	114	64	57	77	97	124	112	108	67	27	2	-
WHITE------MALE----	90	44	44	59	67	60	63	49	19	10	1	-
FEMALE--	22	15	10	16	27	58	47	56	48	17	-	-
ALL OTHER--MALE----	1	4	2	1	-	5	1	1	-	-	-	-
FEMALE--	1	1	1	1	3	1	1	2	-	-	1	-
BLACK---MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	352	275	205	230	330	410	530	431	228	76	10	6
WHITE------MALE----	218	185	113	133	195	224	269	187	76	21	2	3
FEMALE--	80	62	66	70	101	153	237	227	142	51	8	-
ALL OTHER--MALE----	47	25	18	18	23	19	13	10	3	3	-	2
FEMALE--	7	3	8	9	11	14	11	7	7	1	-	1
BLACK---MALE----	44	23	15	18	23	18	12	9	3	3	-	2
FEMALE--	7	3	8	6	11	12	11	7	7	1	-	1
RHODE ISLAND ----------	23	17	19	10	22	23	34	37	15	6	2	1
WHITE------MALE----	17	11	13	6	10	11	19	15	3	2	1	-
FEMALE--	4	6	4	4	11	11	14	22	12	4	1	1
ALL OTHER--MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	145	127	92	112	98	126	142	117	50	21	6	1
WHITE------MALE----	75	61	49	50	49	59	60	30	19	5	-	-
FEMALE--	31	31	15	28	22	42	50	65	24	12	4	-
ALL OTHER--MALE----	30	27	18	26	13	13	13	11	2	1	-	1
FEMALE--	9	8	10	8	14	12	19	11	5	3	2	-
BLACK---MALE----	29	26	18	26	13	12	12	11	2	1	-	1
FEMALE--	9	8	10	8	14	12	19	11	5	3	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
SOUTH DAKOTA ----------	488	4	6	6	13	50	46	30	29	30	39	34
WHITE------MALE----	287	-	3	3	6	31	25	13	13	19	28	23
FEMALE--	111	2	2	3	6	7	3	6	5	4	6	6
ALL OTHER--MALE----	65	2	-	-	-	10	14	6	6	5	4	4
FEMALE--	25	-	1	-	1	2	4	5	5	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3,985	28	62	58	60	279	305	334	304	342	366	304
WHITE------MALE----	2,197	9	29	20	23	157	179	192	162	200	217	191
FEMALE--	1,087	6	14	10	19	65	57	63	74	78	78	69
ALL OTHER--MALE----	506	5	10	14	10	48	61	70	48	49	51	32
FEMALE--	195	8	9	14	8	9	8	9	20	15	20	12
BLACK---MALE----	492	5	9	14	10	47	60	69	45	49	48	31
FEMALE--	187	8	9	14	8	9	8	9	20	15	20	11
TEXAS ----------	10,858	107	233	171	199	880	1,016	847	822	1,039	958	794
WHITE------MALE----	6,458	44	105	89	106	547	678	551	568	637	613	487
FEMALE--	2,928	44	85	46	61	199	178	147	161	228	210	196
ALL OTHER--MALE----	1,053	11	26	22	26	101	132	114	76	120	104	78
FEMALE--	419	8	17	14	6	33	28	35	17	54	31	33
BLACK---MALE----	963	11	25	22	22	94	118	103	68	113	98	73
FEMALE--	367	8	16	12	4	31	23	31	14	48	27	31
UTAH ----------	1,182	10	23	13	15	97	131	86	109	112	110	97
WHITE------MALE----	774	7	13	10	10	68	85	63	78	80	83	65
FEMALE--	332	1	9	2	5	21	29	12	23	23	25	26
ALL OTHER--MALE----	62	1	-	-	-	6	15	9	8	8	2	6
FEMALE--	14	1	1	1	-	2	2	2	-	1	-	-
BLACK---MALE----	12	-	-	-	-	1	2	1	5	-	1	2
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	304	3	2	7	5	23	20	16	20	21	29	16
WHITE------MALE----	201	1	1	5	4	14	18	16	17	15	20	9
FEMALE--	99	2	1	2	1	8	1	-	3	6	9	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
VIRGINIA ----------	3,531	29	37	23	40	233	270	266	266	314	309	249
WHITE------MALE----	1,738	13	9	5	20	116	132	122	139	150	183	143
FEMALE--	852	5	9	7	12	36	24	36	40	62	61	42
ALL OTHER--MALE----	693	5	11	6	5	66	98	93	68	83	45	52
FEMALE--	248	6	8	5	3	15	16	15	19	19	20	12
BLACK---MALE----	657	5	10	5	4	62	94	89	67	81	43	48
FEMALE--	226	6	8	5	3	12	14	14	17	18	18	11

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
SOUTH DAKOTA ----------	32	18	10	12	21	30	36	26	10	4	2	-
WHITE------MALE----	21	12	7	8	14	20	21	13	5	-	2	-
FEMALE--	3	2	2	3	5	10	14	13	5	4	-	-
ALL OTHER--MALE----	5	4	1	1	2	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	210	164	150	152	166	214	198	156	82	41	4	6
WHITE------MALE----	126	103	93	85	98	115	90	60	30	13	2	3
FEMALE--	48	38	36	51	48	82	91	84	50	23	1	2
ALL OTHER--MALE----	28	17	16	9	15	7	6	5	1	3	-	1
FEMALE--	8	6	5	7	5	10	11	7	1	2	1	-
BLACK---MALE----	26	17	15	9	15	7	6	5	1	3	-	1
FEMALE--	7	5	3	6	5	9	10	7	1	2	1	-
TEXAS ----------	534	437	365	381	441	465	419	410	248	68	13	11
WHITE------MALE----	330	266	213	217	253	259	212	176	79	15	3	10
FEMALE--	134	115	96	127	143	164	179	203	155	47	9	1
ALL OTHER--MALE----	49	44	38	26	24	30	11	12	7	2	-	-
FEMALE--	21	12	18	11	21	12	17	19	7	4	1	-
BLACK---MALE----	46	35	32	22	24	26	10	12	7	2	-	-
FEMALE--	14	10	17	9	19	11	14	16	7	4	1	-
UTAH ----------	62	40	44	29	43	44	45	38	23	7	3	1
WHITE------MALE----	45	27	29	17	27	21	20	11	7	5	2	1
FEMALE--	17	12	13	12	14	22	23	25	15	2	1	-
ALL OTHER--MALE----	-	1	2	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	16	9	10	11	16	20	18	22	13	6	1	-
WHITE------MALE----	11	8	3	7	8	14	11	11	5	2	1	-
FEMALE--	5	1	7	4	8	6	7	11	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	199	169	136	131	148	207	166	177	120	33	7	2
WHITE------MALE----	119	85	82	64	75	95	79	68	32	6	-	1
FEMALE--	46	43	31	28	40	73	69	82	75	25	6	-
ALL OTHER--MALE----	25	30	14	26	21	21	6	10	8	-	-	-
FEMALE--	9	11	9	13	12	18	12	17	5	2	1	1
BLACK---MALE----	23	26	13	26	18	21	5	10	7	-	-	-
FEMALE--	7	7	7	13	12	18	12	15	5	2	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
WASHINGTON ----------	3,055	12	35	29	46	208	238	205	235	279	323	278
WHITE------MALE----	1,888	1	18	12	34	130	153	143	160	186	214	177
FEMALE--	815	8	13	12	7	36	37	28	48	59	76	67
ALL OTHER--MALE----	263	1	2	3	4	35	36	25	23	25	24	25
FEMALE--	89	2	2	2	1	7	12	9	4	9	9	9
BLACK---MALE----	119	1	1	2	2	9	24	10	10	9	13	14
FEMALE--	32	1	1	2	-	2	4	2	1	3	6	6
WEST VIRGINIA ----------	1,185	5	8	7	20	92	100	72	62	92	109	88
WHITE------MALE----	776	1	2	3	9	65	83	52	45	69	74	63
FEMALE--	361	4	6	4	10	25	12	17	15	21	30	19
ALL OTHER--MALE----	28	-	-	-	-	2	2	3	1	1	3	4
FEMALE--	20	-	-	-	1	-	3	-	1	1	2	2
BLACK---MALE----	28	-	-	-	-	2	2	3	1	1	3	4
FEMALE--	19	-	-	-	1	-	2	-	1	1	2	2
WISCONSIN ----------	2,861	36	42	30	45	202	235	166	173	207	191	186
WHITE------MALE----	1,671	17	18	17	17	116	156	105	111	133	127	118
FEMALE--	891	11	13	6	16	48	34	28	38	42	34	51
ALL OTHER--MALE----	218	6	6	4	11	29	33	26	17	24	18	13
FEMALE--	81	2	5	3	1	9	12	7	7	8	12	4
BLACK---MALE----	171	6	4	3	6	21	29	18	13	22	15	12
FEMALE--	47	1	4	2	1	3	5	5	4	6	6	3
WYOMING ----------	383	2	1	8	9	39	34	16	25	30	30	27
WHITE------MALE----	244	1	-	2	8	27	28	10	16	21	11	20
FEMALE--	116	1	1	4	1	9	5	4	7	6	17	7
ALL OTHER--MALE----	18	-	-	1	-	3	1	1	2	2	2	-
FEMALE--	5	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
WASHINGTON ----------	196	121	101	93	113	129	152	153	75	24	9	1
WHITE------MALE----	112	76	60	61	75	74	98	71	22	6	4	1
FEMALE--	60	34	30	27	31	47	45	78	49	18	5	-
ALL OTHER--MALE----	19	7	8	4	5	3	8	2	4	-	-	-
FEMALE--	5	4	3	1	2	5	1	2	-	-	-	-
BLACK---MALE----	13	5	1	2	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
WEST VIRGINIA ----------	75	37	47	52	64	70	66	64	39	16	-	-
WHITE------MALE----	58	28	35	33	37	39	25	33	15	7	-	-
FEMALE--	14	7	10	18	23	28	38	29	23	8	-	-
ALL OTHER--MALE----	2	2	2	1	1	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	3	2	2	-	1	1	-	-
BLACK---MALE----	2	2	2	1	1	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	3	2	2	-	1	1	-	-
WISCONSIN ----------	136	117	83	99	118	148	228	219	148	44	8	-
WHITE------MALE----	95	78	57	61	66	91	125	100	55	6	2	-
FEMALE--	28	33	23	34	44	55	100	119	91	37	6	-
ALL OTHER--MALE----	12	3	2	4	6	1	2	-	-	1	-	-
FEMALE--	1	3	1	-	2	1	1	-	2	-	-	-
BLACK---MALE----	7	2	2	4	5	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	-	1	-	-	-
WYOMING ----------	32	19	11	16	17	8	22	18	12	6	-	1
WHITE------MALE----	18	11	7	11	14	3	15	10	8	2	-	1
FEMALE--	11	6	3	3	3	5	7	8	4	4	-	-
ALL OTHER--MALE----	3	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3439

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
UNITED STATES -	97,860	845	1,898	1,459	1,632	6,688	6,968	5,881	6,009	7,366	7,865	6,696
WHITE------MALE----	52,898	333	811	611	823	3,862	4,465	3,741	3,701	4,477	4,811	4,002
FEMALE--	29,347	229	563	400	436	1,785	1,252	1,049	1,170	1,574	1,638	1,367
ALL OTHER--MALE----	10,637	161	316	286	254	762	951	814	841	934	1,026	994
FEMALE--	4,978	122	208	162	119	279	300	277	297	381	390	333
BLACK---MALE----	8,773	141	266	258	214	574	727	658	677	769	891	877
FEMALE--	3,955	111	175	138	97	200	218	197	233	312	313	276
ALABAMA ----------	2,313	23	50	45	46	191	175	160	151	153	171	138
WHITE------MALE----	1,039	8	12	9	21	91	94	81	68	69	88	62
FEMALE--	651	4	13	9	12	53	30	35	39	41	38	25
ALL OTHER--MALE----	411	8	14	12	9	29	40	31	32	33	34	34
FEMALE--	212	3	11	15	4	18	11	13	12	10	11	17
BLACK---MALE----	405	8	14	12	9	29	39	31	31	33	34	33
FEMALE--	206	3	10	15	4	16	11	13	11	10	10	17
ALASKA ----------	294	-	6	5	2	19	19	31	36	41	23	21
WHITE------MALE----	144	-	1	-	1	6	11	14	15	25	12	12
FEMALE--	35	-	-	1	1	3	3	3	4	4	3	3
ALL OTHER--MALE----	80	-	3	3	-	8	4	12	12	8	3	4
FEMALE--	35	-	2	1	-	2	1	2	5	4	5	2
BLACK---MALE----	6	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ARIZONA ----------	2,214	26	49	20	33	122	170	140	141	200	215	177
WHITE------MALE----	1,242	13	20	9	16	65	99	84	83	126	141	118
FEMALE--	606	8	12	5	7	27	33	23	30	35	42	28
ALL OTHER--MALE----	250	3	13	4	5	24	29	19	22	28	22	24
FEMALE--	116	2	4	2	5	6	9	14	6	11	10	7
BLACK---MALE----	46	1	2	2	1	4	4	5	3	7	3	4
FEMALE--	19	-	1	-	-	2	1	1	1	2	3	-
ARKANSAS ----------	1,287	17	31	24	34	101	93	76	79	87	90	83
WHITE------MALE----	707	8	14	14	19	64	57	49	51	49	57	52
FEMALE--	365	3	8	7	8	22	19	9	17	24	16	10
ALL OTHER--MALE----	159	5	6	3	6	10	13	13	9	11	14	18
FEMALE--	56	1	3	-	1	5	4	5	2	3	3	3
BLACK---MALE----	155	5	6	3	6	9	11	13	9	11	14	17
FEMALE--	54	1	3	-	1	4	4	5	2	3	3	3
CALIFORNIA ----------	9,198	67	220	116	143	538	676	592	662	833	949	845
WHITE------MALE----	5,438	34	124	53	83	311	465	400	452	554	623	538
FEMALE--	2,390	17	58	35	30	131	112	108	118	170	191	178
ALL OTHER--MALE----	876	12	18	16	14	66	74	61	69	68	84	86
FEMALE--	494	4	20	12	16	30	25	23	23	41	51	43
BLACK---MALE----	486	6	11	8	5	24	33	33	41	42	55	66
FEMALE--	246	4	14	5	8	12	13	13	14	23	33	27

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3439

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
UNITED STATES -	4,943	3,944	3,341	3,692	4,516	5,772	6,510	6,138	3,954	1,380	257	106
WHITE------MALE----	2,917	2,248	1,852	1,975	2,292	2,740	3,018	2,443	1,292	351	54	79
FEMALE--	1,082	1,000	862	1,155	1,605	2,403	2,969	3,253	2,424	941	180	10
ALL OTHER--MALE----	689	505	410	361	364	356	258	204	105	25	6	15
FEMALE--	255	191	217	201	255	273	265	238	133	63	17	2
BLACK---MALE----	594	422	333	300	300	285	203	163	80	22	5	14
FEMALE--	192	147	164	159	192	221	227	188	120	59	14	2
ALABAMA ----------	135	92	89	101	112	141	130	113	67	27	3	-
WHITE------MALE----	65	56	46	57	48	57	44	32	25	6	-	-
FEMALE--	25	15	15	27	38	59	58	64	31	17	3	-
ALL OTHER--MALE----	33	15	16	12	15	17	10	13	4	-	-	-
FEMALE--	12	6	12	5	11	8	18	4	7	4	-	-
BLACK---MALE----	32	15	16	11	15	16	10	13	4	-	-	-
FEMALE--	12	6	11	5	11	8	18	4	7	4	-	-
ALASKA ----------	19	17	10	11	13	9	5	4	-	3	-	-
WHITE------MALE----	12	10	5	2	8	3	3	2	-	2	-	-
FEMALE--	1	1	-	2	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	4	5	3	6	3	2	-	-	-	-	-	-
FEMALE--	2	1	2	1	1	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	122	87	70	74	84	126	114	118	77	23	7	19
WHITE------MALE----	82	46	36	39	45	50	57	55	31	9	1	17
FEMALE--	20	29	18	25	32	62	49	55	44	14	6	2
ALL OTHER--MALE----	13	8	10	7	5	7	2	5	-	-	-	-
FEMALE--	7	4	6	3	2	7	6	3	2	-	-	-
BLACK---MALE----	3	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	2	1	1	1	-	1	-	2	-	-	-	-
ARKANSAS ----------	60	48	50	57	66	65	79	74	52	19	2	-
WHITE------MALE----	39	32	23	30	31	31	36	32	15	3	1	-
FEMALE--	13	7	18	22	24	27	32	34	31	13	1	-
ALL OTHER--MALE----	6	6	7	2	8	3	9	5	3	2	-	-
FEMALE--	2	3	2	3	3	4	2	3	3	1	-	-
BLACK---MALE----	6	6	7	2	8	3	9	5	3	2	-	-
FEMALE--	2	2	2	3	3	4	2	3	3	1	-	-
CALIFORNIA ----------	565	408	336	314	355	427	426	400	216	66	18	26
WHITE------MALE----	351	231	197	167	165	210	194	165	74	20	5	22
FEMALE--	117	101	73	99	125	168	189	188	128	42	11	1
ALL OTHER--MALE----	64	53	42	35	31	29	22	20	7	2	-	3
FEMALE--	33	23	24	13	34	20	21	27	7	2	2	-
BLACK---MALE----	49	32	22	18	12	10	8	4	3	2	-	2
FEMALE--	15	13	12	2	7	8	9	8	3	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3440

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
COLORADO ----------	1,519	5	24	23	26	107	101	96	97	111	134	114
WHITE------MALE----	888	2	16	15	14	59	68	68	57	70	98	71
FEMALE--	541	2	5	7	11	38	28	24	31	32	24	35
ALL OTHER--MALE----	61	-	1	-	-	8	5	4	8	5	8	6
FEMALE--	29	1	2	1	1	2	-	-	1	4	4	2
BLACK---MALE----	41	-	1	-	-	4	3	3	3	3	7	6
FEMALE--	19	1	2	1	-	2	-	-	-	4	1	2
CONNECTICUT ----------	1,034	3	6	10	11	47	80	54	71	94	81	72
WHITE------MALE----	581	3	5	4	6	36	55	40	43	64	49	48
FEMALE--	340	-	-	5	5	9	15	4	12	18	20	11
ALL OTHER--MALE----	78	-	-	-	-	2	10	8	10	8	12	6
FEMALE--	35	-	1	1	-	-	-	2	6	4	-	7
BLACK---MALE----	73	-	-	-	-	2	9	8	10	7	11	6
FEMALE--	30	-	1	1	-	-	-	2	6	4	-	6
DELAWARE ----------	267	-	8	4	6	16	14	13	13	24	18	24
WHITE------MALE----	134	-	3	1	1	9	9	11	11	13	13	14
FEMALE--	87	-	2	2	2	5	4	1	1	4	2	7
ALL OTHER--MALE----	34	-	2	-	1	1	1	1	1	6	2	2
FEMALE--	12	-	1	1	2	1	-	-	-	1	1	1
BLACK---MALE----	32	-	1	-	1	1	1	1	1	6	2	2
FEMALE--	12	-	1	1	2	1	-	-	-	1	1	1
DISTRICT OF COLUMBIA ---	161	-	1	2	1	5	4	6	6	15	17	16
WHITE------MALE----	17	-	-	-	1	1	-	2	2	2	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	107	-	-	2	-	3	4	4	4	11	15	15
FEMALE--	30	-	1	-	-	1	-	-	-	2	-	1
BLACK---MALE----	107	-	-	2	-	3	4	4	4	11	15	15
FEMALE--	29	-	1	-	-	1	-	-	-	2	-	1
FLORIDA ----------	5,961	52	143	72	101	364	388	372	364	455	475	424
WHITE------MALE----	3,288	10	47	31	49	181	240	261	220	272	315	269
FEMALE--	1,757	21	48	16	27	102	61	62	77	113	96	81
ALL OTHER--MALE----	653	13	33	17	19	63	66	39	51	52	45	53
FEMALE--	263	8	15	8	6	18	21	10	16	18	19	21
BLACK---MALE----	623	13	33	16	17	60	60	39	48	46	45	49
FEMALE--	244	8	14	8	6	17	18	9	15	17	17	16
GEORGIA ----------	3,078	33	68	65	68	239	217	188	186	228	245	223
WHITE------MALE----	1,411	10	23	24	30	125	128	104	86	110	125	109
FEMALE--	821	7	18	11	9	49	38	33	40	47	50	40
ALL OTHER--MALE----	572	8	18	19	23	47	42	37	40	53	57	58
FEMALE--	274	8	9	11	6	18	9	14	20	18	13	16
BLACK---MALE----	546	6	17	19	23	43	38	32	38	51	56	58
FEMALE--	267	7	8	11	6	18	7	13	20	18	13	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3440

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
COLORADO ----------	83	61	50	42	66	81	105	95	63	29	5	1
WHITE------MALE----	58	41	31	31	36	35	44	38	24	10	1	1
FEMALE--	20	17	17	8	24	42	60	55	38	19	4	-
ALL OTHER--MALE----	3	1	2	1	2	4	1	1	1	-	-	-
FEMALE--	2	2	-	2	4	-	-	1	-	-	-	-
BLACK---MALE----	3	1	-	1	2	3	-	-	1	-	-	-
FEMALE--	1	-	-	2	2	-	-	1	-	-	-	-
CONNECTICUT ----------	40	28	35	26	46	69	86	87	59	25	4	-
WHITE------MALE----	20	20	22	10	31	34	32	34	15	10	-	-
FEMALE--	9	5	8	10	14	29	54	51	42	15	4	-
ALL OTHER--MALE----	8	2	3	5	-	2	-	1	1	-	-	-
FEMALE--	3	1	2	1	1	4	-	1	1	-	-	-
BLACK---MALE----	6	2	3	5	-	2	-	1	1	-	-	-
FEMALE--	3	1	2	-	-	2	-	1	1	-	-	-
DELAWARE ----------	13	13	4	4	13	23	20	19	13	4	1	-
WHITE------MALE----	6	4	4	2	7	8	7	6	5	-	-	-
FEMALE--	2	4	-	-	5	10	12	12	7	4	1	-
ALL OTHER--MALE----	5	5	-	1	1	4	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	5	5	-	1	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	13	10	9	8	14	8	8	10	4	3	-	1
WHITE------MALE----	-	-	1	1	-	5	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	2	-	1
ALL OTHER--MALE----	11	9	6	6	6	2	4	3	2	-	-	-
FEMALE--	2	1	2	1	8	1	3	5	1	1	-	-
BLACK---MALE----	11	9	6	6	6	2	4	3	2	-	-	-
FEMALE--	2	1	1	1	8	1	3	5	1	1	-	-
FLORIDA ----------	331	253	203	211	293	347	453	351	213	64	13	19
WHITE------MALE----	195	139	122	124	138	180	215	173	74	20	3	10
FEMALE--	81	64	41	66	119	136	205	158	132	39	8	4
ALL OTHER--MALE----	38	40	28	14	26	16	20	10	3	1	2	4
FEMALE--	17	10	12	7	10	15	13	10	4	4	-	1
BLACK---MALE----	36	39	27	14	25	16	20	10	3	1	2	4
FEMALE--	16	10	11	7	10	13	13	10	4	4	-	1
GEORGIA ----------	170	137	111	109	144	167	185	145	101	37	9	3
WHITE------MALE----	72	62	55	48	68	62	74	56	32	5	1	2
FEMALE--	36	38	27	28	41	74	79	70	58	22	6	-
ALL OTHER--MALE----	45	28	15	17	19	15	15	9	5	1	-	1
FEMALE--	17	9	14	16	16	16	17	10	6	9	2	-
BLACK---MALE----	44	26	14	17	19	14	15	9	5	1	-	1
FEMALE--	17	9	14	16	15	16	17	10	6	9	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3441

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
HAWAII ----------	293	6	5	-	3	12	19	22	14	25	20	19
WHITE------MALE----	66	-	1	-	1	-	5	6	3	10	6	9
FEMALE--	28	-	-	-	-	1	1	2	1	1	4	1
ALL OTHER--MALE----	135	4	3	-	2	8	9	11	10	11	8	8
FEMALE--	64	2	1	-	-	3	4	3	-	3	2	1
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
IDAHO ----------	597	4	14	12	19	60	44	36	28	37	31	33
WHITE------MALE----	372	2	9	5	12	41	32	25	19	25	22	23
FEMALE--	207	2	5	6	7	16	7	9	7	12	9	7
ALL OTHER--MALE----	13	-	-	1	-	3	3	1	1	-	-	3
FEMALE--	5	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	3	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4,125	40	83	41	50	250	305	277	270	321	361	327
WHITE------MALE----	2,150	13	29	6	19	149	207	170	142	190	180	167
FEMALE--	1,112	7	23	16	11	71	43	44	47	52	70	58
ALL OTHER--MALE----	587	10	15	11	12	26	43	47	55	51	81	79
FEMALE--	276	10	16	8	8	4	12	16	26	28	30	23
BLACK---MALE----	554	10	15	11	11	21	41	45	52	49	78	79
FEMALE--	252	9	14	8	8	3	12	11	24	27	30	22
INDIANA ----------	2,309	42	61	41	27	180	150	139	145	146	155	128
WHITE------MALE----	1,302	17	30	14	12	108	98	97	97	99	101	84
FEMALE--	801	8	17	17	14	60	45	31	33	36	37	30
ALL OTHER--MALE----	133	12	11	6	-	11	5	10	11	7	12	7
FEMALE--	73	5	3	4	1	1	2	1	4	4	5	7
BLACK---MALE----	128	12	11	6	-	11	5	9	8	7	12	7
FEMALE--	70	5	3	4	1	1	2	1	4	3	5	7
IOWA ----------	1,123	5	16	18	15	84	71	55	56	68	55	60
WHITE------MALE----	645	2	12	7	8	51	46	40	34	53	38	44
FEMALE--	446	2	4	9	7	31	20	11	17	15	14	13
ALL OTHER--MALE----	22	1	-	-	-	2	4	3	3	-	2	2
FEMALE--	10	-	-	2	-	-	1	1	2	-	1	1
BLACK---MALE----	13	1	-	-	-	2	1	2	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
KANSAS ----------	1,126	10	22	14	25	87	80	58	57	75	64	78
WHITE------MALE----	654	7	12	9	13	53	50	36	39	53	33	52
FEMALE--	394	3	7	3	11	23	20	13	15	19	23	18
ALL OTHER--MALE----	56	-	2	1	1	9	7	7	2	3	6	5
FEMALE--	22	-	1	1	-	2	3	2	1	-	2	3
BLACK---MALE----	42	-	2	1	1	9	5	5	2	3	2	3
FEMALE--	15	-	1	1	-	2	3	1	1	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3441

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
HAWAII ----------	20	13	5	12	14	21	20	22	16	5	-	-
WHITE------MALE----	8	4	1	2	1	2	4	2	1	-	-	-
FEMALE--	2	1	-	3	-	3	-	3	2	3	-	-
ALL OTHER--MALE----	8	5	3	3	6	9	8	8	9	2	-	-
FEMALE--	2	3	1	4	7	7	8	9	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	22	31	20	28	20	27	45	46	31	7	1	1
WHITE------MALE----	13	25	15	17	13	12	23	23	12	3	-	1
FEMALE--	9	5	5	10	7	15	22	23	19	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	198	154	143	156	180	230	277	259	144	50	9	-
WHITE------MALE----	114	76	70	85	90	116	151	113	48	15	-	-
FEMALE--	29	48	40	42	67	83	101	133	87	33	7	-
ALL OTHER--MALE----	36	22	23	18	14	19	14	4	4	1	2	-
FEMALE--	19	8	10	11	9	12	11	9	5	1	-	-
BLACK---MALE----	34	22	21	16	12	16	12	4	2	1	2	-
FEMALE--	16	6	8	11	8	11	11	7	5	1	-	-
INDIANA ----------	103	89	69	89	116	151	163	164	107	37	7	-
WHITE------MALE----	61	58	45	52	66	74	77	61	39	11	1	-
FEMALE--	31	23	19	25	40	65	82	92	66	24	6	-
ALL OTHER--MALE----	8	6	3	5	8	8	1	1	1	-	-	-
FEMALE--	3	2	2	7	2	4	3	10	1	2	-	-
BLACK---MALE----	8	6	3	5	7	8	1	1	1	-	-	-
FEMALE--	2	2	2	7	2	4	3	9	1	2	-	-
IOWA ----------	45	45	41	43	48	76	96	112	73	31	10	-
WHITE------MALE----	33	27	25	30	27	41	57	45	15	7	3	-
FEMALE--	10	18	13	13	20	34	39	67	58	24	7	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	41	44	39	35	61	66	95	78	66	28	3	-
WHITE------MALE----	29	32	30	18	38	30	56	31	26	7	-	-
FEMALE--	10	8	7	14	23	34	37	47	37	19	3	-
ALL OTHER--MALE----	2	2	1	2	-	2	2	-	1	1	-	-
FEMALE--	-	2	1	1	-	-	-	-	2	1	-	-
BLACK---MALE----	-	2	1	2	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3442

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
KENTUCKY ----------	1,730	18	26	27	30	132	115	120	116	144	119	114
WHITE------MALE----	1,076	9	13	11	17	91	88	87	92	110	84	74
FEMALE--	553	8	7	9	12	35	21	24	21	28	28	30
ALL OTHER--MALE----	65	-	5	4	1	3	4	5	3	4	5	9
FEMALE--	36	1	1	3	-	3	2	4	-	2	2	1
BLACK---MALE----	64	-	5	4	1	3	4	5	3	4	4	9
FEMALE--	33	1	1	3	-	2	2	4	-	2	2	-
LOUISIANA ----------	1,940	24	46	36	56	176	174	118	128	160	178	111
WHITE------MALE----	878	4	13	9	23	86	91	81	66	78	82	51
FEMALE--	444	3	8	5	7	35	21	11	18	28	33	18
ALL OTHER--MALE----	436	7	16	15	17	43	42	22	33	40	52	36
FEMALE--	182	10	9	7	9	12	20	4	11	14	11	6
BLACK---MALE----	426	7	16	15	17	43	40	20	31	39	51	35
FEMALE--	176	10	9	7	9	11	19	4	10	14	11	6
MAINE ----------	458	2	3	4	9	44	34	17	30	30	29	22
WHITE------MALE----	308	1	2	4	6	29	23	12	23	23	26	18
FEMALE--	149	1	1	-	2	15	11	5	7	7	3	4
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1,296	11	22	21	23	106	99	67	71	77	90	81
WHITE------MALE----	583	6	8	7	10	49	64	30	35	34	48	42
FEMALE--	354	1	3	1	9	31	13	11	12	20	9	14
ALL OTHER--MALE----	242	1	7	6	4	21	16	23	17	15	24	17
FEMALE--	117	3	4	7	-	5	6	3	7	8	9	8
BLACK---MALE----	221	1	6	6	4	20	16	23	16	14	22	17
FEMALE--	109	3	4	7	-	5	5	3	7	8	9	6
MASSACHUSETTS ----------	1,303	6	13	9	14	75	67	62	62	78	85	50
WHITE------MALE----	736	2	6	5	7	45	41	42	45	61	63	41
FEMALE--	489	2	5	2	5	21	13	14	11	12	20	8
ALL OTHER--MALE----	60	1	1	1	2	9	10	4	5	5	2	1
FEMALE--	18	1	1	1	-	-	3	2	1	-	-	-
BLACK---MALE----	47	1	-	1	2	9	7	1	5	5	2	1
FEMALE--	12	1	-	1	-	-	2	-	1	-	-	-
MICHIGAN ----------	3,188	35	83	56	57	198	234	184	189	205	269	210
WHITE------MALE----	1,672	12	33	20	29	122	154	111	120	121	155	118
FEMALE--	956	10	21	13	14	49	46	36	36	43	53	39
ALL OTHER--MALE----	352	8	15	15	11	17	23	26	20	28	41	35
FEMALE--	208	5	14	8	3	10	11	11	13	13	20	18
BLACK---MALE----	318	8	15	15	11	13	20	23	18	24	36	34
FEMALE--	187	5	14	8	3	7	7	9	13	12	17	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3442

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
KENTUCKY ----------	85	75	56	80	75	95	84	115	77	23	3	1
WHITE------MALE----	59	45	34	49	40	56	33	47	29	7	-	1
FEMALE--	21	24	17	29	31	36	48	62	44	15	3	-
ALL OTHER--MALE----	3	4	3	2	2	2	1	3	2	-	-	-
FEMALE--	2	2	2	-	2	1	2	3	2	1	-	-
BLACK---MALE----	3	4	3	2	2	2	1	3	2	-	-	-
FEMALE--	2	2	1	-	2	1	2	3	2	1	-	-
LOUISIANA ----------	79	81	64	78	81	110	89	74	57	20	-	-
WHITE------MALE----	36	43	25	39	25	41	36	27	15	7	-	-
FEMALE--	14	18	17	21	28	41	45	31	34	8	-	-
ALL OTHER--MALE----	26	14	12	13	16	17	4	8	2	1	-	-
FEMALE--	3	6	10	5	12	11	4	8	6	4	-	-
BLACK---MALE----	26	14	11	13	16	17	4	8	2	1	-	-
FEMALE--	1	6	10	5	12	10	4	8	6	4	-	-
MAINE ----------	16	19	20	20	26	32	31	37	26	3	4	-
WHITE------MALE----	12	12	14	14	18	19	17	20	14	1	-	-
FEMALE--	4	7	6	6	8	13	14	17	12	2	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	69	47	41	53	80	96	91	71	61	11	6	2
WHITE------MALE----	34	23	20	21	41	34	36	19	18	4	-	-
FEMALE--	12	8	11	15	26	41	34	36	35	6	6	-
ALL OTHER--MALE----	18	11	4	8	9	17	9	7	5	1	-	2
FEMALE--	5	5	6	9	4	4	12	9	3	-	-	-
BLACK---MALE----	17	9	4	7	6	13	6	7	4	1	-	2
FEMALE--	4	4	6	6	4	4	12	9	3	-	-	-
MASSACHUSETTS ----------	44	51	47	57	77	109	113	128	94	53	9	-
WHITE------MALE----	31	43	29	34	40	60	58	44	26	13	-	-
FEMALE--	9	7	12	18	35	48	54	77	67	40	9	-
ALL OTHER--MALE----	3	1	5	4	1	-	-	4	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	3	-	-	-	-
BLACK---MALE----	3	-	3	4	-	-	-	3	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	2	-	-	-	-
MICHIGAN ----------	173	127	116	126	152	201	200	206	120	37	10	-
WHITE------MALE----	92	66	57	71	65	100	96	82	38	8	2	-
FEMALE--	43	37	29	40	64	77	88	114	70	27	7	-
ALL OTHER--MALE----	27	17	19	6	17	12	4	5	5	-	1	-
FEMALE--	11	7	11	9	6	12	12	5	7	2	-	-
BLACK---MALE----	24	14	18	6	14	10	4	5	5	-	1	-
FEMALE--	10	7	8	9	5	12	12	4	7	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
MINNESOTA ----------	1,772	18	22	31	22	110	84	65	84	95	105	76
WHITE------MALE----	945	9	13	15	17	63	40	43	59	57	70	47
FEMALE--	712	4	7	11	2	41	27	13	13	27	26	21
ALL OTHER--MALE----	83	4	1	5	3	5	12	8	6	8	7	7
FEMALE--	32	1	1	-	-	1	5	1	6	3	2	1
BLACK---MALE----	40	3	-	2	1	-	6	3	1	3	7	5
FEMALE--	12	-	1	-	-	-	3	-	2	2	-	-
MISSISSIPPI ----------	1,642	14	42	36	46	130	142	128	97	119	123	101
WHITE------MALE----	696	6	12	14	17	57	56	54	47	54	57	49
FEMALE--	339	1	10	8	11	26	21	19	13	15	12	15
ALL OTHER--MALE----	412	3	11	9	14	33	47	40	26	32	43	26
FEMALE--	195	4	9	5	4	14	18	15	11	18	11	11
BLACK---MALE----	406	3	11	9	14	33	45	40	25	31	42	26
FEMALE--	189	4	9	5	4	14	17	14	10	17	11	11
MISSOURI ----------	2,465	20	35	28	43	208	136	133	131	172	184	138
WHITE------MALE----	1,350	9	16	14	23	138	92	90	79	102	113	88
FEMALE--	847	3	10	9	13	54	25	24	31	47	48	31
ALL OTHER--MALE----	192	3	6	5	5	12	15	15	17	15	19	14
FEMALE--	76	5	3	-	2	4	4	4	4	8	4	5
BLACK---MALE----	180	3	6	5	5	12	15	11	15	13	17	14
FEMALE--	70	5	3	-	2	3	4	3	3	7	4	5
MONTANA ----------	461	5	6	7	7	48	36	22	21	29	32	33
WHITE------MALE----	256	1	2	2	5	22	18	15	10	19	20	22
FEMALE--	137	4	3	2	1	17	8	2	4	5	5	5
ALL OTHER--MALE----	50	-	1	2	1	8	7	3	6	2	3	6
FEMALE--	18	-	-	1	-	1	3	2	1	3	4	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	668	3	9	12	11	57	44	37	31	39	39	38
WHITE------MALE----	394	1	6	8	6	39	33	25	23	28	29	26
FEMALE--	249	1	2	4	5	17	9	10	6	9	6	11
ALL OTHER--MALE----	15	1	1	-	-	1	1	1	1	2	3	1
FEMALE--	10	-	-	-	-	-	1	1	1	-	1	-
BLACK---MALE----	8	1	-	-	-	1	-	1	-	1	2	1
FEMALE--	5	-	-	-	-	-	1	1	-	-	1	-
NEVADA ----------	710	10	21	10	8	41	45	47	50	68	82	52
WHITE------MALE----	435	5	10	5	3	26	30	34	34	45	46	29
FEMALE--	210	4	8	5	4	10	9	11	11	15	24	19
ALL OTHER--MALE----	39	-	2	-	1	4	2	1	5	3	5	3
FEMALE--	26	1	1	-	-	1	4	1	-	5	7	1
BLACK---MALE----	24	-	1	-	1	3	1	1	3	2	5	2
FEMALE--	9	1	-	-	-	-	1	-	-	1	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
MINNESOTA ----------	78	50	49	74	88	118	158	206	164	59	16	-
WHITE------MALE----	51	31	34	36	53	58	85	86	59	13	6	-
FEMALE--	19	15	15	33	32	58	70	118	104	46	10	-
ALL OTHER--MALE----	5	3	-	4	-	2	1	2	-	-	-	-
FEMALE--	3	1	-	1	3	-	2	-	1	-	-	-
BLACK---MALE----	2	2	-	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
MISSISSIPPI ----------	80	77	64	69	73	86	74	73	53	14	1	-
WHITE------MALE----	34	46	30	28	34	41	33	17	9	1	-	-
FEMALE--	12	13	10	15	19	28	23	30	28	10	-	-
ALL OTHER--MALE----	29	12	18	16	15	9	9	13	7	-	-	-
FEMALE--	5	6	6	10	5	8	9	13	9	3	1	-
BLACK---MALE----	28	12	18	16	15	9	9	13	7	-	-	-
FEMALE--	5	6	5	10	4	8	9	13	9	3	1	-
MISSOURI ----------	117	98	69	95	122	166	196	209	121	42	2	-
WHITE------MALE----	70	51	50	49	66	86	83	83	34	13	1	-
FEMALE--	25	34	14	35	46	70	103	113	83	28	1	-
ALL OTHER--MALE----	18	13	5	7	6	7	6	4	-	-	-	-
FEMALE--	4	-	-	4	4	3	4	9	4	1	-	-
BLACK---MALE----	18	12	5	7	5	7	6	4	-	-	-	-
FEMALE--	3	-	-	4	3	3	4	9	4	1	-	-
MONTANA ----------	21	25	20	17	17	26	23	33	16	12	4	1
WHITE------MALE----	13	14	16	12	7	14	19	13	6	4	1	1
FEMALE--	7	6	3	2	9	10	4	20	10	8	2	-
ALL OTHER--MALE----	1	5	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	27	25	18	22	36	36	60	52	48	20	4	-
WHITE------MALE----	19	17	12	11	24	20	24	21	18	4	-	-
FEMALE--	6	6	4	10	11	16	35	31	30	16	4	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	47	37	33	32	29	31	27	19	13	6	-	2
WHITE------MALE----	29	26	21	23	19	20	18	6	3	2	-	1
FEMALE--	14	9	8	7	9	10	8	12	9	4	-	-
ALL OTHER--MALE----	2	2	3	2	1	-	1	1	-	-	-	1
FEMALE--	2	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3444

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
NEW HAMPSHIRE ----------	329	1	3	2	5	22	24	19	21	23	29	13
WHITE------MALE----	217	-	1	-	5	16	14	15	17	20	22	11
FEMALE--	108	1	2	2	-	4	8	4	4	3	7	2
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEW JERSEY ----------	2,227	11	29	22	25	99	130	121	138	183	186	153
WHITE------MALE----	1,148	3	9	4	12	61	71	73	85	105	120	88
FEMALE--	687	4	4	8	6	24	20	18	21	35	32	27
ALL OTHER--MALE----	271	2	7	9	5	10	35	25	20	29	22	30
FEMALE--	121	2	9	1	2	4	4	5	12	14	12	8
BLACK---MALE----	250	2	7	9	5	9	31	21	19	27	22	30
FEMALE--	105	2	9	1	2	2	3	5	10	14	11	5
NEW MEXICO ----------	969	10	11	13	17	71	65	61	76	111	92	93
WHITE------MALE----	565	4	5	7	8	43	41	31	48	69	59	68
FEMALE--	232	3	3	1	7	8	9	13	11	24	24	8
ALL OTHER--MALE----	113	1	2	3	1	13	12	9	12	13	5	15
FEMALE--	59	2	1	2	1	7	3	8	5	5	4	2
BLACK---MALE----	12	1	-	1	-	-	2	-	1	1	-	4
FEMALE--	4	-	-	-	1	-	-	-	-	3	-	-
NEW YORK ----------	4,797	22	64	61	66	262	279	265	328	367	361	327
WHITE------MALE----	2,499	6	23	25	31	149	172	172	198	230	216	178
FEMALE--	1,400	7	19	14	17	69	48	38	46	65	64	52
ALL OTHER--MALE----	618	4	13	16	11	32	48	42	70	54	58	69
FEMALE--	280	5	9	6	7	12	11	13	14	18	23	28
BLACK---MALE----	538	4	11	15	10	24	41	36	58	48	53	64
FEMALE--	250	5	8	5	7	9	11	11	11	18	22	26
NORTH CAROLINA ---------	3,290	27	56	55	46	204	260	216	208	251	252	206
WHITE------MALE----	1,599	15	21	18	19	106	155	125	119	126	130	118
FEMALE--	883	2	18	12	11	55	40	34	35	48	48	32
ALL OTHER--MALE----	544	6	9	17	14	34	43	41	41	55	50	49
FEMALE--	264	4	8	8	2	9	22	16	13	22	24	7
BLACK---MALE----	500	6	8	16	12	30	35	41	36	48	48	47
FEMALE--	234	4	6	6	1	6	18	15	13	19	21	7
NORTH DAKOTA ----------	267	1	6	1	5	19	34	17	12	13	10	17
WHITE------MALE----	138	1	1	-	2	5	21	8	8	7	4	11
FEMALE--	90	-	1	-	3	10	5	4	1	3	3	3
ALL OTHER--MALE----	24	-	2	-	-	3	6	1	2	3	2	2
FEMALE--	15	-	2	1	-	1	2	4	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3444

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
NEW HAMPSHIRE ----------	14	10	17	15	19	20	30	22	14	4	2	-
WHITE------MALE----	13	7	9	12	14	10	16	10	5	-	-	-
FEMALE--	1	3	8	3	5	10	14	12	9	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	113	82	87	89	111	155	193	155	103	33	8	1
WHITE------MALE----	69	43	46	42	57	80	82	53	36	8	1	-
FEMALE--	26	22	24	33	36	63	100	93	62	24	5	-
ALL OTHER--MALE----	12	12	13	9	9	8	6	6	1	-	-	1
FEMALE--	6	5	4	5	9	4	5	3	4	1	2	-
BLACK---MALE----	12	9	11	8	7	7	6	6	1	-	-	1
FEMALE--	6	3	2	5	7	4	4	3	4	1	2	-
NEW MEXICO ----------	60	28	26	33	30	41	37	51	25	14	2	2
WHITE------MALE----	36	18	15	18	16	21	19	25	7	4	1	2
FEMALE--	14	5	7	7	8	15	17	21	17	10	-	-
ALL OTHER--MALE----	6	3	2	2	5	3	-	4	1	-	1	-
FEMALE--	4	2	2	6	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	281	207	168	200	223	335	340	323	217	87	12	2
WHITE------MALE----	157	109	76	102	106	160	154	129	83	17	4	2
FEMALE--	46	49	47	61	91	142	152	183	122	62	6	-
ALL OTHER--MALE----	61	32	29	26	13	15	15	4	5	1	-	-
FEMALE--	17	17	16	11	13	18	19	7	7	7	2	-
BLACK---MALE----	55	31	27	22	9	12	11	2	4	1	-	-
FEMALE--	16	16	13	7	11	17	17	5	7	6	2	-
NORTH CAROLINA ---------	149	152	105	139	190	220	201	191	119	35	3	5
WHITE------MALE----	72	76	41	60	95	97	79	78	33	10	1	5
FEMALE--	30	31	31	40	53	78	98	93	71	21	2	-
ALL OTHER--MALE----	34	32	20	22	26	23	14	10	4	-	-	-
FEMALE--	13	13	13	17	16	22	10	10	11	4	-	-
BLACK---MALE----	31	31	18	21	25	21	12	10	4	-	-	-
FEMALE--	13	12	10	15	14	19	10	10	11	4	-	-
NORTH DAKOTA ----------	14	10	7	9	15	13	24	15	17	6	2	-
WHITE------MALE----	9	6	4	5	9	8	14	4	8	2	1	-
FEMALE--	3	3	2	3	6	5	10	11	9	4	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3445

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
OHIO ----------	3,630	39	57	52	49	256	241	197	176	263	287	221
WHITE------MALE----	1,965	17	26	28	26	155	189	114	114	176	186	130
FEMALE--	1,230	12	24	12	12	77	31	45	39	60	59	47
ALL OTHER--MALE----	286	6	3	9	3	15	17	29	18	21	30	35
FEMALE--	149	4	4	3	8	9	4	9	5	6	12	9
BLACK---MALE----	273	6	2	9	3	14	15	29	18	19	28	35
FEMALE--	145	3	4	3	7	8	4	9	5	6	12	9
OKLAHOMA ----------	1,609	14	38	28	28	129	107	101	86	103	120	97
WHITE------MALE----	851	6	13	15	20	61	60	63	52	56	69	58
FEMALE--	520	3	16	9	2	43	23	23	20	24	33	24
ALL OTHER--MALE----	152	4	5	2	4	19	16	11	8	16	15	8
FEMALE--	86	1	4	2	2	6	8	4	6	7	3	7
BLACK---MALE----	62	2	2	1	-	8	3	4	4	7	4	3
FEMALE--	35	1	2	2	-	2	3	-	-	3	-	4
OREGON ----------	1,199	10	21	17	24	61	76	68	60	87	85	92
WHITE------MALE----	734	6	11	11	19	41	57	54	41	57	61	65
FEMALE--	415	4	10	6	4	18	13	9	15	25	22	23
ALL OTHER--MALE----	34	-	-	-	-	1	6	3	4	4	2	3
FEMALE--	16	-	-	-	1	1	-	2	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	4	-	-	-	1	-	-	1	-	-	-	1
PENNSYLVANIA ----------	4,614	19	66	64	57	284	312	244	241	307	359	308
WHITE------MALE----	2,545	8	26	29	30	169	217	161	153	193	228	195
FEMALE--	1,544	3	25	19	15	96	63	44	49	68	72	67
ALL OTHER--MALE----	379	3	11	11	9	15	25	27	34	35	41	37
FEMALE--	146	5	4	5	3	4	7	12	5	11	18	9
BLACK---MALE----	360	3	10	11	9	13	24	25	32	31	38	37
FEMALE--	135	5	3	4	3	3	6	8	5	11	16	9
RHODE ISLAND ----------	243	-	2	5	3	7	16	8	10	7	18	17
WHITE------MALE----	133	-	1	2	1	4	11	5	8	5	15	14
FEMALE--	99	-	1	3	2	2	2	1	1	1	3	3
ALL OTHER--MALE----	10	-	-	-	-	1	3	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA ---------	1,901	24	43	33	37	140	147	121	117	134	153	147
WHITE------MALE----	821	8	14	6	15	71	72	59	62	59	80	58
FEMALE--	455	4	7	10	5	22	22	17	13	22	28	33
ALL OTHER--MALE----	442	7	17	14	10	34	39	36	33	41	36	49
FEMALE--	183	5	5	3	7	13	14	9	9	12	9	7
BLACK---MALE----	437	7	17	14	10	34	39	36	33	40	35	49
FEMALE--	183	5	5	3	7	13	14	9	9	12	9	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3445

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
OHIO ----------	163	147	128	144	170	242	283	256	189	62	8	-
WHITE------MALE----	90	86	69	87	87	94	121	104	54	12	-	-
FEMALE--	49	39	41	44	68	120	137	137	122	48	7	-
ALL OTHER--MALE----	16	16	13	7	10	11	16	6	5	-	-	-
FEMALE--	8	6	5	6	5	17	9	9	8	2	1	-
BLACK---MALE----	14	15	13	6	10	11	15	6	5	-	-	-
FEMALE--	8	6	4	6	5	17	9	9	8	2	1	-
OKLAHOMA ----------	80	71	62	67	79	93	112	90	73	25	4	2
WHITE------MALE----	50	47	30	34	47	46	47	40	30	5	-	2
FEMALE--	21	15	20	26	24	36	53	44	41	17	3	-
ALL OTHER--MALE----	4	4	7	7	4	7	7	2	-	2	-	-
FEMALE--	5	5	5	-	4	4	5	4	2	1	1	-
BLACK---MALE----	3	2	1	2	3	6	4	1	-	2	-	-
FEMALE--	1	4	2	-	4	2	4	-	1	-	-	-
OREGON ----------	66	33	36	49	63	90	84	86	65	24	2	-
WHITE------MALE----	51	20	25	35	38	37	43	35	18	8	1	-
FEMALE--	14	11	8	13	22	48	39	48	47	16	-	-
ALL OTHER--MALE----	1	1	2	1	-	4	1	1	-	-	-	-
FEMALE--	-	1	1	-	3	1	1	2	-	-	1	-
BLACK---MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	211	163	122	162	240	306	472	379	213	71	9	5
WHITE------MALE----	130	102	60	90	132	149	229	154	67	19	2	2
FEMALE--	48	39	45	55	82	133	220	209	136	49	7	-
ALL OTHER--MALE----	29	19	9	13	17	15	12	9	3	3	-	2
FEMALE--	4	3	8	4	9	9	11	7	7	-	-	1
BLACK---MALE----	28	18	9	13	17	14	11	9	3	3	-	2
FEMALE--	4	3	8	4	9	8	11	7	7	-	-	1
RHODE ISLAND ----------	8	7	15	6	17	17	27	34	12	5	2	-
WHITE------MALE----	5	4	10	3	8	7	13	13	2	1	1	-
FEMALE--	3	3	3	3	9	10	13	21	10	4	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	95	75	61	81	81	106	124	105	49	21	6	1
WHITE------MALE----	49	31	26	32	39	43	50	24	18	5	-	-
FEMALE--	18	19	10	21	19	39	45	61	24	12	4	-
ALL OTHER--MALE----	22	18	16	21	10	13	12	10	2	1	-	1
FEMALE--	6	7	9	7	13	11	17	10	5	3	2	-
BLACK---MALE----	21	18	16	21	10	12	11	10	2	1	-	1
FEMALE--	6	7	9	7	13	11	17	10	5	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3446

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
SOUTH DAKOTA ----------	351	2	5	6	11	34	29	21	18	20	28	17
WHITE------MALE----	194	-	2	3	5	21	14	9	7	13	21	9
FEMALE--	95	-	2	3	5	7	3	3	4	2	3	5
ALL OTHER--MALE----	42	2	-	-	-	4	10	5	3	3	3	2
FEMALE--	20	-	1	-	1	2	2	4	4	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2,677	15	52	55	46	205	191	177	182	185	228	189
WHITE------MALE----	1,457	3	26	20	17	122	126	113	101	112	134	123
FEMALE--	820	4	11	10	16	58	42	38	45	46	49	41
ALL OTHER--MALE----	268	3	9	13	7	17	20	23	24	22	31	19
FEMALE--	132	5	6	12	6	8	3	3	12	5	14	6
BLACK---MALE----	261	3	8	13	7	16	19	23	23	22	30	18
FEMALE--	126	5	6	12	6	8	3	3	12	5	14	6
TEXAS ----------	7,227	76	190	151	142	592	642	485	481	633	569	471
WHITE------MALE----	4,142	32	87	78	68	368	445	328	334	397	350	282
FEMALE--	2,197	29	72	39	47	162	124	94	96	147	135	119
ALL OTHER--MALE----	602	10	19	22	21	42	62	45	40	58	65	48
FEMALE--	286	5	12	12	6	20	11	18	11	31	19	22
BLACK---MALE----	550	10	18	22	18	38	52	40	37	54	61	46
FEMALE--	252	5	11	10	4	18	9	18	8	29	15	22
UTAH ----------	650	8	20	13	14	63	77	44	39	35	48	34
WHITE------MALE----	387	5	11	10	9	41	45	32	27	23	33	23
FEMALE--	219	1	8	2	5	19	23	7	8	6	15	9
ALL OTHER--MALE----	32	1	-	-	-	1	8	4	4	5	-	2
FEMALE--	12	1	1	1	-	2	1	1	-	1	-	-
BLACK---MALE----	5	-	-	-	-	1	2	-	2	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	209	2	-	6	4	19	13	10	11	13	15	11
WHITE------MALE----	135	-	-	4	3	11	11	10	9	8	13	9
FEMALE--	72	2	-	2	1	7	1	-	2	5	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
VIRGINIA ----------	2,214	19	27	21	30	134	154	142	128	167	181	141
WHITE------MALE----	1,060	9	7	5	16	79	90	80	65	80	110	77
FEMALE--	605	2	8	6	7	24	15	21	20	34	34	19
ALL OTHER--MALE----	382	3	8	5	4	21	40	36	31	44	29	36
FEMALE--	167	5	4	5	3	10	9	5	12	9	8	9
BLACK---MALE----	367	3	7	4	4	20	39	35	30	44	28	35
FEMALE--	152	5	4	5	3	7	8	5	11	9	8	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3446

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
SOUTH DAKOTA ----------	17	12	10	10	16	26	30	23	10	4	2	-
WHITE------MALE----	11	6	7	6	12	16	15	10	5	-	2	-
FEMALE--	1	2	2	3	4	10	14	13	5	4	-	-
ALL OTHER--MALE----	3	4	1	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	126	112	104	101	113	167	168	140	74	41	4	2
WHITE------MALE----	81	59	65	53	59	79	70	53	25	13	2	1
FEMALE--	25	32	23	34	39	73	84	77	48	23	1	1
ALL OTHER--MALE----	14	16	12	8	11	5	5	5	1	3	-	-
FEMALE--	6	5	4	6	4	10	9	5	-	2	1	-
BLACK---MALE----	13	16	12	8	11	5	5	5	1	3	-	-
FEMALE--	5	4	3	5	4	9	8	5	-	2	1	-
TEXAS ----------	320	285	251	264	303	344	353	366	224	64	13	8
WHITE------MALE----	195	174	139	145	152	166	165	146	68	13	3	7
FEMALE--	85	76	71	91	113	143	164	191	144	45	9	1
ALL OTHER--MALE----	23	28	29	18	19	26	9	10	6	2	-	-
FEMALE--	17	7	12	10	19	9	15	19	6	4	1	-
BLACK---MALE----	22	23	26	14	19	23	9	10	6	2	-	-
FEMALE--	11	7	11	8	17	9	13	16	6	4	1	-
UTAH ----------	37	17	32	17	24	35	32	32	21	5	3	-
WHITE------MALE----	28	10	18	10	13	16	13	8	7	3	2	-
FEMALE--	9	6	12	7	9	18	17	22	13	2	1	-
ALL OTHER--MALE----	-	1	2	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	5	5	8	13	13	14	19	12	6	1	-
WHITE------MALE----	6	5	2	5	6	9	7	9	5	2	1	-
FEMALE--	3	-	3	3	7	4	7	10	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	106	102	81	90	105	148	141	148	111	32	6	-
WHITE------MALE----	58	46	46	36	48	55	67	53	27	6	-	-
FEMALE--	22	25	16	23	32	61	61	73	71	25	6	-
ALL OTHER--MALE----	19	20	11	21	18	16	5	7	8	-	-	-
FEMALE--	7	11	8	10	7	16	8	15	5	1	-	-
BLACK---MALE----	17	19	10	21	16	16	5	7	7	-	-	-
FEMALE--	5	7	6	10	7	16	8	13	5	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
WASHINGTON ----------	1,914	11	29	23	37	121	135	118	127	152	206	169
WHITE------MALE----	1,144	1	16	10	27	81	91	86	91	99	135	101
FEMALE--	576	8	10	10	6	20	23	17	26	35	49	46
ALL OTHER--MALE----	142	1	1	3	3	17	13	10	8	12	16	15
FEMALE--	52	1	2	-	1	3	8	5	2	6	6	7
BLACK---MALE----	61	1	-	2	1	3	8	3	3	6	8	8
FEMALE--	18	1	1	-	-	1	2	1	-	2	4	5
WEST VIRGINIA ----------	798	3	8	7	14	72	70	38	44	49	61	46
WHITE------MALE----	493	-	2	3	4	50	58	25	30	35	43	34
FEMALE--	280	3	6	4	9	22	9	11	12	14	16	9
ALL OTHER--MALE----	12	-	-	-	-	-	1	2	1	-	1	2
FEMALE--	13	-	-	-	1	-	2	-	1	-	1	1
BLACK---MALE----	12	-	-	-	-	-	1	2	1	-	1	2
FEMALE--	13	-	-	-	1	-	2	-	1	-	1	1
WISCONSIN ----------	1,955	30	35	29	31	123	124	86	108	112	113	103
WHITE------MALE----	1,107	14	17	17	12	76	89	61	70	75	77	61
FEMALE--	705	10	10	6	9	38	22	15	25	25	19	32
ALL OTHER--MALE----	98	4	5	4	10	6	6	8	8	7	10	8
FEMALE--	45	2	3	2	-	3	7	2	5	5	7	2
BLACK---MALE----	66	4	3	3	5	3	3	3	6	7	8	7
FEMALE--	22	1	2	1	-	-	1	2	3	4	2	2
WYOMING ----------	258	2	1	6	5	24	26	7	12	22	25	16
WHITE------MALE----	157	1	-	1	5	15	22	5	7	16	10	12
FEMALE--	88	1	1	4	-	8	3	1	5	3	14	4
ALL OTHER--MALE----	10	-	-	1	-	1	1	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
WASHINGTON ----------	108	70	57	55	63	89	115	127	69	23	9	1
WHITE------MALE----	62	44	33	34	35	47	70	53	17	6	4	1
FEMALE--	32	20	19	18	22	36	37	72	48	17	5	-
ALL OTHER--MALE----	14	3	5	3	4	2	7	1	4	-	-	-
FEMALE--	-	3	-	-	2	4	1	1	-	-	-	-
BLACK---MALE----	12	2	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WEST VIRGINIA ----------	44	26	28	31	43	53	57	54	36	14	-	-
WHITE------MALE----	34	20	19	16	24	31	18	26	15	6	-	-
FEMALE--	10	4	9	14	17	20	36	27	21	7	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	1	-	-
BLACK---MALE----	-	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	1	-	-
WISCONSIN ----------	84	73	52	72	85	113	203	190	140	41	8	-
WHITE------MALE----	60	47	38	42	42	69	103	79	52	4	2	-
FEMALE--	15	23	12	27	38	43	97	111	86	36	6	-
ALL OTHER--MALE----	9	2	1	3	3	1	2	-	-	1	-	-
FEMALE--	-	1	1	-	2	-	1	-	2	-	-	-
BLACK---MALE----	5	1	1	3	2	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
WYOMING ----------	22	15	6	7	12	6	17	12	9	5	-	1
WHITE------MALE----	13	8	4	6	9	1	10	4	5	2	-	1
FEMALE--	6	5	2	1	3	5	7	8	4	3	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3448

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
UNITED STATES -	46,423	189	712	897	1,078	5,452	5,237	3,922	3,512	3,869	3,684	3,121
WHITE------MALE----	26,385	80	273	390	546	3,047	3,269	2,401	2,076	2,232	2,196	1,837
FEMALE--	12,382	57	224	274	332	1,614	1,023	770	779	908	863	726
ALL OTHER--MALE----	5,257	21	127	142	128	546	696	551	483	509	439	397
FEMALE--	2,399	31	88	91	72	245	249	200	174	220	186	161
BLACK---MALE----	4,162	18	101	127	105	405	521	443	385	412	366	331
FEMALE--	1,739	26	76	75	57	175	183	135	126	175	132	118
ALABAMA ----------	1,214	6	16	30	29	163	136	107	93	95	84	79
WHITE------MALE----	566	3	3	4	12	81	70	54	42	35	42	33
FEMALE--	323	2	5	7	10	49	27	25	25	30	17	16
ALL OTHER--MALE----	216	1	4	8	5	16	30	21	16	22	18	19
FEMALE--	109	-	4	11	2	17	9	7	10	8	7	11
BLACK---MALE----	213	1	4	8	5	16	29	21	16	22	18	18
FEMALE--	105	-	4	11	2	15	9	7	9	8	6	11
ALASKA ----------	129	-	3	2	1	11	9	17	11	19	7	10
WHITE------MALE----	70	-	1	-	1	3	7	8	5	14	5	7
FEMALE--	16	-	-	1	-	3	2	2	2	-	1	2
ALL OTHER--MALE----	34	-	1	1	-	5	-	6	3	4	-	1
FEMALE--	9	-	1	-	-	-	-	1	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA ----------	1,040	8	22	15	24	99	122	82	79	95	90	82
WHITE------MALE----	561	5	7	7	12	49	64	47	45	50	53	45
FEMALE--	256	3	5	4	3	22	27	16	16	20	17	19
ALL OTHER--MALE----	156	-	8	4	5	22	23	9	14	17	13	14
FEMALE--	67	-	2	-	4	6	8	10	4	8	7	4
BLACK---MALE----	23	-	2	2	1	4	2	2	3	1	1	3
FEMALE--	7	-	1	-	-	2	-	-	-	2	1	-
ARKANSAS ----------	727	4	17	15	25	89	71	58	61	57	60	62
WHITE------MALE----	415	-	6	7	14	55	44	36	40	29	35	38
FEMALE--	190	1	4	6	7	22	17	8	15	19	11	8
ALL OTHER--MALE----	94	2	4	2	4	9	7	10	6	7	12	14
FEMALE--	28	1	3	-	-	3	3	4	-	2	2	2
BLACK---MALE----	91	2	4	2	4	8	6	10	6	7	12	13
FEMALE--	26	1	3	-	-	2	3	4	-	2	2	2
CALIFORNIA ----------	4,099	18	92	81	100	420	479	368	325	330	338	285
WHITE------MALE----	2,434	10	49	37	55	240	317	240	200	209	224	172
FEMALE--	972	3	25	26	22	109	79	70	70	67	63	66
ALL OTHER--MALE----	430	3	8	10	11	44	60	43	41	37	31	27
FEMALE--	263	2	10	8	12	27	23	15	14	17	20	20
BLACK---MALE----	208	2	5	4	5	17	25	23	23	22	16	15
FEMALE--	106	2	8	3	6	11	13	8	7	8	6	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3448

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
UNITED STATES -	2,524	2,131	1,681	1,727	1,852	1,902	1,566	964	311	50	5	37
WHITE------MALE----	1,494	1,230	931	950	946	977	796	503	163	20	2	26
FEMALE--	608	572	481	547	691	739	642	385	118	25	2	2
ALL OTHER--MALE----	288	224	176	141	125	112	74	48	16	5	1	8
FEMALE--	134	105	93	89	90	74	54	28	14	-	-	1
BLACK---MALE----	236	173	134	105	93	85	56	41	11	5	1	8
FEMALE--	87	73	56	58	62	53	42	18	11	-	-	1
ALABAMA ----------	74	53	47	44	50	52	29	19	5	2	1	-
WHITE------MALE----	34	35	22	25	27	21	15	5	1	2	-	-
FEMALE--	14	4	12	14	18	24	9	10	4	-	1	-
ALL OTHER--MALE----	20	10	10	3	1	6	2	4	-	-	-	-
FEMALE--	6	4	3	2	4	1	3	-	-	-	-	-
BLACK---MALE----	20	10	10	3	1	5	2	4	-	-	-	-
FEMALE--	6	4	3	2	4	1	3	-	-	-	-	-
ALASKA ----------	7	12	6	5	7	2	-	-	-	-	-	-
WHITE------MALE----	4	7	3	-	4	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	2	3	3	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	56	54	35	44	38	36	25	21	5	2	-	6
WHITE------MALE----	36	28	21	25	18	13	14	12	3	1	-	6
FEMALE--	11	16	8	14	16	18	9	9	2	1	-	-
ALL OTHER--MALE----	5	7	4	3	4	3	1	-	-	-	-	-
FEMALE--	4	3	2	2	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	38	26	30	25	29	25	12	16	6	1	-	-
WHITE------MALE----	24	17	14	13	12	12	7	9	3	-	-	-
FEMALE--	8	6	11	11	13	13	3	5	1	1	-	-
ALL OTHER--MALE----	5	1	4	-	2	-	2	1	2	-	-	-
FEMALE--	1	2	1	1	2	-	-	1	-	-	-	-
BLACK---MALE----	5	1	4	-	2	-	2	1	2	-	-	-
FEMALE--	1	1	1	1	2	-	-	1	-	-	-	-
CALIFORNIA ----------	229	180	169	153	167	145	111	74	22	3	1	9
WHITE------MALE----	151	100	101	76	79	68	49	41	6	2	1	7
FEMALE--	39	46	32	54	55	61	47	24	12	1	-	1
ALL OTHER--MALE----	21	20	21	16	15	9	9	3	-	-	-	1
FEMALE--	18	14	15	7	18	7	6	6	4	-	-	-
BLACK---MALE----	14	10	9	5	7	1	4	-	-	-	-	1
FEMALE--	4	7	4	-	3	2	3	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3449

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
COLORADO ----------	692	3	5	17	20	87	80	64	52	54	66	41
WHITE------MALE----	421	2	2	13	10	47	50	40	31	32	49	23
FEMALE--	226	1	2	3	10	32	26	20	15	17	12	16
ALL OTHER--MALE----	30	-	1	-	-	7	4	4	5	2	3	2
FEMALE--	15	-	-	1	-	1	-	-	1	3	2	-
BLACK---MALE----	18	-	1	-	-	4	2	3	2	1	2	2
FEMALE--	8	-	-	1	-	1	-	-	-	3	-	-
CONNECTICUT ----------	352	-	3	5	8	33	55	23	30	28	23	22
WHITE------MALE----	214	-	2	1	5	22	37	14	21	21	13	12
FEMALE--	102	-	-	4	3	9	11	3	8	5	8	7
ALL OTHER--MALE----	28	-	-	-	-	2	7	5	-	2	2	-
FEMALE--	8	-	1	-	-	-	-	1	1	-	-	3
BLACK---MALE----	25	-	-	-	-	2	6	5	-	2	1	-
FEMALE--	6	-	1	-	-	-	-	1	1	-	-	2
DELAWARE ----------	106	-	2	3	3	12	10	7	7	12	7	10
WHITE------MALE----	66	-	-	1	1	7	6	6	5	8	4	5
FEMALE--	23	-	1	1	-	4	3	-	1	1	1	5
ALL OTHER--MALE----	13	-	1	-	1	-	1	1	1	2	2	-
FEMALE--	4	-	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	1	-	1	1	1	2	2	-
FEMALE--	4	-	-	1	1	1	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	43	-	1	2	1	4	4	3	3	5	6	2
WHITE------MALE----	4	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	34	-	-	2	-	2	4	2	2	4	5	2
FEMALE--	4	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	34	-	-	2	-	2	4	2	2	4	5	2
FEMALE--	4	-	1	-	-	1	-	-	-	1	-	-
FLORIDA ----------	3,212	11	41	48	77	311	294	249	240	268	251	228
WHITE------MALE----	1,823	2	10	24	36	150	178	167	145	159	166	137
FEMALE--	849	6	17	8	24	91	51	43	54	63	49	44
ALL OTHER--MALE----	390	1	8	10	12	53	46	31	30	35	25	35
FEMALE--	150	2	6	6	5	17	19	8	11	11	11	12
BLACK---MALE----	367	1	8	10	11	50	40	31	28	30	25	33
FEMALE--	134	2	5	6	5	16	17	7	10	10	10	7
GEORGIA ----------	1,635	9	35	45	41	196	163	137	136	141	140	122
WHITE------MALE----	788	1	9	17	19	102	93	74	58	64	72	56
FEMALE--	397	3	7	9	7	45	34	25	33	34	27	25
ALL OTHER--MALE----	304	2	13	12	10	31	28	28	27	32	32	29
FEMALE--	146	3	6	7	5	18	8	10	18	11	9	12
BLACK---MALE----	288	2	12	12	10	29	25	24	25	31	32	29
FEMALE--	140	2	6	7	5	18	6	9	18	11	9	11

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
COLORADO ----------	42	36	22	17	28	18	18	16	4	1	-	1
WHITE------MALE----	27	26	11	15	15	9	8	8	1	1	-	1
FEMALE--	12	9	11	1	10	9	10	7	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
CONNECTICUT ----------	16	15	14	13	14	23	16	9	1	1	-	-
WHITE------MALE----	10	11	10	4	9	11	5	4	1	1	-	-
FEMALE--	2	4	2	5	5	10	11	5	-	-	-	-
ALL OTHER--MALE----	4	-	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	6	4	3	2	5	7	3	3	-	-	-	-
WHITE------MALE----	4	2	3	2	2	5	2	3	-	-	-	-
FEMALE--	1	1	-	-	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	2	1	1	2	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	201	160	126	114	151	159	155	90	24	7	1	6
WHITE------MALE----	113	93	75	67	77	82	72	50	15	2	-	3
FEMALE--	54	39	32	37	55	64	72	34	8	4	-	-
ALL OTHER--MALE----	26	23	12	7	14	7	6	4	1	1	1	2
FEMALE--	8	5	7	3	5	6	5	2	-	-	-	1
BLACK---MALE----	24	23	11	7	13	7	6	4	1	1	1	2
FEMALE--	8	5	6	3	5	4	5	2	-	-	-	1
GEORGIA ----------	102	75	58	56	52	55	43	20	7	1	-	1
WHITE------MALE----	45	37	31	28	26	23	17	11	4	1	-	-
FEMALE--	24	21	15	17	19	24	18	8	2	-	-	-
ALL OTHER--MALE----	23	13	6	4	3	3	6	1	-	-	-	1
FEMALE--	10	4	6	7	4	5	2	-	1	-	-	-
BLACK---MALE----	23	11	5	4	3	3	6	1	-	-	-	1
FEMALE--	10	4	6	7	3	5	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
HAWAII ----------	115	1	3	-	-	11	13	11	7	14	5	6
WHITE------MALE----	26	-	-	-	-	-	2	4	2	6	-	-
FEMALE--	11	-	-	-	-	1	-	1	1	-	-	1
ALL OTHER--MALE----	53	-	2	-	-	7	8	5	4	7	3	4
FEMALE--	25	1	1	-	-	3	3	1	-	1	2	1
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	323	3	6	7	12	47	33	32	18	25	18	11
WHITE------MALE----	207	2	2	4	5	30	23	21	10	18	11	8
FEMALE--	105	1	4	3	7	16	6	9	6	7	7	2
ALL OTHER--MALE----	7	-	-	-	-	1	2	1	1	-	-	1
FEMALE--	4	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,755	6	27	22	27	202	216	173	131	138	139	120
WHITE------MALE----	1,002	3	10	6	10	117	144	106	72	82	75	67
FEMALE--	463	-	9	10	10	62	34	34	30	31	37	28
ALL OTHER--MALE----	197	1	1	4	3	20	30	22	24	15	19	17
FEMALE--	93	2	7	2	4	3	8	11	5	10	8	8
BLACK---MALE----	182	1	1	4	3	16	29	21	22	14	19	17
FEMALE--	74	2	6	2	4	2	8	6	3	9	8	7
INDIANA ----------	1,137	5	17	21	21	153	119	98	100	92	84	80
WHITE------MALE----	706	4	9	8	10	92	73	68	62	65	58	53
FEMALE--	357	-	4	11	11	57	42	23	24	22	20	21
ALL OTHER--MALE----	49	-	4	-	-	4	2	6	10	2	4	3
FEMALE--	25	1	-	2	-	-	2	1	4	3	2	3
BLACK---MALE----	46	-	4	-	-	4	2	5	8	2	4	3
FEMALE--	23	1	-	2	-	-	2	1	4	2	2	3
IOWA ----------	563	2	5	14	13	74	56	39	41	48	33	43
WHITE------MALE----	354	-	4	6	8	42	36	29	25	38	22	31
FEMALE--	189	2	1	6	5	31	15	8	12	10	10	10
ALL OTHER--MALE----	13	-	-	-	-	1	4	2	2	-	1	1
FEMALE--	7	-	-	2	-	-	1	-	2	-	-	1
BLACK---MALE----	5	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS ----------	608	3	12	8	20	80	66	46	42	49	44	44
WHITE------MALE----	367	2	5	4	10	47	41	29	27	30	23	29
FEMALE--	192	1	4	2	10	23	18	10	14	16	15	11
ALL OTHER--MALE----	37	-	2	1	-	8	5	5	-	3	6	3
FEMALE--	12	-	1	1	-	2	2	2	1	-	-	1
BLACK---MALE----	26	-	2	1	-	8	3	3	-	3	2	1
FEMALE--	8	-	1	1	-	2	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
HAWAII ----------	9	7	1	5	2	4	5	5	6	-	-	-
WHITE------MALE----	5	3	-	1	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	2	1	-	-	-
ALL OTHER--MALE----	2	2	1	1	2	-	1	1	3	-	-	-
FEMALE--	1	2	-	2	-	2	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	22	13	14	11	9	14	12	2	-	-	-
WHITE------MALE----	8	18	9	10	8	4	6	8	2	-	-	-
FEMALE--	6	3	4	4	3	5	8	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	86	74	63	67	78	77	72	27	10	-	-	-
WHITE------MALE----	52	40	34	38	39	45	43	13	6	-	-	-
FEMALE--	17	24	20	20	35	22	24	13	3	-	-	-
ALL OTHER--MALE----	8	5	8	6	1	7	4	1	1	-	-	-
FEMALE--	9	5	1	3	3	3	1	-	-	-	-	-
BLACK---MALE----	7	5	7	5	1	6	3	1	-	-	-	-
FEMALE--	6	3	-	3	2	2	1	-	-	-	-	-
INDIANA ----------	61	55	26	40	38	58	35	23	9	2	-	-
WHITE------MALE----	37	39	17	23	20	29	21	11	7	-	-	-
FEMALE--	20	13	8	10	15	26	14	12	2	2	-	-
ALL OTHER--MALE----	3	3	1	3	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	-	-	-	-	-	-
BLACK---MALE----	3	3	1	3	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	1	-	-	-	-	-	-
IOWA ----------	22	29	28	23	22	20	31	16	3	1	-	-
WHITE------MALE----	16	15	14	16	13	10	18	10	1	-	-	-
FEMALE--	5	14	12	7	9	10	13	6	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	24	27	19	17	23	25	40	12	7	-	-	-
WHITE------MALE----	14	20	15	7	16	13	25	8	2	-	-	-
FEMALE--	9	6	3	8	7	11	15	4	5	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
KENTUCKY ----------	863	3	6	16	23	107	92	81	74	75	59	60
WHITE------MALE----	589	1	4	8	13	72	72	58	57	52	40	36
FEMALE--	230	1	1	6	9	32	15	19	16	18	16	20
ALL OTHER--MALE----	29	-	1	1	1	-	4	2	1	3	2	4
FEMALE--	15	1	-	1	-	3	1	2	-	2	1	-
BLACK---MALE----	28	-	1	1	1	-	4	2	1	3	1	4
FEMALE--	13	1	-	1	-	2	1	2	-	2	1	-
LOUISIANA ----------	1,064	4	24	22	23	135	148	75	95	106	94	58
WHITE------MALE----	502	-	6	6	11	64	75	51	47	46	48	28
FEMALE--	230	1	4	3	4	31	20	8	15	21	19	9
ALL OTHER--MALE----	242	2	9	10	4	32	34	13	26	29	22	20
FEMALE--	90	1	5	3	4	8	19	3	7	10	5	1
BLACK---MALE----	235	2	9	10	4	32	32	13	24	29	21	19
FEMALE--	85	1	5	3	4	7	18	3	6	10	5	1
MAINE ----------	214	-	1	1	6	39	23	11	25	11	12	14
WHITE------MALE----	149	-	1	1	3	24	15	8	19	10	10	10
FEMALE--	64	-	-	-	2	15	8	3	6	1	2	4
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	673	2	6	10	13	91	87	53	46	51	56	42
WHITE------MALE----	322	1	1	4	2	42	55	25	25	16	28	24
FEMALE--	167	-	3	-	7	28	12	9	7	18	8	10
ALL OTHER--MALE----	129	-	1	4	4	16	15	17	9	12	14	5
FEMALE--	55	1	1	2	-	5	5	2	5	5	6	3
BLACK---MALE----	119	-	1	4	4	15	15	17	9	11	14	5
FEMALE--	50	1	1	2	-	5	4	2	5	5	6	2
MASSACHUSETTS ----------	487	1	4	2	9	65	54	42	38	41	40	27
WHITE------MALE----	319	-	3	-	6	38	34	25	29	31	29	21
FEMALE--	131	1	1	1	3	20	10	12	8	6	11	5
ALL OTHER--MALE----	31	-	-	1	-	7	7	3	1	4	-	1
FEMALE--	6	-	-	-	-	-	3	2	-	-	-	-
BLACK---MALE----	25	-	-	1	-	7	5	1	1	4	-	1
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
MICHIGAN ----------	1,517	4	29	30	36	158	173	128	113	118	143	101
WHITE------MALE----	837	1	9	9	20	94	114	73	67	71	82	60
FEMALE--	408	3	5	9	9	44	35	24	24	23	30	24
ALL OTHER--MALE----	175	-	7	7	5	11	16	22	13	16	22	11
FEMALE--	97	-	8	5	2	9	8	9	9	8	9	6
BLACK---MALE----	157	-	7	7	5	10	13	19	13	14	19	11
FEMALE--	85	-	8	5	2	7	5	7	9	8	8	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
KENTUCKY ----------	57	34	30	45	31	33	18	10	7	1	-	1
WHITE------MALE----	43	22	18	28	19	23	11	6	4	1	-	1
FEMALE--	10	10	9	15	11	9	7	4	2	-	-	-
ALL OTHER--MALE----	2	1	2	2	1	1	-	-	1	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	2	1	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	36	45	34	35	42	41	24	14	8	1	-	-
WHITE------MALE----	19	24	13	17	14	14	9	5	5	-	-	-
FEMALE--	6	11	10	10	18	17	13	7	2	1	-	-
ALL OTHER--MALE----	8	6	5	7	6	5	2	2	-	-	-	-
FEMALE--	3	4	6	1	4	5	-	-	1	-	-	-
BLACK---MALE----	8	6	4	7	6	5	2	2	-	-	-	-
FEMALE--	1	4	6	1	4	5	-	-	1	-	-	-
MAINE ----------	11	12	10	5	10	9	7	5	1	-	1	-
WHITE------MALE----	8	7	7	5	7	6	4	4	-	-	-	-
FEMALE--	3	5	3	-	3	3	3	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	41	27	20	27	23	34	26	12	4	1	-	1
WHITE------MALE----	22	16	6	11	13	15	10	2	4	-	-	-
FEMALE--	7	1	9	7	7	14	11	8	-	1	-	-
ALL OTHER--MALE----	9	7	-	5	3	4	2	1	-	-	-	1
FEMALE--	3	3	5	4	-	1	3	1	-	-	-	-
BLACK---MALE----	8	6	-	4	1	2	1	1	-	-	-	1
FEMALE--	2	2	5	3	-	1	3	1	-	-	-	-
MASSACHUSETTS ----------	21	22	16	22	16	30	21	14	2	-	-	-
WHITE------MALE----	14	17	11	14	9	19	13	5	1	-	-	-
FEMALE--	5	5	5	5	6	11	8	7	1	-	-	-
ALL OTHER--MALE----	1	-	-	3	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	3	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	93	68	55	52	59	65	46	31	14	1	-	-
WHITE------MALE----	53	35	25	27	23	31	19	14	10	-	-	-
FEMALE--	25	21	17	21	26	26	23	17	1	1	-	-
ALL OTHER--MALE----	9	8	10	1	7	6	2	-	2	-	-	-
FEMALE--	6	4	3	3	3	2	2	-	1	-	-	-
BLACK---MALE----	7	6	10	1	6	5	2	-	2	-	-	-
FEMALE--	5	4	1	3	3	2	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
MINNESOTA ----------	707	2	6	18	14	93	57	55	59	56	58	36
WHITE------MALE----	414	2	4	10	11	49	25	35	44	30	34	24
FEMALE--	239	-	2	7	2	39	20	13	7	20	19	9
ALL OTHER--MALE----	37	-	-	1	1	4	8	6	4	4	3	2
FEMALE--	17	-	-	-	-	1	4	1	4	2	2	1
BLACK---MALE----	11	-	-	-	-	-	3	2	-	1	3	-
FEMALE--	4	-	-	-	-	-	3	-	-	1	-	-
MISSISSIPPI ----------	1,011	5	19	24	26	110	123	102	78	85	79	68
WHITE------MALE----	446	1	3	11	13	45	49	44	37	38	35	34
FEMALE--	182	-	6	6	5	26	18	16	11	11	8	12
ALL OTHER--MALE----	268	1	6	5	7	25	41	30	21	21	26	15
FEMALE--	115	3	4	2	1	14	15	12	9	15	10	7
BLACK---MALE----	262	1	6	5	7	25	39	30	20	20	25	15
FEMALE--	111	3	4	2	1	14	15	11	8	14	10	7
MISSOURI ----------	1,152	4	13	22	29	167	105	81	73	101	91	79
WHITE------MALE----	689	2	7	10	18	108	71	53	41	60	55	46
FEMALE--	356	1	4	8	9	49	23	15	20	30	31	22
ALL OTHER--MALE----	77	-	2	4	1	7	7	9	9	7	3	7
FEMALE--	30	1	-	-	1	3	4	4	3	4	2	4
BLACK---MALE----	72	-	2	4	1	7	7	6	9	5	3	7
FEMALE--	25	1	-	-	1	2	4	3	2	3	2	4
MONTANA ----------	240	1	1	5	2	39	27	18	13	20	22	23
WHITE------MALE----	125	1	1	1	1	14	13	11	6	12	12	14
FEMALE--	63	-	-	2	-	16	6	2	4	5	3	4
ALL OTHER--MALE----	37	-	-	1	1	8	5	3	3	-	3	5
FEMALE--	15	-	-	1	-	1	3	2	-	3	4	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	311	-	3	8	6	47	30	27	18	26	24	25
WHITE------MALE----	205	-	2	5	1	31	20	18	12	20	19	16
FEMALE--	96	-	-	3	5	15	9	8	5	5	4	9
ALL OTHER--MALE----	6	-	1	-	-	1	-	1	-	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NEVADA ----------	356	1	4	4	7	30	33	23	27	40	40	19
WHITE------MALE----	217	-	1	1	3	17	21	15	17	26	20	9
FEMALE--	99	1	1	3	3	9	6	6	7	9	14	7
ALL OTHER--MALE----	25	-	1	-	1	3	2	1	3	2	3	2
FEMALE--	15	-	1	-	-	1	4	1	-	3	3	1
BLACK---MALE----	14	-	-	-	1	2	1	1	2	1	3	2
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
MINNESOTA ----------	39	31	26	31	29	33	31	26	5	2	-	-
WHITE------MALE----	26	17	16	15	21	17	17	13	3	1	-	-
FEMALE--	12	12	10	14	7	16	14	13	2	1	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	50	55	30	42	34	37	20	16	6	2	-	-
WHITE------MALE----	19	30	12	19	12	22	13	7	1	1	-	-
FEMALE--	9	11	5	8	13	9	2	2	3	1	-	-
ALL OTHER--MALE----	18	9	9	10	9	4	4	6	1	-	-	-
FEMALE--	4	5	4	5	-	2	1	1	1	-	-	-
BLACK---MALE----	17	9	9	10	9	4	4	6	1	-	-	-
FEMALE--	4	5	3	5	-	2	1	1	1	-	-	-
MISSOURI ----------	72	67	32	40	48	42	46	29	10	1	-	-
WHITE------MALE----	41	36	23	22	29	27	17	16	7	-	-	-
FEMALE--	20	24	7	17	18	14	28	12	3	1	-	-
ALL OTHER--MALE----	9	7	2	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	9	7	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
MONTANA ----------	13	13	9	8	4	7	10	3	2	-	-	-
WHITE------MALE----	7	6	7	5	-	4	8	2	-	-	-	-
FEMALE--	5	3	1	1	3	3	2	1	2	-	-	-
ALL OTHER--MALE----	1	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	15	16	11	12	13	16	7	6	1	-	-	-
WHITE------MALE----	8	12	6	6	11	10	4	3	1	-	-	-
FEMALE--	6	4	4	5	2	6	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	25	19	22	19	15	15	8	4	1	-	-	-
WHITE------MALE----	16	14	16	11	11	11	5	3	-	-	-	-
FEMALE--	8	4	4	6	4	4	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
NEW HAMPSHIRE ----------	147	-	-	2	2	18	16	15	10	14	11	7
WHITE------MALE----	101	-	-	-	2	12	9	11	9	12	8	6
FEMALE--	43	-	-	2	-	4	6	4	1	2	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEW JERSEY ----------	809	1	8	16	19	73	90	59	51	63	50	41
WHITE------MALE----	442	-	3	3	11	42	46	30	30	30	34	26
FEMALE--	215	1	-	7	3	22	16	11	9	16	11	6
ALL OTHER--MALE----	106	-	1	5	3	8	25	15	8	11	2	5
FEMALE--	46	-	4	1	2	1	3	3	4	6	3	4
BLACK---MALE----	95	-	1	5	3	8	23	14	8	9	2	5
FEMALE--	35	-	4	1	2	-	2	3	2	6	3	1
NEW MEXICO ----------	430	2	8	8	14	55	39	34	40	43	35	36
WHITE------MALE----	225	1	4	4	6	31	20	12	19	24	17	24
FEMALE--	96	-	2	1	6	8	8	8	9	9	11	5
ALL OTHER--MALE----	66	-	2	2	1	10	8	8	7	7	4	5
FEMALE--	43	1	-	1	1	6	3	6	5	3	3	2
BLACK---MALE----	3	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
NEW YORK ----------	1,905	3	21	32	43	210	206	165	149	138	118	100
WHITE------MALE----	1,052	1	5	14	21	123	124	103	89	82	70	62
FEMALE--	526	1	10	6	14	57	40	26	28	32	33	20
ALL OTHER--MALE----	232	-	3	9	6	19	34	28	28	19	11	11
FEMALE--	95	1	3	3	2	11	8	8	4	5	4	7
BLACK---MALE----	194	-	3	9	6	14	30	24	19	16	10	9
FEMALE--	74	1	3	2	2	8	8	7	2	5	3	5
NORTH CAROLINA ---------	1,684	7	20	35	30	178	208	166	136	149	131	108
WHITE------MALE----	877	5	9	14	14	92	122	96	74	67	60	65
FEMALE--	383	-	7	9	11	51	34	28	26	33	25	15
ALL OTHER--MALE----	285	1	1	6	5	27	35	29	26	34	31	23
FEMALE--	139	1	3	6	-	8	17	13	10	15	15	5
BLACK---MALE----	252	1	1	6	3	23	29	29	23	28	29	22
FEMALE--	118	1	3	5	-	5	14	12	10	13	12	5
NORTH DAKOTA ----------	147	1	2	1	2	18	28	15	9	6	9	12
WHITE------MALE----	71	1	-	-	-	4	18	6	5	1	3	7
FEMALE--	46	-	-	-	2	10	5	4	1	3	3	3
ALL OTHER--MALE----	17	-	1	-	-	3	4	1	2	2	2	1
FEMALE--	13	-	1	1	-	1	1	4	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
NEW HAMPSHIRE ----------	8	7	7	8	8	6	7	-	1	-	-	-
WHITE------MALE----	7	4	3	7	5	3	3	-	-	-	-	-
FEMALE--	1	3	4	1	3	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	45	45	46	37	41	49	45	21	8	1	-	-
WHITE------MALE----	25	23	28	16	26	27	25	11	6	-	-	-
FEMALE--	14	12	12	13	12	18	19	10	2	1	-	-
ALL OTHER--MALE----	4	6	4	4	1	3	1	-	-	-	-	-
FEMALE--	2	4	2	4	2	1	-	-	-	-	-	-
BLACK---MALE----	4	4	2	3	1	2	1	-	-	-	-	-
FEMALE--	2	2	1	4	1	1	-	-	-	-	-	-
NEW MEXICO ----------	28	15	10	18	14	14	9	7	1	-	-	-
WHITE------MALE----	14	11	5	10	5	6	8	3	1	-	-	-
FEMALE--	7	2	2	3	4	6	1	4	-	-	-	-
ALL OTHER--MALE----	4	1	2	1	4	-	-	-	-	-	-	-
FEMALE--	3	1	1	4	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	89	89	73	91	101	113	82	58	22	1	-	1
WHITE------MALE----	52	43	31	46	50	60	36	25	14	-	-	1
FEMALE--	15	29	25	30	42	44	37	29	7	1	-	-
ALL OTHER--MALE----	18	12	10	8	5	5	4	1	1	-	-	-
FEMALE--	4	5	7	7	4	4	5	3	-	-	-	-
BLACK---MALE----	15	12	10	5	3	3	4	1	1	-	-	-
FEMALE--	4	5	4	3	3	4	3	2	-	-	-	-
NORTH CAROLINA ---------	83	90	47	67	71	71	40	38	6	1	-	2
WHITE------MALE----	43	47	19	35	33	36	19	22	3	-	-	2
FEMALE--	18	20	17	17	23	17	18	11	2	1	-	-
ALL OTHER--MALE----	14	16	6	8	7	11	2	3	-	-	-	-
FEMALE--	8	7	5	7	8	7	1	2	1	-	-	-
BLACK---MALE----	11	15	5	7	7	9	1	3	-	-	-	-
FEMALE--	8	6	3	5	6	6	1	2	1	-	-	-
NORTH DAKOTA ----------	6	7	3	5	10	4	4	2	3	-	-	-
WHITE------MALE----	4	4	2	2	5	2	3	2	2	-	-	-
FEMALE--	1	3	-	2	5	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3454

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
OHIO ----------	1,573	3	17	24	32	210	190	135	112	142	128	87
WHITE------MALE----	971	2	11	15	16	125	147	78	73	93	87	58
FEMALE--	451	-	6	6	7	70	29	33	24	40	27	21
ALL OTHER--MALE----	97	-	-	2	2	9	11	19	14	5	9	5
FEMALE--	54	1	-	1	7	6	3	5	1	4	5	3
BLACK---MALE----	91	-	-	2	2	8	9	19	14	5	9	5
FEMALE--	51	-	-	1	6	5	3	5	1	4	5	3
OKLAHOMA ----------	806	7	15	17	21	102	80	70	47	59	59	56
WHITE------MALE----	444	2	6	9	16	48	40	41	27	31	33	34
FEMALE--	234	2	7	4	2	38	19	18	11	17	19	14
ALL OTHER--MALE----	82	3	1	2	2	12	13	8	6	7	5	4
FEMALE--	46	-	1	2	1	4	8	3	3	4	2	4
BLACK---MALE----	28	1	-	1	-	3	1	3	3	4	1	2
FEMALE--	17	-	1	2	-	1	3	-	-	2	-	2
OREGON ----------	492	3	6	7	14	46	56	36	21	46	38	50
WHITE------MALE----	312	2	3	3	10	26	42	27	13	30	24	35
FEMALE--	158	1	3	4	3	18	11	6	7	13	13	13
ALL OTHER--MALE----	14	-	-	-	-	1	3	2	1	2	1	2
FEMALE--	8	-	-	-	1	1	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
PENNSYLVANIA ----------	1,742	2	20	37	36	226	206	137	106	120	142	117
WHITE------MALE----	1,050	-	7	16	23	133	146	89	63	83	92	75
FEMALE--	539	1	7	17	11	83	47	26	26	23	32	33
ALL OTHER--MALE----	106	-	5	2	1	7	9	12	15	11	12	6
FEMALE--	47	1	1	2	1	3	4	10	2	3	6	3
BLACK---MALE----	96	-	4	2	1	6	8	10	13	11	10	6
FEMALE--	40	1	1	1	1	3	4	6	2	3	5	3
RHODE ISLAND ----------	102	-	1	2	2	5	12	5	9	4	10	12
WHITE------MALE----	64	-	-	-	-	2	9	3	7	3	9	9
FEMALE--	32	-	1	2	2	2	2	1	1	-	1	3
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA ---------	1,048	2	20	21	26	120	118	92	75	95	83	86
WHITE------MALE----	442	1	4	5	10	63	55	35	38	38	33	31
FEMALE--	223	-	6	8	3	20	18	16	8	15	20	20
ALL OTHER--MALE----	280	-	7	6	7	26	32	32	23	33	23	30
FEMALE--	103	1	3	2	6	11	13	9	6	9	7	5
BLACK---MALE----	276	-	7	6	7	26	32	32	23	32	22	30
FEMALE--	103	1	3	2	6	11	13	9	6	9	7	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
OHIO ----------	90	68	60	51	59	68	52	32	12	1	-	-
WHITE------MALE----	49	44	34	30	31	29	26	18	4	1	-	-
FEMALE--	34	18	22	17	24	32	23	12	6	-	-	-
ALL OTHER--MALE----	3	4	4	2	1	4	1	2	-	-	-	-
FEMALE--	4	2	-	2	3	3	2	-	2	-	-	-
BLACK---MALE----	2	3	4	1	1	4	1	2	-	-	-	-
FEMALE--	4	2	-	2	3	3	2	-	2	-	-	-
OKLAHOMA ----------	43	39	32	30	36	37	27	17	9	2	-	1
WHITE------MALE----	27	24	15	18	22	23	12	10	5	-	-	1
FEMALE--	10	6	11	10	12	13	11	6	4	-	-	-
ALL OTHER--MALE----	2	4	4	2	1	1	2	1	-	2	-	-
FEMALE--	4	5	2	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	1	1	-	2	-	-
FEMALE--	-	4	-	-	1	-	1	-	-	-	-	-
OREGON ----------	31	19	16	30	25	23	16	8	1	-	-	-
WHITE------MALE----	23	8	8	22	12	11	7	5	1	-	-	-
FEMALE--	7	10	6	8	13	11	9	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	88	74	44	61	93	86	78	49	13	4	-	3
WHITE------MALE----	52	46	18	36	50	42	40	29	8	1	-	1
FEMALE--	28	23	22	24	36	38	36	19	5	2	-	-
ALL OTHER--MALE----	7	3	3	1	3	4	1	1	-	1	-	2
FEMALE--	1	2	1	-	4	2	1	-	-	-	-	-
BLACK---MALE----	7	2	3	1	3	4	1	1	-	1	-	2
FEMALE--	1	2	1	-	4	1	1	-	-	-	-	-
RHODE ISLAND ----------	3	4	7	4	5	3	8	5	-	1	-	-
WHITE------MALE----	2	2	3	2	4	2	5	1	-	1	-	-
FEMALE--	1	2	3	2	1	1	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	53	34	43	43	42	30	36	23	4	1	-	1
WHITE------MALE----	21	16	19	17	18	16	14	5	2	1	-	-
FEMALE--	13	10	7	13	9	8	16	11	2	-	-	-
ALL OTHER--MALE----	15	6	11	9	7	5	2	5	-	-	-	1
FEMALE--	4	2	6	4	8	1	4	2	-	-	-	-
BLACK---MALE----	14	6	11	9	7	4	2	5	-	-	-	1
FEMALE--	4	2	6	4	8	1	4	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
SOUTH DAKOTA ----------	183	-	1	6	5	27	22	15	12	14	16	12
WHITE------MALE----	96	-	-	3	1	17	11	5	4	8	10	7
FEMALE--	43	-	1	3	3	5	2	3	4	2	3	3
ALL OTHER--MALE----	28	-	-	-	-	3	7	4	2	2	2	1
FEMALE--	16	-	-	-	1	2	2	3	2	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,393	2	16	30	29	167	154	131	129	111	133	102
WHITE------MALE----	833	-	6	14	11	96	104	89	71	64	75	67
FEMALE--	366	-	5	7	11	54	32	26	37	29	31	23
ALL OTHER--MALE----	130	1	3	4	4	9	15	15	11	14	18	9
FEMALE--	64	1	2	5	3	8	3	1	10	4	9	3
BLACK---MALE----	125	1	2	4	4	8	15	15	10	14	17	9
FEMALE--	60	1	2	5	3	8	3	1	10	4	9	3
TEXAS ----------	3,950	34	81	96	102	482	488	337	301	369	321	253
WHITE------MALE----	2,375	15	33	50	45	278	331	218	200	224	199	144
FEMALE--	1,097	15	34	25	39	150	107	76	66	87	84	72
ALL OTHER--MALE----	323	2	10	12	13	34	42	29	30	33	28	27
FEMALE--	155	2	4	9	5	20	8	14	5	25	10	10
BLACK---MALE----	284	2	9	12	12	30	34	25	27	30	25	26
FEMALE--	131	2	3	8	3	18	7	14	3	24	6	10
UTAH ----------	396	2	10	9	10	51	67	36	23	24	33	21
WHITE------MALE----	239	1	4	6	6	32	38	24	16	12	20	15
FEMALE--	123	1	5	2	4	16	21	7	6	6	13	4
ALL OTHER--MALE----	24	-	-	-	-	1	7	4	1	5	-	2
FEMALE--	10	-	1	1	-	2	1	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	88	-	-	4	1	14	7	8	7	8	11	5
WHITE------MALE----	65	-	-	3	1	8	7	8	6	4	9	4
FEMALE--	22	-	-	1	-	5	-	-	1	4	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA ----------	973	5	8	11	19	104	112	91	70	82	79	75
WHITE------MALE----	487	3	-	4	9	60	64	51	28	35	48	40
FEMALE--	215	-	4	5	7	22	6	14	13	22	18	13
ALL OTHER--MALE----	199	-	4	1	2	14	34	23	22	22	10	15
FEMALE--	72	2	-	1	1	8	8	3	7	3	3	7
BLACK---MALE----	189	-	4	1	2	14	34	22	21	22	9	14
FEMALE--	61	2	-	1	1	5	7	3	6	3	3	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
SOUTH DAKOTA ----------	9	8	4	5	9	9	6	1	2	-	-	-
WHITE------MALE----	5	3	3	4	7	4	2	-	2	-	-	-
FEMALE--	-	1	1	1	2	5	3	1	-	-	-	-
ALL OTHER--MALE----	2	4	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	64	57	54	44	40	56	49	20	2	2	-	1
WHITE------MALE----	45	30	38	29	21	29	31	12	1	-	-	-
FEMALE--	11	17	12	10	14	23	14	7	1	1	-	1
ALL OTHER--MALE----	5	8	3	2	5	1	1	1	-	1	-	-
FEMALE--	3	2	1	3	-	3	3	-	-	-	-	-
BLACK---MALE----	4	8	3	2	5	1	1	1	-	1	-	-
FEMALE--	2	2	-	2	-	3	2	-	-	-	-	-
TEXAS ----------	198	172	139	131	126	123	106	62	25	2	1	1
WHITE------MALE----	123	111	78	78	64	68	63	38	12	1	1	1
FEMALE--	52	49	43	41	53	43	32	18	10	1	-	-
ALL OTHER--MALE----	11	9	13	9	3	9	5	3	1	-	-	-
FEMALE--	12	3	5	3	6	3	6	3	2	-	-	-
BLACK---MALE----	10	6	11	5	3	8	5	3	1	-	-	-
FEMALE--	7	3	4	1	5	3	5	3	2	-	-	-
UTAH ----------	28	13	23	10	10	10	9	6	1	-	-	-
WHITE------MALE----	20	7	12	6	5	7	4	4	-	-	-	-
FEMALE--	8	5	9	4	3	2	4	2	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	2	3	6	3	3	-	1	-	-	-
WHITE------MALE----	5	-	1	2	2	2	2	-	1	-	-	-
FEMALE--	-	-	1	1	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	50	60	40	31	34	42	28	25	6	1	-	-
WHITE------MALE----	28	25	21	11	13	17	13	13	3	1	-	-
FEMALE--	10	16	10	9	12	15	10	8	1	-	-	-
ALL OTHER--MALE----	8	12	5	8	8	5	2	2	2	-	-	-
FEMALE--	4	7	4	3	1	5	3	2	-	-	-	-
BLACK---MALE----	6	11	5	8	6	5	2	2	1	-	-	-
FEMALE--	2	5	2	3	1	5	3	2	-	-	-	-

Transport accidents (V01-V99,Y85)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	821	2	16	14	19	85	82	70	65	71	63	66
WHITE------MALE----	497	-	9	5	15	53	51	48	47	47	36	39
FEMALE--	223	2	5	7	2	17	17	11	11	16	21	18
ALL OTHER--MALE----	73	-	1	2	2	12	10	7	6	5	6	5
FEMALE--	28	-	1	-	-	3	4	4	1	3	-	4
BLACK---MALE----	25	-	-	1	-	2	6	2	2	3	3	-
FEMALE--	7	-	1	-	-	1	2	1	-	-	-	2
WEST VIRGINIA ----------	407	2	3	5	12	66	57	27	30	32	30	19
WHITE------MALE----	277	-	2	3	4	47	48	17	16	23	19	16
FEMALE--	120	2	1	2	8	19	7	8	12	9	10	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	1	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	1	-	1	-
WISCONSIN ----------	825	5	15	17	19	100	103	64	67	62	54	48
WHITE------MALE----	529	3	6	13	9	59	74	48	44	37	39	29
FEMALE--	239	-	4	3	7	35	19	11	19	18	12	16
ALL OTHER--MALE----	36	1	3	-	3	3	4	5	3	5	-	2
FEMALE--	21	1	2	1	-	3	6	-	1	2	3	1
BLACK---MALE----	19	1	1	-	2	1	2	1	2	5	-	1
FEMALE--	4	-	1	-	-	-	1	-	-	1	-	1
WYOMING ----------	157	-	1	6	5	22	18	4	8	17	17	9
WHITE------MALE----	98	-	-	1	5	13	14	2	5	12	7	6
FEMALE--	51	-	1	4	-	8	3	1	3	3	10	3
ALL OTHER--MALE----	6	-	-	1	-	1	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
WASHINGTON ----------	49	34	30	34	26	28	33	24	7	2	-	1
WHITE------MALE----	30	19	17	20	12	15	17	12	3	1	-	1
FEMALE--	16	11	11	11	12	9	10	11	4	1	-	-
ALL OTHER--MALE----	3	1	2	3	1	1	6	-	-	-	-	-
FEMALE--	-	3	-	-	1	3	-	1	-	-	-	-
BLACK---MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	22	12	16	15	18	15	13	8	5	-	-	-
WHITE------MALE----	15	8	12	9	8	13	7	7	3	-	-	-
FEMALE--	7	3	4	6	9	2	5	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	51	37	24	25	30	33	38	23	9	1	-	-
WHITE------MALE----	37	24	20	15	14	20	23	12	3	-	-	-
FEMALE--	10	11	4	10	15	13	14	11	6	1	-	-
ALL OTHER--MALE----	4	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	18	7	5	6	7	2	3	1	-	-	-	1
WHITE------MALE----	11	4	4	5	5	-	2	1	-	-	-	1
FEMALE--	5	3	1	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3457

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
UNITED STATES -	493	1	2	8	17	35	57	46	50	74	66	44
WHITE------MALE----	334	-	1	5	12	23	40	30	38	51	50	27
FEMALE--	55	-	1	-	2	4	3	7	2	7	6	6
ALL OTHER--MALE----	89	1	-	2	3	6	14	9	8	14	8	8
FEMALE--	15	-	-	1	-	2	-	-	2	2	2	3
BLACK---MALE----	64	1	-	2	2	3	6	7	6	11	6	7
FEMALE--	12	-	-	-	-	1	-	-	1	2	2	3
ALABAMA ----------	8	-	-	-	-	1	1	1	1	-	1	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	-	-	-	-	1	-	1	1	-	1	-
WHITE------MALE----	6	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	11	1	1	-	-	1	1	-	-	-	5	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	74	-	-	-	2	4	9	11	10	7	10	6
WHITE------MALE----	49	-	-	-	2	2	7	7	6	5	7	5
FEMALE--	10	-	-	-	-	1	-	1	1	1	2	1
ALL OTHER--MALE----	12	-	-	-	-	1	2	3	2	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	2	2	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3457

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
UNITED STATES -	27	16	14	6	8	7	6	2	1	-	-	6
WHITE------MALE----	17	11	9	1	6	3	3	1	1	-	-	5
FEMALE--	4	1	2	4	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	4	4	2	1	1	1	1	1	-	-	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	1	1	-	-	1	-	-	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALABAMA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	1	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	1	4	-	2	1	1	-	-	-	-	-
WHITE------MALE----	3	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
COLORADO ----------	3	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	-	1	-	3	-	-	1	-	-	-	3
WHITE------MALE----	7	-	1	-	3	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	25	-	-	-	1	-	3	5	5	3	5	1
WHITE------MALE----	17	-	-	-	-	-	1	2	5	2	4	1
FEMALE--	4	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	14	-	-	1	-	1	3	1	1	4	2	-
WHITE------MALE----	9	-	-	1	-	1	1	-	1	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	2	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	2	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	-	-	-	1	6	5	1	2	6	4	2
WHITE------MALE----	23	-	-	-	1	5	5	1	1	4	4	1
FEMALE--	5	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	7	-	-	2	-	1	-	1	-	-	1	-
WHITE------MALE----	7	-	-	2	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	11	-	-	1	-	2	2	1	1	-	-	1
WHITE------MALE----	10	-	-	-	-	2	2	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	1	-	-	2	-	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	2	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	-	-	-	2	1	1	2	1	-	1
WHITE------MALE----	7	-	-	-	-	2	-	1	2	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10	-	-	-	2	-	2	1	-	2	-	-
WHITE------MALE----	4	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	12	-	-	-	1	2	1	-	-	-	2	1
WHITE------MALE----	10	-	-	-	1	2	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	-	-	-	1	-	1	2	-	1	3	-
WHITE------MALE----	8	-	-	-	-	-	1	2	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
MINNESOTA ----------	7	-	-	2	-	-	-	-	-	3	-	-
WHITE------MALE----	4	-	-	2	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	-	-	1	1	1	3	1	-	1
WHITE------MALE----	7	-	-	-	-	-	1	1	3	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	10	-	-	-	1	-	2	1	-	2	3	1
WHITE------MALE----	7	-	-	-	1	-	1	1	-	1	3	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MONTANA ----------	4	-	-	-	-	-	1	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	-	1	2	2	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
MINNESOTA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	12	-	-	-	-	1	1	1	-	2	1	2
WHITE------MALE----	11	-	-	-	-	1	1	-	-	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	2	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	28	-	-	-	-	3	1	2	2	6	3	5
WHITE------MALE----	21	-	-	-	-	2	1	2	2	6	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	21	-	-	-	2	-	1	5	3	5	2	-
WHITE------MALE----	12	-	-	-	1	-	-	4	2	3	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	1	-	1	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	1	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
OHIO ----------	17	-	-	-	-	-	2	-	1	5	3	2
WHITE------MALE----	14	-	-	-	-	-	2	-	1	4	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	7	-	-	-	-	-	2	1	-	2	-	-
WHITE------MALE----	4	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	-	-	-	1	-	-	-	1	1	3	2
WHITE------MALE----	5	-	-	-	1	-	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	18	-	-	-	-	3	2	1	1	2	1	4
WHITE------MALE----	9	-	-	-	-	1	-	1	1	2	1	1
FEMALE--	5	-	-	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	-	-	-	-	-	-	1	1	4	2	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
OHIO ----------	1	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	1	-	-	1	-	1	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	-	-	-	2	-	-	1	2	1	1	2
WHITE------MALE----	8	-	-	-	2	-	-	1	1	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	32	-	-	1	-	1	7	3	8	1	3	2
WHITE------MALE----	22	-	-	-	-	1	6	2	6	1	2	1
FEMALE--	4	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	-	-	-	-	1	-	-	1	3	-	1
WHITE------MALE----	4	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	1	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
WASHINGTON ----------	12	-	-	-	-	1	3	1	2	-	1	2
WHITE------MALE----	9	-	-	-	-	1	2	1	1	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	6	-	-	-	-	1	-	-	-	3	1	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
WASHINGTON ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3466

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
UNITED STATES -	42,401	184	650	802	969	5,198	4,930	3,604	3,174	3,460	3,278	2,747
WHITE------MALE----	23,763	77	253	344	479	2,899	3,060	2,175	1,863	1,961	1,918	1,583
FEMALE--	11,580	56	202	247	307	1,551	975	722	709	830	788	661
ALL OTHER--MALE----	4,789	20	113	125	114	513	655	515	440	463	393	353
FEMALE--	2,269	31	82	86	69	235	240	192	162	206	179	150
BLACK---MALE----	3,821	17	89	111	94	384	501	418	353	374	330	299
FEMALE--	1,649	26	71	73	56	169	176	129	118	164	127	109
ALABAMA ----------	1,162	6	16	30	28	160	132	102	89	90	78	75
WHITE------MALE----	533	3	3	4	12	80	67	51	40	32	37	30
FEMALE--	313	2	5	7	9	48	26	23	24	28	17	15
ALL OTHER--MALE----	207	1	4	8	5	15	30	21	15	22	17	19
FEMALE--	109	-	4	11	2	17	9	7	10	8	7	11
BLACK---MALE----	204	1	4	8	5	15	29	21	15	22	17	18
FEMALE--	105	-	4	11	2	15	9	7	9	8	6	11
ALASKA ----------	87	-	3	2	1	11	7	11	8	12	3	6
WHITE------MALE----	43	-	1	-	1	3	6	5	3	8	2	3
FEMALE--	12	-	-	1	-	3	1	1	2	-	-	2
ALL OTHER--MALE----	25	-	1	1	-	5	-	4	2	3	-	1
FEMALE--	7	-	1	-	-	-	-	1	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA ----------	945	7	18	14	21	96	115	76	69	88	82	73
WHITE------MALE----	506	5	7	7	11	48	60	42	38	45	49	41
FEMALE--	234	2	4	3	3	21	25	15	15	19	14	17
ALL OTHER--MALE----	144	-	6	4	5	21	22	9	13	17	12	11
FEMALE--	61	-	1	-	2	6	8	10	3	7	7	4
BLACK---MALE----	22	-	1	2	1	4	2	2	3	1	1	3
FEMALE--	5	-	-	-	-	2	-	-	-	1	1	-
ARKANSAS ----------	649	3	15	13	21	83	65	57	52	52	49	55
WHITE------MALE----	367	-	5	5	11	52	41	35	36	25	29	33
FEMALE--	170	1	3	6	6	21	15	8	11	18	8	8
ALL OTHER--MALE----	87	1	4	2	4	9	6	10	5	7	10	12
FEMALE--	25	1	3	-	-	1	3	4	-	2	2	2
BLACK---MALE----	84	1	4	2	4	8	5	10	5	7	10	11
FEMALE--	24	1	3	-	-	1	3	4	-	2	2	2
CALIFORNIA ----------	3,641	18	88	77	88	395	446	323	286	284	285	239
WHITE------MALE----	2,125	10	46	33	48	224	293	206	182	179	188	136
FEMALE--	886	3	24	26	20	106	77	64	58	56	53	58
ALL OTHER--MALE----	377	3	8	10	8	39	54	38	34	32	25	26
FEMALE--	253	2	10	8	12	26	22	15	12	17	19	19
BLACK---MALE----	182	2	5	4	4	15	24	20	19	17	14	14
FEMALE--	101	2	8	3	6	10	13	8	7	8	5	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3466

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
UNITED STATES -	2,225	1,885	1,485	1,565	1,711	1,772	1,471	920	291	46	4	30
WHITE------MALE----	1,284	1,051	798	841	851	907	748	480	150	19	2	20
FEMALE--	563	536	446	515	661	696	607	369	113	22	2	2
ALL OTHER--MALE----	253	199	152	128	111	105	67	44	14	5	-	7
FEMALE--	125	99	89	81	88	64	49	27	14	-	-	1
BLACK---MALE----	207	155	116	96	84	82	52	37	10	5	-	7
FEMALE--	81	69	53	54	61	46	38	17	11	-	-	1
ALABAMA ----------	68	50	44	41	46	52	29	18	5	2	1	-
WHITE------MALE----	30	33	21	22	24	21	15	5	1	2	-	-
FEMALE--	14	4	12	14	18	24	9	9	4	-	1	-
ALL OTHER--MALE----	18	9	8	3	-	6	2	4	-	-	-	-
FEMALE--	6	4	3	2	4	1	3	-	-	-	-	-
BLACK---MALE----	18	9	8	3	-	5	2	4	-	-	-	-
FEMALE--	6	4	3	2	4	1	3	-	-	-	-	-
ALASKA ----------	2	6	6	3	4	2	-	-	-	-	-	-
WHITE------MALE----	1	3	3	-	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	49	46	31	38	32	34	24	21	5	2	-	4
WHITE------MALE----	30	24	18	21	14	13	13	12	3	1	-	4
FEMALE--	10	14	7	13	15	16	9	9	2	1	-	-
ALL OTHER--MALE----	5	6	4	2	3	3	1	-	-	-	-	-
FEMALE--	4	2	2	2	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	34	23	25	18	29	21	11	16	6	1	-	-
WHITE------MALE----	22	14	9	10	12	10	6	9	3	-	-	-
FEMALE--	6	6	11	8	13	11	3	5	1	1	-	-
ALL OTHER--MALE----	5	1	4	-	2	-	2	1	2	-	-	-
FEMALE--	1	2	1	-	2	-	-	1	-	-	-	-
BLACK---MALE----	5	1	4	-	2	-	2	1	2	-	-	-
FEMALE--	1	1	1	-	2	-	-	1	-	-	-	-
CALIFORNIA ----------	194	164	135	134	151	128	103	69	22	3	1	8
WHITE------MALE----	126	89	79	61	69	58	46	37	6	2	1	6
FEMALE--	34	42	26	50	52	57	43	23	12	1	-	1
ALL OTHER--MALE----	17	19	15	16	13	7	9	3	-	-	-	1
FEMALE--	17	14	15	7	17	6	5	6	4	-	-	-
BLACK---MALE----	12	9	6	5	6	1	4	-	-	-	-	1
FEMALE--	3	7	4	-	3	2	2	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
COLORADO ----------	620	3	5	14	16	82	77	58	46	50	55	37
WHITE------MALE----	367	2	2	10	8	43	48	36	26	30	39	21
FEMALE--	208	1	2	3	8	31	25	18	14	15	11	14
ALL OTHER--MALE----	30	-	1	-	-	7	4	4	5	2	3	2
FEMALE--	15	-	-	1	-	1	-	-	1	3	2	-
BLACK---MALE----	18	-	1	-	-	4	2	3	2	1	2	2
FEMALE--	8	-	-	1	-	1	-	-	-	3	-	-
CONNECTICUT ----------	308	-	1	5	3	33	51	19	27	26	23	15
WHITE------MALE----	187	-	-	1	1	22	34	11	19	20	13	9
FEMALE--	90	-	-	4	2	9	11	2	7	4	8	4
ALL OTHER--MALE----	24	-	-	-	-	2	6	5	-	2	2	-
FEMALE--	7	-	1	-	-	-	-	1	1	-	-	2
BLACK---MALE----	22	-	-	-	-	2	6	5	-	2	1	-
FEMALE--	5	-	1	-	-	-	-	1	1	-	-	1
DELAWARE ----------	98	-	1	2	3	11	10	6	7	12	7	8
WHITE------MALE----	61	-	-	1	1	6	6	5	5	8	4	3
FEMALE--	21	-	-	1	-	4	3	-	1	1	1	5
ALL OTHER--MALE----	13	-	1	-	1	-	1	1	1	2	2	-
FEMALE--	3	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	1	-	1	1	1	2	2	-
FEMALE--	3	-	-	-	1	1	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	36	-	1	-	1	4	4	3	2	3	5	2
WHITE------MALE----	4	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	27	-	-	-	-	2	4	2	1	2	4	2
FEMALE--	4	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	27	-	-	-	-	2	4	2	1	2	4	2
FEMALE--	4	-	1	-	-	1	-	-	-	1	-	-
FLORIDA ----------	2,872	11	36	43	68	296	278	225	209	222	211	197
WHITE------MALE----	1,591	2	9	20	31	140	171	151	122	127	136	112
FEMALE--	791	6	15	7	21	87	46	40	50	56	43	39
ALL OTHER--MALE----	355	1	7	10	11	52	44	27	28	30	21	35
FEMALE--	135	2	5	6	5	17	17	7	9	9	11	11
BLACK---MALE----	333	1	7	10	10	49	38	27	26	26	21	33
FEMALE--	120	2	4	6	5	16	16	6	8	8	10	6
GEORGIA ----------	1,521	9	28	43	38	192	156	129	123	131	127	109
WHITE------MALE----	723	1	7	16	18	99	92	67	52	58	62	47
FEMALE--	376	3	4	9	5	45	33	25	28	33	25	24
ALL OTHER--MALE----	282	2	11	11	10	31	24	27	26	29	32	27
FEMALE--	140	3	6	7	5	17	7	10	17	11	8	11
BLACK---MALE----	266	2	10	11	10	29	21	23	24	28	32	27
FEMALE--	134	2	6	7	5	17	5	9	17	11	8	10

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
COLORADO ----------	36	28	21	15	23	14	18	16	4	1	-	1
WHITE------MALE----	22	19	11	13	11	7	8	8	1	1	-	1
FEMALE--	11	8	10	1	9	7	10	7	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
CONNECTICUT ----------	12	11	11	12	13	21	14	9	1	1	-	-
WHITE------MALE----	8	7	8	3	9	11	5	4	1	1	-	-
FEMALE--	2	4	2	5	4	8	9	5	-	-	-	-
ALL OTHER--MALE----	2	-	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	5	4	3	2	5	7	2	3	-	-	-	-
WHITE------MALE----	3	2	3	2	2	5	2	3	-	-	-	-
FEMALE--	1	1	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	2	1	1	2	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	173	143	110	99	137	147	145	88	22	7	-	5
WHITE------MALE----	92	81	63	55	69	77	67	48	14	2	-	2
FEMALE--	51	37	31	36	51	60	69	34	8	4	-	-
ALL OTHER--MALE----	23	21	9	6	12	6	5	4	-	1	-	2
FEMALE--	7	4	7	2	5	4	4	2	-	-	-	1
BLACK---MALE----	21	21	8	6	11	6	5	4	-	1	-	2
FEMALE--	7	4	6	2	5	2	4	2	-	-	-	1
GEORGIA ----------	92	66	52	54	50	52	42	19	7	1	-	1
WHITE------MALE----	43	31	26	26	25	21	17	10	4	1	-	-
FEMALE--	22	20	15	17	18	23	17	8	2	-	-	-
ALL OTHER--MALE----	18	11	5	4	3	3	6	1	-	-	-	1
FEMALE--	9	4	6	7	4	5	2	-	1	-	-	-
BLACK---MALE----	18	9	4	4	3	3	6	1	-	-	-	1
FEMALE--	9	4	6	7	3	5	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
HAWAII ----------	90	1	1	-	-	10	13	11	5	12	4	4
WHITE------MALE----	20	-	-	-	-	-	2	4	1	6	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	43	-	1	-	-	7	8	5	4	6	2	3
FEMALE--	20	1	-	-	-	3	3	1	-	-	2	1
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	278	3	6	7	12	44	28	25	15	22	15	9
WHITE------MALE----	173	2	2	4	5	29	18	15	8	16	8	6
FEMALE--	96	1	4	3	7	15	6	8	5	6	7	2
ALL OTHER--MALE----	5	-	-	-	-	-	2	1	1	-	-	1
FEMALE--	4	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,537	6	21	19	24	177	189	149	118	119	129	104
WHITE------MALE----	861	3	7	5	9	103	123	91	64	67	66	58
FEMALE--	403	-	7	8	8	51	30	29	26	28	36	26
ALL OTHER--MALE----	185	1	1	4	3	20	28	21	23	14	19	13
FEMALE--	88	2	6	2	4	3	8	8	5	10	8	7
BLACK---MALE----	171	1	1	4	3	16	28	20	21	13	19	13
FEMALE--	71	2	5	2	4	2	8	5	3	9	8	6
INDIANA ----------	988	3	17	15	16	133	106	86	85	77	76	67
WHITE------MALE----	612	2	9	3	8	78	64	60	54	55	52	47
FEMALE--	313	-	4	10	8	53	38	19	20	19	18	16
ALL OTHER--MALE----	41	-	4	-	-	2	2	6	8	1	4	1
FEMALE--	22	1	-	2	-	-	2	1	3	2	2	3
BLACK---MALE----	38	-	4	-	-	2	2	5	6	1	4	1
FEMALE--	21	1	-	2	-	-	2	1	3	2	2	3
IOWA ----------	529	2	5	13	12	72	53	36	38	47	31	38
WHITE------MALE----	324	-	4	6	7	40	33	26	22	37	20	28
FEMALE--	186	2	1	6	5	31	15	8	12	10	10	8
ALL OTHER--MALE----	13	-	-	-	-	1	4	2	2	-	1	1
FEMALE--	6	-	-	1	-	-	1	-	2	-	-	1
BLACK---MALE----	5	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS ----------	570	3	12	5	20	78	63	44	39	42	39	42
WHITE------MALE----	339	2	5	2	10	47	38	28	25	25	19	27
FEMALE--	186	1	4	2	10	22	18	9	13	15	15	11
ALL OTHER--MALE----	33	-	2	-	-	7	5	5	-	2	5	3
FEMALE--	12	-	1	1	-	2	2	2	1	-	-	1
BLACK---MALE----	23	-	2	-	-	7	3	3	-	2	2	1
FEMALE--	8	-	1	1	-	2	2	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
HAWAII ----------	6	4	-	3	2	2	3	5	4	-	-	-
WHITE------MALE----	3	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	1	2	-	-	-
FEMALE--	1	2	-	1	-	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	17	8	12	10	6	14	11	2	-	-	-
WHITE------MALE----	8	14	6	8	7	2	6	7	2	-	-	-
FEMALE--	4	3	2	4	3	4	8	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	74	58	51	62	73	71	63	22	8	-	-	-
WHITE------MALE----	44	31	26	35	37	39	39	9	5	-	-	-
FEMALE--	14	18	17	18	32	22	19	12	2	-	-	-
ALL OTHER--MALE----	7	4	7	6	1	7	4	1	1	-	-	-
FEMALE--	9	5	1	3	3	3	1	-	-	-	-	-
BLACK---MALE----	6	4	6	5	1	6	3	1	-	-	-	-
FEMALE--	6	3	-	3	2	2	1	-	-	-	-	-
INDIANA ----------	55	48	24	34	30	55	33	19	8	1	-	-
WHITE------MALE----	33	32	15	21	15	28	20	10	6	-	-	-
FEMALE--	18	13	8	6	14	24	13	9	2	1	-	-
ALL OTHER--MALE----	3	3	1	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	4	-	1	-	-	-	-	-	-
BLACK---MALE----	3	3	1	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	4	-	1	-	-	-	-	-	-
IOWA ----------	19	28	25	23	20	17	30	16	3	1	-	-
WHITE------MALE----	14	14	11	16	11	7	17	10	1	-	-	-
FEMALE--	4	14	12	7	9	10	13	6	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	21	25	17	15	22	25	39	12	7	-	-	-
WHITE------MALE----	12	18	13	6	15	13	24	8	2	-	-	-
FEMALE--	8	6	3	7	7	11	15	4	5	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
KENTUCKY ----------	814	3	5	13	21	104	88	78	68	74	54	53
WHITE------MALE----	549	1	3	7	11	70	69	55	51	51	36	30
FEMALE--	223	1	1	5	9	31	14	19	16	18	15	19
ALL OTHER--MALE----	29	-	1	1	1	-	4	2	1	3	2	4
FEMALE--	13	1	-	-	-	3	1	2	-	2	1	-
BLACK---MALE----	28	-	1	1	1	-	4	2	1	3	1	4
FEMALE--	12	1	-	-	-	2	1	2	-	2	1	-
LOUISIANA ----------	976	4	21	21	22	127	140	68	86	92	83	50
WHITE------MALE----	447	-	5	5	11	60	71	45	41	38	39	23
FEMALE--	220	1	3	3	4	31	19	7	15	18	19	8
ALL OTHER--MALE----	221	2	8	10	3	28	32	13	23	26	20	18
FEMALE--	88	1	5	3	4	8	18	3	7	10	5	1
BLACK---MALE----	215	2	8	10	3	28	30	13	21	26	19	18
FEMALE--	83	1	5	3	4	7	17	3	6	10	5	1
MAINE ----------	199	-	1	1	4	35	23	11	24	11	12	11
WHITE------MALE----	136	-	1	1	1	21	15	8	18	10	10	7
FEMALE--	62	-	-	-	2	14	8	3	6	1	2	4
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	609	2	5	10	9	87	83	51	42	43	52	38
WHITE------MALE----	286	1	1	4	2	40	51	24	22	14	26	21
FEMALE--	155	-	2	-	5	27	12	8	7	17	7	10
ALL OTHER--MALE----	120	-	1	4	2	15	15	17	9	10	13	4
FEMALE--	48	1	1	2	-	5	5	2	4	2	6	3
BLACK---MALE----	111	-	1	4	2	14	15	17	9	10	13	4
FEMALE--	44	1	1	2	-	5	4	2	4	2	6	2
MASSACHUSETTS ----------	441	1	4	2	8	61	49	40	36	39	35	23
WHITE------MALE----	284	-	3	-	5	35	31	24	27	30	24	20
FEMALE--	122	1	1	1	3	19	9	11	8	5	11	3
ALL OTHER--MALE----	29	-	-	1	-	7	6	3	1	4	-	-
FEMALE--	6	-	-	-	-	-	3	2	-	-	-	-
BLACK---MALE----	23	-	-	1	-	7	4	1	1	4	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
MICHIGAN ----------	1,411	4	29	26	33	153	164	116	105	108	124	94
WHITE------MALE----	768	1	9	8	19	90	107	67	61	63	71	54
FEMALE--	391	3	5	8	8	44	34	21	23	22	26	23
ALL OTHER--MALE----	158	-	7	5	4	11	15	19	13	15	18	11
FEMALE--	94	-	8	5	2	8	8	9	8	8	9	6
BLACK---MALE----	145	-	7	5	4	10	13	18	13	13	17	11
FEMALE--	82	-	8	5	2	6	5	7	8	8	8	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
KENTUCKY ----------	53	32	26	44	31	32	17	10	7	-	-	1
WHITE------MALE----	39	20	16	27	19	22	11	6	4	-	-	1
FEMALE--	10	10	8	15	11	9	6	4	2	-	-	-
ALL OTHER--MALE----	2	1	2	2	1	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	2	1	1	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	31	43	30	35	39	40	22	13	8	1	-	-
WHITE------MALE----	15	23	11	17	12	14	7	5	5	-	-	-
FEMALE--	5	11	9	10	17	17	13	7	2	1	-	-
ALL OTHER--MALE----	8	5	4	7	6	5	2	1	-	-	-	-
FEMALE--	3	4	6	1	4	4	-	-	1	-	-	-
BLACK---MALE----	8	5	3	7	6	5	2	1	-	-	-	-
FEMALE--	1	4	6	1	4	4	-	-	1	-	-	-
MAINE ----------	10	9	9	5	10	9	7	5	1	-	1	-
WHITE------MALE----	7	5	6	5	7	6	4	4	-	-	-	-
FEMALE--	3	4	3	-	3	3	3	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	33	19	18	23	22	32	24	11	4	1	-	-
WHITE------MALE----	16	9	5	10	13	14	8	1	4	-	-	-
FEMALE--	5	1	9	6	6	13	11	8	-	1	-	-
ALL OTHER--MALE----	9	7	-	4	3	4	2	1	-	-	-	-
FEMALE--	3	2	4	3	-	1	3	1	-	-	-	-
BLACK---MALE----	8	6	-	3	1	2	1	1	-	-	-	-
FEMALE--	2	1	4	3	-	1	3	1	-	-	-	-
MASSACHUSETTS ----------	18	17	13	17	15	30	18	13	2	-	-	-
WHITE------MALE----	12	12	9	9	8	19	10	5	1	-	-	-
FEMALE--	4	5	4	5	6	11	8	6	1	-	-	-
ALL OTHER--MALE----	1	-	-	3	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	3	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	82	64	50	49	56	64	45	31	13	1	-	-
WHITE------MALE----	44	33	22	25	22	30	19	14	9	-	-	-
FEMALE--	24	20	17	21	25	26	22	17	1	1	-	-
ALL OTHER--MALE----	8	8	8	-	6	6	2	-	2	-	-	-
FEMALE--	6	3	3	3	3	2	2	-	1	-	-	-
BLACK---MALE----	6	6	8	-	5	5	2	-	2	-	-	-
FEMALE--	5	3	1	3	3	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3470

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	646	2	6	15	12	88	54	50	46	51	54	32
WHITE------MALE----	376	2	4	7	9	47	25	31	36	27	32	22
FEMALE--	225	-	2	7	2	36	19	13	4	20	17	8
ALL OTHER--MALE----	29	-	-	1	1	4	6	5	3	2	3	1
FEMALE--	16	-	-	-	-	1	4	1	3	2	2	1
BLACK---MALE----	10	-	-	-	-	-	3	2	-	-	3	-
FEMALE--	4	-	-	-	-	-	3	-	-	1	-	-
MISSISSIPPI ----------	956	5	18	22	24	108	117	97	72	79	74	60
WHITE------MALE----	416	1	3	10	13	45	45	41	34	34	33	28
FEMALE--	175	-	6	5	5	26	17	15	9	11	7	12
ALL OTHER--MALE----	255	1	5	5	5	23	40	30	20	20	24	13
FEMALE--	110	3	4	2	1	14	15	11	9	14	10	7
BLACK---MALE----	249	1	5	5	5	23	38	30	19	19	23	13
FEMALE--	106	3	4	2	1	14	15	10	8	13	10	7
MISSOURI ----------	1,061	4	12	15	27	162	99	73	69	92	77	71
WHITE------MALE----	632	2	7	9	16	105	67	45	40	57	43	42
FEMALE--	335	1	4	6	9	47	21	15	19	28	30	18
ALL OTHER--MALE----	66	-	1	-	1	7	7	9	7	5	2	7
FEMALE--	28	1	-	-	1	3	4	4	3	2	2	4
BLACK---MALE----	61	-	1	-	1	7	7	6	7	3	2	7
FEMALE--	24	1	-	-	1	2	4	3	2	2	2	4
MONTANA ----------	210	1	1	5	2	34	23	18	11	15	20	19
WHITE------MALE----	112	1	1	1	1	12	12	11	5	9	11	13
FEMALE--	54	-	-	2	-	15	4	2	4	3	3	2
ALL OTHER--MALE----	31	-	-	1	1	6	4	3	2	-	3	4
FEMALE--	13	-	-	1	-	1	3	2	-	3	3	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	295	-	3	8	6	46	30	26	17	24	21	25
WHITE------MALE----	192	-	2	5	1	31	20	17	11	18	16	16
FEMALE--	93	-	-	3	5	14	9	8	5	5	4	9
ALL OTHER--MALE----	6	-	1	-	-	1	-	1	-	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NEVADA ----------	333	1	4	4	7	30	32	21	26	36	34	18
WHITE------MALE----	202	-	1	1	3	17	21	13	16	23	17	9
FEMALE--	93	1	1	3	3	9	5	6	7	8	12	7
ALL OTHER--MALE----	24	-	1	-	1	3	2	1	3	2	2	2
FEMALE--	14	-	1	-	-	1	4	1	-	3	3	-
BLACK---MALE----	13	-	-	-	1	2	1	1	2	1	2	2
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3470

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	31	31	25	30	28	31	28	26	4	2	-	-
WHITE------MALE----	19	17	15	15	20	16	16	13	2	1	-	-
FEMALE--	12	12	10	13	7	15	12	13	2	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	48	54	28	39	33	35	20	15	6	2	-	-
WHITE------MALE----	18	29	11	17	11	21	13	7	1	1	-	-
FEMALE--	8	11	5	8	13	9	2	2	3	1	-	-
ALL OTHER--MALE----	18	9	9	10	9	4	4	5	1	-	-	-
FEMALE--	4	5	3	4	-	1	1	1	1	-	-	-
BLACK---MALE----	17	9	9	10	9	4	4	5	1	-	-	-
FEMALE--	4	5	2	4	-	1	1	1	1	-	-	-
MISSOURI ----------	65	60	28	39	47	39	45	26	10	1	-	-
WHITE------MALE----	35	32	20	21	28	26	17	13	7	-	-	-
FEMALE--	19	21	7	17	18	12	27	12	3	1	-	-
ALL OTHER--MALE----	9	7	1	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	9	7	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
MONTANA ----------	11	12	9	4	4	7	9	3	2	-	-	-
WHITE------MALE----	6	6	7	3	-	4	7	2	-	-	-	-
FEMALE--	4	3	1	-	3	3	2	1	2	-	-	-
ALL OTHER--MALE----	1	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	13	12	11	12	12	15	7	6	1	-	-	-
WHITE------MALE----	6	9	6	6	10	10	4	3	1	-	-	-
FEMALE--	6	3	4	5	2	5	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	23	17	20	18	14	15	8	4	1	-	-	-
WHITE------MALE----	15	13	14	10	10	11	5	3	-	-	-	-
FEMALE--	7	3	4	6	4	4	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
NEW HAMPSHIRE ----------	129	-	-	2	2	15	15	15	10	12	10	6
WHITE------MALE----	87	-	-	-	2	10	9	11	9	10	8	5
FEMALE--	40	-	-	2	-	4	5	4	1	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEW JERSEY ----------	727	1	8	14	18	70	83	58	44	56	46	37
WHITE------MALE----	381	-	3	2	10	39	42	30	25	24	30	22
FEMALE--	200	1	-	6	3	22	15	11	8	15	11	6
ALL OTHER--MALE----	101	-	1	5	3	8	23	14	8	11	2	5
FEMALE--	45	-	4	1	2	1	3	3	3	6	3	4
BLACK---MALE----	91	-	1	5	3	8	21	14	8	9	2	5
FEMALE--	34	-	4	1	2	-	2	3	1	6	3	1
NEW MEXICO ----------	415	2	8	8	14	52	38	33	38	42	34	31
WHITE------MALE----	218	1	4	4	6	31	19	12	18	23	17	21
FEMALE--	95	-	2	1	6	8	8	8	8	9	11	5
ALL OTHER--MALE----	61	-	2	2	1	9	8	7	7	7	3	3
FEMALE--	41	1	-	1	1	4	3	6	5	3	3	2
BLACK---MALE----	3	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
NEW YORK ----------	1,759	3	19	29	39	203	200	151	132	124	104	84
WHITE------MALE----	963	1	4	14	18	119	118	92	78	73	60	50
FEMALE--	498	1	9	5	13	57	40	26	24	27	32	19
ALL OTHER--MALE----	206	-	3	8	6	16	34	25	26	19	8	8
FEMALE--	92	1	3	2	2	11	8	8	4	5	4	7
BLACK---MALE----	174	-	3	8	6	11	30	22	19	16	7	6
FEMALE--	72	1	3	2	2	8	8	7	2	5	3	5
NORTH CAROLINA ---------	1,597	6	19	33	27	174	204	160	127	139	122	102
WHITE------MALE----	827	4	9	13	13	90	121	92	68	61	54	60
FEMALE--	372	-	7	8	10	50	34	28	25	33	24	15
ALL OTHER--MALE----	266	1	1	6	4	26	33	28	25	31	30	22
FEMALE--	132	1	2	6	-	8	16	12	9	14	14	5
BLACK---MALE----	238	1	1	6	3	22	28	28	22	26	28	21
FEMALE--	111	1	2	5	-	5	13	11	9	12	11	5
NORTH DAKOTA ----------	134	1	2	1	2	18	27	14	8	6	8	8
WHITE------MALE----	61	1	-	-	-	4	18	5	5	1	3	3
FEMALE--	45	-	-	-	2	10	5	4	1	3	2	3
ALL OTHER--MALE----	15	-	1	-	-	3	3	1	1	2	2	1
FEMALE--	13	-	1	1	-	1	1	4	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
NEW HAMPSHIRE ----------	5	6	7	4	8	5	6	-	1	-	-	-
WHITE------MALE----	4	3	3	4	5	2	2	-	-	-	-	-
FEMALE--	1	3	4	-	3	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	38	34	37	34	38	42	41	19	8	1	-	-
WHITE------MALE----	19	16	20	16	23	22	22	10	6	-	-	-
FEMALE--	13	9	11	11	12	16	18	9	2	1	-	-
ALL OTHER--MALE----	4	5	4	3	1	3	1	-	-	-	-	-
FEMALE--	2	4	2	4	2	1	-	-	-	-	-	-
BLACK---MALE----	4	3	2	2	1	2	1	-	-	-	-	-
FEMALE--	2	2	1	4	1	1	-	-	-	-	-	-
NEW MEXICO ----------	28	14	10	18	14	14	9	7	1	-	-	-
WHITE------MALE----	14	10	5	10	5	6	8	3	1	-	-	-
FEMALE--	7	2	2	3	4	6	1	4	-	-	-	-
ALL OTHER--MALE----	4	1	2	1	4	-	-	-	-	-	-	-
FEMALE--	3	1	1	4	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	79	84	66	84	95	107	77	56	21	1	-	1
WHITE------MALE----	48	41	26	42	46	59	34	25	14	-	-	1
FEMALE--	14	27	24	28	42	41	34	28	6	1	-	-
ALL OTHER--MALE----	13	11	9	7	3	4	4	1	1	-	-	-
FEMALE--	4	5	7	7	4	3	5	2	-	-	-	-
BLACK---MALE----	11	11	9	4	2	3	4	1	1	-	-	-
FEMALE--	4	5	4	3	3	3	3	1	-	-	-	-
NORTH CAROLINA ---------	79	74	44	63	69	69	40	38	6	-	-	2
WHITE------MALE----	40	39	17	33	32	35	19	22	3	-	-	2
FEMALE--	18	16	16	17	23	17	18	11	2	-	-	-
ALL OTHER--MALE----	13	12	6	6	6	11	2	3	-	-	-	-
FEMALE--	8	7	5	7	8	6	1	2	1	-	-	-
BLACK---MALE----	11	11	5	6	6	9	1	3	-	-	-	-
FEMALE--	8	6	3	5	6	5	1	2	1	-	-	-
NORTH DAKOTA ----------	6	5	2	5	9	3	4	2	3	-	-	-
WHITE------MALE----	4	2	1	2	4	1	3	2	2	-	-	-
FEMALE--	1	3	-	2	5	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
OHIO ----------	1,427	3	16	24	27	206	177	123	103	116	113	75
WHITE------MALE----	875	2	11	15	12	123	135	73	68	73	77	50
FEMALE--	425	-	5	6	7	68	29	32	22	34	26	20
ALL OTHER--MALE----	81	-	-	2	2	9	11	14	12	5	6	3
FEMALE--	46	1	-	1	6	6	2	4	1	4	4	2
BLACK---MALE----	75	-	-	2	2	8	9	14	12	5	6	3
FEMALE--	43	-	-	1	5	5	2	4	1	4	4	2
OKLAHOMA ----------	686	7	14	12	20	89	68	53	41	48	50	47
WHITE------MALE----	378	2	6	7	16	45	34	28	25	23	29	29
FEMALE--	201	2	6	3	1	31	19	15	8	16	15	12
ALL OTHER--MALE----	66	3	1	-	2	9	8	7	5	5	5	3
FEMALE--	41	-	1	2	1	4	7	3	3	4	1	3
BLACK---MALE----	23	1	-	-	-	3	-	2	2	3	1	2
FEMALE--	15	-	1	2	-	1	2	-	-	2	-	2
OREGON ----------	433	3	5	5	12	46	51	33	19	39	29	37
WHITE------MALE----	270	2	3	3	8	26	39	24	12	26	18	26
FEMALE--	144	1	2	2	3	18	9	6	6	11	11	10
ALL OTHER--MALE----	11	-	-	-	-	1	3	2	1	1	-	1
FEMALE--	8	-	-	-	1	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
PENNSYLVANIA ----------	1,580	2	16	29	31	215	196	127	100	110	126	101
WHITE------MALE----	945	-	6	13	18	125	141	80	59	76	80	63
FEMALE--	497	1	5	13	11	80	45	25	25	20	30	31
ALL OTHER--MALE----	93	-	4	2	1	7	6	12	14	11	10	4
FEMALE--	45	1	1	1	1	3	4	10	2	3	6	3
BLACK---MALE----	85	-	3	2	1	6	6	10	12	11	8	4
FEMALE--	39	1	1	1	1	3	4	6	2	3	5	3
RHODE ISLAND ----------	89	-	1	2	2	5	11	4	6	2	9	10
WHITE------MALE----	57	-	-	-	-	2	8	3	6	2	8	8
FEMALE--	28	-	1	2	2	2	2	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA ---------	996	2	20	19	26	119	116	89	71	90	73	77
WHITE------MALE----	418	1	4	4	10	63	55	33	36	34	30	27
FEMALE--	212	-	6	7	3	20	17	16	7	14	16	19
ALL OTHER--MALE----	264	-	7	6	7	25	31	31	22	33	20	26
FEMALE--	102	1	3	2	6	11	13	9	6	9	7	5
BLACK---MALE----	260	-	7	6	7	25	31	31	22	32	19	26
FEMALE--	102	1	3	2	6	11	13	9	6	9	7	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
OHIO ----------	77	60	54	48	54	63	46	29	12	1	-	-
WHITE------MALE----	39	37	31	29	28	28	22	17	4	1	-	-
FEMALE--	33	18	19	16	22	30	22	10	6	-	-	-
ALL OTHER--MALE----	2	3	4	2	1	3	-	2	-	-	-	-
FEMALE--	3	2	-	1	3	2	2	-	2	-	-	-
BLACK---MALE----	1	2	4	1	1	3	-	2	-	-	-	-
FEMALE--	3	2	-	1	3	2	2	-	2	-	-	-
OKLAHOMA ----------	34	33	27	28	30	33	26	17	6	2	-	1
WHITE------MALE----	20	18	12	17	19	22	12	10	3	-	-	1
FEMALE--	9	6	10	9	9	10	11	6	3	-	-	-
ALL OTHER--MALE----	2	4	3	2	1	1	2	1	-	2	-	-
FEMALE--	3	5	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	1	1	-	2	-	-
FEMALE--	-	4	-	-	1	-	-	-	-	-	-	-
OREGON ----------	28	17	13	26	23	22	16	8	1	-	-	-
WHITE------MALE----	20	6	5	19	10	10	7	5	1	-	-	-
FEMALE--	7	10	6	7	13	11	9	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	79	65	38	52	85	76	74	43	9	4	-	2
WHITE------MALE----	46	39	17	28	44	37	40	27	5	1	-	-
FEMALE--	28	23	17	23	34	33	32	15	4	2	-	-
ALL OTHER--MALE----	5	1	3	1	3	4	1	1	-	1	-	2
FEMALE--	-	2	1	-	4	2	1	-	-	-	-	-
BLACK---MALE----	5	1	3	1	3	4	1	1	-	1	-	2
FEMALE--	-	2	1	-	4	1	1	-	-	-	-	-
RHODE ISLAND ----------	3	2	7	4	5	3	7	5	-	1	-	-
WHITE------MALE----	2	1	3	2	4	2	4	1	-	1	-	-
FEMALE--	1	1	3	2	1	1	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	49	30	42	40	40	30	34	23	4	1	-	1
WHITE------MALE----	20	15	18	15	16	16	13	5	2	1	-	-
FEMALE--	11	10	7	13	9	8	16	11	2	-	-	-
ALL OTHER--MALE----	14	4	11	8	7	5	1	5	-	-	-	1
FEMALE--	4	1	6	4	8	1	4	2	-	-	-	-
BLACK---MALE----	13	4	11	8	7	4	1	5	-	-	-	1
FEMALE--	4	1	6	4	8	1	4	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3473

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
SOUTH DAKOTA ----------	174	-	1	5	5	26	21	14	12	14	16	11
WHITE------MALE----	87	-	-	2	1	16	10	4	4	8	10	6
FEMALE--	43	-	1	3	3	5	2	3	4	2	3	3
ALL OTHER--MALE----	28	-	-	-	-	3	7	4	2	2	2	1
FEMALE--	16	-	-	-	1	2	2	3	2	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1,322	2	14	27	27	161	151	126	119	106	125	94
WHITE------MALE----	788	-	5	14	9	94	101	85	64	61	70	62
FEMALE--	353	-	5	6	11	50	32	25	35	29	30	22
ALL OTHER--MALE----	120	1	2	2	4	9	15	15	10	13	16	8
FEMALE--	61	1	2	5	3	8	3	1	10	3	9	2
BLACK---MALE----	115	1	1	2	4	8	15	15	9	13	15	8
FEMALE--	57	1	2	5	3	8	3	1	10	3	9	2
TEXAS ----------	3,669	34	71	89	92	460	458	313	278	343	290	236
WHITE------MALE----	2,180	15	30	47	38	262	305	201	183	205	180	136
FEMALE--	1,044	15	31	22	38	147	103	73	64	82	74	67
ALL OTHER--MALE----	298	2	7	11	11	32	42	26	26	32	26	25
FEMALE--	147	2	3	9	5	19	8	13	5	24	10	8
BLACK---MALE----	261	2	6	11	10	28	34	23	23	29	23	24
FEMALE--	123	2	2	8	3	17	7	13	3	23	6	8
UTAH ----------	364	2	10	9	10	49	62	32	20	19	32	15
WHITE------MALE----	218	1	4	6	6	31	35	22	14	9	19	11
FEMALE--	112	1	5	2	4	15	19	5	5	4	13	2
ALL OTHER--MALE----	24	-	-	-	-	1	7	4	1	5	-	2
FEMALE--	10	-	1	1	-	2	1	1	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	83	-	-	4	1	13	7	8	7	7	11	5
WHITE------MALE----	62	-	-	3	1	7	7	8	6	4	9	4
FEMALE--	20	-	-	1	-	5	-	-	1	3	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA ----------	897	5	8	8	18	100	108	85	63	68	72	68
WHITE------MALE----	444	3	-	3	9	58	61	48	23	29	43	34
FEMALE--	199	-	4	4	6	21	6	14	12	18	16	12
ALL OTHER--MALE----	185	-	4	-	2	14	34	20	21	18	10	15
FEMALE--	69	2	-	1	1	7	7	3	7	3	3	7
BLACK---MALE----	175	-	4	-	2	14	34	19	20	18	9	14
FEMALE--	59	2	-	1	1	4	6	3	6	3	3	7

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	8	6	4	4	9	9	6	1	2	-	-	-
WHITE------MALE----	4	1	3	3	7	4	2	-	2	-	-	-
FEMALE--	-	1	1	1	2	5	3	1	-	-	-	-
ALL OTHER--MALE----	2	4	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	61	51	52	43	39	55	46	19	2	1	-	1
WHITE------MALE----	42	25	37	28	21	28	29	12	1	-	-	-
FEMALE--	11	16	12	10	14	23	14	6	1	-	-	1
ALL OTHER--MALE----	5	8	2	2	4	1	1	1	-	1	-	-
FEMALE--	3	2	1	3	-	3	2	-	-	-	-	-
BLACK---MALE----	4	8	2	2	4	1	1	1	-	1	-	-
FEMALE--	2	2	-	2	-	3	1	-	-	-	-	-
TEXAS ----------	179	162	120	119	117	115	105	60	24	2	1	1
WHITE------MALE----	111	102	64	69	58	61	62	37	11	1	1	1
FEMALE--	48	48	40	39	50	42	32	18	10	1	-	-
ALL OTHER--MALE----	9	9	12	8	3	9	5	2	1	-	-	-
FEMALE--	11	3	4	3	6	3	6	3	2	-	-	-
BLACK---MALE----	8	6	11	4	3	8	5	2	1	-	-	-
FEMALE--	6	3	3	1	5	3	5	3	2	-	-	-
UTAH ----------	27	13	21	10	9	8	9	6	1	-	-	-
WHITE------MALE----	19	7	11	6	4	5	4	4	-	-	-	-
FEMALE--	8	5	8	4	3	2	4	2	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	2	2	5	3	3	-	-	-	-	-
WHITE------MALE----	5	-	1	1	2	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	44	58	39	28	29	39	26	24	6	1	-	-
WHITE------MALE----	25	24	21	10	9	16	12	12	3	1	-	-
FEMALE--	10	15	10	8	11	14	9	8	1	-	-	-
ALL OTHER--MALE----	6	12	4	7	8	4	2	2	2	-	-	-
FEMALE--	3	7	4	3	1	5	3	2	-	-	-	-
BLACK---MALE----	4	11	4	7	6	4	2	2	1	-	-	-
FEMALE--	2	5	2	3	1	5	3	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3474

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	732	2	16	12	16	81	74	66	55	66	57	57
WHITE------MALE----	428	-	9	4	12	50	45	45	39	42	32	33
FEMALE--	213	2	5	6	2	17	16	10	10	16	19	17
ALL OTHER--MALE----	65	-	1	2	2	11	9	7	5	5	6	3
FEMALE--	26	-	1	-	-	3	4	4	1	3	-	4
BLACK---MALE----	25	-	-	1	-	2	6	2	2	3	3	-
FEMALE--	7	-	1	-	-	1	2	1	-	-	-	2
WEST VIRGINIA ----------	387	2	3	5	11	64	56	27	29	31	27	18
WHITE------MALE----	263	-	2	3	3	46	47	17	15	22	18	15
FEMALE--	115	2	1	2	8	18	7	8	12	9	9	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	1	-	-	-
WISCONSIN ----------	775	5	15	15	17	98	97	61	64	54	50	45
WHITE------MALE----	491	3	6	11	8	57	68	46	41	33	36	26
FEMALE--	232	-	4	3	7	35	19	10	19	16	11	16
ALL OTHER--MALE----	31	1	3	-	2	3	4	5	3	3	-	2
FEMALE--	21	1	2	1	-	3	6	-	1	2	3	1
BLACK---MALE----	14	1	1	-	1	1	2	1	2	3	-	1
FEMALE--	4	-	1	-	-	-	1	-	-	1	-	1
WYOMING ----------	144	-	1	6	5	22	15	3	8	15	15	9
WHITE------MALE----	86	-	-	1	5	13	12	1	5	10	5	6
FEMALE--	51	-	1	4	-	8	3	1	3	3	10	3
ALL OTHER--MALE----	5	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
WASHINGTON ----------	40	26	26	30	22	24	28	24	7	2	-	1
WHITE------MALE----	21	12	15	16	8	13	15	12	3	1	-	1
FEMALE--	16	11	9	11	12	9	9	11	4	1	-	-
ALL OTHER--MALE----	3	1	2	3	1	-	4	-	-	-	-	-
FEMALE--	-	2	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	12	15	13	17	14	10	8	4	-	-	-
WHITE------MALE----	14	8	11	7	7	12	6	7	3	-	-	-
FEMALE--	7	3	4	6	9	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	45	34	24	23	28	33	34	23	9	1	-	-
WHITE------MALE----	34	21	20	14	12	20	20	12	3	-	-	-
FEMALE--	8	11	4	9	15	13	14	11	6	1	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	17	6	4	6	6	2	3	1	-	-	-	-
WHITE------MALE----	10	3	3	5	4	-	2	1	-	-	-	-
FEMALE--	5	3	1	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
UNITED STATES -	3,389	9	170	160	111	167	197	195	205	289	284	257
WHITE------MALE----	1,728	4	65	57	55	99	118	105	115	152	136	137
FEMALE--	808	2	56	41	31	35	34	30	35	48	51	52
ALL OTHER--MALE----	609	1	31	36	16	23	35	43	44	68	73	56
FEMALE--	244	2	18	26	9	10	10	17	11	21	24	12
BLACK---MALE----	479	-	25	32	15	16	24	33	35	54	66	45
FEMALE--	175	2	16	23	8	9	7	12	7	17	19	9
ALABAMA ----------	55	1	5	4	3	2	2	4	5	9	5	-
WHITE------MALE----	26	1	1	1	2	-	-	3	4	3	2	-
FEMALE--	11	-	1	1	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	14	-	2	1	-	-	1	1	-	4	3	-
FEMALE--	4	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	2	1	-	-	1	1	-	4	3	-
FEMALE--	4	-	1	1	-	-	-	-	-	1	-	-
ALASKA ----------	8	-	1	-	-	-	-	-	1	-	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	41	-	2	1	-	1	3	4	2	4	5	5
WHITE------MALE----	17	-	2	-	-	1	-	2	1	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	18	-	-	1	-	-	2	2	-	3	3	3
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	32	-	3	3	1	-	-	4	2	2	1	3
WHITE------MALE----	14	-	-	3	-	-	-	3	1	1	-	1
FEMALE--	6	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	-	1	-	1	-	-	1	-	-	1	1
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	1	-	1	-	-	1	-	-	1	1
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
CALIFORNIA ----------	528	4	48	17	12	28	41	30	32	35	34	37
WHITE------MALE----	291	2	24	7	7	17	31	18	21	20	23	18
FEMALE--	134	1	17	4	3	6	7	5	4	7	7	10
ALL OTHER--MALE----	64	1	3	4	-	4	3	4	7	6	4	6
FEMALE--	39	-	4	2	2	1	-	3	-	2	-	3
BLACK---MALE----	34	-	1	1	-	2	1	3	4	5	3	4
FEMALE--	16	-	2	-	1	1	-	3	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
UNITED STATES -	208	206	158	134	171	168	137	118	35	1	1	8
WHITE------MALE----	122	108	88	75	74	77	72	49	15	-	1	4
FEMALE--	36	46	39	33	60	63	47	56	12	1	-	-
ALL OTHER--MALE----	39	40	19	13	25	18	13	10	3	-	-	3
FEMALE--	11	12	12	13	12	10	5	3	5	-	-	1
BLACK---MALE----	32	35	15	9	17	9	5	8	1	-	-	3
FEMALE--	6	10	4	5	6	6	4	1	3	-	-	1
ALABAMA ----------	2	1	4	2	2	3	1	-	-	-	-	-
WHITE------MALE----	1	1	4	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	-	2	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	3	2	1	3	1	2	1	1	-	-	-
WHITE------MALE----	-	1	1	1	2	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	4	1	3	1	-	1	-	-	-	-
WHITE------MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	31	31	24	19	26	29	21	16	9	-	1	3
WHITE------MALE----	21	19	13	7	13	9	10	6	2	-	1	2
FEMALE--	4	6	4	9	7	14	9	6	4	-	-	-
ALL OTHER--MALE----	3	4	4	1	2	4	2	1	-	-	-	1
FEMALE--	3	2	3	2	4	2	-	3	3	-	-	-
BLACK---MALE----	2	3	1	-	1	1	1	-	-	-	-	1
FEMALE--	1	2	-	-	1	1	-	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
COLORADO ----------	50	-	-	4	4	4	3	4	2	1	4	4
WHITE------MALE----	38	-	-	4	3	2	3	4	1	-	2	4
FEMALE--	8	-	-	-	1	2	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	19	-	1	1	-	1	-	1	1	1	3	2
WHITE------MALE----	12	-	-	-	-	1	-	-	1	1	2	2
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	8	-	1	1	1	-	1	-	-	1	-	1
WHITE------MALE----	3	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	9	-	1	-	-	1	-	1	-	1	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	3	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	3	-	1	-	-	1	-	-	-	1	-	-
FLORIDA ----------	300	1	13	11	10	13	11	12	13	24	30	33
WHITE------MALE----	166	-	5	3	3	10	5	7	10	16	20	21
FEMALE--	67	-	3	1	3	2	1	2	1	6	6	6
ALL OTHER--MALE----	50	-	4	4	3	1	4	2	2	1	1	6
FEMALE--	17	1	1	3	1	-	1	1	-	1	3	-
BLACK---MALE----	48	-	4	4	3	1	4	2	2	-	1	6
FEMALE--	16	1	1	3	1	-	1	1	-	1	3	-
GEORGIA ----------	90	-	1	7	5	7	7	8	4	6	5	8
WHITE------MALE----	34	-	1	2	2	2	5	3	-	4	1	4
FEMALE--	19	-	-	1	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	30	-	-	2	2	2	-	4	1	2	4	4
FEMALE--	7	-	-	2	-	2	-	-	1	-	-	-
BLACK---MALE----	30	-	-	2	2	2	-	4	1	2	4	4
FEMALE--	7	-	-	2	-	2	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
COLORADO ----------	5	1	2	2	4	-	3	2	1	-	-	-
WHITE------MALE----	3	1	2	2	2	-	3	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	2	1	2	-	1	-	-	-	-
WHITE------MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	26	27	15	10	19	14	6	10	1	-	-	1
WHITE------MALE----	17	10	9	6	10	7	1	5	1	-	-	-
FEMALE--	6	7	4	2	6	2	4	5	-	-	-	-
ALL OTHER--MALE----	3	9	2	2	3	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	1
BLACK---MALE----	2	9	2	2	3	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	1
GEORGIA ----------	7	7	3	3	4	5	2	-	1	-	-	-
WHITE------MALE----	3	2	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	2	2	4	1	-	-	-	-	-
ALL OTHER--MALE----	4	3	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
HAWAII ----------	11	-	-	-	-	-	1	-	-	1	1	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	-	-	-	2	1	-	2	-	1	-	1
WHITE------MALE----	12	-	-	-	2	1	-	2	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	172	1	9	7	5	11	10	11	2	14	25	16
WHITE------MALE----	68	1	2	1	-	4	4	4	1	6	10	11
FEMALE--	55	-	5	3	1	4	2	4	-	2	4	4
ALL OTHER--MALE----	33	-	-	1	1	3	4	3	1	3	9	1
FEMALE--	16	-	2	2	3	-	-	-	-	3	2	-
BLACK---MALE----	31	-	-	1	1	3	4	3	1	3	9	1
FEMALE--	16	-	2	2	3	-	-	-	-	3	2	-
INDIANA ----------	48	-	5	2	-	-	1	4	9	4	4	4
WHITE------MALE----	25	-	1	-	-	-	1	2	5	3	1	2
FEMALE--	10	-	1	2	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	10	-	3	-	-	-	-	1	2	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	10	-	3	-	-	-	-	1	2	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
IOWA ----------	30	-	2	1	2	1	1	1	2	2	1	3
WHITE------MALE----	19	-	2	-	2	-	1	1	2	2	-	2
FEMALE--	11	-	-	1	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	29	-	2	-	-	2	2	3	2	1	1	6
WHITE------MALE----	18	-	1	-	-	-	2	2	2	1	-	4
FEMALE--	7	-	1	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
HAWAII ----------	-	1	-	2	2	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	3	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	7	4	8	6	10	11	7	1	-	-	-
WHITE------MALE----	2	4	3	5	-	4	5	1	-	-	-	-
FEMALE--	3	2	1	2	5	4	3	6	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
INDIANA ----------	8	2	2	1	-	-	1	1	-	-	-	-
WHITE------MALE----	6	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	4	1	1	-	2	3	2	-	-	-	-
WHITE------MALE----	1	-	1	1	-	-	3	1	-	-	-	-
FEMALE--	-	4	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	1	-	2	-	4	-	1	-	-	-
WHITE------MALE----	-	-	-	-	2	-	3	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
KENTUCKY ----------	46	1	1	1	1	1	1	4	1	7	4	5
WHITE------MALE----	30	-	1	-	1	1	1	4	1	4	4	2
FEMALE--	10	-	-	-	-	-	-	-	-	3	-	2
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	27	-	4	1	1	-	2	2	4	3	2	2
WHITE------MALE----	14	-	1	-	1	-	1	2	3	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	8	-	3	1	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	3	1	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	-	-	-	1	1	1	1	1	1	1	-
WHITE------MALE----	7	-	-	-	-	1	1	1	-	1	1	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	72	-	2	4	1	5	5	3	5	5	9	2
WHITE------MALE----	31	-	-	3	-	3	2	2	2	2	2	1
FEMALE--	14	-	-	-	-	1	-	-	1	2	2	-
ALL OTHER--MALE----	19	-	1	1	1	1	2	1	2	1	3	-
FEMALE--	8	-	1	-	-	-	1	-	-	-	2	1
BLACK---MALE----	16	-	1	1	1	1	2	1	2	1	3	-
FEMALE--	8	-	1	-	-	-	1	-	-	-	2	1
MASSACHUSETTS ----------	41	1	1	-	1	2	2	2	-	5	1	1
WHITE------MALE----	25	-	1	-	1	1	2	-	-	3	-	1
FEMALE--	13	1	-	-	-	1	-	2	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	161	-	11	14	10	6	7	7	10	13	21	12
WHITE------MALE----	76	-	2	3	8	3	4	3	6	7	8	6
FEMALE--	21	-	2	3	1	1	-	-	-	1	2	-
ALL OTHER--MALE----	43	-	3	5	-	2	2	1	3	3	8	5
FEMALE--	21	-	4	3	1	-	1	3	1	2	3	1
BLACK---MALE----	40	-	3	5	-	1	2	1	3	3	8	5
FEMALE--	20	-	4	3	1	-	-	3	1	2	3	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
KENTUCKY ----------	2	3	2	2	4	1	2	1	2	-	-	-
WHITE------MALE----	1	2	1	2	1	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	1	1	-	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	3	4	6	-	4	6	3	-	-	-	-
WHITE------MALE----	2	1	2	3	-	3	2	1	-	-	-	-
FEMALE--	1	1	1	2	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	4	4	3	1	2	7	1	3	-	-	-	-
WHITE------MALE----	2	3	2	1	2	4	1	1	-	-	-	-
FEMALE--	2	1	1	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	7	6	4	7	4	2	6	2	-	-	-
WHITE------MALE----	5	4	2	3	2	1	2	6	1	-	-	-
FEMALE--	1	-	3	1	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	-	1	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
MINNESOTA ----------	32	-	-	3	-	1	6	1	2	3	1	1
WHITE------MALE----	12	-	-	-	-	-	3	1	1	2	-	-
FEMALE--	13	-	-	2	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	1	-	1	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
MISSISSIPPI ----------	60	-	3	2	2	2	4	7	4	3	7	2
WHITE------MALE----	17	-	1	-	-	-	2	3	3	-	2	-
FEMALE--	5	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	-	1	1	1	2	2	-	2	5	-
FEMALE--	8	-	1	1	-	-	-	2	1	1	-	2
BLACK---MALE----	29	-	-	1	1	1	1	2	-	2	5	-
FEMALE--	7	-	1	1	-	-	-	2	-	1	-	2
MISSOURI ----------	35	-	2	1	2	2	1	3	3	2	3	2
WHITE------MALE----	20	-	1	-	1	1	1	-	1	1	2	1
FEMALE--	11	-	-	1	1	-	-	2	1	1	1	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	6	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	17	-	-	1	-	-	2	-	-	4	-	3
WHITE------MALE----	9	-	-	1	-	-	1	-	-	2	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	34	-	1	1	1	1	-	-	2	4	5	2
WHITE------MALE----	18	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	12	-	-	1	1	1	-	-	1	2	3	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
MINNESOTA ----------	3	2	2	2	-	-	2	1	1	1	-	-
WHITE------MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	5	2	4	2	3	2	4	-	-	-	-
WHITE------MALE----	-	3	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	2	2	1	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	2	2	1	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	3	-	-	2	3	3	-	-	-	-	-
WHITE------MALE----	2	3	-	-	1	3	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	1	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	1	2	-	-	1	1	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	4	5	2	1	1	1	1	-	-	-	-
WHITE------MALE----	1	4	5	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3480

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
NEW HAMPSHIRE ----------	10	-	-	-	-	-	1	-	1	2	2	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	108	-	2	5	3	4	6	2	7	10	7	8
WHITE------MALE----	58	-	2	1	2	3	2	1	6	5	4	2
FEMALE--	20	-	-	1	-	-	3	-	-	-	-	2
ALL OTHER--MALE----	22	-	-	2	1	1	1	1	1	4	2	2
FEMALE--	8	-	-	1	-	-	-	-	-	1	1	2
BLACK---MALE----	19	-	-	2	1	1	1	1	1	3	2	2
FEMALE--	7	-	-	1	-	-	-	-	-	1	1	1
NEW MEXICO ----------	56	-	1	1	1	1	5	6	7	6	3	3
WHITE------MALE----	17	-	-	-	-	1	1	-	1	4	-	2
FEMALE--	11	-	1	-	1	-	1	1	2	-	-	-
ALL OTHER--MALE----	17	-	-	1	-	-	2	3	2	2	1	1
FEMALE--	11	-	-	-	-	-	1	2	2	-	2	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	181	-	3	6	9	13	8	8	12	11	8	7
WHITE------MALE----	92	-	-	3	5	5	4	4	4	5	3	4
FEMALE--	57	-	3	1	3	6	3	1	3	1	4	1
ALL OTHER--MALE----	18	-	-	1	1	-	1	3	3	4	1	1
FEMALE--	14	-	-	1	-	2	-	-	2	1	-	1
BLACK---MALE----	17	-	-	1	1	-	-	3	3	4	1	1
FEMALE--	9	-	-	1	-	1	-	-	1	1	-	1
NORTH CAROLINA ---------	145	-	3	12	3	2	11	8	9	25	20	14
WHITE------MALE----	69	-	2	4	-	2	6	6	6	7	8	9
FEMALE--	19	-	1	1	3	-	2	1	-	5	2	-
ALL OTHER--MALE----	43	-	-	4	-	-	2	1	2	10	8	5
FEMALE--	14	-	-	3	-	-	1	-	1	3	2	-
BLACK---MALE----	38	-	-	4	-	-	2	1	-	9	8	5
FEMALE--	13	-	-	3	-	-	1	-	1	3	2	-
NORTH DAKOTA ----------	7	-	-	1	-	-	-	1	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
NEW HAMPSHIRE ----------	1	-	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	11	8	6	6	7	7	6	2	1	-	-	-
WHITE------MALE----	7	2	2	3	4	6	3	2	1	-	-	-
FEMALE--	2	3	2	-	3	1	3	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
NEW MEXICO ----------	8	1	-	5	3	2	1	1	1	-	-	-
WHITE------MALE----	4	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	9	11	6	15	11	18	9	13	3	-	-	1
WHITE------MALE----	8	6	5	11	6	8	6	2	2	-	-	1
FEMALE--	1	1	1	1	5	8	2	11	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	2	1	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-
NORTH CAROLINA ---------	8	5	1	4	8	5	2	5	-	-	-	-
WHITE------MALE----	6	3	1	1	2	4	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	2	-	2	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	2	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	2	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
OHIO ----------	76	-	6	8	3	4	7	2	5	9	2	3
WHITE------MALE----	44	-	3	4	2	4	4	-	3	6	1	3
FEMALE--	21	-	3	3	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	6	-	-	1	-	-	1	-	2	1	-	-
FEMALE--	5	-	-	-	1	-	-	1	-	1	1	-
BLACK---MALE----	6	-	-	1	-	-	1	-	2	1	-	-
FEMALE--	5	-	-	-	1	-	-	1	-	1	1	-
OKLAHOMA ----------	38	-	-	-	3	3	1	2	3	5	2	3
WHITE------MALE----	22	-	-	-	2	3	-	-	-	4	2	2
FEMALE--	9	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	43	-	1	-	-	2	5	2	2	1	4	4
WHITE------MALE----	26	-	-	-	-	1	4	2	1	1	3	3
FEMALE--	15	-	1	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	108	-	3	8	1	6	4	4	6	8	15	6
WHITE------MALE----	52	-	2	2	-	5	4	2	4	2	8	1
FEMALE--	30	-	-	4	-	-	-	-	1	3	2	2
ALL OTHER--MALE----	20	-	1	1	1	-	-	2	1	3	4	2
FEMALE--	6	-	-	1	-	1	-	-	-	-	1	1
BLACK---MALE----	20	-	1	1	1	-	-	2	1	3	4	2
FEMALE--	6	-	-	1	-	1	-	-	-	-	1	1
RHODE ISLAND ----------	15	-	1	1	-	2	1	-	-	-	2	2
WHITE------MALE----	11	-	-	-	-	1	1	-	-	-	2	1
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	74	-	6	2	4	5	5	3	6	9	10	7
WHITE------MALE----	22	-	-	1	2	2	2	-	3	2	1	1
FEMALE--	11	-	3	-	-	-	1	1	-	1	3	1
ALL OTHER--MALE----	36	-	3	-	1	2	2	2	3	6	6	5
FEMALE--	5	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	33	-	3	-	1	2	2	2	3	5	6	5
FEMALE--	5	-	-	1	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
OHIO ----------	2	2	4	3	2	5	4	3	2	-	-	-
WHITE------MALE----	1	1	3	2	2	1	1	2	1	-	-	-
FEMALE--	1	1	-	1	-	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	6	2	1	1	3	-	1	2	-	-	-	-
WHITE------MALE----	5	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	2	3	2	6	1	4	1	-	-	-	-
WHITE------MALE----	3	-	2	2	2	-	2	-	-	-	-	-
FEMALE--	-	2	-	-	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	4	6	1	6	9	9	6	1	-	-	1
WHITE------MALE----	1	1	3	1	3	4	6	3	-	-	-	-
FEMALE--	1	3	1	-	3	3	3	3	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	2	-	2	1	-	-	-	-	-	-
WHITE------MALE----	-	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	1	3	2	4	1	1	-	-	-	-	1
WHITE------MALE----	2	-	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	-	-	-	-	1
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3482

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
SOUTH DAKOTA ----------	15	-	1	1	2	2	2	1	1	1	1	-
WHITE------MALE----	6	-	-	1	-	2	-	1	-	-	1	-
FEMALE--	4	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	63	-	3	8	-	1	4	4	6	4	9	1
WHITE------MALE----	31	-	1	4	-	1	2	2	2	3	4	1
FEMALE--	12	-	1	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	12	-	-	1	-	-	1	1	2	-	4	-
FEMALE--	8	-	1	3	-	-	1	-	1	-	1	-
BLACK---MALE----	12	-	-	1	-	-	1	1	2	-	4	-
FEMALE--	7	-	1	3	-	-	1	-	1	-	1	-
TEXAS ----------	202	-	6	9	5	12	11	14	17	19	18	12
WHITE------MALE----	122	-	4	4	2	10	7	9	11	10	10	8
FEMALE--	54	-	2	2	3	2	3	2	4	4	6	3
ALL OTHER--MALE----	19	-	-	2	-	-	-	1	2	4	1	1
FEMALE--	7	-	-	1	-	-	1	2	-	1	1	-
BLACK---MALE----	19	-	-	2	-	-	-	1	2	4	1	1
FEMALE--	7	-	-	1	-	-	1	2	-	1	1	-
UTAH ----------	35	-	3	3	4	2	5	2	-	2	1	3
WHITE------MALE----	17	-	1	1	2	2	3	-	-	1	1	2
FEMALE--	15	-	2	2	2	-	2	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	69	-	1	1	2	3	3	6	3	4	3	10
WHITE------MALE----	38	-	-	-	2	3	2	3	1	3	1	5
FEMALE--	9	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	17	-	1	-	-	-	1	1	2	1	1	5
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	1	-	-	-	1	1	2	1	-	5
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
SOUTH DAKOTA ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	4	2	3	2	3	5	1	-	-	-	-
WHITE------MALE----	1	1	2	1	1	3	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	4	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	9	17	20	9	8	6	4	6	-	-	-	-
WHITE------MALE----	6	12	11	6	4	2	3	3	-	-	-	-
FEMALE--	-	3	8	3	4	3	-	2	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	2	1	4	-	1	2	-	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	8	6	2	5	2	3	2	1	-	-	-
WHITE------MALE----	3	7	2	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	2	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3483

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
WASHINGTON ----------	69	-	4	-	2	5	1	6	6	5	2	9
WHITE------MALE----	32	-	2	-	2	1	1	3	3	2	2	2
FEMALE--	23	-	2	-	-	1	-	1	2	-	-	6
ALL OTHER--MALE----	9	-	-	-	-	3	-	-	1	2	-	1
FEMALE--	5	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	19	-	-	-	2	3	1	2	2	2	1	1
WHITE------MALE----	12	-	-	-	1	2	1	2	-	2	-	1
FEMALE--	5	-	-	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	64	-	7	5	2	2	2	3	3	4	1	4
WHITE------MALE----	30	-	2	3	-	1	2	2	1	4	-	3
FEMALE--	29	-	3	2	1	1	-	-	1	-	1	1
ALL OTHER--MALE----	5	-	2	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	-	-	1	-	2	-	-	-	4	-	-
WHITE------MALE----	6	-	-	-	-	2	-	-	-	4	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedestrian involved in collision with motor vehicle (V02-V04)												
WASHINGTON ----------	3	4	-	2	3	4	5	6	1	-	-	1
WHITE------MALE----	1	2	-	2	-	3	4	1	-	-	-	1
FEMALE--	2	2	-	-	1	-	-	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	3	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	1	-	2	5	8	5	5	3	-	-	-
WHITE------MALE----	2	-	-	-	3	4	2	1	-	-	-	-
FEMALE--	-	1	-	2	2	4	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3484

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
UNITED STATES -	652	-	6	64	83	70	41	32	49	55	79	51
WHITE------MALE----	454	-	4	41	45	52	27	23	37	35	59	38
FEMALE--	67	-	1	6	18	4	6	4	5	3	8	2
ALL OTHER--MALE----	119	-	1	12	16	14	8	5	6	16	11	11
FEMALE--	12	-	-	5	4	-	-	-	1	1	1	-
BLACK---MALE----	95	-	1	10	15	10	7	3	5	11	11	11
FEMALE--	8	-	-	3	4	-	-	-	1	-	-	-
ALABAMA ----------	4	-	-	-	1	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	21	-	-	3	-	4	2	2	1	4	2	1
WHITE------MALE----	15	-	-	1	-	2	1	2	1	3	2	1
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	2	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	1	1	1	-	-	-	-	1	1
WHITE------MALE----	4	-	-	1	1	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	97	-	1	5	6	8	8	2	7	10	16	9
WHITE------MALE----	79	-	1	4	2	8	8	1	6	8	12	8
FEMALE--	9	-	-	-	2	-	-	1	-	-	4	1
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3484

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
UNITED STATES -	33	21	12	21	16	6	4	7	-	1	-	1
WHITE------MALE----	25	16	8	13	14	5	4	7	-	1	-	-
FEMALE--	3	3	3	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	1	7	2	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	3	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	4	5	5	3	1	-	3	-	-	-	-
WHITE------MALE----	4	4	4	3	3	-	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
COLORADO ----------	6	-	-	2	-	-	-	1	1	1	-	-
WHITE------MALE----	5	-	-	2	-	-	-	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	-	-	-	-	-	2	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	103	-	1	5	9	10	7	5	14	5	6	15
WHITE------MALE----	69	-	-	4	5	7	3	4	10	2	4	11
FEMALE--	14	-	1	-	4	-	2	-	2	1	1	-
ALL OTHER--MALE----	20	-	-	1	-	3	2	1	2	2	1	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	1	-	2	2	1	2	2	1	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	18	-	1	2	1	3	2	-	-	1	6	2
WHITE------MALE----	12	-	1	1	-	3	2	-	-	1	4	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	1	1	-	-	-	-	-	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	1	1	-	-	-	-	-	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	12	3	1	-	2	1	2	3	-	1	-	1
WHITE------MALE----	9	2	1	-	-	1	2	3	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3486

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	-	2	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	30	-	-	2	3	-	4	2	3	2	3	1
WHITE------MALE----	22	-	-	2	2	-	3	1	2	2	3	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
INDIANA ----------	13	-	-	-	2	3	-	2	1	1	3	-
WHITE------MALE----	10	-	-	-	1	2	-	2	1	1	3	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	6	-	1	2	-	1	1	-	-	-	-	1
WHITE------MALE----	5	-	1	2	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	1	1	-	-	2	-	-	-	-
WHITE------MALE----	6	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	2	1	3	1	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
KENTUCKY ----------	7	-	-	1	2	2	-	1	-	1	-	-
WHITE------MALE----	7	-	-	1	2	2	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	20	-	-	4	4	4	2	-	-	3	1	1
WHITE------MALE----	8	-	-	1	2	3	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	2	1	1	2	-	-	2	-	1
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	2	1	1	2	-	-	2	-	1
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	6	-	-	-	-	2	-	-	-	2	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	2	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	1	1	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	21	-	-	1	7	3	1	-	-	-	4	1
WHITE------MALE----	13	-	-	1	3	3	-	-	-	-	3	-
FEMALE--	4	-	-	-	1	-	1	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3488

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
MINNESOTA ----------	6	-	-	-	2	2	-	-	-	-	-	1
WHITE------MALE----	5	-	-	-	1	2	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	-	-	5	1	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	-	1	3	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	1	-	-	-	-	-	1	-	1
WHITE------MALE----	4	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	-	-	-	-	1	-	1	1	2	2	-
WHITE------MALE----	6	-	-	-	-	1	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
MINNESOTA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	19	-	-	-	4	3	-	2	2	1	2	3
WHITE------MALE----	14	-	-	-	4	2	-	2	1	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	7	-	-	1	-	-	-	1	-	-	2	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	47	-	-	5	6	6	2	-	5	6	5	2
WHITE------MALE----	28	-	-	2	4	2	2	-	4	3	3	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	3	2	4	-	-	1	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	3	2	4	-	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	26	-	-	2	5	5	-	2	2	2	4	-
WHITE------MALE----	13	-	-	-	-	5	-	2	2	-	1	-
FEMALE--	4	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	3	-	-	-	-	2	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	1	2	-	-	-	-	2	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	1	-	2	3	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
OHIO ----------	12	-	1	2	2	-	1	-	1	1	2	1
WHITE------MALE----	7	-	1	1	1	-	-	-	-	1	2	1
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	1	1	-	-	2	1	-	1
WHITE------MALE----	6	-	-	-	1	-	-	-	2	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	5	-	-	-	-	1	-	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	15	-	-	1	3	3	1	1	-	1	2	2
WHITE------MALE----	13	-	-	1	2	2	1	1	-	1	2	2
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	13	-	-	-	2	1	1	3	2	1	1	1
WHITE------MALE----	7	-	-	-	-	1	1	2	2	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	1	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	1	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3490

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	-	1	2	3	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	36	-	-	7	3	3	3	4	1	2	6	2
WHITE------MALE----	29	-	-	7	3	3	1	3	1	2	3	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	1	2	-	-	-	-	1	2	-
WHITE------MALE----	4	-	-	1	1	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	3	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	-	-	-	1	1	-	-	1	-	3	-
WHITE------MALE----	5	-	-	-	1	-	-	-	1	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
WASHINGTON ----------	7	-	-	-	1	1	-	-	-	2	1	1
WHITE------MALE----	6	-	-	-	-	1	-	-	-	2	1	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	1	-	1	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	-	-	1	2	-	3	1	1	-	-	-
WHITE------MALE----	9	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3492

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
WASHINGTON ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	3	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
UNITED STATES -	2,343	-	-	6	25	126	363	345	270	292	304	225
WHITE------MALE----	1,818	-	-	3	20	95	278	233	200	233	238	188
FEMALE--	200	-	-	3	4	10	15	20	16	22	43	30
ALL OTHER--MALE----	309	-	-	-	1	18	65	91	53	37	19	7
FEMALE--	16	-	-	-	-	3	5	1	1	-	4	-
BLACK---MALE----	273	-	-	-	1	14	60	83	46	34	16	5
FEMALE--	9	-	-	-	-	3	4	-	-	-	2	-
ALABAMA ----------	32	-	-	-	2	1	6	2	1	5	3	1
WHITE------MALE----	24	-	-	-	2	1	3	2	1	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	3	-	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	3	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	10	-	-	-	-	-	3	1	2	2	1	-
WHITE------MALE----	8	-	-	-	-	-	3	-	1	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	65	-	-	-	1	3	6	6	4	11	9	7
WHITE------MALE----	52	-	-	-	1	2	6	4	4	7	7	5
FEMALE--	6	-	-	-	-	1	-	-	-	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	-	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	23	-	-	-	-	1	3	2	1	3	4	5
WHITE------MALE----	19	-	-	-	-	1	2	-	1	2	4	5
FEMALE--	3	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	251	-	-	-	2	16	33	32	28	29	36	29
WHITE------MALE----	201	-	-	-	2	12	27	24	23	21	30	24
FEMALE--	16	-	-	-	-	-	-	2	-	4	4	3
ALL OTHER--MALE----	32	-	-	-	-	3	6	5	5	4	2	2
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	20	-	-	-	-	1	4	2	3	3	2	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
UNITED STATES -	153	109	61	32	16	12	1	3	-	-	-	-
WHITE------MALE----	128	90	54	29	15	11	1	2	-	-	-	-
FEMALE--	18	12	3	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	6	6	4	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	4	7	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	4	4	1	-	1	-	-	-	-	-	-
WHITE------MALE----	8	3	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	22	9	11	3	-	1	-	-	-	-	-	-
WHITE------MALE----	17	8	9	3	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
COLORADO ----------	49	-	-	-	1	3	4	6	5	7	10	4
WHITE------MALE----	41	-	-	-	1	2	4	5	4	6	8	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	35	-	-	-	1	-	10	5	4	9	3	-
WHITE------MALE----	24	-	-	-	-	-	5	2	4	8	2	-
FEMALE--	7	-	-	-	1	-	4	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	8	-	-	-	-	-	1	2	1	-	1	2
WHITE------MALE----	6	-	-	-	-	-	1	1	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	1	-	-	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	176	-	-	-	2	10	17	30	16	23	26	11
WHITE------MALE----	144	-	-	-	1	8	14	21	13	19	21	9
FEMALE--	15	-	-	-	-	1	1	3	1	1	4	1
ALL OTHER--MALE----	17	-	-	-	1	1	2	6	2	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	1	1	2	6	2	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	47	-	-	-	3	2	15	4	1	8	5	8
WHITE------MALE----	31	-	-	-	3	1	10	3	-	3	4	7
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	1	3	1	1	4	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	3	1	1	4	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
COLORADO ----------	6	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	6	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	13	13	5	4	5	1	-	-	-	-	-	-
WHITE------MALE----	10	13	5	4	5	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
HAWAII ----------	14	-	-	-	-	-	1	5	3	2	1	-
WHITE------MALE----	7	-	-	-	-	-	-	2	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	2	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	-	-	-	1	1	2	1	-	1	1	2
WHITE------MALE----	9	-	-	-	-	1	2	1	-	1	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	83	-	-	1	-	5	12	19	7	12	11	9
WHITE------MALE----	64	-	-	-	-	5	10	14	4	10	8	7
FEMALE--	7	-	-	1	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	2	5	3	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	2	4	3	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	70	-	-	-	2	2	7	9	10	6	13	9
WHITE------MALE----	59	-	-	-	2	1	6	7	9	6	9	9
FEMALE--	9	-	-	-	-	1	1	-	1	-	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	28	-	-	1	-	2	4	2	2	7	3	3
WHITE------MALE----	19	-	-	1	-	1	3	1	-	6	2	2
FEMALE--	8	-	-	-	-	1	-	1	2	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	15	-	-	-	-	-	2	3	1	2	2	3
WHITE------MALE----	12	-	-	-	-	-	2	2	1	1	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
HAWAII ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	2	2	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	4	4	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	3	4	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
KENTUCKY ----------	29	-	-	-	-	2	4	5	8	3	2	2
WHITE------MALE----	28	-	-	-	-	2	4	5	8	3	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	36	-	-	-	2	4	6	5	4	3	4	3
WHITE------MALE----	28	-	-	-	2	2	4	4	4	3	3	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	2	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	2	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	16	-	-	-	-	1	1	1	2	5	1	2
WHITE------MALE----	15	-	-	-	-	1	-	1	2	5	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	46	-	-	-	-	5	9	11	3	1	6	5
WHITE------MALE----	25	-	-	-	-	1	7	3	3	-	5	3
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	3	2	7	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	3	2	7	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	39	-	-	-	-	1	7	8	6	6	4	3
WHITE------MALE----	31	-	-	-	-	-	5	7	4	5	4	3
FEMALE--	5	-	-	-	-	1	-	-	2	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	74	-	-	-	-	2	16	8	10	10	10	4
WHITE------MALE----	60	-	-	-	-	2	13	5	7	9	10	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	2	3	3	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	2	3	3	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	3	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	5	1	1	1	1	-	-	-	-	-	-
WHITE------MALE----	3	4	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
MINNESOTA ----------	32	-	-	-	-	3	3	5	3	1	6	4
WHITE------MALE----	28	-	-	-	-	3	2	5	3	1	4	4
FEMALE--	4	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	17	-	-	-	-	1	3	2	1	5	-	3
WHITE------MALE----	9	-	-	-	-	1	1	-	-	3	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	2	2	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	2	2	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	29	-	-	-	-	1	4	3	2	6	3	4
WHITE------MALE----	21	-	-	-	-	-	4	-	1	6	2	4
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	2	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	14	-	-	-	-	-	3	-	2	4	2	-
WHITE------MALE----	12	-	-	-	-	-	3	-	1	3	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	2	2	1	-	-	-	2
WHITE------MALE----	7	-	-	-	-	2	2	1	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	16	-	-	-	-	-	3	-	2	1	4	2
WHITE------MALE----	15	-	-	-	-	-	3	-	2	1	3	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
MINNESOTA ----------	2	4	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	4	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	2	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
NEW HAMPSHIRE ----------	20	-	-	-	-	1	3	3	4	2	3	-
WHITE------MALE----	20	-	-	-	-	1	3	3	4	2	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	45	-	-	-	1	1	10	11	5	4	4	2
WHITE------MALE----	28	-	-	-	1	1	6	4	2	3	3	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	4	7	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	4	7	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	25	-	-	-	-	1	1	1	3	5	3	4
WHITE------MALE----	21	-	-	-	-	-	1	1	3	4	3	3
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	106	-	-	-	1	6	26	20	19	9	10	4
WHITE------MALE----	81	-	-	-	1	4	19	16	13	7	9	3
FEMALE--	4	-	-	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	2	5	4	6	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	1	5	4	5	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	106	-	-	-	-	8	19	25	9	12	12	7
WHITE------MALE----	64	-	-	-	-	5	11	14	3	8	8	5
FEMALE--	8	-	-	-	-	1	1	1	2	1	1	1
ALL OTHER--MALE----	33	-	-	-	-	2	6	10	4	3	3	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	32	-	-	-	-	2	6	10	4	3	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
NEW HAMPSHIRE ----------	-	1	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	1	2	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	9	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	3	2	2	-	-	-	-	-	-	-	-
WHITE------MALE----	5	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	105	-	-	-	1	4	13	16	18	16	10	4
WHITE------MALE----	86	-	-	-	-	4	11	13	13	12	9	4
FEMALE--	9	-	-	-	1	-	-	-	2	2	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	2	3	3	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	2	3	3	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	21	-	-	-	-	1	3	-	4	2	1	6
WHITE------MALE----	16	-	-	-	-	1	2	-	2	1	1	6
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	19	-	-	-	-	-	2	1	3	2	4	3
WHITE------MALE----	16	-	-	-	-	-	2	1	3	2	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	82	-	-	1	1	3	19	12	8	11	11	7
WHITE------MALE----	60	-	-	-	1	2	15	7	6	9	9	5
FEMALE--	12	-	-	1	-	1	1	2	-	1	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	2	3	2	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	2	3	2	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	10	-	-	-	-	-	1	-	2	-	4	2
WHITE------MALE----	10	-	-	-	-	-	1	-	2	-	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	67	-	-	-	1	7	15	14	10	7	4	4
WHITE------MALE----	40	-	-	-	1	6	10	6	4	3	2	4
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	23	-	-	-	-	1	4	7	6	4	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	1	4	7	6	4	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	9	5	3	4	2	-	-	-	-	-	-	-
WHITE------MALE----	7	4	3	4	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	3	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3500

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
SOUTH DAKOTA ----------	8	-	-	-	-	1	1	-	-	3	1	1
WHITE------MALE----	7	-	-	-	-	1	1	-	-	3	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	58	-	-	1	-	3	9	7	6	8	9	6
WHITE------MALE----	49	-	-	1	-	3	9	6	4	7	6	4
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
TEXAS ----------	180	-	-	1	3	11	21	29	29	19	19	22
WHITE------MALE----	149	-	-	1	2	8	16	22	23	18	15	21
FEMALE--	12	-	-	-	1	-	-	3	1	-	3	1
ALL OTHER--MALE----	17	-	-	-	-	1	5	4	5	1	1	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	1	5	4	5	1	1	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
UTAH ----------	21	-	-	-	-	1	2	4	1	1	7	2
WHITE------MALE----	19	-	-	-	-	1	2	4	1	1	6	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	38	-	-	-	-	2	8	5	4	4	3	7
WHITE------MALE----	28	-	-	-	-	2	2	4	3	4	3	5
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	6	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	6	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	1	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	5	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	11	8	5	1	1	-	-	-	-	-	-	-
WHITE------MALE----	11	7	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
WASHINGTON ----------	44	-	-	-	-	2	5	6	5	2	9	8
WHITE------MALE----	35	-	-	-	-	2	5	4	4	2	5	6
FEMALE--	7	-	-	-	-	-	-	1	1	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	25	-	-	-	-	3	9	3	1	1	4	1
WHITE------MALE----	22	-	-	-	-	3	9	1	1	1	4	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	72	-	-	-	-	3	8	8	9	10	9	6
WHITE------MALE----	57	-	-	-	-	2	6	6	6	9	7	5
FEMALE--	12	-	-	-	-	1	1	1	2	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	8	-	-	1	-	-	-	-	1	1	2	1
WHITE------MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	3	1	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	4	4	2	1	2	-	-	-	-	-	-
WHITE------MALE----	5	4	4	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3502

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	269	-	6	6	6	33	32	18	18	14	24	24
WHITE------MALE----	150	-	3	3	3	15	16	10	11	9	14	16
FEMALE--	78	-	1	1	3	13	9	5	5	3	5	3
ALL OTHER--MALE----	26	-	2	-	-	5	4	1	2	1	3	4
FEMALE--	15	-	-	2	-	-	3	2	-	1	2	1
BLACK---MALE----	21	-	2	-	-	1	4	1	1	1	3	4
FEMALE--	13	-	-	2	-	-	3	2	-	-	2	-
ALABAMA ----------	3	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	19	-	1	1	-	2	1	4	2	-	2	3
WHITE------MALE----	13	-	1	1	-	1	1	3	1	-	2	1
FEMALE--	4	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
UNITED STATES -	11	15	12	5	13	12	9	8	2	1	-	-
WHITE------MALE----	7	8	5	3	8	11	5	3	-	-	-	-
FEMALE--	3	6	6	1	4	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	-	-	1	-	-	1	1	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	-	-	-	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
COLORADO ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	16	-	-	1	-	3	5	-	2	4	-	-
WHITE------MALE----	5	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	6	-	-	-	-	3	1	-	2	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3504

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	29	-	-	-	-	4	1	-	1	1	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
INDIANA ----------	19	-	-	1	1	3	2	1	-	2	2	4
WHITE------MALE----	15	-	-	1	1	2	1	-	-	2	2	3
FEMALE--	3	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	-	1	-	-	-	1	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	2	-	1	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3504

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	3	5	1	3	4	1	1	-	-	-	-
WHITE------MALE----	1	2	1	-	2	4	-	1	-	-	-	-
FEMALE--	-	1	4	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3505

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	-	-	-	1	1	-	1	-	-	1
WHITE------MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	-	2	-	-	-	-	1	-	1	2	1
WHITE------MALE----	4	-	1	-	-	-	-	1	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3505

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3506

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
MINNESOTA ----------	13	-	1	1	-	3	-	-	3	-	1	1
WHITE------MALE----	11	-	-	1	-	3	-	-	3	-	1	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	19	-	-	1	4	2	6	1	1	-	1	1
WHITE------MALE----	9	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	7	-	-	1	2	-	3	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	-	-	1	-	2	-	-	1	-
WHITE------MALE----	3	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	-	-	-	1	1	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	1	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	1	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	1	-	-	-	2	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	1	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
OHIO ----------	16	-	-	-	1	1	2	1	2	-	1	2
WHITE------MALE----	9	-	-	-	-	-	2	-	1	-	1	2
FEMALE--	7	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	-	4	-	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	2	-	-	1	-	-	-	-	1	1
WHITE------MALE----	3	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	2	3	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	-	-	-	-	-	1	1	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	23	-	-	-	-	1	4	-	2	3	5	1
WHITE------MALE----	15	-	-	-	-	1	3	-	1	2	3	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	-	1	-	1	-	1	1
WHITE------MALE----	4	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	2	-	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3510

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
WASHINGTON ----------	7	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3510

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3511

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
UNITED STATES -	6	-	-	-	1	-	1	1	1	1	-	1
WHITE------MALE----	5	-	-	-	1	-	1	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motorcyclist involved in collision with railway train (V25,V35)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in collision with railway train (V25,V35)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in collision with railway train (V25,V35)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in collision with railway train (V25,V35)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motorcyclist involved in collision with railway train (V25,V35)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in collision with railway train (V25,V35)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3517

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in collision with railway train (V25,V35)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Motorcyclist involved in collision with railway train (V25,V35)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in collision with railway train (V25,V35)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in collision with railway train (V25,V35)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
UNITED STATES -	263	-	6	6	5	33	31	17	17	13	24	23
WHITE------MALE----	145	-	3	3	2	15	15	10	10	8	14	15
FEMALE--	78	-	1	1	3	13	9	5	5	3	5	3
ALL OTHER--MALE----	25	-	2	-	-	5	4	-	2	1	3	4
FEMALE--	15	-	-	2	-	-	3	2	-	1	2	1
BLACK---MALE----	20	-	2	-	-	1	4	-	1	1	3	4
FEMALE--	13	-	-	2	-	-	3	2	-	-	2	-
ALABAMA ----------	3	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	19	-	1	1	-	2	1	4	2	-	2	3
WHITE------MALE----	13	-	1	1	-	1	1	3	1	-	2	1
FEMALE--	4	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3520

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
UNITED STATES -	11	15	12	5	13	12	9	8	2	1	-	-
WHITE------MALE----	7	8	5	3	8	11	5	3	-	-	-	-
FEMALE--	3	6	6	1	4	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	-	-	1	-	-	1	1	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	-	-	-	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
COLORADO ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	16	-	-	1	-	3	5	-	2	4	-	-
WHITE------MALE----	5	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	6	-	-	-	-	3	1	-	2	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	29	-	-	-	-	4	1	-	1	1	1	2
WHITE------MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
INDIANA ----------	17	-	-	1	-	3	1	1	-	2	2	4
WHITE------MALE----	13	-	-	1	-	2	-	-	-	2	2	3
FEMALE--	3	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	-	1	-	-	-	1	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	-	-	-	-	2	-	1	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	3	5	1	3	4	1	1	-	-	-	-
WHITE------MALE----	1	2	1	-	2	4	-	1	-	-	-	-
FEMALE--	-	1	4	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	-	-	-	1	1	-	1	-	-	1
WHITE------MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	-	2	-	-	-	-	1	-	1	2	1
WHITE------MALE----	4	-	1	-	-	-	-	1	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
KENTUCKY ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
MINNESOTA ----------	13	-	1	1	-	3	-	-	3	-	1	1
WHITE------MALE----	11	-	-	1	-	3	-	-	3	-	1	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	19	-	-	1	4	2	6	1	1	-	1	1
WHITE------MALE----	9	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	7	-	-	1	2	-	3	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	4	-	-	-	-	1	-	2	-	-	1	-
WHITE------MALE----	3	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	-	-	-	1	-	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	1	-	-	-	2	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	1	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
OHIO ----------	15	-	-	-	1	1	2	1	2	-	1	1
WHITE------MALE----	8	-	-	-	-	-	2	-	1	-	1	1
FEMALE--	7	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	-	4	-	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	2	-	-	1	-	-	-	-	1	1
WHITE------MALE----	3	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
OHIO ----------	2	3	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	-	-	-	-	-	1	1	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	22	-	-	-	-	1	4	-	2	2	5	1
WHITE------MALE----	14	-	-	-	-	1	3	-	1	1	3	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	-	1	-	1	-	1	1
WHITE------MALE----	4	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	2	-	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
WASHINGTON ----------	7	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
WASHINGTON ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3529

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
UNITED STATES -	3,805	12	20	26	64	672	620	389	333	316	268	218
WHITE------MALE----	2,265	4	8	13	34	382	400	247	206	192	161	121
FEMALE--	815	1	4	8	18	183	84	59	60	60	57	54
ALL OTHER--MALE----	521	4	1	4	8	75	105	67	54	45	38	32
FEMALE--	204	3	7	1	4	32	31	16	13	19	12	11
BLACK---MALE----	440	3	1	4	8	63	85	56	47	37	34	26
FEMALE--	156	3	7	1	4	24	26	11	10	17	9	6
ALABAMA ----------	57	1	-	-	1	8	6	5	5	9	3	1
WHITE------MALE----	32	-	-	-	1	4	5	2	3	2	3	-
FEMALE--	12	-	-	-	-	2	1	-	1	3	-	-
ALL OTHER--MALE----	9	1	-	-	-	1	-	2	1	3	-	1
FEMALE--	4	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	9	1	-	-	-	1	-	2	1	3	-	1
FEMALE--	4	-	-	-	-	1	-	1	-	1	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	-	-	-	-	-	-	1	-	1	-	2
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	51	-	-	-	2	11	5	2	7	4	2	6
WHITE------MALE----	31	-	-	-	1	5	3	1	6	4	-	2
FEMALE--	9	-	-	-	-	3	1	-	1	-	2	-
ALL OTHER--MALE----	10	-	-	-	1	3	1	1	-	-	-	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	1	3	1	1	-	-	-	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	327	4	2	1	3	53	63	38	28	25	14	18
WHITE------MALE----	182	-	1	-	2	34	35	20	18	18	9	5
FEMALE--	67	1	-	1	1	9	7	8	4	4	1	5
ALL OTHER--MALE----	53	2	1	-	-	6	15	8	3	2	3	6
FEMALE--	25	1	-	-	-	4	6	2	3	1	1	2
BLACK---MALE----	26	2	1	-	-	2	6	5	2	-	1	2
FEMALE--	14	1	-	-	-	2	5	2	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
UNITED STATES -	166	133	110	122	100	105	80	35	11	4	-	1
WHITE------MALE----	108	71	64	73	53	54	47	21	5	1	-	-
FEMALE--	21	35	24	33	34	35	26	9	6	3	-	1
ALL OTHER--MALE----	23	16	14	10	10	8	4	3	-	-	-	-
FEMALE--	14	11	8	6	3	8	3	2	-	-	-	-
BLACK---MALE----	19	14	13	7	9	8	3	3	-	-	-	-
FEMALE--	10	8	3	5	2	8	2	-	-	-	-	-
ALABAMA ----------	2	2	3	6	3	1	1	-	-	-	-	-
WHITE------MALE----	1	2	2	3	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	4	1	3	2	1	-	-	-	-	-	-
WHITE------MALE----	1	3	1	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	16	12	11	10	9	10	7	2	1	-	-	-
WHITE------MALE----	10	7	5	5	5	3	4	1	-	-	-	-
FEMALE--	3	3	3	3	3	7	3	-	1	-	-	-
ALL OTHER--MALE----	2	-	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
COLORADO ----------	10	-	-	-	-	2	1	3	1	2	1	-
WHITE------MALE----	3	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
CONNECTICUT ----------	11	-	-	-	-	2	3	1	1	1	-	1
WHITE------MALE----	7	-	-	-	-	2	1	1	1	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	-	-	-	-	-	2	-	1	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	234	-	-	4	4	48	37	21	18	18	16	14
WHITE------MALE----	138	-	-	2	1	23	22	19	12	11	11	6
FEMALE--	49	-	-	1	2	12	4	2	4	2	-	5
ALL OTHER--MALE----	34	-	-	1	1	9	7	-	2	4	3	2
FEMALE--	13	-	-	-	-	4	4	-	-	1	2	1
BLACK---MALE----	32	-	-	1	1	9	6	-	2	4	3	2
FEMALE--	12	-	-	-	-	4	4	-	-	1	2	-
GEORGIA ----------	51	-	1	4	-	7	8	2	8	2	5	5
WHITE------MALE----	27	-	1	3	-	2	6	1	5	-	2	1
FEMALE--	9	-	-	1	-	2	1	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	3	1	1	3	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	3	-	1	3	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	10	10	6	5	6	7	6	1	2	1	-	-
WHITE------MALE----	5	7	3	2	3	4	4	1	2	-	-	-
FEMALE--	2	1	3	2	3	3	2	-	-	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	1	1	1	2	1	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3531

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
HAWAII ----------	4	-	-	-	-	1	-	2	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	1	-	-	-	-	1	-	-
WHITE------MALE----	5	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	149	-	3	-	-	22	27	14	13	11	6	12
WHITE------MALE----	96	-	1	-	-	15	19	7	8	6	1	8
FEMALE--	20	-	-	-	-	2	1	2	2	4	3	2
ALL OTHER--MALE----	23	-	-	-	-	4	6	5	1	1	1	2
FEMALE--	10	-	2	-	-	1	1	-	2	-	1	-
BLACK---MALE----	23	-	-	-	-	4	6	5	1	1	1	2
FEMALE--	8	-	2	-	-	1	1	-	1	-	1	-
INDIANA ----------	76	1	-	-	-	17	11	6	6	10	8	2
WHITE------MALE----	43	1	-	-	-	8	8	3	4	7	4	1
FEMALE--	23	-	-	-	-	9	2	2	1	3	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	1	1	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	57	-	-	1	-	12	10	2	6	8	4	2
WHITE------MALE----	36	-	-	-	-	6	5	2	3	8	3	2
FEMALE--	16	-	-	1	-	6	3	-	2	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	60	-	2	-	1	13	13	3	3	6	4	3
WHITE------MALE----	39	-	1	-	1	10	8	3	1	3	1	1
FEMALE--	16	-	-	-	-	2	4	-	2	2	2	2
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	1	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	4	6	3	9	7	5	1	-	-	-	-
WHITE------MALE----	4	3	4	1	7	6	5	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
INDIANA ----------	4	3	2	3	1	1	1	-	-	-	-	-
WHITE------MALE----	2	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	-	2	2	2	1	1	1	2	1	-	-	-
WHITE------MALE----	-	1	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	1	4	1	1	-	2	1	-	-	-	-
WHITE------MALE----	2	1	4	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
KENTUCKY ----------	86	-	-	1	3	14	10	9	6	3	5	8
WHITE------MALE----	60	-	-	1	2	11	7	5	4	2	3	5
FEMALE--	18	-	-	-	1	2	2	4	2	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA ----------	19	-	-	-	-	2	5	2	1	4	2	1
WHITE------MALE----	7	-	-	-	-	-	1	1	1	1	1	1
FEMALE--	5	-	-	-	-	1	-	1	-	2	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	3	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	3	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	41	-	-	-	1	12	7	1	8	-	7	-
WHITE------MALE----	32	-	-	-	-	10	7	1	7	-	5	-
FEMALE--	9	-	-	-	1	2	-	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	53	-	-	-	1	13	13	-	2	3	5	2
WHITE------MALE----	26	-	-	-	1	6	7	-	1	1	3	1
FEMALE--	11	-	-	-	-	4	3	-	-	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	3	2	-	1	1	2	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	3	2	-	1	1	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	45	-	-	-	-	9	6	4	3	2	5	3
WHITE------MALE----	28	-	-	-	-	6	3	2	2	2	3	3
FEMALE--	14	-	-	-	-	2	2	2	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	147	-	1	-	6	29	26	16	15	10	12	5
WHITE------MALE----	97	-	1	-	3	17	17	11	8	9	8	4
FEMALE--	25	-	-	-	2	7	4	2	4	-	2	1
ALL OTHER--MALE----	18	-	-	-	-	4	4	3	2	1	1	-
FEMALE--	7	-	-	-	1	1	1	-	1	-	1	-
BLACK---MALE----	18	-	-	-	-	4	4	3	2	1	1	-
FEMALE--	7	-	-	-	1	1	1	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
KENTUCKY ----------	6	3	4	7	2	2	2	1	-	-	-	-
WHITE------MALE----	6	3	2	4	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	2	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	1	1	5	1	4	-	-	-	-	-
WHITE------MALE----	-	-	-	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	1	2	1	2	-	3	3	1	-	-	-	-
WHITE------MALE----	1	-	1	2	-	1	2	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	4	3	3	4	2	2	3	-	-	-	-
WHITE------MALE----	5	2	2	3	2	1	2	2	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
MINNESOTA ----------	44	-	-	-	1	10	5	5	4	3	3	1
WHITE------MALE----	28	-	-	-	1	4	4	4	4	-	2	1
FEMALE--	10	-	-	-	-	4	-	-	-	2	-	-
ALL OTHER--MALE----	6	-	-	-	-	2	1	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	231	3	2	5	5	33	45	22	25	19	15	8
WHITE------MALE----	102	1	-	3	3	13	17	12	11	7	7	4
FEMALE--	37	-	-	1	1	8	4	3	3	4	2	2
ALL OTHER--MALE----	62	-	-	1	1	8	16	7	9	4	4	1
FEMALE--	30	2	2	-	-	4	8	-	2	4	2	1
BLACK---MALE----	60	-	-	1	1	8	16	7	9	3	3	1
FEMALE--	29	2	2	-	-	4	8	-	2	4	2	1
MISSOURI ----------	50	1	-	-	-	6	6	5	4	7	7	-
WHITE------MALE----	34	1	-	-	-	6	2	4	3	7	2	-
FEMALE--	11	-	-	-	-	-	2	-	1	-	5	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	9	-	-	-	-	2	1	1	-	-	1	-
WHITE------MALE----	6	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	39	-	-	-	-	6	10	3	5	6	2	4
WHITE------MALE----	34	-	-	-	-	4	9	3	5	5	2	3
FEMALE--	5	-	-	-	-	2	1	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	12	-	-	-	-	2	-	1	-	1	2	1
WHITE------MALE----	8	-	-	-	-	1	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
MINNESOTA ----------	1	4	3	2	-	2	-	-	-	-	-	-
WHITE------MALE----	1	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	12	5	7	1	1	5	2	-	1	-	-
WHITE------MALE----	7	5	3	4	1	1	2	1	-	-	-	-
FEMALE--	1	4	-	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	6	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	6	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
MISSOURI ----------	6	1	1	1	4	1	-	-	-	-	-	-
WHITE------MALE----	3	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	3	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
NEW HAMPSHIRE ----------	8	-	-	-	-	-	2	-	1	-	1	-
WHITE------MALE----	5	-	-	-	-	-	2	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	80	-	1	2	3	9	21	8	2	4	5	3
WHITE------MALE----	45	-	-	-	1	5	13	4	2	2	3	2
FEMALE--	20	-	-	-	1	2	3	3	-	1	2	1
ALL OTHER--MALE----	13	-	-	2	1	2	5	1	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	2	1	2	5	1	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	24	-	-	-	1	6	2	1	2	3	2	3
WHITE------MALE----	16	-	-	-	1	3	2	-	1	2	1	2
FEMALE--	6	-	-	-	-	3	-	1	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	209	-	-	-	1	37	24	24	20	15	8	8
WHITE------MALE----	123	-	-	-	-	26	13	13	13	10	6	4
FEMALE--	50	-	-	-	1	6	5	4	3	3	1	4
ALL OTHER--MALE----	26	-	-	-	-	3	6	6	4	1	1	-
FEMALE--	10	-	-	-	-	2	-	1	-	1	-	-
BLACK---MALE----	22	-	-	-	-	2	4	6	3	1	1	-
FEMALE--	7	-	-	-	-	2	-	1	-	1	-	-
NORTH CAROLINA ---------	221	-	-	2	4	37	27	29	23	22	18	15
WHITE------MALE----	113	-	-	-	2	21	19	20	10	10	6	9
FEMALE--	54	-	-	1	1	12	4	4	7	6	4	3
ALL OTHER--MALE----	36	-	-	-	1	3	4	2	5	5	5	3
FEMALE--	18	-	-	1	-	1	-	3	1	1	3	-
BLACK---MALE----	34	-	-	-	1	3	3	2	5	4	5	3
FEMALE--	14	-	-	1	-	-	-	2	1	1	2	-
NORTH DAKOTA ----------	5	-	-	-	-	1	1	3	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
NEW HAMPSHIRE ----------	-	-	1	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	5	4	1	1	6	2	1	-	1	-	-
WHITE------MALE----	1	3	2	1	1	3	1	1	-	-	-	-
FEMALE--	-	1	2	-	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	16	6	7	11	9	14	4	4	1	-	-	-
WHITE------MALE----	12	2	1	4	4	10	2	3	-	-	-	-
FEMALE--	2	3	1	6	4	4	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	10	5	9	5	6	1	1	-	-	-	-
WHITE------MALE----	3	4	2	4	-	2	-	1	-	-	-	-
FEMALE--	2	2	1	3	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	3	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	3	-	-	-	-	-	-
BLACK---MALE----	1	3	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	3	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
OHIO ----------	102	-	-	1	3	24	17	7	5	10	4	7
WHITE------MALE----	69	-	-	1	-	15	16	4	3	6	3	6
FEMALE--	20	-	-	-	-	8	-	1	-	3	-	1
ALL OTHER--MALE----	9	-	-	-	1	1	1	2	2	-	1	-
FEMALE--	4	-	-	-	2	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	1	1	-	2	2	-	1	-
FEMALE--	4	-	-	-	2	-	-	-	-	1	-	-
OKLAHOMA ----------	40	1	2	1	-	6	8	4	3	3	1	3
WHITE------MALE----	23	-	-	1	-	3	6	2	2	3	1	2
FEMALE--	10	-	1	-	-	3	1	1	-	-	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	33	-	1	1	-	3	6	3	1	5	1	2
WHITE------MALE----	24	-	1	1	-	3	5	2	1	4	1	2
FEMALE--	7	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	100	-	-	-	2	25	12	6	13	3	8	9
WHITE------MALE----	70	-	-	-	2	14	12	5	8	2	7	6
FEMALE--	26	-	-	-	-	11	-	1	5	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	16	-	-	-	1	-	2	1	2	-	1	3
WHITE------MALE----	12	-	-	-	-	-	2	1	2	-	1	3
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	94	-	-	-	2	13	10	10	14	11	5	9
WHITE------MALE----	42	-	-	-	1	9	6	3	7	4	4	2
FEMALE--	21	-	-	-	-	3	-	1	2	2	1	5
ALL OTHER--MALE----	22	-	-	-	-	1	4	4	4	4	-	2
FEMALE--	9	-	-	-	1	-	-	2	1	1	-	-
BLACK---MALE----	22	-	-	-	-	1	4	4	4	4	-	2
FEMALE--	9	-	-	-	1	-	-	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
OHIO ----------	5	3	2	1	3	5	2	2	1	-	-	-
WHITE------MALE----	3	2	2	1	1	3	1	1	1	-	-	-
FEMALE--	2	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	2	-	2	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	1	-	1	2	3	1	-	2	-	-	-	-
WHITE------MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5	4	1	2	2	4	4	-	-	-	-	-
WHITE------MALE----	5	2	-	1	2	1	3	-	-	-	-	-
FEMALE--	-	2	1	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	1	3	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	3	1	3	2	2	2	2	-	-	-	-
WHITE------MALE----	1	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
SOUTH DAKOTA ----------	27	-	-	-	-	4	7	1	3	1	2	2
WHITE------MALE----	17	-	-	-	-	3	5	-	1	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	295	-	1	2	5	53	50	42	25	20	30	19
WHITE------MALE----	189	-	-	1	3	27	35	29	15	17	21	12
FEMALE--	72	-	1	1	1	20	11	6	7	1	7	4
ALL OTHER--MALE----	26	-	-	-	1	4	3	7	2	1	1	2
FEMALE--	8	-	-	-	-	2	1	-	1	1	1	1
BLACK---MALE----	25	-	-	-	1	3	3	7	2	1	1	2
FEMALE--	7	-	-	-	-	2	1	-	1	1	1	1
TEXAS ----------	267	-	3	1	9	43	41	32	20	33	22	10
WHITE------MALE----	175	-	1	-	3	25	30	23	15	21	16	6
FEMALE--	54	-	2	1	5	10	7	4	2	7	3	1
ALL OTHER--MALE----	28	-	-	-	1	4	2	4	3	4	3	3
FEMALE--	10	-	-	-	-	4	2	1	-	1	-	-
BLACK---MALE----	27	-	-	-	1	4	2	4	3	3	3	3
FEMALE--	9	-	-	-	-	4	2	1	-	1	-	-
UTAH ----------	8	-	-	-	-	3	2	1	-	-	-	-
WHITE------MALE----	5	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	11	-	-	-	1	2	-	4	2	1	-	1
WHITE------MALE----	7	-	-	-	1	-	-	4	1	-	-	1
FEMALE--	4	-	-	-	-	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	114	1	-	-	1	19	14	17	6	7	10	9
WHITE------MALE----	51	1	-	-	1	8	5	10	1	2	5	6
FEMALE--	19	-	-	-	-	5	-	-	2	3	3	2
ALL OTHER--MALE----	31	-	-	-	-	3	8	5	3	1	2	-
FEMALE--	13	-	-	-	-	3	1	2	-	1	-	1
BLACK---MALE----	29	-	-	-	-	3	8	5	2	1	2	-
FEMALE--	12	-	-	-	-	2	1	2	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
SOUTH DAKOTA ----------	1	2	1	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	4	6	6	6	8	6	-	1	-	-	1
WHITE------MALE----	9	1	6	4	1	4	4	-	-	-	-	-
FEMALE--	-	2	-	2	3	3	1	-	1	-	-	1
ALL OTHER--MALE----	1	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	9	9	11	12	6	2	1	2	1	-	-	-
WHITE------MALE----	8	7	7	7	3	-	1	2	-	-	-	-
FEMALE--	1	1	2	3	3	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	8	3	3	1	4	3	1	-	1	-	-
WHITE------MALE----	2	3	2	2	-	2	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	1	-	1	1	1	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	1	1	1	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3537

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	156	-	-	-	2	31	27	17	13	13	11	11
WHITE------MALE----	93	-	-	-	2	18	16	12	11	8	6	6
FEMALE--	38	-	-	-	-	8	6	2	-	2	5	3
ALL OTHER--MALE----	18	-	-	-	-	4	4	2	1	2	-	1
FEMALE--	7	-	-	-	-	1	1	1	1	1	-	1
BLACK---MALE----	10	-	-	-	-	2	3	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	17	-	1	-	-	6	3	1	1	-	2	-
WHITE------MALE----	14	-	1	-	-	5	2	1	1	-	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	93	-	-	-	-	16	23	9	6	7	7	5
WHITE------MALE----	62	-	-	-	-	6	20	7	3	4	5	1
FEMALE--	17	-	-	-	-	7	-	1	2	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	2	2	1	1	1	-	1
FEMALE--	5	-	-	-	-	1	1	-	-	2	-	1
BLACK---MALE----	4	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
WYOMING ----------	3	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
WASHINGTON ----------	6	6	5	4	-	1	6	2	1	-	-	-
WHITE------MALE----	2	2	3	2	-	1	3	1	-	-	-	-
FEMALE--	3	2	2	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	1	3	3	2	3	1	1	1	-	-	-
WHITE------MALE----	4	-	2	3	1	3	1	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3538

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
UNITED STATES -	10,238	59	132	178	207	1,201	1,053	781	720	678	724	626
WHITE------MALE----	5,101	28	56	70	79	625	587	426	392	305	368	322
FEMALE--	3,577	16	41	70	90	416	281	208	195	228	225	201
ALL OTHER--MALE----	971	5	21	20	24	105	124	89	86	93	85	62
FEMALE--	589	10	14	18	14	55	61	58	47	52	46	41
BLACK---MALE----	773	4	15	18	19	78	92	73	72	79	71	51
FEMALE--	442	9	12	14	14	34	47	41	40	45	31	30
ALABAMA ----------	180	-	1	5	6	20	27	14	17	13	5	21
WHITE------MALE----	73	-	-	-	-	12	14	5	8	2	4	7
FEMALE--	50	-	-	1	2	5	6	4	1	7	1	6
ALL OTHER--MALE----	35	-	-	3	2	1	6	4	5	2	-	3
FEMALE--	22	-	1	1	2	2	1	1	3	2	-	5
BLACK---MALE----	34	-	-	3	2	1	5	4	5	2	-	3
FEMALE--	21	-	1	1	2	2	1	1	2	2	-	5
ALASKA ----------	10	-	-	-	-	1	1	2	1	1	-	2
WHITE------MALE----	3	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	53	1	1	-	1	3	7	6	1	1	3	5
WHITE------MALE----	31	1	1	-	-	2	5	4	1	1	2	4
FEMALE--	15	-	-	-	-	-	2	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	142	1	4	2	5	12	13	15	11	12	12	10
WHITE------MALE----	82	-	3	-	3	8	8	11	8	6	6	7
FEMALE--	43	1	-	2	1	2	4	2	3	5	2	1
ALL OTHER--MALE----	14	-	1	-	1	2	-	1	-	1	4	2
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	13	-	1	-	1	1	-	1	-	1	4	2
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA ----------	776	3	11	23	17	88	84	62	70	44	57	38
WHITE------MALE----	395	3	8	9	7	43	51	38	43	25	27	16
FEMALE--	243	-	3	10	6	31	21	18	17	11	12	11
ALL OTHER--MALE----	81	-	-	2	4	9	8	4	9	4	8	6
FEMALE--	57	-	-	2	-	5	4	2	1	4	10	5
BLACK---MALE----	39	-	-	1	2	5	4	2	5	2	4	3
FEMALE--	26	-	-	-	-	-	2	1	1	3	4	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
UNITED STATES -	539	498	400	434	543	568	508	283	81	18	1	6
WHITE------MALE----	265	225	188	194	254	268	250	142	45	7	1	4
FEMALE--	187	204	153	186	232	260	225	123	27	9	-	-
ALL OTHER--MALE----	54	40	36	34	31	23	19	10	6	2	-	2
FEMALE--	33	29	23	20	26	17	14	8	3	-	-	-
BLACK---MALE----	41	32	25	26	26	20	15	8	4	2	-	2
FEMALE--	24	22	17	15	16	9	12	7	3	-	-	-
ALABAMA ----------	8	5	8	4	8	11	5	2	-	-	-	-
WHITE------MALE----	5	2	3	2	4	3	1	1	-	-	-	-
FEMALE--	2	-	2	1	3	6	3	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	3	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
ALASKA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	2	4	4	3	3	1	3	-	-	-	-
WHITE------MALE----	2	-	2	1	1	2	-	2	-	-	-	-
FEMALE--	1	1	1	3	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	4	2	6	6	7	6	7	1	-	-	-
WHITE------MALE----	4	1	1	2	3	4	2	4	1	-	-	-
FEMALE--	1	3	1	4	2	3	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	43	46	29	39	35	30	36	16	2	3	-	-
WHITE------MALE----	24	21	18	12	12	13	13	8	2	2	-	-
FEMALE--	12	14	5	20	14	13	16	8	-	1	-	-
ALL OTHER--MALE----	4	6	3	6	3	-	5	-	-	-	-	-
FEMALE--	3	5	3	1	6	4	2	-	-	-	-	-
BLACK---MALE----	2	2	1	3	1	-	2	-	-	-	-	-
FEMALE--	1	5	2	-	1	1	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
COLORADO ----------	104	1	3	1	1	11	16	10	6	6	8	8
WHITE------MALE----	49	-	1	-	1	5	10	3	2	4	6	4
FEMALE--	44	1	1	1	-	4	5	7	2	1	1	4
ALL OTHER--MALE----	7	-	1	-	-	1	1	-	2	-	1	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	1	-	-	1	1	-	2	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
CONNECTICUT ----------	13	-	-	-	-	1	3	-	-	1	1	-
WHITE------MALE----	10	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	26	-	-	-	1	5	1	-	2	3	2	2
WHITE------MALE----	14	-	-	-	-	2	-	-	-	2	2	-
FEMALE--	7	-	-	-	-	2	1	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	1	1	1	1	-	-	1	-
WHITE------MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	709	3	5	2	14	60	70	51	44	45	36	36
WHITE------MALE----	345	1	1	1	8	21	47	30	21	21	17	15
FEMALE--	263	2	2	1	3	26	15	12	13	15	12	10
ALL OTHER--MALE----	66	-	-	-	1	9	6	6	5	8	7	8
FEMALE--	35	-	2	-	2	4	2	3	5	1	-	3
BLACK---MALE----	61	-	-	-	-	8	6	6	5	7	7	6
FEMALE--	31	-	1	-	2	3	2	3	5	1	-	2
GEORGIA ----------	353	4	7	11	8	48	29	27	25	31	28	27
WHITE------MALE----	156	1	2	3	2	26	13	11	8	11	15	13
FEMALE--	107	2	2	2	-	12	10	7	5	11	5	6
ALL OTHER--MALE----	53	-	1	4	3	6	4	6	6	5	7	6
FEMALE--	37	1	2	2	3	4	2	3	6	4	1	2
BLACK---MALE----	52	-	1	4	3	6	4	6	5	5	7	6
FEMALE--	37	1	2	2	3	4	2	3	6	4	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
COLORADO ----------	3	5	2	2	8	6	4	3	-	-	-	-
WHITE------MALE----	-	4	1	2	3	2	-	1	-	-	-	-
FEMALE--	3	1	1	-	3	4	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	1	3	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	1	1	1	3	1	1	-	-	-	-
WHITE------MALE----	-	1	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	37	30	26	30	53	57	64	36	6	3	-	1
WHITE------MALE----	16	12	12	17	28	24	29	20	3	1	-	-
FEMALE--	14	17	10	11	20	30	31	15	3	1	-	-
ALL OTHER--MALE----	5	1	2	1	2	2	1	-	-	1	-	1
FEMALE--	2	-	2	1	3	1	3	1	-	-	-	-
BLACK---MALE----	5	1	2	1	2	2	1	-	-	1	-	1
FEMALE--	2	-	1	1	3	1	3	1	-	-	-	-
GEORGIA ----------	23	15	14	14	13	9	12	7	-	-	-	1
WHITE------MALE----	14	3	5	7	8	3	7	4	-	-	-	-
FEMALE--	7	9	6	5	5	6	4	3	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	1	-	-	-	-	1
FEMALE--	2	1	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	1	-	-	-	-	1
FEMALE--	2	1	3	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3540

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
HAWAII ----------	27	-	-	-	-	-	8	2	1	3	1	2
WHITE------MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	6	1	1	2	-	1
FEMALE--	7	-	-	-	-	-	2	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	42	1	1	-	-	9	5	2	3	1	3	-
WHITE------MALE----	26	1	-	-	-	7	1	1	2	-	2	-
FEMALE--	14	-	1	-	-	2	2	1	1	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	446	2	7	5	6	57	47	42	39	37	34	23
WHITE------MALE----	209	1	2	-	1	28	25	25	18	16	14	12
FEMALE--	134	-	2	3	4	18	8	8	11	10	12	6
ALL OTHER--MALE----	68	-	1	2	1	10	10	5	8	7	5	2
FEMALE--	35	1	2	-	-	1	4	4	2	4	3	3
BLACK---MALE----	62	-	1	2	1	9	10	5	8	6	5	2
FEMALE--	26	1	1	-	-	1	4	4	2	4	3	2
INDIANA ----------	287	2	4	6	5	40	33	22	16	19	19	19
WHITE------MALE----	144	1	2	-	1	18	13	15	8	10	13	12
FEMALE--	122	-	1	4	4	21	19	5	6	7	5	5
ALL OTHER--MALE----	10	-	1	-	-	1	-	1	1	1	-	-
FEMALE--	11	1	-	2	-	-	1	1	1	1	1	2
BLACK---MALE----	8	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	11	1	-	2	-	-	1	1	1	1	1	2
IOWA ----------	234	2	1	3	3	34	16	16	18	14	10	16
WHITE------MALE----	129	-	-	-	1	20	11	10	11	10	6	11
FEMALE--	96	2	1	2	2	13	4	4	5	4	4	4
ALL OTHER--MALE----	5	-	-	-	-	1	1	2	-	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	2	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	190	1	6	2	5	23	14	11	15	11	15	12
WHITE------MALE----	96	1	2	-	2	12	5	6	11	5	8	8
FEMALE--	76	-	2	1	3	9	5	2	4	6	5	2
ALL OTHER--MALE----	13	-	2	-	-	2	2	2	-	-	2	2
FEMALE--	5	-	-	1	-	-	2	1	-	-	-	-
BLACK---MALE----	9	-	2	-	-	2	1	2	-	-	-	1
FEMALE--	4	-	-	1	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3540

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
HAWAII ----------	2	-	-	1	-	2	2	1	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	5	1	3	3	1	3	1	-	-	-	-
WHITE------MALE----	-	4	1	2	2	-	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	24	21	16	19	20	18	21	6	2	-	-	-
WHITE------MALE----	12	9	8	6	8	7	13	2	2	-	-	-
FEMALE--	6	8	4	7	10	7	7	3	-	-	-	-
ALL OTHER--MALE----	3	1	3	4	1	3	1	1	-	-	-	-
FEMALE--	3	3	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	2	1	2	3	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
INDIANA ----------	13	20	5	12	13	16	12	5	5	1	-	-
WHITE------MALE----	5	11	2	6	6	8	8	1	4	-	-	-
FEMALE--	8	8	3	3	6	7	4	4	1	1	-	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	12	15	16	11	13	8	16	7	2	1	-	-
WHITE------MALE----	8	10	4	7	6	3	7	3	1	-	-	-
FEMALE--	4	5	11	4	7	5	9	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	8	6	6	9	13	19	4	5	-	-	-
WHITE------MALE----	3	3	4	2	4	8	9	2	1	-	-	-
FEMALE--	2	4	1	4	5	5	10	2	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
KENTUCKY ----------	194	1	-	1	4	20	28	17	16	17	17	11
WHITE------MALE----	123	1	-	1	-	12	22	10	12	9	8	6
FEMALE--	64	-	-	-	4	7	6	6	4	5	9	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
LOUISIANA ----------	94	-	1	1	-	10	19	9	7	13	5	4
WHITE------MALE----	46	-	1	-	-	6	10	7	3	6	2	1
FEMALE--	22	-	-	1	-	2	3	-	3	2	1	1
ALL OTHER--MALE----	18	-	-	-	-	1	3	2	1	4	1	2
FEMALE--	8	-	-	-	-	1	3	-	-	1	1	-
BLACK---MALE----	17	-	-	-	-	1	3	2	1	4	1	2
FEMALE--	8	-	-	-	-	1	3	-	-	1	1	-
MAINE ----------	75	-	1	1	1	15	7	6	7	2	1	4
WHITE------MALE----	44	-	1	1	-	6	4	3	4	2	1	2
FEMALE--	30	-	-	-	-	9	3	3	3	-	-	2
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	142	1	2	1	1	21	16	11	9	9	8	12
WHITE------MALE----	60	-	1	-	-	9	11	8	5	2	2	6
FEMALE--	45	-	1	-	1	6	4	-	2	4	1	4
ALL OTHER--MALE----	22	-	-	-	-	4	-	2	1	2	3	1
FEMALE--	15	1	-	1	-	2	1	1	1	1	2	1
BLACK---MALE----	19	-	-	-	-	4	-	2	1	2	3	1
FEMALE--	14	1	-	1	-	2	1	1	1	1	2	-
MASSACHUSETTS ----------	56	-	-	-	2	9	5	5	5	2	5	2
WHITE------MALE----	29	-	-	-	-	4	4	3	2	2	2	1
FEMALE--	22	-	-	-	2	4	-	1	3	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	446	2	7	5	2	55	41	31	26	26	35	29
WHITE------MALE----	216	-	2	2	1	36	20	16	12	12	18	18
FEMALE--	170	2	2	3	1	16	11	6	11	8	10	8
ALL OTHER--MALE----	34	-	1	-	-	1	6	5	2	4	3	1
FEMALE--	26	-	2	-	-	2	4	4	1	2	4	2
BLACK---MALE----	29	-	1	-	-	1	4	4	2	3	3	1
FEMALE--	20	-	2	-	-	2	3	2	1	2	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3541

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
KENTUCKY ----------	13	5	7	6	12	8	6	3	2	-	-	-
WHITE------MALE----	9	2	6	3	8	5	5	3	1	-	-	-
FEMALE--	3	3	1	3	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	5	3	4	4	5	1	-	1	-	-	-
WHITE------MALE----	-	1	-	2	3	3	-	-	1	-	-	-
FEMALE--	1	2	1	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	5	3	2	3	7	3	2	4	1	-	-	-
WHITE------MALE----	4	1	1	3	4	2	2	3	-	-	-	-
FEMALE--	1	2	1	-	3	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	11	3	8	5	7	11	4	1	-	1	-	-
WHITE------MALE----	6	1	1	2	2	3	1	-	-	-	-	-
FEMALE--	1	-	6	1	4	5	3	1	-	1	-	-
ALL OTHER--MALE----	3	2	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	1	3	2	9	2	3	-	-	-	-
WHITE------MALE----	-	-	1	-	1	7	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	25	25	20	23	24	29	27	7	7	-	-	-
WHITE------MALE----	11	11	9	8	12	10	11	2	5	-	-	-
FEMALE--	10	13	10	14	9	17	14	5	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	2	2	2	-	1	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	1	1	1	-	2	2	2	-	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3542

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
MINNESOTA ----------	263	2	1	3	5	37	16	25	13	19	18	12
WHITE------MALE----	128	2	1	1	4	14	6	13	11	7	7	5
FEMALE--	119	-	-	2	1	21	8	9	2	10	9	6
ALL OTHER--MALE----	9	-	-	-	-	1	1	3	-	-	1	-
FEMALE--	7	-	-	-	-	1	1	-	-	2	1	1
BLACK---MALE----	6	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI ----------	330	2	7	4	5	33	26	28	22	25	28	26
WHITE------MALE----	129	-	1	2	3	13	4	7	9	10	11	14
FEMALE--	76	-	4	1	-	8	7	8	4	2	3	6
ALL OTHER--MALE----	80	1	2	-	2	8	10	6	5	8	11	3
FEMALE--	45	1	-	1	-	4	5	7	4	5	3	3
BLACK---MALE----	78	1	2	-	2	8	10	6	4	8	11	3
FEMALE--	44	1	-	1	-	4	5	7	4	4	3	3
MISSOURI ----------	220	-	1	2	7	43	16	20	18	9	20	15
WHITE------MALE----	134	-	-	1	2	32	13	11	15	5	12	9
FEMALE--	75	-	1	1	5	11	2	4	2	4	7	6
ALL OTHER--MALE----	8	-	-	-	-	-	1	4	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	2	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	37	-	-	-	-	3	3	2	3	1	6	5
WHITE------MALE----	22	-	-	-	-	2	2	-	2	1	4	4
FEMALE--	9	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	136	-	2	5	4	16	11	8	8	9	11	9
WHITE------MALE----	81	-	1	3	-	10	7	3	4	6	8	6
FEMALE--	50	-	-	2	4	6	3	5	4	2	2	3
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NEVADA ----------	64	-	1	1	2	7	6	5	7	4	3	3
WHITE------MALE----	34	-	1	-	-	4	5	4	3	3	-	-
FEMALE--	23	-	-	1	2	1	-	1	3	-	2	3
ALL OTHER--MALE----	5	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
MINNESOTA ----------	13	12	4	12	14	23	18	14	2	-	-	-
WHITE------MALE----	5	4	2	6	10	12	9	7	2	-	-	-
FEMALE--	8	6	2	4	4	11	9	7	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	15	20	14	15	16	23	7	7	6	1	-	-
WHITE------MALE----	3	10	6	5	4	13	6	6	1	1	-	-
FEMALE--	3	5	3	5	7	7	-	-	3	-	-	-
ALL OTHER--MALE----	6	2	3	4	5	2	1	-	1	-	-	-
FEMALE--	3	3	2	1	-	1	-	1	1	-	-	-
BLACK---MALE----	5	2	3	4	5	2	1	-	1	-	-	-
FEMALE--	3	3	2	1	-	1	-	1	1	-	-	-
MISSOURI ----------	15	8	6	13	9	4	7	4	2	1	-	-
WHITE------MALE----	9	1	5	6	5	3	2	2	1	-	-	-
FEMALE--	5	7	1	6	4	1	5	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MONTANA ----------	2	-	4	2	2	1	3	-	-	-	-	-
WHITE------MALE----	1	-	3	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	8	6	6	6	8	14	3	1	1	-	-	-
WHITE------MALE----	3	4	3	3	6	9	3	1	1	-	-	-
FEMALE--	4	2	3	3	2	5	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	1	6	5	4	2	3	-	1	-	-	-
WHITE------MALE----	2	1	4	1	3	1	2	-	-	-	-	-
FEMALE--	1	-	2	3	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
NEW HAMPSHIRE ----------	28	-	-	1	-	5	3	2	2	-	3	1
WHITE------MALE----	18	-	-	-	-	4	3	2	1	-	2	1
FEMALE--	9	-	-	1	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEW JERSEY ----------	141	-	2	1	3	17	8	13	8	13	5	6
WHITE------MALE----	64	-	1	1	-	4	3	8	4	3	4	4
FEMALE--	50	-	-	-	1	10	2	3	1	7	1	1
ALL OTHER--MALE----	16	-	-	-	-	2	3	1	3	2	-	-
FEMALE--	11	-	1	-	2	1	-	1	-	1	-	1
BLACK---MALE----	16	-	-	-	-	2	3	1	3	2	-	-
FEMALE--	9	-	1	-	2	-	-	1	-	1	-	-
NEW MEXICO ----------	135	1	1	1	4	24	10	9	11	13	7	8
WHITE------MALE----	58	1	-	-	-	13	3	3	6	4	2	5
FEMALE--	48	-	-	1	4	4	3	3	3	6	4	3
ALL OTHER--MALE----	13	-	1	-	-	5	2	-	1	1	-	-
FEMALE--	16	-	-	-	-	2	2	3	1	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	377	2	1	6	4	39	47	27	23	21	23	15
WHITE------MALE----	175	1	-	3	1	17	25	16	9	7	10	12
FEMALE--	164	1	-	2	3	17	14	8	9	10	13	2
ALL OTHER--MALE----	27	-	-	1	-	2	7	3	4	4	-	1
FEMALE--	11	-	1	-	-	3	1	-	1	-	-	-
BLACK---MALE----	22	-	-	1	-	1	6	2	4	3	-	-
FEMALE--	10	-	1	-	-	2	1	-	1	-	-	-
NORTH CAROLINA ---------	613	4	11	12	9	60	65	46	38	29	39	37
WHITE------MALE----	288	2	5	7	5	32	32	25	18	7	14	18
FEMALE--	198	-	4	3	4	21	16	12	11	12	12	9
ALL OTHER--MALE----	68	1	1	-	-	4	11	5	6	4	7	7
FEMALE--	59	1	1	2	-	3	6	4	3	6	6	3
BLACK---MALE----	59	1	1	-	-	4	10	5	5	2	6	7
FEMALE--	50	1	1	1	-	2	5	4	3	6	5	3
NORTH DAKOTA ----------	51	1	1	-	2	6	9	4	2	-	3	3
WHITE------MALE----	19	1	-	-	-	2	4	1	1	-	-	2
FEMALE--	21	-	-	-	2	2	2	2	1	-	1	1
ALL OTHER--MALE----	6	-	1	-	-	1	2	-	-	-	1	-
FEMALE--	5	-	-	-	-	1	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
NEW HAMPSHIRE ----------	1	1	1	-	5	1	2	-	-	-	-	-
WHITE------MALE----	-	-	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	6	11	7	10	9	8	6	2	-	-	-
WHITE------MALE----	2	5	5	3	7	3	2	3	2	-	-	-
FEMALE--	2	-	4	3	1	6	5	3	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
NEW MEXICO ----------	6	6	5	7	9	7	4	2	-	-	-	-
WHITE------MALE----	3	3	1	3	3	3	4	1	-	-	-	-
FEMALE--	3	2	1	2	4	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	12	27	19	19	28	24	25	11	4	-	-	-
WHITE------MALE----	5	11	8	10	10	14	9	4	3	-	-	-
FEMALE--	5	13	11	7	18	10	13	7	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	38	35	26	25	37	45	27	22	6	-	-	2
WHITE------MALE----	16	16	9	10	19	21	15	12	3	-	-	2
FEMALE--	10	12	11	11	12	16	11	9	2	-	-	-
ALL OTHER--MALE----	6	4	3	1	2	5	1	-	-	-	-	-
FEMALE--	6	3	3	3	4	3	-	1	1	-	-	-
BLACK---MALE----	4	4	2	1	2	4	1	-	-	-	-	-
FEMALE--	6	2	2	2	3	2	-	1	1	-	-	-
NORTH DAKOTA ----------	1	2	1	3	7	3	-	1	2	-	-	-
WHITE------MALE----	-	1	-	1	3	1	-	1	1	-	-	-
FEMALE--	1	1	-	1	4	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3544

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
OHIO ----------	336	3	2	1	6	47	40	29	25	20	32	14
WHITE------MALE----	194	2	2	1	2	27	29	15	18	13	21	10
FEMALE--	119	-	-	-	3	16	10	11	6	6	9	4
ALL OTHER--MALE----	15	-	-	-	1	2	1	2	1	1	1	-
FEMALE--	8	1	-	-	-	2	-	1	-	-	1	-
BLACK---MALE----	14	-	-	-	1	1	1	2	1	1	1	-
FEMALE--	6	-	-	-	-	1	-	1	-	-	1	-
OKLAHOMA ----------	217	4	6	5	5	20	21	19	12	7	12	14
WHITE------MALE----	105	2	3	2	4	7	12	7	8	-	8	7
FEMALE--	79	1	2	1	1	8	8	8	2	5	3	5
ALL OTHER--MALE----	19	1	1	-	-	3	-	3	1	-	1	1
FEMALE--	14	-	-	2	-	2	1	1	1	2	-	1
BLACK---MALE----	9	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	6	-	-	2	-	-	-	-	-	1	-	1
OREGON ----------	101	1	1	1	5	10	15	5	1	10	5	7
WHITE------MALE----	51	1	1	1	2	5	10	1	-	5	2	3
FEMALE--	42	-	-	-	2	3	3	2	1	5	3	3
ALL OTHER--MALE----	6	-	-	-	-	1	2	2	-	-	-	1
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA ----------	268	-	2	5	6	26	30	18	19	16	18	20
WHITE------MALE----	150	-	1	3	3	17	22	9	13	9	8	9
FEMALE--	99	-	1	2	3	8	7	5	4	5	7	11
ALL OTHER--MALE----	12	-	-	-	-	1	-	1	2	1	2	-
FEMALE--	7	-	-	-	-	-	1	3	-	1	1	-
BLACK---MALE----	12	-	-	-	-	1	-	1	2	1	2	-
FEMALE--	4	-	-	-	-	-	1	1	-	1	1	-
RHODE ISLAND ----------	21	-	-	-	-	2	4	-	2	1	-	-
WHITE------MALE----	11	-	-	-	-	-	2	-	2	1	-	-
FEMALE--	10	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	209	1	4	9	5	24	19	14	8	13	17	13
WHITE------MALE----	72	-	2	1	-	11	8	3	2	3	6	3
FEMALE--	57	-	-	3	-	8	3	2	1	3	5	5
ALL OTHER--MALE----	52	-	2	4	4	4	4	5	1	4	4	4
FEMALE--	28	1	-	1	1	1	4	4	4	3	2	1
BLACK---MALE----	52	-	2	4	4	4	4	5	1	4	4	4
FEMALE--	28	1	-	1	1	1	4	4	4	3	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
OHIO ----------	14	13	15	12	22	16	15	9	1	-	-	-
WHITE------MALE----	6	6	6	9	11	5	6	5	-	-	-	-
FEMALE--	7	6	7	3	11	10	7	2	1	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
OKLAHOMA ----------	11	11	8	12	8	14	15	9	2	1	-	1
WHITE------MALE----	3	4	3	6	5	10	7	5	1	-	-	1
FEMALE--	5	4	4	5	3	4	6	3	1	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	1	1	-	1	-	-
FEMALE--	1	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	4	2	9	5	7	5	2	-	-	-	-
WHITE------MALE----	5	-	-	6	3	4	1	1	-	-	-	-
FEMALE--	1	4	2	3	2	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	20	11	8	13	16	18	14	6	1	1	-	-
WHITE------MALE----	12	5	3	10	5	9	8	3	1	-	-	-
FEMALE--	8	6	4	3	9	7	6	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	2	-	1	2	4	3	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	4	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	9	12	7	9	10	8	11	-	1	-	-
WHITE------MALE----	4	4	5	2	3	6	4	4	-	1	-	-
FEMALE--	5	3	2	4	3	2	3	5	-	-	-	-
ALL OTHER--MALE----	5	2	3	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	5	2	3	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3545

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
SOUTH DAKOTA ----------	58	-	-	2	-	11	5	4	5	5	4	5
WHITE------MALE----	27	-	-	1	-	6	2	1	1	3	1	3
FEMALE--	20	-	-	1	-	3	1	2	3	1	2	1
ALL OTHER--MALE----	6	-	-	-	-	1	2	-	-	1	1	-
FEMALE--	5	-	-	-	-	1	-	1	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	427	1	2	6	7	41	37	36	36	39	38	29
WHITE------MALE----	222	-	1	4	-	24	17	22	17	17	19	14
FEMALE--	154	-	1	1	6	14	15	10	9	16	14	12
ALL OTHER--MALE----	32	1	-	1	-	1	4	3	4	5	3	2
FEMALE--	19	-	-	-	1	2	1	1	6	1	2	1
BLACK---MALE----	29	1	-	1	-	1	4	3	3	5	2	2
FEMALE--	19	-	-	-	1	2	1	1	6	1	2	1
TEXAS ----------	669	4	13	21	21	91	85	46	51	48	54	48
WHITE------MALE----	353	2	5	11	9	47	44	31	32	27	32	23
FEMALE--	243	2	6	7	9	34	29	12	14	12	16	20
ALL OTHER--MALE----	49	-	1	2	2	7	10	2	4	5	4	4
FEMALE--	24	-	1	1	1	3	2	1	1	4	2	1
BLACK---MALE----	43	-	1	2	2	6	8	2	4	5	3	4
FEMALE--	19	-	1	1	1	3	1	1	-	4	1	1
UTAH ----------	40	-	-	1	-	6	2	2	4	2	6	1
WHITE------MALE----	23	-	-	1	-	3	1	2	3	-	3	1
FEMALE--	14	-	-	-	-	3	1	-	1	-	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	11	-	-	-	-	4	1	-	1	-	2	1
WHITE------MALE----	7	-	-	-	-	3	1	-	1	-	1	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	231	4	2	2	4	22	18	14	20	16	20	14
WHITE------MALE----	100	2	-	-	2	13	14	6	6	5	12	5
FEMALE--	67	-	1	1	1	2	2	3	4	3	6	4
ALL OTHER--MALE----	40	-	1	-	1	5	1	5	7	7	1	2
FEMALE--	24	2	-	1	-	2	1	-	3	1	1	3
BLACK---MALE----	39	-	1	-	1	5	1	5	7	7	1	2
FEMALE--	23	2	-	1	-	1	1	-	3	1	1	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
SOUTH DAKOTA ----------	2	2	1	1	2	3	4	1	1	-	-	-
WHITE------MALE----	1	1	1	1	2	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	25	21	20	12	19	25	22	11	-	-	-	-
WHITE------MALE----	15	10	12	6	10	13	15	6	-	-	-	-
FEMALE--	6	7	7	5	7	12	7	5	-	-	-	-
ALL OTHER--MALE----	2	3	1	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	32	32	18	21	21	23	21	12	4	1	1	1
WHITE------MALE----	15	17	9	8	9	9	12	7	1	1	1	1
FEMALE--	14	13	8	11	7	13	8	5	3	-	-	-
ALL OTHER--MALE----	1	1	1	2	2	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	3	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	-	-	-	-	-
UTAH ----------	4	3	1	1	-	3	2	2	-	-	-	-
WHITE------MALE----	3	2	-	1	-	1	-	2	-	-	-	-
FEMALE--	1	1	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	15	14	12	9	13	13	8	8	3	-	-	-
WHITE------MALE----	7	4	5	2	4	6	4	1	2	-	-	-
FEMALE--	7	5	4	6	6	6	2	4	-	-	-	-
ALL OTHER--MALE----	-	2	2	1	3	-	-	1	1	-	-	-
FEMALE--	1	3	1	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	1	2	1	3	-	-	1	1	-	-	-
FEMALE--	1	3	1	-	-	1	2	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
WASHINGTON ----------	258	2	3	9	7	18	27	17	18	24	19	10
WHITE------MALE----	133	-	1	4	6	12	15	11	13	13	9	6
FEMALE--	100	2	1	5	1	4	5	4	3	10	7	3
ALL OTHER--MALE----	20	-	1	-	-	2	5	1	2	1	3	-
FEMALE--	5	-	-	-	-	-	2	1	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	3	1	-	1	3	-
FEMALE--	3	-	-	-	-	-	2	1	-	-	-	-
WEST VIRGINIA ----------	58	-	1	2	2	11	10	6	4	3	2	3
WHITE------MALE----	36	-	-	-	1	9	8	2	2	1	2	2
FEMALE--	20	-	1	2	1	2	1	3	2	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	297	2	6	6	8	32	24	18	20	18	19	23
WHITE------MALE----	161	1	3	5	4	17	13	13	12	6	14	12
FEMALE--	121	-	1	1	4	13	8	5	8	10	4	10
ALL OTHER--MALE----	8	1	1	-	-	1	-	-	-	2	-	1
FEMALE--	7	-	1	-	-	1	3	-	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
WYOMING ----------	35	-	-	3	3	3	4	2	-	2	4	1
WHITE------MALE----	21	-	-	1	3	-	4	1	-	1	1	-
FEMALE--	10	-	-	1	-	2	-	-	-	-	3	1
ALL OTHER--MALE----	3	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
WASHINGTON ----------	14	10	11	14	13	12	13	12	3	2	-	-
WHITE------MALE----	5	4	5	4	5	5	6	6	2	1	-	-
FEMALE--	7	6	5	9	8	7	6	5	1	1	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	2	2	2	3	1	1	-	-	-	-	-
WHITE------MALE----	2	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	14	20	11	9	16	13	23	10	4	1	-	-
WHITE------MALE----	11	11	8	4	4	5	12	4	2	-	-	-
FEMALE--	3	7	3	5	11	8	11	6	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	3	1	-	3	-	1	1	-	-	-	-
WHITE------MALE----	3	2	1	-	2	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3547

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
UNITED STATES -	207	-	-	3	3	6	6	11	15	25	28	23
WHITE------MALE----	143	-	-	1	2	4	4	9	10	18	25	19
FEMALE--	38	-	-	1	1	2	2	-	2	4	1	1
ALL OTHER--MALE----	20	-	-	1	-	-	-	2	2	3	2	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	17	-	-	1	-	-	-	-	2	3	1	3
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALABAMA ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	-	-	1	-	-	-	2	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	26	-	-	1	-	-	1	5	-	4	4	2
WHITE------MALE----	20	-	-	1	-	-	-	3	-	3	3	2
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
UNITED STATES -	19	19	10	5	11	8	11	1	3	-	-	-
WHITE------MALE----	15	13	7	2	6	3	5	-	-	-	-	-
FEMALE--	1	2	2	2	5	5	4	1	2	-	-	-
ALL OTHER--MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	1	-	-	-
BLACK---MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	-	-	-
ALABAMA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	4	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	2	3	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	14	-	-	1	-	-	2	-	1	2	3	-
WHITE------MALE----	12	-	-	-	-	-	2	-	1	2	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	-	-	-	-	-	2	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	2	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	-	-	-	-	-	-	1	3	1	1	2
WHITE------MALE----	7	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	4	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	2	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
KENTUCKY ----------	5	-	-	-	-	-	1	-	-	2	1	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	2	6	4	3	1	2	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	5	4	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	1	1	-	1	1	2	-
WHITE------MALE----	7	-	-	-	-	1	1	-	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	-	-	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	1	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	1	-	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	-	-	-	-	-	-	-	2	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
OHIO ----------	7	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	-	-	-	-	1	1	-	-	-	1	1
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
OHIO ----------	1	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	16	-	-	-	1	1	-	-	2	3	2	2
WHITE------MALE----	13	-	-	-	-	1	-	-	1	3	2	2
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	7	-	-	-	-	2	-	-	-	2	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
SOUTH DAKOTA ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	1	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
WASHINGTON ----------	3	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)												
WASHINGTON ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
UNITED STATES -	3,688	16	48	57	58	611	579	384	308	350	310	237
WHITE------MALE----	2,173	7	19	23	28	346	370	244	186	200	191	140
FEMALE--	893	4	12	21	21	184	109	73	68	80	64	51
ALL OTHER--MALE----	407	3	5	7	5	54	68	52	35	43	34	29
FEMALE--	215	2	12	6	4	27	32	15	19	27	21	17
BLACK---MALE----	285	3	4	7	2	35	39	36	26	33	27	22
FEMALE--	133	1	10	5	3	17	21	8	12	15	14	11
ALABAMA ----------	35	-	1	2	-	6	5	4	2	3	2	-
WHITE------MALE----	17	-	-	-	-	3	2	3	-	1	2	-
FEMALE--	10	-	-	-	-	3	2	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	1	2	-	-	1	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	1	2	-	-	1	-	2	-	-	-
ALASKA ----------	7	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	38	1	-	1	1	4	5	-	4	5	3	-
WHITE------MALE----	19	1	-	1	1	2	3	-	2	3	1	-
FEMALE--	11	-	-	-	-	1	2	-	1	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	64	1	3	1	2	10	6	6	5	8	6	5
WHITE------MALE----	34	-	-	-	1	8	3	3	4	2	4	3
FEMALE--	8	-	-	-	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	18	1	1	1	-	1	2	1	1	4	2	2
FEMALE--	4	-	2	-	-	-	-	1	-	1	-	-
BLACK---MALE----	18	1	1	1	-	1	2	1	1	4	2	2
FEMALE--	4	-	2	-	-	-	-	1	-	1	-	-
CALIFORNIA ----------	357	1	5	6	6	54	53	40	30	34	34	24
WHITE------MALE----	214	-	1	4	5	30	36	27	20	16	26	12
FEMALE--	75	-	1	2	1	15	9	5	6	6	5	8
ALL OTHER--MALE----	36	-	1	-	-	6	7	6	2	6	1	1
FEMALE--	32	1	2	-	-	3	1	2	2	6	2	3
BLACK---MALE----	17	-	1	-	-	2	2	2	2	3	1	-
FEMALE--	12	1	2	-	-	2	1	-	2	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3556

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
UNITED STATES -	167	142	112	101	70	60	37	31	6	2	1	1
WHITE------MALE----	103	88	63	61	29	36	17	19	2	-	-	1
FEMALE--	35	31	30	28	32	18	17	10	3	1	1	-
ALL OTHER--MALE----	24	15	11	9	6	3	1	2	-	1	-	-
FEMALE--	5	8	8	3	3	3	2	-	1	-	-	-
BLACK---MALE----	18	11	5	6	4	3	1	2	-	1	-	-
FEMALE--	3	4	4	1	1	2	1	-	-	-	-	-
ALABAMA ----------	1	4	2	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	3	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	2	1	3	2	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	4	-	2	1	-	1	-	-	-	-
WHITE------MALE----	2	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	14	14	9	9	11	3	5	3	2	-	-	-
WHITE------MALE----	11	6	5	4	4	2	4	1	-	-	-	-
FEMALE--	-	3	1	4	5	1	-	2	1	-	-	-
ALL OTHER--MALE----	1	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
COLORADO ----------	81	-	-	1	2	15	15	6	4	6	8	8
WHITE------MALE----	41	-	-	1	-	6	5	5	2	2	7	4
FEMALE--	34	-	-	-	2	8	8	1	1	4	1	2
ALL OTHER--MALE----	6	-	-	-	-	1	2	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	-	-	-	-	1	1	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	173	1	1	5	4	27	21	17	16	14	23	14
WHITE------MALE----	97	1	-	2	1	15	13	11	10	8	15	10
FEMALE--	35	-	1	1	1	6	1	3	2	4	5	2
ALL OTHER--MALE----	31	-	-	1	1	5	5	3	2	2	1	1
FEMALE--	10	-	-	1	1	1	2	-	2	-	2	1
BLACK---MALE----	29	-	-	1	1	5	3	3	2	2	1	1
FEMALE--	8	-	-	1	1	1	2	-	1	-	2	-
GEORGIA ----------	60	-	-	2	-	8	12	10	4	6	6	2
WHITE------MALE----	36	-	-	2	-	4	9	8	2	3	2	1
FEMALE--	12	-	-	-	-	4	2	2	1	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	1	2	3	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
COLORADO ----------	4	4	2	2	1	1	1	-	-	-	-	1
WHITE------MALE----	2	2	1	2	-	1	-	-	-	-	-	1
FEMALE--	2	2	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	8	5	6	3	1	3	2	2	-	-	-	-
WHITE------MALE----	2	2	3	1	-	2	-	1	-	-	-	-
FEMALE--	2	1	2	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	4	4	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
HAWAII ----------	8	-	1	-	-	2	1	1	-	1	1	1
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	1	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	60	-	4	2	2	10	7	8	4	7	3	1
WHITE------MALE----	37	-	2	1	1	6	6	5	3	5	1	-
FEMALE--	22	-	2	1	1	4	1	2	1	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	98	1	-	2	-	13	14	12	11	6	5	10
WHITE------MALE----	60	-	-	-	-	10	13	7	6	3	3	6
FEMALE--	25	-	-	1	-	3	1	4	3	2	1	1
ALL OTHER--MALE----	7	1	-	1	-	-	-	-	1	1	1	1
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	2
BLACK---MALE----	7	1	-	1	-	-	-	-	1	1	1	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	2
INDIANA ----------	42	-	-	-	-	6	6	7	3	5	4	-
WHITE------MALE----	32	-	-	-	-	4	4	5	2	5	3	-
FEMALE--	9	-	-	-	-	1	2	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	71	-	1	2	1	14	11	10	6	7	6	5
WHITE------MALE----	41	-	1	1	-	7	8	7	2	5	4	3
FEMALE--	26	-	-	1	1	7	2	3	3	2	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS ----------	75	-	1	1	4	14	10	8	6	7	3	5
WHITE------MALE----	44	-	-	-	2	10	6	5	3	4	3	2
FEMALE--	24	-	1	1	2	3	2	2	3	3	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	2	-	1	2	1	1	-	-	-	-	-
WHITE------MALE----	3	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	2	3	2	5	2	4	-	-	-	-	-
WHITE------MALE----	3	1	1	2	1	2	2	-	-	-	-	-
FEMALE--	1	-	2	-	4	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	1	3	1	-	2	-	-	1	-	-	-
WHITE------MALE----	3	1	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	3	1	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	5	-	4	1	2	2	-	-	-	-	-
WHITE------MALE----	1	3	-	1	1	1	2	-	-	-	-	-
FEMALE--	1	2	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
KENTUCKY ----------	41	-	-	1	2	5	4	4	2	7	3	4
WHITE------MALE----	28	-	-	1	-	3	3	4	2	5	2	2
FEMALE--	10	-	-	-	1	2	-	-	-	2	1	2
ALL OTHER--MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	30	-	-	-	-	4	3	2	3	4	3	1
WHITE------MALE----	18	-	-	-	-	4	1	2	3	2	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	21	-	-	-	-	3	6	2	2	1	1	1
WHITE------MALE----	14	-	-	-	-	2	3	2	1	1	1	1
FEMALE--	7	-	-	-	-	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	28	-	-	2	-	2	5	2	4	3	2	4
WHITE------MALE----	13	-	-	-	-	1	3	2	-	1	1	4
FEMALE--	6	-	-	-	-	1	1	-	2	1	1	-
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	2	1	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	1	-	-	-	-	2	1	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	8	-	-	-	-	1	2	3	2	-	-	-
WHITE------MALE----	5	-	-	-	-	-	2	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	114	1	1	-	1	11	27	13	11	15	7	8
WHITE------MALE----	72	1	-	-	-	7	20	9	7	9	3	4
FEMALE--	24	-	1	-	1	1	6	3	1	3	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	8	-	-	-	-	3	1	-	2	1	-	1
BLACK---MALE----	10	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	5	-	-	-	-	1	-	-	2	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
KENTUCKY ----------	1	4	-	2	-	2	-	-	-	-	-	-
WHITE------MALE----	1	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	2	1	-	1	1	1	1	-	-	-	-
WHITE------MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE ----------	1	-	-	1	-	1	1	-	-	-	1	-
WHITE------MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	4	-	2	2	1	-	-	-	-	-	-
WHITE------MALE----	6	4	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
MINNESOTA ----------	76	-	1	1	-	11	13	3	5	11	9	4
WHITE------MALE----	41	-	1	-	-	4	5	1	2	6	6	4
FEMALE--	29	-	-	1	-	7	6	1	1	5	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	143	-	4	1	2	27	16	21	12	20	8	6
WHITE------MALE----	64	-	1	-	1	9	10	8	6	9	4	3
FEMALE--	29	-	1	1	1	8	1	3	2	3	1	1
ALL OTHER--MALE----	33	-	1	-	-	4	4	9	2	4	1	2
FEMALE--	17	-	1	-	-	6	1	1	2	4	2	-
BLACK---MALE----	33	-	1	-	-	4	4	9	2	4	1	2
FEMALE--	16	-	1	-	-	6	1	-	2	4	2	-
MISSOURI ----------	89	1	-	-	-	16	11	4	6	8	8	8
WHITE------MALE----	68	1	-	-	-	12	10	3	3	6	6	7
FEMALE--	16	-	-	-	-	3	-	1	2	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	56	-	1	1	-	12	5	9	1	5	7	7
WHITE------MALE----	27	-	1	-	-	4	-	7	-	2	3	4
FEMALE--	13	-	-	-	-	7	1	-	1	1	1	1
ALL OTHER--MALE----	8	-	-	-	-	1	1	2	-	-	1	2
FEMALE--	8	-	-	1	-	-	3	-	-	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	57	-	-	-	-	20	5	9	3	3	3	5
WHITE------MALE----	36	-	-	-	-	14	1	8	1	3	1	3
FEMALE--	20	-	-	-	-	6	4	1	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	42	-	1	1	1	5	6	2	4	3	3	2
WHITE------MALE----	26	-	-	-	1	3	3	2	2	2	2	1
FEMALE--	11	-	-	1	-	2	3	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
MINNESOTA ----------	5	1	3	-	1	1	2	5	-	-	-	-
WHITE------MALE----	5	1	2	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	6	-	4	5	1	2	-	-	-	-	-
WHITE------MALE----	4	3	-	3	1	1	1	-	-	-	-	-
FEMALE--	2	2	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	5	3	4	5	5	1	1	-	-	-	-
WHITE------MALE----	3	4	3	3	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	4	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	2	3	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	3	3	2	-	-	-	1	-	-	-	-
WHITE------MALE----	4	2	1	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
NEW HAMPSHIRE ----------	6	-	-	1	-	1	1	1	-	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	1	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	20	-	-	-	-	3	4	1	1	1	3	1
WHITE------MALE----	7	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	7	-	-	-	-	2	-	1	1	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	1	3	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	2	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	104	-	1	3	4	16	14	9	11	12	13	6
WHITE------MALE----	62	-	1	3	1	10	8	4	4	8	8	4
FEMALE--	13	-	-	-	1	-	2	2	3	-	3	1
ALL OTHER--MALE----	21	-	-	-	1	4	4	2	3	3	2	-
FEMALE--	8	-	-	-	1	2	-	1	1	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEW YORK ----------	92	-	1	1	1	18	9	8	6	9	13	2
WHITE------MALE----	53	-	-	1	1	12	5	5	3	7	8	2
FEMALE--	24	-	-	-	-	4	2	2	3	1	3	-
ALL OTHER--MALE----	9	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	6	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	6	-	1	-	-	1	1	1	-	-	-	-
NORTH CAROLINA ---------	268	-	2	4	3	37	62	28	31	30	19	14
WHITE------MALE----	153	-	1	1	3	12	39	16	22	17	9	9
FEMALE--	46	-	-	2	-	10	8	4	4	5	5	-
ALL OTHER--MALE----	48	-	-	1	-	13	8	6	4	5	3	3
FEMALE--	21	-	1	-	-	2	7	2	1	3	2	2
BLACK---MALE----	42	-	-	1	-	11	6	6	4	4	3	3
FEMALE--	18	-	1	-	-	2	6	2	1	1	2	2
NORTH DAKOTA ----------	26	-	-	-	-	7	9	3	2	-	3	1
WHITE------MALE----	16	-	-	-	-	2	7	1	2	-	3	-
FEMALE--	9	-	-	-	-	5	2	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	2	-	2	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	3	3	1	1	3	-	1	-	-	-	-
WHITE------MALE----	1	3	3	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	4	5	3	1	5	1	1	-	-	-	-
WHITE------MALE----	2	1	1	-	-	3	1	1	-	-	-	-
FEMALE--	-	1	3	3	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	9	5	7	6	3	1	1	-	-	-	-
WHITE------MALE----	4	5	2	7	3	2	-	1	-	-	-	-
FEMALE--	2	1	2	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3562

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
OHIO ----------	61	-	-	-	-	13	9	8	7	5	4	3
WHITE------MALE----	43	-	-	-	-	8	8	7	4	2	3	3
FEMALE--	15	-	-	-	-	4	-	1	3	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	46	2	1	-	-	11	7	3	2	5	6	3
WHITE------MALE----	29	-	-	-	-	7	5	3	-	3	4	2
FEMALE--	12	1	1	-	-	3	-	-	1	2	2	1
ALL OTHER--MALE----	4	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	48	-	-	-	-	6	3	5	4	6	2	4
WHITE------MALE----	29	-	-	-	-	3	1	4	2	3	2	3
FEMALE--	16	-	-	-	-	3	2	1	1	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	58	-	1	1	1	8	9	4	5	5	8	5
WHITE------MALE----	35	-	1	1	1	3	6	4	4	4	4	3
FEMALE--	18	-	-	-	-	5	3	-	-	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND ----------	7	-	-	-	-	-	2	2	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	92	1	-	1	2	11	20	10	6	9	7	9
WHITE------MALE----	35	1	-	-	-	5	9	4	3	3	1	3
FEMALE--	19	-	-	1	1	2	2	2	-	3	1	2
ALL OTHER--MALE----	25	-	-	-	-	2	5	4	2	1	4	2
FEMALE--	13	-	-	-	1	2	4	-	1	2	1	2
BLACK---MALE----	25	-	-	-	-	2	5	4	2	1	4	2
FEMALE--	13	-	-	-	1	2	4	-	1	2	1	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
OHIO ----------	2	2	3	1	1	-	1	1	1	-	-	-
WHITE------MALE----	1	1	3	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	2	2	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	4	4	4	2	1	-	-	-	-	-	-
WHITE------MALE----	1	3	1	4	1	1	-	-	-	-	-	-
FEMALE--	2	1	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	2	-	1	2	1	1	-	-	1	-	-
WHITE------MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	2	4	3	1	1	1	1	-	-	-	-
WHITE------MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
SOUTH DAKOTA ----------	44	-	-	1	2	6	6	7	3	3	2	2
WHITE------MALE----	15	-	-	-	-	2	2	1	2	1	1	1
FEMALE--	10	-	-	1	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	2	2	3	-	1	1	1
FEMALE--	5	-	-	-	1	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	203	-	3	2	4	40	31	19	23	10	20	13
WHITE------MALE----	135	-	1	1	3	27	27	10	18	4	13	9
FEMALE--	45	-	1	1	1	11	2	6	4	5	1	2
ALL OTHER--MALE----	16	-	-	-	-	2	2	3	1	1	3	2
FEMALE--	7	-	1	-	-	-	-	-	-	-	3	-
BLACK---MALE----	16	-	-	-	-	2	2	3	1	1	3	2
FEMALE--	6	-	1	-	-	-	-	-	-	-	3	-
TEXAS ----------	297	4	6	5	8	48	53	29	26	24	21	19
WHITE------MALE----	185	1	3	1	3	30	39	15	20	15	13	8
FEMALE--	83	3	2	2	5	16	9	9	3	5	7	7
ALL OTHER--MALE----	19	-	1	1	-	1	3	3	2	3	1	3
FEMALE--	10	-	-	1	-	1	2	2	1	1	-	1
BLACK---MALE----	17	-	1	1	-	1	2	3	2	3	1	3
FEMALE--	10	-	-	1	-	1	2	2	1	1	-	1
UTAH ----------	59	-	-	1	-	10	17	3	3	3	5	2
WHITE------MALE----	31	-	-	1	-	6	7	2	2	2	2	1
FEMALE--	18	-	-	-	-	3	5	-	1	-	3	-
ALL OTHER--MALE----	9	-	-	-	-	1	4	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	3	-	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	2	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	79	-	1	1	-	13	12	9	4	7	7	8
WHITE------MALE----	43	-	-	-	-	9	7	5	1	2	3	4
FEMALE--	14	-	1	1	-	2	1	-	1	4	2	-
ALL OTHER--MALE----	16	-	-	-	-	1	4	3	1	1	2	2
FEMALE--	6	-	-	-	-	1	-	1	1	-	-	2
BLACK---MALE----	15	-	-	-	-	1	4	3	1	1	2	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
SOUTH DAKOTA ----------	3	2	-	3	1	2	1	-	-	-	-	-
WHITE------MALE----	1	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	8	6	6	3	4	2	-	-	1	-	-
WHITE------MALE----	5	5	4	3	3	1	1	-	-	-	-	-
FEMALE--	3	2	1	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
TEXAS ----------	12	14	6	12	3	2	2	2	1	-	-	-
WHITE------MALE----	8	11	6	8	-	2	-	2	-	-	-	-
FEMALE--	4	3	-	3	3	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	2	2	7	3	1	-	-	-	-	-	-	-
WHITE------MALE----	2	2	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	4	5	2	2	1	-	2	-	-	-	-
WHITE------MALE----	1	4	4	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3564

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
WASHINGTON ----------	119	-	5	2	3	18	10	16	6	14	9	11
WHITE------MALE----	83	-	4	-	2	12	6	12	4	11	8	9
FEMALE--	20	-	-	1	-	3	3	2	1	2	-	1
ALL OTHER--MALE----	11	-	-	1	1	2	-	2	1	-	1	1
FEMALE--	5	-	1	-	-	1	1	-	-	1	-	-
BLACK---MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	22	-	1	1	-	3	1	2	2	4	1	1
WHITE------MALE----	16	-	1	1	-	3	-	1	2	3	-	-
FEMALE--	6	-	-	-	-	-	1	1	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	121	2	1	-	1	34	25	12	14	8	5	3
WHITE------MALE----	83	1	-	-	-	22	17	10	8	7	3	2
FEMALE--	31	-	-	-	-	12	6	2	5	1	1	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	5	1	1	-	-	-	2	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	27	-	-	1	1	2	5	1	1	4	2	2
WHITE------MALE----	15	-	-	-	1	2	4	-	-	3	-	1
FEMALE--	12	-	-	1	-	-	1	1	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
WASHINGTON ----------	5	4	5	3	1	3	3	1	-	-	-	-
WHITE------MALE----	4	2	2	2	1	1	2	1	-	-	-	-
FEMALE--	1	1	2	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	2	3	2	1	-	-	1	-	-	-	-
WHITE------MALE----	5	2	3	1	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	2	-	2	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3565

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
UNITED STATES -	1,007	-	15	34	76	89	84	71	78	67	69	59
WHITE------MALE----	868	-	9	24	63	68	77	61	71	58	62	49
FEMALE--	80	-	4	5	8	12	5	8	6	4	5	3
ALL OTHER--MALE----	56	-	2	4	4	9	2	2	1	5	2	6
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	1
BLACK---MALE----	36	-	2	3	3	3	2	1	1	2	2	5
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
ALABAMA ----------	13	-	1	1	1	1	1	-	2	1	-	1
WHITE------MALE----	8	-	-	-	1	1	1	-	2	-	-	1
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	12	-	-	1	-	3	-	1	-	3	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	-	3	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	-	-	-	3	1	2	-	1	1	-	1
WHITE------MALE----	12	-	-	-	2	1	2	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	22	-	-	-	2	-	2	1	2	-	4	1
WHITE------MALE----	18	-	-	-	2	-	2	-	2	-	3	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	43	-	-	1	3	4	6	5	1	4	2	2
WHITE------MALE----	38	-	-	-	3	3	6	5	1	4	2	2
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3565

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
UNITED STATES -	62	46	50	61	49	42	27	24	4	-	-	-
WHITE------MALE----	53	40	42	54	47	41	24	22	3	-	-	-
FEMALE--	6	3	3	2	1	-	3	1	1	-	-	-
ALL OTHER--MALE----	3	3	5	5	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	4	4	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	2	2	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	3	1	2	1	5	1	1	1	-	-	-	-
WHITE------MALE----	3	-	2	-	5	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
COLORADO ----------	13	-	-	1	1	3	-	-	1	2	1	-
WHITE------MALE----	8	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	1	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	34	-	-	2	3	3	3	-	4	2	1	2
WHITE------MALE----	26	-	-	1	3	-	3	-	4	2	-	2
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
GEORGIA ----------	31	-	-	1	3	3	3	3	1	4	2	1
WHITE------MALE----	25	-	-	-	3	1	3	2	1	3	2	1
FEMALE--	4	-	-	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
COLORADO ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	2	3	1	3	2	1	-	-	-	-
WHITE------MALE----	-	-	2	3	1	3	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	-	2	1	3	-	1	-	-	-	-
WHITE------MALE----	1	1	-	2	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	11	-	-	-	1	-	-	1	1	2	1	1
WHITE------MALE----	10	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	39	-	-	-	2	5	3	6	5	2	3	2
WHITE------MALE----	34	-	-	-	2	4	2	6	3	2	3	2
FEMALE--	5	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	27	-	2	2	1	1	2	2	2	2	2	1
WHITE------MALE----	25	-	2	1	1	1	2	2	2	2	2	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	40	-	-	1	4	-	6	4	1	2	-	2
WHITE------MALE----	37	-	-	-	3	-	5	4	1	2	-	2
FEMALE--	3	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	17	-	-	1	1	1	1	1	1	1	-	2
WHITE------MALE----	17	-	-	1	1	1	1	1	1	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
HAWAII ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	3	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	1	-	2	1	3	2	-	-	-	-	-
WHITE------MALE----	2	1	-	2	-	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	2	-	3	-	2	2	-	-	-	-	-
WHITE------MALE----	1	2	-	3	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	2	3	4	2	4	2	1	-	-	-	-
WHITE------MALE----	2	2	3	4	2	4	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	1	-	2	1	2	1	-	-	-	-
WHITE------MALE----	-	1	1	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
KENTUCKY ----------	27	-	-	-	2	5	3	3	1	1	2	2
WHITE------MALE----	26	-	-	-	2	4	3	3	1	1	2	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	21	-	1	2	3	-	1	2	-	-	1	2
WHITE------MALE----	18	-	1	2	2	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	-	-	-	-	-	-	-	3	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	9	-	1	-	-	2	1	1	1	-	1	-
WHITE------MALE----	5	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	-	1	-	-	-	1	-	2	-
WHITE------MALE----	4	-	-	-	1	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	43	-	1	-	2	2	8	7	9	4	3	6
WHITE------MALE----	37	-	1	-	2	2	7	5	9	4	1	5
FEMALE--	6	-	-	-	-	-	1	2	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
KENTUCKY ----------	1	2	-	3	-	2	-	-	-	-	-	-
WHITE------MALE----	1	2	-	3	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	-	3	1	3	-	-	-	-	-	-
WHITE------MALE----	-	2	-	3	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	1	1	2	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
MINNESOTA ----------	40	-	-	2	1	7	1	3	6	3	5	2
WHITE------MALE----	36	-	-	2	1	6	1	2	5	2	5	2
FEMALE--	3	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	35	-	1	2	3	4	4	3	1	2	2	4
WHITE------MALE----	25	-	-	1	1	4	4	3	1	2	2	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	1	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	-	1	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSOURI ----------	28	-	2	1	3	1	-	1	-	1	-	-
WHITE------MALE----	28	-	2	1	3	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	12	-	1	-	2	-	-	1	-	1	1	-
WHITE------MALE----	11	-	1	-	1	-	-	1	-	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	4	-	-	-	1	-	-	-	1	2	-	-
WHITE------MALE----	4	-	-	-	1	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
MINNESOTA ----------	2	-	4	2	2	-	-	-	-	-	-	-
WHITE------MALE----	2	-	4	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	2	1	2	1	-	1	-	-	-	-	-
WHITE------MALE----	1	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	3	1	1	6	-	3	3	-	-	-	-
WHITE------MALE----	2	3	1	1	6	-	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	1	-	3	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	11	-	-	1	2	1	-	2	1	-	2	-
WHITE------MALE----	9	-	-	1	2	1	-	2	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	45	-	1	1	-	3	5	1	8	5	4	2
WHITE------MALE----	42	-	-	1	-	3	5	-	8	5	4	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	39	-	-	1	2	6	2	3	4	2	2	2
WHITE------MALE----	35	-	-	1	2	4	2	2	4	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	2	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	6	-	-	-	-	1	1	1	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	3	1	3	2	3	-	1	-	-	-	-
WHITE------MALE----	2	2	1	3	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	3	-	1	3	1	1	4	-	-	-	-
WHITE------MALE----	2	3	-	1	3	1	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
OHIO ----------	37	-	1	2	1	3	2	2	2	1	6	1
WHITE------MALE----	32	-	-	2	1	2	1	1	2	1	6	1
FEMALE--	5	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	15	-	1	-	2	-	-	-	1	1	-	2
WHITE------MALE----	14	-	-	-	2	-	-	-	1	1	-	2
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	15	-	-	-	3	4	-	-	-	-	1	2
WHITE------MALE----	13	-	-	-	3	3	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	36	-	1	1	4	4	5	-	-	2	-	4
WHITE------MALE----	35	-	1	1	4	4	5	-	-	2	-	4
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	26	-	-	2	4	2	-	-	1	-	-	3
WHITE------MALE----	18	-	-	1	3	2	-	-	1	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
OHIO ----------	3	3	4	2	1	1	-	2	-	-	-	-
WHITE------MALE----	2	3	4	2	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	2	1	1	1	2	-	-	-	-	-
WHITE------MALE----	1	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	2	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	3	4	2	2	1	-	-	1	-	-	-
WHITE------MALE----	2	3	3	2	2	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	2	1	5	1	2	-	1	1	-	-	-
WHITE------MALE----	1	2	1	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3572

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
SOUTH DAKOTA ----------	8	-	-	-	1	1	-	1	-	-	2	-
WHITE------MALE----	8	-	-	-	1	1	-	1	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	34	-	-	2	1	2	5	5	1	2	2	1
WHITE------MALE----	30	-	-	2	1	1	4	5	1	1	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	65	-	-	3	6	4	6	1	2	4	5	1
WHITE------MALE----	60	-	-	2	5	3	6	1	1	3	5	1
FEMALE--	5	-	-	1	1	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	18	-	1	-	2	3	4	1	2	-	-	1
WHITE------MALE----	13	-	1	-	1	2	3	1	1	-	-	-
FEMALE--	5	-	-	-	1	1	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	-	-	1	-	1	-	2	1	-	2	-
WHITE------MALE----	8	-	-	1	-	1	-	2	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	-	-	-	1	-	1	-	1	2	1	1
WHITE------MALE----	10	-	-	-	1	-	1	-	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
SOUTH DAKOTA ----------	-	-	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	1	1	4	4	-	2	-	-	-	-	-
WHITE------MALE----	1	1	1	4	4	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	3	4	2	4	6	4	3	1	-	-	-
WHITE------MALE----	6	3	4	2	4	6	4	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
WASHINGTON ----------	7	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	7	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	27	-	-	-	1	3	4	1	-	4	2	3
WHITE------MALE----	25	-	-	-	-	3	4	1	-	4	2	3
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	36	-	-	2	3	2	1	5	6	3	4	1
WHITE------MALE----	32	-	-	2	2	2	1	5	6	2	4	1
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
WASHINGTON ----------	1	-	1	-	1	1	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	1	1	2	-	2	-	-	-	-	-	-
WHITE------MALE----	3	-	1	2	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	2	2	-	1	-	1	-	-	-	-
WHITE------MALE----	2	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3574

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	16,803	88	253	268	336	2,223	1,955	1,378	1,178	1,374	1,188	1,027
WHITE------MALE----	9,063	34	89	109	150	1,213	1,183	817	635	759	664	553
FEMALE--	5,024	33	83	91	113	692	430	315	317	378	329	264
ALL OTHER--MALE----	1,751	7	50	41	40	210	244	163	157	152	126	143
FEMALE--	965	14	31	27	33	108	98	83	69	85	69	67
BLACK---MALE----	1,402	7	39	36	31	164	188	132	118	120	99	127
FEMALE--	706	11	26	24	22	82	68	55	47	70	50	53
ALABAMA ----------	779	4	8	18	14	122	84	72	56	49	60	50
WHITE------MALE----	348	2	2	3	6	59	42	36	22	20	25	20
FEMALE--	224	2	3	4	6	36	15	18	20	16	16	9
ALL OTHER--MALE----	138	-	2	4	2	13	20	14	9	9	13	15
FEMALE--	69	-	1	7	-	14	7	4	5	4	6	6
BLACK---MALE----	137	-	2	4	2	13	20	14	9	9	13	14
FEMALE--	67	-	1	7	-	12	7	4	5	4	6	6
ALASKA ----------	38	-	2	1	-	6	3	7	3	5	1	2
WHITE------MALE----	21	-	1	-	-	3	2	4	1	4	-	1
FEMALE--	7	-	-	1	-	2	1	1	1	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	2	-	1	-	-
FEMALE--	4	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA ----------	707	5	15	9	15	80	90	57	55	60	60	52
WHITE------MALE----	356	3	4	5	7	38	43	29	27	29	36	28
FEMALE--	196	2	4	3	3	18	20	15	13	15	11	13
ALL OTHER--MALE----	103	-	6	1	3	19	20	5	12	10	8	7
FEMALE--	52	-	1	-	2	5	7	8	3	6	5	4
BLACK---MALE----	18	-	1	1	1	4	2	1	2	1	1	3
FEMALE--	5	-	-	-	-	2	-	-	-	1	1	-
ARKANSAS ----------	295	1	5	5	8	47	36	24	23	23	19	23
WHITE------MALE----	156	-	2	1	3	28	23	15	13	10	12	12
FEMALE--	95	-	2	3	4	15	8	3	6	11	3	6
ALL OTHER--MALE----	32	-	1	1	1	3	3	5	4	2	2	3
FEMALE--	12	1	-	-	-	1	2	1	-	-	2	2
BLACK---MALE----	30	-	1	1	1	3	2	5	4	2	2	2
FEMALE--	11	1	-	-	-	1	2	1	-	-	2	2
CALIFORNIA ----------	1,217	6	20	22	39	142	156	105	88	99	86	77
WHITE------MALE----	692	5	10	7	20	76	98	67	49	64	54	48
FEMALE--	333	1	3	9	7	43	32	24	26	23	20	20
ALL OTHER--MALE----	98	-	3	3	3	11	15	9	7	9	6	4
FEMALE--	94	-	4	3	9	12	11	5	6	3	6	5
BLACK---MALE----	41	-	2	1	1	3	7	6	2	4	3	3
FEMALE--	30	-	4	2	4	4	5	2	1	1	1	3

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	867	696	560	650	722	791	657	410	149	19	1	13
WHITE------MALE----	458	392	279	337	351	401	323	215	80	10	-	11
FEMALE--	253	194	183	228	292	313	281	165	61	7	1	1
ALL OTHER--MALE----	96	72	61	48	36	51	30	17	4	2	-	1
FEMALE--	60	38	37	37	43	26	23	13	4	-	-	-
BLACK---MALE----	82	53	50	39	26	42	28	14	4	2	-	1
FEMALE--	37	25	24	26	35	21	18	8	4	-	-	-
ALABAMA ----------	47	31	25	28	33	35	20	15	5	2	1	-
WHITE------MALE----	18	18	11	15	16	15	11	4	1	2	-	-
FEMALE--	9	4	8	9	15	16	5	8	4	-	1	-
ALL OTHER--MALE----	16	6	5	2	-	3	2	3	-	-	-	-
FEMALE--	4	3	1	2	2	1	2	-	-	-	-	-
BLACK---MALE----	16	6	5	2	-	3	2	3	-	-	-	-
FEMALE--	4	3	1	2	2	1	2	-	-	-	-	-
ALASKA ----------	1	1	2	-	2	2	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	32	34	17	27	24	28	20	17	4	2	-	4
WHITE------MALE----	17	19	9	14	11	10	11	9	2	1	-	4
FEMALE--	9	11	5	10	11	14	8	8	2	1	-	-
ALL OTHER--MALE----	2	3	1	2	2	2	-	-	-	-	-	-
FEMALE--	4	1	2	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	14	10	11	5	15	11	5	6	3	1	-	-
WHITE------MALE----	5	7	3	1	7	4	4	4	2	-	-	-
FEMALE--	5	2	7	4	7	7	-	1	-	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA ----------	59	43	43	47	60	53	31	28	8	-	-	5
WHITE------MALE----	34	21	22	26	25	29	14	17	2	-	-	4
FEMALE--	13	15	12	13	23	22	13	7	6	-	-	1
ALL OTHER--MALE----	4	4	3	4	7	2	2	2	-	-	-	-
FEMALE--	8	3	6	4	5	-	2	2	-	-	-	-
BLACK---MALE----	2	1	1	1	3	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
COLORADO ----------	304	2	2	5	7	44	38	27	26	24	23	13
WHITE------MALE----	180	2	1	2	3	24	25	17	16	15	16	7
FEMALE--	107	-	1	2	4	17	12	7	8	8	5	6
ALL OTHER--MALE----	11	-	-	-	-	3	1	3	1	1	1	-
FEMALE--	6	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	1	1	2	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	216	-	-	4	2	27	32	12	20	13	15	10
WHITE------MALE----	124	-	-	1	1	18	22	8	13	8	8	5
FEMALE--	72	-	-	3	1	7	6	2	7	3	5	3
ALL OTHER--MALE----	16	-	-	-	-	2	4	1	-	2	2	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	14	-	-	-	-	2	4	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
DELAWARE ----------	42	-	-	1	1	4	5	3	1	7	3	3
WHITE------MALE----	27	-	-	-	1	2	4	3	1	5	1	1
FEMALE--	12	-	-	1	-	2	1	-	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	14	-	-	-	-	2	3	-	1	2	2	-
WHITE------MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	1	3	-	-	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	3	-	-	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,113	6	16	12	22	122	105	89	81	85	70	72
WHITE------MALE----	589	-	3	7	9	56	61	59	41	43	45	38
FEMALE--	338	4	8	3	8	36	21	18	25	27	15	15
ALL OTHER--MALE----	128	1	3	2	4	22	15	9	13	9	6	13
FEMALE--	58	1	2	-	1	8	8	3	2	6	4	6
BLACK---MALE----	119	1	3	2	4	21	12	9	11	7	6	13
FEMALE--	51	1	2	-	1	8	7	2	2	5	3	4
GEORGIA ----------	866	5	18	15	18	114	80	75	78	72	69	56
WHITE------MALE----	401	-	2	5	8	60	44	39	36	33	31	20
FEMALE--	222	1	2	5	4	24	17	14	20	19	19	14
ALL OTHER--MALE----	154	2	10	3	4	19	15	15	13	13	13	13
FEMALE--	89	2	4	2	2	11	4	7	9	7	6	9
BLACK---MALE----	142	2	9	3	4	17	14	11	12	13	13	13
FEMALE--	83	1	4	2	2	11	2	6	9	7	6	8

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	15	16	12	9	10	6	10	11	3	1	-	-
WHITE------MALE----	9	10	5	7	6	3	5	6	-	1	-	-
FEMALE--	4	5	7	1	4	3	5	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	9	8	9	9	16	13	6	1	1	-	-
WHITE------MALE----	5	5	6	2	6	7	4	3	1	1	-	-
FEMALE--	2	4	2	5	3	7	9	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE ----------	2	3	-	-	4	3	1	1	-	-	-	-
WHITE------MALE----	2	1	-	-	1	3	1	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	-	-	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	64	53	48	44	50	59	63	35	13	2	-	2
WHITE------MALE----	32	34	27	22	22	33	30	17	8	-	-	2
FEMALE--	20	10	12	20	21	25	29	14	5	2	-	-
ALL OTHER--MALE----	8	6	4	1	5	-	4	3	-	-	-	-
FEMALE--	4	3	5	1	2	1	-	1	-	-	-	-
BLACK---MALE----	8	6	3	1	5	-	4	3	-	-	-	-
FEMALE--	4	3	5	1	2	-	-	1	-	-	-	-
GEORGIA ----------	56	37	30	34	29	34	28	11	6	1	-	-
WHITE------MALE----	22	21	16	16	15	14	10	5	3	1	-	-
FEMALE--	15	10	7	9	10	13	12	5	2	-	-	-
ALL OTHER--MALE----	12	5	5	3	1	3	4	1	-	-	-	-
FEMALE--	7	1	2	6	3	4	2	-	1	-	-	-
BLACK---MALE----	12	3	4	3	1	3	4	1	-	-	-	-
FEMALE--	7	1	2	6	2	4	2	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
HAWAII ----------	25	1	-	-	-	7	2	1	1	4	-	-
WHITE------MALE----	6	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	6	1	1	1	2	-	-
FEMALE--	5	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	129	2	1	3	5	22	14	11	7	9	7	4
WHITE------MALE----	72	1	-	2	1	13	9	5	2	6	3	3
FEMALE--	51	1	1	1	4	9	3	5	3	3	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	480	2	2	2	8	60	71	42	34	33	40	27
WHITE------MALE----	287	1	2	2	4	37	47	26	20	20	23	9
FEMALE--	142	-	-	-	3	21	17	10	7	9	14	10
ALL OTHER--MALE----	35	-	-	-	1	1	5	3	7	1	2	6
FEMALE--	16	1	-	-	-	1	2	3	-	3	1	2
BLACK---MALE----	34	-	-	-	1	-	5	3	7	1	2	6
FEMALE--	11	1	-	-	-	-	2	-	-	2	1	2
INDIANA ----------	402	-	6	4	5	61	44	32	38	28	20	28
WHITE------MALE----	255	-	4	1	2	42	29	23	23	19	14	19
FEMALE--	133	-	2	3	3	19	13	8	10	8	6	9
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	4	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	7	-	-	-	-	-	1	1	3	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	1	1	-	-
IOWA ----------	53	-	-	2	2	6	4	1	2	5	6	5
WHITE------MALE----	33	-	-	2	1	4	-	1	2	3	5	4
FEMALE--	20	-	-	-	1	2	4	-	-	2	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	166	2	1	-	8	23	21	10	11	13	14	9
WHITE------MALE----	100	1	1	-	3	14	14	6	6	9	6	6
FEMALE--	58	1	-	-	5	7	7	2	4	4	6	3
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	4	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	3	1	-	-	-	-	1	3	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	5	5	4	3	3	8	9	2	-	-	-
WHITE------MALE----	4	4	4	2	2	1	3	5	2	-	-	-
FEMALE--	1	1	1	2	1	2	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	24	15	13	22	28	26	19	7	5	-	-	-
WHITE------MALE----	16	9	7	15	18	12	12	4	3	-	-	-
FEMALE--	4	3	5	7	10	11	6	3	2	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
INDIANA ----------	22	16	7	13	14	34	16	12	2	-	-	-
WHITE------MALE----	13	11	5	9	7	17	8	8	1	-	-	-
FEMALE--	8	4	2	2	7	16	8	4	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
IOWA ----------	1	1	1	4	3	2	6	2	-	-	-	-
WHITE------MALE----	1	-	1	2	1	-	4	2	-	-	-	-
FEMALE--	-	1	-	2	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	9	8	4	3	6	9	8	6	1	-	-	-
WHITE------MALE----	5	8	3	1	5	3	5	4	-	-	-	-
FEMALE--	4	-	1	2	1	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
KENTUCKY ----------	378	1	4	8	7	55	37	35	34	33	20	21
WHITE------MALE----	243	-	2	3	4	35	28	23	23	25	14	11
FEMALE--	118	1	1	5	3	19	6	9	10	7	4	9
ALL OTHER--MALE----	10	-	1	-	-	-	2	2	1	-	1	1
FEMALE--	7	-	-	-	-	1	1	1	-	1	1	-
BLACK---MALE----	9	-	1	-	-	-	2	2	1	-	-	1
FEMALE--	7	-	-	-	-	1	1	1	-	1	1	-
LOUISIANA ----------	702	4	15	13	12	102	101	46	66	61	65	34
WHITE------MALE----	302	-	2	2	4	44	52	27	26	26	27	16
FEMALE--	166	1	3	2	4	28	16	6	12	11	16	6
ALL OTHER--MALE----	162	2	5	7	1	23	19	10	21	16	18	11
FEMALE--	72	1	5	2	3	7	14	3	7	8	4	1
BLACK---MALE----	157	2	5	7	1	23	17	10	19	16	17	11
FEMALE--	67	1	5	2	3	6	13	3	6	8	4	1
MAINE ----------	25	-	-	-	-	3	1	-	1	2	1	3
WHITE------MALE----	15	-	-	-	-	1	-	-	1	1	1	2
FEMALE--	10	-	-	-	-	2	1	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	251	1	-	3	6	37	34	23	18	20	19	12
WHITE------MALE----	123	1	-	1	1	18	21	8	11	7	11	5
FEMALE--	73	-	-	-	4	14	4	7	2	9	3	4
ALL OTHER--MALE----	39	-	-	2	1	2	8	7	2	3	4	2
FEMALE--	16	-	-	-	-	3	1	1	3	1	1	1
BLACK---MALE----	38	-	-	2	1	2	8	7	2	3	4	2
FEMALE--	15	-	-	-	-	3	-	1	3	1	1	1
MASSACHUSETTS ----------	240	-	3	1	3	39	27	18	18	23	16	13
WHITE------MALE----	157	-	2	-	2	24	15	11	15	18	11	11
FEMALE--	64	-	1	-	1	11	7	4	3	3	5	2
ALL OTHER--MALE----	14	-	-	1	-	4	3	1	-	2	-	-
FEMALE--	5	-	-	-	-	-	2	2	-	-	-	-
BLACK---MALE----	11	-	-	1	-	4	2	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN ----------	393	1	6	6	4	45	38	33	24	29	29	28
WHITE------MALE----	191	-	2	2	1	20	26	17	12	13	17	14
FEMALE--	133	1	-	2	2	19	11	8	7	9	8	8
ALL OTHER--MALE----	38	-	2	-	1	4	1	6	2	4	3	4
FEMALE--	31	-	2	2	-	2	-	2	3	3	1	2
BLACK---MALE----	34	-	2	-	1	4	1	6	2	3	2	4
FEMALE--	29	-	2	2	-	2	-	2	3	3	1	2

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	26	14	13	24	13	17	7	5	3	-	-	1
WHITE------MALE----	18	9	7	14	8	11	3	2	2	-	-	1
FEMALE--	7	4	6	9	5	5	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	22	30	23	25	26	24	17	10	5	1	-	-
WHITE------MALE----	11	17	10	10	5	7	7	5	4	-	-	-
FEMALE--	3	8	7	8	11	9	8	5	1	1	-	-
ALL OTHER--MALE----	6	2	2	6	6	5	2	-	-	-	-	-
FEMALE--	2	3	4	1	4	3	-	-	-	-	-	-
BLACK---MALE----	6	2	2	6	6	5	2	-	-	-	-	-
FEMALE--	-	3	4	1	4	3	-	-	-	-	-	-
MAINE ----------	-	3	4	-	-	4	2	1	-	-	-	-
WHITE------MALE----	-	3	2	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	8	3	10	10	16	9	7	3	-	-	-
WHITE------MALE----	7	5	1	4	8	7	4	-	3	-	-	-
FEMALE--	2	-	2	3	2	8	4	5	-	-	-	-
ALL OTHER--MALE----	2	3	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	2	2	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	1	-	-	-	-
MASSACHUSETTS ----------	10	10	7	11	11	10	12	6	2	-	-	-
WHITE------MALE----	7	9	4	6	5	7	6	3	1	-	-	-
FEMALE--	2	1	3	3	5	3	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	23	17	19	16	18	26	13	14	4	-	-	-
WHITE------MALE----	13	8	7	9	5	15	3	4	3	-	-	-
FEMALE--	8	6	4	5	9	7	8	10	1	-	-	-
ALL OTHER--MALE----	-	2	5	-	2	2	-	-	-	-	-	-
FEMALE--	2	1	3	2	2	2	2	-	-	-	-	-
BLACK---MALE----	-	1	5	-	1	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	2	2	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
MINNESOTA ----------	138	-	3	5	3	14	10	8	10	11	10	6
WHITE------MALE----	85	-	2	3	2	11	4	5	7	9	6	4
FEMALE--	44	-	1	2	-	3	3	2	-	2	4	2
ALL OTHER--MALE----	5	-	-	-	1	-	3	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	107	-	1	2	2	5	12	13	5	4	11	10
WHITE------MALE----	50	-	-	1	2	2	4	7	3	3	5	4
FEMALE--	19	-	-	-	-	1	2	1	-	1	1	2
ALL OTHER--MALE----	30	-	1	1	-	2	6	4	2	-	2	3
FEMALE--	8	-	-	-	-	-	-	1	-	-	3	1
BLACK---MALE----	29	-	1	1	-	2	5	4	2	-	2	3
FEMALE--	8	-	-	-	-	-	-	1	-	-	3	1
MISSOURI ----------	599	2	7	10	12	92	59	37	36	59	36	41
WHITE------MALE----	321	-	4	6	9	53	37	26	17	31	19	20
FEMALE--	217	1	3	4	3	32	15	7	13	22	15	10
ALL OTHER--MALE----	43	-	-	-	-	6	5	2	3	4	-	7
FEMALE--	18	1	-	-	-	1	2	2	3	2	2	4
BLACK---MALE----	41	-	-	-	-	6	5	2	3	2	-	7
FEMALE--	17	1	-	-	-	1	2	2	2	2	2	4
MONTANA ----------	76	1	-	2	1	16	10	6	4	4	3	6
WHITE------MALE----	35	1	-	1	-	5	5	3	1	2	1	4
FEMALE--	26	-	-	-	-	7	3	2	2	1	1	1
ALL OTHER--MALE----	13	-	-	1	1	3	2	1	1	-	1	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	17	-	-	1	-	1	-	2	1	-	2	1
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	9	-	-	1	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	152	1	1	1	2	14	17	12	9	19	15	8
WHITE------MALE----	90	-	-	1	1	8	10	6	6	11	8	5
FEMALE--	42	1	1	-	-	5	2	4	2	5	6	1
ALL OTHER--MALE----	13	-	-	-	1	-	1	1	1	2	1	2
FEMALE--	7	-	-	-	-	1	4	1	-	1	-	-
BLACK---MALE----	6	-	-	-	1	-	-	1	-	1	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	5	8	9	11	8	3	6	6	1	1	-	-
WHITE------MALE----	3	5	4	4	5	2	5	3	-	1	-	-
FEMALE--	2	3	5	7	2	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	7	5	6	8	7	3	2	-	-	-	-
WHITE------MALE----	1	4	1	2	4	5	2	-	-	-	-	-
FEMALE--	2	-	2	-	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	2	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
MISSOURI ----------	34	35	16	20	21	25	31	18	8	-	-	-
WHITE------MALE----	15	17	9	10	10	15	9	8	6	-	-	-
FEMALE--	12	12	6	10	10	9	21	10	2	-	-	-
ALL OTHER--MALE----	6	6	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	6	-	1	-	6	4	-	2	-	-	-
WHITE------MALE----	1	3	-	1	-	4	3	-	-	-	-	-
FEMALE--	2	2	-	-	-	2	1	-	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	2	-	1	-	1	3	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	10	8	6	7	7	9	4	2	-	-	-	-
WHITE------MALE----	5	5	4	4	5	7	3	1	-	-	-	-
FEMALE--	4	2	1	3	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
NEW HAMPSHIRE ----------	52	-	-	-	2	8	5	9	1	7	-	1
WHITE------MALE----	31	-	-	-	2	5	1	5	1	5	-	1
FEMALE--	20	-	-	-	-	3	3	4	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	309	1	3	6	3	33	33	21	19	22	19	14
WHITE------MALE----	161	-	-	-	1	24	16	11	10	10	12	10
FEMALE--	97	1	-	5	1	8	7	4	4	6	5	2
ALL OTHER--MALE----	28	-	1	1	1	1	7	4	2	2	-	1
FEMALE--	23	-	2	-	-	-	3	2	3	4	2	1
BLACK---MALE----	23	-	1	1	1	1	6	4	2	1	-	1
FEMALE--	16	-	2	-	-	-	2	2	1	4	2	-
NEW MEXICO ----------	49	1	5	1	2	3	6	4	3	3	2	6
WHITE------MALE----	28	-	3	-	2	3	4	2	2	1	-	4
FEMALE--	10	-	1	-	-	-	2	1	-	1	2	-
ALL OTHER--MALE----	7	-	1	1	-	-	-	1	-	1	-	2
FEMALE--	4	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	691	1	13	10	17	81	78	63	37	48	31	43
WHITE------MALE----	364	-	4	4	6	50	44	38	23	29	16	21
FEMALE--	194	-	6	2	6	24	14	10	6	12	10	11
ALL OTHER--MALE----	83	-	2	3	3	4	14	9	7	4	2	5
FEMALE--	50	1	1	1	2	3	6	6	1	3	3	6
BLACK---MALE----	68	-	2	3	3	3	14	7	2	4	2	4
FEMALE--	40	1	1	1	2	2	6	5	-	3	3	4
NORTH CAROLINA ---------	173	2	3	-	1	19	18	18	11	16	8	13
WHITE------MALE----	87	2	1	-	1	9	12	6	3	9	6	9
FEMALE--	42	-	2	-	-	6	3	6	1	4	-	2
ALL OTHER--MALE----	25	-	-	-	-	2	2	3	4	2	1	2
FEMALE--	19	-	-	-	-	2	1	3	3	1	1	-
BLACK---MALE----	24	-	-	-	-	2	1	3	4	2	1	2
FEMALE--	16	-	-	-	-	1	1	3	3	1	-	-
NORTH DAKOTA ----------	36	-	1	-	-	3	6	1	3	5	2	3
WHITE------MALE----	15	-	-	-	-	-	5	-	1	-	-	1
FEMALE--	10	-	-	-	-	2	-	-	-	3	1	1
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	1	2	1	1
FEMALE--	4	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	3	4	1	2	3	3	2	-	1	-	-	-
WHITE------MALE----	3	2	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	18	13	14	16	18	19	23	9	5	-	-	-
WHITE------MALE----	8	6	9	5	9	9	15	3	3	-	-	-
FEMALE--	8	4	3	8	8	7	8	6	2	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	3	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	1	1	2	-	2	3	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	1	3	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	28	22	28	31	41	42	38	26	12	1	-	-
WHITE------MALE----	15	11	10	13	21	20	16	14	9	-	-	-
FEMALE--	6	6	8	11	14	18	17	10	2	1	-	-
ALL OTHER--MALE----	6	4	6	5	3	3	2	-	1	-	-	-
FEMALE--	1	1	4	2	3	1	3	2	-	-	-	-
BLACK---MALE----	4	4	6	3	2	2	2	-	1	-	-	-
FEMALE--	1	1	3	-	3	1	2	1	-	-	-	-
NORTH CAROLINA ---------	11	6	4	14	8	9	7	5	-	-	-	-
WHITE------MALE----	4	2	2	8	4	5	2	2	-	-	-	-
FEMALE--	4	1	1	3	3	1	4	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	3	-	1	-	-	-	-
FEMALE--	1	2	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	2	1	1	1	-	3	-	1	-	-	-	-
FEMALE--	1	2	-	1	1	-	1	1	-	-	-	-
NORTH DAKOTA ----------	3	1	1	1	2	-	2	1	1	-	-	-
WHITE------MALE----	2	1	1	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	675	-	6	10	10	110	86	58	38	53	51	38
WHITE------MALE----	386	-	5	6	6	63	64	33	24	32	31	18
FEMALE--	224	-	1	2	1	38	16	16	10	18	15	15
ALL OTHER--MALE----	37	-	-	1	-	5	4	7	3	1	4	3
FEMALE--	28	-	-	1	3	4	2	2	1	2	1	2
BLACK---MALE----	33	-	-	1	-	5	3	7	3	1	4	3
FEMALE--	27	-	-	1	2	4	2	2	1	2	1	2
OKLAHOMA ----------	290	-	4	6	9	43	28	24	13	23	28	15
WHITE------MALE----	156	-	3	4	7	23	9	15	9	9	13	7
FEMALE--	86	-	1	2	-	14	9	6	2	9	10	5
ALL OTHER--MALE----	27	-	-	-	1	4	4	2	1	3	4	2
FEMALE--	21	-	-	-	1	2	6	1	1	2	1	1
BLACK---MALE----	9	-	-	-	-	2	-	2	-	1	1	1
FEMALE--	6	-	-	-	-	1	2	-	-	1	-	-
OREGON ----------	166	2	2	3	4	19	20	17	7	14	11	14
WHITE------MALE----	104	1	1	1	3	10	17	14	4	10	5	10
FEMALE--	58	1	1	2	1	9	3	2	3	3	6	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	901	2	9	12	13	139	114	81	49	64	63	47
WHITE------MALE----	523	-	1	5	5	77	75	52	24	47	41	33
FEMALE--	307	1	4	6	7	55	33	17	15	11	17	12
ALL OTHER--MALE----	44	-	3	1	-	5	4	5	8	5	2	1
FEMALE--	27	1	1	-	1	2	2	7	2	1	3	1
BLACK---MALE----	37	-	2	1	-	5	4	3	6	5	-	1
FEMALE--	24	1	1	-	1	2	2	5	2	1	2	1
RHODE ISLAND ----------	20	-	-	1	1	1	1	1	-	1	2	3
WHITE------MALE----	9	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	8	-	-	1	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA ---------	410	-	8	5	6	55	46	35	24	40	27	28
WHITE------MALE----	176	-	1	1	3	26	19	15	14	19	14	9
FEMALE--	99	-	3	3	1	7	11	9	4	5	5	6
ALL OTHER--MALE----	90	-	1	1	-	15	12	8	6	13	5	11
FEMALE--	45	-	3	-	2	7	4	3	-	3	3	2
BLACK---MALE----	89	-	1	1	-	15	12	8	6	13	4	11
FEMALE--	45	-	3	-	2	7	4	3	-	3	3	2

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	38	28	23	25	23	36	22	12	7	1	-	-
WHITE------MALE----	17	18	10	11	10	18	11	6	2	1	-	-
FEMALE--	17	7	12	11	9	15	11	6	4	-	-	-
ALL OTHER--MALE----	1	2	1	2	1	2	-	-	-	-	-	-
FEMALE--	3	1	-	1	3	1	-	-	1	-	-	-
BLACK---MALE----	-	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	3	1	-	1	3	1	-	-	1	-	-	-
OKLAHOMA ----------	14	14	11	12	14	13	8	6	4	1	-	-
WHITE------MALE----	9	8	6	9	9	7	3	4	2	-	-	-
FEMALE--	3	1	3	3	5	5	4	2	2	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	1	-	-	1	-	-
FEMALE--	2	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
OREGON ----------	12	6	2	7	5	12	6	2	1	-	-	-
WHITE------MALE----	9	2	1	4	1	5	3	2	1	-	-	-
FEMALE--	3	3	1	3	4	6	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	40	36	15	33	56	42	46	31	6	2	-	1
WHITE------MALE----	21	22	6	14	31	21	23	21	3	1	-	-
FEMALE--	17	11	8	18	21	20	21	10	3	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	1	1	-	-	1	-	1
FEMALE--	-	2	-	-	3	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	1	1	-	-	1	-	1
FEMALE--	-	2	-	-	3	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	1	2	1	2	-	1	1	-	1	-	-
WHITE------MALE----	-	-	1	-	2	-	-	-	-	1	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	18	12	20	18	22	14	22	7	3	-	-	-
WHITE------MALE----	9	7	6	8	7	8	8	1	1	-	-	-
FEMALE--	5	4	4	6	5	4	11	4	2	-	-	-
ALL OTHER--MALE----	3	1	6	2	3	2	-	1	-	-	-	-
FEMALE--	1	-	4	2	7	-	3	1	-	-	-	-
BLACK---MALE----	3	1	6	2	3	2	-	1	-	-	-	-
FEMALE--	1	-	4	2	7	-	3	1	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	12	-	-	1	-	1	-	-	-	1	4	1
WHITE------MALE----	5	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	214	1	4	4	6	20	14	12	20	20	15	21
WHITE------MALE----	113	-	2	1	1	10	7	10	6	9	4	17
FEMALE--	62	-	1	2	2	4	4	2	12	6	7	2
ALL OTHER--MALE----	23	-	1	-	1	2	3	-	-	4	3	2
FEMALE--	16	1	-	1	2	4	-	-	2	1	1	-
BLACK---MALE----	22	-	-	-	1	2	3	-	-	4	3	2
FEMALE--	15	1	-	1	2	4	-	-	2	1	1	-
TEXAS ----------	1,923	26	43	42	37	245	234	158	130	189	139	121
WHITE------MALE----	1,090	12	17	21	11	135	159	97	79	106	82	67
FEMALE--	583	10	19	9	14	82	53	43	38	52	38	35
ALL OTHER--MALE----	157	2	5	6	8	19	21	11	10	14	12	13
FEMALE--	93	2	2	6	4	9	1	7	3	17	7	6
BLACK---MALE----	129	2	4	6	7	16	16	8	7	12	10	12
FEMALE--	76	2	1	5	2	7	1	7	2	16	4	6
UTAH ----------	172	2	6	3	2	24	29	19	9	10	9	5
WHITE------MALE----	101	1	2	2	2	16	16	12	6	5	3	4
FEMALE--	54	1	3	-	-	6	10	4	2	4	6	-
ALL OTHER--MALE----	9	-	-	-	-	-	3	2	1	-	-	1
FEMALE--	8	-	1	1	-	2	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	39	-	-	1	-	3	6	2	3	4	4	2
WHITE------MALE----	28	-	-	-	-	1	6	2	3	3	3	2
FEMALE--	10	-	-	1	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA ----------	344	-	4	4	9	40	51	34	24	28	24	19
WHITE------MALE----	169	-	-	3	2	23	30	20	9	11	15	8
FEMALE--	87	-	2	1	5	12	3	9	5	8	5	4
ALL OTHER--MALE----	69	-	2	-	1	4	14	5	7	8	3	6
FEMALE--	19	-	-	-	1	1	4	-	3	1	1	1
BLACK---MALE----	65	-	2	-	1	4	14	4	7	8	3	5
FEMALE--	15	-	-	-	1	1	3	-	3	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
SOUTH DAKOTA ----------	1	-	-	-	2	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	10	14	12	3	15	7	7	1	-	-	-
WHITE------MALE----	5	4	9	10	-	7	5	5	1	-	-	-
FEMALE--	1	4	4	-	3	6	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
TEXAS ----------	97	77	54	61	73	74	71	35	16	1	-	-
WHITE------MALE----	54	44	23	36	37	40	41	20	9	-	-	-
FEMALE--	29	26	20	19	32	25	23	11	4	1	-	-
ALL OTHER--MALE----	5	5	8	4	1	7	4	1	1	-	-	-
FEMALE--	9	2	3	2	3	2	3	3	2	-	-	-
BLACK---MALE----	5	2	7	2	1	6	4	1	1	-	-	-
FEMALE--	5	2	2	1	3	2	3	3	2	-	-	-
UTAH ----------	14	5	9	5	6	3	7	4	1	-	-	-
WHITE------MALE----	9	1	6	3	4	3	4	2	-	-	-	-
FEMALE--	5	3	2	2	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	1	2	4	3	3	-	-	-	-	-
WHITE------MALE----	1	-	1	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	14	21	11	10	8	19	12	10	2	-	-	-
WHITE------MALE----	9	4	7	5	3	7	6	6	1	-	-	-
FEMALE--	2	8	3	1	3	7	4	4	1	-	-	-
ALL OTHER--MALE----	2	7	-	4	2	3	1	-	-	-	-	-
FEMALE--	1	2	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	1	7	-	4	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	62	-	4	1	1	5	4	3	6	6	3	5
WHITE------MALE----	34	-	2	-	-	3	2	2	3	4	1	1
FEMALE--	19	-	2	-	-	1	2	-	3	2	1	2
ALL OTHER--MALE----	5	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	2
WEST VIRGINIA ----------	213	2	-	2	5	35	27	12	19	16	15	7
WHITE------MALE----	133	-	-	2	1	21	22	9	9	10	9	7
FEMALE--	76	2	-	-	4	14	4	3	9	6	6	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	70	1	1	1	1	9	10	5	5	4	4	3
WHITE------MALE----	51	1	1	1	1	7	6	3	5	1	2	2
FEMALE--	15	-	-	-	-	1	4	1	-	3	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	58	-	1	-	1	15	5	-	6	4	5	4
WHITE------MALE----	33	-	-	-	1	9	3	-	4	1	3	3
FEMALE--	23	-	1	-	-	6	2	-	2	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
WASHINGTON ----------	7	1	3	4	3	1	1	2	2	-	-	-
WHITE------MALE----	4	1	3	4	1	-	-	2	1	-	-	-
FEMALE--	3	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	10	5	10	7	13	10	8	7	3	-	-	-
WHITE------MALE----	4	4	6	2	6	8	5	6	2	-	-	-
FEMALE--	6	1	4	5	6	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	5	1	1	2	3	4	5	4	1	-	-	-
WHITE------MALE----	3	-	1	2	3	3	5	4	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	6	1	3	4	1	-	2	-	-	-	-	-
WHITE------MALE----	3	-	2	3	-	-	1	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
UNITED STATES -	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
UNITED STATES -	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Streetcar accidents (V82.2-V82.9)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Streetcar accidents (V82.2-V82.9)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3592

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	1,624	3	46	54	49	137	133	106	115	131	137	135
WHITE------MALE----	947	3	14	24	27	73	87	74	57	79	86	81
FEMALE--	418	-	16	15	14	41	24	15	36	32	29	32
ALL OTHER--MALE----	189	-	11	12	6	17	19	13	15	13	18	19
FEMALE--	70	-	5	3	2	6	3	4	7	7	4	3
BLACK---MALE----	132	-	9	12	4	11	8	9	12	11	13	12
FEMALE--	45	-	4	1	-	3	2	2	5	5	2	2
ALABAMA ----------	11	-	-	-	-	2	2	2	-	-	2	-
WHITE------MALE----	5	-	-	-	-	1	1	2	-	-	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	48	-	4	-	3	1	6	1	3	2	2	6
WHITE------MALE----	23	-	-	-	1	1	3	-	2	1	1	2
FEMALE--	12	-	1	-	-	-	2	1	-	-	1	1
ALL OTHER--MALE----	8	-	2	-	-	-	1	-	-	-	-	3
FEMALE--	5	-	1	-	2	-	-	-	1	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
ARKANSAS ----------	21	-	-	1	2	3	-	-	2	2	3	1
WHITE------MALE----	13	-	-	1	2	1	-	-	1	1	1	1
FEMALE--	5	-	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	165	-	3	3	6	12	16	11	9	17	20	17
WHITE------MALE----	113	-	2	3	3	9	12	10	5	12	12	11
FEMALE--	33	-	1	-	1	2	1	1	4	3	4	5
ALL OTHER--MALE----	18	-	-	-	2	1	3	-	-	2	4	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
UNITED STATES -	98	85	66	73	58	85	61	32	15	3	1	1
WHITE------MALE----	65	58	41	45	32	42	30	17	10	1	-	1
FEMALE--	18	20	18	16	18	31	25	13	3	2	-	-
ALL OTHER--MALE----	13	4	6	5	6	5	3	1	2	-	1	-
FEMALE--	2	3	1	7	2	7	3	1	-	-	-	-
BLACK---MALE----	11	4	3	3	4	2	1	1	1	-	1	-
FEMALE--	1	3	1	4	1	6	2	1	-	-	-	-
ALABAMA ----------	1	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	4	2	3	3	2	1	-	-	-	-	-
WHITE------MALE----	4	2	1	2	2	-	1	-	-	-	-	-
FEMALE--	1	2	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	2	1	-	2	1	-	-	-	-	-
WHITE------MALE----	-	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	4	10	7	3	11	4	4	-	-	-	1
WHITE------MALE----	5	2	7	5	2	7	2	3	-	-	-	1
FEMALE--	1	1	2	2	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
COLORADO ----------	31	-	-	1	4	2	1	1	3	2	5	3
WHITE------MALE----	22	-	-	1	2	2	1	1	2	1	5	1
FEMALE--	9	-	-	-	2	-	-	-	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	17	-	1	-	1	-	2	1	-	-	-	3
WHITE------MALE----	9	-	1	-	1	-	1	1	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	-	1	-	-	-	-	1	-	-	-	2
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	1	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	147	-	4	4	3	10	6	8	10	19	10	12
WHITE------MALE----	96	-	1	3	2	8	2	7	6	14	9	11
FEMALE--	24	-	1	1	-	1	2	-	1	3	1	1
ALL OTHER--MALE----	17	-	1	-	1	1	1	1	2	1	-	-
FEMALE--	10	-	1	-	-	-	1	-	1	1	-	-
BLACK---MALE----	17	-	1	-	1	1	1	1	2	1	-	-
FEMALE--	9	-	1	-	-	-	-	-	1	1	-	-
GEORGIA ----------	42	-	7	1	1	2	2	2	4	2	7	6
WHITE------MALE----	20	-	2	-	-	1	-	2	-	1	5	4
FEMALE--	9	-	3	-	1	-	-	-	4	-	1	-
ALL OTHER--MALE----	9	-	2	1	-	-	1	-	-	1	-	1
FEMALE--	4	-	-	-	-	1	1	-	-	-	1	1
BLACK---MALE----	9	-	2	1	-	-	1	-	-	1	-	1
FEMALE--	4	-	-	-	-	1	1	-	-	-	1	1

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
COLORADO ----------	1	2	-	1	4	1	-	-	-	-	-	-
WHITE------MALE----	-	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	3	-	1	1	1	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	11	7	7	9	6	9	9	-	2	-	1	-
WHITE------MALE----	8	3	5	7	1	4	4	-	1	-	-	-
FEMALE--	1	2	1	1	3	2	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	2	1	1	-	1	-	1	-
FEMALE--	1	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	1	1	-	1	-	1	-
FEMALE--	1	1	-	1	-	2	1	-	-	-	-	-
GEORGIA ----------	2	4	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	3	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3594

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
HAWAII ----------	17	-	2	-	-	1	-	-	1	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	18	-	-	-	-	2	3	2	1	-	1	1
WHITE------MALE----	13	-	-	-	-	-	3	2	-	-	1	1
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	126	-	6	2	2	14	16	16	9	7	1	9
WHITE------MALE----	75	-	3	1	-	5	11	10	5	6	1	4
FEMALE--	41	-	2	1	2	9	3	2	4	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	2	1	-	-	-	3
FEMALE--	4	-	1	-	-	-	-	3	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	-	-	-	3
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
INDIANA ----------	106	2	-	4	3	16	11	9	11	10	3	11
WHITE------MALE----	61	2	-	3	-	10	8	7	5	5	3	6
FEMALE--	36	-	-	1	3	4	3	2	3	3	-	4
ALL OTHER--MALE----	6	-	-	-	-	2	-	-	2	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	-	2	-	-	2	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	4	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	11	-	-	1	-	2	-	1	-	1	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	2	1	1	1	-	2	2	-	2	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	2	1	1	2	-	1	-	-	-	-
WHITE------MALE----	-	-	1	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	7	7	1	4	5	6	4	2	-	-	-
WHITE------MALE----	6	4	5	1	1	5	2	4	1	-	-	-
FEMALE--	2	3	2	-	3	-	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	3	2	5	4	2	2	4	-	1	-	-
WHITE------MALE----	2	3	2	1	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	4	1	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
KENTUCKY ----------	12	-	-	2	1	1	2	-	1	-	-	2
WHITE------MALE----	8	-	-	1	1	1	1	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	11	-	-	-	1	3	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	34	-	1	-	-	4	2	1	2	5	2	1
WHITE------MALE----	18	-	-	-	-	2	2	1	1	1	2	-
FEMALE--	7	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	2	-	-
MASSACHUSETTS ----------	19	-	-	-	-	2	3	1	2	1	2	2
WHITE------MALE----	12	-	-	-	-	1	1	1	2	-	2	-
FEMALE--	6	-	-	-	-	1	1	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	30	-	-	3	1	-	3	2	4	3	4	-
WHITE------MALE----	15	-	-	-	-	-	2	1	2	2	2	-
FEMALE--	6	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	2	-	-	-	1	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	2	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	-	-	-	-	-	1	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	4	1	2	1	2	2	1	-	-	-	-
WHITE------MALE----	2	3	-	-	-	1	2	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	1	1	1	-	1	1	-	-	-	-
WHITE------MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	1	-	2	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	24	-	-	1	-	5	2	-	4	1	2	1
WHITE------MALE----	13	-	-	1	-	2	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	3	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	1	-	-	-	-	1	1	1	1
WHITE------MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
MISSOURI ----------	33	-	1	6	-	3	1	3	-	2	4	2
WHITE------MALE----	16	-	-	1	-	2	1	3	-	-	3	-
FEMALE--	10	-	-	2	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	1	3	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	1	3	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	16	-	-	-	-	5	1	-	1	4	1	2
WHITE------MALE----	8	-	-	-	-	2	1	-	1	2	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	-	-	1	1	1	2	-
WHITE------MALE----	6	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	3	-	1	1	-	1	1	-	1	-	-	-
WHITE------MALE----	3	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	2	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MISSOURI	3	1	-	-	1	3	1	2	-	-	-	-
WHITE------MALE----	2	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	1	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	10	-	-	-	-	3	-	-	-	1	1	-
WHITE------MALE----	7	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	44	-	-	2	1	2	4	-	3	1	1	2
WHITE------MALE----	29	-	-	1	1	2	2	-	1	1	1	2
FEMALE--	12	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	7	-	-	-	-	1	-	1	2	-	-	3
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	54	-	1	2	3	2	1	5	7	4	5	6
WHITE------MALE----	27	-	1	-	2	-	1	3	5	1	2	5
FEMALE--	14	-	-	-	1	-	-	-	-	3	1	1
ALL OTHER--MALE----	10	-	-	1	-	2	-	2	2	-	2	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	1	-	2	-	1	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	16	1	-	-	1	-	1	-	3	2	1	2
WHITE------MALE----	11	1	-	-	-	-	1	-	2	1	1	1
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	1	-	2	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	9	5	2	1	5	3	2	-	-	-	-
WHITE------MALE----	1	5	4	-	1	3	3	1	-	-	-	-
FEMALE--	-	3	1	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	1	1	2	2	4	4	1	-	-	-	-
WHITE------MALE----	3	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
NORTH CAROLINA ---------	-	4	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3598

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
OHIO ----------	70	-	-	-	2	4	8	5	4	10	8	5
WHITE------MALE----	41	-	-	-	2	2	8	-	1	8	5	4
FEMALE--	15	-	-	-	-	2	-	-	1	2	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	4	2	-	1	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	4	2	-	1	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
OKLAHOMA ----------	87	-	1	3	1	12	8	12	4	5	9	6
WHITE------MALE----	43	-	-	1	-	3	5	8	1	4	4	3
FEMALE--	29	-	1	1	1	7	-	3	2	-	4	1
ALL OTHER--MALE----	11	-	-	1	-	2	3	1	1	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	1	-	-	-	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	15	-	1	2	-	-	3	1	1	-	1	3
WHITE------MALE----	6	-	-	-	-	-	2	1	-	-	-	1
FEMALE--	9	-	1	2	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	99	-	4	8	3	4	6	4	4	6	10	5
WHITE------MALE----	57	-	1	3	3	3	3	3	2	3	6	5
FEMALE--	35	-	2	4	-	1	2	1	1	3	2	-
ALL OTHER--MALE----	6	-	1	-	-	-	1	-	1	-	2	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	1	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	6	-	-	-	-	-	-	1	2	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	19	-	-	-	-	-	2	-	1	-	3	3
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	1	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	5	2	2	3	2	4	3	3	-	-	-	-
WHITE------MALE----	4	2	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	2	1	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA ----------	5	5	3	2	3	4	1	-	3	-	-	-
WHITE------MALE----	3	5	1	1	1	1	-	-	2	-	-	-
FEMALE--	1	-	1	1	2	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	1	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	3	5	4	8	6	8	4	5	2	-	-	-
WHITE------MALE----	2	5	1	7	4	4	-	1	1	-	-	-
FEMALE--	-	-	3	1	2	4	4	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	2	1	2	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3599

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	23	-	1	3	-	3	1	-	4	-	1	2
WHITE------MALE----	12	-	-	-	-	1	1	-	2	-	1	1
FEMALE--	6	-	-	1	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	124	-	8	2	7	11	14	7	6	13	16	4
WHITE------MALE----	86	-	3	2	4	9	11	5	3	9	11	2
FEMALE--	24	-	2	-	1	-	3	1	2	3	4	1
ALL OTHER--MALE----	12	-	2	-	2	1	-	1	1	1	1	1
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	11	-	2	-	2	1	-	-	1	1	1	1
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
UTAH ----------	12	-	-	-	-	2	2	1	2	1	-	2
WHITE------MALE----	7	-	-	-	-	1	1	-	1	1	-	1
FEMALE--	5	-	-	-	-	1	1	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	19	-	-	-	-	1	1	2	1	2	1	1
WHITE------MALE----	9	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	4	-	1	-	1	1	-	-	1	-	-
WHITE------MALE----	-	3	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	3	7	7	4	7	1	1	1	-	-	-
WHITE------MALE----	3	2	4	6	3	6	1	1	1	-	-	-
FEMALE--	1	1	3	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	2	-	2	1	-	2	1	-	-	-	-
WHITE------MALE----	1	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
WASHINGTON ----------	12	-	-	-	1	-	1	-	-	-	1	3
WHITE------MALE----	8	-	-	-	1	-	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	-	-	-	1	-	-	-	1	-	1	-
WHITE------MALE----	4	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	13	-	-	1	-	-	1	1	-	3	1	1
WHITE------MALE----	8	-	-	1	-	-	1	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	1	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	2	-	-	1	-	1	2	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	3	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3601

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
UNITED STATES -	679	1	12	18	29	48	63	64	63	67	70	69
WHITE------MALE----	487	-	4	11	17	32	49	47	45	49	47	54
FEMALE--	80	1	4	6	6	10	9	7	8	5	11	4
ALL OTHER--MALE----	96	-	3	1	5	5	4	6	9	9	12	11
FEMALE--	16	-	1	-	1	1	1	4	1	4	-	-
BLACK---MALE----	76	-	3	-	5	3	3	3	8	9	11	8
FEMALE--	12	-	1	-	1	1	1	4	1	3	-	-
ALABAMA ----------	12	-	-	-	1	-	1	1	1	1	1	1
WHITE------MALE----	9	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	17	-	-	-	-	-	2	3	1	3	1	3
WHITE------MALE----	11	-	-	-	-	-	1	2	1	3	1	3
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	1	-	1	-	-	-	1	2	1	1	1
WHITE------MALE----	6	-	-	-	-	-	-	1	2	1	1	1
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	21	-	-	-	1	2	3	1	4	-	3	2
WHITE------MALE----	13	-	-	-	1	2	1	1	1	-	1	1
FEMALE--	6	-	-	-	-	-	2	-	2	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	49	-	1	1	1	3	2	5	2	3	5	7
WHITE------MALE----	40	-	1	1	-	3	2	4	-	2	4	7
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	2	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3601

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
UNITED STATES -	47	38	32	28	16	5	8	1	-	-	-	-
WHITE------MALE----	35	30	23	23	12	3	6	-	-	-	-	-
FEMALE--	2	1	2	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	9	6	7	5	3	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	3	7	4	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	1	1	2	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	3	2	6	2	1	-	-	-	-	-	-
WHITE------MALE----	3	3	2	6	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3602

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
COLORADO ----------	12	-	-	2	-	1	-	3	1	-	1	1
WHITE------MALE----	10	-	-	2	-	-	-	3	1	-	1	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	63	-	1	1	4	1	3	6	5	11	9	4
WHITE------MALE----	46	-	-	1	2	-	3	3	4	8	6	4
FEMALE--	7	-	1	-	2	1	-	1	-	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
GEORGIA ----------	18	-	-	-	2	1	1	2	1	1	1	2
WHITE------MALE----	8	-	-	-	1	1	-	2	-	1	1	1
FEMALE--	6	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
COLORADO ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	5	5	3	1	-	-	-	-	-	-	-
WHITE------MALE----	3	5	4	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	2	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3603

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
HAWAII ----------	5	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	1	-	1	1	-	-
WHITE------MALE----	6	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	22	-	-	1	-	2	5	2	2	2	3	1
WHITE------MALE----	18	-	-	-	-	2	4	1	2	2	3	1
FEMALE--	4	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	11	-	-	-	1	2	1	-	1	2	-	2
WHITE------MALE----	8	-	-	-	1	2	1	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	-	-	-	-	-	-	1	1	-	2	1
WHITE------MALE----	4	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	1	-	-	1	1	1	1	1	-
WHITE------MALE----	6	-	-	1	-	-	1	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
HAWAII ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3604

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
KENTUCKY ----------	15	-	1	1	1	2	-	-	1	-	2	3
WHITE------MALE----	13	-	1	-	1	1	-	-	1	-	2	3
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	40	-	3	1	-	2	5	4	6	6	7	1
WHITE------MALE----	27	-	1	1	-	2	3	4	3	4	5	-
FEMALE--	3	-	1	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	10	-	1	-	-	-	1	-	3	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	1	-	-	-	1	-	3	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	8	-	-	-	1	2	-	-	1	-	-	2
WHITE------MALE----	8	-	-	-	1	2	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	-	-	-	1	-	-	-	1	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	5	-	-	-	-	-	1	-	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	23	-	-	1	1	4	1	2	1	2	4	3
WHITE------MALE----	17	-	-	1	1	3	-	1	1	2	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
KENTUCKY ----------	1	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	2	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
MINNESOTA ----------	10	-	-	-	1	-	-	3	3	-	-	1
WHITE------MALE----	7	-	-	-	1	-	-	2	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	25	-	1	-	2	1	4	4	1	1	3	5
WHITE------MALE----	12	-	-	-	-	-	3	2	-	-	1	3
FEMALE--	3	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	9	-	1	-	2	1	-	-	-	1	2	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	1	-	2	1	-	-	-	1	2	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	14	-	-	-	1	-	1	3	4	1	-	2
WHITE------MALE----	10	-	-	-	1	-	1	3	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	6	-	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	1	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3606

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	11	-	-	-	-	-	2	-	1	3	2	-
WHITE------MALE----	9	-	-	-	-	-	1	-	1	3	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	18	-	1	-	1	1	3	1	1	1	-	4
WHITE------MALE----	14	-	-	-	1	1	3	1	1	1	-	4
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	17	-	1	-	-	2	1	1	-	-	2	1
WHITE------MALE----	8	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3606

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	2	2	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	3	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
OHIO ----------	13	-	-	-	3	-	2	1	-	1	-	-
WHITE------MALE----	12	-	-	-	2	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA ----------	9	-	-	1	-	1	1	1	2	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	11	-	-	-	1	-	-	1	-	3	1	3
WHITE------MALE----	10	-	-	-	1	-	-	1	-	2	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	-	-	-	1	1	1	3	-	-	-	1
WHITE------MALE----	9	-	-	-	1	1	1	3	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	15	-	-	2	-	-	-	-	2	1	3	3
WHITE------MALE----	9	-	-	1	-	-	-	-	1	1	2	2
FEMALE--	2	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
OHIO ----------	3	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	3	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
SOUTH DAKOTA ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	20	-	1	-	-	3	2	1	3	2	4	1
WHITE------MALE----	9	-	1	-	-	1	2	-	3	-	1	-
FEMALE--	4	-	-	-	-	2	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TEXAS ----------	46	-	2	2	1	7	6	6	3	4	6	2
WHITE------MALE----	30	-	-	1	1	4	6	3	3	3	3	-
FEMALE--	7	-	1	1	-	2	-	-	-	-	2	1
ALL OTHER--MALE----	7	-	1	-	-	1	-	2	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	7	-	1	-	-	1	-	2	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
UTAH ----------	5	-	-	-	-	-	1	2	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	17	-	-	1	1	2	2	-	-	3	2	3
WHITE------MALE----	11	-	-	1	-	1	2	-	-	1	2	3
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
SOUTH DAKOTA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3609

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water transport accidents (V90-V94)												
WASHINGTON ----------	40	-	-	1	-	3	2	2	8	3	3	2
WHITE------MALE----	32	-	-	-	-	2	2	1	7	3	2	2
FEMALE--	6	-	-	1	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	17	-	-	1	2	1	4	2	1	2	-	-
WHITE------MALE----	14	-	-	1	1	1	4	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Water transport accidents (V90-V94)												
WASHINGTON ----------	3	4	2	2	2	1	2	-	-	-	-	-
WHITE------MALE----	3	3	1	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3610

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
UNITED STATES -	715	-	1	9	11	12	31	64	65	74	78	81
WHITE------MALE----	565	-	1	5	8	9	24	50	49	55	60	64
FEMALE--	126	-	-	3	3	3	5	11	11	16	18	14
ALL OTHER--MALE----	22	-	-	1	-	-	1	3	5	3	-	3
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	11	-	-	1	-	-	-	1	3	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	15	-	-	-	-	-	-	1	2	2	2	3
WHITE------MALE----	12	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	24	-	-	-	-	-	-	3	2	4	3	1
WHITE------MALE----	16	-	-	-	-	-	-	1	1	3	2	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	15	-	-	-	-	-	-	2	3	3	-	1
WHITE------MALE----	13	-	-	-	-	-	-	2	2	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	24	-	1	1	1	-	2	-	2	3	-	2
WHITE------MALE----	17	-	1	1	-	-	2	-	2	3	-	2
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	73	-	-	-	2	2	3	10	8	9	6	6
WHITE------MALE----	51	-	-	-	1	2	1	7	4	7	4	5
FEMALE--	18	-	-	-	1	-	-	2	3	2	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
UNITED STATES -	74	70	50	36	36	14	6	2	1	-	-	-
WHITE------MALE----	58	61	47	27	30	10	5	1	1	-	-	-
FEMALE--	13	8	2	8	5	4	1	1	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	1	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	4	4	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	3	4	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	2	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	2	2	5	-	1	-	-	-	-	-	-
WHITE------MALE----	-	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	3	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	4	7	2	4	1	2	-	-	-	-	-
WHITE------MALE----	6	3	6	1	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
COLORADO ----------	21	-	-	-	-	-	-	1	2	1	5	-
WHITE------MALE----	16	-	-	-	-	-	-	-	2	-	4	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	-	-	-	-	-	1	-	1	1	-	1
WHITE------MALE----	5	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	58	-	-	-	-	3	2	3	4	4	10	11
WHITE------MALE----	43	-	-	-	-	2	1	2	2	3	7	8
FEMALE--	14	-	-	-	-	1	1	1	2	-	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	19	-	-	-	-	-	-	2	3	1	1	3
WHITE------MALE----	15	-	-	-	-	-	-	2	3	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
COLORADO ----------	2	5	-	1	1	3	-	-	-	-	-	-
WHITE------MALE----	2	4	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	7	4	1	2	5	1	1	-	-	-	-	-
WHITE------MALE----	6	4	1	2	4	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	3	3	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	2	3	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3612

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	13	-	-	-	-	1	-	4	1	1	1	1
WHITE------MALE----	11	-	-	-	-	1	-	3	1	1	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	24	-	-	-	-	-	-	5	-	1	2	3
WHITE------MALE----	18	-	-	-	-	-	-	3	-	1	1	3
FEMALE--	6	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	14	-	-	-	1	-	-	-	3	-	4	-
WHITE------MALE----	12	-	-	-	1	-	-	-	3	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	1	-	1	-	-	1	-	2
WHITE------MALE----	6	-	-	-	1	-	1	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	14	-	-	-	-	-	1	-	1	3	2	-
WHITE------MALE----	12	-	-	-	-	-	1	-	1	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	5	4	2	-	-	1	-	-	-	-	-
WHITE------MALE----	1	4	3	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	3	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	3	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	1	1	2	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
KENTUCKY ----------	15	-	-	-	-	-	2	2	3	-	2	2
WHITE------MALE----	14	-	-	-	-	-	2	2	3	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	13	-	-	-	-	-	1	1	1	1	2	4
WHITE------MALE----	12	-	-	-	-	-	1	1	1	1	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	10	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	28	-	-	-	-	1	4	4	3	3	4	3
WHITE------MALE----	24	-	-	-	-	1	4	2	3	3	3	2
FEMALE--	4	-	-	-	-	-	-	2	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
KENTUCKY ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	2	1	3	-	-	1	-	-	-	-	-
WHITE------MALE----	-	2	1	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	1	1	1	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
MINNESOTA ----------	8	-	-	-	-	-	1	2	3	1	1	-
WHITE------MALE----	7	-	-	-	-	-	-	2	3	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	22	-	-	-	-	-	2	1	-	2	5	1
WHITE------MALE----	17	-	-	-	-	-	1	1	-	1	4	1
FEMALE--	5	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	-	-	-	-	-	-	1	-	1	2	-
WHITE------MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	1	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	4	4	3	-	-	-	-	-	-	-	-	-
WHITE--MALE	4	2	3	-	-	-	-	-	-	-	-	-
FEMALE	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	2	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	2	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	1	1	1	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	11	-	-	-	-	-	-	-	3	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	21	-	-	-	-	-	1	4	3	1	2	-
WHITE------MALE----	13	-	-	-	-	-	1	4	-	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	16	-	-	1	-	-	-	-	3	2	3	2
WHITE------MALE----	13	-	-	1	-	-	-	-	2	2	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	4	-	-	-	-	-	-	1	-	-	-	3
WHITE------MALE----	4	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
NEW HAMPSHIRE ----------	2	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	3	-	1	1	-	-	-	-	-	-
WHITE------MALE----	2	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	2	2	1	1	-	-	1	-	-	-	-
WHITE------MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	4	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
OHIO ----------	18	-	-	-	-	-	-	2	2	5	3	2
WHITE------MALE----	16	-	-	-	-	-	-	2	2	4	3	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	11	-	-	1	-	-	-	1	-	3	-	2
WHITE------MALE----	10	-	-	1	-	-	-	1	-	2	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	19	-	-	-	-	-	2	1	-	1	3	5
WHITE------MALE----	17	-	-	-	-	-	1	1	-	1	3	4
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	-	-	-	1	2	-	1	-	1	3	4
WHITE------MALE----	15	-	-	-	1	2	-	1	-	1	3	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
OHIO ----------	-	-	3	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	2	-	2	2	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	1	2	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
SOUTH DAKOTA ----------	6	-	-	1	-	-	1	1	-	-	-	1
WHITE------MALE----	6	-	-	1	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	-	-	-	-	-	-	2	1	-	2	3
WHITE------MALE----	11	-	-	-	-	-	-	2	1	-	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	54	-	-	2	2	1	2	6	5	5	4	5
WHITE------MALE----	39	-	-	-	2	-	2	5	4	3	2	3
FEMALE--	13	-	-	2	-	1	-	1	-	2	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	10	-	-	-	-	-	1	-	1	2	1	3
WHITE------MALE----	7	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	23	-	-	2	-	-	-	2	3	6	3	-
WHITE------MALE----	13	-	-	-	-	-	-	1	2	3	2	-
FEMALE--	7	-	-	1	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	4	7	1	4	-	-	-	-	-	-	-
WHITE------MALE----	4	4	6	1	3	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	1	3	2	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
WASHINGTON ----------	19	-	-	1	2	-	1	1	-	2	-	2
WHITE------MALE----	18	-	-	1	2	-	1	1	-	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	-	-	-	-	-	1	-	2	-	-	1
WHITE------MALE----	7	-	-	-	-	-	1	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	1	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Air and space transport accidents (V95-V97)												
WASHINGTON ----------	3	2	1	1	2	1	-	-	-	-	-	-
WHITE------MALE----	3	2	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3619

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
UNITED STATES -	510	-	1	6	3	22	23	38	45	63	55	45
WHITE------MALE----	289	-	-	1	3	11	9	25	24	37	35	28
FEMALE--	122	-	1	3	-	5	7	8	13	18	11	9
ALL OTHER--MALE----	72	-	-	1	-	5	3	5	6	7	8	3
FEMALE--	27	-	-	1	-	1	4	-	2	1	1	5
BLACK---MALE----	58	-	-	1	-	4	3	5	3	7	6	3
FEMALE--	21	-	-	1	-	1	4	-	1	1	1	4
ALABAMA ----------	6	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	16	-	-	-	-	1	1	1	1	1	4	1
WHITE------MALE----	7	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	96	-	-	-	1	4	3	8	10	10	12	10
WHITE------MALE----	56	-	-	-	1	-	2	6	3	4	9	8
FEMALE--	21	-	-	-	-	-	1	1	4	4	2	1
ALL OTHER--MALE----	15	-	-	-	-	3	-	1	2	2	1	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	2	-	1	1	2	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
UNITED STATES -	53	37	33	19	23	19	14	7	3	1	-	-
WHITE------MALE----	35	19	13	13	15	12	4	4	1	-	-	-
FEMALE--	8	6	10	4	5	4	6	1	2	1	-	-
ALL OTHER--MALE----	6	10	8	2	3	1	2	2	-	-	-	-
FEMALE--	4	2	2	-	-	2	2	-	-	-	-	-
BLACK---MALE----	5	6	7	1	2	1	2	2	-	-	-	-
FEMALE--	3	1	1	-	-	1	2	-	-	-	-	-
ALABAMA ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	3	-	-	3	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	10	4	10	4	5	3	1	1	-	-	-	-
WHITE------MALE----	8	2	6	3	2	1	-	1	-	-	-	-
FEMALE--	1	2	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	3	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
COLORADO ----------	5	-	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	-	-	-	-	-	-	1	2	1	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	47	-	-	-	1	1	2	2	7	9	6	3
WHITE------MALE----	30	-	-	-	1	-	-	2	6	5	4	1
FEMALE--	9	-	-	-	-	1	1	-	1	2	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	1
GEORGIA ----------	21	-	-	-	-	-	1	1	4	2	2	2
WHITE------MALE----	13	-	-	-	-	-	-	1	2	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	1	2	1	2	2	-	2	-	-	-	-
WHITE------MALE----	4	-	1	1	2	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	2	1	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	14	-	-	-	-	3	1	-	-	3	-	1
WHITE------MALE----	7	-	-	-	-	2	1	-	-	2	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	11	-	-	-	-	1	1	2	-	3	-	-
WHITE------MALE----	6	-	-	-	-	1	-	-	-	3	-	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	1	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified transport accidents and their sequelae (V98-V99,Y85)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	1	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	1	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
KENTUCKY ----------	7	-	-	-	-	-	-	1	1	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	16	-	-	-	-	1	1	1	-	5	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	14	-	-	-	-	-	-	2	-	1	4	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
KENTUCKY ----------	1	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	3	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
MINNESOTA ----------	12	-	-	-	1	-	-	-	3	-	1	2
WHITE------MALE----	7	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	-	1	-	-	1	-	1	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	12	-	-	1	-	2	-	-	-	2	2	2
WHITE------MALE----	7	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	1	-	-	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified transport accidents and their sequelae (V98-V99,Y85)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	2	-	-	-	1	-	2	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3624

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	25	-	-	1	-	1	-	2	4	2	4	1
WHITE------MALE----	14	-	-	-	-	1	-	1	3	-	4	-
FEMALE--	6	-	-	1	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	17	-	-	1	-	2	1	-	-	1	1	1
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
NEW HAMPSHIRE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	1	3	1	-	1	-	1	-	-	-
WHITE------MALE----	1	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	3	2	2	1	1	-	-	-	1	-	-
WHITE------MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
OHIO ----------	28	-	1	-	-	-	1	4	2	5	1	3
WHITE------MALE----	13	-	-	-	-	-	-	2	1	3	-	1
FEMALE--	9	-	1	-	-	-	-	1	1	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
OKLAHOMA ----------	6	-	-	-	-	-	1	2	-	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	19	-	-	-	-	1	1	1	1	1	2	2
WHITE------MALE----	15	-	-	-	-	1	1	1	1	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	-	-	-	-	-	1	-	1	1	-	1
WHITE------MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	1	-	2	-	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
OHIO ----------	4	2	1	-	3	-	1	-	-	-	-	-
WHITE------MALE----	3	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	3	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	3	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	-	-	-	-	-	-	1	-	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	25	-	-	-	-	2	1	2	1	3	2	4
WHITE------MALE----	18	-	-	-	-	2	1	2	1	3	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	4	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	11	-	-	-	-	-	1	2	2	-	1	2
WHITE------MALE----	6	-	-	-	-	-	1	1	1	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
SOUTH DAKOTA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	2	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	2	2	2	2	1	1	-	-	-	-	-	-
WHITE------MALE----	1	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
WASHINGTON ----------	6	-	-	-	-	-	1	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
WASHINGTON ----------	1	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3628

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
UNITED STATES -	13,162	12	55	25	28	112	130	156	187	276	369	447
WHITE------MALE----	6,352	7	29	14	18	86	100	120	126	193	249	298
FEMALE--	5,640	1	14	4	6	14	12	15	23	46	59	64
ALL OTHER--MALE----	757	1	8	5	3	9	14	17	31	32	54	68
FEMALE--	413	3	4	2	1	3	4	4	7	5	7	17
BLACK---MALE----	564	1	8	4	3	6	10	11	24	24	43	59
FEMALE--	314	1	3	2	1	2	3	2	6	3	5	14
ALABAMA ----------	120	-	-	-	-	-	3	4	1	5	8	5
WHITE------MALE----	59	-	-	-	-	-	2	4	-	3	6	1
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	1	1	1	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	1	-	1	1	1	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	13	-	-	-	-	-	-	1	-	1	2	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	361	-	1	-	1	1	11	3	-	5	6	8
WHITE------MALE----	175	-	1	-	-	1	9	1	-	4	6	6
FEMALE--	161	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	2	2	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	117	-	-	-	-	1	-	1	2	6	3	5
WHITE------MALE----	50	-	-	-	-	1	-	1	1	4	2	2
FEMALE--	55	-	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1,213	3	9	-	5	10	12	18	20	33	38	50
WHITE------MALE----	614	3	6	-	5	7	10	15	14	26	27	33
FEMALE--	468	-	3	-	-	3	2	2	2	3	6	10
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	4	3	4	5
FEMALE--	43	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	31	-	-	-	-	-	-	-	3	1	1	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3628

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
UNITED STATES -	377	398	489	663	1,000	1,636	2,220	2,308	1,625	533	112	4
WHITE------MALE----	237	239	291	372	532	771	1,057	915	535	131	28	4
FEMALE--	64	85	107	203	362	747	1,057	1,291	1,016	375	75	-
ALL OTHER--MALE----	58	57	63	61	62	69	53	49	33	9	1	-
FEMALE--	18	17	28	27	44	49	53	53	41	18	8	-
BLACK---MALE----	49	45	48	57	43	43	36	23	20	6	1	-
FEMALE--	15	14	24	24	27	32	44	36	35	15	6	-
ALABAMA ----------	7	2	2	10	11	11	16	17	11	7	-	-
WHITE------MALE----	3	2	2	6	6	6	9	4	4	1	-	-
FEMALE--	1	-	-	3	3	4	6	11	6	6	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	1	-	-	-
ALASKA ----------	2	-	-	1	1	1	1	1	-	2	-	-
WHITE------MALE----	2	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	12	8	12	17	20	49	67	70	48	17	5	-
WHITE------MALE----	8	5	3	9	10	21	37	30	17	7	-	-
FEMALE--	2	2	6	7	9	25	28	36	29	10	5	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	4	-	-	-	-
FEMALE--	1	1	2	-	-	2	2	-	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	1	2	4	9	8	32	20	17	4	-	-
WHITE------MALE----	1	1	-	4	6	3	14	10	-	-	-	-
FEMALE--	1	-	-	-	2	4	17	9	14	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	1	2	-	-
FEMALE--	-	-	1	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	2	-	-
FEMALE--	-	-	1	-	-	1	1	-	2	-	-	-
CALIFORNIA ----------	46	48	50	68	93	150	184	206	115	40	14	1
WHITE------MALE----	32	25	29	44	43	70	86	80	43	11	4	1
FEMALE--	6	11	11	17	34	61	84	110	65	29	9	-
ALL OTHER--MALE----	7	11	8	6	8	11	8	9	4	-	-	-
FEMALE--	1	1	2	1	8	8	6	7	3	-	1	-
BLACK---MALE----	4	4	5	2	1	3	2	-	2	-	-	-
FEMALE--	-	1	1	-	2	2	4	2	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3629

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
COLORADO ----------	219	-	2	-	1	6	1	6	3	6	9	8
WHITE------MALE----	119	-	2	-	1	4	1	6	3	5	8	6
FEMALE--	95	-	-	-	-	2	-	-	-	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	138	-	1	-	1	2	3	-	-	2	1	6
WHITE------MALE----	72	-	1	-	-	2	3	-	-	2	-	4
FEMALE--	58	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	47	-	-	-	-	-	-	1	1	2	2	2
WHITE------MALE----	22	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	28	-	-	-	-	-	-	1	-	-	-	2
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	873	-	2	-	1	1	4	8	4	19	24	37
WHITE------MALE----	429	-	1	-	1	-	4	7	2	12	15	25
FEMALE--	377	-	-	-	-	-	-	-	1	4	3	6
ALL OTHER--MALE----	42	-	-	-	-	1	-	1	1	2	4	4
FEMALE--	25	-	1	-	-	-	-	-	-	1	2	2
BLACK---MALE----	41	-	-	-	-	1	-	1	1	2	4	3
FEMALE--	25	-	1	-	-	-	-	-	-	1	2	2
GEORGIA ----------	402	-	1	-	-	2	5	6	5	8	14	14
WHITE------MALE----	182	-	1	-	-	1	3	4	4	5	5	10
FEMALE--	160	-	-	-	-	1	1	1	1	1	2	-
ALL OTHER--MALE----	39	-	-	-	-	-	1	-	-	2	7	3
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	36	-	-	-	-	-	1	-	-	2	6	3
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3629

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
COLORADO ----------	5	5	10	10	16	30	34	31	24	9	3	-
WHITE------MALE----	5	4	7	8	9	12	13	13	7	4	1	-
FEMALE--	-	1	2	1	6	17	20	18	17	5	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
CONNECTICUT ----------	5	4	9	2	7	16	25	31	15	7	1	-
WHITE------MALE----	2	3	8	-	5	10	13	12	4	3	-	-
FEMALE--	1	1	1	1	2	5	12	18	10	4	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	1	-	1	4	8	6	7	6	3	-	-
WHITE------MALE----	2	1	-	-	3	2	2	2	3	-	-	-
FEMALE--	1	-	-	-	1	6	4	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	3	2	2	1	4	3	7	1	1	-	-
WHITE------MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	3	1	1	1	-	3	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	4	1	-	-	-
BLACK---MALE----	1	3	1	1	1	-	3	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	4	1	-	-	-
FLORIDA ----------	27	19	27	44	64	109	163	160	122	31	7	-
WHITE------MALE----	16	10	17	28	25	66	80	74	35	9	2	-
FEMALE--	4	6	3	14	32	38	75	81	85	20	5	-
ALL OTHER--MALE----	4	3	4	1	6	2	6	2	1	-	-	-
FEMALE--	3	-	3	1	1	3	2	3	1	2	-	-
BLACK---MALE----	4	3	4	1	6	2	6	2	1	-	-	-
FEMALE--	3	-	3	1	1	3	2	3	1	2	-	-
GEORGIA ----------	12	13	19	18	33	45	73	63	51	15	4	1
WHITE------MALE----	6	7	12	7	16	20	30	29	19	2	-	1
FEMALE--	1	4	2	4	9	22	38	29	31	11	2	-
ALL OTHER--MALE----	4	1	3	4	6	2	1	4	1	-	-	-
FEMALE--	1	1	2	3	2	1	4	1	-	2	2	-
BLACK---MALE----	3	1	3	4	6	1	1	4	1	-	-	-
FEMALE--	1	1	2	3	2	1	4	1	-	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3630

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
HAWAII ----------	60	1	-	-	-	-	1	2	2	2	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	1	2	2	2	1	-
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	105	-	-	-	-	2	2	-	2	-	1	4
WHITE------MALE----	53	-	-	-	-	2	2	-	2	-	-	3
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	509	2	2	2	-	9	4	9	9	11	26	29
WHITE------MALE----	270	1	1	-	-	5	3	6	7	9	13	18
FEMALE--	176	-	-	1	-	1	-	1	-	1	7	5
ALL OTHER--MALE----	43	-	1	1	-	2	1	2	2	-	6	5
FEMALE--	20	1	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	36	-	1	1	-	2	1	1	2	-	5	5
FEMALE--	17	-	-	-	-	1	-	-	-	1	-	1
INDIANA ----------	257	-	5	1	-	1	1	2	6	7	9	13
WHITE------MALE----	118	-	2	-	-	1	1	2	3	6	3	9
FEMALE--	119	-	2	1	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	1	-	4	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	9	-	1	-	-	-	-	-	-	-	4	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
IOWA ----------	214	-	-	-	-	-	3	1	-	5	3	5
WHITE------MALE----	98	-	-	-	-	-	2	1	-	5	3	4
FEMALE--	115	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	184	-	1	1	-	1	-	2	1	3	1	7
WHITE------MALE----	98	-	1	1	-	1	-	-	1	2	1	5
FEMALE--	80	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
HAWAII ----------	1	1	1	2	7	11	7	12	6	2	-	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	4	7	5	7	4	2	-	-
FEMALE--	-	-	-	-	3	3	2	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	2	4	5	13	21	26	16	3	1	-
WHITE------MALE----	1	2	2	1	3	7	10	13	4	1	-	-
FEMALE--	-	-	-	3	2	6	11	13	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	14	22	27	51	65	79	81	40	12	3	-
WHITE------MALE----	6	5	12	19	31	32	44	43	11	4	-	-
FEMALE--	3	7	7	4	14	24	32	34	25	8	2	-
ALL OTHER--MALE----	2	1	2	2	5	5	2	1	2	-	1	-
FEMALE--	1	1	1	2	1	4	1	3	2	-	-	-
BLACK---MALE----	2	1	2	2	4	3	1	1	1	-	1	-
FEMALE--	1	1	1	2	1	4	1	1	2	-	-	-
INDIANA ----------	10	7	14	10	21	25	45	42	30	7	1	-
WHITE------MALE----	6	3	9	4	13	10	19	13	11	3	-	-
FEMALE--	2	2	5	5	7	15	25	25	19	4	1	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	4	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	4	-	-	-	-
IOWA ----------	6	1	2	8	8	28	36	53	38	13	4	-
WHITE------MALE----	5	-	2	4	4	14	21	20	8	3	2	-
FEMALE--	1	1	-	4	3	14	15	33	30	10	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	7	8	4	17	22	24	34	32	14	1	-
WHITE------MALE----	4	6	7	3	10	11	16	11	13	5	-	-
FEMALE--	-	1	1	1	7	11	8	23	17	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3631

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
KENTUCKY ----------	139	-	2	-	-	3	3	2	1	5	8	4
WHITE------MALE----	84	-	2	-	-	2	3	2	1	5	7	4
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	138	-	-	-	2	3	2	2	4	5	5	4
WHITE------MALE----	65	-	-	-	1	2	2	1	3	5	3	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	19	-	-	-	1	-	-	1	1	-	1	2
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	1	-	-	1	1	-	1	2
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
MAINE ----------	87	-	-	-	1	2	-	-	-	1	1	1
WHITE------MALE----	45	-	-	-	1	2	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	195	-	1	2	-	1	4	1	5	4	3	11
WHITE------MALE----	88	-	1	1	-	1	3	1	2	2	3	5
FEMALE--	72	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	3	1	-	4
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	2	1	-	4
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	207	-	2	2	-	1	1	2	6	8	11	9
WHITE------MALE----	116	-	-	2	-	1	1	2	4	5	7	9
FEMALE--	81	-	2	-	-	-	-	-	-	2	3	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN ----------	390	3	1	1	1	2	5	2	9	6	11	15
WHITE------MALE----	189	1	1	1	-	1	4	2	5	6	7	8
FEMALE--	153	-	-	-	1	1	1	-	2	-	1	3
ALL OTHER--MALE----	28	1	-	-	-	-	-	-	1	-	3	3
FEMALE--	20	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	27	1	-	-	-	-	-	-	1	-	3	3
FEMALE--	18	1	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3631

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
KENTUCKY ----------	3	8	5	8	7	17	16	23	18	5	1	-
WHITE------MALE----	2	6	5	5	4	9	5	12	8	2	-	-
FEMALE--	1	1	-	3	3	8	11	11	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	7	6	6	16	7	14	21	21	7	6	-	-
WHITE------MALE----	4	3	2	9	1	5	10	8	1	4	-	-
FEMALE--	2	2	2	2	5	7	9	12	4	1	-	-
ALL OTHER--MALE----	1	1	1	5	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	1	-	-
BLACK---MALE----	1	1	1	5	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	1	-	-
MAINE ----------	-	2	4	4	3	10	16	22	16	2	2	-
WHITE------MALE----	-	2	2	2	1	5	8	8	11	1	-	-
FEMALE--	-	-	2	2	2	5	8	14	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	7	8	7	22	27	32	26	21	3	3	-
WHITE------MALE----	3	2	7	2	14	10	16	9	5	1	-	-
FEMALE--	1	3	-	2	5	10	16	15	13	1	3	-
ALL OTHER--MALE----	3	2	1	2	3	7	-	-	2	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
BLACK---MALE----	3	2	1	2	2	6	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
MASSACHUSETTS ----------	6	7	16	11	25	27	30	25	10	8	-	-
WHITE------MALE----	4	6	10	7	14	12	18	7	4	3	-	-
FEMALE--	1	-	3	3	11	15	12	18	6	5	-	-
ALL OTHER--MALE----	1	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	13	16	18	22	33	55	62	63	37	11	4	-
WHITE------MALE----	8	11	8	13	18	27	35	24	7	2	-	-
FEMALE--	2	2	2	6	10	22	23	36	29	8	4	-
ALL OTHER--MALE----	2	2	4	2	3	2	1	3	1	-	-	-
FEMALE--	1	1	4	1	2	4	3	-	-	1	-	-
BLACK---MALE----	2	2	4	2	2	2	1	3	1	-	-	-
FEMALE--	1	1	3	1	1	4	3	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3632

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
MINNESOTA ----------	402	-	-	1	-	5	2	1	-	2	4	7
WHITE------MALE----	180	-	-	1	-	5	-	1	-	1	3	6
FEMALE--	214	-	-	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	151	-	1	2	-	1	-	3	2	2	2	6
WHITE------MALE----	66	-	-	1	-	1	-	2	1	2	2	4
FEMALE--	60	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
MISSOURI ----------	374	-	1	-	-	2	3	6	4	6	8	12
WHITE------MALE----	164	-	-	-	-	2	3	5	2	4	4	9
FEMALE--	183	-	-	-	-	-	-	1	1	1	2	1
ALL OTHER--MALE----	19	-	1	-	-	-	-	-	1	1	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	1	-	-	-	-	-	1	1	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	74	-	-	-	1	1	-	-	1	-	1	1
WHITE------MALE----	42	-	-	-	1	1	-	-	1	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	141	-	1	-	-	-	1	2	1	1	3	3
WHITE------MALE----	63	-	1	-	-	-	1	2	1	1	3	3
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	77	-	1	-	1	1	3	2	1	2	3	4
WHITE------MALE----	47	-	1	-	-	1	2	2	-	1	3	3
FEMALE--	25	-	-	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3632

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
MINNESOTA ----------	11	2	5	12	35	48	54	96	80	28	9	-
WHITE------MALE----	9	-	3	7	17	20	30	36	32	7	2	-
FEMALE--	1	1	2	4	17	27	24	60	47	21	7	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
MISSISSIPPI ----------	3	7	8	13	13	17	21	24	22	3	1	-
WHITE------MALE----	2	6	5	5	11	4	11	4	5	-	-	-
FEMALE--	1	-	1	4	1	12	7	18	12	3	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	3	1	1	2	1	3	-	1	-
BLACK---MALE----	-	1	2	1	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	3	1	1	2	1	3	-	1	-
MISSOURI ----------	8	10	11	17	24	49	63	81	49	19	1	-
WHITE------MALE----	4	5	8	8	12	23	30	28	11	5	1	-
FEMALE--	1	4	2	6	10	22	32	50	36	14	-	-
ALL OTHER--MALE----	3	1	1	2	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	2	-	-	-
BLACK---MALE----	3	1	1	2	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	2	-	-	-
MONTANA ----------	-	3	4	3	7	10	6	13	12	8	3	-
WHITE------MALE----	-	3	4	3	4	6	4	5	5	2	1	-
FEMALE--	-	-	-	-	3	4	2	8	7	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	3	5	5	7	13	28	24	31	12	1	-
WHITE------MALE----	-	2	4	3	4	6	8	10	12	2	-	-
FEMALE--	-	-	-	2	3	7	19	14	19	10	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	3	3	8	10	5	10	8	8	2	-	-
WHITE------MALE----	-	3	2	7	6	2	8	2	3	1	-	-
FEMALE--	2	-	-	1	3	2	2	6	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3633

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
NEW HAMPSHIRE ----------	63	-	-	-	-	1	1	1	1	1	4	1
WHITE------MALE----	38	-	-	-	-	1	-	1	-	-	3	1
FEMALE--	25	-	-	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	283	-	2	1	-	4	1	3	7	9	12	16
WHITE------MALE----	127	-	-	-	-	2	-	2	5	7	10	11
FEMALE--	124	-	-	-	-	1	-	1	-	-	2	3
ALL OTHER--MALE----	22	-	2	1	-	-	1	-	2	2	-	2
FEMALE--	10	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	20	-	2	1	-	-	1	-	1	2	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	131	-	-	-	-	3	3	1	1	3	2	1
WHITE------MALE----	60	-	-	-	-	2	2	-	1	2	1	1
FEMALE--	61	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	890	-	1	5	1	8	15	15	16	17	23	28
WHITE------MALE----	416	-	-	2	-	6	9	10	8	7	16	17
FEMALE--	359	-	-	1	1	-	2	1	1	6	4	2
ALL OTHER--MALE----	71	-	-	2	-	2	2	3	5	4	3	8
FEMALE--	44	-	1	-	-	-	2	1	2	-	-	1
BLACK---MALE----	55	-	-	1	-	1	2	3	5	4	3	6
FEMALE--	41	-	1	-	-	-	2	1	2	-	-	1
NORTH CAROLINA ---------	389	-	2	1	1	2	5	7	2	5	19	9
WHITE------MALE----	170	-	-	1	-	2	4	5	2	3	12	5
FEMALE--	162	-	1	-	-	-	-	2	-	1	3	-
ALL OTHER--MALE----	30	-	-	-	1	-	-	-	-	-	2	3
FEMALE--	27	-	1	-	-	-	1	-	-	1	2	1
BLACK---MALE----	28	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	25	-	1	-	-	-	1	-	-	1	2	1
NORTH DAKOTA ----------	47	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
NEW HAMPSHIRE ----------	1	1	3	4	7	8	13	7	8	1	-	-
WHITE------MALE----	1	1	2	3	7	5	7	3	3	-	-	-
FEMALE--	-	-	1	1	-	3	6	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	7	13	18	20	44	38	48	29	3	2	-
WHITE------MALE----	5	4	5	7	8	21	12	16	10	2	-	-
FEMALE--	-	1	5	8	8	19	24	31	19	1	1	-
ALL OTHER--MALE----	-	2	3	3	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	2	1	-	-	1	-
BLACK---MALE----	-	2	3	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	1	1	-	-	1	-
NEW MEXICO ----------	3	6	4	5	6	13	23	28	17	11	1	-
WHITE------MALE----	3	4	2	1	4	6	10	13	5	2	1	-
FEMALE--	-	-	2	3	2	7	13	12	11	9	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	30	41	34	44	61	116	129	140	111	47	8	-
WHITE------MALE----	14	26	23	22	26	56	62	56	45	8	3	-
FEMALE--	8	6	3	12	27	51	57	80	59	34	4	-
ALL OTHER--MALE----	6	7	6	8	2	4	4	3	2	-	-	-
FEMALE--	2	2	2	2	6	5	6	1	5	5	1	-
BLACK---MALE----	4	6	4	8	1	3	2	1	1	-	-	-
FEMALE--	2	2	2	2	5	4	6	1	5	4	1	-
NORTH CAROLINA ---------	9	14	12	24	39	60	66	54	44	11	2	1
WHITE------MALE----	4	5	2	9	26	28	24	19	12	5	1	1
FEMALE--	1	5	5	10	8	26	37	31	25	6	1	-
ALL OTHER--MALE----	4	2	1	4	4	4	2	-	3	-	-	-
FEMALE--	-	2	4	1	1	2	3	4	4	-	-	-
BLACK---MALE----	4	2	1	4	4	4	1	-	3	-	-	-
FEMALE--	-	2	3	1	1	1	3	4	4	-	-	-
NORTH DAKOTA ----------	3	1	2	1	1	7	10	8	7	4	1	-
WHITE------MALE----	3	1	1	1	1	5	6	1	4	1	-	-
FEMALE--	-	-	1	-	-	2	4	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3634

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
OHIO ----------	493	-	1	1	-	7	3	2	13	16	15	15
WHITE------MALE----	234	-	1	-	-	6	3	2	8	11	10	10
FEMALE--	217	-	-	-	-	1	-	-	4	3	4	2
ALL OTHER--MALE----	28	-	-	1	-	-	-	-	-	2	1	3
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	26	-	-	1	-	-	-	-	-	1	1	3
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	161	-	1	-	1	2	2	1	7	4	3	4
WHITE------MALE----	79	-	1	-	1	2	2	1	6	2	2	3
FEMALE--	65	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	177	1	2	-	1	-	-	5	2	2	7	9
WHITE------MALE----	95	-	1	-	1	-	-	4	1	2	6	7
FEMALE--	74	1	1	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	701	1	3	2	-	4	6	4	11	13	15	16
WHITE------MALE----	352	1	1	2	-	3	4	1	7	9	8	9
FEMALE--	302	-	1	-	-	-	-	2	3	3	4	4
ALL OTHER--MALE----	36	-	1	-	-	1	2	1	1	1	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	33	-	1	-	-	-	2	1	1	1	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	69	-	-	-	-	-	-	1	-	-	3	2
WHITE------MALE----	31	-	-	-	-	-	-	1	-	-	3	2
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	159	-	1	-	1	1	1	2	1	2	5	6
WHITE------MALE----	68	-	-	-	1	-	1	2	1	1	3	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	1	-	-	1	-	-	-	1	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	1	-	-	1	-	-	-	1	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
OHIO ----------	12	20	23	32	37	66	81	77	55	16	1	-
WHITE------MALE----	5	10	12	22	22	20	40	33	19	-	-	-
FEMALE--	3	6	7	7	15	40	35	40	34	15	1	-
ALL OTHER--MALE----	4	4	3	1	-	2	4	2	1	-	-	-
FEMALE--	-	-	1	2	-	4	2	2	1	1	-	-
BLACK---MALE----	3	4	3	1	-	2	4	2	1	-	-	-
FEMALE--	-	-	1	2	-	4	2	2	1	1	-	-
OKLAHOMA ----------	2	3	6	5	12	13	35	28	24	6	2	-
WHITE------MALE----	1	3	4	2	7	3	10	15	14	-	-	-
FEMALE--	-	-	-	3	2	10	24	9	10	5	1	-
ALL OTHER--MALE----	1	-	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	3	-	1	1	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
OREGON ----------	7	3	9	8	11	21	26	35	24	4	-	-
WHITE------MALE----	5	3	6	8	6	7	15	17	5	1	-	-
FEMALE--	2	-	2	-	2	12	11	18	19	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	20	19	25	33	67	78	162	118	76	25	3	-
WHITE------MALE----	12	13	14	20	40	45	79	53	24	7	-	-
FEMALE--	6	1	7	9	24	30	77	64	47	17	3	-
ALL OTHER--MALE----	1	5	4	4	3	3	2	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	4	-	4	-	-	-
BLACK---MALE----	1	5	4	4	3	2	2	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	4	-	4	-	-	-
RHODE ISLAND ----------	1	1	3	2	6	5	11	22	6	4	2	-
WHITE------MALE----	1	1	2	1	2	3	4	9	1	-	1	-
FEMALE--	-	-	-	1	4	2	7	13	5	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	8	8	3	5	7	26	30	27	15	9	1	-
WHITE------MALE----	6	4	1	3	5	10	16	7	3	1	-	-
FEMALE--	-	2	-	1	1	14	7	18	11	4	1	-
ALL OTHER--MALE----	1	1	2	-	-	1	4	-	-	1	-	-
FEMALE--	1	1	-	1	1	1	3	2	1	3	-	-
BLACK---MALE----	1	1	2	-	-	1	3	-	-	1	-	-
FEMALE--	1	1	-	1	1	1	3	2	1	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3635

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
SOUTH DAKOTA ----------	69	-	-	-	-	1	-	-	1	1	1	-
WHITE------MALE----	36	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	32	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	186	1	-	-	1	1	-	3	4	6	5	9
WHITE------MALE----	92	1	-	-	-	1	-	2	2	5	4	8
FEMALE--	80	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	710	-	4	1	4	6	8	14	17	22	21	27
WHITE------MALE----	337	-	1	1	3	5	7	12	14	13	14	20
FEMALE--	324	-	3	-	-	1	-	1	1	6	5	4
ALL OTHER--MALE----	31	-	-	-	-	-	1	1	1	2	2	2
FEMALE--	18	-	-	-	1	-	-	-	1	1	-	1
BLACK---MALE----	28	-	-	-	-	-	1	1	1	2	2	2
FEMALE--	16	-	-	-	1	-	-	-	1	-	-	1
UTAH ----------	70	-	-	1	2	2	2	1	3	3	1	-
WHITE------MALE----	37	-	-	1	2	1	2	1	3	3	-	-
FEMALE--	31	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	33	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	22	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	240	-	2	-	-	1	3	1	4	3	7	6
WHITE------MALE----	105	-	2	-	-	1	3	1	4	2	5	3
FEMALE--	108	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3635

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
SOUTH DAKOTA ----------	3	-	3	1	4	11	15	17	6	3	2	-
WHITE------MALE----	2	-	3	1	2	7	8	7	2	-	2	-
FEMALE--	1	-	-	-	2	4	7	10	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	10	6	12	9	23	34	27	19	7	1	1
WHITE------MALE----	5	6	5	5	4	9	11	11	7	4	1	1
FEMALE--	1	3	1	5	4	11	20	16	12	3	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
TEXAS ----------	20	21	27	51	61	92	107	107	79	19	2	-
WHITE------MALE----	13	13	15	24	35	44	40	37	23	3	-	-
FEMALE--	3	2	6	22	22	46	62	67	55	16	2	-
ALL OTHER--MALE----	3	5	3	4	1	2	4	-	-	-	-	-
FEMALE--	1	1	3	1	3	-	1	3	1	-	-	-
BLACK---MALE----	3	4	2	4	1	1	4	-	-	-	-	-
FEMALE--	1	1	3	1	3	-	-	3	1	-	-	-
UTAH ----------	4	3	5	3	5	9	8	10	6	1	1	-
WHITE------MALE----	4	2	3	2	3	3	3	1	2	-	1	-
FEMALE--	-	1	2	1	2	6	5	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	3	2	3	5	3	6	5	3	-	-
WHITE------MALE----	-	1	1	2	1	4	3	3	3	2	-	-
FEMALE--	-	-	2	-	2	1	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	6	10	16	25	33	40	36	32	8	1	-
WHITE------MALE----	4	3	6	7	13	12	20	12	5	2	-	-
FEMALE--	1	2	3	4	8	18	18	21	24	6	1	-
ALL OTHER--MALE----	1	-	1	3	3	2	1	-	2	-	-	-
FEMALE--	-	1	-	2	1	1	1	3	1	-	-	-
BLACK---MALE----	1	-	-	3	3	2	1	-	2	-	-	-
FEMALE--	-	-	-	2	1	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3636

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
WASHINGTON ----------	333	-	-	-	1	4	6	3	4	6	8	7
WHITE------MALE----	168	-	-	-	-	4	4	3	2	5	7	4
FEMALE--	150	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	10	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	111	-	-	-	-	1	-	1	1	1	2	4
WHITE------MALE----	53	-	-	-	-	1	-	1	1	-	2	2
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	587	-	1	1	-	5	-	2	1	4	8	12
WHITE------MALE----	269	-	-	-	-	4	-	2	1	3	6	7
FEMALE--	307	-	-	1	-	1	-	-	-	1	1	4
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	25	-	-	-	-	1	-	-	-	1	-	1
WHITE------MALE----	15	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
WASHINGTON ----------	6	6	10	10	17	40	63	68	49	17	8	-
WHITE------MALE----	3	6	5	8	12	20	41	25	12	3	4	-
FEMALE--	1	-	4	2	3	19	21	43	34	14	4	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	3	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WEST VIRGINIA ----------	2	3	3	2	6	19	22	19	18	7	-	-
WHITE------MALE----	2	2	2	1	5	9	6	8	9	2	-	-
FEMALE--	-	1	1	1	1	10	16	10	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	11	12	10	27	34	58	124	133	109	30	5	-
WHITE------MALE----	8	6	7	14	13	35	60	58	41	3	1	-
FEMALE--	2	6	3	11	19	22	63	75	68	26	4	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WYOMING ----------	-	2	-	-	1	2	5	6	3	3	-	-
WHITE------MALE----	-	2	-	-	-	1	3	2	3	1	-	-
FEMALE--	-	-	-	-	1	1	2	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3637

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
UNITED STATES -	2,241	6	9	3	6	19	11	13	14	27	31	65
WHITE------MALE----	965	3	5	1	4	15	7	10	6	13	18	34
FEMALE--	1,073	1	1	1	2	2	2	2	5	9	10	18
ALL OTHER--MALE----	112	1	3	-	-	2	1	-	3	5	3	12
FEMALE--	91	1	-	1	-	-	1	1	-	-	-	1
BLACK---MALE----	82	1	3	-	-	1	1	-	1	5	2	10
FEMALE--	67	1	-	1	-	-	1	-	-	-	-	1
ALABAMA ----------	17	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	130	-	-	-	1	-	1	1	-	-	1	2
WHITE------MALE----	56	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	69	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	23	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	227	1	1	-	-	2	1	1	2	4	2	11
WHITE------MALE----	103	1	1	-	-	2	1	-	1	4	1	6
FEMALE--	106	-	-	-	-	-	-	1	1	-	1	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
UNITED STATES -	56	46	56	108	170	311	399	426	334	100	31	-
WHITE------MALE----	31	22	23	54	92	147	178	165	111	19	7	-
FEMALE--	9	12	15	34	63	139	196	244	208	78	22	-
ALL OTHER--MALE----	8	7	9	12	6	13	12	7	7	1	-	-
FEMALE--	8	5	9	8	9	12	13	10	8	2	2	-
BLACK---MALE----	7	7	7	11	6	6	8	2	4	-	-	-
FEMALE--	7	4	7	7	5	7	10	7	6	1	2	-
ALABAMA ----------	1	-	-	4	4	1	4	1	-	-	-	-
WHITE------MALE----	-	-	-	3	3	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALASKA ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	1	3	8	8	21	25	27	16	8	3	-
WHITE------MALE----	2	-	-	4	4	8	14	13	4	3	-	-
FEMALE--	1	1	3	4	4	12	10	14	11	5	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	2	1	4	4	5	5	1	-	-
WHITE------MALE----	-	-	-	2	1	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
CALIFORNIA ----------	6	6	5	9	19	38	34	47	25	7	6	-
WHITE------MALE----	4	1	2	6	10	14	17	22	9	-	1	-
FEMALE--	1	3	1	2	8	17	16	24	15	7	5	-
ALL OTHER--MALE----	-	1	-	1	-	5	1	1	-	-	-	-
FEMALE--	1	1	2	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
COLORADO ----------	51	-	1	-	1	3	-	1	1	1	1	3
WHITE------MALE----	24	-	1	-	1	2	-	1	1	1	-	1
FEMALE--	26	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	27	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	14	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	95	-	-	-	-	-	-	-	-	1	1	2
WHITE------MALE----	42	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	65	-	-	-	-	-	-	-	1	-	2	2
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
COLORADO ----------	2	-	1	6	1	6	10	8	4	1	-	-
WHITE------MALE----	2	-	-	4	-	1	4	3	2	-	-	-
FEMALE--	-	-	1	1	1	5	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	1	-	-	4	9	3	3	2	1	-
WHITE------MALE----	-	-	1	-	-	3	2	1	2	1	-	-
FEMALE--	-	1	-	-	-	1	7	2	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	1	3	2	2	2	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	-	1	1	1	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
FLORIDA ----------	3	-	1	7	7	12	27	16	17	1	-	-
WHITE------MALE----	-	-	1	5	2	6	13	9	3	-	-	-
FEMALE--	-	-	-	2	5	6	11	7	13	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	1	4	6	3	10	13	12	7	3	1	-
WHITE------MALE----	-	1	-	1	1	4	4	4	3	-	-	-
FEMALE--	-	-	1	1	1	6	8	8	4	2	-	-
ALL OTHER--MALE----	-	-	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	1	1	-
BLACK---MALE----	-	-	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3639

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
HAWAII ----------	16	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	45	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	16	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	72	1	1	-	-	2	-	-	-	1	1	4
WHITE------MALE----	34	1	1	-	-	2	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	36	-	2	1	-	-	-	-	-	1	-	3
WHITE------MALE----	11	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
HAWAII ----------	-	-	1	-	2	4	3	3	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	3	2	2	1	1	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	2	3	4	8	12	11	2	1	-
WHITE------MALE----	-	-	-	1	2	2	1	5	2	1	-	-
FEMALE--	-	-	-	1	1	2	7	7	9	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	4	2	6	9	9	9	13	5	2	-	-
WHITE------MALE----	1	1	1	1	7	6	2	9	-	-	-	-
FEMALE--	1	2	1	2	1	3	6	4	4	2	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
INDIANA ----------	2	-	-	1	1	3	2	8	9	2	1	-
WHITE------MALE----	1	-	-	-	1	1	1	2	2	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	4	-	-	-	-
IOWA ----------	2	-	-	2	5	5	4	5	6	2	-	-
WHITE------MALE----	2	-	-	-	2	4	3	3	1	1	-	-
FEMALE--	-	-	-	2	3	1	1	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	3	-	1	1	3	-	1	-
WHITE------MALE----	-	-	-	-	2	-	-	-	3	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3640

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
KENTUCKY ----------	15	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	8	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	16	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	39	-	-	1	-	1	1	-	-	-	1	3
WHITE------MALE----	14	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	27	-	-	-	-	-	1	-	2	1	1	2
WHITE------MALE----	16	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	45	2	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
KENTUCKY ----------	-	3	-	2	-	1	2	3	1	-	-	-
WHITE------MALE----	-	2	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	1	1	-	-	3	-	2	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	2	-	4	1	4	4	-	-	-
WHITE------MALE----	-	-	-	1	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	2	-	2	3	2	8	7	7	-	1	-
WHITE------MALE----	-	1	-	1	1	1	3	-	4	-	-	-
FEMALE--	-	1	-	1	2	1	5	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	-	1	2	-	2	5	4	2	4	-	-	-
WHITE------MALE----	-	1	-	-	1	2	2	1	2	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	1	2	3	8	7	8	7	2	-	-
WHITE------MALE----	-	1	-	-	2	5	5	4	1	-	-	-
FEMALE--	-	-	-	2	-	2	2	4	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
MINNESOTA ----------	26	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	23	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	29	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	9	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	28	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	29	-	-	-	-	-	-	1	1	-	2	1
WHITE------MALE----	19	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3641

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
MINNESOTA ----------	-	-	-	-	3	4	4	8	4	1	1	-
WHITE------MALE----	-	-	-	-	2	2	4	2	3	-	-	-
FEMALE--	-	-	-	-	1	2	-	6	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	2	3	3	1	8	3	-	1	-
WHITE------MALE----	1	-	-	-	2	2	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	-	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
MISSOURI ----------	2	1	-	1	2	3	7	9	3	1	-	-
WHITE------MALE----	1	1	-	1	1	2	2	5	1	1	-	-
FEMALE--	-	-	-	-	1	-	5	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	-	-	-	-	4	2	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	3	2	5	6	5	5	1	-	-
WHITE------MALE----	-	-	1	1	1	2	2	3	2	-	-	-
FEMALE--	-	-	-	2	1	3	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	2	4	3	6	3	3	2	-	-
WHITE------MALE----	-	-	-	2	3	1	5	-	3	1	-	-
FEMALE--	1	-	-	-	1	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3642

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
NEW HAMPSHIRE ----------	11	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	38	-	1	-	-	-	-	-	1	1	2	3
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	75	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	34	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	116	-	-	-	-	4	2	-	-	2	2	3
WHITE------MALE----	52	-	-	-	-	2	1	-	-	1	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	2	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	44	-	1	-	-	-	-	-	-	1	1	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
NEW HAMPSHIRE ----------	-	-	1	-	-	2	5	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	2	3	8	3	6	8	-	-	-
WHITE------MALE----	-	-	-	1	2	3	1	2	2	-	-	-
FEMALE--	-	-	-	1	1	4	1	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
NEW MEXICO ----------	-	1	2	1	4	11	13	21	13	6	1	-
WHITE------MALE----	-	-	1	-	3	6	6	11	3	2	1	-
FEMALE--	-	-	1	-	1	5	7	8	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	8	7	5	8	10	10	21	20	9	3	-
WHITE------MALE----	1	4	6	2	4	6	3	10	8	1	1	-
FEMALE--	-	-	-	-	2	3	6	9	10	7	2	-
ALL OTHER--MALE----	1	3	-	3	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	1	2	1	-	-
BLACK---MALE----	1	3	-	3	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	1	2	-	-	-
NORTH CAROLINA ---------	-	-	4	3	3	9	9	7	4	1	1	-
WHITE------MALE----	-	-	1	1	1	2	2	2	2	-	-	-
FEMALE--	-	-	1	1	1	5	5	5	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	1	-	-	-
NORTH DAKOTA ----------	-	1	-	-	-	2	2	1	3	1	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
OHIO ----------	84	-	-	-	-	1	-	-	1	3	2	7
WHITE------MALE----	36	-	-	-	-	1	-	-	-	1	1	4
FEMALE--	39	-	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	16	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	60	1	1	-	-	-	-	2	-	1	1	2
WHITE------MALE----	30	-	1	-	-	-	-	2	-	1	1	1
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	125	-	-	-	-	1	-	1	-	2	1	2
WHITE------MALE----	57	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	62	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	24	-	1	-	-	-	-	1	-	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
OHIO ----------	-	2	2	4	7	10	12	13	18	1	1	-
WHITE------MALE----	-	-	-	2	5	3	8	6	5	-	-	-
FEMALE--	-	-	-	1	2	7	3	6	12	1	1	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
OKLAHOMA ----------	1	1	1	-	2	1	4	-	4	1	-	-
WHITE------MALE----	1	1	1	-	-	-	2	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	2	1	3	4	5	8	8	11	7	3	-	-
WHITE------MALE----	2	1	1	4	4	4	2	4	1	1	-	-
FEMALE--	-	-	1	-	-	3	6	7	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	2	2	1	10	15	31	21	22	10	-	-
WHITE------MALE----	1	2	1	1	7	9	12	8	9	4	-	-
FEMALE--	2	-	-	-	3	4	17	13	13	6	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	1	1	4	3	2	2	2	1	-
WHITE------MALE----	1	-	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	1	-	1	5	4	4	3	2	-	-
WHITE------MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	3	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3644

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
SOUTH DAKOTA ----------	23	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	30	1	-	-	-	1	-	2	1	1	-	2
WHITE------MALE----	15	1	-	-	-	1	-	2	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	82	-	-	-	2	2	-	-	-	2	1	2
WHITE------MALE----	26	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	1	-	-	-	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	19	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	13	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	38	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
SOUTH DAKOTA ----------	1	-	-	-	1	2	5	10	1	1	1	-
WHITE------MALE----	1	-	-	-	-	2	2	2	1	-	1	-
FEMALE--	-	-	-	-	1	-	3	8	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	-	1	1	5	6	4	2	-	-	-
WHITE------MALE----	-	1	-	-	-	2	2	2	1	-	-	-
FEMALE--	-	1	-	-	-	3	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	1	2	4	7	18	11	14	12	1	-	-
WHITE------MALE----	1	-	-	1	1	9	3	3	5	-	-	-
FEMALE--	1	1	2	2	5	9	8	11	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	3	-	1	-	1	4	3	4	-	-	1	-
WHITE------MALE----	3	-	1	-	1	2	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	1	2	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	1	4	5	5	8	6	5	1	-	-
WHITE------MALE----	2	-	-	-	3	3	3	2	2	1	-	-
FEMALE--	-	-	1	2	1	1	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
WASHINGTON ----------	135	-	-	-	-	1	-	-	1	1	1	1
WHITE------MALE----	64	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	27	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	92	-	-	-	-	1	-	-	-	1	-	1
WHITE------MALE----	37	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3645

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
WASHINGTON ----------	2	-	4	4	8	14	31	31	24	9	3	-
WHITE------MALE----	1	-	2	3	6	10	20	10	6	-	1	-
FEMALE--	1	-	2	1	2	4	10	21	17	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WEST VIRGINIA ----------	2	-	1	-	1	3	5	9	3	1	-	-
WHITE------MALE----	2	-	1	-	1	1	2	2	3	-	-	-
FEMALE--	-	-	-	-	-	2	3	7	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	3	1	4	10	8	19	14	23	5	2	-
WHITE------MALE----	-	2	1	3	4	6	8	5	6	-	1	-
FEMALE--	-	1	-	1	6	2	11	9	17	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3646

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
UNITED STATES -	3,114	5	36	11	15	73	82	115	116	145	191	187
WHITE------MALE----	2,022	3	20	5	10	57	66	89	90	111	142	144
FEMALE--	787	-	9	2	3	9	7	9	6	16	20	18
ALL OTHER--MALE----	244	-	4	4	1	5	7	14	18	15	27	22
FEMALE--	61	2	3	-	1	2	2	3	2	3	2	3
BLACK---MALE----	169	-	4	3	1	3	4	8	13	10	22	15
FEMALE--	44	-	2	-	1	1	1	2	2	2	1	3
ALABAMA ----------	27	-	-	-	-	-	2	1	-	2	6	4
WHITE------MALE----	20	-	-	-	-	-	2	1	-	2	5	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	5	-	-	-	-	-	-	1	-	1	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	48	-	1	-	-	-	7	2	-	3	2	2
WHITE------MALE----	32	-	1	-	-	-	6	-	-	3	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	18	-	-	-	-	1	-	1	1	4	1	4
WHITE------MALE----	14	-	-	-	-	1	-	1	1	3	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	247	2	8	-	4	6	8	13	13	17	21	15
WHITE------MALE----	175	2	5	-	4	5	7	12	10	12	17	12
FEMALE--	41	-	3	-	-	1	1	-	-	2	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	3	2	3	2
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3646

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
UNITED STATES -	149	168	199	223	254	354	358	264	137	27	3	2
WHITE------MALE----	104	116	145	159	146	190	216	136	61	9	1	2
FEMALE--	17	31	39	44	87	140	125	115	72	16	2	-
ALL OTHER--MALE----	24	19	14	17	18	17	12	5	-	1	-	-
FEMALE--	4	2	1	3	3	7	5	8	4	1	-	-
BLACK---MALE----	18	12	9	17	10	10	6	3	-	1	-	-
FEMALE--	3	2	1	2	2	4	4	6	4	1	-	-
ALABAMA ----------	1	-	1	2	2	3	2	-	1	-	-	-
WHITE------MALE----	1	-	1	2	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	2	1	2	-	10	7	2	2	1	-	-
WHITE------MALE----	3	2	1	2	-	3	4	2	2	-	-	-
FEMALE--	-	-	-	-	-	5	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	1	3	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	14	19	12	20	16	20	16	15	6	-	1	1
WHITE------MALE----	9	12	8	16	7	14	9	10	3	-	-	1
FEMALE--	2	2	1	4	6	4	6	4	3	-	1	-
ALL OTHER--MALE----	3	5	3	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
COLORADO ----------	43	-	1	-	-	3	1	3	-	2	3	2
WHITE------MALE----	34	-	1	-	-	2	1	3	-	2	3	2
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	31	-	-	-	-	1	2	-	-	-	1	2
WHITE------MALE----	23	-	-	-	-	1	2	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	16	-	-	-	-	-	-	1	1	1	1	1
WHITE------MALE----	10	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	123	-	2	-	-	1	2	6	1	6	10	13
WHITE------MALE----	84	-	1	-	-	-	2	5	1	5	8	10
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	11	-	-	-	-	1	-	1	-	-	2	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	1	-	1	-	-	2	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	88	-	1	-	-	2	4	6	3	5	8	9
WHITE------MALE----	60	-	1	-	-	1	3	4	3	3	2	7
FEMALE--	9	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	2	5	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	1	-	-	2	4	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
COLORADO ----------	1	2	3	3	2	6	5	2	2	2	-	-
WHITE------MALE----	1	2	3	3	2	3	3	2	-	1	-	-
FEMALE--	-	-	-	-	-	3	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	1	5	1	2	3	5	4	2	-	-	-
WHITE------MALE----	1	1	5	-	1	3	5	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	1	4	2	2	-	1	-	-	-
WHITE------MALE----	1	-	-	-	3	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	1	-	2	2	3	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
FLORIDA ----------	6	7	11	11	8	14	11	7	6	1	-	-
WHITE------MALE----	5	3	9	9	4	8	9	3	2	-	-	-
FEMALE--	-	3	-	1	2	5	2	4	4	1	-	-
ALL OTHER--MALE----	-	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	6	6	9	5	5	6	3	8	2	-	-	-
WHITE------MALE----	3	5	9	3	5	3	2	5	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	3	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3648

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
HAWAII ----------	20	1	-	-	-	-	1	2	1	2	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	1	2	1	2	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	19	-	-	-	-	2	1	-	2	-	1	3
WHITE------MALE----	14	-	-	-	-	2	1	-	2	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	174	1	1	1	-	6	4	7	6	6	11	11
WHITE------MALE----	101	-	-	-	-	2	3	4	6	5	8	9
FEMALE--	45	-	-	1	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	21	-	1	-	-	2	1	2	-	-	2	2
FEMALE--	7	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	16	-	1	-	-	2	1	1	-	-	2	2
FEMALE--	5	-	-	-	-	1	-	-	-	1	-	-
INDIANA ----------	72	-	-	-	-	1	1	2	5	5	2	9
WHITE------MALE----	49	-	-	-	-	1	1	2	3	5	-	7
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	40	-	-	-	-	-	3	1	-	5	2	3
WHITE------MALE----	30	-	-	-	-	-	2	1	-	5	2	2
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	38	-	1	-	-	1	-	2	1	2	-	5
WHITE------MALE----	30	-	1	-	-	1	-	-	1	1	-	5
FEMALE--	8	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
HAWAII ----------	1	1	-	1	1	1	3	3	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	2	1	-	1	-	3	1	1	-	-	-
WHITE------MALE----	1	2	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	3	10	8	16	20	25	19	13	1	1	-
WHITE------MALE----	3	1	5	7	8	9	16	9	5	1	-	-
FEMALE--	-	2	4	1	3	8	7	8	7	-	1	-
ALL OTHER--MALE----	1	-	1	-	4	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
INDIANA ----------	3	5	9	1	8	5	10	5	1	-	-	-
WHITE------MALE----	3	3	6	-	4	3	7	3	1	-	-	-
FEMALE--	-	-	3	1	3	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	1	2	2	2	5	6	3	3	-	-	-
WHITE------MALE----	2	-	2	2	1	3	6	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	3	3	2	5	4	4	2	1	-	-	-
WHITE------MALE----	2	3	3	1	2	4	3	2	1	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
KENTUCKY ----------	45	-	2	-	-	2	2	1	1	2	6	2
WHITE------MALE----	32	-	2	-	-	2	2	1	1	2	6	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	33	-	-	-	1	2	2	1	4	5	-	-
WHITE------MALE----	23	-	-	-	1	2	2	1	3	5	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	26	-	-	-	-	2	-	-	-	1	1	1
WHITE------MALE----	17	-	-	-	-	2	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	64	-	1	-	-	-	2	1	3	1	-	5
WHITE------MALE----	38	-	1	-	-	-	2	1	1	-	-	4
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS ----------	92	-	2	-	-	1	-	2	4	5	7	5
WHITE------MALE----	48	-	-	-	-	1	-	2	2	3	3	5
FEMALE--	40	-	2	-	-	-	-	-	-	2	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN ----------	110	-	1	-	1	2	3	2	4	3	4	7
WHITE------MALE----	79	-	1	-	-	1	2	2	3	3	3	5
FEMALE--	25	-	-	-	1	1	1	-	1	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
KENTUCKY ----------	2	2	2	4	4	3	5	4	-	1	-	-
WHITE------MALE----	1	2	2	1	3	2	1	2	-	-	-	-
FEMALE--	1	-	-	3	1	1	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	2	1	5	-	3	3	-	1	-	-	-
WHITE------MALE----	2	2	1	3	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	4	1	1	2	7	4	2	-	-	-
WHITE------MALE----	-	-	2	-	-	1	5	3	2	-	-	-
FEMALE--	-	-	2	1	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	1	5	1	7	14	11	3	4	1	-	-
WHITE------MALE----	3	-	4	-	6	5	8	2	1	-	-	-
FEMALE--	-	1	-	-	-	4	3	-	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	5	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	4	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	1	1	10	4	11	12	9	14	3	1	-	-
WHITE------MALE----	1	-	8	4	6	5	5	2	1	-	-	-
FEMALE--	-	-	2	-	5	7	4	12	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	8	6	8	8	12	19	11	7	3	1	-	-
WHITE------MALE----	7	5	6	6	7	14	8	4	2	-	-	-
FEMALE--	1	1	1	2	4	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3650

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
MINNESOTA ----------	52	-	-	1	-	4	1	1	-	1	2	3
WHITE------MALE----	39	-	-	1	-	4	-	1	-	1	2	2
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	24	-	1	-	-	1	-	3	2	2	1	1
WHITE------MALE----	20	-	-	-	-	1	-	2	1	2	1	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	85	-	-	-	-	2	1	4	2	3	6	7
WHITE------MALE----	53	-	-	-	-	2	1	3	2	2	4	5
FEMALE--	24	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	16	-	-	-	1	1	-	-	-	-	1	-
WHITE------MALE----	13	-	-	-	1	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	29	-	1	-	-	-	1	1	1	1	2	1
WHITE------MALE----	20	-	1	-	-	-	1	1	1	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	22	-	1	-	1	1	3	1	-	1	-	2
WHITE------MALE----	15	-	1	-	-	1	2	1	-	1	-	1
FEMALE--	5	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3650

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
MINNESOTA ----------	4	1	2	3	8	5	8	5	3	-	-	-
WHITE------MALE----	4	-	1	2	4	3	7	4	3	-	-	-
FEMALE--	-	1	1	1	4	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	2	4	3	1	1	2	-	-	-	-	-
WHITE------MALE----	-	2	3	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	5	7	9	6	11	7	8	5	-	-	-
WHITE------MALE----	2	3	6	5	4	5	5	3	1	-	-	-
FEMALE--	-	2	-	2	2	5	2	4	4	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MONTANA ----------	-	2	2	1	3	-	1	3	1	-	-	-
WHITE------MALE----	-	2	2	1	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	2	2	2	2	5	3	1	2	2	-	-
WHITE------MALE----	-	2	2	2	1	3	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	2	3	2	3	-	-	-	1	-	-	-
WHITE------MALE----	-	2	2	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
NEW HAMPSHIRE ----------	25	-	-	-	-	1	1	1	-	1	2	1
WHITE------MALE----	21	-	-	-	-	1	-	1	-	-	2	1
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	111	-	1	1	-	4	-	3	5	6	6	8
WHITE------MALE----	59	-	-	-	-	2	-	2	4	5	5	6
FEMALE--	42	-	-	-	-	1	-	1	-	-	1	2
ALL OTHER--MALE----	8	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	1	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	21	-	-	-	-	3	2	-	1	2	1	1
WHITE------MALE----	13	-	-	-	-	2	1	-	1	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	279	-	1	3	1	3	11	14	14	9	16	10
WHITE------MALE----	166	-	-	1	-	3	8	10	8	4	13	6
FEMALE--	70	-	-	-	1	-	1	1	-	2	2	-
ALL OTHER--MALE----	31	-	-	2	-	-	1	2	5	3	1	4
FEMALE--	12	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	22	-	-	1	-	-	1	2	5	3	1	2
FEMALE--	11	-	1	-	-	-	1	1	1	-	-	-
NORTH CAROLINA ---------	63	-	-	-	1	2	1	5	1	2	11	2
WHITE------MALE----	40	-	-	-	-	2	1	4	1	1	8	1
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
NORTH DAKOTA ----------	10	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3651

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
NEW HAMPSHIRE ----------	1	1	2	3	3	2	4	1	1	-	-	-
WHITE------MALE----	1	1	1	3	3	1	4	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	6	7	11	7	17	12	11	3	-	-	-
WHITE------MALE----	3	4	4	6	4	9	1	2	2	-	-	-
FEMALE--	-	1	2	5	2	7	10	9	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	1	-	1	1	-	1	3	1	1	-	-
WHITE------MALE----	2	1	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	17	20	10	19	16	34	32	29	16	4	-	-
WHITE------MALE----	8	14	10	12	8	19	16	17	6	3	-	-
FEMALE--	2	4	-	3	7	12	13	12	9	1	-	-
ALL OTHER--MALE----	5	2	-	3	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	2	2	-	1	-	-	-
BLACK---MALE----	3	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	2	-	1	-	-	-
NORTH CAROLINA ---------	3	3	2	7	7	5	3	4	3	-	-	1
WHITE------MALE----	2	-	-	3	7	3	1	3	2	-	-	1
FEMALE--	-	2	2	3	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	2	-	2	1	-	1	1	1	-	-	-	-
WHITE------MALE----	2	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3652

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
OHIO ----------	146	-	-	1	-	2	2	1	9	5	9	7
WHITE------MALE----	87	-	-	-	-	2	2	1	7	4	6	6
FEMALE--	48	-	-	-	-	-	-	-	2	-	2	-
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	23	-	1	-	1	1	1	1	3	-	2	1
WHITE------MALE----	18	-	1	-	1	1	1	1	3	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	41	-	-	-	1	-	-	2	1	-	4	4
WHITE------MALE----	31	-	-	-	1	-	-	2	-	-	4	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	248	1	3	2	-	3	2	2	6	9	7	7
WHITE------MALE----	142	1	1	2	-	2	2	1	4	7	4	5
FEMALE--	90	-	1	-	-	-	-	1	2	2	2	1
ALL OTHER--MALE----	13	-	1	-	-	1	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	13	-	-	-	-	-	-	1	-	-	2	2
WHITE------MALE----	9	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	33	-	-	-	-	-	-	1	1	1	4	3
WHITE------MALE----	25	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
OHIO	8	10	10	14	7	23	18	11	7	2	-	-
WHITE--MALE	3	6	6	12	2	9	13	6	2	-	-	-
FEMALE	2	3	4	1	5	13	4	5	5	2	-	-
ALL OTHER--MALE	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	1	-	-	-	-	-
BLACK--MALE	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA	1	1	1	-	2	1	2	2	2	-	-	-
WHITE--MALE	-	1	1	-	1	-	2	1	2	-	-	-
FEMALE	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	2	1	4	3	1	4	6	7	1	-	-	-
WHITE--MALE	1	1	4	3	1	1	6	3	-	-	-	-
FEMALE	1	-	-	-	-	3	-	4	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	10	13	15	16	27	30	47	31	13	4	-	-
WHITE--MALE	6	10	8	10	14	17	30	15	3	-	-	-
FEMALE	4	-	6	3	12	13	15	16	8	4	-	-
ALL OTHER--MALE	-	3	1	3	1	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	2	-	-	-
BLACK--MALE	-	3	1	3	1	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	2	-	-	-
RHODE ISLAND	-	-	-	1	1	-	2	3	-	-	1	-
WHITE--MALE	-	-	-	1	-	-	1	1	-	-	1	-
FEMALE	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	6	4	-	2	3	2	4	1	-	1	-	-
WHITE--MALE	5	3	-	2	3	2	1	1	-	1	-	-
FEMALE	-	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
SOUTH DAKOTA ----------	15	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	38	-	-	-	-	-	-	1	2	3	2	5
WHITE------MALE----	27	-	-	-	-	-	-	-	2	3	2	4
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	136	-	2	1	2	3	4	9	9	8	13	6
WHITE------MALE----	94	-	-	1	1	3	4	8	8	7	11	5
FEMALE--	32	-	2	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	21	-	-	-	1	2	-	1	1	3	1	-
WHITE------MALE----	13	-	-	-	1	1	-	1	1	3	-	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	12	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	66	-	2	-	-	-	2	1	4	2	1	2
WHITE------MALE----	38	-	2	-	-	-	2	1	4	1	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
SOUTH DAKOTA ----------	1	-	-	1	2	4	3	1	-	-	-	-
WHITE------MALE----	-	-	-	1	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	4	2	4	2	3	1	4	1	-	-	-
WHITE------MALE----	3	3	2	3	-	1	1	2	1	-	-	-
FEMALE--	1	1	-	1	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	6	8	8	14	12	12	8	3	2	-	-
WHITE------MALE----	5	5	5	6	10	5	3	5	1	1	-	-
FEMALE--	-	-	2	1	3	6	9	3	2	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	2	1	3	3	1	-	-	1	-	-	-
WHITE------MALE----	1	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	3	2	1	1	2	1	-	-	-	-
WHITE------MALE----	-	-	1	2	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	3	5	7	8	7	4	10	6	-	-	-
WHITE------MALE----	1	2	3	5	5	3	1	5	1	-	-	-
FEMALE--	-	1	1	2	3	4	2	4	5	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3654

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
WASHINGTON ----------	60	-	-	-	-	1	5	3	1	3	5	4
WHITE------MALE----	43	-	-	-	-	1	3	3	1	2	5	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	-	-	-	-	1	-	-	1	-	-	1
WHITE------MALE----	11	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	108	-	1	1	-	3	-	2	-	3	3	3
WHITE------MALE----	74	-	-	-	-	2	-	2	-	3	2	3
FEMALE--	30	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	-	-	-	-	1	-	-	-	1	-	1
WHITE------MALE----	6	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
WASHINGTON ----------	1	5	4	3	4	7	8	3	3	-	-	-
WHITE------MALE----	-	5	3	3	2	3	7	1	2	-	-	-
FEMALE--	-	-	1	-	1	4	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	2	2	1	1	6	4	-	2	-	-	-
WHITE------MALE----	-	2	1	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	6	4	11	11	16	20	10	7	2	-	-
WHITE------MALE----	4	2	3	7	5	12	14	8	6	1	-	-
FEMALE--	-	4	1	3	6	4	6	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	1	-	-	-	2	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
UNITED STATES -	7,807	1	10	11	7	20	37	28	57	104	147	195
WHITE------MALE----	3,365	1	4	8	4	14	27	21	30	69	89	120
FEMALE--	3,780	-	4	1	1	3	3	4	12	21	29	28
ALL OTHER--MALE----	401	-	1	1	2	2	6	3	10	12	24	34
FEMALE--	261	-	1	1	-	1	1	-	5	2	5	13
BLACK---MALE----	313	-	1	1	2	2	5	3	10	9	19	34
FEMALE--	203	-	1	1	-	1	1	-	4	1	4	10
ALABAMA ----------	76	-	-	-	-	-	-	2	1	3	2	1
WHITE------MALE----	28	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	183	-	-	-	-	1	3	-	-	2	3	4
WHITE------MALE----	87	-	-	-	-	1	2	-	-	1	3	4
FEMALE--	82	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	76	-	-	-	-	-	-	-	1	2	2	1
WHITE------MALE----	27	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	40	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	739	-	-	-	1	2	3	4	5	12	15	24
WHITE------MALE----	336	-	-	-	1	-	2	3	3	10	9	15
FEMALE--	321	-	-	-	-	2	1	1	1	1	5	5
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	22	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
UNITED STATES -	172	184	234	332	576	971	1,463	1,618	1,154	406	78	2
WHITE------MALE----	102	101	123	159	294	434	663	614	363	103	20	2
FEMALE--	38	42	53	125	212	468	736	932	736	281	51	-
ALL OTHER--MALE----	26	31	40	32	38	39	29	37	26	7	1	-
FEMALE--	6	10	18	16	32	30	35	35	29	15	6	-
BLACK---MALE----	24	26	32	29	27	27	22	18	16	5	1	-
FEMALE--	5	8	16	15	20	21	30	23	25	13	4	-
ALABAMA ----------	5	2	1	4	5	7	10	16	10	7	-	-
WHITE------MALE----	2	2	1	1	2	3	5	4	3	1	-	-
FEMALE--	1	-	-	2	1	3	5	10	6	6	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
ALASKA ----------	1	-	-	-	-	1	-	1	-	2	-	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	5	8	7	12	18	35	41	30	8	2	-
WHITE------MALE----	3	3	2	3	6	10	19	15	11	4	-	-
FEMALE--	1	1	3	3	5	8	15	22	18	4	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	4	-	-	-	-
FEMALE--	-	1	2	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	1	1	5	4	27	15	12	3	-	-
WHITE------MALE----	-	1	-	1	2	1	13	7	-	-	-	-
FEMALE--	1	-	-	-	2	3	14	7	9	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
CALIFORNIA ----------	26	23	33	39	58	92	134	144	84	33	7	-
WHITE------MALE----	19	12	19	22	26	42	60	48	31	11	3	-
FEMALE--	3	6	9	11	20	40	62	82	47	22	3	-
ALL OTHER--MALE----	4	5	5	5	7	5	6	7	4	-	-	-
FEMALE--	-	-	-	1	5	5	6	7	2	-	1	-
BLACK---MALE----	3	2	5	2	1	1	2	-	2	-	-	-
FEMALE--	-	-	-	-	1	2	4	2	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
COLORADO ----------	125	-	-	-	-	-	-	2	2	3	5	3
WHITE------MALE----	61	-	-	-	-	-	-	2	2	2	5	3
FEMALE--	60	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	80	-	1	-	-	1	1	-	-	2	-	3
WHITE------MALE----	39	-	1	-	-	1	1	-	-	2	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	17	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
FLORIDA ----------	655	-	-	-	1	-	2	2	3	12	13	22
WHITE------MALE----	303	-	-	-	1	-	2	2	1	6	6	14
FEMALE--	306	-	-	-	-	-	-	-	1	3	3	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	26	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	2	2
GEORGIA ----------	249	-	-	-	-	-	1	-	1	3	4	3
WHITE------MALE----	102	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	118	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
COLORADO ----------	2	3	6	1	13	18	19	21	18	6	3	-
WHITE------MALE----	2	2	4	1	7	8	6	8	5	3	1	-
FEMALE--	-	1	1	-	5	9	12	13	13	3	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT ----------	2	2	3	1	5	9	11	24	10	5	-	-
WHITE------MALE----	1	2	2	-	4	4	6	10	1	2	-	-
FEMALE--	1	-	1	1	1	4	5	13	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	-	-	-	5	1	5	3	1	-	-
WHITE------MALE----	1	1	-	-	-	2	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	3	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	2	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
FLORIDA ----------	18	12	15	26	49	83	125	137	99	29	7	-
WHITE------MALE----	11	7	7	14	19	52	58	62	30	9	2	-
FEMALE--	4	3	3	11	25	27	62	70	68	18	5	-
ALL OTHER--MALE----	3	2	3	-	4	1	3	2	-	-	-	-
FEMALE--	-	-	2	1	1	3	2	3	1	2	-	-
BLACK---MALE----	3	2	3	-	4	1	3	2	-	-	-	-
FEMALE--	-	-	2	1	1	3	2	3	1	2	-	-
GEORGIA ----------	6	6	6	7	25	29	57	43	42	12	3	1
WHITE------MALE----	3	1	3	3	10	13	24	20	15	2	-	1
FEMALE--	1	4	1	3	8	14	29	19	26	9	2	-
ALL OTHER--MALE----	1	1	1	-	5	1	1	3	1	-	-	-
FEMALE--	1	-	1	1	2	1	3	1	-	1	1	-
BLACK---MALE----	-	1	1	-	5	-	1	3	1	-	-	-
FEMALE--	1	-	1	1	2	1	3	1	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
HAWAII ----------	24	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	41	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	263	-	-	1	-	1	-	2	3	4	14	14
WHITE------MALE----	135	-	-	-	-	1	-	2	1	4	5	7
FEMALE--	102	-	-	-	-	-	-	-	-	-	5	4
ALL OTHER--MALE----	16	-	-	1	-	-	-	-	2	-	4	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	1	-	-	-	-	2	-	3	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	149	-	3	-	-	-	-	-	1	1	7	1
WHITE------MALE----	58	-	1	-	-	-	-	-	-	1	3	-
FEMALE--	84	-	2	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	143	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	52	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	91	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	136	-	-	1	-	-	-	-	-	1	1	2
WHITE------MALE----	63	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
HAWAII ----------	-	-	-	1	4	6	1	6	5	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	3	-	4	3	1	-	-
FEMALE--	-	-	-	-	1	3	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	2	1	9	10	13	4	1	-	-
WHITE------MALE----	-	-	1	-	-	5	8	8	1	-	-	-
FEMALE--	-	-	-	2	1	4	2	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	7	10	13	26	36	45	49	22	9	2	-
WHITE------MALE----	2	3	6	11	16	17	26	25	6	3	-	-
FEMALE--	2	3	2	1	10	13	19	22	14	6	1	-
ALL OTHER--MALE----	-	1	1	-	-	3	-	-	1	-	1	-
FEMALE--	1	-	1	1	-	3	-	2	1	-	-	-
BLACK---MALE----	-	1	1	-	-	3	-	-	-	-	1	-
FEMALE--	1	-	1	1	-	3	-	1	1	-	-	-
INDIANA ----------	5	2	5	8	12	17	33	29	20	5	-	-
WHITE------MALE----	2	-	3	4	8	6	11	8	8	3	-	-
FEMALE--	2	2	2	3	4	11	21	21	12	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA ----------	2	-	-	4	1	18	26	45	29	11	4	-
WHITE------MALE----	1	-	-	2	1	7	12	16	6	2	2	-
FEMALE--	1	-	-	2	-	11	14	29	23	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	3	5	2	9	18	19	31	28	14	-	-
WHITE------MALE----	2	3	4	2	6	7	13	9	9	5	-	-
FEMALE--	-	-	1	-	3	11	6	22	17	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
KENTUCKY ----------	79	-	-	-	-	1	1	1	-	3	-	1
WHITE------MALE----	45	-	-	-	-	-	1	1	-	3	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	97	-	-	-	1	1	-	1	-	-	5	3
WHITE------MALE----	39	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	1	-	-	1	-	-	1	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	1	-	-	1	-	-	1	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
MAINE ----------	45	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	92	-	-	1	-	-	1	-	2	3	2	3
WHITE------MALE----	36	-	-	1	-	-	1	-	1	2	2	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	88	-	-	2	-	-	-	-	-	2	3	2
WHITE------MALE----	52	-	-	2	-	-	-	-	-	1	3	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	235	1	-	1	-	-	2	-	5	3	6	5
WHITE------MALE----	90	1	-	1	-	-	2	-	2	3	3	2
FEMALE--	110	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
KENTUCKY ----------	1	3	3	2	3	13	9	16	17	4	1	-
WHITE------MALE----	1	2	3	2	1	7	4	9	8	2	-	-
FEMALE--	-	1	-	-	2	6	5	7	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	4	5	10	6	11	18	18	6	4	-	-
WHITE------MALE----	2	1	1	5	1	5	9	7	1	3	-	-
FEMALE--	1	2	2	1	4	4	7	10	3	-	-	-
ALL OTHER--MALE----	1	1	1	4	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	1	-	-
BLACK---MALE----	1	1	1	4	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	1	-	-
MAINE ----------	-	2	-	1	2	4	8	14	10	2	2	-
WHITE------MALE----	-	2	-	1	1	1	2	4	8	1	-	-
FEMALE--	-	-	-	-	1	3	6	10	2	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	4	3	4	12	11	13	16	10	2	2	-
WHITE------MALE----	-	1	3	1	7	4	5	7	-	1	-	-
FEMALE--	1	1	-	1	3	5	8	9	7	1	2	-
ALL OTHER--MALE----	2	2	-	2	2	2	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	2	-	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS ----------	5	5	4	7	12	10	17	9	3	7	-	-
WHITE------MALE----	3	5	2	3	7	5	11	4	1	3	-	-
FEMALE--	1	-	1	3	5	5	6	5	2	4	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	9	9	12	18	28	44	48	27	8	4	-
WHITE------MALE----	1	5	2	7	9	8	22	16	4	2	-	-
FEMALE--	1	1	1	2	6	17	18	29	22	6	4	-
ALL OTHER--MALE----	2	2	3	2	2	-	1	3	1	-	-	-
FEMALE--	1	1	3	1	1	3	3	-	-	-	-	-
BLACK---MALE----	2	2	3	2	2	-	1	3	1	-	-	-
FEMALE--	1	1	3	1	-	3	3	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
MINNESOTA ----------	324	-	-	-	-	1	-	-	-	1	2	4
WHITE------MALE----	128	-	-	-	-	1	-	-	-	-	1	4
FEMALE--	188	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	104	-	-	2	-	-	-	-	-	-	-	5
WHITE------MALE----	36	-	-	1	-	-	-	-	-	-	-	3
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
MISSOURI ----------	260	-	1	-	-	-	2	2	2	3	2	5
WHITE------MALE----	96	-	-	-	-	-	2	2	-	2	-	4
FEMALE--	148	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	49	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	84	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	31	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	26	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
MINNESOTA ----------	7	1	3	9	24	39	42	83	73	27	8	-
WHITE------MALE----	5	-	2	5	11	15	19	30	26	7	2	-
FEMALE--	1	-	1	3	12	23	23	53	46	20	6	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
MISSISSIPPI ----------	2	5	4	8	9	13	18	16	19	3	-	-
WHITE------MALE----	1	4	2	2	8	1	8	3	3	-	-	-
FEMALE--	1	-	1	3	-	11	7	11	12	3	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	1	3	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	1	3	-	-	-
MISSOURI ----------	4	4	4	7	16	35	49	64	41	18	1	-
WHITE------MALE----	1	1	2	2	7	16	23	20	9	4	1	-
FEMALE--	1	2	2	4	7	17	25	42	31	14	-	-
ALL OTHER--MALE----	2	1	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	1	-	-	-
BLACK---MALE----	2	1	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
MONTANA ----------	-	1	2	2	4	6	3	10	10	7	3	-
WHITE------MALE----	-	1	2	2	3	5	2	2	5	2	1	-
FEMALE--	-	-	-	-	1	1	1	8	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	2	-	3	3	19	18	24	9	1	-
WHITE------MALE----	-	-	1	-	2	1	5	7	10	1	-	-
FEMALE--	-	-	-	-	1	2	14	11	14	8	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	4	3	2	4	5	4	-	-	-
WHITE------MALE----	-	1	-	3	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
NEW HAMPSHIRE ----------	27	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	134	-	-	-	-	-	1	-	1	2	4	5
WHITE------MALE----	55	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	35	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	495	-	-	2	-	1	2	1	2	6	5	15
WHITE------MALE----	198	-	-	1	-	1	-	-	-	2	2	10
FEMALE--	249	-	-	1	-	-	1	-	1	4	2	1
ALL OTHER--MALE----	25	-	-	-	-	-	1	1	-	-	1	3
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	20	-	-	-	-	-	1	1	-	-	1	3
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	1
NORTH CAROLINA ---------	282	-	1	1	-	-	4	2	1	2	7	7
WHITE------MALE----	118	-	-	1	-	-	3	1	1	2	3	4
FEMALE--	125	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	1	-	-	-	1	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	1	-	-	-	1	-	-	-	1	1
NORTH DAKOTA ----------	27	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
NEW HAMPSHIRE ----------	-	-	-	1	4	4	4	5	7	1	-	-
WHITE------MALE----	-	-	-	-	4	4	2	2	2	-	-	-
FEMALE--	-	-	-	1	-	-	2	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	1	6	5	10	19	23	31	18	3	2	-
WHITE------MALE----	2	-	1	-	2	9	10	12	6	2	-	-
FEMALE--	-	-	3	2	5	8	13	18	12	1	1	-
ALL OTHER--MALE----	-	1	2	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	1	-
BLACK---MALE----	-	1	2	3	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	1	-
NEW MEXICO ----------	1	4	2	3	1	2	9	4	3	4	-	-
WHITE------MALE----	1	3	1	-	1	-	3	-	2	-	-	-
FEMALE--	-	-	1	3	-	2	6	3	1	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	13	17	20	37	72	87	90	75	34	5	-
WHITE------MALE----	5	8	7	8	14	31	43	29	31	4	2	-
FEMALE--	6	2	3	9	18	36	38	59	40	26	2	-
ALL OTHER--MALE----	-	2	6	2	-	3	2	2	2	-	-	-
FEMALE--	-	1	1	1	5	2	4	-	2	4	1	-
BLACK---MALE----	-	2	4	2	-	3	1	1	1	-	-	-
FEMALE--	-	1	1	1	4	2	4	-	2	4	1	-
NORTH CAROLINA ---------	6	11	6	14	29	46	54	43	37	10	1	-
WHITE------MALE----	2	5	1	5	18	23	21	14	8	5	1	-
FEMALE--	1	3	2	6	7	19	30	26	23	5	-	-
ALL OTHER--MALE----	3	1	1	2	4	4	1	-	3	-	-	-
FEMALE--	-	2	2	1	-	-	2	3	3	-	-	-
BLACK---MALE----	3	1	1	2	4	4	1	-	3	-	-	-
FEMALE--	-	2	1	1	-	-	2	3	3	-	-	-
NORTH DAKOTA ----------	1	-	-	-	1	4	7	6	4	3	1	-
WHITE------MALE----	1	-	-	-	1	3	5	-	3	-	-	-
FEMALE--	-	-	-	-	-	1	2	6	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
OHIO ----------	263	-	1	-	-	4	1	1	3	8	4	1
WHITE------MALE----	111	-	1	-	-	3	1	1	1	6	3	-
FEMALE--	130	-	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	122	-	-	-	-	1	1	-	4	3	1	3
WHITE------MALE----	54	-	-	-	-	1	1	-	3	2	1	2
FEMALE--	57	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	76	-	1	-	-	-	-	1	1	1	2	3
WHITE------MALE----	34	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	39	-	1	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	328	-	-	-	-	-	4	1	5	2	7	7
WHITE------MALE----	153	-	-	-	-	-	2	-	3	1	4	3
FEMALE--	150	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	2	1	1	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	2	1	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	39	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	102	-	-	-	1	1	1	-	-	-	1	3
WHITE------MALE----	38	-	-	-	1	-	1	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
OHIO ----------	4	8	11	14	23	33	51	53	30	13	-	-
WHITE------MALE----	2	4	6	8	15	8	19	21	12	-	-	-
FEMALE--	1	3	3	5	8	20	28	29	17	12	-	-
ALL OTHER--MALE----	1	1	2	-	-	2	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	2	1	1	-	-
BLACK---MALE----	1	1	2	-	-	2	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	2	1	1	-	-
OKLAHOMA ----------	-	1	4	5	8	11	29	26	18	5	2	-
WHITE------MALE----	-	1	2	2	6	3	6	14	10	-	-	-
FEMALE--	-	-	-	3	1	8	23	8	8	4	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	3	1	2	1	5	9	12	17	16	1	-	-
WHITE------MALE----	2	1	1	1	1	2	7	10	4	-	-	-
FEMALE--	1	-	1	-	2	6	5	7	12	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	4	8	16	30	33	84	66	41	11	3	-
WHITE------MALE----	5	1	5	9	19	19	37	30	12	3	-	-
FEMALE--	-	1	1	6	9	13	45	35	26	7	3	-
ALL OTHER--MALE----	1	2	2	1	2	1	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	-	-	-
BLACK---MALE----	1	2	2	1	2	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	-	-	-
RHODE ISLAND ----------	-	1	3	-	4	1	6	17	4	2	-	-
WHITE------MALE----	-	1	2	-	1	1	1	7	-	-	-	-
FEMALE--	-	-	-	-	3	-	5	10	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	2	3	3	19	22	22	12	6	1	-
WHITE------MALE----	1	1	1	1	2	8	12	5	3	-	-	-
FEMALE--	-	1	-	1	-	10	5	15	9	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	2	-	-	1	-	-
FEMALE--	-	1	-	1	1	1	3	2	-	3	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	1	1	1	3	2	-	3	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
SOUTH DAKOTA ----------	31	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	118	-	-	-	1	-	-	-	1	2	3	2
WHITE------MALE----	50	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	58	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	492	-	2	-	-	1	4	5	8	12	7	19
WHITE------MALE----	217	-	1	-	-	1	3	4	6	6	3	15
FEMALE--	239	-	1	-	-	-	-	1	1	3	3	1
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	2	1	2
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	18	-	-	-	-	-	1	-	-	2	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
UTAH ----------	30	-	-	-	1	-	1	-	2	-	-	-
WHITE------MALE----	11	-	-	-	1	-	1	-	2	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	136	-	-	-	-	1	1	-	-	1	5	4
WHITE------MALE----	51	-	-	-	-	1	1	-	-	1	4	2
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
SOUTH DAKOTA ----------	1	-	3	-	1	5	7	6	5	2	1	-
WHITE------MALE----	1	-	3	-	-	3	4	5	1	-	1	-
FEMALE--	-	-	-	-	1	2	3	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	4	4	7	6	15	27	19	16	7	1	1
WHITE------MALE----	2	2	3	2	4	6	8	7	5	4	1	1
FEMALE--	-	1	1	4	2	6	16	12	11	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
TEXAS ----------	11	14	17	39	40	62	84	85	64	16	2	-
WHITE------MALE----	7	8	10	17	24	30	34	29	17	2	-	-
FEMALE--	2	1	2	19	14	31	45	53	46	14	2	-
ALL OTHER--MALE----	2	4	2	2	-	1	4	-	-	-	-	-
FEMALE--	-	1	3	1	2	-	1	3	1	-	-	-
BLACK---MALE----	2	3	1	2	-	-	4	-	-	-	-	-
FEMALE--	-	1	3	1	2	-	-	3	1	-	-	-
UTAH ----------	-	1	3	-	1	4	5	6	5	1	-	-
WHITE------MALE----	-	1	2	-	1	-	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	4	4	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	2	1	5	4	3	-	-
WHITE------MALE----	-	-	-	-	-	1	1	3	2	2	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	3	4	5	12	21	28	20	21	7	1	-
WHITE------MALE----	1	1	3	2	5	6	16	5	2	1	-	-
FEMALE--	1	1	1	-	4	13	12	13	16	6	1	-
ALL OTHER--MALE----	-	-	-	2	2	2	-	-	2	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	2	2	2	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
WASHINGTON ----------	138	-	-	-	1	2	1	-	2	2	2	2
WHITE------MALE----	61	-	-	-	-	2	1	-	-	2	1	1
FEMALE--	68	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	63	-	-	-	-	-	-	-	-	1	2	2
WHITE------MALE----	29	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	387	-	-	-	-	1	-	-	1	-	5	8
WHITE------MALE----	158	-	-	-	-	1	-	-	1	-	4	4
FEMALE--	222	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	14	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
WASHINGTON ----------	3	1	2	3	5	19	24	34	22	8	5	-
WHITE------MALE----	2	1	-	2	4	7	14	14	4	3	3	-
FEMALE--	-	-	1	1	-	11	10	20	16	5	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	-	1	4	10	13	10	13	6	-	-
WHITE------MALE----	-	-	-	1	3	5	4	6	5	2	-	-
FEMALE--	-	1	-	-	1	5	9	3	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	3	5	12	13	34	85	109	79	23	3	-
WHITE------MALE----	4	2	3	4	4	17	38	45	29	2	-	-
FEMALE--	2	1	2	7	7	16	46	64	50	20	3	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WYOMING ----------	-	1	-	-	1	-	4	6	-	2	-	-
WHITE------MALE----	-	1	-	-	-	-	3	2	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3664

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
UNITED STATES -	824	-	12	19	57	126	125	76	67	67	69	51
WHITE------MALE----	554	-	3	4	42	80	78	49	47	46	48	41
FEMALE--	95	-	2	5	6	8	8	13	6	10	12	4
ALL OTHER--MALE----	153	-	4	9	5	35	36	13	13	10	8	5
FEMALE--	22	-	3	1	4	3	3	1	1	1	1	1
BLACK---MALE----	135	-	4	8	4	33	28	12	10	8	8	5
FEMALE--	21	-	3	1	4	3	3	-	1	1	1	1
ALABAMA ----------	51	-	-	-	2	8	3	4	6	3	6	4
WHITE------MALE----	26	-	-	-	1	2	2	2	3	2	3	4
FEMALE--	10	-	-	-	-	-	-	2	2	1	1	-
ALL OTHER--MALE----	14	-	-	-	-	6	1	-	1	-	2	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	6	1	-	-	-	2	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	3	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	17	-	-	-	-	-	2	4	3	4	2	-
WHITE------MALE----	10	-	-	-	-	-	1	2	2	3	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	24	-	1	-	-	2	2	3	2	4	2	1
WHITE------MALE----	15	-	1	-	-	-	2	2	2	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	1	-	1	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	1	-	1	-	1	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
CALIFORNIA ----------	47	-	-	-	1	7	17	6	5	2	1	2
WHITE------MALE----	37	-	-	-	1	4	13	5	5	2	1	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	2	4	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	2	3	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
UNITED STATES -	41	25	23	15	18	15	8	8	2	-	-	-
WHITE------MALE----	27	19	18	11	17	11	6	5	2	-	-	-
FEMALE--	9	2	2	2	-	2	1	3	-	-	-	-
ALL OTHER--MALE----	5	3	1	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	1	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
ALABAMA ----------	6	2	2	-	-	1	1	2	1	-	-	-
WHITE------MALE----	2	2	1	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	2	1	-	1	2	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	3	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
COLORADO ----------	9	-	-	-	2	1	-	-	-	-	2	1
WHITE------MALE----	8	-	-	-	1	1	-	-	-	-	2	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	14	-	1	-	1	2	4	1	1	1	-	-
WHITE------MALE----	7	-	-	-	1	-	-	1	1	1	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
GEORGIA ----------	18	-	-	-	1	4	2	2	-	2	-	1
WHITE------MALE----	6	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	1	3	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	1	3	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
COLORADO ----------	1	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	9	-	-	-	-	3	3	-	1	-	-	2
WHITE------MALE----	9	-	-	-	-	3	3	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	22	-	1	1	3	2	5	-	-	4	1	3
WHITE------MALE----	17	-	-	-	2	2	4	-	-	3	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	23	-	-	-	1	5	1	1	4	-	5	1
WHITE------MALE----	16	-	-	-	1	2	1	1	3	-	3	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	6	-	-	-	-	2	-	-	-	-	1	-
WHITE------MALE----	6	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	10	-	-	-	1	2	2	2	1	-	1	1
WHITE------MALE----	8	-	-	-	1	1	1	2	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	1	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	2	1	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	1	1	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
KENTUCKY ----------	35	-	-	-	2	3	6	7	3	5	3	2
WHITE------MALE----	29	-	-	-	2	2	5	5	3	4	3	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	28	-	1	2	4	4	4	2	2	1	3	2
WHITE------MALE----	15	-	-	-	3	2	3	2	1	1	-	1
FEMALE--	5	-	-	1	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	7	-	1	1	-	2	1	-	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	1	-	2	1	-	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	1	-	2	1	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	14	-	-	-	1	6	2	-	2	-	2	1
WHITE------MALE----	12	-	-	-	1	5	2	-	2	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
KENTUCKY ----------	2	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
MINNESOTA ----------	8	-	-	1	1	1	-	-	-	1	2	-
WHITE------MALE----	8	-	-	1	1	1	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	41	-	-	1	5	5	6	3	4	2	2	-
WHITE------MALE----	24	-	-	-	3	4	2	2	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	1	1	1	4	1	2	2	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	1	1	1	4	1	2	2	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSOURI ----------	25	-	-	-	1	6	-	4	2	3	1	3
WHITE------MALE----	18	-	-	-	-	4	-	3	2	1	-	3
FEMALE--	5	-	-	-	-	1	-	1	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	9	-	-	-	1	4	2	1	-	-	1	-
WHITE------MALE----	7	-	-	-	1	3	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	1	2	-	1	1	-	-
WHITE------MALE----	4	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	1	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
MINNESOTA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	3	4	-	3	1	-	1	-	-	-	-
WHITE------MALE----	1	2	3	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	3	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	-	-	-	-	-	1	3	2	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	11	-	-	-	-	4	2	-	1	-	2	2
WHITE------MALE----	10	-	-	-	-	4	1	-	1	-	2	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	23	-	-	-	-	5	7	1	1	3	2	1
WHITE------MALE----	13	-	-	-	-	2	4	-	-	3	1	1
FEMALE--	4	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	2	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	25	-	-	-	2	2	3	2	4	5	2	2
WHITE------MALE----	16	-	-	-	1	1	1	2	3	4	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	1	1	-	2
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3670

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
OHIO ----------	34	-	1	1	3	5	3	1	4	3	3	1
WHITE------MALE----	26	-	-	1	2	3	2	1	4	3	3	1
FEMALE--	3	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	28	-	4	2	1	5	2	5	1	4	1	-
WHITE------MALE----	15	-	1	-	1	4	-	3	-	3	-	-
FEMALE--	7	-	1	2	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	5	-	1	-	-	1	1	1	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	1	1	1	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON ----------	13	-	1	-	3	1	4	-	1	-	-	-
WHITE------MALE----	12	-	1	-	3	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	36	-	-	1	1	3	8	5	3	3	1	4
WHITE------MALE----	19	-	-	-	-	3	3	2	1	1	-	4
FEMALE--	5	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	11	-	-	1	-	-	3	1	2	2	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	1	-	-	3	1	2	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	30	-	-	1	3	4	5	2	4	-	7	-
WHITE------MALE----	21	-	-	-	3	2	3	2	2	-	6	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	1	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	1	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
OHIO ----------	2	1	1	-	-	1	4	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	3	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	2	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	-	1	1	1	1	-	-	-	-	-
WHITE------MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
SOUTH DAKOTA ----------	4	-	-	-	2	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	47	-	1	4	2	5	3	6	4	6	3	3
WHITE------MALE----	27	-	-	1	2	2	3	3	3	3	2	1
FEMALE--	11	-	1	-	-	1	-	1	1	3	1	-
ALL OTHER--MALE----	7	-	-	2	-	2	-	2	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	2	-	2	-	2	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
TEXAS ----------	66	-	-	2	8	11	8	2	2	5	8	6
WHITE------MALE----	50	-	-	1	7	10	6	1	1	4	5	4
FEMALE--	7	-	-	1	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	8	-	-	-	1	1	2	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	1	2	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
UTAH ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	24	-	1	1	-	1	-	3	-	3	2	2
WHITE------MALE----	15	-	-	-	-	1	-	1	-	2	1	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	5	-	1	1	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	2	1	-	-	2	-	2	-	-	-	-
WHITE------MALE----	1	2	1	-	-	2	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	3	-	2	3	1	1	-	-	-	-	-
WHITE------MALE----	3	2	-	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	3	3	1	1	-	-	-	-	-	-
WHITE------MALE----	2	-	3	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
WASHINGTON ----------	12	-	-	-	2	4	2	2	-	-	1	1
WHITE------MALE----	9	-	-	-	-	4	1	2	-	-	1	1
FEMALE--	2	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	11	-	-	-	-	-	3	2	1	-	-	2
WHITE------MALE----	9	-	-	-	-	-	1	2	1	-	-	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	-	-	1	2	3	1	1	-	1	1	2
WHITE------MALE----	9	-	-	-	1	1	-	1	-	1	1	2
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	4	-	-	-	-	-	4	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
UNITED STATES -	173	-	-	1	5	5	10	13	14	15	25	19
WHITE------MALE----	132	-	-	-	5	5	8	11	9	13	19	14
FEMALE--	24	-	-	1	-	-	1	2	2	2	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	3	-	4	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	1	-	3	-	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	3	-	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	-	-	-	2	-	1	1	-	-	-	-
WHITE------MALE----	6	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	16	-	-	-	-	1	2	2	1	3	2	2
WHITE------MALE----	12	-	-	-	-	1	1	2	1	3	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
UNITED STATES -	15	13	6	5	9	5	5	7	1	-	-	-
WHITE------MALE----	14	9	3	2	7	4	5	4	-	-	-	-
FEMALE--	1	1	2	3	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	2	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
COLORADO ----------	5	-	-	-	-	1	-	-	1	-	1	-
WHITE------MALE----	5	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
COLORADO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	6	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	5	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	10	-	-	1	-	-	-	-	-	2	2	1
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	3	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	-	-	-	1	1	2	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	15	-	-	-	-	-	2	-	-	1	2	2
WHITE------MALE----	10	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
KENTUCKY ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	1	-	-	-	1	-	3	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
MINNESOTA ----------	3	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3678

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
NEW HAMPSHIRE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	-	-	-	-	-	-	1	-	-	2	3
WHITE------MALE----	9	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	-	1	-	1	2	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
OHIO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	1	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	16	-	-	-	-	-	3	1	1	1	1	1
WHITE------MALE----	12	-	-	-	-	-	3	1	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	-	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	3	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	1	1	4	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental explosion (W39-W40)												
WASHINGTON ----------	3	-	-	-	2	-	-	-	1	-	-	-
WHITE------MALE----	3	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental explosion (W39-W40)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3682

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
UNITED STATES -	3,529	68	490	192	177	359	288	212	234	250	225	198
WHITE------MALE----	2,120	26	262	71	61	226	193	135	158	172	155	143
FEMALE--	595	20	154	35	19	21	22	16	21	33	33	32
ALL OTHER--MALE----	674	13	48	68	75	104	69	58	46	43	32	23
FEMALE--	140	9	26	18	22	8	4	3	9	2	5	-
BLACK---MALE----	530	12	40	60	65	78	51	45	35	30	25	17
FEMALE--	104	9	20	16	18	7	2	3	5	2	3	-
ALABAMA ----------	73	-	13	6	2	9	3	9	8	5	7	1
WHITE------MALE----	34	-	7	2	-	3	-	5	3	4	5	1
FEMALE--	8	-	3	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	24	-	-	2	2	5	1	3	5	1	1	-
FEMALE--	7	-	3	2	-	-	1	-	-	-	-	-
BLACK---MALE----	24	-	-	2	2	5	1	3	5	1	1	-
FEMALE--	6	-	2	2	-	-	1	-	-	-	-	-
ALASKA ----------	27	-	-	1	-	4	3	3	3	3	3	2
WHITE------MALE----	9	-	-	-	-	1	1	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	-	1	-	3	2	3	3	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	76	1	17	1	2	3	4	2	5	4	4	12
WHITE------MALE----	46	1	8	-	1	2	3	2	3	3	2	7
FEMALE--	16	-	6	1	1	1	-	-	-	1	1	2
ALL OTHER--MALE----	11	-	1	-	-	-	1	-	2	-	1	3
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	52	1	5	4	3	5	7	3	4	3	1	4
WHITE------MALE----	35	1	4	2	1	4	4	2	2	2	1	3
FEMALE--	3	-	1	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	1	1	-	3	-	2	-	-	1
FEMALE--	3	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	10	-	-	1	1	-	2	-	2	-	-	1
FEMALE--	3	-	-	-	1	1	-	1	-	-	-	-
CALIFORNIA ----------	417	8	71	13	16	45	30	28	21	19	28	21
WHITE------MALE----	263	5	45	7	7	25	21	20	17	13	19	11
FEMALE--	82	3	18	2	3	3	5	3	2	6	6	8
ALL OTHER--MALE----	50	-	5	3	2	16	3	5	1	-	2	2
FEMALE--	22	-	3	1	4	1	1	-	1	-	1	-
BLACK---MALE----	16	-	2	1	-	4	-	2	1	-	1	1
FEMALE--	8	-	3	-	2	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3682

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
UNITED STATES -	172	122	97	84	101	88	70	45	16	7	-	34
WHITE------MALE----	122	76	63	53	53	53	44	17	6	3	-	28
FEMALE--	20	23	19	19	29	21	20	22	10	2	-	4
ALL OTHER--MALE----	23	19	12	11	12	10	4	2	-	-	-	2
FEMALE--	7	4	3	1	7	4	2	4	-	2	-	-
BLACK---MALE----	18	16	7	8	9	8	3	2	-	-	-	1
FEMALE--	2	3	3	1	3	3	1	1	-	2	-	-
ALABAMA ----------	3	3	-	-	2	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	2	3	1	3	3	1	-	-	-	-	1
WHITE------MALE----	6	1	2	-	2	2	-	-	-	-	-	1
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	3	2	-	2	1	1	1	-	-	-	-
WHITE------MALE----	2	2	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	23	6	14	14	11	13	12	8	3	-	-	13
WHITE------MALE----	17	2	8	8	5	4	10	5	2	-	-	12
FEMALE--	4	2	3	4	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	2	2	1	4	-	-	-	-	-	1
FEMALE--	2	1	1	-	2	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
COLORADO ----------	45	1	8	3	1	1	1	2	2	7	5	3
WHITE------MALE----	31	-	5	1	1	-	1	1	2	6	3	2
FEMALE--	11	1	2	2	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
CONNECTICUT ----------	27	1	-	1	-	4	1	4	5	2	3	-
WHITE------MALE----	17	1	-	-	-	4	1	2	2	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	3	1	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	3	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
DELAWARE ----------	9	-	3	-	2	2	-	-	-	-	-	-
WHITE------MALE----	4	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	315	6	71	11	9	13	20	11	13	18	19	12
WHITE------MALE----	161	1	29	2	3	7	8	6	8	9	15	11
FEMALE--	74	1	25	2	1	-	-	1	2	4	2	1
ALL OTHER--MALE----	74	3	15	6	4	6	12	4	3	5	2	-
FEMALE--	6	1	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	73	3	15	5	4	6	12	4	3	5	2	-
FEMALE--	6	1	2	1	1	-	-	-	-	-	-	-
GEORGIA ----------	144	1	18	10	14	17	14	9	6	9	9	7
WHITE------MALE----	71	-	7	4	5	9	9	5	4	5	6	5
FEMALE--	17	-	7	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	47	1	3	4	7	8	5	4	2	3	2	2
FEMALE--	9	-	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	44	-	3	4	7	7	4	4	2	3	2	2
FEMALE--	8	-	-	2	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
COLORADO ----------	3	2	1	-	2	2	-	1	-	-	-	-
WHITE------MALE----	2	2	1	-	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	1	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	16	18	9	7	12	12	16	10	1	2	-	9
WHITE------MALE----	12	12	6	5	5	5	9	2	1	-	-	5
FEMALE--	1	1	1	1	6	7	6	7	-	2	-	3
ALL OTHER--MALE----	3	5	2	1	1	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	5	2	1	1	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA ----------	7	7	1	6	5	1	-	-	-	2	-	1
WHITE------MALE----	2	4	-	4	1	-	-	-	-	-	-	1
FEMALE--	3	2	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	2	-	-
BLACK---MALE----	1	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
HAWAII ----------	33	-	2	-	3	1	2	3	1	5	1	5
WHITE------MALE----	12	-	1	-	1	-	1	1	-	2	-	3
FEMALE--	3	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	16	-	1	-	2	1	-	2	1	2	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	21	1	3	2	-	5	2	2	-	1	2	1
WHITE------MALE----	13	-	3	-	-	4	1	2	-	-	2	-
FEMALE--	6	1	-	1	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	100	3	13	4	6	8	9	7	13	8	4	3
WHITE------MALE----	60	-	7	-	1	5	6	5	8	6	2	3
FEMALE--	13	-	3	1	-	1	1	1	1	1	1	-
ALL OTHER--MALE----	20	3	1	3	4	2	1	-	3	1	1	-
FEMALE--	7	-	2	-	1	-	1	1	1	-	-	-
BLACK---MALE----	17	3	1	3	3	2	1	-	2	1	-	-
FEMALE--	6	-	1	-	1	-	1	1	1	-	-	-
INDIANA ----------	65	-	15	5	2	7	8	5	5	2	3	1
WHITE------MALE----	40	-	9	1	-	5	5	3	4	1	2	1
FEMALE--	13	-	4	-	2	-	1	1	1	1	1	-
ALL OTHER--MALE----	9	-	1	3	-	1	2	1	-	-	-	-
FEMALE--	3	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	9	-	1	3	-	1	2	1	-	-	-	-
FEMALE--	3	-	1	1	-	1	-	-	-	-	-	-
IOWA ----------	23	1	4	2	-	2	4	-	4	-	-	1
WHITE------MALE----	20	1	4	1	-	2	3	-	3	-	-	1
FEMALE--	3	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	27	-	5	1	1	2	3	-	2	2	1	-
WHITE------MALE----	21	-	4	1	1	2	3	-	1	2	-	-
FEMALE--	4	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
HAWAII ----------	4	1	1	2	1	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	3	5	3	2	2	2	-	-	-	-	-
WHITE------MALE----	5	3	3	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA ----------	2	3	2	1	-	3	-	1	-	-	-	-
WHITE------MALE----	2	1	2	1	-	2	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	-	4	1	2	-	-	1	-	-
WHITE------MALE----	1	-	1	-	3	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
KENTUCKY ----------	49	1	3	2	2	5	1	4	3	10	4	6
WHITE------MALE----	37	1	3	-	2	3	1	3	3	9	3	5
FEMALE--	7	-	-	1	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA ----------	95	3	11	3	13	16	6	5	2	7	13	3
WHITE------MALE----	43	1	6	-	3	8	1	5	2	3	6	2
FEMALE--	12	-	4	1	-	2	-	-	-	-	1	-
ALL OTHER--MALE----	35	-	1	2	8	5	5	-	-	4	6	1
FEMALE--	5	2	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	34	-	1	2	8	5	5	-	-	3	6	1
FEMALE--	5	2	-	-	2	1	-	-	-	-	-	-
MAINE ----------	23	-	-	1	-	-	2	-	-	2	1	3
WHITE------MALE----	19	-	-	1	-	-	2	-	-	2	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	38	2	4	3	1	6	3	2	2	2	2	2
WHITE------MALE----	20	1	3	-	-	3	3	-	1	2	1	1
FEMALE--	7	-	-	-	1	-	-	1	1	-	1	1
ALL OTHER--MALE----	6	-	1	1	-	3	-	1	-	-	-	-
FEMALE--	5	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	1	-	3	-	1	-	-	-	-
FEMALE--	5	1	-	2	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	43	-	2	1	1	5	3	4	3	3	4	2
WHITE------MALE----	30	-	1	-	-	2	1	3	3	3	4	2
FEMALE--	7	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	115	2	19	10	10	7	9	9	13	6	4	7
WHITE------MALE----	65	1	8	6	4	4	7	6	10	3	2	4
FEMALE--	26	-	9	1	1	1	1	1	1	1	1	2
ALL OTHER--MALE----	21	-	2	3	5	2	1	2	1	2	1	1
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	19	-	2	3	5	1	1	2	1	2	1	1
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
KENTUCKY ----------	2	2	-	-	1	-	1	1	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	2	2	2	3	1	-	-	1	-	-
WHITE------MALE----	-	-	2	1	-	2	-	-	-	1	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	1	1	4	1	2	1	-	1	-	-	-
WHITE------MALE----	2	1	-	3	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	2	-	2	-	1	1	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	3	4	2	1	1	-	2	1	-	-	-
WHITE------MALE----	1	2	3	2	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	2	3	-	2	4	3	1	-	-	-	-
WHITE------MALE----	4	2	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
MINNESOTA ----------	67	2	8	6	3	4	7	1	1	8	4	3
WHITE------MALE----	42	1	5	1	1	3	5	-	-	7	3	3
FEMALE--	12	1	2	2	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	12	-	-	3	2	1	2	1	-	1	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	1	1	-	2	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	57	-	8	5	6	6	3	6	1	5	3	2
WHITE------MALE----	22	-	6	1	-	3	1	-	1	2	2	2
FEMALE--	7	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	24	-	-	3	4	3	1	5	-	3	1	-
FEMALE--	4	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	3	4	3	1	5	-	3	1	-
FEMALE--	4	-	1	-	2	-	-	-	-	-	-	-
MISSOURI ----------	65	3	7	1	4	9	4	6	2	2	5	4
WHITE------MALE----	47	2	4	1	1	7	4	6	1	2	4	3
FEMALE--	8	-	2	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	7	-	-	-	3	1	-	-	-	-	-	1
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	3	1	-	-	-	-	-	1
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
MONTANA ----------	18	2	4	-	-	-	3	-	1	1	1	2
WHITE------MALE----	9	-	1	-	-	-	1	-	-	1	1	2
FEMALE--	5	2	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	23	-	-	1	1	6	2	2	2	3	-	1
WHITE------MALE----	18	-	-	1	1	6	2	2	2	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	32	-	9	3	-	4	3	3	1	-	1	1
WHITE------MALE----	22	-	4	1	-	3	3	2	1	-	1	1
FEMALE--	7	-	4	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
MINNESOTA ----------	4	2	2	4	2	2	3	-	1	-	-	-
WHITE------MALE----	3	1	2	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	-	3	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	1	1	4	1	2	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	3	3	1	3	2	4	-	2	-	-	-	-
WHITE------MALE----	3	1	1	2	-	3	-	2	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	2	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	2	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	1	-	-	1	-	2	-	-	-	-	1
WHITE------MALE----	2	-	-	-	1	-	2	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
NEW HAMPSHIRE ----------	7	-	2	-	-	-	1	-	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	71	4	7	1	4	5	6	6	9	3	4	3
WHITE------MALE----	39	1	3	1	1	3	2	5	7	2	3	2
FEMALE--	19	2	2	-	2	-	-	-	1	1	1	1
ALL OTHER--MALE----	10	1	-	-	1	2	4	1	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	30	3	-	-	1	2	4	1	5	4	4	1
WHITE------MALE----	23	2	-	-	1	2	4	1	4	4	2	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	134	2	14	6	9	14	9	8	15	10	7	5
WHITE------MALE----	77	-	8	2	5	5	5	4	8	8	5	3
FEMALE--	20	1	4	2	-	1	-	-	1	1	1	1
ALL OTHER--MALE----	29	-	2	2	2	7	4	4	4	1	1	1
FEMALE--	8	1	-	-	2	1	-	-	2	-	-	-
BLACK---MALE----	24	-	2	2	1	6	3	4	2	1	1	1
FEMALE--	7	1	-	-	2	1	-	-	1	-	-	-
NORTH CAROLINA ---------	115	-	14	8	9	8	10	8	8	11	11	7
WHITE------MALE----	53	-	3	1	1	4	7	3	4	7	7	7
FEMALE--	13	-	5	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	45	-	5	7	7	4	3	5	3	3	1	-
FEMALE--	4	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	43	-	5	6	7	4	2	5	3	3	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	12	-	2	-	1	-	3	1	1	2	-	-
WHITE------MALE----	9	-	1	-	1	-	2	1	1	2	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
NEW HAMPSHIRE ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	2	2	-	2	-	4	4	1	-	-	-
WHITE------MALE----	3	2	1	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	1	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	6	6	6	4	2	4	-	1	-	-	-
WHITE------MALE----	6	4	2	5	3	1	3	-	-	-	-	-
FEMALE--	-	1	4	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	4	5	2	2	-	1	-	-	-	-	-
WHITE------MALE----	3	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
OHIO ----------	97	2	12	11	1	9	13	7	1	7	7	4
WHITE------MALE----	56	1	6	4	-	5	9	5	1	4	7	4
FEMALE--	20	1	5	2	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	19	-	-	4	1	4	3	1	-	2	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	4	1	4	3	1	-	2	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	52	1	6	1	2	6	8	2	3	2	2	2
WHITE------MALE----	33	-	-	1	1	3	6	2	2	2	1	2
FEMALE--	7	-	3	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	1	3	-	-	2	1	-	-	-	1	-
FEMALE--	3	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	5	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON ----------	49	-	6	2	2	8	3	2	5	2	3	5
WHITE------MALE----	40	-	4	1	2	8	3	2	5	1	2	3
FEMALE--	8	-	2	1	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	102	1	11	7	5	11	10	11	6	5	6	6
WHITE------MALE----	59	1	6	5	-	7	7	6	3	-	4	4
FEMALE--	19	-	5	-	-	2	1	1	2	2	2	1
ALL OTHER--MALE----	23	-	-	2	4	2	2	4	1	3	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	2	4	2	2	4	1	2	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND ----------	12	-	-	2	-	2	2	-	-	1	-	-
WHITE------MALE----	7	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	62	2	8	7	5	5	3	4	10	4	4	5
WHITE------MALE----	34	-	7	-	1	1	3	3	5	3	4	4
FEMALE--	5	1	-	-	2	-	-	-	-	1	-	1
ALL OTHER--MALE----	22	1	1	6	2	4	-	1	5	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	22	1	1	6	2	4	-	1	5	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
OHIO ----------	3	10	2	1	3	2	-	1	-	1	-	-
WHITE------MALE----	1	5	1	1	1	-	-	-	-	1	-	-
FEMALE--	2	3	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	4	2	1	3	4	-	-	-	-	-	-
WHITE------MALE----	2	3	1	1	2	4	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	2	2	-	1	-	1	2	-	-	-	-
WHITE------MALE----	2	2	2	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	4	2	1	1	2	3	1	1	-	-	1
WHITE------MALE----	5	3	2	-	-	2	2	-	1	-	-	1
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
SOUTH DAKOTA ----------	16	-	1	-	-	2	3	1	1	1	4	1
WHITE------MALE----	12	-	1	-	-	2	2	1	-	-	4	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	85	2	7	5	7	14	4	3	8	5	9	5
WHITE------MALE----	50	-	6	1	1	10	3	1	4	3	7	2
FEMALE--	9	-	1	-	1	1	-	1	1	1	1	1
ALL OTHER--MALE----	21	1	-	3	3	3	1	1	3	1	1	2
FEMALE--	5	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	21	1	-	3	3	3	1	1	3	1	1	2
FEMALE--	5	1	-	1	2	-	-	-	-	-	-	-
TEXAS ----------	313	5	50	29	11	40	30	17	13	23	14	20
WHITE------MALE----	218	2	24	17	6	35	24	11	13	18	9	15
FEMALE--	58	2	22	7	2	1	2	-	-	3	1	5
ALL OTHER--MALE----	32	1	3	3	3	4	3	6	-	2	4	-
FEMALE--	5	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	30	1	3	3	3	4	3	5	-	2	3	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
UTAH ----------	23	-	5	1	-	3	3	2	2	2	4	-
WHITE------MALE----	19	-	5	1	-	2	1	2	1	2	4	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	-	-	-	1	1	-	1	-	2	-	1
WHITE------MALE----	7	-	-	-	1	1	-	1	-	2	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	79	3	7	3	5	12	4	5	6	6	2	8
WHITE------MALE----	43	1	4	-	1	6	2	4	5	5	1	4
FEMALE--	10	-	2	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	18	1	-	1	2	5	1	-	1	-	1	4
FEMALE--	8	1	1	2	2	1	-	-	-	1	-	-
BLACK---MALE----	17	1	-	1	2	5	-	-	1	-	1	4
FEMALE--	8	1	1	2	2	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
SOUTH DAKOTA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	3	3	1	3	3	-	-	-	-	-	-
WHITE------MALE----	3	3	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS ----------	13	8	6	6	8	6	2	4	1	-	-	7
WHITE------MALE----	12	6	5	4	5	4	1	-	1	-	-	6
FEMALE--	-	1	1	1	2	2	1	4	-	-	-	1
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	4	4	2	3	1	1	-	-	-	-
WHITE------MALE----	1	1	3	2	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
WASHINGTON ----------	85	1	4	2	6	14	8	1	7	10	7	10
WHITE------MALE----	62	-	3	2	5	9	8	1	5	7	4	8
FEMALE--	12	1	-	-	1	1	-	-	2	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	4	-	-	-	2	2	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	23	-	2	1	-	3	2	1	2	3	2	2
WHITE------MALE----	17	-	-	-	-	2	2	1	2	3	2	1
FEMALE--	6	-	2	1	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	66	2	9	6	6	3	5	1	9	6	1	3
WHITE------MALE----	40	1	5	1	1	2	5	-	7	5	1	3
FEMALE--	12	1	3	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	-	3	5	1	-	1	1	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	2	2	1	-	-	1	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	1	-	-
WYOMING ----------	7	1	-	-	-	1	-	-	-	3	-	1
WHITE------MALE----	6	-	-	-	-	1	-	-	-	3	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
WASHINGTON ----------	3	-	3	1	4	1	2	-	1	-	-	-
WHITE------MALE----	1	-	2	-	3	1	2	-	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	1	2	3	1	2	4	-	2	-	-	-
WHITE------MALE----	-	1	1	3	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3691

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
UNITED STATES -	3,885	63	88	24	22	17	24	27	52	59	100	107
WHITE------MALE----	1,607	26	39	9	6	6	15	12	25	29	56	46
FEMALE--	1,686	17	16	7	10	8	5	6	12	18	30	38
ALL OTHER--MALE----	310	11	21	5	5	3	3	5	10	9	11	9
FEMALE--	282	9	12	3	1	-	1	4	5	3	3	14
BLACK---MALE----	285	10	18	5	5	2	3	5	9	7	11	9
FEMALE--	255	9	10	2	1	-	1	2	5	3	3	14
ALABAMA ----------	130	3	5	1	1	-	-	1	3	3	6	7
WHITE------MALE----	37	1	1	-	-	-	-	-	-	1	3	2
FEMALE--	52	-	1	-	1	-	-	1	-	2	2	2
ALL OTHER--MALE----	24	1	3	-	-	-	-	-	3	-	1	1
FEMALE--	17	1	-	1	-	-	-	-	-	-	-	2
BLACK---MALE----	24	1	3	-	-	-	-	-	3	-	1	1
FEMALE--	17	1	-	1	-	-	-	-	-	-	-	2
ALASKA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	64	-	2	2	1	2	1	1	-	3	1	-
WHITE------MALE----	33	-	2	1	1	1	1	-	-	2	-	-
FEMALE--	25	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	47	2	-	-	-	-	-	-	-	-	2	2
WHITE------MALE----	21	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	155	5	11	3	3	1	1	2	-	2	6	5
WHITE------MALE----	59	2	6	1	1	-	1	2	-	2	4	3
FEMALE--	75	2	1	1	2	1	-	-	-	-	2	2
ALL OTHER--MALE----	11	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3691

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
UNITED STATES -	134	127	145	212	354	481	591	630	435	158	35	-
WHITE------MALE----	80	53	59	93	172	199	254	241	142	42	3	-
FEMALE--	32	43	50	83	120	207	266	328	258	102	30	-
ALL OTHER--MALE----	17	19	21	18	32	39	32	23	12	4	1	-
FEMALE--	5	12	15	18	30	36	39	38	23	10	1	-
BLACK---MALE----	16	16	19	16	31	37	29	22	10	4	1	-
FEMALE--	5	11	13	17	26	32	34	33	23	10	1	-
ALABAMA ----------	4	4	8	4	7	21	23	16	9	3	1	-
WHITE------MALE----	4	3	2	2	1	8	5	3	1	-	-	-
FEMALE--	-	1	2	1	2	7	11	12	4	2	1	-
ALL OTHER--MALE----	-	-	2	1	3	4	2	1	2	-	-	-
FEMALE--	-	-	2	-	1	2	5	-	2	1	-	-
BLACK---MALE----	-	-	2	1	3	4	2	1	2	-	-	-
FEMALE--	-	-	2	-	1	2	5	-	2	1	-	-
ALASKA ----------	-	-	1	-	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	3	4	1	7	10	5	11	7	-	1	-
WHITE------MALE----	-	1	1	-	7	6	1	5	3	-	1	-
FEMALE--	1	2	1	1	-	4	4	5	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	2	4	2	4	9	9	7	2	-	-
WHITE------MALE----	2	-	1	1	-	2	4	3	3	-	-	-
FEMALE--	-	-	1	1	2	2	3	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	3	13	5	10	16	23	19	18	1	1	-
WHITE------MALE----	4	-	7	-	4	4	9	3	6	-	-	-
FEMALE--	2	2	5	3	6	11	12	10	12	-	1	-
ALL OTHER--MALE----	1	1	1	-	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	2	-	-	1	4	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	-	-	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
COLORADO ----------	46	-	1	-	-	-	-	1	-	-	-	2
WHITE------MALE----	21	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	84	-	-	-	-	-	-	1	-	1	1	2
WHITE------MALE----	42	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	250	2	5	2	1	-	1	-	1	4	5	3
WHITE------MALE----	113	-	1	2	-	-	-	-	1	-	2	2
FEMALE--	108	1	-	-	1	-	-	-	-	2	-	-
ALL OTHER--MALE----	14	-	2	-	-	-	-	-	-	2	3	1
FEMALE--	15	1	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	2	-	-	-	-	-	-	2	3	1
FEMALE--	15	1	2	-	-	-	1	-	-	-	-	-
GEORGIA ----------	119	2	1	-	1	-	2	3	2	1	4	8
WHITE------MALE----	36	1	-	-	-	-	1	-	1	-	4	2
FEMALE--	49	1	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	18	-	-	-	1	-	1	2	1	-	-	1
FEMALE--	16	-	1	-	-	-	-	1	-	-	-	2
BLACK---MALE----	18	-	-	-	1	-	1	2	1	-	-	1
FEMALE--	16	-	1	-	-	-	-	1	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
COLORADO ----------	-	1	-	3	4	6	9	10	5	4	-	-
WHITE------MALE----	-	1	-	1	4	1	4	3	3	2	-	-
FEMALE--	-	-	-	1	-	3	5	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	1	1	4	2	12	11	12	16	12	6	2	-
WHITE------MALE----	-	-	1	2	9	5	6	8	4	3	-	-
FEMALE--	1	-	2	-	2	5	6	8	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	2	3	2	2	1	1	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	4	3	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
FLORIDA ----------	8	8	6	12	17	25	59	41	37	10	3	-
WHITE------MALE----	7	2	4	6	8	11	24	23	17	3	-	-
FEMALE--	1	3	2	6	7	10	31	17	19	6	2	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	-	-	-	1	-
FEMALE--	-	2	-	-	1	3	2	1	1	1	-	-
BLACK---MALE----	-	1	-	-	1	1	2	-	-	-	1	-
FEMALE--	-	2	-	-	1	3	2	1	1	1	-	-
GEORGIA ----------	6	3	3	6	10	18	16	16	13	4	-	-
WHITE------MALE----	2	-	-	-	6	6	3	6	4	-	-	-
FEMALE--	1	1	2	2	3	7	9	9	7	3	-	-
ALL OTHER--MALE----	3	-	1	2	1	2	2	-	-	1	-	-
FEMALE--	-	2	-	2	-	3	2	1	2	-	-	-
BLACK---MALE----	3	-	1	2	1	2	2	-	-	1	-	-
FEMALE--	-	2	-	2	-	3	2	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
HAWAII ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	20	-	2	-	-	-	-	-	-	-	1	1
WHITE------MALE----	12	-	2	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	189	3	10	1	2	-	-	1	1	4	3	5
WHITE------MALE----	76	2	3	-	-	-	-	1	-	2	2	2
FEMALE--	83	1	3	-	1	-	-	-	-	-	1	2
ALL OTHER--MALE----	17	-	2	-	-	-	-	-	1	2	-	-
FEMALE--	13	-	2	1	1	-	-	-	-	-	-	1
BLACK---MALE----	16	-	2	-	-	-	-	-	1	2	-	-
FEMALE--	13	-	2	1	1	-	-	-	-	-	-	1
INDIANA ----------	94	2	2	1	1	-	3	1	1	-	3	8
WHITE------MALE----	45	1	-	-	1	-	1	-	1	-	2	6
FEMALE--	40	1	1	1	-	-	1	1	-	-	-	2
ALL OTHER--MALE----	5	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	40	-	-	-	1	-	-	-	1	1	2	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	1	-	-	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	59	1	1	-	-	1	2	-	-	-	-	1
WHITE------MALE----	22	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	36	1	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
HAWAII ----------	-	2	-	2	3	2	4	-	1	1	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	1	1	1	2	3	1	6	-	-	-
WHITE------MALE----	-	1	1	-	1	-	2	-	3	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	9	2	11	14	14	13	33	33	21	7	2	-
WHITE------MALE----	3	2	4	8	3	6	15	15	6	2	-	-
FEMALE--	3	-	5	5	6	7	11	18	13	5	2	-
ALL OTHER--MALE----	1	-	1	1	4	-	4	-	1	-	-	-
FEMALE--	2	-	1	-	1	-	3	-	1	-	-	-
BLACK---MALE----	1	-	1	1	3	-	4	-	1	-	-	-
FEMALE--	2	-	1	-	1	-	3	-	1	-	-	-
INDIANA ----------	2	1	4	5	4	10	16	18	11	1	-	-
WHITE------MALE----	-	1	2	2	2	3	10	9	4	-	-	-
FEMALE--	1	-	2	1	2	6	5	8	7	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
IOWA ----------	2	1	-	1	6	5	7	9	1	2	1	-
WHITE------MALE----	2	1	-	1	3	2	3	6	-	-	-	-
FEMALE--	-	-	-	-	3	3	4	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	1	4	6	5	6	14	13	3	-	-
WHITE------MALE----	-	1	1	2	3	1	2	3	7	-	-	-
FEMALE--	-	-	-	2	3	4	4	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
KENTUCKY ----------	74	1	3	-	-	-	1	-	2	1	1	1
WHITE------MALE----	29	1	1	-	-	-	-	-	2	-	-	1
FEMALE--	38	-	2	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	93	6	-	-	2	1	1	-	3	1	4	4
WHITE------MALE----	29	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	32	-	-	-	1	-	-	-	-	-	2	2
ALL OTHER--MALE----	19	2	-	-	1	1	-	-	1	1	2	-
FEMALE--	13	3	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	19	2	-	-	1	1	-	-	1	1	2	-
FEMALE--	12	3	-	-	-	-	-	-	1	-	-	2
MAINE ----------	24	1	1	-	-	-	-	-	-	-	2	1
WHITE------MALE----	12	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	68	-	2	1	1	1	-	-	3	1	5	1
WHITE------MALE----	28	-	-	1	1	-	-	-	-	-	5	1
FEMALE--	21	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	1	-	-	-	-	-	2	-	-	-
MASSACHUSETTS ----------	70	-	2	-	-	-	1	-	1	1	2	3
WHITE------MALE----	37	-	2	-	-	-	1	-	1	1	2	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	119	5	3	1	-	-	-	1	1	1	4	-
WHITE------MALE----	54	2	2	-	-	-	-	-	-	1	2	-
FEMALE--	43	2	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	11	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3694

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
KENTUCKY ----------	-	4	4	3	6	5	8	16	10	7	1	-
WHITE------MALE----	-	2	1	2	4	3	-	5	5	2	-	-
FEMALE--	-	2	3	1	2	2	7	8	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
LOUISIANA ----------	2	5	6	9	8	12	9	9	8	3	-	-
WHITE------MALE----	1	3	2	4	2	4	3	3	3	1	-	-
FEMALE--	1	1	1	4	3	3	5	2	5	2	-	-
ALL OTHER--MALE----	-	1	2	-	3	3	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	2	-	-	-	-
BLACK---MALE----	-	1	2	-	3	3	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	-	-	-	-
MAINE ----------	-	1	1	2	2	3	1	1	6	1	1	-
WHITE------MALE----	-	1	1	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	2	-	2	-	-	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	3	-	2	7	8	9	9	10	3	-	-
WHITE------MALE----	1	1	-	1	4	2	3	4	2	2	-	-
FEMALE--	-	1	-	1	1	4	1	4	7	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	2	4	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
MASSACHUSETTS ----------	3	4	1	6	6	8	7	12	7	3	3	-
WHITE------MALE----	3	4	1	1	3	4	5	3	3	1	-	-
FEMALE--	-	-	-	4	3	4	2	7	3	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MICHIGAN ----------	6	2	6	5	18	18	21	19	5	3	-	-
WHITE------MALE----	3	-	2	3	8	9	9	8	3	2	-	-
FEMALE--	3	1	3	-	7	5	9	8	1	1	-	-
ALL OTHER--MALE----	-	1	1	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	2	1	-	-	-
BLACK---MALE----	-	1	1	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	1	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
MINNESOTA ----------	45	1	1	-	-	-	-	2	5	-	1	2
WHITE------MALE----	23	1	1	-	-	-	-	1	1	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	3	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI ----------	72	-	4	1	-	-	-	-	-	2	1	1
WHITE------MALE----	17	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	12	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	2	-	1
MISSOURI ----------	107	1	-	2	-	-	-	1	2	2	2	2
WHITE------MALE----	51	-	-	1	-	-	-	1	-	-	1	1
FEMALE--	49	-	-	1	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	20	-	-	-	-	-	-	-	-	2	1	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	36	-	-	-	-	-	-	-	2	1	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	27	2	3	-	-	1	-	-	1	-	-	-
WHITE------MALE----	13	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
MINNESOTA ----------	4	1	2	3	2	3	5	6	4	2	1	-
WHITE------MALE----	3	1	1	1	1	1	4	2	3	1	-	-
FEMALE--	1	-	1	2	-	2	1	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	1	4	2	1	15	12	12	7	6	-	-
WHITE------MALE----	1	-	1	-	-	9	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	3	7	5	4	5	-	-
ALL OTHER--MALE----	2	-	2	-	-	2	1	2	1	-	-	-
FEMALE--	-	1	-	1	-	1	2	4	2	1	-	-
BLACK---MALE----	2	-	2	-	-	2	1	2	1	-	-	-
FEMALE--	-	1	-	1	-	1	2	4	2	1	-	-
MISSOURI ----------	3	1	2	11	9	18	15	20	9	6	1	-
WHITE------MALE----	3	-	1	6	5	7	6	12	5	2	-	-
FEMALE--	-	1	1	4	4	11	7	7	4	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
MONTANA ----------	1	1	1	-	2	4	3	4	1	-	-	-
WHITE------MALE----	-	1	1	-	1	2	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	2	-	-	6	1	6	7	4	3	1	-
WHITE------MALE----	2	1	-	-	3	1	2	3	4	2	-	-
FEMALE--	-	1	-	-	2	-	4	4	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	4	2	2	1	3	5	1	-	1	-	-
WHITE------MALE----	1	3	1	2	-	1	3	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
NEW HAMPSHIRE ----------	7	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	104	1	2	1	-	-	1	1	2	1	1	6
WHITE------MALE----	43	-	1	-	-	-	1	1	1	-	-	1
FEMALE--	44	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	11	1	1	1	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	1	1	1	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO ----------	19	-	1	-	-	1	-	1	-	1	-	-
WHITE------MALE----	12	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	186	4	2	1	2	2	1	-	2	6	2	3
WHITE------MALE----	80	2	-	1	-	1	1	-	2	3	2	-
FEMALE--	87	1	1	-	1	1	-	-	-	3	-	3
ALL OTHER--MALE----	15	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	154	4	3	2	1	1	2	2	3	2	4	2
WHITE------MALE----	55	2	3	-	-	-	2	1	2	1	1	1
FEMALE--	56	1	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	19	-	-	2	1	-	-	-	1	-	-	1
FEMALE--	24	1	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	19	-	-	2	1	-	-	-	1	-	-	1
FEMALE--	24	1	-	-	-	-	-	1	-	-	2	-
NORTH DAKOTA ----------	11	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
NEW HAMPSHIRE ----------	-	-	1	-	-	3	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	1	7	12	12	23	9	13	6	1	-
WHITE------MALE----	-	-	1	4	8	8	9	3	3	2	-	-
FEMALE--	1	1	-	1	2	3	12	5	9	4	1	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
NEW MEXICO ----------	-	-	2	-	1	2	2	5	3	-	-	-
WHITE------MALE----	-	-	2	-	1	2	-	5	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	12	7	6	10	18	19	30	27	19	12	1	-
WHITE------MALE----	8	4	1	2	10	8	16	11	5	3	-	-
FEMALE--	1	1	3	7	5	9	12	16	13	9	1	-
ALL OTHER--MALE----	3	1	2	1	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	3	1	2	1	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
NORTH CAROLINA ---------	-	5	6	9	20	17	19	27	20	5	-	-
WHITE------MALE----	-	2	2	3	7	9	8	6	5	-	-	-
FEMALE--	-	-	2	3	6	6	6	15	11	3	-	-
ALL OTHER--MALE----	-	2	-	3	2	-	3	4	-	-	-	-
FEMALE--	-	1	2	-	5	2	2	2	4	2	-	-
BLACK---MALE----	-	2	-	3	2	-	3	4	-	-	-	-
FEMALE--	-	1	2	-	5	2	2	2	4	2	-	-
NORTH DAKOTA ----------	-	-	-	-	2	1	3	1	2	-	1	-
WHITE------MALE----	-	-	-	-	1	-	1	-	1	-	1	-
FEMALE--	-	-	-	-	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
OHIO ----------	174	4	1	-	-	-	1	4	-	4	5	6
WHITE------MALE----	70	1	-	-	-	-	1	1	-	3	3	1
FEMALE--	74	1	-	-	-	-	-	1	-	-	2	4
ALL OTHER--MALE----	17	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	17	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	1	-	1
OKLAHOMA ----------	54	-	-	-	1	-	-	-	1	-	-	1
WHITE------MALE----	19	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	32	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	245	1	2	2	1	2	-	1	1	3	9	6
WHITE------MALE----	124	1	1	2	-	1	-	1	-	3	6	2
FEMALE--	91	-	-	-	1	-	-	-	1	-	2	3
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	16	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	98	1	3	-	-	-	-	1	3	1	2	3
WHITE------MALE----	38	1	-	-	-	-	-	1	3	-	2	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
OHIO ----------	8	10	2	13	18	23	26	24	18	5	2	-
WHITE------MALE----	5	3	-	8	8	11	10	9	5	1	-	-
FEMALE--	2	3	1	5	8	9	9	12	11	4	2	-
ALL OTHER--MALE----	-	3	1	-	2	-	7	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	-	3	2	-	-	-
BLACK---MALE----	-	3	1	-	2	-	7	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	-	3	2	-	-	-
OKLAHOMA ----------	3	-	-	2	7	7	9	9	9	4	1	-
WHITE------MALE----	1	-	-	-	4	2	6	2	2	-	-	-
FEMALE--	1	-	-	1	1	2	3	7	7	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
OREGON ----------	2	2	-	1	5	5	3	7	3	2	-	-
WHITE------MALE----	1	1	-	1	4	1	2	2	-	1	-	-
FEMALE--	1	1	-	-	1	4	1	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA ----------	4	8	10	18	20	27	44	51	30	5	-	-
WHITE------MALE----	3	5	4	15	9	12	25	21	10	3	-	-
FEMALE--	1	3	4	2	6	9	16	23	18	2	-	-
ALL OTHER--MALE----	-	-	1	-	2	3	1	4	1	-	-	-
FEMALE--	-	-	1	1	3	3	2	3	1	-	-	-
BLACK---MALE----	-	-	1	-	2	3	1	4	1	-	-	-
FEMALE--	-	-	1	1	3	3	2	3	1	-	-	-
RHODE ISLAND ----------	-	1	1	-	1	5	3	3	2	-	-	-
WHITE------MALE----	-	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	5	1	6	8	16	12	16	10	3	2	-
WHITE------MALE----	3	1	-	5	2	5	6	4	3	1	-	-
FEMALE--	2	3	-	1	3	5	4	11	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	4	-	-	1	-	-	-
FEMALE--	-	1	1	-	3	2	2	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	4	-	-	1	-	-	-
FEMALE--	-	1	1	-	3	2	2	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
SOUTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	118	-	2	-	-	-	1	-	3	-	1	3
WHITE------MALE----	43	-	1	-	-	-	1	-	2	-	-	2
FEMALE--	63	-	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
TEXAS ----------	252	7	7	1	2	2	5	1	4	4	7	9
WHITE------MALE----	99	3	2	-	-	2	3	-	4	3	5	6
FEMALE--	118	2	2	1	1	-	2	1	-	1	-	2
ALL OTHER--MALE----	18	1	2	-	1	-	-	-	-	-	2	-
FEMALE--	17	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	1	2	-	1	-	-	-	-	-	2	-
FEMALE--	15	1	1	-	-	-	-	-	-	-	-	1
UTAH ----------	10	-	1	-	-	1	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	142	1	2	1	-	-	-	1	1	2	4	3
WHITE------MALE----	48	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	61	-	-	1	-	-	-	-	1	1	4	-
ALL OTHER--MALE----	20	1	2	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	1	1	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
SOUTH DAKOTA ----------	-	-	1	-	1	2	2	1	1	-	-	-
WHITE------MALE----	-	-	-	-	1	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	7	5	7	12	20	18	15	10	9	-	-
WHITE------MALE----	3	1	1	1	6	8	6	5	4	2	-	-
FEMALE--	2	4	1	6	6	10	12	8	6	5	-	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	1	-	-
BLACK---MALE----	-	1	3	-	-	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	1	-	-
TEXAS ----------	10	5	13	15	26	26	20	45	27	12	4	-
WHITE------MALE----	5	2	7	5	10	11	9	14	4	3	1	-
FEMALE--	3	3	1	6	10	12	11	28	22	8	2	-
ALL OTHER--MALE----	1	-	2	1	4	3	-	-	-	1	-	-
FEMALE--	1	-	3	3	2	-	-	3	1	-	1	-
BLACK---MALE----	1	-	2	1	4	3	-	-	-	1	-	-
FEMALE--	1	-	3	3	2	-	-	1	1	-	1	-
UTAH ----------	-	-	-	-	2	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	2	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	4	5	8	15	20	20	30	13	6	-	-
WHITE------MALE----	4	-	2	2	8	5	9	12	2	1	-	-
FEMALE--	1	1	1	3	4	9	10	13	8	4	-	-
ALL OTHER--MALE----	1	3	1	1	1	4	-	2	2	-	-	-
FEMALE--	-	-	1	2	2	2	1	3	1	1	-	-
BLACK---MALE----	1	3	1	1	1	4	-	2	2	-	-	-
FEMALE--	-	-	1	2	2	2	1	3	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
WASHINGTON ----------	50	1	1	1	-	1	-	-	-	3	3	-
WHITE------MALE----	21	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	27	1	-	1	-	1	-	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	38	-	-	-	-	-	-	-	-	1	3	1
WHITE------MALE----	16	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	58	2	1	-	-	-	-	-	1	-	-	1
WHITE------MALE----	30	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
WASHINGTON ----------	3	3	2	1	3	7	5	12	2	2	-	-
WHITE------MALE----	1	-	1	1	2	4	3	4	-	1	-	-
FEMALE--	1	3	1	-	1	3	1	8	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	2	3	6	7	4	8	2	-	-
WHITE------MALE----	1	-	-	-	1	3	3	2	2	1	-	-
FEMALE--	-	-	-	2	2	1	3	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
WISCONSIN ----------	3	6	2	3	3	5	9	10	8	2	2	-
WHITE------MALE----	3	4	1	1	2	3	5	6	3	-	-	-
FEMALE--	-	2	1	2	1	2	4	4	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WYOMING ----------	-	1	-	-	-	1	1	-	2	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3700

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
UNITED STATES -	1,618	409	74	30	56	49	49	52	47	64	79	74
WHITE------MALE----	847	149	28	20	44	39	37	43	37	53	61	54
FEMALE--	471	109	31	4	3	6	6	1	6	5	10	11
ALL OTHER--MALE----	193	95	8	3	9	4	6	6	4	2	5	8
FEMALE--	107	56	7	3	-	-	-	2	-	4	3	1
BLACK---MALE----	163	83	6	3	6	2	5	5	4	1	5	7
FEMALE--	97	52	5	1	-	-	-	2	-	3	3	-
ALABAMA ----------	21	7	1	-	2	-	2	-	1	1	2	1
WHITE------MALE----	12	2	1	-	1	-	1	-	1	1	1	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	3	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	3	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	32	15	-	-	-	2	1	1	1	3	2	2
WHITE------MALE----	17	5	-	-	-	2	1	1	1	3	1	1
FEMALE--	8	5	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	23	9	-	-	-	1	1	1	-	1	2	-
WHITE------MALE----	11	4	-	-	-	1	-	1	-	1	1	-
FEMALE--	7	2	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	132	25	3	4	3	2	6	4	2	7	9	10
WHITE------MALE----	70	10	1	2	3	1	5	3	1	6	9	8
FEMALE--	45	7	1	1	-	1	1	-	1	-	-	2
ALL OTHER--MALE----	11	6	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	2	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	6	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3700

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
UNITED STATES -	59	44	32	43	72	102	86	110	62	19	6	-
WHITE------MALE----	42	27	16	26	32	48	30	36	18	5	2	-
FEMALE--	10	7	11	13	29	38	48	64	43	13	3	-
ALL OTHER--MALE----	4	9	3	4	9	8	3	3	-	-	-	-
FEMALE--	3	1	2	-	2	8	5	7	1	1	1	-
BLACK---MALE----	2	8	2	3	9	7	3	2	-	-	-	-
FEMALE--	3	1	2	-	2	8	5	7	1	1	1	-
ALABAMA ----------	-	-	-	-	2	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	1	-	2	-	-	1	2	1	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA ----------	6	4	2	2	6	11	8	11	6	1	-	-
WHITE------MALE----	3	2	-	1	2	6	3	4	-	-	-	-
FEMALE--	1	1	2	1	4	4	5	6	6	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3701

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
COLORADO ----------	21	1	2	-	1	1	2	2	1	-	2	3
WHITE------MALE----	13	-	2	-	1	1	1	2	1	-	1	3
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	12	2	1	-	-	-	-	1	-	-	1	2
WHITE------MALE----	9	2	1	-	-	-	-	1	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	79	29	4	1	1	2	1	4	8	2	6	2
WHITE------MALE----	36	5	1	1	-	1	1	4	5	2	4	2
FEMALE--	27	13	1	-	-	1	-	-	2	-	2	-
ALL OTHER--MALE----	13	8	2	-	1	-	-	-	1	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	8	2	-	-	-	-	-	1	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	73	17	3	2	2	5	2	4	1	1	1	4
WHITE------MALE----	32	6	2	1	-	4	-	3	-	1	1	4
FEMALE--	19	3	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	12	3	-	-	2	1	2	-	-	-	-	-
FEMALE--	10	5	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	3	-	-	2	1	2	-	-	-	-	-
FEMALE--	10	5	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
COLORADO ----------	1	1	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	1	1	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	1	-	4	1	2	5	3	1	-	-
WHITE------MALE----	2	-	1	-	3	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	-	2	2	7	2	4	4	4	1	2	-
WHITE------MALE----	1	-	-	2	4	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	2	2	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3702

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
HAWAII ----------	6	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	-	-	3	1	-	-	-	1	-	1
WHITE------MALE----	6	-	-	-	3	1	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	74	23	4	-	4	2	6	3	-	2	2	6
WHITE------MALE----	31	5	1	-	3	1	5	3	-	2	2	1
FEMALE--	22	5	2	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	10	6	-	-	1	-	1	-	-	-	-	2
FEMALE--	11	7	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	6	-	-	1	-	1	-	-	-	-	2
FEMALE--	11	7	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	104	33	4	1	-	1	1	-	-	4	2	1
WHITE------MALE----	47	12	-	-	-	-	-	-	-	3	1	-
FEMALE--	36	6	4	1	-	1	1	-	-	1	-	1
ALL OTHER--MALE----	15	12	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	12	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	3	-	-	-	-	-	-	-	-	-	-
IOWA ----------	12	2	-	-	-	-	-	1	1	2	-	-
WHITE------MALE----	6	1	-	-	-	-	-	1	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	17	4	1	-	1	-	-	-	-	-	-	4
WHITE------MALE----	8	3	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	1	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3702

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
HAWAII ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	1	-	-	2	5	1	6	4	2	-	-
WHITE------MALE----	1	-	-	-	1	3	-	1	2	-	-	-
FEMALE--	-	1	-	-	1	2	-	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
INDIANA ----------	5	3	2	7	4	8	8	9	6	3	2	-
WHITE------MALE----	4	3	2	6	2	4	2	3	3	1	1	-
FEMALE--	1	-	-	1	1	2	5	6	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
IOWA ----------	-	-	1	1	1	1	-	-	2	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	1	-	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
KENTUCKY ----------	32	11	2	-	-	-	-	-	-	3	1	2
WHITE------MALE----	19	5	1	-	-	-	-	-	-	3	1	2
FEMALE--	12	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	5	-	-	2	-	-	1	1	-	2	-
WHITE------MALE----	5	1	-	-	2	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	2	-	-	-	-	-	1	1	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	-	-	-	-	-	1	1	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	4	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	24	5	1	1	-	1	-	1	2	2	1	2
WHITE------MALE----	11	2	-	-	-	1	-	-	2	1	-	1
FEMALE--	6	1	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	1	-	-	-	-	-	1	-	-
MASSACHUSETTS ----------	60	3	1	2	-	-	-	1	1	1	1	-
WHITE------MALE----	31	1	-	2	-	-	-	1	1	1	1	-
FEMALE--	27	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	44	14	2	1	1	5	3	1	-	4	3	1
WHITE------MALE----	30	5	2	1	1	5	2	1	-	4	3	1
FEMALE--	8	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
KENTUCKY ----------	2	2	-	1	1	1	2	3	1	-	-	-
WHITE------MALE----	2	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	1	1	2	2	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	4	2	2	5	8	7	9	8	3	-	-
WHITE------MALE----	2	4	1	2	1	5	3	3	2	1	-	-
FEMALE--	-	-	-	-	4	3	4	6	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	3	1	2	-	1	1	-	-	-
WHITE------MALE----	1	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
MINNESOTA ----------	47	12	2	-	2	-	2	-	2	1	1	1
WHITE------MALE----	24	5	-	-	2	-	1	-	2	1	1	-
FEMALE--	13	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	4	1	-	-	-	1	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	7	1	-	2	-	-	-	-	-	3	-
WHITE------MALE----	6	3	-	-	1	-	-	-	-	-	2	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	1	-
MISSOURI ----------	49	10	2	1	2	3	-	1	4	2	5	1
WHITE------MALE----	30	5	1	1	2	2	-	1	3	1	4	1
FEMALE--	13	2	1	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
MONTANA ----------	9	2	-	1	-	1	-	-	-	-	1	-
WHITE------MALE----	5	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	15	2	-	1	3	1	2	-	2	1	-	-
WHITE------MALE----	12	-	-	1	3	1	2	-	2	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	7	5	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	7	5	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3704

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
MINNESOTA ----------	4	3	-	3	1	3	4	3	2	-	1	-
WHITE------MALE----	1	2	-	1	-	3	2	2	-	-	1	-
FEMALE--	1	1	-	2	1	-	2	1	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	1	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSOURI ----------	3	-	1	1	4	2	4	2	1	-	-	-
WHITE------MALE----	3	-	1	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	2	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3705

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
NEW HAMPSHIRE ----------	7	1	-	-	1	2	-	1	1	-	1	-
WHITE------MALE----	6	-	-	-	1	2	-	1	1	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	26	3	3	-	-	1	1	1	1	1	1	1
WHITE------MALE----	16	1	1	-	-	1	1	1	1	1	1	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	10	4	-	-	1	1	-	-	-	-	1	1
WHITE------MALE----	4	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	56	9	1	1	1	2	1	1	2	4	4	5
WHITE------MALE----	33	2	-	-	1	1	1	1	1	3	3	4
FEMALE--	15	3	1	1	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	68	15	5	3	2	1	1	1	1	-	1	-
WHITE------MALE----	29	7	2	2	2	-	-	1	1	-	1	-
FEMALE--	20	1	3	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	5	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	5	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	2	-	2	3	1	3	-	-	-	-
WHITE------MALE----	2	-	2	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	5	3	2	-	4	3	2	1	1	-	-
WHITE------MALE----	2	3	1	2	-	3	1	2	1	1	-	-
FEMALE--	2	-	2	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	3	1	-	2	6	12	4	6	3	1	-	-
WHITE------MALE----	2	-	-	1	2	4	-	1	2	1	-	-
FEMALE--	-	-	-	-	2	5	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	1	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3706

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
OHIO ----------	64	22	2	3	5	2	3	1	1	2	2	3
WHITE------MALE----	41	9	1	3	5	1	3	1	1	2	2	2
FEMALE--	15	7	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	13	3	1	-	2	-	-	-	-	-	-	1
WHITE------MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	3	1	-	-	-	1	1	-	2	-	2
WHITE------MALE----	11	2	-	-	-	-	1	1	-	2	-	2
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	108	9	5	2	2	3	3	8	-	3	4	5
WHITE------MALE----	53	4	2	1	2	3	3	6	-	1	3	5
FEMALE--	41	2	2	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	8	2	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	6	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	7	2	-	-	-	-	-	1	-	1	-	-
RHODE ISLAND ----------	3	-	-	1	-	-	-	1	-	-	1	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	55	17	5	-	-	1	2	3	2	-	3	1
WHITE------MALE----	21	6	2	-	-	1	2	2	1	-	1	1
FEMALE--	12	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	6	2	-	-	-	-	1	1	-	1	-
FEMALE--	7	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	6	2	-	-	-	-	1	1	-	1	-
FEMALE--	7	3	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
OHIO ----------	2	3	2	-	-	2	2	4	2	1	-	-
WHITE------MALE----	2	3	1	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	-	2	1	-	1	-	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	-	-	3	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	2	1	-	6	16	18	13	3	1	-	-
WHITE------MALE----	3	2	1	-	2	4	7	3	1	-	-	-
FEMALE--	-	-	-	-	2	11	10	9	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	1	1	5	1	4	-	3	2	1	1	-
WHITE------MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	2	1	2	-	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-
BLACK---MALE----	-	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
SOUTH DAKOTA ----------	6	1	-	-	1	-	-	1	-	-	-	1
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	28	8	2	2	3	1	-	2	4	1	1	-
WHITE------MALE----	18	2	2	1	3	1	-	2	3	1	1	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	93	26	6	-	3	1	-	1	3	4	6	3
WHITE------MALE----	48	8	2	-	3	1	-	1	3	2	6	3
FEMALE--	30	10	3	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	6	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
UTAH ----------	12	6	1	-	1	-	1	-	-	1	1	1
WHITE------MALE----	8	4	-	-	1	-	1	-	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	21	8	2	1	1	2	2	-	-	-	1	1
WHITE------MALE----	12	5	-	-	1	1	2	-	-	-	-	1
FEMALE--	4	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	1	1	-	-	1	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	4	4	3	3	6	4	7	6	1	-	-
WHITE------MALE----	2	2	4	3	1	1	2	2	2	-	-	-
FEMALE--	-	1	-	-	2	2	2	4	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3708

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
WASHINGTON ----------	28	6	2	1	2	1	1	3	1	3	1	4
WHITE------MALE----	19	1	2	1	1	1	1	3	1	3	1	3
FEMALE--	7	3	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	12	1	1	-	-	-	-	-	-	2	1	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	5	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	44	19	2	1	-	1	3	1	2	1	2	-
WHITE------MALE----	22	8	1	1	-	1	2	1	2	1	2	-
FEMALE--	16	7	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
WASHINGTON ----------	-	1	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	1	-	-	-	3	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	1	-	2	-	3	3	-	1	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3709

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
UNITED STATES -	437	1	6	6	7	32	45	46	41	59	60	45
WHITE------MALE----	374	-	3	5	5	29	40	41	35	55	50	34
FEMALE--	20	-	3	1	1	1	2	2	1	1	3	3
ALL OTHER--MALE----	40	1	-	-	1	2	3	3	4	3	7	8
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	37	1	-	-	1	2	2	3	3	3	7	8
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALABAMA ----------	13	1	-	-	-	1	1	1	1	1	3	1
WHITE------MALE----	10	-	-	-	-	-	1	1	1	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	-	-	1	-	-	1	-	1	1	1	-
WHITE------MALE----	4	-	-	1	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	16	-	-	-	-	2	1	2	-	4	2	2
WHITE------MALE----	13	-	-	-	-	2	1	1	-	2	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	30	-	1	-	1	2	5	5	2	2	4	1
WHITE------MALE----	26	-	1	-	-	2	4	5	1	2	4	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3709

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
UNITED STATES -	17	28	12	11	10	5	4	2	-	-	-	-
WHITE------MALE----	14	25	11	9	9	4	4	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALABAMA ----------	1	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	2	1	1	2	-	1	-	-	-	-	-
WHITE------MALE----	-	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3710

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
COLORADO ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	3	-	-	-	-	-	-	1	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	38	-	-	-	4	-	3	5	4	4	3	6
WHITE------MALE----	28	-	-	-	4	-	3	5	2	4	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	16	-	-	-	-	2	1	2	-	3	2	1
WHITE------MALE----	14	-	-	-	-	2	1	-	-	3	2	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3710

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	3	1	2	-	1	1	-	-	-	-	-
WHITE------MALE----	-	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	17	-	-	-	1	2	4	-	2	1	1	2
WHITE------MALE----	13	-	-	-	-	2	3	-	2	1	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	16	-	1	-	-	3	3	1	-	2	3	-
WHITE------MALE----	15	-	1	-	-	3	3	1	-	1	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	6	-	-	-	-	2	1	-	1	-	2	-
WHITE------MALE----	6	-	-	-	-	2	1	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	1	1	-	-	1	-	-	1	1	-
WHITE------MALE----	3	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	2	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	1	1	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3712

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
KENTUCKY ----------	9	-	-	-	-	3	-	1	-	1	-	3
WHITE------MALE----	9	-	-	-	-	3	-	1	-	1	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	-	-	-	-	1	2	2	1	1	2	1
WHITE------MALE----	10	-	-	-	-	-	2	1	1	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	-	-	-	-	-	-	3	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	5	-	-	-	-	-	-	1	-	3	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	16	-	-	-	-	-	2	2	2	2	2	1
WHITE------MALE----	15	-	-	-	-	-	1	2	2	2	2	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3712

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
KENTUCKY ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	2	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
MINNESOTA ----------	6	-	-	-	-	-	1	1	1	1	1	1
WHITE------MALE----	6	-	-	-	-	-	1	1	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	8	-	-	-	-	-	-	1	1	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MISSOURI ----------	13	-	1	-	-	-	3	2	1	2	3	1
WHITE------MALE----	10	-	-	-	-	-	2	2	1	2	2	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	1	-	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	15	-	-	-	-	1	-	1	3	2	4	2
WHITE------MALE----	12	-	-	-	-	-	-	1	3	2	4	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	16	-	-	-	-	-	-	1	6	4	1	-
WHITE------MALE----	15	-	-	-	-	-	-	1	6	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
OHIO ----------	15	-	-	-	-	4	1	1	-	3	1	2
WHITE------MALE----	15	-	-	-	-	4	1	1	-	3	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	16	-	1	-	-	1	-	1	-	3	4	2
WHITE------MALE----	14	-	-	-	-	1	-	1	-	3	4	2
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	5	-	-	1	-	-	1	-	-	1	1	1
WHITE------MALE----	4	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	-	-	-	-	-	-	1	-	-	2	1
WHITE------MALE----	6	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	-	-	-	-	1	2	1	1	1	1	1
WHITE------MALE----	9	-	-	-	-	1	2	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
OHIO ----------	-	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	2	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	2	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
SOUTH DAKOTA ----------	4	-	-	-	-	1	-	1	-	1	1	-
WHITE------MALE----	4	-	-	-	-	1	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	-	-	1	-	2	2	-	1	-	-	3
WHITE------MALE----	9	-	-	-	-	2	2	-	1	-	-	2
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	49	-	1	1	-	2	7	7	6	5	6	5
WHITE------MALE----	43	-	1	1	-	2	7	6	5	5	3	4
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	3	-	-	1	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	1	-	1	1	3	2	-
WHITE------MALE----	9	-	-	-	-	1	-	1	1	3	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	2	-	1	3	1	1	-	-	-	-	-
WHITE------MALE----	1	2	-	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
WASHINGTON ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	1	2	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	8	-	-	-	-	-	1	-	-	1	1	2
WHITE------MALE----	8	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to electric current (W85-W87)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3718

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
UNITED STATES -	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3720

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3722

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to radiation (W88-W91)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to radiation (W88-W91)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3727

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
UNITED STATES -	3,348	41	302	170	92	88	113	142	140	200	221	198
WHITE------MALE----	1,466	14	103	52	36	47	56	74	82	97	126	106
FEMALE--	914	12	75	44	27	23	27	33	26	44	43	39
ALL OTHER--MALE----	559	7	70	43	16	11	19	19	22	41	36	38
FEMALE--	409	8	54	31	13	7	11	16	10	18	16	15
BLACK---MALE----	510	7	63	43	15	9	15	15	15	39	32	32
FEMALE--	382	8	48	31	13	7	9	14	9	16	15	14
ALABAMA ----------	127	2	11	7	4	1	1	2	9	6	9	5
WHITE------MALE----	48	-	-	3	3	1	1	2	2	2	3	4
FEMALE--	23	-	1	1	-	-	-	-	4	2	2	-
ALL OTHER--MALE----	29	1	7	2	-	-	-	-	2	2	4	1
FEMALE--	27	1	3	1	1	-	-	-	1	-	-	-
BLACK---MALE----	29	1	7	2	-	-	-	-	2	2	4	1
FEMALE--	26	1	3	1	1	-	-	-	1	-	-	-
ALASKA ----------	7	-	-	-	-	-	-	-	3	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	43	2	6	-	2	2	2	3	1	-	2	2
WHITE------MALE----	17	2	2	-	1	1	1	1	-	-	-	1
FEMALE--	15	-	1	-	1	1	1	1	-	-	2	-
ALL OTHER--MALE----	7	-	3	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	38	-	3	2	1	1	2	2	-	1	3	-
WHITE------MALE----	16	-	1	2	-	1	-	2	-	1	1	-
FEMALE--	10	-	2	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA ----------	219	1	15	8	3	4	9	5	10	18	9	10
WHITE------MALE----	105	1	6	2	3	1	5	2	8	11	7	6
FEMALE--	74	-	6	3	-	1	3	1	1	3	1	2
ALL OTHER--MALE----	21	-	1	1	-	2	1	1	1	3	1	1
FEMALE--	19	-	2	2	-	-	-	1	-	1	-	1
BLACK---MALE----	15	-	-	1	-	1	1	-	1	3	1	-
FEMALE--	12	-	1	2	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
UNITED STATES -	170	157	162	193	223	258	229	150	74	18	3	4
WHITE------MALE----	82	74	75	77	92	89	95	52	26	7	1	3
FEMALE--	45	49	37	59	65	98	78	56	27	6	1	-
ALL OTHER--MALE----	28	24	21	34	41	39	24	15	8	2	-	1
FEMALE--	15	10	29	23	25	32	32	27	13	3	1	-
BLACK---MALE----	27	24	20	30	39	36	23	15	8	2	-	1
FEMALE--	14	10	26	22	22	31	30	26	13	3	1	-
ALABAMA ----------	8	8	10	13	11	9	7	2	2	-	-	-
WHITE------MALE----	4	6	4	8	1	3	-	-	1	-	-	-
FEMALE--	1	1	-	2	5	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	4	-	2	-	-	-	-	-
FEMALE--	2	1	5	1	1	4	4	1	1	-	-	-
BLACK---MALE----	1	-	1	2	4	-	2	-	-	-	-	-
FEMALE--	2	1	4	1	1	4	4	1	1	-	-	-
ALASKA ----------	-	-	-	2	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	3	3	3	2	2	3	3	-	1	-	-
WHITE------MALE----	1	2	1	1	-	-	1	1	-	1	-	-
FEMALE--	-	1	2	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS ----------	2	1	-	-	4	5	6	4	-	1	-	-
WHITE------MALE----	-	-	-	-	1	2	2	3	-	-	-	-
FEMALE--	2	-	-	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA ----------	12	11	11	12	20	23	15	12	5	4	1	1
WHITE------MALE----	4	3	5	6	8	12	5	6	2	1	-	1
FEMALE--	7	7	5	5	6	9	7	3	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	2	1	2	1	-	1	-	-
FEMALE--	1	-	1	-	4	1	1	2	-	1	1	-
BLACK---MALE----	-	1	-	1	1	1	1	1	-	1	-	-
FEMALE--	1	-	1	-	1	1	1	1	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
COLORADO ----------	26	-	5	1	-	-	-	-	-	2	3	2
WHITE------MALE----	15	-	3	1	-	-	-	-	-	1	2	2
FEMALE--	9	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	30	-	-	2	-	1	-	2	-	2	1	2
WHITE------MALE----	14	-	-	2	-	1	-	1	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	12	-	2	-	-	-	-	2	1	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	2	1	-	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
FLORIDA ----------	117	1	12	4	5	2	4	5	3	3	10	8
WHITE------MALE----	40	-	3	-	3	2	2	3	1	1	4	2
FEMALE--	30	-	2	3	1	-	-	-	-	1	4	1
ALL OTHER--MALE----	33	-	4	1	1	-	2	1	2	1	1	4
FEMALE--	14	1	3	-	-	-	-	1	-	-	1	1
BLACK---MALE----	31	-	4	1	1	-	2	1	2	-	1	3
FEMALE--	14	1	3	-	-	-	-	1	-	-	1	1
GEORGIA ----------	121	-	4	3	1	3	3	1	1	9	7	12
WHITE------MALE----	47	-	2	1	1	2	2	1	1	3	3	5
FEMALE--	24	-	1	1	-	1	-	-	-	-	1	3
ALL OTHER--MALE----	29	-	-	1	-	-	-	-	-	4	3	4
FEMALE--	21	-	1	-	-	-	1	-	-	2	-	-
BLACK---MALE----	29	-	-	1	-	-	-	-	-	4	3	4
FEMALE--	21	-	1	-	-	-	1	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
COLORADO ----------	1	-	3	3	-	1	3	-	2	-	-	-
WHITE------MALE----	1	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	2	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	3	3	4	2	3	3	-	-	-
WHITE------MALE----	-	-	-	1	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
DELAWARE ----------	1	1	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
FLORIDA ----------	9	8	5	4	7	9	9	5	2	-	-	2
WHITE------MALE----	3	3	2	1	4	1	4	-	-	-	-	1
FEMALE--	5	4	1	-	2	2	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	2	2	1	4	2	2	1	-	-	1
FEMALE--	-	1	-	1	-	2	1	2	-	-	-	-
BLACK---MALE----	1	-	2	2	1	4	2	2	1	-	-	1
FEMALE--	-	1	-	1	-	2	1	2	-	-	-	-
GEORGIA ----------	8	9	8	5	11	11	8	10	5	1	1	-
WHITE------MALE----	4	3	3	2	5	1	3	3	2	-	-	-
FEMALE--	-	3	2	1	2	5	-	2	1	-	1	-
ALL OTHER--MALE----	3	3	1	-	2	3	2	1	2	-	-	-
FEMALE--	1	-	2	2	2	2	3	4	-	1	-	-
BLACK---MALE----	3	3	1	-	2	3	2	1	2	-	-	-
FEMALE--	1	-	2	2	2	2	3	4	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
HAWAII ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	12	-	1	2	1	-	-	-	2	-	-	-
WHITE------MALE----	8	-	1	-	1	-	-	-	2	-	-	-
FEMALE--	3	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	157	1	17	9	4	4	2	6	7	10	9	10
WHITE------MALE----	56	-	3	-	-	2	-	4	3	2	5	4
FEMALE--	40	1	4	3	-	1	-	2	-	-	2	3
ALL OTHER--MALE----	33	-	6	2	2	1	1	-	1	6	1	2
FEMALE--	28	-	4	4	2	-	1	-	3	2	1	1
BLACK---MALE----	33	-	6	2	2	1	1	-	1	6	1	2
FEMALE--	28	-	4	4	2	-	1	-	3	2	1	1
INDIANA ----------	89	-	11	9	1	-	4	7	5	7	4	1
WHITE------MALE----	43	-	4	3	-	-	4	4	3	5	1	1
FEMALE--	26	-	1	3	-	-	-	2	2	2	2	-
ALL OTHER--MALE----	12	-	4	3	-	-	-	1	-	-	-	-
FEMALE--	8	-	2	-	1	-	-	-	-	-	1	-
BLACK---MALE----	12	-	4	3	-	-	-	1	-	-	-	-
FEMALE--	8	-	2	-	1	-	-	-	-	-	1	-
IOWA ----------	43	-	4	1	1	-	1	6	2	2	2	2
WHITE------MALE----	21	-	2	-	-	-	-	2	1	2	1	2
FEMALE--	20	-	2	1	1	-	1	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
KANSAS ----------	28	-	1	1	-	1	1	1	1	4	-	-
WHITE------MALE----	19	-	1	1	-	1	-	1	-	3	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	3	1	-	-	1	-	-	-	-	1
WHITE------MALE----	-	-	2	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	7	8	10	10	13	9	11	2	-	-	-
WHITE------MALE----	7	2	6	2	2	2	5	6	1	-	-	-
FEMALE--	-	4	1	2	3	7	1	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	3	4	2	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	3	4	2	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	2	2	-	-	-	-	-
INDIANA ----------	3	3	4	6	9	6	4	3	2	-	-	-
WHITE------MALE----	1	1	2	3	6	2	2	1	-	-	-	-
FEMALE--	-	1	1	3	2	1	2	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
IOWA ----------	2	3	-	2	3	3	6	3	-	-	-	-
WHITE------MALE----	1	2	-	1	2	1	4	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	3	2	2	3	-	5	3	-	-	-	-
WHITE------MALE----	-	2	1	2	1	-	4	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
KENTUCKY ----------	68	1	7	8	2	2	1	5	4	4	3	3
WHITE------MALE----	33	-	1	3	-	2	-	4	2	3	3	2
FEMALE--	21	1	3	1	2	-	1	-	2	1	-	-
ALL OTHER--MALE----	8	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	2	-	-	-	1	-	-	-	1
BLACK---MALE----	8	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	2	-	-	-	1	-	-	-	-
LOUISIANA ----------	82	1	7	8	4	2	-	2	2	5	10	3
WHITE------MALE----	23	-	1	3	1	-	-	-	2	-	4	-
FEMALE--	11	-	-	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	24	-	3	1	1	-	-	1	-	2	4	2
FEMALE--	24	1	3	4	2	1	-	1	-	1	1	1
BLACK---MALE----	23	-	3	1	1	-	-	-	-	2	4	2
FEMALE--	24	1	3	4	2	1	-	1	-	1	1	1
MAINE ----------	22	-	-	-	1	-	3	1	-	1	4	-
WHITE------MALE----	17	-	-	-	1	-	2	1	-	1	4	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	70	1	7	4	5	1	-	5	2	4	5	7
WHITE------MALE----	23	1	2	1	4	-	-	1	-	3	1	4
FEMALE--	15	-	-	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	18	-	3	1	-	-	-	3	1	-	2	1
FEMALE--	14	-	2	1	-	-	-	1	-	1	2	2
BLACK---MALE----	16	-	3	1	-	-	-	3	1	-	-	1
FEMALE--	14	-	2	1	-	-	-	1	-	1	2	2
MASSACHUSETTS ----------	48	-	2	1	1	1	2	3	3	4	6	1
WHITE------MALE----	28	-	-	-	-	1	2	2	2	2	5	1
FEMALE--	15	-	-	-	1	-	-	1	-	2	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN ----------	181	4	22	11	7	13	12	8	7	8	11	13
WHITE------MALE----	83	1	8	2	3	9	3	6	5	4	6	7
FEMALE--	48	1	4	3	2	2	4	1	2	3	2	2
ALL OTHER--MALE----	22	1	4	4	1	2	2	1	-	1	2	2
FEMALE--	28	1	6	2	1	-	3	-	-	-	1	2
BLACK---MALE----	21	1	4	4	1	1	2	1	-	1	2	2
FEMALE--	27	1	6	2	1	-	2	-	-	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3730

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
KENTUCKY ----------	2	6	2	2	4	8	2	2	-	-	-	-
WHITE------MALE----	1	4	1	-	2	3	-	2	-	-	-	-
FEMALE--	1	-	-	2	1	5	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA ----------	4	3	1	3	8	10	4	1	3	1	-	-
WHITE------MALE----	2	2	-	1	2	3	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	4	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	1	-	1	-	-
BLACK---MALE----	2	-	1	-	4	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	1	-	1	-	-
MAINE ----------	1	2	1	2	5	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	2	4	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	2	2	2	6	6	3	2	2	1	-	-
WHITE------MALE----	-	1	1	-	3	-	-	-	1	-	-	-
FEMALE--	2	1	1	1	2	3	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
MASSACHUSETTS ----------	3	4	2	2	-	7	3	2	1	-	-	-
WHITE------MALE----	2	3	1	1	-	4	2	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	9	9	8	9	8	7	6	5	3	1	-	-
WHITE------MALE----	2	4	5	4	5	4	3	1	-	1	-	-
FEMALE--	4	4	1	3	2	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	2	2	-	1	1	1	2	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	2	2	-	1	1	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
MINNESOTA ----------	47	1	3	3	1	1	2	1	2	-	2	4
WHITE------MALE----	26	-	2	1	1	-	-	1	1	-	2	3
FEMALE--	20	1	1	1	-	1	2	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	84	2	7	3	6	4	4	5	2	5	3	6
WHITE------MALE----	28	2	-	1	-	1	2	2	1	2	1	3
FEMALE--	11	-	1	-	5	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	3	-	1	3	1	1	-	2	2	1
FEMALE--	21	-	3	2	-	-	1	2	1	1	-	2
BLACK---MALE----	24	-	3	-	1	3	1	1	-	2	2	1
FEMALE--	21	-	3	2	-	-	1	2	1	1	-	2
MISSOURI ----------	76	2	8	2	3	6	2	5	9	5	5	3
WHITE------MALE----	45	-	3	1	1	5	2	2	7	3	2	1
FEMALE--	14	-	1	-	1	1	-	2	-	1	1	2
ALL OTHER--MALE----	11	1	3	1	-	-	-	1	2	1	1	-
FEMALE--	6	1	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	9	1	3	1	-	-	-	-	1	1	1	-
FEMALE--	6	1	1	-	1	-	-	-	-	-	1	-
MONTANA ----------	12	-	1	-	-	-	-	-	-	3	1	3
WHITE------MALE----	7	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	14	-	3	1	-	-	1	1	-	-	-	-
WHITE------MALE----	7	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	14	2	3	2	-	-	-	1	1	1	-	-
WHITE------MALE----	10	-	2	2	-	-	-	1	1	1	-	-
FEMALE--	4	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
MINNESOTA ----------	-	2	4	5	3	4	5	2	2	-	-	-
WHITE------MALE----	-	2	2	1	2	3	2	2	1	-	-	-
FEMALE--	-	-	2	4	1	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	4	4	2	6	2	5	7	3	-	-	-
WHITE------MALE----	1	3	2	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	2	-	-	4	1	-	-	-
BLACK---MALE----	3	1	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	2	-	-	4	1	-	-	-
MISSOURI ----------	2	1	3	1	2	6	6	4	1	-	-	-
WHITE------MALE----	1	1	2	1	2	5	5	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MONTANA ----------	-	1	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	1	-	2	1	2	-	-	-	-	-
WHITE------MALE----	2	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
NEW HAMPSHIRE ----------	8	-	1	-	-	-	1	-	-	-	1	-
WHITE------MALE----	4	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	74	1	5	3	-	2	2	4	1	5	3	1
WHITE------MALE----	33	-	-	-	-	-	-	3	1	3	2	-
FEMALE--	23	1	1	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	9	-	2	2	-	-	2	-	-	1	-	1
FEMALE--	9	-	2	-	-	2	-	-	-	-	1	-
BLACK---MALE----	9	-	2	2	-	-	2	-	-	1	-	1
FEMALE--	9	-	2	-	-	2	-	-	-	-	1	-
NEW MEXICO ----------	11	-	-	-	-	-	1	1	1	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	203	3	20	11	7	3	7	3	10	11	16	14
WHITE------MALE----	88	1	7	3	2	2	4	1	7	6	8	8
FEMALE--	61	-	3	2	1	1	1	1	2	3	4	3
ALL OTHER--MALE----	29	1	6	3	2	-	1	-	1	2	4	2
FEMALE--	25	1	4	3	2	-	1	1	-	-	-	1
BLACK---MALE----	24	1	5	3	2	-	1	-	-	2	3	1
FEMALE--	24	1	3	3	2	-	1	1	-	-	-	1
NORTH CAROLINA ---------	143	1	6	4	-	2	5	9	9	13	10	12
WHITE------MALE----	54	1	2	-	-	2	3	5	4	3	4	6
FEMALE--	25	-	-	2	-	-	2	-	1	2	1	2
ALL OTHER--MALE----	42	-	1	2	-	-	-	3	3	4	2	4
FEMALE--	22	-	3	-	-	-	-	1	1	4	3	-
BLACK---MALE----	41	-	1	2	-	-	-	3	2	4	2	4
FEMALE--	19	-	1	-	-	-	-	1	1	3	3	-
NORTH DAKOTA ----------	7	-	-	-	-	-	1	1	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
NEW HAMPSHIRE ----------	1	-	1	-	-	-	1	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	6	2	5	6	8	8	3	3	1	-	-
WHITE------MALE----	5	2	1	3	2	5	2	1	2	1	-	-
FEMALE--	-	3	1	2	3	3	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
NEW MEXICO ----------	1	-	1	2	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	8	12	14	6	16	17	10	6	-	1	-
WHITE------MALE----	6	3	6	7	2	5	4	2	3	-	1	-
FEMALE--	-	3	2	4	3	7	11	7	3	-	-	-
ALL OTHER--MALE----	-	2	-	3	1	1	-	-	-	-	-	-
FEMALE--	2	-	4	-	-	3	2	1	-	-	-	-
BLACK---MALE----	-	2	-	3	-	1	-	-	-	-	-	-
FEMALE--	2	-	4	-	-	3	2	1	-	-	-	-
NORTH CAROLINA ---------	14	6	6	10	12	12	9	2	-	1	-	-
WHITE------MALE----	5	2	2	3	4	3	4	1	-	-	-	-
FEMALE--	4	2	-	-	3	3	1	1	-	1	-	-
ALL OTHER--MALE----	4	2	4	2	4	3	4	-	-	-	-	-
FEMALE--	1	-	-	5	1	3	-	-	-	-	-	-
BLACK---MALE----	4	2	4	2	4	3	4	-	-	-	-	-
FEMALE--	1	-	-	5	1	3	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
OHIO ----------	147	4	14	8	7	8	3	10	6	9	9	9
WHITE------MALE----	68	2	4	3	2	3	3	3	4	4	5	6
FEMALE--	47	2	6	3	4	3	-	3	1	5	1	1
ALL OTHER--MALE----	18	-	2	1	-	-	-	3	-	-	3	2
FEMALE--	14	-	2	1	1	2	-	1	1	-	-	-
BLACK---MALE----	16	-	1	1	-	-	-	3	-	-	2	2
FEMALE--	13	-	2	1	1	2	-	1	1	-	-	-
OKLAHOMA ----------	64	-	6	3	-	5	3	3	3	3	8	5
WHITE------MALE----	33	-	3	2	-	2	2	2	1	1	7	3
FEMALE--	20	-	2	1	-	2	1	1	1	2	1	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	31	-	2	3	2	-	2	-	2	3	3	-
WHITE------MALE----	17	-	1	2	2	-	2	-	1	2	2	-
FEMALE--	14	-	1	1	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	162	4	17	10	5	2	6	8	7	6	8	10
WHITE------MALE----	61	1	4	2	1	-	1	4	4	3	5	5
FEMALE--	60	-	8	2	-	1	3	4	3	1	2	3
ALL OTHER--MALE----	29	2	4	4	3	1	1	-	-	1	1	1
FEMALE--	12	1	1	2	1	-	1	-	-	1	-	1
BLACK---MALE----	29	2	4	4	3	1	1	-	-	1	1	1
FEMALE--	11	1	1	2	1	-	-	-	-	1	-	1
RHODE ISLAND ----------	6	-	-	-	1	-	1	-	-	-	-	1
WHITE------MALE----	5	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	92	-	5	4	1	1	3	2	4	6	8	8
WHITE------MALE----	30	-	1	1	-	-	1	2	2	1	5	3
FEMALE--	18	-	1	2	-	-	1	-	1	1	3	2
ALL OTHER--MALE----	26	-	3	1	1	-	1	-	1	2	-	3
FEMALE--	18	-	-	-	-	1	-	-	-	2	-	-
BLACK---MALE----	26	-	3	1	1	-	1	-	1	2	-	3
FEMALE--	18	-	-	-	-	1	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
OHIO ----------	6	7	6	11	2	7	12	5	4	-	-	-
WHITE------MALE----	3	2	3	7	-	5	6	1	2	-	-	-
FEMALE--	2	4	-	3	-	1	4	3	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
OKLAHOMA ----------	5	1	2	2	5	5	3	1	1	-	-	-
WHITE------MALE----	3	-	1	-	4	-	1	1	-	-	-	-
FEMALE--	2	1	-	1	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
OREGON ----------	2	-	-	-	3	4	2	2	1	-	-	-
WHITE------MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	13	1	9	12	9	10	19	2	4	-	-	-
WHITE------MALE----	8	-	5	2	4	2	8	-	2	-	-	-
FEMALE--	3	1	2	5	2	6	10	2	2	-	-	-
ALL OTHER--MALE----	2	-	-	4	3	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	4	3	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	7	5	5	5	6	10	6	2	-	-	-
WHITE------MALE----	3	4	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	4	1	1	2	2	1	-	-	-
FEMALE--	-	2	2	1	1	1	5	2	1	-	-	-
BLACK---MALE----	1	1	1	4	1	1	2	2	1	-	-	-
FEMALE--	-	2	2	1	1	1	5	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
SOUTH DAKOTA ----------	9	-	2	-	1	-	2	-	1	-	-	-
WHITE------MALE----	6	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	147	2	19	10	3	4	6	4	3	13	7	7
WHITE------MALE----	64	-	9	2	-	1	4	1	2	9	4	5
FEMALE--	40	1	3	1	2	2	1	3	-	2	1	1
ALL OTHER--MALE----	24	-	4	3	-	1	1	-	-	2	1	-
FEMALE--	19	1	3	4	1	-	-	-	1	-	1	1
BLACK---MALE----	24	-	4	3	-	1	1	-	-	2	1	-
FEMALE--	19	1	3	4	1	-	-	-	1	-	1	1
TEXAS ----------	218	1	27	17	5	7	7	6	3	11	13	11
WHITE------MALE----	96	1	17	5	-	4	3	2	2	5	10	6
FEMALE--	59	-	5	4	3	3	1	4	-	3	1	4
ALL OTHER--MALE----	40	-	3	7	2	-	2	-	1	3	-	1
FEMALE--	23	-	2	1	-	-	1	-	-	-	2	-
BLACK---MALE----	38	-	3	7	2	-	1	-	1	3	-	1
FEMALE--	23	-	2	1	-	-	1	-	-	-	2	-
UTAH ----------	4	-	2	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA ----------	81	2	3	2	1	1	1	2	5	4	10	5
WHITE------MALE----	27	-	1	1	1	-	1	-	4	1	5	2
FEMALE--	18	1	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	19	1	-	-	-	-	-	1	-	2	2	2
FEMALE--	17	-	2	1	-	1	-	1	1	1	-	-
BLACK---MALE----	19	1	-	-	-	-	-	1	-	2	2	2
FEMALE--	17	-	2	1	-	1	-	1	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
SOUTH DAKOTA ----------	-	1	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	4	12	10	10	8	6	8	-	3	-	-
WHITE------MALE----	2	2	4	1	4	3	3	6	-	2	-	-
FEMALE--	1	1	3	6	4	3	3	2	-	-	-	-
ALL OTHER--MALE----	4	1	3	1	-	2	-	-	-	1	-	-
FEMALE--	1	-	2	2	2	-	-	-	-	-	-	-
BLACK---MALE----	4	1	3	1	-	2	-	-	-	1	-	-
FEMALE--	1	-	2	2	2	-	-	-	-	-	-	-
TEXAS ----------	5	10	11	11	13	23	12	19	6	-	-	-
WHITE------MALE----	3	3	4	5	2	9	6	6	3	-	-	-
FEMALE--	2	3	3	4	3	7	4	4	1	-	-	-
ALL OTHER--MALE----	-	2	3	1	5	5	-	4	1	-	-	-
FEMALE--	-	2	1	1	3	2	2	5	1	-	-	-
BLACK---MALE----	-	2	3	1	5	4	-	4	1	-	-	-
FEMALE--	-	2	1	1	3	2	2	5	1	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	5	4	7	6	8	5	2	3	1	-	-
WHITE------MALE----	-	1	3	3	1	-	3	-	-	-	-	-
FEMALE--	2	1	1	1	2	4	1	-	-	1	-	-
ALL OTHER--MALE----	2	2	-	2	3	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	3	1	2	2	-	-	-
BLACK---MALE----	2	2	-	2	3	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	3	1	2	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
WASHINGTON ----------	51	-	5	1	2	1	4	4	2	2	4	3
WHITE------MALE----	29	-	1	1	2	1	1	3	2	1	3	2
FEMALE--	20	-	4	-	-	-	2	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	37	-	2	1	1	-	1	1	-	3	4	6
WHITE------MALE----	20	-	-	-	-	-	1	1	-	1	4	1
FEMALE--	15	-	2	1	1	-	-	-	-	2	-	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	51	2	4	1	3	3	-	5	4	2	5	5
WHITE------MALE----	28	1	2	1	1	2	-	1	2	1	3	4
FEMALE--	15	1	1	-	-	1	-	2	2	-	1	1
ALL OTHER--MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	1	1	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	1	-	-
WYOMING ----------	4	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
WASHINGTON ----------	2	2	-	2	4	6	2	2	2	1	-	-
WHITE------MALE----	1	2	-	2	1	3	2	1	-	-	-	-
FEMALE--	1	-	-	-	3	3	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	4	1	4	3	1	3	-	-	1	-	-
WHITE------MALE----	1	4	-	2	2	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	1	1	1	6	1	3	1	1	-	-	-
WHITE------MALE----	2	1	-	-	5	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3736

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
UNITED STATES -	123	3	6	1	-	-	2	3	3	2	7	6
WHITE------MALE----	40	-	2	1	-	-	2	-	2	2	5	1
FEMALE--	47	1	1	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	21	1	2	-	-	-	-	1	1	-	-	2
FEMALE--	15	1	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	18	-	2	-	-	-	-	1	1	-	-	1
FEMALE--	11	1	1	-	-	-	-	1	-	-	1	-
ALABAMA ----------	5	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	18	1	1	-	-	-	1	-	-	-	1	1
WHITE------MALE----	6	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
UNITED STATES -	3	9	6	9	9	7	19	16	9	3	-	-
WHITE------MALE----	-	4	1	3	3	4	6	1	3	-	-	-
FEMALE--	1	2	2	2	4	2	9	10	6	2	-	-
ALL OTHER--MALE----	2	3	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	4	-	1	-	-
BLACK---MALE----	2	3	2	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	1	-	1	-	-
ALABAMA ----------	-	1	-	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	-	-	-	-	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	2	-	1	1	2	1	4	1	1	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	-	-	1	-	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	1	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
INDIANA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
HAWAII ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
INDIANA ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
KENTUCKY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3740

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	4	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	1	2	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	1	2	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	1	1	-	1	2	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	-	-	-	-	-	-	1	-	-	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
OHIO ----------	-	1	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	8	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	-	1	-	1	1	-	1	-	-
WHITE------MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS ----------	-	1	2	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3744

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental contact with heat and hot substances (X10-X19)												
WASHINGTON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
UNITED STATES -	64	-	1	1	4	4	6	4	10	10	7	5
WHITE------MALE----	48	-	-	1	1	4	5	4	6	8	5	5
FEMALE--	9	-	-	-	3	-	-	-	2	1	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	-	-	-	-	-	-	-	2	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
UNITED STATES -	5	5	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	3	4	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
COLORADO ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	6	-	-	-	2	1	1	-	-	1	1	-
WHITE------MALE----	5	-	-	-	1	1	1	-	-	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	3	-	-	-	-	-	-	1	2	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
OHIO ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
OHIO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	6	-	-	-	-	-	1	2	-	1	-	1
WHITE------MALE----	5	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lightning (X33)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lightning (X33)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3754

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
UNITED STATES -	46	-	-	1	-	4	10	8	6	7	3	3
WHITE------MALE----	39	-	-	-	-	4	8	8	5	5	3	3
FEMALE--	5	-	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	12	-	-	-	-	-	1	4	2	3	1	1
WHITE------MALE----	11	-	-	-	-	-	1	4	1	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	-	-	-	-	-	3	-	1	2	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
UNITED STATES -	1	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
COLORADO ----------	8	-	-	-	-	-	4	1	1	-	1	1
WHITE------MALE----	8	-	-	-	-	-	4	1	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3756

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
HAWAII ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	2	1	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
WASHINGTON ----------	4	-	-	-	-	2	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
UNITED STATES -	144	3	2	3	3	2	6	10	4	14	18	10
WHITE------MALE----	62	3	-	1	1	2	5	3	2	6	7	2
FEMALE--	55	-	1	1	2	-	-	5	1	6	7	5
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	10	-	1	1	-	-	1	2	1	1	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	7	-	-	1	-	-	1	1	1	-	-	1
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	10	1	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	6	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
UNITED STATES -	15	10	8	10	4	9	7	4	1	1	-	-
WHITE------MALE----	5	3	5	3	2	4	6	1	-	1	-	-
FEMALE--	5	6	2	6	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	4	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	1	4	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3764

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
COLORADO ----------	2	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	-	-	-	1	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	5	-	1	-	-	-	-	2	-	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	1	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	6	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	7	-	-	-	1	-	-	1	-	2	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	24	-	-	1	-	-	1	-	1	1	4	2
WHITE------MALE----	10	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	2	4	-	1	3	1	1	-	-	-	-
WHITE------MALE----	-	1	3	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
OHIO ----------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	43	1	1	1	-	-	2	3	1	4	5	2
WHITE------MALE----	16	1	-	1	-	-	2	1	1	2	-	-
FEMALE--	23	-	-	-	-	-	-	1	-	1	5	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
OHIO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	5	3	3	3	2	2	2	2	1	-	-	-
WHITE------MALE----	2	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	3	3	2	2	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	-	-	1	1	-	-	1	1	-	2	4
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	9	-	-	1	1	-	-	1	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	8	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	3	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cataclysmic storm and flood (X37-X38)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3772

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
UNITED STATES -	12,186	12	34	12	28	260	704	952	1,403	2,082	2,467	1,926
WHITE------MALE----	7,240	9	9	1	16	173	489	656	895	1,289	1,488	1,125
FEMALE--	2,643	1	11	3	7	58	123	160	254	445	491	368
ALL OTHER--MALE----	1,647	2	8	5	3	22	70	101	176	234	338	331
FEMALE--	656	-	6	3	2	7	22	35	78	114	150	102
BLACK---MALE----	1,494	1	7	4	2	15	62	87	150	207	312	315
FEMALE--	568	-	5	2	-	3	14	28	71	98	133	96
ALABAMA ----------	145	-	2	-	-	2	10	14	16	21	21	16
WHITE------MALE----	61	-	-	-	-	-	7	6	9	11	8	7
FEMALE--	45	-	1	-	-	1	2	3	3	4	9	4
ALL OTHER--MALE----	24	-	-	-	-	-	1	3	3	4	2	4
FEMALE--	15	-	1	-	-	1	-	2	1	2	2	1
BLACK---MALE----	24	-	-	-	-	-	1	3	3	4	2	4
FEMALE--	15	-	1	-	-	1	-	2	1	2	2	1
ALASKA ----------	49	-	2	1	-	1	3	4	9	9	7	6
WHITE------MALE----	16	-	-	-	-	-	1	1	4	3	3	2
FEMALE--	7	-	-	-	-	-	-	1	-	3	1	1
ALL OTHER--MALE----	9	-	1	1	-	-	1	1	2	-	-	1
FEMALE--	17	-	1	-	-	1	1	1	3	3	3	2
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARIZONA ----------	387	-	-	1	2	6	24	40	41	65	94	64
WHITE------MALE----	277	-	-	-	-	4	16	28	27	45	72	54
FEMALE--	67	-	-	-	1	1	5	5	11	10	16	6
ALL OTHER--MALE----	30	-	-	-	-	1	2	6	2	8	3	3
FEMALE--	13	-	-	1	1	-	1	1	1	2	3	1
BLACK---MALE----	15	-	-	-	-	-	1	3	-	6	1	1
FEMALE--	6	-	-	-	-	-	1	1	1	-	2	-
ARKANSAS ----------	35	-	1	-	-	-	3	1	2	4	7	3
WHITE------MALE----	18	-	-	-	-	-	2	-	1	2	4	2
FEMALE--	9	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	6	-	1	-	-	-	1	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	1	-	-	-	1	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	2,248	1	4	-	4	31	93	136	251	382	469	418
WHITE------MALE----	1,445	1	2	-	3	18	70	92	188	255	291	274
FEMALE--	498	-	-	-	1	10	18	30	39	88	109	78
ALL OTHER--MALE----	202	-	1	-	-	1	4	8	17	20	43	47
FEMALE--	103	-	1	-	-	2	1	6	7	19	26	19
BLACK---MALE----	161	-	1	-	-	-	2	5	11	14	33	43
FEMALE--	83	-	1	-	-	1	-	5	6	14	24	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3772

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
UNITED STATES -	918	449	219	158	142	138	127	100	31	12	-	12
WHITE------MALE----	469	221	100	77	61	58	49	35	10	4	-	6
FEMALE--	216	132	57	50	52	70	68	49	19	6	-	3
ALL OTHER--MALE----	181	77	50	21	13	5	4	3	-	1	-	2
FEMALE--	52	19	12	10	16	5	6	13	2	1	-	1
BLACK---MALE----	170	70	47	18	12	5	4	3	-	1	-	2
FEMALE--	47	15	12	8	12	5	4	11	2	1	-	1
ALABAMA ----------	14	4	4	3	7	5	3	2	1	-	-	-
WHITE------MALE----	3	-	3	3	3	1	-	-	-	-	-	-
FEMALE--	5	4	-	-	2	3	3	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	4	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	1	-	-	-
ALASKA ----------	3	2	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	28	8	4	2	2	3	1	-	1	-	-	1
WHITE------MALE----	21	4	3	-	1	2	-	-	-	-	-	-
FEMALE--	4	3	1	-	-	1	1	-	1	-	-	1
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	2	1	3	2	1	2	-	-	-	-	-
WHITE------MALE----	3	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	211	112	52	26	18	15	10	9	3	1	-	2
WHITE------MALE----	120	73	28	11	5	6	2	4	-	1	-	1
FEMALE--	53	22	13	8	8	8	6	4	3	-	-	-
ALL OTHER--MALE----	30	13	8	5	4	-	-	-	-	-	-	1
FEMALE--	8	4	3	2	1	1	2	1	-	-	-	-
BLACK---MALE----	26	11	7	4	3	-	-	-	-	-	-	1
FEMALE--	8	3	3	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
COLORADO ----------	222	-	1	-	1	5	8	15	26	33	41	49
WHITE------MALE----	140	-	1	-	-	1	7	13	14	21	28	30
FEMALE--	57	-	-	-	-	2	-	2	9	10	7	13
ALL OTHER--MALE----	18	-	-	-	-	1	1	-	3	1	5	4
FEMALE--	7	-	-	-	1	1	-	-	-	1	1	2
BLACK---MALE----	15	-	-	-	-	-	1	-	1	1	5	4
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	2
CONNECTICUT ----------	239	-	-	-	-	5	17	19	35	56	46	34
WHITE------MALE----	154	-	-	-	-	5	12	17	19	37	31	24
FEMALE--	41	-	-	-	-	-	2	-	4	12	7	3
ALL OTHER--MALE----	28	-	-	-	-	-	3	2	7	3	8	3
FEMALE--	16	-	-	-	-	-	-	-	5	4	-	4
BLACK---MALE----	28	-	-	-	-	-	3	2	7	3	8	3
FEMALE--	16	-	-	-	-	-	-	-	5	4	-	4
DELAWARE ----------	47	-	1	-	-	2	4	3	4	8	7	10
WHITE------MALE----	25	-	1	-	-	1	3	2	4	4	5	5
FEMALE--	12	-	-	-	-	1	1	1	-	2	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	50	-	-	-	-	-	-	2	3	8	8	9
WHITE------MALE----	5	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	2	6	7	9
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	-	1	2	6	7	9
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	728	1	3	2	2	27	53	76	74	118	134	109
WHITE------MALE----	450	1	-	1	1	17	41	58	45	69	87	73
FEMALE--	203	-	2	-	-	9	8	16	17	37	34	27
ALL OTHER--MALE----	43	-	1	-	1	1	3	1	7	6	8	4
FEMALE--	32	-	-	1	-	-	1	1	5	6	5	5
BLACK---MALE----	42	-	1	-	1	1	3	1	6	6	8	4
FEMALE--	29	-	-	1	-	-	-	1	5	6	4	5
GEORGIA ----------	256	3	3	3	2	4	19	16	28	41	46	40
WHITE------MALE----	115	2	1	-	1	3	13	11	14	18	20	19
FEMALE--	68	-	1	-	-	1	3	4	5	10	15	9
ALL OTHER--MALE----	54	1	1	2	1	-	3	1	7	9	9	11
FEMALE--	19	-	-	1	-	-	-	-	2	4	2	1
BLACK---MALE----	52	-	1	2	1	-	3	1	7	8	9	11
FEMALE--	19	-	-	1	-	-	-	-	2	4	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
COLORADO ----------	20	8	5	1	2	3	1	1	1	1	-	-
WHITE------MALE----	12	3	5	1	1	2	-	1	-	-	-	-
FEMALE--	6	3	-	-	1	1	1	-	1	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	12	3	3	-	1	-	6	2	-	-	-	-
WHITE------MALE----	3	3	1	-	-	-	2	-	-	-	-	-
FEMALE--	5	-	1	-	1	-	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	3	-	-	-	3	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	9	4	2	2	1	-	-	1	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	7	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	1	-	-	-	-
FLORIDA ----------	42	20	11	12	13	10	7	7	4	2	-	1
WHITE------MALE----	25	7	5	6	4	2	5	2	-	1	-	-
FEMALE--	11	10	2	5	8	7	1	3	4	1	-	1
ALL OTHER--MALE----	3	2	3	-	-	1	1	1	-	-	-	-
FEMALE--	3	1	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	3	2	3	-	-	1	1	1	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	1	-	-	-	-
GEORGIA ----------	17	10	5	1	4	5	3	2	2	2	-	-
WHITE------MALE----	4	4	1	-	2	1	1	-	-	-	-	-
FEMALE--	5	3	3	-	-	3	2	2	1	1	-	-
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	1	-	-	1	1	-	-
BLACK---MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	1	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
HAWAII ----------	36	-	-	-	-	-	3	5	3	4	9	7
WHITE------MALE----	17	-	-	-	-	-	2	-	1	2	5	5
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	2	2	-	2	2
FEMALE--	5	-	-	-	-	-	1	2	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
IDAHO ----------	44	-	1	-	-	-	4	1	4	9	5	9
WHITE------MALE----	27	-	-	-	-	-	3	1	3	5	4	6
FEMALE--	16	-	1	-	-	-	-	-	1	4	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	733	1	1	-	1	18	57	64	98	123	153	122
WHITE------MALE----	362	1	-	-	1	13	41	38	45	69	67	53
FEMALE--	94	-	-	-	-	4	7	4	15	16	17	14
ALL OTHER--MALE----	207	-	1	-	-	1	7	19	24	24	50	45
FEMALE--	70	-	-	-	-	-	2	3	14	14	19	10
BLACK---MALE----	204	-	1	-	-	-	7	19	24	24	49	45
FEMALE--	70	-	-	-	-	-	2	3	14	14	19	10
INDIANA ----------	124	-	1	-	-	4	10	14	13	20	22	12
WHITE------MALE----	78	-	1	-	-	2	10	10	10	11	17	6
FEMALE--	28	-	-	-	-	1	-	2	3	4	3	3
ALL OTHER--MALE----	14	-	-	-	-	1	-	2	-	4	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	14	-	-	-	-	1	-	2	-	4	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
IOWA ----------	38	-	1	-	-	2	-	3	5	3	6	6
WHITE------MALE----	25	-	1	-	-	1	-	3	2	3	4	4
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	67	-	-	-	-	-	5	2	7	13	11	14
WHITE------MALE----	47	-	-	-	-	-	4	1	6	12	7	9
FEMALE--	14	-	-	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
HAWAII ----------	3	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	3	-	1	1	-	1	-	-	1	-	-
WHITE------MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	45	21	15	2	-	5	4	3	-	-	-	-
WHITE------MALE----	20	6	3	1	-	2	1	1	-	-	-	-
FEMALE--	3	5	3	-	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	18	8	8	1	-	1	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	17	8	8	1	-	1	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	1	-	-	-	-
INDIANA ----------	7	4	3	3	2	2	1	5	1	-	-	-
WHITE------MALE----	4	-	2	1	2	1	-	1	-	-	-	-
FEMALE--	3	3	-	-	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
IOWA ----------	3	2	2	1	1	3	-	-	-	-	-	-
WHITE------MALE----	2	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	2	3	-	3	2	1	-	-	-	-	-
WHITE------MALE----	4	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
KENTUCKY ----------	174	-	-	-	-	5	9	15	22	30	30	20
WHITE------MALE----	108	-	-	-	-	3	6	10	18	24	20	10
FEMALE--	52	-	-	-	-	1	3	3	3	5	8	7
ALL OTHER--MALE----	10	-	-	-	-	1	-	1	1	1	2	3
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	-	1	-	1	1	1	2	3
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA ----------	146	-	-	-	2	6	6	15	14	23	30	21
WHITE------MALE----	75	-	-	-	2	4	3	10	8	14	12	12
FEMALE--	31	-	-	-	-	1	1	2	3	3	7	4
ALL OTHER--MALE----	28	-	-	-	-	1	1	3	2	3	8	4
FEMALE--	12	-	-	-	-	-	1	-	1	3	3	1
BLACK---MALE----	28	-	-	-	-	1	1	3	2	3	8	4
FEMALE--	12	-	-	-	-	-	1	-	1	3	3	1
MAINE ----------	37	1	-	-	-	1	4	3	4	12	9	1
WHITE------MALE----	26	-	-	-	-	1	2	2	3	7	8	1
FEMALE--	11	1	-	-	-	-	2	1	1	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	43	-	-	-	2	2	1	3	7	7	4	4
WHITE------MALE----	22	-	-	-	2	-	1	3	3	5	2	3
FEMALE--	8	-	-	-	-	1	-	-	2	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	53	-	-	-	-	1	3	5	7	7	15	5
WHITE------MALE----	37	-	-	-	-	1	-	5	4	5	11	3
FEMALE--	15	-	-	-	-	-	2	-	3	2	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	293	-	2	-	-	3	8	24	26	42	62	53
WHITE------MALE----	158	-	1	-	-	2	5	14	19	24	31	28
FEMALE--	62	-	1	-	-	-	2	7	5	10	13	4
ALL OTHER--MALE----	47	-	-	-	-	-	1	1	2	5	9	13
FEMALE--	26	-	-	-	-	1	-	2	-	3	9	8
BLACK---MALE----	40	-	-	-	-	-	1	1	-	5	8	12
FEMALE--	22	-	-	-	-	-	-	2	-	2	7	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
KENTUCKY ----------	10	10	6	5	4	3	1	3	1	-	-	-
WHITE------MALE----	3	5	4	3	2	-	-	-	-	-	-	-
FEMALE--	6	5	1	2	2	2	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
LOUISIANA ----------	11	7	2	1	4	1	3	-	-	-	-	-
WHITE------MALE----	2	4	1	-	1	1	1	-	-	-	-	-
FEMALE--	3	3	1	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	1	4	1	-	1	1	1	-	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	2	1	2	-	1	-	1	2	1	-	-	-
WHITE------MALE----	2	1	2	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	19	16	7	9	3	8	5	5	1	-	-	-
WHITE------MALE----	6	7	3	5	1	5	3	3	1	-	-	-
FEMALE--	3	5	1	3	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	9	3	3	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	2	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3776

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
MINNESOTA ----------	102	-	-	-	-	2	10	2	10	16	24	13
WHITE------MALE----	64	-	-	-	-	1	7	2	6	8	17	6
FEMALE--	23	-	-	-	-	1	2	-	1	5	5	4
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	2	2	2	3
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	1	-	1	2	2	3
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
MISSISSIPPI ----------	64	-	-	-	1	2	2	5	6	9	16	6
WHITE------MALE----	30	-	-	-	-	1	-	3	4	3	9	1
FEMALE--	18	-	-	-	1	-	1	2	1	4	4	1
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	2	3	3
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	1	-	-	1	2	3	3
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
MISSOURI ----------	198	-	1	-	2	11	11	15	23	37	48	21
WHITE------MALE----	118	-	-	-	-	8	6	9	14	22	31	14
FEMALE--	38	-	-	-	2	1	1	3	4	8	7	4
ALL OTHER--MALE----	34	-	-	-	-	2	4	3	4	4	9	2
FEMALE--	8	-	1	-	-	-	-	-	1	3	1	1
BLACK---MALE----	32	-	-	-	-	2	4	3	3	4	8	2
FEMALE--	8	-	1	-	-	-	-	-	1	3	1	1
MONTANA ----------	21	-	-	-	-	-	1	2	4	-	2	3
WHITE------MALE----	11	-	-	-	-	-	-	2	1	-	2	2
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	3	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	33	-	-	-	-	-	3	3	2	5	6	5
WHITE------MALE----	21	-	-	-	-	-	3	2	2	3	3	3
FEMALE--	10	-	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEVADA ----------	145	-	-	-	-	4	5	17	16	22	34	20
WHITE------MALE----	90	-	-	-	-	4	3	13	13	15	19	9
FEMALE--	42	-	-	-	-	-	2	4	2	4	9	11
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	4	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
MINNESOTA ----------	10	3	1	1	2	1	3	2	2	-	-	-
WHITE------MALE----	6	3	1	1	1	1	2	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	1	-	-	3	1	1	1	1	-	-	-
WHITE------MALE----	7	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSOURI ----------	10	4	2	4	1	2	3	3	-	-	-	-
WHITE------MALE----	3	2	2	3	1	1	1	1	-	-	-	-
FEMALE--	3	1	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	3	4	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	3	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	2	1	1	2	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	14	8	1	2	1	1	-	-	-	-	-	-
WHITE------MALE----	8	4	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	4	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
NEW HAMPSHIRE ----------	35	-	-	-	-	-	3	1	8	5	10	3
WHITE------MALE----	28	-	-	-	-	-	2	1	6	5	8	2
FEMALE--	7	-	-	-	-	-	1	-	2	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	453	-	-	-	-	13	24	38	60	91	100	71
WHITE------MALE----	277	-	-	-	-	12	18	27	39	55	59	42
FEMALE--	75	-	-	-	-	1	4	4	10	15	16	10
ALL OTHER--MALE----	71	-	-	-	-	-	1	5	4	14	18	17
FEMALE--	30	-	-	-	-	-	1	2	7	7	7	2
BLACK---MALE----	70	-	-	-	-	-	1	4	4	14	18	17
FEMALE--	28	-	-	-	-	-	1	2	7	7	6	2
NEW MEXICO ----------	233	-	-	-	-	3	13	21	25	56	42	38
WHITE------MALE----	176	-	-	-	-	1	12	17	21	37	33	31
FEMALE--	42	-	-	-	-	-	-	4	2	14	9	3
ALL OTHER--MALE----	13	-	-	-	-	1	1	-	2	4	-	4
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	850	-	2	-	-	10	22	61	109	162	170	143
WHITE------MALE----	476	-	-	-	-	5	17	46	66	105	99	65
FEMALE--	124	-	-	-	-	5	4	8	13	18	16	20
ALL OTHER--MALE----	177	-	1	-	-	-	1	4	24	27	36	41
FEMALE--	73	-	1	-	-	-	-	3	6	12	19	17
BLACK---MALE----	170	-	1	-	-	-	1	3	24	24	34	41
FEMALE--	71	-	1	-	-	-	-	2	6	12	19	17
NORTH CAROLINA ---------	283	-	1	1	-	5	20	16	25	48	54	46
WHITE------MALE----	144	-	-	-	-	2	10	10	13	27	30	21
FEMALE--	76	-	-	1	-	2	3	4	6	10	14	13
ALL OTHER--MALE----	49	-	1	-	-	1	4	2	4	9	8	11
FEMALE--	14	-	-	-	-	-	3	-	2	2	2	1
BLACK---MALE----	48	-	1	-	-	1	4	2	3	9	8	11
FEMALE--	13	-	-	-	-	-	2	-	2	2	2	1
NORTH DAKOTA ----------	7	-	-	-	1	1	-	-	-	2	-	1
WHITE------MALE----	4	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
NEW HAMPSHIRE ----------	2	-	1	-	-	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	32	8	4	2	3	1	2	1	2	-	-	1
WHITE------MALE----	18	4	-	-	1	-	-	-	2	-	-	-
FEMALE--	6	3	-	2	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	5	1	4	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	4	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	23	5	1	2	1	1	-	-	-	-	-	2
WHITE------MALE----	15	2	1	2	1	1	-	-	-	-	-	2
FEMALE--	7	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	93	33	13	9	4	6	5	5	2	-	-	1
WHITE------MALE----	44	17	2	4	2	3	-	-	-	-	-	1
FEMALE--	16	7	3	2	2	2	2	4	2	-	-	-
ALL OTHER--MALE----	26	4	8	3	-	-	2	-	-	-	-	-
FEMALE--	7	5	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	26	4	8	2	-	-	2	-	-	-	-	-
FEMALE--	7	4	-	-	-	1	1	1	-	-	-	-
NORTH CAROLINA ---------	16	15	6	5	4	7	6	5	1	-	-	2
WHITE------MALE----	6	8	2	1	3	3	1	4	1	-	-	2
FEMALE--	5	2	3	3	1	3	5	1	-	-	-	-
ALL OTHER--MALE----	3	5	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	5	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
OHIO ----------	360	1	4	1	-	5	14	25	27	56	91	68
WHITE------MALE----	196	-	-	-	-	4	10	15	14	36	51	30
FEMALE--	79	-	4	-	-	-	1	7	8	8	19	14
ALL OTHER--MALE----	64	1	-	1	-	1	2	2	3	11	15	19
FEMALE--	21	-	-	-	-	-	1	1	2	1	6	5
BLACK---MALE----	62	1	-	1	-	1	2	2	3	10	14	19
FEMALE--	21	-	-	-	-	-	1	1	2	1	6	5
OKLAHOMA ----------	127	-	-	1	-	3	6	9	15	18	28	15
WHITE------MALE----	69	-	-	-	-	1	4	6	9	10	16	9
FEMALE--	37	-	-	1	-	1	1	2	4	2	7	4
ALL OTHER--MALE----	13	-	-	-	-	1	1	1	-	4	4	1
FEMALE--	8	-	-	-	-	-	-	-	2	2	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
OREGON ----------	153	2	-	-	-	3	5	18	25	30	27	19
WHITE------MALE----	111	2	-	-	-	3	3	15	18	18	20	14
FEMALE--	35	-	-	-	-	-	1	1	6	11	6	5
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	755	-	1	1	2	22	63	60	98	134	142	108
WHITE------MALE----	458	-	-	-	1	13	46	45	66	81	86	64
FEMALE--	158	-	1	-	1	7	10	7	14	33	25	18
ALL OTHER--MALE----	113	-	-	1	-	2	6	7	15	15	22	24
FEMALE--	26	-	-	-	-	-	1	1	3	5	9	2
BLACK---MALE----	110	-	-	1	-	2	6	7	15	13	22	24
FEMALE--	26	-	-	-	-	-	1	1	3	5	9	2
RHODE ISLAND ----------	5	-	-	-	-	-	-	1	1	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	129	-	-	-	-	2	11	7	13	18	27	21
WHITE------MALE----	68	-	-	-	-	1	4	6	6	11	17	8
FEMALE--	25	-	-	-	-	1	3	-	2	3	3	6
ALL OTHER--MALE----	29	-	-	-	-	-	3	1	2	4	5	7
FEMALE--	7	-	-	-	-	-	1	-	3	-	2	-
BLACK---MALE----	29	-	-	-	-	-	3	1	2	4	5	7
FEMALE--	7	-	-	-	-	-	1	-	3	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
OHIO ----------	24	7	3	7	7	7	7	4	1	1	-	-
WHITE------MALE----	14	3	-	4	3	3	4	3	1	1	-	-
FEMALE--	2	1	2	3	3	3	3	1	-	-	-	-
ALL OTHER--MALE----	5	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	8	7	4	1	-	3	5	3	-	1	-	-
WHITE------MALE----	4	4	1	-	-	1	3	1	-	-	-	-
FEMALE--	3	3	3	1	-	2	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	9	3	2	-	4	2	2	1	1	-	-	-
WHITE------MALE----	7	2	2	-	3	1	1	1	1	-	-	-
FEMALE--	2	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	42	17	7	9	12	11	15	7	1	2	-	1
WHITE------MALE----	20	9	2	4	7	6	5	2	-	1	-	-
FEMALE--	8	4	3	1	5	5	10	5	1	-	-	-
ALL OTHER--MALE----	12	4	1	3	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	1
BLACK---MALE----	11	4	1	3	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	13	1	2	3	-	-	-	-	-	-	-
WHITE------MALE----	8	4	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	4	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
SOUTH DAKOTA ----------	14	-	-	-	-	1	1	1	3	-	1	2
WHITE------MALE----	8	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	235	-	-	-	-	4	15	16	19	34	45	37
WHITE------MALE----	125	-	-	-	-	4	6	6	10	21	25	26
FEMALE--	65	-	-	-	-	-	7	5	2	8	11	9
ALL OTHER--MALE----	36	-	-	-	-	-	2	4	6	4	6	2
FEMALE--	9	-	-	-	-	-	-	1	1	1	3	-
BLACK---MALE----	36	-	-	-	-	-	2	4	6	4	6	2
FEMALE--	9	-	-	-	-	-	-	1	1	1	3	-
TEXAS ----------	849	1	2	1	3	25	72	75	116	156	147	112
WHITE------MALE----	510	1	1	-	2	20	52	54	80	98	81	64
FEMALE--	218	-	-	1	-	3	11	10	27	41	37	27
ALL OTHER--MALE----	86	-	-	-	1	2	8	7	6	12	23	12
FEMALE--	35	-	1	-	-	-	1	4	3	5	6	9
BLACK---MALE----	84	-	-	-	-	2	8	7	6	12	23	12
FEMALE--	34	-	1	-	-	-	1	4	3	5	6	9
UTAH ----------	31	-	-	-	-	2	2	1	6	3	6	6
WHITE------MALE----	21	-	-	-	-	2	1	1	2	3	5	4
FEMALE--	8	-	-	-	-	-	1	-	2	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	14	-	-	-	-	-	2	-	2	2	3	3
WHITE------MALE----	10	-	-	-	-	-	2	-	1	1	3	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	280	-	-	-	1	5	17	30	28	58	55	36
WHITE------MALE----	155	-	-	-	1	4	8	15	15	30	37	21
FEMALE--	48	-	-	-	-	1	6	5	5	10	6	2
ALL OTHER--MALE----	61	-	-	-	-	-	3	9	5	14	9	11
FEMALE--	16	-	-	-	-	-	-	1	3	4	3	2
BLACK---MALE----	61	-	-	-	-	-	3	9	5	14	9	11
FEMALE--	16	-	-	-	-	-	-	1	3	4	3	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
SOUTH DAKOTA ----------	1	-	-	2	-	2	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	16	5	6	4	8	4	4	-	-	-	-
WHITE------MALE----	9	5	2	3	1	3	1	3	-	-	-	-
FEMALE--	5	6	3	1	1	5	2	-	-	-	-	-
ALL OTHER--MALE----	3	5	-	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	3	5	-	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
TEXAS ----------	43	29	19	11	7	9	10	9	2	-	-	-
WHITE------MALE----	15	14	7	7	2	3	5	3	1	-	-	-
FEMALE--	22	9	7	3	4	6	4	5	1	-	-	-
ALL OTHER--MALE----	4	5	5	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	4	4	5	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	-	-	-	-
UTAH ----------	1	-	3	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	19	8	7	4	6	1	3	2	-	-	-	-
WHITE------MALE----	8	6	4	1	3	-	2	-	-	-	-	-
FEMALE--	4	1	1	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	6	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3780

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
WASHINGTON ----------	413	-	-	-	1	7	23	33	43	54	108	71
WHITE------MALE----	266	-	-	-	1	5	16	24	29	33	75	41
FEMALE--	96	-	-	-	-	1	4	6	12	14	21	18
ALL OTHER--MALE----	36	-	-	-	-	1	-	2	2	4	7	9
FEMALE--	15	-	-	-	-	-	3	1	-	3	5	3
BLACK---MALE----	24	-	-	-	-	-	-	1	1	2	4	7
FEMALE--	8	-	-	-	-	-	-	-	-	2	3	3
WEST VIRGINIA ----------	46	-	-	-	-	-	5	3	3	4	10	5
WHITE------MALE----	33	-	-	-	-	-	4	2	3	3	6	5
FEMALE--	11	-	-	-	-	-	1	1	-	1	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	141	-	-	-	1	5	7	12	17	23	30	18
WHITE------MALE----	72	-	-	-	-	4	3	8	7	15	16	8
FEMALE--	36	-	-	-	1	1	2	2	3	5	4	8
ALL OTHER--MALE----	22	-	-	-	-	-	1	2	3	2	7	1
FEMALE--	11	-	-	-	-	-	1	-	4	1	3	1
BLACK---MALE----	20	-	-	-	-	-	-	2	3	2	7	1
FEMALE--	8	-	-	-	-	-	-	-	3	1	2	1
WYOMING ----------	16	1	-	-	-	-	3	-	-	1	4	2
WHITE------MALE----	8	1	-	-	-	-	3	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3780

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
WASHINGTON ----------	41	17	6	5	2	1	-	1	-	-	-	-
WHITE------MALE----	23	12	4	2	1	-	-	-	-	-	-	-
FEMALE--	10	3	1	3	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	8	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	2	-	3	3	1	-	1	-	-	-	-
WHITE------MALE----	4	1	-	2	2	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	5	3	3	4	2	2	5	2	1	1	-	-
WHITE------MALE----	1	-	1	1	2	2	2	1	1	-	-	-
FEMALE--	1	2	-	2	-	-	3	1	-	1	-	-
ALL OTHER--MALE----	3	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3781

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
UNITED STATES -	11,155	8	16	4	12	208	641	908	1,324	1,971	2,322	1,814
WHITE------MALE----	6,608	6	5	-	8	139	447	617	852	1,215	1,387	1,055
FEMALE--	2,454	1	4	2	3	50	114	158	241	432	473	351
ALL OTHER--MALE----	1,503	1	3	-	1	16	61	99	161	215	321	313
FEMALE--	590	-	4	2	-	3	19	34	70	109	141	95
BLACK---MALE----	1,391	1	3	-	1	12	56	86	142	193	303	300
FEMALE--	529	-	4	1	-	2	13	28	67	95	129	91
ALABAMA ----------	116	-	1	-	-	-	7	13	16	18	19	13
WHITE------MALE----	48	-	-	-	-	-	4	5	9	9	7	5
FEMALE--	41	-	-	-	-	-	2	3	3	4	9	4
ALL OTHER--MALE----	17	-	-	-	-	-	1	3	3	3	1	3
FEMALE--	10	-	1	-	-	-	-	2	1	2	2	1
BLACK---MALE----	17	-	-	-	-	-	1	3	3	3	1	3
FEMALE--	10	-	1	-	-	-	-	2	1	2	2	1
ALASKA ----------	27	-	-	-	-	-	1	2	6	7	4	3
WHITE------MALE----	13	-	-	-	-	-	1	1	4	3	2	2
FEMALE--	7	-	-	-	-	-	-	1	-	3	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	362	-	-	1	-	3	21	40	40	64	90	61
WHITE------MALE----	265	-	-	-	-	3	14	28	27	45	70	51
FEMALE--	61	-	-	-	-	-	4	5	11	10	15	6
ALL OTHER--MALE----	24	-	-	-	-	-	2	6	1	7	2	3
FEMALE--	12	-	-	1	-	-	1	1	1	2	3	1
BLACK---MALE----	14	-	-	-	-	-	1	3	-	6	1	1
FEMALE--	6	-	-	-	-	-	1	1	1	-	2	-
ARKANSAS ----------	31	-	1	-	-	-	2	1	2	3	7	3
WHITE------MALE----	16	-	-	-	-	-	2	-	1	2	4	2
FEMALE--	9	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	2,157	1	4	-	2	28	90	131	244	369	456	406
WHITE------MALE----	1,383	1	2	-	2	17	67	87	183	245	283	265
FEMALE--	485	-	-	-	-	10	18	30	37	88	107	77
ALL OTHER--MALE----	191	-	1	-	-	-	4	8	17	18	40	45
FEMALE--	98	-	1	-	-	1	1	6	7	18	26	19
BLACK---MALE----	157	-	1	-	-	-	2	5	11	13	33	41
FEMALE--	82	-	1	-	-	1	-	5	6	13	24	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3781

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
UNITED STATES -	836	380	174	122	99	100	92	79	25	11	-	9
WHITE------MALE----	421	185	71	54	43	37	28	26	6	3	-	3
FEMALE--	200	114	51	44	37	56	57	39	18	6	-	3
ALL OTHER--MALE----	168	66	42	16	8	3	3	3	-	1	-	2
FEMALE--	47	15	10	8	11	4	4	11	1	1	-	1
BLACK---MALE----	158	61	40	15	8	3	3	3	-	1	-	2
FEMALE--	44	12	10	7	7	4	3	9	1	1	-	1
ALABAMA ----------	11	2	1	3	5	3	3	1	-	-	-	-
WHITE------MALE----	3	-	1	3	2	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	2	3	3	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	25	6	3	1	2	3	1	-	-	-	-	1
WHITE------MALE----	19	3	2	-	1	2	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	2	1	2	2	-	2	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	203	104	50	24	15	9	6	9	3	1	-	2
WHITE------MALE----	114	66	26	11	5	2	1	4	-	1	-	1
FEMALE--	51	22	13	8	7	6	4	4	3	-	-	-
ALL OTHER--MALE----	30	13	8	4	2	-	-	-	-	-	-	1
FEMALE--	8	3	3	1	1	1	1	1	-	-	-	-
BLACK---MALE----	26	11	7	4	2	-	-	-	-	-	-	1
FEMALE--	8	3	3	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
COLORADO ----------	193	-	-	-	-	5	8	14	24	28	35	42
WHITE------MALE----	119	-	-	-	-	1	7	12	13	17	23	26
FEMALE--	53	-	-	-	-	2	-	2	9	9	7	11
ALL OTHER--MALE----	17	-	-	-	-	1	1	-	2	1	5	4
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	15	-	-	-	-	-	1	-	1	1	5	4
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	1
CONNECTICUT ----------	232	-	-	-	-	5	17	19	35	55	44	34
WHITE------MALE----	149	-	-	-	-	5	12	17	19	36	29	24
FEMALE--	40	-	-	-	-	-	2	-	4	12	7	3
ALL OTHER--MALE----	27	-	-	-	-	-	3	2	7	3	8	3
FEMALE--	16	-	-	-	-	-	-	-	5	4	-	4
BLACK---MALE----	27	-	-	-	-	-	3	2	7	3	8	3
FEMALE--	16	-	-	-	-	-	-	-	5	4	-	4
DELAWARE ----------	42	-	1	-	-	2	4	3	4	7	6	9
WHITE------MALE----	25	-	1	-	-	1	3	2	4	4	5	5
FEMALE--	10	-	-	-	-	1	1	1	-	2	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	47	-	-	-	-	-	-	2	3	8	8	9
WHITE------MALE----	5	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	2	6	7	9
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	-	1	2	6	7	9
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	681	1	2	1	1	23	51	74	71	117	125	103
WHITE------MALE----	427	1	-	-	-	14	39	56	43	68	83	71
FEMALE--	189	-	1	-	-	8	8	16	17	37	30	25
ALL OTHER--MALE----	39	-	1	-	1	1	3	1	6	6	8	4
FEMALE--	26	-	-	1	-	-	1	1	5	6	4	3
BLACK---MALE----	38	-	1	-	1	1	3	1	5	6	8	4
FEMALE--	24	-	-	1	-	-	-	1	5	6	3	3
GEORGIA ----------	219	1	1	-	1	2	17	16	25	38	41	35
WHITE------MALE----	99	1	-	-	1	2	11	11	14	17	18	15
FEMALE--	63	-	1	-	-	-	3	4	5	10	14	8
ALL OTHER--MALE----	42	-	-	-	-	-	3	1	5	8	7	11
FEMALE--	15	-	-	-	-	-	-	-	1	3	2	1
BLACK---MALE----	42	-	-	-	-	-	3	1	5	8	7	11
FEMALE--	15	-	-	-	-	-	-	-	1	3	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
COLORADO ----------	18	6	4	1	2	3	1	-	1	1	-	-
WHITE------MALE----	10	2	4	1	1	2	-	-	-	-	-	-
FEMALE--	6	2	-	-	1	1	1	-	1	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	11	3	2	-	-	-	5	2	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	2	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	3	2	2	-	-	-	1	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
FLORIDA ----------	39	17	9	7	12	10	5	7	4	1	-	1
WHITE------MALE----	24	7	5	4	4	2	4	2	-	-	-	-
FEMALE--	11	8	2	2	7	7	1	3	4	1	-	1
ALL OTHER--MALE----	2	2	2	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	2	2	2	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	1	-	-	-	-
GEORGIA ----------	13	8	5	1	2	5	2	2	2	2	-	-
WHITE------MALE----	2	3	1	-	1	1	1	-	-	-	-	-
FEMALE--	5	2	3	-	-	3	1	2	1	1	-	-
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	1	-	-	1	1	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	1	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
HAWAII ----------	36	-	-	-	-	-	3	5	3	4	9	7
WHITE------MALE----	17	-	-	-	-	-	2	-	1	2	5	5
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	2	2	-	2	2
FEMALE--	5	-	-	-	-	-	1	2	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
IDAHO ----------	39	-	-	-	-	-	4	1	3	9	4	9
WHITE------MALE----	24	-	-	-	-	-	3	1	2	5	3	6
FEMALE--	14	-	-	-	-	-	-	-	1	4	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	691	1	-	-	1	14	54	62	95	117	150	117
WHITE------MALE----	336	1	-	-	1	11	39	36	44	66	65	50
FEMALE--	86	-	-	-	-	2	7	4	14	14	17	13
ALL OTHER--MALE----	199	-	-	-	-	1	6	19	23	23	49	44
FEMALE--	70	-	-	-	-	-	2	3	14	14	19	10
BLACK---MALE----	197	-	-	-	-	-	6	19	23	23	49	44
FEMALE--	70	-	-	-	-	-	2	3	14	14	19	10
INDIANA ----------	101	-	-	-	-	4	9	13	10	16	19	9
WHITE------MALE----	61	-	-	-	-	2	9	9	7	7	14	4
FEMALE--	25	-	-	-	-	1	-	2	3	4	3	3
ALL OTHER--MALE----	13	-	-	-	-	1	-	2	-	4	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	1	-	2	-	4	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	25	-	-	-	-	-	-	2	5	3	4	4
WHITE------MALE----	16	-	-	-	-	-	-	2	2	3	3	3
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	58	-	-	-	-	-	5	2	6	10	10	13
WHITE------MALE----	38	-	-	-	-	-	4	1	5	9	6	8
FEMALE--	14	-	-	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
HAWAII ----------	3	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	2	-	1	-	-	1	-	-	1	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	40	19	11	2	-	3	3	2	-	-	-	-
WHITE------MALE----	15	4	2	1	-	1	-	-	-	-	-	-
FEMALE--	3	5	2	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	18	8	6	1	-	1	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	17	8	6	1	-	1	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	1	-	-	-	-
INDIANA ----------	5	4	3	1	2	1	1	3	1	-	-	-
WHITE------MALE----	3	-	2	-	2	1	-	1	-	-	-	-
FEMALE--	2	3	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA ----------	3	2	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	2	2	-	2	2	1	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
KENTUCKY ----------	148	-	-	-	-	4	7	14	21	26	28	18
WHITE------MALE----	92	-	-	-	-	2	4	9	17	21	18	10
FEMALE--	44	-	-	-	-	1	3	3	3	5	8	6
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	1	-	2	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	-	1	1	-	2	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA ----------	122	-	-	-	-	4	3	14	14	22	26	19
WHITE------MALE----	66	-	-	-	-	2	2	9	8	14	12	11
FEMALE--	26	-	-	-	-	1	1	2	3	3	6	4
ALL OTHER--MALE----	21	-	-	-	-	1	-	3	2	3	5	3
FEMALE--	9	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	21	-	-	-	-	1	-	3	2	3	5	3
FEMALE--	9	-	-	-	-	-	-	-	1	2	3	1
MAINE ----------	33	1	-	-	-	1	4	3	3	12	7	1
WHITE------MALE----	23	-	-	-	-	1	2	2	3	7	6	1
FEMALE--	10	1	-	-	-	-	2	1	-	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	36	-	-	-	-	2	1	3	6	7	4	3
WHITE------MALE----	16	-	-	-	-	-	1	3	2	5	2	2
FEMALE--	8	-	-	-	-	1	-	-	2	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS ----------	43	-	-	-	-	-	2	5	5	7	13	5
WHITE------MALE----	29	-	-	-	-	-	-	5	2	5	9	3
FEMALE--	13	-	-	-	-	-	1	-	3	2	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	240	-	1	-	-	1	5	22	25	38	53	51
WHITE------MALE----	124	-	1	-	-	1	4	12	19	21	24	26
FEMALE--	50	-	-	-	-	-	-	7	4	10	12	4
ALL OTHER--MALE----	41	-	-	-	-	-	1	1	2	4	8	13
FEMALE--	25	-	-	-	-	-	-	2	-	3	9	8
BLACK---MALE----	36	-	-	-	-	-	1	1	-	4	7	12
FEMALE--	22	-	-	-	-	-	-	2	-	2	7	8

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
KENTUCKY ----------	9	8	3	2	3	2	-	2	1	-	-	-
WHITE------MALE----	3	3	1	2	2	-	-	-	-	-	-	-
FEMALE--	5	5	1	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
LOUISIANA ----------	8	5	-	1	3	1	2	-	-	-	-	-
WHITE------MALE----	2	4	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	2	1	-	1	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MASSACHUSETTS ----------	2	1	1	-	1	-	-	-	1	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	13	4	6	1	4	2	2	-	-	-	-
WHITE------MALE----	4	5	1	2	-	2	1	1	-	-	-	-
FEMALE--	1	4	1	3	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	6	3	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
MINNESOTA ----------	76	-	-	-	-	2	9	2	10	12	17	10
WHITE------MALE----	44	-	-	-	-	1	6	2	6	5	10	4
FEMALE--	17	-	-	-	-	1	2	-	1	4	5	3
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	2	2	2	3
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	1	-	1	2	2	3
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
MISSISSIPPI ----------	60	-	-	-	1	2	2	5	5	9	14	6
WHITE------MALE----	29	-	-	-	-	1	-	3	4	3	8	1
FEMALE--	18	-	-	-	1	-	1	2	1	4	4	1
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	1	-	-	-	2	2	3
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
MISSOURI ----------	170	-	1	-	1	8	11	13	17	34	38	19
WHITE------MALE----	98	-	-	-	-	6	6	7	10	20	23	13
FEMALE--	34	-	-	-	1	1	1	3	3	7	6	4
ALL OTHER--MALE----	30	-	-	-	-	1	4	3	3	4	8	1
FEMALE--	8	-	1	-	-	-	-	-	1	3	1	1
BLACK---MALE----	30	-	-	-	-	1	4	3	3	4	8	1
FEMALE--	8	-	1	-	-	-	-	-	1	3	1	1
MONTANA ----------	14	-	-	-	-	-	1	2	2	-	1	1
WHITE------MALE----	7	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	24	-	-	-	-	-	3	-	2	4	5	4
WHITE------MALE----	14	-	-	-	-	-	3	-	2	2	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEVADA ----------	138	-	-	-	-	4	5	14	15	22	33	20
WHITE------MALE----	86	-	-	-	-	4	3	10	13	15	19	9
FEMALE--	39	-	-	-	-	-	2	4	1	4	8	11
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	4	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
MINNESOTA ----------	5	3	1	-	-	1	2	1	1	-	-	-
WHITE------MALE----	2	3	1	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	1	-	-	2	1	1	1	1	-	-	-
WHITE------MALE----	7	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	10	3	2	4	1	2	3	3	-	-	-	-
WHITE------MALE----	3	1	2	3	1	1	1	1	-	-	-	-
FEMALE--	3	1	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MONTANA ----------	3	3	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	2	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	14	8	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	8	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	4	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3786

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
NEW HAMPSHIRE ----------	34	-	-	-	-	-	3	1	7	5	10	3
WHITE------MALE----	27	-	-	-	-	-	2	1	5	5	8	2
FEMALE--	7	-	-	-	-	-	1	-	2	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	440	-	-	-	-	13	23	37	59	91	98	68
WHITE------MALE----	268	-	-	-	-	12	17	26	39	55	58	39
FEMALE--	72	-	-	-	-	1	4	4	9	15	15	10
ALL OTHER--MALE----	70	-	-	-	-	-	1	5	4	14	18	17
FEMALE--	30	-	-	-	-	-	1	2	7	7	7	2
BLACK---MALE----	69	-	-	-	-	-	1	4	4	14	18	17
FEMALE--	28	-	-	-	-	-	1	2	7	7	6	2
NEW MEXICO ----------	221	-	-	-	-	1	13	21	23	54	42	38
WHITE------MALE----	167	-	-	-	-	-	12	17	19	36	33	31
FEMALE--	40	-	-	-	-	-	-	4	2	13	9	3
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	2	4	-	4
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	809	-	-	-	-	9	20	59	107	158	166	139
WHITE------MALE----	451	-	-	-	-	4	15	44	65	102	95	63
FEMALE--	115	-	-	-	-	5	4	8	12	18	16	19
ALL OTHER--MALE----	173	-	-	-	-	-	1	4	24	26	36	40
FEMALE--	70	-	-	-	-	-	-	3	6	12	19	17
BLACK---MALE----	166	-	-	-	-	-	1	3	24	23	34	40
FEMALE--	68	-	-	-	-	-	-	2	6	12	19	17
NORTH CAROLINA ---------	237	-	-	-	-	2	16	15	22	42	49	38
WHITE------MALE----	127	-	-	-	-	-	9	10	13	24	27	19
FEMALE--	65	-	-	-	-	2	3	4	4	9	12	11
ALL OTHER--MALE----	34	-	-	-	-	-	2	1	3	7	8	8
FEMALE--	11	-	-	-	-	-	2	-	2	2	2	-
BLACK---MALE----	33	-	-	-	-	-	2	1	2	7	8	8
FEMALE--	11	-	-	-	-	-	2	-	2	2	2	-
NORTH DAKOTA ----------	7	-	-	-	1	1	-	-	-	2	-	1
WHITE------MALE----	4	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
NEW HAMPSHIRE ----------	2	-	1	-	-	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	31	8	3	2	2	1	1	1	1	-	-	1
WHITE------MALE----	17	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	3	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	5	1	3	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	3	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	20	5	-	1	1	-	-	-	-	-	-	2
WHITE------MALE----	13	2	-	1	1	-	-	-	-	-	-	2
FEMALE--	6	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	89	29	9	7	3	3	5	4	2	-	-	-
WHITE------MALE----	42	16	1	2	1	1	-	-	-	-	-	-
FEMALE--	15	5	-	2	2	2	2	3	2	-	-	-
ALL OTHER--MALE----	25	4	8	3	-	-	2	-	-	-	-	-
FEMALE--	7	4	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	25	4	8	2	-	-	2	-	-	-	-	-
FEMALE--	7	3	-	-	-	-	1	1	-	-	-	-
NORTH CAROLINA ---------	16	9	5	4	2	6	6	4	1	-	-	-
WHITE------MALE----	6	5	2	1	2	3	1	4	1	-	-	-
FEMALE--	5	2	2	3	-	3	5	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
OHIO ----------	327	1	2	-	-	4	13	22	23	54	88	66
WHITE------MALE----	174	-	-	-	-	3	9	13	12	34	48	29
FEMALE--	71	-	2	-	-	-	1	6	7	8	19	14
ALL OTHER--MALE----	62	1	-	-	-	1	2	2	3	11	15	18
FEMALE--	20	-	-	-	-	-	1	1	1	1	6	5
BLACK---MALE----	60	1	-	-	-	1	2	2	3	10	14	18
FEMALE--	20	-	-	-	-	-	1	1	1	1	6	5
OKLAHOMA ----------	106	-	-	1	-	2	4	9	12	16	24	14
WHITE------MALE----	58	-	-	-	-	1	3	6	8	9	14	8
FEMALE--	32	-	-	1	-	-	1	2	3	2	7	4
ALL OTHER--MALE----	9	-	-	-	-	1	-	1	-	3	2	1
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
OREGON ----------	135	-	-	-	-	2	4	18	23	28	26	18
WHITE------MALE----	95	-	-	-	-	2	2	15	16	16	19	13
FEMALE--	33	-	-	-	-	-	1	1	6	11	6	5
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	713	-	-	-	1	19	59	59	95	130	138	104
WHITE------MALE----	425	-	-	-	-	10	42	44	64	78	82	61
FEMALE--	152	-	-	-	1	7	10	7	14	32	25	18
ALL OTHER--MALE----	111	-	-	-	-	2	6	7	15	15	22	23
FEMALE--	25	-	-	-	-	-	1	1	2	5	9	2
BLACK---MALE----	108	-	-	-	-	2	6	7	15	13	22	23
FEMALE--	25	-	-	-	-	-	1	1	2	5	9	2
RHODE ISLAND ----------	4	-	-	-	-	-	-	1	1	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	105	-	-	-	-	2	8	7	11	14	24	16
WHITE------MALE----	56	-	-	-	-	1	3	6	5	10	15	4
FEMALE--	21	-	-	-	-	1	1	-	2	3	3	5
ALL OTHER--MALE----	23	-	-	-	-	-	3	1	1	1	5	7
FEMALE--	5	-	-	-	-	-	1	-	3	-	1	-
BLACK---MALE----	23	-	-	-	-	-	3	1	1	1	5	7
FEMALE--	5	-	-	-	-	-	1	-	3	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
OHIO ----------	23	6	3	5	4	4	4	3	1	1	-	-
WHITE------MALE----	13	2	-	2	2	1	2	2	1	1	-	-
FEMALE--	2	1	2	3	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	5	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	7	5	4	1	-	2	2	2	-	1	-	-
WHITE------MALE----	4	2	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	3	3	1	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON ----------	7	3	1	-	1	1	2	1	-	-	-	-
WHITE------MALE----	6	2	1	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	41	13	6	9	9	10	12	4	1	2	-	1
WHITE------MALE----	19	6	1	4	5	5	3	-	-	1	-	-
FEMALE--	8	3	3	1	4	5	9	4	1	-	-	-
ALL OTHER--MALE----	12	4	1	3	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	1
BLACK---MALE----	11	4	1	3	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	1
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	9	-	1	3	-	-	-	-	-	-	-
WHITE------MALE----	8	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
SOUTH DAKOTA ----------	9	-	-	-	-	-	-	1	1	-	1	2
WHITE------MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	204	-	-	-	-	1	14	15	18	31	40	34
WHITE------MALE----	105	-	-	-	-	1	6	5	9	19	21	23
FEMALE--	58	-	-	-	-	-	6	5	2	8	10	9
ALL OTHER--MALE----	32	-	-	-	-	-	2	4	6	3	6	2
FEMALE--	9	-	-	-	-	-	-	1	1	1	3	-
BLACK---MALE----	32	-	-	-	-	-	2	4	6	3	6	2
FEMALE--	9	-	-	-	-	-	-	1	1	1	3	-
TEXAS ----------	790	1	2	1	1	23	65	72	112	148	143	108
WHITE------MALE----	468	1	1	-	1	18	47	51	76	94	77	60
FEMALE--	209	-	-	1	-	3	10	10	27	37	37	27
ALL OTHER--MALE----	80	-	-	-	-	2	7	7	6	12	23	12
FEMALE--	33	-	1	-	-	-	1	4	3	5	6	9
BLACK---MALE----	80	-	-	-	-	2	7	7	6	12	23	12
FEMALE--	33	-	1	-	-	-	1	4	3	5	6	9
UTAH ----------	23	-	-	-	-	1	1	1	5	1	6	5
WHITE------MALE----	14	-	-	-	-	1	-	1	2	1	5	3
FEMALE--	8	-	-	-	-	-	1	-	2	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	13	-	-	-	-	-	2	-	2	2	3	3
WHITE------MALE----	9	-	-	-	-	-	2	-	1	1	3	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	247	-	-	-	1	5	15	29	26	51	49	31
WHITE------MALE----	131	-	-	-	1	4	7	14	14	24	33	18
FEMALE--	45	-	-	-	-	1	5	5	5	9	5	2
ALL OTHER--MALE----	56	-	-	-	-	-	3	9	4	14	9	9
FEMALE--	15	-	-	-	-	-	-	1	3	4	2	2
BLACK---MALE----	56	-	-	-	-	-	3	9	4	14	9	9
FEMALE--	15	-	-	-	-	-	-	1	3	4	2	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
SOUTH DAKOTA ----------	-	-	-	2	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	17	12	4	4	2	5	3	4	-	-	-	-
WHITE------MALE----	8	3	1	2	1	2	1	3	-	-	-	-
FEMALE--	5	5	3	1	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	3	4	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	3	4	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
TEXAS ----------	39	22	15	9	6	6	6	9	2	-	-	-
WHITE------MALE----	12	11	4	6	1	2	2	3	1	-	-	-
FEMALE--	22	7	7	3	4	4	4	5	1	-	-	-
ALL OTHER--MALE----	4	3	4	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	4	3	4	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
UTAH ----------	-	-	2	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	16	6	6	4	3	1	2	2	-	-	-	-
WHITE------MALE----	5	5	3	1	1	-	1	-	-	-	-	-
FEMALE--	4	1	1	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
WASHINGTON ----------	401	-	-	-	1	7	23	32	42	52	105	70
WHITE------MALE----	257	-	-	-	1	5	16	23	28	31	73	40
FEMALE--	94	-	-	-	-	1	4	6	12	14	21	18
ALL OTHER--MALE----	36	-	-	-	-	1	-	2	2	4	7	9
FEMALE--	14	-	-	-	-	-	3	1	-	3	4	3
BLACK---MALE----	24	-	-	-	-	-	-	1	1	2	4	7
FEMALE--	8	-	-	-	-	-	-	-	-	2	3	3
WEST VIRGINIA ----------	36	-	-	-	-	-	4	3	2	4	9	5
WHITE------MALE----	28	-	-	-	-	-	3	2	2	3	6	5
FEMALE--	8	-	-	-	-	-	1	1	-	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	122	-	-	-	-	2	6	9	16	22	27	14
WHITE------MALE----	61	-	-	-	-	2	2	5	7	14	14	7
FEMALE--	30	-	-	-	-	-	2	2	3	5	4	5
ALL OTHER--MALE----	21	-	-	-	-	-	1	2	3	2	6	1
FEMALE--	10	-	-	-	-	-	1	-	3	1	3	1
BLACK---MALE----	19	-	-	-	-	-	-	2	3	2	6	1
FEMALE--	8	-	-	-	-	-	-	-	3	1	2	1
WYOMING ----------	11	1	-	-	-	-	2	-	-	-	3	2
WHITE------MALE----	5	1	-	-	-	-	2	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
WASHINGTON ----------	38	17	6	4	2	1	-	1	-	-	-	-
WHITE------MALE----	21	12	4	2	1	-	-	-	-	-	-	-
FEMALE--	9	3	1	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	8	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	1	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	4	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	3	3	4	2	1	5	1	1	1	-	-
WHITE------MALE----	1	-	1	1	2	1	2	1	1	-	-	-
FEMALE--	1	2	-	2	-	-	3	-	-	1	-	-
ALL OTHER--MALE----	3	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3790

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
UNITED STATES -	497	1	4	2	10	23	27	25	36	59	85	63
WHITE------MALE----	294	-	2	-	6	15	16	22	13	41	57	40
FEMALE--	95	-	1	1	2	2	3	-	9	8	12	9
ALL OTHER--MALE----	72	1	1	1	-	4	6	2	10	7	9	9
FEMALE--	36	-	-	-	2	2	2	1	4	3	7	5
BLACK---MALE----	46	-	1	1	-	3	3	1	5	6	2	6
FEMALE--	18	-	-	-	-	-	-	-	2	1	2	3
ALABAMA ----------	10	-	1	-	-	1	3	1	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	17	-	-	-	-	1	2	2	2	2	3	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	10	-	-	-	-	1	1	1	1	2	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARIZONA ----------	15	-	-	-	2	2	-	-	1	-	4	2
WHITE------MALE----	6	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	4	-	-	-	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	51	-	-	-	2	1	1	4	2	8	9	8
WHITE------MALE----	36	-	-	-	1	-	1	4	1	7	5	6
FEMALE--	7	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	1	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3790

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
UNITED STATES -	41	33	21	16	17	13	10	7	1	-	-	3
WHITE------MALE----	24	14	12	8	8	6	5	2	-	-	-	3
FEMALE--	9	10	4	2	6	7	4	5	1	-	-	-
ALL OTHER--MALE----	5	7	4	5	-	-	1	-	-	-	-	-
FEMALE--	3	2	1	1	3	-	-	-	-	-	-	-
BLACK---MALE----	5	6	3	3	-	-	1	-	-	-	-	-
FEMALE--	3	2	1	1	3	-	-	-	-	-	-	-
ALABAMA ----------	2	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	3	1	1	-	5	-	-	-	-	-	-
WHITE------MALE----	4	3	1	-	-	3	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3791

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
COLORADO ----------	21	-	1	-	1	-	-	-	2	4	5	3
WHITE------MALE----	15	-	1	-	-	-	-	-	1	3	4	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	7	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	26	-	-	-	1	-	-	2	3	1	6	6
WHITE------MALE----	11	-	-	-	1	-	-	2	2	1	2	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
GEORGIA ----------	15	1	-	-	-	-	2	-	2	2	3	3
WHITE------MALE----	7	-	-	-	-	-	2	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
COLORADO ----------	2	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	1	2	2	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3792

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10	-	-	-	-	1	-	1	-	2	1	1
WHITE------MALE----	7	-	-	-	-	1	-	1	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	8	-	-	-	-	-	-	-	1	1	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	7	-	1	-	-	2	-	1	-	-	1	2
WHITE------MALE----	4	-	1	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
KENTUCKY ----------	9	-	-	-	-	-	-	-	1	4	1	1
WHITE------MALE----	5	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	12	-	-	-	2	2	-	1	-	-	1	1
WHITE------MALE----	6	-	-	-	2	2	-	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	3	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	17	-	-	-	-	2	-	-	1	2	4	-
WHITE------MALE----	10	-	-	-	-	1	-	-	-	2	3	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
KENTUCKY ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	1	1	1	-	1	1	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
MINNESOTA ----------	18	-	-	-	-	-	1	-	-	1	7	3
WHITE------MALE----	14	-	-	-	-	-	1	-	-	1	7	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	-	2	-	2	1	1	4	1
WHITE------MALE----	8	-	-	-	-	1	-	2	-	1	4	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	3	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	-	-	-	-	-	-	3	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3794

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
MINNESOTA ----------	3	-	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	14	-	-	-	-	1	-	1	1	3	1	1
WHITE------MALE----	8	-	-	-	-	1	-	1	-	3	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	31	-	1	1	-	1	4	1	2	4	3	6
WHITE------MALE----	9	-	-	-	-	-	1	-	-	2	2	1
FEMALE--	7	-	-	1	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	12	-	1	-	-	1	2	1	1	1	-	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	12	-	1	-	-	1	2	1	1	1	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	3	2	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	4	-	1	1	-	-	-	-	-	-	2
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3796

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
OHIO ----------	10	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	8	-	-	-	-	-	1	-	1	1	4	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	7	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	9	-	-	1	-	1	1	-	-	-	1	1
WHITE------MALE----	7	-	-	-	-	1	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	19	-	-	-	-	-	2	-	1	3	3	4
WHITE------MALE----	11	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
OHIO ----------	1	-	-	1	1	2	2	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	2	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
SOUTH DAKOTA ----------	5	-	-	-	-	1	1	-	2	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	18	-	-	-	-	2	1	1	-	1	3	3
WHITE------MALE----	11	-	-	-	-	2	-	1	-	-	3	3
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	37	-	-	-	1	1	5	2	3	6	3	4
WHITE------MALE----	30	-	-	-	1	1	4	2	3	3	3	4
FEMALE--	5	-	-	-	-	-	-	-	-	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	-	1	-	1	-	-	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	20	-	-	-	-	-	1	-	1	5	4	4
WHITE------MALE----	15	-	-	-	-	-	1	-	-	4	3	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	2	1	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	5	2	2	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
WASHINGTON ----------	10	-	-	-	-	-	-	1	-	1	3	1
WHITE------MALE----	7	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	-	-	-	-	1	-	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3798

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
WASHINGTON ----------	3	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3799

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
UNITED STATES -	534	3	14	6	6	29	36	19	43	52	60	49
WHITE------MALE----	338	3	2	1	2	19	26	17	30	33	44	30
FEMALE--	94	-	6	-	2	6	6	2	4	5	6	8
ALL OTHER--MALE----	72	-	4	4	2	2	3	-	5	12	8	9
FEMALE--	30	-	2	1	-	2	1	-	4	2	2	2
BLACK---MALE----	57	-	3	3	1	-	3	-	3	8	7	9
FEMALE--	21	-	1	1	-	1	1	-	2	2	2	2
ALABAMA ----------	19	-	-	-	-	1	-	-	-	3	2	3
WHITE------MALE----	8	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	5	-	2	1	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	10	-	-	-	-	1	3	-	-	1	-	1
WHITE------MALE----	6	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	40	-	-	-	-	2	2	1	5	5	4	4
WHITE------MALE----	26	-	-	-	-	1	2	1	4	3	3	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
UNITED STATES -	41	36	24	20	26	25	25	14	5	1	-	-
WHITE------MALE----	24	22	17	15	10	15	16	7	4	1	-	-
FEMALE--	7	8	2	4	9	7	7	5	-	-	-	-
ALL OTHER--MALE----	8	4	4	-	5	2	-	-	-	-	-	-
FEMALE--	2	2	1	1	2	1	2	2	1	-	-	-
BLACK---MALE----	7	3	4	-	4	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	1	2	1	-	-	-
ALABAMA ----------	1	1	3	-	1	2	-	1	1	-	-	-
WHITE------MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	5	1	1	3	1	4	-	-	-	-	-
WHITE------MALE----	2	4	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3800

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
COLORADO ----------	8	-	-	-	-	-	-	1	-	1	1	4
WHITE------MALE----	6	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	21	-	1	1	-	4	2	-	-	-	3	-
WHITE------MALE----	12	-	-	1	-	3	2	-	-	-	2	-
FEMALE--	7	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	22	1	2	3	1	2	-	-	1	1	2	2
WHITE------MALE----	9	1	1	-	-	1	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	1	2	1	-	-	-	1	1	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	2	1	-	-	-	1	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3800

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
COLORADO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	1	-	5	1	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	2	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	4	2	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3801

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	5	-	1	-	-	-	-	-	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	-	1	-	-	3	3	1	3	4	2	4
WHITE------MALE----	19	-	-	-	-	1	2	1	1	2	2	2
FEMALE--	6	-	-	-	-	2	-	-	1	1	-	1
ALL OTHER--MALE----	7	-	1	-	-	-	1	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	1	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	15	-	1	-	-	-	1	1	2	3	1	3
WHITE------MALE----	12	-	1	-	-	-	1	1	2	3	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
IOWA ----------	6	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	-	-	-	1	1	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3801

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	2	3	-	-	2	1	-	-	-	-	-
WHITE------MALE----	3	2	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	-	-	2	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3802

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
KENTUCKY ----------	17	-	-	-	-	1	2	1	-	-	1	1
WHITE------MALE----	11	-	-	-	-	1	2	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	12	-	-	-	-	-	3	-	-	1	3	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	-	1	-	-	-	1	-	-	1
WHITE------MALE----	3	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	7	-	-	-	-	1	1	-	1	-	2	-
WHITE------MALE----	6	-	-	-	-	1	-	-	1	-	2	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	36	-	1	-	-	-	3	2	-	2	5	2
WHITE------MALE----	24	-	-	-	-	-	1	2	-	1	4	2
FEMALE--	7	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
KENTUCKY ----------	1	2	3	2	-	1	1	1	-	-	-	-
WHITE------MALE----	-	2	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	2	2	2	2	3	2	2	1	-	-	-
WHITE------MALE----	2	1	2	2	1	2	1	2	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
MINNESOTA ----------	8	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	17	-	-	-	1	1	-	-	5	2	6	1
WHITE------MALE----	12	-	-	-	-	1	-	-	4	1	4	1
FEMALE--	3	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	-	-	-	-	2	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	7	-	-	-	-	-	-	2	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
MINNESOTA ----------	2	-	-	-	2	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3804

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	-	-	-	-	-	1	1	-	-	1	2
WHITE------MALE----	6	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	10	-	-	-	-	1	-	-	2	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	27	-	2	-	-	-	2	1	1	1	3	3
WHITE------MALE----	17	-	-	-	-	-	2	1	1	-	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	-	-	-	-	2	-	-	1	2	2	2
WHITE------MALE----	8	-	-	-	-	2	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3804

Accidental poisoning by and exposure to other gases and vapors (X47)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	1	1	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	1	2	2	1	3	-	1	-	-	-	-
WHITE------MALE----	2	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	2	1	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3805

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
OHIO ----------	23	-	2	1	-	1	1	3	3	1	2	2
WHITE------MALE----	16	-	-	-	-	1	1	2	2	1	2	1
FEMALE--	4	-	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	13	-	-	-	-	1	1	-	2	1	-	1
WHITE------MALE----	8	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	5	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	11	2	-	-	-	1	1	-	1	1	-	-
WHITE------MALE----	9	2	-	-	-	1	1	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	33	-	1	-	1	2	3	1	3	4	3	3
WHITE------MALE----	26	-	-	-	1	2	3	1	2	3	3	2
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	-	-	-	-	1	-	1	1	-	1
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
OHIO ----------	-	1	-	1	2	1	1	1	-	-	-	-
WHITE------MALE----	-	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	2	-	-	-	1	2	1	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	2	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	3	1	-	1	1	3	2	-	-	-	-
WHITE------MALE----	1	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	-	-	-	-	1	-	-	1	2	2	-
WHITE------MALE----	9	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	22	-	-	-	1	1	2	1	1	2	1	-
WHITE------MALE----	12	-	-	-	-	1	1	1	1	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	-	-	-	-	1	-	-	-	2	-	-
WHITE------MALE----	4	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	13	-	-	-	-	-	1	1	1	2	2	1
WHITE------MALE----	9	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	-	1	1	1	1	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	2	2	-	1	3	4	-	-	-	-	-
WHITE------MALE----	-	-	1	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other gases and vapors (X47)												
WASHINGTON ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	14	-	-	-	1	2	1	2	1	1	2	4
WHITE------MALE----	7	-	-	-	-	1	1	2	-	1	1	1
FEMALE--	5	-	-	-	1	1	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to other gases and vapors (X47)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3808

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
UNITED STATES -	11,898	44	116	77	75	178	219	258	289	392	531	486
WHITE------MALE----	5,632	19	60	42	42	114	160	184	196	277	343	293
FEMALE--	4,761	11	31	21	20	32	21	25	36	54	82	71
ALL OTHER--MALE----	990	9	20	6	9	26	33	40	47	49	88	101
FEMALE--	515	5	5	8	4	6	5	9	10	12	18	21
BLACK---MALE----	847	8	17	4	8	22	28	31	37	38	76	89
FEMALE--	452	5	4	6	3	3	2	9	8	11	17	18
ALABAMA ----------	409	4	2	1	6	7	15	16	13	13	23	19
WHITE------MALE----	180	2	-	-	4	4	9	6	7	9	14	8
FEMALE--	144	1	2	1	1	2	-	2	5	1	4	2
ALL OTHER--MALE----	57	1	-	-	1	1	5	4	1	3	4	6
FEMALE--	28	-	-	-	-	-	1	4	-	-	1	3
BLACK---MALE----	55	1	-	-	1	1	5	4	1	3	4	6
FEMALE--	28	-	-	-	-	-	1	4	-	-	1	3
ALASKA ----------	43	-	1	1	1	1	3	2	5	3	3	1
WHITE------MALE----	20	-	-	-	-	-	1	1	3	2	-	-
FEMALE--	7	-	-	-	1	-	1	-	1	-	1	-
ALL OTHER--MALE----	12	-	1	-	-	-	1	1	1	1	1	1
FEMALE--	4	-	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	179	-	1	-	1	7	2	4	8	18	12	5
WHITE------MALE----	96	-	-	-	1	5	2	2	4	14	4	2
FEMALE--	54	-	-	-	-	1	-	1	2	2	3	-
ALL OTHER--MALE----	20	-	1	-	-	1	-	1	2	1	5	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	186	-	4	3	3	-	5	4	6	6	7	4
WHITE------MALE----	98	-	2	3	2	-	3	3	4	5	7	3
FEMALE--	62	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	1	-	1	-	2	1	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	16	-	1	-	1	-	2	1	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
CALIFORNIA ----------	596	5	13	7	7	15	17	18	24	33	44	39
WHITE------MALE----	363	2	7	4	5	12	15	14	16	25	34	26
FEMALE--	161	1	4	2	1	2	1	2	3	2	4	9
ALL OTHER--MALE----	50	2	2	1	1	1	1	2	4	5	3	3
FEMALE--	22	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	32	1	2	1	-	-	1	1	2	2	3	3
FEMALE--	13	-	-	-	-	-	-	-	-	1	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3808

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	492	425	460	560	722	1,125	1,578	1,794	1,387	579	96	15
WHITE------MALE----	327	263	278	297	366	518	666	632	387	138	18	12
FEMALE--	70	78	92	168	250	473	779	1,041	926	410	69	1
ALL OTHER--MALE----	75	64	59	64	66	69	61	60	35	4	3	2
FEMALE--	20	20	31	31	40	65	72	61	39	27	6	-
BLACK---MALE----	63	58	51	58	60	59	47	54	31	4	2	2
FEMALE--	18	17	25	27	37	57	66	53	35	26	5	-
ALABAMA ----------	18	14	16	24	22	39	49	54	38	15	1	-
WHITE------MALE----	13	6	12	11	7	15	14	19	17	3	-	-
FEMALE--	2	4	1	7	8	19	27	28	17	9	1	-
ALL OTHER--MALE----	3	4	2	4	3	4	3	6	2	-	-	-
FEMALE--	-	-	1	2	4	1	5	1	2	3	-	-
BLACK---MALE----	2	4	2	3	3	4	3	6	2	-	-	-
FEMALE--	-	-	1	2	4	1	5	1	2	3	-	-
ALASKA ----------	5	3	2	3	1	4	3	-	-	1	-	-
WHITE------MALE----	3	3	1	2	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	8	7	6	11	23	10	12	16	3	1	11
WHITE------MALE----	8	4	5	4	7	6	3	7	8	-	-	10
FEMALE--	2	4	-	2	3	13	5	3	8	3	1	1
ALL OTHER--MALE----	2	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	3	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ARKANSAS ----------	9	8	9	17	14	19	17	20	19	10	2	-
WHITE------MALE----	5	7	5	9	8	9	6	7	7	2	1	-
FEMALE--	2	1	3	6	4	6	8	10	12	7	1	-
ALL OTHER--MALE----	1	-	1	1	1	2	3	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	2	-	1	-	-
BLACK---MALE----	1	-	1	1	1	2	3	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	2	-	1	-	-
CALIFORNIA ----------	30	37	24	29	26	52	61	57	42	15	1	-
WHITE------MALE----	19	23	18	18	16	39	29	22	14	5	-	-
FEMALE--	5	9	2	5	8	10	27	28	26	9	1	-
ALL OTHER--MALE----	4	3	2	5	1	2	2	4	2	-	-	-
FEMALE--	2	2	2	1	1	1	3	3	-	1	-	-
BLACK---MALE----	3	2	1	5	-	1	1	2	1	-	-	-
FEMALE--	1	1	2	-	1	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
COLORADO ----------	222	-	-	2	-	4	4	3	11	9	4	4
WHITE------MALE----	103	-	-	-	-	3	3	3	4	5	3	2
FEMALE--	114	-	-	2	-	1	1	-	7	3	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	144	-	1	2	2	1	4	3	-	3	4	3
WHITE------MALE----	53	-	1	1	1	1	2	3	-	1	1	3
FEMALE--	85	-	-	1	1	-	2	-	-	1	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	30	-	-	-	-	-	-	-	-	1	2	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	-	-	-	2	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	322	2	4	3	-	6	4	13	12	16	21	18
WHITE------MALE----	192	1	2	-	-	4	3	10	8	13	17	15
FEMALE--	84	-	1	3	-	1	-	2	1	2	2	-
ALL OTHER--MALE----	30	1	1	-	-	1	1	1	3	1	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	29	1	1	-	-	1	1	1	3	1	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	277	1	3	2	4	5	5	7	7	11	20	13
WHITE------MALE----	109	-	1	1	3	1	4	5	4	9	10	5
FEMALE--	82	-	1	-	-	-	-	1	-	-	4	-
ALL OTHER--MALE----	58	1	1	-	1	4	1	1	3	1	4	8
FEMALE--	28	-	-	1	-	-	-	-	-	1	2	-
BLACK---MALE----	56	1	1	-	1	3	1	-	3	1	4	8
FEMALE--	28	-	-	1	-	-	-	-	-	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
COLORADO ----------	9	8	8	8	14	19	39	34	26	14	2	-
WHITE------MALE----	9	4	5	5	5	8	17	12	12	3	-	-
FEMALE--	-	4	3	3	7	10	22	22	13	11	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	3	2	5	6	15	25	24	28	11	1	-
WHITE------MALE----	-	2	1	3	4	7	5	9	5	3	-	-
FEMALE--	-	-	1	2	2	6	20	14	23	8	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	1	2	1	1	1	3	6	7	4	-	-	-
WHITE------MALE----	-	-	1	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	5	3	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	3	4	1	3	1	1	2	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	2	-	2	-	-	1	-	-
BLACK---MALE----	-	-	1	2	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	1	-	-
FLORIDA ----------	23	16	15	16	25	20	41	33	20	11	2	1
WHITE------MALE----	15	10	10	9	12	12	19	19	6	5	1	1
FEMALE--	5	1	-	3	8	6	18	13	12	5	1	-
ALL OTHER--MALE----	-	4	4	3	3	1	1	1	-	-	-	-
FEMALE--	3	1	1	1	2	1	3	-	2	1	-	-
BLACK---MALE----	-	3	4	3	3	1	1	1	-	-	-	-
FEMALE--	3	1	1	1	2	1	3	-	2	1	-	-
GEORGIA ----------	11	17	12	13	19	29	37	30	19	10	2	-
WHITE------MALE----	5	4	7	4	6	10	18	7	2	2	1	-
FEMALE--	1	4	2	3	7	11	10	18	13	6	1	-
ALL OTHER--MALE----	4	7	3	5	2	4	4	2	2	-	-	-
FEMALE--	1	2	-	1	4	4	5	3	2	2	-	-
BLACK---MALE----	4	7	3	5	2	4	4	2	2	-	-	-
FEMALE--	1	2	-	1	4	4	5	3	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3810

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
HAWAII ----------	22	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	54	-	1	1	3	1	-	1	1	1	3	4
WHITE------MALE----	34	-	1	1	3	-	-	1	1	1	3	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	556	1	8	2	1	3	2	14	8	20	20	25
WHITE------MALE----	255	1	4	-	1	2	1	7	4	14	12	13
FEMALE--	216	-	2	1	-	1	-	2	1	2	3	3
ALL OTHER--MALE----	53	-	2	-	-	-	1	4	-	3	4	7
FEMALE--	32	-	-	1	-	-	-	1	3	1	1	2
BLACK---MALE----	49	-	2	-	-	-	-	4	-	2	4	7
FEMALE--	31	-	-	1	-	-	-	1	3	1	1	2
INDIANA ----------	386	2	4	3	1	5	-	7	9	10	20	11
WHITE------MALE----	187	-	4	2	-	2	-	7	9	7	11	7
FEMALE--	171	1	-	-	1	1	-	-	-	2	8	2
ALL OTHER--MALE----	16	-	-	-	-	2	-	-	-	1	-	1
FEMALE--	12	1	-	1	-	-	-	-	-	-	1	1
BLACK---MALE----	15	-	-	-	-	2	-	-	-	1	-	1
FEMALE--	11	1	-	1	-	-	-	-	-	-	1	1
IOWA ----------	162	-	2	-	-	2	5	5	1	2	4	2
WHITE------MALE----	82	-	1	-	-	2	3	4	1	1	4	2
FEMALE--	79	-	1	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	110	1	-	2	1	-	-	4	3	3	3	6
WHITE------MALE----	54	1	-	1	1	-	-	2	3	3	1	4
FEMALE--	49	-	-	1	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3810

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
HAWAII ----------	1	-	1	1	1	4	3	4	3	2	-	-
WHITE------MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	3	1	6	2	3	4	7	7	3	-	-
WHITE------MALE----	2	2	1	4	1	1	3	2	3	2	-	-
FEMALE--	-	1	-	2	1	2	1	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	30	26	18	33	22	50	75	98	67	29	4	-
WHITE------MALE----	18	14	7	15	12	25	40	34	22	9	-	-
FEMALE--	3	6	3	10	7	19	30	59	43	18	3	-
ALL OTHER--MALE----	7	6	3	5	-	4	3	2	-	1	1	-
FEMALE--	2	-	5	3	3	2	2	3	2	1	-	-
BLACK---MALE----	7	6	2	4	-	4	3	2	-	1	1	-
FEMALE--	2	-	4	3	3	2	2	3	2	1	-	-
INDIANA ----------	12	11	12	15	35	38	52	63	48	24	4	-
WHITE------MALE----	6	8	8	11	19	22	21	22	14	7	-	-
FEMALE--	4	2	2	4	12	14	30	36	32	16	4	-
ALL OTHER--MALE----	2	1	1	-	4	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	4	1	1	-	-
BLACK---MALE----	2	1	1	-	3	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	3	1	1	-	-
IOWA ----------	6	7	5	6	7	15	14	30	29	15	5	-
WHITE------MALE----	3	7	4	6	4	11	10	8	6	4	1	-
FEMALE--	2	-	1	-	3	4	4	22	23	11	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	7	3	5	6	5	9	13	13	14	10	2	-
WHITE------MALE----	5	3	3	2	4	3	7	6	4	1	-	-
FEMALE--	1	-	2	3	1	5	5	7	9	9	2	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
KENTUCKY ----------	282	1	3	1	1	4	2	5	6	10	10	13
WHITE------MALE----	134	1	1	-	-	4	1	4	5	9	7	10
FEMALE--	137	-	1	1	1	-	1	1	-	1	3	2
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	250	4	3	1	3	8	5	13	4	9	13	13
WHITE------MALE----	102	1	-	-	-	6	4	11	1	7	4	5
FEMALE--	71	1	-	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	52	1	2	1	2	1	1	2	1	1	7	6
FEMALE--	25	1	1	-	-	1	-	-	2	-	1	1
BLACK---MALE----	51	1	2	1	2	1	1	1	1	1	7	6
FEMALE--	25	1	1	-	-	1	-	-	2	-	1	1
MAINE ----------	41	-	1	2	-	1	-	-	-	3	-	2
WHITE------MALE----	31	-	1	2	-	1	-	-	-	3	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	175	1	1	-	1	3	4	2	3	6	11	11
WHITE------MALE----	63	1	1	-	1	2	2	-	1	5	7	2
FEMALE--	57	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	30	-	-	-	-	1	1	2	1	-	4	6
FEMALE--	25	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	29	-	-	-	-	1	1	2	1	-	4	6
FEMALE--	23	-	-	-	-	-	1	-	-	1	-	1
MASSACHUSETTS ----------	326	2	-	1	3	2	2	3	1	10	6	3
WHITE------MALE----	131	1	-	1	1	2	1	2	1	10	4	3
FEMALE--	184	-	-	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	479	3	4	1	1	4	18	9	15	17	25	16
WHITE------MALE----	218	1	2	-	-	2	15	7	10	5	17	6
FEMALE--	200	-	1	-	1	1	2	2	1	6	4	4
ALL OTHER--MALE----	41	2	1	-	-	1	1	-	3	4	3	5
FEMALE--	20	-	-	1	-	-	-	-	1	2	1	1
BLACK---MALE----	36	2	1	-	-	-	1	-	3	2	2	5
FEMALE--	19	-	-	1	-	-	-	-	1	2	1	-

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	6	8	8	16	20	27	35	56	39	10	1	-
WHITE------MALE----	3	4	4	11	8	16	13	19	12	2	-	-
FEMALE--	3	4	4	5	10	10	21	35	25	8	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
LOUISIANA ----------	14	9	11	9	9	28	27	28	31	8	-	-
WHITE------MALE----	6	5	3	4	5	11	12	11	5	1	-	-
FEMALE--	-	-	3	2	-	12	14	10	21	4	-	-
ALL OTHER--MALE----	8	4	3	1	2	3	1	3	1	1	-	-
FEMALE--	-	-	2	2	2	2	-	4	4	2	-	-
BLACK---MALE----	8	4	3	1	2	3	1	3	1	1	-	-
FEMALE--	-	-	2	2	2	2	-	4	4	2	-	-
MAINE ----------	1	1	2	2	4	5	6	9	2	-	-	-
WHITE------MALE----	1	1	2	1	2	3	3	7	2	-	-	-
FEMALE--	-	-	-	1	2	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	4	9	8	19	18	19	21	22	3	3	1
WHITE------MALE----	3	-	6	4	5	6	6	4	6	1	-	-
FEMALE--	-	2	1	1	11	8	6	8	13	2	3	-
ALL OTHER--MALE----	1	1	1	-	1	2	2	3	3	-	-	1
FEMALE--	1	1	1	3	2	2	5	6	-	-	-	-
BLACK---MALE----	1	1	1	-	1	2	1	3	3	-	-	1
FEMALE--	1	1	1	2	2	2	5	6	-	-	-	-
MASSACHUSETTS ----------	6	5	4	12	23	28	44	62	64	39	6	-
WHITE------MALE----	3	5	-	7	12	15	16	24	15	8	-	-
FEMALE--	2	-	2	5	10	13	27	36	49	31	6	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
MICHIGAN ----------	24	11	17	26	28	41	57	76	59	21	6	-
WHITE------MALE----	12	6	11	16	10	19	27	30	17	3	2	-
FEMALE--	5	3	3	7	14	18	27	44	37	17	3	-
ALL OTHER--MALE----	7	2	1	2	4	1	1	-	2	-	1	-
FEMALE--	-	-	2	1	-	3	2	2	3	1	-	-
BLACK---MALE----	7	2	1	2	3	1	1	-	2	-	1	-
FEMALE--	-	-	2	1	-	3	2	2	3	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
MINNESOTA ----------	336	-	2	2	1	4	3	2	3	8	7	8
WHITE------MALE----	155	-	1	1	1	4	1	2	3	6	6	4
FEMALE--	170	-	1	1	-	-	1	-	-	2	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	128	-	1	-	-	2	3	3	3	7	13	9
WHITE------MALE----	49	-	-	-	-	2	1	-	1	5	4	5
FEMALE--	27	-	1	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	2	1	2	9	3
FEMALE--	17	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	-	2	1	2	9	3
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	400	-	2	-	2	4	8	10	10	12	16	12
WHITE------MALE----	175	-	1	-	1	2	4	7	8	7	10	9
FEMALE--	176	-	1	-	1	1	1	1	1	4	2	1
ALL OTHER--MALE----	33	-	-	-	-	1	3	2	1	1	4	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	1	3	2	1	1	4	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	50	-	-	1	2	2	2	1	1	3	1	1
WHITE------MALE----	33	-	-	-	2	2	2	1	1	2	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	81	1	2	1	-	2	3	1	3	1	4	2
WHITE------MALE----	35	1	2	1	-	-	3	-	2	-	3	2
FEMALE--	43	-	-	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	43	-	1	1	-	-	-	1	2	2	3	5
WHITE------MALE----	21	-	-	1	-	-	-	1	1	1	2	4
FEMALE--	19	-	1	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3812

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA ----------	5	6	8	15	14	24	53	71	68	27	5	-
WHITE------MALE----	2	5	8	9	9	11	26	30	19	4	3	-
FEMALE--	3	-	-	4	5	12	24	39	49	23	2	-
ALL OTHER--MALE----	-	1	-	2	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	6	3	12	5	10	10	13	11	14	3	-	-
WHITE------MALE----	2	3	6	2	5	4	4	3	2	-	-	-
FEMALE--	1	-	1	-	2	2	4	4	8	1	-	-
ALL OTHER--MALE----	2	-	4	3	2	1	2	2	2	-	-	-
FEMALE--	1	-	1	-	1	3	3	2	2	2	-	-
BLACK---MALE----	2	-	4	3	2	1	2	2	2	-	-	-
FEMALE--	1	-	1	-	-	3	3	2	2	2	-	-
MISSOURI ----------	14	12	14	18	31	42	59	68	50	16	-	-
WHITE------MALE----	10	6	9	7	14	18	22	23	11	6	-	-
FEMALE--	1	2	3	7	12	20	31	39	38	10	-	-
ALL OTHER--MALE----	2	4	2	2	3	2	3	1	-	-	-	-
FEMALE--	1	-	-	2	2	2	3	5	1	-	-	-
BLACK---MALE----	2	3	2	2	2	2	3	1	-	-	-	-
FEMALE--	1	-	-	2	2	2	3	5	1	-	-	-
MONTANA ----------	2	1	4	3	3	4	2	11	1	4	1	-
WHITE------MALE----	2	1	3	3	1	2	2	4	1	2	-	-
FEMALE--	-	-	1	-	2	1	-	7	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	2	3	1	2	4	3	14	13	12	5	2	-
WHITE------MALE----	2	2	1	1	1	2	7	4	1	-	-	-
FEMALE--	-	-	-	1	3	1	7	9	11	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	1	4	-	1	5	2	6	4	2	-	1
WHITE------MALE----	2	1	1	-	1	5	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	5	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
NEW HAMPSHIRE ----------	53	-	-	-	1	1	2	1	1	1	1	2
WHITE------MALE----	32	-	-	-	1	1	2	1	1	1	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	389	1	2	-	2	1	4	6	5	9	13	14
WHITE------MALE----	164	1	1	-	-	1	3	4	1	6	9	6
FEMALE--	175	-	-	-	1	-	-	-	1	1	1	4
ALL OTHER--MALE----	36	-	1	-	1	-	1	2	3	1	2	3
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	33	-	1	-	1	-	1	1	3	1	2	3
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
NEW MEXICO ----------	86	1	1	5	1	1	3	2	3	2	6	13
WHITE------MALE----	46	-	-	3	1	1	2	1	1	1	3	8
FEMALE--	17	-	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	19	1	-	1	-	-	1	1	2	-	1	5
FEMALE--	4	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEW YORK ----------	517	1	3	5	3	7	11	10	21	10	13	25
WHITE------MALE----	243	-	3	3	2	4	7	6	14	7	7	17
FEMALE--	196	1	-	2	-	2	1	1	-	1	4	1
ALL OTHER--MALE----	50	-	-	-	-	1	3	3	7	1	2	5
FEMALE--	28	-	-	-	1	-	-	-	-	1	-	2
BLACK---MALE----	44	-	-	-	-	1	2	2	7	1	1	5
FEMALE--	26	-	-	-	1	-	-	-	-	1	-	2
NORTH CAROLINA ---------	382	-	5	-	1	5	4	3	11	13	15	17
WHITE------MALE----	170	-	2	-	1	3	4	-	8	11	11	12
FEMALE--	147	-	2	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	45	-	1	-	-	-	-	2	2	2	3	4
FEMALE--	20	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	42	-	-	-	-	-	-	2	2	2	3	4
FEMALE--	19	-	-	-	-	1	-	1	-	-	-	-
NORTH DAKOTA ----------	31	-	-	-	1	-	1	-	-	1	-	2
WHITE------MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	13	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	2	2	3	2	4	3	8	11	4	3	1	-
WHITE------MALE----	2	2	3	1	2	2	5	4	1	-	-	-
FEMALE--	-	-	-	1	2	1	3	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	17	12	17	17	25	36	70	64	47	22	5	-
WHITE------MALE----	11	8	8	10	11	14	33	20	13	3	1	-
FEMALE--	4	2	5	6	8	19	34	37	31	18	3	-
ALL OTHER--MALE----	2	2	2	1	4	2	3	6	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	1	3	1	1	-
BLACK---MALE----	2	1	2	1	3	2	3	6	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	1	3	1	1	-
NEW MEXICO ----------	4	1	8	5	4	7	2	10	3	3	1	-
WHITE------MALE----	4	-	4	3	4	4	1	3	-	2	-	-
FEMALE--	-	-	3	-	-	1	1	5	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	2	-	-	1	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	35	17	20	22	28	58	69	79	52	26	2	-
WHITE------MALE----	24	8	9	13	13	23	32	32	14	5	-	-
FEMALE--	3	2	5	5	11	27	30	46	35	18	1	-
ALL OTHER--MALE----	6	4	3	3	3	4	3	-	1	1	-	-
FEMALE--	2	3	3	1	1	4	4	1	2	2	1	-
BLACK---MALE----	5	4	3	3	3	4	1	-	1	1	-	-
FEMALE--	1	3	3	1	1	4	4	-	2	2	1	-
NORTH CAROLINA ---------	13	13	18	19	34	37	54	58	45	16	1	-
WHITE------MALE----	7	7	9	6	16	13	21	25	10	4	-	-
FEMALE--	2	2	2	7	10	18	27	30	32	10	1	-
ALL OTHER--MALE----	3	2	7	4	7	1	3	3	1	-	-	-
FEMALE--	1	2	-	2	1	5	3	-	2	2	-	-
BLACK---MALE----	3	2	6	4	6	1	3	3	1	-	-	-
FEMALE--	1	2	-	2	1	4	3	-	2	2	-	-
NORTH DAKOTA ----------	3	2	2	1	1	1	5	4	5	2	-	-
WHITE------MALE----	2	1	1	-	1	1	4	1	1	1	-	-
FEMALE--	1	-	1	1	-	-	1	3	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
OHIO ----------	661	3	5	3	1	6	10	11	12	19	23	25
WHITE------MALE----	278	2	3	2	1	4	10	7	9	15	14	15
FEMALE--	322	1	2	1	-	1	-	-	2	3	6	5
ALL OTHER--MALE----	36	-	-	-	-	1	-	2	1	1	2	5
FEMALE--	25	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	35	-	-	-	-	1	-	2	1	1	2	5
FEMALE--	25	-	-	-	-	-	-	2	-	-	1	-
OKLAHOMA ----------	236	2	2	3	-	5	4	6	7	5	9	9
WHITE------MALE----	119	1	1	2	-	-	4	5	4	2	6	5
FEMALE--	91	1	1	1	-	2	-	-	2	2	-	1
ALL OTHER--MALE----	19	-	-	-	-	2	-	1	1	1	3	2
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	2	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OREGON ----------	228	1	2	4	2	2	4	6	4	1	5	4
WHITE------MALE----	115	-	1	4	1	2	3	5	2	1	5	2
FEMALE--	104	1	1	-	1	-	1	1	1	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA ----------	737	1	7	2	5	11	10	7	9	20	26	31
WHITE------MALE----	350	-	5	1	3	6	7	5	9	12	19	22
FEMALE--	328	-	1	-	1	3	1	2	-	5	4	5
ALL OTHER--MALE----	37	-	1	-	1	1	2	-	-	2	2	3
FEMALE--	22	1	-	1	-	1	-	-	-	1	1	1
BLACK---MALE----	36	-	1	-	1	1	2	-	-	2	2	3
FEMALE--	21	1	-	1	-	-	-	-	-	1	1	1
RHODE ISLAND ----------	27	-	1	-	-	-	-	-	-	1	3	1
WHITE------MALE----	14	-	1	-	-	-	-	-	-	-	3	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	209	2	-	-	1	4	2	6	4	6	11	16
WHITE------MALE----	86	-	-	-	-	1	1	4	3	3	7	7
FEMALE--	68	1	-	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	37	-	-	-	-	2	1	1	-	1	4	7
FEMALE--	18	1	-	-	1	1	-	-	-	1	-	1
BLACK---MALE----	37	-	-	-	-	2	1	1	-	1	4	7
FEMALE--	18	1	-	-	1	1	-	-	-	1	-	1

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	14	17	29	29	43	66	97	109	97	37	5	-
WHITE------MALE----	9	11	18	15	21	24	30	38	22	8	-	-
FEMALE--	2	4	7	9	17	34	61	66	69	28	4	-
ALL OTHER--MALE----	3	-	3	3	4	3	2	2	4	-	-	-
FEMALE--	-	2	1	2	1	5	4	3	2	1	1	-
BLACK---MALE----	3	-	3	3	4	3	1	2	4	-	-	-
FEMALE--	-	2	1	2	1	5	4	3	2	1	1	-
OKLAHOMA ----------	9	10	12	19	13	22	29	28	28	12	1	1
WHITE------MALE----	8	10	7	10	6	12	13	8	9	5	-	1
FEMALE--	1	-	3	8	6	6	12	20	17	7	1	-
ALL OTHER--MALE----	-	-	1	1	1	3	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
OREGON ----------	11	4	6	9	13	34	34	28	34	18	2	-
WHITE------MALE----	11	4	6	4	9	14	17	7	10	6	1	-
FEMALE--	-	-	-	4	4	18	15	20	24	12	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	30	31	24	27	29	74	132	136	85	34	6	-
WHITE------MALE----	25	18	14	12	18	36	62	46	21	7	2	-
FEMALE--	2	7	7	14	6	33	60	85	61	27	4	-
ALL OTHER--MALE----	3	5	-	-	4	3	6	3	1	-	-	-
FEMALE--	-	1	3	1	1	2	4	2	2	-	-	-
BLACK---MALE----	3	5	-	-	4	3	5	3	1	-	-	-
FEMALE--	-	1	3	1	1	2	4	2	2	-	-	-
RHODE ISLAND ----------	-	1	3	-	3	3	4	3	4	-	-	-
WHITE------MALE----	-	1	3	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	2	3	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	7	3	7	13	13	24	36	30	15	7	2	-
WHITE------MALE----	4	-	4	4	9	10	12	7	8	2	-	-
FEMALE--	1	-	2	3	2	8	17	18	6	5	1	-
ALL OTHER--MALE----	2	2	1	6	2	2	4	2	-	-	-	-
FEMALE--	-	1	-	-	-	4	3	3	1	-	1	-
BLACK---MALE----	2	2	1	6	2	2	4	2	-	-	-	-
FEMALE--	-	1	-	-	-	4	3	3	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
SOUTH DAKOTA ----------	36	-	1	-	2	1	-	2	-	3	5	1
WHITE------MALE----	21	-	-	-	-	-	-	2	-	3	5	-
FEMALE--	13	-	-	-	2	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	402	-	5	1	-	7	6	8	5	9	21	16
WHITE------MALE----	186	-	2	1	-	5	3	7	2	6	14	9
FEMALE--	171	-	-	-	-	-	2	1	1	2	3	4
ALL OTHER--MALE----	28	-	2	-	-	2	1	-	2	1	3	3
FEMALE--	17	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	2	-	-	2	-	-	2	1	3	2
FEMALE--	17	-	1	-	-	-	-	-	-	-	1	-
TEXAS ----------	689	2	12	3	4	16	13	22	15	31	25	20
WHITE------MALE----	346	2	6	3	2	11	9	20	12	23	17	14
FEMALE--	272	-	3	-	2	4	1	1	1	3	4	4
ALL OTHER--MALE----	45	-	1	-	-	1	3	1	1	5	3	2
FEMALE--	26	-	2	-	-	-	-	-	1	-	1	-
BLACK---MALE----	44	-	1	-	-	1	2	1	1	5	3	2
FEMALE--	24	-	2	-	-	-	-	-	-	-	1	-
UTAH ----------	94	-	1	1	1	2	-	4	4	1	2	4
WHITE------MALE----	47	-	1	1	-	2	-	4	4	1	2	3
FEMALE--	45	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	47	1	-	2	1	3	1	-	1	1	-	1
WHITE------MALE----	20	-	-	1	-	1	1	-	1	1	-	1
FEMALE--	27	1	-	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	357	-	1	2	2	7	13	8	12	5	19	5
WHITE------MALE----	155	-	-	-	2	5	9	6	7	-	11	4
FEMALE--	137	-	-	-	-	1	2	-	1	-	2	1
ALL OTHER--MALE----	40	-	1	1	-	1	2	2	3	5	5	-
FEMALE--	25	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	40	-	1	1	-	1	2	2	3	5	5	-
FEMALE--	23	-	-	1	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3815

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
SOUTH DAKOTA ----------	3	2	2	1	2	1	4	4	1	1	-	-
WHITE------MALE----	3	1	1	-	2	-	2	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	15	13	16	20	33	45	55	63	42	19	3	-
WHITE------MALE----	11	10	10	12	21	22	17	15	13	5	1	-
FEMALE--	2	1	3	6	10	19	32	43	28	13	1	-
ALL OTHER--MALE----	1	1	3	1	1	1	2	3	1	-	-	-
FEMALE--	1	1	-	1	1	3	4	2	-	1	1	-
BLACK---MALE----	1	1	3	1	1	1	2	3	1	-	-	-
FEMALE--	1	1	-	1	1	3	4	2	-	1	1	-
TEXAS ----------	23	26	29	32	48	55	88	111	78	30	6	-
WHITE------MALE----	17	17	19	17	24	23	36	45	22	6	1	-
FEMALE--	3	5	8	12	15	24	47	60	51	19	5	-
ALL OTHER--MALE----	2	4	2	1	6	5	-	3	4	1	-	-
FEMALE--	1	-	-	2	3	3	5	3	1	4	-	-
BLACK---MALE----	2	4	2	1	6	5	-	3	4	1	-	-
FEMALE--	1	-	-	2	3	3	5	2	1	4	-	-
UTAH ----------	2	1	1	4	7	13	13	14	13	4	2	-
WHITE------MALE----	2	1	1	2	3	5	5	2	4	3	1	-
FEMALE--	-	-	-	2	4	8	7	12	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	1	-	1	2	3	6	12	5	3	1	-
WHITE------MALE----	1	1	-	1	1	2	1	5	1	-	1	-
FEMALE--	1	-	-	-	1	1	5	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	15	17	8	16	16	38	43	52	57	16	5	-
WHITE------MALE----	10	10	4	8	9	16	19	16	17	2	-	-
FEMALE--	3	3	-	2	3	13	20	29	38	14	5	-
ALL OTHER--MALE----	1	2	2	4	2	4	2	2	1	-	-	-
FEMALE--	1	2	2	2	2	5	2	5	1	-	-	-
BLACK---MALE----	1	2	2	4	2	4	2	2	1	-	-	-
FEMALE--	1	1	2	2	2	5	2	4	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
WASHINGTON ----------	110	1	1	4	2	2	9	1	3	3	10	7
WHITE------MALE----	63	-	-	1	1	2	9	1	3	1	6	3
FEMALE--	38	1	1	2	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	7	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WEST VIRGINIA ----------	108	-	-	-	1	2	2	1	5	3	9	6
WHITE------MALE----	58	-	-	-	-	-	2	-	5	3	7	6
FEMALE--	47	-	-	-	-	2	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	154	-	3	2	-	2	3	-	7	11	10	12
WHITE------MALE----	95	-	2	1	-	2	3	-	7	10	7	6
FEMALE--	52	-	1	1	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	34	-	-	-	-	-	1	3	1	-	2	2
WHITE------MALE----	20	-	-	-	-	-	1	3	1	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
WASHINGTON ----------	4	5	6	2	7	6	10	18	7	1	1	-
WHITE------MALE----	3	3	4	1	4	4	5	10	1	1	-	-
FEMALE--	1	2	2	1	2	1	5	7	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	9	3	6	3	9	10	12	19	4	4	-	-
WHITE------MALE----	8	3	3	1	5	5	1	6	1	2	-	-
FEMALE--	1	-	3	2	4	5	10	13	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN ----------	8	11	9	9	5	10	17	18	10	6	1	-
WHITE------MALE----	6	9	8	8	4	6	8	2	4	1	1	-
FEMALE--	1	2	1	1	1	4	9	16	5	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	3	-	1	2	1	7	4	4	2	-	-
WHITE------MALE----	-	2	-	1	2	-	4	1	2	1	-	-
FEMALE--	-	-	-	-	-	1	3	3	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3817

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
UNITED STATES -	29,199	...	...	2	242	1,615	2,286	2,398	2,708	3,286	3,180	2,817
WHITE------MALE----	21,107	...	...	2	162	1,122	1,629	1,667	1,900	2,291	2,244	1,987
FEMALE--	5,193	...	...	-	42	222	246	329	450	642	683	612
ALL OTHER--MALE----	2,351	...	...	-	30	225	350	338	289	299	185	165
FEMALE--	548	...	...	-	8	46	61	64	69	54	68	53
BLACK---MALE----	1,651	...	...	-	22	155	259	231	205	217	139	116
FEMALE--	299	...	...	-	7	24	32	30	37	31	48	30
ALABAMA ----------	555	...	...	-	1	33	56	38	45	53	67	43
WHITE------MALE----	406	...	...	-	1	22	32	26	30	41	50	33
FEMALE--	87	...	...	-	-	3	9	3	9	9	14	6
ALL OTHER--MALE----	53	...	...	-	-	8	14	9	4	3	2	3
FEMALE--	9	...	...	-	-	-	1	-	2	-	1	1
BLACK---MALE----	52	...	...	-	-	8	14	9	4	2	2	3
FEMALE--	9	...	...	-	-	-	1	-	2	-	1	1
ALASKA ----------	96	...	...	-	1	16	8	13	6	10	11	9
WHITE------MALE----	46	...	...	-	-	3	4	5	2	6	7	5
FEMALE--	14	...	...	-	-	1	2	-	1	-	3	2
ALL OTHER--MALE----	28	...	...	-	1	9	1	6	2	4	1	1
FEMALE--	8	...	...	-	-	3	1	2	1	-	-	1
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	766	...	...	1	5	34	44	67	76	78	74	71
WHITE------MALE----	545	...	...	1	3	27	33	48	54	51	48	51
FEMALE--	153	...	...	-	1	4	4	7	9	20	20	15
ALL OTHER--MALE----	58	...	...	-	1	3	5	11	10	6	5	5
FEMALE--	10	...	...	-	-	-	2	1	3	1	1	-
BLACK---MALE----	18	...	...	-	-	-	3	3	2	2	3	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	336	...	...	-	4	26	34	27	32	34	36	23
WHITE------MALE----	264	...	...	-	3	23	28	23	17	23	26	18
FEMALE--	56	...	...	-	1	3	3	4	11	9	9	3
ALL OTHER--MALE----	13	...	...	-	-	-	2	-	4	2	1	1
FEMALE--	3	...	...	-	-	-	1	-	-	-	-	1
BLACK---MALE----	10	...	...	-	-	-	2	-	3	-	1	1
FEMALE--	3	...	...	-	-	-	1	-	-	-	-	1
CALIFORNIA ----------	3,077	...	...	-	26	107	219	226	289	332	315	330
WHITE------MALE----	2,123	...	...	-	13	64	157	138	198	224	204	212
FEMALE--	562	...	...	-	6	20	16	35	51	65	74	85
ALL OTHER--MALE----	302	...	...	-	4	22	36	40	28	35	27	23
FEMALE--	90	...	...	-	3	1	10	13	12	8	10	10
BLACK---MALE----	119	...	...	-	2	10	16	17	8	18	11	10
FEMALE--	26	...	...	-	3	1	1	4	5	3	6	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3817

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
UNITED STATES -	2,264	1,678	1,218	1,187	1,284	1,280	937	580	182	39	-	16
WHITE------MALE----	1,586	1,196	903	911	1,029	1,031	770	487	148	29	-	13
FEMALE--	535	371	228	193	197	195	133	76	30	9	-	-
ALL OTHER--MALE----	116	88	68	61	50	42	25	14	2	1	-	3
FEMALE--	27	23	19	22	8	12	9	3	2	-	-	-
BLACK---MALE----	71	55	42	47	33	30	15	9	2	1	-	2
FEMALE--	13	13	8	11	5	5	2	1	2	-	-	-
ALABAMA ----------	47	35	32	24	32	30	11	7	1	-	-	-
WHITE------MALE----	34	28	26	21	26	25	7	3	1	-	-	-
FEMALE--	10	7	4	1	4	4	2	2	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	3	-	2	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	-	-	-	-
ALASKA ----------	9	2	3	2	1	2	1	2	-	-	-	-
WHITE------MALE----	5	2	2	-	1	1	1	2	-	-	-	-
FEMALE--	1	-	1	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	63	54	35	23	30	46	38	21	2	3	-	1
WHITE------MALE----	36	37	27	20	22	39	30	15	-	2	-	1
FEMALE--	23	13	7	3	5	6	7	6	2	1	-	-
ALL OTHER--MALE----	3	3	1	-	3	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	20	21	10	14	11	22	8	12	2	-	-	-
WHITE------MALE----	17	15	9	11	11	21	7	10	2	-	-	-
FEMALE--	3	4	1	2	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	264	191	129	132	151	143	112	75	23	10	-	3
WHITE------MALE----	190	131	92	96	116	113	91	62	15	5	-	2
FEMALE--	50	37	20	21	24	21	14	11	8	4	-	-
ALL OTHER--MALE----	20	19	13	11	10	6	5	1	-	1	-	1
FEMALE--	4	4	4	4	1	3	2	1	-	-	-	-
BLACK---MALE----	4	7	6	5	2	2	-	-	-	1	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3818

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
COLORADO ----------	574	...	...	-	3	42	45	53	49	66	69	60
WHITE------MALE----	434	...	...	-	1	33	34	42	39	49	54	39
FEMALE--	111	...	...	-	1	7	7	7	8	14	14	17
ALL OTHER--MALE----	19	...	...	-	-	-	4	4	1	2	1	2
FEMALE--	10	...	...	-	1	2	-	-	1	1	-	2
BLACK---MALE----	11	...	...	-	-	-	2	2	1	1	1	2
FEMALE--	5	...	...	-	1	2	-	-	1	1	-	-
CONNECTICUT ----------	274	...	...	-	-	12	19	16	24	37	20	30
WHITE------MALE----	207	...	...	-	-	8	16	13	17	21	16	24
FEMALE--	53	...	...	-	-	3	1	-	5	14	4	5
ALL OTHER--MALE----	10	...	...	-	-	1	2	2	1	1	-	1
FEMALE--	4	...	...	-	-	-	-	1	1	1	-	-
BLACK---MALE----	7	...	...	-	-	1	2	1	-	1	-	1
FEMALE--	3	...	...	-	-	-	-	-	1	1	-	-
DELAWARE ----------	86	...	...	-	2	4	6	9	8	14	13	11
WHITE------MALE----	66	...	...	-	1	2	3	8	5	11	10	11
FEMALE--	12	...	...	-	-	1	-	-	3	2	2	-
ALL OTHER--MALE----	7	...	...	-	-	1	3	1	-	1	1	-
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	...	...	-	-	-	3	1	-	-	1	-
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	30	...	...	-	-	4	-	4	1	10	1	1
WHITE------MALE----	7	...	...	-	-	-	-	-	1	3	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	...	...	-	-	3	-	3	-	7	1	-
FEMALE--	3	...	...	-	-	1	-	1	-	-	-	-
BLACK---MALE----	18	...	...	-	-	3	-	3	-	6	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2,029	...	...	-	7	66	98	128	163	221	227	201
WHITE------MALE----	1,485	...	...	-	5	48	76	88	121	152	153	144
FEMALE--	432	...	...	-	-	9	14	25	31	50	57	44
ALL OTHER--MALE----	96	...	...	-	2	9	7	15	8	15	14	11
FEMALE--	16	...	...	-	-	-	1	-	3	4	3	2
BLACK---MALE----	88	...	...	-	1	8	5	14	8	15	13	11
FEMALE--	11	...	...	-	-	-	1	-	2	3	2	1
GEORGIA ----------	873	...	...	-	8	51	69	104	83	103	71	67
WHITE------MALE----	570	...	...	-	5	30	43	65	53	56	44	47
FEMALE--	161	...	...	-	2	9	8	18	10	25	13	12
ALL OTHER--MALE----	129	...	...	-	-	10	16	20	19	20	12	7
FEMALE--	13	...	...	-	1	2	2	1	1	2	2	1
BLACK---MALE----	116	...	...	-	-	10	15	15	16	19	11	5
FEMALE--	12	...	...	-	1	2	2	1	-	2	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3818

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
COLORADO ----------	48	33	18	20	20	20	17	9	2	-	-	-
WHITE------MALE----	39	22	12	17	16	14	13	8	2	-	-	-
FEMALE--	7	9	5	1	4	5	4	1	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	25	18	20	11	10	17	10	3	2	-	-	-
WHITE------MALE----	18	15	18	9	10	10	8	2	2	-	-	-
FEMALE--	6	3	1	1	-	7	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	4	3	1	2	2	2	1	1	-	-	-
WHITE------MALE----	2	3	2	1	2	2	2	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	1	4	2	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	172	114	85	115	128	115	100	56	28	2	-	3
WHITE------MALE----	128	71	68	88	96	91	83	48	21	2	-	2
FEMALE--	40	42	17	23	30	18	17	8	7	-	-	-
ALL OTHER--MALE----	4	1	-	3	1	5	-	-	-	-	-	1
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	-	2	1	5	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
GEORGIA ----------	69	49	38	39	41	36	34	8	3	-	-	-
WHITE------MALE----	44	36	29	31	27	26	27	5	2	-	-	-
FEMALE--	19	8	6	2	12	7	7	2	1	-	-	-
ALL OTHER--MALE----	6	4	3	6	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	3	6	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3819

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
HAWAII ----------	136	...	...	-	-	6	9	13	25	18	13	13
WHITE------MALE----	39	...	...	-	-	1	-	2	4	6	6	7
FEMALE--	12	...	...	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	68	...	...	-	-	3	8	7	16	11	7	3
FEMALE--	17	...	...	-	-	2	1	3	4	1	-	3
BLACK---MALE----	2	...	...	-	-	-	-	-	2	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	181	...	...	-	2	15	13	7	20	26	17	9
WHITE------MALE----	139	...	...	-	1	11	9	6	15	20	11	5
FEMALE--	34	...	...	-	1	2	1	1	4	6	6	3
ALL OTHER--MALE----	6	...	...	-	-	1	3	-	1	-	-	1
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,020	...	...	-	5	59	82	98	88	122	116	93
WHITE------MALE----	705	...	...	-	2	36	53	67	63	86	72	70
FEMALE--	181	...	...	-	3	7	12	15	10	21	27	15
ALL OTHER--MALE----	116	...	...	-	-	14	16	16	13	15	11	7
FEMALE--	18	...	...	-	-	2	1	-	2	-	6	1
BLACK---MALE----	106	...	...	-	-	13	14	15	13	14	11	6
FEMALE--	16	...	...	-	-	1	1	-	2	-	5	1
INDIANA ----------	628	...	...	-	10	36	57	61	60	66	81	59
WHITE------MALE----	486	...	...	-	8	28	39	48	51	49	61	42
FEMALE--	99	...	...	-	2	3	8	5	6	11	17	16
ALL OTHER--MALE----	36	...	...	-	-	5	8	6	3	6	2	1
FEMALE--	7	...	...	-	-	-	2	2	-	-	1	-
BLACK---MALE----	33	...	...	-	-	5	8	5	3	4	2	1
FEMALE--	6	...	...	-	-	-	2	1	-	-	1	-
IOWA ----------	305	...	...	-	4	25	29	21	25	30	30	20
WHITE------MALE----	248	...	...	-	2	20	27	18	19	25	23	15
FEMALE--	48	...	...	-	2	2	2	1	4	5	6	4
ALL OTHER--MALE----	7	...	...	-	-	1	-	2	2	-	1	1
FEMALE--	2	...	...	-	-	2	-	-	-	-	-	-
BLACK---MALE----	4	...	...	-	-	1	-	1	1	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	299	...	...	-	5	17	38	25	30	25	36	31
WHITE------MALE----	238	...	...	-	2	12	36	21	22	20	25	22
FEMALE--	44	...	...	-	1	4	1	2	5	4	9	7
ALL OTHER--MALE----	13	...	...	-	2	-	1	2	2	-	2	2
FEMALE--	4	...	...	-	-	1	-	-	1	1	-	-
BLACK---MALE----	10	...	...	-	2	-	1	1	1	-	2	1
FEMALE--	2	...	...	-	-	1	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
HAWAII ----------	9	6	4	1	3	7	5	4	-	-	-	-
WHITE------MALE----	3	3	2	-	-	2	2	1	-	-	-	-
FEMALE--	3	1	-	-	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	3	2	2	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	8	7	4	10	13	7	6	3	-	-	-
WHITE------MALE----	11	7	4	3	9	12	7	5	3	-	-	-
FEMALE--	3	1	2	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	80	59	43	30	38	44	31	24	6	2	-	-
WHITE------MALE----	50	42	29	22	30	34	24	21	3	1	-	-
FEMALE--	25	11	8	3	5	9	3	3	3	1	-	-
ALL OTHER--MALE----	4	5	4	3	3	1	4	-	-	-	-	-
FEMALE--	1	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	5	4	2	3	1	4	-	-	-	-	-
FEMALE--	1	1	2	2	-	-	-	-	-	-	-	-
INDIANA ----------	46	23	14	27	19	25	24	11	7	1	-	1
WHITE------MALE----	38	16	11	19	17	22	19	9	7	1	-	1
FEMALE--	7	5	3	8	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
IOWA ----------	25	20	11	13	18	15	9	8	2	-	-	-
WHITE------MALE----	19	18	11	9	13	12	7	8	2	-	-	-
FEMALE--	6	2	-	4	5	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	22	15	12	8	11	8	10	4	1	1	-	-
WHITE------MALE----	14	13	10	7	11	7	10	4	1	1	-	-
FEMALE--	7	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3820

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
KENTUCKY ----------	470	...	...	-	2	24	31	40	47	58	59	50
WHITE------MALE----	371	...	...	-	2	18	22	32	38	50	45	33
FEMALE--	80	...	...	-	-	4	4	4	5	7	13	17
ALL OTHER--MALE----	16	...	...	-	-	2	5	3	2	1	1	-
FEMALE--	3	...	...	-	-	-	-	1	2	-	-	-
BLACK---MALE----	14	...	...	-	-	2	5	2	2	-	1	-
FEMALE--	3	...	...	-	-	-	-	1	2	-	-	-
LOUISIANA ----------	518	...	...	-	6	33	49	53	48	61	37	48
WHITE------MALE----	345	...	...	-	5	24	32	33	35	34	23	31
FEMALE--	86	...	...	-	-	3	1	9	3	15	7	8
ALL OTHER--MALE----	73	...	...	-	1	5	15	9	6	9	6	8
FEMALE--	14	...	...	-	-	1	1	2	4	3	1	1
BLACK---MALE----	71	...	...	-	1	4	15	9	6	9	6	8
FEMALE--	12	...	...	-	-	-	1	2	4	2	1	1
MAINE ----------	175	...	...	-	-	10	7	11	22	26	17	17
WHITE------MALE----	137	...	...	-	-	9	4	9	16	22	11	11
FEMALE--	36	...	...	-	-	-	3	2	6	4	6	6
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	435	...	...	-	2	29	35	44	36	51	47	40
WHITE------MALE----	289	...	...	-	-	15	16	29	24	30	29	27
FEMALE--	58	...	...	-	-	6	4	3	9	9	7	8
ALL OTHER--MALE----	73	...	...	-	2	7	14	10	3	11	6	4
FEMALE--	15	...	...	-	-	1	1	2	-	1	5	1
BLACK---MALE----	62	...	...	-	2	7	14	7	3	11	5	3
FEMALE--	11	...	...	-	-	1	-	2	-	-	3	1
MASSACHUSETTS ----------	431	...	...	-	10	20	24	41	43	56	50	36
WHITE------MALE----	313	...	...	-	10	12	14	28	35	43	32	29
FEMALE--	97	...	...	-	-	5	6	7	7	11	16	6
ALL OTHER--MALE----	16	...	...	-	-	2	4	5	1	1	1	1
FEMALE--	5	...	...	-	-	1	-	1	-	1	1	-
BLACK---MALE----	11	...	...	-	-	2	4	3	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
MICHIGAN ----------	974	...	...	-	13	61	78	103	86	109	108	100
WHITE------MALE----	700	...	...	-	8	41	54	75	64	76	77	65
FEMALE--	162	...	...	-	2	7	10	9	8	25	23	20
ALL OTHER--MALE----	91	...	...	-	3	11	13	18	10	8	5	11
FEMALE--	21	...	...	-	-	2	1	1	4	-	3	4
BLACK---MALE----	82	...	...	-	3	10	11	15	10	7	5	9
FEMALE--	17	...	...	-	-	2	-	1	4	-	3	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3820

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
KENTUCKY ----------	32	24	17	16	22	16	17	14	1	-	-	-
WHITE------MALE----	20	16	15	14	20	16	15	14	1	-	-	-
FEMALE--	12	6	2	2	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	42	35	16	10	28	24	13	11	4	-	-	-
WHITE------MALE----	25	22	13	6	23	18	10	9	2	-	-	-
FEMALE--	14	9	2	2	4	5	2	1	1	-	-	-
ALL OTHER--MALE----	3	3	1	2	1	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	15	9	6	10	6	4	6	8	1	-	-	-
WHITE------MALE----	13	7	5	9	5	3	6	6	1	-	-	-
FEMALE--	2	1	1	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	30	20	21	22	18	17	13	5	3	-	-	2
WHITE------MALE----	24	13	17	18	14	14	11	4	3	-	-	1
FEMALE--	2	3	-	2	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	3	3	3	1	3	2	-	-	-	-	-	1
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	1	-	2	1	-	-	-	-	-	1
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	39	35	20	13	7	13	11	9	2	2	-	-
WHITE------MALE----	26	25	15	10	4	10	9	8	1	2	-	-
FEMALE--	12	9	5	3	3	3	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	75	51	43	28	39	36	20	20	2	2	-	-
WHITE------MALE----	55	37	30	20	32	29	16	17	2	2	-	-
FEMALE--	15	12	12	2	4	7	4	2	-	-	-	-
ALL OTHER--MALE----	1	2	1	4	3	-	-	1	-	-	-	-
FEMALE--	4	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	4	3	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3821

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
MINNESOTA ----------	437	...	...	-	4	35	43	25	43	63	49	46
WHITE------MALE----	350	...	...	-	3	29	33	22	37	47	40	37
FEMALE--	68	...	...	-	-	5	6	2	4	13	6	8
ALL OTHER--MALE----	15	...	...	-	1	1	4	1	2	2	1	-
FEMALE--	4	...	...	-	-	-	-	-	-	1	2	1
BLACK---MALE----	7	...	...	-	-	-	1	-	2	2	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
MISSISSIPPI ----------	304	...	...	-	-	21	22	21	21	40	35	22
WHITE------MALE----	200	...	...	-	-	15	14	11	13	21	22	14
FEMALE--	46	...	...	-	-	2	-	3	5	5	5	4
ALL OTHER--MALE----	51	...	...	-	-	3	8	6	3	11	8	4
FEMALE--	7	...	...	-	-	1	-	1	-	3	-	-
BLACK---MALE----	48	...	...	-	-	2	8	6	3	10	7	4
FEMALE--	6	...	...	-	-	1	-	1	-	3	-	-
MISSOURI ----------	700	...	...	-	7	51	55	56	68	83	77	57
WHITE------MALE----	511	...	...	-	4	32	36	40	42	64	56	39
FEMALE--	127	...	...	-	1	14	6	8	10	15	17	17
ALL OTHER--MALE----	53	...	...	-	2	5	12	6	14	4	2	1
FEMALE--	9	...	...	-	-	-	1	2	2	-	2	-
BLACK---MALE----	48	...	...	-	2	5	10	6	12	4	1	1
FEMALE--	7	...	...	-	-	-	-	1	2	-	2	-
MONTANA ----------	162	...	...	-	4	11	14	6	8	15	21	14
WHITE------MALE----	122	...	...	-	4	8	9	4	5	12	14	12
FEMALE--	24	...	...	-	-	2	-	-	2	3	5	2
ALL OTHER--MALE----	11	...	...	-	-	1	4	2	-	-	-	-
FEMALE--	5	...	...	-	-	-	1	-	1	-	2	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	177	...	...	-	-	18	16	15	23	19	21	10
WHITE------MALE----	146	...	...	-	-	14	14	11	18	14	16	8
FEMALE--	19	...	...	-	-	1	1	1	3	5	3	1
ALL OTHER--MALE----	8	...	...	-	-	1	1	3	2	-	-	1
FEMALE--	4	...	...	-	-	2	-	-	-	-	2	-
BLACK---MALE----	7	...	...	-	-	1	1	3	2	-	-	-
FEMALE--	4	...	...	-	-	2	-	-	-	-	2	-
NEVADA ----------	404	...	...	-	1	14	25	38	36	41	36	44
WHITE------MALE----	309	...	...	-	-	9	19	27	25	33	30	29
FEMALE--	68	...	...	-	-	2	3	4	6	7	5	12
ALL OTHER--MALE----	20	...	...	-	1	2	3	6	3	-	1	1
FEMALE--	7	...	...	-	-	1	-	1	2	1	-	2
BLACK---MALE----	10	...	...	-	1	1	1	1	3	-	1	1
FEMALE--	4	...	...	-	-	1	-	1	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
MINNESOTA ----------	29	24	13	9	13	16	21	2	2	-	-	-
WHITE------MALE----	22	17	9	6	11	15	18	2	2	-	-	-
FEMALE--	5	7	3	3	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	16	27	16	18	18	14	5	6	2	-	-	-
WHITE------MALE----	11	19	11	12	14	11	5	5	2	-	-	-
FEMALE--	4	6	2	4	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSOURI ----------	48	40	27	24	32	35	17	17	5	1	-	-
WHITE------MALE----	36	32	17	20	29	31	11	17	4	1	-	-
FEMALE--	10	6	9	3	3	3	4	-	1	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	12	11	3	6	11	12	7	4	3	-	-	-
WHITE------MALE----	8	9	1	3	9	11	6	4	3	-	-	-
FEMALE--	4	1	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	11	6	7	5	4	5	1	-	-	-	-
WHITE------MALE----	15	10	6	7	3	4	5	1	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	28	24	24	20	21	26	15	6	3	-	-	2
WHITE------MALE----	24	20	18	18	15	18	13	6	3	-	-	2
FEMALE--	4	4	5	2	5	8	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3822

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
NEW HAMPSHIRE ----------	137	...	...	-	1	7	16	14	15	9	16	19
WHITE------MALE----	109	...	...	-	1	5	12	11	11	7	13	16
FEMALE--	26	...	...	-	-	2	3	3	3	2	3	3
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	563	...	...	-	2	18	43	42	50	70	72	55
WHITE------MALE----	398	...	...	-	1	12	26	27	36	45	49	44
FEMALE--	103	...	...	-	-	3	9	4	4	20	14	6
ALL OTHER--MALE----	48	...	...	-	1	3	5	11	6	5	6	3
FEMALE--	14	...	...	-	-	-	3	-	4	-	3	2
BLACK---MALE----	39	...	...	-	1	3	5	8	6	4	5	2
FEMALE--	7	...	...	-	-	-	1	-	1	-	1	2
NEW MEXICO ----------	318	...	...	-	2	29	33	27	27	35	34	37
WHITE------MALE----	229	...	...	-	1	18	23	12	20	24	23	30
FEMALE--	50	...	...	-	1	4	2	10	2	6	8	3
ALL OTHER--MALE----	33	...	...	-	-	6	6	4	5	5	2	3
FEMALE--	6	...	...	-	-	1	2	1	-	-	1	1
BLACK---MALE----	3	...	...	-	-	1	-	1	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1,196	...	...	-	7	62	95	91	120	127	124	109
WHITE------MALE----	806	...	...	-	4	39	62	61	78	87	87	76
FEMALE--	201	...	...	-	1	9	11	9	18	18	17	17
ALL OTHER--MALE----	136	...	...	-	1	8	17	15	19	16	16	11
FEMALE--	53	...	...	-	1	6	5	6	5	6	4	5
BLACK---MALE----	104	...	...	-	-	8	14	14	15	9	13	9
FEMALE--	25	...	...	-	-	4	2	3	2	3	2	2
NORTH CAROLINA ---------	884	...	...	-	9	45	84	81	83	100	92	94
WHITE------MALE----	617	...	...	-	7	27	58	58	59	71	63	60
FEMALE--	162	...	...	-	-	7	7	11	14	15	22	26
ALL OTHER--MALE----	86	...	...	-	2	10	13	12	9	10	5	7
FEMALE--	19	...	...	-	-	1	6	-	1	4	2	1
BLACK---MALE----	72	...	...	-	2	9	9	9	7	10	4	5
FEMALE--	18	...	...	-	-	-	6	-	1	4	2	1
NORTH DAKOTA ----------	73	...	...	-	1	10	7	4	9	5	6	5
WHITE------MALE----	51	...	...	-	1	6	6	4	4	3	5	2
FEMALE--	16	...	...	-	-	1	-	-	3	2	1	3
ALL OTHER--MALE----	5	...	...	-	-	2	1	-	2	-	-	-
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
NEW HAMPSHIRE ----------	12	-	6	9	2	4	4	3	-	-	-	-
WHITE------MALE----	10	-	5	8	-	4	3	3	-	-	-	-
FEMALE--	2	-	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	40	28	31	27	20	19	26	14	5	-	-	1
WHITE------MALE----	24	20	20	24	17	17	18	12	5	-	-	1
FEMALE--	15	4	9	3	2	2	6	2	-	-	-	-
ALL OTHER--MALE----	1	4	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	17	21	8	12	8	10	12	3	2	1	-	-
WHITE------MALE----	13	15	7	12	6	9	10	3	2	1	-	-
FEMALE--	3	5	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	106	72	60	60	47	41	38	20	12	4	-	1
WHITE------MALE----	68	48	41	43	31	26	25	15	11	3	-	1
FEMALE--	26	14	13	10	11	12	11	3	-	1	-	-
ALL OTHER--MALE----	11	7	4	5	2	2	1	1	-	-	-	-
FEMALE--	1	3	2	2	3	1	1	1	1	-	-	-
BLACK---MALE----	8	4	3	5	1	-	1	-	-	-	-	-
FEMALE--	1	3	-	-	1	1	-	-	1	-	-	-
NORTH CAROLINA ---------	72	48	43	31	38	27	23	9	4	1	-	-
WHITE------MALE----	42	32	30	26	31	20	21	8	3	1	-	-
FEMALE--	22	12	10	2	6	6	1	1	-	-	-	-
ALL OTHER--MALE----	7	3	2	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	3	2	3	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
NORTH DAKOTA ----------	3	4	5	2	3	1	4	3	-	1	-	-
WHITE------MALE----	1	2	5	1	2	1	4	3	-	1	-	-
FEMALE--	2	2	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3823

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
OHIO ----------	1,102	...	...	-	11	53	97	79	106	118	131	88
WHITE------MALE----	823	...	...	-	7	42	73	58	73	88	101	61
FEMALE--	180	...	...	-	2	4	9	10	19	21	22	22
ALL OTHER--MALE----	78	...	...	-	2	6	14	9	12	8	6	2
FEMALE--	21	...	...	-	-	1	1	2	2	1	2	3
BLACK---MALE----	73	...	...	-	2	5	13	9	11	8	6	2
FEMALE--	16	...	...	-	-	1	1	2	2	-	1	3
OKLAHOMA ----------	492	...	...	-	4	30	48	49	57	54	60	46
WHITE------MALE----	354	...	...	-	4	22	35	35	33	37	43	32
FEMALE--	91	...	...	-	-	4	6	6	17	12	14	12
ALL OTHER--MALE----	38	...	...	-	-	3	6	5	5	5	3	1
FEMALE--	9	...	...	-	-	1	1	3	2	-	-	1
BLACK---MALE----	18	...	...	-	-	2	4	-	2	2	2	1
FEMALE--	5	...	...	-	-	-	1	1	1	-	-	1
OREGON ----------	478	...	...	-	3	26	30	33	35	52	50	61
WHITE------MALE----	384	...	...	-	3	21	23	29	27	34	38	45
FEMALE--	76	...	...	-	-	3	3	3	5	15	11	16
ALL OTHER--MALE----	14	...	...	-	-	2	2	1	3	3	1	-
FEMALE--	4	...	...	-	-	-	2	-	-	-	-	-
BLACK---MALE----	7	...	...	-	-	2	1	1	2	-	1	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	-
PENNSYLVANIA ----------	1,284	...	...	1	8	66	99	97	121	147	162	110
WHITE------MALE----	967	...	...	1	6	53	67	73	83	111	120	80
FEMALE--	214	...	...	-	-	5	18	12	23	27	34	22
ALL OTHER--MALE----	89	...	...	-	1	7	12	12	13	9	5	6
FEMALE--	14	...	...	-	1	1	2	-	2	-	3	2
BLACK---MALE----	76	...	...	-	1	6	12	9	12	9	4	4
FEMALE--	9	...	...	-	1	1	2	-	-	-	3	2
RHODE ISLAND ----------	96	...	...	-	-	4	7	6	13	19	10	5
WHITE------MALE----	69	...	...	-	-	3	3	4	9	15	6	3
FEMALE--	20	...	...	-	-	1	3	1	2	4	3	2
ALL OTHER--MALE----	6	...	...	-	-	-	1	1	1	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	...	...	-	-	-	1	1	1	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	418	...	...	-	8	29	35	26	35	53	43	35
WHITE------MALE----	291	...	...	-	4	19	25	15	22	38	30	24
FEMALE--	75	...	...	-	2	4	1	5	8	6	9	8
ALL OTHER--MALE----	45	...	...	-	2	6	5	3	5	9	4	3
FEMALE--	7	...	...	-	-	-	4	3	-	-	-	-
BLACK---MALE----	44	...	...	-	2	6	5	3	5	9	4	3
FEMALE--	6	...	...	-	-	-	3	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
OHIO ----------	77	64	39	66	52	49	41	25	5	1	-	-
WHITE------MALE----	51	44	30	48	39	43	38	21	5	1	-	-
FEMALE--	17	17	6	12	10	4	2	3	-	-	-	-
ALL OTHER--MALE----	5	-	3	5	3	2	-	1	-	-	-	-
FEMALE--	4	3	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	3	4	3	2	-	1	-	-	-	-
FEMALE--	2	3	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	32	19	20	16	14	20	16	5	2	-	-	-
WHITE------MALE----	21	17	14	12	13	16	13	5	2	-	-	-
FEMALE--	9	1	3	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	3	1	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	36	27	17	25	24	24	19	13	1	2	-	-
WHITE------MALE----	31	22	17	21	22	20	18	10	1	2	-	-
FEMALE--	4	4	-	3	2	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	105	83	55	37	62	64	34	23	9	1	-	-
WHITE------MALE----	74	67	40	30	49	55	29	20	8	1	-	-
FEMALE--	24	13	10	4	9	5	5	2	1	-	-	-
ALL OTHER--MALE----	7	3	5	1	4	3	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	5	3	3	1	4	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	10	6	3	2	1	5	4	1	-	-	-	-
WHITE------MALE----	9	5	2	2	1	3	3	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	31	36	23	20	14	15	8	6	1	-	-	-
WHITE------MALE----	19	26	18	15	11	14	6	4	1	-	-	-
FEMALE--	9	9	3	4	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	3	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3824

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
SOUTH DAKOTA ----------	103	...	...	-	1	15	14	5	9	8	8	14
WHITE------MALE----	81	...	...	-	1	11	11	4	5	6	5	12
FEMALE--	10	...	...	-	-	-	-	1	1	2	3	1
ALL OTHER--MALE----	12	...	...	-	-	4	3	-	3	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	726	...	...	-	4	28	49	84	69	85	88	70
WHITE------MALE----	539	...	...	-	4	24	35	58	42	61	67	50
FEMALE--	133	...	...	-	-	3	5	13	20	14	19	15
ALL OTHER--MALE----	47	...	...	-	-	1	9	11	7	9	1	3
FEMALE--	7	...	...	-	-	-	-	2	-	1	1	2
BLACK---MALE----	46	...	...	-	-	1	9	11	6	9	1	3
FEMALE--	6	...	...	-	-	-	-	2	-	1	1	1
TEXAS ----------	2,005	...	...	-	23	121	168	179	185	228	229	220
WHITE------MALE----	1,488	...	...	-	20	93	133	128	134	156	172	155
FEMALE--	377	...	...	-	3	14	17	34	34	47	48	51
ALL OTHER--MALE----	108	...	...	-	-	10	15	14	14	18	7	11
FEMALE--	32	...	...	-	-	4	3	3	3	7	2	3
BLACK---MALE----	91	...	...	-	-	9	13	12	11	17	6	10
FEMALE--	22	...	...	-	-	4	3	1	3	3	2	2
UTAH ----------	282	...	...	-	1	27	35	21	34	38	30	29
WHITE------MALE----	225	...	...	-	1	21	29	14	30	29	24	23
FEMALE--	39	...	...	-	-	2	-	3	3	7	6	5
ALL OTHER--MALE----	16	...	...	-	-	4	5	3	1	2	-	1
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	63	...	...	-	-	2	6	3	5	7	10	2
WHITE------MALE----	49	...	...	-	-	2	6	3	5	7	5	-
FEMALE--	14	...	...	-	-	-	-	-	-	-	5	2
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	791	...	...	-	6	42	45	63	87	85	87	83
WHITE------MALE----	541	...	...	-	4	28	29	36	57	52	63	58
FEMALE--	151	...	...	-	1	6	5	12	13	18	17	20
ALL OTHER--MALE----	84	...	...	-	1	8	9	14	15	13	3	4
FEMALE--	15	...	...	-	-	-	2	1	2	2	4	1
BLACK---MALE----	72	...	...	-	-	7	8	12	15	12	2	2
FEMALE--	13	...	...	-	-	-	2	1	1	2	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3824

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
SOUTH DAKOTA ----------	8	5	-	2	4	3	5	2	-	-	-	-
WHITE------MALE----	7	5	-	2	2	3	5	2	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	61	38	26	35	37	26	14	6	5	-	-	1
WHITE------MALE----	39	34	20	27	32	24	13	4	4	-	-	1
FEMALE--	17	4	6	7	4	2	1	2	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	130	105	74	79	92	89	47	23	12	1	-	-
WHITE------MALE----	93	67	55	54	80	78	39	21	10	-	-	-
FEMALE--	32	30	14	22	11	9	7	2	1	1	-	-
ALL OTHER--MALE----	4	5	4	3	-	2	-	-	1	-	-	-
FEMALE--	1	3	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	4	2	2	3	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	-	-	-	-
UTAH ----------	14	14	6	9	11	4	4	3	-	2	-	-
WHITE------MALE----	9	11	6	7	11	3	3	2	-	2	-	-
FEMALE--	5	3	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	4	2	3	3	6	1	2	1	-	-	-
WHITE------MALE----	5	3	1	2	2	5	1	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	64	54	43	30	25	45	12	16	3	-	-	1
WHITE------MALE----	47	34	29	25	23	34	8	11	2	-	-	1
FEMALE--	15	15	11	3	2	8	2	2	1	-	-	-
ALL OTHER--MALE----	2	5	2	2	-	2	1	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	3	2	2	-	2	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3825

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
WASHINGTON ----------	816	...	...	-	3	60	63	59	75	87	86	75
WHITE------MALE----	583	...	...	-	2	36	41	43	58	64	65	54
FEMALE--	154	...	...	-	1	12	7	6	12	14	18	14
ALL OTHER--MALE----	62	...	...	-	-	10	13	6	5	7	3	7
FEMALE--	17	...	...	-	-	2	2	4	-	2	-	-
BLACK---MALE----	18	...	...	-	-	1	7	1	3	-	2	3
FEMALE--	2	...	...	-	-	-	-	1	-	1	-	-
WEST VIRGINIA ----------	229	...	...	-	5	12	16	19	10	24	23	28
WHITE------MALE----	191	...	...	-	4	9	15	17	8	20	16	25
FEMALE--	33	...	...	-	1	3	1	2	2	3	6	3
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	593	...	...	-	8	36	65	46	48	61	61	68
WHITE------MALE----	439	...	...	-	2	27	55	34	35	43	43	49
FEMALE--	114	...	...	-	6	5	6	6	9	12	12	16
ALL OTHER--MALE----	29	...	...	-	-	3	4	3	4	4	3	2
FEMALE--	11	...	...	-	-	1	-	3	-	2	3	1
BLACK---MALE----	18	...	...	-	-	2	3	-	2	2	2	2
FEMALE--	4	...	...	-	-	-	-	1	-	1	2	-
WYOMING ----------	98	...	...	-	3	13	6	7	10	7	4	9
WHITE------MALE----	72	...	...	-	2	10	5	4	8	4	1	7
FEMALE--	23	...	...	-	1	1	1	2	2	3	3	2
ALL OTHER--MALE----	3	...	...	-	-	2	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
WASHINGTON ----------	73	38	39	28	40	33	33	19	4	1	-	-
WHITE------MALE----	46	23	25	22	35	22	27	16	4	-	-	-
FEMALE--	20	13	9	6	4	9	5	3	-	1	-	-
ALL OTHER--MALE----	4	1	3	-	1	1	1	-	-	-	-	-
FEMALE--	3	1	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	6	14	16	14	12	3	6	-	-	-	-
WHITE------MALE----	19	4	13	13	11	8	3	6	-	-	-	-
FEMALE--	1	2	1	3	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	41	37	24	21	21	19	16	18	3	-	-	-
WHITE------MALE----	28	27	14	15	20	13	16	16	2	-	-	-
FEMALE--	10	8	9	6	-	6	-	2	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	4	3	6	5	2	4	6	2	-	-	-
WHITE------MALE----	3	3	2	4	5	2	4	6	2	-	-	-
FEMALE--	4	1	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3826

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
UNITED STATES -	3,181	...	...	-	6	69	121	205	265	437	560	478
WHITE------MALE----	1,410	...	...	-	3	24	59	87	111	211	265	227
FEMALE--	1,559	...	...	-	3	38	48	91	122	197	256	227
ALL OTHER--MALE----	101	...	...	-	-	3	4	16	15	15	14	12
FEMALE--	111	...	...	-	-	4	10	11	17	14	25	12
BLACK---MALE----	74	...	...	-	-	2	2	11	12	12	13	10
FEMALE--	67	...	...	-	-	1	5	5	10	9	19	10
ALABAMA ----------	37	...	...	-	-	-	1	3	7	4	6	4
WHITE------MALE----	17	...	...	-	-	-	1	2	3	3	2	1
FEMALE--	16	...	...	-	-	-	-	-	3	1	2	3
ALL OTHER--MALE----	3	...	...	-	-	-	-	1	1	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	...	...	-	-	-	-	1	1	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALASKA ----------	10	...	...	-	-	1	1	-	-	-	3	3
WHITE------MALE----	3	...	...	-	-	-	-	-	-	-	2	1
FEMALE--	4	...	...	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	112	...	...	-	-	1	4	10	10	14	20	13
WHITE------MALE----	56	...	...	-	-	-	2	6	3	9	12	6
FEMALE--	44	...	...	-	-	1	1	2	5	3	6	6
ALL OTHER--MALE----	4	...	...	-	-	-	-	1	-	1	1	1
FEMALE--	8	...	...	-	-	-	1	1	2	1	1	-
BLACK---MALE----	3	...	...	-	-	-	-	1	-	-	1	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	32	...	...	-	-	2	1	3	4	3	9	2
WHITE------MALE----	12	...	...	-	-	-	1	1	1	-	3	2
FEMALE--	19	...	...	-	-	2	-	2	3	3	5	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	403	...	...	-	-	3	16	22	30	56	55	67
WHITE------MALE----	179	...	...	-	-	1	7	4	13	26	26	28
FEMALE--	189	...	...	-	-	2	6	10	12	25	26	37
ALL OTHER--MALE----	15	...	...	-	-	-	1	3	2	3	1	1
FEMALE--	20	...	...	-	-	-	2	5	3	2	2	1
BLACK---MALE----	8	...	...	-	-	-	-	1	1	3	-	1
FEMALE--	8	...	...	-	-	-	-	3	-	1	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
UNITED STATES -	370	212	117	96	81	78	53	18	12	2	-	1
WHITE------MALE----	156	85	44	46	35	20	22	7	6	1	-	1
FEMALE--	199	116	68	45	46	54	31	11	6	1	-	-
ALL OTHER--MALE----	8	3	5	4	-	2	-	-	-	-	-	-
FEMALE--	7	8	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	5	3	2	2	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	1	-	-	-	-	-	-
ALABAMA ----------	5	3	2	-	2	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	15	7	3	2	2	5	3	2	-	1	-	-
WHITE------MALE----	7	3	-	2	1	3	2	-	-	-	-	-
FEMALE--	7	3	3	-	1	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	2	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	59	30	11	15	13	15	7	3	1	-	-	-
WHITE------MALE----	35	12	5	8	4	6	3	1	-	-	-	-
FEMALE--	22	15	5	6	9	7	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	3	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3827

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
COLORADO ----------	76	...	...	-	-	1	2	5	2	12	15	12
WHITE------MALE----	34	...	...	-	-	-	1	2	1	6	9	5
FEMALE--	41	...	...	-	-	1	1	3	1	6	6	7
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	41	...	...	-	-	1	-	1	4	9	3	7
WHITE------MALE----	21	...	...	-	-	1	-	1	2	4	2	5
FEMALE--	18	...	...	-	-	-	-	-	2	3	1	2
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
DELAWARE ----------	6	...	...	-	-	-	-	-	2	2	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	4	...	...	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	...	...	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	267	...	...	-	-	8	8	12	16	32	49	37
WHITE------MALE----	130	...	...	-	-	5	6	5	5	15	27	23
FEMALE--	130	...	...	-	-	3	2	7	8	16	19	14
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	1	1	2	-
FEMALE--	3	...	...	-	-	-	-	-	2	-	1	-
BLACK---MALE----	4	...	...	-	-	-	-	-	1	1	2	-
FEMALE--	3	...	...	-	-	-	-	-	2	-	1	-
GEORGIA ----------	50	...	...	-	-	1	2	7	-	7	9	8
WHITE------MALE----	17	...	...	-	-	-	1	1	-	4	3	3
FEMALE--	30	...	...	-	-	-	1	6	-	3	5	4
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	2	...	...	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	1	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
COLORADO ----------	7	6	6	1	1	2	3	-	1	-	-	-
WHITE------MALE----	3	3	3	-	-	-	-	-	1	-	-	-
FEMALE--	4	3	3	-	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	5	2	2	-	1	3	3	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	4	1	1	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	33	17	9	12	11	8	10	1	4	-	-	-
WHITE------MALE----	16	7	2	6	5	2	4	-	2	-	-	-
FEMALE--	17	10	7	6	6	6	6	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	8	2	-	1	3	2	-	-	-	-	-	-
WHITE------MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3828

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
HAWAII ----------	17	...	...	-	-	-	-	-	3	2	1	3
WHITE------MALE----	7	...	...	-	-	-	-	-	-	2	1	3
FEMALE--	7	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	2	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	2	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	18	...	...	-	-	-	1	-	2	3	4	1
WHITE------MALE----	9	...	...	-	-	-	-	-	2	1	1	1
FEMALE--	9	...	...	-	-	-	1	-	-	2	3	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	98	...	...	-	-	-	4	12	6	14	26	15
WHITE------MALE----	38	...	...	-	-	-	2	5	2	3	14	3
FEMALE--	52	...	...	-	-	-	2	7	3	10	10	10
ALL OTHER--MALE----	5	...	...	-	-	-	-	-	-	1	1	1
FEMALE--	3	...	...	-	-	-	-	-	1	-	1	1
BLACK---MALE----	4	...	...	-	-	-	-	-	-	1	1	1
FEMALE--	3	...	...	-	-	-	-	-	1	-	1	1
INDIANA ----------	50	...	...	-	-	1	4	5	5	8	13	6
WHITE------MALE----	21	...	...	-	-	1	2	2	5	3	3	2
FEMALE--	25	...	...	-	-	-	2	3	-	4	9	3
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	-	1	1	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	-	-	1	1	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
IOWA ----------	22	...	...	-	-	1	1	-	2	2	6	2
WHITE------MALE----	9	...	...	-	-	1	-	-	1	1	3	-
FEMALE--	12	...	...	-	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	25	...	...	-	-	-	1	1	2	3	7	3
WHITE------MALE----	11	...	...	-	-	-	1	-	1	1	4	1
FEMALE--	13	...	...	-	-	-	-	1	-	2	3	2
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
HAWAII ----------	2	1	-	1	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	1	1	-	-	2	-	-	1	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	7	4	3	3	-	2	1	1	-	-	-	-
WHITE------MALE----	4	3	-	1	-	-	-	1	-	-	-	-
FEMALE--	3	1	2	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	2	1	2	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	1	2	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
KENTUCKY ----------	29	...	...	-	-	-	2	2	1	6	6	4
WHITE------MALE----	12	...	...	-	-	-	-	2	1	3	3	1
FEMALE--	17	...	...	-	-	-	2	-	-	3	3	3
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	35	...	...	-	-	1	1	3	4	5	2	3
WHITE------MALE----	11	...	...	-	-	-	1	1	2	2	2	-
FEMALE--	20	...	...	-	-	1	-	2	-	3	-	3
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	-
MAINE ----------	33	...	...	-	-	-	1	2	5	6	6	4
WHITE------MALE----	15	...	...	-	-	-	1	1	3	4	2	-
FEMALE--	17	...	...	-	-	-	-	1	2	2	4	4
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	47	...	...	-	-	1	4	5	5	4	11	8
WHITE------MALE----	21	...	...	-	-	-	2	2	2	1	5	3
FEMALE--	20	...	...	-	-	1	1	2	3	2	4	4
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	5	...	...	-	-	-	1	-	-	1	2	1
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
MASSACHUSETTS ----------	69	...	...	-	1	1	1	4	5	8	16	6
WHITE------MALE----	28	...	...	-	1	-	-	1	2	3	8	3
FEMALE--	37	...	...	-	-	1	1	3	3	4	7	3
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
MICHIGAN ----------	96	...	...	-	-	2	6	8	7	16	17	13
WHITE------MALE----	35	...	...	-	-	1	4	6	3	4	4	3
FEMALE--	53	...	...	-	-	1	1	1	2	11	13	9
ALL OTHER--MALE----	6	...	...	-	-	-	1	1	2	1	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	...	...	-	-	-	-	-	2	1	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
KENTUCKY ----------	3	2	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	9	5	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	3	2	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	1	-	3	-	1	1	-	-	-	-
WHITE------MALE----	2	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	11	8	3	3	-	-	-	1	1	-	-	-
WHITE------MALE----	2	3	2	3	-	-	-	-	-	-	-	-
FEMALE--	8	4	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	7	3	2	2	2	-	-	-	-	-	-
WHITE------MALE----	7	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	6	3	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3830

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
MINNESOTA ----------	45	...	...	-	-	2	2	1	2	9	9	10
WHITE------MALE----	19	...	...	-	-	1	1	-	2	3	3	4
FEMALE--	23	...	...	-	-	1	1	1	-	5	5	5
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
MISSISSIPPI ----------	20	...	...	-	-	1	1	2	3	1	2	3
WHITE------MALE----	8	...	...	-	-	-	1	1	-	1	-	3
FEMALE--	11	...	...	-	-	1	-	1	3	-	2	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSOURI ----------	79	...	...	-	-	2	1	4	7	11	20	11
WHITE------MALE----	38	...	...	-	-	-	1	1	3	6	7	7
FEMALE--	35	...	...	-	-	1	-	2	3	5	11	3
ALL OTHER--MALE----	3	...	...	-	-	1	-	1	-	-	-	1
FEMALE--	3	...	...	-	-	-	-	-	1	-	2	-
BLACK---MALE----	3	...	...	-	-	1	-	1	-	-	-	1
FEMALE--	3	...	...	-	-	-	-	-	1	-	2	-
MONTANA ----------	19	...	...	-	-	-	-	1	1	2	5	3
WHITE------MALE----	5	...	...	-	-	-	-	1	-	1	1	2
FEMALE--	13	...	...	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	...	...	-	-	-	-	-	2	1	2	1
WHITE------MALE----	4	...	...	-	-	-	-	-	1	-	-	1
FEMALE--	5	...	...	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
NEVADA ----------	52	...	...	-	-	-	1	-	3	6	9	10
WHITE------MALE----	23	...	...	-	-	-	-	-	1	2	5	3
FEMALE--	25	...	...	-	-	-	1	-	1	3	4	5
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	4	...	...	-	-	-	-	-	1	1	-	2
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
MINNESOTA ----------	1	4	2	1	1	-	1	-	-	-	-	-
WHITE------MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	2	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	9	8	5	-	-	1	-	-	-	-	-	-
WHITE------MALE----	4	6	2	-	-	1	-	-	-	-	-	-
FEMALE--	5	2	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	2	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	5	2	4	3	6	-	2	-	-	-	-	1
WHITE------MALE----	3	-	1	2	4	-	1	-	-	-	-	1
FEMALE--	2	2	3	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
NEW HAMPSHIRE ----------	18	...	...	-	-	-	1	2	3	-	4	3
WHITE------MALE----	8	...	...	-	-	-	1	2	1	-	2	-
FEMALE--	10	...	...	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	75	...	...	-	-	2	5	3	1	14	15	10
WHITE------MALE----	41	...	...	-	-	-	2	1	1	7	10	9
FEMALE--	34	...	...	-	-	2	3	2	-	7	5	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	43	...	...	-	-	1	1	3	2	6	6	10
WHITE------MALE----	23	...	...	-	-	-	1	1	2	3	2	8
FEMALE--	20	...	...	-	-	1	-	2	-	3	4	2
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	104	...	...	-	-	3	3	10	8	19	13	9
WHITE------MALE----	44	...	...	-	-	1	1	2	4	10	5	6
FEMALE--	46	...	...	-	-	2	1	4	2	6	4	3
ALL OTHER--MALE----	7	...	...	-	-	-	-	2	1	1	3	-
FEMALE--	7	...	...	-	-	-	1	2	1	2	1	-
BLACK---MALE----	6	...	...	-	-	-	-	2	1	-	3	-
FEMALE--	6	...	...	-	-	-	1	1	1	2	1	-
NORTH CAROLINA ---------	108	...	...	-	-	4	3	1	11	14	23	21
WHITE------MALE----	39	...	...	-	-	-	1	-	5	8	9	7
FEMALE--	57	...	...	-	-	2	1	1	5	3	12	13
ALL OTHER--MALE----	4	...	...	-	-	1	-	-	1	-	-	1
FEMALE--	8	...	...	-	-	1	1	-	-	3	2	-
BLACK---MALE----	3	...	...	-	-	1	-	-	1	-	-	-
FEMALE--	7	...	...	-	-	-	1	-	-	3	2	-
NORTH DAKOTA ----------	5	...	...	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
NEW HAMPSHIRE ----------	2	-	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	7	2	5	3	3	1	3	1	-	-	-	-
WHITE------MALE----	3	1	1	3	2	-	1	-	-	-	-	-
FEMALE--	4	1	4	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	4	5	2	-	1	-	1	1	-	-	-	-
WHITE------MALE----	2	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	3	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	15	7	3	3	2	5	2	1	1	-	-	-
WHITE------MALE----	5	3	3	2	-	-	1	-	1	-	-	-
FEMALE--	10	4	-	1	2	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	14	5	6	2	1	1	-	1	1	-	-	-
WHITE------MALE----	2	1	1	2	1	-	-	1	1	-	-	-
FEMALE--	11	4	4	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3832

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
OHIO ----------	92	...	...	-	-	1	5	5	7	11	10	14
WHITE------MALE----	34	...	...	-	-	-	3	3	1	6	4	2
FEMALE--	51	...	...	-	-	1	1	1	5	5	6	10
ALL OTHER--MALE----	3	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	4	...	...	-	-	-	-	1	1	-	-	1
BLACK---MALE----	3	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	4	...	...	-	-	-	-	1	1	-	-	1
OKLAHOMA ----------	56	...	...	-	-	-	-	3	9	10	13	12
WHITE------MALE----	28	...	...	-	-	-	-	2	1	6	10	5
FEMALE--	23	...	...	-	-	-	-	-	7	4	3	6
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	1
OREGON ----------	40	...	...	-	-	-	3	2	4	5	7	12
WHITE------MALE----	23	...	...	-	-	-	2	2	2	2	3	7
FEMALE--	17	...	...	-	-	-	1	-	2	3	4	5
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	139	...	...	-	-	3	11	10	9	12	25	13
WHITE------MALE----	69	...	...	-	-	1	5	3	4	6	14	7
FEMALE--	62	...	...	-	-	2	6	5	5	6	10	4
ALL OTHER--MALE----	6	...	...	-	-	-	-	2	-	-	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	...	...	-	-	-	-	2	-	-	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
RHODE ISLAND ----------	13	...	...	-	-	1	-	1	1	1	4	-
WHITE------MALE----	9	...	...	-	-	-	-	-	1	1	3	-
FEMALE--	3	...	...	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	31	...	...	-	-	3	2	2	2	5	3	4
WHITE------MALE----	12	...	...	-	-	2	-	2	-	3	1	3
FEMALE--	16	...	...	-	-	1	-	-	2	2	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	2	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
OHIO ----------	12	7	5	9	3	-	3	-	-	-	-	-
WHITE------MALE----	4	3	3	3	-	-	2	-	-	-	-	-
FEMALE--	7	4	2	5	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	2	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	2	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	22	14	3	3	4	6	2	1	-	1	-	-
WHITE------MALE----	11	9	1	2	1	3	-	1	-	1	-	-
FEMALE--	10	4	1	1	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	2	1	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3833

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
SOUTH DAKOTA ----------	7	...	...	-	-	-	-	1	1	1	1	-
WHITE------MALE----	4	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	3	...	...	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	92	...	...	-	-	2	-	12	11	14	17	15
WHITE------MALE----	50	...	...	-	-	1	-	10	5	9	9	10
FEMALE--	40	...	...	-	-	1	-	1	5	5	8	5
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TEXAS ----------	219	...	...	-	2	3	9	18	19	31	37	44
WHITE------MALE----	102	...	...	-	2	1	4	7	10	19	16	21
FEMALE--	103	...	...	-	-	2	5	10	7	9	18	20
ALL OTHER--MALE----	8	...	...	-	-	-	-	1	-	1	2	2
FEMALE--	6	...	...	-	-	-	-	-	2	2	1	1
BLACK---MALE----	6	...	...	-	-	-	-	1	-	1	2	2
FEMALE--	4	...	...	-	-	-	-	-	2	1	1	-
UTAH ----------	34	...	...	-	-	2	3	1	2	5	6	5
WHITE------MALE----	17	...	...	-	-	2	2	-	-	2	4	4
FEMALE--	15	...	...	-	-	-	-	-	2	3	2	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	7	...	...	-	-	-	-	-	-	1	2	1
WHITE------MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	6	...	...	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	107	...	...	-	-	4	3	7	12	18	21	17
WHITE------MALE----	39	...	...	-	-	2	-	2	5	5	10	10
FEMALE--	58	...	...	-	-	1	2	5	6	11	7	7
ALL OTHER--MALE----	2	...	...	-	-	1	-	-	-	1	-	-
FEMALE--	8	...	...	-	-	-	1	-	1	1	4	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	7	...	...	-	-	-	1	-	1	1	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	11	3	3	2	1	-	-	1	-	-	-	-
WHITE------MALE----	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	7	3	2	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	14	14	5	9	7	4	1	2	-	-	-	-
WHITE------MALE----	4	3	3	5	4	1	1	1	-	-	-	-
FEMALE--	10	11	1	4	3	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	5	2	-	2	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	1	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	5	6	1	1	4	1	-	1	-	-	-
WHITE------MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	4	5	1	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3834

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
WASHINGTON ----------	95	...	...	-	-	9	3	7	10	9	8	11
WHITE------MALE----	38	...	...	-	-	3	1	2	5	6	5	5
FEMALE--	51	...	...	-	-	5	1	3	4	3	3	5
ALL OTHER--MALE----	4	...	...	-	-	-	1	1	1	-	-	1
FEMALE--	2	...	...	-	-	1	-	1	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	-	1	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	19	...	...	-	1	1	-	2	2	2	3	4
WHITE------MALE----	9	...	...	-	-	-	-	1	-	1	1	3
FEMALE--	10	...	...	-	1	1	-	1	2	1	2	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	70	...	...	-	1	-	3	2	8	11	10	13
WHITE------MALE----	30	...	...	-	-	-	1	2	4	5	4	6
FEMALE--	37	...	...	-	1	-	2	-	4	6	5	7
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WYOMING ----------	8	...	...	-	1	-	-	-	3	1	-	-
WHITE------MALE----	3	...	...	-	-	-	-	-	1	1	-	-
FEMALE--	5	...	...	-	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
WASHINGTON ----------	9	10	7	2	3	5	2	-	-	-	-	-
WHITE------MALE----	2	3	3	-	2	-	1	-	-	-	-	-
FEMALE--	7	7	4	2	1	5	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	7	1	3	1	1	1	1	-	-	-	-
WHITE------MALE----	4	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	3	4	1	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3835

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
UNITED STATES -	177	...	...	-	-	1	5	19	16	21	27	22
WHITE------MALE----	111	...	...	-	-	1	3	13	11	14	18	12
FEMALE--	44	...	...	-	-	-	-	2	2	4	6	7
ALL OTHER--MALE----	14	...	...	-	-	-	1	3	-	2	2	2
FEMALE--	8	...	...	-	-	-	1	1	3	1	1	1
BLACK---MALE----	6	...	...	-	-	-	-	1	-	2	1	-
FEMALE--	4	...	...	-	-	-	-	-	2	1	1	-
ALABAMA ----------	3	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	...	...	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	...	...	-	-	-	-	1	-	-	1	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	21	...	...	-	-	-	2	2	2	-	1	4
WHITE------MALE----	13	...	...	-	-	-	-	1	2	-	1	1
FEMALE--	4	...	...	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	3	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
UNITED STATES -	19	17	14	4	4	2	4	1	-	1	-	-
WHITE------MALE----	12	10	9	1	2	1	3	-	-	1	-	-
FEMALE--	6	6	5	2	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	3	3	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	2	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
COLORADO ----------	4	...	...	-	-	-	-	2	1	-	1	-
WHITE------MALE----	4	...	...	-	-	-	-	2	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	...	...	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	12	...	...	-	-	-	2	1	1	1	1	-
WHITE------MALE----	9	...	...	-	-	-	2	1	1	1	-	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	...	...	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
COLORADO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	2	3	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3837

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
HAWAII ----------	2	...	...	-	-	-	-	1	-	-	-	1
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	11	...	...	-	-	-	-	-	1	2	3	-
WHITE------MALE----	4	...	...	-	-	-	-	-	1	1	1	-
FEMALE--	5	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
INDIANA ----------	1	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IOWA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	...	...	-	-	-	-	-	-	-	1	1
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	3	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3838

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
KENTUCKY ----------	5	...	...	-	-	-	-	1	2	1	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	2	-	-	-
LOUISIANA ----------	1	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MAINE ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	7	...	...	-	-	-	-	2	1	-	1	-
WHITE------MALE----	5	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	7	...	...	-	-	-	-	-	1	1	1	-
WHITE------MALE----	5	...	...	-	-	-	-	-	1	1	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	...	...	-	-	-	-	1	-	1	1	1
WHITE------MALE----	3	...	...	-	-	-	-	1	-	1	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
KENTUCKY ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
MINNESOTA ----------	4	...	...	-	-	-	-	-	-	2	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	...	...	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	...	...	-	-	-	-	-	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	1	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3840

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
NEW HAMPSHIRE ----------	2	...	...	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	...	...	-	-	-	-	1	2	-	-	1
WHITE------MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	...	...	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	...	...	-	-	-	-	1	-	-	1	2
WHITE------MALE----	5	...	...	-	-	-	-	1	-	-	-	2
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	...	...	-	-	-	1	-	1	1	1	-
WHITE------MALE----	4	...	...	-	-	-	1	-	1	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	...	...	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3841

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
OHIO ----------	4	...	...	-	-	-	-	-	-	-	-	2
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	3	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	...	...	-	-	-	-	-	1	1	2	-
WHITE------MALE----	3	...	...	-	-	-	-	-	1	1	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON ----------	3	...	...	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	...	...	-	-	-	-	-	-	-	1	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	...	...	-	-	-	-	-	-	2	3	3
WHITE------MALE----	5	...	...	-	-	-	-	-	-	-	2	3
FEMALE--	2	...	...	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	...	...	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	...	...	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
OHIO	-	-	1	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
SOUTH DAKOTA ----------	1	...	...	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	...	...	-	-	-	-	1	1	-	3	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	2	-
FEMALE--	4	...	...	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TEXAS ----------	17	...	...	-	-	-	-	2	-	5	1	2
WHITE------MALE----	11	...	...	-	-	-	-	2	-	3	1	1
FEMALE--	4	...	...	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
UTAH ----------	2	...	...	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	1	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
WASHINGTON ----------	6	...	...	-	-	-	-	1	-	1	-	1
WHITE------MALE----	5	...	...	-	-	-	-	1	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	...	...	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	...	...	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
WASHINGTON ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3844

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
UNITED STATES -	1,535	...	...	-	-	33	99	101	179	199	212	198
WHITE------MALE----	1,143	...	...	-	-	27	82	74	134	154	161	140
FEMALE--	327	...	...	-	-	5	12	12	38	38	38	47
ALL OTHER--MALE----	48	...	...	-	-	1	4	11	5	5	9	9
FEMALE--	17	...	...	-	-	-	1	4	2	2	4	2
BLACK---MALE----	33	...	...	-	-	1	1	7	3	4	8	7
FEMALE--	8	...	...	-	-	-	-	2	1	-	4	-
ALABAMA ----------	21	...	...	-	-	-	2	2	1	4	4	2
WHITE------MALE----	18	...	...	-	-	-	1	2	1	4	4	2
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALASKA ----------	7	...	...	-	-	-	-	-	-	-	2	3
WHITE------MALE----	3	...	...	-	-	-	-	-	-	-	1	2
FEMALE--	4	...	...	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	28	...	...	-	-	1	1	2	4	4	2	4
WHITE------MALE----	21	...	...	-	-	1	1	2	3	3	2	3
FEMALE--	7	...	...	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	...	...	-	-	-	1	2	-	2	1	-
WHITE------MALE----	9	...	...	-	-	-	1	2	-	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	108	...	...	-	-	2	6	6	11	8	15	22
WHITE------MALE----	78	...	...	-	-	2	4	2	8	7	10	14
FEMALE--	19	...	...	-	-	-	-	-	3	1	2	6
ALL OTHER--MALE----	7	...	...	-	-	-	1	3	-	-	2	1
FEMALE--	4	...	...	-	-	-	1	1	-	-	1	1
BLACK---MALE----	4	...	...	-	-	-	-	1	-	-	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3844

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
UNITED STATES -	148	90	61	33	34	56	42	38	11	1	-	-
WHITE------MALE----	101	64	40	26	23	40	30	35	11	1	-	-
FEMALE--	44	25	20	6	11	16	12	3	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALABAMA ----------	2	1	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	1	-	-	-	1	1	2	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	1	2	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	12	6	4	3	4	1	1	2	-	-	-
WHITE------MALE----	5	9	4	4	3	3	-	1	2	-	-	-
FEMALE--	-	3	2	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3845

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
COLORADO ----------	50	...	...	-	-	1	5	2	7	7	9	4
WHITE------MALE----	40	...	...	-	-	1	4	2	7	5	8	2
FEMALE--	9	...	...	-	-	-	1	-	-	2	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	33	...	...	-	-	-	1	-	4	7	1	4
WHITE------MALE----	25	...	...	-	-	-	1	-	3	3	1	3
FEMALE--	8	...	...	-	-	-	-	-	1	4	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DELAWARE ----------	6	...	...	-	-	-	-	1	-	1	-	1
WHITE------MALE----	4	...	...	-	-	-	-	1	-	1	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	101	...	...	-	-	2	4	3	8	13	16	8
WHITE------MALE----	74	...	...	-	-	2	4	3	6	10	11	3
FEMALE--	26	...	...	-	-	-	-	-	2	3	4	5
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
GEORGIA ----------	38	...	...	-	-	1	1	1	8	3	5	3
WHITE------MALE----	30	...	...	-	-	1	1	1	7	2	3	2
FEMALE--	5	...	...	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	1	-	1	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	-	1	-	1	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
COLORADO ----------	6	2	1	-	2	2	1	1	-	-	-	-
WHITE------MALE----	6	2	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	5	5	1	1	2	-	-	-	-	-	-
WHITE------MALE----	1	5	5	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	12	7	3	2	7	6	4	5	1	-	-	-
WHITE------MALE----	9	3	2	2	5	5	3	5	1	-	-	-
FEMALE--	3	4	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	10	2	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	7	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
HAWAII ----------	5	...	...	-	-	-	-	-	1	1	-	1
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	11	...	...	-	-	-	-	1	-	1	3	1
WHITE------MALE----	9	...	...	-	-	-	-	1	-	1	2	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	77	...	...	-	-	3	4	7	8	9	10	6
WHITE------MALE----	55	...	...	-	-	1	3	5	6	6	7	6
FEMALE--	19	...	...	-	-	2	1	1	1	3	2	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	1	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	1	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
INDIANA ----------	52	...	...	-	-	1	2	8	7	8	5	9
WHITE------MALE----	41	...	...	-	-	1	2	6	5	7	5	7
FEMALE--	9	...	...	-	-	-	-	1	2	-	-	2
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	1	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IOWA ----------	37	...	...	-	-	1	2	4	3	9	4	2
WHITE------MALE----	31	...	...	-	-	1	2	4	1	9	3	2
FEMALE--	4	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	26	...	...	-	-	-	4	2	5	2	4	7
WHITE------MALE----	19	...	...	-	-	-	4	1	3	2	3	5
FEMALE--	6	...	...	-	-	-	-	1	2	-	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
HAWAII ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	1	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	6	4	2	2	3	3	2	-	-	-	-
WHITE------MALE----	6	4	3	2	1	1	2	2	-	-	-	-
FEMALE--	2	2	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	2	1	-	1	2	2	1	1	-	-	-
WHITE------MALE----	2	1	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	4	-	-	1	1	1	1	-	-	-	-
WHITE------MALE----	3	3	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3847

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
KENTUCKY ----------	16	...	...	-	-	2	1	2	3	1	2	1
WHITE------MALE----	12	...	...	-	-	2	-	2	3	1	2	1
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	9	...	...	-	-	-	2	1	1	-	1	2
WHITE------MALE----	5	...	...	-	-	-	2	-	-	-	-	2
FEMALE--	3	...	...	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MAINE ----------	8	...	...	-	-	-	-	1	1	1	-	2
WHITE------MALE----	8	...	...	-	-	-	-	1	1	1	-	2
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	18	...	...	-	-	1	-	1	2	1	2	6
WHITE------MALE----	16	...	...	-	-	1	-	1	2	1	2	4
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	-	-	2
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	25	...	...	-	-	-	1	2	2	6	2	1
WHITE------MALE----	22	...	...	-	-	-	1	2	2	5	2	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	77	...	...	-	-	3	3	2	5	10	14	11
WHITE------MALE----	57	...	...	-	-	3	3	2	4	9	11	6
FEMALE--	16	...	...	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	-	1	1
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	...	...	-	-	-	-	-	-	-	1	1
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
KENTUCKY ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	2	2	-	1	1	-	1	-	1	-	-
WHITE------MALE----	3	2	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	15	4	2	-	-	3	4	1	-	-	-	-
WHITE------MALE----	10	3	1	-	-	2	2	1	-	-	-	-
FEMALE--	5	1	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
MINNESOTA ----------	47	...	...	-	-	-	5	1	6	6	8	8
WHITE------MALE----	37	...	...	-	-	-	5	1	4	4	7	7
FEMALE--	10	...	...	-	-	-	-	-	2	2	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	...	...	-	-	-	-	-	-	-	2	1
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSOURI ----------	40	...	...	-	-	2	2	3	5	6	5	5
WHITE------MALE----	28	...	...	-	-	2	2	1	4	5	4	1
FEMALE--	10	...	...	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
MONTANA ----------	17	...	...	-	-	-	2	1	2	1	3	3
WHITE------MALE----	14	...	...	-	-	-	2	-	2	1	1	3
FEMALE--	2	...	...	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	...	...	-	-	-	1	-	5	2	4	1
WHITE------MALE----	14	...	...	-	-	-	1	-	4	2	4	1
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEVADA ----------	21	...	...	-	-	-	1	2	3	5	3	2
WHITE------MALE----	15	...	...	-	-	-	-	1	2	5	3	1
FEMALE--	6	...	...	-	-	-	1	1	1	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
MINNESOTA ----------	3	3	-	1	1	1	3	-	1	-	-	-
WHITE------MALE----	2	1	-	-	1	1	3	-	1	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	3	1	1	-	-	-	1	1	-	-	-
WHITE------MALE----	2	3	1	1	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	2	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	1	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
NEW HAMPSHIRE ----------	9	...	...	-	-	-	1	-	2	2	1	-
WHITE------MALE----	9	...	...	-	-	-	1	-	2	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	37	...	...	-	-	-	2	3	4	7	5	5
WHITE------MALE----	28	...	...	-	-	-	2	2	3	4	3	4
FEMALE--	7	...	...	-	-	-	-	-	1	3	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	13	...	...	-	-	-	1	1	-	3	2	3
WHITE------MALE----	11	...	...	-	-	-	1	1	-	3	1	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	42	...	...	-	-	1	2	2	6	3	3	4
WHITE------MALE----	32	...	...	-	-	1	2	2	5	2	3	3
FEMALE--	10	...	...	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	29	...	...	-	-	-	1	2	5	4	8	5
WHITE------MALE----	21	...	...	-	-	-	1	2	4	2	6	3
FEMALE--	7	...	...	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	8	...	...	-	-	-	-	-	1	2	1	1
WHITE------MALE----	6	...	...	-	-	-	-	-	-	2	1	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
NEW HAMPSHIRE ----------	1	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	1	1	2	1	1	-	2	1	-	-	-
WHITE------MALE----	1	1	1	2	1	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	2	2	1	2	6	2	2	1	-	-	-
WHITE------MALE----	3	2	-	1	-	6	-	1	1	-	-	-
FEMALE--	-	-	2	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	2	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	1	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
OHIO ----------	75	...	...	-	-	1	4	5	8	10	9	8
WHITE------MALE----	51	...	...	-	-	1	3	4	4	4	6	7
FEMALE--	21	...	...	-	-	-	1	-	3	6	3	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
OKLAHOMA ----------	25	...	...	-	-	1	5	2	4	1	3	4
WHITE------MALE----	18	...	...	-	-	1	3	2	3	1	3	2
FEMALE--	7	...	...	-	-	-	2	-	1	-	-	2
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON ----------	22	...	...	-	-	-	1	-	3	1	2	5
WHITE------MALE----	15	...	...	-	-	-	1	-	1	1	1	4
FEMALE--	7	...	...	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	62	...	...	-	-	2	2	-	3	13	13	6
WHITE------MALE----	47	...	...	-	-	2	2	-	2	11	10	5
FEMALE--	14	...	...	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	8	...	...	-	-	-	1	1	2	2	-	-
WHITE------MALE----	7	...	...	-	-	-	1	1	2	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	17	...	...	-	-	1	-	1	2	1	4	2
WHITE------MALE----	11	...	...	-	-	1	-	-	2	1	3	-
FEMALE--	3	...	...	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	-	-	1	2
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	-	-	-	1	2
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
OHIO ----------	6	3	6	3	1	4	4	3	-	-	-	-
WHITE------MALE----	3	1	4	3	1	3	4	3	-	-	-	-
FEMALE--	3	2	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	1	2	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	2	1	2	-	-	-	2	-	-	-	-
WHITE------MALE----	3	-	1	2	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	4	3	1	3	2	2	1	1	-	-	-
WHITE------MALE----	3	4	-	1	2	1	2	1	1	-	-	-
FEMALE--	3	-	3	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
SOUTH DAKOTA ----------	4	...	...	-	-	-	-	1	-	-	1	2
WHITE------MALE----	3	...	...	-	-	-	-	1	-	-	-	2
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	22	...	...	-	-	-	2	4	3	1	4	3
WHITE------MALE----	16	...	...	-	-	-	2	3	1	1	2	3
FEMALE--	6	...	...	-	-	-	-	1	2	-	2	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TEXAS ----------	73	...	...	-	-	3	5	8	17	4	6	7
WHITE------MALE----	49	...	...	-	-	2	4	2	14	4	5	3
FEMALE--	19	...	...	-	-	-	1	4	3	-	-	3
ALL OTHER--MALE----	4	...	...	-	-	1	-	2	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	...	...	-	-	1	-	2	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
UTAH ----------	35	...	...	-	-	2	6	2	3	7	3	5
WHITE------MALE----	29	...	...	-	-	1	5	1	3	5	3	5
FEMALE--	4	...	...	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	25	...	...	-	-	-	1	-	3	5	3	6
WHITE------MALE----	19	...	...	-	-	-	1	-	3	4	1	5
FEMALE--	5	...	...	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	1	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	6	4	3	-	4	-	1	-	-	-	-
WHITE------MALE----	2	3	3	2	-	4	-	1	-	-	-	-
FEMALE--	3	3	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	4	1	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	3	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	2	2	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
WASHINGTON ----------	56	...	...	-	-	1	8	3	6	8	11	3
WHITE------MALE----	39	...	...	-	-	-	4	3	4	6	8	3
FEMALE--	12	...	...	-	-	1	2	-	1	1	3	-
ALL OTHER--MALE----	4	...	...	-	-	-	2	-	1	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	6	...	...	-	-	-	1	-	-	-	2	1
WHITE------MALE----	6	...	...	-	-	-	1	-	-	-	2	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	53	...	...	-	-	1	4	7	5	6	4	6
WHITE------MALE----	34	...	...	-	-	-	4	6	3	4	4	3
FEMALE--	17	...	...	-	-	1	-	-	2	1	-	3
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WYOMING ----------	8	...	...	-	-	-	1	2	-	1	-	2
WHITE------MALE----	4	...	...	-	-	-	-	1	-	-	-	2
FEMALE--	4	...	...	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
WASHINGTON ----------	5	1	2	1	1	1	3	1	1	-	-	-
WHITE------MALE----	3	1	1	-	1	1	2	1	1	-	-	-
FEMALE--	1	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	2	2	3	1	4	2	1	1	-	-	-
WHITE------MALE----	-	1	1	1	1	2	2	1	1	-	-	-
FEMALE--	4	1	1	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3853

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
UNITED STATES -	5,427	...	...	2	125	434	532	615	708	738	614	418
WHITE------MALE----	3,886	...	...	2	83	284	384	441	523	559	472	311
FEMALE--	786	...	...	-	16	67	58	69	76	82	85	64
ALL OTHER--MALE----	604	...	...	-	20	63	72	85	90	85	48	38
FEMALE--	151	...	...	-	6	20	18	20	19	12	9	5
BLACK---MALE----	334	...	...	-	16	30	44	49	55	55	31	20
FEMALE--	43	...	...	-	6	9	4	6	7	2	4	-
ALABAMA ----------	44	...	...	-	1	6	6	6	7	5	6	2
WHITE------MALE----	35	...	...	-	1	5	6	5	5	3	6	1
FEMALE--	4	...	...	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	-	2	-	1
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	...	...	-	-	-	-	-	-	2	-	1
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
ALASKA ----------	21	...	...	-	-	5	-	5	2	4	2	2
WHITE------MALE----	8	...	...	-	-	-	-	2	1	2	2	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	...	...	-	-	4	-	2	1	2	-	1
FEMALE--	2	...	...	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	110	...	...	1	2	3	9	15	17	16	12	11
WHITE------MALE----	58	...	...	1	1	2	6	5	8	8	7	10
FEMALE--	28	...	...	-	-	1	2	4	1	5	3	-
ALL OTHER--MALE----	23	...	...	-	1	-	1	6	7	3	2	1
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	...	...	-	-	-	-	2	1	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	43	...	...	-	1	6	7	5	9	4	2	3
WHITE------MALE----	35	...	...	-	1	6	6	5	6	3	1	3
FEMALE--	4	...	...	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	3	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	684	...	...	-	19	37	61	72	90	88	79	53
WHITE------MALE----	466	...	...	-	10	24	45	51	72	66	52	37
FEMALE--	96	...	...	-	3	7	3	9	14	7	14	6
ALL OTHER--MALE----	92	...	...	-	3	6	8	10	3	12	11	8
FEMALE--	30	...	...	-	3	-	5	2	1	3	2	2
BLACK---MALE----	26	...	...	-	2	2	2	2	-	4	4	3
FEMALE--	5	...	...	-	3	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3853

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
UNITED STATES -	314	189	139	136	113	129	99	75	34	9	-	4
WHITE------MALE----	219	141	93	82	78	75	61	47	22	5	-	4
FEMALE--	57	26	24	33	24	37	31	21	12	4	-	-
ALL OTHER--MALE----	31	18	14	12	8	12	3	5	-	-	-	-
FEMALE--	7	4	8	9	3	5	4	2	-	-	-	-
BLACK---MALE----	13	4	3	8	2	3	-	1	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
ALABAMA ----------	1	1	1	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	4	-	2	2	4	2	5	2	-	-	-
WHITE------MALE----	1	1	-	-	2	3	1	2	-	-	-	-
FEMALE--	2	1	-	2	-	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	1	1	1	1	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA ----------	47	23	26	17	20	21	14	9	6	2	-	-
WHITE------MALE----	32	15	15	8	11	9	9	6	3	1	-	-
FEMALE--	6	1	5	1	4	7	3	2	3	1	-	-
ALL OTHER--MALE----	8	6	3	6	4	3	1	-	-	-	-	-
FEMALE--	1	1	3	2	1	2	1	1	-	-	-	-
BLACK---MALE----	1	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
COLORADO ----------	103	...	...	-	2	16	13	11	9	17	9	7
WHITE------MALE----	78	...	...	-	1	11	10	9	5	15	8	5
FEMALE--	14	...	...	-	-	4	2	1	3	1	-	1
ALL OTHER--MALE----	6	...	...	-	-	-	1	1	1	-	1	1
FEMALE--	5	...	...	-	1	1	-	-	-	1	-	-
BLACK---MALE----	4	...	...	-	-	-	1	-	1	-	1	1
FEMALE--	3	...	...	-	1	1	-	-	-	1	-	-
CONNECTICUT ----------	70	...	...	-	-	5	6	5	7	12	5	4
WHITE------MALE----	45	...	...	-	-	1	5	5	6	5	3	2
FEMALE--	22	...	...	-	-	3	1	-	1	7	2	2
ALL OTHER--MALE----	2	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
DELAWARE ----------	20	...	...	-	1	2	1	4	-	4	2	2
WHITE------MALE----	15	...	...	-	-	-	-	3	-	4	2	2
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	...	...	-	-	1	1	1	-	-	-	-
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	...	...	-	-	1	-	2	-	1	1	1
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	-	1	-	1	1	-
FEMALE--	2	...	...	-	-	1	-	1	-	-	-	-
BLACK---MALE----	4	...	...	-	-	-	-	1	-	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	333	...	...	-	3	12	23	35	44	47	42	31
WHITE------MALE----	256	...	...	-	3	7	19	25	35	39	32	24
FEMALE--	54	...	...	-	-	2	2	4	8	6	6	6
ALL OTHER--MALE----	21	...	...	-	-	3	2	6	1	1	4	1
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	20	...	...	-	-	3	1	6	1	1	4	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
GEORGIA ----------	108	...	...	-	2	11	10	16	12	12	10	10
WHITE------MALE----	76	...	...	-	1	9	7	13	8	8	6	8
FEMALE--	19	...	...	-	1	2	3	1	-	3	2	-
ALL OTHER--MALE----	12	...	...	-	-	-	-	1	4	1	2	2
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	11	...	...	-	-	-	-	1	4	1	2	1
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
COLORADO ----------	7	3	3	2	-	2	1	1	-	-	-	-
WHITE------MALE----	6	2	2	1	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	8	4	3	3	1	4	-	2	1	-	-	-
WHITE------MALE----	6	4	2	2	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	1	1	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	14	13	10	12	9	12	12	5	7	1	-	1
WHITE------MALE----	12	11	9	8	6	9	7	4	4	1	-	1
FEMALE--	1	2	1	3	2	2	5	1	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	9	6	2	1	4	3	-	-	-	-	-	-
WHITE------MALE----	5	6	1	1	2	1	-	-	-	-	-	-
FEMALE--	3	-	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3855

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
HAWAII ----------	65	...	...	-	-	4	7	10	15	9	5	4
WHITE------MALE----	14	...	...	-	-	1	-	1	2	4	2	1
FEMALE--	2	...	...	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	41	...	...	-	-	3	6	6	10	5	3	1
FEMALE--	8	...	...	-	-	-	1	2	3	-	-	2
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	22	...	...	-	-	3	4	1	4	5	2	1
WHITE------MALE----	17	...	...	-	-	1	4	-	3	4	2	1
FEMALE--	4	...	...	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	244	...	...	-	4	13	21	39	19	37	23	24
WHITE------MALE----	181	...	...	-	1	9	15	30	17	30	15	22
FEMALE--	38	...	...	-	3	1	3	4	1	2	3	1
ALL OTHER--MALE----	22	...	...	-	-	1	3	5	1	5	4	1
FEMALE--	3	...	...	-	-	2	-	-	-	-	1	-
BLACK---MALE----	16	...	...	-	-	-	2	5	1	4	4	-
FEMALE--	2	...	...	-	-	1	-	-	-	-	1	-
INDIANA ----------	118	...	...	-	6	5	16	17	8	11	18	9
WHITE------MALE----	90	...	...	-	4	4	11	13	6	10	17	4
FEMALE--	19	...	...	-	2	1	2	-	1	-	1	5
ALL OTHER--MALE----	6	...	...	-	-	-	2	2	1	1	-	-
FEMALE--	3	...	...	-	-	-	1	2	-	-	-	-
BLACK---MALE----	4	...	...	-	-	-	2	1	1	-	-	-
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
IOWA ----------	66	...	...	-	2	7	8	4	8	8	7	3
WHITE------MALE----	54	...	...	-	2	4	8	4	8	6	6	1
FEMALE--	9	...	...	-	-	1	-	-	-	2	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	2	...	...	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	64	...	...	-	3	4	11	6	10	6	7	4
WHITE------MALE----	52	...	...	-	1	2	11	5	7	6	6	4
FEMALE--	6	...	...	-	-	1	-	-	2	-	1	-
ALL OTHER--MALE----	3	...	...	-	2	-	-	1	-	-	-	-
FEMALE--	3	...	...	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	...	...	-	2	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3855

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
HAWAII ----------	3	1	2	-	1	2	-	2	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	17	7	5	3	5	11	5	6	3	2	-	-
WHITE------MALE----	9	6	3	3	5	6	4	4	1	1	-	-
FEMALE--	6	1	2	-	-	5	1	2	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	6	6	2	4	4	2	1	2	1	-	-	-
WHITE------MALE----	5	5	2	2	4	1	-	1	1	-	-	-
FEMALE--	1	1	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	6	-	2	1	5	1	1	3	-	-	-	-
WHITE------MALE----	6	-	2	-	4	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	4	1	2	1	1	-	-	-	-	-	-
WHITE------MALE----	1	4	1	2	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
KENTUCKY ----------	62	...	...	-	2	8	6	5	12	6	9	8
WHITE------MALE----	52	...	...	-	2	6	6	3	11	5	9	6
FEMALE--	7	...	...	-	-	1	-	1	-	1	-	2
ALL OTHER--MALE----	2	...	...	-	-	1	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	...	...	-	-	1	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
LOUISIANA ----------	63	...	...	-	3	8	9	7	9	8	4	4
WHITE------MALE----	44	...	...	-	3	3	6	6	6	7	2	2
FEMALE--	7	...	...	-	-	1	-	1	-	-	1	2
ALL OTHER--MALE----	7	...	...	-	-	3	3	-	-	1	-	-
FEMALE--	5	...	...	-	-	1	-	-	3	-	1	-
BLACK---MALE----	6	...	...	-	-	2	3	-	-	1	-	-
FEMALE--	4	...	...	-	-	-	-	-	3	-	1	-
MAINE ----------	29	...	...	-	-	4	2	6	3	4	3	2
WHITE------MALE----	24	...	...	-	-	3	1	5	3	4	2	2
FEMALE--	4	...	...	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	73	...	...	-	2	6	8	9	7	14	9	5
WHITE------MALE----	46	...	...	-	-	3	5	4	5	11	7	2
FEMALE--	7	...	...	-	-	2	1	-	1	-	1	2
ALL OTHER--MALE----	16	...	...	-	2	1	2	3	1	3	-	1
FEMALE--	4	...	...	-	-	-	-	2	-	-	1	-
BLACK---MALE----	12	...	...	-	2	1	2	2	1	3	-	1
FEMALE--	3	...	...	-	-	-	-	2	-	-	-	-
MASSACHUSETTS ----------	156	...	...	-	8	11	11	21	17	23	16	11
WHITE------MALE----	117	...	...	-	8	6	6	14	15	19	9	11
FEMALE--	30	...	...	-	-	3	3	4	1	4	6	-
ALL OTHER--MALE----	7	...	...	-	-	1	2	2	1	-	1	-
FEMALE--	2	...	...	-	-	1	-	1	-	-	-	-
BLACK---MALE----	4	...	...	-	-	1	2	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	194	...	...	-	6	20	22	26	23	20	27	16
WHITE------MALE----	137	...	...	-	2	15	15	21	17	13	22	11
FEMALE--	32	...	...	-	1	2	5	3	2	5	3	2
ALL OTHER--MALE----	20	...	...	-	3	2	2	2	3	2	2	3
FEMALE--	5	...	...	-	-	1	-	-	1	-	-	-
BLACK---MALE----	18	...	...	-	3	2	1	2	3	2	2	2
FEMALE--	2	...	...	-	-	1	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
KENTUCKY ----------	3	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	1	-	3	1	-	2	1	-	-	-
WHITE------MALE----	2	1	1	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	1	1	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	1	3	2	2	-	1	-	-	-	-	-
WHITE------MALE----	3	1	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	12	5	3	5	3	1	3	5	-	1	-	-
WHITE------MALE----	10	5	2	3	2	-	1	5	-	1	-	-
FEMALE--	2	-	1	2	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	5	5	4	4	2	3	3	-	1	-	-
WHITE------MALE----	3	4	4	3	3	1	1	1	-	1	-	-
FEMALE--	2	-	1	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
MINNESOTA ----------	81	...	...	-	2	7	9	4	17	13	8	5
WHITE------MALE----	59	...	...	-	1	6	5	2	15	10	8	5
FEMALE--	15	...	...	-	-	1	3	1	2	2	-	-
ALL OTHER--MALE----	6	...	...	-	1	-	1	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	30	...	...	-	-	3	3	1	5	8	6	1
WHITE------MALE----	18	...	...	-	-	2	2	1	4	5	2	-
FEMALE--	3	...	...	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	9	...	...	-	-	1	1	-	-	3	2	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	...	...	-	-	1	1	-	-	3	2	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSOURI ----------	107	...	...	-	3	16	12	12	13	16	13	7
WHITE------MALE----	73	...	...	-	1	9	4	9	9	15	12	3
FEMALE--	21	...	...	-	-	6	4	2	-	1	1	4
ALL OTHER--MALE----	11	...	...	-	2	1	3	-	4	-	-	-
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	9	...	...	-	2	1	2	-	3	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MONTANA ----------	22	...	...	-	1	2	3	-	2	2	7	2
WHITE------MALE----	16	...	...	-	1	1	2	-	1	2	6	1
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	32	...	...	-	-	7	2	4	4	4	3	2
WHITE------MALE----	28	...	...	-	-	6	2	3	4	4	2	1
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
NEVADA ----------	49	...	...	-	-	4	2	8	6	5	8	5
WHITE------MALE----	38	...	...	-	-	2	2	5	4	5	8	2
FEMALE--	5	...	...	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	4	...	...	-	-	-	-	3	-	-	-	1
FEMALE--	2	...	...	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	1	-	-	-	1
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3857

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
MINNESOTA ----------	3	3	2	1	2	2	3	-	-	-	-	-
WHITE------MALE----	1	2	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	1	5	2	-	3	2	1	-	-	-	-
WHITE------MALE----	1	1	4	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	2	-	1	-	1	-	-	-	-
WHITE------MALE----	1	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	3	1	-	1	2	-	-	-	-	-	1
WHITE------MALE----	3	3	1	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3858

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
NEW HAMPSHIRE ----------	34	...	...	-	1	3	4	7	4	1	4	3
WHITE------MALE----	25	...	...	-	1	2	3	5	2	1	3	3
FEMALE--	8	...	...	-	-	1	1	2	1	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	177	...	...	-	2	7	16	11	21	29	22	11
WHITE------MALE----	127	...	...	-	1	6	7	9	16	23	17	9
FEMALE--	29	...	...	-	-	-	5	-	2	4	2	1
ALL OTHER--MALE----	16	...	...	-	1	1	1	2	2	2	3	1
FEMALE--	5	...	...	-	-	-	3	-	1	-	-	-
BLACK---MALE----	12	...	...	-	1	1	1	2	2	2	2	1
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	-
NEW MEXICO ----------	67	...	...	-	1	11	9	5	13	9	6	5
WHITE------MALE----	42	...	...	-	-	6	4	2	8	5	5	5
FEMALE--	7	...	...	-	1	1	-	2	1	1	-	-
ALL OTHER--MALE----	15	...	...	-	-	4	3	-	4	3	1	-
FEMALE--	3	...	...	-	-	-	2	1	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	333	...	...	-	5	17	24	24	47	49	30	22
WHITE------MALE----	223	...	...	-	3	10	16	15	31	38	23	16
FEMALE--	47	...	...	-	1	3	3	2	6	4	-	2
ALL OTHER--MALE----	43	...	...	-	1	2	4	4	7	5	6	3
FEMALE--	20	...	...	-	-	2	1	3	3	2	1	1
BLACK---MALE----	29	...	...	-	-	2	3	4	6	3	5	1
FEMALE--	4	...	...	-	-	2	-	1	1	-	-	-
NORTH CAROLINA ---------	135	...	...	-	6	10	13	20	16	21	20	8
WHITE------MALE----	105	...	...	-	5	6	11	14	13	18	17	7
FEMALE--	12	...	...	-	-	1	-	2	2	1	2	1
ALL OTHER--MALE----	18	...	...	-	1	3	2	4	1	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	...	...	-	1	3	2	4	-	2	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	16	...	...	-	1	4	1	1	3	-	1	-
WHITE------MALE----	9	...	...	-	1	1	1	1	1	-	-	-
FEMALE--	3	...	...	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	3	...	...	-	-	1	-	-	2	-	-	-
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
NEW HAMPSHIRE ----------	1	-	2	2	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	9	13	11	6	4	6	7	1	1	-	-	-
WHITE------MALE----	5	9	6	4	4	5	4	1	1	-	-	-
FEMALE--	4	2	4	2	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	1	1	1	1	1	-	-	-	-	-
WHITE------MALE----	2	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	22	20	13	21	11	7	9	7	4	-	-	1
WHITE------MALE----	14	14	8	12	6	2	6	4	4	-	-	1
FEMALE--	6	4	2	5	3	3	2	1	-	-	-	-
ALL OTHER--MALE----	2	2	1	3	-	2	-	1	-	-	-	-
FEMALE--	-	-	2	1	2	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	11	4	1	-	1	2	1	-	1	-	-	-
WHITE------MALE----	5	4	1	-	1	2	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	2	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3859

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
OHIO ----------	229	...	...	-	5	24	26	28	32	27	28	12
WHITE------MALE----	178	...	...	-	3	20	21	18	25	21	23	9
FEMALE--	27	...	...	-	2	1	1	6	3	2	4	2
ALL OTHER--MALE----	19	...	...	-	-	2	4	4	4	4	-	1
FEMALE--	5	...	...	-	-	1	-	-	-	-	1	-
BLACK---MALE----	19	...	...	-	-	2	4	4	4	4	-	1
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	70	...	...	-	3	7	13	12	11	8	8	2
WHITE------MALE----	45	...	...	-	3	2	8	8	8	6	4	1
FEMALE--	13	...	...	-	-	4	2	1	2	1	3	-
ALL OTHER--MALE----	10	...	...	-	-	1	2	2	1	1	1	1
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	-	-	-	1	1
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
OREGON ----------	76	...	...	-	-	5	3	8	9	9	7	10
WHITE------MALE----	63	...	...	-	-	3	2	8	8	8	7	8
FEMALE--	8	...	...	-	-	2	-	-	1	-	-	2
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	261	...	...	1	4	23	26	25	36	40	32	17
WHITE------MALE----	191	...	...	1	2	18	17	18	24	30	26	12
FEMALE--	29	...	...	-	-	2	3	1	2	5	5	4
ALL OTHER--MALE----	34	...	...	-	1	2	5	6	9	5	1	1
FEMALE--	7	...	...	-	1	1	1	-	1	-	-	-
BLACK---MALE----	27	...	...	-	1	1	5	3	8	5	1	-
FEMALE--	3	...	...	-	1	1	1	-	-	-	-	-
RHODE ISLAND ----------	27	...	...	-	-	1	1	1	5	6	2	2
WHITE------MALE----	18	...	...	-	-	1	-	1	3	5	2	1
FEMALE--	7	...	...	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	56	...	...	-	6	3	9	3	12	11	4	1
WHITE------MALE----	37	...	...	-	4	2	8	1	6	6	4	1
FEMALE--	4	...	...	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	15	...	...	-	2	1	1	1	4	5	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	...	...	-	2	1	1	1	4	5	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3859

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
OHIO ----------	13	7	2	12	-	4	7	1	1	-	-	-
WHITE------MALE----	10	6	2	9	-	3	6	1	1	-	-	-
FEMALE--	2	-	-	3	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	1	-	1	2	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	11	6	1	1	1	2	1	2	-	-	-	-
WHITE------MALE----	10	3	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	14	10	7	7	3	6	5	3	2	-	-	-
WHITE------MALE----	11	9	5	5	2	5	3	1	2	-	-	-
FEMALE--	1	1	1	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	1	1	-	-	3	1	1	-	-	-	-
WHITE------MALE----	2	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	3	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3860

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
SOUTH DAKOTA ----------	28	...	...	-	-	5	6	2	3	2	2	2
WHITE------MALE----	18	...	...	-	-	1	5	2	1	1	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	...	...	-	-	4	1	-	2	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	71	...	...	-	2	6	8	12	6	6	9	7
WHITE------MALE----	59	...	...	-	2	6	7	11	5	5	7	4
FEMALE--	10	...	...	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TEXAS ----------	373	...	...	-	7	33	34	53	46	58	42	35
WHITE------MALE----	292	...	...	-	7	28	28	42	38	43	37	27
FEMALE--	50	...	...	-	-	3	3	7	4	6	5	4
ALL OTHER--MALE----	28	...	...	-	-	2	3	4	4	8	-	4
FEMALE--	3	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	23	...	...	-	-	2	3	3	4	8	-	3
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
UTAH ----------	50	...	...	-	1	5	8	8	11	6	2	3
WHITE------MALE----	36	...	...	-	1	3	6	7	10	3	1	2
FEMALE--	7	...	...	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	7	...	...	-	-	2	2	-	1	2	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	...	...	-	-	-	1	-	2	-	2	-
WHITE------MALE----	4	...	...	-	-	-	1	-	2	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	102	...	...	-	2	4	7	8	18	13	11	16
WHITE------MALE----	74	...	...	-	2	2	7	6	11	8	10	14
FEMALE--	17	...	...	-	-	1	-	1	4	2	1	1
ALL OTHER--MALE----	11	...	...	-	-	1	-	1	3	3	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	...	...	-	-	1	-	1	3	3	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3860

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
SOUTH DAKOTA ----------	1	2	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	4	1	5	1	-	-	-	-	-	-	-
WHITE------MALE----	4	4	1	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	23	12	4	3	6	6	7	2	1	1	-	-
WHITE------MALE----	18	5	3	1	5	4	4	2	-	-	-	-
FEMALE--	5	4	-	2	1	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	1	-	1	1	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	4	2	3	2	-	1	2	-	-	-	1
WHITE------MALE----	5	4	1	1	2	-	-	-	-	-	-	1
FEMALE--	2	-	1	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
WASHINGTON ----------	132	...	...	-	1	13	8	13	16	16	19	11
WHITE------MALE----	90	...	...	-	1	8	4	9	14	12	17	9
FEMALE--	19	...	...	-	-	-	2	2	-	2	1	2
ALL OTHER--MALE----	17	...	...	-	-	5	1	1	2	1	1	-
FEMALE--	6	...	...	-	-	-	1	1	-	1	-	-
BLACK---MALE----	2	...	...	-	-	1	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	26	...	...	-	2	3	1	6	1	6	3	2
WHITE------MALE----	23	...	...	-	2	3	1	6	1	5	1	2
FEMALE--	3	...	...	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	126	...	...	-	3	10	21	11	15	12	15	9
WHITE------MALE----	86	...	...	-	1	5	17	8	11	8	9	7
FEMALE--	26	...	...	-	2	2	2	2	1	2	5	2
ALL OTHER--MALE----	11	...	...	-	-	2	2	1	3	-	1	-
FEMALE--	3	...	...	-	-	1	-	-	-	2	-	-
BLACK---MALE----	7	...	...	-	-	1	2	-	2	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
WYOMING ----------	13	...	...	-	-	4	1	1	2	-	-	1
WHITE------MALE----	8	...	...	-	-	3	1	1	2	-	-	-
FEMALE--	4	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
WASHINGTON ----------	14	5	4	2	3	3	1	1	1	1	-	-
WHITE------MALE----	9	1	2	2	1	-	-	-	1	-	-	-
FEMALE--	2	2	-	-	2	1	1	1	-	1	-	-
ALL OTHER--MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	4	6	2	5	3	4	1	-	-	-	-
WHITE------MALE----	2	2	3	1	5	2	4	1	-	-	-	-
FEMALE--	1	2	3	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3862

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
UNITED STATES -	16,599	...	...	-	103	975	1,340	1,292	1,329	1,617	1,480	1,462
WHITE------MALE----	13,167	...	...	-	72	724	983	945	993	1,200	1,149	1,139
FEMALE--	1,968	...	...	-	22	93	99	136	179	252	232	221
ALL OTHER--MALE----	1,312	...	...	-	8	143	233	192	140	149	88	82
FEMALE--	152	...	...	-	1	15	25	19	17	16	11	20
BLACK---MALE----	1,018	...	...	-	4	109	189	144	106	113	66	64
FEMALE--	107	...	...	-	1	11	18	12	10	12	8	13
ALABAMA ----------	435	...	...	-	-	26	46	27	29	39	47	33
WHITE------MALE----	326	...	...	-	-	17	24	17	21	31	35	28
FEMALE--	63	...	...	-	-	2	8	2	5	7	12	3
ALL OTHER--MALE----	42	...	...	-	-	7	13	8	3	1	-	2
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	41	...	...	-	-	7	13	8	3	-	-	2
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	-
ALASKA ----------	55	...	...	-	1	10	7	7	4	6	3	1
WHITE------MALE----	30	...	...	-	-	3	4	3	1	4	1	1
FEMALE--	6	...	...	-	-	1	1	-	1	-	1	-
ALL OTHER--MALE----	15	...	...	-	1	5	1	3	1	2	1	-
FEMALE--	4	...	...	-	-	1	1	1	1	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	476	...	...	-	3	27	28	39	41	40	36	38
WHITE------MALE----	387	...	...	-	2	22	22	34	38	29	24	30
FEMALE--	61	...	...	-	1	2	1	1	1	9	10	7
ALL OTHER--MALE----	27	...	...	-	-	3	4	4	2	2	2	1
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	...	...	-	-	-	3	-	-	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	234	...	...	-	3	17	22	16	18	22	21	18
WHITE------MALE----	197	...	...	-	2	16	18	15	10	17	19	13
FEMALE--	30	...	...	-	1	1	3	1	6	5	2	3
ALL OTHER--MALE----	5	...	...	-	-	-	-	-	2	-	-	1
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
BLACK---MALE----	4	...	...	-	-	-	-	-	1	-	-	1
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
CALIFORNIA ----------	1,532	...	...	-	5	61	108	90	115	143	126	149
WHITE------MALE----	1,180	...	...	-	2	36	79	59	78	104	92	106
FEMALE--	187	...	...	-	2	9	7	12	16	24	20	28
ALL OTHER--MALE----	147	...	...	-	1	15	21	18	17	14	11	11
FEMALE--	18	...	...	-	-	1	1	1	4	1	3	4
BLACK---MALE----	65	...	...	-	-	8	11	10	6	7	3	4
FEMALE--	7	...	...	-	-	1	1	-	2	-	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3862

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
UNITED STATES -	1,215	1,058	802	827	964	946	660	399	102	23	-	5
WHITE------MALE----	974	827	672	707	838	849	605	368	97	20	-	5
FEMALE--	180	171	84	78	91	68	35	22	3	2	-	-
ALL OTHER--MALE----	56	55	40	35	35	26	19	8	2	1	-	-
FEMALE--	5	5	6	7	-	3	1	1	-	-	-	-
BLACK---MALE----	40	42	32	30	29	25	14	8	2	1	-	-
FEMALE--	3	4	4	6	-	3	1	1	-	-	-	-
ALABAMA ----------	36	26	29	23	27	29	10	7	1	-	-	-
WHITE------MALE----	28	22	24	21	24	24	6	3	1	-	-	-
FEMALE--	7	4	3	1	1	4	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	2	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALASKA ----------	5	2	2	2	1	1	1	2	-	-	-	-
WHITE------MALE----	4	2	2	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	35	38	30	19	23	36	30	11	-	2	-	-
WHITE------MALE----	24	29	25	18	19	33	26	10	-	2	-	-
FEMALE--	8	8	4	1	2	2	3	1	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	13	17	8	12	9	20	7	9	2	-	-	-
WHITE------MALE----	10	14	7	11	9	20	6	8	2	-	-	-
FEMALE--	3	2	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	119	105	72	81	104	100	79	54	12	7	-	2
WHITE------MALE----	93	81	60	66	93	94	73	48	10	4	-	2
FEMALE--	16	13	4	11	8	4	3	6	2	2	-	-
ALL OTHER--MALE----	9	11	8	2	3	2	3	-	-	1	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	4	5	1	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
COLORADO ----------	309	...	...	-	1	23	22	29	29	25	30	31
WHITE------MALE----	258	...	...	-	-	20	18	23	24	21	25	24
FEMALE--	36	...	...	-	1	2	1	3	4	2	5	6
ALL OTHER--MALE----	12	...	...	-	-	-	3	3	-	2	-	-
FEMALE--	3	...	...	-	-	1	-	-	1	-	-	1
BLACK---MALE----	6	...	...	-	-	-	1	2	-	1	-	-
FEMALE--	2	...	...	-	-	1	-	-	1	-	-	-
CONNECTICUT ----------	111	...	...	-	-	5	11	9	5	5	11	12
WHITE------MALE----	102	...	...	-	-	5	9	7	5	5	10	11
FEMALE--	4	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	...	...	-	-	-	2	2	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	...	...	-	-	-	2	1	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DELAWARE ----------	44	...	...	-	1	2	4	4	4	6	7	7
WHITE------MALE----	37	...	...	-	1	2	2	4	4	4	5	7
FEMALE--	3	...	...	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	...	...	-	-	-	2	-	-	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	2	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	13	...	...	-	-	3	-	2	1	3	-	-
WHITE------MALE----	4	...	...	-	-	-	-	-	1	2	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	...	...	-	-	3	-	2	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	...	...	-	-	3	-	2	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1,136	...	...	-	3	40	53	69	77	102	104	111
WHITE------MALE----	891	...	...	-	1	32	39	48	61	72	74	83
FEMALE--	178	...	...	-	-	3	8	13	10	20	23	16
ALL OTHER--MALE----	59	...	...	-	2	5	5	8	5	9	5	10
FEMALE--	8	...	...	-	-	-	1	-	1	1	2	2
BLACK---MALE----	54	...	...	-	1	5	4	7	5	9	4	10
FEMALE--	5	...	...	-	-	-	1	-	-	1	1	1
GEORGIA ----------	628	...	...	-	6	35	51	73	60	74	45	39
WHITE------MALE----	420	...	...	-	4	19	29	45	35	41	31	30
FEMALE--	98	...	...	-	1	5	4	11	10	15	5	7
ALL OTHER--MALE----	102	...	...	-	-	10	16	17	14	16	8	2
FEMALE--	8	...	...	-	1	1	2	-	1	2	1	-
BLACK---MALE----	92	...	...	-	-	10	15	13	11	15	7	2
FEMALE--	7	...	...	-	1	1	2	-	-	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3863

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
COLORADO ----------	26	21	8	16	16	14	11	6	1	-	-	-
WHITE------MALE----	22	14	6	15	15	13	11	6	1	-	-	-
FEMALE--	2	5	2	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	10	7	8	4	7	8	7	1	1	-	-	-
WHITE------MALE----	10	5	8	4	7	7	7	1	1	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	3	2	-	1	-	1	-	-	-	-	-
WHITE------MALE----	2	2	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	98	65	57	78	88	82	62	33	12	1	-	1
WHITE------MALE----	78	44	50	65	71	70	58	31	12	1	-	1
FEMALE--	17	20	7	11	17	7	4	2	-	-	-	-
ALL OTHER--MALE----	3	1	-	2	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	-	2	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA ----------	39	38	32	35	33	30	29	7	2	-	-	-
WHITE------MALE----	29	27	24	28	24	24	23	5	2	-	-	-
FEMALE--	7	7	5	2	8	4	6	1	-	-	-	-
ALL OTHER--MALE----	3	4	3	5	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	3	5	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3864

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
HAWAII ----------	23	...	...	-	-	-	-	1	5	2	5	3
WHITE------MALE----	11	...	...	-	-	-	-	1	2	-	2	2
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	...	...	-	-	-	-	-	3	2	3	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	125	...	...	-	2	11	7	5	12	17	8	6
WHITE------MALE----	100	...	...	-	1	9	4	5	8	14	6	2
FEMALE--	18	...	...	-	1	1	-	-	3	3	2	3
ALL OTHER--MALE----	6	...	...	-	-	1	3	-	1	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	481	...	...	-	1	36	40	30	46	47	41	36
WHITE------MALE----	364	...	...	-	1	22	27	22	33	35	29	29
FEMALE--	44	...	...	-	-	2	3	2	5	4	8	4
ALL OTHER--MALE----	69	...	...	-	-	12	10	6	8	8	3	3
FEMALE--	4	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	68	...	...	-	-	12	10	6	8	8	3	3
FEMALE--	4	...	...	-	-	-	-	-	-	-	1	-
INDIANA ----------	368	...	...	-	3	24	31	27	38	37	38	33
WHITE------MALE----	310	...	...	-	3	18	22	25	33	27	33	28
FEMALE--	35	...	...	-	-	1	3	1	3	7	4	5
ALL OTHER--MALE----	22	...	...	-	-	5	6	1	2	3	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	...	...	-	-	5	6	1	2	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
IOWA ----------	160	...	...	-	2	15	16	13	10	9	13	10
WHITE------MALE----	141	...	...	-	-	13	16	10	9	8	11	9
FEMALE--	16	...	...	-	2	1	-	1	1	1	2	1
ALL OTHER--MALE----	3	...	...	-	-	1	-	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	1	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	166	...	...	-	2	12	22	16	10	13	13	14
WHITE------MALE----	142	...	...	-	1	9	20	15	10	10	8	9
FEMALE--	16	...	...	-	1	3	1	-	-	2	3	4
ALL OTHER--MALE----	7	...	...	-	-	-	1	1	-	-	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	...	...	-	-	-	1	1	-	-	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3864

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
HAWAII ----------	-	4	2	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	9	6	6	4	9	10	7	4	2	-	-	-
WHITE------MALE----	8	5	4	3	8	10	7	4	2	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	37	34	28	19	26	25	22	12	1	-	-	-
WHITE------MALE----	27	26	22	15	21	24	18	12	1	-	-	-
FEMALE--	8	2	3	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	5	2	2	3	1	4	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	5	2	2	3	1	4	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
INDIANA ----------	33	11	9	20	13	18	18	8	5	1	-	1
WHITE------MALE----	28	9	9	16	12	17	16	7	5	1	-	1
FEMALE--	5	1	-	4	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA ----------	10	9	6	11	11	12	7	4	2	-	-	-
WHITE------MALE----	9	9	6	9	9	11	6	4	2	-	-	-
FEMALE--	1	-	-	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	12	8	10	5	7	7	9	4	1	1	-	-
WHITE------MALE----	10	8	9	5	7	6	9	4	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3865

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
KENTUCKY ----------	334	...	...	-	-	11	20	30	28	41	40	33
WHITE------MALE----	277	...	...	-	-	9	14	25	22	37	31	22
FEMALE--	45	...	...	-	-	2	1	3	5	3	8	11
ALL OTHER--MALE----	12	...	...	-	-	-	5	2	1	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	...	...	-	-	-	5	2	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	389	...	...	-	3	24	35	41	32	46	28	35
WHITE------MALE----	273	...	...	-	2	21	21	26	26	24	18	23
FEMALE--	50	...	...	-	-	1	1	5	2	11	6	3
ALL OTHER--MALE----	59	...	...	-	1	2	12	8	4	8	4	8
FEMALE--	7	...	...	-	-	-	1	2	-	3	-	1
BLACK---MALE----	59	...	...	-	1	2	12	8	4	8	4	8
FEMALE--	6	...	...	-	-	-	1	2	-	2	-	1
MAINE ----------	91	...	...	-	-	5	3	2	12	13	7	6
WHITE------MALE----	81	...	...	-	-	5	2	2	8	13	6	5
FEMALE--	10	...	...	-	-	-	1	-	4	-	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	241	...	...	-	-	16	21	26	15	30	15	16
WHITE------MALE----	177	...	...	-	-	9	8	19	11	17	12	14
FEMALE--	18	...	...	-	-	1	1	1	2	6	-	1
ALL OTHER--MALE----	44	...	...	-	-	5	12	6	2	7	3	1
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	39	...	...	-	-	5	12	4	2	7	2	1
FEMALE--	2	...	...	-	-	1	-	-	-	-	-	-
MASSACHUSETTS ----------	118	...	...	-	1	8	8	9	9	13	9	10
WHITE------MALE----	102	...	...	-	1	6	5	9	8	12	7	8
FEMALE--	13	...	...	-	-	1	2	-	1	1	2	1
ALL OTHER--MALE----	3	...	...	-	-	1	1	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	1	1	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	542	...	...	-	7	33	40	61	42	53	43	53
WHITE------MALE----	428	...	...	-	6	19	31	41	33	44	34	40
FEMALE--	47	...	...	-	1	4	2	5	3	5	5	4
ALL OTHER--MALE----	55	...	...	-	-	9	6	14	4	4	2	6
FEMALE--	12	...	...	-	-	1	1	1	2	-	2	3
BLACK---MALE----	51	...	...	-	-	8	6	13	4	3	2	5
FEMALE--	11	...	...	-	-	1	-	1	2	-	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
KENTUCKY ----------	19	20	12	13	20	16	16	14	1	-	-	-
WHITE------MALE----	13	15	12	12	19	16	15	14	1	-	-	-
FEMALE--	6	3	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	28	27	13	9	25	21	11	8	3	-	-	-
WHITE------MALE----	20	19	12	6	21	16	9	7	2	-	-	-
FEMALE--	5	6	1	1	3	4	1	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	10	6	4	7	4	3	5	4	-	-	-	-
WHITE------MALE----	10	5	4	6	4	2	5	4	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	17	16	15	17	12	12	9	2	2	-	-	-
WHITE------MALE----	16	9	14	15	10	11	9	1	2	-	-	-
FEMALE--	1	3	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	3	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	6	13	9	2	2	10	6	2	1	-	-	-
WHITE------MALE----	5	11	8	2	1	10	6	2	1	-	-	-
FEMALE--	1	2	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	38	32	30	22	30	27	12	16	2	1	-	-
WHITE------MALE----	31	27	23	17	27	25	12	15	2	1	-	-
FEMALE--	6	4	6	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	4	3	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	4	3	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
MINNESOTA ----------	228	...	...	-	2	25	24	18	16	28	21	19
WHITE------MALE----	213	...	...	-	2	22	21	18	16	25	20	19
FEMALE--	12	...	...	-	-	2	2	-	-	3	-	-
ALL OTHER--MALE----	3	...	...	-	-	1	1	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	244	...	...	-	-	17	18	17	11	29	25	17
WHITE------MALE----	171	...	...	-	-	13	11	9	8	15	19	11
FEMALE--	29	...	...	-	-	1	-	2	1	5	-	3
ALL OTHER--MALE----	39	...	...	-	-	2	7	5	2	8	6	3
FEMALE--	5	...	...	-	-	1	-	1	-	1	-	-
BLACK---MALE----	36	...	...	-	-	1	7	5	2	7	5	3
FEMALE--	4	...	...	-	-	1	-	1	-	1	-	-
MISSOURI ----------	426	...	...	-	4	30	36	33	34	46	32	30
WHITE------MALE----	346	...	...	-	3	21	27	26	21	36	27	25
FEMALE--	46	...	...	-	1	6	-	3	6	6	3	5
ALL OTHER--MALE----	32	...	...	-	-	3	9	4	6	4	2	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	30	...	...	-	-	3	8	4	6	4	1	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	-
MONTANA ----------	96	...	...	-	3	9	9	4	3	10	5	6
WHITE------MALE----	83	...	...	-	3	7	5	3	2	8	5	6
FEMALE--	5	...	...	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	7	...	...	-	-	1	3	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	108	...	...	-	-	11	12	11	10	10	9	5
WHITE------MALE----	90	...	...	-	-	8	10	8	8	6	7	4
FEMALE--	11	...	...	-	-	-	1	1	1	4	2	1
ALL OTHER--MALE----	5	...	...	-	-	1	1	2	1	-	-	-
FEMALE--	2	...	...	-	-	2	-	-	-	-	-	-
BLACK---MALE----	5	...	...	-	-	1	1	2	1	-	-	-
FEMALE--	2	...	...	-	-	2	-	-	-	-	-	-
NEVADA ----------	259	...	...	-	1	9	20	24	21	22	12	25
WHITE------MALE----	217	...	...	-	-	6	17	20	16	18	10	22
FEMALE--	29	...	...	-	-	1	1	1	3	4	1	3
ALL OTHER--MALE----	13	...	...	-	1	2	2	3	2	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	...	...	-	1	1	1	-	2	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
MINNESOTA ----------	15	13	7	6	9	9	13	2	1	-	-	-
WHITE------MALE----	14	10	7	6	9	9	12	2	1	-	-	-
FEMALE--	1	3	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	12	25	16	15	16	13	5	6	2	-	-	-
WHITE------MALE----	10	19	11	11	12	10	5	5	2	-	-	-
FEMALE--	2	4	2	3	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSOURI ----------	30	27	16	18	30	29	12	15	3	1	-	-
WHITE------MALE----	28	22	10	17	28	26	10	15	3	1	-	-
FEMALE--	1	4	5	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	9	1	4	8	9	5	3	3	-	-	-
WHITE------MALE----	5	8	1	3	7	9	5	3	3	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	13	10	4	5	2	2	4	-	-	-	-	-
WHITE------MALE----	13	9	4	5	2	2	4	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	19	16	17	17	13	23	12	5	3	-	-	-
WHITE------MALE----	17	14	15	16	10	17	11	5	3	-	-	-
FEMALE--	2	2	2	1	2	6	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
NEW HAMPSHIRE ----------	64	...	...	-	-	3	9	4	6	5	4	12
WHITE------MALE----	58	...	...	-	-	2	6	4	6	4	4	12
FEMALE--	5	...	...	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	195	...	...	-	-	6	14	16	18	14	19	18
WHITE------MALE----	151	...	...	-	-	4	11	9	14	7	12	15
FEMALE--	18	...	...	-	-	1	-	1	-	5	4	1
ALL OTHER--MALE----	23	...	...	-	-	1	3	6	3	2	3	-
FEMALE--	3	...	...	-	-	-	-	-	1	-	-	2
BLACK---MALE----	20	...	...	-	-	1	3	4	3	1	3	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	2
NEW MEXICO ----------	180	...	...	-	1	16	22	15	12	15	19	16
WHITE------MALE----	144	...	...	-	1	12	17	6	10	12	14	13
FEMALE--	18	...	...	-	-	1	2	5	1	2	3	-
ALL OTHER--MALE----	16	...	...	-	-	2	3	4	1	1	1	3
FEMALE--	2	...	...	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	...	...	-	-	1	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	439	...	...	-	1	24	39	41	35	37	41	44
WHITE------MALE----	353	...	...	-	1	18	28	30	26	29	32	36
FEMALE--	39	...	...	-	-	2	2	2	5	3	6	5
ALL OTHER--MALE----	45	...	...	-	-	3	8	9	4	5	3	3
FEMALE--	2	...	...	-	-	1	1	-	-	-	-	-
BLACK---MALE----	40	...	...	-	-	3	8	8	3	3	3	3
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	567	...	...	-	3	30	62	53	48	53	36	53
WHITE------MALE----	420	...	...	-	2	21	41	38	34	39	28	38
FEMALE--	82	...	...	-	-	4	6	8	6	8	6	9
ALL OTHER--MALE----	55	...	...	-	1	5	10	7	7	5	2	5
FEMALE--	10	...	...	-	-	-	5	-	1	1	-	1
BLACK---MALE----	46	...	...	-	1	4	7	4	6	5	2	4
FEMALE--	10	...	...	-	-	-	5	-	1	1	-	1
NORTH DAKOTA ----------	39	...	...	-	-	6	4	3	5	2	3	1
WHITE------MALE----	32	...	...	-	-	5	4	3	3	1	3	1
FEMALE--	6	...	...	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
NEW HAMPSHIRE ----------	7	-	2	5	-	3	2	2	-	-	-	-
WHITE------MALE----	6	-	2	5	-	3	2	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	15	11	13	12	9	10	11	8	1	-	-	-
WHITE------MALE----	11	8	11	12	9	10	10	7	1	-	-	-
FEMALE--	3	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	9	13	4	10	5	8	10	2	2	1	-	-
WHITE------MALE----	8	11	4	10	5	7	9	2	2	1	-	-
FEMALE--	-	2	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	41	23	31	23	23	14	11	7	2	2	-	-
WHITE------MALE----	31	21	26	22	19	14	9	7	2	2	-	-
FEMALE--	6	1	3	-	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	1	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	45	36	31	29	35	23	20	8	1	1	-	-
WHITE------MALE----	33	25	24	24	28	17	19	7	1	1	-	-
FEMALE--	8	7	5	2	6	5	1	1	-	-	-	-
ALL OTHER--MALE----	4	3	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	3	3	1	2	-	2	2	-	1	-	-
WHITE------MALE----	-	1	3	1	2	-	2	2	-	1	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3868

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
OHIO ----------	626	...	...	-	4	26	55	38	57	54	71	46
WHITE------MALE----	512	...	...	-	4	20	42	30	42	45	57	38
FEMALE--	63	...	...	-	-	2	5	3	7	5	9	7
ALL OTHER--MALE----	46	...	...	-	-	4	7	5	7	3	5	-
FEMALE--	5	...	...	-	-	-	1	-	1	1	-	1
BLACK---MALE----	41	...	...	-	-	3	6	5	6	3	5	-
FEMALE--	4	...	...	-	-	-	1	-	1	-	-	1
OKLAHOMA ----------	317	...	...	-	1	20	30	28	30	32	31	25
WHITE------MALE----	247	...	...	-	1	17	24	22	18	21	24	22
FEMALE--	43	...	...	-	-	-	2	4	7	7	6	3
ALL OTHER--MALE----	24	...	...	-	-	2	4	1	4	4	1	-
FEMALE--	3	...	...	-	-	1	-	1	1	-	-	-
BLACK---MALE----	15	...	...	-	-	2	3	-	2	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
OREGON ----------	309	...	...	-	2	19	20	17	17	34	29	31
WHITE------MALE----	259	...	...	-	2	16	15	13	14	22	24	24
FEMALE--	38	...	...	-	-	1	2	3	-	10	4	7
ALL OTHER--MALE----	11	...	...	-	-	2	2	1	3	2	1	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	...	...	-	-	2	1	1	2	-	1	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
PENNSYLVANIA ----------	709	...	...	-	4	35	56	55	62	69	75	59
WHITE------MALE----	590	...	...	-	4	29	40	47	45	57	63	44
FEMALE--	76	...	...	-	-	1	8	4	14	10	9	10
ALL OTHER--MALE----	40	...	...	-	-	5	7	4	3	2	2	4
FEMALE--	3	...	...	-	-	-	1	-	-	-	1	1
BLACK---MALE----	37	...	...	-	-	5	7	4	3	2	2	3
FEMALE--	3	...	...	-	-	-	1	-	-	-	1	1
RHODE ISLAND ----------	35	...	...	-	-	2	3	1	3	7	3	1
WHITE------MALE----	29	...	...	-	-	2	1	1	2	7	1	-
FEMALE--	4	...	...	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	287	...	...	-	2	18	19	18	18	34	31	25
WHITE------MALE----	216	...	...	-	-	12	14	11	13	27	21	20
FEMALE--	46	...	...	-	2	3	-	3	4	4	8	5
ALL OTHER--MALE----	21	...	...	-	-	3	3	2	1	3	2	-
FEMALE--	4	...	...	-	-	-	2	2	-	-	-	-
BLACK---MALE----	20	...	...	-	-	3	3	2	1	3	2	-
FEMALE--	3	...	...	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3868

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
OHIO ----------	39	44	22	37	45	39	25	19	4	1	-	-
WHITE------MALE----	32	33	20	31	36	35	25	17	4	1	-	-
FEMALE--	4	11	-	1	6	2	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	2	4	3	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	3	3	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA ----------	26	15	16	13	12	17	15	4	2	-	-	-
WHITE------MALE----	20	13	11	10	11	14	13	4	2	-	-	-
FEMALE--	6	1	2	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	3	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	18	15	14	21	21	21	18	9	1	2	-	-
WHITE------MALE----	16	15	14	18	19	19	17	8	1	2	-	-
FEMALE--	2	-	-	3	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	50	54	34	21	45	45	23	17	5	-	-	-
WHITE------MALE----	40	44	30	20	39	43	23	17	5	-	-	-
FEMALE--	7	8	1	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	3	-	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	-	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	4	4	1	1	-	2	3	-	-	-	-	-
WHITE------MALE----	4	4	1	1	-	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	20	28	18	19	13	13	6	4	1	-	-	-
WHITE------MALE----	15	19	15	15	10	13	6	4	1	-	-	-
FEMALE--	2	8	2	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3869

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
SOUTH DAKOTA ----------	56	...	...	-	1	8	8	1	5	5	4	7
WHITE------MALE----	49	...	...	-	1	8	6	1	4	4	3	6
FEMALE--	4	...	...	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	...	...	-	-	-	2	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	497	...	...	-	2	20	39	52	46	56	47	42
WHITE------MALE----	390	...	...	-	2	17	26	32	31	41	42	32
FEMALE--	64	...	...	-	-	2	5	10	10	7	4	7
ALL OTHER--MALE----	38	...	...	-	-	1	8	8	5	7	1	2
FEMALE--	5	...	...	-	-	-	-	2	-	1	-	1
BLACK---MALE----	38	...	...	-	-	1	8	8	5	7	1	2
FEMALE--	4	...	...	-	-	-	-	2	-	1	-	-
TEXAS ----------	1,224	...	...	-	14	75	109	93	92	110	129	124
WHITE------MALE----	979	...	...	-	11	58	92	74	65	78	103	97
FEMALE--	173	...	...	-	3	9	7	11	17	22	21	21
ALL OTHER--MALE----	57	...	...	-	-	6	9	5	9	8	5	4
FEMALE--	15	...	...	-	-	2	1	3	1	2	-	2
BLACK---MALE----	51	...	...	-	-	5	8	5	6	8	4	4
FEMALE--	11	...	...	-	-	2	1	1	1	1	-	2
UTAH ----------	153	...	...	-	-	17	16	9	17	20	16	15
WHITE------MALE----	135	...	...	-	-	14	15	5	16	19	13	12
FEMALE--	13	...	...	-	-	1	-	2	1	1	3	3
ALL OTHER--MALE----	5	...	...	-	-	2	1	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	46	...	...	-	-	2	5	3	3	6	5	1
WHITE------MALE----	41	...	...	-	-	2	5	3	3	6	3	-
FEMALE--	5	...	...	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	503	...	...	-	4	31	32	43	50	46	44	39
WHITE------MALE----	379	...	...	-	2	23	19	25	36	35	37	27
FEMALE--	59	...	...	-	1	3	3	5	3	4	4	10
ALL OTHER--MALE----	60	...	...	-	1	5	9	12	10	6	3	2
FEMALE--	5	...	...	-	-	-	1	1	1	1	-	-
BLACK---MALE----	53	...	...	-	-	5	8	10	10	5	2	2
FEMALE--	4	...	...	-	-	-	1	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3869

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
SOUTH DAKOTA ----------	3	2	-	1	3	3	4	1	-	-	-	-
WHITE------MALE----	3	2	-	1	2	3	4	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	40	28	20	28	31	24	13	4	4	-	-	1
WHITE------MALE----	27	27	17	24	29	22	13	3	4	-	-	1
FEMALE--	8	1	3	3	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	79	70	56	60	77	72	37	18	9	-	-	-
WHITE------MALE----	64	55	43	45	70	66	33	17	8	-	-	-
FEMALE--	11	11	10	13	7	5	4	1	-	-	-	-
ALL OTHER--MALE----	3	2	2	2	-	1	-	-	1	-	-	-
FEMALE--	1	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	2	2	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
UTAH ----------	4	11	6	5	11	2	2	1	-	1	-	-
WHITE------MALE----	4	9	6	5	11	2	2	1	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	6	3	1	1	3	4	1	2	-	-	-	-
WHITE------MALE----	5	3	1	1	2	4	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	42	39	27	25	18	40	7	14	2	-	-	-
WHITE------MALE----	34	26	23	23	17	33	6	11	2	-	-	-
FEMALE--	7	9	3	-	1	5	-	1	-	-	-	-
ALL OTHER--MALE----	1	4	1	2	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	3	1	2	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3870

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
WASHINGTON ----------	450	...	...	-	2	32	38	30	39	41	38	42
WHITE------MALE----	366	...	...	-	1	21	29	24	33	30	30	34
FEMALE--	51	...	...	-	1	5	1	1	5	5	8	4
ALL OTHER--MALE----	27	...	...	-	-	5	7	3	1	5	-	4
FEMALE--	6	...	...	-	-	1	1	2	-	1	-	-
BLACK---MALE----	8	...	...	-	-	-	4	1	1	-	-	2
FEMALE--	2	...	...	-	-	-	-	1	-	1	-	-
WEST VIRGINIA ----------	169	...	...	-	2	8	12	11	6	15	14	20
WHITE------MALE----	147	...	...	-	2	6	11	10	6	13	12	19
FEMALE--	18	...	...	-	-	2	1	1	-	1	2	1
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	299	...	...	-	4	23	30	25	19	27	24	39
WHITE------MALE----	261	...	...	-	1	21	28	17	16	22	22	33
FEMALE--	23	...	...	-	3	1	-	4	2	3	1	4
ALL OTHER--MALE----	13	...	...	-	-	1	2	2	1	2	1	2
FEMALE--	2	...	...	-	-	-	-	2	-	-	-	-
BLACK---MALE----	6	...	...	-	-	1	1	-	-	-	-	2
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
WYOMING ----------	63	...	...	-	2	9	4	3	4	4	3	6
WHITE------MALE----	51	...	...	-	2	7	4	1	4	2	-	5
FEMALE--	10	...	...	-	-	1	-	1	-	2	3	1
ALL OTHER--MALE----	2	...	...	-	-	1	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
WASHINGTON ----------	33	20	23	19	31	19	27	15	1	-	-	-
WHITE------MALE----	23	17	18	18	30	18	24	15	1	-	-	-
FEMALE--	9	3	4	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	14	6	13	15	13	11	3	6	-	-	-	-
WHITE------MALE----	13	4	12	13	10	7	3	6	-	-	-	-
FEMALE--	-	2	1	2	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	20	20	12	12	14	8	8	12	2	-	-	-
WHITE------MALE----	19	19	9	12	13	8	8	12	1	-	-	-
FEMALE--	1	1	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	3	4	1	4	5	2	2	5	2	-	-	-
WHITE------MALE----	2	3	1	4	5	2	2	5	2	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3871

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
UNITED STATES -	693	...	...	-	2	38	74	57	58	91	82	69
WHITE------MALE----	412	...	...	-	2	20	45	35	34	50	56	44
FEMALE--	153	...	...	-	-	9	10	8	11	22	13	13
ALL OTHER--MALE----	92	...	...	-	-	6	16	11	12	15	6	9
FEMALE--	36	...	...	-	-	3	3	3	1	4	7	3
BLACK---MALE----	60	...	...	-	-	5	10	7	9	10	6	5
FEMALE--	19	...	...	-	-	-	3	2	1	3	2	2
ALABAMA ----------	1	...	...	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	...	...	-	-	1	-	-	2	-	1	1
WHITE------MALE----	4	...	...	-	-	1	-	-	1	-	1	1
FEMALE--	3	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	114	...	...	-	1	2	11	9	17	13	16	14
WHITE------MALE----	76	...	...	-	1	-	10	6	12	8	10	10
FEMALE--	18	...	...	-	-	1	-	1	2	1	3	3
ALL OTHER--MALE----	14	...	...	-	-	1	1	1	2	3	1	1
FEMALE--	6	...	...	-	-	-	-	1	1	1	2	-
BLACK---MALE----	5	...	...	-	-	-	1	1	-	2	1	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3871

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
UNITED STATES -	46	30	19	25	27	24	27	17	4	1	-	2
WHITE------MALE----	26	15	7	15	19	14	16	10	3	-	-	1
FEMALE--	14	10	9	7	5	8	6	6	1	1	-	-
ALL OTHER--MALE----	5	3	2	1	2	-	2	1	-	-	-	1
FEMALE--	1	2	1	2	1	2	3	-	-	-	-	-
BLACK---MALE----	3	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	1	1	1	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	10	6	3	3	1	1	2	3	-	1	-	1
WHITE------MALE----	7	4	3	2	1	-	-	2	-	-	-	-
FEMALE--	3	1	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3872

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
COLORADO ----------	10	...	...	-	-	-	1	2	-	3	-	3
WHITE------MALE----	6	...	...	-	-	-	-	2	-	1	-	2
FEMALE--	4	...	...	-	-	-	1	-	-	2	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	...	...	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	...	...	-	-	-	-	-	1	1	1	-
WHITE------MALE----	3	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	...	...	-	-	-	-	-	-	2	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	58	...	...	-	1	2	5	3	2	8	4	5
WHITE------MALE----	45	...	...	-	1	1	4	3	2	4	3	4
FEMALE--	9	...	...	-	-	1	1	-	-	1	-	1
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	-	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	...	...	-	-	-	-	-	-	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
GEORGIA ----------	10	...	...	-	-	-	-	3	1	2	-	1
WHITE------MALE----	4	...	...	-	-	-	-	1	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
COLORADO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	5	2	1	3	4	5	3	4	1	-	-	-
WHITE------MALE----	4	1	1	3	4	4	3	2	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
HAWAII ----------	17	...	...	-	-	2	2	1	-	2	-	1
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	...	...	-	-	-	2	1	-	2	-	1
FEMALE--	5	...	...	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	...	...	-	-	1	1	-	-	-	-	-
WHITE------MALE----	2	...	...	-	-	1	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	...	...	-	-	2	6	4	2	4	5	4
WHITE------MALE----	17	...	...	-	-	1	3	2	1	2	2	4
FEMALE--	5	...	...	-	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	7	...	...	-	-	-	2	2	1	1	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	...	...	-	-	-	1	2	1	1	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	...	...	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	...	...	-	-	-	-	1	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IOWA ----------	4	...	...	-	-	-	1	-	1	-	-	-
WHITE------MALE----	3	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	...	...	-	-	1	-	-	-	-	1	-
WHITE------MALE----	2	...	...	-	-	1	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
HAWAII	2	-	-	-	-	2	4	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	2	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	1	-	1	1	-	-	1	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	1	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	1	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	1	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
KENTUCKY ----------	4	...	...	-	-	-	2	-	-	1	-	-
WHITE------MALE----	4	...	...	-	-	-	2	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	...	...	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MAINE ----------	3	...	...	-	-	1	-	-	-	1	-	1
WHITE------MALE----	2	...	...	-	-	1	-	-	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	...	...	-	-	3	-	1	2	-	2	1
WHITE------MALE----	7	...	...	-	-	1	-	1	1	-	1	1
FEMALE--	5	...	...	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	16	...	...	-	-	-	2	2	2	1	1	2
WHITE------MALE----	11	...	...	-	-	-	1	1	2	1	1	2
FEMALE--	3	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	10	...	...	-	-	1	-	3	2	1	1	-
WHITE------MALE----	8	...	...	-	-	1	-	2	2	1	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
KENTUCKY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	1	-	1	-	1	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3875

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
MINNESOTA ----------	10	...	...	-	-	1	1	-	1	1	-	1
WHITE------MALE----	5	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	3	...	...	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSOURI ----------	9	...	...	-	-	-	1	1	1	2	1	-
WHITE------MALE----	4	...	...	-	-	-	-	1	-	1	1	-
FEMALE--	4	...	...	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	...	...	-	-	-	1	3	1	-	1	-
WHITE------MALE----	3	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
MINNESOTA	2	-	-	-	-	2	1	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	2	-	-	-	-	1	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	1	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
NEW HAMPSHIRE ----------	2	...	...	-	-	-	1	-	-	-	1	-
WHITE------MALE----	2	...	...	-	-	-	1	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	30	...	...	-	-	3	2	5	-	3	4	5
WHITE------MALE----	20	...	...	-	-	2	1	3	-	2	2	3
FEMALE--	4	...	...	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	5	...	...	-	-	1	1	1	-	1	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	...	...	-	-	1	1	-	-	1	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	143	...	...	-	-	8	14	7	10	16	19	10
WHITE------MALE----	67	...	...	-	-	3	6	5	4	7	12	3
FEMALE--	43	...	...	-	-	2	4	1	4	4	4	3
ALL OTHER--MALE----	21	...	...	-	-	2	3	-	2	3	2	3
FEMALE--	12	...	...	-	-	1	1	1	-	2	1	1
BLACK---MALE----	16	...	...	-	-	2	2	-	1	2	2	3
FEMALE--	7	...	...	-	-	-	1	1	-	1	-	-
NORTH CAROLINA ---------	5	...	...	-	-	1	-	-	1	-	-	1
WHITE------MALE----	4	...	...	-	-	-	-	-	1	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	...	...	-	-	-	1	-	-	1	-	-
WHITE------MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

Intentional self-harm (suicide) by jumping from a high place (X80)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	1	-	1	-	1	1	1	1	-	-	-
WHITE------MALE----	1	1	-	1	-	1	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	11	7	6	8	6	8	2	1	-	-	-
WHITE------MALE----	6	3	1	2	5	2	5	2	1	-	-	-
FEMALE--	2	4	5	3	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
NORTH CAROLINA ---------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
OHIO ----------	24	...	...	-	-	-	3	2	1	4	5	2
WHITE------MALE----	18	...	...	-	-	-	2	2	1	4	4	1
FEMALE--	3	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
OKLAHOMA ----------	4	...	...	-	-	-	-	1	-	1	1	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	2	...	...	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON ----------	4	...	...	-	-	-	2	2	-	-	-	-
WHITE------MALE----	4	...	...	-	-	-	2	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	32	...	...	-	-	1	2	2	2	5	4	5
WHITE------MALE----	15	...	...	-	-	1	1	-	2	1	1	4
FEMALE--	15	...	...	-	-	-	1	2	-	3	3	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	5	...	...	-	-	-	-	-	-	2	-	2
WHITE------MALE----	3	...	...	-	-	-	-	-	-	1	-	2
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	...	...	-	-	-	1	1	-	-	-	1
WHITE------MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
OHIO ----------	1	-	-	1	2	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	1	2	2	2	-	1	1	-	-	-	-
WHITE------MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3878

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
SOUTH DAKOTA ----------	1	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	10	...	...	-	-	-	-	1	1	1	4	1
WHITE------MALE----	5	...	...	-	-	-	-	-	-	1	3	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	1	1	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	...	...	-	-	-	-	1	1	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
TEXAS ----------	25	...	...	-	-	3	5	1	4	3	3	3
WHITE------MALE----	13	...	...	-	-	2	1	-	3	-	2	2
FEMALE--	4	...	...	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	6	...	...	-	-	1	2	1	1	1	-	-
FEMALE--	2	...	...	-	-	-	2	-	-	-	-	-
BLACK---MALE----	4	...	...	-	-	1	1	1	1	-	-	-
FEMALE--	2	...	...	-	-	-	2	-	-	-	-	-
UTAH ----------	1	...	...	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	...	...	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	10	...	...	-	-	-	-	-	1	-	-	2
WHITE------MALE----	5	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	1	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
SOUTH DAKOTA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	1	-	-	2	-	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
WASHINGTON ----------	33	...	...	-	-	4	3	2	1	10	3	2
WHITE------MALE----	22	...	...	-	-	3	2	2	-	8	3	1
FEMALE--	6	...	...	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	...	...	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	10	...	...	-	-	-	5	-	-	2	1	-
WHITE------MALE----	8	...	...	-	-	-	4	-	-	2	1	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	...	...	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
WASHINGTON ----------	1	1	2	-	2	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3880

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
UNITED STATES -	1,587	...	...	-	6	65	115	109	153	183	205	170
WHITE------MALE----	978	...	...	-	2	42	73	72	94	103	123	114
FEMALE--	356	...	...	-	1	10	19	11	22	47	53	33
ALL OTHER--MALE----	180	...	...	-	2	9	20	20	27	28	18	13
FEMALE--	73	...	...	-	1	4	3	6	10	5	11	10
BLACK---MALE----	126	...	...	-	2	8	13	12	20	21	14	10
FEMALE--	51	...	...	-	-	3	2	3	6	4	10	5
ALABAMA ----------	14	...	...	-	-	1	1	-	1	1	3	2
WHITE------MALE----	8	...	...	-	-	-	-	-	-	-	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	...	...	-	-	1	1	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	...	...	-	-	1	1	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	1
ALASKA ----------	3	...	...	-	-	-	-	1	-	-	1	-
WHITE------MALE----	2	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA ----------	29	...	...	-	-	1	2	1	2	4	2	3
WHITE------MALE----	17	...	...	-	-	1	2	1	1	2	1	1
FEMALE--	9	...	...	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	3	...	...	-	-	-	-	-	1	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	15	...	...	-	-	1	3	-	1	3	2	-
WHITE------MALE----	9	...	...	-	-	1	2	-	-	1	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	215	...	...	-	1	2	15	25	24	24	23	21
WHITE------MALE----	131	...	...	-	-	1	12	15	13	13	13	16
FEMALE--	49	...	...	-	1	1	-	3	4	7	9	2
ALL OTHER--MALE----	24	...	...	-	-	-	3	4	4	3	1	1
FEMALE--	11	...	...	-	-	-	-	3	3	1	-	2
BLACK---MALE----	11	...	...	-	-	-	2	2	1	2	1	1
FEMALE--	3	...	...	-	-	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3880

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
UNITED STATES -	152	82	66	66	61	45	52	32	19	2	-	4
WHITE------MALE----	98	54	38	34	34	32	33	20	9	1	-	2
FEMALE--	35	17	18	22	19	11	17	12	8	1	-	-
ALL OTHER--MALE----	13	7	6	8	4	2	1	-	-	-	-	2
FEMALE--	6	4	4	2	4	-	1	-	2	-	-	-
BLACK---MALE----	8	5	2	6	1	2	-	-	-	-	-	2
FEMALE--	3	4	2	2	4	-	1	-	2	-	-	-
ALABAMA ----------	1	3	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	4	2	-	1	-	1	1	-	-	-	1
WHITE------MALE----	1	3	2	-	-	-	-	1	-	-	-	1
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	2	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	22	12	8	12	9	2	8	5	2	-	-	-
WHITE------MALE----	16	8	2	8	4	1	5	4	-	-	-	-
FEMALE--	3	3	4	3	3	1	2	1	2	-	-	-
ALL OTHER--MALE----	2	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
COLORADO ----------	22	...	...	-	-	1	2	2	1	2	5	3
WHITE------MALE----	14	...	...	-	-	1	1	2	1	1	3	1
FEMALE--	7	...	...	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	16	...	...	-	-	1	1	1	4	3	-	1
WHITE------MALE----	11	...	...	-	-	1	1	-	1	3	-	1
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
DELAWARE ----------	6	...	...	-	-	-	1	-	1	-	3	1
WHITE------MALE----	5	...	...	-	-	-	1	-	1	-	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	...	...	-	-	-	-	-	-	3	-	-
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	-	3	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	-	-	2	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
FLORIDA ----------	122	...	...	-	-	2	3	5	15	18	11	9
WHITE------MALE----	80	...	...	-	-	1	2	3	11	11	6	7
FEMALE--	32	...	...	-	-	-	1	1	3	4	4	2
ALL OTHER--MALE----	8	...	...	-	-	1	-	1	1	2	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	...	...	-	-	-	-	1	1	2	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-
GEORGIA ----------	37	...	...	-	-	3	5	4	1	5	2	6
WHITE------MALE----	22	...	...	-	-	1	5	4	1	1	1	4
FEMALE--	7	...	...	-	-	2	-	-	-	1	-	1
ALL OTHER--MALE----	7	...	...	-	-	-	-	-	-	3	1	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	...	...	-	-	-	-	-	-	3	1	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
COLORADO ----------	2	1	-	-	1	-	1	1	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	2	3	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	2	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	8	7	4	8	9	2	9	8	3	-	-	1
WHITE------MALE----	8	2	4	4	5	1	8	6	1	-	-	-
FEMALE--	-	5	-	3	3	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	2	1	2	-	1	-	3	1	1	-	-	-
WHITE------MALE----	1	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
HAWAII ----------	7	...	...	-	-	-	-	-	1	2	2	-
WHITE------MALE----	3	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	1	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	...	...	-	-	-	-	-	2	-	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	2	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	77	...	...	-	-	5	7	6	6	9	8	8
WHITE------MALE----	46	...	...	-	-	3	3	3	3	9	4	6
FEMALE--	18	...	...	-	-	1	2	1	-	-	3	-
ALL OTHER--MALE----	9	...	...	-	-	1	1	2	2	-	-	2
FEMALE--	4	...	...	-	-	-	1	-	1	-	1	-
BLACK---MALE----	8	...	...	-	-	1	1	1	2	-	-	2
FEMALE--	4	...	...	-	-	-	1	-	1	-	1	-
INDIANA ----------	36	...	...	-	1	5	4	3	2	2	6	2
WHITE------MALE----	20	...	...	-	1	4	2	1	2	2	2	1
FEMALE--	11	...	...	-	-	1	1	-	-	-	3	1
ALL OTHER--MALE----	3	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	1	-
IOWA ----------	16	...	...	-	-	1	1	-	1	2	-	3
WHITE------MALE----	10	...	...	-	-	1	-	-	-	1	-	3
FEMALE--	6	...	...	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
KANSAS ----------	14	...	...	-	-	-	-	-	3	1	3	2
WHITE------MALE----	10	...	...	-	-	-	-	-	1	1	2	2
FEMALE--	3	...	...	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
HAWAII ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	9	4	3	1	4	3	-	2	2	-	-	-
WHITE------MALE----	4	1	1	1	3	3	-	1	1	-	-	-
FEMALE--	5	3	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	2	1	1	1	2	2	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	5	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	-	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3883

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
KENTUCKY ----------	20	...	...	-	-	3	-	-	1	2	2	4
WHITE------MALE----	12	...	...	-	-	1	-	-	1	2	-	3
FEMALE--	7	...	...	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	19	...	...	-	-	-	2	1	1	2	1	4
WHITE------MALE----	11	...	...	-	-	-	2	-	1	1	-	4
FEMALE--	5	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	-	1	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	1	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MAINE ----------	11	...	...	-	-	-	1	-	1	1	1	2
WHITE------MALE----	7	...	...	-	-	-	-	-	1	-	1	1
FEMALE--	4	...	...	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND ----------	35	...	...	-	-	2	2	-	4	2	7	4
WHITE------MALE----	17	...	...	-	-	1	1	-	3	-	2	3
FEMALE--	6	...	...	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	8	...	...	-	-	1	-	-	-	1	2	-
FEMALE--	4	...	...	-	-	-	-	-	-	-	2	-
BLACK---MALE----	7	...	...	-	-	1	-	-	-	1	2	-
FEMALE--	4	...	...	-	-	-	-	-	-	-	2	-
MASSACHUSETTS ----------	40	...	...	-	-	-	1	3	7	4	5	6
WHITE------MALE----	28	...	...	-	-	-	1	1	5	2	4	4
FEMALE--	10	...	...	-	-	-	-	-	2	2	1	2
ALL OTHER--MALE----	2	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	51	...	...	-	-	2	7	2	7	8	5	6
WHITE------MALE----	32	...	...	-	-	2	1	2	5	4	5	4
FEMALE--	12	...	...	-	-	-	2	-	1	3	-	1
ALL OTHER--MALE----	7	...	...	-	-	-	4	-	1	1	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	...	...	-	-	-	4	-	1	1	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
KENTUCKY ----------	5	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	1	1	1	-	1	1	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	1	1	-	-	2	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	2	1	1	-	3	2	1	1	-	-	1
WHITE------MALE----	-	2	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	3	1	3	1	-	2	-	-	-	-	-
WHITE------MALE----	3	3	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	3	3	-	3	1	1	-	-	-	-	-
WHITE------MALE----	3	2	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3884

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
MINNESOTA ----------	22	...	...	-	-	-	2	1	1	4	3	3
WHITE------MALE----	15	...	...	-	-	-	1	1	-	3	2	2
FEMALE--	4	...	...	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
MISSISSIPPI ----------	7	...	...	-	-	-	-	1	2	2	-	-
WHITE------MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	...	...	-	-	-	-	1	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	2	-	-
MISSOURI ----------	37	...	...	-	-	1	3	3	7	2	5	4
WHITE------MALE----	20	...	...	-	-	-	2	2	4	1	4	3
FEMALE--	11	...	...	-	-	1	1	1	-	1	1	1
ALL OTHER--MALE----	5	...	...	-	-	-	-	-	3	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	...	...	-	-	-	-	-	2	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
MONTANA ----------	8	...	...	-	-	-	-	-	-	-	1	-
WHITE------MALE----	4	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	10	...	...	-	-	-	1	-	2	2	3	1
WHITE------MALE----	9	...	...	-	-	-	1	-	1	2	3	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEVADA ----------	15	...	...	-	-	1	-	1	2	3	3	2
WHITE------MALE----	13	...	...	-	-	1	-	1	2	3	3	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
MINNESOTA ----------	4	1	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	3	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	1	-	1	2	2	3	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MONTANA ----------	1	-	1	1	-	2	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
NEW HAMPSHIRE ----------	8	...	...	-	-	1	-	1	-	1	1	1
WHITE------MALE----	5	...	...	-	-	1	-	-	-	-	1	1
FEMALE--	3	...	...	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	44	...	...	-	-	-	4	3	4	3	7	5
WHITE------MALE----	30	...	...	-	-	-	3	3	1	2	5	4
FEMALE--	10	...	...	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	13	...	...	-	-	1	-	3	-	1	1	3
WHITE------MALE----	7	...	...	-	-	-	-	2	-	-	1	2
FEMALE--	3	...	...	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEW YORK ----------	129	...	...	-	1	9	13	6	14	3	17	18
WHITE------MALE----	82	...	...	-	-	6	9	6	8	1	12	10
FEMALE--	15	...	...	-	-	-	1	-	-	-	2	3
ALL OTHER--MALE----	20	...	...	-	-	1	2	-	5	2	2	2
FEMALE--	12	...	...	-	1	2	1	-	1	-	1	3
BLACK---MALE----	13	...	...	-	-	1	1	-	4	1	-	2
FEMALE--	7	...	...	-	-	1	-	-	-	-	1	2
NORTH CAROLINA ---------	36	...	...	-	-	-	4	5	1	7	4	6
WHITE------MALE----	24	...	...	-	-	-	3	4	1	3	2	4
FEMALE--	4	...	...	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	7	...	...	-	-	-	1	1	-	2	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	...	...	-	-	-	-	1	-	2	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	...	...	-	-	-	1	-	-	-	-	1
WHITE------MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
NEW HAMPSHIRE ----------	-	-	-	2	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	1	3	3	-	3	1	1	-	-	1
WHITE------MALE----	3	-	1	2	1	-	2	1	1	-	-	1
FEMALE--	2	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEW MEXICO ----------	-	1	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	15	8	4	5	1	3	6	1	3	2	-	-
WHITE------MALE----	9	4	3	3	1	2	4	1	2	1	-	-
FEMALE--	2	1	1	1	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
NORTH CAROLINA ---------	1	-	5	-	1	-	1	-	1	-	-	-
WHITE------MALE----	1	-	4	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3886

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
OHIO ----------	52	...	...	-	2	1	4	1	1	12	8	4
WHITE------MALE----	29	...	...	-	-	1	2	1	-	8	7	3
FEMALE--	12	...	...	-	-	-	1	-	1	3	-	1
ALL OTHER--MALE----	7	...	...	-	2	-	1	-	-	1	1	-
FEMALE--	4	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	...	...	-	2	-	1	-	-	1	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	16	...	...	-	-	2	-	3	2	1	2	3
WHITE------MALE----	11	...	...	-	-	2	-	1	2	1	-	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
OREGON ----------	24	...	...	-	1	2	1	4	2	3	4	2
WHITE------MALE----	17	...	...	-	1	2	1	4	2	1	2	1
FEMALE--	6	...	...	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	73	...	...	-	-	2	2	5	9	6	10	7
WHITE------MALE----	50	...	...	-	-	2	2	5	6	6	4	5
FEMALE--	16	...	...	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	5	...	...	-	-	-	-	-	1	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
BLACK---MALE----	4	...	...	-	-	-	-	-	1	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
RHODE ISLAND ----------	7	...	...	-	-	-	2	1	2	1	1	-
WHITE------MALE----	2	...	...	-	-	-	1	-	1	-	-	-
FEMALE--	3	...	...	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA ---------	22	...	...	-	-	4	4	1	1	1	1	2
WHITE------MALE----	13	...	...	-	-	2	2	-	1	1	1	-
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	4	...	...	-	-	2	1	-	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	...	...	-	-	2	1	-	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
OHIO ----------	6	3	3	4	1	2	-	-	-	-	-	-
WHITE------MALE----	2	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	1	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	2	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	-	6	3	5	5	1	-	1	-	-	-
WHITE------MALE----	8	-	4	1	4	3	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	3	2	-	1	-	1	1	-	-	-	-
WHITE------MALE----	-	3	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
SOUTH DAKOTA ----------	6	...	...	-	-	1	-	-	-	-	-	3
WHITE------MALE----	5	...	...	-	-	1	-	-	-	-	-	3
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	28	...	...	-	-	-	-	2	1	7	4	2
WHITE------MALE----	17	...	...	-	-	-	-	2	-	4	2	1
FEMALE--	8	...	...	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	2	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	...	...	-	-	-	-	-	-	2	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
TEXAS ----------	74	...	...	-	-	4	6	4	7	17	11	5
WHITE------MALE----	42	...	...	-	-	2	4	1	4	9	8	4
FEMALE--	24	...	...	-	-	-	1	2	3	7	3	1
ALL OTHER--MALE----	4	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	4	...	...	-	-	2	-	-	-	1	-	-
BLACK---MALE----	3	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	3	...	...	-	-	2	-	-	-	-	-	-
UTAH ----------	7	...	...	-	-	-	2	1	1	-	2	1
WHITE------MALE----	5	...	...	-	-	-	1	1	1	-	2	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	...	...	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	43	...	...	-	-	3	2	5	3	3	8	3
WHITE------MALE----	25	...	...	-	-	1	2	3	2	-	5	1
FEMALE--	9	...	...	-	-	1	-	1	-	-	3	1
ALL OTHER--MALE----	7	...	...	-	-	1	-	1	1	3	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	...	...	-	-	1	-	1	1	3	-	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	2	1	-	2	1	-	-	1	-	-	-
WHITE------MALE----	4	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	2	3	4	1	1	2	-	2	-	-	-
WHITE------MALE----	2	1	2	1	-	1	1	-	2	-	-	-
FEMALE--	2	1	1	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	1	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	2	6	1	2	1	-	-	-	-	-	-
WHITE------MALE----	3	2	3	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3888

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
WASHINGTON ----------	44	...	...	-	-	1	3	3	3	2	7	5
WHITE------MALE----	23	...	...	-	-	1	1	2	2	1	2	2
FEMALE--	14	...	...	-	-	-	1	-	1	1	3	2
ALL OTHER--MALE----	6	...	...	-	-	-	1	1	-	-	2	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	-	-	2	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	...	...	-	-	-	1	-	1	1	1	1
WHITE------MALE----	5	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
WISCONSIN ----------	31	...	...	-	-	2	2	1	1	2	7	1
WHITE------MALE----	18	...	...	-	-	1	1	1	1	1	3	-
FEMALE--	8	...	...	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	2	1
BLACK---MALE----	2	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	2	-
WYOMING ----------	3	...	...	-	-	-	-	-	-	1	1	-
WHITE------MALE----	3	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
WASHINGTON ----------	10	-	-	4	-	4	-	1	1	-	-	-
WHITE------MALE----	7	-	-	2	-	2	-	-	1	-	-	-
FEMALE--	1	-	-	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	4	3	2	-	-	2	1	3	-	-	-	-
WHITE------MALE----	3	3	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3889

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
UNITED STATES -	16,889	331	376	186	246	2,093	2,905	2,362	1,869	1,751	1,455	998
WHITE------MALE----	6,162	121	108	55	93	704	918	784	661	659	581	429
FEMALE--	2,466	79	100	51	62	180	262	222	259	287	239	158
ALL OTHER--MALE----	6,623	66	86	40	62	1,044	1,525	1,138	763	598	469	317
FEMALE--	1,638	65	82	40	29	165	200	218	186	207	166	94
BLACK---MALE----	6,214	60	75	36	55	978	1,475	1,084	716	556	440	289
FEMALE--	1,434	58	77	31	25	153	175	194	163	185	144	82
ALABAMA ----------	438	6	10	2	5	44	66	59	45	50	44	21
WHITE------MALE----	117	2	2	-	2	6	9	10	11	17	18	5
FEMALE--	63	-	2	-	1	6	5	9	10	8	2	1
ALL OTHER--MALE----	196	2	3	2	-	27	45	32	16	17	16	11
FEMALE--	62	2	3	-	2	5	7	8	8	8	8	4
BLACK---MALE----	194	2	3	2	-	27	45	31	16	17	16	11
FEMALE--	62	2	3	-	2	5	7	8	8	8	8	4
ALASKA ----------	51	2	2	2	1	4	4	7	6	6	7	4
WHITE------MALE----	13	-	-	1	1	2	-	1	2	3	3	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	23	-	2	1	-	2	3	3	3	2	1	2
FEMALE--	9	2	-	-	-	-	1	2	-	1	1	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ARIZONA ----------	470	6	7	2	5	58	72	77	55	51	37	35
WHITE------MALE----	280	2	4	1	2	37	45	53	29	31	20	20
FEMALE--	90	2	2	-	3	8	9	9	12	8	11	8
ALL OTHER--MALE----	69	1	1	-	-	10	15	9	11	7	5	5
FEMALE--	31	1	-	1	-	3	3	6	3	5	1	2
BLACK---MALE----	33	1	-	-	-	6	8	6	4	3	2	2
FEMALE--	12	1	-	-	-	1	3	2	1	1	-	2
ARKANSAS ----------	179	3	4	2	5	14	26	19	25	20	20	6
WHITE------MALE----	63	1	1	1	1	4	5	4	10	10	4	2
FEMALE--	27	-	-	-	1	3	1	4	1	4	4	2
ALL OTHER--MALE----	71	1	2	1	2	5	20	8	12	4	6	2
FEMALE--	18	1	1	-	1	2	-	3	2	2	6	-
BLACK---MALE----	71	1	2	1	2	5	20	8	12	4	6	2
FEMALE--	18	1	1	-	1	2	-	3	2	2	6	-
CALIFORNIA ----------	2,066	30	45	21	37	317	401	288	193	190	150	133
WHITE------MALE----	1,108	12	13	9	21	190	243	170	95	87	70	63
FEMALE--	286	10	13	4	5	32	25	20	29	32	27	29
ALL OTHER--MALE----	537	2	9	4	6	83	116	83	57	58	42	35
FEMALE--	135	6	10	4	5	12	17	15	12	13	11	6
BLACK---MALE----	439	1	4	2	3	63	107	69	50	47	37	28
FEMALE--	80	4	8	1	3	9	12	10	7	8	7	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3889

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
UNITED STATES -	670	420	302	259	214	185	119	65	24	10	-	49
WHITE------MALE----	308	210	146	130	86	70	47	19	6	4	-	23
FEMALE--	121	77	63	63	74	63	45	32	15	3	-	11
ALL OTHER--MALE----	175	113	72	53	35	31	14	9	2	1	-	10
FEMALE--	66	20	21	13	19	21	13	5	1	2	-	5
BLACK---MALE----	150	100	60	50	30	29	10	8	2	1	-	10
FEMALE--	48	16	19	10	14	17	11	5	1	2	-	4
ALABAMA ----------	25	20	10	11	8	8	2	1	1	-	-	-
WHITE------MALE----	10	9	4	6	1	3	1	1	-	-	-	-
FEMALE--	5	5	2	-	3	3	1	-	-	-	-	-
ALL OTHER--MALE----	7	6	2	4	4	1	-	-	1	-	-	-
FEMALE--	3	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	6	6	2	4	4	1	-	-	1	-	-	-
FEMALE--	3	-	2	1	-	1	-	-	-	-	-	-
ALASKA ----------	2	1	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	17	8	9	6	5	8	4	-	1	-	-	7
WHITE------MALE----	7	3	7	4	2	5	1	-	1	-	-	6
FEMALE--	3	4	1	2	3	3	1	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	10	5	4	5	4	2	3	-	2	-	-	-
WHITE------MALE----	6	3	3	3	-	2	2	-	1	-	-	-
FEMALE--	3	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	77	41	34	35	19	16	16	6	5	-	-	12
WHITE------MALE----	41	22	19	21	9	8	6	1	2	-	-	6
FEMALE--	10	6	8	11	6	3	5	4	3	-	-	4
ALL OTHER--MALE----	16	10	6	2	-	4	2	1	-	-	-	1
FEMALE--	10	3	1	1	4	1	3	-	-	-	-	1
BLACK---MALE----	11	7	2	2	-	4	1	-	-	-	-	1
FEMALE--	3	1	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3890

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
COLORADO ----------	199	3	7	5	4	30	27	36	17	17	22	11
WHITE------MALE----	103	1	4	-	2	19	15	16	9	9	12	6
FEMALE--	49	1	1	3	1	5	7	6	4	5	6	2
ALL OTHER--MALE----	36	-	1	1	-	6	5	10	2	3	4	3
FEMALE--	11	1	1	1	1	-	-	4	2	-	-	-
BLACK---MALE----	28	-	-	-	-	5	5	7	2	3	2	3
FEMALE--	5	1	1	-	-	-	-	2	1	-	-	-
CONNECTICUT ----------	120	3	2	2	-	12	20	19	10	8	13	11
WHITE------MALE----	56	1	1	1	-	8	7	5	3	4	7	8
FEMALE--	14	1	1	-	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	41	-	-	1	-	4	12	10	6	4	3	-
FEMALE--	9	1	-	-	-	-	-	4	1	-	-	2
BLACK---MALE----	40	-	-	1	-	4	12	10	6	4	2	-
FEMALE--	7	1	-	-	-	-	-	3	1	-	-	1
DELAWARE ----------	24	-	-	-	-	2	3	6	5	2	1	1
WHITE------MALE----	9	-	-	-	-	1	-	3	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	1	2	3	3	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	1	2	3	3	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	186	2	3	-	2	42	43	29	21	11	6	8
WHITE------MALE----	6	-	-	-	-	1	-	-	2	-	-	1
FEMALE--	4	-	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	157	1	2	-	2	37	40	28	17	10	5	5
FEMALE--	19	1	1	-	-	4	2	-	2	1	-	1
BLACK---MALE----	156	1	2	-	2	37	40	28	17	10	5	4
FEMALE--	19	1	1	-	-	4	2	-	2	1	-	1
FLORIDA ----------	964	20	22	14	10	85	142	135	100	116	93	61
WHITE------MALE----	403	13	2	5	2	25	42	46	42	57	51	32
FEMALE--	165	-	6	4	3	13	12	23	13	20	14	13
ALL OTHER--MALE----	312	5	7	3	2	35	81	55	38	24	22	11
FEMALE--	84	2	7	2	3	12	7	11	7	15	6	5
BLACK---MALE----	306	5	7	3	2	33	79	55	36	24	22	11
FEMALE--	81	2	7	2	2	12	6	10	7	15	6	5
GEORGIA ----------	634	12	14	10	8	67	100	98	88	66	56	39
WHITE------MALE----	167	-	-	-	3	9	20	20	33	17	19	14
FEMALE--	63	1	3	3	2	5	7	5	8	5	7	3
ALL OTHER--MALE----	310	4	6	3	3	43	66	58	35	32	22	14
FEMALE--	94	7	5	4	-	10	7	15	12	12	8	8
BLACK---MALE----	299	4	5	3	3	43	65	57	32	32	21	12
FEMALE--	92	7	5	4	-	10	7	15	12	12	8	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
COLORADO ----------	7	6	4	1	1	1	-	-	-	-	-	-
WHITE------MALE----	3	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	4	2	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	6	8	-	3	3	-	-	-	-	-	-	-
WHITE------MALE----	4	4	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	1	-	1	2	1	2	-	-	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	2	1	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	2	1	-	1	2	-	1	-	-	-	-	-
FLORIDA ----------	41	36	20	18	14	15	13	4	1	-	-	4
WHITE------MALE----	23	19	8	13	8	6	4	2	-	-	-	3
FEMALE--	7	7	5	4	3	7	9	2	-	-	-	-
ALL OTHER--MALE----	9	9	6	1	1	2	-	-	1	-	-	-
FEMALE--	2	1	1	-	2	-	-	-	-	-	-	1
BLACK---MALE----	9	9	6	1	1	2	-	-	1	-	-	-
FEMALE--	2	1	1	-	2	-	-	-	-	-	-	1
GEORGIA ----------	26	14	15	6	5	4	3	1	-	1	-	1
WHITE------MALE----	9	10	7	2	3	1	-	-	-	-	-	-
FEMALE--	4	2	1	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	10	2	5	1	1	1	1	1	-	1	-	1
FEMALE--	3	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	2	4	1	1	1	1	1	-	1	-	1
FEMALE--	2	-	2	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
HAWAII ----------	38	1	-	-	-	1	3	4	3	5	6	3
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	1	2	1	2	4	3	2
FEMALE--	10	1	-	-	-	-	1	2	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	31	1	3	-	1	6	3	3	3	2	3	1
WHITE------MALE----	19	-	2	-	1	5	1	2	-	1	2	1
FEMALE--	11	1	1	-	-	1	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1,023	21	19	14	14	186	204	155	101	94	82	35
WHITE------MALE----	265	5	2	3	3	52	50	30	23	33	16	12
FEMALE--	92	5	6	2	3	4	12	8	11	4	11	6
ALL OTHER--MALE----	554	9	3	5	5	121	132	101	57	41	35	14
FEMALE--	112	2	8	4	3	9	10	16	10	16	20	3
BLACK---MALE----	553	9	3	5	5	121	132	101	57	41	35	13
FEMALE--	109	2	8	4	3	9	10	16	10	16	17	3
INDIANA ----------	386	14	10	6	6	51	68	57	41	41	33	17
WHITE------MALE----	126	9	4	4	2	18	13	14	10	13	14	5
FEMALE--	60	3	3	2	-	6	7	7	9	8	3	1
ALL OTHER--MALE----	162	1	2	-	3	25	42	28	16	13	12	11
FEMALE--	38	1	1	-	1	2	6	8	6	7	4	-
BLACK---MALE----	160	1	2	-	3	25	42	27	15	13	12	11
FEMALE--	37	1	1	-	1	2	6	8	6	7	4	-
IOWA ----------	53	-	2	-	-	5	6	8	5	2	6	7
WHITE------MALE----	25	-	1	-	-	1	3	4	5	1	4	1
FEMALE--	15	-	-	-	-	1	2	2	-	-	2	1
ALL OTHER--MALE----	9	-	-	-	-	2	1	2	-	-	-	4
FEMALE--	4	-	1	-	-	1	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	1	1	2	-	-	-	4
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	137	2	4	3	2	15	23	17	18	12	11	6
WHITE------MALE----	59	1	1	2	-	5	6	8	10	5	7	1
FEMALE--	31	1	1	1	2	1	3	3	5	1	3	2
ALL OTHER--MALE----	38	-	1	-	-	9	10	6	3	5	1	2
FEMALE--	9	-	1	-	-	-	4	-	-	1	-	1
BLACK---MALE----	37	-	1	-	-	8	10	6	3	5	1	2
FEMALE--	9	-	1	-	-	-	4	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3891

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
HAWAII ----------	3	2	-	-	3	1	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	3	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	30	13	13	14	8	10	6	2	-	1	-	1
WHITE------MALE----	12	5	3	6	3	5	1	1	-	-	-	-
FEMALE--	7	1	1	4	4	2	1	-	-	-	-	-
ALL OTHER--MALE----	6	7	7	3	1	3	2	1	-	-	-	1
FEMALE--	5	-	2	1	-	-	2	-	-	1	-	-
BLACK---MALE----	6	7	7	3	1	3	2	1	-	-	-	1
FEMALE--	5	-	2	1	-	-	2	-	-	1	-	-
INDIANA ----------	12	8	2	5	6	3	2	2	-	-	-	2
WHITE------MALE----	4	3	2	2	5	1	2	-	-	-	-	1
FEMALE--	5	-	-	1	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	2	5	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	5	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	5	3	1	2	-	-	1	-	-	-	-	-
WHITE------MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	6	4	-	3	5	-	1	1	1	-	-
WHITE------MALE----	3	5	1	-	1	2	-	-	-	1	-	-
FEMALE--	-	-	2	-	2	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3892

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
KENTUCKY ----------	210	6	1	1	4	21	28	30	28	16	16	14
WHITE------MALE----	99	3	-	-	1	7	8	13	14	6	8	12
FEMALE--	50	1	-	1	1	2	8	5	9	4	5	1
ALL OTHER--MALE----	44	-	-	-	2	11	7	9	3	5	3	-
FEMALE--	17	2	1	-	-	1	5	3	2	1	-	1
BLACK---MALE----	44	-	-	-	2	11	7	9	3	5	3	-
FEMALE--	17	2	1	-	-	1	5	3	2	1	-	1
LOUISIANA ----------	484	8	6	4	7	56	86	59	73	51	43	34
WHITE------MALE----	82	2	2	-	-	7	11	5	13	14	6	8
FEMALE--	42	-	1	2	-	2	5	5	4	6	3	2
ALL OTHER--MALE----	294	1	1	1	4	39	64	43	48	21	29	20
FEMALE--	66	5	2	1	3	8	6	6	8	10	5	4
BLACK---MALE----	292	1	1	1	4	39	63	42	48	21	29	20
FEMALE--	65	5	2	1	3	8	6	6	8	10	5	4
MAINE ----------	25	1	1	-	1	2	4	1	2	5	2	2
WHITE------MALE----	11	1	1	-	-	-	1	1	2	2	1	1
FEMALE--	12	-	-	-	1	1	3	-	-	3	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	531	10	12	-	6	84	116	92	60	54	39	18
WHITE------MALE----	59	1	1	-	2	1	6	6	7	11	9	5
FEMALE--	30	2	5	-	1	2	-	2	3	4	5	2
ALL OTHER--MALE----	385	3	4	-	2	74	103	73	47	32	22	5
FEMALE--	57	4	2	-	1	7	7	11	3	7	3	6
BLACK---MALE----	378	3	4	-	2	73	102	73	47	29	22	5
FEMALE--	51	3	2	-	1	6	7	10	2	7	3	6
MASSACHUSETTS ----------	133	4	-	1	4	14	30	21	14	13	11	8
WHITE------MALE----	58	1	-	-	1	6	15	12	4	2	5	4
FEMALE--	31	2	-	1	2	-	5	2	1	7	3	4
ALL OTHER--MALE----	37	1	-	-	-	7	8	7	7	3	3	-
FEMALE--	7	-	-	-	1	1	2	-	2	1	-	-
BLACK---MALE----	35	1	-	-	-	7	8	5	7	3	3	-
FEMALE--	7	-	-	-	1	1	2	-	2	1	-	-
MICHIGAN ----------	759	19	15	7	5	70	143	127	92	75	59	48
WHITE------MALE----	147	7	6	-	1	8	17	13	12	22	17	12
FEMALE--	82	5	1	1	1	9	8	6	8	6	6	7
ALL OTHER--MALE----	441	5	6	5	3	41	109	96	58	35	29	22
FEMALE--	89	2	2	1	-	12	9	12	14	12	7	7
BLACK---MALE----	435	4	6	5	3	40	108	96	58	34	27	22
FEMALE--	85	2	2	1	-	11	9	12	13	11	6	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
KENTUCKY ----------	9	11	6	6	4	5	1	1	1	-	-	1
WHITE------MALE----	6	8	3	6	1	3	-	-	-	-	-	-
FEMALE--	2	3	2	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	19	8	8	7	5	6	3	-	-	1	-	-
WHITE------MALE----	5	3	-	3	2	1	-	-	-	-	-	-
FEMALE--	2	-	3	2	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	8	4	5	2	1	1	2	-	-	-	-	-
FEMALE--	4	1	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	8	4	5	2	1	1	2	-	-	-	-	-
FEMALE--	3	1	-	-	1	1	-	-	-	1	-	-
MAINE ----------	1	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	20	7	5	2	3	1	1	-	-	-	-	1
WHITE------MALE----	3	3	2	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	3	2	1	1	1	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	11	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	4	3	1	-	-	2	-	-	-	-	-
WHITE------MALE----	2	2	1	1	-	-	2	-	-	-	-	-
FEMALE--	1	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	28	20	9	12	9	6	5	7	2	-	-	1
WHITE------MALE----	11	5	3	7	2	1	2	1	-	-	-	-
FEMALE--	3	7	2	2	3	1	1	3	2	-	-	-
ALL OTHER--MALE----	13	6	3	3	2	3	-	2	-	-	-	-
FEMALE--	1	2	1	-	2	1	2	1	-	-	-	1
BLACK---MALE----	13	6	3	3	2	3	-	2	-	-	-	-
FEMALE--	1	2	1	-	2	1	2	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3893

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
MINNESOTA ----------	139	3	7	5	2	21	15	16	10	15	15	8
WHITE------MALE----	48	1	4	-	1	3	6	2	6	5	6	4
FEMALE--	29	1	1	4	1	3	-	1	1	3	3	4
ALL OTHER--MALE----	47	1	1	-	-	12	4	12	3	7	5	-
FEMALE--	15	-	1	1	-	3	5	1	-	-	1	-
BLACK---MALE----	33	1	1	-	-	9	2	9	2	3	5	-
FEMALE--	7	-	1	-	-	2	1	1	-	-	-	-
MISSISSIPPI ----------	312	5	5	1	5	39	55	36	39	32	32	19
WHITE------MALE----	63	-	1	-	2	6	8	6	5	8	11	1
FEMALE--	26	1	1	-	-	1	1	2	5	3	4	2
ALL OTHER--MALE----	170	2	2	-	3	24	40	19	22	17	13	13
FEMALE--	53	2	1	1	-	8	6	9	7	4	4	3
BLACK---MALE----	168	2	1	-	3	23	40	19	22	17	13	13
FEMALE--	52	2	1	1	-	8	6	9	7	4	4	3
MISSOURI ----------	385	11	5	12	8	51	63	52	39	46	33	20
WHITE------MALE----	111	3	-	-	4	12	9	9	13	14	16	10
FEMALE--	43	2	1	3	-	2	2	6	3	11	3	1
ALL OTHER--MALE----	180	2	2	5	2	34	45	31	17	18	8	7
FEMALE--	51	4	2	4	2	3	7	6	6	3	6	2
BLACK---MALE----	176	2	2	5	2	34	44	30	16	17	8	7
FEMALE--	51	4	2	4	2	3	7	6	6	3	6	2
MONTANA ----------	33	1	-	2	1	1	3	2	5	6	2	2
WHITE------MALE----	13	1	-	-	-	1	1	2	2	2	1	2
FEMALE--	13	-	-	1	-	-	-	-	1	3	1	-
ALL OTHER--MALE----	6	-	-	-	1	-	2	-	2	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	61	-	2	2	1	10	11	3	7	10	4	4
WHITE------MALE----	26	-	-	2	-	5	3	2	1	5	2	2
FEMALE--	13	-	-	-	1	1	2	-	2	3	2	1
ALL OTHER--MALE----	12	-	-	-	-	4	3	-	2	2	-	-
FEMALE--	10	-	2	-	-	-	3	1	2	-	-	1
BLACK---MALE----	11	-	-	-	-	4	3	-	2	1	-	-
FEMALE--	7	-	2	-	-	-	2	1	-	-	-	1
NEVADA ----------	167	5	5	2	1	16	27	17	20	14	11	14
WHITE------MALE----	79	3	-	1	1	10	14	6	10	6	5	8
FEMALE--	37	1	1	-	-	1	4	1	7	3	2	1
ALL OTHER--MALE----	38	1	-	-	-	5	6	10	3	4	1	5
FEMALE--	13	-	4	1	-	-	3	-	-	1	3	-
BLACK---MALE----	29	-	-	-	-	2	5	9	2	3	1	5
FEMALE--	7	-	2	-	-	-	1	-	-	-	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
MINNESOTA ----------	3	3	2	3	4	1	2	1	1	-	-	2
WHITE------MALE----	2	-	2	2	1	1	1	1	-	-	-	-
FEMALE--	-	2	-	1	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI ----------	10	9	9	7	4	2	2	1	-	-	-	-
WHITE------MALE----	4	2	3	2	2	-	2	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	4	4	3	-	1	-	1	-	-	-	-
FEMALE--	2	2	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	2	4	4	3	-	1	-	1	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	-	-	-	-	-
MISSOURI ----------	13	7	6	8	3	5	2	1	-	-	-	-
WHITE------MALE----	7	5	2	4	1	1	1	-	-	-	-	-
FEMALE--	1	-	3	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	2	2	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	2	2	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	2	-	-	-	-	-	-
MONTANA ----------	2	1	2	1	-	-	2	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	1	-	-	-	-	3	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	7	7	7	4	4	3	1	2	-	-	-	-
WHITE------MALE----	4	3	4	1	2	-	-	1	-	-	-	-
FEMALE--	3	3	1	3	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3894

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
NEW HAMPSHIRE ----------	21	1	1	1	-	1	3	1	5	2	2	-
WHITE------MALE----	11	-	-	1	-	1	2	1	2	1	-	-
FEMALE--	9	1	1	-	-	-	1	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEW JERSEY ----------	298	5	9	1	3	33	45	49	29	32	32	22
WHITE------MALE----	84	1	2	1	1	8	9	12	7	9	9	7
FEMALE--	49	2	1	-	1	4	6	4	2	5	10	5
ALL OTHER--MALE----	130	1	3	-	-	15	26	29	16	13	9	8
FEMALE--	35	1	3	-	1	6	4	4	4	5	4	2
BLACK---MALE----	127	1	3	-	-	15	24	29	16	13	9	7
FEMALE--	31	1	3	-	1	6	4	4	3	4	2	2
NEW MEXICO ----------	167	7	1	2	5	25	23	19	17	15	17	10
WHITE------MALE----	120	5	1	1	1	18	17	15	12	10	13	6
FEMALE--	24	1	-	1	2	1	3	2	2	4	1	2
ALL OTHER--MALE----	17	1	-	-	2	5	2	1	2	1	2	1
FEMALE--	6	-	-	-	-	1	1	1	1	-	1	1
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
NEW YORK ----------	969	17	21	4	15	124	173	148	112	95	76	57
WHITE------MALE----	353	5	5	2	4	36	54	62	31	32	36	31
FEMALE--	115	5	9	1	4	7	10	11	10	17	10	4
ALL OTHER--MALE----	408	4	4	1	6	70	97	62	60	35	20	15
FEMALE--	93	3	3	-	1	11	12	13	11	11	10	7
BLACK---MALE----	392	4	4	1	6	67	96	60	57	34	19	14
FEMALE--	85	3	3	-	1	11	12	13	8	10	8	6
NORTH CAROLINA ---------	651	9	10	5	4	56	123	88	73	74	73	47
WHITE------MALE----	210	2	4	2	2	15	26	26	24	22	30	21
FEMALE--	75	2	1	-	1	5	9	7	8	11	7	6
ALL OTHER--MALE----	283	2	2	1	-	28	74	45	28	27	27	18
FEMALE--	83	3	3	2	1	8	14	10	13	14	9	2
BLACK---MALE----	257	-	2	1	-	26	70	41	26	25	25	17
FEMALE--	79	3	3	2	1	8	13	9	12	13	9	2
NORTH DAKOTA ----------	13	1	-	-	-	1	2	1	3	-	3	-
WHITE------MALE----	8	-	-	-	-	1	2	1	2	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
NEW HAMPSHIRE ----------	1	1	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	8	7	4	2	7	3	2	2	-	1	-	2
WHITE------MALE----	5	3	3	-	3	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	4	-	1	1	-	1	-	-
ALL OTHER--MALE----	2	3	1	2	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	3	1	2	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	12	3	1	1	2	2	-	2	-	2	-	1
WHITE------MALE----	12	2	1	-	2	2	-	1	-	1	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	35	20	14	19	7	12	10	5	1	-	-	4
WHITE------MALE----	14	8	7	11	1	4	5	2	1	-	-	2
FEMALE--	4	5	-	2	4	4	4	2	-	-	-	2
ALL OTHER--MALE----	14	6	5	5	2	2	-	-	-	-	-	-
FEMALE--	3	1	2	1	-	2	1	1	-	-	-	-
BLACK---MALE----	13	5	4	5	2	1	-	-	-	-	-	-
FEMALE--	3	1	2	1	-	1	1	1	-	-	-	-
NORTH CAROLINA ---------	26	18	10	11	14	5	2	1	-	-	-	2
WHITE------MALE----	11	7	7	3	4	2	1	-	-	-	-	1
FEMALE--	5	-	1	2	6	1	1	1	-	-	-	1
ALL OTHER--MALE----	9	9	2	5	4	2	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	7	1	4	3	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
OHIO ----------	450	9	12	2	5	57	60	52	59	57	34	23
WHITE------MALE----	132	4	5	-	2	14	15	10	17	16	10	5
FEMALE--	88	2	3	1	3	10	9	6	7	13	6	3
ALL OTHER--MALE----	180	2	2	-	-	28	30	31	26	20	14	12
FEMALE--	50	1	2	1	-	5	6	5	9	8	4	3
BLACK---MALE----	175	2	2	-	-	27	29	31	26	19	14	12
FEMALE--	48	1	2	1	-	5	6	5	9	6	4	3
OKLAHOMA ----------	231	7	6	2	2	25	39	26	23	16	18	16
WHITE------MALE----	100	4	1	1	2	8	13	13	10	9	10	8
FEMALE--	41	-	2	-	-	1	5	3	4	4	2	2
ALL OTHER--MALE----	72	2	1	-	-	13	19	8	7	2	4	5
FEMALE--	18	1	2	1	-	3	2	2	2	1	2	1
BLACK---MALE----	57	2	1	-	-	13	16	5	4	2	4	3
FEMALE--	14	1	1	1	-	3	1	2	2	-	1	1
OREGON ----------	107	4	1	-	2	7	19	14	20	12	8	7
WHITE------MALE----	57	2	-	-	1	1	9	6	9	9	4	5
FEMALE--	32	1	1	-	1	1	7	5	7	2	3	2
ALL OTHER--MALE----	15	-	-	-	-	5	3	3	2	1	1	-
FEMALE--	3	1	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	12	-	-	-	-	3	3	3	1	1	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	639	10	18	7	5	81	141	80	83	61	55	23
WHITE------MALE----	174	3	6	2	2	13	38	19	20	17	16	9
FEMALE--	109	2	7	5	1	6	12	6	13	16	12	6
ALL OTHER--MALE----	309	4	4	-	2	58	86	48	42	22	20	7
FEMALE--	47	1	1	-	-	4	5	7	8	6	7	1
BLACK---MALE----	307	4	4	-	2	58	86	48	41	22	20	7
FEMALE--	44	1	1	-	-	4	5	7	7	6	6	1
RHODE ISLAND ----------	36	-	2	2	1	5	6	3	4	6	2	-
WHITE------MALE----	19	-	1	-	-	2	5	2	3	2	1	-
FEMALE--	5	-	1	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	8	-	-	1	-	3	-	1	1	2	-	-
FEMALE--	4	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	1	-	2	-	1	1	2	-	-
FEMALE--	4	-	-	1	1	-	1	-	-	-	-	-
SOUTH CAROLINA ---------	313	4	7	5	5	23	59	42	38	38	28	22
WHITE------MALE----	84	-	2	1	-	6	8	14	12	13	5	7
FEMALE--	43	2	3	-	2	1	5	3	3	8	6	3
ALL OTHER--MALE----	146	1	2	3	3	13	42	21	16	11	10	11
FEMALE--	40	1	-	1	-	3	4	4	7	6	7	1
BLACK---MALE----	145	1	2	3	3	13	42	21	16	11	9	11
FEMALE--	40	1	-	1	-	3	4	4	7	6	7	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
OHIO ----------	22	11	11	7	8	12	3	6	-	-	-	-
WHITE------MALE----	9	6	4	5	3	5	-	2	-	-	-	-
FEMALE--	6	1	4	-	5	3	2	4	-	-	-	-
ALL OTHER--MALE----	5	4	3	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	3	-	-	-	-	-	-
BLACK---MALE----	4	3	3	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	3	-	-	-	-	-	-
OKLAHOMA ----------	7	13	11	6	3	6	3	-	1	1	-	-
WHITE------MALE----	3	6	5	3	2	-	2	-	-	-	-	-
FEMALE--	1	4	2	2	1	5	1	-	1	1	-	-
ALL OTHER--MALE----	2	3	4	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	4	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	9	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	7	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	21	13	9	9	7	7	3	5	-	-	-	1
WHITE------MALE----	7	6	4	5	2	2	1	1	-	-	-	1
FEMALE--	3	6	4	1	2	3	1	3	-	-	-	-
ALL OTHER--MALE----	9	1	1	2	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	9	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	-	1	-	-	-	-
RHODE ISLAND ----------	2	-	-	2	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	14	11	5	7	1	2	2	-	-	-	-	-
WHITE------MALE----	5	4	3	2	-	1	1	-	-	-	-	-
FEMALE--	2	-	1	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	7	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	4	7	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
SOUTH DAKOTA ----------	23	2	1	-	1	1	2	4	2	2	3	1
WHITE------MALE----	6	-	1	-	-	-	-	-	1	-	2	1
FEMALE--	5	2	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	-	2	1	-
FEMALE--	5	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	423	8	10	4	7	44	61	66	43	48	39	31
WHITE------MALE----	138	3	3	-	-	10	16	18	12	18	10	15
FEMALE--	64	1	3	1	3	3	9	10	6	5	7	4
ALL OTHER--MALE----	177	2	1	1	3	30	31	35	17	17	17	8
FEMALE--	44	2	3	2	1	1	5	3	8	8	5	4
BLACK---MALE----	173	2	1	1	3	30	31	35	16	17	16	8
FEMALE--	44	2	3	2	1	1	5	3	8	8	5	4
TEXAS ----------	1,319	26	39	19	31	155	195	174	136	140	126	91
WHITE------MALE----	690	11	18	10	17	81	96	90	87	67	72	48
FEMALE--	237	13	10	7	10	18	33	18	23	23	18	16
ALL OTHER--MALE----	303	1	7	-	4	47	53	52	23	35	27	19
FEMALE--	89	1	4	2	-	9	13	14	3	15	9	8
BLACK---MALE----	284	1	7	-	3	45	51	48	21	33	26	17
FEMALE--	81	1	4	2	-	9	10	12	3	15	9	7
UTAH ----------	51	2	1	-	-	3	9	6	12	5	1	4
WHITE------MALE----	32	2	1	-	-	3	3	5	5	3	1	3
FEMALE--	15	-	-	-	-	-	5	-	5	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	17	1	2	1	1	-	-	2	3	-	1	2
WHITE------MALE----	8	1	1	1	1	-	-	2	2	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	419	10	9	2	3	55	64	54	40	58	36	20
WHITE------MALE----	96	4	2	-	-	9	9	4	10	16	8	5
FEMALE--	63	3	1	1	3	5	4	3	6	9	8	3
ALL OTHER--MALE----	209	2	3	1	-	36	46	38	19	25	13	11
FEMALE--	51	1	3	-	-	5	5	9	5	8	7	1
BLACK---MALE----	201	2	3	1	-	34	44	37	19	24	13	10
FEMALE--	47	1	3	-	-	5	4	8	5	7	6	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3896

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
SOUTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	14	9	15	7	5	5	3	1	-	-	-	3
WHITE------MALE----	7	7	8	3	2	4	1	-	-	-	-	1
FEMALE--	1	1	3	3	1	-	1	1	-	-	-	1
ALL OTHER--MALE----	5	1	4	1	2	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	1	3	1	2	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	61	35	24	16	22	10	6	5	5	1	-	2
WHITE------MALE----	31	20	12	7	13	2	3	2	-	1	-	2
FEMALE--	14	6	5	5	5	5	2	2	4	-	-	-
ALL OTHER--MALE----	15	7	3	4	3	2	-	1	-	-	-	-
FEMALE--	1	2	4	-	1	1	1	-	1	-	-	-
BLACK---MALE----	13	7	2	4	3	2	-	1	-	-	-	-
FEMALE--	-	2	4	-	1	-	1	-	1	-	-	-
UTAH ----------	2	2	1	1	1	1	-	-	-	-	-	-
WHITE------MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	2	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	17	10	10	8	6	9	3	3	1	-	-	1
WHITE------MALE----	9	5	5	2	2	4	1	-	1	-	-	-
FEMALE--	3	1	4	1	3	1	2	2	-	-	-	-
ALL OTHER--MALE----	3	4	1	3	1	3	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	1	-	1	-	-	-	1
BLACK---MALE----	3	3	1	3	1	3	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	1	-	1	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
WASHINGTON ----------	190	1	6	6	4	25	34	18	19	22	17	14
WHITE------MALE----	90	-	2	2	3	12	18	7	8	12	7	9
FEMALE--	39	-	3	2	-	4	5	2	4	6	3	1
ALL OTHER--MALE----	46	-	1	-	1	7	9	9	6	3	5	2
FEMALE--	15	1	-	2	-	2	2	-	1	1	2	2
BLACK---MALE----	35	-	1	-	1	4	8	6	4	3	3	2
FEMALE--	9	-	-	2	-	1	2	-	-	-	2	1
WEST VIRGINIA ----------	99	2	-	-	1	7	11	12	7	14	15	9
WHITE------MALE----	59	1	-	-	1	5	9	7	6	10	8	1
FEMALE--	25	1	-	-	-	-	1	4	1	3	5	5
ALL OTHER--MALE----	11	-	-	-	-	2	1	1	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	11	-	-	-	-	2	1	1	-	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
WISCONSIN ----------	202	6	7	1	6	40	43	29	14	23	11	8
WHITE------MALE----	64	3	1	-	3	11	11	6	5	7	3	5
FEMALE--	30	1	3	-	1	5	5	6	2	3	2	-
ALL OTHER--MALE----	88	2	1	-	1	20	22	15	5	13	5	3
FEMALE--	20	-	2	1	1	4	5	2	2	-	1	-
BLACK---MALE----	84	2	1	-	1	16	22	15	5	13	5	3
FEMALE--	16	-	2	1	1	2	4	2	1	-	1	-
WYOMING ----------	13	-	-	2	-	1	1	1	2	1	1	1
WHITE------MALE----	8	-	-	1	-	1	-	1	1	1	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
WASHINGTON ----------	6	6	1	2	5	2	1	1	-	-	-	-
WHITE------MALE----	1	4	-	1	3	-	-	1	-	-	-	-
FEMALE--	3	-	1	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	4	3	-	4	1	-	1	1	-	-	-
WHITE------MALE----	4	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	5	1	4	1	1	1	-	1	-	-	-	-
WHITE------MALE----	5	-	4	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	1	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
UNITED STATES -	67	6	5	6	1	2	7	6	5	3	8	4
WHITE------MALE----	30	4	2	2	1	-	2	2	3	3	3	4
FEMALE--	30	1	2	4	-	2	5	3	1	-	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	1	1	-	-	-	-	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	1	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3898

Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	4	1	1	2	3	-	2	-	1	-	-	-
WHITE------MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
COLORADO ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	1	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	3	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	4	-	2	-	-	-	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3900

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
KENTUCKY ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	5	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	4	-	-	-	-	-	2	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
OHIO ----------	3	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	-	-	-	-	1	3	1	1	-	2	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	2	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
OHIO ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	8	1	2	1	-	-	-	-	1	-	-	1
WHITE------MALE----	6	1	2	1	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3905

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
WASHINGTON ----------	6	-	1	1	1	-	-	-	1	2	-	-
WHITE------MALE----	3	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	3	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3907

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
UNITED STATES -	708	34	21	14	19	45	69	81	90	88	65	37
WHITE------MALE----	161	14	7	5	7	5	8	12	17	17	11	9
FEMALE--	289	8	7	7	9	20	35	34	36	34	26	15
ALL OTHER--MALE----	77	8	4	1	-	4	7	8	10	11	6	5
FEMALE--	181	4	3	1	3	16	19	27	27	26	22	8
BLACK---MALE----	67	7	3	1	-	3	7	8	8	10	4	3
FEMALE--	155	4	3	1	2	15	14	23	23	23	18	6
ALABAMA ----------	12	-	1	-	1	-	-	2	2	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	-
ALASKA ----------	2	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	13	-	-	-	-	1	-	2	3	2	1	1
WHITE------MALE----	4	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	2	1	-	1	1	-	1	1
WHITE------MALE----	3	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	4	-	-	-	1	-	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	99	3	3	1	3	3	10	12	8	14	6	9
WHITE------MALE----	28	1	-	-	-	-	2	4	2	4	-	4
FEMALE--	46	1	1	1	1	2	4	4	4	8	4	4
ALL OTHER--MALE----	6	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	19	-	1	-	2	1	3	3	2	2	2	1
BLACK---MALE----	5	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	9	-	1	-	1	1	1	2	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
UNITED STATES -	28	17	9	29	16	19	8	9	3	-	-	7
WHITE------MALE----	10	8	2	13	4	4	2	3	1	-	-	2
FEMALE--	10	4	2	9	8	11	4	5	2	-	-	3
ALL OTHER--MALE----	2	3	-	5	-	1	-	1	-	-	-	1
FEMALE--	6	2	5	2	4	3	2	-	-	-	-	1
BLACK---MALE----	2	3	-	5	-	1	-	1	-	-	-	1
FEMALE--	6	2	5	2	3	2	2	-	-	-	-	1
ALABAMA ----------	1	-	1	2	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	-	1	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	6	5	1	4	3	2	1	1	-	-	-	4
WHITE------MALE----	3	3	-	3	-	1	-	-	-	-	-	1
FEMALE--	2	2	1	1	2	-	1	1	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
COLORADO ----------	13	-	-	-	-	-	1	3	3	2	2	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
CONNECTICUT ----------	6	-	-	-	-	-	-	-	1	-	3	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	1	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	36	1	-	-	-	2	5	5	4	5	3	3
WHITE------MALE----	8	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	20	-	-	-	-	1	4	4	3	1	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	2	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	2	1	-
GEORGIA ----------	7	-	-	-	-	-	2	2	1	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	1	2	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
COLORADO ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
FLORIDA ----------	1	1	1	4	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	3	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3909

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
HAWAII ----------	3	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	52	5	2	3	-	4	4	6	7	6	8	2
WHITE------MALE----	13	2	1	1	-	-	-	-	2	3	-	-
FEMALE--	11	1	-	2	-	1	1	1	3	-	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	1	2	1	-	-	-
FEMALE--	23	1	1	-	-	3	2	3	1	3	7	2
BLACK---MALE----	5	1	-	-	-	-	1	2	1	-	-	-
FEMALE--	22	1	1	-	-	3	2	3	1	3	6	2
INDIANA ----------	11	2	1	-	-	1	1	-	2	2	1	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3909

Assault (homicide) by hanging, strangulation and suffocation (X91)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII	-	-	-	-	-	1	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	1	-	1	-	2	-	1	-	-	-	-
WHITE--MALE	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
KENTUCKY ----------	14	1	-	-	1	2	-	2	4	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	1	-	1	2	-	-	-
LOUISIANA ----------	8	1	-	-	-	1	1	1	2	1	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
MAINE ----------	3	1	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	13	-	1	-	-	2	2	1	-	1	2	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	7	-	-	-	-	2	-	1	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	1	-	-	1	1
MASSACHUSETTS ----------	9	-	-	1	1	1	1	-	-	3	1	1
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	1	1	-	-	-	-	2	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
MICHIGAN ----------	39	2	-	-	-	3	1	4	8	6	2	2
WHITE------MALE----	7	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	2	1	1	2	-	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	1	1	3	1	-
FEMALE--	16	-	-	-	-	1	-	2	4	3	-	2
BLACK---MALE----	7	1	-	-	-	-	-	1	1	2	1	-
FEMALE--	16	-	-	-	-	1	-	2	4	3	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
KENTUCKY ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	3	-	3	1	-	1	1	-	-	-	1
WHITE------MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
MINNESOTA ----------	12	-	4	1	-	1	1	1	-	3	-	1
WHITE------MALE----	5	-	3	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	1	1	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	11	1	1	1	1	1	1	1	1	-	1	1
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	3	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
MISSOURI ----------	14	3	-	1	2	1	1	-	-	3	2	1
WHITE------MALE----	5	-	-	-	2	1	-	-	-	1	1	-
FEMALE--	4	1	-	1	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	1	-	-	-	1	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	9	1	-	-	-	-	1	-	1	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	1	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	1	1	-	1	-	1	-	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
NEW HAMPSHIRE ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	21	2	-	-	-	1	1	1	2	4	3	2
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	12	2	-	-	-	1	1	1	-	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	6	-	-	-	1	1	-	-	-	2	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEW YORK ----------	60	2	-	-	2	3	11	6	9	8	6	4
WHITE------MALE----	12	-	-	-	1	-	1	1	2	1	2	2
FEMALE--	24	1	-	-	1	-	6	3	2	2	3	1
ALL OTHER--MALE----	12	1	-	-	-	2	1	-	3	2	-	1
FEMALE--	12	-	-	-	-	1	3	2	2	3	1	-
BLACK---MALE----	10	1	-	-	-	2	1	-	2	2	-	-
FEMALE--	11	-	-	-	-	1	3	2	1	3	1	-
NORTH CAROLINA ---------	22	-	-	2	-	1	3	2	3	2	2	1
WHITE------MALE----	6	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	1	1	1	1	2	1	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	1	1	1	2	1	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	1	1	-	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	2	1	-	2	-	3	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	2	-	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
OHIO ----------	25	1	-	-	2	4	2	2	4	5	2	1
WHITE------MALE----	4	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	9	-	-	-	2	2	-	1	-	2	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	8	-	-	-	-	2	1	1	2	2	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	8	-	-	-	-	2	1	1	2	2	-	-
OKLAHOMA ----------	6	-	-	-	-	-	1	-	1	-	3	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON ----------	6	-	-	-	-	1	-	2	3	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	17	1	1	-	-	-	1	1	2	2	4	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	1	1	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
RHODE ISLAND ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	-	1	-	1	-	2	2	-	-	-
WHITE------MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
OHIO ----------	-	-	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	1	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	22	1	1	-	-	1	2	1	5	2	1	-
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	2	1	2	-	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	3	2	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	3	2	-	-
TEXAS ----------	54	1	3	2	1	5	6	10	4	4	3	2
WHITE------MALE----	15	1	1	2	1	-	2	2	1	1	2	-
FEMALE--	23	-	1	-	-	4	3	3	3	1	-	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	1	1	5	-	1	1	1
BLACK---MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	1	1	4	-	1	1	1
UTAH ----------	6	-	-	-	-	-	2	2	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	17	-	-	-	-	1	3	-	2	3	5	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	7	-	-	-	-	1	1	-	1	1	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	6	-	-	-	-	1	-	-	1	1	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	2	1	-	1	-	-	-	-	1
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	3	2	2	2	-	1	1	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
WASHINGTON ----------	9	-	-	-	1	-	1	2	1	1	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	2	1	-	-	1	3	3	1	1	-	-
WHITE------MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	1	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
WASHINGTON ----------	-	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3916

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
UNITED STATES -	10,828	8	50	61	163	1,708	2,330	1,795	1,253	1,054	814	551
WHITE------MALE----	3,820	4	14	20	66	567	688	568	440	408	328	230
FEMALE--	1,098	-	12	12	29	95	134	107	122	147	128	83
ALL OTHER--MALE----	5,124	1	12	17	52	931	1,383	1,000	601	399	279	196
FEMALE--	786	3	12	12	16	115	125	120	90	100	79	42
BLACK---MALE----	4,883	1	7	15	46	883	1,344	961	576	378	265	183
FEMALE--	694	1	11	8	13	108	115	107	80	90	71	39
ALABAMA ----------	293	-	2	1	3	38	56	45	26	34	32	10
WHITE------MALE----	76	-	1	-	2	5	8	9	8	10	15	1
FEMALE--	41	-	-	-	1	5	3	7	4	7	2	1
ALL OTHER--MALE----	140	-	-	1	-	24	40	25	10	11	8	6
FEMALE--	36	-	1	-	-	4	5	4	4	6	7	2
BLACK---MALE----	138	-	-	1	-	24	40	24	10	11	8	6
FEMALE--	36	-	1	-	-	4	5	4	4	6	7	2
ALASKA ----------	27	1	2	2	-	4	2	2	4	3	4	-
WHITE------MALE----	9	-	-	1	-	2	-	-	2	2	2	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	12	-	2	1	-	2	2	-	1	1	1	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	303	-	1	1	4	49	60	59	30	31	22	17
WHITE------MALE----	198	-	1	1	1	31	40	45	19	22	11	8
FEMALE--	52	-	-	-	3	8	8	6	5	3	8	4
ALL OTHER--MALE----	39	-	-	-	-	8	9	6	5	5	2	3
FEMALE--	14	-	-	-	-	2	3	2	1	1	1	2
BLACK---MALE----	29	-	-	-	-	6	7	5	3	3	2	2
FEMALE--	10	-	-	-	-	1	3	2	1	1	-	2
ARKANSAS ----------	118	-	-	1	2	12	25	11	21	10	14	4
WHITE------MALE----	37	-	-	1	-	3	5	1	9	4	3	1
FEMALE--	15	-	-	-	-	2	1	2	1	2	3	1
ALL OTHER--MALE----	56	-	-	-	2	5	19	7	10	2	4	2
FEMALE--	10	-	-	-	-	2	-	1	1	2	4	-
BLACK---MALE----	56	-	-	-	2	5	19	7	10	2	4	2
FEMALE--	10	-	-	-	-	2	-	1	1	2	4	-
CALIFORNIA ----------	1,380	-	8	10	25	277	327	221	130	114	83	76
WHITE------MALE----	765	-	2	6	17	169	197	127	63	55	35	37
FEMALE--	123	-	2	-	3	22	14	10	14	12	12	12
ALL OTHER--MALE----	426	-	3	1	4	78	109	74	46	41	28	23
FEMALE--	66	-	1	3	1	8	7	10	7	6	8	4
BLACK---MALE----	360	-	-	-	2	62	100	62	43	34	24	18
FEMALE--	38	-	1	1	-	6	6	6	4	3	6	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3916

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
UNITED STATES -	342	206	167	102	91	61	34	17	4	2	-	15
WHITE------MALE----	162	106	80	50	40	20	11	6	2	1	-	9
FEMALE--	51	33	33	29	29	23	18	10	2	-	-	1
ALL OTHER--MALE----	88	61	47	18	16	14	3	1	-	-	-	5
FEMALE--	41	6	7	5	6	4	2	-	-	1	-	-
BLACK---MALE----	77	55	39	17	14	14	2	1	-	-	-	5
FEMALE--	27	4	6	3	5	3	2	-	-	1	-	-
ALABAMA ----------	13	13	7	4	5	3	1	-	-	-	-	-
WHITE------MALE----	4	5	3	2	1	1	1	-	-	-	-	-
FEMALE--	3	3	2	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	5	1	2	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	5	1	2	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	7	4	4	1	3	4	3	-	-	-	-	3
WHITE------MALE----	5	1	4	1	2	3	1	-	-	-	-	2
FEMALE--	-	3	-	-	1	1	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	6	3	3	3	3	-	-	-	-	-	-	-
WHITE------MALE----	3	2	3	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	40	17	15	15	4	9	5	1	1	-	-	2
WHITE------MALE----	22	9	6	8	3	4	1	1	1	-	-	2
FEMALE--	4	2	5	6	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	8	4	4	1	-	1	1	-	-	-	-	-
FEMALE--	6	2	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	7	3	2	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
COLORADO ----------	121	-	1	3	4	26	17	23	9	10	12	5
WHITE------MALE----	65	-	-	-	2	15	9	10	4	8	8	3
FEMALE--	26	-	-	2	1	5	3	4	3	1	3	1
ALL OTHER--MALE----	24	-	-	-	-	6	5	7	2	1	1	1
FEMALE--	6	-	1	1	1	-	-	2	-	-	-	-
BLACK---MALE----	22	-	-	-	-	5	5	6	2	1	1	1
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT ----------	84	-	-	2	-	11	19	16	8	7	5	5
WHITE------MALE----	37	-	-	1	-	7	7	5	3	3	2	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	38	-	-	1	-	4	12	10	5	4	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	38	-	-	1	-	4	12	10	5	4	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	18	-	-	-	-	1	3	3	4	2	-	1
WHITE------MALE----	8	-	-	-	-	1	-	2	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	2	1	2	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	145	-	-	-	2	39	40	26	15	10	4	4
WHITE------MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	131	-	-	-	2	35	38	26	12	9	3	3
FEMALE--	10	-	-	-	-	4	2	-	1	1	-	-
BLACK---MALE----	130	-	-	-	2	35	38	26	12	9	3	2
FEMALE--	10	-	-	-	-	4	2	-	1	1	-	-
FLORIDA ----------	545	2	3	7	10	64	109	86	66	58	51	26
WHITE------MALE----	211	2	-	4	2	22	31	23	27	28	30	14
FEMALE--	73	-	-	2	3	4	5	10	5	10	6	4
ALL OTHER--MALE----	222	-	2	1	2	29	68	45	29	16	14	6
FEMALE--	39	-	1	-	3	9	5	8	5	4	1	2
BLACK---MALE----	218	-	2	1	2	27	67	45	28	16	14	6
FEMALE--	37	-	1	-	2	9	5	7	5	4	1	2
GEORGIA ----------	438	-	3	3	5	56	80	86	60	42	36	23
WHITE------MALE----	110	-	-	-	1	6	10	16	23	13	13	9
FEMALE--	33	-	1	-	1	4	3	4	5	2	5	2
ALL OTHER--MALE----	253	-	-	3	3	40	63	56	28	19	16	9
FEMALE--	42	-	2	-	-	6	4	10	4	8	2	3
BLACK---MALE----	244	-	-	3	3	40	62	55	25	19	15	8
FEMALE--	41	-	2	-	-	6	4	10	4	8	2	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
COLORADO ----------	4	4	2	-	1	-	-	-	-	-	-	-
WHITE------MALE----	2	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	4	3	-	2	2	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	1	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	13	17	12	4	6	4	5	1	-	-	-	1
WHITE------MALE----	6	8	5	3	5	-	-	-	-	-	-	1
FEMALE--	4	6	3	1	-	4	5	1	-	-	-	-
ALL OTHER--MALE----	3	3	4	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	3	4	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	17	9	11	2	4	-	-	-	-	-	-	1
WHITE------MALE----	6	5	5	1	2	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	2	5	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	4	-	1	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3918

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
HAWAII ----------	19	-	-	-	-	-	2	3	2	3	4	2
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	2	1	2	3	2	1
FEMALE--	3	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	16	-	2	-	1	4	3	2	2	-	-	1
WHITE------MALE----	12	-	2	-	1	4	1	2	-	-	-	1
FEMALE--	4	-	-	-	-	-	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	689	1	2	2	11	166	170	125	66	54	40	19
WHITE------MALE----	177	-	-	-	3	50	37	23	15	22	10	8
FEMALE--	32	-	1	-	2	2	5	3	3	1	4	3
ALL OTHER--MALE----	435	1	-	1	4	109	122	91	45	23	21	8
FEMALE--	45	-	1	1	2	5	6	8	3	8	5	-
BLACK---MALE----	434	1	-	1	4	109	122	91	45	23	21	7
FEMALE--	43	-	1	1	2	5	6	8	3	8	3	-
INDIANA ----------	271	-	2	5	6	44	57	47	33	26	19	10
WHITE------MALE----	74	-	-	4	2	15	9	10	9	6	7	2
FEMALE--	25	-	1	1	-	2	3	4	4	6	1	-
ALL OTHER--MALE----	143	-	1	-	3	25	40	27	14	10	8	8
FEMALE--	29	-	-	-	1	2	5	6	6	4	3	-
BLACK---MALE----	141	-	1	-	3	25	40	26	13	10	8	8
FEMALE--	28	-	-	-	1	2	5	6	6	4	3	-
IOWA ----------	28	-	-	-	-	2	3	6	3	2	2	6
WHITE------MALE----	10	-	-	-	-	-	1	3	3	1	1	-
FEMALE--	7	-	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	1	1	2	-	-	-	4
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	1	2	-	-	-	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	88	-	-	-	1	11	19	12	12	9	6	4
WHITE------MALE----	36	-	-	-	-	3	5	6	6	4	4	1
FEMALE--	17	-	-	-	1	1	1	1	4	-	2	2
ALL OTHER--MALE----	30	-	-	-	-	7	9	5	2	5	-	1
FEMALE--	5	-	-	-	-	-	4	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	6	9	5	2	5	-	1
FEMALE--	5	-	-	-	-	-	4	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
HAWAII ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	9	4	6	4	4	3	1	-	-	1	-	1
WHITE------MALE----	4	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	2	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	2	1	-	2	-	-	-	-	-	1
FEMALE--	2	-	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	3	2	1	-	2	-	-	-	-	-	1
FEMALE--	2	-	2	-	-	-	1	-	-	1	-	-
INDIANA ----------	7	6	2	3	4	-	-	-	-	-	-	-
WHITE------MALE----	2	2	2	1	3	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	2	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	3	3	-	2	2	-	1	1	1	-	-
WHITE------MALE----	1	3	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3919

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
KENTUCKY ----------	142	1	-	-	2	18	23	23	18	11	13	6
WHITE------MALE----	72	1	-	-	-	7	6	11	12	5	8	5
FEMALE--	27	-	-	-	-	1	6	1	5	2	3	1
ALL OTHER--MALE----	36	-	-	-	2	10	7	9	1	3	2	-
FEMALE--	7	-	-	-	-	-	4	2	-	1	-	-
BLACK---MALE----	36	-	-	-	2	10	7	9	1	3	2	-
FEMALE--	7	-	-	-	-	-	4	2	-	1	-	-
LOUISIANA ----------	342	-	3	2	4	43	69	52	52	35	26	21
WHITE------MALE----	53	-	-	-	-	5	7	4	10	9	5	5
FEMALE--	22	-	1	2	-	1	2	3	-	5	1	1
ALL OTHER--MALE----	230	-	1	-	3	32	56	41	37	15	16	15
FEMALE--	37	-	1	-	1	5	4	4	5	6	4	-
BLACK---MALE----	228	-	1	-	3	32	55	40	37	15	16	15
FEMALE--	36	-	1	-	1	5	4	4	5	6	4	-
MAINE ----------	15	-	1	-	-	1	4	1	-	4	-	1
WHITE------MALE----	6	-	1	-	-	-	1	1	-	2	-	-
FEMALE--	7	-	-	-	-	-	3	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	396	-	2	-	3	73	108	77	48	31	21	12
WHITE------MALE----	36	-	1	-	1	1	6	5	4	6	3	4
FEMALE--	9	-	1	-	-	1	-	1	1	1	3	1
ALL OTHER--MALE----	320	-	-	-	1	66	97	67	42	19	14	2
FEMALE--	31	-	-	-	1	5	5	4	1	5	1	5
BLACK---MALE----	314	-	-	-	1	65	96	67	42	17	14	2
FEMALE--	28	-	-	-	1	5	5	4	-	5	1	5
MASSACHUSETTS ----------	71	-	-	-	-	10	19	13	4	7	7	5
WHITE------MALE----	33	-	-	-	-	2	9	9	1	2	3	3
FEMALE--	9	-	-	-	-	-	2	1	-	2	1	2
ALL OTHER--MALE----	27	-	-	-	-	7	7	3	3	3	3	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	7	7	3	3	3	3	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
MICHIGAN ----------	516	-	1	4	3	58	119	110	69	49	33	30
WHITE------MALE----	78	-	-	-	1	7	10	8	9	14	8	7
FEMALE--	34	-	-	-	-	6	3	4	3	6	2	4
ALL OTHER--MALE----	360	-	1	3	2	38	100	89	52	24	18	14
FEMALE--	44	-	-	1	-	7	6	9	5	5	5	5
BLACK---MALE----	356	-	1	3	2	37	99	89	52	24	16	14
FEMALE--	42	-	-	1	-	6	6	9	5	4	5	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
KENTUCKY ----------	5	8	3	4	2	2	-	1	1	-	-	1
WHITE------MALE----	4	6	2	4	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	14	6	2	5	3	4	1	-	-	-	-	-
WHITE------MALE----	4	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	6	3	2	1	1	1	-	-	-	-	-	-
FEMALE--	4	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	6	3	2	1	1	1	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	1	-	-	-	-	-	-
MAINE ----------	1	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	12	2	3	-	3	1	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	1	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	13	9	5	5	4	3	-	1	-	-	-	-
WHITE------MALE----	6	2	1	4	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	7	5	3	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	5	3	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3920

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
MINNESOTA ----------	54	-	1	1	1	12	8	8	6	5	4	4
WHITE------MALE----	16	-	-	-	1	1	4	1	2	1	3	1
FEMALE--	11	-	-	1	-	1	-	1	1	1	1	3
ALL OTHER--MALE----	27	-	1	-	-	10	4	6	3	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	1	-	-	8	2	5	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	214	-	-	-	4	33	44	26	25	26	21	13
WHITE------MALE----	43	-	-	-	1	5	5	4	4	6	7	1
FEMALE--	12	-	-	-	-	1	1	1	2	3	2	-
ALL OTHER--MALE----	129	-	-	-	3	21	35	15	16	14	9	9
FEMALE--	30	-	-	-	-	6	3	6	3	3	3	3
BLACK---MALE----	129	-	-	-	3	21	35	15	16	14	9	9
FEMALE--	30	-	-	-	-	6	3	6	3	3	3	3
MISSOURI ----------	244	-	-	1	5	41	50	44	26	26	16	14
WHITE------MALE----	69	-	-	-	2	8	6	8	8	7	8	9
FEMALE--	20	-	-	-	-	1	1	3	2	6	2	1
ALL OTHER--MALE----	133	-	-	-	2	29	40	29	13	11	3	3
FEMALE--	22	-	-	1	1	3	3	4	3	2	3	1
BLACK---MALE----	129	-	-	-	2	29	39	28	12	10	3	3
FEMALE--	22	-	-	1	1	3	3	4	3	2	3	1
MONTANA ----------	17	-	-	-	1	1	2	-	3	3	1	1
WHITE------MALE----	6	-	-	-	-	1	1	-	1	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	29	-	-	-	-	6	8	1	4	4	1	2
WHITE------MALE----	12	-	-	-	-	2	3	1	1	1	1	1
FEMALE--	5	-	-	-	-	-	1	-	1	2	-	1
ALL OTHER--MALE----	10	-	-	-	-	4	2	-	2	1	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	4	2	-	2	1	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
NEVADA ----------	100	-	1	1	1	12	22	14	11	10	6	6
WHITE------MALE----	49	-	-	-	1	7	11	4	6	5	3	4
FEMALE--	15	-	-	-	-	1	2	-	3	1	1	-
ALL OTHER--MALE----	29	-	-	-	-	4	6	10	2	3	1	2
FEMALE--	7	-	1	1	-	-	3	-	-	1	1	-
BLACK---MALE----	24	-	-	-	-	2	5	9	2	2	1	2
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
MINNESOTA ----------	-	-	-	3	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	3	6	4	3	-	1	-	-	-	-	-
WHITE------MALE----	2	1	3	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
MISSOURI ----------	5	4	4	4	1	2	1	-	-	-	-	-
WHITE------MALE----	3	4	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	2	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	3	5	1	1	1	1	1	-	-	-	-
WHITE------MALE----	1	3	3	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3921

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
NEW HAMPSHIRE ----------	7	-	-	-	-	1	3	-	-	2	-	-
WHITE------MALE----	5	-	-	-	-	1	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	153	-	-	-	1	24	30	34	21	11	18	8
WHITE------MALE----	43	-	-	-	1	6	5	11	4	5	5	3
FEMALE--	15	-	-	-	-	-	4	-	2	1	5	2
ALL OTHER--MALE----	86	-	-	-	-	13	21	22	14	3	8	3
FEMALE--	9	-	-	-	-	5	-	1	1	2	-	-
BLACK---MALE----	85	-	-	-	-	13	20	22	14	3	8	3
FEMALE--	8	-	-	-	-	5	-	1	1	1	-	-
NEW MEXICO ----------	91	-	-	-	4	20	16	12	12	9	5	3
WHITE------MALE----	65	-	-	-	1	16	11	8	8	7	5	2
FEMALE--	14	-	-	-	1	1	2	2	2	2	-	1
ALL OTHER--MALE----	9	-	-	-	2	3	2	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEW YORK ----------	540	-	3	1	6	91	131	99	72	45	28	24
WHITE------MALE----	180	-	-	-	2	23	37	38	17	14	13	16
FEMALE--	30	-	2	-	-	2	2	4	5	5	1	1
ALL OTHER--MALE----	298	-	1	1	3	59	87	52	44	25	11	6
FEMALE--	32	-	-	-	1	7	5	5	6	1	3	1
BLACK---MALE----	291	-	1	1	3	58	86	50	43	24	11	6
FEMALE--	29	-	-	-	1	7	5	5	4	1	2	1
NORTH CAROLINA ---------	459	-	2	1	4	47	97	74	52	53	53	29
WHITE------MALE----	144	-	1	-	2	13	18	22	16	18	22	13
FEMALE--	43	-	-	-	1	2	3	4	7	8	5	3
ALL OTHER--MALE----	226	-	-	-	-	25	66	41	22	22	22	12
FEMALE--	46	-	1	1	1	7	10	7	7	5	4	1
BLACK---MALE----	207	-	-	-	-	23	62	37	20	21	21	12
FEMALE--	43	-	1	1	1	7	9	6	7	4	4	1
NORTH DAKOTA ----------	7	1	-	-	-	1	-	1	2	-	2	-
WHITE------MALE----	3	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	1	-	2	-	-	-	-	-	-	1
WHITE------MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	1	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	15	6	5	5	2	2	2	1	1	-	-	1
WHITE------MALE----	7	4	3	3	-	1	-	-	1	-	-	1
FEMALE--	1	1	-	2	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	5	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	15	8	8	3	8	2	1	1	-	-	-	1
WHITE------MALE----	7	1	5	1	3	1	-	-	-	-	-	1
FEMALE--	3	-	1	-	3	1	1	1	-	-	-	-
ALL OTHER--MALE----	4	6	2	2	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
OHIO ----------	256	-	1	-	1	36	48	36	43	27	17	12
WHITE------MALE----	65	-	1	-	1	6	11	6	11	7	4	2
FEMALE--	28	-	-	-	-	2	5	-	4	3	2	2
ALL OTHER--MALE----	137	-	-	-	-	25	27	27	22	13	10	7
FEMALE--	26	-	-	-	-	3	5	3	6	4	1	1
BLACK---MALE----	135	-	-	-	-	24	26	27	22	13	10	7
FEMALE--	25	-	-	-	-	3	5	3	6	3	1	1
OKLAHOMA ----------	150	1	1	-	2	24	33	16	16	13	8	11
WHITE------MALE----	66	-	-	-	2	8	10	9	8	7	6	6
FEMALE--	20	-	-	-	-	1	4	1	1	4	1	1
ALL OTHER--MALE----	53	-	-	-	-	13	17	6	5	2	-	3
FEMALE--	11	1	1	-	-	2	2	-	2	-	1	1
BLACK---MALE----	47	-	-	-	-	13	16	4	4	2	-	2
FEMALE--	9	1	1	-	-	2	1	-	2	-	-	1
OREGON ----------	60	-	-	-	2	5	10	8	8	7	6	3
WHITE------MALE----	33	-	-	-	1	1	5	3	4	5	3	1
FEMALE--	15	-	-	-	1	-	2	3	2	2	2	2
ALL OTHER--MALE----	11	-	-	-	-	4	3	2	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	3	3	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	428	-	1	4	3	69	121	63	60	43	29	11
WHITE------MALE----	97	-	1	2	1	8	32	14	14	10	7	2
FEMALE--	48	-	-	2	-	4	7	3	7	10	6	3
ALL OTHER--MALE----	261	-	-	-	2	53	79	43	37	18	13	6
FEMALE--	22	-	-	-	-	4	3	3	2	5	3	-
BLACK---MALE----	259	-	-	-	2	53	79	43	36	18	13	6
FEMALE--	21	-	-	-	-	4	3	3	2	5	3	-
RHODE ISLAND ----------	21	-	-	2	1	3	4	3	3	4	-	-
WHITE------MALE----	11	-	-	-	-	1	3	2	2	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	1	-	2	-	1	1	1	-	-
FEMALE--	3	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	1	-	2	-	1	1	1	-	-
FEMALE--	3	-	-	1	1	-	1	-	-	-	-	-
SOUTH CAROLINA ---------	223	-	2	1	4	15	51	36	29	26	18	14
WHITE------MALE----	59	-	1	-	-	2	6	12	9	9	5	3
FEMALE--	27	-	1	-	2	1	3	2	2	4	5	2
ALL OTHER--MALE----	109	-	-	1	2	9	39	19	13	8	4	8
FEMALE--	28	-	-	-	-	3	3	3	5	5	4	1
BLACK---MALE----	109	-	-	1	2	9	39	19	13	8	4	8
FEMALE--	28	-	-	-	-	3	3	3	5	5	4	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
OHIO ----------	13	5	5	2	4	4	-	2	-	-	-	-
WHITE------MALE----	6	3	1	1	3	1	-	1	-	-	-	-
FEMALE--	3	1	2	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA ----------	3	7	7	4	1	3	-	-	-	-	-	-
WHITE------MALE----	1	4	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	3	-	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	4	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	4	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	8	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	7	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	4	4	2	2	-	-	2	-	-	-	-
WHITE------MALE----	2	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	2	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	11	9	4	1	-	1	1	-	-	-	-	-
WHITE------MALE----	5	4	2	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3923

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
SOUTH DAKOTA ----------	9	-	-	-	1	-	-	2	1	-	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	286	-	3	2	5	37	50	55	26	31	25	23
WHITE------MALE----	99	-	1	-	-	7	14	15	9	15	8	12
FEMALE--	27	-	1	-	1	1	5	5	1	4	4	4
ALL OTHER--MALE----	141	-	-	1	3	28	27	33	12	11	10	6
FEMALE--	19	-	1	1	1	1	4	2	4	1	3	1
BLACK---MALE----	137	-	-	1	3	28	27	33	11	11	9	6
FEMALE--	19	-	1	1	1	1	4	2	4	1	3	1
TEXAS ----------	794	1	1	1	21	117	143	127	88	85	70	55
WHITE------MALE----	436	1	1	-	12	63	71	69	60	43	41	27
FEMALE--	97	-	-	1	5	7	18	8	6	12	14	11
ALL OTHER--MALE----	222	-	-	-	4	42	44	46	21	24	10	12
FEMALE--	39	-	-	-	-	5	10	4	1	6	5	5
BLACK---MALE----	206	-	-	-	3	40	42	42	19	23	9	12
FEMALE--	35	-	-	-	-	5	7	4	1	6	5	5
UTAH ----------	30	-	-	-	-	3	6	2	8	4	-	1
WHITE------MALE----	19	-	-	-	-	3	3	1	3	3	-	1
FEMALE--	8	-	-	-	-	-	2	-	4	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	8	-	-	-	-	-	-	2	1	-	1	2
WHITE------MALE----	3	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	280	-	-	2	1	45	54	44	25	37	24	9
WHITE------MALE----	57	-	-	-	-	7	6	3	7	9	6	2
FEMALE--	35	-	-	1	1	3	2	1	3	7	6	1
ALL OTHER--MALE----	164	-	-	1	-	32	44	35	13	15	8	6
FEMALE--	24	-	-	-	-	3	2	5	2	6	4	-
BLACK---MALE----	157	-	-	1	-	31	42	34	13	14	8	5
FEMALE--	23	-	-	-	-	3	2	4	2	6	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	8	6	9	2	1	2	1	-	-	-	-	-
WHITE------MALE----	5	4	5	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	4	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	30	16	14	8	8	3	2	2	-	-	-	2
WHITE------MALE----	17	10	7	4	5	1	1	1	-	-	-	2
FEMALE--	4	-	4	3	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	8	5	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	5	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
UTAH ----------	2	2	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	7	5	5	3	5	2	-	-	-	-	-
WHITE------MALE----	6	3	2	1	1	3	1	-	-	-	-	-
FEMALE--	3	1	2	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	3	1	2	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	2	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
WASHINGTON ----------	108	-	1	1	2	16	26	10	12	10	11	9
WHITE------MALE----	51	-	-	-	1	7	14	3	5	6	5	6
FEMALE--	12	-	1	-	-	1	2	-	1	2	2	-
ALL OTHER--MALE----	34	-	-	-	1	6	8	7	5	2	2	2
FEMALE--	11	-	-	1	-	2	2	-	1	-	2	1
BLACK---MALE----	26	-	-	-	1	4	7	4	4	2	1	2
FEMALE--	8	-	-	1	-	1	2	-	-	-	2	1
WEST VIRGINIA ----------	62	-	-	-	1	7	4	9	6	10	10	6
WHITE------MALE----	38	-	-	-	1	5	3	5	5	8	4	-
FEMALE--	14	-	-	-	-	-	-	4	1	2	4	3
ALL OTHER--MALE----	8	-	-	-	-	2	1	-	-	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	2	1	-	-	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
WISCONSIN ----------	128	-	-	-	6	35	34	19	10	11	4	3
WHITE------MALE----	37	-	-	-	3	10	8	5	3	2	-	2
FEMALE--	10	-	-	-	1	2	1	1	2	-	1	-
ALL OTHER--MALE----	71	-	-	-	1	20	21	12	4	9	3	1
FEMALE--	10	-	-	-	1	3	4	1	1	-	-	-
BLACK---MALE----	67	-	-	-	1	16	21	12	4	9	3	1
FEMALE--	7	-	-	-	1	2	3	1	-	-	-	-
WYOMING ----------	5	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
WASHINGTON ----------	4	3	-	1	-	-	1	1	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	5	2	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	3	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	2	1	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3925

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
UNITED STATES -	1,879	3	18	13	20	159	252	218	249	249	221	148
WHITE------MALE----	750	-	2	8	5	67	109	105	95	81	89	60
FEMALE--	306	1	7	3	7	20	33	30	40	40	29	17
ALL OTHER--MALE----	600	1	2	2	2	57	78	56	83	97	85	49
FEMALE--	223	1	7	-	6	15	32	27	31	31	18	22
BLACK---MALE----	534	1	1	2	2	49	71	47	72	89	77	44
FEMALE--	196	1	5	-	6	14	31	24	27	25	16	19
ALABAMA ----------	59	-	-	1	-	5	7	4	7	7	8	7
WHITE------MALE----	16	-	-	-	-	1	-	-	3	1	2	4
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	31	-	-	1	-	3	5	2	3	5	6	2
FEMALE--	7	-	-	-	-	1	1	2	1	-	-	1
BLACK---MALE----	31	-	-	1	-	3	5	2	3	5	6	2
FEMALE--	7	-	-	-	-	1	1	2	1	-	-	1
ALASKA ----------	8	-	-	-	-	-	-	3	-	2	-	3
WHITE------MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA ----------	56	1	-	-	-	3	5	7	11	7	7	8
WHITE------MALE----	30	-	-	-	-	3	-	4	6	4	4	6
FEMALE--	8	-	-	-	-	-	-	-	2	2	-	2
ALL OTHER--MALE----	14	1	-	-	-	-	5	2	2	1	3	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	19	-	-	-	1	-	1	3	2	2	3	-
WHITE------MALE----	9	-	-	-	-	-	-	2	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	2	-	2	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	2	-	2	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
CALIFORNIA ----------	245	-	7	2	4	19	34	31	32	27	34	14
WHITE------MALE----	137	-	1	2	2	12	23	20	19	9	20	7
FEMALE--	43	-	2	-	1	1	4	5	5	8	6	3
ALL OTHER--MALE----	46	-	1	-	-	4	3	5	6	7	8	4
FEMALE--	19	-	3	-	1	2	4	1	2	3	-	-
BLACK---MALE----	31	-	-	-	-	1	3	4	3	5	7	3
FEMALE--	12	-	1	-	1	2	3	1	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3925

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
UNITED STATES -	101	65	42	33	30	28	13	8	4	1	-	4
WHITE------MALE----	45	24	19	15	9	7	5	2	1	1	-	1
FEMALE--	17	16	11	7	11	7	4	2	2	-	-	2
ALL OTHER--MALE----	27	23	9	8	6	10	1	2	1	-	-	1
FEMALE--	12	2	3	3	4	4	3	2	-	-	-	-
BLACK---MALE----	25	19	9	8	5	9	-	2	1	-	-	1
FEMALE--	9	2	3	3	2	4	3	2	-	-	-	-
ALABAMA ----------	4	3	1	1	1	3	-	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	-	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	1	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	15	8	3	6	5	1	2	-	-	-	-	1
WHITE------MALE----	7	3	3	2	3	1	2	-	-	-	-	1
FEMALE--	3	-	-	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
COLORADO ----------	28	1	-	-	-	4	4	7	1	3	4	2
WHITE------MALE----	15	-	-	-	-	4	4	3	1	1	1	1
FEMALE--	6	1	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	-	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	16	-	-	-	-	1	-	2	1	1	3	4
WHITE------MALE----	8	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
DELAWARE ----------	5	-	-	-	-	-	-	3	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	23	-	-	-	-	2	3	2	4	1	2	3
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	1	2	2	3	1	2	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	16	-	-	-	-	1	2	2	3	1	2	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
FLORIDA ----------	94	-	-	-	-	8	11	16	12	13	11	7
WHITE------MALE----	37	-	-	-	-	1	2	8	3	8	7	3
FEMALE--	14	-	-	-	-	1	1	4	1	1	1	2
ALL OTHER--MALE----	38	-	-	-	-	6	7	4	7	4	2	2
FEMALE--	5	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	38	-	-	-	-	6	7	4	7	4	2	2
FEMALE--	5	-	-	-	-	-	1	-	1	-	1	-
GEORGIA ----------	62	1	1	-	1	4	7	4	14	13	5	5
WHITE------MALE----	21	-	-	-	1	1	5	2	7	1	1	2
FEMALE--	7	-	-	-	-	-	-	-	2	2	1	1
ALL OTHER--MALE----	21	-	-	-	-	2	1	-	4	8	3	-
FEMALE--	13	1	1	-	-	1	1	2	1	2	-	2
BLACK---MALE----	21	-	-	-	-	2	1	-	4	8	3	-
FEMALE--	13	1	1	-	-	1	1	2	1	2	-	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
COLORADO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	4	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
FLORIDA ----------	6	2	1	2	-	1	1	2	1	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	1	1	-	-	2	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
HAWAII ----------	8	-	-	-	-	-	-	-	1	2	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	4	-	-	-	-	1	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	105	-	1	-	1	6	14	11	16	15	13	3
WHITE------MALE----	34	-	-	-	-	1	6	5	3	6	3	1
FEMALE--	18	-	1	-	-	1	3	1	3	2	2	1
ALL OTHER--MALE----	37	-	-	-	-	4	3	4	6	6	5	-
FEMALE--	16	-	-	-	1	-	2	1	4	1	3	1
BLACK---MALE----	37	-	-	-	-	4	3	4	6	6	5	-
FEMALE--	16	-	-	-	1	-	2	1	4	1	3	1
INDIANA ----------	9	-	-	-	-	-	4	1	1	3	-	-
WHITE------MALE----	6	-	-	-	-	-	2	1	-	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
IOWA ----------	12	-	1	-	-	1	2	-	2	-	1	1
WHITE------MALE----	8	-	-	-	-	-	1	-	2	-	1	1
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	1	2	-	-	2	1	-	-	-	-
WHITE------MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
HAWAII ----------	-	1	-	-	2	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	4	3	3	3	4	2	-	-	-	-	-
WHITE------MALE----	2	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	3	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
KENTUCKY ----------	19	-	-	-	-	-	1	2	4	3	1	3
WHITE------MALE----	8	-	-	-	-	-	-	2	1	1	-	3
FEMALE--	7	-	-	-	-	-	1	-	2	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	53	-	-	-	1	7	7	4	10	7	7	4
WHITE------MALE----	9	-	-	-	-	-	2	1	-	3	-	1
FEMALE--	7	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	4	2	2	7	3	6	2
FEMALE--	11	-	-	-	1	2	2	1	2	1	1	1
BLACK---MALE----	26	-	-	-	-	4	2	2	7	3	6	2
FEMALE--	11	-	-	-	1	2	2	1	2	1	1	1
MAINE ----------	3	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	32	-	-	-	1	5	2	3	4	9	5	-
WHITE------MALE----	3	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	25	-	-	-	-	5	2	1	3	7	4	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	25	-	-	-	-	5	2	1	3	7	4	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
MASSACHUSETTS ----------	26	-	-	-	1	3	5	6	4	2	1	-
WHITE------MALE----	12	-	-	-	-	3	4	2	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	3	3	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	3	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
MICHIGAN ----------	62	-	-	-	-	3	9	6	7	8	10	8
WHITE------MALE----	18	-	-	-	-	-	4	3	-	3	3	2
FEMALE--	11	-	-	-	-	-	2	-	2	-	2	2
ALL OTHER--MALE----	23	-	-	-	-	2	2	2	2	3	5	4
FEMALE--	10	-	-	-	-	1	1	1	3	2	-	-
BLACK---MALE----	23	-	-	-	-	2	2	2	2	3	5	4
FEMALE--	9	-	-	-	-	1	1	1	2	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
KENTUCKY ----------	2	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	2	1	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	1	1	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	4	2	1	1	-	1	1	-	1	-	-	-
WHITE------MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
MINNESOTA ----------	21	-	1	-	1	3	3	1	1	1	5	1
WHITE------MALE----	8	-	-	-	-	2	2	-	1	1	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	-	-	5	-
FEMALE--	3	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	1	-	-	5	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
MISSISSIPPI ----------	42	-	-	-	-	5	6	3	8	3	4	3
WHITE------MALE----	7	-	-	-	-	1	2	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	2	2	1	3	2	2	3
FEMALE--	12	-	-	-	-	2	2	1	4	1	-	-
BLACK---MALE----	20	-	-	-	-	2	2	1	3	2	2	3
FEMALE--	12	-	-	-	-	2	2	1	4	1	-	-
MISSOURI ----------	40	-	-	-	-	5	8	2	4	7	5	3
WHITE------MALE----	15	-	-	-	-	3	2	-	2	3	2	-
FEMALE--	4	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	1	3	-	2	3	2	2
FEMALE--	7	-	-	-	-	-	3	1	-	1	-	1
BLACK---MALE----	14	-	-	-	-	1	3	-	2	3	2	2
FEMALE--	7	-	-	-	-	-	3	1	-	1	-	1
MONTANA ----------	6	-	-	-	-	-	1	2	1	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	12	-	-	2	1	-	1	1	1	2	-	2
WHITE------MALE----	6	-	-	2	-	-	-	1	-	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEVADA ----------	24	-	-	-	-	3	3	3	3	1	2	3
WHITE------MALE----	14	-	-	-	-	2	3	2	2	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
MINNESOTA ----------	-	1	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	3	1	2	1	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA ----------	2	1	1	-	2	-	-	-	-	-	-	-
WHITE------MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3930

Assault (homicide) by sharp object (X99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	8	-	-	-	-	-	-	1	4	-	2	-
WHITE------MALE----	4	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEW JERSEY ----------	49	-	1	1	2	3	8	6	3	8	4	6
WHITE------MALE----	12	-	-	1	-	2	3	-	1	-	1	1
FEMALE--	10	-	-	-	1	-	-	2	-	1	3	1
ALL OTHER--MALE----	16	-	-	-	-	1	2	2	1	6	-	2
FEMALE--	11	-	1	-	1	-	3	2	1	1	-	2
BLACK---MALE----	15	-	-	-	-	1	2	2	1	6	-	1
FEMALE--	11	-	1	-	1	-	3	2	1	1	-	2
NEW MEXICO ----------	33	-	-	-	-	2	5	6	2	3	5	5
WHITE------MALE----	23	-	-	-	-	-	4	6	2	2	3	2
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	2	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	157	-	-	2	2	18	22	25	18	20	15	12
WHITE------MALE----	71	-	-	1	-	7	13	16	6	7	10	5
FEMALE--	15	-	-	1	-	3	-	1	2	3	-	-
ALL OTHER--MALE----	44	-	-	-	2	5	6	5	8	5	2	4
FEMALE--	27	-	-	-	-	3	3	3	2	5	3	3
BLACK---MALE----	41	-	-	-	2	5	6	5	7	5	1	4
FEMALE--	26	-	-	-	-	3	3	3	2	4	3	3
NORTH CAROLINA ---------	75	-	-	-	-	6	12	8	11	12	6	7
WHITE------MALE----	24	-	-	-	-	2	2	4	3	3	2	3
FEMALE--	11	-	-	-	-	1	2	1	-	3	-	-
ALL OTHER--MALE----	26	-	-	-	-	3	6	2	4	3	1	3
FEMALE--	14	-	-	-	-	-	2	1	4	3	3	1
BLACK---MALE----	26	-	-	-	-	3	6	2	4	3	1	3
FEMALE--	13	-	-	-	-	-	2	1	3	3	3	1
NORTH DAKOTA ----------	3	-	-	-	-	-	1	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3930

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
NEW HAMPSHIRE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	1	1	1	-	1	1	-	-	-	-	1
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	4	3	4	-	2	3	1	-	-	-	-
WHITE------MALE----	3	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
NORTH CAROLINA ---------	4	3	-	1	3	1	-	-	-	-	-	1
WHITE------MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
OHIO ----------	48	-	-	-	1	10	2	7	3	9	4	1
WHITE------MALE----	18	-	-	-	-	5	1	3	1	2	2	-
FEMALE--	16	-	-	-	1	4	-	3	1	4	-	-
ALL OTHER--MALE----	11	-	-	-	-	1	1	1	1	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	1	1	1	1	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA ----------	34	-	-	-	-	1	3	6	4	1	6	2
WHITE------MALE----	15	-	-	-	-	-	1	3	1	-	3	1
FEMALE--	6	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	1	1	2	-	3	1
FEMALE--	3	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
OREGON ----------	19	-	-	-	-	1	7	2	5	2	-	1
WHITE------MALE----	10	-	-	-	-	-	3	2	2	1	-	1
FEMALE--	6	-	-	-	-	-	4	-	2	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	42	-	3	1	-	2	10	4	4	4	2	2
WHITE------MALE----	18	-	1	-	-	2	3	1	4	1	1	2
FEMALE--	7	-	2	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	6	2	-	2	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	6	2	-	2	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	1	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	27	-	-	1	-	1	3	1	3	6	3	6
WHITE------MALE----	8	-	-	-	-	-	-	-	1	3	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	15	-	-	1	-	1	3	1	2	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	1	-	1	3	1	2	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3931

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
OHIO ----------	2	2	4	-	1	2	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	1	4	2	1	-	1	1	-	1	-	-	-
WHITE------MALE----	1	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	5	-	2	-	1	-	1	-	-	-	-
WHITE------MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	49	-	-	1	-	3	6	6	6	8	5	5
WHITE------MALE----	17	-	-	-	-	-	1	2	2	3	2	1
FEMALE--	10	-	-	1	-	1	1	2	2	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	2	3	2	2	4	2	2
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	18	-	-	-	-	2	3	2	2	4	2	2
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	2
TEXAS ----------	123	-	-	-	2	12	17	10	18	16	22	8
WHITE------MALE----	58	-	-	-	1	8	7	4	11	7	12	2
FEMALE--	24	-	-	-	1	1	3	2	5	3	2	1
ALL OTHER--MALE----	31	-	-	-	-	2	6	3	-	3	7	4
FEMALE--	10	-	-	-	-	1	1	1	2	3	1	1
BLACK---MALE----	31	-	-	-	-	2	6	3	-	3	7	4
FEMALE--	9	-	-	-	-	1	1	-	2	3	1	1
UTAH ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	55	-	1	-	1	4	4	3	8	10	6	6
WHITE------MALE----	11	-	-	-	-	2	-	-	2	1	1	-
FEMALE--	9	-	1	-	1	-	-	-	2	1	1	1
ALL OTHER--MALE----	27	-	-	-	-	2	2	1	3	8	3	4
FEMALE--	8	-	-	-	-	-	2	2	1	-	1	1
BLACK---MALE----	26	-	-	-	-	1	2	1	3	8	3	4
FEMALE--	7	-	-	-	-	-	2	2	1	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	1	1	2	1	2	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	9	4	-	1	3	1	-	-	-	-	-	-
WHITE------MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	2	4	2	1	1	-	-	1	-	-	-
WHITE------MALE----	1	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
WASHINGTON ----------	18	-	1	-	-	6	3	1	1	2	-	1
WHITE------MALE----	9	-	-	-	-	2	3	1	1	-	-	1
FEMALE--	6	-	-	-	-	3	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	8	-	-	-	-	-	2	1	-	1	1	1
WHITE------MALE----	4	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
WISCONSIN ----------	21	-	-	-	-	2	4	2	2	5	4	-
WHITE------MALE----	6	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	6	-	-	-	-	1	2	2	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	1	3	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	1	3	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
WASHINGTON ----------	1	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3934

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
UNITED STATES -	242	7	13	4	4	7	25	27	20	21	24	15
WHITE------MALE----	113	2	2	-	1	3	11	10	9	13	14	6
FEMALE--	54	2	4	2	2	1	6	6	3	2	3	3
ALL OTHER--MALE----	45	1	2	-	1	3	4	3	5	4	5	6
FEMALE--	30	2	5	2	-	-	4	8	3	2	2	-
BLACK---MALE----	40	1	2	-	1	2	3	3	4	4	5	5
FEMALE--	25	1	5	2	-	-	4	6	2	2	2	-
ALABAMA ----------	8	-	1	-	-	-	2	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA ----------	28	1	1	-	-	1	5	3	3	3	-	2
WHITE------MALE----	18	1	1	-	-	-	4	3	2	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	1	1	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3934

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
UNITED STATES -	15	16	10	12	9	3	8	1	-	-	-	1
WHITE------MALE----	9	8	5	7	7	2	4	-	-	-	-	-
FEMALE--	4	5	2	3	2	1	1	1	-	-	-	1
ALL OTHER--MALE----	2	3	2	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	3	2	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	1	-	1	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	3	2	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3935

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
FLORIDA ----------	16	-	1	-	-	-	-	1	-	6	2	-
WHITE------MALE----	13	-	-	-	-	-	-	1	-	5	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	10	-	-	2	1	1	2	1	-	1	-	-
WHITE------MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	5	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	3	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
HAWAII ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	10	-	-	-	-	-	2	-	1	-	1	1
WHITE------MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	13	1	1	-	-	-	1	1	-	3	2	1
WHITE------MALE----	8	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
IOWA ----------	6	-	-	-	-	2	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3936

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
HAWAII ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	2	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	35	3	3	-	1	1	3	4	4	2	5	3
WHITE------MALE----	6	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	6	1	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	14	1	1	-	-	1	1	1	1	-	2	3
FEMALE--	9	1	1	-	-	-	2	3	1	1	-	-
BLACK---MALE----	14	1	1	-	-	1	1	1	1	-	2	3
FEMALE--	7	-	1	-	-	-	2	2	1	1	-	-
MASSACHUSETTS ----------	3	-	-	-	-	-	1	-	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
KENTUCKY ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	2	-	2	-	-	-	-	-	-	-	1
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	1	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
MINNESOTA ----------	2	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	9	-	1	-	-	-	1	1	1	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	1	-	-	1	-
MISSOURI ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	3	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	1	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	7	1	1	-	1	-	-	1	-	-	1	-
WHITE------MALE----	3	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	-	-	-	-	-	1	1	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3940

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
OHIO ----------	4	-	-	-	-	-	-	1	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	5	-	1	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
OHIO ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	23	1	2	2	1	-	-	3	3	-	2	2
WHITE------MALE----	11	-	-	-	-	-	-	1	2	-	1	2
FEMALE--	8	1	-	1	1	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	1	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	-	-	-	-	-	1	1	1	-	-	1
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	3	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
WASHINGTON ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	-	-	-	-	-	2	1	1	-	-	1
WHITE------MALE----	4	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by blunt object (Y00)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3943

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
UNITED STATES -	166	4	2	1	-	11	17	20	14	26	23	15
WHITE------MALE----	82	3	1	-	-	5	9	6	9	12	10	9
FEMALE--	15	-	-	-	-	1	-	-	1	3	3	2
ALL OTHER--MALE----	57	-	-	-	-	5	7	11	4	9	8	4
FEMALE--	12	1	1	1	-	-	1	3	-	2	2	-
BLACK---MALE----	49	-	-	-	-	2	6	11	4	8	7	4
FEMALE--	11	1	1	1	-	-	1	2	-	2	2	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	8	-	1	-	-	1	-	1	1	2	1	-
WHITE------MALE----	4	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	18	1	-	-	-	-	1	1	2	1	3	3
WHITE------MALE----	12	1	-	-	-	-	1	-	2	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3943

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
UNITED STATES -	13	5	2	5	3	2	-	1	1	-	-	1
WHITE------MALE----	8	2	2	3	2	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	3	3	-	1	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	3	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	1	1	-	1	-	-	1	-	-	-
WHITE------MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3944

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
COLORADO ----------	4	-	-	-	-	-	-	2	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	25	2	1	-	-	2	5	1	2	4	2	2
WHITE------MALE----	15	2	-	-	-	1	2	1	1	2	2	2
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
GEORGIA ----------	5	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3944

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
COLORADO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	2	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	14	-	-	-	-	1	1	4	2	2	3	-
WHITE------MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	2	1	2	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	7	-	-	-	-	1	-	2	1	2	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
INDIANA ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
HAWAII ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
KENTUCKY ----------	2	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	2	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3947

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
MINNESOTA ----------	3	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	1	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	19	-	-	-	-	2	1	2	1	1	4	4
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	2	1	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	1	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	3	-	-	-	-	-	-	-	1	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	-	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3949

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
OHIO ----------	5	-	-	1	-	-	-	-	-	2	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	6	-	-	-	-	1	-	1	-	1	1	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
OHIO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
SOUTH DAKOTA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	11	-	-	-	-	-	2	2	1	-	2	2
WHITE------MALE----	7	-	-	-	-	-	1	1	1	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	-	-	-	-	-	-	-	-	3	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
WASHINGTON ----------	2	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
UNITED STATES -	4	-	-	-	1	-	-	-	-	-	-	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
UNITED STATES -	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

Sexual assault (homicide) by bodily force (Y05)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Sexual assault (homicide) by bodily force (Y05)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sexual assault (homicide) by bodily force (Y05)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
UNITED STATES -	227	125	64	11	-	1	2	1	5	4	2	-
WHITE------MALE----	71	46	15	2	-	-	1	-	4	1	1	-
FEMALE--	56	30	14	4	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	51	25	18	3	-	-	-	-	1	2	-	-
FEMALE--	49	24	17	2	-	1	-	1	-	1	-	-
BLACK---MALE----	44	22	17	2	-	-	-	-	-	2	-	-
FEMALE--	46	23	16	2	-	1	-	1	-	1	-	-
ALABAMA ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	3	1	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	32	16	10	3	-	-	1	-	-	1	1	-
WHITE------MALE----	10	7	2	-	-	-	1	-	-	-	-	-
FEMALE--	12	6	2	3	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	7	3	4	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	7	3	4	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
UNITED STATES -	1	1	-	1	-	3	4	2	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
COLORADO ----------	2	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	12	6	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	5	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	1	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	4	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
INDIANA ----------	4	1	2	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
KENTUCKY ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	3	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	2	1	-	-	-	-	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	2	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	22	14	7	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	4	3	-	-	-	-	-	-	1	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	3	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	3	3	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	6	3	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	3	4	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
NEW HAMPSHIRE ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	6	3	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	7	6	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	6	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	5	2	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NORTH CAROLINA ---------	10	6	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
OHIO ----------	10	5	3	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5	3	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
OHIO ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
SOUTH DAKOTA ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	9	4	3	1	-	-	1	-	-	-	-	-
WHITE------MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
TEXAS ----------	12	7	3	-	-	-	-	-	1	-	-	-
WHITE------MALE----	5	2	2	-	-	-	-	-	1	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	8	5	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
WASHINGTON ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	7	4	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3970

Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	2,768	144	203	76	38	160	203	214	233	306	298	226
WHITE------MALE----	1,134	48	65	18	13	57	90	81	84	124	125	110
FEMALE--	617	37	54	19	15	41	48	42	56	61	46	37
ALL OTHER--MALE----	665	30	48	17	7	44	46	60	58	76	84	57
FEMALE--	352	29	36	22	3	18	19	31	35	45	43	22
BLACK---MALE----	593	28	45	16	6	39	44	54	51	65	80	50
FEMALE--	302	26	35	17	3	15	10	30	31	42	35	18
ALABAMA ----------	62	3	5	-	1	1	1	8	10	9	4	3
WHITE------MALE----	22	1	1	-	-	-	1	1	-	6	1	-
FEMALE--	8	-	-	-	-	1	-	2	4	-	-	-
ALL OTHER--MALE----	21	2	3	-	-	-	-	3	3	1	2	2
FEMALE--	11	-	1	-	1	-	-	2	3	2	1	1
BLACK---MALE----	21	2	3	-	-	-	-	3	3	1	2	2
FEMALE--	11	-	1	-	1	-	-	2	3	2	1	1
ALASKA ----------	13	-	-	-	1	-	1	2	1	1	3	1
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	84	4	4	1	1	4	7	7	9	9	6	8
WHITE------MALE----	43	1	2	-	1	2	5	3	2	5	4	6
FEMALE--	22	2	2	-	-	-	1	3	3	2	2	1
ALL OTHER--MALE----	11	-	-	-	-	1	1	1	3	-	-	1
FEMALE--	8	1	-	1	-	1	-	-	1	2	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	27	3	3	1	-	1	-	2	1	6	1	1
WHITE------MALE----	11	1	1	-	-	-	-	1	-	2	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	6	1	1	1	-	-	-	-	-	2	-	-
FEMALE--	5	1	1	-	-	-	-	1	1	-	1	-
BLACK---MALE----	6	1	1	1	-	-	-	-	-	2	-	-
FEMALE--	5	1	1	-	-	-	-	1	1	-	1	-
CALIFORNIA ----------	256	8	16	5	4	17	23	20	18	30	22	28
WHITE------MALE----	135	2	7	1	2	9	15	16	7	17	13	12
FEMALE--	52	2	6	-	-	7	3	1	6	3	3	9
ALL OTHER--MALE----	47	1	2	3	2	-	2	2	4	9	5	6
FEMALE--	22	3	1	1	-	1	3	1	1	1	1	1
BLACK---MALE----	33	1	1	2	1	-	2	1	3	7	5	5
FEMALE--	12	1	1	-	-	-	2	1	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3970

Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
UNITED STATES -	166	109	71	75	62	68	50	27	11	7	-	21
WHITE------MALE----	72	61	38	42	23	36	25	7	2	2	-	11
FEMALE--	35	19	14	12	22	18	13	14	7	3	-	4
ALL OTHER--MALE----	52	19	14	18	12	6	8	5	1	1	-	2
FEMALE--	7	10	5	3	5	8	4	1	1	1	-	4
BLACK---MALE----	42	16	10	17	11	5	6	4	1	1	-	2
FEMALE--	6	8	4	2	4	7	3	1	1	1	-	3
ALABAMA ----------	6	3	1	3	2	1	-	-	1	-	-	-
WHITE------MALE----	4	3	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	4	1	3	2	3	1	-	-	-	-	4
WHITE------MALE----	1	2	1	2	-	2	-	-	-	-	-	4
FEMALE--	1	1	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	1	-	1	-	2	1	-	2	-	-	-
WHITE------MALE----	-	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	12	8	12	8	5	2	6	4	3	-	-	5
WHITE------MALE----	6	7	7	7	2	-	2	-	1	-	-	2
FEMALE--	1	-	2	-	1	-	1	3	2	-	-	2
ALL OTHER--MALE----	5	-	2	-	-	2	1	1	-	-	-	-
FEMALE--	-	1	1	1	2	-	2	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
COLORADO ----------	30	1	6	-	-	-	5	1	4	2	4	3
WHITE------MALE----	18	-	4	-	-	-	2	-	4	-	3	2
FEMALE--	9	-	1	-	-	-	3	-	-	2	1	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	13	3	2	-	-	-	-	1	-	-	2	2
WHITE------MALE----	7	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	-	-	-	-
DELAWARE ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	1	2	-	-	1	-	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	2	-	-	1	-	-	2	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	2	-	-	1	-	-	2	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	233	8	13	6	-	9	12	26	15	30	24	23
WHITE------MALE----	111	4	1	-	-	1	6	12	9	14	10	13
FEMALE--	50	-	4	2	-	6	2	5	4	6	5	4
ALL OTHER--MALE----	42	3	5	2	-	-	3	6	1	2	6	3
FEMALE--	30	1	3	2	-	2	1	3	1	8	3	3
BLACK---MALE----	41	3	5	2	-	-	3	6	-	2	6	3
FEMALE--	29	1	3	2	-	2	-	3	1	8	3	3
GEORGIA ----------	107	9	9	4	1	6	9	5	12	7	14	10
WHITE------MALE----	29	-	-	-	-	2	4	2	2	1	5	3
FEMALE--	14	1	1	1	1	-	2	-	1	-	1	-
ALL OTHER--MALE----	33	4	6	-	-	1	2	2	2	4	3	5
FEMALE--	31	4	2	3	-	3	1	1	7	2	5	2
BLACK---MALE----	31	4	5	-	-	1	2	2	2	4	3	4
FEMALE--	31	4	2	3	-	3	1	1	7	2	5	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
COLORADO ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	1	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	17	14	4	6	8	10	6	-	-	-	-	2
WHITE------MALE----	11	9	2	5	3	6	4	-	-	-	-	1
FEMALE--	2	1	1	-	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	4	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	1
GEORGIA ----------	4	4	3	3	1	2	3	-	-	1	-	-
WHITE------MALE----	1	4	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3972

Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
HAWAII ----------	5	1	-	-	-	1	-	1	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	-	1	-	-	1	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	140	11	10	8	2	9	13	8	9	17	16	9
WHITE------MALE----	27	-	1	2	-	1	5	1	2	2	3	1
FEMALE--	24	4	2	-	1	-	2	2	1	1	3	2
ALL OTHER--MALE----	66	6	3	4	1	7	6	2	4	10	6	6
FEMALE--	23	1	4	2	-	1	-	3	2	4	4	-
BLACK---MALE----	66	6	3	4	1	7	6	2	4	10	6	6
FEMALE--	23	1	4	2	-	1	-	3	2	4	4	-
INDIANA ----------	75	9	4	1	-	6	5	8	4	5	11	6
WHITE------MALE----	34	6	3	-	-	3	2	3	1	2	5	2
FEMALE--	25	2	1	1	-	3	2	3	2	1	2	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	1	-	3	3
FEMALE--	5	1	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	11	-	-	-	-	-	1	1	1	-	3	3
FEMALE--	5	1	-	-	-	-	-	1	-	2	1	-
IOWA ----------	3	-	1	-	-	-	1	-	-	-	1	-
WHITE------MALE----	3	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	33	1	1	-	1	4	2	2	5	3	4	2
WHITE------MALE----	16	1	-	-	-	2	1	1	3	1	2	-
FEMALE--	7	-	-	-	1	-	-	1	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	2	1	-	1	-	1	1
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	2	1	-	1	-	1	1
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	1

Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	14	1	4	5	-	1	2	1	-	-	-	-
WHITE------MALE----	6	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	4	1	-	-	2	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	4	1	-	-	2	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	4	2	-	1	-	3	2	2	-	-	-	2
WHITE------MALE----	2	1	-	-	-	1	2	-	-	-	-	1
FEMALE--	2	-	-	1	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	2	3	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	2	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
KENTUCKY ----------	25	1	-	1	1	1	2	3	1	-	2	4
WHITE------MALE----	14	-	-	-	1	-	2	-	1	-	-	3
FEMALE--	7	1	-	1	-	-	-	3	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA ----------	70	4	2	2	2	5	9	2	8	7	9	8
WHITE------MALE----	17	1	2	-	-	2	2	-	2	2	1	2
FEMALE--	12	-	-	-	-	-	2	1	3	1	2	1
ALL OTHER--MALE----	28	-	-	1	1	2	5	-	3	2	6	2
FEMALE--	13	3	-	1	1	1	-	1	-	2	-	3
BLACK---MALE----	28	-	-	1	1	2	5	-	3	2	6	2
FEMALE--	13	3	-	1	1	1	-	1	-	2	-	3
MAINE ----------	4	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	46	4	5	-	1	3	1	5	3	10	6	2
WHITE------MALE----	11	1	-	-	-	-	-	1	-	3	2	1
FEMALE--	10	1	2	-	-	1	-	1	1	1	1	1
ALL OTHER--MALE----	20	1	2	-	1	2	1	3	1	5	2	-
FEMALE--	5	1	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	19	1	2	-	1	2	1	3	1	4	2	-
FEMALE--	5	1	1	-	-	-	-	-	1	1	1	-
MASSACHUSETTS ----------	20	3	-	-	2	-	3	2	5	1	-	1
WHITE------MALE----	9	1	-	-	1	-	1	1	2	-	-	1
FEMALE--	8	2	-	-	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN ----------	108	3	7	2	2	5	14	6	7	10	14	7
WHITE------MALE----	32	2	3	-	-	1	3	1	1	4	5	3
FEMALE--	17	-	1	-	1	-	2	1	1	-	2	-
ALL OTHER--MALE----	43	1	2	2	1	1	7	4	3	4	5	4
FEMALE--	16	-	1	-	-	3	2	-	2	2	2	-
BLACK---MALE----	42	-	2	2	1	1	7	4	3	4	5	4
FEMALE--	15	-	1	-	-	3	2	-	2	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
KENTUCKY ----------	1	2	2	2	-	1	1	-	-	-	-	-
WHITE------MALE----	1	2	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	1	3	1	1	1	1	-	-	1	-	-
WHITE------MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MAINE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	1	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	2	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	9	5	1	2	4	2	3	4	1	-	-	-
WHITE------MALE----	2	1	-	1	1	1	2	1	-	-	-	-
FEMALE--	2	3	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	5	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
MINNESOTA ----------	47	3	1	3	-	5	3	4	3	5	4	2
WHITE------MALE----	16	1	1	-	-	-	-	-	3	1	2	1
FEMALE--	9	1	-	2	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	11	1	-	-	-	1	-	3	-	4	-	-
FEMALE--	11	-	-	1	-	3	3	1	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	2	-	1	-	-	-	-
MISSISSIPPI ----------	31	1	3	-	-	-	3	4	4	2	5	2
WHITE------MALE----	7	-	1	-	-	-	1	1	-	1	2	-
FEMALE--	6	1	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	15	-	1	-	-	-	2	2	3	1	2	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	15	-	1	-	-	-	2	2	3	1	2	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSOURI ----------	77	5	4	8	1	4	4	5	9	10	9	2
WHITE------MALE----	18	1	-	-	-	-	1	1	3	3	4	1
FEMALE--	13	-	1	2	-	-	1	1	1	3	-	-
ALL OTHER--MALE----	28	1	1	3	-	4	2	2	2	4	3	1
FEMALE--	18	3	2	3	1	-	-	1	3	-	2	-
BLACK---MALE----	28	1	1	3	-	4	2	2	2	4	3	1
FEMALE--	18	3	2	3	1	-	-	1	3	-	2	-
MONTANA ----------	9	-	-	2	-	-	-	-	1	2	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	16	-	2	-	-	3	2	-	2	4	3	-
WHITE------MALE----	6	-	-	-	-	2	-	-	-	3	1	-
FEMALE--	5	-	-	-	-	1	1	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	2	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
NEVADA ----------	21	1	-	-	-	1	1	-	5	2	1	4
WHITE------MALE----	9	1	-	-	-	1	-	-	2	1	1	3
FEMALE--	9	-	-	-	-	-	1	-	3	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
MINNESOTA ----------	3	2	1	-	1	1	2	1	1	-	-	2
WHITE------MALE----	2	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI ----------	3	2	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSOURI ----------	2	2	2	4	2	2	1	1	-	-	-	-
WHITE------MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
MONTANA ----------	-	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	2	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
NEW HAMPSHIRE ----------	4	-	-	1	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	61	-	5	-	-	5	5	6	2	8	7	6
WHITE------MALE----	19	-	1	-	-	-	1	-	1	2	3	3
FEMALE--	12	-	1	-	-	3	1	1	-	1	1	-
ALL OTHER--MALE----	21	-	2	-	-	1	2	4	-	3	1	3
FEMALE--	9	-	1	-	-	1	1	1	1	2	2	-
BLACK---MALE----	20	-	2	-	-	1	1	4	-	3	1	3
FEMALE--	8	-	1	-	-	1	1	1	1	2	1	-
NEW MEXICO ----------	28	1	1	1	-	1	2	1	2	1	6	1
WHITE------MALE----	23	-	1	-	-	1	2	1	2	-	5	1
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	174	9	15	1	4	10	6	15	12	20	21	13
WHITE------MALE----	77	4	4	1	1	6	2	6	6	9	7	6
FEMALE--	41	3	6	-	3	2	1	3	1	7	6	1
ALL OTHER--MALE----	38	-	2	-	-	2	2	4	4	3	5	3
FEMALE--	18	2	3	-	-	-	1	2	1	1	3	3
BLACK---MALE----	35	-	2	-	-	1	2	4	4	3	5	3
FEMALE--	15	2	3	-	-	-	1	2	1	1	2	2
NORTH CAROLINA ---------	77	3	4	2	-	2	10	3	6	7	9	9
WHITE------MALE----	29	1	2	1	-	-	5	-	2	1	4	4
FEMALE--	13	1	-	-	-	2	2	1	1	-	1	3
ALL OTHER--MALE----	24	-	1	-	-	-	2	2	2	2	3	2
FEMALE--	11	1	1	1	-	-	1	-	1	4	1	-
BLACK---MALE----	21	-	1	-	-	-	2	2	2	1	3	2
FEMALE--	11	1	1	1	-	-	1	-	1	4	1	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
NEW HAMPSHIRE ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	6	1	1	2	1	1	-	-	1	-	-
WHITE------MALE----	3	2	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	3	2	-	-	2	2	-	1	-	1	-	-
WHITE------MALE----	3	2	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	6	6	7	4	5	4	2	-	-	-	3
WHITE------MALE----	3	3	4	4	1	3	4	2	-	-	-	1
FEMALE--	1	3	-	-	2	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	6	-	1	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	4	5	2	6	2	2	1	-	-	-	-	-
WHITE------MALE----	2	2	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
OHIO ----------	99	3	8	-	1	7	8	6	8	14	8	8
WHITE------MALE----	37	1	3	-	1	3	3	1	3	6	3	2
FEMALE--	29	2	2	-	-	2	4	1	2	4	2	1
ALL OTHER--MALE----	24	-	1	-	-	2	1	3	3	4	1	3
FEMALE--	9	-	2	-	-	-	-	1	-	-	2	2
BLACK---MALE----	21	-	1	-	-	2	1	3	3	3	1	3
FEMALE--	9	-	2	-	-	-	-	1	-	-	2	2
OKLAHOMA ----------	37	4	5	2	-	-	1	4	2	2	1	3
WHITE------MALE----	15	3	1	1	-	-	-	1	1	2	-	1
FEMALE--	11	-	2	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	8	1	1	-	-	-	1	1	-	-	1	1
FEMALE--	3	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	5	1	1	-	-	-	-	1	-	-	1	1
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
OREGON ----------	17	2	1	-	-	-	1	2	3	2	2	3
WHITE------MALE----	13	2	-	-	-	-	1	1	3	2	1	3
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	133	6	11	2	2	8	6	10	16	11	17	10
WHITE------MALE----	50	1	3	-	1	2	2	4	2	5	8	5
FEMALE--	39	1	4	2	1	1	2	2	5	4	3	3
ALL OTHER--MALE----	29	3	3	-	-	5	1	2	4	2	4	1
FEMALE--	15	1	1	-	-	-	1	2	5	-	2	1
BLACK---MALE----	29	3	3	-	-	5	1	2	4	2	4	1
FEMALE--	13	1	1	-	-	-	1	2	4	-	1	1
RHODE ISLAND ----------	10	-	2	-	-	2	-	-	-	2	2	-
WHITE------MALE----	4	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	49	3	4	2	1	6	4	3	4	5	6	2
WHITE------MALE----	15	-	1	-	-	3	2	2	2	1	-	1
FEMALE--	8	2	1	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	20	1	2	1	1	3	-	1	1	2	3	1
FEMALE--	6	-	-	1	-	-	-	-	-	1	3	-
BLACK---MALE----	19	1	2	1	1	3	-	1	1	2	2	1
FEMALE--	6	-	-	1	-	-	-	-	-	1	3	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
OHIO ----------	7	3	2	3	2	6	2	3	-	-	-	-
WHITE------MALE----	1	1	2	2	-	4	-	1	-	-	-	-
FEMALE--	3	-	-	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA ----------	3	2	2	1	2	-	2	-	-	1	-	-
WHITE------MALE----	1	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	4	4	4	3	6	3	2	-	-	-	1
WHITE------MALE----	4	3	2	2	2	2	1	-	-	-	-	1
FEMALE--	1	1	2	1	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	1	-	4	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
SOUTH DAKOTA ----------	7	-	-	-	-	-	2	1	1	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	51	3	3	-	2	2	1	4	6	6	8	3
WHITE------MALE----	13	-	1	-	-	2	-	1	1	-	-	2
FEMALE--	10	-	-	-	2	-	-	2	1	1	1	-
ALL OTHER--MALE----	14	2	-	-	-	-	1	-	3	1	5	-
FEMALE--	14	1	2	-	-	-	-	1	1	4	2	1
BLACK---MALE----	14	2	-	-	-	-	1	-	3	1	5	-
FEMALE--	14	1	2	-	-	-	-	1	1	4	2	1
TEXAS ----------	293	15	28	13	6	21	27	22	20	35	27	20
WHITE------MALE----	152	6	12	7	3	10	15	13	10	16	15	14
FEMALE--	78	8	9	5	3	6	9	4	8	7	-	2
ALL OTHER--MALE----	40	-	4	-	-	3	2	2	2	7	10	3
FEMALE--	23	1	3	1	-	2	1	3	-	5	2	1
BLACK---MALE----	37	-	4	-	-	3	2	2	2	6	10	1
FEMALE--	22	1	3	1	-	2	1	3	-	5	2	-
UTAH ----------	9	2	-	-	-	-	-	-	2	-	1	2
WHITE------MALE----	6	2	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	5	-	2	1	1	-	-	-	-	-	-	-
WHITE------MALE----	3	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	48	5	7	-	1	4	2	5	4	5	1	4
WHITE------MALE----	18	2	2	-	-	-	2	1	1	3	-	2
FEMALE--	11	2	-	-	1	2	-	-	1	1	-	1
ALL OTHER--MALE----	10	1	2	-	-	2	-	2	1	-	1	1
FEMALE--	9	-	3	-	-	-	-	2	1	1	-	-
BLACK---MALE----	10	1	2	-	-	2	-	2	1	-	1	1
FEMALE--	8	-	3	-	-	-	-	2	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	2	4	-	2	1	1	1	-	-	-	1
WHITE------MALE----	-	2	2	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
TEXAS ----------	17	10	7	5	7	3	4	2	3	1	-	-
WHITE------MALE----	7	6	5	3	5	1	2	1	-	1	-	-
FEMALE--	7	3	-	1	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
UTAH ----------	-	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	1	1	1	2	1	-	2	-	-	-	1
WHITE------MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
WASHINGTON ----------	44	-	3	4	-	2	4	4	4	7	5	4
WHITE------MALE----	23	-	2	2	-	2	1	3	2	4	2	2
FEMALE--	11	-	1	1	-	-	2	-	1	2	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	1	1	3	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	1	1	-	1	2	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	1	-	-	-	-	3	2	1	1	4	2
WHITE------MALE----	13	1	-	-	-	-	2	1	1	-	4	1
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	23	-	3	1	-	2	-	4	-	4	3	4
WHITE------MALE----	11	-	1	-	-	1	-	1	-	2	2	3
FEMALE--	5	-	1	-	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	2	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	1	-	-	-	-	2	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
WYOMING ----------	4	-	-	2	-	-	-	-	-	1	-	1
WHITE------MALE----	3	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
WASHINGTON ----------	1	2	1	-	2	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	1	1	-	3	-	-	-	-	-	-	-
WHITE------MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3979

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
UNITED STATES -	3,917	55	43	12	37	159	271	313	430	644	651	528
WHITE------MALE----	2,105	22	13	5	28	106	172	180	236	349	349	262
FEMALE--	1,017	14	10	5	4	19	45	75	115	167	158	147
ALL OTHER--MALE----	587	11	8	1	4	26	41	50	57	97	92	95
FEMALE--	208	8	12	1	1	8	13	8	22	31	52	24
BLACK---MALE----	523	10	8	1	4	20	36	44	49	87	84	88
FEMALE--	173	8	8	1	1	5	10	7	21	27	42	21
ALABAMA ----------	40	1	-	-	1	3	2	6	4	3	6	4
WHITE------MALE----	16	-	-	-	-	3	2	1	1	1	4	2
FEMALE--	16	1	-	-	-	-	-	3	3	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
ALASKA ----------	26	3	1	-	-	3	-	-	2	4	6	1
WHITE------MALE----	9	1	-	-	-	2	-	-	1	-	2	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	6	1	-	-	-	1	-	-	1	2	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	63	-	-	-	1	3	6	5	4	5	9	7
WHITE------MALE----	35	-	-	-	1	3	3	3	3	3	5	4
FEMALE--	19	-	-	-	-	-	-	2	-	2	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	3	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS ----------	78	4	2	-	1	1	6	6	6	17	12	10
WHITE------MALE----	39	1	-	-	1	1	3	-	5	9	8	4
FEMALE--	22	-	1	-	-	-	1	2	1	8	3	3
ALL OTHER--MALE----	11	1	1	-	-	-	2	3	-	-	1	2
FEMALE--	6	2	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	11	1	1	-	-	-	2	3	-	-	1	2
FEMALE--	6	2	-	-	-	-	-	1	-	-	-	1
CALIFORNIA ----------	252	4	8	-	2	11	16	18	21	34	29	49
WHITE------MALE----	140	1	3	-	1	8	14	9	14	23	12	27
FEMALE--	76	2	3	-	1	1	2	6	6	7	13	13
ALL OTHER--MALE----	20	1	-	-	-	1	-	2	-	2	1	7
FEMALE--	16	-	2	-	-	1	-	1	1	2	3	2
BLACK---MALE----	14	1	-	-	-	-	-	1	-	2	1	5
FEMALE--	9	-	1	-	-	-	-	-	1	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3979

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
UNITED STATES -	265	136	86	72	42	51	45	37	18	2	1	19
WHITE------MALE----	128	70	43	42	19	28	21	18	4	1	-	9
FEMALE--	75	41	32	21	15	19	21	15	12	1	1	5
ALL OTHER--MALE----	47	24	11	5	6	3	3	2	-	-	-	4
FEMALE--	15	1	-	4	2	1	-	2	2	-	-	1
BLACK---MALE----	46	19	8	5	5	3	1	1	-	-	-	4
FEMALE--	13	1	-	3	1	1	-	2	-	-	-	1
ALABAMA ----------	3	1	1	-	-	3	1	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	3	1	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	5	4	2	1	2	-	-	1	-	-	4
WHITE------MALE----	1	2	3	1	-	1	-	-	-	-	-	2
FEMALE--	2	3	1	1	1	1	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	2	-	2	2	1	2	1	-	-	-	-
WHITE------MALE----	1	2	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	11	14	3	5	8	3	8	3	2	-	-	3
WHITE------MALE----	5	11	1	2	-	2	2	2	1	-	-	2
FEMALE--	4	2	1	3	5	-	5	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3980

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
COLORADO ----------	113	2	-	-	1	2	4	9	12	25	21	19
WHITE------MALE----	68	1	-	-	1	1	4	3	7	16	12	12
FEMALE--	37	-	-	-	-	1	-	6	4	8	7	7
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT ----------	48	-	-	-	-	-	3	1	6	11	7	12
WHITE------MALE----	28	-	-	-	-	-	-	1	2	7	4	8
FEMALE--	16	-	-	-	-	-	1	-	4	4	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
DELAWARE ----------	6	-	-	1	-	-	-	-	1	2	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	116	3	1	2	1	5	10	9	6	11	22	13
WHITE------MALE----	62	2	1	1	-	2	7	4	4	4	15	8
FEMALE--	39	-	-	1	1	1	2	4	-	7	5	4
ALL OTHER--MALE----	10	-	-	-	-	2	-	1	1	-	1	-
FEMALE--	5	1	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	10	-	-	-	-	2	-	1	1	-	1	-
FEMALE--	5	1	-	-	-	-	1	-	1	-	1	1
GEORGIA ----------	55	1	1	1	1	7	3	5	3	6	6	6
WHITE------MALE----	26	-	1	-	1	6	2	1	1	4	1	3
FEMALE--	13	1	-	1	-	-	-	2	-	-	2	3
ALL OTHER--MALE----	13	-	-	-	-	1	-	2	2	2	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	1	-	2	2	2	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3980

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
COLORADO ----------	5	7	3	-	-	1	1	-	1	-	-	-
WHITE------MALE----	1	5	2	-	-	1	1	-	1	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	2	1	-	-	1	-	1	1	-	-	-
WHITE------MALE----	1	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	7	4	3	1	5	3	2	2	-	-	2
WHITE------MALE----	1	4	3	1	1	1	3	-	-	-	-	-
FEMALE--	1	2	-	2	-	3	-	2	2	-	-	2
ALL OTHER--MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	7	1	4	-	-	-	1	1	-	1	-	-
WHITE------MALE----	1	-	2	-	-	-	1	1	-	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
HAWAII ----------	36	-	-	-	-	1	-	1	-	5	12	8
WHITE------MALE----	18	-	-	-	-	1	-	1	-	1	8	4
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	14	1	1	1	-	-	-	3	2	3	-	1
WHITE------MALE----	10	1	1	1	-	-	-	3	2	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	109	-	3	-	-	6	15	12	9	11	16	12
WHITE------MALE----	57	-	1	-	-	5	9	9	2	5	8	4
FEMALE--	21	-	1	-	-	-	1	-	3	4	4	2
ALL OTHER--MALE----	26	-	1	-	-	1	5	3	3	1	4	5
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	24	-	1	-	-	1	4	2	3	1	4	5
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
INDIANA ----------	78	3	-	-	4	4	7	7	13	8	10	8
WHITE------MALE----	45	2	-	-	4	3	4	3	9	4	7	3
FEMALE--	20	1	-	-	-	1	-	1	3	3	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	1	3	-	1	1	2
FEMALE--	4	-	-	-	-	-	2	-	1	-	1	-
BLACK---MALE----	9	-	-	-	-	-	1	3	-	1	1	2
FEMALE--	3	-	-	-	-	-	1	-	1	-	1	-
IOWA ----------	16	1	1	-	2	1	2	3	-	1	2	1
WHITE------MALE----	10	1	1	-	2	1	1	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	3	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	16	-	2	-	1	3	-	-	1	-	3	3
WHITE------MALE----	11	-	1	-	1	1	-	-	1	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
HAWAII ----------	5	2	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	4	3	6	2	3	-	1	-	-	-	-
WHITE------MALE----	4	2	3	2	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
INDIANA ----------	2	3	4	-	-	-	3	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	3	2	-	-	-	-
FEMALE--	2	2	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3982

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
KENTUCKY ----------	39	1	1	-	-	2	2	4	3	3	5	6
WHITE------MALE----	23	-	-	-	-	1	2	4	-	1	3	4
FEMALE--	15	1	1	-	-	-	-	-	3	2	2	2
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	71	5	2	-	-	4	8	4	11	10	11	4
WHITE------MALE----	30	1	1	-	-	3	4	2	4	6	4	1
FEMALE--	17	-	-	-	-	-	1	1	5	1	5	1
ALL OTHER--MALE----	19	2	-	-	-	1	2	1	2	3	2	1
FEMALE--	5	2	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	19	2	-	-	-	1	2	1	2	3	2	1
FEMALE--	5	2	1	-	-	-	1	-	-	-	-	1
MAINE ----------	4	-	-	-	1	-	-	-	1	1	1	-
WHITE------MALE----	3	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	589	1	4	1	1	14	28	52	74	122	131	88
WHITE------MALE----	234	-	-	-	-	9	18	25	29	43	56	29
FEMALE--	65	-	-	-	-	3	5	4	11	13	12	8
ALL OTHER--MALE----	232	1	3	1	1	2	5	19	25	51	47	43
FEMALE--	58	-	1	-	-	-	-	4	9	15	16	8
BLACK---MALE----	230	1	3	1	1	2	5	19	25	51	46	43
FEMALE--	58	-	1	-	-	-	-	4	9	15	16	8
MASSACHUSETTS ----------	417	2	1	-	-	6	38	44	75	78	79	46
WHITE------MALE----	274	1	-	-	-	4	30	30	55	49	45	27
FEMALE--	119	1	1	-	-	2	8	13	19	22	27	16
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	7	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	20	-	-	-	-	-	-	1	1	7	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
MICHIGAN ----------	165	2	3	2	-	5	10	8	20	27	31	27
WHITE------MALE----	79	2	1	1	-	2	4	4	9	18	15	12
FEMALE--	47	-	-	1	-	1	4	1	7	7	7	7
ALL OTHER--MALE----	23	-	2	-	-	2	2	2	2	1	4	3
FEMALE--	16	-	-	-	-	-	-	1	2	1	5	5
BLACK---MALE----	23	-	2	-	-	2	2	2	2	1	4	3
FEMALE--	15	-	-	-	-	-	-	1	2	1	4	5

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
KENTUCKY ----------	3	5	1	1	-	-	2	-	-	-	-	-
WHITE------MALE----	1	4	-	1	-	-	2	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	3	2	3	2	-	1	-	1	-	-	-	-
WHITE------MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	45	10	6	3	3	1	-	-	1	-	-	4
WHITE------MALE----	16	1	1	2	1	1	-	-	1	-	-	2
FEMALE--	3	2	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	6	2	1	1	-	-	-	-	-	-	2
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	6	1	1	1	-	-	-	-	-	-	2
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	29	6	5	5	-	1	1	1	-	-	-	-
WHITE------MALE----	21	3	4	3	-	-	1	1	-	-	-	-
FEMALE--	5	2	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	14	2	3	4	1	3	1	1	-	-	-	1
WHITE------MALE----	5	1	-	2	1	2	-	-	-	-	-	-
FEMALE--	6	-	2	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
MINNESOTA ----------	48	4	2	-	-	-	4	3	8	4	6	5
WHITE------MALE----	25	2	-	-	-	-	2	2	5	2	3	3
FEMALE--	12	2	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	2	1	3	1
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	1	1	-	2	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	30	-	1	-	1	6	2	-	2	4	3	4
WHITE------MALE----	14	-	-	-	1	3	1	-	-	2	-	2
FEMALE--	7	-	-	-	-	-	1	-	2	-	1	2
ALL OTHER--MALE----	5	-	1	-	-	1	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	2	-	-	-	1	1	-
BLACK---MALE----	5	-	1	-	-	1	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	2	-	-	-	1	1	-
MISSOURI ----------	66	3	-	-	2	4	5	5	8	10	10	5
WHITE------MALE----	47	-	-	-	2	2	5	5	6	7	7	3
FEMALE--	13	2	-	-	-	2	-	-	-	3	1	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
MONTANA ----------	14	-	-	-	1	-	1	2	3	1	1	3
WHITE------MALE----	6	-	-	-	1	-	1	1	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	2	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	28	-	-	-	-	1	2	2	2	1	2	3
WHITE------MALE----	13	-	-	-	-	1	2	1	1	-	1	1
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	59	-	-	-	1	2	4	-	4	10	11	12
WHITE------MALE----	37	-	-	-	1	-	2	-	3	4	8	9
FEMALE--	14	-	-	-	-	1	1	-	-	3	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
MINNESOTA ----------	1	1	1	-	2	1	3	2	1	-	-	-
WHITE------MALE----	1	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	1	2	1	1	1	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	4	2	2	1	-	2	1	2	-	-	-	-
WHITE------MALE----	3	1	2	1	-	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	3	1	2	3	3	1	2	-	-	-
WHITE------MALE----	-	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	2	2	3	1	1	-	-	-	-	-	-
WHITE------MALE----	5	2	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	70	-	1	-	-	3	6	5	7	14	10	7
WHITE------MALE----	37	-	-	-	-	1	4	2	3	9	4	4
FEMALE--	20	-	-	-	-	-	-	2	1	4	4	2
ALL OTHER--MALE----	9	-	-	-	-	1	1	1	2	1	2	1
FEMALE--	4	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	1	1	1	2	1	2	1
FEMALE--	3	-	1	-	-	-	1	-	1	-	-	-
NEW MEXICO ----------	7	-	-	-	-	-	2	-	1	-	1	2
WHITE------MALE----	4	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	115	-	-	-	2	7	11	10	10	14	8	11
WHITE------MALE----	67	-	-	-	2	6	6	5	5	10	6	7
FEMALE--	19	-	-	-	-	-	-	2	1	1	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	5	3	4	2	-	2
FEMALE--	6	-	-	-	-	1	-	-	-	1	2	-
BLACK---MALE----	19	-	-	-	-	-	4	2	4	2	-	2
FEMALE--	6	-	-	-	-	1	-	-	-	1	2	-
NORTH CAROLINA ---------	44	1	2	-	3	2	-	5	3	2	10	7
WHITE------MALE----	21	-	-	-	2	1	-	4	1	2	2	4
FEMALE--	12	-	1	-	-	-	-	1	1	-	4	1
ALL OTHER--MALE----	6	1	-	-	1	1	-	-	-	-	1	2
FEMALE--	5	-	1	-	-	-	-	-	1	-	3	-
BLACK---MALE----	5	1	-	-	1	-	-	-	-	-	1	2
FEMALE--	3	-	1	-	-	-	-	-	1	-	1	-
NORTH DAKOTA ----------	4	-	-	-	-	1	-	2	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3984

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
NEW HAMPSHIRE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	1	3	-	1	4	1	1	1	-	-
WHITE------MALE----	4	-	1	2	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	1	-	1	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	17	8	1	2	2	1	4	4	1	-	-	2
WHITE------MALE----	8	5	1	1	1	-	-	3	-	-	-	1
FEMALE--	6	1	-	-	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	1	-	1	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	4	1	3	1	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
OHIO ----------	77	5	-	-	2	3	7	3	6	12	12	9
WHITE------MALE----	39	3	-	-	-	2	3	1	4	8	8	3
FEMALE--	23	1	-	-	2	-	2	1	2	2	1	2
ALL OTHER--MALE----	8	1	-	-	-	1	-	-	-	1	2	3
FEMALE--	7	-	-	-	-	-	2	1	-	1	1	1
BLACK---MALE----	8	1	-	-	-	1	-	-	-	1	2	3
FEMALE--	7	-	-	-	-	-	2	1	-	1	1	1
OKLAHOMA ----------	46	2	-	1	-	1	2	3	5	8	5	4
WHITE------MALE----	26	1	-	-	-	1	1	1	3	2	3	4
FEMALE--	13	-	-	1	-	-	-	2	1	4	1	-
ALL OTHER--MALE----	6	1	-	-	-	-	1	-	1	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	51	1	1	1	-	2	2	2	3	14	10	8
WHITE------MALE----	31	-	1	-	-	1	2	1	2	9	7	5
FEMALE--	17	-	-	1	-	1	-	1	1	5	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	193	1	1	-	2	11	20	17	22	31	31	19
WHITE------MALE----	106	-	-	-	1	10	10	11	11	21	13	9
FEMALE--	61	-	-	-	-	-	5	5	8	7	17	7
ALL OTHER--MALE----	21	-	-	-	1	1	5	1	3	1	1	3
FEMALE--	5	1	1	-	-	-	-	-	-	2	-	-
BLACK---MALE----	20	-	-	-	1	1	5	1	3	1	1	3
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	44	-	-	-	-	3	1	2	2	13	9	6
WHITE------MALE----	23	-	-	-	-	3	-	1	1	5	5	4
FEMALE--	16	-	-	-	-	-	1	1	1	7	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
SOUTH CAROLINA ---------	28	2	-	-	-	1	1	1	3	6	4	3
WHITE------MALE----	11	1	-	-	-	-	-	1	2	2	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	6	1	-	-	-	1	-	-	1	2	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	6	1	-	-	-	1	-	-	1	2	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
OHIO ----------	7	4	2	1	1	1	1	1	-	-	-	-
WHITE------MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	3	3	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	4	1	2	4	2	1	-	1	-	-	-	-
WHITE------MALE----	3	1	1	4	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	1	1	-	1	1	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	11	8	9	2	1	2	1	3	-	-	1	-
WHITE------MALE----	4	6	5	1	1	1	-	2	-	-	-	-
FEMALE--	4	1	3	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	3	1	-	1	-	-	-	-	-	-	1
WHITE------MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	4	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
SOUTH DAKOTA ----------	11	-	-	-	-	1	1	1	-	1	1	2
WHITE------MALE----	6	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	77	1	-	-	2	4	4	4	8	18	9	14
WHITE------MALE----	39	1	-	-	2	3	2	2	6	8	6	4
FEMALE--	29	-	-	-	-	1	1	1	2	10	2	7
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	-	1	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	159	1	3	1	2	11	14	14	15	28	22	13
WHITE------MALE----	81	-	-	1	1	6	9	10	8	14	12	3
FEMALE--	54	1	2	-	-	3	3	2	7	10	6	9
ALL OTHER--MALE----	20	-	-	-	1	2	1	2	-	3	4	1
FEMALE--	4	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	20	-	-	-	1	2	1	2	-	3	4	1
FEMALE--	4	-	1	-	-	-	1	-	-	1	-	-
UTAH ----------	159	-	1	1	-	4	6	15	22	33	30	31
WHITE------MALE----	114	-	1	1	-	3	6	12	15	24	24	17
FEMALE--	37	-	-	-	-	-	-	2	7	8	4	11
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	-	1	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	11	-	-	-	-	2	1	1	1	1	3	1
WHITE------MALE----	7	-	-	-	-	1	1	1	1	-	2	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	27	-	-	-	-	2	4	-	3	3	3	5
WHITE------MALE----	12	-	-	-	-	1	2	-	1	1	2	3
FEMALE--	8	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	2	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	1	2	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
SOUTH DAKOTA ----------	1	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	1	-	1	3	-	-	2	-	-	-	-
WHITE------MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	10	7	4	5	3	3	1	1	-	-	-	1
WHITE------MALE----	5	3	1	3	2	2	-	-	-	-	-	1
FEMALE--	1	2	3	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	9	4	1	1	-	-	-	-	-	-	-	1
WHITE------MALE----	7	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	4	1	1	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3987

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
WASHINGTON ----------	103	-	-	-	2	2	4	9	13	14	14	19
WHITE------MALE----	55	-	-	-	2	1	2	6	3	8	7	12
FEMALE--	36	-	-	-	-	-	2	3	6	4	6	6
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	3	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	39	-	-	-	-	1	3	4	2	5	9	4
WHITE------MALE----	27	-	-	-	-	1	1	4	2	4	7	3
FEMALE--	10	-	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	48	-	-	-	-	3	3	5	2	9	6	5
WHITE------MALE----	30	-	-	-	-	2	1	4	-	7	4	4
FEMALE--	14	-	-	-	-	-	1	1	2	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
WYOMING ----------	4	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
WASHINGTON ----------	8	6	2	6	-	1	-	2	1	-	-	-
WHITE------MALE----	3	4	2	4	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	2	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	4	1	1	2	1	1	1	-	-	-	-	-
WHITE------MALE----	2	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	5	3	1	-	1	4	-	-	1	-	-	-
WHITE------MALE----	3	1	-	-	1	3	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3988

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
UNITED STATES -	2,473	8	5	1	3	52	142	208	317	487	511	389
WHITE------MALE----	1,288	1	2	-	1	37	93	117	182	260	268	183
FEMALE--	729	2	-	-	1	12	35	55	92	134	135	122
ALL OTHER--MALE----	329	4	1	1	-	1	9	30	30	68	68	65
FEMALE--	127	1	2	-	1	2	5	6	13	25	40	19
BLACK---MALE----	308	4	1	1	-	-	7	27	29	65	62	64
FEMALE--	114	1	2	-	1	1	4	6	12	22	36	18
ALABAMA ----------	16	-	-	-	1	-	-	2	1	1	3	4
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	9	-	-	-	-	-	-	2	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALASKA ----------	9	-	-	-	-	-	-	-	-	2	4	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	36	-	-	-	-	-	2	2	4	4	6	6
WHITE------MALE----	18	-	-	-	-	-	1	-	3	3	3	4
FEMALE--	14	-	-	-	-	-	-	2	-	1	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS ----------	49	2	-	-	-	-	3	5	5	13	8	8
WHITE------MALE----	24	-	-	-	-	-	1	-	4	7	6	3
FEMALE--	15	-	-	-	-	-	1	2	1	6	2	3
ALL OTHER--MALE----	7	1	-	-	-	-	1	3	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	1	-	-	-	-	1	3	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
CALIFORNIA ----------	100	1	1	-	-	1	7	8	11	15	12	20
WHITE------MALE----	52	-	1	-	-	1	6	5	6	10	4	10
FEMALE--	40	-	-	-	-	-	1	2	5	4	7	9
ALL OTHER--MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3988

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
UNITED STATES -	175	72	35	24	12	9	8	4	4	-	1	6
WHITE------MALE----	80	32	10	10	4	4	2	-	-	-	-	2
FEMALE--	52	28	19	13	7	5	6	4	4	-	1	2
ALL OTHER--MALE----	31	11	6	1	1	-	-	-	-	-	-	2
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	8	6	1	1	-	-	-	-	-	-	2
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	1	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	4	2	2	2	1	-	-	-	-	-	-	1
WHITE------MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	3	1	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	8	9	1	1	4	-	-	-	1	-	-	-
WHITE------MALE----	3	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	1	4	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3989

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
COLORADO ----------	80	-	-	-	-	1	3	6	9	22	18	15
WHITE------MALE----	44	-	-	-	-	-	3	2	5	15	9	8
FEMALE--	31	-	-	-	-	1	-	4	3	6	7	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT ----------	37	-	-	-	-	-	2	-	6	9	5	12
WHITE------MALE----	20	-	-	-	-	-	-	-	2	5	3	8
FEMALE--	14	-	-	-	-	-	1	-	4	4	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
DELAWARE ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	49	-	-	-	-	-	3	4	2	7	16	8
WHITE------MALE----	29	-	-	-	-	-	1	2	2	2	13	5
FEMALE--	20	-	-	-	-	-	2	2	-	5	3	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	14	1	1	-	-	1	1	2	1	1	-	5
WHITE------MALE----	6	-	1	-	-	1	-	1	-	1	-	2
FEMALE--	6	1	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
COLORADO ----------	3	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	4	-	1	1	-	-	-	1	-	-	-
WHITE------MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3990

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
HAWAII ----------	27	-	-	-	-	1	-	1	-	4	9	7
WHITE------MALE----	15	-	-	-	-	1	-	1	-	-	6	4
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	7	-	-	-	-	-	-	2	-	2	-	1
WHITE------MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	32	-	1	-	-	1	4	2	1	7	6	2
WHITE------MALE----	18	-	-	-	-	1	3	2	1	2	3	-
FEMALE--	10	-	-	-	-	-	1	-	-	4	3	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
INDIANA ----------	39	-	-	-	-	3	4	4	7	5	7	3
WHITE------MALE----	19	-	-	-	-	2	2	2	7	1	4	-
FEMALE--	13	-	-	-	-	1	-	1	-	3	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	1	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	1	1	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IOWA ----------	6	-	-	-	-	-	-	1	-	1	2	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	6	-	-	-	-	1	-	-	1	-	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
HAWAII ----------	3	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	2	1	2	1	-	-	-	-	-	-	-
WHITE------MALE----	2	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	1	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
KENTUCKY ----------	19	-	-	-	-	-	-	2	3	2	3	3
WHITE------MALE----	10	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	3	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	30	-	-	-	-	-	3	2	8	5	6	3
WHITE------MALE----	11	-	-	-	-	-	2	1	3	3	1	1
FEMALE--	13	-	-	-	-	-	1	1	4	1	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MAINE ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	544	1	-	1	-	9	23	49	71	115	126	86
WHITE------MALE----	218	-	-	-	-	7	16	25	29	40	54	28
FEMALE--	60	-	-	-	-	2	4	2	11	12	12	8
ALL OTHER--MALE----	209	1	-	1	-	-	3	18	22	48	44	42
FEMALE--	57	-	-	-	-	-	-	4	9	15	16	8
BLACK---MALE----	208	1	-	1	-	-	3	18	22	48	43	42
FEMALE--	57	-	-	-	-	-	-	4	9	15	16	8
MASSACHUSETTS ----------	375	-	-	-	-	5	33	43	69	73	75	42
WHITE------MALE----	244	-	-	-	-	3	25	29	49	47	42	24
FEMALE--	107	-	-	-	-	2	8	13	19	19	26	15
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	7	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	20	-	-	-	-	-	-	1	1	7	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	3	-
MICHIGAN ----------	120	1	-	-	-	2	9	6	17	20	26	22
WHITE------MALE----	61	1	-	-	-	1	4	3	8	14	13	11
FEMALE--	38	-	-	-	-	1	4	1	6	5	7	6
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	2	-	2	1
FEMALE--	12	-	-	-	-	-	-	1	1	1	4	4
BLACK---MALE----	9	-	-	-	-	-	1	1	2	-	2	1
FEMALE--	12	-	-	-	-	-	-	1	1	1	4	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
KENTUCKY ----------	2	3	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	40	10	5	2	2	1	-	-	-	-	-	3
WHITE------MALE----	13	1	1	1	1	1	-	-	-	-	-	1
FEMALE--	3	2	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	6	1	1	-	-	-	-	-	-	-	2
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	6	1	1	-	-	-	-	-	-	-	2
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	25	4	3	3	-	-	-	-	-	-	-	-
WHITE------MALE----	19	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	11	1	3	2	-	-	-	-	-	-	-	-
WHITE------MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	2	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3992

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
MINNESOTA ----------	15	-	-	-	-	-	2	-	3	-	3	2
WHITE------MALE----	10	-	-	-	-	-	1	-	3	-	2	2
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	7	-	-	-	-	-	-	-	1	1	2	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSOURI ----------	27	-	-	-	-	1	1	1	5	6	7	2
WHITE------MALE----	16	-	-	-	-	-	1	1	4	4	5	-
FEMALE--	8	-	-	-	-	1	-	-	-	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
MONTANA ----------	8	-	-	-	-	-	1	1	2	1	-	2
WHITE------MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	5	-	-	-	-	-	-	2	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	37	-	-	-	-	2	1	-	2	8	7	6
WHITE------MALE----	23	-	-	-	-	-	1	-	2	4	6	3
FEMALE--	11	-	-	-	-	1	-	-	-	3	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
MINNESOTA ----------	-	1	1	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	1	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	1	2	-	1	1	-	-	-	-	-	-
WHITE------MALE----	5	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
NEW HAMPSHIRE ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	42	-	1	-	-	1	3	4	4	12	8	3
WHITE------MALE----	20	-	-	-	-	1	3	1	3	7	2	1
FEMALE--	16	-	-	-	-	-	-	2	1	4	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	45	-	-	-	-	1	3	5	4	8	6	8
WHITE------MALE----	22	-	-	-	-	1	2	2	2	5	4	5
FEMALE--	10	-	-	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	2	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
NORTH CAROLINA ---------	20	-	1	-	-	-	-	3	2	1	6	4
WHITE------MALE----	8	-	-	-	-	-	-	2	1	1	-	2
FEMALE--	7	-	-	-	-	-	-	1	1	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	3	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	1	1	-	-	2	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	1	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3994

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
OHIO ----------	48	1	-	-	1	-	3	3	5	9	9	8
WHITE------MALE----	21	-	-	-	-	-	2	1	3	6	5	3
FEMALE--	16	-	-	-	1	-	-	1	2	2	1	2
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	1	1	-	1	1	1
OKLAHOMA ----------	16	-	-	-	-	-	-	-	4	2	3	3
WHITE------MALE----	11	-	-	-	-	-	-	-	3	-	3	3
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	34	-	-	-	-	-	-	1	-	12	8	7
WHITE------MALE----	19	-	-	-	-	-	-	-	-	8	5	4
FEMALE--	13	-	-	-	-	-	-	1	-	4	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	131	-	-	-	-	8	12	13	17	24	28	17
WHITE------MALE----	71	-	-	-	-	8	6	9	10	16	10	9
FEMALE--	50	-	-	-	-	-	5	4	6	6	17	6
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND ----------	41	-	-	-	-	3	1	2	2	13	9	6
WHITE------MALE----	21	-	-	-	-	3	-	1	1	5	5	4
FEMALE--	16	-	-	-	-	-	1	1	1	7	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	1
SOUTH CAROLINA ---------	11	-	-	-	-	-	-	-	2	3	3	1
WHITE------MALE----	5	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3994

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
OHIO ----------	3	3	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	1	-	1	-	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	-	2	-	-	-	-	1	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	2	2	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	48	-	-	-	-	1	2	2	7	15	5	11
WHITE------MALE----	21	-	-	-	-	1	1	1	5	6	3	3
FEMALE--	25	-	-	-	-	-	1	1	2	9	1	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	74	1	-	-	-	4	7	7	7	15	14	6
WHITE------MALE----	33	-	-	-	-	2	4	4	3	8	8	1
FEMALE--	34	1	-	-	-	2	2	2	4	6	5	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
UTAH ----------	146	-	-	-	-	3	4	14	20	31	30	29
WHITE------MALE----	105	-	-	-	-	3	4	11	14	23	24	15
FEMALE--	34	-	-	-	-	-	-	2	6	7	4	11
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	9	-	-	-	-	2	-	1	1	1	3	-
WHITE------MALE----	6	-	-	-	-	1	-	1	1	-	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	-	-	-	-	1	-	2	2	3	2
WHITE------MALE----	6	-	-	-	-	-	1	-	1	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	3	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	4	1	2	-	-	1	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	9	4	-	1	-	-	-	-	-	-	-	1
WHITE------MALE----	7	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
WASHINGTON ----------	53	-	-	-	1	-	3	3	6	5	12	13
WHITE------MALE----	26	-	-	-	1	-	2	1	1	3	5	9
FEMALE--	25	-	-	-	-	-	1	2	5	2	6	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	20	-	-	-	-	-	1	2	1	4	6	2
WHITE------MALE----	12	-	-	-	-	-	-	2	1	3	4	1
FEMALE--	7	-	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	20	-	-	-	-	1	-	2	2	4	2	3
WHITE------MALE----	10	-	-	-	-	-	-	1	-	3	1	3
FEMALE--	9	-	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 3996

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
WASHINGTON ----------	6	2	-	2	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	1	1	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	1	-	-	-	2	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
UNITED STATES -	42	-	-	-	-	3	1	3	5	5	7	5
WHITE------MALE----	21	-	-	-	-	2	-	2	2	4	5	2
FEMALE--	15	-	-	-	-	-	-	1	3	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
UNITED STATES -	7	3	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
COLORADO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 3999

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
HAWAII ----------	5	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	3	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
HAWAII ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4000

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	-	-	-	-	1	1	-	-	1	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4000

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4001

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	1	-	-	-	-	-	-	-	-	-	-	1
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4001

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4002

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4003

Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	3	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4004

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	-	-	-	-	-	-	-	1	-	1	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4004

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
WASHINGTON ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
WYOMING ----------	2	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
UNITED STATES -	80	1	2	-	-	1	5	4	6	9	12	6
WHITE------MALE----	48	-	-	-	-	1	4	3	1	5	10	3
FEMALE--	21	1	-	-	-	-	-	-	4	3	-	3
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
ALABAMA ----------	3	-	-	-	-	-	-	-	1	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALASKA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	2	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
UNITED STATES -	6	1	7	3	3	4	6	4	-	-	-	-
WHITE------MALE----	4	-	5	1	2	3	3	3	-	-	-	-
FEMALE--	2	1	1	-	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
COLORADO ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	4	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
COLORADO ----------	-	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	-	-	-	-	1	1	-	-	-	2	1
WHITE------MALE----	5	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	3	-	-	-	-	-	-	1	-	-	1	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	-	1	1	-	-	-	-	-	-	-	-
WHITE--MALE	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
KENTUCKY ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4009

Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
MINNESOTA ----------	5	-	1	-	-	-	-	-	2	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4010

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
MINNESOTA	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	1	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
OHIO ----------	3	-	-	-	-	-	-	-	-	1	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	-	-	-	-	-	1	-	1	2	-	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
OHIO	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-	-	2	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
SOUTH DAKOTA ----------	2	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	6	-	-	-	-	-	-	-	-	1	2	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	2	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4015

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
UNITED STATES -	324	-	3	-	12	68	59	32	19	28	29	18
WHITE------MALE----	212	-	1	-	11	39	37	19	12	21	20	10
FEMALE--	35	-	-	-	-	3	6	3	2	4	5	3
ALL OTHER--MALE----	65	-	2	-	1	22	13	9	4	3	1	5
FEMALE--	12	-	-	-	-	4	3	1	1	-	3	-
BLACK---MALE----	56	-	2	-	1	17	12	9	3	3	1	4
FEMALE--	10	-	-	-	-	3	3	1	1	-	2	-
ALABAMA ----------	8	-	-	-	-	3	1	2	-	1	-	-
WHITE------MALE----	4	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	2	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	9	-	-	-	-	1	3	1	-	-	2	-
WHITE------MALE----	7	-	-	-	-	1	2	1	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	7	-	-	-	1	1	-	1	-	1	1	1
WHITE------MALE----	5	-	-	-	1	1	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	31	-	-	-	1	7	6	4	1	3	3	2
WHITE------MALE----	17	-	-	-	1	5	5	1	1	2	1	-
FEMALE--	6	-	-	-	-	-	1	3	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4015

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
UNITED STATES -	10	6	8	9	6	6	7	4	-	-	-	-
WHITE------MALE----	6	4	5	8	4	5	6	4	-	-	-	-
FEMALE--	4	1	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	1	1	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4016

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
COLORADO ----------	7	-	-	-	1	1	-	-	1	1	1	-
WHITE------MALE----	6	-	-	-	1	1	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	14	-	-	-	-	4	4	2	-	1	-	-
WHITE------MALE----	11	-	-	-	-	1	4	2	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	15	-	-	-	1	3	1	2	-	2	2	1
WHITE------MALE----	9	-	-	-	1	2	1	-	-	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
COLORADO ----------	-	-	1	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4017

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	12	-	-	-	-	2	3	2	1	1	1	1
WHITE------MALE----	8	-	-	-	-	1	1	1	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	10	-	-	-	1	-	1	1	1	3	-	-
WHITE------MALE----	10	-	-	-	1	-	1	1	1	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	4	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	1	2	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	1	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4018

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
KENTUCKY ----------	12	-	-	-	-	2	2	1	-	1	2	1
WHITE------MALE----	9	-	-	-	-	1	2	1	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	15	-	1	-	-	2	3	-	2	2	3	-
WHITE------MALE----	10	-	1	-	-	1	2	-	1	2	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MAINE ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	-	1	-	-	3	1	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	4	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	7	-	1	-	-	2	1	1	-	1	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
KENTUCKY ----------	1	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
MINNESOTA ----------	4	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	4	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	10	-	-	-	1	6	-	-	-	-	-	-
WHITE------MALE----	6	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
MISSOURI ----------	11	-	-	-	1	3	1	1	2	-	1	1
WHITE------MALE----	9	-	-	-	1	2	1	1	1	-	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	3	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	6	-	-	-	-	-	2	-	-	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
MINNESOTA	-	-	-	-	-	-	1	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	1	-	-	1	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	-	1	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	1	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	2	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	-	-	-	1	-	1	1	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	1	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	-	-	-	-	1	1	2	1	1	-	-
WHITE------MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	5	-	-	-	1	1	-	1	-	-	1	1
WHITE------MALE----	4	-	-	-	1	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	1	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4021

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
OHIO ----------	11	-	-	-	-	3	2	-	-	1	2	-
WHITE------MALE----	8	-	-	-	-	2	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA ----------	5	-	-	-	-	1	1	-	-	1	1	1
WHITE------MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	2	-	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	10	-	-	-	1	2	3	1	-	-	1	1
WHITE------MALE----	4	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	-	-	-	1	1	1	-	1	1	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4021

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
OHIO ----------	1	1	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
SOUTH DAKOTA ----------	3	-	-	-	-	1	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	13	-	-	-	1	3	2	1	1	1	1	1
WHITE------MALE----	9	-	-	-	1	2	1	1	1	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	23	-	-	-	-	3	3	3	3	2	1	2
WHITE------MALE----	14	-	-	-	-	2	3	2	2	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	2	-	-	-	-	1	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	-	-	-	-	-	2	-	1	-	-	1
WHITE------MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	1	-	1	2	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
WASHINGTON ----------	7	-	-	-	-	2	1	-	-	1	1	1
WHITE------MALE----	4	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	7	-	-	-	-	1	1	1	1	1	-	1
WHITE------MALE----	6	-	-	-	-	1	1	1	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	3	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4024

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
UNITED STATES -	59	-	2	-	1	4	4	5	8	11	5	10
WHITE------MALE----	37	-	-	-	1	3	3	3	4	7	5	7
FEMALE--	10	-	-	-	-	-	1	1	-	2	-	2
ALL OTHER--MALE----	9	-	1	-	-	1	-	1	3	2	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	7	-	1	-	-	1	-	1	2	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	1
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	7	-	1	-	-	-	-	-	1	2	-	3
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4024

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
UNITED STATES -	2	1	1	-	1	3	-	-	1	-	-	-
WHITE------MALE----	1	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4025

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
COLORADO ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
COLORADO ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
KENTUCKY ----------	2	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4028

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	-	-	-	-	-	1	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	5	-	-	-	1	1	1	-	-	1	-	-
WHITE------MALE----	4	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
OHIO ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	-	-	-	-	-	-	-	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4030

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
OHIO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4031

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	3	-	-	-	-	-	1	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
WASHINGTON ----------	5	-	-	-	-	-	-	-	1	2	1	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
WASHINGTON ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4033

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	939	46	31	11	21	31	60	61	75	104	87	100
WHITE------MALE----	499	21	10	5	15	24	35	36	35	52	41	57
FEMALE--	207	11	10	5	3	4	3	15	14	23	17	15
ALL OTHER--MALE----	173	7	4	-	3	2	17	9	19	23	22	24
FEMALE--	60	7	7	1	-	1	5	1	7	6	7	4
BLACK---MALE----	141	6	4	-	3	2	15	6	14	17	20	19
FEMALE--	43	7	4	1	-	1	3	-	7	5	2	2
ALABAMA ----------	12	1	-	-	-	-	1	2	2	-	1	-
WHITE------MALE----	5	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	6	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	11	3	-	-	-	1	-	-	1	2	2	1
WHITE------MALE----	4	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	14	-	-	-	1	1	1	1	-	-	1	1
WHITE------MALE----	8	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	16	2	2	-	-	-	1	-	1	1	3	1
WHITE------MALE----	8	1	-	-	-	-	1	-	1	1	1	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	112	3	6	-	1	3	2	6	8	14	14	24
WHITE------MALE----	65	1	2	-	-	2	2	3	6	10	7	15
FEMALE--	29	2	3	-	1	1	-	1	1	2	5	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	1	5
FEMALE--	7	-	1	-	-	-	-	1	1	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
UNITED STATES -	65	53	34	34	20	29	24	25	13	2	-	13
WHITE------MALE----	36	32	22	22	9	15	10	11	3	1	-	7
FEMALE--	11	10	9	7	6	10	12	10	8	1	-	3
ALL OTHER--MALE----	15	11	3	2	3	3	2	2	-	-	-	2
FEMALE--	3	-	-	3	2	1	-	2	2	-	-	1
BLACK---MALE----	15	9	1	2	2	3	-	1	-	-	-	2
FEMALE--	3	-	-	3	1	1	-	2	-	-	-	1
ALABAMA ----------	2	-	-	-	-	2	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	2	2	-	-	-	-	-	1	-	-	3
WHITE------MALE----	-	1	2	-	-	-	-	-	-	-	-	2
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	1	1	1	-	1	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA ----------	3	5	1	3	3	3	8	1	1	-	-	3
WHITE------MALE----	2	5	1	2	-	2	2	-	1	-	-	2
FEMALE--	1	-	-	1	1	-	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
COLORADO ----------	20	2	-	-	-	-	1	3	-	2	2	3
WHITE------MALE----	14	1	-	-	-	-	1	1	-	1	2	3
FEMALE--	4	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	9	-	-	-	-	-	1	1	-	2	1	-
WHITE------MALE----	7	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	3	-	-	1	-	-	-	-	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	47	3	1	2	1	1	2	2	4	3	5	5
WHITE------MALE----	18	2	1	1	-	1	1	-	2	1	1	3
FEMALE--	16	-	-	1	1	-	-	1	-	2	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	5	1	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	5	1	-	-	-	-	1	-	1	-	1	1
GEORGIA ----------	23	-	-	1	-	2	1	1	2	3	4	-
WHITE------MALE----	10	-	-	-	-	2	1	-	1	1	1	-
FEMALE--	3	-	-	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
COLORADO ----------	2	4	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	1	1	-	-	1	-	-	1	-	-	-
WHITE------MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	3	2	1	-	4	2	1	1	-	-	2
WHITE------MALE----	-	2	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	1	1	-	-	2
ALL OTHER--MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	3	1	2	-	-	-	1	1	-	1	-	-
WHITE------MALE----	-	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
HAWAII ----------	4	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	6	1	1	1	-	-	-	1	1	1	-	-
WHITE------MALE----	5	1	1	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	52	-	2	-	-	1	7	8	6	3	6	8
WHITE------MALE----	24	-	1	-	-	1	4	6	-	2	2	3
FEMALE--	7	-	1	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	3	2	3	-	3	4
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	15	-	-	-	-	-	2	1	3	-	3	4
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
INDIANA ----------	23	3	-	-	3	1	2	-	4	-	1	4
WHITE------MALE----	13	2	-	-	3	1	1	-	1	-	1	2
FEMALE--	6	1	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
IOWA ----------	6	1	1	-	1	-	1	2	-	-	-	-
WHITE------MALE----	4	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	5	-	2	-	1	-	-	-	-	-	1	1
WHITE------MALE----	3	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
HAWAII ----------	-	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	2	2	1	3	1	1	-	1	-	-	-	-
WHITE------MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
INDIANA ----------	1	2	-	-	-	-	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
KENTUCKY ----------	5	-	1	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	26	5	1	-	-	2	2	2	1	3	2	1
WHITE------MALE----	9	1	-	-	-	2	-	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	2	-	-	-	-	2	1	1	2	-	1
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	2	-	-	-	-	2	1	1	2	-	1
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	35	-	3	-	1	2	3	2	3	7	4	1
WHITE------MALE----	12	-	-	-	-	1	1	-	-	3	1	1
FEMALE--	4	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	18	-	2	-	1	-	1	1	3	3	3	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	2	-	1	-	1	1	3	3	3	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	32	2	1	-	-	-	4	-	5	4	3	4
WHITE------MALE----	21	1	-	-	-	-	4	-	5	1	2	3
FEMALE--	11	1	1	-	-	-	-	-	-	3	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	33	1	2	2	-	1	-	-	2	5	4	4
WHITE------MALE----	15	1	1	1	-	1	-	-	1	3	2	1
FEMALE--	7	-	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
KENTUCKY ----------	-	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	1	1	2	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	4	-	1	1	1	-	-	-	1	-	-	1
WHITE------MALE----	2	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	3	1	1	2	-	1	-	1	-	-	-	-
WHITE------MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	3	1	-	2	1	2	1	1	-	-	-	1
WHITE------MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MINNESOTA ----------	24	4	1	-	-	-	1	2	3	3	2	3
WHITE------MALE----	9	2	-	-	-	-	-	1	2	1	-	1
FEMALE--	7	2	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	1	1	2	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	12	-	-	-	-	-	2	-	1	3	1	1
WHITE------MALE----	6	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSOURI ----------	23	3	-	-	1	-	3	2	1	2	2	1
WHITE------MALE----	18	-	-	-	1	-	3	2	1	2	1	1
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	4	-	-	-	1	-	-	1	-	-	1	1
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	17	-	-	-	-	1	-	-	2	1	-	1
WHITE------MALE----	8	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	-	-	-	1	-	1	-	1	2	3	3
WHITE------MALE----	9	-	-	-	1	-	1	-	1	-	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
MINNESOTA ----------	1	-	-	-	1	-	1	1	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	2	1	-	-	1	-	2	-	-	-	-
WHITE------MALE----	2	1	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	2	1	1	2	3	1	2	-	-	-
WHITE------MALE----	-	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
NEW HAMPSHIRE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	16	-	-	-	-	-	2	-	2	1	1	2
WHITE------MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NEW MEXICO ----------	2	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	58	-	-	-	1	4	6	2	5	4	2	3
WHITE------MALE----	37	-	-	-	1	3	3	1	3	3	2	2
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	3	-	2	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	3	-	2	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
NORTH CAROLINA ---------	18	1	1	-	2	1	-	1	1	-	3	2
WHITE------MALE----	8	-	-	-	1	1	-	1	-	-	1	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NORTH DAKOTA ----------	2	-	-	-	-	-	-	1	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
NEW HAMPSHIRE ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	-	-	-	-	1	2	1	1	1	-	-
WHITE------MALE----	2	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	11	7	1	2	1	-	3	4	-	-	-	2
WHITE------MALE----	7	5	1	1	1	-	-	3	-	-	-	1
FEMALE--	3	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	1	2	1	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
OHIO ----------	13	4	-	-	1	-	2	-	1	-	-	1
WHITE------MALE----	8	3	-	-	-	-	1	-	1	-	-	-
FEMALE--	4	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	23	2	-	1	-	-	1	3	1	4	1	-
WHITE------MALE----	11	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	1	-	-	-	2	1	2	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	14	1	1	1	-	2	-	1	3	1	2	1
WHITE------MALE----	9	-	1	-	-	1	-	1	2	-	2	1
FEMALE--	4	-	-	1	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	38	1	1	-	1	1	4	3	2	4	2	1
WHITE------MALE----	23	-	-	-	1	-	3	2	-	3	2	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	1	1	-	1
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	1	-	1	1	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	2	-	-	-	-	-	-	1	2	-	2
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	1	-	-	-	-	-	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
OHIO ----------	2	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	-	1	3	1	1	-	1	-	-	-	-
WHITE------MALE----	3	-	1	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	2	5	5	2	-	2	-	2	-	-	-	-
WHITE------MALE----	1	4	3	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	1	1	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	2	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4040

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
SOUTH DAKOTA ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	15	1	-	-	1	-	-	1	-	2	3	2
WHITE------MALE----	9	1	-	-	1	-	-	-	-	2	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	53	-	3	1	2	4	3	4	4	10	5	3
WHITE------MALE----	30	-	-	1	1	2	2	4	3	4	1	2
FEMALE--	11	-	2	-	-	1	-	-	1	3	1	1
ALL OTHER--MALE----	11	-	-	-	1	1	1	-	-	3	3	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	1	1	1	-	-	3	3	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH ----------	9	-	1	1	-	-	2	1	1	2	-	1
WHITE------MALE----	7	-	1	1	-	-	2	1	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	7	-	-	-	-	1	1	-	-	1	-	2
WHITE------MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
SOUTH DAKOTA ----------	1	-	-	-	1	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	2	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	1	2	2	2	1	-	1	-	-	-	1
WHITE------MALE----	2	1	1	2	2	1	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
WASHINGTON ----------	36	-	-	-	1	-	-	5	5	6	-	5
WHITE------MALE----	19	-	-	-	1	-	-	4	-	3	-	3
FEMALE--	9	-	-	-	-	-	-	1	1	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	3	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA ----------	9	-	-	-	-	-	1	1	-	-	2	1
WHITE------MALE----	7	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	16	-	-	-	-	2	-	2	-	4	1	2
WHITE------MALE----	12	-	-	-	-	2	-	2	-	3	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
WYOMING ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
WASHINGTON ----------	2	3	2	4	-	-	-	2	1	-	-	-
WHITE------MALE----	1	2	2	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WEST VIRGINIA ----------	2	-	-	1	-	1	-	-	-	-	-	-
WHITE------MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	2	1	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4042

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
UNITED STATES -	398	-	-	-	1	20	47	66	70	72	49	19
WHITE------MALE----	250	-	-	-	-	9	22	39	47	44	32	15
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	142	-	-	-	1	11	25	27	22	25	16	4
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	125	-	-	-	1	10	22	24	17	21	15	4
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALABAMA ----------	5	-	-	-	-	1	-	-	2	2	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	23	-	-	-	-	2	2	6	4	5	1	-
WHITE------MALE----	19	-	-	-	-	1	2	5	4	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	2	-	2	3	1
WHITE------MALE----	8	-	-	-	-	-	-	1	-	2	3	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	70	-	-	-	-	2	12	10	14	12	8	3
WHITE------MALE----	48	-	-	-	-	2	5	8	9	9	6	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	7	2	5	3	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	5	1	3	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4042

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
UNITED STATES -	31	9	11	2	-	1	-	-	-	-	-	-
WHITE------MALE----	24	7	8	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	1	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	5	-	2	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4043

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
COLORADO ----------	6	-	-	-	-	-	1	2	1	1	-	1
WHITE------MALE----	6	-	-	-	-	-	1	2	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	5	-	-	-	-	-	-	1	1	-	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	1	1	-	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	14	-	-	-	-	-	1	2	3	2	2	1
WHITE------MALE----	10	-	-	-	-	-	-	1	3	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	6	-	-	-	-	-	1	1	1	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4044

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
HAWAII ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	-	-	-	-	2	1	-	-	2	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	9	-	-	-	-	-	1	4	-	-	1	1
WHITE------MALE----	5	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	-	-	-	-	1	1	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4044

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
KENTUCKY ----------	3	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	-	-	-	-	-	-	3	3	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	15	-	-	-	-	1	2	4	1	3	3	-
WHITE------MALE----	5	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	1	2	2	-	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	2	2	-	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	1	1	3	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
KENTUCKY ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	-	-	-	-	1	1	-	2	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	7	-	-	-	-	-	-	1	-	1	1	1
WHITE------MALE----	5	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	9	-	-	-	-	1	1	1	4	1	1	-
WHITE------MALE----	5	-	-	-	-	1	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	2	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	-	-	-	-	1	-	2	2	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	-	-	-	-	-	-	1	2	3	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	2	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	-	-	-	-	2	-	-	2	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	7	-	-	-	-	-	1	1	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
OHIO ----------	13	-	-	-	-	1	2	3	2	1	4	-
WHITE------MALE----	6	-	-	-	-	-	1	1	1	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	2	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	2	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	14	-	-	-	-	5	2	2	-	2	3	-
WHITE------MALE----	10	-	-	-	-	4	2	2	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	-	1	1	1	1	1	-
WHITE------MALE----	6	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	-	-	-	-	-	2	1	1	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	10	-	-	-	-	-	1	2	1	-	2	2
WHITE------MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	2	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	2	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4049

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	-	-	-	-	-	-	1	2	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	45	-	-	-	-	-	3	2	6	12	11	2
WHITE------MALE----	33	-	-	-	-	-	2	1	6	7	9	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	1	1	-	5	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	1	1	-	5	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	7	-	-	-	-	-	3	-	2	2	-	-
WHITE------MALE----	5	-	-	-	-	-	2	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	21	-	-	-	-	-	2	8	6	3	-	-
WHITE------MALE----	14	-	-	-	-	-	1	3	5	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	5	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	5	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	5	1	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
WASHINGTON ----------	9	-	-	-	-	-	2	1	2	2	-	1
WHITE------MALE----	7	-	-	-	-	-	1	1	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4050

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4051

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
UNITED STATES -	88	-	-	-	-	-	1	11	8	25	18	5
WHITE------MALE----	54	-	-	-	-	-	1	4	7	14	10	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	7	1	11	8	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	6	1	9	7	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	6	-	-	-	-	-	-	-	-	4	1	-
WHITE------MALE----	5	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	4	-	-	-	-	-	-	-	-	-	2	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
UNITED STATES -	12	4	4	-	-	-	-	-	-	-	-	-
WHITE------MALE----	8	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4052

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
COLORADO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4053

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4054

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
KENTUCKY ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
MINNESOTA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	1	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
OHIO ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	5	-	-	-	-	-	-	1	-	1	3	-
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	4	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	35	-	-	-	-	-	-	2	4	11	8	2
WHITE------MALE----	24	-	-	-	-	-	-	1	4	6	6	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	5	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	5	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	12	-	-	-	-	-	1	5	3	2	-	-
WHITE------MALE----	7	-	-	-	-	-	1	1	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	4	1	3	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4059

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal execution (Y35.5)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Legal execution (Y35.5)												
WASHINGTON ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4060

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
UNITED STATES -	310	-	-	-	1	20	46	55	62	47	31	14
WHITE------MALE----	196	-	-	-	-	9	21	35	40	30	22	11
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	108	-	-	-	1	11	25	20	21	14	8	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	95	-	-	-	1	10	22	18	16	12	8	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALABAMA ----------	4	-	-	-	-	1	-	-	2	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	17	-	-	-	-	2	2	6	4	1	-	-
WHITE------MALE----	14	-	-	-	-	1	2	5	4	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	5	-	-	-	-	-	-	2	-	2	1	-
WHITE------MALE----	4	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	68	-	-	-	-	2	12	10	14	12	7	3
WHITE------MALE----	48	-	-	-	-	2	5	8	9	9	6	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	7	2	5	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	5	1	3	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4060

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
UNITED STATES -	19	5	7	2	-	1	-	-	-	-	-	-
WHITE------MALE----	16	3	6	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	1	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	4	-	2	1	-	1	-	-	-	-	-	-
WHITE------MALE----	3	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
COLORADO ----------	6	-	-	-	-	-	1	2	1	1	-	1
WHITE------MALE----	6	-	-	-	-	-	1	2	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	4	-	-	-	-	-	-	-	1	-	2	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	1	1	-	2	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	13	-	-	-	-	-	1	2	3	2	2	1
WHITE------MALE----	9	-	-	-	-	-	-	1	3	2	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	6	-	-	-	-	-	1	1	1	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
COLORADO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
HAWAII ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	-	-	-	-	2	1	-	-	1	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	8	-	-	-	-	-	1	4	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	4	-	-	-	-	-	1	1	-	1	-	1
WHITE------MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	1	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	1	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
KENTUCKY ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	-	-	-	-	-	-	-	3	2	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	2	-	-	-	-	-	-	1	-	-	-	1
WHITE------MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	14	-	-	-	-	1	2	4	1	2	3	-
WHITE------MALE----	5	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	1	2	2	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	2	2	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	6	-	-	-	-	1	1	3	-	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
KENTUCKY ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
MINNESOTA ----------	2	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	6	-	-	-	-	1	1	-	2	1	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	5	-	-	-	-	-	-	1	-	1	1	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	8	-	-	-	-	1	1	-	4	1	1	-
WHITE------MALE----	5	-	-	-	-	1	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
MINNESOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4065

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
NEW HAMPSHIRE ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	-	-	-	-	-	1	-	2	2	-	-
WHITE------MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	6	-	-	-	-	-	-	1	2	3	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	2	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	8	-	-	-	-	2	-	-	2	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	1	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
OHIO ----------	12	-	-	-	-	1	2	3	2	-	4	-
WHITE------MALE----	5	-	-	-	-	-	1	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	2	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	2	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	9	-	-	-	-	5	2	1	-	1	-	-
WHITE------MALE----	8	-	-	-	-	4	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	6	-	-	-	-	-	1	1	1	1	1	-
WHITE------MALE----	6	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	7	-	-	-	-	-	2	1	1	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	6	-	-	-	-	-	1	2	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
OHIO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	-	-	-	-	-	-	1	2	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	1	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	10	-	-	-	-	-	3	-	2	1	3	-
WHITE------MALE----	9	-	-	-	-	-	2	-	2	1	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	-	-	-	3	-	2	1	-	-
WHITE------MALE----	4	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	9	-	-	-	-	-	1	3	3	1	-	-
WHITE------MALE----	7	-	-	-	-	-	-	2	3	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
SOUTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
WASHINGTON ----------	9	-	-	-	-	-	2	1	2	2	-	1
WHITE------MALE----	7	-	-	-	-	-	1	1	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	2	-	1
WHITE------MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)												
WASHINGTON ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
UNITED STATES -	23	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
UNITED STATES -	2	1	-	2	6	4	4	2	1	-	-	-
WHITE------MALE----	2	1	-	1	6	4	3	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
COLORADO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
COLORADO ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	-	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
KENTUCKY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
MINNESOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
MINNESOTA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	-	-	1	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
OHIO ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
OHIO ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
WASHINGTON ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
WASHINGTON ----------	-	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4078

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
UNITED STATES -	2,823	54	30	7	11	17	19	29	49	66	86	91
WHITE------MALE----	1,078	22	11	3	4	7	10	4	28	30	30	26
FEMALE--	1,236	13	10	3	4	8	5	12	11	22	32	42
ALL OTHER--MALE----	230	9	1	1	1	1	3	5	6	7	11	11
FEMALE--	279	10	8	-	2	1	1	8	4	7	13	12
BLACK---MALE----	197	8	1	1	1	1	3	4	6	6	10	11
FEMALE--	252	10	8	-	2	1	1	6	2	7	12	10
ALABAMA ----------	56	-	-	-	1	1	1	1	1	2	2	-
WHITE------MALE----	18	-	-	-	1	1	-	-	1	1	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
ALASKA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	45	-	1	-	-	-	-	-	2	1	2	2
WHITE------MALE----	19	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	42	-	-	-	-	-	-	3	3	-	1	1
WHITE------MALE----	16	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	20	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	138	8	3	-	-	1	2	2	6	7	5	6
WHITE------MALE----	49	5	-	-	-	1	2	-	3	4	2	2
FEMALE--	61	2	2	-	-	-	-	1	2	2	1	1
ALL OTHER--MALE----	16	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	12	1	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	11	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	8	1	-	-	-	-	-	-	-	1	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
UNITED STATES -	123	138	177	229	357	401	410	312	153	52	12	-
WHITE------MALE----	46	55	71	87	148	169	159	108	43	16	1	-
FEMALE--	45	43	71	106	151	174	197	158	94	28	7	-
ALL OTHER--MALE----	15	22	17	15	29	24	23	20	6	1	2	-
FEMALE--	17	18	18	21	29	34	31	26	10	7	2	-
BLACK---MALE----	15	16	14	13	27	22	18	12	6	1	1	-
FEMALE--	16	18	14	19	27	31	25	25	10	6	2	-
ALABAMA ----------	3	1	3	7	9	8	5	7	3	1	-	-
WHITE------MALE----	1	1	1	1	6	1	1	2	-	-	-	-
FEMALE--	2	-	1	4	2	4	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	1	1	1	-	-
ALASKA ----------	-	-	1	1	1	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	10	4	2	4	8	6	-	-	-	-
WHITE------MALE----	1	-	2	2	1	2	4	3	-	-	-	-
FEMALE--	1	1	6	2	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	4	1	2	3	3	11	3	5	-	-	-
WHITE------MALE----	-	2	1	1	1	1	4	2	1	-	-	-
FEMALE--	2	1	-	1	2	1	7	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	2	4	9	9	13	23	23	9	3	1	2	-
WHITE------MALE----	2	1	3	5	-	6	9	3	1	-	-	-
FEMALE--	-	2	4	3	11	13	9	3	2	1	2	-
ALL OTHER--MALE----	-	1	2	-	1	3	2	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
COLORADO ----------	46	2	1	1	-	-	1	1	1	1	-	4
WHITE------MALE----	18	1	-	-	-	-	1	1	1	-	-	1
FEMALE--	23	-	-	1	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	51	-	-	-	-	-	-	-	-	2	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	10	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	122	2	1	1	-	1	1	1	-	3	2	6
WHITE------MALE----	41	1	1	1	-	-	-	-	-	1	-	1
FEMALE--	61	1	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	10	-	-	-	-	1	1	1	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	1	1	1	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
GEORGIA ----------	110	1	-	1	-	2	1	2	2	3	4	4
WHITE------MALE----	30	1	-	1	-	1	-	-	1	2	1	-
FEMALE--	43	-	-	-	-	-	1	1	-	1	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	17	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	17	-	-	-	-	1	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
COLORADO ----------	3	6	1	1	7	5	3	7	1	-	-	-
WHITE------MALE----	1	3	-	-	1	2	-	5	1	-	-	-
FEMALE--	1	2	1	1	5	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	3	4	5	4	8	8	8	4	1	-	-
WHITE------MALE----	1	1	2	2	-	3	1	1	-	1	-	-
FEMALE--	1	1	1	3	3	4	5	6	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	1	2	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	1	3	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
FLORIDA ----------	2	4	4	8	14	20	24	16	7	3	2	-
WHITE------MALE----	1	2	2	3	5	5	9	6	2	1	-	-
FEMALE--	1	1	1	5	7	9	12	9	5	2	2	-
ALL OTHER--MALE----	-	1	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	1	-	-	-	-
GEORGIA ----------	7	8	9	11	9	7	16	15	7	1	-	-
WHITE------MALE----	-	2	1	3	4	4	1	4	3	1	-	-
FEMALE--	2	1	3	4	5	2	11	6	3	-	-	-
ALL OTHER--MALE----	2	5	3	1	-	1	1	2	-	-	-	-
FEMALE--	3	-	2	3	-	-	3	3	1	-	-	-
BLACK---MALE----	2	5	3	1	-	1	1	2	-	-	-	-
FEMALE--	3	-	2	3	-	-	3	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4080

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
HAWAII ----------	11	-	-	-	1	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	11	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	155	-	1	-	2	1	1	2	-	1	7	3
WHITE------MALE----	63	-	-	-	1	-	1	-	-	1	2	3
FEMALE--	55	-	1	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	1	-	-	1	-	-	3	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	1	-	-	1	-	-	3	-
INDIANA ----------	87	2	2	-	1	-	-	-	1	3	-	4
WHITE------MALE----	39	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	42	1	1	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
IOWA ----------	26	2	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	34	-	-	1	-	-	-	-	-	-	1	3
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	1	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4080

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
HAWAII ----------	1	-	1	-	-	1	3	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	2	-	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	6	6	13	12	18	26	23	19	11	3	-	-
WHITE------MALE----	5	2	7	5	6	11	11	4	3	1	-	-
FEMALE--	-	2	3	4	4	10	9	11	6	2	-	-
ALL OTHER--MALE----	-	2	1	3	2	1	1	-	1	-	-	-
FEMALE--	1	-	2	-	6	4	2	4	1	-	-	-
BLACK---MALE----	-	2	1	3	2	1	1	-	1	-	-	-
FEMALE--	1	-	2	-	5	4	2	4	1	-	-	-
INDIANA ----------	2	4	7	8	15	16	10	6	4	1	1	-
WHITE------MALE----	-	3	3	5	7	7	6	4	1	-	-	-
FEMALE--	2	1	4	3	7	9	4	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	1	-	2	2	5	2	6	2	-	3	-	-
WHITE------MALE----	1	-	1	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	1	2	4	2	4	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	3	1	2	5	3	8	4	2	-	-
WHITE------MALE----	-	1	3	-	1	2	-	3	1	1	-	-
FEMALE--	-	-	-	1	1	3	3	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
KENTUCKY ----------	52	1	-	1	-	-	-	-	-	1	1	2
WHITE------MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	55	3	2	-	-	1	1	-	-	-	-	2
WHITE------MALE----	10	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	7	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	-
MAINE ----------	10	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	63	3	1	-	-	1	-	2	-	4	2	1
WHITE------MALE----	17	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	2	-	2	2	1
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	43	-	-	-	-	-	-	1	-	4	2	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	26	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	107	2	2	-	-	-	-	1	-	4	5	6
WHITE------MALE----	35	1	2	-	-	-	-	-	-	1	1	1
FEMALE--	46	-	-	-	-	-	-	1	-	1	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	15	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	15	1	-	-	-	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
KENTUCKY ----------	4	2	2	4	11	9	5	5	4	-	-	-
WHITE------MALE----	2	-	2	2	6	6	2	2	2	-	-	-
FEMALE--	2	2	-	1	3	3	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
LOUISIANA ----------	6	5	4	4	6	6	4	8	3	-	-	-
WHITE------MALE----	-	1	1	1	2	1	1	1	-	-	-	-
FEMALE--	3	2	2	2	2	3	2	2	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	2	2	-	1	2	2	1	3	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	2	2	-	1	2	2	1	3	-	-	-	-
MAINE ----------	-	-	-	-	4	3	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	2	4	6	11	7	7	6	3	-	-	-
WHITE------MALE----	-	1	2	3	4	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	2	6	3	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	-	2	1	-	-	-
BLACK---MALE----	2	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	-	2	1	-	-	-
MASSACHUSETTS ----------	6	1	3	3	-	3	7	2	7	2	1	-
WHITE------MALE----	3	-	-	1	-	2	4	-	2	-	-	-
FEMALE--	3	1	2	2	-	1	3	2	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	14	2	8	16	15	15	7	8	-	-	-
WHITE------MALE----	1	3	-	3	3	8	6	2	3	-	-	-
FEMALE--	1	5	1	4	7	4	8	5	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	3	2	-	-	-	-	-	-
FEMALE--	-	5	-	1	3	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	3	2	-	-	-	-	-	-
FEMALE--	-	5	-	1	3	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4082

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
MINNESOTA ----------	68	5	-	-	1	-	-	1	2	-	4	1
WHITE------MALE----	31	3	-	-	1	-	-	-	2	-	2	-
FEMALE--	33	1	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	53	3	2	-	-	-	-	1	-	2	2	-
WHITE------MALE----	22	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	1	-	-	-	-	1	-	-	1	-
MISSOURI ----------	64	-	-	-	-	-	-	1	-	1	1	2
WHITE------MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	15	-	1	-	-	-	-	-	2	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
MINNESOTA ----------	2	3	4	8	6	7	10	6	2	4	2	-
WHITE------MALE----	1	-	2	4	3	1	6	1	2	2	1	-
FEMALE--	1	3	2	3	3	5	4	5	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	5	4	5	7	7	5	5	1	1	1	-
WHITE------MALE----	1	1	1	2	5	4	2	4	-	-	-	-
FEMALE--	-	1	3	2	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	-	1	1	-
BLACK---MALE----	-	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	-	1	1	-
MISSOURI ----------	1	2	7	10	10	6	9	7	4	3	-	-
WHITE------MALE----	-	1	2	3	6	1	3	4	2	-	-	-
FEMALE--	-	1	5	6	3	3	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
MONTANA ----------	-	1	-	1	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	1	2	1	4	3	2	4	-	-
WHITE------MALE----	-	1	-	1	1	-	2	2	-	2	-	-
FEMALE--	-	-	-	-	1	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	2	3	4	2	-	-	-	-	-
WHITE------MALE----	-	-	1	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
NEW HAMPSHIRE ----------	13	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	91	1	1	-	-	2	-	-	2	5	5	4
WHITE------MALE----	45	1	1	-	-	1	-	-	1	4	1	2
FEMALE--	27	-	-	-	-	1	-	-	-	1	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	1
NEW MEXICO ----------	35	-	-	-	-	-	-	1	2	1	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	150	1	3	1	-	1	3	2	3	2	4	9
WHITE------MALE----	44	-	2	-	-	1	2	-	1	1	2	-
FEMALE--	76	1	-	1	-	-	-	-	1	1	-	6
ALL OTHER--MALE----	14	-	-	-	-	-	1	1	1	-	1	1
FEMALE--	16	-	1	-	-	-	-	1	-	-	1	2
BLACK---MALE----	11	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	14	-	1	-	-	-	-	-	-	-	1	2
NORTH CAROLINA ---------	105	4	-	-	-	-	-	-	-	1	5	3
WHITE------MALE----	33	1	-	-	-	-	-	-	-	-	3	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	21	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	19	2	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	8	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
NEW HAMPSHIRE ----------	1	1	1	1	-	1	2	2	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	5	4	6	5	15	11	11	6	7	1	-	-
WHITE------MALE----	3	3	4	-	12	2	5	3	2	-	-	-
FEMALE--	1	1	-	1	3	7	6	-	3	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	3	-	2	-	2	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	2	-	2	-	2	1	-	-	-
NEW MEXICO ----------	2	1	3	2	2	6	10	3	1	-	-	-
WHITE------MALE----	1	1	3	2	1	5	6	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	6	12	10	24	25	16	15	4	3	-	-
WHITE------MALE----	2	1	5	4	10	8	2	1	2	-	-	-
FEMALE--	2	2	5	5	10	14	13	10	2	3	-	-
ALL OTHER--MALE----	2	-	1	-	3	1	1	1	-	-	-	-
FEMALE--	-	3	1	1	1	2	-	3	-	-	-	-
BLACK---MALE----	2	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	3	1	1	1	1	-	3	-	-	-	-
NORTH CAROLINA ---------	8	6	8	8	8	19	16	10	9	-	-	-
WHITE------MALE----	2	2	3	1	5	7	3	2	3	-	-	-
FEMALE--	2	1	4	6	2	4	7	6	3	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	3	1	2	-	-	-
FEMALE--	3	1	1	1	-	7	3	1	1	-	-	-
BLACK---MALE----	1	2	-	-	1	1	3	1	2	-	-	-
FEMALE--	3	1	1	1	-	6	2	1	1	-	-	-
NORTH DAKOTA ----------	-	-	1	1	2	-	1	2	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4084

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
OHIO ----------	148	2	1	-	1	-	1	1	2	4	3	4
WHITE------MALE----	52	2	-	-	-	-	-	1	1	1	1	-
FEMALE--	76	-	1	-	1	-	1	-	1	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
OKLAHOMA ----------	22	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	45	1	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	172	2	3	-	-	1	-	1	6	1	6	5
WHITE------MALE----	90	2	1	-	-	-	-	1	5	1	5	5
FEMALE--	69	-	2	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	16	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	36	1	-	-	-	-	-	2	1	-	1	2
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	2	-	-	1	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	2	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
OHIO ----------	5	8	5	9	21	27	27	13	11	3	-	-
WHITE------MALE----	4	4	1	1	9	11	10	5	1	-	-	-
FEMALE--	1	2	2	8	8	13	15	8	9	2	-	-
ALL OTHER--MALE----	-	-	1	-	3	1	1	-	1	-	-	-
FEMALE--	-	2	1	-	1	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	3	1	1	-	1	-	-	-
FEMALE--	-	2	1	-	1	1	1	-	-	1	-	-
OKLAHOMA ----------	-	-	-	2	3	4	5	6	-	-	1	-
WHITE------MALE----	-	-	-	1	2	3	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	2	1	2	1	8	9	8	8	1	1	-	-
WHITE------MALE----	-	-	-	1	5	3	2	4	-	-	-	-
FEMALE--	2	-	2	-	3	6	6	4	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	9	10	20	21	31	20	22	6	4	-	-
WHITE------MALE----	3	5	4	7	12	17	10	10	1	1	-	-
FEMALE--	-	3	4	10	8	11	10	12	5	2	-	-
ALL OTHER--MALE----	-	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	-	-	1	-	-
BLACK---MALE----	-	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	-	-	1	-	-
RHODE ISLAND ----------	1	1	1	-	2	1	3	2	3	1	-	-
WHITE------MALE----	-	1	1	-	-	1	3	1	1	1	-	-
FEMALE--	1	-	-	-	2	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	3	2	1	3	3	3	8	6	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	3	2	-	-	-	-
FEMALE--	2	1	-	1	-	1	3	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	88	4	-	-	1	-	2	2	1	5	2	2
WHITE------MALE----	29	2	-	-	-	-	2	-	-	1	-	-
FEMALE--	42	1	-	-	-	-	-	1	1	3	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	1	-	-	1	-	1	-	-
TEXAS ----------	152	4	2	1	1	3	1	-	5	3	7	2
WHITE------MALE----	67	1	1	1	-	1	-	-	4	1	1	1
FEMALE--	65	1	1	-	1	2	1	-	1	1	4	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	1	-
UTAH ----------	36	-	1	-	-	-	1	-	-	-	1	-
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	66	-	1	-	1	1	1	-	3	1	4	-
WHITE------MALE----	23	-	-	-	-	-	1	-	2	1	2	-
FEMALE--	24	-	-	-	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	5	4	5	8	8	16	13	7	3	-	-	-
WHITE------MALE----	1	2	-	1	3	8	6	2	1	-	-	-
FEMALE--	2	1	4	7	3	7	5	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	1	2	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	2	1	-	-	-
TEXAS ----------	9	6	9	18	24	20	13	15	7	2	-	-
WHITE------MALE----	4	3	4	9	9	12	6	7	1	1	-	-
FEMALE--	2	1	3	7	14	6	5	7	6	1	-	-
ALL OTHER--MALE----	2	2	1	1	1	-	2	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	-	-	-	-
UTAH ----------	-	3	4	1	7	4	9	3	2	-	-	-
WHITE------MALE----	-	1	4	-	2	1	4	1	-	-	-	-
FEMALE--	-	2	-	1	5	3	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	5	2	1	3	12	6	9	10	4	1	1	-
WHITE------MALE----	1	-	1	1	2	3	3	4	2	-	-	-
FEMALE--	3	1	-	1	3	3	3	5	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	5	-	3	1	-	1	1	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	5	-	3	1	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
WASHINGTON ----------	23	-	-	-	-	-	-	-	-	2	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	23	-	-	-	-	-	-	-	-	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	68	-	-	-	-	-	1	-	1	1	1	3
WHITE------MALE----	37	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	8	-	-	-	1	-	-	-	-	-	-	1
WHITE------MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
WASHINGTON ----------	1	1	2	2	5	3	2	4	1	-	-	-
WHITE------MALE----	-	1	-	-	2	3	-	1	1	-	-	-
FEMALE--	1	-	1	1	3	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	3	2	3	5	3	2	2	-	-
WHITE------MALE----	-	-	1	2	1	-	3	1	-	1	-	-
FEMALE--	-	-	-	1	1	3	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	3	4	2	5	10	11	9	10	4	3	-	-
WHITE------MALE----	1	4	1	4	3	6	6	5	1	2	-	-
FEMALE--	1	-	1	-	6	5	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	2	-	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4087

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
UNITED STATES -	232	3	6	-	3	5	4	9	13	20	14	16
WHITE------MALE----	93	1	2	-	1	2	3	-	9	11	5	6
FEMALE--	96	2	3	-	2	2	1	4	1	6	5	5
ALL OTHER--MALE----	24	-	-	-	-	1	-	2	3	2	2	4
FEMALE--	19	-	1	-	-	-	-	3	-	1	2	1
BLACK---MALE----	21	-	-	-	-	1	-	2	3	2	2	4
FEMALE--	16	-	1	-	-	-	-	2	-	1	2	-
ALABAMA ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	5	-	1	-	-	-	-	-	-	-	2	-
WHITE------MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	9	-	-	-	-	-	-	2	2	-	1	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	24	-	1	-	-	-	1	1	2	5	2	3
WHITE------MALE----	12	-	-	-	-	-	1	-	1	4	1	2
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4087

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
UNITED STATES -	16	15	17	17	21	17	18	12	4	2	-	-
WHITE------MALE----	6	8	4	7	10	6	8	3	1	-	-	-
FEMALE--	8	4	8	6	9	7	9	9	3	2	-	-
ALL OTHER--MALE----	1	2	4	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	3	1	3	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	3	1	3	1	-	-	-	-	-
ALABAMA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	1	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	-	2	1	3	-	1	-	1	-	-
WHITE------MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4088

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
COLORADO ----------	5	-	-	-	-	-	-	-	1	1	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	11	-	-	-	-	1	-	1	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	7	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
COLORADO ----------	-	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	1	1	-	-	3	-	2	-	1	-	-	-
WHITE------MALE----	1	1	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA ----------	1	-	1	2	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
HAWAII ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	8	-	1	-	-	-	1	1	-	-	1	-
WHITE------MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
INDIANA ----------	2	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IOWA ----------	1	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
HAWAII	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO	1	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	1	-	-	1	-	1	-	1	-	-	-	-
WHITE--MALE	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA	-	-	-	-	-	1	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
IOWA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	-	-	1	-	1	-	-	1	-	-	-	-
WHITE--MALE	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4090

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
KENTUCKY ----------	5	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	6	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
MAINE ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	1	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	4	-	-	-	-	-	-	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	12	-	-	-	-	-	-	-	-	-	1	3
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
KENTUCKY ----------	-	-	-	-	2	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA ----------	1	-	1	-	1	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	1	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	-	1	3	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4091

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
MINNESOTA ----------	5	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	1	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4091

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
MINNESOTA ----------	1	-	-	1	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	-	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	2	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
NEW HAMPSHIRE ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	13	-	-	-	-	1	-	-	1	2	4	1
WHITE------MALE----	9	-	-	-	-	1	-	-	1	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEW MEXICO ----------	2	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	-	-	-	-	-	-	1	1	-	1	1
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	6	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
NEW HAMPSHIRE ----------	-	-	1	-	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	2	2	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	1	3	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	-	-	-	1	-	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	1	-	1	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
OHIO ----------	12	-	-	-	-	-	-	-	-	-	-	2
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	13	1	-	-	-	1	-	-	2	-	-	1
WHITE------MALE----	5	1	-	-	-	-	-	-	2	-	-	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
OHIO ----------	-	1	2	-	1	1	3	2	-	-	-	-
WHITE------MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	1	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	1	1	3	-	-	3	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	1	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4094

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	7	-	-	-	-	-	1	1	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	13	-	-	-	1	2	-	-	2	2	-	1
WHITE------MALE----	6	-	-	-	-	1	-	-	2	1	-	-
FEMALE--	6	-	-	-	1	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	6	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	-	1	-	-	-	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	1	1	1	-	-	-	1	-	-	-	-
WHITE------MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	-	1	1	-	1	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	2	1	-	-	1	-	1	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4095

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
WASHINGTON ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	1	-	-	-	1	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Drugs, medicaments and biological substances causing adverse effects in therapeutic use,and their sequelae (Y40-Y59,Y88.0)												
WASHINGTON ----------	1	-	1	1	1	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	-	-	-	1	-	-	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
UNITED STATES -	179	6	3	-	-	1	1	1	3	8	7	8
WHITE------MALE----	60	1	-	-	-	1	-	-	2	2	4	1
FEMALE--	80	1	2	-	-	-	-	1	-	4	2	4
ALL OTHER--MALE----	14	2	-	-	-	-	1	-	-	1	-	-
FEMALE--	25	2	1	-	-	-	-	-	1	1	1	3
BLACK---MALE----	11	2	-	-	-	-	1	-	-	1	-	-
FEMALE--	24	2	1	-	-	-	-	-	-	1	1	3
ALABAMA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	25	1	-	-	-	-	-	1	-	2	1	1
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
UNITED STATES -	9	12	9	18	24	24	26	15	4	-	-	-
WHITE------MALE----	3	6	3	5	7	10	8	4	3	-	-	-
FEMALE--	4	4	6	10	9	11	14	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	2	2	2	-	-	-	-
FEMALE--	2	2	-	1	6	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	2	1	-	-	-	-
FEMALE--	2	2	-	1	6	1	2	2	-	-	-	-
ALABAMA ----------	-	-	-	-	-	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	-	-	1	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	-	1	1	2	4	2	7	1	1	-	-	-
WHITE------MALE----	-	-	1	1	-	-	3	-	1	-	-	-
FEMALE--	-	1	-	1	3	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
COLORADO ----------	2	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	6	-	-	-	-	-	-	-	-	-	-	3
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
GEORGIA ----------	7	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
COLORADO ----------	-	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	-	-	-	1	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	-	-	-	-	1	-	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA ----------	1	-	-	1	2	-	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4098

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
INDIANA ----------	5	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	2	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4098

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
HAWAII ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	-	-	-	-	2	2	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
INDIANA ----------	-	-	-	1	1	2	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA ----------	-	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
KENTUCKY ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	4	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	5	1	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	14	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
KENTUCKY ----------	2	-	-	-	-	1	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	-	-	1	-	1	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	-	-	-	2	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	-	5	1	2	2	-	2	1	-	-	-	-
WHITE------MALE----	-	3	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4100

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
MINNESOTA ----------	5	-	-	-	-	-	-	-	-	-	2	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	5	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT B PG 4100

Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
MINNESOTA	-	-	-	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI	-	-	1	1	-	1	-	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI	-	-	1	2	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	4	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	1	-	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	10	-	-	-	-	1	1	-	-	-	2	-
WHITE------MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
NORTH CAROLINA ---------	8	1	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
NEW HAMPSHIRE ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	-	-	-	-	2	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	-	2	-	2	-	1	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NORTH CAROLINA ---------	2	-	-	-	1	1	2	-	1	-	-	-
WHITE------MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DAKOTA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 1999 PLT A PG 4102

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
OHIO ----------	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	8	-	2	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
OHIO ----------	1	-	-	1	1	1	1	1	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA ----------	-	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	-	-	-	-	-	1	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	-	-	2	-	1	1	1	1	-	-	-	-
WHITE------MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	6	2	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	10	-	-	-	-	-	-	-	2	1	-	-
WHITE------MALE----	5	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH ----------	1	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
SOUTH DAKOTA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	1	-	-	-	1	-	1	-	-	-	-	-
WHITE------MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS ----------	1	-	-	2	1	2	1	-	-	-	-	-
WHITE------MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
WASHINGTON ----------	1	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	2	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	15	-	-	-	-	-	-	-	-	1	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
WASHINGTON ----------	-	-	-	-	-	-	1	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	1	3	-	-	3	4	2	-	-	-	-	-
WHITE------MALE----	-	3	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
UNITED STATES -	2,412	45	21	7	8	11	14	19	33	38	65	67
WHITE------MALE----	925	20	9	3	3	4	7	4	17	17	21	19
FEMALE--	1,060	10	5	3	2	6	4	7	10	12	25	33
ALL OTHER--MALE----	192	7	1	1	1	-	2	3	3	4	9	7
FEMALE--	235	8	6	-	2	1	1	5	3	5	10	8
BLACK---MALE----	165	6	1	1	1	-	2	2	3	3	8	7
FEMALE--	212	8	6	-	2	1	1	4	2	5	9	7
ALABAMA ----------	53	-	-	-	1	1	1	1	1	1	2	-
WHITE------MALE----	17	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
ALASKA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	38	-	-	-	-	-	-	-	2	1	-	2
WHITE------MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	33	-	-	-	-	-	-	1	1	-	-	-
WHITE------MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA ----------	89	7	2	-	-	1	1	-	4	-	2	2
WHITE------MALE----	30	5	-	-	-	1	1	-	2	-	-	-
FEMALE--	43	1	1	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
UNITED STATES -	98	111	151	194	312	360	366	285	145	50	12	-
WHITE------MALE----	37	41	64	75	131	153	143	101	39	16	1	-
FEMALE--	33	35	57	90	133	156	174	142	90	26	7	-
ALL OTHER--MALE----	14	20	13	12	26	21	21	18	6	1	2	-
FEMALE--	14	15	17	17	22	30	28	24	10	7	2	-
BLACK---MALE----	14	14	13	11	24	20	16	11	6	1	1	-
FEMALE--	13	15	14	15	20	27	22	23	10	6	2	-
ALABAMA ----------	3	1	3	7	9	6	5	7	3	1	-	-
WHITE------MALE----	1	1	1	1	6	1	1	2	-	-	-	-
FEMALE--	2	-	1	4	2	4	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	1	1	1	-	-
ALASKA ----------	-	-	1	-	1	1	-	1	1	-	-	-
WHITE------MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA ----------	2	1	8	4	2	4	8	4	-	-	-	-
WHITE------MALE----	1	-	2	2	1	2	4	3	-	-	-	-
FEMALE--	1	1	4	2	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS ----------	2	3	1	2	2	3	10	3	5	-	-	-
WHITE------MALE----	-	1	1	1	1	1	4	2	1	-	-	-
FEMALE--	2	1	-	1	1	1	6	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
CALIFORNIA ----------	2	2	8	5	8	18	16	7	2	-	2	-
WHITE------MALE----	2	-	2	3	-	5	6	3	-	-	-	-
FEMALE--	-	1	4	2	8	10	6	2	2	-	2	-
ALL OTHER--MALE----	-	1	2	-	-	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
COLORADO ----------	39	2	-	1	-	-	1	1	-	-	-	3
WHITE------MALE----	15	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	21	-	-	1	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	49	-	-	-	-	-	-	-	-	1	1	1
WHITE------MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE ----------	10	-	1	-	-	-	-	-	-	-	1	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA ----------	105	2	1	1	-	-	1	-	-	2	2	3
WHITE------MALE----	33	1	1	1	-	-	-	-	-	1	-	-
FEMALE--	56	1	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
GEORGIA ----------	96	1	-	1	-	2	1	2	2	3	3	4
WHITE------MALE----	27	1	-	1	-	1	-	-	1	2	1	-
FEMALE--	37	-	-	-	-	-	1	1	-	1	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
COLORADO ----------	3	3	1	1	7	5	3	7	1	-	-	-
WHITE------MALE----	1	2	-	-	1	2	-	5	1	-	-	-
FEMALE--	1	1	1	1	5	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT ----------	2	3	4	4	4	8	8	8	4	1	-	-
WHITE------MALE----	1	1	2	2	-	3	1	1	-	1	-	-
FEMALE--	1	1	1	2	3	4	5	6	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE ----------	2	-	-	1	2	-	1	2	-	-	-	-
WHITE------MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	1	2	1	-	-	1	-
WHITE------MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA ----------	1	3	4	8	10	20	22	15	5	3	2	-
WHITE------MALE----	-	1	2	3	3	5	7	5	2	1	-	-
FEMALE--	1	1	1	5	6	9	12	9	3	2	2	-
ALL OTHER--MALE----	-	1	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	-	-	-	-
GEORGIA ----------	5	8	8	8	6	6	14	15	6	1	-	-
WHITE------MALE----	-	2	1	3	3	3	1	4	2	1	-	-
FEMALE--	2	1	3	2	3	2	9	6	3	-	-	-
ALL OTHER--MALE----	1	5	2	-	-	1	1	2	-	-	-	-
FEMALE--	2	-	2	3	-	-	3	3	1	-	-	-
BLACK---MALE----	1	5	2	-	-	1	1	2	-	-	-	-
FEMALE--	2	-	2	3	-	-	3	3	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
HAWAII ----------	10	-	-	-	-	-	-	-	1	-	1	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	8	-	-	-	-	-	-	-	1	-	-	1
WHITE------MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	142	-	-	-	2	1	-	1	-	1	6	3
WHITE------MALE----	57	-	-	-	1	-	-	-	-	1	1	3
FEMALE--	52	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	1	-	-	-	-	-	3	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	1	-	-	-	-	-	3	-
INDIANA ----------	80	2	2	-	1	-	-	-	1	1	-	4
WHITE------MALE----	37	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	38	1	1	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	23	1	-	-	-	-	-	-	1	-	-	-
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	31	-	-	1	-	-	-	-	-	-	1	3
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	1	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
HAWAII ----------	1	-	1	-	-	1	3	2	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO ----------	-	-	1	-	-	2	1	2	-	-	-	-
WHITE------MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS ----------	5	6	13	11	16	23	23	17	11	3	-	-
WHITE------MALE----	4	2	7	4	6	9	11	4	3	1	-	-
FEMALE--	-	2	3	4	4	9	9	10	6	2	-	-
ALL OTHER--MALE----	-	2	1	3	2	1	1	-	1	-	-	-
FEMALE--	1	-	2	-	4	4	2	3	1	-	-	-
BLACK---MALE----	-	2	1	3	2	1	1	-	1	-	-	-
FEMALE--	1	-	2	-	3	4	2	3	1	-	-	-
INDIANA ----------	2	4	7	7	14	13	10	6	4	1	1	-
WHITE------MALE----	-	3	3	5	7	5	6	4	1	-	-	-
FEMALE--	2	1	4	2	6	8	4	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IOWA ----------	1	-	2	2	4	2	5	2	-	3	-	-
WHITE------MALE----	1	-	1	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	1	2	3	2	3	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS ----------	-	1	2	1	1	5	3	7	4	2	-	-
WHITE------MALE----	-	1	2	-	1	2	-	2	1	1	-	-
FEMALE--	-	-	-	1	-	3	3	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
KENTUCKY ----------	43	1	-	1	-	-	-	-	-	1	1	1
WHITE------MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA ----------	45	3	-	-	-	1	1	-	-	-	-	1
WHITE------MALE----	9	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
MAINE ----------	9	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	57	2	1	-	-	1	-	2	-	2	2	1
WHITE------MALE----	16	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	2	-	1	2	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS ----------	39	-	-	-	-	-	-	-	-	4	1	1
WHITE------MALE----	15	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	81	2	2	-	-	-	-	1	-	3	4	3
WHITE------MALE----	26	1	2	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	1	-	-	-	-	-	-	-	2	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
KENTUCKY ----------	2	2	2	4	9	8	3	5	3	-	-	-
WHITE------MALE----	1	-	2	2	5	5	2	2	2	-	-	-
FEMALE--	1	2	-	1	2	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA ----------	5	5	2	4	4	5	4	7	3	-	-	-
WHITE------MALE----	-	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	3	2	-	2	2	2	2	1	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	1	2	-	1	1	2	1	3	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	1	2	-	1	1	2	1	3	-	-	-	-
MAINE ----------	-	-	-	-	4	2	2	-	-	-	-	-
WHITE------MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND ----------	3	2	4	4	11	7	7	5	3	-	-	-
WHITE------MALE----	-	1	2	2	4	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	3	2	6	3	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	-	1	1	-	-	-
BLACK---MALE----	2	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	-	1	1	-	-	-
MASSACHUSETTS ----------	5	1	3	3	-	3	6	2	7	2	1	-
WHITE------MALE----	3	-	-	1	-	2	4	-	2	-	-	-
FEMALE--	2	1	2	2	-	1	2	2	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN ----------	2	9	-	3	13	13	12	6	8	-	-	-
WHITE------MALE----	1	-	-	1	3	7	5	1	3	-	-	-
FEMALE--	1	4	-	2	7	3	6	5	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	4	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	4	-	-	1	1	1	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
MINNESOTA ----------	58	5	-	-	1	-	-	-	1	-	2	1
WHITE------MALE----	26	3	-	-	1	-	-	-	1	-	1	-
FEMALE--	30	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	46	1	1	-	-	-	-	1	-	2	2	-
WHITE------MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	1	-	-	-	-	1	-	-	1	-
MISSOURI ----------	58	-	-	-	-	-	-	1	-	-	1	2
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MONTANA ----------	5	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	19	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	13	-	1	-	-	-	-	-	2	-	-	-
WHITE------MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
MINNESOTA ----------	1	3	4	6	6	6	9	5	2	4	2	-
WHITE------MALE----	-	-	2	3	3	1	5	1	2	2	1	-
FEMALE--	1	3	2	3	3	5	4	4	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI ----------	2	5	3	4	7	6	5	4	1	1	1	-
WHITE------MALE----	1	1	-	2	5	3	2	4	-	-	-	-
FEMALE--	-	1	3	2	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	-	1	1	-
BLACK---MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	-	1	1	-
MISSOURI ----------	1	1	6	8	10	6	9	7	4	2	-	-
WHITE------MALE----	-	1	2	2	6	1	3	4	2	-	-	-
FEMALE--	-	-	4	5	3	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
MONTANA ----------	-	1	-	1	-	1	2	-	-	-	-	-
WHITE------MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA ----------	-	1	-	1	2	1	4	3	2	4	-	-
WHITE------MALE----	-	1	-	1	1	-	2	2	-	2	-	-
FEMALE--	-	-	-	-	1	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA ----------	-	-	1	2	1	4	2	-	-	-	-	-
WHITE------MALE----	-	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
NEW HAMPSHIRE ----------	10	-	-	-	-	-	1	1	-	-	-	-
WHITE------MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	74	1	1	-	-	1	-	-	1	2	1	3
WHITE------MALE----	33	1	1	-	-	-	-	-	-	2	-	1
FEMALE--	24	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
NEW MEXICO ----------	32	-	-	-	-	-	-	1	-	1	-	1
WHITE------MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	130	1	3	1	-	-	2	1	2	2	1	8
WHITE------MALE----	37	-	2	-	-	-	2	-	1	1	-	-
FEMALE--	69	1	-	1	-	-	-	-	1	1	-	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	1	-	-	-	-	1	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	2
NORTH CAROLINA ---------	91	3	-	-	-	-	-	-	-	-	5	2
WHITE------MALE----	29	1	-	-	-	-	-	-	-	-	3	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
NORTH DAKOTA ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
NEW HAMPSHIRE ----------	1	1	-	1	-	-	2	1	2	-	-	-
WHITE------MALE----	1	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY ----------	3	2	6	5	13	11	11	5	7	1	-	-
WHITE------MALE----	1	2	4	-	10	2	5	2	2	-	-	-
FEMALE--	1	-	-	1	3	7	6	-	3	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	3	-	2	-	2	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	2	-	2	-	2	1	-	-	-
NEW MEXICO ----------	1	1	3	2	2	6	10	3	1	-	-	-
WHITE------MALE----	1	1	3	2	1	5	6	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK ----------	6	3	9	8	23	24	14	15	4	3	-	-
WHITE------MALE----	2	-	4	4	9	8	1	1	2	-	-	-
FEMALE--	2	1	4	3	10	13	12	10	2	3	-	-
ALL OTHER--MALE----	2	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	1	2	-	3	-	-	-	-
BLACK---MALE----	2	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	2	1	1	1	1	-	3	-	-	-	-
NORTH CAROLINA ---------	6	6	8	7	7	16	14	9	8	-	-	-
WHITE------MALE----	2	2	3	1	4	6	2	2	2	-	-	-
FEMALE--	1	1	4	5	2	4	6	5	3	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	3	1	2	-	-	-
FEMALE--	2	1	1	1	-	5	3	1	1	-	-	-
BLACK---MALE----	1	2	-	-	1	1	3	1	2	-	-	-
FEMALE--	2	1	1	1	-	4	2	1	1	-	-	-
NORTH DAKOTA ----------	-	-	-	1	1	-	1	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
OHIO ----------	130	2	1	-	1	-	1	1	2	4	3	2
WHITE------MALE----	46	2	-	-	-	-	-	1	1	1	1	-
FEMALE--	66	-	1	-	1	-	1	-	1	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
OKLAHOMA ----------	20	-	-	-	-	1	-	-	-	-	-	-
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON ----------	39	1	-	-	-	-	-	-	-	-	1	2
WHITE------MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	151	1	1	-	-	-	-	1	4	1	6	4
WHITE------MALE----	83	1	1	-	-	-	-	1	3	1	5	4
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND ----------	14	-	-	-	-	-	-	-	-	-	1	-
WHITE------MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	32	1	-	-	-	-	-	2	1	-	1	1
WHITE------MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	2	-	-	1	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	2	-	-	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
OHIO ----------	4	7	3	8	19	25	23	10	11	3	-	-
WHITE------MALE----	3	3	1	1	7	11	9	4	1	-	-	-
FEMALE--	1	2	1	7	8	11	12	6	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	1	-	1	-	-	-
FEMALE--	-	2	1	-	1	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	3	1	1	-	1	-	-	-
FEMALE--	-	2	1	-	1	1	1	-	-	1	-	-
OKLAHOMA ----------	-	-	-	2	3	3	4	6	-	-	1	-
WHITE------MALE----	-	-	-	1	2	2	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON ----------	2	1	2	-	7	8	6	7	1	1	-	-
WHITE------MALE----	-	-	-	-	5	2	1	4	-	-	-	-
FEMALE--	2	-	2	-	2	6	5	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA ----------	4	8	7	17	20	30	16	21	6	4	-	-
WHITE------MALE----	3	5	3	7	12	16	9	10	1	1	-	-
FEMALE--	-	3	2	8	7	11	7	11	5	2	-	-
ALL OTHER--MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	1	-	-
RHODE ISLAND ----------	1	1	-	-	2	1	3	1	3	1	-	-
WHITE------MALE----	-	1	-	-	-	1	3	-	1	1	-	-
FEMALE--	1	-	-	-	2	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA ---------	2	2	1	3	3	2	7	6	-	-	-	-
WHITE------MALE----	-	-	1	1	-	1	3	2	-	-	-	-
FEMALE--	1	1	-	1	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
SOUTH DAKOTA ----------	3	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	75	2	-	-	1	-	1	1	1	4	2	1
WHITE------MALE----	23	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	38	1	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	1	-	-	1	-	1	-	-
TEXAS ----------	129	4	2	1	-	1	1	-	1	-	7	1
WHITE------MALE----	56	1	1	1	-	-	-	-	-	-	1	1
FEMALE--	55	1	1	-	-	1	1	-	1	-	4	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	2	-	-	-	-	-	-	-	-	1	-
UTAH ----------	29	-	1	-	-	-	-	-	-	-	-	-
WHITE------MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	4	-	-	-	-	-	-	-	-	-	-	-
WHITE------MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	60	-	1	-	1	1	1	-	3	1	4	-
WHITE------MALE----	21	-	-	-	-	-	1	-	2	1	2	-
FEMALE--	20	-	-	-	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
SOUTH DAKOTA ----------	1	1	-	-	-	-	-	1	-	-	-	-
WHITE------MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE ----------	4	3	5	8	7	14	11	7	3	-	-	-
WHITE------MALE----	-	2	-	1	2	7	5	2	1	-	-	-
FEMALE--	2	1	4	7	3	6	5	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	2	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	2	1	-	-	-
TEXAS ----------	7	5	8	15	23	18	12	14	7	2	-	-
WHITE------MALE----	4	2	4	7	8	12	5	7	1	1	-	-
FEMALE--	-	1	2	7	14	4	5	6	6	1	-	-
ALL OTHER--MALE----	2	2	1	1	1	-	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
UTAH ----------	-	2	3	1	6	3	9	2	2	-	-	-
WHITE------MALE----	-	1	3	-	2	1	4	1	-	-	-	-
FEMALE--	-	1	-	1	4	2	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT ----------	-	-	1	-	-	-	2	1	-	-	-	-
WHITE------MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA ----------	3	1	1	3	11	6	8	10	3	1	1	-
WHITE------MALE----	1	-	1	1	1	3	2	4	2	-	-	-
FEMALE--	1	-	-	1	3	3	3	5	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	5	-	3	1	-	1	1	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	5	-	3	1	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
WASHINGTON ----------	17	-	-	-	-	-	-	-	-	1	-	-
WHITE------MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	21	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN ----------	50	-	-	-	-	-	1	-	1	-	1	2
WHITE------MALE----	28	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	7	-	-	-	-	-	-	-	-	-	-	1
WHITE------MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION,INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
WASHINGTON ----------	-	1	1	1	4	3	1	4	1	-	-	-
WHITE------MALE----	-	1	-	-	2	3	-	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
WEST VIRGINIA ----------	-	-	1	3	2	3	5	2	2	2	-	-
WHITE------MALE----	-	-	1	2	1	-	3	1	-	1	-	-
FEMALE--	-	-	-	1	1	3	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
WISCONSIN ----------	1	1	2	5	6	7	7	9	4	3	-	-
WHITE------MALE----	-	1	1	4	2	5	5	4	1	2	-	-
FEMALE--	-	-	1	-	4	2	2	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING ----------	-	-	1	2	-	-	1	-	1	1	-	-
WHITE------MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-

- QUANTITY ZERO.
... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.