U. S. DEPARTMENT OF COMMERCE
JESSE H. JONES, SECRETARY

BUREAU OF THE CENSUS
J. C. CAPT, DIRECTOR

VITAL STATISTICS OF THE UNITED STATES 1942

PART II

NATALITY AND MORTALITY DATA
FOR THE UNITED STATES
TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, Vital Statistics Division

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1944

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

$2 00

BUREAU OF THE CENSUS

J. C. CAPT, *Director*

PHILIP M. HAUSER, *Assistant Director*

MORRIS H. HANSEN, *Statistical Assistant to the Director*

RALPH E. GALLOWAY, *Executive Assistant to the Director*

Vital Statistics Division—HALBERT L. DUNN, M. D., *Chief*
FORREST E. LINDER, *Assistant Chief*

HOWARD M. KLINE,* *Specialist, State Consulting Service*
MARY B. MANN, *Specialist, Statistical Operations*
IWAO M. MORIYAMA, *Specialist, Mortality Statistics*
THEODORE D. WOOLSEY,* *Specialist, Sampling Studies*
THOMAS N. E. GREVILLE, *Specialist, Life Table Studies*
*On leave to *armed* service.

CONTENTS

INTRODUCTION

	Page
Revision of annual vital statistics volumes	1
The value of vital statistics tabulated by place of residence	1
Previous tabulations by place of residence	2
Nonresident tabulations by State offices	2
Definitions of nonresidents and rules for coding	4
Relation of geographic code to the identification of nonresidents	4
Rules for the allocation of deaths	4
Rules for determining place of residence for deaths	5
Rules for the allocation of births	5
Rules for determining place of residence for births	5
Change in nonresident coding	6
Relation of institutions to nonresident coding	6
Birth and death rates by place of residence	6
Deaths allocated to place of residence	7
Summary	7
Number of nonresident deaths	7
Changes in urban and rural death statistics	8
Infant mortality statistics	8
Infant mortality rates for urban and rural areas	8
Infant mortality rates by State	9
Deaths in hospitals and institutions	9
Births allocated to place of residence	10
Summary	10
Number of nonresident births	10
Changes in urban and rural birth statistics	11
Births in hospitals	11
Illegitimate births	13
Stillbirth statistics	14
Reporting of stillbirths	14
Stillbirths by period of gestation	15

RATE TABLE

Table I.—Crude death rates (number of deaths per 100,000 estimated de facto population) for selected causes of death: United States, each division and State, 1942 ---- 16

GENERAL NATALITY AND MORTALITY TABLES

Live Births

Table I.—Births, deaths, deaths under 1 year, and stillbirths, urban and rural, by States and counties, and by urban places of 10,000 or more: United States, 1942 ---- 20
Table 2.—Live births of residents, by place of occurrence: United States and each State, 1942 ---- 66
Table 3.—Live births by sex, age of mother, race, and nativity of white parents: United States and each State, 1942 ---- 68
Table 4.—Live births by age of mother, race, and nativity of white mother, urban and rural: United States and each State, 1942 ---- 81
Table 5.—Live births by age of mother, race, and order of birth: United States and each State, 1942 ---- 104
Table 6.—Live births by age of parents: United States and each State, 1942 ---- 120
Table 7.—Live births by order of birth, race, and nativity of white mother: United States and each State, 1942 ---- 126
Table 8.—Live births by specified race: United States and each State, 1942 ---- 132
Table 9.—Live births by month, sex, and race: United States and each State, 1942 ---- 133
Table 10.—Cases of plural births by race and sex, classified by number of children born alive and stillborn: United States and each State, 1942 ---- 138
Table 11.—Live births by person in attendance, urban and rural, by States and counties, and by urban places of 10,000 or more in 1940: United States, 1942 ---- 142

Stillbirths

Table 12.—Stillbirths of residents, by place of occurrence: United States and each State, 1942 ---- 174
Table 13.—Stillbirths by age of mother, race, nativity of white mother, and sex, urban and rural: United States, 1942 ---- 176
Table 14.—Stillbirths by sex, age of mother, order of birth, race, and nativity of white mother: United States, 1942 ---- 178
Table 15.—Stillbirths by race, urban and rural: United States and each State, 1942 ---- 180
Table 16.—Stillbirths by person in attendance and by race: United States and each State, 1942 ---- 182

Total Deaths

Table 17.—Deaths of residents, by place of occurrence: United States and each State, 1942 ---- 183
Table 18.—Deaths by specified race and by sex: United States and each State, 1942 ---- 185
Table 19.—Deaths by month, sex, and race: United States and each State, 1942 ---- 187
Table 20.—Deaths from selected causes, by month: United States and each State, 1942 ---- 192
Table 21.—Deaths from selected causes, by age, race, and sex: each State, 1942 ---- 217
Table 22.—Deaths from selected causes, by sex and race, urban and rural: United States and each State, 1942 ---- 364
Table 23.—Deaths from selected causes, by urban places of 10,000 or more: 1942 ---- 414
Table 24.—Deaths from each cause, by race and sex: United States and each State, 1942 ---- 448

Infant Deaths

Table 25.—Deaths under 1 year, by age and month: United States and each State, 1942 ---- 512
Table 26.—Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1942 ---- 518
Table 27.—Deaths under 1 year, in institutions, by age and race: United States and each State, 1942 ---- 519
Table 28.—Deaths under 1 year of age, from selected causes, by month: United States, 1942 ---- 524
Table 29.—Deaths under 1 year, from selected causes, by age, sex, and race: United States, 1942 ---- 525
Table 30.—Deaths under 1 year and under 1 month of age, from each cause: United States, 1942 ---- 531
Table 31.—Deaths under 1 year of age, from selected causes, by race, urban and rural: United States, 1942 ---- 533

SYMBOLS USED IN VITAL STATISTICS REPORTS

	Symbols
Class or item not applicable (three dots)	...
Data not available (series of leaders)	-----
Quantity is zero, in frequency tables (one dash)	-
Quantity is zero, in rate (or percent) tables (one cipher)	0
If rate (or percent) is more than 0 but less than 0.05	0.0
If both frequency and population base are zero in rate (or percent) tables (one dash)	-

If the population is reported to be zero, but one or more births (or deaths) are reported, a footnote "Rate not computed" is used.

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

Introduction

This volume—Vital Statistics of the United States, Part II—contains additional official tabulations of natality and mortality data for the calendar year 1942. In part II, the tables consist of tabulations of births and deaths classified according to the place of residence of the mother of the child, or the place of residence of the decedent. The natality data are classified by geographic area; race, nativity, and age of parents; sex and number of child; and type of attendance. The mortality data are classified by geographic area, cause of death, age, sex, race, month, and institution. These tabulations are compiled from the same source material as the tables published in part I, both being derived from transcripts of original birth and death certificates received from registration officials of States and cities, and of the outlying territory and possessions of the United States.

REVISION OF ANNUAL VITAL STATISTICS VOLUMES

The present volume continues the new series of annual publications started in 1937. It presents natality and mortality data based upon the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I."

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of vital statistics by the Bureau of the Census. Beginning with 1939, the tabulations by place of residence have been expanded considerably. This volume presents, on a residence basis, detailed Nation-wide statistics of births by age of mother and number of child. Similarly, detailed data on deaths by cause and age by place of residence are given.

The tables given in part II should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is much more difficult because it is dependent upon the definitions of residence and the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an assay of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called <u>recorded</u> rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute <u>resident</u> rates. Since resident death rates

are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocation of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE[1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of the nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Since 1935, the natality and mortality tabulations by place of residence have been gradually developed and extended. Eventually, most of the tabulations for individual cities and counties and for the population-size groups will be transferred to this basis.

Resident tabulations for 1935 and 1936 were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics"—but have been released in the series of "Vital Statistics—Special Reports."[2]

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in table A. In this table the number of nonresidents of each State, according to the Bureau of the Census definitions, is compared with those identified by the separate State offices. Table A shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

[1] For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2. Bureau of the Census. Washington, D. C. 1939.

[2] For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2. Bureau of the Census. Washington, D. C. 1939.

TABLE A.—FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1942

(Exclusive of stillbirths)

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	50,168	[1]32,676	0.65	50,168	[1]32,676	0.65	33,797	[1]28,952	0.86	33,797	[1]28,952	0.86
Alabama	529	———	0	883	838	0.95	498	———	0	615	615	1.00
Arizona	1,107	1,128	1.02	191	114	0.60	910	1,005	1.10	179	102	0.57
Arkansas	780	———	0	934	719	0.77	466	———	0	796	686	0.86
California	377	———	0	1,312	1,116	0.85	1,311	———	0	1,117	1,064	0.95
Colorado	402	———	0	364	302	0.83	475	———	0	314	251	0.80
Connecticut	425	361	0.85	1,263	994	0.79	449	416	0.93	578	649	1.12
Delaware	253	———	0	248	121	0.49	129	96	0.74	135	104	0.77
District of Columbia	6,912	75	0.01	580	267	0.48	1,147	333	0.29	546	306	0.56
Florida	546	511	0.94	546	385	0.71	1,767	1,609	0.91	651	552	0.84
Georgia	1,229	1,136	0.92	667	608	0.91	635	951	1.50	632	523	0.83
Idaho	712	757	1.04	520	456	0.88	287	309	1.08	312	303	0.97
Illinois	1,166	1,164	1.00	3,331	1,377	0.41	1,366	1,587	1.16	2,440	1,881	0.77
Indiana	1,717	———	0	1,303	1,239	0.95	881	———	0	997	1,040	1.04
Iowa	1,558	———	0	759	580	0.76	806	855	1.06	657	503	0.77
Kansas	987	952	0.96	1,592	1,391	0.87	820	924	1.13	758	582	0.79
Kentucky	885	935	1.06	850	740	0.87	489	582	1.19	860	765	0.89
Louisiana	490	399	0.81	426	272	0.64	616	581	0.94	370	250	0.68
Maine	204	209	1.02	486	483	0.99	162	197	1.22	276	264	0.96
Maryland	1,072	121	0.11	4,509	599	0.13	1,029	402	0.39	907	251	0.28
Massachusetts	1,666	415	0.25	771	759	0.98	1,043	836	0.80	782	867	1.11
Michigan	824	820	1.00	904	585	0.65	738	912	1.24	823	679	0.83
Minnesota	1,151	———	0	1,019	850	0.83	1,043	———	0	574	585	1.02
Mississippi	374	297	0.79	712	572	0.80	412	415	1.01	529	392	0.74
Missouri	2,579	2,584	0.99	1,179	853	0.72	1,425	1,438	1.01	1,292	1,188	0.92
Montana	184	192	1.04	289	272	0.94	183	205	1.12	223	177	0.79
Nebraska	754	751	1.00	477	218	0.46	346	305	0.88	407	344	0.85
Nevada	151	144	0.95	181	118	0.65	222	238	1.07	126	40	0.32
New Hampshire	927	930	1.00	526	363	0.69	280	354	1.26	305	245	0.80
New Jersey	832	813	0.98	2,548	2,505	0.98	1,126	1,170	1.04	1,845	2,088	1.13
New Mexico	546	545	1.00	451	154	0.34	418	455	1.09	274	109	0.40
New York	2,758	2,961	1.07	1,543	1,339	0.87	2,270	2,930	1.29	2,183	2,118	0.97
North Carolina	633	701	1.11	607	508	0.84	807	881	1.09	518	546	1.05
North Dakota	622	638	1.03	514	288	0.56	221	183	0.83	247	150	0.61
Ohio	2,013	1,757	0.87	1,895	1,491	0.79	1,202	1,190	0.99	1,471	1,329	0.90
Oklahoma	761	———	0	1,106	618	0.56	338	203	0.60	812	478	0.59
Oregon	734	481	0.66	498	444	0.89	557	439	0.79	345	272	0.79
Pennsylvania	2,807	2,657	0.95	2,122	1,831	0.86	1,412	1,344	0.95	1,890	1,925	1.02
Rhode Island	569	560	0.98	640	114	0.18	224	240	1.07	269	297	1.10
South Carolina	197	117	0.59	505	469	0.93	270	139	0.51	565	578	1.04
South Dakota	192	465	2.42	578	224	0.39	85	274	3.22	262	171	0.65
Tennessee	2,084	2,536	1.22	909	828	0.91	1,220	1,348	1.10	608	544	0.89
Texas	812	———	0	1,528	911	0.60	650	60	0.09	1,030	806	0.78
Utah	418	440	1.05	173	139	0.80	258	238	0.92	122	87	0.71
Vermont	252	317	1.26	528	531	1.01	119	125	1.05	174	212	1.22
Virginia	1,040	1,275	1.23	3,987	653	0.16	775	1,128	1.46	1,087	571	0.53
Washington	688	679	0.99	821	611	0.74	501	632	1.26	559	396	0.70
West Virginia	1,139	1,051	0.92	1,185	875	0.74	632	589	0.93	650	576	0.89
Wisconsin	926	675	0.73	904	543	0.60	579	595	1.03	725	464	0.64
Wyoming	186	166	0.89	324	275	0.85	200	217	1.09	192	143	0.74

[1] Includes allocations outside of continental United States.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the Bureau of the Census. Because of the large number of transcripts involved in national tabulations, the coding rules used by the Bureau of the Census must be designed and simplified to facilitate mass production. Furthermore, the Bureau of the Census does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide; et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

DEFINITIONS OF NONRESIDENTS AND RULES FOR CODING

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

In view of these considerations, errors in the residence tabulations for certain areas may be expected. It is believed that errors of a significant size are restricted to a small number of areas and will decrease as the meaning and importance of residence data become more widely understood.

Nation-wide adoption of the new standard birth, stillbirth, and death certificates recommended by the Bureau of the Census will greatly facilitate the collection of accurate residence information. The part of the new standard death certificate devoted to information concerning place of death and place of residence is reproduced below:

State of.....

1. PLACE OF DEATH:	2. USUAL RESIDENCE OF DECEASED:
(a) County	(a) State ..... (b) County .....
(b) City or town ..... (If outside city or town limits, write RURAL)	(c) City or town ..... (If outside city or town limits, write RURAL)
(c) Name of hospital or institution: ..... (If not in hospital or institution, write street number or location)	(d) Street No. ..... (If rural, give location)
(d) Length of stay: In hospital or institution ..... (Months, weeks) In this community ..... (Years, months or days)	(e) If foreign born, how long in U. S. A.? ..... years.

The new standard birth and stillbirth certificates are essentially the same with respect to these items. The item of residence has been given much greater prominence and more space. Separate lines are allowed for each part of the geographic location—State, county, city or town, and street. The specific request for county of residence is perhaps the most important new information on residence made available by the new certificates.

The new certificates were used by a few States during the latter part of 1939. In 1940, 1941, and 1942 a large majority of births and deaths throughout the country were reported on the new forms. Therefore, it may be expected that tabulations by place of residence for the period 1940 to 1942 are more complete and accurate than for earlier years.

Relation of geographic code to the identification of nonresidents.—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 population or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one of two meanings. In reference to the smallest unit of tabulation (in this report, an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Rules for the allocation of deaths.—The allocation of deaths to the place of residence is based on the following main rules:

1. General principle: Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area in which the decedent had his "usual place of residence."
2. With certain exceptions and qualifications, a decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death.
3. Decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.
4. Decedents in general hospitals, tuberculosis sanatoriums, et cetera, are reallocated to the usual place of residence.
5. Decedents in mental institutions, et cetera, are not reallocated to the place of prior residence.

For the purpose of coding mortality transcripts, these rules have been expanded into definite coding instructions that state the procedure followed in each case. These coding instructions have been published in the Instruction Manual of the Vital Statistics Division and are reprinted here with slight changes.

Rules for determining place of residence for deaths.—The following statements define the meaning of residence:

1. There should be a complete entry on every transcript for place of residence. If no entry is made, the transcript is coded a resident transcript and queried. The practices of the State transcribers may differ. If inconsistencies occur in transcribing this item, consult the verifier and, if necessary, the supervisor before querying.

2. In any case in which the coder is unable to determine the complete correct code for the stated place of residence, code as resident and query for additional information. If the necessary information is not obtained, the transcript is considered to be a resident transcript.

3. In any case in which the coder is unable to determine the complete correct code for the place of residence and the missing information is stated to be unknown or is marked (X) or (-), the transcript is coded as a resident without query.

4. If the place of residence is given as a foreign country, or as a United States possession outside the United States, the transcript is considered a resident transcript. In such cases, a copy is made of the transcript for interchange with the other country. The word "Copy" should be written on the copy that is given to the supervisor, and the word "Copied" should be written on the original transcript.

5. If the county of residence is not given, but a rural route is stated as the place of residence, query for additional information. If the name of the county is not obtained, code as resident of the county in which the R. F. D. post office is located. If an unincorporated place is given as the place of residence and the county of residence is not stated and cannot be determined, code as resident of the place of death, and query for additional information. If the place of residence is a rural route of a city which is coextensive with a county, and the county of residence is not stated, consult the supervisor and query for additional information.

6. Whenever the place of residence is a community or postal substation within an incorporated city, but the county of residence is not given, code as resident, if place of occurrence is given as that city, even though the community name may appear elsewhere as an incorporated place. If the place of occurrence is other than the city containing the community name, consult the supervisor and query.

7. Deaths are coded according to the place of residence of the deceased except in case of death of a newborn infant. When infants are born at other than the place of residence of the mother, and die before return to mother's residence, the residence of the mother is considered the residence of the child.

8. If the place of residence is stated to be different from the place of death, and if the "Length of stay" in the place of death is less than 1 year, the place of residence as stated is coded. If the "Length of stay" is not stated, code place of residence as given. If the "Length of stay" is more than 1 year, the decedent is coded as a resident of the place of death. This rule applies in all cases except those provided for in rule 9.

9. The inmates and employees of penitentiaries; prisons; reformatories; hospitals for the insane, epileptic, and feeble-minded; orphanages; homes for the blind, the deaf, the indigent or aged; are considered residents of the city, town, or county in which the institution is located. This rule applies even when some other place of residence is stated, and applies regardless of the "Length of stay." The rule applies to inmates of institutions coded as 8 or 9 for type of institution.

10. Patients or inmates and employees of surgical or medical hospitals, tuberculosis sanatoriums, convalescent homes, and jails, are usually only temporary inmates and are considered nonresidents of the place in which the institution is located, if residence at some other city, town, or county is stated. Rule 8 applies to these cases. This rule applies to inmates of nonresident institutions.

11. In general, a transcript is a nonresident transcript if the completed geographic code for place of residence differs in any respect from the completed geographic code for place of death. Under this definition:

(a) A transcript for a death occurring in an urban place of 10,000 or more is a nonresident transcript if the place of residence is in any other urban place, in any other county, or in any other part of the same county.

(b) A transcript for a death occurring in an urban place of 2,500 to 10,000 is a nonresident transcript if the place of residence is in any other urban place of 2,500 or more, in any other county, or in the rural part of the same county.

(c) A transcript for a death occurring in the rural part (under 2,500) of a county is a nonresident transcript if the place of residence is in any urban place of 2,500 or more, or in the rural part of any other county.

In addition, if a death occurs in an urban place of 2,500 to 10,000, and the place of residence is in another urban place of 2,500 to 10,000 in the same county, the transcript is to be coded as a nonresident, even though the geographic code is the same for both place of death and place of residence.

Rules for the allocation of births.—The allocation of births is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child. The following rules have been used in coding place of residence for births.

Rules for determining place of residence for births.—The following statements define the meaning of residence:

1. The residence of the mother is considered the residence of the child.

2. There should be a complete entry on every transcript for place of residence. If no entry is made, the transcript is coded as resident and queried. The practices of the State transcribers may differ. If inconsistencies occur in transcribing this item, consult the verifier and, if necessary, the supervisor before querying.

3. In any case in which the coder is unable to determine the complete correct code for the stated place of residence, code as resident and query for additional information. If the necessary information is not obtained, the transcript is considered to be a resident transcript.

4. In any case in which the coder is unable to determine the complete correct code for the place of residence and the missing information is stated to be unknown or is marked (X) or (-), the transcript is coded as a resident without query.

5. If the place of residence is given as a foreign country, or as a United States possession outside the United States, the transcript is considered a resident transcript. In such cases, a copy is made of the transcript for interchange with the other country. The word "Copy" should be written on the copy that is given to the supervisor, and the word "Copied" should be written on the original transcript.

6. If the county of residence is not given, but a rural route is stated as the place of residence, query for additional information. If the name of the county is not obtained, code as resident of the county in which the R. F. D. post office is located. If an unincorporated place is given as the place of residence, and the county of residence is not stated and cannot be determined, code as resident of place of birth, and

query for additional information. If the place of residence is a rural route of a city which is coextensive with a county, and the county of residence is not stated, consult the supervisor and query for additional information.

7. Whenever the place of residence is a community or postal substation within an incorporated city, but the county of residence is not given, code as resident, if place of occurrence is given as that city, even though the community name may appear elsewhere as an incorporated place. If the place of occurrence is other than the city containing the community name, consult the supervisor and query.

8. In general, a transcript is a nonresident transcript if the completed geographic code for place of residence differs in any respect from the completed geographic code for place of birth. Under this definition:

(a) A transcript for a birth occurring in an urban place of 10,000 or more is a nonresident transcript if the place of residence is in any other urban place, in any other county, or in any other part of the same county.

(b) A transcript for a birth occurring in an urban place of 2,500 to 10,000 is a nonresident transcript if the place of residence is in any other urban place of 2,500 or more, in any other county, or in the rural part of the same county.

(c) A transcript for a birth occurring in the rural part (under 2,500) of a county is a nonresident transcript if the place of residence is in any urban place of 2,500 or more, or in the rural part of any other county.

In addition, if a birth occurs in an urban place of 2,500 to 10,000, and the place of residence is in another urban place of 2,500 to 10,000 in the same county, the transcript is to be coded as a nonresident, even though the geographic code is the same for both place of birth and place of residence.

Change in nonresident coding.—One very important change in the rules for coding nonresident births and deaths was made in 1939 and continued through 1942. For the years 1935 to 1938, inclusive, if a person died in an urban place of 2,500 to 10,000 but had resided in another urban place of 2,500 to 10,000 in the same county, the death transcript was coded as resident, even though the place of residence was not the same as the place of death. Similarly, if a person died in an urban place of 2,500 to 10,000 but had resided in the rural part of the same county, or vice versa, the death was coded as resident. The same rules applied in the case of births. In order to secure more complete information on the volume and direction of the nonresident movement, the coding rules for 1939 to 1942 were changed, so as to identify as nonresident any movement from one urban place of 2,500 to 10,000 to another within the same county and any movement between an urban place of 2,500 to 10,000 and the rural part within the same county.

Those revisions of the rules for nonresident coding affect significantly statistics of residents and nonresidents for urban places of 2,500 to 10,000 and for rural areas. Therefore, resident statistics for these areas in 1939 to 1942 are not strictly comparable with those for preceding years. Also, the total number of nonresidents tabulated for a county, State, or the United States tends to be increased by this change in procedure.

RELATION OF INSTITUTIONS TO NONRESIDENT CODING

An important feature of the rules used in coding nonresident transcripts of death certificates is the distinction between two types of institutions. The first type of institution consists of surgical and medical hospitals and other institutions in which the length of stay is usually not long. These institutions are referred to as "nonresident institutions" since decedents here are considered as nonresidents of the place in which the institution is located, if residence in some other city, town, or county is stated. The second type consists of those institutions in which the length of stay is usually long and includes penitentiaries, hospitals for the insane, homes for the indigent and aged, et cetera. These institutions are referred to as "resident institutions" because decedents here are considered residents of the place in which the institution is located, even though some other place of residence may be stated on the death certificate.

The practice of the Bureau of the Census, in considering all decedents in "resident" institutions to be residents of the area in which the institution is located, is not consistent with the practice of some individual State agencies. Some States prefer to allocate these deaths to the place of prior residence. The reallocation of these deaths has the effect of reducing the total death rate of an area that contains an institution since it is not always possible to distribute the population of the institution in a comparable manner before computing rates.

Since only the name of the hospital or institution is given on the death certificate, it is not possible to determine directly the type of institution. To facilitate the work of coding, an institution index listing the name and type of each known institution has been developed by the Bureau of the Census with the assistance and cooperation of the American Medical Association. While the primary purpose of the index is to classify institutions for the purpose of coding place of residence, each institution is also classified according to "Type of institution (service)" and "Type of control." These classifications are consistent with those used by the American Medical Association in the list of registered hospitals published in the annual hospital number of the Journal of the American Medical Association.

There are certain problems involved in the correct location and classification of hospitals and other institutions named on death certificates. Several different names may be given at different times for the same hospital, or the name may be abbreviated so as to cast doubt upon its identity. Also, errors in location may occur where the hospital is just inside or outside the limits of an incorporated town or city. In addition, it is possible that in a few areas the name of the hospital may be omitted from some of the certificates. Significant errors of these types are believed to be few and will not vitiate the value of the institutional statistics presented for the large majority of areas.

BIRTH AND DEATH RATES BY PLACE OF RESIDENCE

In table K of part I of this volume, birth and death rates are presented for each State and geographic division by place of occurrence of the birth or death. The corresponding figures on a place of residence basis are given in table B. These data are somewhat different from those on a recorded basis, but for most States the differences are not great. However, for certain States the differences between the resident and recorded rates are sufficiently large to warrant the use of rates by place of residence in any State-to-State comparisons of natality and mortality rates relating to residents of the respective States.

TABLE B.—CRUDE BIRTH AND DEATH RATES: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

DIVISION AND STATE	RATE PER 1,000 ESTIMATED POPULATION	
	Birth	Death
UNITED STATES	21.0	10.4
Geographic Divisions:		
New England	19.7	11.5
Middle Atlantic	19.4	11.4
East North Central	20.7	10.7
West North Central	20.0	10.2
South Atlantic	22.6	9.4
East South Central	23.8	9.4
West South Central	21.7	8.7
Mountain	23.6	10.1
Pacific	20.5	11.1
New England:		
Maine	21.4	12.6
New Hampshire	19.0	11.7
Vermont	21.0	12.4
Massachusetts	19.0	11.7
Rhode Island	19.1	11.0
Connecticut	20.9	10.5
Middle Atlantic:		
New York	18.9	11.6
New Jersey	19.1	10.9
Pennsylvania	20.5	11.5
East North Central:		
Ohio	20.8	11.2
Indiana	21.1	11.5
Illinois	19.5	11.0
Michigan	22.4	9.6
Wisconsin	20.5	9.9
West North Central:		
Minnesota	22.1	9.7
Iowa	20.0	10.5
Missouri	18.6	11.0
North Dakota	22.8	8.2
South Dakota	21.2	9.5
West North Central—Con.		
Nebraska	19.0	9.9
Kansas	19.4	10.4
South Atlantic:		
Delaware	20.5	11.9
Maryland	22.2	11.1
Dist. of Columbia	17.5	9.7
Virginia	22.5	9.6
West Virginia	23.9	9.2
North Carolina	25.2	8.2
South Carolina	24.2	9.1
Georgia	22.5	9.0
Florida	19.1	9.9
East South Central:		
Kentucky	23.8	10.1
Tennessee	22.1	9.2
Alabama	24.2	8.9
Mississippi	25.4	9.5
West South Central:		
Arkansas	21.5	8.0
Louisiana	22.8	9.0
Oklahoma	20.8	8.7
Texas	21.6	8.8
Mountain:		
Montana	22.8	10.7
Idaho	23.9	9.7
Wyoming	22.1	8.5
Colorado	21.2	11.5
New Mexico	26.7	9.8
Arizona	23.0	10.2
Utah	27.4	8.4
Nevada	20.5	12.0
Pacific:		
Washington	20.7	10.9
Oregon	20.5	11.7
California	20.1	11.0

DEATHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—In 1942 there were 1,385,187 deaths registered in the United States, of which 244,752 were of nonresidents of the city or county in which death occurred. In 1942, as in 1941, 17.7 percent of the deaths reported were of nonresidents. Most of the nonresidents in any State are residents of some other part of the same State and do not, therefore, represent population movement between States. Of the 244,752 nonresident deaths, 33,797 were interstate nonresident deaths. These comprise 13.8 percent of all nonresident deaths and only 2.4 percent of all deaths.

TABLE C.—DEATHS OF NONRESIDENTS IN EACH STATE AND DEATHS OF RESIDENTS IN OTHER STATES: 1942

(Exclusive of stillbirths)

AREA	Total deaths in area	DEATHS						Total deaths of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES	1,385,187	244,752	210,955	33,797	244,752	210,955	33,797	1,385,187
Alabama	25,967	3,917	3,419	498	4,084	3,419	615	26,084
Arizona	6,317	1,874	964	910	1,143	964	179	5,586
Arkansas	15,434	2,551	2,085	466	2,881	2,085	796	15,764
California	85,045	20,930	19,619	1,311	20,736	19,619	1,117	84,851
Colorado	12,693	2,605	2,130	475	2,444	2,130	314	12,532
Connecticut	18,327	3,325	3,076	449	3,654	3,076	578	18,456
Delaware	3,325	577	448	129	583	448	135	3,331
Dist. of Col.	9,018	1,147	...	1,147	546	...	546	8,417
Florida	22,343	5,074	3,307	1,767	3,938	3,307	631	21,207
Georgia	29,086	4,130	3,495	635	4,127	3,495	632	29,083
Idaho	4,625	1,343	1,056	287	1,368	1,056	312	4,648
Illinois	86,705	13,477	12,111	1,366	14,551	12,111	2,440	87,777
Indiana	39,192	7,052	6,171	881	7,168	6,171	997	39,308
Iowa	25,150	5,378	4,572	806	5,229	4,572	657	25,001
Kansas	18,251	3,984	3,164	820	3,902	3,164	738	18,149
Kentucky	27,908	3,155	2,666	489	3,526	2,666	860	28,279
Louisiana	23,256	4,761	4,145	616	4,145	4,145	370	23,010
Maine	10,332	2,053	1,891	162	2,167	1,891	276	10,446
Maryland	22,290	3,447	2,418	1,029	3,325	2,418	907	22,168
Massachusetts	51,297	8,474	7,451	1,043	8,213	7,451	782	51,056
Michigan	52,742	9,856	9,098	758	9,921	9,098	823	52,827
Minnesota	26,320	5,611	4,568	1,043	5,142	4,568	574	25,851
Mississippi	20,677	3,155	2,743	412	3,272	2,743	529	20,794
Missouri	42,021	7,444	6,019	1,425	7,311	6,019	1,292	41,888
Montana	5,476	1,357	1,174	183	1,397	1,174	223	5,516
Nebraska	12,298	2,298	1,952	346	2,359	1,952	407	12,359
Nevada	1,730	619	397	222	523	397	126	1,634
New Hampshire	5,657	924	644	280	949	644	305	5,662
New Jersey	45,999	10,894	9,768	1,126	11,611	9,768	1,843	46,718
New Mexico	5,347	1,209	791	418	1,065	791	274	5,203
New York	149,907	16,242	13,972	2,270	16,155	13,972	2,183	149,820
North Carolina	29,705	5,265	4,458	807	4,976	4,458	518	29,414
North Dakota	4,792	1,311	1,090	221	1,337	1,090	247	4,818
Ohio	77,731	10,963	9,761	1,202	11,232	9,761	1,471	78,000
Oklahoma	18,850	3,599	3,261	338	4,073	3,261	812	19,324
Oregon	13,077	3,175	2,618	557	2,963	2,618	345	12,865
Pennsylvania	109,696	20,332	18,920	1,412	20,810	18,920	1,890	110,174
Rhode Island	8,121	1,678	1,454	224	1,725	1,454	269	8,166
South Carolina	18,211	2,798	2,528	270	2,893	2,528	365	18,306
South Dakota	5,255	1,067	982	[1] 85	1,244	982	262	5,432
Tennessee	27,629	4,469	3,249	1,220	3,857	3,249	608	27,017
Texas	58,935	8,675	8,025	650	9,053	8,025	1,030	59,315
Utah	4,983	1,162	906	256	1,028	906	122	4,849
Vermont	4,195	804	685	119	859	685	174	4,250
Virginia	28,885	4,899	4,124	775	5,211	4,124	1,087	29,197
Washington	20,484	4,504	4,003	501	4,572	4,003	569	20,552
West Virginia	16,957	3,527	2,895	632	3,545	2,895	650	16,975
Wisconsin	30,858	6,978	6,399	579	7,124	6,399	725	31,004
Wyoming	2,134	505	305	200	497	305	192	2,126

[1] Deaths of nonresidents from other States were incompletely reported.

A summary of the reallocation of deaths to place of residence is given in table C. This table shows the total number of deaths occurring in each State, the number of these that were of nonresidents, the number of deaths of residents occurring in other areas, and the total number of deaths of residents wherever occurring. For example, 85,045 deaths were recorded in California in 1942. Of this total number of recorded deaths, 20,930 occurred in a city or county of which the decedent was not a resident. In 19,619 instances the decedent was a resident of some other area of California, and in 1,311 instances the decedent was a resident of some other State. Considering next the deaths of residents of California, the table shows that 20,736 residents of California died in some city or county other than their usual place of residence. Of these, 19,619 died in some other area of California, and 1,117 California residents died in some other State. Altogether, a total of 84,851 residents of California died in 1942, irrespective of the place of death.

An inspection of table C shows relatively small differences between the total number of deaths occurring in a State and the total number of deaths of residents of the State. This indicates that interstate nonresident deaths are a small proportion of the total deaths and that in most cases the number of residents leaving a State and dying in other States approximately balances the number of residents of other States dying within the State. Even in States where a large number of out-of-State nonresidents are to be expected, reallocation does not greatly change the State totals. In Arizona the difference between the number of recorded deaths and the number of resident deaths is 13.1 percent of the number of resident deaths; in Florida, 5.4 percent; and in California, only 0.2 percent. These figures demonstrate that for State totals it is unnecessary in most cases to reallocate deaths to the place of residence. It is only for individual areas within the State that reallocation is important. However, to obtain correct figures for areas near State borders, it is probably necessary that this reallocation be on an interstate as well as an intrastate basis.

Number of nonresident deaths.—The proportion of nonresident deaths to all deaths for each State in 1942 is given in table D. This table shows the total number of deaths occurring in each State and the number and percent of these that are of nonresidents of the particular area in which death occurred. For the entire United States the nonresident deaths constituted 17.7 percent of all deaths, but in individual States this proportion ranged from 10.8 percent in New York to 35.8 percent in Nevada. A frequency distribution of States showing the percent of total recorded deaths that are of nonresidents is given in table E.

TABLE D.—DEATHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED DEATHS: EACH STATE, 1942

(Exclusive of stillbirths)

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA		AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
UNITED STATES	1,385,187	244,752	17.7	Missouri	42,021	7,444	17.7
				Montana	5,476	1,357	24.8
				Nebraska	12,298	2,298	18.7
Alabama	25,967	3,917	15.1	Nevada	1,730	619	35.8
Arizona	6,317	1,874	29.7	New Hampshire	5,657	924	16.4
Arkansas	15,434	2,551	16.5	New Jersey	45,999	10,894	23.7
California	85,045	20,930	24.6	New Mexico	5,347	1,209	22.6
Colorado	12,693	2,605	20.5				
Connecticut	18,327	3,325	19.2	New York	149,907	16,242	10.8
				North Carolina	29,705	5,265	17.7
Delaware	3,325	577	17.4	North Dakota	4,792	1,311	27.4
Dist. of Col.	9,018	1,147	12.7	Ohio	77,731	10,963	14.1
Florida	22,343	5,074	22.7	Oklahoma	18,850	3,599	19.1
Georgia	29,086	4,130	14.2	Oregon	13,077	3,175	24.3
Idaho	4,625	1,343	29.1				
Illinois	86,705	13,477	15.5	Pennsylvania	109,696	20,332	18.5
				Rhode Island	8,121	1,678	20.7
Indiana	39,192	7,052	18.0	South Carolina	18,211	2,798	15.4
Iowa	25,150	5,378	21.4	South Dakota	5,255	1,067	20.3
Kansas	18,251	3,984	21.9	Tennessee	27,629	4,469	16.2
Kentucky	27,908	3,155	11.3	Texas	58,935	8,675	14.7
Louisiana	23,256	4,761	20.5	Utah	4,983	1,162	23.3
Maine	10,332	2,053	19.9				
				Vermont	4,195	804	19.2
Maryland	22,290	3,447	15.5	Virginia	28,885	4,899	17.0
Massachusetts	51,297	8,474	16.5	Washington	20,484	4,504	22.0
Michigan	52,742	9,856	18.6	West Virginia	16,957	3,527	20.8
Minnesota	26,320	5,611	21.3	Wisconsin	30,858	6,978	22.6
Mississippi	20,677	3,155	15.3	Wyoming	2,134	505	23.7

TABLE E.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED DEATHS: 1942

(Exclusive of stillbirths)

PERCENT NONRESIDENTS	NUMBER OF STATES
10 - 14	6
15 - 19	21
20 - 24	18
25 - 29	3
35 - 39	1

CHANGES IN URBAN AND RURAL DEATH STATISTICS

The allocation of deaths to the place of residence of the decedent affects mortality data for places of various population sizes, as indicated in table F. This table shows for places classified according to population size the total *number* of deaths of residents wherever occurring and the total number of deaths occurring in each area. From these data it is apparent that the number of deaths recorded for urban places is considerably higher than the number of resident deaths. The converse is true of deaths for rural areas. This again illustrates the effect of the movement of people on mortality statistics.

TABLE F.—RESIDENT AND RECORDED DEATHS AND PERCENTAGE DIFFERENCE, URBAN AND RURAL: UNITED STATES, 1942

(Exclusive of stillbirths)

AREA	Deaths of residents	Deaths in area	Difference	Percentage difference
UNITED STATES	1,385,187	1,385,187	0	0
Urban	850,381	924,208	+73,827	+8.7
Places of 100,000 or more	429,775	454,185	+24,410	+5.7
Places of 25,000 to 100,000	169,785	191,975	+22,190	+13.1
Places of 10,000 to 25,000	111,148	126,071	+14,923	+13.4
Places of 2,500 to 10,000	139,673	151,977	+12,304	+8.8
Rural	534,806	460,979	-73,827	-13.8

The number of resident and recorded deaths, and the percentage difference between these figures are shown in table G for individual cities having populations of 100,000 or more in 1940. It may be seen that in all except 10 of the large cities the recorded number was higher than the resident figure. Most of these exceptions are cities located near other urban places with large hospital facilities.

TABLE G.—RESIDENT AND RECORDED DEATHS AND PERCENTAGE DIFFERENCE: CITIES OF 100,000 POPULATION OR MORE, 1942

(Exclusive of stillbirths)

AREA	Deaths of residents	Deaths in area	Difference	Percentage difference
Akron	2,159	2,229	+70	+3.2
Albany	1,634	1,898	+264	+16.2
Atlanta	3,604	3,891	+287	+8.0
Baltimore	11,018	11,807	+789	+7.2
Birmingham	3,114	3,359	+245	+7.9
Boston	9,753	11,561	+1,808	+18.5
Bridgeport	1,652	1,774	+122	+7.4
Buffalo	6,700	7,334	+634	+9.5
Cambridge	1,345	1,386	+41	+3.0
Camden	1,355	1,631	+276	+20.4
Canton	1,082	1,178	+96	+8.9
Charlotte	890	1,048	+158	+17.8
Chattanooga	1,580	1,807	+227	+14.4
Chicago	37,576	36,486	-1,090	-2.9
Cincinnati	6,024	6,921	+897	+14.9
Cleveland	9,783	10,023	+240	+2.5
Columbus	3,777	4,369	+592	+15.7
Dallas	2,984	3,420	+436	+14.6
Dayton	2,672	2,808	+136	+5.1
Denver	4,326	4,716	+390	+9.0
Des Moines	1,563	1,880	+317	+20.3
Detroit	14,272	14,251	-21	-0.1
Duluth	1,101	1,217	+116	+10.5
Elizabeth	1,124	1,299	+175	+15.6
Erie	1,225	1,378	+153	+12.5

TABLE G.—RESIDENT AND RECORDED DEATHS AND PERCENTAGE DIFFERENCE: CITIES OF 100,000 POPULATION OR MORE, 1942—Continued

(Exclusive of stillbirths)

AREA	Deaths of residents	Deaths in area	Difference	Percentage difference
Fall River	1,518	1,598	+80	+5.3
Flint	1,209	1,332	+123	+10.2
Fort Wayne	1,359	1,504	+145	+10.7
Fort Worth	1,888	2,055	+167	+8.8
Gary	1,029	1,056	+27	+2.6
Grand Rapids	1,665	1,720	+55	+3.3
Hartford	1,713	2,143	+430	+25.1
Houston	4,194	4,414	+220	+5.2
Indianapolis	4,981	5,371	+390	+7.8
Jacksonville, Fla.	2,221	2,391	+170	+7.7
Jersey City	3,259	3,621	+362	+11.1
Kansas City, Kans.	1,340	1,612	+272	+20.3
Kansas City, Mo.	4,762	4,995	+231	+4.9
Knoxville	1,119	1,354	+235	+21.0
Long Beach	2,159	1,968	-191	-8.8
Los Angeles	17,833	18,621	+788	+4.4
Louisville	4,314	4,597	+283	+6.6
Lowell	1,224	1,322	+98	+8.0
Memphis	3,189	4,098	+909	+28.5
Miami	1,647	1,813	+166	+10.1
Milwaukee	5,957	5,439	-518	-8.7
Minneapolis	4,572	5,154	+582	+12.7
Nashville	2,148	2,533	+385	+17.9
Newark, N. J.	4,843	5,088	+245	+5.1
New Bedford	1,279	1,251	-28	-2.2
New Haven	1,766	2,144	+378	+21.4
New Orleans	6,075	7,147	+1,072	+17.6
New York	75,798	75,777	-21	-0.0
Norfolk	2,182	2,221	+39	+1.8
Oakland	4,026	3,928	-98	-2.4
Oklahoma City	1,749	2,227	+478	+27.3
Omaha	2,459	2,781	+322	+13.1
Paterson	1,517	1,786	+269	+17.7
Peoria	1,148	1,372	+224	+19.5
Philadelphia	24,512	25,127	+615	+2.5
Pittsburgh	7,807	8,694	+887	+11.4
Portland, Oreg.	4,278	4,677	+399	+9.3
Providence	2,915	3,115	+200	+6.9
Reading	1,311	1,246	-65	-5.0
Richmond	2,473	2,895	+422	+17.1
Rochester	3,345	3,650	+305	+9.1
Sacramento	1,503	1,882	+379	+25.2
St. Louis	10,342	11,111	+769	+7.4
St. Paul	2,907	3,114	+207	+7.1
Salt Lake City	1,534	1,959	+425	+27.7
San Antonio	3,452	3,604	+152	+4.4
San Diego	2,664	2,945	+281	+10.5
San Francisco	8,713	9,261	+548	+6.3
Scranton	1,618	1,832	+214	+13.2
Seattle	5,085	5,392	+307	+6.0
Somerville	1,026	836	-190	-18.5
South Bend	962	1,005	+43	+4.5
Spokane	1,592	1,731	+139	+8.7
Springfield, Mass.	1,674	1,907	+233	+13.9
Syracuse	2,362	2,553	+191	+8.1
Tacoma	1,390	1,707	+317	+22.8
Tampa	1,339	1,340	+1	+0.1
Toledo	3,520	3,724	+204	+5.8
Trenton	1,584	1,854	+270	+17.3
Tulsa	1,423	1,580	+157	+11.0
Utica	1,415	1,502	+87	+6.1
Washington, D. C.	8,417	9,018	+601	+7.1
Wichita	1,269	1,339	+70	+5.5
Wilmington, Del.	1,451	1,651	+200	+13.8
Worcester	2,477	2,723	+246	+9.9
Yonkers	1,284	1,237	-47	-3.7
Youngstown	1,696	1,892	+196	+11.6

INFANT MORTALITY STATISTICS

Infant mortality rates for urban and rural areas.—Table H shows the urban and rural infant mortality rates by race for the United States on a place-of-residence basis. The rate in 1942 ranged from 34.5 deaths under 1 year per 1,000 live births for cities of 100,000 or more to 44.6 for urban places of 2,500 to 10,000. The differences between areas are greater for nonwhite than for white infants. In comparison with the corresponding figures for the preceding year, the rate for rural areas showed a greater decrease than the rates for urban areas (cities and other urban places having populations over 2,500).

TABLE H.—INFANT MORTALITY BY RACE, URBAN AND RURAL: UNITED STATES, 1942

(Exclusive of stillbirths)

AREA	DEATHS UNDER 1 YEAR					
	Total		White		Nonwhite	
	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births
UNITED STATES	113,492	40.4	92,678	37.3	20,814	64.6
Urban	62,776	38.3	53,147	35.6	9,629	65.9
Places of 100,000 or more	27,370	34.5	22,648	31.8	4,722	58.4
Places of 25,000 to 100,000	13,496	40.1	11,473	37.1	2,023	73.0
Places of 10,000 to 25,000	9,336	41.2	8,078	38.5	1,258	76.4
Places of 2,500 to 10,000	12,574	44.6	10,948	41.9	1,626	77.4
Rural	50,716	43.3	39,531	39.7	11,185	63.5

Infant mortality rates by State.—A comparison of the infant mortality rates for the various States and geographic divisions is given in table J. The lowest rate, 29.2 per 1,000 live births, was reported for Connecticut; and the highest rate, 97.9, for New Mexico. With a few exceptions, the rates were highest in the Mountain, South Atlantic, West South Central, and East South Central States, and lowest in the Pacific, Middle Atlantic, and New England States. The comparability of infant mortality rates between States is affected by incomplete birth and death registration in some States. However, the indicated differences in infant mortality are much too large to be explained solely on this basis.

TABLE J.—INFANT MORTALITY RATES BY RACE: UNITED STATES, EACH DIVISION AND STATE, 1942

(Exclusive of stillbirths)

DIVISION AND STATE	DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS		
	Total	White	Nonwhite
UNITED STATES	40.4	37.3	64.6
GEOGRAPHIC DIVISIONS:			
New England	34.1	33.7	61.9
Middle Atlantic	34.1	32.8	58.4
E. North Central	35.4	34.5	56.3
W. North Central	34.8	33.7	65.7
South Atlantic	50.4	42.2	70.6
E. South Central	48.1	43.7	59.7
W. South Central	48.6	45.4	62.0
Mountain	54.3	51.5	124.4
Pacific	34.1	33.5	50.0
NEW ENGLAND:			
Maine	46.1	45.9	108.7
New Hampshire	35.9	35.9	0
Vermont	41.7	41.7	0
Massachusetts	32.0	31.6	62.0
Rhode Island	39.5	38.5	87.4
Connecticut	29.2	28.7	51.8
MIDDLE ATLANTIC:			
New York	31.9	30.9	54.5
New Jersey	31.1	29.2	58.3
Pennsylvania	38.2	36.8	62.3
EAST NORTH CENTRAL:			
Ohio	37.0	35.6	69.0
Indiana	36.6	35.7	63.2
Illinois	33.1	32.4	45.4
Michigan	37.2	36.5	52.5
Wisconsin	32.0	31.5	79.6
WEST NORTH CENTRAL:			
Minnesota	29.6	29.2	69.9
Iowa	33.5	33.4	41.5
Missouri	39.0	37.2	64.7
North Dakota	36.5	35.8	63.4
South Dakota	38.2	34.3	94.1
Nebraska	33.4	32.8	84.7
Kansas	35.5	35.0	50.5
SOUTH ATLANTIC:			
Delaware	47.0	36.5	102.7
Maryland	43.9	36.6	75.5
Dist. of Col.	50.8	39.2	73.7
Virginia	52.5	44.1	77.5
West Virginia	53.0	52.4	64.1
North Carolina	48.3	41.4	63.7
South Carolina	58.7	43.8	75.5
Georgia	49.3	38.9	66.7
Florida	47.7	39.0	70.5
EAST SOUTH CENTRAL:			
Kentucky	48.4	47.0	73.7
Tennessee	46.4	43.8	60.3
Alabama	50.1	42.1	63.9
Mississippi	47.3	38.7	54.4
WEST SOUTH CENTRAL:			
Arkansas	39.7	37.7	46.2
Louisiana	48.2	37.0	65.4
Oklahoma	41.4	38.9	61.8
Texas	53.6	51.8	66.4
MOUNTAIN:			
Montana	33.7	31.6	66.3
Idaho	36.2	35.2	126.0
Wyoming	45.1	43.1	108.4
Colorado	49.7	49.4	68.5
New Mexico	97.9	96.2	132.9
Arizona	80.1	68.0	178.6
Utah	33.0	32.4	79.4
Nevada	57.2	54.9	90.4
PACIFIC:			
Washington	33.1	31.6	108.8
Oregon	30.5	30.4	41.3
California	34.8	34.5	43.1

DEATHS IN HOSPITALS AND INSTITUTIONS

Of the 1,385,187 deaths registered in the United States in 1942, 585,949 or 42.3 percent were reported as having occurred in hospitals and institutions. The reported number of deaths in hospitals and institutions in 1942 increased 15,986 or 2.8 percent over that in 1941. This increase occurred despite the decrease of 12,455 in the total number of deaths in the United States in 1942.

There has been an increasing proportion of deaths occurring in hospitals and institutions in recent years. In 1940, 553,218 or 39.0 percent of the total were reported as having occurred in hospitals and institutions; in 1941 the corresponding number was 569,963 or 40.8 percent of the total, an increase of 3.0 percent over the number for 1940. The number of deaths in hospitals and institutions in 1942 probably represents the largest proportion of the total ever recorded in the United States during a nonepidemic year.

Table K shows the proportion of resident deaths in institutions for each State. The percentage of deaths in hospitals and institutions ranged from 23.3 percent for residents of Mississippi to 55.9 percent for Nevada residents. In general, the proportion of deaths in hospitals and institutions was low for residents of the Southern States, and relatively high for those of the Mountain and Pacific States.

TABLE K.—PERCENTAGE OF RESIDENT DEATHS OCCURRING IN INSTITUTIONS: EACH STATE, 1942

(Exclusive of stillbirths)

AREA	DEATHS OF RESIDENTS (wherever occurring)		
	Total	In institution	Not in institution
UNITED STATES	100.0	42.3	57.7
Alabama	100.0	23.5	76.5
Arizona	100.0	48.9	51.1
Arkansas	100.0	24.6	75.4
California	100.0	54.8	45.2
Colorado	100.0	51.7	48.3
Connecticut	100.0	51.1	48.9
Delaware	100.0	44.6	55.4
Dist. of Columbia	100.0	58.6	41.4
Florida	100.0	37.8	62.2
Georgia	100.0	27.1	72.9
Idaho	100.0	46.0	54.0
Illinois	100.0	48.0	52.0
Indiana	100.0	35.8	64.2
Iowa	100.0	40.8	59.2
Kansas	100.0	40.3	59.7
Kentucky	100.0	25.9	74.1
Louisiana	100.0	37.6	62.4
Maine	100.0	34.9	65.1
Maryland	100.0	41.5	58.5
Massachusetts	100.0	45.2	50.8
Michigan	100.0	46.1	53.9
Minnesota	100.0	49.6	50.4
Mississippi	100.0	23.3	76.7
Missouri	100.0	40.1	59.9
Montana	100.0	54.5	45.5
Nebraska	100.0	39.9	60.1
Nevada	100.0	55.9	44.1
New Hampshire	100.0	44.9	55.1
New Jersey	100.0	47.9	52.1
New Mexico	100.0	31.0	69.0
New York	100.0	53.3	46.7
North Carolina	100.0	30.7	69.3
North Dakota	100.0	48.1	51.9
Ohio	100.0	38.5	61.5
Oklahoma	100.0	34.7	65.3
Oregon	100.0	51.0	49.0
Pennsylvania	100.0	43.1	56.9
Rhode Island	100.0	44.1	55.9
South Carolina	100.0	25.0	75.0
South Dakota	100.0	41.1	58.9
Tennessee	100.0	29.9	70.1
Texas	100.0	31.3	68.7
Utah	100.0	43.7	56.3
Vermont	100.0	38.7	61.3
Virginia	100.0	32.8	67.2
Washington	100.0	54.4	45.6
West Virginia	100.0	30.4	69.6
Wisconsin	100.0	47.1	52.9
Wyoming	100.0	54.0	46.0

The "institutional" grouping in table K is based on the institution code, and all types of hospitals, et cetera, are included under the broad term "institution." For deaths, the institutions are, for the most part, general hospitals. Table L shows for 1942 the number of deaths in the United States and the proportion of these deaths occurring in each broad class of institution. Of the total number of deaths, 57.7 percent did not occur in an institution, 33.3 percent occurred in general hospitals, and 9.0 percent occurred in other types of hospitals and institutions.

TABLE L.—RESIDENT DEATHS IN INSTITUTIONS: UNITED STATES, 1942

(Exclusive of stillbirths)

TYPE OF INSTITUTION	Total deaths	Percent of total deaths
Total deaths	1,385,187	100.0
No institution	799,238	57.7
Total institution	585,949	42.3
Type of service:		
General hospital	460,717	33.3
Maternity hospital	1,953	0.1
Children's hospital	3,483	0.3
Tuberculosis hospital	16,584	1.2
Special hospital	8,445	0.6
Other nonresident hospital	9,799	0.7
Convalescent, etc., home	8,595	0.6
Nonresident institution	670	0.0
Mental institution	43,201	3.1
Other resident institution	32,402	2.3

BIRTHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—Of a total of 2,808,996 live births registered in the United States in 1942, 2,074,668 occurred in the city or county in which the mother of the child usually resided, and 734,328 (26.1 percent) were nonresident births, as compared with 592,084 (23.6 percent) in 1941. The proportion of total births that were of nonresidents is greater than the proportion of nonresident deaths (17.7 percent). A large proportion of these nonresident births were to mothers who lived in rural areas or small cities and gave birth in more populous areas. As might be expected, this movement from rural areas or small cities to larger urban places is largely an intrastate movement as only 50,168 (6.8 percent) of all nonresident mothers crossed State lines.

A summary of births by place of occurrence and by place of residence is given for States in table M. This table shows, for each State, the number of births registered as occurring within the State; the total number of nonresident births within the State, that is, the number of births occurring in cities or counties of which the mother is not a resident; the number of these occurring to nonresident mothers who live in some other part of the same State; and the number to mothers living in other States. This table also shows the number of births to residents of each State occurring in other areas, and the total number of births to residents wherever occurring. For all States, except Maryland and Virginia, the total number of births occurring within the State is approximately equal to the total number of births to residents wherever occurring. In the District of Columbia, the number of births occurring in the area is substantially greater than the number of births to residents of the area.

TABLE M.—BIRTHS OF NONRESIDENTS IN EACH STATE AND BIRTHS OF RESIDENTS IN OTHER STATES: 1942

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS						Total births of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES	2,808,996	734,328	684,160	50,168	734,328	684,160	50,168	2,808,996
Alabama	70,782	9,289	8,760	529	9,643	8,760	883	71,136
Arizona	13,580	3,819	2,712	1,107	2,903	2,712	191	12,664
Arkansas	42,526	5,473	4,693	780	5,627	4,693	934	42,680
California	153,632	59,231	58,854	377	60,166	58,854	1,312	154,567
Colorado	23,604	6,516	6,114	402	6,478	6,114	364	23,566
Connecticut	36,426	13,368	12,943	425	14,206	12,943	1,263	37,264
Delaware	5,662	2,096	1,843	253	2,091	1,843	248	5,657
Dist. of Columbia	21,531	6,912	...	6,912	560	...	560	15,179
Florida	40,901	7,821	7,275	546	7,821	7,275	546	40,901
Georgia	73,053	12,749	11,520	1,229	12,187	11,520	667	72,491
Idaho	11,646	4,829	4,117	712	4,837	4,117	520	11,454
Illinois	154,067	42,800	41,634	1,166	44,965	41,634	3,331	156,232
Indiana	74,120	21,805	20,088	1,717	21,391	20,088	1,303	73,706
Iowa	49,253	17,721	16,163	1,558	16,922	16,163	759	48,454

TABLE M.—BIRTHS OF NONRESIDENTS IN EACH STATE AND BIRTHS OF RESIDENTS IN OTHER STATES: 1942—Continued

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS						Total births of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
Kansas	33,315	10,096	9,109	987	10,701	9,109	1,592	33,920
Kentucky	66,300	6,001	5,118	883	5,968	5,118	850	66,267
Louisiana	58,157	12,707	12,217	490	12,643	12,217	426	58,093
Maine	17,437	5,121	4,917	204	5,403	4,917	486	17,719
Maryland	40,800	8,603	7,531	1,072	12,040	7,531	4,509	44,237
Massachusetts	83,668	29,576	27,910	1,666	28,681	27,910	771	82,775
Michigan	123,806	38,805	37,981	824	38,885	37,981	904	123,886
Minnesota	58,902	17,991	16,840	1,151	17,859	16,840	1,019	58,770
Mississippi	56,329	5,608	5,234	374	5,946	5,234	712	56,667
Missouri	72,111	17,250	14,671	2,579	15,850	14,671	1,179	70,711
Montana	11,630	3,676	3,492	184	3,781	3,492	289	11,735
Nebraska	23,953	6,401	5,647	754	6,124	5,647	477	23,676
Nevada	2,752	1,102	951	151	1,132	951	181	2,782
New Hampshire	9,574	3,028	2,101	927	2,627	2,101	526	9,172
New Jersey	79,993	39,644	38,812	832	41,360	38,812	2,548	81,709
New Mexico	14,224	2,642	2,096	546	2,547	2,096	451	14,129
New York	246,017	47,211	44,453	2,758	45,996	44,453	1,543	244,802
North Carolina	89,880	16,997	16,364	633	16,971	16,364	607	89,854
North Dakota	13,465	4,803	4,181	622	4,695	4,181	514	13,357
Ohio	144,445	40,765	38,752	2,013	40,647	38,752	1,895	144,327
Oklahoma	45,663	10,459	9,698	761	10,804	9,698	1,106	46,008
Oregon	22,754	8,023	7,289	734	7,787	7,289	498	22,518
Pennsylvania	197,862	67,609	64,802	2,807	66,924	64,802	2,122	197,177
Rhode Island	14,111	5,325	4,756	569	5,396	4,756	640	14,182
South Carolina	48,527	6,749	6,552	197	7,057	6,552	505	48,835
South Dakota	12,038	3,786	3,594	192	4,172	3,594	578	12,424
Tennessee	66,322	10,201	8,117	2,084	9,026	8,117	909	65,147
Texas	144,026	25,641	24,829	812	26,357	24,829	1,528	144,742
Utah	16,067	5,183	4,765	418	4,938	4,765	173	15,822
Vermont	6,899	2,350	2,098	252	2,626	2,098	528	7,175
Virginia	65,003	12,671	11,631	1,040	15,618	11,631	3,987	67,950
Washington	38,874	14,287	13,599	688	14,420	13,599	821	39,007
West Virginia	43,876	7,223	6,084	1,139	7,269	6,084	1,185	43,922
Wisconsin	64,004	21,053	20,127	926	21,031	20,127	904	63,982
Wyoming	5,429	1,312	1,126	186	1,450	1,126	324	5,567

Number of nonresident births.—Although for the entire United States the nonresident births are 26.1 percent of all births, this proportion varies widely among States. In 1942 it ranged from 9.1 percent in Kentucky to 49.6 percent in New Jersey. Table N gives the total number of births occurring in each State and the number and percent that occurred in a city or county of which the mother was not a resident. The frequency distribution of these percentages for States is given in table O. In 5 States less than 15 percent of the births were to nonresidents, while in 12 States 35 percent or more of the births were to nonresidents.

TABLE N.—BIRTHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED BIRTHS: EACH STATE, 1942

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA		AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
UNITED STATES	2,808,996	734,328	26.1	Missouri	72,111	17,250	23.9
				Montana	11,630	3,676	31.6
Alabama	70,782	9,289	13.1	Nebraska	23,953	6,401	26.7
Arizona	13,580	3,819	28.1	Nevada	2,752	1,102	40.0
Arkansas	42,526	5,473	12.9	New Hampshire	9,574	3,028	31.6
California	153,632	59,231	38.6	New Jersey	79,993	39,644	49.6
Colorado	23,604	6,516	27.6	New Mexico	14,224	2,642	18.6
Connecticut	36,426	13,368	36.7	New York	246,017	47,211	19.2
Delaware	5,662	2,096	37.0	North Carolina	89,880	16,997	18.9
Dist. of Col.	21,531	6,912	32.1	North Dakota	13,465	4,803	35.7
Florida	40,901	7,821	19.1	Ohio	144,445	40,765	28.2
Georgia	73,053	12,749	17.5				
				Oklahoma	45,663	10,459	22.9
Idaho	11,646	4,829	41.5	Oregon	22,754	8,023	35.3
Illinois	154,067	42,800	27.8	Pennsylvania	197,862	67,609	34.2
Indiana	74,120	21,805	29.4	Rhode Island	14,111	5,325	37.7
Iowa	49,253	17,721	36.0	South Carolina	48,527	6,749	13.9
Kansas	33,315	10,096	30.3				
				South Dakota	12,038	3,786	31.5
Kentucky	66,300	6,001	9.1	Tennessee	66,322	10,201	15.4
Louisiana	58,157	12,707	21.8	Texas	144,026	25,641	17.8
Maine	17,437	5,121	29.4	Utah	16,067	5,183	32.3
Maryland	40,800	8,603	21.1	Vermont	6,899	2,350	34.1
				Virginia	65,003	12,671	19.5
Massachusetts	83,668	29,576	35.3	Washington	38,874	14,287	36.8
Michigan	123,806	38,805	31.3	West Virginia	43,876	7,223	16.5
Minnesota	58,902	17,991	30.5	Wisconsin	64,004	21,053	32.9
Mississippi	56,329	5,608	10.0	Wyoming	5,429	1,312	24.2

TABLE O.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED BIRTHS: 1942

(Exclusive of stillbirths)

PERCENT NONRESIDENTS	NUMBER OF STATES
5- 9	1
10-14	4
15-19	9
20-24	5
25-29	7
30-34	11
35-39	9
40-44	2
45-49	1

Changes in urban and rural birth statistics.—Table P shows the difference between the number of births to residents of urban and rural areas and the number of births occurring in the corresponding area. The place-of-occurrence figures are much higher than those by place of residence in the urban areas, whereas the contrary is true of the rural areas. In comparing the birth figures for urban and rural areas, differences in completeness of birth registration should be taken into account.[3]

TABLE P.—RESIDENT AND RECORDED BIRTHS AND PERCENTAGE DIFFERENCE, URBAN AND RURAL: UNITED STATES, 1942

(Exclusive of stillbirths)

AREA	Births of residents	Births in area	Difference	Percentage difference
UNITED STATES	2,808,996	2,808,996	0	0
Urban	1,638,192	1,997,168	+358,976	+21.9
Places of 100,000 or more	792,625	927,018	+134,393	+17.0
Places of 25,000 to 100,000	336,834	432,640	+95,806	+28.4
Places of 10,000 to 25,000	226,515	290,458	+63,943	+28.2
Places of 2,500 to 10,000	282,218	347,052	+64,834	+23.0
Rural	1,170,804	811,828	-358,976	-30.7

The number of births in 1942 by place of residence and by place of occurrence is given in table Q for each city having a population of 100,000 or more. The residence figures are lower than those by place of occurrence for every city except Chicago, Indianapolis, Los Angeles, New Bedford, Reading, and Somerville. Since many factors contribute to the number of nonresident births occurring in a community, a careful study of local conditions is necessary to explain the varying differences observed between residence and occurrence statistics. The important factors are: the number and location of hospitals in suburbs surrounding a given city, the density of population in adjacent rural areas and the distance to other cities, the extent to which hospital facilities are available within the given city, et cetera.

TABLE Q.—RESIDENT AND RECORDED BIRTHS AND PERCENTAGE DIFFERENCE: CITIES OF 100,000 POPULATION OR MORE, 1942

(Exclusive of stillbirths)

AREA	Births of residents	Births in area	Difference	Percentage difference
Akron	5,504	6,470	+966	+17.6
Albany	2,348	3,562	+1,214	+51.7
Atlanta	7,443	8,580	+1,137	+15.3
Baltimore	20,158	24,159	+4,001	+19.8
Birmingham	7,178	7,597	+419	+5.8
Boston	15,087	19,336	+4,249	+28.2
Bridgeport	3,379	4,697	+1,318	+39.0
Buffalo	12,175	14,840	+2,665	+21.9
Cambridge	2,390	3,638	+1,248	+52.2
Camden	2,446	4,791	+2,345	+95.9
Canton	2,729	3,750	+1,021	+37.4
Charlotte	2,485	3,398	+913	+36.7
Chattanooga	3,374	4,055	+681	+20.2
Chicago	69,442	68,543	-899	-1.3
Cincinnati	9,379	12,690	+3,311	+35.3
Cleveland	19,112	22,101	+2,989	+15.6
Columbus	6,796	8,281	+1,485	+21.8
Dallas	6,634	8,744	+2,110	+31.8
Dayton	5,986	7,191	+1,205	+20.1
Denver	7,479	8,929	+1,450	+19.4

[3] See Vital Statistics—Special Reports, vol. 17, No. 18. Bureau of the Census, Washington, D. C. 1943.

TABLE Q.—RESIDENT AND RECORDED BIRTHS AND PERCENTAGE DIFFERENCE: CITIES OF 100,000 POPULATION OR MORE, 1942—Continued

(Exclusive of stillbirths)

AREA	Births of residents	Births in area	Difference	Percentage difference
Des Moines	3,444	4,101	+657	+19.1
Detroit	37,123	41,553	+4,430	+11.9
Duluth	1,970	2,471	+501	+25.4
Elizabeth	2,184	3,361	+1,177	+53.9
Erie	2,806	3,528	+722	+25.7
Fall River	2,368	3,029	+661	+27.9
Flint	3,414	4,899	+1,485	+43.5
Fort Wayne	2,613	3,272	+659	+25.2
Fort Worth	4,240	5,025	+785	+18.5
Gary	2,894	3,612	+718	+24.8
Grand Rapids	3,681	4,119	+438	+11.9
Hartford	4,073	7,051	+2,978	+73.1
Houston	10,706	11,604	+898	+8.4
Indianapolis	9,481	9,201	-280	-3.0
Jacksonville, Fla.	4,533	5,216	+683	+15.1
Jersey City	5,954	9,443	+3,489	+58.6
Kansas City, Kans.	2,582	2,864	+282	+10.9
Kansas City, Mo.	7,579	9,063	+1,484	+19.6
Knoxville	2,609	3,448	+839	+32.2
Long Beach	4,047	5,571	+1,524	+37.7
Los Angeles	30,905	29,090	-1,815	-5.9
Louisville	8,528	9,504	+976	+11.4
Lowell	1,921	2,344	+423	+22.0
Memphis	6,158	8,329	+2,171	+35.3
Miami	3,200	3,556	+356	+11.1
Milwaukee	11,901	15,030	+3,129	+26.3
Minneapolis	9,817	12,296	+2,479	+25.3
Nashville	4,316	4,864	+548	+12.7
Newark, N. J.	8,671	11,981	+3,310	+38.2
New Bedford	2,048	1,957	-91	-4.4
New Haven	3,231	5,072	+1,841	+57.0
New Orleans	11,229	14,100	+2,871	+25.6
New York	129,487	132,607	+3,120	+2.4
Norfolk	3,959	4,453	+494	+12.5
Oakland	6,694	7,855	+1,161	+17.3
Oklahoma City	4,443	5,197	+754	+17.0
Omaha	4,924	5,623	+704	+14.3
Paterson	2,588	4,669	+2,081	+80.4
Peoria	2,216	3,785	+1,569	+70.8
Philadelphia	37,645	40,540	+2,895	+7.7
Pittsburgh	14,194	19,378	+5,184	+36.5
Portland, Oreg.	7,071	8,608	+1,537	+21.7
Providence	4,926	8,274	+3,348	+68.0
Reading	1,774	1,602	-172	-9.6
Richmond	4,240	5,618	+1,378	+32.5
Rochester	5,944	8,324	+2,380	+40.0
Sacramento	2,267	3,992	+1,725	+76.0
St. Louis	15,655	20,039	+4,384	+28.0
St. Paul	6,379	7,535	+1,156	+18.1
Salt Lake City	4,556	5,920	+1,364	+29.9
San Antonio	9,058	9,381	+323	+3.6
San Diego	6,617	7,033	+416	+6.3
San Francisco	11,207	12,681	+1,474	+13.2
Scranton	2,078	2,845	+767	+36.9
Seattle	9,084	10,844	+1,760	+19.4
Somerville	2,080	1,379	-701	-33.7
South Bend	2,310	2,714	+404	+17.5
Spokane	2,573	3,532	+959	+37.3
Springfield, Mass.	2,983	4,092	+1,109	+37.2
Syracuse	3,969	5,895	+1,926	+48.5
Tacoma	2,673	3,924	+1,251	+46.8
Tampa	2,412	2,983	+571	+23.7
Toledo	5,850	7,109	+1,259	+21.5
Trenton	2,170	3,847	+1,677	+77.3
Tulsa	3,647	4,051	+404	+11.1
Utica	2,007	2,728	+721	+35.9
Washington, D. C.	15,179	21,531	+6,352	+41.8
Wichita	3,977	4,303	+326	+8.2
Wilmington, Del.	2,389	3,826	+1,437	+60.2
Worcester	3,844	5,007	+1,163	+30.3
Yonkers	2,208	2,446	+238	+10.8
Youngstown	3,598	4,937	+1,339	+37.2

BIRTHS IN HOSPITALS

The use of hospitals for confinements by the inhabitants of any area is more correctly indicated by data reallocated to place of residence than by data based on place of birth. This information for States by urban and rural areas is given in table R, which shows the proportion of resident births of each area occurring in hospitals.

In 1942, 1,906,833 or 67.9 percent of all live births occurred in hospitals. Of the 1,638,192 births to urban residents, 1,381,852 or 84.4 percent occurred in hospitals. Live births to rural residents numbered 1,170,804, and of these 524,981 or 44.8 percent were born in hospitals.

By States, the proportion of resident births occurring in hospitals ranged from 21.5 percent for Mississippi to 95.9 percent for Connecticut. For residents of rural areas, the

proportion varied from 10.2 percent in Kentucky to 94.9 in Connecticut. For urban residents, the proportion ranged from 56.5 percent in Mississippi to 97.5 percent in Washington.

Considerable variation in the urban-rural differential is also apparent in the data for each State. For example, only 10.2 percent of the births among rural residents of Kentucky occurred in hospitals, while 62.6 percent of births to urban residents were in hospitals. For residents of Washington, on the other hand, the percentage of births among urban and rural residents occurring in hospitals was 97.5 and 90.3 percent, respectively.

Table S gives a frequency distribution of the States according to the proportion of resident births occurring in hospitals. In 5 States less than 30 percent of the resident births occurred in hospitals, while in 16 States resident births in hospitals were 80 percent or more of all resident births.

The hospital coding and classification for birth statistics is not based on the institution code used for mortality. The births are coded with a simple code that indicates only whether or not the birth took place in a hospital or other institution. However, almost all births in institutions actually occur in general or maternity hospitals.

Detailed statistics of births by type of attendance are given in table 11. The total number of births by place of residence is shown for each urban place and county of each State. Four types of attendants are distinguished in these tabulations, namely; physician not in a hospital, physician in a hospital, midwife, and other or unspecified attendant.

TABLE R.—PERCENTAGE OF RESIDENT BIRTHS OCCURRING IN HOSPITALS, URBAN AND RURAL: EACH STATE, 1942

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS		
	Total	In hospital	Not in hospital
UNITED STATES	100.0	67.9	32.1
Urban	100.0	84.4	15.6
Rural	100.0	44.8	55.2
Alabama	100.0	29.8	70.2
Urban	100.0	56.6	43.4
Rural	100.0	15.7	84.3
Arizona	100.0	73.2	26.8
Urban	100.0	78.5	21.5
Rural	100.0	67.3	32.7
Arkansas	100.0	27.7	72.3
Urban	100.0	62.6	37.4
Rural	100.0	14.1	85.9
California	100.0	92.1	7.9
Urban	100.0	93.6	6.4
Rural	100.0	87.5	12.5
Colorado	100.0	72.7	27.3
Urban	100.0	81.7	18.3
Rural	100.0	59.7	40.3
Connecticut	100.0	95.9	4.1
Urban	100.0	96.4	3.6
Rural	100.0	94.9	5.1
Delaware	100.0	78.0	22.0
Urban	100.0	90.0	10.0
Rural	100.0	64.0	36.0
District of Columbia	100.0	90.3	9.7
Florida	100.0	55.6	44.4
Urban	100.0	70.0	30.0
Rural	100.0	37.8	62.2
Georgia	100.0	40.5	59.5
Urban	100.0	67.4	32.6
Rural	100.0	22.4	77.6
Idaho	100.0	81.0	19.0
Urban	100.0	87.4	12.6
Rural	100.0	76.6	23.4
Illinois	100.0	84.9	15.1
Urban	100.0	91.4	8.6
Rural	100.0	63.4	36.6
Indiana	100.0	69.1	30.9
Urban	100.0	79.4	20.6
Rural	100.0	53.2	46.8
Iowa	100.0	72.0	28.0
Urban	100.0	86.2	13.8
Rural	100.0	60.5	39.5

TABLE R.—PERCENTAGE OF RESIDENT BIRTHS OCCURRING IN HOSPITALS, URBAN AND RURAL: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS		
	Total	In hospital	Not in hospital
Kansas	100.0	70.1	29.9
Urban	100.0	81.2	18.8
Rural	100.0	58.7	41.3
Kentucky	100.0	27.3	72.7
Urban	100.0	62.6	37.4
Rural	100.0	10.2	89.8
Louisiana	100.0	52.4	47.6
Urban	100.0	76.6	23.4
Rural	100.0	33.0	67.0
Maine	100.0	67.6	32.4
Urban	100.0	82.6	17.4
Rural	100.0	57.8	42.2
Maryland	100.0	67.7	32.3
Urban	100.0	74.8	25.2
Rural	100.0	57.4	42.6
Massachusetts	100.0	91.7	8.3
Urban	100.0	91.9	8.1
Rural	100.0	89.3	10.7
Michigan	100.0	79.2	20.8
Urban	100.0	86.1	13.9
Rural	100.0	64.0	36.0
Minnesota	100.0	79.1	20.9
Urban	100.0	91.7	8.3
Rural	100.0	66.1	33.9
Mississippi	100.0	21.5	78.5
Urban	100.0	56.5	43.5
Rural	100.0	13.2	86.8
Missouri	100.0	59.6	40.4
Urban	100.0	82.1	17.9
Rural	100.0	32.1	67.9
Montana	100.0	89.2	10.8
Urban	100.0	95.5	4.5
Rural	100.0	83.8	16.2
Nebraska	100.0	70.4	29.6
Urban	100.0	86.7	13.3
Rural	100.0	57.4	42.6
Nevada	100.0	91.2	8.8
Urban	100.0	96.2	3.8
Rural	100.0	87.2	12.8
New Hampshire	100.0	86.4	13.6
Urban	100.0	90.2	9.8
Rural	100.0	80.4	19.6
New Jersey	100.0	90.2	9.8
Urban	100.0	92.0	8.0
Rural	100.0	82.2	17.8
New Mexico	100.0	40.2	59.8
Urban	100.0	58.5	41.5
Rural	100.0	28.5	71.5
New York	100.0	92.2	7.8
Urban	100.0	94.9	5.1
Rural	100.0	79.1	20.9
North Carolina	100.0	38.1	61.9
Urban	100.0	65.7	34.3
Rural	100.0	28.0	72.0
North Dakota	100.0	74.6	25.4
Urban	100.0	94.0	6.0
Rural	100.0	68.6	31.4
Ohio	100.0	75.4	24.6
Urban	100.0	84.5	15.5
Rural	100.0	53.7	46.3
Oklahoma	100.0	55.2	44.8
Urban	100.0	74.2	25.8
Rural	100.0	39.7	60.3
Oregon	100.0	93.4	6.6
Urban	100.0	96.9	3.1
Rural	100.0	88.1	11.9
Pennsylvania	100.0	73.9	26.1
Urban	100.0	84.2	15.8
Rural	100.0	53.1	46.9
Rhode Island	100.0	87.3	12.7
Urban	100.0	87.5	12.5
Rural	100.0	85.7	14.3
South Carolina	100.0	29.9	70.1
Urban	100.0	56.6	43.4
Rural	100.0	18.3	81.7
South Dakota	100.0	69.3	30.7
Urban	100.0	86.3	13.7
Rural	100.0	62.2	37.8
Tennessee	100.0	38.0	62.0
Urban	100.0	68.1	31.9
Rural	100.0	19.5	80.5
Texas	100.0	55.6	44.4
Urban	100.0	68.7	31.3
Rural	100.0	38.3	61.7
Utah	100.0	82.5	17.5
Urban	100.0	90.9	9.1
Rural	100.0	69.3	30.7

TABLE R.—PERCENTAGE OF RESIDENT BIRTHS OCCURRING IN HOSPITALS, URBAN AND RURAL: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS		
	Total	In hospital	Not in hospital
Vermont	100.0	70.5	29.5
Urban	100.0	85.4	14.6
Rural	100.0	61.0	39.0
Virginia	100.0	44.8	55.2
Urban	100.0	73.1	26.9
Rural	100.0	27.9	72.1
Washington	100.0	94.5	5.5
Urban	100.0	97.5	2.5
Rural	100.0	90.3	9.7
West Virginia	100.0	32.2	67.8
Urban	100.0	66.5	33.5
Rural	100.0	18.3	81.7
Wisconsin	100.0	77.7	22.3
Urban	100.0	88.0	12.0
Rural	100.0	64.9	35.1
Wyoming	100.0	81.3	18.7
Urban	100.0	89.0	11.0
Rural	100.0	75.2	24.8

TABLE S.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF RESIDENT BIRTHS IN HOSPITALS: 1942

(Exclusive of stillbirths)

PERCENT OF BIRTHS IN HOSPITALS	NUMBER OF STATES
10-19	0
20-29	5
30-39	3
40-49	3
50-59	5
60-69	4
70-79	13
80-89	7
90+	9

ILLEGITIMATE BIRTHS

The number of illegitimate live births and the ratio per 1,000 total live births are given in table T. In 1942 there were 83,459 births in the United States (exclusive of California, Maryland, Massachusetts, Nebraska, New Hampshire, New York, and Wyoming) reported as illegitimate, and the ratio was 37.2 per 1,000 live births, a significant decline from the ratio of 40.8 for 1941.

Data relating to illegitimacy were first made available in 1917. In that first year the ratio was 20.2, and there was a steady increase in the years that followed. The trend of this ratio is somewhat influenced by the changing character of the registration area from year to year. The ratio for the nonwhite races is very high, and the addition to the registration area of States with a high proportion of Negroes has accelerated the upward trend of the ratio for all races. However, for the white group alone, there has been a marked increase in the proportion of recorded illegitimate births. The lowest ratio of 12.5 was recorded in 1918, and the highest, 21.4, in 1935. In 1942 the proportion of reported illegitimate live births for the whites was 17.0 per 1,000 live births.

TABLE T.—ILLEGITIMATE LIVE BIRTHS BY RACE: BIRTH-REGISTRATION AREA,[1] UNITED STATES

YEAR	ILLEGITIMATE LIVE BIRTHS[2]					
	Number			Ratio per 1,000 total live births		
	Total	White	Nonwhite	Total	White	Nonwhite
1942	83,459	33,117	50,342	37.2	17.0	170.6
1941	83,067	33,220	49,847	40.8	19.0	176.0
1940	77,558	32,032	45,526	40.4	19.4	169.3
1939	74,941	31,330	43,611	41.9	20.4	172.7
1938	74,462	32,043	42,419	41.1	20.5	169.1
1937	74,938	32,231	42,707	40.2	20.1	163.9
1936	72,338	31,850	40,488	39.8	20.3	162.4
1935	75,141	33,685	41,456	41.1	21.4	163.6

See footnotes at end of table.

TABLE T.—ILLEGITIMATE LIVE BIRTHS BY RACE: BIRTH-REGISTRATION AREA,[1] UNITED STATES—Continued

YEAR	ILLEGITIMATE LIVE BIRTHS[2]					
	Number			Ratio per 1,000 total live births		
	Total	White	Nonwhite	Total	White	Nonwhite
1934	75,352	32,682	42,670	41.0	20.9	154.0
1933	73,389	31,742	41,647	41.8	21.5	158.9
1932	70,811	31,607	39,204	41.0	21.3	160.9
1931	65,952	30,137	35,815	37.5	19.8	150.5
1930	63,567	29,490	34,077	34.7	18.6	141.1
1929	60,921	27,780	33,141	33.9	17.7	143.5
1928	60,661	27,745	32,916	32.8	17.2	139.5
1927	52,022	26,124	25,898	29.0	16.9	131.6
1926	37,576	21,316	16,260	25.6	16.0	121.3
1925	37,414	21,564	15,850	25.3	16.0	120.6
1924	39,332	20,523	18,809	25.9	15.0	123.5
1923	35,040	18,139	16,901	25.2	14.4	126.2
1922	35,605	18,471	17,134	25.8	14.8	130.0
1921	34,824	17,440	17,384	26.6	14.8	128.5
1920	27,749	15,170	12,579	24.9	15.0	125.0
1919	23,660	12,360	11,300	23.6	13.6	121.9
1918	19,906	12,000	7,906	19.4	12.5	113.8
1917	20,464	12,238	8,226	20.2	13.0	120.1

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940-1942. These States did not require a statement concerning legitimacy of child.

[2] For 1939-1942, by place of residence; for 1917-1938, by place of occurrence.

NOTE.—Data not available for the years 1915 and 1916.

Data on illegitimate live births for 1940, 1941, and 1942 for individual States are given in table U. This table gives the number of illegitimate births and the ratio for each State, for the white and nonwhite races. California, Maryland, Massachusetts, Nebraska, New Hampshire, New York, and Wyoming were excluded since the birth certificates for these States did not require a statement concerning legitimacy. It must be recognized that the reporting of the fact of illegitimacy in other States is probably incomplete and inaccurate.

TABLE U.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Ratio per 1,000 total live births		
	1942	1941	1940	1942	1941	1940
UNITED STATES[1]	83,459	83,067	77,558	37.2	40.8	40.4
White	33,117	33,220	32,032	17.0	19.0	19.4
Nonwhite	50,342	49,847	45,526	170.6	176.0	169.3
Alabama	5,732	5,751	5,363	80.6	89.3	85.2
White	747	673	663	16.5	16.9	17.0
Nonwhite	4,985	5,078	4,700	192.4	207.8	195.4
Arizona	303	288	314	23.9	25.2	27.3
White	216	198	240	19.1	19.8	24.2
Nonwhite	87	90	74	62.9	62.2	46.5
Arkansas	1,874	1,747	1,587	43.9	43.1	41.2
White	461	439	420	14.1	14.3	14.4
Nonwhite	1,413	1,308	1,167	140.4	133.8	126.6
Colorado	519	547	456	22.0	25.6	21.7
White	485	522	433	20.9	24.7	20.9
Nonwhite	34	25	23	86.3	94.3	78.5
Connecticut	373	398	450	10.0	13.7	17.6
White	319	346	388	8.8	12.2	15.6
Nonwhite	54	52	62	62.2	76.5	96.9
Delaware	322	346	325	56.9	68.0	71.4
White	86	86	100	18.1	20.2	26.3
Nonwhite	236	260	225	263.4	311.4	300.4
District of Columbia	1,269	1,252	1,075	83.6	97.1	95.7
White	240	195	195	23.8	23.7	27.4
Nonwhite	1,029	1,057	880	202.2	227.3	214.5
Florida	2,302	2,322	2,104	56.3	61.9	62.3
White	343	389	372	11.6	14.5	15.6
Nonwhite	1,959	1,933	1,732	172.0	179.7	174.6
Georgia	4,974	5,092	5,020	68.6	75.0	77.5
White	599	621	612	13.2	15.0	15.7
Nonwhite	4,375	4,471	4,408	162.1	168.7	171.6

See footnote at end of table.

TABLE U.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE—Continued

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Ratio per 1,000 total live births		
	1942	1941	1940	1942	1941	1940
Idaho	116	125	127	10.1	10.7	10.8
White	101	118	124	8.9	10.2	10.6
Nonwhite	15	7	3	118.1	69.3	31.3
Illinois	3,719	3,493	3,302	23.8	25.7	26.5
White	2,259	2,109	2,146	15.3	16.4	18.2
Nonwhite	1,460	1,384	1,156	171.6	180.4	167.5
Indiana	1,464	1,317	1,128	19.9	20.1	18.3
White	1,087	988	864	15.3	15.6	14.5
Nonwhite	377	329	264	151.6	140.2	120.4
Iowa	736	779	708	15.2	16.9	15.8
White	695	728	673	14.4	15.9	15.1
Nonwhite	41	51	35	131.0	178.9	145.8
Kansas	586	581	496	17.3	19.1	17.2
White	438	420	338	13.4	14.4	12.1
Nonwhite	148	161	158	126.7	139.3	149.3
Kentucky	1,573	2,118	1,827	23.7	33.4	28.7
White	1,083	1,509	1,279	17.3	25.1	21.1
Nonwhite	490	609	548	134.3	180.1	171.5
Louisiana	4,582	4,526	4,167	78.9	82.9	82.0
White	473	486	467	13.5	15.1	15.7
Nonwhite	4,109	4,040	3,700	178.6	180.3	175.6
Maine	557	477	445	31.4	29.8	29.2
White	553	473	439	31.3	29.7	28.9
Nonwhite	4	4	6	87.0	100.0	136.4
Michigan	2,501	2,345	2,269	20.2	21.8	22.9
White	1,821	1,744	1,771	15.3	16.9	18.7
Nonwhite	680	601	498	133.3	133.0	121.3
Minnesota	1,202	1,165	1,138	20.5	21.4	21.5
White	1,105	1,064	1,043	19.0	19.8	20.0
Nonwhite	97	101	95	169.6	148.7	139.5
Mississippi	5,260	5,237	4,785	92.8	95.7	90.7
White	300	301	343	11.7	12.3	14.7
Nonwhite	4,960	4,936	4,442	159.5	162.8	150.9
Missouri	1,496	1,630	1,663	21.2	25.0	27.0
White	895	990	1,110	13.6	16.3	19.4
Nonwhite	601	640	553	125.0	142.5	133.3
Montana	172	228	228	14.7	19.7	19.7
White	115	172	172	10.4	15.8	15.8
Nonwhite	57	56	56	80.4	81.2	83.2
Nevada	25	24	28	9.0	10.9	13.3
White	15	12	8	5.8	5.8	4.1
Nonwhite	10	12	20	56.5	84.5	111.7
New Jersey	1,614	1,585	1,530	19.8	23.6	25.6
White	815	843	852	10.7	13.5	15.4
Nonwhite	799	742	678	146.5	149.1	146.9
New Mexico	613	634	541	43.4	43.0	36.6
White	550	576	489	40.7	40.6	34.1
Nonwhite	63	58	52	99.7	105.1	113.5
North Carolina	7,188	7,150	6,538	79.7	84.5	81.3
White	1,517	1,575	1,507	24.4	27.4	27.6
Nonwhite	5,641	5,575	5,031	203.1	204.9	194.3
North Dakota	256	256	304	19.2	19.3	23.1
White	216	211	262	16.6	16.5	20.6
Nonwhite	40	45	42	110.2	103.7	106.3
Ohio	2,830	2,628	2,542	19.6	20.9	22.2
White	1,970	1,762	1,735	14.3	14.8	16.0
Nonwhite	860	866	807	137.6	130.1	131.6
Oklahoma	1,318	1,482	1,402	28.6	32.3	31.2
White	603	713	687	14.7	17.4	17.0
Nonwhite	715	769	715	143.1	156.3	157.2
Oregon	267	284	237	11.9	15.1	13.4
White	245	262	215	11.0	14.1	12.4
Nonwhite	22	22	22	69.8	83.7	75.6
Pennsylvania	6,265	6,077	5,614	31.8	34.9	33.9
White	4,077	4,051	3,812	21.9	24.7	24.4
Nonwhite	2,188	2,026	1,802	202.1	200.9	190.8
Rhode Island	314	271	259	22.1	23.3	23.9
White	272	242	225	19.6	21.3	21.3
Nonwhite	42	29	34	146.9	113.7	138.8
South Carolina	4,964	4,995	4,866	101.6	105.4	109.5
White	524	524	563	20.3	21.6	25.8
Nonwhite	4,440	4,471	4,303	193.3	193.3	195.5
South Dakota	277	238	228	22.3	19.6	18.9
White	193	172	173	16.6	15.1	15.3
Nonwhite	84	66	55	105.4	88.5	74.8

See footnote at end of table.

TABLE U.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE—Continued

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Ratio per 1,000 total live births		
	1942	1941	1940	1942	1941	1940
Tennessee	2,799	2,771	2,553	43.0	46.3	46.2
White	1,076	1,038	922	19.6	20.5	19.7
Nonwhite	1,723	1,733	1,631	168.1	185.9	192.1
Texas	4,353	4,345	3,768	30.1	31.8	29.7
White	1,876	1,980	1,798	14.8	16.6	16.2
Nonwhite	2,477	2,365	1,970	135.2	133.7	124.1
Utah	108	93	96	6.7	6.9	7.2
White	99	91	89	6.3	6.8	6.7
Nonwhite	7	2	7	37.0	17.2	48.3
Vermont	154	180	223	21.5	25.8	32.1
White	154	180	223	21.5	25.9	32.1
Nonwhite	-	-	-	0	0	0
Virginia	4,671	4,606	4,211	68.7	75.4	73.9
White	1,220	1,219	1,100	24.0	27.1	26.6
Nonwhite	3,451	3,387	3,111	202.5	209.9	197.8
Washington	477	424	437	12.2	13.9	15.5
White	424	379	370	11.1	12.7	13.5
Nonwhite	53	45	67	69.5	63.8	90.2
West Virginia	2,253	2,164	2,084	51.3	49.2	49.3
White	1,822	1,811	1,781	44.0	42.9	44.4
Nonwhite	431	353	303	171.7	197.9	138.4
Wisconsin	1,113	1,096	1,100	17.4	19.2	20.0
White	1,028	1,008	1,009	16.2	17.8	18.6
Nonwhite	85	88	91	130.2	129.0	135.2

[1] Exclusive of California, Maryland, Massachusetts, Nebraska, New Hampshire, New York, and Wyoming. These States did not require a statement concerning legitimacy of child.

STILLBIRTH STATISTICS

Reporting of stillbirths.—Information on stillbirths was first collected by the Bureau of the Census in 1918. No data were collected or published for the years 1919 to 1921, inclusive, but since 1922 stillbirth tables have been compiled annually for the birth-registration area.

In some States stillbirths are reported on a special stillbirth certificate, whereas in others, State laws require the physician or attendant at a stillbirth to file both a birth and a death certificate. Such basic differences in reporting procedure introduce some variation in the completeness of registration and in the information reported. More important, from a statistical standpoint, are differences in the legal definitions of a stillbirth used in the States. Variations in the definition make it difficult to compile strictly comparable data for all States, and confuse the interpretation of consolidated national figures. A list showing the various definitions used in reporting stillbirths has been published each year previous to 1937 in the volume entitled "Birth, Stillbirth, and Infant Mortality Statistics." More recent data on stillbirth definitions for the States are given in Vital Statistics—Special Reports, vol. 3, No. 2, table 13. Neither of these sources of definitions can be considered up-to-date since changes may occasionally be made in State procedures.

Detailed tables classifying stillbirths by area, race, age of mother, nativity of parents, and other subjects, are given in tables 12 through 16 in the section containing general natality and mortality tables.

The total number of stillbirths and the ratio of stillbirths to 1,000 live births are given in table W for the birth-registration area for a series of years. The ratio of stillbirths to live births for the first year that these data are available (1918) was 40.1. For the years 1922 to 1930, inclusive, this ratio varied around 38, 39, and 40, without demonstrating any appreciable trend. However, since 1930 it has been consistently decreasing; for 1942 it was 28.2 per 1,000 live births, which is 28.1 percent below the stillbirth ratio for 1930. This decrease in recent years must be due to factors other than changes in the registration area because the area has included the entire United States since 1933.

TABLE W.—RATIO OF STILLBIRTHS TO LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Live births	STILLBIRTHS		YEAR	Live births	STILLBIRTHS	
		Number	Ratio per 1,000 live births			Number	Ratio per 1,000 live births
1942	2,808,996	79,174	28.2	1931	2,112,760	80,616	38.2
1941	2,513,427	75,133	29.9	1930	2,203,958	86,466	39.2
1940	2,360,399	73,802	31.3	1929	2,169,920	85,678	39.5
1939	2,265,588	72,598	32.0	1928	2,233,149	89,765	40.2
1938	2,286,962	73,467	32.1	1927	2,137,836	82,931	38.8
1937	2,203,337	73,609	33.4	1926	1,856,068	70,716	38.1
1936	2,144,790	73,735	34.4	1925	1,878,880	71,519	38.1
1935	2,155,105	77,119	35.8	1924	1,930,614	75,817	39.3
1934	2,167,656	78,503	36.2	1923	1,792,646	69,757	38.9
1933	2,081,232	77,059	37.0	1922	1,774,911	70,010	39.4
1932	2,074,042	78,351	37.8	1918	[1]1,211,685	148,634	140.1

[1]Exclusive of Massachusetts, Rhode Island, Washington, and Baltimore, Md. No transcripts of stillbirths were received from these areas.

NOTE.—Data relating to stillbirths were not collected for the years 1919 to 1921, inclusive.

Stillbirths by period of gestation.—Until 1936 stillbirths were tabulated according to the period of gestation. This tabulation was discontinued in 1937 since it was thought that the differences in definition of a stillbirth and the frequent failure to report the period of gestation made such a tabulation of limited value. The same limitations apply to the 1942 tabulations of stillbirths by period of gestation, but it is hoped that data of some value may be presented by grouping data for States with approximately the same legal requirements for the reporting of stillbirths.

In table Y is shown the number of reported stillbirths by period of gestation for each State tabulated on a residence basis. Of the 79,174 stillbirth transcripts received in 1942, 13,722 or 17.3 percent did not give information on the period of gestation. This item is incompletely reported by some States, and in others the relatively large proportion of unknown or unstated period of gestation makes the data of little use.

It seems apparent from the distribution of stillbirths by period of gestation that stillbirths are occasionally reported without regard to the period of gestation requirement for the registration of stillbirths. However, more frequent are the cases in which the reportable stillbirths are not registered. The securing of completeness in stillbirth reporting and the obtaining of uniformity in the definition of a stillbirth are problems which need to be solved before stillbirth statistics will be of much value for studies relating to pregnancy wastage.

TABLE Y.—STILLBIRTHS BY PERIOD OF GESTATION: EACH STATE, 1942

STATE AND MINIMUM PERIOD OF GESTATION	Total	PERIOD OF GESTATION										
		Under 1 month	1 to 2 months	2 to 3 months	3 to 4 months	4 to 5 months	5 to 6 months	6 to 7 months	7 to 8 months	8 to 9 months	9 months and over	Not stated
UNITED STATES	79,174	89	1,152	2,428	1,613	1,875	4,496	6,240	7,980	7,661	31,918	13,722
Any product of gestation[1]	1,585	-	7	44	96	135	151	123	153	151	618	107
Maryland	1,585	-	7	44	96	135	151	123	153	151	618	107
20 weeks, advanced to 5th month, 5th month	52,901	76	1,102	2,276	1,351	1,416	3,360	4,364	5,443	5,186	20,847	7,480
Alabama	2,383	1	-	-	8	15	116	197	277	180	1,099	490
Arizona	287	-	-	-	-	2	9	32	32	42	145	25
Arkansas	1,189	-	-	2	1	11	58	88	111	97	572	249
California	2,908	-	1	1	-	6	277	390	394	368	1,252	219
Florida	1,551	1	1	-	1	2	16	43	55	56	188	1,188
Georgia	2,807	-	-	-	-	12	146	234	315	253	1,151	696
Idaho[2]	239	-	-	-	2	5	11	22	32	22	123	22
Illinois	3,445	-	-	-	-	51	233	314	474	493	1,788	92
Iowa	982	2	-	-	-	1	57	82	127	146	551	16
Michigan	3,055	2	2	1	4	15	196	278	330	354	1,632	241
Minnesota	1,282	2	-	1	1	8	62	95	145	123	383	462
Nebraska	517	-	-	-	1	6	32	37	59	75	283	26
Nevada	59	-	-	-	-	-	3	12	9	7	24	4
New York[1]	12,506	59	1,093	2,252	1,292	966	846	757	796	805	3,349	291
North Carolina	2,825	-	-	1	1	13	172	307	360	424	1,362	185
Ohio	3,619	3	2	3	8	97	307	299	439	433	1,430	598
Oklahoma	914	-	-	-	-	-	50	75	121	102	546	20
Oregon	379	-	-	-	1	4	19	41	57	45	155	47
Pennsylvania	4,878	4	2	13	24	150	428	506	592	539	2,454	166
South Dakota	248	-	-	-	-	5	16	23	40	37	92	35
Texas	3,684	1	1	-	4	27	132	240	304	208	865	1,902
Utah	281	-	-	-	1	2	16	33	36	45	136	12
West Virginia[3]	1,527	1	-	2	2	16	72	121	139	115	583	476
Wisconsin	1,229	-	-	-	-	-	81	125	187	211	619	6
Wyoming	107	-	-	-	-	2	5	13	12	8	55	12
22 weeks, 5 1/2 months, 6 months	21,595	3	36	98	160	303	909	1,578	1,968	1,895	8,785	5,860
Colorado	563	1	-	1	-	7	18	44	58	46	145	243
Delaware	142	-	-	2	-	2	6	9	13	14	86	10
District of Columbia	409	-	1	3	-	4	38	37	59	46	190	31
Kansas	712	-	-	-	1	9	27	55	69	97	333	121
Kentucky	1,768	-	-	-	-	1	1	25	56	51	834	800
Louisiana	1,860	-	-	2	5	22	72	114	183	156	677	629
Maine	442	-	-	1	-	4	9	23	76	68	228	33
Massachusetts	2,039	-	-	3	2	1	1	2	4	3	7	2,016
Mississippi	2,378	1	1	5	15	31	123	261	296	274	1,062	309
Missouri	2,175	-	7	38	96	120	177	213	230	211	1,026	57
Montana	207	-	-	-	-	1	8	23	18	27	112	18
New Jersey	2,086	1	21	33	24	42	128	185	227	245	881	299
New Mexico	334	-	-	-	-	1	17	27	34	45	187	23
North Dakota	234	-	-	-	-	1	8	10	18	15	128	54
Rhode Island[4]	322	-	1	1	-	-	2	36	40	40	169	33
South Carolina	1,996	-	-	1	1	9	57	141	180	118	913	576
Tennessee	1,460	-	1	2	1	1	67	153	159	178	781	117
Vermont	176	-	-	1	-	2	7	12	20	25	87	22
Virginia	2,292	-	4	5	15	45	143	208	228	236	939	469
28 weeks, 7 months	3,093	10	7	10	6	21	76	175	416	429	1,868	275
Connecticut[5]	736	1	7	8	5	10	32	52	96	100	326	99
Indiana	1,506	9	-	-	1	6	32	89	206	187	849	127
New Hampshire	245	-	-	2	-	5	11	23	32	30	114	28
Washington	606	-	-	-	-	-	1	11	82	112	379	21

[1]Stillbirths for New York City, where all products of conception are required to be registered, are included with New York State. [2]Period not specified. Requires reporting of foetus developed "sufficient to give chance of life." [3]Also includes "or total length of 10 inches." [4]All products of conception must be registered but only certificates for 6 completed months of gestation are used for statistical purposes. [5]Also includes "or measuring at least 13.8 inches."

TABLE I.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 100,000 ESTIMATED MIDYEAR DE FACTO

(Exclusive of stillbirths. Numbers under causes of death are

DIVISION AND STATE	Total	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
UNITED STATES	1,035.5	0.6	0.7	0.3	1.9	1.0	39.6	3.5	0.6	12.2	0.4	122.1	1.1	25.4	2.2	1.1	90.2
GEOGRAPHIC DIVISIONS:																	
New England	1,149.4	0.1	1.0	0.3	1.1	0.2	32.4	2.9	0.0	7.7	0.2	162.3	0.8	34.2	1.2	0.2	106.8
Middle Atlantic	1,136.9	0.3	0.9	0.3	1.3	0.2	41.7	3.3	0.1	13.3	0.3	155.6	1.4	37.9	2.5	0.1	84.8
East North Central	1,065.9	0.2	0.4	0.5	1.5	0.5	34.0	3.3	0.1	10.9	0.4	135.9	1.0	29.4	3.7	0.1	97.5
West North Central	1,022.4	0.4	0.4	0.3	1.1	0.8	25.1	2.6	0.2	9.9	0.6	136.2	1.0	25.1	2.7	0.3	101.8
South Atlantic	940.0	0.9	1.1	0.2	2.8	1.6	42.8	3.8	1.4	14.5	0.3	80.2	1.3	16.8	1.2	2.7	89.6
East South Central	937.5	0.9	0.8	0.4	3.4	1.7	53.0	5.0	2.0	13.0	0.7	75.4	1.4	13.2	1.2	3.9	84.5
West South Central	873.3	1.7	0.5	0.2	2.6	2.3	47.5	3.3	2.2	12.8	0.6	80.7	1.0	13.2	1.1	3.2	72.6
Mountain	1,014.9	0.8	1.0	0.7	3.3	1.5	42.8	4.4	0.0	10.2	0.6	98.9	1.8	16.1	2.0	0.2	71.7
Pacific	1,108.9	0.3	0.9	0.2	1.4	1.0	41.4	4.1	0.0	14.6	0.4	137.0	0.6	23.6	2.0	0.3	93.9
NEW ENGLAND:																	
Maine	1,261.6	0.5	2.9	0.7	3.0	0.4	28.6	2.5	0.1	6.3	0.5	158.2	1.1	30.4	0.7	0.5	127.3
New Hampshire	1,172.7	0.2	0.8	0.8	2.1	0	19.5	1.7	0	7.7	0.6	162.0	0	29.4	1.7	0	124.3
Vermont	1,243.4	0.3	0.3	0.3	3.8	0.6	30.7	2.0	0	4.4	1.5	154.8	1.2	29.3	3.5	0	129.6
Massachusetts	1,173.6	0.1	0.8	0.3	0.6	0.2	34.5	3.0	0.1	7.5	0.1	169.6	0.7	35.7	0.9	0.1	107.9
Rhode Island	1,101.3	0.1	0.5	0.3	1.2	0.7	34.8	3.0	0	10.2	0.1	149.8	0.8	38.3	1.1	0.1	99.8
Connecticut	1,034.1	0.1	0.8	0	0.5	0	32.0	3.5	0	8.4	0.2	152.8	1.3	32.9	1.4	0.2	88.6
MIDDLE ATLANTIC:																	
New York	1,155.1	0.2	0.9	0.2	1.1	0.1	43.3	3.5	0.1	14.6	0.2	169.9	1.4	41.3	2.3	0.1	77.4
New Jersey	1,091.5	0.1	0.8	0.2	1.1	0.1	41.0	3.0	0.1	11.0	0.6	150.1	1.5	34.2	2.2	0.0	92.2
Pennsylvania	1,132.5	0.5	0.9	0.4	1.7	0.2	39.9	3.1	0.1	12.6	0.2	138.9	1.5	34.9	2.8	0.1	91.5
EAST NORTH CENTRAL:																	
Ohio	1,122.3	0.3	0.2	0.5	1.8	0.4	37.1	3.8	0.1	12.9	0.3	139.0	1.1	31.2	3.8	0.2	111.0
Indiana	1,126.8	0.3	0.4	0.4	1.8	0.5	32.9	3.8	0.2	11.7	0.5	129.0	0.9	27.5	3.8	0.1	114.4
Illinois	1,095.2	0.2	0.3	0.5	1.2	0.8	38.5	3.1	0.2	10.9	0.5	147.3	0.9	31.3	3.3	0.1	84.3
Michigan	955.1	0.2	0.4	0.4	1.3	0.4	30.4	3.7	0.1	10.7	0.2	118.1	0.9	26.2	3.4	0.1	87.1
Wisconsin	993.5	0.0	0.5	0.8	1.4	0.2	22.7	1.6	0	5.9	0.3	142.4	1.3	28.8	4.5	0.1	101.3
WEST NORTH CENTRAL:																	
Minnesota	970.2	0.2	0.5	0.3	0.8	0.4	23.5	2.5	0.2	7.8	0.2	141.5	1.4	26.9	2.8	0	96.0
Iowa	1,030.0	0	0.1	0.4	1.2	0.4	15.6	2.0	0	8.0	0.3	148.3	0.6	26.0	2.5	0.1	115.1
Missouri	1,102.5	0.8	0.6	0.3	0.9	1.1	38.5	3.0	0.6	13.9	0.4	135.7	0.9	23.0	2.8	0.5	96.5
North Dakota	824.1	0.3	0.5	0.3	1.7	1.0	18.0	2.7	0	4.1	0.7	106.2	0.9	22.9	1.2	0	81.2
South Dakota	926.4	0.5	0.5	0.2	4.3	3.4	26.6	4.9	0	5.8	0.3	117.0	1.4	22.2	2.2	0	87.0
Nebraska	994.3	0.2	0	0.3	1.0	0.6	12.6	1.9	0	9.0	1.9	137.9	1.5	28.3	2.2	0.4	103.5
Kansas	1,035.7	0.3	0.5	0.4	0.9	0.6	22.8	2.2	0	10.8	1.1	127.5	1.0	25.2	3.9	0.5	114.3
SOUTH ATLANTIC:																	
Delaware	1,193.9	0.7	0.7	1.4	1.8	0	48.0	4.3	0	16.1	0.4	122.2	1.1	32.6	2.9	0	104.7
Maryland	1,110.2	0.4	2.3	0.2	1.6	0.4	60.6	5.1	0.1	19.0	0.1	121.4	1.0	28.4	1.6	0.2	89.4
District of Columbia	972.8	0.3	1.3	0.2	2.0	0.2	57.4	6.2	0	17.6	0.1	120.0	1.2	25.8	2.0	0.3	61.4
Virginia	966.0	0.8	1.5	0.4	3.4	1.5	49.5	4.5	0.2	14.3	0.2	79.4	1.6	17.6	1.5	1.9	95.2
West Virginia	922.0	1.0	1.1	0.4	2.8	1.4	37.5	4.0	0	12.9	0.6	83.8	1.1	19.4	2.0	0.6	77.5
North Carolina	824.5	0.5	0.9	0.2	2.9	2.1	37.2	3.8	0.9	9.2	0.3	63.0	1.7	12.8	0.8	3.3	85.6
South Carolina	908.0	2.2	1.0	0	3.8	3.3	37.4	2.6	5.2	13.8	0.5	58.5	1.5	12.4	0.5	4.7	92.9
Georgia	903.4	0.7	0.7	0.1	3.2	1.8	36.7	3.6	2.5	15.8	0.4	66.3	1.1	11.4	1.0	5.5	95.1
Florida	991.5	1.4	0.7	0.1	2.2	1.4	38.7	2.0	2.3	18.0	0.2	88.7	0.9	16.0	1.1	2.4	97.1
EAST SOUTH CENTRAL:																	
Kentucky	1,014.1	1.6	1.1	0.9	4.3	2.3	58.6	7.4	0.5	10.6	0.9	92.3	0.9	15.9	1.5	1.7	92.5
Tennessee	918.6	0.7	0.5	0.4	2.4	1.4	64.3	6.5	1.1	13.0	1.0	78.7	1.9	13.1	1.2	3.7	88.0
Alabama	886.8	0.2	0.8	0.1	2.7	1.4	40.8	2.9	3.1	10.4	0.6	61.4	1.4	11.1	1.0	5.3	81.3
Mississippi	933.6	0.9	0.7	0.3	4.5	1.9	47.1	2.8	3.5	19.5	0.4	68.4	1.4	12.8	1.2	5.3	73.9
WEST SOUTH CENTRAL:																	
Arkansas	795.9	2.6	0.7	0.1	2.4	2.8	49.7	2.2	6.0	10.9	0.6	66.0	0.6	9.5	0.4	2.8	70.1
Louisiana	902.9	1.6	0.5	0.1	2.7	1.6	44.1	3.4	2.2	20.9	0.3	82.6	1.1	15.0	1.5	2.3	67.0
Oklahoma	873.3	1.9	0.4	0.1	2.3	2.5	41.5	2.8	1.1	8.5	0.7	90.2	1.1	15.5	1.3	2.8	87.4
Texas	884.9	1.4	0.5	0.3	2.8	2.2	50.1	3.8	1.4	11.6	0.7	81.1	0.9	12.8	1.2	3.7	70.5
MOUNTAIN:																	
Montana	1,071.0	0.2	1.4	0.6	2.3	1.0	35.9	3.1	0	11.5	0	124.8	1.6	21.0	1.4	0	92.6
Idaho	971.5	0.6	0.8	0.2	1.0	1.0	16.1	1.9	0	5.9	0	100.5	1.9	22.2	2.5	0	83.6
Wyoming	845.1	0	0.4	1.2	2.4	0.4	11.5	3.2	0	11.5	0.8	81.9	0.8	15.5	1.6	0.4	54.1
Colorado	1,128.7	0.8	1.4	1.1	2.3	2.2	40.0	4.6	0.2	12.6	0.5	128.0	2.6	17.7	2.3	0.1	88.7
New Mexico	983.5	1.7	0.9	0.2	7.0	3.2	51.4	5.9	0	10.2	1.3	54.4	1.9	9.5	1.3	0.6	39.5
Arizona	1,015.4	1.8	0.7	0.4	7.1	1.5	114.9	7.8	0	12.0	0.9	75.1	0.9	12.4	0.7	0.2	52.0
Utah	839.9	0.3	0.2	0.7	0.7	0.5	11.6	2.6	0	5.2	0.3	88.0	1.6	13.3	3.5	0.2	62.7
Nevada	1,202.8	0.7	2.2	1.5	5.9	0	50.8	8.1	0	14.0	0.7	105.3	1.5	16.2	1.5	0.7	88.3
PACIFIC:																	
Washington	1,089.2	0.2	0.5	0.4	1.3	1.0	32.2	3.6	0	11.4	0.4	133.7	0.5	25.4	2.8	0.1	111.1
Oregon	1,174.0	0.3	1.4	0.3	1.5	0.5	24.5	2.7	0.1	11.6	0.4	138.2	0.9	26.6	3.7	0.5	115.6
California	1,104.4	0.3	0.9	0.2	1.4	1.1	46.1	4.4	0.0	15.7	0.4	137.7	0.6	22.7	1.8	0.3	86.6

*Refer to complete International List titles, table VII, Part I.

RATE TABLE

POPULATION) FOR SELECTED CAUSES OF DEATH: UNITED STATES, EACH DIVISION AND STATE, 1942

those of the 1938 revision of the detailed International List)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 95c 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109, 33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
3.8	18.9	84.9	191.4	55.7	6.9	8.8	6.3	8.6	9.4	5.1	72.4	2.1	3.3	11.9	25.8	12.0	5.8	21.2	50.5	127.6
3.2	21.7	124.0	240.2	52.3	8.6	5.1	5.4	9.2	11.7	6.2	69.0	1.6	2.3	14.1	21.9	12.3	1.5	14.3	54.5	118.7
3.0	23.5	105.8	260.4	48.9	7.6	4.9	6.4	9.4	12.5	6.2	71.8	2.0	2.6	12.2	22.0	13.4	2.7	18.3	48.6	110.8
3.7	20.6	89.1	216.7	50.4	6.7	6.1	6.5	9.2	10.1	6.4	73.5	1.8	2.5	13.4	24.1	13.0	3.8	24.0	48.6	116.2
3.7	21.6	95.9	170.4	56.3	7.1	5.6	6.9	9.3	7.2	6.5	73.4	1.9	2.4	12.5	23.4	12.1	2.9	18.7	51.5	124.5
4.5	13.9	55.9	138.3	61.3	5.5	13.9	5.3	7.1	5.9	2.8	86.2	2.6	5.2	10.6	33.2	8.8	11.6	21.8	49.3	134.8
4.1	16.1	44.9	123.4	70.2	5.1	13.1	6.3	7.4	4.5	3.0	73.9	2.7	5.2	9.1	30.2	7.8	13.1	18.5	47.9	170.7
4.2	10.3	57.4	120.5	60.1	5.1	16.1	6.9	7.8	5.1	3.5	62.2	2.6	4.4	9.6	28.8	8.3	9.2	19.5	48.5	137.7
5.4	19.7	70.7	150.0	65.8	8.4	19.3	7.6	9.2	7.0	6.2	61.0	2.3	4.0	13.2	31.9	14.7	4.4	26.2	66.5	165.3
3.4	19.8	110.0	208.1	54.2	10.3	5.5	5.3	8.1	17.8	4.8	64.6	1.4	2.4	12.0	21.8	19.5	4.1	31.5	56.9	125.6
5.2	20.5	138.3	216.0	68.6	6.9	9.4	6.9	8.9	5.9	6.9	85.8	2.3	2.3	15.0	25.4	16.1	1.7	19.8	63.5	172.6
4.1	20.5	144.4	223.7	55.9	8.3	4.3	5.0	10.6	7.2	6.2	69.6	1.0	1.2	13.7	23.0	14.1	0.2	11.8	54.3	142.9
4.1	24.3	117.3	235.2	60.6	8.8	4.7	9.1	13.8	9.4	7.9	81.6	1.8	2.6	16.4	29.3	19.0	0.9	14.3	52.1	168.2
2.9	25.4	123.8	258.0	54.9	9.6	3.9	5.2	9.7	13.2	6.1	63.4	1.7	2.3	12.7	21.6	11.5	1.3	13.3	59.4	113.5
3.1	18.1	128.0	230.6	52.5	6.6	10.7	4.3	8.0	11.5	5.5	82.4	0.8	2.7	18.6	20.4	6.9	1.2	10.5	42.5	95.6
2.6	19.7	112.0	217.2	35.9	8.0	3.8	5.0	7.5	12.6	6.1	66.7	1.3	2.4	15.0	19.9	13.1	2.5	16.3	43.8	100.0
3.2	24.8	111.7	281.1	44.7	8.9	4.6	6.3	9.6	13.3	6.3	58.6	1.8	2.4	11.8	20.3	14.5	2.8	17.2	47.2	107.4
2.7	19.9	98.2	248.8	44.9	7.3	4.0	6.8	9.3	13.2	6.6	71.7	1.7	2.1	11.4	20.2	12.9	2.5	18.3	44.9	105.9
3.0	23.3	101.2	238.0	56.2	6.0	5.7	6.4	9.1	11.1	6.0	89.3	2.4	3.0	13.1	25.1	12.3	2.7	19.8	52.2	117.3
3.9	22.5	100.8	203.0	57.3	6.6	8.5	6.1	9.3	10.3	6.3	77.6	1.9	2.4	12.7	25.6	14.0	4.6	26.5	54.6	124.0
4.2	19.4	98.9	193.3	60.4	6.1	8.1	7.3	9.7	7.6	6.6	101.6	2.4	2.8	12.5	24.0	13.0	3.2	27.5	54.8	135.3
3.6	21.6	73.3	271.3	44.7	7.3	4.3	7.1	9.8	11.8	6.9	82.6	1.6	2.4	13.0	21.5	12.1	4.6	21.4	45.9	105.1
3.7	18.4	93.2	177.1	46.6	6.3	5.7	5.7	8.4	9.5	5.2	49.0	1.6	3.0	15.4	27.8	11.5	3.2	25.5	42.3	114.5
3.0	19.2	85.5	203.2	45.5	6.4	3.9	6.7	8.4	9.9	6.9	53.0	1.8	1.9	13.1	20.9	16.1	1.6	18.9	46.5	109.2
2.8	19.0	114.4	149.5	56.8	6.8	3.8	5.9	8.5	7.5	6.6	41.2	1.5	2.1	14.6	24.2	12.5	1.7	18.0	50.0	117.9
3.7	20.6	113.6	162.1	47.9	7.1	4.4	7.2	8.9	5.6	5.9	66.0	1.7	2.1	12.1	23.0	12.6	1.2	16.4	51.9	133.4
3.6	27.7	80.0	203.1	71.7	8.1	7.9	7.2	9.8	10.2	6.3	104.6	2.0	2.8	11.5	23.2	11.3	5.6	19.9	50.7	115.9
4.8	15.4	58.3	130.0	45.0	5.0	6.2	6.5	8.9	4.1	5.3	47.0	2.2	2.7	10.4	29.6	11.3	1.4	15.9	42.9	128.3
2.9	12.5	73.2	144.8	52.7	5.6	7.0	7.8	7.5	4.1	8.0	51.3	1.2	3.1	13.6	24.7	7.3	0.9	15.0	52.2	154.7
4.2	21.2	93.8	164.6	49.0	5.6	3.9	6.3	11.0	6.7	7.5	67.9	1.6	2.0	11.2	21.0	15.0	1.8	17.6	53.8	127.4
4.6	19.2	99.1	168.9	44.1	7.6	5.5	7.5	9.8	5.3	7.0	84.9	2.8	2.2	13.4	22.5	12.3	3.1	20.6	56.0	127.6
2.5	16.1	102.1	239.8	62.4	7.2	17.2	3.9	9.3	9.0	6.5	125.4	1.1	2.2	11.5	26.5	9.3	5.7	23.3	65.2	110.7
3.5	19.2	86.4	220.5	61.9	5.4	15.0	4.5	9.0	8.9	3.2	102.9	2.0	2.5	13.2	28.6	11.1	8.7	21.9	49.1	101.6
3.2	15.5	70.7	169.6	55.6	5.7	17.6	4.9	8.6	12.9	3.2	83.7	1.7	3.0	7.2	28.0	12.7	9.6	13.5	45.0	105.1
4.7	17.2	56.9	147.3	64.7	5.7	12.7	4.9	7.5	5.1	3.3	81.3	2.8	4.4	11.6	33.8	10.4	11.0	23.2	48.7	135.2
3.5	15.3	53.4	132.6	64.7	5.8	12.7	5.3	7.5	6.0	3.2	57.9	2.0	3.6	15.3	38.5	10.5	6.9	19.2	70.4	141.6
5.0	11.6	42.8	109.0	53.7	4.3	14.6	5.9	5.7	3.6	2.4	83.6	2.7	5.9	10.6	36.0	6.9	10.1	23.2	37.7	123.7
5.3	12.4	43.3	118.3	68.6	4.7	17.9	4.9	5.3	3.4	2.1	95.5	4.3	8.6	8.3	36.9	4.6	10.3	19.5	45.5	148.0
4.8	10.1	41.5	111.6	64.1	6.1	12.1	5.6	6.4	4.9	2.3	98.5	2.7	6.6	7.6	32.7	7.0	16.2	21.6	44.7	150.6
4.5	13.4	71.6	135.4	57.1	6.8	11.0	6.0	8.9	8.9	2.6	74.5	2.6	5.2	10.2	27.4	11.3	17.2	24.8	62.2	156.8
4.2	16.3	62.0	164.0	79.4	6.5	16.1	7.3	6.6	5.1	4.3	76.0	2.2	4.2	12.7	32.3	10.7	10.9	20.3	55.5	124.4
4.2	18.2	47.3	119.3	72.3	5.1	11.2	6.3	7.5	4.9	3.3	61.0	2.7	4.0	9.4	27.9	8.8	12.1	17.9	40.4	157.0
3.6	10.3	39.8	111.0	67.4	4.0	11.6	4.7	6.6	3.7	2.1	70.0	2.4	5.6	7.5	32.7	5.7	13.0	18.0	49.7	193.0
4.3	20.6	26.9	94.4	59.5	4.9	13.9	7.0	9.5	4.1	2.1	93.2	3.9	7.3	6.1	27.2	5.7	17.6	17.9	45.7	217.2
3.8	11.9	36.2	96.6	67.4	5.2	14.2	6.8	8.3	4.5	2.6	67.7	2.8	5.2	7.6	21.4	6.2	9.0	15.2	43.3	132.6
3.1	13.9	46.0	169.0	66.3	5.5	10.5	6.1	8.0	7.3	2.4	73.3	2.9	5.0	9.9	30.6	7.0	10.5	17.9	47.5	113.3
4.2	12.5	60.4	114.2	56.5	5.9	8.1	8.9	7.6	4.8	4.7	54.8	2.4	4.1	10.0	25.8	7.9	6.1	18.5	50.1	145.7
4.8	7.7	66.9	111.3	56.9	4.6	21.5	6.6	7.6	4.6	3.8	58.8	2.4	4.1	9.9	31.3	9.6	9.8	21.6	49.9	145.8
4.7	20.2	91.3	194.7	50.7	9.3	6.4	7.0	11.5	10.9	5.8	55.1	1.7	3.3	12.8	24.7	19.0	3.3	20.4	70.5	150.5
5.6	18.4	87.0	163.4	48.9	9.8	3.3	7.3	8.2	4.4	7.1	75.7	2.1	4.2	14.2	28.0	11.1	2.9	21.5	73.6	136.5
4.0	27.0	72.0	122.8	45.7	8.7	6.4	10.3	6.8	6.8	6.0	57.6	2.0	3.2	17.9	38.2	14.3	4.4	23.5	75.1	106.9
4.9	25.4	80.0	174.9	78.7	9.5	18.6	9.1	11.7	8.4	8.8	82.6	1.6	2.3	12.5	28.4	19.3	3.6	24.9	66.6	151.8
5.1	14.0	28.7	83.4	79.8	4.9	42.3	6.8	8.7	5.1	3.8	44.2	4.7	8.1	12.7	42.0	10.4	6.2	24.4	54.4	304.7
7.1	11.3	44.9	116.2	92.0	5.6	46.2	3.6	6.4	6.2	4.4	39.6	3.6	5.3	13.3	36.0	13.6	7.3	33.8	67.1	163.8
6.1	19.6	76.2	148.3	39.7	9.0	4.8	8.0	5.9	4.2	5.4	50.9	1.2	3.5	13.2	33.9	8.0	2.4	26.8	57.5	124.0
4.4	17.7	102.3	183.3	64.8	12.5	17.7	11.0	15.5	13.2	5.2	55.9	0	1.5	11.0	27.2	25.0	10.3	54.5	93.5	178.9
3.2	23.3	120.9	184.1	55.6	9.8	4.0	4.6	8.4	7.8	5.1	62.9	1.3	2.3	12.0	20.2	19.2	2.9	25.4	64.3	127.2
2.5	23.2	136.2	163.2	64.2	10.6	2.9	5.7	7.8	7.4	4.7	110.2	1.1	2.4	11.8	18.7	21.0	3.0	27.4	82.8	138.9
3.6	18.5	103.5	220.3	52.4	10.4	6.3	5.4	8.1	21.7	4.7	58.6	1.5	2.5	12.1	22.6	19.4	4.6	33.6	51.4	123.3

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942

(Births, deaths, and deaths under 1 year exclusive of stillbirths. White and nonwhite are shown separately for those counties and places in which the 1940 population for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
UNITED STATES	2,808,996	1,385,187	113,492	40.4	79,174
White	2,486,934	1,209,944	92,678	37.3	63,301
Nonwhite	322,062	175,243	20,814	64.6	15,873
Urban	1,638,192	850,381	62,776	38.3	47,804
White	1,492,150	751,661	53,147	35.6	40,095
Nonwhite	146,042	98,720	9,629	65.9	7,709
Places of 100,000 or more	792,625	429,775	27,370	34.5	26,087
White	711,780	375,639	22,648	31.8	21,974
Nonwhite	80,845	54,136	4,722	58.4	4,113
Places of 25,000 to 100,000	336,834	169,785	13,496	40.1	8,481
White	309,112	150,966	11,473	37.1	6,984
Nonwhite	27,722	18,819	2,023	73.0	1,497
Places of 10,000 to 25,000	226,515	111,148	9,336	41.2	5,870
White	210,045	99,854	8,078	38.5	4,879
Nonwhite	16,469	11,294	1,258	76.4	991
Places of 2,500 to 10,000	282,218	139,673	12,574	44.6	7,366
White	261,212	125,202	10,948	41.9	6,258
Nonwhite	21,006	14,471	1,626	77.4	1,108
Rural	1,170,804	534,806	50,716	43.3	31,370
White	994,784	458,283	39,531	39.7	23,206
Nonwhite	176,020	76,523	11,185	63.5	8,164
Section A (States)					
ALABAMA	71,136	26,084	3,561	50.1	2,383
White	45,222	14,401	1,904	42.1	1,128
Nonwhite	25,914	11,683	1,657	63.9	1,255
Urban	24,573	10,327	1,216	49.5	855
White	15,997	5,531	626	39.1	346
Nonwhite	8,576	4,796	590	68.8	509
Places of 10,000 or more	18,147	8,054	908	50.0	647
White	11,413	4,153	430	37.7	243
Nonwhite	6,734	3,901	478	71.0	404
Places of 2,500 to 10,000	6,426	2,273	308	47.9	208
White	4,584	1,378	196	42.8	103
Nonwhite	1,842	895	112	60.8	105
Rural	46,563	15,757	2,345	50.4	1,528
White	29,225	8,870	1,278	43.7	782
Nonwhite	17,338	6,887	1,067	61.5	746
ARIZONA	12,664	5,586	1,014	80.1	287
White	11,281	4,547	767	68.0	244
Nonwhite	1,383	1,039	247	178.6	43
Urban	6,760	3,189	480	71.0	158
White	6,398	2,960	437	68.3	144
Nonwhite	362	229	43	118.8	14
Places of 10,000 or more	3,964	2,017	237	59.8	100
White	3,678	1,846	209	56.8	89
Nonwhite	286	171	28	97.9	11
Places of 2,500 to 10,000	2,796	1,172	243	86.9	58
White	2,720	1,114	228	83.8	55
Nonwhite	76	58	15	197.4	3
Rural	5,904	2,397	534	90.4	129
White	4,883	1,587	330	67.6	100
Nonwhite	1,021	810	204	199.8	29
ARKANSAS	42,680	15,764	1,694	39.7	1,189
White	32,618	10,719	1,229	37.7	749
Nonwhite	10,062	5,045	465	46.2	440
Urban	11,911	5,744	527	44.2	342
White	9,679	3,826	368	38.0	225
Nonwhite	2,232	1,918	159	71.2	117
Places of 10,000 or more	6,652	3,439	312	46.9	170
White	5,415	2,246	209	38.6	104
Nonwhite	1,237	1,193	103	83.3	66
Places of 2,500 to 10,000	5,259	2,305	215	40.9	172
White	4,264	1,580	159	37.3	121
Nonwhite	995	725	56	56.3	51
Rural	30,769	10,020	1,167	37.9	847
White	22,939	6,893	861	37.5	524
Nonwhite	7,830	3,127	306	39.1	323
CALIFORNIA	154,567	84,851	5,385	34.8	2,908
White	148,483	81,183	5,123	34.5	2,750
Nonwhite	6,084	3,668	262	43.1	158
Urban	115,906	62,139	3,744	32.3	2,196
White	111,338	59,556	3,572	32.1	2,072
Nonwhite	4,568	2,583	172	37.7	124
Section A (States)—Continued					
CALIFORNIA—Continued					
Places of 10,000 or more	98,110	54,397	3,147	32.1	1,839
White	94,066	52,068	2,993	31.8	1,729
Nonwhite	4,044	2,329	154	38.1	110
Places of 2,500 to 10,000	17,796	7,742	597	33.5	357
White	17,272	7,488	579	33.5	343
Nonwhite	524	254	18	34.4	14
Rural	38,661	22,712	1,641	42.4	712
White	37,145	21,627	1,551	41.8	678
Nonwhite	1,516	1,085	90	59.4	34
COLORADO	23,566	12,532	1,172	49.7	563
White	23,172	12,242	1,145	49.4	553
Nonwhite	394	290	27	68.5	10
Urban	13,889	8,055	660	47.5	329
White	13,614	7,839	643	47.2	322
Nonwhite	275	216	17	61.8	7
Places of 10,000 or more	10,947	6,498	481	43.9	249
White	10,694	6,299	466	43.6	243
Nonwhite	253	199	15	59.3	6
Places of 2,500 to 10,000	2,942	1,557	179	60.8	80
White	2,920	1,540	177	60.6	79
Nonwhite	22	17	2	90.9	1
Rural	9,677	4,477	512	52.9	234
White	9,558	4,403	502	52.5	231
Nonwhite	119	74	10	84.0	3
CONNECTICUT	37,264	18,456	1,088	29.2	736
White	36,396	17,959	1,043	28.7	705
Nonwhite	868	497	45	51.8	31
Urban	25,857	12,760	784	30.3	544
White	25,059	12,345	742	29.6	515
Nonwhite	798	415	42	52.6	29
Places of 10,000 or more	24,569	12,133	736	30.0	518
White	23,775	11,721	695	29.2	489
Nonwhite	794	412	41	51.6	29
Places of 2,500 to 10,000	1,288	627	48	37.3	26
White	1,284	624	47	36.6	26
Nonwhite	4	3	1	250.0	-
Rural	11,407	5,696	304	26.7	192
White	11,337	5,614	301	26.6	190
Nonwhite	70	82	3	42.9	2
DELAWARE	5,657	3,331	266	47.0	142
White	4,761	2,697	174	36.5	104
Nonwhite	896	634	92	102.7	38
Urban	3,032	1,838	148	48.8	63
White	2,556	1,482	102	39.9	47
Nonwhite	476	356	46	96.6	16
Places of 10,000 or more	2,389	1,451	113	47.3	50
White	2,022	1,178	80	39.6	39
Nonwhite	367	273	33	89.9	11
Places of 2,500 to 10,000	643	387	35	54.4	13
White	534	304	22	41.2	8
Nonwhite	109	83	13	119.3	5
Rural	2,625	1,493	118	45.0	79
White	2,205	1,215	72	32.7	57
Nonwhite	420	278	46	109.5	22
DISTRICT OF COLUMBIA	15,179	8,417	771	50.8	409
White	10,090	5,288	396	39.2	204
Nonwhite	5,089	3,129	375	73.7	205
FLORIDA	40,901	21,207	1,953	47.7	1,551
White	29,512	13,962	1,150	38.0	805
Nonwhite	11,389	7,245	803	70.5	746
Urban	22,604	12,978	1,088	48.1	839
White	16,491	8,540	651	39.5	435
Nonwhite	6,113	4,438	437	71.5	404
Places of 10,000 or more	17,695	9,884	808	45.7	659
White	13,203	6,598	492	37.3	348
Nonwhite	4,492	3,286	316	70.3	311
Places of 2,500 to 10,000	4,909	3,094	280	57.0	180
White	3,288	1,942	159	48.4	87
Nonwhite	1,621	1,152	121	74.6	93
Rural	18,297	8,229	865	47.3	712
White	13,021	5,422	499	38.3	370
Nonwhite	5,276	2,807	366	69.4	342

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section A (States)—Continued					
GEORGIA	72,491	29,083	3,571	49.3	2,807
White	45,507	16,014	1,771	38.9	1,290
Nonwhite	26,984	13,069	1,800	66.7	1,517
Urban	29,061	13,051	1,402	48.2	1,127
White	19,688	6,676	695	35.3	553
Nonwhite	9,373	6,375	707	75.4	574
Places of 10,000 or more	21,929	9,693	1,033	47.1	878
White	14,968	4,958	501	33.5	424
Nonwhite	6,961	4,935	532	76.4	454
Places of 2,500 to 10,000	7,132	3,158	369	51.7	249
White	4,720	1,718	194	41.1	129
Nonwhite	2,412	1,440	175	72.6	120
Rural	43,430	16,032	2,169	49.9	1,680
White	25,819	9,338	1,076	41.7	737
Nonwhite	17,611	6,694	1,093	62.1	943
IDAHO	11,454	4,648	415	36.2	239
White	11,327	4,577	399	35.2	234
Nonwhite	127	71	16	126.0	5
Urban	4,661	1,948	195	41.8	109
White	4,644	1,937	193	41.6	109
Nonwhite	17	11	2	117.6	-
Places of 10,000 or more	2,771	1,160	105	37.9	66
White	2,764	1,153	104	37.6	66
Nonwhite	7	7	1	142.9	-
Places of 2,500 to 10,000	1,890	788	90	47.6	43
White	1,880	784	89	47.3	43
Nonwhite	10	4	1	100.0	-
Rural	6,793	2,700	220	32.4	130
White	6,683	2,640	206	30.8	125
Nonwhite	110	60	14	127.3	5
ILLINOIS	156,232	87,777	5,170	33.1	3,445
White	147,724	81,441	4,784	32.4	3,155
Nonwhite	8,508	6,336	386	45.4	290
Urban	119,878	64,959	3,816	31.8	2,754
White	111,777	59,366	3,469	31.0	2,488
Nonwhite	8,101	5,593	347	42.8	266
Places of 10,000 or more	104,173	56,390	3,235	31.1	2,382
White	96,295	50,978	2,901	30.1	2,127
Nonwhite	7,878	5,412	334	42.4	255
Places of 2,500 to 10,000	15,705	8,569	581	37.0	372
White	15,482	8,388	568	36.7	361
Nonwhite	223	181	13	58.3	11
Rural	36,354	22,818	1,354	37.2	691
White	35,947	22,075	1,315	36.6	667
Nonwhite	407	743	39	95.8	24
INDIANA	73,706	39,308	2,701	36.6	1,506
White	71,220	37,273	2,544	35.7	1,437
Nonwhite	2,486	2,035	157	63.2	69
Urban	44,802	22,416	1,726	38.5	902
White	42,392	20,564	1,573	37.1	834
Nonwhite	2,410	1,852	153	63.5	68
Places of 10,000 or more	37,565	18,267	1,438	38.3	763
White	35,203	16,459	1,286	36.5	695
Nonwhite	2,362	1,808	152	64.4	68
Places of 2,500 to 10,000	7,237	4,149	288	39.8	139
White	7,189	4,105	287	39.9	139
Nonwhite	48	44	1	20.8	-
Rural	28,904	16,892	975	33.7	604
White	28,828	16,709	971	33.7	603
Nonwhite	76	183	4	52.6	1
IOWA	48,454	25,001	1,623	33.5	982
White	48,141	24,723	1,610	33.4	964
Nonwhite	313	278	13	41.5	18
Urban	21,740	12,243	825	37.9	434
White	21,460	12,002	812	37.8	419
Nonwhite	280	241	13	46.4	15
Places of 10,000 or more	16,203	8,166	600	37.0	325
White	15,945	7,956	589	36.9	311
Nonwhite	258	210	11	42.6	14
Places of 2,500 to 10,000	5,537	4,077	225	40.6	109
White	5,515	4,046	223	40.4	108
Nonwhite	22	31	2	90.9	1
Rural	26,714	12,758	798	29.9	548
White	26,681	12,721	798	29.9	545
Nonwhite	33	37	-	0	3
Section A (States)—Continued					
KANSAS	33,920	18,149	1,205	35.5	712
White	32,752	17,123	1,146	35.0	670
Nonwhite	1,168	1,026	59	50.5	42
Urban	17,223	8,684	697	40.5	384
White	16,199	7,879	647	39.9	347
Nonwhite	1,024	805	50	48.8	37
Places of 10,000 or more	13,041	6,298	515	39.5	293
White	12,116	5,573	470	38.8	258
Nonwhite	925	725	45	48.6	35
Places of 2,500 to 10,000	4,182	2,386	182	43.5	91
White	4,083	2,306	177	43.4	89
Nonwhite	99	80	5	50.5	2
Rural	16,697	9,465	508	30.4	328
White	16,553	9,244	499	30.1	323
Nonwhite	144	221	9	62.5	5
KENTUCKY	66,267	28,279	3,209	48.4	1,768
White	62,619	24,546	2,940	47.0	1,652
Nonwhite	3,648	3,733	269	73.7	116
Urban	21,626	11,638	1,072	49.6	516
White	19,547	9,287	919	47.0	465
Nonwhite	2,079	2,351	153	73.6	51
Places of 10,000 or more	15,693	8,559	747	47.6	359
White	14,127	6,830	648	45.9	323
Nonwhite	1,566	1,729	99	63.2	36
Places of 2,500 to 10,000	5,933	3,079	325	54.8	157
White	5,420	2,457	271	50.0	142
Nonwhite	513	622	54	105.3	15
Rural	44,641	16,641	2,137	47.9	1,252
White	43,072	15,259	2,021	46.9	1,187
Nonwhite	1,569	1,382	116	73.9	65
LOUISIANA	58,093	23,010	2,802	48.2	1,860
White	35,082	12,568	1,297	37.0	790
Nonwhite	23,011	10,442	1,505	65.4	1,070
Urban	25,786	12,146	1,354	52.5	865
White	17,141	7,150	686	40.0	415
Nonwhite	8,645	4,996	668	77.3	450
Places of 10,000 or more	19,059	9,220	953	50.0	621
White	12,350	5,521	479	38.8	294
Nonwhite	6,709	3,699	474	70.7	327
Places of 2,500 to 10,000	6,727	2,926	401	59.6	244
White	4,791	1,629	207	43.2	121
Nonwhite	1,936	1,297	194	100.2	123
Rural	32,307	10,864	1,448	44.8	995
White	17,941	5,418	611	34.1	375
Nonwhite	14,366	5,446	837	58.3	620
MAINE	17,719	10,446	816	46.1	442
White	17,673	10,399	811	45.9	439
Nonwhite	46	47	5	108.7	3
Urban	7,038	4,291	327	46.5	171
White	7,016	4,271	326	46.5	170
Nonwhite	22	20	1	45.5	1
Places of 10,000 or more	5,268	3,218	239	45.4	124
White	5,251	3,200	239	45.5	123
Nonwhite	17	18	-	0	1
Places of 2,500 to 10,000	1,770	1,073	88	49.7	47
White	1,765	1,071	87	49.3	47
Nonwhite	5	2	1	200.0	-
Rural	10,681	6,155	489	45.8	271
White	10,657	6,128	485	45.5	269
Nonwhite	24	27	4	166.7	2
MARYLAND	44,237	22,168	1,941	43.9	1,585
White	35,985	17,136	1,318	36.6	1,082
Nonwhite	8,252	5,032	623	75.5	503
Urban	26,102	13,596	1,093	41.9	989
White	20,857	10,364	765	36.7	652
Nonwhite	5,245	3,232	328	62.5	337
Places of 10,000 or more	23,816	12,707	984	41.3	898
White	18,760	9,607	679	36.2	567
Nonwhite	5,056	3,100	305	60.3	331
Places of 2,500 to 10,000	2,288	889	109	47.7	91
White	2,097	757	86	41.0	85
Nonwhite	189	132	23	121.7	6
Rural	18,135	8,572	848	46.8	596
White	15,128	6,772	553	36.6	430
Nonwhite	3,007	1,800	295	98.1	166

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section A (States)—Continued					
MASSACHUSETTS	82,773	51,036	2,651	32.0	2,039
White	81,660	50,101	2,582	31.6	2,008
Nonwhite	1,113	935	69	62.0	31
Urban	73,886	44,722	2,384	32.3	1,832
White	72,911	43,906	2,324	31.9	1,807
Nonwhite	975	816	60	61.5	25
Places of 10,000 or more	68,343	41,611	2,214	32.4	1,691
White	67,402	40,819	2,157	32.0	1,668
Nonwhite	941	792	57	60.6	23
Places of 2,500 to 10,000	5,543	3,111	170	30.7	141
White	5,509	3,087	167	30.3	139
Nonwhite	34	24	3	88.2	2
Rural	8,887	6,314	267	30.0	207
White	8,749	6,195	258	29.5	201
Nonwhite	138	119	9	65.2	6
MICHIGAN	123,886	52,827	4,608	37.2	3,055
White	118,784	49,880	4,340	36.5	2,870
Nonwhite	5,102	2,947	268	52.5	185
Urban	84,992	32,611	3,112	36.6	2,066
White	80,237	30,179	2,875	35.8	1,891
Nonwhite	4,755	2,432	237	49.8	175
Places of 10,000 or more	73,911	28,107	2,697	36.5	1,789
White	69,302	25,740	2,468	35.6	1,621
Nonwhite	4,609	2,367	229	49.7	168
Places of 2,500 to 10,000	11,081	4,504	415	37.5	277
White	10,935	4,439	407	37.2	270
Nonwhite	146	65	8	54.8	7
Rural	38,894	20,216	1,496	38.5	989
White	38,547	19,701	1,465	38.0	979
Nonwhite	347	515	31	89.3	10
MINNESOTA	58,770	25,851	1,739	29.6	1,282
White	58,198	25,515	1,699	29.2	1,264
Nonwhite	572	336	40	69.9	18
Urban	29,935	14,183	957	32.0	676
White	29,841	14,017	952	31.9	668
Nonwhite	94	166	5	53.2	8
Places of 10,000 or more	22,558	10,793	657	29.1	531
White	22,476	10,639	652	29.0	523
Nonwhite	82	154	5	61.0	8
Places of 2,500 to 10,000	7,377	3,390	300	40.7	145
White	7,365	3,378	300	40.7	145
Nonwhite	12	12	-	0	-
Rural	28,835	11,668	782	27.1	606
White	28,357	11,498	747	26.3	596
Nonwhite	478	170	35	73.2	10
MISSISSIPPI	56,667	20,794	2,680	47.3	2,378
White	25,566	8,827	989	38.7	677
Nonwhite	31,101	11,967	1,691	54.4	1,701
Urban	10,864	5,226	566	52.1	467
White	6,923	2,545	283	40.9	193
Nonwhite	3,941	2,681	283	71.8	274
Places of 10,000 or more	6,982	3,293	352	50.4	300
White	4,493	1,594	174	38.7	129
Nonwhite	2,489	1,699	178	71.5	171
Places of 2,500 to 10,000	3,882	1,933	214	55.1	167
White	2,430	951	109	44.9	64
Nonwhite	1,452	982	105	72.3	103
Rural	45,803	15,568	2,114	46.2	1,911
White	18,643	6,282	706	37.9	484
Nonwhite	27,160	9,286	1,408	51.8	1,427
MISSOURI	70,711	41,888	2,761	39.0	2,175
White	65,903	37,713	2,450	37.2	1,850
Nonwhite	4,808	4,175	311	64.7	325
Urban	38,829	24,220	1,473	37.9	1,267
White	35,172	20,820	1,261	35.9	998
Nonwhite	3,657	3,400	212	58.0	269
Places of 10,000 or more	32,162	20,289	1,149	35.7	1,079
White	28,832	17,237	961	33.3	826
Nonwhite	3,330	3,052	188	56.5	253
Places of 2,500 to 10,000	6,667	3,931	324	48.6	188
White	6,340	3,583	300	47.3	172
Nonwhite	327	348	24	73.4	16
Rural	31,882	17,668	1,288	40.4	908
White	30,731	16,893	1,189	38.7	852
Nonwhite	1,151	775	99	86.0	56
Section A (States)—Continued					
MONTANA	11,735	5,516	395	33.7	207
White	11,026	5,230	348	31.6	200
Nonwhite	709	286	47	66.3	7
Urban	5,454	2,485	167	30.6	100
White	5,419	2,454	166	30.6	100
Nonwhite	35	31	1	28.6	-
Places of 10,000 or more	3,673	1,646	110	29.9	77
White	3,652	1,624	109	29.8	77
Nonwhite	21	22	1	47.6	-
Places of 2,500 to 10,000	1,781	839	57	32.0	23
White	1,767	830	57	32.3	23
Nonwhite	14	9	-	0	-
Rural	6,281	3,031	228	36.3	107
White	5,607	2,776	182	32.5	100
Nonwhite	674	255	46	68.2	7
NEBRASKA	23,676	12,359	791	33.4	517
White	23,381	12,085	766	32.8	510
Nonwhite	295	274	25	84.7	7
Urban	10,489	5,650	393	37.5	202
White	10,283	5,456	379	36.9	198
Nonwhite	206	194	14	68.0	4
Places of 10,000 or more	8,229	4,295	305	37.1	164
White	8,030	4,106	293	36.5	161
Nonwhite	199	189	12	60.3	3
Places of 2,500 to 10,000	2,260	1,355	88	38.9	38
White	2,253	1,350	86	38.2	37
Nonwhite	7	5	2	285.7	1
Rural	13,187	6,709	398	30.2	315
White	13,098	6,629	387	29.5	312
Nonwhite	89	80	11	123.6	3
NEVADA	2,782	1,634	159	57.2	59
White	2,605	1,482	143	54.9	55
Nonwhite	177	152	16	90.4	4
Urban	1,242	732	72	58.0	26
White	1,211	696	67	55.3	25
Nonwhite	31	36	5	161.3	1
Places of 10,000 or more	503	328	20	39.8	10
White	491	321	20	40.7	9
Nonwhite	12	7	-	0	1
Places of 2,500 to 10,000	739	404	52	70.4	16
White	720	375	47	65.3	16
Nonwhite	19	29	5	263.2	-
Rural	1,540	902	87	56.5	33
White	1,394	786	76	54.5	30
Nonwhite	146	116	11	75.3	3
NEW HAMPSHIRE	9,173	5,662	329	35.9	245
White	9,160	5,652	329	35.9	245
Nonwhite	13	10	-	0	-
Urban	5,588	3,237	208	37.2	151
White	5,577	3,232	208	37.3	151
Nonwhite	11	5	-	0	-
Places of 10,000 or more	4,742	2,814	181	38.2	136
White	4,732	2,809	181	38.3	136
Nonwhite	10	5	-	0	-
Places of 2,500 to 10,000	846	423	27	31.9	15
White	845	423	27	32.0	15
Nonwhite	1	-	-	0	-
Rural	3,585	2,425	121	33.8	94
White	3,583	2,420	121	33.8	94
Nonwhite	2	5	-	0	-
NEW JERSEY	81,709	46,716	2,542	31.1	2,086
White	76,254	43,116	2,224	29.2	1,885
Nonwhite	5,455	3,600	318	58.3	201
Urban	66,816	36,490	2,033	30.4	1,723
White	62,211	33,580	1,772	28.5	1,547
Nonwhite	4,605	2,910	261	56.7	176
Places of 10,000 or more	54,505	29,927	1,677	30.8	1,406
White	50,330	27,332	1,448	28.8	1,250
Nonwhite	4,175	2,595	229	54.9	156
Places of 2,500 to 10,000	12,311	6,563	356	28.9	317
White	11,881	6,248	324	27.3	297
Nonwhite	430	315	32	74.4	20
Rural	14,893	10,226	509	34.2	363
White	14,043	9,536	452	32.2	338
Nonwhite	850	690	57	67.1	25

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section A (States)—Continued					
NEW MEXICO	14,129	5,203	1,383	97.9	334
White	13,497	4,866	1,299	96.2	329
Nonwhite	632	337	84	132.9	5
Urban	5,526	2,009	426	77.1	144
White	5,423	1,958	422	77.8	140
Nonwhite	103	51	4	38.8	4
Places of 10,000 or more	2,588	923	182	70.3	66
White	2,532	895	178	70.3	65
Nonwhite	56	28	4	71.4	1
Places of 2,500 to 10,000	2,938	1,086	244	83.0	78
White	2,891	1,063	244	84.4	75
Nonwhite	47	23	-	0	3
Rural	8,603	3,194	957	111.2	190
White	8,074	2,908	877	108.6	189
Nonwhite	529	286	80	151.2	1
NEW YORK	244,802	149,820	7,814	31.9	12,506
White	233,795	142,276	7,214	30.9	11,376
Nonwhite	11,007	7,544	600	54.5	1,130
Urban	202,403	118,658	6,335	31.3	11,571
White	192,050	111,895	5,783	30.1	10,463
Nonwhite	10,353	6,763	552	53.3	1,108
Places of 10,000 or more	189,544	111,088	5,885	31.0	11,179
White	179,353	104,429	5,341	29.8	10,079
Nonwhite	10,191	6,659	544	53.4	1,100
Places of 2,500 to 10,000	12,859	7,570	450	35.0	392
White	12,697	7,466	442	34.8	384
Nonwhite	162	104	8	49.4	8
Rural	42,399	31,162	1,479	34.9	935
White	41,745	30,381	1,431	34.3	913
Nonwhite	654	781	48	73.4	22
NORTH CAROLINA	89,854	29,414	4,342	48.3	2,825
White	62,081	18,615	2,572	41.4	1,567
Nonwhite	27,773	10,799	1,770	63.7	1,258
Urban	24,100	9,569	1,236	51.3	990
White	17,165	5,615	730	42.5	581
Nonwhite	6,935	3,954	506	73.0	409
Places of 10,000 or more	18,191	7,367	929	51.1	734
White	12,485	4,181	525	42.1	410
Nonwhite	5,706	3,186	404	70.8	324
Places of 2,500 to 10,000	5,909	2,202	307	52.0	256
White	4,680	1,434	205	43.8	171
Nonwhite	1,229	768	102	83.0	85
Rural	65,754	19,845	3,106	47.2	1,835
White	44,916	13,000	1,842	41.0	986
Nonwhite	20,838	6,845	1,264	60.7	849
NORTH DAKOTA	13,357	4,818	488	36.5	234
White	12,994	4,665	465	35.8	221
Nonwhite	363	153	23	63.4	13
Urban	3,141	1,120	120	38.2	50
White	3,134	1,113	120	38.3	50
Nonwhite	7	7	-	0	-
Places of 10,000 or more	1,976	643	71	35.9	27
White	1,975	638	71	35.9	27
Nonwhite	1	5	-	0	-
Places of 2,500 to 10,000	1,165	477	49	42.1	23
White	1,159	475	49	42.3	23
Nonwhite	6	2	-	0	-
Rural	10,216	3,698	368	36.0	184
White	9,860	3,552	345	35.0	171
Nonwhite	356	146	23	64.6	13
OHIO	144,327	78,000	5,345	37.0	3,619
White	138,085	72,700	4,914	35.6	3,330
Nonwhite	6,242	5,300	431	69.0	289
Urban	101,752	53,032	3,712	36.5	2,522
White	95,953	48,372	3,316	34.6	2,254
Nonwhite	5,799	4,660	396	68.3	268
Places of 10,000 or more	87,152	44,996	3,172	36.4	2,189
White	81,679	40,580	2,796	34.2	1,933
Nonwhite	5,473	4,416	376	68.7	256
Places of 2,500 to 10,000	14,600	8,036	540	37.0	333
White	14,274	7,792	520	36.4	321
Nonwhite	326	244	20	61.3	12
Rural	42,575	24,968	1,633	38.4	1,097
White	42,132	24,328	1,598	37.9	1,076
Nonwhite	443	640	35	79.0	21
Section A (States)—Continued					
OKLAHOMA	46,008	19,324	1,906	41.4	914
White	41,012	16,644	1,597	38.9	783
Nonwhite	4,996	2,680	309	61.8	131
Urban	20,625	9,661	947	45.9	391
White	18,524	8,387	788	42.5	337
Nonwhite	2,101	1,274	159	75.7	54
Places of 10,000 or more	14,744	6,466	628	42.6	277
White	13,257	5,538	525	39.6	241
Nonwhite	1,487	928	103	69.3	36
Places of 2,500 to 10,000	5,881	3,195	319	54.2	114
White	5,267	2,849	263	49.9	96
Nonwhite	614	346	56	91.2	18
Rural	25,383	9,663	959	37.8	523
White	22,488	8,257	809	36.0	446
Nonwhite	2,895	1,406	150	51.8	77
OREGON	22,518	12,865	687	30.5	379
White	22,203	12,647	674	30.4	372
Nonwhite	315	218	13	41.3	7
Urban	13,518	7,858	407	30.1	202
White	13,392	7,742	403	30.1	201
Nonwhite	126	116	4	31.7	1
Places of 10,000 or more	9,769	5,888	260	26.6	135
White	9,672	5,794	257	26.6	134
Nonwhite	97	94	3	30.9	1
Places of 2,500 to 10,000	3,749	1,970	147	39.2	67
White	3,720	1,948	146	39.2	67
Nonwhite	29	22	1	34.5	-
Rural	9,000	5,007	280	31.1	177
White	8,811	4,905	271	30.8	171
Nonwhite	189	102	9	47.6	6
PENNSYLVANIA	197,177	110,174	7,527	38.2	4,878
White	186,349	103,003	6,852	36.8	4,480
Nonwhite	10,828	7,171	675	62.3	398
Urban	131,862	75,222	4,868	36.9	3,174
White	122,013	68,888	4,262	34.9	2,813
Nonwhite	9,849	6,334	606	61.5	361
Places of 10,000 or more	106,712	61,863	3,963	37.1	2,558
White	97,298	55,790	3,376	34.7	2,213
Nonwhite	9,414	6,073	587	62.4	345
Places of 2,500 to 10,000	25,150	13,359	905	36.0	616
White	24,715	13,098	886	35.8	600
Nonwhite	435	261	19	43.7	16
Rural	65,315	34,952	2,659	40.7	1,704
White	64,336	34,115	2,590	40.3	1,667
Nonwhite	979	837	69	70.5	37
RHODE ISLAND	14,182	8,166	560	39.5	322
White	13,896	7,969	535	38.5	317
Nonwhite	286	197	25	87.4	5
Urban	12,799	7,385	512	40.0	288
White	12,536	7,196	487	38.8	283
Nonwhite	263	189	25	95.1	5
Places of 10,000 or more	12,285	7,092	491	40.0	278
White	12,025	6,904	466	38.8	273
Nonwhite	260	188	25	96.2	5
Places of 2,500 to 10,000	514	293	21	40.9	10
White	511	292	21	41.1	10
Nonwhite	3	1	-	0	-
Rural	1,383	781	48	34.7	34
White	1,360	773	48	35.3	34
Nonwhite	23	8	-	0	-
SOUTH CAROLINA	48,835	18,306	2,866	58.7	1,996
White	25,865	8,518	1,132	43.8	657
Nonwhite	22,970	9,788	1,734	75.5	1,339
Urban	14,751	6,291	863	58.5	563
White	10,042	3,355	434	43.2	253
Nonwhite	4,709	2,936	429	91.1	310
Places of 10,000 or more	9,361	4,127	552	59.0	321
White	6,267	2,192	265	42.3	139
Nonwhite	3,094	1,935	287	92.8	182
Places of 2,500 to 10,000	5,390	2,164	311	57.7	242
White	3,775	1,163	169	44.8	114
Nonwhite	1,615	1,001	142	87.9	128
Rural	34,084	12,015	2,003	58.8	1,433
White	15,823	5,163	698	44.1	404
Nonwhite	18,261	6,852	1,305	71.5	1,029

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section A (States)—Continued					
SOUTH DAKOTA	12,424	5,432	474	38.2	248
White	11,627	5,048	399	34.3	230
Nonwhite	797	384	75	94.1	18
Urban	3,652	1,794	162	44.4	77
White	3,600	1,769	154	42.8	76
Nonwhite	52	25	8	153.8	1
Places of 10,000 or more	2,339	1,001	96	41.0	47
White	2,324	991	94	40.4	47
Nonwhite	15	10	2	133.3	-
Places of 2,500 to 10,000	1,313	793	66	50.3	30
White	1,276	778	60	47.0	29
Nonwhite	37	15	6	162.2	1
Rural	8,772	3,638	312	35.6	171
White	8,027	3,279	245	30.5	154
Nonwhite	745	359	67	89.9	17
TENNESSEE	65,147	27,017	3,020	46.4	1,460
White	54,900	20,075	2,402	43.8	1,114
Nonwhite	10,247	6,942	618	60.3	346
Urban	24,764	11,512	1,172	47.3	597
White	19,266	7,200	807	41.9	391
Nonwhite	5,498	4,312	365	66.4	206
Places of 10,000 or more	19,532	9,309	904	46.3	481
White	14,686	5,562	598	40.7	301
Nonwhite	4,846	3,747	306	63.1	180
Places of 2,500 to 10,000	5,232	2,203	268	51.2	116
White	4,580	1,638	209	45.6	90
Nonwhite	652	565	59	90.5	26
Rural	40,383	15,505	1,848	45.8	863
White	35,634	12,875	1,595	44.8	723
Nonwhite	4,749	2,630	253	53.3	140
TEXAS	144,742	59,315	7,760	53.6	3,684
White	126,424	48,243	6,543	51.8	2,874
Nonwhite	18,318	11,072	1,217	66.4	810
Urban	82,403	33,278	4,446	54.0	2,071
White	73,354	26,826	3,813	52.0	1,654
Nonwhite	9,049	6,452	633	70.0	417
Places of 10,000 or more	60,598	24,351	3,067	50.6	1,532
White	53,388	19,477	2,589	48.5	1,196
Nonwhite	7,210	4,874	478	66.3	336
Places of 2,500 to 10,000	21,805	8,927	1,379	63.2	539
White	19,966	7,349	1,224	61.3	458
Nonwhite	1,839	1,578	155	84.3	81
Rural	62,339	26,037	3,314	53.2	1,613
White	53,070	21,417	2,730	51.4	1,220
Nonwhite	9,269	4,620	584	63.0	393
UTAH	15,822	4,849	522	33.0	281
White	15,633	4,744	507	32.4	278
Nonwhite	189	105	15	79.4	3
Urban	9,693	2,995	314	32.4	164
White	9,640	2,953	309	32.1	164
Nonwhite	53	42	5	94.3	-
Places of 10,000 or more	6,980	2,219	218	31.2	119
White	6,944	2,184	215	31.0	119
Nonwhite	36	35	3	83.3	-
Places of 2,500 to 10,000	2,713	776	96	35.4	45
White	2,696	769	94	34.9	45
Nonwhite	17	7	2	117.6	-
Rural	6,129	1,854	208	33.9	117
White	5,993	1,791	198	33.0	114
Nonwhite	136	63	10	73.5	3
VERMONT	7,175	4,250	299	41.7	176
White	7,174	4,249	299	41.7	176
Nonwhite	1	1	-	0	-
Urban	2,799	1,623	123	43.9	74
White	2,799	1,622	123	43.9	74
Nonwhite	-	1	-	-	-
Places of 10,000 or more	1,204	652	68	56.5	24
White	1,204	651	68	56.5	24
Nonwhite	-	1	-	-	-
Places of 2,500 to 10,000	1,595	971	55	34.5	50
White	1,595	971	55	34.5	50
Nonwhite	-	-	-	-	-
Rural	4,376	2,627	176	40.2	102
White	4,375	2,627	176	40.2	102
Nonwhite	1	-	-	0	-
Section A (States)—Continued					
VIRGINIA	67,950	29,197	3,565	52.5	2,292
White	50,911	19,193	2,245	44.1	1,377
Nonwhite	17,039	10,004	1,320	77.5	915
Urban	25,386	11,995	1,225	48.3	894
White	19,466	7,678	743	38.2	534
Nonwhite	5,920	4,317	482	81.4	360
Places of 10,000 or more	20,316	9,874	951	46.8	729
White	15,030	6,050	519	34.5	391
Nonwhite	5,286	3,824	432	81.7	338
Places of 2,500 to 10,000	5,070	2,121	274	54.0	165
White	4,436	1,628	224	50.5	143
Nonwhite	634	493	50	78.9	22
Rural	42,564	17,202	2,340	55.0	1,398
White	31,445	11,515	1,502	47.8	843
Nonwhite	11,119	5,687	838	75.4	555
WASHINGTON	39,007	20,552	1,292	33.1	606
White	38,244	20,019	1,209	31.6	588
Nonwhite	763	533	83	108.8	18
Urban	22,624	12,174	728	32.2	358
White	22,291	11,916	708	31.8	352
Nonwhite	333	258	20	60.1	6
Places of 10,000 or more	19,691	10,708	629	31.9	312
White	19,413	10,471	613	31.6	307
Nonwhite	278	237	16	57.6	5
Places of 2,500 to 10,000	2,933	1,466	99	33.8	46
White	2,878	1,445	95	33.0	45
Nonwhite	55	21	4	72.7	1
Rural	16,383	8,378	564	34.4	248
White	15,953	8,103	501	31.4	236
Nonwhite	430	275	63	146.5	12
WEST VIRGINIA	43,922	16,975	2,329	53.0	1,527
White	41,412	15,382	2,168	52.4	1,401
Nonwhite	2,510	1,593	161	64.1	126
Urban	12,620	6,353	671	53.2	443
White	12,019	5,756	633	52.7	411
Nonwhite	601	597	38	63.2	32
Places of 10,000 or more	8,547	4,347	431	50.4	282
White	8,136	3,941	406	49.9	258
Nonwhite	411	406	25	60.8	24
Places of 2,500 to 10,000	4,073	2,006	240	58.9	161
White	3,883	1,815	227	58.5	153
Nonwhite	190	191	13	68.4	8
Rural	31,302	10,622	1,658	53.0	1,084
White	29,393	9,626	1,535	52.2	990
Nonwhite	1,909	996	123	64.4	94
WISCONSIN	63,982	31,004	2,050	32.0	1,229
White	63,329	30,644	1,998	31.5	1,210
Nonwhite	653	360	52	79.6	19
Urban	35,570	16,898	1,095	30.8	689
White	35,299	16,713	1,081	30.6	679
Nonwhite	271	185	14	51.7	10
Places of 10,000 or more	30,045	13,947	900	30.0	578
White	29,789	13,773	888	29.8	568
Nonwhite	256	174	12	46.9	10
Places of 2,500 to 10,000	5,525	2,951	195	35.3	111
White	5,510	2,940	193	35.0	111
Nonwhite	15	11	2	133.3	-
Rural	28,412	14,106	955	33.6	540
White	28,030	13,931	917	32.7	531
Nonwhite	382	175	38	99.5	9
WYOMING	5,567	2,126	251	45.1	107
White	5,401	2,045	233	43.1	102
Nonwhite	166	81	18	108.4	5
Urban	2,481	979	124	50.0	46
White	2,456	959	122	49.7	45
Nonwhite	25	20	2	80.0	1
Places of 10,000 or more	1,622	576	81	49.9	37
White	1,606	565	80	49.8	36
Nonwhite	16	11	1	62.5	1
Places of 2,500 to 10,000	859	403	43	50.1	9
White	850	394	42	49.4	9
Nonwhite	9	9	1	111.1	-
Rural	3,086	1,147	127	41.2	61
White	2,945	1,086	111	37.7	57
Nonwhite	141	61	16	113.5	4

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)					
ALABAMA (total)	71,136	26,084	3,561	50.1	2,383
Autauga	453	182	18	39.7	11
White	209	78	1	4.8	4
Nonwhite	244	104	17	69.7	7
Baldwin	861	345	55	63.9	28
White	616	262	34	55.2	15
Nonwhite	245	83	21	85.7	13
Barbour	881	307	51	57.9	36
White	318	125	23	72.3	6
Nonwhite	563	182	28	49.7	30
Bibb	537	185	21	39.1	14
White	343	118	13	37.9	4
Nonwhite	194	67	8	41.2	10
Blount	599	178	36	60.1	20
Bullock	573	241	35	61.1	32
White	75	43	4	53.3	2
Nonwhite	498	198	31	62.2	30
Butler	783	261	47	61.6	23
White	343	125	24	70.0	11
Nonwhite	420	136	23	54.8	12
Calhoun	1,824	560	97	53.2	43
Anniston	904	277	49	54.2	23
White	673	167	35	52.0	11
Nonwhite	231	110	14	60.6	12
Balance of county	920	283	48	52.2	20
White	793	229	38	47.9	19
Nonwhite	127	54	10	78.7	1
Chambers	937	370	57	60.8	30
White	491	182	22	44.8	12
Nonwhite	446	188	35	78.5	18
Cherokee	406	105	9	22.2	9
Chilton	664	205	32	48.2	22
White	549	160	23	41.9	17
Nonwhite	115	45	9	78.3	5
Choctaw	489	149	23	47.0	9
White	190	49	4	21.1	3
Nonwhite	299	100	19	63.5	6
Clarke	634	245	34	53.6	30
White	228	95	13	57.0	9
Nonwhite	406	150	21	51.7	21
Clay	358	126	15	41.9	4
White	283	102	9	31.8	4
Nonwhite	75	24	6	80.0	-
Cleburne	316	96	17	53.8	11
Coffee	626	162	13	20.8	12
White	495	109	10	20.2	12
Nonwhite	131	53	3	22.9	-
Colbert	957	232	33	34.5	27
White	752	161	26	34.6	22
Nonwhite	205	71	7	34.1	5
Conecuh	609	189	29	47.6	18
White	269	96	10	37.2	9
Nonwhite	340	93	19	55.9	9
Coosa	320	119	26	81.3	13
White	185	65	15	81.1	6
Nonwhite	135	54	11	81.5	7
Covington	928	301	40	43.1	25
White	768	247	33	43.0	17
Nonwhite	160	54	7	43.8	8
Crenshaw	427	174	20	46.8	15
White	256	119	12	46.9	8
Nonwhite	171	55	8	46.8	7
Cullman	1,178	254	40	34.0	20
Dale	557	223	28	50.3	15
White	405	160	16	39.5	10
Nonwhite	152	63	12	78.9	6
Dallas	1,506	682	90	59.8	87
Selma	559	289	44	78.7	21
White	267	104	12	44.9	1
Nonwhite	292	185	32	109.6	20
Balance of county	947	393	46	48.6	66
White	150	63	6	40.0	5
Nonwhite	797	330	40	50.2	61
De Kalb	823	274	35	42.5	26
Elmore	657	272	42	63.9	31
White	301	152	24	79.7	17
Nonwhite	356	120	18	50.6	14
Escambia	774	287	52	67.2	30
White	502	169	27	53.8	10
Nonwhite	272	118	25	91.9	20
Etowah	1,867	625	93	49.8	53
Gadsden	936	343	55	58.8	19
White	755	232	42	55.6	12
Nonwhite	181	111	13	71.8	7
Balance of county	931	282	38	40.8	34
Fayette	497	131	20	40.2	11
White	415	109	15	36.1	8
Nonwhite	82	22	5	61.0	3
Franklin	781	181	27	34.6	11
Geneva	651	172	31	47.6	17
White	549	141	25	45.5	17
Nonwhite	102	31	6	58.8	-
Section B (Counties)—Continued					
ALABAMA—Continued					
Greene	458	183	29	63.3	18
White	40	27	3	75.0	-
Nonwhite	418	156	26	62.2	18
Hale	630	263	37	58.7	33
White	146	66	7	47.9	4
Nonwhite	484	197	30	62.0	29
Henry	536	143	22	41.0	11
White	231	69	8	34.6	5
Nonwhite	305	74	14	45.9	6
Houston	1,028	319	27	26.3	35
Dothan	421	147	17	40.4	13
White	295	80	11	37.3	9
Nonwhite	126	67	6	47.6	4
Balance of county	607	172	10	16.5	22
White	433	112	5	11.5	13
Nonwhite	174	60	5	28.7	9
Jackson	1,124	234	38	33.8	25
Jefferson	11,949	5,084	621	52.0	425
Bessemer	760	273	34	44.7	34
White	381	95	15	39.4	10
Nonwhite	379	178	19	50.1	24
Birmingham	7,178	3,114	353	49.2	255
White	4,164	1,473	137	32.9	79
Nonwhite	3,014	1,641	216	71.7	176
Fairfield	314	97	12	38.2	14
White	114	24	1	8.8	5
Nonwhite	200	73	11	55.0	9
Balance of county	3,697	1,600	222	60.0	122
White	2,490	844	131	52.6	54
Nonwhite	1,207	756	91	75.4	68
Lamar	402	126	20	49.8	17
White	336	106	15	44.6	14
Nonwhite	66	20	5	75.8	3
Lauderdale	1,212	350	36	29.7	32
Florence	489	169	17	34.8	17
White	413	116	15	36.3	8
Nonwhite	76	53	2	26.3	9
Balance of county	723	181	19	26.3	15
White	655	141	17	26.0	14
Nonwhite	68	40	2	29.4	1
Lawrence	671	144	29	43.2	13
White	578	106	23	39.8	10
Nonwhite	93	38	6	64.5	3
Lee	880	320	45	51.1	39
White	297	122	11	37.0	7
Nonwhite	583	198	34	58.3	32
Limestone	843	230	35	41.5	15
White	677	151	26	38.4	11
Nonwhite	166	79	9	54.2	4
Lowndes	659	231	39	59.2	32
White	61	28	5	82.0	2
Nonwhite	598	203	34	56.9	30
Macon	765	283	36	47.1	37
White	106	49	2	18.9	4
Nonwhite	659	234	34	51.6	33
Madison	1,626	604	98	60.3	46
Huntsville	554	208	24	43.3	22
White	434	121	20	46.1	17
Nonwhite	120	87	4	33.3	5
Balance of county	1,072	396	74	69.0	24
White	764	263	42	55.0	16
Nonwhite	308	133	32	103.9	8
Marengo	743	318	30	40.4	35
White	185	104	9	48.6	5
Nonwhite	558	214	21	37.6	30
Marion	660	127	19	28.8	24
Marshall	1,030	275	47	45.6	22
Mobile	5,080	2,313	296	58.3	177
Mobile	2,717	1,207	139	51.2	99
White	1,751	628	70	40.0	32
Nonwhite	966	579	69	71.4	67
Balance of county	2,363	1,106	157	66.4	78
White	1,644	485	93	56.6	44
Nonwhite	719	621	64	89.0	34
Monroe	763	219	35	45.9	24
White	291	77	10	34.4	9
Nonwhite	472	142	25	53.0	15
Montgomery	2,592	1,385	124	47.8	88
Montgomery	1,961	1,000	92	46.9	79
White	1,191	429	38	31.9	32
Nonwhite	770	571	54	70.1	47
Balance of county	631	385	32	50.7	9
White	151	146	6	39.7	3
Nonwhite	480	239	26	54.2	6
Morgan	1,046	352	44	42.1	28
Decatur	353	141	8	22.7	4
White	304	101	6	19.7	3
Nonwhite	49	40	2	40.8	1
Balance of county	693	211	36	51.9	24
White	622	177	30	48.2	23
Nonwhite	71	34	6	84.5	1

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
ALABAMA—Continued					
Perry	679	218	38	56.0	27
White	134	60	5	37.3	7
Nonwhite	545	158	33	60.6	20
Pickens	664	226	29	43.7	27
White	316	103	8	25.3	11
Nonwhite	348	123	21	60.3	16
Pike	647	295	46	71.1	27
White	335	144	18	53.7	7
Nonwhite	312	151	28	89.7	20
Randolph	535	190	23	43.0	14
White	390	130	13	33.3	9
Nonwhite	145	60	10	69.0	5
Russell	990	375	49	49.5	57
Phenix City	437	167	21	48.1	29
White	328	115	12	36.6	17
Nonwhite	109	52	9	82.6	12
Balance of county	553	208	28	50.6	28
White	101	60	4	39.6	4
Nonwhite	452	148	24	53.1	24
St. Clair	664	199	22	33.1	17
White	518	144	16	30.9	9
Nonwhite	146	55	6	41.1	8
Shelby	730	244	43	58.9	20
White	556	158	30	54.0	15
Nonwhite	174	86	13	74.7	5
Sumter	693	255	43	62.0	40
White	95	40	3	31.6	1
Nonwhite	598	215	40	66.9	39
Talladega	1,773	503	102	57.5	71
White	1,201	311	66	55.0	38
Nonwhite	572	192	36	62.9	33
Tallapoosa	806	306	43	53.3	20
White	546	186	22	40.3	13
Nonwhite	260	117	21	80.8	7
Tuscaloosa	1,542	986	98	63.6	44
Tuscaloosa	564	622	43	76.2	18
White	343	468	16	46.6	7
Nonwhite	221	154	27	122.2	11
Balance of county	978	364	55	56.2	26
White	638	209	32	50.2	21
Nonwhite	340	155	23	67.6	5
Walker	1,582	467	78	49.3	51
White	1,408	395	75	53.3	44
Nonwhite	174	72	3	17.2	7
Washington	399	124	18	45.1	16
White	246	67	6	24.4	10
Nonwhite	153	57	12	78.4	6
Wilcox	760	274	41	53.9	26
White	101	43	3	29.7	3
Nonwhite	659	231	38	57.7	23
Winston	522	89	15	28.7	16
ARIZONA (total)	12,664	5,586	1,014	80.1	287
Apache	374	212	57	152.0	5
White	214	60	12	56.1	2
Nonwhite	160	152	45	281.3	3
Cochise	925	417	71	76.8	22
Coconino	372	181	64	172.0	9
White	287	111	38	132.4	7
Nonwhite	85	70	26	305.9	2
Gila	735	283	50	68.0	12
White	634	229	33	52.1	10
Nonwhite	101	54	17	168.3	2
Graham	317	100	30	94.6	5
Greenlee	425	118	35	82.4	3
Maricopa	4,864	2,108	300	61.7	112
Phoenix	2,587	1,343	143	55.3	57
Balance of county	2,277	765	157	69.0	55
Mohave	153	100	12	78.4	1
Navajo	576	320	96	166.7	6
White	339	112	37	109.1	3
Nonwhite	237	208	59	248.9	3
Pima	1,768	869	145	82.0	50
Tucson	1,377	674	94	68.3	43
Balance of county	391	195	51	130.4	7
White	292	91	25	85.6	6
Nonwhite	99	104	26	262.6	1
Pinal	750	360	64	85.3	26
White	628	250	52	82.8	18
Nonwhite	122	110	12	98.4	8
Santa Cruz	220	78	11	50.0	7
Yavapai	630	263	31	49.2	14
Yuma	555	177	48	86.5	15
White	499	149	38	76.2	11
Nonwhite	56	28	10	178.6	4
ARKANSAS (total)	42,680	15,764	1,694	39.7	1,189
Arkansas	505	200	25	49.5	11
White	400	147	19	47.5	8
Nonwhite	105	53	6	57.1	3
Ashley	691	228	29	42.0	26
White	387	110	17	43.9	11
Nonwhite	304	118	12	39.5	15

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
ARKANSAS—Continued					
Baxter	209	70	8	38.3	6
Benton	650	341	31	47.7	14
Boone	327	119	5	15.3	11
Bradley	365	143	11	30.1	6
White	293	101	9	35.3	5
Nonwhite	110	42	2	18.2	1
Calhoun	178	61	7	39.3	6
White	116	37	4	34.5	3
Nonwhite	62	24	3	48.4	3
Carroll	265	200	19	71.7	9
Chicot	599	196	20	33.4	9
White	316	64	9	28.5	3
Nonwhite	283	132	11	38.9	6
Clark	543	140	8	14.7	10
White	381	87	7	18.4	6
Nonwhite	162	53	1	6.2	4
Clay	510	205	33	64.7	14
Cleburne	305	74	7	23.0	7
Cleveland	214	70	9	42.1	5
White	161	40	6	37.3	4
Nonwhite	53	30	3	56.6	1
Columbia	429	159	10	23.3	9
White	250	95	7	28.0	6
Nonwhite	179	64	3	16.8	3
Conway	481	169	13	27.0	9
White	347	113	10	28.8	5
Nonwhite	134	56	3	22.4	4
Craighead	1,076	362	59	54.8	21
Jonesboro	255	133	20	78.4	8
White	226	102	12	53.1	4
Nonwhite	29	31	8	275.9	4
Balance of county	821	229	39	47.5	13
Crawford	562	219	30	53.4	22
Crittenden	1,121	443	48	42.8	38
White	267	94	16	59.9	9
Nonwhite	854	349	32	37.5	29
Cross	535	128	17	31.8	14
White	359	51	7	19.5	10
Nonwhite	176	77	10	56.8	4
Dallas	313	103	10	31.9	9
White	176	52	4	22.7	1
Nonwhite	137	51	6	43.8	8
Desha	520	196	24	46.2	25
White	255	65	11	43.1	5
Nonwhite	265	131	13	49.1	20
Drew	428	147	15	35.0	11
White	247	84	7	28.3	3
Nonwhite	181	63	8	44.2	8
Faulkner	557	219	34	61.0	31
White	484	177	27	55.8	24
Nonwhite	73	42	7	95.9	7
Franklin	246	101	7	28.5	10
Fulton	167	49	-	0	3
Garland	897	419	25	27.9	22
Hot Springs	584	329	17	29.1	15
White	524	247	14	26.7	11
Nonwhite	60	82	3	50.0	4
Balance of county	313	90	8	25.6	7
Grant	214	68	7	32.7	2
Greene	603	203	18	29.9	13
Hempstead	582	225	32	55.0	14
White	326	111	10	30.7	5
Nonwhite	256	114	22	85.9	9
Hot Spring	457	119	8	17.5	10
White	390	108	8	20.5	6
Nonwhite	67	13	-	0	4
Howard	298	143	9	30.2	10
White	215	76	7	32.6	6
Nonwhite	83	37	2	24.1	4
Independence	583	200	26	44.6	15
Izard	253	80	9	35.6	6
Jackson	684	171	24	35.1	16
White	595	125	20	33.6	12
Nonwhite	89	46	4	44.9	4
Jefferson	1,437	741	64	44.5	53
Pine Bluff	605	395	38	62.8	24
White	451	223	18	39.9	14
Nonwhite	154	172	20	129.9	10
Balance of county	832	346	26	31.3	29
White	298	106	12	40.3	5
Nonwhite	534	240	14	26.2	24
Johnson	340	127	15	44.1	15
Lafayette	316	98	10	31.6	7
White	119	36	7	58.8	2
Nonwhite	197	62	3	15.2	5
Lawrence	416	131	16	38.5	20
Lee	632	235	32	50.6	26
White	238	53	9	37.8	4
Nonwhite	394	182	23	58.4	22
Lincoln	426	152	18	42.3	18
White	146	30	1	6.8	2
Nonwhite	280	122	17	60.7	16

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
ARKANSAS—Continued					
Little River	317	83	8	25.2	14
White	225	42	4	17.8	10
Nonwhite	92	41	4	43.5	4
Logan	517	193	17	32.9	18
Lonoke	754	243	30	39.8	17
White	542	166	18	33.2	12
Nonwhite	212	77	12	56.6	5
Madison	273	81	6	22.0	4
Marion	164	40	4	24.4	5
Miller	756	279	36	47.6	23
Texarkana[1]	415	164	20	48.2	11
White	315	103	13	41.3	4
Nonwhite	100	61	7	70.0	7
Balance of county	341	115	16	46.9	12
White	265	61	8	30.2	9
Nonwhite	76	54	8	105.3	3
Mississippi	2,161	608	119	55.1	66
Blytheville	268	148	15	56.0	3
White	210	89	10	47.6	1
Nonwhite	58	59	5	86.2	2
Balance of county	1,893	460	104	54.9	63
White	1,364	254	78	57.2	36
Nonwhite	529	206	26	49.1	27
Monroe	450	175	20	44.4	18
White	228	65	10	43.9	10
Nonwhite	222	110	10	45.0	8
Montgomery	189	44	2	10.6	4
Nevada	362	122	14	38.7	7
White	250	70	9	36.0	4
Nonwhite	112	52	5	44.6	3
Newton	220	49	4	18.2	3
Ouachita	658	238	15	22.8	23
White	359	110	6	16.7	6
Nonwhite	299	128	9	30.1	17
Perry	231	58	7	30.3	5
Phillips	1,082	458	44	40.7	41
White	390	152	25	64.1	15
Nonwhite	692	306	19	27.5	26
Pike	216	50	6	27.8	3
Poinsett	1,168	239	50	42.8	27
White	1,042	191	46	44.1	20
Nonwhite	126	48	4	31.7	7
Polk	326	144	15	46.0	15
Pope	533	149	20	37.5	3
Prairie	299	88	6	20.1	5
White	234	70	4	17.1	5
Nonwhite	65	18	2	30.8	-
Pulaski	3,974	2,229	195	49.1	105
Little Rock	2,213	1,436	102	46.1	51
White	1,720	886	71	41.3	32
Nonwhite	493	550	31	62.9	19
North Little Rock	716	289	38	53.1	15
White	558	171	25	44.8	8
Nonwhite	158	118	13	82.3	7
Balance of county	1,045	504	55	52.6	39
White	695	327	39	56.1	16
Nonwhite	350	177	16	45.7	23
Randolph	356	103	17	47.8	8
St. Francis	811	295	36	44.4	38
White	337	105	16	47.5	16
Nonwhite	474	190	20	42.2	22
Saline	427	202	20	46.8	8
Scott	289	73	13	45.0	8
Searcy	207	88	13	62.8	3
Sebastian	1,657	522	54	32.6	36
Fort Smith	1,131	398	45	39.8	28
White	1,037	328	36	34.7	22
Nonwhite	94	70	9	95.7	6
Balance of county	526	124	9	17.1	8
Sevier	321	114	11	34.3	10
White	283	107	11	38.9	8
Nonwhite	38	7	-	0	2
Sharp	193	60	2	10.4	2
Stone	162	43	3	18.5	1
Union	986	375	36	36.5	27
El Dorado	465	147	17	36.6	15
White	374	97	10	26.7	8
Nonwhite	91	50	7	76.9	7
Balance of county	521	228	19	36.5	12
White	321	121	11	34.3	5
Nonwhite	200	107	8	40.0	7
Van Buren	199	61	6	30.2	4
Washington	832	352	24	28.8	19
White	738	206	21	28.5	18
Woodruff	495	145	14	28.3	12
White	322	67	8	24.8	7
Nonwhite	173	78	6	34.7	5
Yell	423	131	14	33.1	6

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
CALIFORNIA (total)	154,567	84,851	5,385	34.8	2,908
Alameda	11,461	6,731	333	29.1	224
Alameda	894	491	35	39.1	21
Albany	263	89	9	34.2	4
Berkeley	1,918	991	34	17.7	30
Oakland	6,694	4,026	199	29.7	127
White	6,337	3,784	179	28.2	117
Nonwhite	357	242	20	56.0	10
San Leandro	439	209	10	22.8	13
Balance of county	1,253	925	46	36.7	29
Alpine	8	6	-	0	-
White	6	2	-	0	-
Nonwhite	2	4	-	0	-
Amador	106	115	8	75.5	2
Butte	843	659	44	52.2	14
Calaveras	118	91	2	16.9	-
Colusa	157	150	5	31.8	4
Contra Costa	3,449	1,077	132	38.3	67
Richmond	1,254	324	49	39.1	22
Balance of county	2,195	753	83	37.8	45
Del Norte	66	57	-	0	-
El Dorado	163	122	2	12.3	2
Fresno	3,991	1,801	162	40.6	83
Fresno	1,322	822	41	31.0	31
Balance of county	2,669	979	121	45.3	52
Glenn	176	127	4	22.7	3
Humboldt	843	530	17	20.2	15
Eureka	321	236	4	12.5	2
Balance of county	522	294	13	24.9	13
Imperial	1,596	525	107	67.0	35
Brawley	446	136	45	100.9	13
El Centro	303	93	18	59.4	6
White	264	70	14	53.0	3
Nonwhite	39	23	4	102.6	3
Balance of county	847	296	44	51.9	16
White	767	248	40	52.2	12
Nonwhite	80	48	4	50.0	4
Inyo	210	138	15	71.4	6
White	177	88	8	45.2	5
Nonwhite	33	50	7	212.1	1
Kern	3,601	1,263	171	47.5	62
Bakersfield	1,410	509	69	48.9	22
Balance of county	2,191	754	102	46.6	40
Kings	957	322	28	29.3	24
Lake	115	126	9	78.3	3
Lassen	380	138	16	42.1	8
Los Angeles	61,525	33,042	2,006	32.6	1,177
Alhambra	783	383	14	17.9	14
Bell	316	101	12	38.0	7
Belvedere (twp.)[2]	482	263	27	56.0	17
Beverly Hills	80	223	7	87.5	3
Burbank	1,507	299	41	27.2	35
Compton	640	204	23	35.9	13
Glendale	1,677	939	51	30.4	27
Huntington Park	664	265	13	19.6	14
Inglewood	928	329	27	29.1	17
Long Beach	4,047	2,159	155	38.3	87
Los Angeles	30,905	17,833	984	31.8	594
White	29,142	16,822	913	31.3	553
Nonwhite	1,763	1,011	71	40.3	41
Lynwood	395	125	16	40.5	3
Maywood	304	87	11	36.2	4
Monrovia	250	217	7	28.0	2
Pasadena	1,380	1,119	34	24.6	19
Pomona	497	324	18	36.2	11
Redondo Beach	363	168	17	46.8	5
San Gabriel	416	164	16	38.5	8
Santa Monica	1,155	650	32	27.7	17
South Gate	948	232	19	20.0	19
South Pasadena	201	167	4	19.9	3
Whittier	408	200	9	22.1	7
Balance of county	13,179	6,591	469	35.6	251
White	12,813	6,425	457	35.7	245
Nonwhite	366	166	12	32.8	6
Madera	600	257	20	33.3	15
Marin	903	551	21	23.3	21
Mariposa	51	54	2	39.2	1
Mendocino	447	503	14	31.3	5
Merced	1,190	429	40	33.6	19
Merced	286	124	13	45.5	5
Balance of county	904	305	27	29.9	14
Modoc	233	111	11	47.2	3
Mono	25	14	2	80.0	-
White	19	9	2	105.3	-
Nonwhite	6	5	-	0	-
Monterey	1,961	808	87	44.4	30
Monterey	341	107	10	29.3	7
Salinas	662	140	15	22.7	5
White	612	117	11	18.0	5
Nonwhite	50	23	4	80.0	-
Balance of county	958	561	62	64.7	18

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Napa	650	901	19	29.2	5
Nevada	328	210	9	27.4	7
Orange	3,012	1,552	150	49.8	53
Anaheim	300	130	12	40.0	3
Fullerton	254	120	13	51.2	3
Santa Ana	736	454	37	50.3	14
Balance of county	1,722	848	88	51.1	33
Placer	510	369	14	27.5	10
Plumas	229	123	16	69.9	4
Riverside	2,536	1,243	115	45.3	42
Riverside	967	480	28	29.0	16
Balance of county	1,569	763	87	55.4	26
Sacramento	3,685	2,208	125	33.9	59
Sacramento	2,267	1,503	78	34.4	38
Balance of county	1,418	705	47	33.1	21
White	1,320	654	44	33.3	19
Nonwhite	98	51	3	30.6	2
San Benito	227	123	6	26.4	2
San Bernardino	3,602	2,226	164	45.5	65
Ontario	363	196	17	46.8	6
Redlands	290	212	15	51.7	5
San Bernardino	1,209	630	56	46.3	27
Balance of county	1,740	1,188	76	43.7	27
San Diego	9,187	3,952	298	32.4	190
National City	408	144	16	39.2	8
San Diego	6,617	2,664	194	29.3	132
Balance of county	2,162	1,144	88	40.7	50
San Francisco, coextensive with San Francisco (city)	11,207	8,713	346	30.9	222
White	10,669	8,377	332	31.1	206
Nonwhite	538	336	14	26.0	16
San Joaquin	2,730	1,999	97	35.5	61
Lodi	243	135	6	24.7	8
Stockton	1,538	927	50	32.5	28
Balance of county	949	937	41	43.2	25
White	903	857	39	43.2	22
Nonwhite	46	80	2	43.5	3
San Luis Obispo	994	463	34	34.2	15
San Mateo	2,576	1,237	49	19.0	40
Burlingame	331	167	9	27.2	2
Redwood City	367	148	5	13.6	5
San Mateo	517	221	14	27.1	5
Balance of county	1,361	701	21	15.4	28
Santa Barbara	1,552	728	43	27.7	30
Santa Barbara	617	398	16	25.9	11
Balance of county	935	330	27	28.9	19
Santa Clara	3,503	2,330	106	30.3	51
Palo Alto	347	187	5	14.4	6
San Jose	1,623	935	47	29.0	14
Balance of county	1,533	1,208	54	35.2	31
Santa Cruz	677	681	22	32.5	7
Santa Cruz	219	292	6	27.4	1
Balance of county	458	389	16	34.9	6
Shasta	760	351	40	52.6	10
Sierra	38	25	-	0	1
Siskiyou	657	303	29	44.1	9
Solano	1,927	697	67	34.8	31
Vallejo	1,431	344	34	23.8	22
Balance of county	496	353	33	66.5	9
Sonoma	1,212	1,063	45	37.1	30
Santa Rosa	404	224	6	14.9	11
Balance of county	808	839	39	48.3	19
Stanislaus	1,728	824	70	40.5	27
Modesto	609	290	33	54.2	11
Balance of county	1,119	534	37	33.1	16
Sutter	429	184	15	35.0	9
Tehama	254	179	10	39.4	5
Trinity	32	40	-	0	-
Tulare	2,459	949	113	46.0	48
Tuolumne	157	155	8	51.0	2
Ventura	1,531	734	84	54.9	30
San Buenaventura	347	135	16	46.1	7
Balance of county	1,184	599	68	57.4	23
Yolo	571	309	14	24.5	12
Yuba	432	233	19	44.0	8
COLORADO (total)	23,566	12,532	1,172	49.7	563
Adams	493	230	38	77.1	12
Alamosa	220	93	22	100.0	6
Arapahoe	846	267	12	14.2	17
Archuleta	90	32	6	66.7	2
Baca	130	56	2	15.4	8
Bent	181	119	8	44.2	3
Boulder	649	386	23	35.4	15
Boulder	262	171	8	30.5	4
Balance of county	387	215	15	38.8	11
Chaffee	118	101	10	84.7	-
Cheyenne	45	22	3	66.7	2
Clear Creek	62	41	2	32.3	3
Section B (Counties)—Continued					
COLORADO—Continued					
Conejos	248	87	22	88.7	6
Costilla	146	38	-	0	2
Crowley	120	45	7	58.3	2
Custer	23	16	2	87.0	-
Delta	293	162	18	61.4	10
Denver, coextensive with Denver (city)	7,479	4,326	275	36.8	175
Dolores	44	10	1	22.7	-
Douglas	50	24	-	0	-
Eagle	125	51	14	112.0	2
Elbert	100	55	5	50.0	4
El Paso	1,160	798	62	53.4	16
Colorado Springs	952	697	54	56.7	13
Balance of county	208	101	8	38.5	3
Fremont	283	209	5	17.7	12
Garfield	185	93	10	54.1	8
Gilpin	21	14	-	0	-
Grand	77	30	5	64.9	1
Gunnison	113	61	4	35.4	1
Hinsdale	1	2	-	0	-
Huerfano	261	154	32	122.6	10
Jackson	28	13	2	71.4	1
Jefferson	659	289	14	21.2	16
Kiowa	65	27	2	30.8	2
Kit Carson	139	53	4	28.8	4
Lake	189	97	19	100.5	8
La Plata	304	144	19	62.5	7
Larimer	570	324	21	36.8	14
Fort Collins	109	148	8	73.4	4
Balance of county	461	176	13	28.2	10
Las Animas	708	417	94	132.8	19
Trinidad	366	211	49	133.9	12
Balance of county	342	206	45	131.6	7
Lincoln	121	54	1	8.3	5
Logan	353	121	13	36.8	4
Mesa	570	304	23	40.4	17
Grand Junction	241	1[illegible]	11	45.6	6
Balance of county	329	169	12	36.5	11
Mineral	28	7	1	35.7	-
Moffat	100	51	8	80.0	2
Montezuma	218	91	17	78.0	9
Montrose	329	133	10	30.4	10
Morgan	367	167	24	65.4	4
Otero	527	287	32	60.7	15
Ouray	26	33	1	38.5	1
Park	27	15	-	0	1
Phillips	89	34	5	56.2	-
Pitkin	22	17	1	45.5	-
Prowers	331	120	15	45.3	11
Pueblo	1,625	1,047	92	56.6	37
Pueblo	1,230	617	66	53.7	30
Balance of county	395	430	26	65.8	7
Rio Blanco	52	30	1	19.2	1
Rio Grande	263	117	40	152.1	7
Routt	218	111	9	41.3	6
Saguache	137	63	20	148.0	4
San Juan	24	20	1	41.7	-
San Miguel	69	29	5	72.5	2
Sedgwick	121	41	2	16.5	6
Summit	27	18	2	74.1	1
Teller	88	70	8	90.9	2
Washington	124	49	5	40.3	2
Weld	1,296	504	64	49.4	23
Greeley	308	193	10	32.5	5
Balance of county	988	311	54	54.7	18
Yuma	189	113	9	47.6	5
CONNECTICUT (total)	37,264	18,456	1,088	29.2	736
Fairfield	9,005	4,718	286	31.8	231
Bridgeport	3,379	1,652	136	40.2	96
Danbury	488	339	15	30.7	16
Norwalk	861	471	27	31.4	25
Shelton	232	114	4	17.2	4
Stamford	1,226	628	37	30.2	25
Stratford (town)	522	215	9	17.2	14
Balance of county	2,297	1,299	58	25.3	53
Hartford	10,599	4,376	306	28.9	179
Bristol	717	257	15	20.9	18
East Hartford (town)	612	153	18	29.4	9
Hartford	4,073	1,713	128	31.4	66
New Britain	1,440	634	42	29.2	27
West Hartford (town)	541	335	20	37.0	6
Balance of county	3,216	1,274	83	25.8	53
Litchfield	1,880	946	68	36.2	29
Torrington	545	226	20	36.7	13
Balance of county	1,335	720	48	36.0	16
Middlesex	1,146	841	31	27.1	9
Middletown	521	481	12	23.0	5
Balance of county	625	360	19	30.4	4

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
CONNECTICUT—Continued					
New Haven	10,185	5,017	265	26.0	193
Ansonia	383	206	10	26.1	11
Derby	203	95	7	34.5	12
Meriden	743	453	13	17.5	14
Naugatuck	289	124	6	20.8	5
New Haven	3,231	1,766	93	28.8	57
Wallingford	245	185	9	36.7	8
Waterbury	2,206	976	60	27.2	42
West Haven (town)	604	288	10	16.6	9
Balance of county	2,281	924	57	25.0	35
New London	2,676	1,566	78	29.1	54
New London	612	277	16	26.1	15
Norwich	633	388	23	36.3	15
Balance of county	1,431	901	39	27.3	24
Tolland	691	362	16	23.2	13
Windham	1,082	630	38	35.1	28
Willimantic	263	147	6	22.8	8
Balance of county	819	483	32	39.1	20
DELAWARE (total)	5,657	3,331	266	47.0	142
Kent	634	519	33	52.1	14
White	492	402	17	34.6	7
Nonwhite	142	117	16	112.7	7
New Castle	3,919	2,167	153	39.0	87
Wilmington	2,389	1,451	113	47.3	50
White	2,022	1,178	80	39.6	39
Nonwhite	367	273	33	89.9	11
Balance of county	1,530	716	40	26.1	37
Sussex	1,104	645	80	72.5	41
White	858	499	43	50.1	25
Nonwhite	246	146	37	150.4	16
DISTRICT OF COLUMBIA	15,179	8,417	771	50.8	409
Washington	15,179	8,417	771	50.8	409
White	10,090	5,288	396	39.2	204
Nonwhite	5,089	3,129	375	73.7	205
FLORIDA (total)	40,901	21,207	1,953	47.7	1,551
Alachua	921	454	51	55.4	51
Gainesville	400	187	16	40.0	14
White	272	94	7	25.7	8
Nonwhite	128	93	9	70.3	6
Balance of county	521	267	35	67.2	37
White	275	113	8	29.1	10
Nonwhite	246	154	27	109.8	27
Baker	184	45	7	42.7	3
White	107	32	5	46.7	2
Nonwhite	57	13	2	35.1	1
Bay	725	221	29	40.0	18
Panama City	376	107	13	34.6	8
White	311	54	5	16.1	3
Nonwhite	65	53	8	123.1	5
Balance of county	349	114	16	45.8	10
White	304	95	12	39.5	8
Nonwhite	45	19	4	88.9	2
Bradford	310	122	17	54.8	12
White	243	79	12	49.4	9
Nonwhite	67	43	5	74.6	3
Brevard	244	198	13	53.3	12
White	156	123	9	57.7	6
Nonwhite	88	75	4	45.5	6
Broward	789	422	39	49.4	34
Fort Lauderdale	354	196	16	45.2	20
White	241	142	8	33.2	12
Nonwhite	113	54	8	70.8	8
Balance of county	435	226	23	52.9	14
White	183	128	9	49.2	2
Nonwhite	252	98	14	55.6	12
Calhoun	216	58	9	41.7	6
White	187	48	8	42.8	6
Nonwhite	29	10	1	34.5	-
Charlotte	49	33	2	40.8	2
White	37	23	1	27.0	1
Nonwhite	12	10	1	83.3	1
Citrus	99	66	2	20.2	3
White	61	36	1	16.4	1
Nonwhite	38	30	1	26.3	2
Clay	181	173	11	60.8	14
White	122	132	9	73.8	8
Nonwhite	59	41	2	33.9	6
Collier	79	34	6	75.9	3
White	64	14	4	62.5	1
Nonwhite	15	20	2	133.3	2
Columbia	358	145	10	27.9	13
White	219	73	4	18.3	6
Nonwhite	139	72	6	43.2	7
Section B (Counties)—Continued					
FLORIDA—Continued					
Dade	4,923	2,491	206	41.8	153
Miami	3,200	1,647	133	41.6	90
White	2,497	1,215	79	31.6	47
Nonwhite	703	432	54	76.8	43
Miami Beach	315	194	8	25.4	6
Balance of county	1,408	650	65	46.2	57
White	1,081	496	42	38.9	31
Nonwhite	327	154	23	70.3	26
De Soto	214	93	9	42.1	7
White	173	69	7	40.5	4
Nonwhite	41	24	2	48.8	3
Dixie	168	78	16	95.2	14
White	108	43	7	64.8	4
Nonwhite	60	35	9	150.0	10
Duval	5,308	2,557	246	46.3	224
Jacksonville	4,533	2,221	208	45.9	195
White	3,198	1,168	128	40.0	97
Nonwhite	1,335	1,053	80	59.9	98
Balance of county	775	336	38	49.0	29
White	622	261	23	37.0	16
Nonwhite	153	75	15	98.0	13
Escambia	2,470	908	141	57.1	108
Pensacola	1,317	555	85	64.5	66
White	997	318	52	52.2	38
Nonwhite	320	237	33	103.1	28
Balance of county	1,153	353	56	48.6	42
White	1,002	280	42	41.9	32
Nonwhite	151	73	14	92.7	10
Flagler	44	31	4	90.9	4
White	17	17	2	117.6	-
Nonwhite	27	14	2	74.1	4
Franklin	139	48	3	21.6	7
White	91	27	3	33.0	3
Nonwhite	48	21	-	0	4
Gadsden	645	658	54	83.7	31
White	215	308	12	55.8	10
Nonwhite	430	350	42	97.7	21
Gilchrist	98	32	6	61.2	3
White	84	27	5	59.5	3
Nonwhite	14	5	1	71.4	-
Glades	40	21	2	50.0	2
White	16	9	1	62.5	2
Nonwhite	24	12	1	41.7	-
Gulf	192	57	14	72.9	5
White	146	32	11	75.3	2
Nonwhite	46	25	3	65.2	3
Hamilton	245	89	13	53.1	12
White	139	35	2	14.4	6
Nonwhite	106	54	11	103.8	6
Hardee	205	93	2	9.8	4
Hendry	117	54	10	85.5	3
White	86	24	2	23.3	2
Nonwhite	31	30	8	258.1	1
Hernando	130	60	4	30.8	5
White	95	41	4	42.1	2
Nonwhite	35	19	-	0	3
Highlands	273	119	11	40.3	5
White	218	83	9	41.3	4
Nonwhite	55	36	2	36.4	1
Hillsborough	4,185	2,098	199	47.6	121
Tampa	2,412	1,339	117	48.5	67
White	1,942	944	82	42.2	42
Nonwhite	470	395	35	74.5	25
Balance of county	1,773	759	82	46.2	54
White	1,589	659	72	45.3	39
Nonwhite	184	100	10	54.3	15
Holmes	374	84	13	34.8	12
Indian River	157	74	3	19.1	6
White	105	48	1	9.5	3
Nonwhite	52	26	2	38.5	3
Jackson	882	285	28	31.7	35
White	575	149	16	27.8	17
Nonwhite	307	136	12	39.1	18
Jefferson	289	170	15	51.9	10
White	83	48	4	48.2	3
Nonwhite	206	122	11	53.4	7
Lafayette	80	24	-	0	5
Lake	451	316	19	42.1	19
White	300	209	12	40.0	6
Nonwhite	151	107	7	46.4	13
Lee	369	223	30	81.3	20
Fort Myers	245	157	24	98.0	17
White	185	93	16	86.5	6
Nonwhite	60	64	8	133.3	11
Balance of county	124	66	6	48.4	3
White	104	50	3	28.8	-
Nonwhite	20	16	3	150.0	3

594337 O - 44 - 3

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
FLORIDA—Continued					
Leon	813	340	30	36.9	33
Tallahassee	434	178	15	34.6	17
White	287	83	7	24.4	6
Nonwhite	147	95	8	54.4	11
Balance of county	379	162	15	39.6	16
White	134	54	4	29.9	3
Nonwhite	245	108	11	44.9	13
Levy	283	128	12	42.4	10
White	177	57	7	39.5	5
Nonwhite	106	71	5	47.2	5
Liberty	80	34	5	62.5	2
White	59	19	4	67.8	1
Nonwhite	21	15	1	47.6	1
Madison	423	167	15	35.5	21
White	185	77	7	37.8	5
Nonwhite	238	90	8	33.6	16
Manatee	509	252	26	51.1	15
White	332	167	16	48.2	10
Nonwhite	177	85	10	56.5	5
Marion	604	345	35	57.9	30
White	335	140	19	56.7	7
Nonwhite	269	205	16	59.5	23
Martin	103	59	11	106.8	4
White	61	33	3	49.2	2
Nonwhite	42	26	8	190.5	2
Monroe	398	218	25	62.8	18
Key West	395	215	25	63.3	18
White	321	168	19	59.2	14
Nonwhite	74	47	6	81.1	4
Balance of county	3	3	-	0	-
White	3	2	-	0	-
Nonwhite	-	1	-	0	-
Nassau	261	116	16	61.3	5
White	180	62	7	38.9	4
Nonwhite	81	54	9	111.1	1
Okaloosa	429	150	12	28.0	16
Okeechobee	70	22	2	28.6	1
White	62	19	2	32.3	1
Nonwhite	8	3	-	0	-
Orange	1,381	832	68	49.2	52
Orlando	791	451	36	45.5	37
White	604	307	21	34.8	21
Nonwhite	187	144	15	80.2	16
Balance of county	590	381	32	54.2	15
White	446	278	19	42.6	10
Nonwhite	144	103	13	90.3	5
Osceola	144	139	8	55.6	2
White	110	116	6	54.5	-
Nonwhite	34	23	2	58.8	2
Palm Beach	1,391	849	77	55.4	59
West Palm Beach	622	373	29	46.6	13
White	401	228	17	42.4	4
Nonwhite	221	145	12	54.3	9
Balance of county	769	476	48	62.4	46
White	414	287	13	31.4	16
Nonwhite	355	189	35	98.6	30
Pasco	296	153	11	37.2	11
White	237	126	9	38.0	10
Nonwhite	59	27	2	33.9	1
Pinellas	1,210	1,317	39	32.2	38
Clearwater	186	112	7	37.6	6
White	132	81	5	37.9	2
Nonwhite	54	31	2	37.0	4
St. Petersburg	750	958	22	29.3	21
White	543	818	13	23.9	12
Nonwhite	207	140	9	43.5	9
Balance of county	274	247	10	36.5	11
Polk	1,878	868	85	45.3	64
Lakeland	449	246	14	31.2	20
White	356	182	10	28.1	12
Nonwhite	93	64	4	43.0	8
Balance of county	1,429	622	71	49.7	44
White	1,095	450	42	38.4	28
Nonwhite	334	172	29	86.8	16
Putnam	371	231	19	51.2	13
White	203	120	6	29.6	7
Nonwhite	168	111	13	77.4	6
St. Johns	394	254	20	50.8	12
St. Augustine	267	174	8	30.0	11
White	183	122	2	10.9	5
Nonwhite	84	52	6	71.4	6
Balance of county	127	80	12	94.5	1
White	49	35	2	40.8	-
Nonwhite	78	45	10	128.2	1
St. Lucie	262	124	16	61.1	8
White	133	75	7	52.6	3
Nonwhite	129	49	9	69.8	5
Santa Rosa	341	130	12	35.2	10
White	307	100	10	32.6	6
Nonwhite	34	30	2	58.8	4
Section B (Counties)—Continued					
FLORIDA—Continued					
Sarasota	299	219	14	46.8	7
Sarasota	192	165	11	57.3	7
White	137	123	6	43.8	4
Nonwhite	55	42	5	90.9	3
Balance of county	107	54	3	28.0	-
White	91	37	1	11.0	-
Nonwhite	16	17	2	125.0	-
Seminole	354	220	21	59.3	24
Sanford	179	110	11	61.5	13
White	94	54	3	31.9	5
Nonwhite	85	56	8	94.1	8
Balance of county	175	110	10	57.1	11
White	75	52	3	40.0	1
Nonwhite	100	58	7	70.0	10
Sumter	250	130	11	44.0	12
White	163	77	6	36.8	5
Nonwhite	87	53	5	57.5	7
Suwannee	434	178	25	57.6	19
White	261	99	10	38.3	6
Nonwhite	173	79	15	86.7	13
Taylor	229	103	8	34.9	7
White	167	64	4	24.0	4
Nonwhite	62	39	4	64.5	3
Union	137	72	4	29.2	9
White	110	44	2	18.2	8
Nonwhite	27	28	2	74.1	1
Volusia	731	647	36	49.2	29
Daytona Beach	278	299	10	36.0	15
White	190	211	4	21.1	4
Nonwhite	88	88	6	68.2	9
Balance of county	453	348	26	57.4	16
White	297	239	17	57.2	5
Nonwhite	156	109	9	57.7	11
Wakulla	125	36	3	24.0	9
White	80	22	2	25.0	5
Nonwhite	45	14	1	22.2	4
Walton	280	117	21	75.0	17
White	239	93	19	79.5	12
Nonwhite	41	24	2	48.8	5
Washington	288	123	22	76.4	8
White	237	89	16	67.5	3
Nonwhite	51	34	6	117.6	5
GEORGIA (total)	72,491	29,083	3,571	49.3	2,807
Appling	367	94	10	27.2	14
White	289	60	5	17.3	12
Nonwhite	78	34	5	64.1	2
Atkinson	187	40	2	10.7	6
White	143	31	2	14.0	2
Nonwhite	44	9	-	0	4
Bacon	227	61	13	57.3	12
White	195	51	10	51.3	11
Nonwhite	32	10	3	93.8	1
Baker	201	67	10	49.8	9
White	65	31	9	138.5	3
Nonwhite	136	36	1	7.4	6
Baldwin	323	637	12	37.2	14
White	132	336	4	30.3	3
Nonwhite	191	301	8	41.9	11
Banks	162	46	3	18.5	10
Barrow	262	111	17	64.9	7
White	198	97	16	80.8	7
Nonwhite	64	14	1	15.6	-
Bartow	600	223	39	65.0	27
White	516	164	30	58.1	17
Nonwhite	84	59	9	107.1	10
Ben Hill	285	171	21	73.7	12
White	185	114	14	75.7	7
Nonwhite	100	57	7	70.0	5
Berrien	265	79	8	30.2	6
White	237	68	7	29.5	5
Nonwhite	28	11	1	35.7	1
Bibb	2,351	1,101	101	43.0	110
Macon	1,956	860	81	41.4	94
White	1,301	353	41	31.5	43
Nonwhite	655	507	40	61.1	51
Balance of county	395	241	20	50.6	16
White	223	156	12	53.8	7
Nonwhite	172	85	8	46.5	9
Bleckley	247	92	16	64.8	8
White	139	46	6	43.2	3
Nonwhite	108	46	10	92.6	5
Brantley	172	58	9	52.3	10
White	146	46	7	47.9	6
Nonwhite	26	12	2	76.9	4
Brooks	554	157	23	41.5	24
White	215	61	7	32.6	9
Nonwhite	339	96	16	47.2	15

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
GEORGIA—Continued					
Bryan	145	52	7	48.3	9
White	77	27	3	39.0	2
Nonwhite	68	25	4	58.8	7
Bulloch	522	149	25	47.9	22
White	252	73	12	47.6	8
Nonwhite	270	76	13	48.1	14
Burke	716	250	26	36.3	28
White	132	52	2	15.2	3
Nonwhite	584	198	24	41.1	25
Butts	219	117	11	50.2	8
White	90	49	1	11.1	2
Nonwhite	129	68	10	77.5	6
Calhoun	290	94	21	72.4	11
White	81	19	5	61.7	-
Nonwhite	209	75	16	76.6	11
Camden	200	78	9	45.0	13
White	74	27	2	27.0	3
Nonwhite	126	51	7	55.6	10
Candler	135	57	6	44.4	4
White	78	41	1	12.8	1
Nonwhite	57	16	5	87.7	3
Carroll	657	204	28	42.6	28
White	511	162	19	37.2	17
Nonwhite	146	42	9	61.6	11
Catoosa	267	84	16	59.9	7
Charlton	101	34	1	9.9	11
White	74	20	-	0	6
Nonwhite	27	14	1	37.0	5
Chatham	3,162	1,801	207	65.5	164
Savannah	2,707	1,478	165	61.0	142
White	1,609	627	64	39.8	54
Nonwhite	1,098	851	101	92.0	88
Balance of county	455	323	42	92.3	22
White	249	143	15	60.2	8
Nonwhite	206	180	27	131.1	14
Chattahoochee	139	116	8	57.6	1
White	104	97	7	67.3	-
Nonwhite	35	19	1	28.6	1
Chattooga	420	84	11	26.2	3
Cherokee	411	160	30	73.0	17
Clarke	549	299	28	51.0	21
Athens	398	235	24	60.3	19
White	269	119	12	44.6	12
Nonwhite	129	116	12	93.0	7
Balance of county	151	64	4	26.5	2
White	66	37	1	15.2	1
Nonwhite	85	27	3	35.3	1
Clay	157	47	7	44.6	2
White	34	11	-	0	-
Nonwhite	123	36	7	56.9	2
Clayton	207	87	16	77.3	11
White	139	54	9	64.7	4
Nonwhite	68	33	7	102.9	7
Clinch	142	40	9	63.4	1
White	81	20	5	61.7	-
Nonwhite	61	20	4	65.6	1
Cobb	885	345	32	36.2	32
White	758	253	28	36.9	25
Nonwhite	127	92	4	31.5	7
Coffee	655	187	35	53.4	34
White	482	127	25	51.9	17
Nonwhite	173	60	10	57.8	17
Colquitt	918	256	38	41.4	42
Moultrie	335	115	17	50.7	23
White	230	73	10	43.5	11
Nonwhite	105	42	7	66.7	12
Balance of county	583	141	21	36.0	19
White	471	123	17	36.1	16
Nonwhite	112	18	4	35.7	3
Columbia	215	72	8	37.2	5
White	67	24	3	44.8	2
Nonwhite	148	48	5	33.8	3
Cook	247	96	14	56.7	4
White	197	61	10	50.8	2
Nonwhite	50	35	4	80.0	2
Coweta	522	170	21	40.2	23
White	257	75	9	35.0	9
Nonwhite	265	95	12	45.3	14
Crawford	164	58	11	67.1	10
White	40	24	-	0	1
Nonwhite	124	34	11	88.7	9
Crisp	424	183	28	66.0	22
White	192	71	9	46.9	8
Nonwhite	232	112	19	81.9	14
Dade	138	45	3	21.7	4
Dawson	73	13	3	41.1	2
Decatur	614	265	48	78.2	30
White	308	107	16	51.9	6
Nonwhite	306	156	32	104.6	24

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
GEORGIA—Continued					
De Kalb	1,922	[3] 497	74	38.5	66
Atlanta (part)	692	———	16	(4)	18
White	630	———	9	(4)	15
Nonwhite	62	———	7	(4)	3
Decatur	409	134	16	39.1	15
White	306	94	8	26.1	3
Nonwhite	103	40	8	77.7	12
Balance of county	821	363	42	51.2	33
White	637	262	27	42.4	18
Nonwhite	184	101	15	81.5	15
Dodge	448	136	14	31.3	11
White	294	85	11	37.4	7
Nonwhite	154	51	3	19.5	4
Dooly	380	150	17	44.7	19
White	132	50	4	30.3	4
Nonwhite	248	100	13	52.4	15
Dougherty	702	341	42	59.8	29
Albany	563	248	31	55.1	24
White	330	88	13	39.4	7
Nonwhite	233	160	18	77.3	17
Balance of county	139	93	11	79.1	5
White	62	36	2	32.3	3
Nonwhite	77	57	9	116.9	2
Douglas	197	78	7	35.5	5
White	147	60	6	40.8	1
Nonwhite	50	18	1	20.0	4
Early	495	157	24	48.5	13
White	201	62	4	19.9	6
Nonwhite	294	95	20	68.0	7
Echols	52	13	2	38.5	4
White	34	6	1	29.4	2
Nonwhite	18	7	1	55.6	2
Effingham	188	106	20	106.4	10
White	91	58	9	98.9	3
Nonwhite	97	48	11	113.4	7
Elbert	434	169	16	36.9	19
White	213	79	3	14.1	2
Nonwhite	221	90	13	58.8	17
Emanuel	480	202	32	66.7	13
White	286	121	16	55.9	5
Nonwhite	194	81	16	82.5	8
Evans	184	74	11	59.8	4
White	107	43	5	46.7	3
Nonwhite	77	31	6	77.9	1
Fannin	373	117	33	88.5	7
Fayette	160	64	10	62.5	5
White	81	38	4	49.4	3
Nonwhite	79	26	6	75.9	2
Floyd	1,332	463	62	46.5	56
Rome	714	259	28	39.2	39
White	599	179	19	31.7	26
Nonwhite	115	80	9	78.3	13
Balance of county	618	204	34	55.0	17
White	563	176	31	55.1	15
Nonwhite	55	28	3	54.5	2
Forsyth	258	45	11	42.6	11
Franklin	296	115	16	54.1	7
White	254	94	10	39.4	3
Nonwhite	42	21	6	142.9	4
Fulton	8,616	[5] 4,554	410	47.6	268
Atlanta (part)	6,751	———	288	(4)	215
White	4,520	———	145	(4)	115
Nonwhite	2,231	———	143	(4)	100
Atlanta (total)	7,443	3,604	304	40.8	233
White	5,150	1,874	154	29.9	130
Nonwhite	2,293	1,730	150	65.4	103
District 1511, Center Hill[2]	3	-	-	0	-
White	3	-	-	0	-
Nonwhite	-	-	-	-	-
East Point	302	115	21	69.5	10
White	247	87	15	60.7	8
Nonwhite	55	28	6	109.1	2
Balance of county	1,560	835	101	64.6	43
White	1,242	609	80	64.3	30
Nonwhite	318	226	21	66.0	13
Gilmer	247	62	11	44.5	16
Glascock	106	31	2	18.9	5
White	72	21	2	27.8	4
Nonwhite	34	10	-	0	1
Glynn	592	246	31	52.4	31
Brunswick	417	170	23	55.2	25
White	288	77	9	31.3	13
Nonwhite	129	93	14	108.5	12
Balance of county	175	76	8	45.7	6
White	114	40	3	26.3	3
Nonwhite	61	36	5	82.0	3
Gordon	409	134	23	56.2	9
Grady	475	177	31	65.3	26
White	300	117	20	66.7	12
Nonwhite	175	60	11	62.9	14

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
GEORGIA—Continued					
Greene	321	119	19	59.2	17
White	118	54	5	42.4	3
Nonwhite	208	65	14	69.0	14
Gwinnett	573	198	21	36.6	20
White	492	165	16	32.5	14
Nonwhite	81	33	5	61.7	6
Habersham	313	108	15	47.9	9
Hall	757	250	28	37.0	16
Gainesville	272	119	9	33.1	6
White	215	88	6	27.9	4
Nonwhite	57	31	3	52.6	2
Balance of county	485	131	19	39.2	10
Hancock	357	89	10	28.0	8
White	55	27	-	0	1
Nonwhite	302	62	10	33.1	7
Haralson	259	83	14	54.1	5
White	230	75	13	56.5	5
Nonwhite	29	8	1	34.5	-
Harris	239	101	6	25.1	9
White	77	34	2	26.0	1
Nonwhite	162	67	4	24.7	8
Hart	306	93	11	35.9	10
White	232	59	8	34.5	5
Nonwhite	74	34	3	40.5	5
Heard	120	64	11	91.7	3
White	73	48	8	109.6	1
Nonwhite	47	16	3	63.8	2
Henry	324	127	13	40.1	16
White	128	55	2	15.6	7
Nonwhite	196	72	11	56.1	9
Houston	306	116	12	39.2	21
White	118	56	3	25.4	1
Nonwhite	188	60	9	47.9	20
Irwin	336	68	5	14.9	5
White	164	41	3	18.3	5
Nonwhite	172	27	2	11.6	-
Jackson	460	112	20	43.5	7
White	369	78	13	35.2	3
Nonwhite	91	34	7	76.9	4
Jasper	175	87	15	85.7	9
White	55	29	2	36.4	-
Nonwhite	120	58	13	108.3	9
Jeff Davis	177	62	13	73.4	10
White	144	43	9	62.5	8
Nonwhite	33	19	4	121.2	2
Jefferson	490	145	19	38.8	21
White	147	60	6	40.8	5
Nonwhite	343	86	13	37.9	16
Jenkins	315	116	13	41.3	10
White	116	46	4	34.5	2
Nonwhite	199	70	9	45.2	8
Johnson	225	69	10	44.4	19
White	120	46	5	41.7	7
Nonwhite	105	23	5	47.6	12
Jones	207	92	10	48.3	8
White	64	35	1	15.6	-
Nonwhite	143	57	9	62.9	8
Lamar	193	92	9	46.6	8
White	84	40	2	23.8	2
Nonwhite	109	52	7	64.2	6
Lanier	83	38	4	48.2	4
White	62	28	2	32.3	1
Nonwhite	21	10	2	95.2	3
Laurens	749	330	35	46.7	37
White	414	180	17	41.1	17
Nonwhite	335	150	18	53.7	20
Lee	146	60	7	47.9	9
White	30	13	1	33.3	-
Nonwhite	116	47	6	51.7	9
Liberty	192	121	14	72.9	10
White	79	45	2	25.3	1
Nonwhite	113	76	12	106.2	9
Lincoln	171	31	2	11.7	3
White	54	15	-	0	-
Nonwhite	117	16	2	17.1	3
Long	59	32	4	68.0	1
White	44	13	2	45.5	1
Nonwhite	25	19	2	80.0	-
Lowndes	813	303	29	35.7	30
Valdosta	482	183	21	43.6	17
White	277	85	10	36.1	5
Nonwhite	205	98	11	53.7	12
Balance of county	331	120	8	24.2	13
White	165	84	2	12.1	4
Nonwhite	166	36	6	36.1	9
Lumpkin	144	38	3	20.8	-
McDuffie	289	96	14	48.4	15
White	128	37	2	15.6	4
Nonwhite	161	59	12	74.5	11
Section B (Counties)—Continued					
GEORGIA—Continued					
McIntosh	152	83	12	78.9	5
White	44	29	3	68.2	1
Nonwhite	108	54	9	83.3	4
Macon	398	162	39	98.0	16
White	104	45	5	48.1	2
Nonwhite	294	117	34	115.6	14
Madison	280	105	6	21.4	3
White	205	80	3	14.6	2
Nonwhite	75	25	3	40.0	1
Marion	202	75	10	49.5	14
White	60	32	2	33.3	5
Nonwhite	142	43	8	56.3	9
Meriwether	542	198	17	31.4	18
White	203	94	3	14.8	3
Nonwhite	339	104	14	41.3	15
Miller	189	56	9	47.6	7
White	110	33	3	27.3	5
Nonwhite	79	23	6	75.9	2
Mitchell	620	209	26	41.9	24
White	243	69	8	32.9	4
Nonwhite	377	140	18	47.7	20
Monroe	256	125	19	74.2	13
White	96	48	4	41.7	-
Nonwhite	160	77	15	93.8	13
Montgomery	202	54	11	54.5	9
White	94	25	3	31.9	3
Nonwhite	108	29	8	74.1	6
Morgan	326	137	15	46.0	6
White	122	45	6	49.2	3
Nonwhite	204	92	9	44.1	3
Murray	210	63	12	57.1	9
Muscogee	2,695	775	101	37.5	84
Columbus	2,319	632	86	37.1	65
White	1,760	333	44	25.0	38
Nonwhite	559	299	42	75.1	27
Balance of county	376	143	15	39.9	19
White	261	101	10	38.3	14
Nonwhite	115	42	5	43.5	5
Newton	441	144	15	34.0	23
White	289	77	6	20.8	8
Nonwhite	152	67	9	59.2	15
Oconee	112	63	12	107.1	2
White	71	41	9	126.8	1
Nonwhite	41	22	3	73.2	1
Oglethorpe	287	119	23	80.1	17
White	132	54	6	45.5	4
Nonwhite	155	65	17	109.7	13
Paulding	246	92	19	77.2	7
White	214	85	16	74.8	6
Nonwhite	32	7	3	93.8	1
Peach	270	121	14	51.9	14
White	83	32	2	24.1	1
Nonwhite	187	89	12	64.2	13
Pickens	166	58	10	60.2	5
Pierce	287	112	10	34.8	17
White	238	78	9	37.8	11
Nonwhite	49	34	1	20.4	6
Pike	212	125	16	75.5	12
White	61	47	4	65.6	2
Nonwhite	151	78	12	79.5	10
Polk	618	176	26	42.1	28
White	522	141	19	36.4	27
Nonwhite	96	35	7	72.9	1
Pulaski	197	81	8	40.6	8
White	81	37	2	24.7	3
Nonwhite	116	44	6	51.7	5
Putnam	180	69	18	100.0	11
White	57	21	3	52.6	-
Nonwhite	123	48	15	122.0	11
Quitman	86	30	3	34.9	4
White	20	9	-	0	-
Nonwhite	66	21	3	45.5	4
Rabun	181	22	2	11.0	-
Randolph	383	164	21	54.8	13
White	108	58	1	9.3	2
Nonwhite	275	106	20	72.7	11
Richmond	2,077	1,114	100	48.1	74
Augusta	1,715	916	86	50.1	59
White	1,038	445	36	34.7	19
Nonwhite	677	471	50	73.9	40
Balance of county	362	198	14	38.7	15
White	243	126	10	41.2	11
Nonwhite	119	72	4	33.6	4
Rockdale	146	80	7	47.9	6
White	83	44	3	36.1	5
Nonwhite	63	36	4	63.5	1
Schley	104	39	3	28.8	2
White	32	16	-	0	1
Nonwhite	72	23	3	41.7	1

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Still-births
Section B (Counties)—Continued					
GEORGIA—Continued					
Screven	429	149	38	88.6	14
White	174	52	10	57.5	-
Nonwhite	255	97	28	109.8	14
Seminole	220	83	9	40.9	9
White	129	49	4	31.0	3
Nonwhite	91	34	5	54.9	6
Spalding	496	279	45	90.7	41
Griffin	291	178	32	110.0	31
White	184	97	13	70.7	12
Nonwhite	107	81	19	177.6	19
Balance of county	205	101	13	63.4	10
White	123	67	6	48.8	7
Nonwhite	82	34	7	85.4	3
Stephens	399	60	3	7.5	9
White	361	37	3	8.3	5
Nonwhite	38	23	-	0	4
Stewart	227	80	9	39.6	10
White	42	26	2	47.6	2
Nonwhite	185	54	7	37.8	8
Sumter	567	253	32	56.4	16
White	179	73	2	11.2	6
Nonwhite	388	180	30	77.3	10
Talbot	182	94	20	109.9	9
White	29	28	-	0	-
Nonwhite	153	66	20	130.7	9
Taliaferro	117	59	8	68.4	5
White	26	22	2	76.9	-
Nonwhite	91	37	6	65.9	5
Tattnall	261	100	6	28.0	6
White	190	46	4	21.1	3
Nonwhite	71	54	2	28.2	3
Taylor	191	54	7	36.6	11
White	112	31	4	35.7	4
Nonwhite	79	23	3	38.0	7
Telfair	309	123	11	35.6	10
White	200	75	5	25.0	7
Nonwhite	109	48	6	55.0	3
Terrell	440	199	30	68.2	16
White	91	52	3	33.0	1
Nonwhite	349	147	27	77.4	15
Thomas	665	324	41	61.7	46
Thomasville	270	170	17	63.0	16
White	142	76	9	63.4	5
Nonwhite	128	94	8	62.5	11
Balance of county	395	154	24	60.8	30
White	171	74	9	52.6	13
Nonwhite	224	80	15	67.0	17
Tift	482	175	25	51.9	15
White	323	96	14	43.3	5
Nonwhite	159	79	11	69.2	10
Toombs	367	122	15	40.9	12
White	241	96	7	29.0	7
Nonwhite	126	26	8	63.5	5
Towns	115	25	3	26.1	1
Treutlen	134	47	5	37.3	2
White	92	40	5	54.3	-
Nonwhite	42	7	-	0	2
Troup	971	425	62	63.9	44
La Grange	459	211	33	71.9	20
White	335	105	11	32.8	14
Nonwhite	124	106	22	177.4	6
Balance of county	512	214	29	56.6	24
White	278	120	13	46.8	14
Nonwhite	234	94	16	68.4	10
Turner	214	66	11	51.4	8
White	110	38	4	36.4	5
Nonwhite	104	28	7	67.3	3
Twiggs	266	77	16	60.2	17
White	89	27	-	0	3
Nonwhite	177	50	16	90.4	14
Union	203	47	7	34.5	8
Upson	600	181	20	33.3	22
White	390	110	13	33.3	12
Nonwhite	210	71	7	33.3	10
Walker	766	223	37	48.3	20
Walton	454	200	31	68.3	24
White	268	122	14	52.2	9
Nonwhite	186	78	17	91.4	15
Ware	694	262	31	44.7	37
Waycross	491	189	20	40.7	28
White	327	95	11	33.6	11
Nonwhite	164	94	9	54.9	17
Balance of county	203	73	11	54.2	9
White	173	54	8	46.2	7
Nonwhite	30	19	3	100.0	2
Warren	249	71	16	64.3	8
White	73	17	-	0	-
Nonwhite	176	54	16	90.9	8
Washington	560	201	25	44.6	31
White	178	88	7	39.3	4
Nonwhite	382	113	18	47.1	27
Section B (Counties)—Continued					
GEORGIA—Continued					
Wayne	338	82	11	32.5	9
White	270	57	8	29.6	6
Nonwhite	68	25	3	44.1	3
Webster	116	26	3	25.9	5
White	37	6	-	0	1
Nonwhite	79	20	3	38.0	4
Wheeler	202	52	11	54.5	2
White	116	28	5	43.1	1
Nonwhite	86	24	6	69.8	1
White	168	47	10	59.5	3
Whitfield	731	186	34	46.5	18
Dalton	388	77	19	49.6	12
White	358	63	16	44.7	9
Nonwhite	25	14	3	120.0	3
Balance of county	348	109	15	43.1	6
Wilcox	234	63	6	25.6	5
White	155	34	3	19.4	2
Nonwhite	79	29	3	38.0	3
Wilkes	341	149	16	46.9	15
White	119	46	3	25.2	1
Nonwhite	222	103	13	58.6	14
Wilkinson	254	88	16	63.0	13
White	114	38	7	61.4	4
Nonwhite	140	50	9	64.3	9
Worth	512	210	41	80.1	28
White	223	92	14	62.8	11
Nonwhite	289	118	27	93.4	12
IDAHO (total)	11,454	4,648	415	36.2	239
Ada	1,052	482	18	17.1	16
Boise City	689	304	13	18.9	11
Balance of county	363	178	5	13.8	5
Adams	85	27	5	58.8	2
Bannock	956	323	32	33.5	22
Pocatello	656	210	25	38.1	17
Balance of county	300	113	7	23.3	5
Bear Lake	170	63	2	11.8	1
Benewah	116	57	8	69.0	1
Bingham	538	243	20	37.2	11
Blaine	126	50	8	63.5	4
Boise	25	28	1	40.0	-
Bonner	322	159	11	34.2	7
Bonneville	652	190	26	39.9	17
Idaho Falls	385	134	18	46.8	10
Balance of county	267	56	8	30.0	7
Boundary	119	50	2	16.8	2
Butte	42	22	3	71.4	1
Camas	28	7	-	0	1
Canyon	826	422	35	42.4	20
Nampa	243	132	13	53.5	8
Balance of county	583	290	22	37.7	12
Caribou	40	10	3	75.0	1
Cassia	339	89	11	32.4	7
Clark	25	9	1	40.0	1
Clearwater	147	90	7	47.6	5
Custer	59	38	2	33.9	-
Elmore	146	64	4	27.4	1
Franklin	266	65	3	11.3	6
Fremont	215	61	9	41.9	2
Gem	186	56	6	32.3	3
Gooding	182	73	9	49.5	5
Idaho	201	105	7	34.8	5
Jefferson	272	54	7	25.7	6
Jerome	247	73	13	52.6	5
Kootenai	395	263	15	38.0	13
Coeur d'Alene	219	151	7	32.0	11
Balance of county	176	112	8	45.5	2
Latah	308	153	7	22.7	6
Lemhi	135	73	1	7.4	2
Lewis	68	29	1	14.7	3
Lincoln	94	36	1	10.6	2
Madison	260	86	15	57.7	4
Minidoka	171	76	7	40.9	2
Nez Perce	377	209	12	31.8	12
Lewiston	222	115	7	31.5	6
Balance of county	155	94	5	32.3	6
Oneida	114	42	8	70.2	4
Owyhee	102	25	3	29.4	3
Payette	184	87	8	43.5	3
Power	83	27	3	36.1	1
Shoshone	564	227	31	55.0	17
Teton	104	24	3	28.8	1
Twin Falls	851	272	35	41.1	7
Twin Falls	357	114	22	61.6	3
Balance of county	494	158	13	26.3	4
Valley	121	44	6	49.6	5
Washington	141	65	6	42.6	2
Yellowstone National Park (part)	-	-	-	(4)	-

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
ILLINOIS (total)	156,232	87,777	5,170	33.1	3,445
Adams	1,117	774	28	25.1	17
Quincy	775	532	20	25.8	11
Balance of county	342	242	8	23.4	6
Alexander	484	289	34	70.2	25
Cairo	255	194	20	78.4	13
White	163	110	9	55.2	4
Nonwhite	92	84	11	119.6	9
Balance of county	229	95	14	61.1	12
White	167	56	8	47.9	8
Nonwhite	62	39	6	96.8	4
Bond	262	166	6	22.9	1
Boone	304	169	8	26.3	7
Brown	116	101	4	34.5	8
Bureau	605	450	22	36.4	7
Calhoun	131	90	12	91.6	-
Carroll	340	218	11	32.4	7
Cass	285	215	15	52.6	4
Champaign	1,549	692	53	34.2	21
Champaign	506	240	17	33.6	8
Urbana	349	168	19	54.4	3
Balance of county	694	284	17	24.5	10
Christian	653	392	27	41.3	20
Clark	311	226	13	41.8	2
Clay	336	165	12	35.7	8
Clinton	431	226	17	39.4	8
Centralia (part)	15	9	1	(4)	-
Balance of county	416	217	16	38.5	8
Coles	720	478	28	38.9	12
Mattoon	331	220	14	42.3	4
Balance of county	389	258	14	36.0	8
Cook	82,544	44,438	2,302	27.9	1,871
Berwyn	967	413	29	30.0	19
Blue Island	379	151	8	21.1	4
Brookfield	186	65	3	16.1	5
Calumet City	296	125	15	50.7	6
Chicago	69,442	37,576	1,955	28.2	1,656
White	62,906	33,174	1,698	27.0	1,470
Nonwhite	6,536	4,402	257	39.3	186
Chicago Heights	538	190	19	35.3	10
Cicero	1,206	501	28	23.2	21
Elgin (part)	10	3	-	(4)	1
Elmwood Park	322	93	10	31.1	6
Evanston	1,122	621	20	17.8	19
Forest Park	256	157	6	23.4	3
Harvey	516	154	10	19.4	9
La Grange	246	119	8	32.5	2
Maywood	529	246	16	30.2	14
Melrose Park	302	86	13	43.0	4
Oak Park	994	666	20	20.1	9
Park Ridge	181	93	3	16.6	2
Wilmette	251	127	6	23.9	3
Winnetka	149	104	4	26.8	1
Balance of county	4,652	2,948	129	27.7	77
Crawford	368	209	13	35.3	10
Cumberland	194	111	6	30.9	6
De Kalb	708	373	21	29.7	11
De Witt	297	208	14	47.1	7
Douglas	273	161	10	36.6	9
Du Page	2,065	958	42	20.3	43
Elmhurst	280	141	6	21.4	9
Balance of county	1,785	817	36	20.2	34
Edgar	412	297	13	31.6	11
Edwards	166	105	6	36.1	3
Effingham	433	221	19	43.9	5
Fayette	479	271	34	71.0	4
Ford	285	164	8	28.1	5
Franklin	945	495	40	42.3	22
West Frankfort	220	103	11	50.0	4
Balance of county	725	392	29	40.0	18
Fulton	796	465	26	32.7	16
Canton	225	111	11	48.9	5
Balance of county	571	354	15	26.3	11
Gallatin	213	130	17	79.8	6
Greene	359	216	15	41.8	6
Grundy	410	192	14	34.1	6
Hamilton	282	147	4	14.2	8
Hancock	421	337	21	49.9	6
Hardin	171	83	8	46.8	12
Henderson	195	84	7	35.9	3
Henry	791	466	21	26.5	14
Kewanee	334	179	11	32.9	10
Balance of county	457	287	10	21.9	4
Iroquois	547	314	18	32.9	8
Jackson	736	363	36	48.9	18
Jasper	253	131	7	27.7	6
Jefferson	720	353	26	36.1	17
Mount Vernon	365	174	15	41.1	12
Balance of county	355	179	11	31.0	5
Section B (Counties)—Continued					
ILLINOIS—Continued					
Jersey	257	154	8	31.1	3
Jo Daviess	456	268	22	48.2	8
Johnson	186	91	6	32.3	4
Kane	2,643	1,809	86	32.5	56
Aurora	1,155	530	43	37.2	25
Elgin (part)	641	639	23	(4)	15
Elgin (total)	651	842	23	35.3	16
Balance of county	847	440	20	23.6	16
Kankakee	1,256	1,283	41	32.6	24
Kankakee	617	259	20	32.4	11
Balance of county	639	1,024	21	32.9	13
Kendall	183	117	1	5.5	1
Knox	969	615	44	45.4	13
Galesburg	572	403	34	59.4	7
Balance of county	397	212	10	25.2	6
Lake	2,623	1,135	88	33.5	61
Highland Park	245	101	7	28.6	5
Waukegan	804	325	28	34.8	19
Balance of county	1,574	709	53	33.7	37
La Salle	1,875	1,030	63	33.6	32
La Salle	232	142	4	17.2	6
Ottawa	374	172	11	29.4	5
Streator	348	152	12	34.5	7
Balance of county	921	564	36	39.1	14
Lawrence	294	235	18	61.2	8
Lee	605	465	29	47.9	26
Dixon	269	130	10	37.2	15
Balance of county	336	335	19	56.5	11
Livingston	625	384	11	17.6	16
Logan	417	402	28	67.1	11
Lincoln	179	219	20	111.7	4
Balance of county	238	183	8	33.6	7
McDonough	477	308	22	46.1	6
McHenry	751	434	24	32.0	14
McLean	1,249	803	55	44.0	30
Bloomington	518	410	33	44.4	13
Balance of county	731	393	32	43.8	17
Macon	1,717	372	56	32.6	33
Decatur	1,237	628	44	35.6	23
Balance of county	480	244	12	25.0	10
Macoupin	677	509	19	28.1	18
Madison	3,472	1,760	169	48.7	61
Alton	946	409	68	71.9	12
Granite City	596	214	30	50.3	11
Balance of county	1,930	1,157	71	36.8	38
Marion	967	435	46	47.6	32
Centralia (part)	350	151	15	(4)	7
Centralia (total)	365	160	16	43.8	7
Balance of county	617	284	31	50.2	25
Marshall	188	153	4	21.9	-
Mason	237	169	8	33.8	7
Massac	296	197	21	70.9	9
White	269	160	15	55.8	7
Nonwhite	27	37	6	222.2	2
Menard	180	107	1	5.6	4
Mercer	320	208	8	25.0	2
Monroe	235	120	9	38.3	5
Montgomery	566	378	23	40.6	16
Morgan	494	665	25	50.6	5
Jacksonville	224	516	9	40.2	1
Balance of county	270	149	16	59.3	4
Moultrie	248	165	11	44.4	3
Ogle	551	337	29	52.6	16
Peoria	3,203	1,813	114	35.6	51
Peoria	2,216	1,148	68	30.7	41
Balance of county	987	665	46	46.6	10
Perry	464	256	14	30.2	10
Piatt	273	168	9	33.0	5
Pike	437	290	17	38.9	15
Pope	127	81	5	39.4	3
Pulaski	286	191	27	94.4	8
White	187	116	16	85.6	3
Nonwhite	99	75	11	111.1	5
Putnam	91	44	2	22.0	-
Randolph	538	331	21	39.0	15
Richland	334	190	19	56.9	3
Rock Island	2,611	1,328	102	39.1	64
East Moline	227	326	9	39.6	4
Moline	771	360	24	31.1	20
Rock Island	970	454	41	42.3	27
Balance of county	643	188	28	43.5	13
St. Clair	3,348	1,940	184	55.0	88
Belleville	634	357	27	42.6	14
East St. Louis	1,559	878	90	57.7	56
White	1,192	642	62	52.0	26
Nonwhite	367	236	28	76.3	30
Balance of county	1,155	705	67	58.0	18

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
ILLINOIS—Continued					
Saline	641	362	33	51.5	15
Harrisburg	210	126	12	57.1	4
Balance of county	431	236	21	48.7	11
Sangamon	2,155	1,331	81	37.6	48
Springfield	1,604	940	54	33.7	38
Balance of county	551	391	27	49.0	10
Schuyler	155	124	4	25.8	4
Scott	116	78	2	17.2	7
Shelby	421	306	20	47.5	9
Stark	159	105	3	18.9	3
Stephenson	715	497	31	43.4	15
Freeport	417	298	17	40.8	8
Balance of county	298	199	14	47.0	7
Tazewell	1,367	459	43	31.5	22
Pekin	397	158	15	37.8	5
Balance of county	970	301	28	28.9	17
Union	377	461	18	47.7	15
Vermilion	1,490	1,075	66	44.3	38
Danville	680	474	30	44.1	23
Balance of county	810	601	36	44.4	15
Wabash	247	149	10	40.5	5
Warren	348	252	10	28.7	6
Washington	227	156	6	26.4	8
Wayne	437	194	19	43.5	12
White	408	207	13	31.9	4
Whiteside	901	442	27	30.0	15
Sterling	251	142	13	51.8	5
Balance of county	650	300	14	21.5	10
Will	2,481	1,259	79	31.8	48
Joliet	1,483	648	47	31.7	29
Balance of county	998	611	32	32.1	19
Williamson	901	605	55	61.0	25
Winnebago	2,914	1,318	113	38.8	73
Rockford	1,900	920	69	36.3	49
Balance of county	1,014	398	44	43.4	24
Woodford	344	174	10	29.1	5
INDIANA (total)	73,706	39,308	2,701	36.6	1,506
Adams	476	213	14	29.4	17
Allen	3,425	1,700	100	29.2	72
Fort Wayne	2,613	1,359	80	30.6	46
Balance of county	812	341	20	24.6	26
Bartholomew	679	335	23	33.9	11
Columbus	307	142	6	19.5	8
Balance of county	372	193	17	45.7	3
Benton	228	102	5	21.9	3
Blackford	265	176	13	49.1	3
Boone	452	297	10	22.1	11
Brown	104	57	3	28.8	3
Carroll	245	180	7	28.6	6
Cass	682	669	25	36.7	15
Logansport	433	278	17	39.3	9
Balance of county	249	391	8	32.1	6
Clark	902	385	42	46.6	13
Jeffersonville	355	167	16	45.1	8
White	332	—	11	33.1	8
Nonwhite	23	—	5	217.4	-
Balance of county	547	218	26	47.5	5
Clay	345	294	14	40.6	7
Clinton	571	350	15	26.3	10
Frankfort	280	187	5	17.9	4
Balance of county	291	163	10	34.4	6
Crawford	184	119	14	76.1	5
Daviess	643	308	24	37.3	13
Dearborn	458	265	16	34.9	9
Decatur	327	241	4	12.2	7
De Kalb	510	321	10	19.6	5
Delaware	1,822	776	66	36.2	33
Muncie	1,289	527	55	42.7	25
Balance of county	533	249	11	20.6	8
Dubois	518	182	22	42.5	9
Elkhart	1,657	769	65	39.2	36
Elkhart	698	350	27	38.7	13
Goshen	306	147	13	42.5	5
Balance of county	653	272	25	38.3	18
Fayette	509	210	16	31.4	11
Connersville	370	137	9	24.3	7
Balance of county	139	73	7	50.4	4
Floyd	830	471	37	44.6	18
New Albany	632	351	29	45.9	12
Balance of county	198	120	8	40.4	6
Fountain	353	226	9	25.5	10
Franklin	279	184	13	46.6	5
Fulton	275	189	8	29.1	6
Gibson	496	342	20	40.3	19
Grant	1,221	657	41	33.6	23
Marion	653	312	29	44.4	11
Balance of county	568	345	12	21.1	12
Greene	531	369	20	37.7	11

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
INDIANA—Continued					
Hamilton	478	294	19	39.7	11
Hancock	375	223	15	40.0	14
Harrison	423	198	16	37.8	6
Hendricks	325	224	5	15.4	5
Henry	847	442	35	41.3	22
New Castle	356	161	14	39.3	6
Balance of county	491	281	21	42.8	16
Howard	1,036	480	42	40.5	34
Kokomo	751	341	28	37.3	24
Balance of county	285	139	14	49.1	10
Huntington	569	394	20	35.1	11
Huntington	290	210	11	37.9	7
Balance of county	279	184	9	32.3	4
Jackson	526	273	23	43.7	10
Jasper	342	159	11	32.2	5
Jay	417	283	16	38.4	7
Jefferson	421	385	19	45.1	7
Jennings	259	146	5	19.3	8
Johnson	437	306	10	22.9	5
Knox	860	494	41	47.7	19
Vincennes	406	247	28	69.0	7
Balance of county	454	247	13	28.6	12
Kosciusko	561	349	14	25.0	12
Lagrange	305	140	5	16.4	5
Lake	7,615	2,621	280	36.8	167
East Chicago	1,344	475	48	35.7	30
White	1,185	—	38	32.1	22
Nonwhite	159	—	10	62.9	8
Gary	2,894	1,029	108	37.3	69
White	2,427	727	74	30.5	56
Nonwhite	467	302	34	72.8	13
Hammond	1,583	552	59	37.3	27
Whiting	452	86	9	19.9	9
Balance of county	1,342	479	56	41.7	32
La Porte	1,612	760	62	38.5	27
La Porte	483	210	18	37.3	13
Michigan City	614	306	22	35.8	11
Balance of county	515	244	22	42.7	3
Lawrence	784	390	33	42.1	18
Bedford	299	161	12	40.1	10
Balance of county	485	229	21	43.3	8
Madison	2,024	939	82	40.5	28
Anderson	1,046	460	56	53.5	16
Elwood	254	150	9	35.4	6
Balance of county	724	329	17	23.5	6
Marion	10,519	5,517	399	37.9	212
Indianapolis	9,481	4,981	364	38.4	188
White	8,391	4,111	310	36.9	162
Nonwhite	1,090	870	54	49.5	26
Balance of county	1,038	536	35	33.7	24
Marshall	584	329	32	54.8	8
Martin	237	100	6	25.3	3
Miami	553	358	20	36.2	9
Peru	289	192	15	51.9	6
Balance of county	264	166	5	18.9	3
Monroe	790	360	42	53.2	26
Bloomington	461	194	19	41.2	18
Balance of county	329	166	23	69.9	8
Montgomery	428	356	15	35.0	7
Crawfordsville	202	147	7	34.7	4
Balance of county	226	209	8	35.4	3
Morgan	390	255	15	38.5	4
Newton	199	119	8	40.2	7
Noble	447	335	17	38.0	10
Ohio	76	57	4	52.6	1
Orange	285	165	10	35.1	7
Owen	203	136	5	24.6	2
Parke	286	199	3	10.5	7
Perry	335	140	12	35.8	6
Pike	306	182	10	32.7	8
Porter	655	289	20	30.5	10
Posey	353	222	8	22.7	5
Pulaski	253	124	10	39.5	3
Putnam	315	233	12	38.1	2
Randolph	513	333	22	42.9	13
Ripley	351	208	12	34.2	3
Rush	344	231	14	40.7	7
St. Joseph	3,798	1,555	120	31.6	54
Mishawaka	701	261	29	41.4	11
South Bend	2,310	962	66	28.6	34
Balance of county	787	332	25	31.8	9
Scott	288	105	15	52.1	2
Shelby	450	316	10	22.2	12
Shelbyville	216	152	5	23.1	5
Balance of county	234	164	5	21.4	7
Spencer	278	182	9	32.4	11
Starke	337	133	17	50.4	11
Steuben	230	169	6	26.1	4
Sullivan	436	318	16	36.7	5

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
INDIANA—Continued					
Switzerland	133	95	5	37.6	3
Tippecanoe	1,205	636	47	39.0	27
Lafayette	771	385	33	42.8	15
Balance of county	434	251	14	32.3	12
Tipton	312	139	8	25.6	5
Union	97	84	2	20.6	5
Vanderburgh	2,814	1,660	132	46.9	71
Evansville	2,315	1,318	108	46.7	59
Balance of county	499	342	24	48.1	12
Vermillion	352	263	8	22.7	10
Vigo	1,789	1,268	72	40.2	35
Terre Haute	1,286	918	56	43.5	25
Balance of county	503	350	16	31.8	10
Wabash	519	342	21	40.5	12
Warren	147	97	5	34.0	2
Warrick	350	211	15	42.9	8
Washington	332	182	13	39.2	11
Wayne	1,242	814	43	34.6	29
Richmond	825	412	28	33.9	15
Balance of county	417	402	15	36.0	14
Wells	362	203	7	19.3	8
White	296	187	10	33.8	3
Whitley	314	214	15	47.8	8
IOWA (total)	48,454	25,001	1,623	33.5	982
Adair	225	116	9	40.0	9
Adams	215	104	10	46.5	3
Allamakee	312	187	4	12.8	8
Appanoose	387	270	17	43.9	3
Audubon	234	96	2	8.5	4
Benton	399	218	19	47.6	11
Black Hawk	1,815	711	56	30.9	46
Waterloo	1,186	459	38	32.0	34
Balance of county	629	252	18	28.6	12
Boone	472	361	18	38.1	9
Boone	198	177	6	30.3	4
Balance of county	274	204	12	43.8	5
Bremer	283	146	8	28.3	4
Buchanan	396	336	13	32.8	13
Buena Vista	344	169	9	26.2	3
Butler	319	141	11	34.5	4
Calhoun	281	166	11	39.1	13
Carroll	466	203	12	25.8	17
Cass	388	178	17	43.8	6
Cedar	305	153	7	23.0	4
Cerro Gordo	865	434	33	38.2	15
Mason City	558	279	21	37.6	11
Balance of county	307	155	12	39.1	4
Cherokee	345	215	13	37.7	2
Chickasaw	321	153	14	43.6	6
Clarke	188	103	11	58.5	9
Clay	345	131	6	17.4	10
Clayton	449	231	12	26.7	9
Clinton	942	519	46	48.8	20
Clinton	590	324	30	50.8	10
Balance of county	352	195	16	45.5	10
Crawford	363	164	17	46.8	9
Dallas	407	243	14	34.4	15
Davis	177	92	6	33.9	5
Decatur	271	131	10	36.9	6
Delaware	361	172	11	30.5	10
Des Moines	936	460	29	31.0	19
Burlington	716	351	23	32.1	14
Balance of county	220	109	6	27.3	5
Dickinson	214	97	9	42.1	1
Dubuque	1,354	779	60	44.3	30
Dubuque	925	609	45	48.6	21
Balance of county	429	170	15	35.0	9
Emmet	243	110	8	32.9	3
Fayette	477	265	11	23.1	17
Floyd	359	178	12	33.4	5
Franklin	285	154	12	42.1	4
Fremont	235	142	10	42.6	3
Greene	267	150	10	37.5	8
Grundy	251	103	5	19.9	2
Guthrie	317	170	9	28.4	3
Hamilton	391	186	18	46.0	7
Hancock	318	131	7	22.0	7
Hardin	395	204	13	32.9	7
Harrison	332	232	15	45.2	4
Henry	353	348	12	34.0	7
Howard	269	145	5	18.6	4
Humboldt	252	116	5	19.8	5
Ida	172	85	9	52.3	4
Iowa	304	149	9	29.6	1
Jackson	309	222	13	42.1	4
Jasper	521	289	12	23.0	11
Newton	158	98	7	44.3	3
Balance of county	363	191	5	13.8	8
Section B (Counties)—Continued					
IOWA—Continued					
Jefferson	253	168	7	27.7	5
Johnson	603	312	18	29.9	12
Iowa City	327	172	9	27.5	6
Balance of county	276	140	9	32.6	6
Jones	350	179	10	28.6	8
Keokuk	324	192	11	34.0	6
Kossuth	580	197	23	39.7	9
Lee	852	483	33	38.7	16
Fort Madison	286	160	11	38.5	2
Keokuk	332	189	13	39.2	5
Balance of county	234	134	9	38.5	9
Linn	1,794	902	68	37.9	36
Cedar Rapids	1,280	618	57	44.5	27
Balance of county	514	284	11	21.4	9
Louisa	206	109	7	34.0	4
Lucas	220	153	14	63.6	1
Lyon	314	132	12	38.2	5
Madison	270	120	7	25.9	6
Mahaska	426	258	12	28.2	9
Oskaloosa	141	144	7	49.6	3
Balance of county	285	114	5	17.5	6
Marion	476	301	20	42.0	10
Marshall	715	354	10	14.0	16
Marshalltown	415	196	4	9.6	10
Balance of county	300	158	6	20.0	6
Mills	245	159	3	12.2	2
Mitchell	270	151	10	37.0	4
Monona	363	137	10	27.5	6
Monroe	247	154	15	60.7	6
Montgomery	273	170	11	40.3	9
Muscatine	604	375	12	19.9	11
Muscatine	387	232	9	23.3	6
Balance of county	217	143	3	13.8	5
O'Brien	374	158	10	26.7	2
Osceola	242	107	8	33.1	2
Page	412	366	15	36.4	15
Palo Alto	312	149	13	41.7	2
Plymouth	462	213	19	41.1	5
Pocahontas	364	133	14	38.5	8
Polk	4,005	1,824	123	30.7	65
Des Moines	3,444	1,563	103	29.9	52
Balance of county	561	261	20	35.7	13
Pottawattamie	1,254	712	40	31.9	31
Council Bluffs	836	488	29	34.7	18
Balance of county	418	224	11	26.3	13
Poweshiek	342	171	7	20.5	10
Ringgold	169	109	3	17.8	2
Sac	352	140	6	17.0	6
Scott	1,850	929	60	32.4	40
Davenport	1,407	707	44	31.3	33
Balance of county	443	222	16	36.1	7
Shelby	329	120	9	27.4	4
Sioux	593	159	5	8.4	15
Story	631	279	17	26.9	10
Ames	256	99	8	31.3	7
Balance of county	375	180	9	24.0	3
Tama	372	186	9	24.2	9
Taylor	238	113	7	29.4	4
Union	224	173	8	35.7	6
Van Buren	204	153	4	19.6	4
Wapello	965	470	53	54.9	25
Ottumwa	729	325	42	57.6	19
Balance of county	236	145	11	46.6	6
Warren	266	165	7	26.3	8
Washington	407	206	10	24.6	12
Wayne	192	148	4	20.8	5
Webster	796	397	34	42.7	21
Fort Dodge	460	230	22	47.8	9
Balance of county	336	167	12	35.7	12
Winnebago	254	115	1	3.9	3
Winneshiek	403	226	15	37.2	7
Woodbury	2,027	944	84	41.4	38
Sioux City	1,572	746	72	45.8	31
Balance of county	455	198	12	26.4	7
Worth	206	86	7	34.0	4
Wright	395	166	9	22.8	9
KANSAS (total)	33,920	18,149	1,205	35.5	712
Allen	303	246	10	33.0	11
Anderson	199	133	5	25.1	4
Atchison	376	268	18	47.9	10
Atchison	265	174	14	52.8	3
White	241	———	11	45.6	2
Nonwhite	24	———	3	125.0	1
Balance of county	111	94	4	36.0	7
Barber	155	59	1	6.5	5
Barton	579	199	9	15.5	12
Bourbon	329	237	17	51.7	12
Fort Scott	172	139	10	58.1	7
Balance of county	157	98	7	44.6	5

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
KANSAS—Continued					
Brown	234	186	10	42.7	-
Butler	624	279	21	33.7	15
El Dorado	210	113	12	57.1	8
Balance of county	414	166	9	21.7	7
Chase	104	57	3	28.8	-
Chautauqua	125	83	2	16.0	2
Cherokee	630	307	36	57.1	15
Cheyenne	133	38	3	22.6	1
Clark	57	39	1	17.5	1
Clay	227	148	6	26.4	2
Cloud	303	158	13	42.9	3
Coffey	192	130	8	41.7	5
Comanche	91	37	2	22.0	3
Cowley	631	400	15	23.8	17
Arkansas City	227	121	5	22.0	5
Balance of county	404	279	10	24.8	12
Crawford	734	447	18	24.5	21
Pittsburg	337	207	8	23.7	8
Balance of county	397	240	10	25.2	13
Decatur	110	77	1	9.1	2
Dickinson	388	215	7	18.0	6
Doniphan	199	137	12	60.3	3
Douglas	467	256	7	15.0	7
Lawrence	311	162	6	19.3	6
Balance of county	156	94	1	6.4	1
Edwards	106	74	6	56.6	-
Elk	111	90	3	27.0	3
Ellis	416	101	11	26.4	9
Ellsworth	159	85	3	18.9	2
Finney	253	83	10	39.5	7
Ford	302	166	15	49.7	5
Franklin	305	235	5	16.4	9
Ottawa	164	115	2	12.2	7
Balance of county	141	120	3	21.3	2
Geary	430	176	21	48.8	10
Gove	109	36	4	36.7	2
Graham	113	48	2	17.7	4
Grant	42	7	2	47.6	3
Gray	75	23	-	0	-
Greeley	36	13	1	27.8	-
Greenwood	276	141	7	25.4	4
Hamilton	49	25	2	40.8	-
Harper	178	114	8	44.9	3
Harvey	420	206	9	21.4	9
Newton	215	109	5	23.3	3
Balance of county	205	97	4	19.5	6
Haskell	33	9	-	0	-
Hodgeman	52	33	3	57.7	3
Jackson	216	151	5	23.1	2
Jefferson	193	117	2	10.4	5
Jewell	155	126	5	32.3	2
Johnson	736	300	24	32.6	16
Kearny	42	20	1	23.8	4
Kingman	235	102	2	8.5	3
Kiowa	81	48	2	24.7	5
Labette	684	381	28	40.9	21
Parsons	345	205	21	60.9	8
Balance of county	339	176	7	20.6	13
Lane	49	27	2	40.8	1
Leavenworth	611	429	28	45.8	18
Leavenworth	431	283	18	41.8	12
White	375	—	15	40.0	8
Nonwhite	56	—	3	53.6	4
Balance of county	180	146	10	55.6	6
Lincoln	115	90	6	52.2	1
Linn	180	139	10	55.6	3
Logan	81	23	2	24.7	2
Lyon	413	261	15	36.3	5
Emporia	216	156	9	41.7	2
Balance of county	197	105	6	30.5	3
McPherson	440	210	12	27.3	6
Marion	306	155	8	26.1	9
Marshall	267	202	7	26.2	6
Meade	114	51	4	35.1	7
Miami	297	316	15	50.5	5
Mitchell	186	107	7	37.6	4
Montgomery	871	569	45	51.7	14
Coffeyville	340	178	17	50.0	7
White	303	—	12	39.6	1
Nonwhite	37	—	5	135.1	6
Independence	197	133	12	60.9	5
White	185	—	12	64.9	5
Nonwhite	12	—	-	0	-
Balance of county	334	258	16	47.9	2
Morris	163	105	12	73.6	5
Morton	52	14	3	57.7	2
Nemaha	303	159	6	19.8	4
Neosho	395	238	23	58.2	5
Chanute	204	125	13	63.7	4
Balance of county	191	113	10	52.4	1
Ness	122	47	5	41.0	-
Norton	174	142	7	40.2	3
Osage	240	143	6	25.0	2
Osborne	127	80	2	15.7	3
Ottawa	129	85	5	38.8	3
Pawnee	150	189	4	26.7	-
Phillips	178	97	8	44.9	3
Pottawatomie	229	168	14	61.1	5
Pratt	185	104	1	5.4	5
Rawlins	106	38	1	9.4	1
Reno	1,042	499	34	32.6	16
Hutchinson	677	305	23	34.0	9
Balance of county	365	194	11	30.1	7
Republic	183	115	5	27.3	4
Rice	307	134	5	16.3	6
Riley	435	211	11	25.3	11
Manhattan	302	123	8	26.5	8
Balance of county	133	88	3	22.6	3
Rooks	142	68	2	14.1	1
Rush	164	77	10	61.0	1
Russell	256	98	13	50.8	5
Saline	620	267	23	37.1	10
Salina	496	193	18	36.3	10
Balance of county	124	74	5	40.3	-
Scott	104	34	7	67.3	2
Sedgwick	4,414	1,472	161	36.5	104
Wichita	3,977	1,269	144	36.2	95
Balance of county	437	203	17	38.9	9
Seward	152	53	6	39.5	2
Shawnee	1,559	1,161	66	42.3	32
Topeka	1,373	848	60	43.7	28
Balance of county	186	313	6	32.3	4
Sheridan	94	36	3	31.9	3
Sherman	143	49	7	49.0	4
Smith	150	115	5	33.3	2
Stafford	179	83	7	39.1	2
Stanton	28	10	3	107.1	1
Stevens	48	22	4	83.3	3
Sumner	400	245	15	37.5	5
Thomas	134	50	2	14.9	1
Trego	100	40	5	50.0	1
Wabaunsee	141	75	2	14.2	2
Wallace	41	13	-	0	-
Washington	228	154	8	35.1	8
Wichita	50	23	2	40.0	2
Wilson	301	202	14	46.5	5
Woodson	127	76	2	15.7	4
Wyandotte	2,898	1,533	119	41.1	66
Kansas City	2,582	1,340	110	42.6	58
White	2,195	1,042	93	42.4	43
Nonwhite	387	298	17	43.9	15
Balance of county	316	193	9	28.5	8
KENTUCKY (total)	66,267	28,279	3,209	48.4	1,768
Adair	438	170	29	66.2	10
Allen	285	149	13	45.6	3
Anderson	188	95	4	21.3	3
Ballard	204	99	14	68.6	8
Barren	548	261	30	54.7	11
Bath	237	107	9	38.0	8
Bell	1,324	413	94	71.0	47
Middlesborough	324	146	30	92.6	11
Balance of county	1,000	267	64	64.0	36
Boone	210	115	12	57.1	5
Bourbon	338	224	20	59.2	15
White	290	153	16	55.2	12
Nonwhite	48	71	4	83.3	3
Boyd	1,114	372	50	44.9	34
Ashland	780	253	33	42.3	16
Balance of county	334	109	17	50.9	18
Boyle	326	210	24	73.6	14
White	302	170	22	72.8	13
Nonwhite	24	40	2	83.3	1
Bracken	158	122	8	50.6	5
Breathitt	642	139	23	35.8	16
Breckinridge	363	173	27	74.4	9
Bullitt	222	66	7	31.5	7
Butler	338	130	12	35.5	7
Caldwell	257	156	10	38.9	8
White	236	139	9	38.1	8
Nonwhite	21	17	1	47.6	-
Calloway	354	181	17	48.0	8
Campbell	1,342	801	67	49.9	28
Fort Thomas	167	108	5	29.9	3
Newport	571	366	39	68.3	15
Balance of county	604	327	23	38.1	10
Carlisle	119	70	5	42.0	1
Carroll	137	104	10	73.0	5
Carter	787	206	38	51.6	37

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
KENTUCKY—Continued					
Casey	526	122	18	34.2	8
Christian	635	656	41	64.6	14
Hopkinsville	246	184	14	56.9	3
White	166	103	7	42.2	2
Nonwhite	80	81	7	87.5	1
Balance of county	389	472	27	69.4	11
White	295	325	18	61.0	5
Nonwhite	94	147	9	95.7	6
Clark	345	234	25	72.5	7
White	323	188	24	74.3	7
Nonwhite	22	46	1	45.5	-
Clay	789	85	21	26.6	22
Clinton	268	89	18	67.2	7
Crittenden	235	132	12	51.1	6
Cumberland	235	78	7	29.8	7
Daviess	1,149	549	53	46.1	34
Owensboro	784	376	37	47.2	19
Balance of county	365	173	16	43.8	15
Edmonson	278	101	21	75.5	5
Elliott	166	60	9	54.2	9
Estill	443	163	28	63.2	8
Fayette	1,407	1,144	52	37.0	43
Lexington	1,263	958	39	30.9	31
White	1,032	688	31	30.0	27
Nonwhite	231	270	8	34.6	4
Balance of county	144	186	13	90.3	12
White	117	156	10	85.5	7
Nonwhite	27	30	3	111.1	5
Fleming	278	161	15	54.0	5
Floyd	1,659	349	67	40.4	33
Franklin	433	259	18	41.6	17
Frankfort	284	166	8	28.2	10
White	258	138	6	23.3	10
Nonwhite	26	28	2	76.9	-
Balance of county	149	93	10	67.1	7
Fulton	392	199	42	107.1	17
White	321	148	27	84.1	14
Nonwhite	71	51	15	211.3	3
Gallatin	87	51	5	57.5	2
Garrard	253	122	12	47.4	6
White	230	89	9	39.1	5
Nonwhite	23	33	3	130.4	1
Grant	195	111	9	46.2	4
Graves	569	313	34	59.8	14
Grayson	387	136	12	31.0	14
Green	225	100	11	48.9	8
Greenup	650	204	36	55.4	21
Hancock	149	62	6	40.3	4
Hardin	840	331	29	34.5	14
Harlan	2,330	570	137	58.8	66
White	2,141	489	130	60.7	58
Nonwhite	189	81	7	37.0	8
Harrison	262	195	9	34.4	7
Hart	338	156	21	62.1	9
Henderson	570	343	35	61.4	27
Henderson	332	200	22	66.3	13
White	295	137	17	57.6	12
Nonwhite	37	63	5	135.1	1
Balance of county	238	143	13	54.6	14
White	207	119	11	53.1	12
Nonwhite	31	24	2	64.5	2
Henry	233	103	6	25.8	6
Hickman	144	99	6	41.7	5
White	120	75	3	25.0	4
Nonwhite	24	24	3	125.0	1
Hopkins	682	419	35	51.3	25
White	608	340	31	51.0	23
Nonwhite	74	79	4	54.1	2
Jackson	461	71	16	34.7	9
Jefferson	9,523	5,130	416	43.7	238
Louisville	8,528	4,314	375	44.0	176
White	7,574	3,399	336	44.4	154
Nonwhite	954	915	39	40.9	22
Balance of county	995	816	41	41.2	62
Jessamine	188	134	11	58.5	3
White	158	101	6	38.0	3
Nonwhite	30	33	5	166.7	-
Johnson	690	221	41	59.4	12
Kenton	1,911	1,139	100	52.3	61
Covington	1,337	835	85	63.6	35
Balance of county	574	304	15	26.1	26
Knott	591	51	5	8.5	15
Knox	819	237	53	64.7	24
Larue	184	69	8	43.5	4
Laurel	648	138	27	41.7	7
Lawrence	394	151	24	60.9	8
Lee	225	68	5	22.2	4
Leslie	482	65	16	33.2	19
Letcher	1,274	318	82	64.4	40
Section B (Counties)—Continued					
KENTUCKY—Continued					
Lewis	343	150	21	61.2	8
Lincoln	386	190	19	49.2	7
Livingston	187	75	6	32.1	8
Logan	510	256	29	56.9	15
White	447	218	26	58.2	14
Nonwhite	63	38	3	47.6	1
Lyon	149	78	2	13.4	3
White	144	60	2	13.9	3
Nonwhite	5	18	-	0	-
McCracken	940	541	41	43.6	21
Paducah	732	417	33	45.1	13
White	640	296	22	34.4	11
Nonwhite	92	121	11	119.6	2
Balance of county	208	124	8	38.5	8
McCreary	486	123	25	51.4	26
McLean	213	100	10	46.9	4
Madison	630	346	23	36.5	16
White	588	197	18	30.6	13
Nonwhite	42	49	5	119.0	3
Magoffin	495	86	19	38.4	14
Marion	439	165	25	56.9	6
Marshall	326	141	13	39.9	13
Martin	349	83	20	57.3	8
Mason	423	242	25	59.1	8
White	378	211	21	55.6	8
Nonwhite	45	31	4	88.9	-
Meade	226	85	6	26.5	1
Menifee	107	38	6	56.1	5
Mercer	269	178	19	70.6	2
Metcalfe	237	106	7	29.5	2
Monroe	347	112	10	28.8	8
Montgomery	298	156	19	63.8	11
White	270	113	15	55.6	9
Nonwhite	28	43	4	142.9	2
Morgan	433	116	17	39.3	9
Muhlenberg	932	345	54	57.9	19
Nelson	547	213	29	53.0	14
Nicholas	160	103	6	37.5	2
Ohio	415	234	19	45.8	12
Oldham	124	88	8	64.5	1
White	122	72	7	57.4	1
Nonwhite	2	16	1	500.0	-
Owen	158	116	3	19.0	2
Owsley	195	53	10	51.3	1
Pendleton	167	101	8	47.9	4
Perry	1,531	279	67	43.8	50
Pike	2,248	464	128	56.9	49
Powell	189	59	7	37.0	5
Pulaski	1,004	290	36	35.9	25
Robertson	59	38	4	67.8	2
Rockcastle	487	90	14	28.7	7
Rowan	329	121	22	66.9	12
Russell	245	88	8	32.7	7
Scott	255	162	9	35.3	7
White	225	127	6	26.7	7
Nonwhite	30	35	3	100.0	-
Shelby	343	222	17	49.6	10
White	304	179	15	49.3	6
Nonwhite	39	43	2	51.3	4
Simpson	189	149	18	95.2	19
White	165	115	13	78.8	14
Nonwhite	24	34	5	208.3	5
Spencer	172	45	5	29.1	4
Taylor	320	126	14	43.8	9
Todd	252	151	13	51.6	9
White	190	112	9	47.4	8
Nonwhite	62	39	4	64.5	1
Trigg	278	113	8	28.8	8
White	246	77	5	20.3	7
Nonwhite	32	36	3	93.8	1
Trimble	108	47	3	27.8	-
Union	359	165	14	39.0	6
White	314	140	13	41.4	6
Nonwhite	45	25	1	22.2	-
Warren	706	422	46	65.2	25
Bowling Green	345	226	27	78.3	14
White	311	167	20	64.3	13
Nonwhite	34	59	7	205.9	1
Balance of county	361	196	19	52.6	11
Washington	351	107	13	37.0	5
Wayne	479	128	20	41.8	10
Webster	274	216	16	58.4	4
White	241	170	15	62.2	4
Nonwhite	33	46	1	30.3	-
Whitley	709	229	30	42.3	21
Wolfe	290	88	16	55.2	15
Woodford	176	109	5	28.4	2
White	160	72	5	31.3	2
Nonwhite	16	37	-	0	-

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
LOUISIANA (total)	58,093	23,010	2,802	48.2	1,860
Acadia	1,197	348	51	42.6	27
White	918	253	30	32.7	14
Nonwhite	279	95	21	75.3	13
Allen	489	183	36	73.6	19
White	375	115	24	64.0	15
Nonwhite	114	68	12	105.3	4
Ascension	518	189	31	59.8	24
White	332	81	16	48.2	8
Nonwhite	186	108	15	80.6	16
Assumption	548	160	26	47.4	20
White	266	67	8	30.1	8
Nonwhite	282	93	18	63.8	12
Avoyelles	946	300	38	40.2	21
White	607	179	18	29.7	10
Nonwhite	339	121	20	59.0	11
Beauregard	417	138	18	43.2	12
White	344	98	13	37.8	9
Nonwhite	73	40	5	68.5	3
Bienville	507	178	22	43.4	17
White	227	77	5	22.0	6
Nonwhite	280	101	17	60.7	11
Bossier	805	321	35	43.5	25
White	339	134	9	26.5	7
Nonwhite	466	187	26	55.8	18
Caddo	3,628	1,574	237	65.3	129
Shreveport	2,356	1,096	161	68.3	84
White	1,496	549	78	52.1	37
Nonwhite	860	547	83	96.5	47
Balance of parish	1,272	478	76	59.7	45
White	410	131	15	36.6	7
Nonwhite	862	347	61	70.8	38
Calcasieu	1,581	516	82	51.9	46
Lake Charles	771	267	45	58.4	23
White	532	144	23	43.2	12
Nonwhite	239	123	22	92.1	11
Balance of parish	810	249	37	45.7	23
White	649	171	22	33.9	16
Nonwhite	161	78	15	93.2	7
Caldwell	263	89	8	30.4	7
White	167	59	5	29.9	3
Nonwhite	96	30	3	31.3	4
Cameron	96	25	4	41.7	1
Catahoula	293	94	11	37.5	10
White	184	51	7	38.0	3
Nonwhite	109	43	4	36.7	7
Claiborne	527	176	26	49.3	17
White	177	63	3	16.9	1
Nonwhite	350	113	23	65.7	16
Concordia	329	169	23	69.9	7
White	110	32	8	72.7	-
Nonwhite	219	137	15	68.5	7
De Soto	714	330	37	51.8	28
White	197	119	8	40.6	5
Nonwhite	517	211	29	56.1	23
East Baton Rouge	2,670	888	107	40.1	102
Baton Rouge	1,554	486	51	32.8	76
White	1,146	273	25	21.8	43
Nonwhite	408	213	26	63.7	33
Balance of parish	1,116	402	56	50.2	26
White	595	162	24	40.3	8
Nonwhite	521	240	32	61.4	18
East Carroll	410	166	13	31.7	16
White	151	39	6	39.7	5
Nonwhite	259	127	7	27.0	11
East Feliciana	383	452	14	36.6	24
White	64	207	2	31.3	1
Nonwhite	319	245	12	37.6	23
Evangeline	607	165	23	37.9	12
White	413	110	10	24.2	5
Nonwhite	194	55	13	67.0	7
Franklin	781	217	27	34.6	27
White	441	113	19	43.1	10
Nonwhite	340	104	8	23.5	17
Grant	376	142	17	45.2	9
White	277	101	10	36.1	4
Nonwhite	99	41	7	70.7	5
Iberia	921	358	47	51.0	25
New Iberia	360	159	22	61.1	12
White	234	98	12	51.3	9
Nonwhite	126	61	10	79.4	3
Balance of parish	561	194	25	44.6	13
White	275	84	7	25.5	5
Nonwhite	286	110	18	62.9	8
Iberville	677	300	34	50.2	24
White	284	119	11	38.7	3
Nonwhite	393	181	23	58.5	21
Jackson	431	125	17	39.4	21
White	285	86	10	35.1	12
Nonwhite	146	39	7	47.9	9
Section B (Counties)—Continued					
LOUISIANA—Continued					
Jefferson	1,512	448	57	37.7	34
Gretna	277	99	11	39.7	6
White	216	67	7	32.4	3
Nonwhite	61	32	4	65.6	3
Balance of parish	1,235	349	46	37.2	28
White	1,010	251	34	33.7	20
Nonwhite	225	98	12	53.3	8
Jefferson Davis	644	205	29	45.0	11
White	455	125	12	26.4	6
Nonwhite	189	80	17	89.9	5
Lafayette	1,132	341	69	61.0	30
Lafayette	552	161	34	61.6	16
White	378	89	13	34.4	5
Nonwhite	174	72	21	120.7	11
Balance of parish	580	180	35	60.3	14
White	289	112	12	41.5	5
Nonwhite	291	68	23	79.0	9
Lafourche	1,025	267	40	39.0	37
White	852	197	31	36.4	26
Nonwhite	173	70	9	52.0	11
La Salle	302	81	5	16.6	8
White	270	65	5	18.5	6
Nonwhite	32	16	-	0	2
Lincoln	461	158	11	23.9	11
White	218	94	5	22.9	2
Nonwhite	243	64	6	24.7	9
Livingston	392	105	10	25.5	11
White	325	86	9	27.7	7
Nonwhite	67	19	1	14.9	4
Madison	486	162	17	35.0	14
White	147	37	5	34.0	3
Nonwhite	339	125	12	35.4	11
Morehouse	684	263	43	62.9	28
White	293	84	12	41.0	5
Nonwhite	391	179	31	79.3	23
Natchitoches	938	371	46	49.0	39
White	449	148	10	22.3	16
Nonwhite	489	223	36	73.6	23
Orleans, coextensive with New Orleans	11,229	6,075	498	44.3	314
White	7,119	3,907	254	35.7	147
Nonwhite	4,110	2,168	244	59.4	167
Ouachita	1,336	577	61	45.7	49
Monroe	656	363	41	62.5	27
White	426	161	23	54.0	12
Nonwhite	230	202	18	78.3	15
Balance of parish	680	214	20	29.4	22
White	490	134	13	26.5	13
Nonwhite	190	80	7	36.8	9
Plaquemines	306	106	22	71.9	14
White	157	52	4	25.5	4
Nonwhite	149	54	18	120.8	10
Pointe Coupee	589	219	32	54.3	27
White	185	78	7	37.8	9
Nonwhite	404	141	25	61.9	18
Rapides	2,225	1,030	133	59.8	83
Alexandria	954	375	65	68.1	40
White	587	167	33	56.2	15
Nonwhite	367	208	32	87.2	25
Balance of parish	1,271	655	68	53.5	43
White	927	378	47	50.7	28
Nonwhite	344	277	21	61.0	15
Red River	380	142	17	44.7	9
White	199	61	7	35.2	2
Nonwhite	181	81	10	55.2	7
Richland	690	234	30	43.5	15
White	394	90	16	40.6	3
Nonwhite	296	144	14	47.3	12
Sabine	491	169	15	30.5	8
White	386	129	11	28.5	6
Nonwhite	105	40	4	38.1	2
St. Bernard	189	56	4	21.2	9
White	142	40	3	21.1	7
Nonwhite	47	16	1	21.3	2
St. Charles	316	85	10	31.6	11
White	205	44	7	34.1	5
Nonwhite	111	41	3	27.0	6
St. Helena	185	50	5	27.0	6
White	66	27	3	45.5	2
Nonwhite	119	23	2	16.8	4
St. James	470	165	29	61.7	28
White	198	48	9	45.5	7
Nonwhite	272	117	20	73.5	21
St. John the Baptist	381	154	35	91.9	8
White	186	56	9	48.4	1
Nonwhite	195	98	26	133.3	7
St. Landry	2,022	575	107	52.9	72
White	812	231	19	23.4	12
Nonwhite	1,210	344	88	72.7	60

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
LOUISIANA—Continued					
St. Martin	695	189	44	63.3	16
White	379	102	24	63.3	8
Nonwhite	316	87	20	63.3	8
St. Mary	943	349	45	47.7	37
White	507	160	18	35.5	20
Nonwhite	436	189	27	61.9	17
St. Tammany	572	246	26	45.5	16
White	350	144	12	34.3	4
Nonwhite	222	102	14	63.1	12
Tangipahoa	1,107	447	57	51.5	40
White	689	258	28	40.6	20
Nonwhite	418	189	29	69.4	20
Tensas	373	151	10	26.8	17
White	122	31	2	16.4	3
Nonwhite	251	120	8	31.9	14
Terrebonne	1,074	310	60	55.9	35
White	801	184	32	40.0	13
Nonwhite	273	126	28	102.6	22
Union	405	149	11	27.2	8
White	238	81	4	16.8	3
Nonwhite	167	68	7	41.9	5
Vermilion	837	260	39	46.6	18
White	707	211	31	43.8	16
Nonwhite	130	49	8	61.5	2
Vernon	560	240	29	51.8	10
White	509	202	21	41.3	8
Nonwhite	51	38	8	156.9	2
Washington	839	289	43	51.3	39
Bogalusa	350	139	25	71.4	23
White	216	66	11	50.9	11
Nonwhite	134	73	14	104.5	12
Balance of parish	489	150	18	36.8	16
White	305	96	9	29.5	10
Nonwhite	184	54	9	48.9	6
Webster	944	279	54	57.2	29
White	563	135	27	48.0	12
Nonwhite	381	144	27	70.9	17
West Baton Rouge	234	130	12	51.3	8
White	86	43	4	46.5	3
Nonwhite	148	87	8	54.1	5
West Carroll	462	93	18	39.0	20
White	373	57	14	37.5	11
Nonwhite	89	36	4	44.9	9
West Feliciana	216	130	30	138.9	15
White	24	27	2	83.3	1
Nonwhite	192	103	28	145.8	14
Winn	333	112	15	45.0	6
White	257	77	8	31.1	3
Nonwhite	76	35	7	92.1	3
MAINE (total)	17,719	10,446	816	46.1	442
Androscoggin	1,514	925	70	46.2	33
Auburn	339	223	10	29.5	3
Lewiston	746	421	42	56.3	20
Balance of county	429	281	18	42.0	10
Aroostook	2,300	847	169	73.5	62
Cumberland	3,393	1,975	158	46.6	73
Portland	1,773	1,027	79	44.6	34
South Portland	335	194	16	47.8	8
Westbrook	213	106	10	46.9	6
Balance of county	1,072	648	53	49.4	25
Franklin	385	221	11	28.6	11
Hancock	471	425	18	38.2	15
Kennebec	1,494	977	49	32.8	45
Augusta	303	261	11	36.3	8
Waterville	316	176	11	34.8	13
Balance of county	875	540	27	30.9	24
Knox	419	433	14	33.4	11
Lincoln	338	245	10	29.6	9
Oxford	859	521	37	43.1	26
Penobscot	2,039	1,180	102	50.0	55
Bangor	559	474	28	50.1	15
Balance of county	1,480	706	74	50.0	40
Piscataquis	377	197	8	21.2	10
Sagadahoc	475	279	17	35.8	9
Bath	252	143	8	31.7	5
Balance of county	223	136	9	40.4	4
Somerset	759	446	32	42.2	14
Waldo	366	287	15	41.0	13
Washington	626	445	28	44.7	8
York	1,904	1,043	78	41.0	48
Biddeford	432	193	24	55.6	12
Balance of county	1,472	850	54	36.7	36

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MARYLAND (total)	44,237	22,168	1,941	43.9	1,585
Allegany	1,915	823	100	52.2	73
Cumberland	781	389	39	49.9	29
Balance of county	1,134	434	61	53.8	44
Anne Arundel	1,818	926	74	40.7	57
Annapolis	339	165	11	32.4	12
White	207	84	3	14.5	3
Nonwhite	132	81	8	60.6	9
Balance of county	1,479	761	63	42.6	45
White	1,140	427	36	31.6	31
Nonwhite	339	334	27	79.6	14
Baltimore	4,372	1,762	150	34.3	107
District 12 [2]	569	116	21	36.9	8
District 13 [2]	288	115	5	17.4	7
Balance of county	3,515	1,531	124	35.3	92
White	3,300	1,414	102	30.9	80
Nonwhite	215	117	22	102.3	12
Baltimore (city)	20,158	11,018	794	39.4	772
White	15,514	8,190	531	34.2	468
Nonwhite	4,644	2,828	263	56.6	304
Calvert	262	123	19	72.5	15
White	113	59	4	35.4	4
Nonwhite	149	64	15	100.7	11
Caroline	348	222	17	48.9	17
White	247	159	10	40.5	13
Nonwhite	101	63	7	69.3	4
Carroll	759	622	34	44.8	30
Cecil	575	380	26	45.2	50
Charles	615	192	41	66.7	22
White	343	91	15	43.7	9
Nonwhite	272	101	26	95.6	13
Dorchester	519	390	55	106.0	33
Cambridge	229	141	19	83.0	14
White	152	74	8	52.6	6
Nonwhite	77	67	11	142.9	8
Balance of county	290	249	36	124.1	19
White	184	165	16	87.0	10
Nonwhite	106	84	20	188.7	9
Frederick	1,126	655	66	58.6	34
Frederick	317	196	25	78.9	15
White	274	167	18	65.7	10
Nonwhite	43	29	7	162.8	5
Balance of county	809	459	41	50.7	19
Garrett	491	218	23	46.8	15
Harford	1,130	419	58	51.3	29
White	1,029	350	47	45.7	26
Nonwhite	101	69	11	108.9	3
Howard	406	203	28	69.0	23
White	338	157	15	44.4	18
Nonwhite	68	46	13	191.2	5
Kent	258	178	14	54.3	9
White	161	109	7	43.5	5
Nonwhite	97	69	7	72.2	4
Montgomery	2,631	860	91	34.6	57
White	2,398	753	72	30.0	48
Nonwhite	233	107	19	81.5	9
Prince Georges	2,814	868	116	41.2	76
White	2,336	641	69	29.5	47
Nonwhite	478	227	47	98.3	29
Queen Annes	249	173	8	32.1	11
White	159	123	5	31.4	7
Nonwhite	90	50	3	33.3	4
St. Marys	450	157	25	55.6	21
White	280	89	10	35.7	9
Nonwhite	170	68	15	88.2	12
Somerset	358	269	34	95.0	17
White	216	151	10	46.3	5
Nonwhite	142	118	24	169.0	12
Talbot	353	268	24	68.0	16
White	204	189	11	53.9	13
Nonwhite	149	79	13	87.2	3
Washington	1,564	702	70	44.8	55
Hagerstown	812	380	48	59.1	32
Balance of county	752	322	22	29.3	23
Wicomico	654	470	44	67.3	24
Salisbury	323	187	22	68.1	9
White	257	141	14	54.5	6
Nonwhite	66	46	8	121.2	3
Balance of county	331	283	22	66.5	15
White	224	210	12	53.6	8
Nonwhite	107	73	10	93.5	7
Worcester	412	270	30	72.8	22
White	239	168	13	54.4	8
Nonwhite	173	102	17	98.3	14

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MASSACHUSETTS (total)	82,773	51,036	2,651	32.0	2,039
Barnstable	690	514	21	30.4	24
Berkshire	2,431	1,471	88	36.2	66
Adams (town)	244	145	10	41.0	8
North Adams	420	260	17	40.5	9
Pittsfield	1,046	579	33	31.5	33
Balance of county	721	487	28	38.8	16
Bristol	7,153	4,531	240	33.6	198
Attleboro	474	243	11	23.2	7
Fairhaven (town)	182	114	3	16.5	5
Fall River	2,368	1,518	85	35.9	62
New Bedford	2,048	1,279	81	39.6	71
North Attleborough (town)	220	110	6	27.3	5
Taunton	703	613	26	37.0	11
Balance of county	1,158	654	28	24.2	37
Dukes	103	76	2	19.4	2
Essex	8,337	5,946	308	36.9	241
Amesbury (town)	185	102	6	32.4	9
Andover (town)	133	127	5	37.6	3
Beverly	492	278	15	30.5	14
Danvers (town)	219	396	7	32.0	8
Gloucester	431	298	17	39.4	16
Haverhill	786	545	19	24.2	21
Lawrence	944	895	49	51.9	28
Lynn	2,044	1,142	76	37.2	52
Marblehead (town)	222	135	6	27.0	1
Methuen (town)	266	228	13	48.9	9
Newburyport	234	201	11	47.0	7
Peabody	368	235	10	27.2	18
Salem	747	510	24	32.1	25
Saugus (town)	302	130	6	19.9	9
Swampscott (town)	166	121	7	42.2	3
Balance of county	798	603	37	46.4	18
Franklin	985	527	29	29.4	22
Greenfield (town)	359	165	12	33.4	8
Balance of county	626	362	17	27.2	14
Hampden	6,565	3,558	184	28.0	168
Chicopee	858	348	22	25.6	33
Holyoke	1,041	655	33	31.7	35
Springfield	2,983	1,674	90	30.2	68
Westfield	421	219	14	33.3	9
West Springfield (town)	299	148	8	26.8	3
Balance of county	963	514	17	17.7	20
Hampshire	1,160	955	24	20.7	20
Easthampton (town)	173	83	3	17.3	-
Northampton	352	464	9	25.6	6
Balance of county	635	408	12	18.9	14
Middlesex	18,710	10,532	543	29.0	449
Arlington (town)	682	410	15	22.0	15
Belmont (town)	452	221	9	19.9	5
Cambridge	2,390	1,345	84	35.1	50
Everett	1,027	443	37	36.0	27
Framingham (town)	402	242	10	24.9	5
Lexington (town)	191	155	4	20.9	3
Lowell	1,921	1,224	64	33.3	65
Malden	1,120	631	33	29.5	37
Marlborough	271	185	10	36.9	6
Medford	1,250	603	38	30.4	22
Melrose	409	308	17	41.6	8
Natick (town)	290	136	15	51.7	6
Newton	1,214	639	23	18.9	25
Reading (town)	220	111	4	18.2	3
Somerville	2,080	1,026	49	23.6	61
Stoneham (town)	206	105	4	19.4	2
Wakefield (town)	303	175	4	13.2	5
Waltham	794	434	22	27.7	18
Watertown (town)	674	308	23	34.1	16
Winchester (town)	245	131	7	28.6	8
Woburn	376	197	10	26.6	11
Balance of county	2,193	1,503	61	27.8	51
Nantucket	38	45	1	26.3	1
Norfolk	6,494	3,748	183	28.2	140
Braintree (town)	329	188	10	30.4	12
Brookline (town)	758	699	17	22.4	8
Dedham (town)	344	135	9	26.2	8
Milton (town)	271	197	6	22.1	3
Needham (town)	227	110	5	22.0	3
Norwood (town)	329	153	17	51.7	6
Quincy	1,688	759	38	22.5	38
Wellesley (town)	226	118	4	17.7	6
Weymouth (town)	531	260	14	26.4	15
Balance of county	1,791	1,129	63	35.2	41
Plymouth	3,279	2,202	120	36.6	76
Brockton	1,186	809	46	38.8	29
Plymouth (town)	233	160	9	38.6	9
Balance of county	1,860	1,233	65	34.9	38
Suffolk	16,950	10,805	578	34.1	362
Boston	15,087	9,753	529	35.1	317
White	14,566	9,306	496	34.1	304
Nonwhite	521	447	33	63.3	13
Chelsea	768	540	27	35.2	27
Revere	784	327	16	20.4	12
Winthrop (town)	311	185	6	19.3	6
Section B (Counties)—Continued					
MASSACHUSETTS—Continued					
Worcester	9,878	6,126	330	33.4	270
Athol (town)	241	141	14	58.1	8
Clinton (town)	234	162	13	55.6	5
Fitchburg	829	424	25	30.2	17
Gardner	369	267	16	43.4	15
Leominster	525	237	18	34.3	11
Milford (town)	303	175	13	42.9	4
Northbridge (town)	132	81	5	37.9	1
Southbridge (town)	324	140	5	15.4	7
Webster (town)	223	125	8	35.9	7
Worcester	3,844	2,477	128	33.3	123
Balance of county	2,854	1,897	85	29.8	72
MICHIGAN (total)	123,886	52,827	4,608	37.2	3,055
Alcona	91	61	2	22.0	2
Alger	199	83	10	50.3	8
Allegan	920	465	25	27.2	13
Alpena	445	187	13	29.2	18
Alpena	295	129	9	30.5	15
Balance of county	150	58	4	26.7	3
Antrim	200	133	6	30.0	9
Arenac	176	91	3	17.0	2
Baraga	185	96	13	70.3	2
Barry	445	259	15	33.7	9
Bay	2,029	767	70	34.5	46
Bay City	1,362	522	39	28.6	26
Balance of county	667	245	31	46.5	20
Benzie	161	103	7	43.5	7
Berrien	2,150	988	81	37.7	33
Benton Harbor	544	164	26	47.8	4
Niles	295	118	6	20.3	8
Balance of county	1,311	706	49	37.4	21
Branch	517	371	15	29.0	20
Calhoun	2,417	1,204	110	45.5	48
Battle Creek	1,243	555	63	50.7	25
Balance of county	1,174	649	47	40.0	23
Cass	451	342	22	48.8	11
Charlevoix	259	132	7	27.0	10
Cheboygan	287	161	16	55.7	6
Chippewa	714	313	45	63.0	12
Sault Ste. Marie	462	181	29	62.8	5
Balance of county	252	132	16	63.5	7
Clare	206	119	10	48.5	9
Clinton	622	269	22	35.4	10
Crawford	62	38	2	32.3	2
Delta	594	354	38	64.0	16
Escanaba	257	168	19	73.9	5
Balance of county	337	186	19	56.4	11
Dickinson	454	263	21	46.3	12
Iron Mountain	218	110	8	36.7	4
Balance of county	236	153	13	55.1	8
Eaton	722	410	20	27.7	18
Emmet	353	169	17	48.2	6
Genesee	5,559	1,867	202	36.3	130
Flint	3,414	1,209	130	38.1	77
Balance of county	2,145	658	72	33.6	53
Gladwin	220	96	12	54.5	7
Gogebic	625	304	20	32.0	19
Ironwood	249	115	7	28.1	5
Balance of county	376	189	13	34.6	14
Grand Traverse	444	440	23	51.8	12
Traverse City	266	172	15	56.4	4
Balance of county	178	268	8	44.9	8
Gratiot	745	363	30	40.3	17
Hillsdale	603	337	20	33.2	16
Houghton	672	548	32	47.6	22
Huron	701	341	31	44.2	9
Ingham	3,378	1,179	117	34.6	75
Lansing	1,862	705	69	37.1	28
Balance of county	1,516	474	48	31.7	47
Ionia	700	431	29	41.4	13
Iosco	141	90	5	35.5	2
Iron	392	184	7	17.9	10
Isabella	584	258	30	51.4	12
Jackson	1,987	1,017	69	34.7	52
Jackson	1,385	618	53	38.3	37
Balance of county	602	399	16	26.6	15
Kalamazoo	2,383	1,209	77	32.3	52
Kalamazoo	1,653	812	51	30.9	34
Balance of county	730	397	26	35.6	18
Kalkaska	95	52	4	42.1	3
Kent	5,463	2,468	148	27.1	116
Grand Rapids	3,681	1,665	96	26.1	77
Balance of county	1,782	803	52	29.2	39
Keweenaw	61	32	2	32.8	2
Lake	76	53	-	0	1
White	66	———	-	0	1
Nonwhite	10	———	-	0	-
Lapeer	685	355	19	27.7	17

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MICHIGAN—Continued					
Leelanau	141	92	14	99.3	3
Lenawee	1,205	638	52	43.2	27
Adrian	394	174	18	45.7	6
Balance of county	811	464	34	41.9	21
Livingston	472	287	12	25.4	8
Luce	157	197	11	70.1	8
Mackinac	192	93	12	62.5	4
Macomb	3,276	949	113	34.5	94
Mount Clemens	525	184	27	51.4	8
St. Clair Shores	294	83	9	30.6	10
Balance of county	2,457	682	77	31.3	76
Manistee	339	210	11	32.4	10
Marquette	958	506	50	52.2	27
Marquette	343	154	5	14.6	6
Balance of county	615	352	45	73.2	21
Mason	356	185	9	25.3	6
Mecosta	352	202	13	36.9	9
Menominee	502	237	18	35.9	10
Menominee	228	108	10	43.9	5
Balance of county	274	129	8	29.2	5
Midland	857	223	34	39.7	20
Midland	360	77	13	36.1	10
Balance of county	497	146	21	42.3	10
Missaukee	179	85	10	55.9	3
Monroe	1,447	563	64	44.2	34
Monroe	611	187	23	37.6	17
Balance of county	836	376	41	49.0	17
Montcalm	579	355	22	38.0	13
Montmorency	88	37	4	45.5	4
Muskegon	2,755	971	141	51.2	52
Muskegon	1,443	577	79	54.7	27
Muskegon Heights	405	114	18	44.4	7
Balance of county	907	280	44	48.5	18
Newaygo	392	190	14	35.7	9
Oakland	7,443	2,325	262	35.2	179
Birmingham	350	83	9	25.7	6
Ferndale	609	154	21	34.5	15
Pontiac	1,749	713	71	40.6	42
Royal Oak	862	246	23	26.7	23
Balance of county	3,873	1,129	138	35.6	93
Oceana	277	164	18	65.0	10
Ogemaw	162	84	8	49.4	9
Ontonagon	196	148	12	61.2	6
Osceola	292	174	16	54.8	9
Oscoda	43	19	-	0	1
Otsego	108	72	2	18.5	2
Ottawa	1,525	552	51	33.4	36
Holland	350	130	14	40.0	7
Balance of county	1,175	422	37	31.5	29
Presque Isle	272	107	11	40.4	9
Roscommon	69	32	2	29.0	-
Saginaw	3,271	1,240	124	37.9	71
Saginaw	2,060	819	88	42.7	45
Balance of county	1,211	421	36	29.7	26
St. Clair	1,816	903	77	42.4	45
Port Huron	869	395	38	43.7	21
Balance of county	947	508	39	41.2	24
St. Joseph	683	387	23	33.7	12
Sanilac	575	318	16	27.8	15
Schoolcraft	218	103	12	55.0	7
Shiawassee	960	463	41	42.7	20
Owosso	360	155	16	44.4	8
Balance of county	600	308	25	41.7	12
Tuscola	741	456	34	45.9	15
Van Buren	618	481	33	53.4	20
Washtenaw	2,028	1,115	92	45.4	54
Ann Arbor	801	313	32	40.0	24
Ypsilanti	540	156	24	44.4	10
White	493	—	21	42.6	10
Nonwhite	47	—	3	63.8	-
Balance of county	687	646	36	52.4	20
Wayne	47,773	18,411	1,681	35.2	1,271
Dearborn	2,118	427	58	27.4	53
Detroit	37,123	14,272	1,338	36.0	991
White	33,523	12,401	1,175	35.1	853
Nonwhite	3,600	1,871	163	45.3	138
Ecorse	335	74	14	41.8	14
White	292	—	10	34.2	10
Nonwhite	43	—	4	93.0	4
Grosse Pointe Park	92	68	3	32.6	2
Hamtramck	1,121	350	39	34.8	19
Highland Park	861	429	23	26.7	22
Lincoln Park	515	91	15	29.1	8
River Rouge	444	102	17	38.3	7
White	396	—	14	35.4	6
Nonwhite	48	—	3	62.5	1
Wyandotte	963	229	32	33.2	22
Balance of county	4,201	2,369	142	33.8	133
Wexford	396	231	22	55.6	7

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MINNESOTA (total)	58,770	25,851	1,739	29.6	1,282
Aitkin	335	158	5	14.9	6
Anoka	539	226	11	20.4	13
Becker	595	220	18	30.3	7
Beltrami	624	233	31	49.7	17
Benton	359	120	13	36.2	8
St. Cloud (part)	36	14	1	(4)	1
Balance of county	323	106	12	37.2	7
Big Stone	202	93	8	39.6	3
Blue Earth	742	327	25	33.7	14
Mankato	360	144	13	36.1	6
Balance of county	382	183	12	31.4	8
Brown	542	239	22	40.6	15
Carlton	456	317	13	28.5	9
Carver	327	154	10	30.6	8
Cass	427	247	24	56.2	9
Chippewa	381	124	13	34.1	9
Chisago	188	150	5	26.6	4
Clay	560	216	20	35.7	4
Clearwater	266	100	8	30.1	5
Cook	60	20	4	66.7	1
White	53	—	2	37.7	-
Nonwhite	7	—	2	285.7	1
Cottonwood	353	141	16	45.3	5
Crow Wing	697	264	20	28.7	17
Brainerd	302	120	12	39.7	7
Balance of county	395	144	8	20.3	10
Dakota	996	344	25	25.1	28
South St. Paul	360	83	11	30.6	7
Balance of county	636	261	14	22.0	21
Dodge	254	112	14	55.1	8
Douglas	385	168	10	26.0	7
Faribault	564	219	17	30.1	7
Fillmore	472	262	13	27.5	13
Freeborn	676	239	24	35.5	16
Albert Lea	287	107	15	52.3	8
Balance of county	389	132	9	23.1	8
Goodhue	538	323	15	27.9	10
Grant	211	82	9	42.7	3
Hennepin	11,752	5,265	296	25.2	285
Minneapolis	9,817	4,572	249	25.4	248
Balance of county	1,935	693	47	24.3	37
Houston	299	122	6	20.1	9
Hubbard	239	114	8	33.5	9
Isanti	177	163	4	22.6	5
Itasca	800	232	17	21.3	19
Jackson	346	111	6	17.3	12
Kanabec	186	65	7	37.6	1
Kandiyohi	538	298	18	33.5	11
Kittson	229	84	8	34.9	10
Koochiching	445	140	14	31.5	5
Lac qui Parle	321	136	15	46.7	11
Lake	149	78	8	53.7	4
Lake of the Woods	101	29	1	9.9	2
Le Sueur	393	166	12	30.5	8
Lincoln	237	86	10	42.2	6
Lyon	534	159	19	35.6	8
McLeod	436	195	12	27.5	7
Mahnomen	197	49	8	40.6	3
White	136	—	3	22.1	2
Nonwhite	61	—	5	82.0	1
Marshall	350	152	10	28.6	8
Martin	525	179	19	36.2	5
Meeker	371	158	7	18.9	14
Mille Lacs	287	141	12	41.8	4
Morrison	646	209	24	37.2	13
Mower	978	280	26	26.6	17
Austin	571	144	18	31.5	10
Balance of county	407	136	8	19.7	7
Murray	335	105	15	44.8	7
Nicollet	284	343	8	28.2	5
Nobles	525	139	19	36.2	7
Norman	274	129	13	47.4	11
Olmsted	833	592	18	20.4	14
Rochester	541	476	11	20.3	8
Balance of county	342	116	7	20.5	6
Otter Tail	1,021	666	35	34.3	16
Fergus Falls	168	301	8	47.6	4
Balance of county	853	365	27	31.7	12
Pennington	275	129	8	29.1	1
Pine	376	199	11	29.3	9
Pipestone	314	114	12	38.2	5
Polk	708	337	22	31.1	18
Pope	299	92	8	26.8	5
Ramsey	6,967	3,099	194	27.8	155
St. Paul	6,379	2,907	179	28.1	145
Balance of county	588	192	15	25.5	10
Red Lake	167	45	10	59.9	3
Redwood	513	149	7	13.6	10

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MINNESOTA—Continued					
Renville	536	168	8	14.9	10
Rice	644	322	26	40.4	13
Faribault	253	173	14	55.3	8
Balance of county	391	149	12	30.7	5
Rock	221	88	12	54.3	6
Roseau	394	118	10	25.4	9
St. Louis	3,925	2,024	121	30.8	88
Duluth	1,970	1,101	68	34.5	45
Hibbing	381	119	13	34.1	7
Virginia	232	102	8	34.5	5
Balance of county	1,342	702	32	23.8	31
Scott	333	150	6	18.0	4
Sherburne	180	92	8	44.4	1
St. Cloud (part)	8	21	-	(4)	-
Balance of county	172	71	8	46.5	1
Sibley	329	122	6	18.2	6
Stearns	1,545	542	57	36.9	33
St. Cloud (part)	437	164	24	(4)	8
St. Cloud (total)	481	199	25	52.0	9
Balance of county	1,108	378	33	29.8	25
Steele	401	161	10	24.9	13
Stevens	267	87	7	26.2	2
Swift	376	150	16	42.6	8
Todd	560	221	20	35.7	14
Traverse	184	60	1	5.4	1
Wabasha	312	173	4	12.8	8
Wadena	361	111	9	24.9	14
Waseca	293	132	5	17.1	7
Washington	564	269	10	17.7	10
Watonwan	301	131	12	39.9	3
Wilkin	220	77	8	36.4	8
Winona	737	399	23	31.2	18
Winona	456	245	13	28.5	14
Balance of county	281	154	10	35.6	4
Wright	582	255	10	17.2	12
Yellow Medicine	279	152	10	35.8	6
MISSISSIPPI (total)	56,667	20,794	2,680	47.3	2,378
Adams	608	339	22	36.2	17
Natchez	343	210	12	35.0	5
White	169	93	5	26.5	-
Nonwhite	154	117	7	45.5	5
Balance of county	265	129	10	37.7	12
White	39	18	2	51.3	6
Nonwhite	226	111	8	35.4	6
Alcorn	624	208	32	51.3	11
White	525	165	28	53.3	9
Nonwhite	99	43	4	40.4	2
Amite	590	158	19	32.2	28
White	204	67	4	19.6	8
Nonwhite	386	91	15	38.9	20
Attala	797	267	43	54.0	34
White	392	119	11	28.1	15
Nonwhite	405	148	32	79.0	19
Benton	250	85	9	36.0	9
White	132	41	5	37.9	-
Nonwhite	118	44	4	33.9	9
Bolivar	1,907	709	115	60.3	80
White	460	129	23	50.0	8
Nonwhite	1,447	580	92	63.6	72
Calhoun	488	158	20	41.0	7
White	385	109	7	18.2	5
Nonwhite	103	49	13	126.2	2
Carroll	494	164	22	44.5	14
White	187	78	10	53.5	6
Nonwhite	307	86	12	39.1	8
Chickasaw	492	184	16	32.5	25
White	216	84	8	37.0	2
Nonwhite	276	100	8	29.0	23
Choctaw	279	90	6	21.5	7
White	171	59	3	17.5	1
Nonwhite	108	31	3	27.8	6
Claiborne	301	137	13	43.2	20
White	59	35	1	16.9	1
Nonwhite	242	102	12	49.6	19
Clarke	488	175	15	30.7	20
White	243	81	6	24.7	6
Nonwhite	245	94	9	36.7	14
Clay	482	172	15	31.1	28
White	145	54	2	13.8	5
Nonwhite	337	118	13	38.6	23
Coahoma	1,105	492	44	39.8	62
Clarksdale	224	123	9	40.2	14
White	104	46	4	38.5	4
Nonwhite	120	77	5	41.7	10
Balance of county	881	369	35	39.7	48
White	92	43	2	21.7	2
Nonwhite	789	326	33	41.8	46
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Copiah	828	276	30	36.2	36
White	267	122	10	37.5	11
Nonwhite	561	154	20	35.7	25
Covington	495	105	14	28.3	19
White	304	68	9	29.6	5
Nonwhite	191	37	5	26.2	14
De Soto	723	231	37	51.2	37
White	162	42	7	43.2	3
Nonwhite	561	189	30	53.5	34
Forrest	1,240	406	37	29.8	49
Hattiesburg	894	233	25	28.0	33
White	614	129	12	19.5	21
Nonwhite	280	104	13	46.4	12
Balance of county	346	173	12	34.7	16
White	251	139	8	31.9	10
Nonwhite	95	34	4	42.1	6
Franklin	266	107	7	26.3	17
White	144	53	3	20.8	4
Nonwhite	122	54	4	32.8	13
George	267	60	14	52.4	10
White	228	50	12	52.6	10
Nonwhite	39	10	2	51.3	-
Greene	264	65	10	37.9	12
White	204	50	8	39.2	7
Nonwhite	60	15	2	33.3	5
Grenada	495	197	30	60.6	20
White	168	70	9	53.6	9
Nonwhite	327	127	21	64.2	11
Hancock	218	109	15	68.8	3
White	170	85	13	76.5	1
Nonwhite	48	24	2	41.7	2
Harrison	1,425	601	77	54.0	41
Biloxi	624	193	30	48.1	15
White	549	149	22	40.1	12
Nonwhite	75	44	8	106.7	3
Gulfport	384	188	29	75.5	17
White	319	141	19	59.6	10
Nonwhite	65	47	10	153.8	7
Balance of county	417	220	18	43.2	9
White	320	175	13	40.6	5
Nonwhite	97	45	5	51.5	4
Hinds	2,598	1,052	117	45.0	116
Jackson	1,457	632	74	50.8	58
White	869	283	29	33.4	24
Nonwhite	588	349	45	76.5	34
Balance of county	1,141	420	43	37.7	58
White	212	99	5	23.6	7
Nonwhite	929	321	38	40.9	51
Holmes	1,017	383	39	38.3	59
White	166	73	6	36.1	7
Nonwhite	851	310	33	38.8	52
Humphreys	752	212	30	39.9	40
White	164	45	7	42.7	3
Nonwhite	588	167	23	39.1	37
Issaquena	156	54	2	12.8	7
White	28	4	-	0	-
Nonwhite	128	50	2	15.6	7
Itawamba	443	121	10	22.6	14
Jackson	856	230	47	54.9	30
White	702	160	31	44.2	17
Nonwhite	154	70	16	103.9	13
Jasper	549	147	22	40.1	27
White	187	68	6	32.1	11
Nonwhite	362	79	16	44.2	16
Jefferson	349	143	19	54.4	18
White	55	41	7	127.3	1
Nonwhite	294	102	12	40.8	17
Jefferson Davis	460	114	23	50.0	11
White	171	46	10	58.5	2
Nonwhite	289	68	13	45.0	9
Jones	1,417	451	66	46.6	52
Laurel	575	244	42	73.0	20
White	361	127	24	66.5	11
Nonwhite	214	117	18	84.1	9
Balance of county	842	207	24	28.5	32
White	618	150	17	27.5	17
Nonwhite	224	57	7	31.3	15
Kemper	488	179	27	55.3	24
White	129	70	6	46.5	3
Nonwhite	359	109	21	58.5	21
Lafayette	512	188	37	72.3	19
White	255	92	12	47.1	6
Nonwhite	257	96	25	97.3	13
Lamar	320	92	12	37.5	10
White	277	78	11	39.7	8
Nonwhite	43	14	1	23.3	2

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Lauderdale	1,376	753	53	38.5	90
Meridian	814	512	32	39.3	51
White	588	284	17	28.9	18
Nonwhite	226	228	15	66.4	33
Balance of county	562	241	21	37.4	39
White	249	128	7	28.1	16
Nonwhite	313	113	14	44.7	23
Lawrence	344	101	16	46.5	18
White	186	48	3	16.1	4
Nonwhite	158	53	13	82.3	14
Leake	624	160	17	27.2	20
White	287	90	8	27.9	5
Nonwhite	337	70	9	26.7	15
Lee	878	324	30	34.2	28
White	543	188	17	31.3	14
Nonwhite	335	136	13	38.8	14
Leflore	1,585	591	82	51.7	70
Greenwood	285	170	11	38.6	14
White	143	64	2	14.0	2
Nonwhite	142	106	9	63.4	12
Balance of county	1,300	421	71	54.6	56
White	163	43	4	24.5	2
Nonwhite	1,137	378	67	58.9	54
Lincoln	608	260	27	44.4	32
White	371	152	14	37.7	14
Nonwhite	237	108	13	54.9	18
Lowndes	838	364	47	56.1	47
Columbus	335	179	25	74.6	19
White	197	70	11	55.8	6
Nonwhite	138	109	14	101.4	13
Balance of county	503	185	22	43.7	28
White	147	65	6	40.8	5
Nonwhite	356	120	16	44.9	23
Madison	1,117	385	63	56.4	52
White	184	78	7	38.0	4
Nonwhite	933	307	56	60.0	48
Marion	633	206	32	50.6	15
White	395	107	17	43.0	7
Nonwhite	238	99	15	63.0	8
Marshall	816	274	38	46.6	22
White	162	81	10	61.7	4
Nonwhite	654	193	28	42.8	18
Monroe	853	299	31	36.3	37
White	437	157	11	25.2	11
Nonwhite	416	142	20	48.1	26
Montgomery	399	145	18	45.1	20
White	181	72	6	33.1	8
Nonwhite	218	73	12	55.0	12
Neshoba	668	212	37	55.4	18
White	449	160	29	64.6	13
Nonwhite	219	52	8	36.5	5
Newton	537	197	37	68.9	31
White	289	115	12	41.5	14
Nonwhite	248	82	25	100.8	17
Noxubee	678	225	30	44.2	54
White	128	41	1	7.8	4
Nonwhite	550	184	29	52.7	50
Oktibbeha	559	203	19	34.0	19
White	189	75	8	42.3	2
Nonwhite	370	128	11	29.7	17
Panola	930	318	57	61.3	33
White	322	101	20	62.1	6
Nonwhite	608	217	37	60.9	27
Pearl River	525	147	29	55.2	22
White	392	99	21	53.6	15
Nonwhite	133	48	8	60.2	7
Perry	252	76	13	51.6	11
White	190	51	8	42.1	5
Nonwhite	62	25	5	80.6	6
Pike	896	334	35	39.1	34
White	402	172	16	39.8	12
Nonwhite	494	162	19	38.5	22
Pontotoc	481	161	27	56.1	12
White	377	111	17	45.1	9
Nonwhite	104	50	10	96.2	3
Prentiss	511	159	17	33.3	11
White	445	124	14	31.5	9
Nonwhite	66	35	3	45.5	2
Quitman	811	261	55	67.8	46
White	298	69	19	63.8	6
Nonwhite	513	192	36	70.2	40
Rankin	614	666	22	35.8	15
White	227	242	8	35.2	5
Nonwhite	387	424	14	36.2	10
Scott	561	191	27	48.1	28
White	268	101	14	52.2	4
Nonwhite	293	90	13	44.4	24
Sharkey	424	161	30	70.8	22
White	86	23	3	34.9	3
Nonwhite	338	138	27	79.9	19
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Simpson	543	166	20	36.8	17
White	316	100	6	19.0	6
Nonwhite	227	66	14	61.7	11
Smith	450	126	22	48.9	29
White	346	108	20	57.8	22
Nonwhite	104	18	2	19.2	7
Stone	135	61	4	29.6	3
White	95	42	1	10.5	3
Nonwhite	40	19	3	75.0	-
Sunflower	1,788	567	79	44.2	79
White	406	112	13	32.0	6
Nonwhite	1,382	455	66	47.8	73
Tallahatchie	970	284	49	50.5	50
White	252	58	7	27.8	6
Nonwhite	718	226	42	58.5	44
Tate	539	169	28	51.9	22
White	180	61	9	50.0	5
Nonwhite	359	108	19	52.9	17
Tippah	473	139	27	57.1	12
White	376	108	20	53.2	6
Nonwhite	97	31	7	72.2	6
Tishomingo	395	107	11	27.8	7
Tunica	660	238	41	62.1	28
White	77	17	4	51.9	1
Nonwhite	583	221	37	63.5	27
Union	423	194	20	47.3	12
White	337	143	17	50.4	8
Nonwhite	86	51	3	34.9	4
Walthall	528	127	22	41.7	24
White	251	71	7	27.9	10
Nonwhite	277	56	15	54.2	14
Warren	838	533	43	51.3	43
Vicksburg	486	335	28	57.6	25
White	292	119	16	54.8	9
Nonwhite	194	216	12	61.9	16
Balance of county	352	198	15	42.6	18
White	108	42	5	46.3	1
Nonwhite	244	156	10	41.0	17
Washington	1,879	830	91	48.4	86
Greenville	561	274	35	62.4	22
White	268	89	13	48.5	6
Nonwhite	293	185	22	75.1	16
Balance of county	1,318	556	56	42.5	64
White	231	78	7	30.3	4
Nonwhite	1,087	478	49	45.1	60
Wayne	445	142	17	38.2	15
White	280	83	11	39.3	8
Nonwhite	165	59	6	36.4	7
Webster	276	94	5	18.1	7
White	207	77	4	19.3	4
Nonwhite	69	17	1	14.5	3
Wilkinson	594	218	91	153.2	26
White	120	41	7	58.3	1
Nonwhite	474	177	84	177.2	25
Winston	367	201	27	47.6	15
White	308	110	15	48.7	6
Nonwhite	259	91	12	46.3	9
Yalobusha	450	176	17	37.8	11
White	194	97	6	30.9	5
Nonwhite	256	79	11	43.0	6
Yazoo	1,153	388	64	55.5	52
White	388	116	13	33.5	10
Nonwhite	765	272	51	66.7	42
MISSOURI (total)	70,711	41,888	2,761	39.0	2,175
Adair	326	212	14	42.9	5
Kirksville	164	122	9	54.9	4
Balance of county	162	90	5	30.9	1
Andrew	164	105	5	30.5	4
Atchison	199	113	9	45.2	7
Audrain	497	240	19	38.2	12
Barry	505	236	24	47.5	11
Barton	208	154	6	28.8	5
Bates	324	240	11	34.0	7
Benton	161	105	7	43.5	5
Bollinger	162	92	6	37.0	2
Boone	563	386	18	32.0	18
Columbia	329	211	11	33.4	12
White	287	———	9	31.4	12
Nonwhite	42	———	2	47.6	-
Balance of county	234	175	7	29.9	6
Buchanan	1,343	1,196	52	38.7	39
St. Joseph	1,110	1,040	45	40.5	27
Balance of county	233	156	7	30.0	12
Butler	915	353	53	57.9	26
Poplar Bluff	279	144	17	60.9	9
Balance of county	636	209	36	56.6	17
Caldwell	123	153	5	40.7	4

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MISSOURI—Continued					
Callaway	334	429	14	41.9	13
White	295	—	12	40.7	12
Nonwhite	39	—	2	51.3	1
Camden	187	69	6	32.1	4
Cape Girardeau	737	340	35	47.5	31
Cape Girardeau	367	168	18	49.0	19
Balance of county	370	172	17	45.9	12
Carroll	299	218	21	70.2	6
Carter	120	48	5	41.7	6
Cass	301	225	13	43.2	9
Cedar	165	122	2	12.1	6
Chariton	287	216	10	34.8	8
Christian	254	121	5	19.7	5
Clark	141	93	5	35.5	3
Clay	641	355	17	26.5	12
Clinton	184	147	4	21.7	5
Cole	546	259	18	33.0	18
Jefferson City	379	182	14	36.9	13
Balance of county	167	77	4	24.0	5
Cooper	250	197	9	36.0	7
White	226	—	9	39.8	5
Nonwhite	24	—	-	0	2
Crawford	192	95	5	26.0	1
Dade	166	113	3	18.1	4
Dallas	176	102	8	45.5	4
Daviess	175	166	8	45.7	2
De Kalb	125	100	6	48.0	5
Dent	210	105	10	47.6	3
Douglas	304	117	11	36.2	5
Dunklin	1,133	339	71	62.7	40
Franklin	637	338	23	36.1	27
Gasconade	190	149	6	31.6	3
Gentry	179	138	5	27.9	9
Greene	1,799	878	60	33.4	53
Springfield	1,304	629	36	27.6	38
Balance of county	495	249	24	48.5	15
Grundy	179	175	8	44.7	6
Harrison	240	151	11	45.8	7
Henry	314	238	9	28.7	10
Hickory	93	75	4	43.0	4
Holt	174	128	6	34.5	5
Howard	183	156	7	38.3	10
White	150	—	6	40.0	10
Nonwhite	33	—	1	30.3	-
Howell	471	237	25	53.1	10
Iron	207	98	6	29.0	5
Jackson	8,917	5,468	314	35.2	213
Independence	615	196	21	34.1	14
Kansas City	7,579	4,762	262	34.6	181
White	6,881	4,021	221	32.1	152
Nonwhite	698	741	41	58.7	29
Balance of county	723	510	31	42.9	18
Jasper	1,709	1,045	78	45.6	51
Carthage	232	121	7	30.2	7
Joplin (part)	887	541	48	(4)	28
Joplin (total)	851	545	49	57.6	29
Balance of county	640	383	23	35.9	16
Jefferson	581	310	26	44.8	9
Johnson	277	266	9	32.5	8
Knox	129	90	1	7.8	2
Laclede	457	174	20	43.8	23
Lafayette	455	284	18	39.6	11
Lawrence	409	329	24	58.7	14
Lewis	177	135	8	45.2	4
Lincoln	234	148	4	17.1	6
Linn	292	251	11	37.7	8
Livingston	275	213	17	61.8	15
McDonald	309	125	10	32.4	11
Macon	276	241	8	29.0	5
Madison	210	99	7	33.3	5
Maries	177	73	8	45.2	2
Marion	505	361	20	39.6	10
Hannibal	369	225	17	46.1	6
Balance of county	136	136	3	22.1	4
Mercer	134	93	5	37.3	3
Miller	255	138	10	39.2	5
Mississippi	696	237	47	67.5	21
White	544	—	31	57.0	10
Nonwhite	152	—	16	105.3	11
Moniteau	156	134	13	83.3	5
Monroe	199	164	10	50.3	6
Montgomery	184	135	4	21.7	3
Morgan	185	109	8	43.2	2
New Madrid	1,149	361	90	78.3	44
White	956	—	70	73.2	39
Nonwhite	193	—	20	103.6	5
Newton	687	321	37	53.9	26
Joplin (part)	14	4	1	(4)	1
Balance of county	673	317	36	53.5	25
Section B (Counties)—Continued					
MISSOURI—Continued					
Nodaway	401	289	11	27.4	4
Oregon	234	116	5	21.4	5
Osage	209	103	11	52.6	6
Ozark	217	63	6	27.6	6
Pemiscot	1,036	347	81	78.2	34
White	859	—	60	69.8	22
Nonwhite	177	—	21	118.6	12
Perry	322	112	6	18.6	10
Pettis	509	447	16	31.4	13
Sedalia	330	293	12	36.4	8
Balance of county	179	154	4	22.3	5
Phelps	480	210	19	39.6	9
Pike	289	246	13	45.0	10
White	260	—	11	42.3	8
Nonwhite	29	—	2	69.0	2
Platte	203	141	12	59.1	4
Polk	249	151	7	28.1	9
Pulaski	350	150	14	40.0	8
Putnam	213	122	13	61.0	4
Ralls	151	105	8	53.0	4
Randolph	305	294	16	52.5	6
Moberly	170	148	11	64.7	3
Balance of county	135	146	5	37.0	3
Ray	260	180	4	15.4	9
Reynolds	139	60	6	43.2	8
Ripley	250	127	12	48.0	9
St. Charles	575	307	25	43.5	21
St. Charles	319	153	17	53.3	17
Balance of county	256	154	8	31.3	4
St. Clair	200	134	5	25.0	2
St. Francois	703	454	33	46.9	20
St. Louis	6,013	2,732	157	26.1	132
Clayton	288	128	4	13.9	8
Kirkwood	331	159	7	21.1	6
Maplewood	267	161	9	33.7	6
Richmond Heights	336	105	16	47.6	4
University City	556	264	6	10.8	9
Webster Groves	332	191	11	33.1	8
Balance of county	3,903	1,724	104	26.6	91
St. Louis (city)	15,655	10,342	550	35.1	651
White	13,362	8,445	429	32.1	445
Nonwhite	2,293	1,897	121	52.8	206
Ste. Genevieve	224	118	12	53.6	4
Saline	421	351	22	52.3	21
Schuyler	96	69	1	10.4	3
Scotland	120	97	7	58.3	4
Scott	725	262	43	59.3	14
Shannon	238	85	10	42.0	4
Shelby	141	141	6	42.6	6
Stoddard	890	281	42	47.2	36
Stone	246	69	6	24.4	6
Sullivan	214	133	8	37.4	8
Taney	181	93	9	49.7	8
Texas	416	167	25	60.1	15
Vernon	343	477	15	43.7	15
Warren	105	90	2	19.0	2
Washington	338	116	11	32.5	13
Wayne	175	83	5	28.6	6
Webster	355	151	6	16.9	10
Worth	105	75	-	0	2
Wright	298	172	9	30.2	11
MONTANA (total)	11,735	5,516	395	33.7	207
Beaverhead	114	85	-	0	3
Big Horn	279	102	12	43.0	5
White	174	—	4	23.0	4
Nonwhite	105	—	8	76.2	1
Blaine	237	97	11	46.4	2
White	153	—	7	45.8	2
Nonwhite	84	—	4	47.6	-
Broadwater	58	30	1	17.2	-
Carbon	217	115	7	32.3	-
Carter	49	27	1	20.4	2
Cascade	964	444	42	43.6	17
Great Falls	734	335	35	47.7	14
Balance of county	230	109	7	30.4	3
Chouteau	99	58	6	60.6	4
Custer	202	89	9	44.6	2
Daniels	89	37	5	56.2	2
Dawson	190	69	3	15.8	4
Deer Lodge	405	353	15	37.0	10
Anaconda	362	152	9	24.9	8
Balance of county	43	201	6	139.5	2
Fallon	77	31	2	26.0	2
Fergus	290	163	8	27.6	2
Flathead	474	217	13	27.4	4
Gallatin	335	142	10	29.9	3

See footnotes at end of table.

594337 O - 44 - 4

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
MONTANA—Continued					
Garfield	50	23	-	0	1
Glacier	280	90	14	50.0	5
White	131	—	4	30.5	4
Nonwhite	149	—	10	67.1	1
Golden Valley	25	16	2	80.0	-
Granite	65	38	2	30.8	-
Hill	332	134	9	27.1	3
Jefferson	68	46	1	14.7	2
Judith Basin	54	25	3	55.6	1
Lake	243	143	12	49.4	2
White	191	—	6	31.4	1
Nonwhite	52	—	6	115.4	1
Lewis and Clark	416	209	8	19.2	11
Helena	316	149	6	19.0	8
Balance of county	100	60	2	20.0	3
Liberty	43	19	1	23.3	2
Lincoln	146	75	4	27.4	3
McCone	68	21	1	14.7	3
Madison	86	46	5	58.1	5
Meagher	36	19	2	55.6	-
Mineral	36	29	-	0	-
Missoula	624	258	15	24.0	5
Missoula	502	198	11	21.9	4
Balance of county	122	60	4	32.8	1
Musselshell	95	60	8	84.2	-
Park	220	111	9	40.9	1
Petroleum	16	15	-	0	-
Phillips	135	55	3	22.2	4
Pondera	160	43	8	50.0	6
Powder River	46	15	-	0	2
Powell	114	68	5	43.9	4
Prairie	52	20	1	19.2	1
Ravalli	230	116	6	26.1	6
Richland	236	70	5	21.2	3
Roosevelt	241	67	9	37.3	5
White	151	—	2	13.2	4
Nonwhite	90	—	7	77.8	1
Rosebud	168	68	4	23.8	1
White	109	—	2	18.3	-
Nonwhite	59	—	2	33.9	1
Sanders	123	62	2	16.3	2
Sheridan	126	54	4	31.7	2
Silver Bow	1,154	698	24	20.8	32
Butte	1,076	601	24	22.3	29
Balance of county	78	97	-	0	3
Stillwater	159	73	8	50.3	3
Sweet Grass	63	44	3	47.6	2
Teton	148	64	7	47.3	1
Toole	125	53	7	56.0	1
Treasure	34	12	2	58.8	2
Valley	256	85	10	39.1	3
Wheatland	61	27	1	16.4	3
Wibaux	53	26	2	37.7	-
Yellowstone	1,069	360	43	40.2	18
Billings	683	211	25	36.6	14
Balance of county	386	149	18	46.6	4
Yellowstone National Park (part)	-	-	-	(4)	-
NEBRASKA (total)	23,676	12,359	791	33.4	517
Adams	426	337	14	32.9	4
Hastings	304	149	10	32.9	4
Balance of county	122	188	4	32.8	-
Antelope	258	125	9	34.9	8
Arthur	15	3	-	0	-
Banner	21	9	-	0	-
Blaine	28	14	-	0	-
Boone	219	90	7	32.0	7
Box Butte	235	113	11	46.8	5
Boyd	117	40	6	51.3	1
Brown	114	54	6	52.6	2
Buffalo	433	199	6	13.9	3
Burt	197	97	5	25.4	5
Butler	212	132	5	23.6	3
Cass	280	165	6	21.4	6
Cedar	283	108	9	31.8	7
Chase	114	44	4	35.1	3
Cherry	201	71	5	24.9	3
Cheyenne	235	80	16	68.1	2
Clay	138	127	2	14.5	3
Colfax	159	82	4	25.2	4
Cuming	244	135	8	32.8	8
Custer	383	204	7	18.3	10
Dakota	210	86	10	47.6	4
Dawes	205	82	5	24.4	8
Dawson	369	142	8	21.7	6
Deuel	66	23	4	60.6	2
Dixon	202	86	10	49.5	3
Section B (Counties)—Continued					
NEBRASKA—Continued					
Dodge	454	265	18	39.6	13
Fremont	237	162	12	50.6	6
Balance of county	217	103	6	27.6	7
Douglas	5,105	2,594	181	35.5	104
Omaha	4,924	2,459	173	35.1	100
White	4,735	—	162	34.2	98
Nonwhite	189	—	11	58.2	2
Balance of county	181	135	8	44.2	4
Dundy	107	50	10	93.5	2
Fillmore	140	94	4	28.6	1
Franklin	121	75	5	41.3	-
Frontier	98	47	6	61.2	2
Furnas	147	110	6	40.8	3
Gage	480	322	18	37.5	16
Beatrice	208	128	8	38.5	6
Balance of county	272	194	10	36.8	10
Garden	82	32	2	24.4	1
Garfield	75	37	3	40.0	1
Gosper	59	27	1	16.9	4
Grant	23	12	-	0	-
Greeley	110	57	1	9.1	2
Hall	545	332	32	58.7	11
Grand Island	414	254	25	60.4	8
Balance of county	131	78	7	53.4	3
Hamilton	135	72	2	14.8	3
Harlan	91	58	2	22.0	2
Hayes	48	9	1	20.8	-
Hitchcock	109	37	3	27.5	-
Holt	326	119	7	21.5	7
Hooker	35	12	1	28.6	-
Howard	124	65	5	40.3	1
Jefferson	233	146	5	21.5	4
Johnson	142	75	7	49.3	3
Kearney	109	71	5	45.9	1
Keith	150	53	7	46.7	9
Keya Paha	55	19	2	36.4	2
Kimball	100	40	4	40.0	5
Knox	316	152	11	34.8	9
Lancaster	1,572	1,033	48	30.5	27
Lincoln	1,376	827	43	31.3	23
Balance of county	196	206	5	25.5	4
Lincoln	506	210	23	45.5	9
North Platte	305	131	14	45.9	4
Balance of county	201	79	9	44.8	5
Logan	42	10	-	0	2
Loup	31	4	-	0	1
McPherson	18	9	-	0	-
Madison	393	271	12	30.5	7
Norfolk	183	97	10	54.6	5
Balance of county	210	174	2	9.5	2
Merrick	157	89	3	19.1	5
Morrill	189	70	6	31.7	4
Nance	124	64	-	0	2
Nemaha	193	119	7	36.3	5
Nuckolls	192	87	5	26.0	4
Otoe	302	193	6	19.9	4
Pawnee	100	80	3	30.0	1
Perkins	96	26	5	52.1	9
Phelps	126	107	3	23.8	1
Pierce	171	73	7	40.9	5
Platte	385	168	12	31.2	9
Polk	117	75	1	8.5	2
Red Willow	197	90	4	20.3	4
Richardson	357	176	6	16.8	9
Rock	55	29	1	18.2	3
Saline	201	163	4	19.9	4
Sarpy	180	83	3	16.7	2
Saunders	313	159	8	25.6	12
Scotts Bluff	817	241	40	49.0	30
Scottsbluff	278	88	10	36.0	8
Balance of county	539	153	30	55.7	22
Seward	212	137	7	33.0	5
Sheridan	182	93	10	54.9	1
Sherman	125	58	2	16.0	1
Sioux	41	29	-	0	-
Stanton	137	50	4	29.2	5
Thayer	186	118	8	43.0	8
Thomas	24	9	-	0	1
Thurston	214	128	12	56.1	4
White	154	—	5	32.5	2
Nonwhite	60	—	7	116.7	2
Valley	135	57	1	7.4	1
Washington	191	110	8	41.9	7
Wayne	147	79	2	13.6	4
Webster	118	71	7	59.3	2
Wheeler	35	13	1	28.6	1
York	212	148	6	28.3	4

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NEVADA (total)	2,782	1,634	159	57.2	59
Churchill	108	82	5	46.3	1
Clark	754	357	65	86.2	21
Douglas	31	21	1	32.3	-
White	22	15	-	0	-
Nonwhite	9	6	1	111.1	-
Elko	234	99	10	42.7	3
White	208	84	7	33.7	3
Nonwhite	26	15	3	115.4	-
Esmeralda	25	25	-	0	-
Eureka	8	15	1	125.0	-
Humboldt	114	76	5	43.9	2
Lander	28	30	1	35.7	-
White	20	25	1	50.0	-
Nonwhite	8	5	-	0	-
Lincoln	109	46	3	27.5	1
Lyon	56	45	-	0	3
Mineral	144	62	10	69.4	4
White	122	56	9	73.8	2
Nonwhite	22	6	1	45.5	2
Nye	51	81	2	39.2	2
White	43	70	1	23.3	2
Nonwhite	8	11	1	125.0	-
Ormsby	67	37	2	29.9	-
Pershing	56	42	2	35.7	1
Storey	15	21	2	133.3	-
Washoe	658	475	32	48.6	12
Reno	503	328	20	39.8	10
Balance of county	155	147	12	77.4	2
White Pine	324	120	18	55.6	9
NEW HAMPSHIRE (total)	9,173	5,662	329	35.9	245
Belknap	436	281	17	39.0	15
Laconia	260	149	14	53.8	10
Balance of county	176	132	3	17.0	5
Carroll	232	180	11	47.4	6
Cheshire	720	410	29	40.3	17
Keene	308	173	20	64.9	8
Balance of county	412	237	9	21.8	9
Coos	703	368	28	39.8	13
Berlin	365	149	12	32.9	5
Balance of county	338	219	16	47.3	8
Grafton	807	450	33	40.9	11
Hillsborough	2,669	1,567	91	34.1	96
Manchester	1,475	816	48	32.5	49
Nashua	633	349	27	42.7	28
Balance of county	561	402	16	28.5	19
Merrimack	914	909	32	35.0	30
Concord	395	543	17	43.0	9
Balance of county	519	366	15	28.9	21
Rockingham	1,194	752	38	31.8	29
Portsmouth	414	188	4	9.7	11
Balance of county	780	564	34	43.6	18
Strafford	899	506	28	31.1	18
Dover	336	189	13	38.7	8
Rochester	235	142	9	38.3	5
Balance of county	328	175	6	18.3	5
Sullivan	599	239	22	36.7	10
Claremont (town)	321	116	17	53.0	3
Balance of county	278	123	5	18.0	7
NEW JERSEY (total)	81,709	46,716	2,542	31.1	2,086
Atlantic	1,774	1,689	61	34.4	45
Atlantic City	843	909	37	43.9	20
White	608	636	24	39.5	14
Nonwhite	235	273	13	55.3	6
Pleasantville	201	139	5	24.9	6
White	168	104	5	29.8	6
Nonwhite	33	35	-	0	-
Balance of county	730	641	19	26.0	19
Bergen	8,360	3,775	192	23.0	204
Bergenfield	216	85	7	32.4	2
Cliffside Park	348	128	5	14.4	8
Englewood	357	202	6	16.8	11
White	289	163	4	13.8	7
Nonwhite	68	39	2	29.4	4
Garfield	588	184	11	18.7	24
Hackensack	479	267	14	29.2	12
White	405	237	8	19.8	10
Nonwhite	74	30	6	81.1	2
Lodi	218	82	9	41.3	7
Lyndhurst (twp.) [2]	375	146	6	16.0	4
Ridgefield Park	219	124	5	22.8	3
Ridgewood	213	159	8	37.6	1
Rutherford	246	188	7	28.5	7
Teaneck (twp.) [2]	449	193	15	33.4	9
Balance of county	4,652	2,017	99	21.3	116
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Burlington	1,936	1,249	62	32.0	53
Burlington	249	156	8	32.1	8
White	216	138	7	32.4	6
Nonwhite	33	18	1	30.3	2
Balance of county	1,687	1,093	54	32.0	45
Camden	5,403	3,010	193	35.7	136
Camden	2,446	1,355	95	38.8	68
White	2,121	1,163	83	39.1	58
Nonwhite	325	192	12	36.9	10
Collingswood	218	186	8	36.7	1
Gloucester City	281	151	8	28.5	7
Pennsauken (twp.) [2]	237	190	14	59.1	4
Balance of county	2,221	1,128	68	30.6	56
Cape May	383	433	18	47.0	13
Cumberland	1,452	947	44	30.3	41
Bridgeton	407	227	13	31.9	12
White	342	200	12	35.1	11
Nonwhite	65	27	1	15.4	1
Millville	267	178	8	30.0	8
Balance of county	778	542	23	29.6	21
Essex	16,318	9,216	490	30.0	425
Belleville	579	248	19	32.8	16
Bloomfield	874	408	21	24.0	22
East Orange	1,304	792	32	24.5	24
Irvington	1,119	504	31	27.7	24
Maplewood (twp.) [2]	296	213	6	20.3	6
Millburn (twp.) [2]	182	84	7	38.5	6
Montclair	622	478	21	33.8	14
White	509	399	18	35.4	10
Nonwhite	113	79	3	26.5	4
Newark	8,671	4,843	267	30.8	248
White	7,432	4,105	198	26.6	198
Nonwhite	1,239	738	69	55.7	50
Nutley	420	196	12	28.6	7
Orange	804	388	31	38.6	26
White	690	305	24	34.8	20
Nonwhite	114	83	7	61.4	6
South Orange	166	140	8	48.2	4
West Orange	449	252	10	22.3	9
Balance of county	832	670	25	30.0	19
Gloucester	1,611	888	74	45.9	27
Hudson	12,393	7,087	365	29.5	306
Bayonne	1,589	721	44	27.7	38
Harrison	285	139	13	45.6	6
Hoboken	859	634	33	38.4	22
Jersey City	5,954	3,259	153	25.7	152
White	5,570	3,044	136	24.4	144
Nonwhite	384	215	17	44.3	8
Kearny	783	363	31	39.6	22
North Bergen (twp.) [2]	748	382	22	29.4	16
Union City	973	612	34	34.9	16
Weehawken (twp.) [2]	203	175	5	24.6	3
West New York	740	371	22	29.7	18
Balance of county	259	431	8	30.9	13
Hunterdon	608	510	30	49.3	12
Mercer	3,612	2,402	146	40.4	95
Trenton	2,170	1,564	90	41.5	67
Balance of county	1,442	838	56	38.8	28
Middlesex	4,505	2,057	131	29.1	98
Carteret	255	90	5	19.6	5
New Brunswick	689	381	21	30.5	21
Perth Amboy	798	377	24	30.1	17
South River	283	83	9	31.8	7
Woodbridge (twp.) [2]	636	228	18	28.3	5
Balance of county	1,844	898	54	29.3	43
Monmouth	3,128	2,502	100	32.0	89
Asbury Park	277	203	6	21.7	4
White	193	153	5	25.9	2
Nonwhite	84	50	1	11.9	2
Long Branch	402	225	16	39.8	10
Neptune (twp.) [2]	165	178	4	24.2	4
White	141	158	4	28.4	2
Nonwhite	24	20	-	0	2
Red Bank	242	153	10	41.3	5
White	203	120	9	44.3	5
Nonwhite	39	33	1	25.6	-
Balance of county	2,042	1,743	64	31.3	66
Morris	2,584	1,920	75	29.0	52
Dover	205	122	5	24.4	4
Morristown	322	223	11	34.2	7
Balance of county	2,057	1,575	59	28.7	41
Ocean	667	511	35	52.5	20
Passaic	5,857	3,101	175	29.9	169
Clifton	1,061	400	27	25.4	24
Hawthorne	226	89	8	35.4	4
Passaic	1,000	524	29	29.0	33
Paterson	2,588	1,517	77	29.8	76
Balance of county	982	571	34	34.6	32

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Salem	1,043	465	45	43.1	30
White	904	392	35	38.7	26
Nonwhite	139	73	10	71.9	4
Somerset	1,512	816	45	29.8	34
North Plainfield	207	115	7	33.8	5
Balance of county	1,305	701	38	29.1	29
Sussex	626	376	25	39.9	15
Union	7,018	3,138	209	29.8	195
Cranford (twp.) [2]	290	142	7	24.1	4
Elizabeth	2,184	1,124	60	27.5	83
Hillside (twp.) [2]	325	143	8	24.6	10
Linden	661	171	20	30.3	16
Plainfield	864	385	33	38.2	18
White	780	320	24	32.9	15
Nonwhite	134	65	9	67.2	3
Rahway	333	192	12	36.0	16
Roselle	282	118	8	28.4	6
White	243	100	7	28.8	6
Nonwhite	39	18	1	25.6	-
Summit	317	181	11	34.7	6
Union (twp.) [2]	556	182	21	37.8	13
Westfield	335	164	9	26.9	4
Balance of county	871	336	20	23.0	19
Warren	919	624	27	29.4	27
Phillipsburg	355	202	10	28.2	11
Balance of county	564	422	17	30.1	16
NEW MEXICO (total)	14,129	5,203	1,383	97.9	334
Bernalillo	2,038	807	206	101.1	44
Albuquerque	1,026	398	63	61.4	23
Balance of county	1,012	409	143	141.3	21
Catron	125	39	9	72.0	2
Chaves	728	249	34	46.7	12
Roswell	490	178	27	55.1	12
Balance of county	238	71	7	29.4	-
Colfax	446	188	28	62.8	10
Curry	452	143	23	50.9	10
Clovis	300	96	19	63.3	7
Balance of county	152	47	4	26.3	3
De Baca	80	36	10	125.0	1
Dona Ana	964	305	92	95.4	23
Eddy	753	197	52	69.1	24
Grant	589	168	46	78.1	13
Guadalupe	220	87	28	127.3	2
Harding	104	39	10	96.2	3
Hidalgo	121	67	16	132.2	3
Lea	408	97	21	51.5	8
Hobbs	239	51	13	54.4	3
Balance of county	169	46	8	47.3	5
Lincoln	221	86	17	76.9	8
Luna	200	61	8	40.0	3
McKinley	493	217	76	154.2	11
White	368	110	45	122.3	10
Nonwhite	125	107	31	248.0	1
Mora	304	126	36	118.4	10
Otero	284	118	28	98.6	5
Quay	336	91	21	62.5	6
Rio Arriba	748	277	102	136.4	23
Roosevelt	297	91	11	37.0	5
Sandoval	368	174	58	157.6	5
White	297	142	46	154.9	5
Nonwhite	71	32	12	169.0	-
San Juan	170	77	13	76.5	-
White	162	64	13	80.2	-
Nonwhite	8	13	-	0	-
San Miguel	783	387	116	148.1	28
Santa Fe	783	304	87	111.1	28
Santa Fe	533	200	60	112.6	21
Balance of county	250	104	27	108.0	7
Sierra	114	61	7	61.4	4
Socorro	301	120	34	113.0	7
Taos	555	174	63	113.5	5
Torrance	303	112	44	145.2	7
Union	174	80	19	109.2	4
Valencia	667	225	68	101.9	20
White	569	187	55	96.7	20
Nonwhite	98	38	13	132.7	-
NEW YORK (total)	244,802	149,820	7,814	31.9	12,506
Albany	4,034	2,777	146	36.2	91
Albany	2,348	1,634	89	37.9	56
Cohoes	425	279	24	56.5	10
Watervliet	317	214	8	25.2	7
Balance of county	944	650	25	26.5	18
Allegany	853	485	32	37.5	16

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NEW YORK—Continued					
Broome	3,291	1,838	119	36.2	69
Binghamton	1,427	1,071	51	35.7	26
Endicott	494	162	17	34.4	6
Johnson City	388	148	12	30.9	10
Balance of county	982	457	39	39.7	27
Cattaraugus	1,398	889	59	42.2	30
Olean	467	266	20	42.8	11
Balance of county	931	623	39	41.9	19
Cayuga	1,194	823	31	26.0	17
Auburn	653	401	14	21.4	8
Balance of county	541	422	17	31.4	9
Chautauqua	2,201	1,556	87	39.5	58
Dunkirk	393	216	19	48.3	8
Jamestown	723	454	26	36.0	17
Balance of county	1,085	886	42	38.7	33
Chemung	1,618	936	65	40.2	27
Elmira	986	621	44	44.6	21
Balance of county	632	315	21	33.2	6
Chenango	693	467	25	36.1	20
Clinton	1,120	513	38	33.9	31
Plattsburgh	360	129	7	19.4	11
Balance of county	760	384	31	40.8	20
Columbia	615	589	23	37.4	19
Hudson	173	170	11	63.6	10
Balance of county	442	419	12	27.1	9
Cortland	697	403	28	40.2	14
Cortland	348	179	11	31.6	7
Balance of county	349	224	17	48.7	7
Delaware	821	535	28	34.1	19
Dutchess	1,836	2,216	62	33.8	52
Beacon	249	189	8	32.1	10
Poughkeepsie	792	526	21	26.5	23
Balance of county	795	1,501	33	41.5	19
Erie	17,422	9,303	693	39.8	453
Buffalo	12,175	6,700	483	39.7	326
White	11,708	--------	462	39.5	313
Nonwhite	467	--------	21	45.0	13
Kenmore	351	184	13	37.0	9
Lackawanna	643	229	44	68.4	11
Tonawanda	273	134	15	54.9	19
Balance of county	3,980	2,056	138	34.7	88
Essex	696	418	32	46.0	13
Franklin	856	594	59	68.9	25
Fulton	831	643	35	42.1	26
Gloversville	396	270	14	35.4	13
Johnstown	175	177	10	57.1	5
Balance of county	260	196	11	42.3	8
Genesee	966	504	30	31.1	17
Batavia	413	184	10	24.2	6
Balance of county	553	320	20	36.2	11
Greene	417	398	11	26.4	6
Hamilton	78	47	4	51.3	-
Herkimer	1,130	739	51	45.1	24
Little Falls	190	100	5	26.3	2
Balance of county	940	639	46	48.9	22
Jefferson	1,952	1,068	69	35.3	42
Watertown	805	419	36	44.7	21
Balance of county	1,147	649	33	28.8	21
Lewis	448	275	13	29.0	10
Livingston	673	576	19	28.2	13
Madison	829	527	31	37.4	15
Oneida	229	139	8	34.9	6
Balance of county	600	388	23	38.3	9
Monroe	8,451	4,758	218	25.8	161
Irondequoit (town)	585	147	14	23.9	8
Rochester	5,944	3,345	158	26.6	123
Balance of county	1,922	1,266	46	23.9	30
Montgomery	1,009	764	32	31.7	24
Amsterdam	561	399	21	37.4	15
Balance of county	448	365	11	24.6	9
Nassau	8,068	3,898	198	24.5	291
Floral Park	250	104	3	12.0	8
Freeport	392	215	10	25.5	16
Garden City	145	80	3	20.7	4
Glen Cove	197	107	8	40.6	9
Hempstead	475	269	12	25.3	42
Lynbrook	280	137	2	7.1	9
Mineola	170	97	6	35.3	10
Rockville Centre	302	193	8	26.5	12
Valley Stream	430	191	11	25.6	13
Balance of county	5,427	2,505	135	24.9	168
New York City [6]	129,487	75,798	3,725	28.8	9,616
White	120,853	70,103	3,264	27.0	8,573
Nonwhite	8,634	5,695	461	53.4	1,043
Niagara	3,909	1,716	136	34.8	97
Lockport	491	302	10	20.4	13
Niagara Falls	2,041	757	87	42.6	49
North Tonawanda	518	195	12	23.2	17
Balance of county	859	462	27	31.4	18

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NEW YORK—Continued					
Oneida	4,068	2,979	144	35.4	98
Rome	786	423	24	30.5	19
Utica	2,007	1,415	72	35.9	47
Balance of county	1,275	1,141	48	37.6	32
Onondaga	5,911	3,392	218	36.9	135
Syracuse	3,969	2,362	151	38.0	92
Balance of county	1,942	1,030	67	34.5	44
Ontario	959	695	35	36.5	23
Geneva	306	175	8	26.1	5
Balance of county	653	520	27	41.3	18
Orange	2,192	1,815	70	31.9	78
Middletown	295	449	11	37.3	10
Newburgh	495	404	13	26.3	22
Balance of county	1,402	962	46	32.8	46
Orleans	520	353	9	17.3	4
Oswego	1,460	915	55	37.7	38
Fulton	303	165	14	46.2	7
Oswego	426	260	15	35.2	21
Balance of county	731	490	26	35.6	10
Otsego	786	675	27	34.4	13
Oneonta	204	158	5	24.5	4
Balance of county	582	517	22	37.8	9
Putnam	244	198	9	36.9	7
Rensselaer	2,177	1,735	117	53.7	46
Rensselaer	194	131	15	77.3	8
Troy	1,275	1,087	70	54.9	27
Balance of county	708	517	32	45.2	11
Rockland	1,108	1,250	40	36.1	29
St. Lawrence	2,126	1,285	109	51.3	82
Massena	361	86	20	55.4	12
Ogdensburg	287	359	13	45.3	15
Balance of county	1,478	840	76	51.4	55
Saratoga	1,372	894	43	31.3	33
Saratoga Springs	285	226	13	45.6	4
Balance of county	1,087	668	30	27.6	29
Schenectady	2,584	1,394	80	31.0	64
Schenectady	1,916	960	65	33.9	49
Balance of county	668	434	15	22.5	15
Schoharie	401	291	24	59.9	8
Schuyler	247	203	10	40.5	5
Seneca	481	553	22	45.7	10
Steuben	1,887	1,085	79	41.9	33
Corning	402	187	22	54.7	4
Hornell	296	184	7	23.6	5
Balance of county	1,189	714	50	42.1	24
Suffolk	3,254	3,709	109	33.5	94
Sullivan	594	514	25	42.1	14
Tioga	542	349	19	35.1	11
Tompkins	845	549	24	28.4	21
Ithaca	399	277	9	22.6	13
Balance of county	446	272	15	33.6	8
Ulster	1,269	1,197	58	45.7	35
Kingston	449	378	18	40.1	11
Balance of county	820	819	40	48.8	24
Warren	703	502	34	48.4	16
Glens Falls	359	252	18	50.1	6
Balance of county	344	250	16	46.5	10
Washington	848	535	33	38.9	11
Wayne	864	679	36	41.7	21
Westchester	8,998	5,462	272	30.2	261
Mamaroneck	221	118	8	36.2	6
Mount Vernon	1,045	630	33	31.6	27
New Rochelle	802	541	26	32.4	33
White	720	—	21	29.2	27
Nonwhite	82	—	5	61.0	6
Ossining	214	174	11	51.4	4
White	203	—	9	44.3	2
Nonwhite	11	—	2	181.8	2
Peekskill	255	155	6	23.5	7
Port Chester	435	193	6	13.8	9
Scarsdale	189	106	8	42.3	12
White Plains	700	418	25	35.7	22
Yonkers	2,208	1,284	69	31.3	55
Balance of county	2,929	1,843	80	27.3	86
Wyoming	507	347	9	17.8	8
Yates	262	212	5	19.1	11
NORTH CAROLINA (total)	89,854	29,414	4,342	48.3	2,825
Alamance	1,516	361	44	29.0	29
Burlington	357	85	10	28.0	6
Balance of county	1,159	276	34	29.3	23
White	872	203	21	24.1	17
Nonwhite	287	73	13	45.3	6
Alexander	296	127	18	60.8	12
Alleghany	133	62	3	22.6	1
Anson	710	205	29	40.8	26
White	326	95	8	24.5	14
Nonwhite	384	110	21	54.7	12
Ashe	523	151	24	45.9	15

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Avery	393	94	19	48.3	14
Beaufort	824	363	62	75.2	35
White	499	184	25	50.1	13
Nonwhite	325	179	37	113.8	22
Bertie	725	256	49	67.6	23
White	222	96	11	49.5	6
Nonwhite	503	160	38	75.5	17
Bladen	794	202	34	42.8	44
White	399	116	18	45.1	19
Nonwhite	395	86	16	40.5	25
Brunswick	448	190	38	84.8	19
White	228	110	17	74.6	5
Nonwhite	220	80	21	95.5	14
Buncombe	2,166	946	106	48.9	61
Asheville	890	475	48	53.9	36
White	683	318	30	43.9	26
Nonwhite	207	157	18	87.0	10
Balance of county	1,276	471	58	45.5	25
Burke	987	391	28	28.4	21
Cabarrus	1,494	374	65	43.5	45
Concord	302	135	15	49.7	7
White	253	103	12	47.4	5
Nonwhite	49	32	3	61.2	2
Balance of county	1,192	239	50	41.9	38
White	1,022	173	35	34.2	32
Nonwhite	170	66	15	88.2	6
Caldwell	1,130	261	60	53.1	20
Camden	109	47	5	45.9	5
White	63	25	2	31.7	3
Nonwhite	46	22	3	65.2	2
Carteret	492	196	22	44.7	14
White	401	153	17	42.4	9
Nonwhite	91	43	5	54.9	5
Caswell	509	149	30	58.9	21
White	224	68	13	58.0	8
Nonwhite	285	81	17	59.6	13
Catawba	1,382	324	42	30.4	36
Hickory	358	101	8	21.7	15
White	325	80	8	24.6	14
Nonwhite	43	21	-	0	1
Balance of county	1,014	223	34	33.5	21
Chatham	527	178	17	32.3	19
White	321	128	9	28.0	5
Nonwhite	206	50	8	38.8	14
Cherokee	575	149	35	60.9	21
Chowan	308	124	17	55.2	12
White	155	42	3	19.4	2
Nonwhite	153	82	14	91.5	10
Clay	163	40	5	30.7	3
Cleveland	1,464	336	57	38.9	32
Shelby	354	101	19	53.7	16
White	286	83	15	52.4	13
Nonwhite	68	18	4	58.8	3
Balance of county	1,110	235	38	34.2	16
White	770	185	30	39.0	7
Nonwhite	340	50	8	23.5	9
Columbus	1,360	414	102	75.0	59
White	840	238	55	65.5	24
Nonwhite	520	176	47	90.4	35
Craven	807	367	48	59.5	36
New Bern	303	190	23	75.9	18
White	169	74	11	65.1	7
Nonwhite	134	116	12	89.6	11
Balance of county	504	177	25	49.6	18
White	258	92	10	38.8	4
Nonwhite	246	85	15	61.0	14
Cumberland	2,135	625	89	41.7	75
Fayetteville	942	264	36	38.2	35
White	685	142	21	30.7	22
Nonwhite	257	122	15	58.4	13
Balance of county	1,193	361	53	44.4	40
White	765	232	33	43.1	26
Nonwhite	428	129	20	46.7	14
Currituck	120	80	5	41.7	3
White	80	55	4	50.0	2
Nonwhite	40	25	1	25.0	1
Dare	115	72	6	52.2	4
Davidson	1,270	386	58	45.7	40
Lexington	308	80	14	45.5	16
White	257	52	10	38.9	16
Nonwhite	51	28	4	78.4	-
Thomasville	247	85	11	44.5	7
White	204	59	7	34.3	4
Nonwhite	43	26	4	93.0	3
Balance of county	715	221	33	46.2	17
Davie	311	116	14	45.0	7
White	255	99	10	39.2	4
Nonwhite	56	17	4	71.4	3
Duplin	1,032	307	57	55.2	26
White	608	183	26	42.8	14
Nonwhite	424	124	31	73.1	12

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Durham	1,918	725	83	43.3	58
Durham	1,437	530	63	43.8	48
White	871	259	34	39.0	24
Nonwhite	566	271	29	51.2	24
Balance of county	481	195	20	41.6	10
White	312	125	15	48.1	3
Nonwhite	169	70	5	29.6	7
Edgecombe	1,215	438	73	60.1	46
Rocky Mount (part)	220	98	18	(4)	15
White	107	36	3	(4)	6
Nonwhite	113	62	15	(4)	9
Balance of county	995	340	55	55.3	31
White	369	123	13	35.2	10
Nonwhite	626	217	42	67.1	21
Forsyth	2,757	986	115	41.7	81
Winston-Salem	1,735	685	84	48.4	59
White	942	287	34	36.1	32
Nonwhite	793	398	50	63.1	27
Balance of county	1,022	301	31	30.3	22
White	915	249	24	26.2	17
Nonwhite	107	52	7	65.4	5
Franklin	694	232	39	56.2	19
White	306	117	13	42.5	5
Nonwhite	388	115	26	67.0	14
Gaston	2,207	602	127	57.5	58
Gastonia	567	202	38	67.0	30
White	490	148	35	71.4	27
Nonwhite	77	54	3	39.0	3
Balance of county	1,640	400	89	54.3	28
White	1,452	329	77	53.0	23
Nonwhite	188	71	12	63.8	5
Gates	251	101	13	51.8	13
White	94	51	2	21.3	5
Nonwhite	157	50	11	70.1	8
Graham	225	25	7	31.1	5
Granville	731	226	29	39.7	23
White	268	97	8	28.3	6
Nonwhite	448	129	21	46.9	17
Greene	487	114	18	37.0	7
White	237	54	5	21.1	4
Nonwhite	250	60	13	52.0	3
Guilford	3,425	1,149	115	33.6	97
Greensboro	1,288	493	45	34.9	58
White	971	291	21	21.6	30
Nonwhite	317	202	24	75.7	28
High Point	896	288	36	40.2	23
White	724	196	28	38.7	18
Nonwhite	172	92	8	46.5	5
Balance of county	1,241	368	34	27.4	16
White	1,023	291	25	24.4	14
Nonwhite	218	77	9	41.3	2
Halifax	1,522	464	67	44.0	59
White	511	172	13	25.4	15
Nonwhite	1,011	292	54	53.4	44
Harnett	1,159	281	46	39.7	40
White	865	193	30	34.7	26
Nonwhite	294	88	16	54.4	14
Haywood	885	216	29	32.8	16
Henderson	640	253	25	39.1	24
Hertford	484	157	22	45.5	14
White	174	59	9	51.7	6
Nonwhite	310	98	13	41.9	8
Hoke	474	142	27	57.0	14
White	157	58	12	76.4	2
Nonwhite	317	84	15	47.3	12
Hyde	156	58	5	32.1	3
White	64	41	1	15.6	1
Nonwhite	92	17	4	43.5	2
Iredell	1,135	379	38	33.5	40
Statesville	259	92	10	38.6	15
White	239	74	8	33.5	7
Nonwhite	20	18	2	100.0	8
Balance of county	876	287	28	32.0	25
White	657	207	19	28.9	15
Nonwhite	219	80	9	41.1	10
Jackson	521	133	28	53.7	14
Johnston	1,544	426	74	47.9	34
White	1,163	293	47	40.4	24
Nonwhite	381	133	27	70.9	10
Jones	264	94	15	56.8	16
White	136	49	7	51.5	5
Nonwhite	128	45	8	62.5	11
Lee	610	177	40	65.6	17
White	457	119	26	56.9	11
Nonwhite	153	58	14	91.5	6
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Lenoir	1,023	425	75	73.3	60
Kinston	366	179	21	57.4	41
White	205	80	10	48.8	21
Nonwhite	161	99	11	68.3	20
Balance of county	657	246	54	82.2	19
White	335	105	14	41.8	7
Nonwhite	322	141	40	124.2	12
Lincoln	572	170	23	40.2	9
White	437	144	20	41.1	8
Nonwhite	85	26	3	35.3	1
McDowell	613	195	25	40.8	7
Macon	477	109	17	35.6	10
Madison	445	147	21	47.2	20
Martin	708	204	35	49.4	25
White	330	93	11	33.3	11
Nonwhite	378	111	24	63.5	14
Mecklenburg	3,678	1,293	150	40.8	101
Charlotte	2,485	890	112	45.1	82
White	1,689	530	67	39.7	47
Nonwhite	796	360	45	56.5	35
Balance of county	1,193	403	38	31.9	19
White	877	242	24	27.4	4
Nonwhite	316	161	14	44.3	15
Mitchell	407	95	27	66.3	12
Montgomery	399	112	11	27.6	15
White	288	76	8	27.8	9
Nonwhite	111	36	3	27.0	6
Moore	698	209	25	35.8	17
White	511	152	14	27.4	9
Nonwhite	187	57	11	58.8	8
Nash	1,507	465	78	51.8	49
Rocky Mount (part)	346	138	23	(4)	20
White	205	78	12	(4)	9
Nonwhite	141	60	11	(4)	11
Rocky Mount (total)	566	236	41	72.4	35
White	312	114	15	48.1	15
Nonwhite	254	122	26	102.4	20
Balance of county	1,161	327	55	47.4	29
White	531	163	12	22.6	6
Nonwhite	630	164	43	68.3	23
New Hanover	2,000	733	145	72.5	52
Wilmington	1,426	568	125	87.7	46
White	903	274	63	69.8	18
Nonwhite	523	294	62	118.5	28
Balance of county	574	165	20	34.8	6
White	466	104	17	36.5	5
Nonwhite	108	61	3	27.8	1
Northampton	698	178	26	37.2	21
White	186	65	3	16.1	7
Nonwhite	512	113	23	44.9	14
Onslow	645	198	32	49.6	20
White	481	140	19	39.5	12
Nonwhite	164	58	13	79.3	8
Orange	550	186	27	49.1	11
White	315	128	14	44.4	3
Nonwhite	235	58	13	55.3	8
Pamlico	244	83	15	61.5	5
White	129	54	5	38.8	-
Nonwhite	115	29	10	87.0	5
Pasquotank	548	226	32	58.4	26
Elizabeth City	322	147	17	52.8	14
White	211	73	11	52.1	6
Nonwhite	111	74	6	54.1	8
Balance of county	226	79	15	66.4	12
White	98	43	8	81.6	3
Nonwhite	128	36	7	54.7	9
Pender	485	189	27	55.7	21
White	223	83	10	44.8	4
Nonwhite	262	106	17	64.9	17
Perquimans	227	74	6	26.4	7
White	101	35	2	19.8	2
Nonwhite	126	39	4	31.7	5
Person	687	189	32	46.6	28
White	403	116	17	42.2	11
Nonwhite	284	73	15	52.8	17
Pitt	1,422	527	71	49.9	61
Greenville	280	166	18	64.3	13
White	148	68	10	67.6	3
Nonwhite	132	98	8	60.6	10
Balance of county	1,142	361	53	46.4	48
White	527	151	20	38.0	11
Nonwhite	615	210	33	53.7	37
Polk	264	97	12	45.5	9
White	236	81	8	33.9	8
Nonwhite	28	16	4	142.9	1
Randolph	1,065	314	35	32.9	25
Richmond	883	355	44	49.8	36
White	611	214	30	49.1	16
Nonwhite	272	141	14	51.5	20

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Robeson	2,364	707	150	63.5	87
White	902	292	44	48.8	33
Nonwhite	1,462	415	106	72.5	54
Rockingham	1,248	433	66	52.9	34
Reidsville	199	107	18	90.5	11
White	128	63	11	85.9	4
Nonwhite	71	44	7	98.6	7
Balance of county	1,049	326	48	45.8	23
White	859	242	38	44.2	15
Nonwhite	190	84	10	52.6	8
Rowan	1,485	528	63	42.4	38
Salisbury	365	184	18	49.3	16
White	278	121	9	32.4	11
Nonwhite	87	63	9	103.4	5
Balance of county	1,120	344	45	40.2	22
White	918	265	37	40.3	12
Nonwhite	202	79	8	39.6	10
Rutherford	1,115	323	44	39.5	32
White	950	270	33	34.7	29
Nonwhite	165	53	11	66.7	3
Sampson	1,279	368	68	53.2	56
White	782	229	34	43.5	32
Nonwhite	497	139	34	68.4	24
Scotland	566	225	54	95.4	21
White	266	91	27	101.5	6
Nonwhite	300	134	27	90.0	15
Stanly	866	215	36	41.6	29
White	774	188	32	41.3	25
Nonwhite	92	27	4	43.5	4
Stokes	559	119	19	34.0	14
White	502	105	18	35.9	13
Nonwhite	57	14	1	17.5	1
Surry	1,083	321	61	56.3	28
Swain	381	65	10	26.2	13
White	307	48	9	29.3	12
Nonwhite	74	17	1	13.5	1
Transylvania	361	83	16	44.3	8
Tyrrell	142	47	7	49.3	6
White	65	33	7	107.7	3
Nonwhite	77	14	-	0	3
Union	1,005	305	42	41.8	39
White	740	210	29	39.2	21
Nonwhite	265	95	13	49.1	18
Vance	742	286	58	78.2	18
White	348	131	20	57.5	5
Nonwhite	394	155	38	96.4	13
Wake	2,427	1,118	110	45.3	85
Raleigh	1,046	675	37	35.4	42
White	707	448	21	29.7	21
Nonwhite	339	227	16	47.2	21
Balance of county	1,381	443	73	52.9	43
White	770	257	41	53.2	12
Nonwhite	611	186	32	52.4	31
Warren	637	215	44	69.1	33
White	141	53	8	56.7	5
Nonwhite	496	152	36	72.6	28
Washington	368	101	18	48.9	8
White	182	47	6	33.0	3
Nonwhite	186	54	12	64.5	5
Watauga	434	109	16	36.9	8
Wayne	1,178	808	80	67.9	38
Goldsboro	355	190	24	67.6	20
White	180	80	11	61.1	9
Nonwhite	175	110	13	74.3	11
Balance of county	823	618	56	68.0	18
White	488	172	27	55.3	10
Nonwhite	335	446	29	86.6	8
Wilkes	1,072	313	45	42.0	25
Wilson	1,313	439	84	64.0	59
Wilson	528	219	38	72.0	25
White	283	88	13	45.9	7
Nonwhite	245	131	25	102.0	18
Balance of county	785	220	46	58.6	34
White	444	108	21	47.3	11
Nonwhite	341	112	25	73.3	23
Yadkin	413	130	16	38.7	14
Yancey	449	112	21	46.8	9
NORTH DAKOTA (total)	13,357	4,818	488	36.5	234
Adams	96	28	3	31.3	-
Barnes	338	124	9	26.6	7
Benson	225	101	9	40.0	8
White	187	—	8	42.8	8
Nonwhite	38	—	1	26.3	-
Billings	40	10	1	25.0	-
Bottineau	296	86	3	10.1	5
Bowman	68	18	2	29.4	3
Burke	128	54	5	39.1	4

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
NORTH DAKOTA—Continued					
Burleigh	485	130	14	28.9	11
Bismarck	346	90	12	34.7	7
Balance of county	139	40	2	14.4	4
Cass	1,113	411	47	42.2	14
Fargo	697	262	27	38.7	9
Balance of county	416	149	20	48.1	5
Cavalier	268	92	9	33.6	3
Dickey	164	57	4	24.4	3
Divide	109	54	4	36.7	-
Dunn	159	44	6	37.7	4
Eddy	100	50	4	40.0	3
Emmons	280	66	8	28.6	8
Foster	125	50	3	24.0	2
Golden Valley	70	26	3	42.9	-
Grand Forks	746	330	21	28.2	14
Grand Forks	497	165	13	26.2	6
Balance of county	249	165	8	32.1	8
Grant	176	48	7	39.8	2
Griggs	106	53	2	18.9	2
Hettinger	180	57	5	27.8	3
Kidder	129	31	1	7.8	5
La Moure	203	75	8	39.4	1
Logan	190	48	13	68.4	5
McHenry	300	118	10	33.3	3
McIntosh	177	70	22	124.3	1
McKenzie	151	72	12	79.5	4
McLean	351	103	11	31.3	8
Mercer	225	61	10	44.4	3
Morton	445	158	20	44.9	3
Mountrail	211	75	7	33.2	3
Nelson	172	76	3	17.4	1
Oliver	89	19	2	22.5	2
Pembina	315	117	17	54.0	9
Pierce	248	77	12	48.4	7
Ramsey	395	124	19	48.1	3
Ransom	192	72	2	10.4	2
Renville	125	32	3	24.0	3
Richland	420	156	17	40.5	11
Rolette	368	113	16	43.5	12
White	203	—	8	39.4	2
Nonwhite	165	—	8	48.5	10
Sargent	140	64	6	42.9	5
Sheridan	128	30	2	15.6	3
Sioux	118	58	6	50.8	-
White	57	—	1	17.5	-
Nonwhite	61	—	5	82.0	-
Slope	61	16	1	16.4	1
Stark	378	129	20	52.9	7
Steele	116	44	4	34.5	1
Stutsman	401	245	8	20.0	8
Towner	139	62	8	57.6	-
Traill	229	88	7	30.6	1
Walsh	422	164	14	33.2	6
Ward	711	230	24	33.8	12
Minot	436	126	19	43.6	5
Balance of county	275	104	5	18.2	7
Wells	211	78	7	33.2	2
Williams	325	124	7	21.5	6
OHIO (total)	144,327	78,000	5,345	37.0	3,619
Adams	371	237	23	62.0	12
Allen	1,788	908	79	44.2	38
Lima	1,109	528	49	44.2	25
Balance of county	679	380	30	44.2	13
Ashland	598	324	22	36.8	17
Ashland	264	150	13	49.2	6
Balance of county	334	174	9	26.9	11
Ashtabula	1,236	854	47	38.0	36
Ashtabula	458	258	16	34.9	13
Balance of county	778	596	31	39.8	23
Athens	798	604	31	38.8	19
Auglaize	558	307	17	30.5	13
Belmont	1,753	1,082	78	44.5	52
Bellaire	294	163	13	44.2	10
Martins Ferry	295	174	9	30.5	7
Balance of county	1,164	745	56	48.1	35
Brown	337	276	16	47.5	7
Butler	2,795	1,290	112	40.1	43
Hamilton	1,260	611	62	49.2	-
Middletown	849	331	25	29.4	21
Balance of county	686	348	25	36.4	22
Carroll	298	184	10	33.6	2
Champaign	556	348	24	43.2	17
Clark	2,085	1,209	61	29.3	50
Springfield	1,640	902	43	26.2	40
White	1,508	—	36	23.9	33
Nonwhite	132	—	7	53.0	7
Balance of county	445	307	18	40.4	10
Clermont	516	434	23	44.6	22

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
OHIO—Continued					
Clinton	461	298	14	30.4	15
Columbiana	2,051	1,063	89	43.4	49
East Liverpool	557	296	30	53.9	15
Salem	319	143	12	37.6	6
Balance of county	1,175	524	47	40.0	28
Coshocton	493	349	28	56.8	12
Coshocton	210	154	17	81.0	9
Balance of county	283	195	11	38.9	3
Crawford	807	466	37	45.8	12
Cuyahoga	25,156	12,718	819	32.6	694
Cleveland	19,112	9,783	687	35.9	571
White	17,587	8,552	575	32.7	510
Nonwhite	1,525	1,231	112	72.4	61
Cleveland Heights	542	387	5	9.2	13
East Cleveland	1,091	414	32	29.3	12
Euclid	435	179	12	27.6	9
Garfield Heights	210	113	8	38.1	6
Lakewood	1,171	616	23	19.6	20
Parma	299	133	9	30.1	7
Shaker Heights	327	134	6	18.3	2
Balance of county	1,969	959	37	18.8	54
Darke	795	460	31	39.0	28
Defiance	509	275	16	31.4	8
Delaware	474	335	17	35.9	15
Erie	898	591	36	40.1	31
Sandusky	553	349	23	41.6	19
Balance of county	345	242	13	37.7	12
Fairfield	900	577	53	58.9	22
Lancaster	502	282	30	59.8	8
Balance of county	398	295	23	57.8	14
Fayette	436	264	26	59.6	16
Franklin	8,149	4,615	292	35.8	193
Columbus	6,796	3,777	229	33.7	166
White	6,113	3,235	197	32.2	147
Nonwhite	683	542	32	46.9	19
Balance of county	1,353	838	63	46.6	27
Fulton	532	288	20	37.6	6
Gallia	461	428	26	56.4	15
Geauga	400	201	19	47.5	9
Greene	762	428	26	34.1	17
Xenia	288	150	12	42.4	6
White	242	———	9	37.2	6
Nonwhite	41	———	3	73.2	-
Balance of county	479	278	14	29.2	11
Guernsey	612	454	23	37.6	10
Cambridge	253	189	12	47.4	5
Balance of county	359	265	11	30.6	5
Hamilton	13,126	7,833	437	33.3	335
Cincinnati	9,379	6,024	331	35.3	251
White	8,285	5,078	265	32.0	202
Nonwhite	1,094	946	66	60.3	49
Norwood	702	290	17	24.2	9
Balance of county	3,045	1,519	89	29.2	75
Hancock	990	522	44	44.4	14
Findlay	467	247	20	42.8	1
Fostoria (part)	208	44	8	(4)	2
Balance of county	315	231	16	50.8	11
Hardin	489	358	14	28.6	11
Harrison	340	242	11	32.4	9
Henry	428	239	13	30.4	7
Highland	428	350	17	39.7	4
Hocking	407	235	23	56.5	9
Holmes	289	179	14	48.4	9
Huron	763	463	24	30.7	13
Jackson	554	295	20	36.1	11
Jefferson	1,853	919	80	43.2	56
Steubenville	760	393	30	39.5	24
Balance of county	1,093	526	50	45.7	32
Knox	589	368	15	25.5	10
Mount Vernon	285	148	8	28.1	6
Balance of county	304	220	7	23.0	4
Lake	1,170	594	48	41.0	23
Painesville	325	145	14	43.1	7
Balance of county	845	449	34	40.2	16
Lawrence	1,011	476	46	45.5	37
Ironton	361	199	16	44.3	15
Balance of county	650	277	30	46.2	22
Licking	1,146	791	52	45.4	31
Newark	679	439	33	48.6	20
Balance of county	467	352	19	40.7	11
Logan	616	442	26	42.2	8
Lorain	2,465	1,189	104	42.2	59
Elyria	617	285	30	48.6	11
Lorain	1,040	432	45	43.3	27
Balance of county	808	472	29	35.9	21
Lucas	7,070	3,999	240	33.9	194
Toledo	5,850	3,520	213	36.4	159
White	5,544	———	197	35.5	144
Nonwhite	306	———	16	52.3	15
Balance of county	1,220	479	27	22.1	35
Madison	472	262	25	53.0	12
Mahoning	4,842	2,314	169	34.9	143
Campbell	212	95	13	61.3	11
White	188	———	13	69.1	7
Nonwhite	24	———	-	0	4
Struthers	236	88	6	25.4	5
Youngstown (part)	3,596	———	127	(4)	102
White	3,351	———	100	(4)	82
Nonwhite	245	———	27	(4)	20
Youngstown (total)	3,598	1,696	127	35.3	102
White	3,353	———	100	29.8	82
Nonwhite	245	———	27	110.2	20
Balance of county	798	435	23	28.8	25
Marion	958	556	63	65.8	31
Marion	694	400	46	66.3	23
Balance of county	264	156	17	64.4	8
Medina	768	408	25	32.6	16
Meigs	428	247	18	42.1	10
Mercer	516	288	17	32.9	13
Miami	1,275	670	58	45.5	24
Piqua	385	211	19	49.4	8
Balance of county	890	459	39	43.8	16
Monroe	242	213	15	62.0	8
Montgomery	7,364	3,432	310	42.1	166
Dayton	5,986	2,672	264	44.1	132
White	5,540	2,329	230	41.5	114
Nonwhite	446	343	34	76.2	18
Balance of county	1,378	760	46	33.4	34
Morgan	184	130	5	27.2	7
Morrow	248	162	10	40.3	4
Muskingum	1,445	839	52	36.0	20
Zanesville	876	453	27	30.8	9
Balance of county	569	386	25	43.9	11
Noble	148	192	8	54.1	3
Ottawa	555	309	14	25.2	10
Paulding	305	199	17	55.7	5
Perry	454	337	20	44.1	12
Pickaway	468	361	19	40.6	10
Pike	290	144	16	55.2	11
Portage	1,091	509	34	31.2	24
Preble	432	283	14	32.4	13
Putnam	511	255	15	29.4	15
Richland	1,646	783	51	31.0	36
Mansfield	904	425	23	25.4	22
Balance of county	742	358	28	37.7	14
Ross	1,176	588	57	48.5	23
Chillicothe	529	228	22	41.6	8
Balance of county	647	360	35	54.1	15
Sandusky	861	422	31	36.0	17
Fremont	332	150	9	27.1	3
Balance of county	529	272	22	41.6	14
Scioto	1,665	856	109	65.5	60
Portsmouth	682	455	42	61.6	26
Balance of county	983	401	67	68.2	34
Seneca	899	508	29	32.3	25
Fostoria (part)	140	110	5	(4)	3
Fostoria (total)	348	154	13	37.4	5
Tiffin	365	195	13	35.6	8
Balance of county	394	203	11	27.9	14
Shelby	527	318	19	36.1	13
Stark	5,769	2,658	185	32.1	156
Alliance	515	287	25	48.5	16
Canton	2,729	1,082	79	28.9	69
Massillon	691	347	24	34.7	14
Balance of county	1,834	942	57	31.1	57
Summit	7,528	3,148	222	29.5	183
Akron	5,504	2,159	164	29.8	115
White	5,220	———	148	28.4	93
Nonwhite	284	———	16	56.3	22
Barberton	592	247	26	43.9	20
Cuyahoga Falls	421	173	8	19.0	13
Balance of county	1,011	569	24	23.7	35
Trumbull	3,035	1,236	104	34.3	89
Niles	327	170	12	36.7	14
Warren	1,102	423	42	38.1	28
Youngstown (part)	2	———	-	(4)	-
White	2	———	-	(4)	-
Nonwhite	-	———	-	(4)	-
Balance of county	1,604	643	50	31.2	47
Tuscarawas	1,527	809	51	33.4	31
New Philadelphia	266	173	9	33.8	3
Balance of county	1,261	636	42	33.3	28
Union	310	211	13	41.9	5
Van Wert	480	284	19	39.6	14
Vinton	195	110	14	71.8	4
Warren	659	405	45	68.3	14
Washington	728	557	42	58.1	9
Marietta	274	233	17	62.0	5
Balance of county	449	324	25	55.7	4

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
OHIO—Continued					
Wayne	1,217	543	28	23.0	30
Wooster	290	142	8	27.6	4
Balance of county	927	401	20	21.6	26
Williams	463	289	17	36.7	9
Wood	905	575	26	28.7	15
Wyandot	407	229	16	39.3	9
OKLAHOMA (total)	46,008	19,324	1,905	41.4	914
Adair	320	128	15	46.9	14
White	207	82	12	58.0	11
Nonwhite	113	46	3	26.5	3
Alfalfa	169	104	4	23.7	5
Atoka	405	135	22	54.2	12
Beaver	183	78	5	27.3	4
Beckham	351	164	10	28.5	11
Blaine	406	150	13	32.0	9
White	308	118	10	32.5	8
Nonwhite	98	32	3	30.6	1
Bryan	809	278	24	29.7	15
Durant	263	89	10	38.0	5
Balance of county	546	189	14	25.6	10
Caddo	922	283	42	45.6	23
White	744	226	28	37.6	18
Nonwhite	178	57	14	78.7	5
Canadian	464	226	13	28.0	10
El Reno	222	119	11	49.5	6
Balance of county	242	107	2	8.3	4
Carter	641	345	41	64.0	15
Ardmore	294	211	25	85.0	10
White	250	169	20	80.0	9
Nonwhite	44	42	5	113.6	1
Balance of county	347	134	16	46.1	5
Cherokee	474	154	25	52.7	14
White	370	121	20	54.1	12
Nonwhite	104	33	5	48.1	2
Choctaw	512	256	28	54.7	25
White	395	198	19	48.1	19
Nonwhite	117	58	9	76.9	6
Cimarron	73	38	6	82.2	4
Cleveland	468	368	19	40.6	5
Norman	259	296	11	42.5	3
Balance of county	209	72	8	38.3	2
Coal	189	82	4	21.2	4
Comanche	1,335	386	65	48.7	20
Lawton	878	216	44	50.1	10
Balance of county	457	170	21	46.0	10
Cotton	276	101	10	36.2	5
Craig	410	356	12	29.3	12
Creek	983	479	54	54.9	22
Sapulpa	285	143	13	45.6	3
White	246	110	11	44.7	2
Nonwhite	39	33	2	51.3	1
Balance of county	698	336	41	58.7	19
White	599	281	34	56.8	16
Nonwhite	99	55	7	70.7	3
Custer	396	231	22	55.6	5
Delaware	310	126	15	48.4	5
White	261	101	10	38.3	4
Nonwhite	49	25	5	102.0	1
Dewey	209	96	5	23.9	1
Ellis	145	57	3	20.7	3
Garfield	785	448	26	33.1	20
Enid	582	309	19	32.6	16
Balance of county	203	139	7	34.5	4
Garvin	678	215	28	41.3	11
Grady	851	313	40	47.0	14
Chickasha	370	160	22	59.5	6
White	327	139	18	55.0	5
Nonwhite	43	21	4	93.0	1
Balance of county	481	153	18	37.4	8
Grant	168	119	6	35.7	4
Greer	266	120	12	45.1	5
Harmon	192	70	7	36.5	7
Harper	102	39	-	0	3
Haskell	380	94	15	39.5	4
Hughes	558	185	17	30.5	8
White	489	152	10	20.4	5
Nonwhite	69	33	7	101.4	3
Jackson	419	170	14	33.4	2
Jefferson	245	105	11	44.9	11
Johnston	285	86	8	28.1	3
Kay	897	412	22	24.5	15
Ponca City	375	139	9	24.0	8
Balance of county	522	273	13	24.9	7
Kingfisher	246	111	4	16.3	6
White	200	93	3	15.0	3
Nonwhite	46	18	1	21.7	3
Kiowa	477	181	15	31.4	8
Latimer	257	121	11	42.8	5
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Le Flore	815	292	31	38.0	14
Lincoln	454	202	23	50.7	1
Logan	436	248	21	48.2	13
Guthrie	184	115	9	48.9	4
White	139	85	3	21.6	4
Nonwhite	45	30	6	133.3	-
Balance of county	252	133	12	47.6	9
White	190	97	9	47.4	5
Nonwhite	62	36	3	48.4	4
Love	213	67	8	37.6	-
McClain	369	92	19	51.5	5
McCurtain	751	262	27	36.0	17
White	600	179	23	38.3	10
Nonwhite	151	83	4	26.5	7
McIntosh	558	178	26	46.6	10
White	417	123	18	43.2	8
Nonwhite	141	55	8	56.7	2
Major	226	92	7	31.0	6
Marshall	255	89	17	66.7	6
Mayes	486	231	32	65.8	8
Murray	241	133	14	58.1	3
Muskogee	1,287	768	68	52.8	24
Muskogee	700	405	39	55.7	12
White	554	264	26	46.9	9
Nonwhite	146	141	13	89.0	3
Balance of county	587	363	29	49.4	12
White	436	162	17	39.0	8
Nonwhite	151	201	12	79.5	4
Noble	235	131	10	42.6	4
Nowata	272	130	17	62.5	10
White	249	100	13	52.2	8
Nonwhite	23	30	4	173.9	2
Okfuskee	551	214	26	47.2	2
White	410	122	16	39.0	2
Nonwhite	141	92	10	70.9	-
Oklahoma	5,101	2,033	192	37.6	98
Oklahoma City	4,443	1,749	170	38.3	87
White	4,012	1,544	147	36.6	81
Nonwhite	431	205	23	53.4	6
Balance of county	658	284	22	33.4	11
Okmulgee	840	441	34	40.5	13
Okmulgee	246	165	6	24.4	6
White	196	125	3	15.3	6
Nonwhite	50	40	3	60.0	-
Balance of county	594	276	28	47.1	7
White	444	200	20	45.0	6
Nonwhite	150	76	8	53.3	1
Osage	662	245	12	18.1	13
Ottawa	920	383	51	55.4	12
Pawnee	338	158	13	38.5	8
Payne	651	276	21	32.3	11
Stillwater	207	86	9	43.5	3
Balance of county	444	190	12	27.0	8
Pittsburg	898	431	44	49.0	16
McAlester	263	192	13	49.4	3
White	235	157	11	46.8	2
Nonwhite	28	35	2	71.4	1
Balance of county	635	239	31	48.8	13
White	595	216	31	52.1	10
Nonwhite	40	23	-	0	3
Pontotoc	695	242	25	36.0	16
Ada	316	132	17	53.8	8
Balance of county	379	110	8	21.1	8
Pottawatomie	971	442	37	38.1	20
Shawnee	422	223	15	35.5	7
Balance of county	549	219	22	40.1	13
Pushmataha	340	132	10	29.4	8
Roger Mills	196	63	10	51.0	8
Rogers	462	205	22	47.6	8
Seminole	986	340	35	35.5	20
Seminole	206	101	15	72.8	4
Wewoka	156	58	6	38.5	3
White	124	42	5	40.3	2
Nonwhite	32	16	1	31.3	1
Balance of county	624	181	14	22.4	13
White	529	129	12	22.7	11
Nonwhite	95	52	2	21.1	2
Sequoyah	610	180	27	44.3	18
White	543	152	24	44.2	17
Nonwhite	67	28	3	44.8	1
Stephens	669	225	26	38.9	15
Texas	189	105	16	84.7	-
Tillman	451	159	21	46.6	6
White	391	131	16	40.9	4
Nonwhite	60	28	5	83.3	2
Tulsa	4,528	1,752	189	41.7	92
Tulsa	3,647	1,423	153	42.0	70
White	3,319	1,195	127	38.3	58
Nonwhite	328	228	26	79.3	12
Balance of county	881	329	36	40.9	22

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Wagoner	520	180	27	51.9	16
White	400	116	16	40.0	11
Nonwhite	120	64	11	91.7	5
Washington	650	247	22	33.8	6
Bartlesville	426	135	12	28.2	3
Balance of county	224	112	10	44.6	3
Washita	361	160	13	36.0	12
Woods	278	139	6	21.6	3
Woodward	286	247	14	49.0	3
OREGON (total)	22,518	12,865	687	30.5	379
Baker	313	191	13	41.5	7
Benton	419	190	13	31.0	3
Clackamas	1,111	653	36	32.4	20
Clatsop	452	277	10	22.1	15
Astoria	234	136	5	21.4	3
Balance of county	218	141	5	22.9	12
Columbia	383	183	16	41.8	6
Coos	594	288	26	43.8	10
Crook	147	46	3	20.4	2
Curry	48	25	-	0	2
Deschutes	433	167	19	43.9	6
Bend	266	102	13	48.9	5
Balance of county	167	65	6	35.9	1
Douglas	465	379	9	19.4	11
Gilliam	36	35	-	0	-
Grant	113	49	1	8.8	3
Harney	93	50	6	64.5	1
Hood River	199	88	5	25.1	2
Jackson	787	436	25	31.8	18
Medford	419	146	13	31.0	10
Balance of county	368	290	12	32.6	8
Jefferson	47	20	-	0	5
White	24	----------	-	0	2
Nonwhite	23	----------	-	0	3
Josephine	274	188	13	47.4	2
Klamath	936	331	41	43.8	17
Klamath Falls	602	159	18	29.9	4
Balance of county	334	172	23	68.9	13
Lake	150	66	8	53.3	1
Lane	1,637	678	52	31.8	30
Eugene	623	288	24	38.5	9
Balance of county	1,014	390	28	27.6	21
Lincoln	318	165	9	28.3	2
Linn	809	364	26	32.1	9
Malheur	410	108	9	22.0	9
Marion	1,228	1,217	37	30.1	20
Salem	554	779	17	30.7	10
Balance of county	674	438	20	29.7	10
Morrow	61	38	1	16.4	1
Multnomah	7,677	4,712	185	24.1	106
Portland	7,071	4,278	170	24.0	94
Balance of county	606	434	15	24.8	12
Polk	404	213	17	42.1	10
Sherman	36	18	1	27.8	-
Tillamook	244	123	8	32.8	3
Umatilla	540	379	28	51.9	16
Union	357	169	6	16.8	7
Wallowa	146	69	2	13.7	4
Wasco	213	160	6	28.2	6
Washington	810	449	27	33.3	17
Wheeler	61	31	4	65.6	1
Yamhill	567	310	25	44.1	7
PENNSYLVANIA (total)	197,177	110,174	7,527	38.2	4,878
Adams	782	363	19	24.3	11
Allegheny	29,464	15,030	1,094	37.1	772
Bellevue	199	124	5	25.1	2
Braddock	400	201	21	52.5	15
White	330	168	16	48.5	10
Nonwhite	70	33	5	71.4	5
Carnegie	358	138	12	33.5	8
Clairton	424	136	23	54.2	15
White	379	108	17	44.9	11
Nonwhite	45	28	6	133.3	4
Coraopolis	262	98	6	22.9	9
Dormont	172	109	9	52.3	4
Duquesne	416	174	14	33.7	12
Harrison (twp.) [2]	232	74	9	38.8	2
Homestead	282	145	13	46.1	14
White	251	114	11	43.8	12
Nonwhite	31	31	2	64.5	2
McKeesport	1,324	616	74	55.9	35
McKees Rocks	681	192	18	26.4	21
Mount Lebanon (twp.) [2]	261	130	9	34.5	7
Munhall	234	105	5	21.4	9
North Braddock	329	127	7	21.3	11
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Allegheny—Continued					
Pittsburgh	14,194	7,807	524	36.9	391
White	12,712	6,852	431	33.9	324
Nonwhite	1,482	955	93	62.8	67
Shaler (twp.) [2]	126	32	3	23.8	3
Stowe (twp.) [2]	24	6	2	83.3	1
Swissvale	334	153	10	29.9	3
Wilkinsburg	711	319	17	23.9	19
Balance of county	8,501	4,344	313	36.8	191
White	8,245	4,107	300	36.4	184
Nonwhite	256	237	13	50.8	7
Armstrong	1,786	809	90	50.4	34
Beaver	3,574	1,395	129	36.1	124
Aliquippa	571	211	14	24.5	22
White	507	175	11	21.7	18
Nonwhite	64	36	3	46.9	4
Ambridge	442	144	14	31.7	6
Beaver Falls	472	191	17	36.0	15
Ellwood City (part)	19	6	1	(4)	1
Balance of county	2,070	843	83	40.1	80
Bedford	879	441	40	45.5	24
Berks	3,973	2,844	141	35.5	113
Reading	1,774	1,311	66	37.2	49
Balance of county	2,199	1,533	75	34.1	64
Blair	2,815	1,509	114	40.5	89
Altoona	1,548	862	65	42.0	47
Balance of county	1,267	647	49	38.7	42
Bradford	1,046	644	39	37.3	20
Bucks	2,153	1,165	65	30.1	60
Bristol	282	116	5	17.7	10
Balance of county	1,881	1,049	60	31.9	50
Butler	1,923	825	70	36.4	59
Butler	545	235	18	33.0	12
Balance of county	1,378	590	52	37.7	47
Cambria	4,909	2,092	226	46.0	130
Johnstown	1,809	825	77	42.6	44
Balance of county	3,100	1,267	149	48.1	86
Cameron	149	56	4	26.8	5
Carbon	1,069	629	34	31.8	25
Centre	1,046	518	40	38.2	22
Chester	2,661	1,683	109	41.0	73
Coatesville	300	169	10	33.3	6
White	246	140	5	20.3	5
Nonwhite	54	29	5	92.6	1
Phoenixville	232	163	8	34.5	6
West Chester	267	222	27	94.1	6
White	223	183	22	98.7	6
Nonwhite	64	39	5	78.1	-
Balance of county	1,842	1,129	64	34.7	55
Clarion	787	428	42	53.4	14
Clearfield	1,912	859	81	42.4	61
Du Bois	264	150	12	45.5	3
Balance of county	1,648	709	69	41.9	58
Clinton	745	430	42	56.4	20
Lock Haven	247	161	13	52.6	3
Balance of county	498	269	29	58.2	17
Columbia	1,014	576	38	37.5	38
Berwick	333	149	15	45.0	10
Balance of county	681	427	23	33.8	28
Crawford	1,728	919	61	35.3	34
Meadville	494	225	27	54.7	13
Balance of county	1,234	694	34	27.6	21
Cumberland	1,680	883	59	35.1	33
Carlisle	330	174	18	54.5	6
Balance of county	1,350	709	41	30.4	27
Dauphin	3,494	2,198	143	40.9	86
Harrisburg	1,653	1,041	57	34.5	37
Steelton	281	139	12	42.7	3
White	208	105	7	33.7	1
Nonwhite	73	34	5	68.5	2
Balance of county	1,560	1,018	74	47.4	46
Delaware	6,624	3,192	210	31.7	143
Chester	1,482	780	59	39.8	44
White	1,174	583	37	31.5	28
Nonwhite	308	197	22	71.4	16
Darby	215	124	18	83.7	-
White	185	106	16	86.5	-
Nonwhite	30	18	2	66.7	-
Haverford (twp.) [2]	1,028	302	12	11.7	21
Lansdowne	265	94	2	7.5	6
Upper Darby (twp.) [2]	492	274	14	28.5	8
Balance of county	3,142	1,618	105	33.4	64
Elk	692	354	26	37.6	15
Erie	4,253	1,956	135	31.7	98
Erie	2,806	1,225	91	32.4	70
Balance of county	1,447	731	44	30.4	28
Fayette	4,279	1,803	192	44.9	119
Connellsville	248	154	9	36.3	10
Uniontown	538	247	20	37.2	12
Balance of county	3,493	1,402	163	46.7	97

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Forest	118	59	5	42.4	9
Franklin	1,544	750	66	42.7	30
Chambersburg	294	184	11	37.4	4
Waynesboro	225	114	9	40.0	7
Balance of county	1,025	452	46	44.9	19
Fulton	209	104	13	62.2	8
Greene	892	447	49	54.9	18
Huntingdon	849	424	51	60.1	28
Indiana	1,623	753	80	49.3	44
Indiana	173	123	9	52.0	2
Balance of county	1,450	630	71	49.0	42
Jefferson	967	557	61	63.1	19
Juniata	315	155	11	34.9	9
Lackawanna	4,277	3,304	165	38.6	143
Carbondale	317	238	18	56.8	10
Dickson City	172	77	7	40.7	6
Dunmore	288	240	13	45.1	14
Old Forge	212	89	7	33.0	6
Scranton	2,078	1,618	82	39.5	67
Balance of county	1,210	1,042	38	31.4	40
Lancaster	4,464	2,436	166	37.2	91
Columbia	206	151	10	48.5	9
Lancaster	1,213	802	56	46.2	20
Balance of county	3,045	1,483	100	32.8	62
Lawrence	2,203	1,022	73	33.1	47
Ellwood City (part)	312	87	7	(4)	5
Ellwood City (total)	331	93	8	24.2	6
New Castle	1,078	532	38	35.3	29
Balance of county	813	403	28	34.4	13
Lebanon	1,714	801	63	36.8	33
Lebanon	731	357	28	38.3	13
Balance of county	983	444	35	35.6	20
Lehigh	3,430	2,022	124	36.2	89
Allentown	1,800	1,225	72	40.0	52
Bethlehem (part)	369	125	8	(4)	8
Balance of county	1,261	672	44	34.9	29
Luzerne	7,032	4,483	287	40.8	195
Hanover (twp.) [2]	71	47	1	14.1	2
Hazleton	635	387	36	56.7	9
Kingston	360	226	15	41.7	7
Nanticoke	358	265	19	53.1	9
Pittston	398	209	10	25.1	9
Plains (twp.) [2]	205	86	9	43.9	7
Plymouth	279	167	12	43.0	6
Wilkes-Barre	1,411	1,018	68	48.2	44
Balance of county	3,315	2,078	117	35.3	102
Lycoming	1,953	1,173	74	37.9	44
Williamsport	1,019	571	36	35.3	18
Balance of county	934	602	38	40.7	26
McKean	1,198	582	50	41.7	27
Bradford	403	195	14	34.7	10
Balance of county	795	387	36	45.3	17
Mercer	2,341	1,155	70	29.9	55
Farrell	299	119	5	16.7	5
White	257	96	5	19.5	3
Nonwhite	42	23	-	0	2
Sharon	655	266	20	30.5	17
Balance of county	1,387	770	45	32.4	33
Mifflin	991	425	51	51.5	45
Lewistown	337	174	20	59.3	16
Balance of county	654	251	31	47.4	29
Monroe	483	354	21	43.5	12
Montgomery	5,925	3,244	188	31.7	108
Abington (twp.) [2]	368	148	10	27.2	8
Cheltenham (twp.) [2]	228	162	4	17.5	3
Conshohocken	261	115	10	38.3	11
Lower Merion (twp.) [2]	706	333	14	19.8	2
Norristown	811	783	39	48.1	5
Pottstown	407	216	20	49.1	14
Balance of county	3,144	1,487	91	28.9	65
Montour	229	312	12	52.4	9
Northampton	3,473	1,835	119	34.3	65
Bethlehem (part)	1,014	454	35	(4)	17
Bethlehem (total)	1,383	579	43	31.1	25
Easton	793	494	28	35.3	15
Balance of county	1,666	887	56	33.6	33
Northumberland	2,219	1,328	87	39.2	52
Mount Carmel	292	157	6	20.5	3
Shamokin	553	250	23	41.6	10
Sunbury	265	195	9	34.0	10
Balance of county	1,109	726	49	44.2	29
Perry	442	273	22	49.8	16
Philadelphia, coextensive with Philadelphia (city)	37,645	24,512	1,347	35.8	803
White	31,759	20,665	980	30.9	621
Nonwhite	5,886	3,847	367	62.4	182
Pike	81	83	1	12.3	3
Potter	344	235	13	37.8	6
Schuylkill	3,589	2,557	161	44.9	106
Mahanoy City	179	150	7	39.1	1
Pottsville	387	341	19	49.1	16
Shenandoah	287	236	9	31.4	10
Tamaqua	206	166	9	43.7	5
Balance of county	2,530	1,664	117	46.2	74
Snyder	451	249	14	31.0	10
Somerset	1,642	799	50	30.5	31
Sullivan	119	86	7	58.8	-
Susquehanna	555	381	17	30.6	12
Tioga	769	417	33	42.9	13
Union	373	231	22	59.0	8
Venango	1,187	798	43	36.2	26
Oil City	430	229	17	39.5	5
Balance of county	757	569	26	34.3	21
Warren	791	758	33	41.7	21
Warren	323	163	13	40.2	9
Balance of county	468	595	20	42.7	12
Washington	4,399	1,952	179	40.7	131
Canonsburg	310	106	9	29.0	6
Charleroi	219	102	9	41.1	6
Donora	301	135	12	39.9	12
Washington	684	323	22	32.2	18
Balance of county	2,885	1,286	127	44.0	89
Wayne	463	418	19	41.0	8
Westmoreland	6,376	2,959	254	39.8	182
Arnold	169	54	2	11.8	4
Greensburg	449	239	26	57.9	8
Jeannette	343	148	10	29.2	6
Latrobe	274	126	11	40.1	4
Monessen	392	173	17	43.4	8
New Kensington	637	230	16	25.1	27
Vandergrift	199	87	6	30.2	5
Balance of county	3,913	1,902	166	42.4	120
Wyoming	315	199	18	57.1	10
York	3,740	1,941	165	44.1	90
Hanover	295	192	13	44.1	8
York	1,467	772	69	47.0	37
Balance of county	1,978	977	83	42.0	45
RHODE ISLAND (total)	14,182	8,166	560	39.5	322
Bristol	542	267	16	29.5	3
Bristol (town)	255	100	5	19.6	1
Balance of county	287	167	11	38.3	2
Kent	1,222	659	50	40.9	33
Warwick	578	327	24	41.5	16
West Warwick (town)	371	205	18	48.5	10
Balance of county	273	127	8	29.3	7
Newport	1,087	560	38	35.0	25
Newport	679	383	27	39.8	15
Balance of county	408	177	11	27.0	10
Providence	10,578	6,282	429	40.6	242
Central Falls	470	222	22	46.8	8
Cranston	818	779	29	35.5	17
Cumberland (town)	167	109	9	53.9	7
East Providence (town)	691	329	32	46.3	8
Johnston (town)	204	86	7	34.3	3
Lincoln (town)	160	109	9	56.3	6
North Providence (town)	260	114	11	42.3	10
Pawtucket	1,448	833	64	44.2	32
Providence	4,926	2,915	193	39.2	118
Woonsocket	992	460	35	35.3	21
Balance of county	442	326	18	40.7	12
Washington	753	398	27	35.9	19
Westerly (town)	255	121	6	22.6	6
Balance of county	487	277	21	43.1	13
SOUTH CAROLINA (total)	48,835	18,306	2,866	58.7	1,996
Abbeville	435	188	18	41.4	10
White	206	86	8	38.8	2
Nonwhite	229	102	10	43.7	8
Aiken	1,170	495	77	65.8	43
White	685	267	38	55.5	7
Nonwhite	485	228	39	80.4	36
Allendale	371	128	21	56.6	24
White	52	24	3	57.7	2
Nonwhite	319	104	18	56.4	22
Anderson	1,994	645	73	36.6	69
Anderson	668	251	20	29.9	16
White	548	170	13	23.7	12
Nonwhite	120	81	7	58.3	4
Balance of county	1,326	394	53	40.0	53
White	907	243	29	32.0	32
Nonwhite	419	151	24	57.3	21
Bamberg	429	187	27	62.9	29
White	136	56	6	44.1	4
Nonwhite	293	131	21	71.7	25

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Barnwell	467	154	20	42.8	27
White	108	51	5	46.3	6
Nonwhite	359	103	15	41.8	21
Beaufort	622	319	39	62.7	31
White	174	67	5	28.7	-
Nonwhite	448	252	34	75.9	31
Berkeley	710	251	54	76.1	55
White	205	70	18	87.8	10
Nonwhite	505	181	36	71.3	45
Calhoun	461	169	34	73.8	32
White	75	37	5	66.7	4
Nonwhite	386	132	29	75.1	28
Charleston	4,380	1,677	232	53.0	180
Charleston	2,413	1,022	119	49.3	93
White	1,303	428	31	23.8	30
Nonwhite	1,110	594	88	79.3	63
Balance of county	1,967	655	113	57.4	87
White	905	187	27	29.8	26
Nonwhite	1,062	468	86	81.0	61
Cherokee	755	253	49	64.9	28
White	583	166	38	65.2	15
Nonwhite	172	87	11	64.0	13
Chester	809	284	32	39.6	37
White	443	135	17	38.4	14
Nonwhite	366	149	15	41.0	23
Chesterfield	904	229	47	52.0	33
White	468	103	11	23.5	13
Nonwhite	436	126	36	82.6	20
Clarendon	688	356	72	104.7	28
White	189	68	8	42.3	1
Nonwhite	499	288	64	128.3	27
Colleton	646	226	30	46.4	45
White	239	58	2	8.4	11
Nonwhite	408	168	28	68.6	34
Darlington	1,287	467	67	52.1	57
White	601	189	20	33.3	15
Nonwhite	686	278	47	68.5	42
Dillon	789	231	52	65.9	33
White	381	86	15	39.4	7
Nonwhite	408	145	37	90.7	26
Dorchester	566	233	40	70.7	29
White	231	88	12	51.9	12
Nonwhite	335	145	28	83.6	17
Edgefield	468	164	22	47.0	20
White	131	55	4	30.5	8
Nonwhite	337	109	18	53.4	12
Fairfield	636	225	32	50.3	16
White	196	71	11	56.1	-
Nonwhite	440	154	21	47.7	16
Florence	1,680	699	142	84.5	84
Florence	494	280	62	125.5	25
White	284	135	22	77.5	6
Nonwhite	210	145	40	190.5	19
Balance of county	1,186	419	80	67.5	59
White	539	183	29	53.8	12
Nonwhite	647	236	51	78.8	47
Georgetown	839	280	55	65.6	40
White	318	80	10	31.4	13
Nonwhite	521	200	45	86.4	27
Greenville	3,241	1,172	147	45.4	94
Greenville	1,107	469	58	52.4	39
White	776	266	34	43.8	16
Nonwhite	331	203	24	72.5	23
Balance of county	2,134	703	89	41.7	55
White	1,700	539	62	36.5	37
Nonwhite	434	164	27	62.2	18
Greenwood	889	354	44	49.5	29
Greenwood	365	167	19	52.1	11
White	294	102	14	47.6	7
Nonwhite	71	65	5	70.4	4
Balance of county	524	187	25	47.7	18
White	278	100	18	64.7	6
Nonwhite	246	87	7	28.5	12
Hampton	449	187	34	75.7	24
White	151	62	6	39.7	1
Nonwhite	298	125	28	94.0	23
Horry	1,449	410	91	62.8	60
White	982	254	45	45.8	26
Nonwhite	467	156	46	98.5	34
Jasper	316	136	27	85.4	13
White	97	37	7	72.2	1
Nonwhite	219	99	20	91.3	12
Kershaw	866	275	37	42.7	26
White	369	116	16	43.4	8
Nonwhite	497	159	21	42.3	18
Lancaster	782	253	50	63.9	26
White	517	141	29	56.1	14
Nonwhite	265	112	21	79.2	12
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Laurens	787	315	46	58.4	24
White	472	153	20	42.4	12
Nonwhite	315	162	26	82.5	12
Lee	659	199	43	65.3	37
White	155	53	6	38.7	4
Nonwhite	504	146	37	73.4	33
Lexington	939	391	57	60.7	43
White	690	255	39	56.5	26
Nonwhite	249	136	18	72.3	17
McCormick	324	134	18	55.6	14
White	59	37	2	33.9	2
Nonwhite	265	97	16	60.4	12
Marion	781	252	36	49.2	40
White	338	106	12	35.5	12
Nonwhite	393	146	24	61.1	28
Marlboro	905	328	77	85.1	41
White	348	127	31	89.1	10
Nonwhite	557	201	46	82.6	31
Newberry	756	265	44	58.2	22
White	399	134	15	37.6	9
Nonwhite	357	131	29	81.2	13
Oconee	816	258	36	44.1	25
White	705	185	29	41.1	20
Nonwhite	111	73	7	63.1	5
Orangeburg	1,883	703	128	68.0	128
Orangeburg	386	162	22	57.0	26
White	222	59	8	36.0	9
Nonwhite	164	103	14	85.4	17
Balance of county	1,497	541	106	70.8	102
White	331	165	11	33.2	13
Nonwhite	1,166	376	95	81.5	89
Pickens	862	245	41	47.6	22
White	756	203	35	46.3	15
Nonwhite	106	42	6	56.6	7
Richland	3,009	1,561	177	58.8	82
Columbia	2,087	938	125	59.9	54
White	1,491	583	66	44.3	31
Nonwhite	596	355	59	99.0	23
Balance of county	922	623	52	56.4	28
White	382	234	16	41.9	9
Nonwhite	540	389	36	66.7	19
Saluda	293	110	18	61.4	13
White	135	54	5	37.0	4
Nonwhite	158	56	13	82.3	9
Spartanburg	2,970	1,177	164	55.2	94
Spartanburg	957	459	63	65.8	35
White	683	248	38	55.6	19
Nonwhite	274	211	25	91.2	16
Balance of county	2,013	718	101	50.2	59
White	1,565	525	72	46.0	39
Nonwhite	448	193	29	64.7	20
Sumter	1,432	617	107	74.7	55
Sumter	407	214	34	83.5	18
White	260	98	17	65.4	7
Nonwhite	147	116	17	115.6	11
Balance of county	1,025	403	73	71.2	37
White	163	68	3	18.4	2
Nonwhite	862	335	70	81.2	35
Union	736	245	49	66.6	23
White	449	146	30	66.8	9
Nonwhite	287	99	19	66.2	14
Williamsburg	1,195	407	81	67.8	80
White	308	120	16	51.9	16
Nonwhite	887	287	65	73.3	64
York	1,440	452	79	54.9	31
Rock Hill	477	165	30	62.9	4
White	406	103	22	54.2	2
Nonwhite	71	62	8	112.7	2
Balance of county	963	287	49	50.9	27
White	478	142	21	43.9	9
Nonwhite	485	145	28	57.7	18
SOUTH DAKOTA (total)	12,424	5,432	474	38.2	248
Armstrong	3	-	-	0	-
White	2	—	-	0	-
Nonwhite	1	—	-	0	-
Aurora	94	42	2	21.3	2
Beadle	346	182	13	37.6	6
Huron	212	119	11	51.9	4
Balance of county	134	63	2	14.9	2
Bennett	83	25	2	24.1	3
White	53	—	-	0	1
Nonwhite	30	—	2	66.7	2
Bon Homme	158	79	6	38.0	5
Brookings	293	116	5	17.1	9
Brown	589	213	23	39.0	10
Aberdeen	345	150	18	52.2	8
Balance of county	244	63	5	20.5	2
Brule	115	52	5	43.5	2

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Buffalo	54	10	1	18.5	-
White	25	—	-	0	-
Nonwhite	29	—	1	34.5	-
Butte	165	85	13	78.8	6
Campbell	92	35	3	32.6	1
Charles Mix	241	91	8	33.2	2
White	198	—	7	35.4	1
Nonwhite	43	—	1	23.3	1
Clark	157	88	10	63.7	5
Clay	164	77	5	30.5	-
Codington	401	142	9	22.4	6
Watertown	234	105	7	29.9	4
Balance of county	167	37	2	12.0	2
Corson	152	49	4	26.3	1
White	90	—	-	0	-
Nonwhite	62	—	4	64.5	1
Custer	99	50	2	20.2	1
Davison	264	158	15	56.8	6
Mitchell	193	139	15	77.7	5
Balance of county	71	19	-	0	1
Day	258	117	11	42.6	11
Deuel	152	59	4	26.3	5
Dewey	165	47	6	36.4	4
White	93	—	3	32.3	3
Nonwhite	72	—	3	41.7	1
Douglas	154	42	1	6.5	4
Edmunds	132	68	8	60.6	3
Fall River	155	98	11	71.0	2
Faulk	83	33	1	12.0	2
Grant	194	82	4	20.6	5
Gregory	173	67	4	23.1	6
Haakon	72	41	5	69.4	1
Hamlin	131	80	8	61.1	1
Hand	144	53	5	34.7	4
Hanson	119	36	2	16.8	1
Harding	38	13	-	0	2
Hughes	131	58	4	30.5	2
Hutchinson	210	73	8	38.1	5
Hyde	58	22	-	0	1
Jackson	30	21	4	133.3	-
Jerauld	64	18	-	0	-
Jones	56	23	5	89.3	-
Kingsbury	197	84	2	10.2	5
Lake	209	108	7	33.5	3
Lawrence	377	194	19	50.4	17
Lincoln	181	95	5	27.6	3
Lyman	82	47	2	24.4	4
McCook	174	63	3	17.2	2
McPherson	159	73	15	94.3	2
Marshall	211	74	10	47.4	1
Meade	244	72	11	45.1	2
Mellette	93	32	4	43.0	4
White	51	—	-	0	3
Nonwhite	42	—	4	95.2	1
Miner	127	56	5	39.4	3
Minnehaha	1,328	491	40	30.1	25
Sioux Falls	1,002	345	29	28.9	20
Balance of county	326	146	11	33.7	5
Moody	160	69	2	12.5	-
Pennington	501	185	17	33.9	7
Rapid City	353	143	16	45.3	6
Balance of county	148	42	1	6.8	1
Perkins	117	49	3	25.6	2
Potter	89	34	4	44.9	2
Roberts	352	140	18	51.1	10
Sanborn	96	44	3	31.3	3
Shannon	167	66	13	77.8	4
White	20	—	2	100.0	-
Nonwhite	147	—	11	74.8	4
Spink	179	158	11	61.5	3
Stanley	29	17	1	34.5	-
Sully	43	12	1	23.3	1
Todd	145	73	15	103.4	1
White	35	—	1	28.6	-
Nonwhite	110	—	14	127.3	1
Tripp	194	62	8	41.2	7
Turner	221	90	5	22.6	5
Union	215	82	5	23.3	2
Walworth	118	59	7	59.3	2
Washabaugh	36	26	4	111.1	1
White	13	—	-	0	1
Nonwhite	23	—	4	173.9	-
Washington	44	25	3	68.2	-
White	3	—	-	0	-
Nonwhite	41	—	3	73.2	-
Yankton	276	267	7	25.4	3
Ziebach	71	40	7	98.6	-
White	48	—	4	83.3	-
Nonwhite	23	—	3	130.4	-

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
TENNESSEE (total)	65,147	27,017	3,020	46.4	1.460
Anderson	599	156	33	55.1	3
Bedford	482	219	22	45.6	17
White	433	172	19	43.9	15
Nonwhite	49	47	3	61.2	2
Benton	242	104	11	45.5	5
Bledsoe	223	66	5	22.4	6
Blount	1,364	312	59	43.3	16
Bradley	851	245	36	42.3	18
Cleveland	362	117	13	35.9	8
White	317	99	11	34.7	7
Nonwhite	45	18	2	44.4	1
Balance of county	489	128	23	47.0	10
Campbell	854	211	46	53.9	18
Cannon	234	80	19	81.2	1
Carroll	514	236	28	54.5	13
White	465	205	25	53.8	12
Nonwhite	49	31	3	61.2	1
Carter	1,003	259	54	53.8	21
Cheatham	164	67	4	24.4	7
Chester	200	92	15	75.0	4
White	181	79	14	77.3	4
Nonwhite	19	13	1	52.6	-
Claiborne	555	177	30	54.1	12
Clay	208	72	10	48.1	4
Cocke	571	199	34	59.5	19
Coffee	522	182	33	63.2	9
Crockett	375	130	11	29.3	9
White	260	93	6	23.1	6
Nonwhite	115	37	5	43.5	3
Cumberland	434	85	14	32.3	3
Davidson	5,474	3,039	245	44.8	122
Nashville	4,316	2,148	181	41.9	93
White	3,431	1,333	130	37.9	61
Nonwhite	885	815	51	57.6	32
Balance of county	1,158	891	64	55.3	29
White	1,041	713	52	50.0	23
Nonwhite	117	178	12	102.6	6
Decatur	193	76	8	41.5	3
De Kalb	287	130	16	55.7	6
Dickson	379	139	11	29.0	6
Dyer	697	326	38	54.5	16
Dyersburg	185	109	11	59.5	4
White	147	73	8	54.4	3
Nonwhite	38	36	3	78.9	1
Balance of county	512	217	27	52.7	12
Fayette	797	233	26	32.6	17
White	198	69	10	50.5	3
Nonwhite	599	164	16	26.7	14
Fentress	341	39	2	5.9	10
Franklin	488	212	25	51.2	7
White	459	184	21	45.8	7
Nonwhite	29	28	4	137.9	-
Gibson	879	429	47	53.5	23
White	719	311	33	45.9	17
Nonwhite	160	118	14	87.5	6
Giles	523	238	25	47.8	8
White	400	168	20	50.0	4
Nonwhite	123	70	5	40.7	4
Grainger	277	105	9	32.5	1
Greene	839	332	53	63.2	21
Grundy	325	101	18	55.4	9
Hamblen	513	200	34	66.3	26
Hamilton	4,473	2,068	228	51.0	118
Chattanooga	3,374	1,580	163	48.3	89
White	2,577	898	105	40.7	50
Nonwhite	797	682	58	72.8	39
Balance of county	1,099	488	65	59.1	29
Hancock	228	44	6	26.3	3
Hardeman	444	440	23	51.8	10
White	294	246	14	47.6	8
Nonwhite	150	194	9	60.0	2
Hardin	350	105	8	22.9	9
Hawkins	643	202	21	32.7	11
Haywood	654	250	39	59.6	7
White	235	99	16	68.1	1
Nonwhite	419	151	23	54.9	6
Henderson	366	133	13	35.5	8
Henry	446	271	21	47.1	11
White	390	225	16	41.0	11
Nonwhite	56	46	5	89.3	-
Hickman	324	110	13	40.1	10
Houston	148	56	6	40.5	2
Humphreys	241	108	12	49.8	7
Jackson	264	68	4	15.2	4
Jefferson	508	182	27	53.1	10
Johnson	312	94	12	38.5	7
Knox	4,074	1,777	215	52.8	90
Knoxville	2,609	1,119	139	53.3	59
White	2,331	891	127	54.5	51
Nonwhite	278	228	12	43.2	8
Balance of county	1,465	658	76	51.9	31

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
TENNESSEE—Continued					
Lake	289	112	25	86.5	8
White	233	75	19	81.5	4
Nonwhite	56	37	6	107.1	4
Lauderdale	634	234	33	52.1	19
White	395	123	16	40.5	10
Nonwhite	239	111	17	71.1	9
Lawrence	690	220	28	40.6	6
Lewis	114	51	3	26.3	3
Lincoln	545	247	26	47.7	9
White	454	184	19	41.9	7
Nonwhite	91	63	7	76.9	2
Loudon	531	157	16	30.1	11
McMinn	730	229	31	42.5	10
McNairy	442	161	17	38.5	8
Macon	236	122	15	63.6	15
Madison	1,177	568	55	46.7	38
Jackson	519	320	25	48.2	20
White	361	173	16	44.3	9
Nonwhite	158	147	9	57.0	11
Balance of county	658	248	30	45.6	18
White	365	148	12	32.9	8
Nonwhite	293	100	18	61.4	10
Marion	533	177	35	65.7	8
Marshall	332	174	15	45.2	5
White	283	143	11	38.9	2
Nonwhite	49	31	4	81.6	3
Maury	846	414	37	43.7	18
Columbia	231	144	10	43.3	7
White	188	89	8	42.6	4
Nonwhite	43	55	2	46.5	3
Balance of county	615	270	27	43.9	11
White	473	167	20	42.3	6
Nonwhite	142	103	7	49.3	5
Meigs	136	41	7	51.5	1
Monroe	699	189	31	44.3	12
Montgomery	602	369	43	71.4	12
Clarksville	229	157	15	65.5	9
White	153	70	8	52.3	5
Nonwhite	76	87	7	92.1	4
Balance of county	373	212	28	75.1	3
White	263	146	15	57.0	2
Nonwhite	110	66	13	118.2	1
Moore	65	21	-	0	1
Morgan	312	62	4	12.8	7
Obion	525	297	31	59.0	9
White	491	239	29	59.1	8
Nonwhite	34	58	2	58.8	1
Overton	357	63	5	14.0	4
Perry	145	53	1	6.9	3
Pickett	112	17	1	8.9	2
Polk	377	102	21	55.7	11
Putnam	551	168	17	30.9	22
Rhea	418	131	12	28.7	10
Roane	749	223	36	48.1	10
Robertson	480	277	21	43.8	11
White	394	225	16	40.6	6
Nonwhite	86	52	5	58.1	5
Rutherford	697	323	18	25.8	16
White	563	239	15	26.6	10
Nonwhite	134	84	3	22.4	6
Scott	402	79	20	49.8	1
Sequatchie	148	28	6	40.5	5
Sevier	587	188	44	75.0	22
Shelby	7,783	3,969	367	47.2	194
Memphis	6,158	3,189	294	47.7	153
White	3,710	1,569	138	37.2	75
Nonwhite	2,448	1,620	156	63.7	78
Balance of county	1,625	780	73	44.9	41
White	709	322	28	39.5	14
Nonwhite	916	458	45	49.1	27
Smith	276	115	9	32.6	6
Stewart	238	129	13	54.6	7
Sullivan	1,813	508	66	36.4	41
Bristol [7]	369	130	15	40.7	13
Kingsport	639	110	16	25.0	8
Balance of county	805	268	35	43.5	20
Sumner	641	280	34	53.0	9
White	575	234	30	52.2	9
Nonwhite	66	46	4	60.6	-
Tipton	774	240	33	42.6	13
White	485	128	22	45.4	4
Nonwhite	289	112	11	38.1	9
Trousdale	115	44	6	52.2	5
White	98	35	5	51.0	3
Nonwhite	17	9	1	58.8	2
Unicoi	369	107	12	32.5	12
Union	129	64	8	62.0	3
Van Buren	81	24	5	61.7	3
Section B (Counties)—Continued					
TENNESSEE—Continued					
Warren	414	211	18	43.5	14
Washington	1,161	428	48	41.3	31
Johnson City	541	186	22	40.7	18
White	498	153	19	38.2	15
Nonwhite	43	33	3	69.8	3
Balance of county	620	242	26	41.9	13
Wayne	306	82	7	22.9	5
Weakley	422	275	21	49.8	12
White	338	158	13	38.5	9
Williamson	489	240	19	38.9	6
White	400	159	18	45.0	4
Nonwhite	89	81	1	11.2	2
Wilson	455	247	18	39.6	6
White	367	192	12	32.7	5
Nonwhite	88	55	6	68.2	1
TEXAS (total)	144,742	59,315	7,760	53.6	3,684
Anderson	653	305	35	53.6	17
Palestine	240	133	15	62.5	4
White	172	87	10	58.1	3
Nonwhite	68	46	5	73.5	1
Balance of county	413	172	20	48.4	13
White	288	103	16	55.6	3
Nonwhite	125	69	4	32.0	10
Andrews	25	5	1	40.0	-
Angelina	637	282	30	47.1	18
White	561	217	26	46.3	13
Nonwhite	76	65	4	52.6	5
Aransas	80	31	2	25.0	-
Archer	132	22	-	0	1
Armstrong	41	13	2	48.8	1
Atascosa	493	178	44	89.2	9
Austin	302	162	13	43.0	10
White	206	116	6	29.1	5
Nonwhite	96	46	7	72.9	5
Bailey	136	27	7	51.5	4
Bandera	48	28	2	41.7	2
Bastrop	463	274	32	69.1	21
White	299	180	23	76.9	13
Nonwhite	164	94	9	54.9	8
Baylor	153	75	12	78.4	5
Bee	358	144	27	75.4	7
Bell	891	474	46	51.6	21
Temple	334	169	15	44.9	7
White	290	123	10	34.5	5
Nonwhite	44	46	5	113.6	2
Balance of county	557	305	31	55.7	14
Bexar	10,266	4,268	626	61.0	256
San Antonio	9,058	3,452	534	59.0	224
White	8,515	3,097	494	58.0	208
Nonwhite	543	355	40	73.7	16
Balance of county	1,208	816	92	76.2	32
Blanco	86	43	8	93.0	-
Borden	13	1	-	0	-
Bosque	252	122	9	35.7	1
Bowie	1,435	532	59	41.1	60
Texarkana [8]	487	248	13	26.7	23
White	371	157	7	18.9	14
Nonwhite	116	91	6	51.7	9
Balance of county	948	284	46	48.5	37
White	698	166	27	38.7	29
Nonwhite	250	118	19	76.0	8
Brazoria	960	284	40	41.7	25
White	877	201	36	41.0	18
Nonwhite	83	83	4	48.2	7
Brazos	611	239	33	54.0	21
Bryan	316	117	12	38.0	14
White	217	67	7	32.3	7
Nonwhite	99	50	5	50.5	7
Balance of county	295	122	21	71.2	7
White	168	64	10	59.5	2
Nonwhite	127	58	11	86.6	5
Brewster	180	66	15	83.3	5
Briscoe	96	18	1	10.4	1
Brooks	213	64	14	65.7	4
Brown	797	279	38	47.7	13
Brownwood	553	164	32	57.9	11
Balance of county	244	115	6	24.6	2
Burleson	311	147	21	67.5	16
White	169	73	5	29.6	4
Nonwhite	142	74	16	112.7	12
Burnet	177	89	6	33.9	6
Caldwell	472	268	43	91.1	17
White	426	228	38	89.2	11
Nonwhite	46	40	5	108.7	6
Calhoun	183	60	5	27.3	3
Callahan	168	101	5	29.8	8

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
TEXAS—Continued					
Cameron	2,619	900	285	108.8	66
Brownsville	776	292	79	101.8	34
Harlingen	294	146	39	132.7	3
Balance of county	1,549	462	167	107.8	29
Camp	183	100	10	54.6	5
White	125	60	8	64.0	3
Nonwhite	58	40	2	34.5	2
Carson	139	33	-	0	2
Cass	754	233	23	30.5	20
White	490	145	14	28.6	12
Nonwhite	264	88	9	34.1	8
Castro	101	21	7	69.3	3
Chambers	120	50	6	50.0	1
White	96	34	6	62.5	1
Nonwhite	24	16	-	0	-
Cherokee	722	543	30	41.6	21
White	522	312	15	28.7	13
Nonwhite	200	231	15	75.0	8
Childress	266	89	9	33.8	1
Clay	205	79	5	24.4	9
Cochran	122	26	7	57.4	3
Coke	65	26	-	0	3
Coleman	423	176	17	40.2	15
Collin	786	384	26	33.1	20
Collingsworth	196	62	6	30.6	8
Colorado	242	145	12	49.6	2
White	155	82	8	51.6	2
Nonwhite	87	63	4	46.0	-
Comal	285	138	14	49.1	6
Comanche	274	176	7	25.5	4
Concho	102	46	9	88.2	1
Cooke	480	168	17	35.4	14
Coryell	282	147	13	46.1	6
Cottle	183	52	11	60.1	6
Crane	54	10	2	37.0	1
Crockett	80	13	3	37.5	2
Crosby	173	64	7	40.5	8
Culberson	34	7	1	29.4	-
Dallam	156	53	3	19.2	1
Dallas	9,222	3,887	338	36.7	206
Dallas	6,634	2,984	247	37.2	145
White	5,523	2,237	176	31.9	92
Nonwhite	1,111	747	71	63.9	53
Highland Park	113	80	1	8.8	3
White	108	76	1	9.3	2
Nonwhite	5	4	-	0	1
University Park	296	89	5	16.9	6
Balance of county	2,179	734	85	39.0	52
White	1,936	593	70	36.2	43
Nonwhite	243	141	15	61.7	9
Dawson	448	102	21	46.9	10
Deaf Smith	122	27	4	32.8	5
Delta	217	94	8	36.9	3
Denton	544	292	28	51.5	11
Denton	210	107	8	38.1	3
White	193	94	5	25.9	2
Nonwhite	17	13	3	176.5	1
Balance of county	334	185	20	59.9	8
De Witt	516	269	36	69.8	11
White	444	207	32	72.1	9
Nonwhite	72	62	4	55.6	2
Dickens	197	57	7	35.5	4
Dimmit	290	113	35	120.7	10
Donley	142	50	5	35.2	1
Duval	531	171	48	90.4	10
Eastland	489	267	20	40.9	12
Ector	393	95	19	48.3	8
Edwards	65	26	5	76.9	4
Ellis	726	493	53	73.0	23
White	592	352	33	55.7	11
Nonwhite	134	141	20	149.3	12
El Paso	4,460	1,555	284	63.7	98
El Paso	3,418	1,160	198	57.9	76
Balance of county	1,042	395	86	82.5	22
Erath	317	157	18	56.8	3
Falls	583	319	42	72.0	15
White	382	166	18	47.1	6
Nonwhite	201	153	24	119.4	9
Fannin	630	390	30	47.6	25
White	583	330	24	41.2	19
Nonwhite	47	60	6	127.7	6
Fayette	498	261	28	56.2	10
White	385	191	17	44.2	5
Nonwhite	113	70	11	97.3	5
Fisher	235	77	11	46.8	7
Floyd	163	64	5	30.7	3
Foard	105	42	8	76.2	4
Fort Bend	613	311	57	93.0	17
White	465	186	42	90.3	9
Nonwhite	148	125	15	101.4	8
Section B (Counties)—Continued					
TEXAS—Continued					
Franklin	126	64	10	79.4	3
Freestone	376	170	10	26.6	5
White	187	99	4	21.4	1
Nonwhite	189	71	6	31.7	4
Frio	329	128	37	112.5	10
Gaines	151	31	2	13.2	9
Galveston	2,152	897	93	43.2	34
Galveston	1,516	725	72	47.5	26
White	1,206	492	51	42.3	17
Nonwhite	310	233	21	67.7	9
Balance of county	636	172	21	33.0	8
White	588	138	18	30.6	8
Nonwhite	48	34	3	62.5	-
Garza	116	44	8	69.0	3
Gillespie	213	87	5	23.5	4
Glasscock	7	3	-	0	-
Goliad	162	84	18	111.1	7
White	144	72	16	111.1	7
Nonwhite	18	12	2	111.1	-
Gonzales	544	264	32	58.8	14
White	436	204	23	52.8	13
Nonwhite	108	60	9	83.3	1
Gray	502	151	16	31.9	12
Pampa	389	105	14	36.0	7
Balance of county	113	46	2	17.7	5
Grayson	1,377	691	57	41.4	48
Denison	374	199	22	58.8	15
White	330	154	18	54.5	12
Nonwhite	44	45	4	90.9	3
Sherman	395	181	13	32.9	11
White	353	162	11	31.2	9
Nonwhite	42	19	2	47.6	2
Balance of county	608	311	22	36.2	22
Gregg	1,086	415	42	38.7	39
Longview	390	149	8	20.5	14
White	283	87	3	10.6	9
Nonwhite	107	62	5	46.7	5
Balance of county	696	266	34	48.9	25
White	572	195	23	40.2	19
Nonwhite	124	71	11	88.7	6
Grimes	308	169	16	51.9	12
White	166	91	5	30.1	8
Nonwhite	142	78	11	77.5	4
Guadalupe	508	268	37	72.8	7
White	451	218	35	77.6	7
Nonwhite	57	50	2	35.1	-
Hale	388	131	20	51.5	7
Hall	288	109	12	41.7	12
Hamilton	251	101	4	15.9	6
Hansford	59	12	-	0	1
Hardeman	217	95	8	36.9	5
Hardin	352	140	16	45.5	7
White	286	108	11	38.5	6
Nonwhite	66	32	5	75.8	1
Harris	12,989	4,900	515	39.6	304
Houston	10,706	4,194	428	40.0	261
White	8,691	2,923	314	36.1	186
Nonwhite	2,015	1,271	114	56.6	75
Balance of county	2,283	706	87	38.1	43
White	2,016	550	68	33.7	37
Nonwhite	267	156	19	71.2	6
Harrison	1,113	461	64	57.5	48
Marshall	430	188	25	58.1	16
White	276	94	12	43.5	5
Nonwhite	154	94	13	84.4	11
Balance of county	683	273	39	57.1	32
White	185	83	8	43.2	7
Nonwhite	498	190	31	62.2	25
Hartley	41	16	1	24.4	1
Haskell	232	100	18	77.6	3
Hays	294	171	27	91.8	7
Hemphill	73	30	5	68.5	3
Henderson	524	203	16	30.5	9
White	418	145	10	23.9	7
Nonwhite	106	58	6	56.6	2
Hidalgo	3,275	1,097	354	108.1	95
McAllen	486	162	55	113.2	15
Balance of county	2,789	935	299	107.2	80
Hill	587	331	24	40.9	20
White	499	274	18	36.1	13
Nonwhite	88	57	6	68.2	7
Hockley	390	85	26	66.7	9
Hood	99	70	3	30.3	4
Hopkins	518	239	26	50.2	13
White	460	212	23	50.0	13
Nonwhite	58	27	3	51.7	-
Houston	497	238	22	44.3	8
White	299	119	9	30.1	2
Nonwhite	198	119	13	65.7	6

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
TEXAS—Continued					
Howard	562	201	35	62.3	7
Big Spring	440	128	29	65.9	6
Balance of county	122	73	6	49.2	1
Hudspeth	70	14	3	42.9	2
Hunt	791	417	41	51.8	21
Greenville	270	148	12	44.4	10
White	221	122	8	36.2	5
Nonwhite	49	26	4	81.6	5
Balance of county	521	269	29	55.7	11
White	455	233	26	57.1	9
Nonwhite	66	36	3	45.5	2
Hutchinson	526	97	14	26.6	12
Borger	336	78	13	38.7	8
Balance of county	190	19	1	5.3	4
Irion	55	18	6	109.1	-
Jack	174	90	6	34.5	1
Jackson	306	82	15	49.0	4
White	280	63	11	39.3	3
Nonwhite	26	19	4	153.8	1
Jasper	391	145	12	30.7	5
White	267	110	8	30.0	3
Nonwhite	124	35	4	32.3	2
Jeff Davis	60	18	3	50.0	-
Jefferson	3,828	1,255	153	40.0	100
Beaumont	1,709	654	66	38.6	53
White	1,247	397	42	33.7	28
Nonwhite	462	257	24	51.9	25
Port Arthur	1,383	382	57	41.2	26
White	1,184	284	51	43.1	18
Nonwhite	199	98	6	30.2	8
Balance of county	736	219	30	40.8	21
White	592	154	20	33.8	18
Nonwhite	144	65	10	69.4	3
Jim Hogg	171	68	18	105.3	2
Jim Wells	538	171	34	63.2	5
Johnson	509	300	14	27.5	14
Cleburne	219	129	6	27.4	5
Balance of county	290	171	8	27.6	9
Jones	516	206	23	44.6	12
Karnes	404	211	33	81.7	9
Kaufman	624	416	27	43.3	19
Terrell	156	205	11	70.5	8
White	94	170	4	42.6	4
Nonwhite	62	35	7	112.9	4
Balance of county	468	211	16	34.2	11
White	316	146	9	28.5	4
Nonwhite	152	65	7	46.1	7
Kendall	111	54	3	27.0	-
Kenedy	21	2	1	47.6	-
Kent	75	20	3	40.0	1
Kerr	212	131	15	70.8	4
Kimble	93	38	6	64.5	2
King	10	7	1	100.0	-
Kinney	118	40	9	76.3	2
Kleberg	417	139	40	95.9	4
Knox	238	74	13	54.6	3
Lamar	991	471	39	39.4	27
Paris	428	258	21	49.1	10
White	384	191	15	39.1	7
Nonwhite	44	67	6	136.4	3
Balance of county	563	213	18	32.0	17
White	458	168	13	28.4	10
Nonwhite	105	45	5	47.6	7
Lamb	391	102	24	61.4	7
Lampasas	212	88	10	47.2	6
La Salle	240	98	28	116.7	8
Lavaca	505	236	26	51.5	11
White	431	194	23	53.4	8
Nonwhite	74	42	3	40.5	3
Lee	218	97	12	55.0	5
White	152	62	9	59.2	2
Nonwhite	66	35	3	45.5	3
Leon	293	120	11	37.5	8
White	155	70	6	38.7	2
Nonwhite	138	50	5	36.2	6
Liberty	498	199	26	52.2	16
White	365	150	18	49.3	11
Nonwhite	133	49	8	60.2	5
Limestone	455	262	20	44.0	19
White	310	165	8	25.8	10
Nonwhite	145	97	12	82.8	9
Lipscomb	98	28	-	0	-
Live Oak	187	61	12	64.2	7
Llano	93	40	4	43.0	2
Loving	4	-	-	0	-
Lubbock	1,415	387	68	48.1	25
Lubbock	1,015	248	51	50.2	20
Balance of county	400	139	17	42.5	5

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
TEXAS—Continued					
Lynn	268	77	20	74.6	5
McCulloch	323	119	11	34.1	11
McLennan	2,008	1,096	106	52.8	87
Waco	1,280	661	65	50.8	57
White	1,035	453	45	43.5	26
Nonwhite	245	208	20	81.6	31
Balance of county	728	435	41	56.3	30
White	563	327	24	42.6	19
Nonwhite	165	108	17	103.0	11
McMullen	22	5	1	45.5	-
Madison	202	79	11	54.5	4
White	100	58	4	40.0	2
Nonwhite	102	21	7	68.6	2
Marion	231	105	14	60.6	6
White	104	36	4	38.5	1
Nonwhite	127	69	10	78.7	5
Martin	120	32	7	58.3	4
Mason	98	55	7	71.4	2
Matagorda	515	182	30	58.3	11
White	415	142	27	65.1	7
Nonwhite	100	40	3	30.0	4
Maverick	325	137	45	138.5	10
Medina	436	177	35	80.3	10
Menard	101	29	1	9.9	2
Midland	352	123	27	76.7	3
Milam	501	301	26	51.9	13
White	343	215	18	52.5	7
Nonwhite	158	86	8	50.6	6
Mills	117	67	3	25.6	3
Mitchell	264	112	12	45.5	4
Montague	332	172	11	33.1	4
Montgomery	388	194	28	72.2	20
White	281	111	23	81.9	13
Nonwhite	107	83	5	46.7	7
Moore	187	35	4	21.4	6
Morris	130	70	3	23.1	4
White	91	44	3	33.0	3
Nonwhite	39	26	-	0	1
Motley	104	36	4	38.5	4
Nacogdoches	551	212	16	29.0	16
White	389	138	10	25.7	7
Nonwhite	162	74	6	37.0	9
Navarro	757	458	51	67.4	28
Corsicana	274	208	24	87.6	13
White	238	139	18	75.6	8
Nonwhite	36	69	6	166.7	5
Balance of county	483	250	27	55.9	15
White	358	175	14	39.1	6
Nonwhite	125	75	13	104.0	9
Newton	275	102	17	61.8	15
White	164	49	8	48.8	6
Nonwhite	111	53	9	81.1	9
Nolan	354	126	23	65.0	4
Sweetwater	216	85	18	83.3	4
Balance of county	138	41	5	36.2	-
Nueces	3,497	1,160	313	89.5	99
Corpus Christi	2,429	751	183	75.3	64
Balance of county	1,068	409	130	121.7	35
Ochiltree	93	31	2	21.5	-
Oldham	22	8	-	0	1
Orange	810	219	47	58.0	19
White	738	182	41	55.6	13
Nonwhite	72	37	6	83.3	6
Palo Pinto	488	193	18	36.9	16
Panola	287	113	7	24.4	10
White	195	48	4	20.5	8
Nonwhite	92	65	3	32.6	2
Parker	337	198	14	41.5	3
Parmer	115	26	5	43.5	2
Pecos	240	82	21	87.5	5
Polk	416	155	17	40.9	15
White	233	94	9	38.6	5
Nonwhite	183	61	8	43.7	10
Potter	1,318	419	36	27.3	38
Amarillo (part)	1,260	400	36	(4)	37
Amarillo (total)	1,265	402	36	28.5	38
Balance of county	58	19	-	0	1
Presidio	355	91	26	73.2	13
Rains	108	36	2	18.5	3
Randall	111	37	1	9.0	1
Amarillo (part)	5	2	-	(4)	1
Balance of county	106	35	1	9.4	-
Reagan	43	26	2	46.5	1
Real	45	11	1	22.2	1
Red River	570	220	18	31.6	15
White	413	157	13	31.5	11
Nonwhite	157	63	5	31.8	4
Reeves	245	85	26	106.1	6

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
TEXAS—Continued					
Refugio	210	72	16	76.2	6
White	181	65	16	88.4	6
Nonwhite	29	7	-	0	-
Roberts	17	8	1	58.8	-
Robertson	469	253	27	57.6	9
White	221	123	11	49.8	3
Nonwhite	248	130	16	64.5	6
Rockwall	109	60	9	82.6	4
White	81	48	4	49.4	2
Nonwhite	28	12	5	178.6	2
Runnels	446	168	20	44.8	14
Rusk	782	335	32	40.9	14
White	551	208	16	29.0	5
Nonwhite	231	127	16	69.3	9
Sabine	179	80	5	27.9	3
White	128	60	2	15.6	1
Nonwhite	51	20	3	58.8	2
San Augustine	234	70	9	38.5	11
White	138	40	6	43.5	6
Nonwhite	96	30	3	31.3	5
San Jacinto	138	64	6	43.5	5
White	46	22	3	65.2	2
Nonwhite	92	42	3	32.6	3
San Patricio	771	302	93	120.6	16
San Saba	195	75	5	25.6	3
Schleicher	62	20	2	32.3	-
Scurry	215	73	8	37.2	8
Shackelford	84	43	1	11.9	2
Shelby	497	220	18	36.2	15
White	371	160	13	35.0	8
Nonwhite	126	60	5	39.7	7
Sherman	43	17	1	23.3	1
Smith	1,386	541	47	33.9	28
Tyler	572	243	22	38.5	12
White	415	151	14	33.7	4
Nonwhite	157	92	8	51.0	8
Balance of county	814	298	25	30.7	16
White	460	176	10	21.7	6
Nonwhite	354	122	15	42.4	10
Somervell	34	21	2	58.8	1
Starr	475	117	26	54.7	5
Stephens	181	90	6	33.1	5
Sterling	31	7	-	0	2
Stonewall	85	28	3	35.3	2
Sutton	83	20	4	48.2	3
Swisher	123	47	5	40.7	3
Tarrant	5,081	2,327	214	42.1	119
Fort Worth	4,240	1,888	179	42.2	105
White	3,725	1,520	139	37.3	79
Nonwhite	515	368	40	77.7	26
Balance of county	841	439	35	41.6	14
Taylor	1,266	491	62	49.0	27
Abilene	916	282	46	50.2	17
Balance of county	350	209	16	45.7	10
Terrell	72	23	8	111.1	3
Terry	303	69	9	29.7	5
Throckmorton	59	34	4	67.8	2
Titus	331	128	18	54.4	9
White	290	107	15	51.7	9
Nonwhite	41	21	3	73.2	-
Tom Green	981	360	51	52.0	24
San Angelo	792	279	42	53.0	19
Balance of county	189	81	9	47.6	5
Travis	2,256	1,152	108	47.9	56
Austin	1,890	1,001	89	47.1	42
White	1,633	780	73	44.7	39
Nonwhite	257	221	16	62.3	3
Balance of county	366	151	19	51.9	14
White	267	105	13	48.7	7
Nonwhite	99	46	6	60.6	7
Trinity	156	87	12	76.9	5
White	124	56	7	56.5	2
Nonwhite	32	31	5	156.3	3
Tyler	209	77	11	52.6	10
White	164	49	7	42.7	8
Nonwhite	45	28	4	88.9	2
Upshur	459	207	18	39.2	15
White	315	132	6	19.0	9
Nonwhite	144	75	12	83.3	6
Upton	82	9	1	12.2	-
Uvalde	337	155	34	100.9	8
Val Verde	506	215	61	120.6	12
Del Rio	486	202	59	121.4	11
Balance of county	20	13	2	100.0	1
Van Zandt	509	232	21	41.3	15
Victoria	641	282	35	54.6	13
Victoria	438	184	21	47.9	9
White	401	149	19	47.4	6
Nonwhite	37	35	2	54.1	3
Balance of county	203	98	14	69.0	4
White	186	76	14	75.3	4
Nonwhite	17	22	-	0	-
Walker	285	143	12	42.1	8
White	143	63	3	21.0	-
Nonwhite	142	80	9	63.4	8
Waller	153	117	9	58.8	4
White	66	36	-	0	1
Nonwhite	87	81	9	103.4	3
Ward	256	60	11	43.0	6
Washington	432	234	15	34.7	16
White	222	126	5	22.5	10
Nonwhite	210	108	10	47.6	6
Webb	1,366	539	145	106.1	58
Laredo	1,258	507	136	108.1	53
Balance of county	108	32	9	83.3	5
Wharton	808	306	30	37.1	22
White	625	192	19	30.4	15
Nonwhite	183	114	11	60.1	7
Wheeler	294	78	7	23.8	5
Wichita	1,658	705	64	38.6	33
Wichita Falls	1,171	384	46	39.3	24
Balance of county	487	321	18	37.0	9
Wilbarger	393	152	14	35.6	11
Willacy	403	136	44	109.2	12
Williamson	773	364	42	54.3	26
White	628	264	29	46.2	19
Nonwhite	145	100	13	89.7	7
Wilson	381	142	22	57.7	6
Winkler	86	13	2	23.3	1
Wise	311	166	9	28.9	9
Wood	466	229	22	47.2	15
White	403	180	13	32.3	13
Nonwhite	63	49	9	142.9	2
Yoakum	57	5	-	0	2
Young	308	144	13	42.2	12
Zapata	94	21	5	53.2	4
Zavala	312	112	44	141.0	8
UTAH (total)	15,822	4,849	522	33.0	281
Beaver	111	35	7	63.1	2
Box Elder	510	137	13	25.5	8
Cache	748	234	26	34.8	13
Logan	338	82	12	35.5	3
Balance of county	410	152	14	34.1	10
Carbon	476	154	19	39.9	6
Daggett	10	3	-	0	-
Davis	554	126	21	37.9	6
Duchesne	191	52	11	57.6	3
Emery	169	57	10	59.2	1
Garfield	113	39	5	44.2	1
Grand	48	13	2	41.7	1
Iron	218	60	8	36.7	3
Juab	138	64	6	43.5	4
Kane	61	19	1	16.4	1
Millard	222	73	7	31.5	7
Morgan	70	19	1	14.3	-
Piute	53	12	2	37.7	-
Rich	36	7	1	27.8	1
Salt Lake	6,577	1,994	210	31.9	114
Salt Lake City	4,556	1,534	143	31.4	80
Balance of county	2,021	460	67	33.2	34
San Juan	107	28	2	18.7	2
White	101	———	2	19.8	2
Nonwhite	6	———	-	0	-
Sanpete	309	143	15	48.5	8
Sevier	271	107	9	33.2	6
Summit	253	69	8	31.6	4
Tooele	261	83	4	15.3	4
Uintah	288	103	18	62.5	8
White	222	———	10	45.0	6
Nonwhite	66	———	8	121.2	2
Utah	1,597	590	47	29.4	31
Provo	542	214	12	22.1	6
Balance of county	1,055	376	35	33.2	25
Wasatch	207	38	4	19.3	2
Washington	218	71	6	27.5	6
Wayne	61	9	1	16.4	-
Weber	1,945	510	58	29.8	39
Ogden	1,544	389	51	33.0	30
Balance of county	401	121	7	17.5	9
VERMONT (total)	7,175	4,250	299	41.7	176
Addison	326	202	12	36.8	7
Bennington	398	292	10	25.1	16
Caledonia	509	298	23	45.2	11
Chittenden	1,141	503	46	40.3	12
Burlington	619	274	36	58.2	8
Balance of county	522	229	10	19.2	4
Essex	130	71	4	30.8	5
Franklin	581	281	22	37.9	8
Grand Isle	49	32	2	40.8	2

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
VERMONT—Continued					
Lamoille	252	151	8	31.7	5
Orange	312	200	8	25.6	9
Orleans	450	263	32	71.1	18
Rutland	749	662	44	58.7	30
Rutland	330	268	17	51.5	11
Balance of county	419	394	27	64.4	19
Washington	764	523	39	51.0	17
Barre	255	110	15	58.8	5
Balance of county	509	413	24	47.2	12
Windham	567	378	18	31.7	17
Windsor	947	394	31	32.7	19
VIRGINIA[9] (total)	67,950	29,197	3,565	52.5	2,292
Accomack	530	423	49	92.5	23
White	282	236	15	53.2	11
Nonwhite	248	187	34	137.1	12
Albemarle	420	244	22	52.4	11
White	324	166	18	55.6	8
Nonwhite	96	78	4	41.7	3
Alexandria (city)	1,213	449	53	43.7	37
White	1,093	321	40	36.6	32
Nonwhite	120	128	13	108.3	5
Alleghany	480	167	20	41.7	16
Amelia	220	104	18	81.8	7
White	92	35	8	87.0	-
Nonwhite	128	69	10	78.1	7
Amherst	402	166	21	52.2	15
White	270	120	13	48.1	9
Nonwhite	132	46	8	60.6	6
Appomattox	162	86	21	129.6	9
White	103	57	11	106.8	5
Nonwhite	59	29	10	169.5	4
Arlington[10]	2,226	460	45	20.2	59
Augusta	1,011	382	55	54.4	25
Bath	132	67	13	98.5	5
White	123	55	12	97.6	5
Nonwhite	9	12	1	111.1	-
Bedford	567	306	31	54.7	27
White	435	220	15	34.5	20
Nonwhite	132	86	16	121.2	7
Bland	164	44	7	42.7	5
Botetourt	336	160	17	50.6	13
White	291	135	14	48.1	10
Nonwhite	45	25	3	66.7	3
Bristol[11] (city)	295	139	21	71.2	6
White	274	118	19	69.3	5
Nonwhite	21	21	2	95.2	1
Brunswick	498	183	29	58.2	16
White	166	57	6	36.1	1
Nonwhite	332	126	23	69.3	15
Buchanan	1,196	212	67	56.0	22
Buckingham	308	127	15	48.7	13
White	144	59	4	27.8	8
Nonwhite	164	68	11	67.1	5
Buena Vista (city)	121	46	7	57.9	2
Campbell	575	218	34	59.1	14
White	398	133	17	43.3	10
Nonwhite	182	85	17	93.4	4
Caroline	312	161	21	67.3	9
White	103	59	2	19.4	1
Nonwhite	209	102	19	90.9	8
Carroll	617	196	23	37.3	12
Charles City	122	48	7	57.4	2
White	8	9	-	0	-
Nonwhite	114	39	7	61.4	2
Charlotte	314	132	16	51.0	14
White	155	54	3	19.4	5
Nonwhite	159	78	13	81.8	9
Charlottesville (city)	463	227	32	69.1	12
White	361	158	22	60.9	9
Nonwhite	102	69	10	98.0	3
Chesterfield	590	237	20	33.9	18
White	421	155	14	33.3	11
Nonwhite	169	82	6	35.5	7
Clarke	154	58	4	26.0	4
White	121	46	3	24.8	3
Nonwhite	33	12	1	30.3	1
Clifton Forge (city)	112	82	5	44.6	5
White	99	62	2	20.2	3
Nonwhite	13	20	3	230.8	2
Craig	83	31	1	12.0	2
Culpeper	262	139	10	38.2	7
White	163	80	5	30.7	2
Nonwhite	99	59	5	50.5	5
Cumberland	191	90	26	136.1	9
White	52	37	4	76.9	2
Nonwhite	139	53	22	[illegible]	7
Section B (Counties)—Continued					
VIRGINIA[9]—Continued					
Danville (city)	714	378	46	64.4	38
White	482	221	28	58.1	23
Nonwhite	232	157	18	77.6	15
Dickenson	769	147	44	57.2	27
Dinwiddie	320	520	25	78.1	19
White	98	66	7	71.4	2
Nonwhite	222	454	18	81.1	17
Elizabeth City	779	325	48	61.6	23
White	591	195	27	45.7	16
Nonwhite	188	130	21	111.7	7
Essex	151	83	6	39.7	8
White	72	31	1	13.9	2
Nonwhite	79	52	5	63.3	6
Fairfax	1,304	372	43	33.0	39
White	1,195	302	35	29.3	32
Nonwhite	109	70	8	73.4	7
Fauquier	454	222	18	39.6	13
White	309	158	10	32.4	7
Nonwhite	145	64	8	55.2	6
Floyd	261	120	15	57.5	12
Fluvanna	122	98	9	73.8	8
White	69	55	4	58.0	2
Nonwhite	53	43	5	94.3	1
Franklin	594	205	27	45.5	21
White	491	170	19	38.7	20
Nonwhite	103	35	8	77.7	1
Frederick	333	157	25	75.1	8
Fredericksburg (city)	230	98	11	47.8	11
White	196	72	8	40.8	7
Nonwhite	34	26	3	88.2	4
Giles	469	148	34	72.5	18
Gloucester	169	134	14	82.8	9
White	101	76	11	108.9	7
Nonwhite	68	58	3	44.1	2
Goochland	179	101	7	39.1	13
White	64	44	1	15.6	1
Nonwhite	115	57	6	52.2	12
Grayson	533	170	35	65.7	11
Greene	125	57	9	72.0	8
White	113	44	6	53.1	7
Nonwhite	12	13	3	250.0	1
Greensville	427	153	20	46.8	13
White	136	55	5	36.8	3
Nonwhite	291	98	15	51.5	10
Halifax	1,008	409	52	51.6	42
White	447	198	13	29.1	16
Nonwhite	561	216	39	69.5	26
Hampton (city)	369	121	11	29.8	13
White	316	62	8	25.3	10
Nonwhite	53	59	3	56.6	3
Hanover	383	211	16	41.8	9
White	204	124	5	24.5	4
Nonwhite	179	87	11	61.5	5
Harrisonburg (city)	184	94	12	65.2	4
Henrico	579	243	18	31.1	18
White	470	187	13	27.7	9
Nonwhite	109	56	5	45.9	9
Henry	912	197	48	52.6	26
White	602	128	32	53.2	15
Nonwhite	310	69	16	51.6	11
Highland	106	46	11	103.8	3
Hopewell (city)	244	59	9	36.9	1
White	213	46	7	32.9	1
Nonwhite	31	13	2	64.5	-
Isle of Wight	312	166	18	57.7	12
White	128	68	7	54.7	1
Nonwhite	184	98	11	59.8	11
James City	133	51	7	52.6	4
White	55	25	3	54.5	-
Nonwhite	78	26	4	51.3	4
King and Queen	139	84	4	28.8	6
White	66	30	1	15.2	1
Nonwhite	73	54	3	41.1	5
King George	136	61	7	51.5	3
White	92	28	5	54.3	1
Nonwhite	44	33	2	45.5	2
King William	199	87	7	35.2	8
White	100	39	2	20.0	1
Nonwhite	99	48	5	50.5	7
Lancaster	160	120	13	81.3	10
White	87	61	5	57.5	3
Nonwhite	73	59	8	109.6	7
Lee	1,131	309	78	69.0	35
Loudoun	441	249	23	52.2	14
White	331	193	14	42.3	10
Nonwhite	110	56	9	81.8	4

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
VIRGINIA [9]—Continued					
Louisa	261	149	16	61.3	11
White	135	75	7	51.9	4
Nonwhite	126	74	9	71.4	7
Lunenburg	311	133	12	38.6	20
White	127	63	5	39.4	8
Nonwhite	184	70	7	38.0	12
Lynchburg (city)	881	420	31	35.2	18
White	672	281	18	26.8	9
Nonwhite	209	139	13	62.2	9
Madison	176	100	13	73.9	7
White	122	71	8	65.6	6
Nonwhite	54	29	5	92.6	1
Martinsville (city)	262	89	14	53.4	11
White	205	52	9	43.9	8
Nonwhite	57	37	5	87.7	3
Mathews	85	78	4	47.1	1
White	55	54	2	36.4	1
Nonwhite	30	24	2	66.7	-
Mecklenburg	839	300	45	53.6	36
White	313	149	12	38.3	7
Nonwhite	526	151	33	62.7	29
Middlesex	111	72	3	27.0	7
White	52	42	1	19.2	2
Nonwhite	59	30	2	33.9	5
Montgomery	757	224	37	48.9	23
Nansemond	591	302	57	96.4	29
White	139	71	8	57.6	2
Nonwhite	452	231	49	108.4	27
Nelson	354	154	18	50.8	16
White	229	106	10	43.7	8
Nonwhite	125	48	8	64.0	8
New Kent	86	34	3	34.9	2
White	19	11	-	0	1
Nonwhite	67	23	3	44.8	1
Newport News (city)	1,482	549	81	54.7	72
White	946	236	41	43.3	28
Nonwhite	536	313	40	74.6	44
Norfolk	1,401	489	82	58.5	54
White	998	301	51	51.1	26
Nonwhite	403	188	31	76.9	28
Norfolk (city)	3,959	2,182	210	53.0	154
White	2,804	1,232	112	39.9	65
Nonwhite	1,155	950	98	84.8	89
Northampton	335	206	22	65.7	19
White	121	94	1	8.3	2
Nonwhite	214	112	21	98.1	17
Northumberland	172	126	11	64.0	4
White	77	69	1	13.0	2
Nonwhite	95	57	10	105.3	2
Nottoway	320	219	20	62.5	5
White	162	106	5	30.9	3
Nonwhite	158	113	15	94.9	2
Orange	245	151	22	89.8	4
White	162	92	14	86.4	1
Nonwhite	83	59	8	96.4	3
Page	366	152	12	32.8	13
Patrick	400	138	18	45.0	10
Petersburg (city)	717	459	52	72.5	33
White	393	236	20	50.9	15
Nonwhite	324	223	32	98.8	18
Pittsylvania	1,580	508	58	36.7	54
White	998	323	33	33.1	27
Nonwhite	582	185	25	43.0	27
Portsmouth (city)	1,729	809	109	63.0	77
White	1,133	354	41	36.2	27
Nonwhite	596	455	68	114.1	50
Powhatan	103	60	9	87.4	5
White	48	29	3	62.5	3
Nonwhite	55	31	6	109.1	2
Prince Edward	292	172	26	89.0	11
White	124	75	11	88.7	3
Nonwhite	168	97	15	89.3	8
Prince George	234	158	12	51.3	10
White	118	96	6	50.8	3
Nonwhite	116	62	6	51.7	7
Prince William	448	160	10	22.3	9
White	388	127	8	20.6	6
Nonwhite	60	33	2	33.3	3
Princess Anne	646	341	41	63.5	28
White	434	197	23	53.0	12
Nonwhite	212	144	18	84.9	16
Pulaski	832	199	43	51.7	32
Radford (city)	285	72	21	73.7	15
Rappahannock	114	82	10	87.7	3
White	96	55	7	72.9	2
Nonwhite	18	27	3	166.7	1
Richmond	130	66	7	53.8	3
White	62	39	2	32.3	1
Nonwhite	68	27	5	73.5	2
Section B (Counties)—Continued					
VIRGINIA [9]—Continued					
Richmond (city)	4,240	2,473	169	39.9	138
White	2,868	1,491	80	27.9	67
Nonwhite	1,372	982	89	64.9	71
Roanoke	966	449	44	45.5	27
Roanoke (city)	1,470	636	66	44.9	51
White	1,179	478	43	36.5	37
Nonwhite	291	[illegible]	23	79.0	14
Rockbridge	449	210	[illegible]		15
White	396	167	15	37.9	15
Nonwhite	53	43	4	75.5	-
Rockingham	683	304	29	42.5	20
Russell	820	190	41	50.0	24
Scott	595	217	37	62.2	19
Shenandoah	442	242	22	49.8	14
Smyth	784	298	44	56.1	16
Southampton	688	278	57	82.8	31
White	200	90	11	55.0	8
Nonwhite	488	188	46	94.3	23
South Norfolk (city)	209	56	8	38.2	9
White	161	35	4	24.8	6
Nonwhite	48	21	4	83.3	3
Spotsylvania	237	123	21	88.6	10
White	152	93	11	72.4	7
Nonwhite	85	30	10	117.6	3
Stafford	189	108	11	58.2	3
White	153	86	7	45.8	2
Nonwhite	36	22	4	111.1	1
Staunton (city)	229	347	7	30.6	3
White	202	321	6	29.7	3
Nonwhite	27	26	1	37.0	-
Suffolk (city)	226	148	12	53.1	11
White	140	77	3	21.4	5
Nonwhite	86	71	9	104.7	6
Surry	133	98	11	82.7	11
White	23	36	2	87.0	1
Nonwhite	110	62	9	81.8	10
Sussex	339	150	17	50.1	18
White	99	54	4	40.4	4
Nonwhite	240	96	13	54.2	14
Tazewell	1,360	363	73	53.7	35
Warren	276	124	22	79.7	4
Warwick	643	146	20	31.1	14
White	571	99	11	19.3	10
Nonwhite	72	47	9	125.0	4
Washington	914	334	55	60.2	31
Westmoreland	209	112	17	81.3	7
White	75	58	6	80.0	3
Nonwhite	134	54	11	82.1	4
Williamsburg (city)	77	201	2	25.0	3
White	55	181	-	0	3
Nonwhite	22	20	2	90.9	-
Winchester (city)	275	150	13	47.3	4
Wise	1,651	410	99	60.0	34
Wythe	658	182	24	36.5	13
York	239	116	16	66.9	10
White	153	57	7	45.8	5
Nonwhite	86	59	9	104.7	5
WASHINGTON (total)	39,007	20,552	1,292	33.1	606
Adams	95	38	-	0	2
Asotin	164	102	2	12.2	5
Benton	183	116	4	21.9	5
Chelan	686	331	26	37.9	9
Wenatchee	251	143	16	63.7	5
Balance of county	435	188	10	23.0	4
Clallam	486	208	14	28.8	9
Clark	1,350	653	42	31.1	21
Vancouver	606	314	16	26.4	7
Balance of county	744	339	26	34.9	14
Columbia	102	52	3	29.4	1
Cowlitz	1,062	342	36	33.9	14
Longview	440	89	13	29.5	1
Balance of county	622	253	23	37.0	13
Douglas	106	37	4	37.7	1
Ferry	89	41	3	33.7	3
White	73	———	-	0	2
Nonwhite	16	———	3	187.5	1
Franklin	154	69	13	84.4	1
Garfield	62	25	-	0	1
Grant	220	78	9	40.9	2
Grays Harbor	1,031	570	44	42.7	27
Aberdeen	411	237	21	51.1	10
Hoquiem	217	95	7	32.3	8
Balance of county	403	237	16	39.7	9
Island	115	72	4	34.8	2
Jefferson	233	93	8	34.3	3

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Stillbirths
Section B (Counties)—Continued					
WASHINGTON—Continued					
King	12,378	6,576	423	34.2	176
Seattle	9,084	5,085	304	33.5	124
White	8,890	———	292	32.8	120
Nonwhite	194	———	12	61.9	4
Balance of county	3,294	1,491	119	36.1	52
Kitsap	2,080	592	80	38.5	29
Bremerton	837	188	31	37.0	13
Balance of county	1,243	404	49	39.4	16
Kittitas	359	154	11	30.6	5
Klickitat	206	95	7	34.0	3
Lewis	829	484	23	27.7	5
Lincoln	174	88	13	74.7	5
Mason	294	120	8	27.2	6
Okanogen	493	179	14	28.4	6
Pacific	285	161	7	24.6	6
Pend Oreille	127	61	7	55.1	1
Pierce	4,440	2,558	109	24.5	80
Tacoma	2,673	1,390	60	22.4	56
Balance of county	1,767	1,168	49	27.7	24
San Juan	29	29	1	34.5	-
Skagit	678	592	24	35.4	7
Skamania	71	34	-	0	-
Snohomish	1,749	977	56	32.0	19
Everett	630	368	20	31.7	6
Balance of county	1,119	609	36	32.2	13
Spokane	3,251	2,142	108	33.2	63
Spokane	2,573	1,592	86	33.4	51
Balance of county	678	550	22	32.4	12
Stevens	400	187	23	57.5	2
Thurston	834	374	21	25.2	15
Olympia	407	178	10	24.6	4
Balance of county	427	196	11	25.8	11
Wahkiakum	59	48	2	33.9	-
Walla Walla	511	382	8	15.7	11
Walla Walla	335	263	7	20.9	8
Balance of county	176	119	1	5.7	3
Whatcom	1,120	689	37	33.0	22
Bellingham	612	411	15	24.5	9
Balance of county	508	278	22	43.3	13
Whitman	469	250	17	36.2	7
Yakima	2,033	953	81	39.8	32
Yakima	615	354	23	37.4	10
Balance of county	1,418	599	58	40.9	22
WEST VIRGINIA (total)	43,922	16,975	2,329	53.0	1,527
Barbour	410	165	21	51.2	15
Berkeley	477	301	32	67.1	26
Martinsburg	276	180	17	61.6	17
Balance of county	201	121	15	74.6	9
Boone	800	186	47	58.8	19
Braxton	462	186	28	60.6	10
Brooke	434	213	19	43.8	12
Cabell	2,146	1,011	125	58.2	92
Huntington (part)	1,682	830	95	(4)	66
Huntington (total)	1,755	852	95	54.1	67
Balance of county	464	181	30	64.7	26
Calhoun	275	74	11	40.0	10
Clay	413	96	19	46.0	8
Doddridge	157	82	5	31.8	3
Fayette	2,048	500	103	50.3	68
White	1,789	395	85	47.5	54
Nonwhite	259	155	18	69.5	14
Gilmer	212	80	9	42.5	7
Grant	171	83	14	81.9	11
Greenbrier	913	367	54	59.1	31
Hampshire	265	137	18	67.9	4
Hancock	727	257	25	34.4	19
Hardy	190	84	7	36.8	13
Harrison	1,625	752	81	49.8	70
Clarksburg	710	322	33	46.5	27
Balance of county	915	430	48	52.5	43
Jackson	326	133	16	49.1	17
Jefferson	319	188	18	56.4	12
White	273	151	15	54.9	10
Nonwhite	46	37	3	65.2	2
Kanawha	5,188	1,730	266	51.3	166
Charleston	1,650	748	77	45.7	52
White	1,544	618	73	47.3	46
Nonwhite	106	130	4	37.7	6
South Charleston	357	88	14	39.2	5
Balance of county	3,181	894	175	55.0	109
Lewis	337	324	15	44.5	16
Lincoln	487	130	25	51.3	11
Logan	2,078	576	127	61.1	87
White	1,896	498	120	63.3	79
Nonwhite	182	78	7	38.5	8
McDowell	2,897	819	192	66.3	114
White	2,198	494	146	66.4	79
Nonwhite	699	325	46	65.8	35
Section B (Counties)—Continued					
WEST VIRGINIA—Continued					
Marion	1,557	622	57	36.6	37
Fairmont	568	270	26	45.8	4
Balance of county	989	352	31	31.3	33
Marshall	682	412	28	41.1	22
Moundsville	279	165	12	43.0	11
Balance of county	403	247	16	39.7	11
Mason	491	210	23	46.8	28
Mercer	1,461	611	114	78.0	61
Bluefield[12]	380	207	25	65.8	18
White	333	150	19	57.1	17
Nonwhite	47	57	6	127.7	1
Balance of county	1,081	404	89	82.3	43
Mineral	549	217	49	89.3	22
Mingo	1,213	280	55	45.3	40
Monongalia	1,257	568	62	49.3	40
Morgantown	478	214	16	33.5	19
Balance of county	779	354	46	59.1	21
Monroe	312	99	9	28.8	7
Morgan	176	95	13	73.9	6
Nicholas	507	152	32	63.1	20
Ohio	1,435	897	72	50.2	44
Wheeling	1,043	760	60	57.5	36
Balance of county	392	137	12	30.6	8
Pendleton	192	78	6	31.3	6
Pleasants	108	75	6	55.6	2
Pocahontas	311	135	17	54.7	10
Preston	648	251	27	41.7	22
Putnam	438	156	15	34.2	11
Raleigh	2,199	674	118	53.7	63
Beckley	322	156	19	59.0	10
White	264	125	17	64.4	10
Nonwhite	58	31	2	34.5	-
Balance of county	1,877	518	99	52.7	73
White	1,652	399	83	50.2	58
Nonwhite	225	119	16	71.1	15
Randolph	766	280	44	57.4	25
Ritchie	249	134	16	64.3	7
Roane	407	216	19	46.7	13
Summers	463	209	31	67.0	21
Taylor	388	187	19	49.0	15
Tucker	234	92	11	47.0	4
Tyler	166	109	8	48.2	7
Upshur	415	179	20	48.2	3
Wayne	826	279	29	35.1	12
Huntington (part)	73	22	-	(4)	1
Balance of county	753	257	29	38.5	11
Webster	481	131	29	60.3	22
Wetzel	417	228	16	38.4	15
Wirt	103	52	3	29.1	7
Wood	1,221	614	58	47.5	39
Parkersburg	729	385	37	50.8	16
Balance of county	492	229	21	42.7	23
Wyoming	893	209	46	51.5	35
WISCONSIN (total)	63,982	31,004	2,050	32.0	1,229
Adams	140	80	3	21.4	2
Ashland	486	242	23	47.3	5
Ashland	224	131	8	35.7	1
Balance of county	262	111	15	57.3	4
White	213	———	9	42.3	4
Nonwhite	49	———	6	122.4	-
Barron	617	318	32	51.9	16
Bayfield	233	158	4	17.2	3
Brown	1,935	799	66	34.1	40
Green Bay	1,187	468	44	37.1	23
Balance of county	748	331	22	29.4	17
Buffalo	331	142	6	18.1	5
Burnett	191	108	8	41.9	4
Calumet	325	160	13	40.0	2
Chippewa	887	414	30	33.8	15
Chippewa Falls	224	115	6	26.8	2
Balance of county	663	299	24	36.2	13
Clark	621	295	17	27.4	9
Columbia	616	385	20	32.5	13
Crawford	385	141	8	20.8	9
Dane	2,869	1,271	57	19.9	39
Madison	1,647	584	28	17.0	28
Balance of county	1,222	687	29	23.7	11
Dodge	919	549	22	23.9	18
Beaver Dam	196	129	4	20.4	4
Watertown (part)	40	32	-	(4)	-
Balance of county	683	388	18	26.4	14
Door	471	228	19	40.3	5
Douglas	942	591	41	43.5	19
Superior	746	408	35	46.9	15
Balance of county	196	183	6	30.6	4
Dunn	518	231	14	27.0	9
Eau Claire	1,060	410	32	30.2	22
Eau Claire	693	266	20	28.9	15
Balance of county	367	144	12	32.7	7
Florence	53	32	1	18.9	-

See footnotes at end of table.

TABLE 1.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1942—Continued

(See headnote on p. 20)

AREA	Births	Deaths	Deaths under 1 year: Number	Deaths under 1 year: Rate per 1,000 live births	Still-births
Section B (Counties)—Continued					
WISCONSIN—Continued					
Fond du Lac	1,190	701	26	21.8	21
Fond du Lac	611	364	14	22.9	13
Balance of county	579	337	12	20.7	8
Forest	278	100	16	57.6	2
Grant	800	428	17	21.3	16
Green	417	261	10	24.0	6
Green Lake	210	147	9	42.9	4
Iowa	363	218	7	19.3	4
Iron	186	104	2	10.8	2
Jackson	338	164	6	17.8	7
Jefferson	605	401	21	34.7	12
Watertown (part)	134	101	4	(4)	2
Watertown (total)	174	133	4	23.0	2
Balance of county	471	300	17	36.1	10
Juneau	367	208	13	35.4	5
Kenosha	1,253	616	39	31.1	27
Kenosha	1,014	471	30	29.6	19
Balance of county	239	145	9	37.7	8
Kewaunee	332	166	10	30.1	7
La Crosse	1,273	599	39	30.6	21
La Crosse	882	421	24	27.2	15
Balance of county	391	178	15	38.4	6
Lafayette	322	192	7	21.7	10
Langlade	467	205	19	40.7	10
Lincoln	445	252	30	67.4	14
Manitowoc	1,369	611	47	34.3	39
Manitowoc	573	264	19	33.2	10
Two Rivers	229	85	6	26.2	7
Balance of county	567	262	22	38.8	22
Marathon	1,647	649	60	36.4	28
Wausau	631	316	20	31.7	16
Balance of county	1,016	333	40	39.4	12
Marinette	718	335	19	26.5	18
Marinette	302	153	3	9.9	4
Balance of county	416	182	16	38.5	14
Marquette	105	103	6	57.1	3
Milwaukee	15,895	7,485	449	28.2	284
Cudahy	255	66	8	31.4	6
Milwaukee	11,901	5,957	335	28.1	224
Shorewood	253	112	5	19.8	5
South Milwaukee	233	82	8	34.3	4
Wauwatosa	536	222	9	16.8	4
West Allis	911	245	31	34.0	15
Balance of county	1,806	801	53	29.3	26
Monroe	673	301	26	38.6	17
Oconto	532	234	25	47.0	16
Oneida	437	161	16	36.6	7
Outagamie	1,776	631	53	29.8	35
Appleton	719	285	19	26.4	14
Balance of county	1,057	346	34	32.2	21
Ozaukee	381	189	10	26.2	12
Pepin	175	68	12	68.6	4
Pierce	410	277	21	51.2	11
Polk	471	230	10	21.2	14
Portage	661	276	30	45.4	14
Stevens Point	315	128	13	41.3	4
Balance of county	346	148	17	49.1	10
Price	303	178	6	19.8	5
Racine	1,847	922	55	29.8	43
Racine	1,384	643	45	32.5	36
Balance of county	463	279	10	21.6	7
Richland	424	196	20	47.2	6
Rock	1,609	850	44	27.3	32
Beloit	618	258	13	21.0	15
Janesville	465	255	17	36.6	4
Balance of county	526	337	14	26.6	13
Rusk	409	144	14	34.2	10
St. Croix	472	272	20	42.4	5
Sauk	742	364	26	35.0	14
Sawyer	190	120	6	31.6	4
White	154	—	4	26.0	4
Nonwhite	36	—	2	55.6	-
Shawano	767	378	33	43.0	16
Sheboygan	1,520	711	62	40.8	35
Sheboygan	816	374	34	41.6	21
Balance of county	702	337	28	39.9	14
Taylor	414	152	13	31.4	9
Trempealeau	482	250	21	43.6	9
Vernon	596	274	19	31.9	9
Vilas	152	71	7	46.1	4
White	120	—	4	33.3	4
Nonwhite	32	—	3	93.8	-
Walworth	525	389	11	21.0	14
Washburn	246	97	11	44.7	1
Washington	652	309	24	36.8	6
Waukesha	1,370	654	57	41.6	24
Waukesha	466	181	20	42.9	8
Balance of county	904	473	37	40.9	16
Waupaca	607	391	19	31.3	13
Waushara	175	143	6	34.3	4
Winnebago	1,685	895	67	39.8	41
Menasha	290	85	5	17.2	9
Neenah	230	102	12	52.2	5
Oshkosh	756	442	40	52.9	20
Balance of county	409	266	10	24.4	7
Wood	1,100	378	38	34.5	20
Marshfield	255	101	7	27.5	7
Wisconsin Rapids	307	101	14	45.6	3
Balance of county	538	176	17	31.6	10
WYOMING (total)	5,567	2,125	251	45.1	107
Albany	280	113	16	57.1	9
Laramie	237	85	13	54.9	6
Balance of county	43	28	3	69.8	3
Big Horn	319	87	13	40.8	5
Campbell	108	44	8	74.1	-
Carbon	257	127	14	54.5	4
Converse	127	49	5	39.4	3
Crook	86	34	5	58.1	-
Fremont	314	153	24	76.4	6
White	223	—	10	44.8	4
Nonwhite	91	—	14	153.8	2
Goshen	283	83	7	24.7	4
Hot Springs	85	55	2	23.5	2
Johnson	94	45	3	31.9	1
Laramie	937	273	46	49.1	20
Cheyenne	836	205	42	50.2	18
Balance of county	101	68	4	39.6	2
Lincoln	260	88	9	34.6	8
Natrona	412	206	17	41.3	10
Casper	343	168	13	37.9	8
Balance of county	69	38	4	58.0	2
Niobrara	92	36	4	43.5	2
Park	276	80	13	47.1	10
Platte	222	69	6	27.0	2
Sheridan	335	180	16	47.8	8
Sheridan	206	118	13	63.1	5
Balance of county	129	62	3	23.3	3
Sublette	51	28	2	39.2	1
Sweetwater	532	183	19	35.7	7
Teton	67	6	-	0	1
Uinta	169	110	5	29.6	1
Washakie	161	34	9	55.9	-
Weston	94	43	8	85.1	3
Yellowstone National Park (part)	6	-	-	(4)	-
Yellowstone National Park (total)	6	-	-	0	-

[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3] Incomplete; resident deaths for that part of Atlanta in De Kalb County are given in Fulton County.
[4] Rate not computed for part of an area.
[5] Includes resident deaths for that part of Atlanta in De Kalb County.
[6] Beginning with 1939, data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.
[7] Includes data for Bristol, Tenn., only.
[8] Includes data for Texarkana, Tex., only.
[9] Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County,[10] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[10] Classified as urban under special rule. See text, p. 2, Part I.
[11] Includes data for Bristol, Va., only.
[12] Includes data for Bluefield, W. Va., only.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures and rates for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 2.—LIVE BIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: UNITED STATES AND EACH STATE, 1942

STATE OF RESIDENCE	Total births of residents	BIRTHS OF RESIDENTS OCCURRING		BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]													
		In place of residence	In other areas of same State	Total	Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	Ind.
UNITED STATES	2,808,996	2,074,668	684,160	50,168	529	1,107	780	377	402	425	258	6,912	546	1,229	712	1,166	1,717
Alabama	71,136	61,493	8,760	883	...	2	7	7	2	1	-	-	75	461	1	4	5
Arizona	12,664	9,761	2,712	191	3	...	-	40	7	2	-	-	-	-	3	-	1
Arkansas	42,580	37,053	4,693	934	4	41	...	7	2	2	-	-	5	5	1	3	5
California	154,567	94,401	58,854	1,812	5	425	14	...	25	2	-	1	15	4	45	9	7
Colorado	23,566	17,088	6,114	364	1	28	2	9	...	1	-	-	-	1	10	2	3
Connecticut	37,264	23,058	12,943	1,263	2	2	-	2	18	...	1	1	11	1	-	-	-
Delaware	5,657	3,566	1,843	248	-	1	-	3	-	-	...	3	1	2	-	1	-
District of Columbia	15,179	14,619	...	560	3	2	2	4	2	9	2	...	9	8	-	4	5
Florida	40,901	33,080	7,275	546	141	5	3	2	1	6	1	3	...	222	2	7	2
Georgia	72,491	60,304	11,590	597	87	2	2	2	-	2	1	2	134	...	2	5	2
Idaho	11,454	6,817	4,117	520	-	7	1	8	6	-	-	-	1	-	...	-	-
Illinois	156,232	111,267	41,634	3,331	15	16	12	8	9	1	-	3	14	11	4	...	1,017
Indiana	73,706	52,315	20,088	1,303	9	2	8	-	6	-	-	-	6	3	3	541	...
Iowa	48,454	31,532	16,163	759	9	7	-	2	9	-	-	2	2	3	2	86	4
Kansas	33,920	23,219	9,109	1,592	-	23	4	11	28	-	-	-	5	-	11	6	3
Kentucky	66,267	60,299	5,118	850	15	2	1	3	-	1	-	-	7	4	-	36	82
Louisiana	58,093	45,450	12,217	426	13	5	29	2	2	2	-	2	15	10	-	2	-
Maine	17,719	12,816	4,917	486	1	-	-	2	-	2	-	-	7	2	-	1	-
Maryland	44,237	32,197	7,531	4,509	2	-	-	1	1	-	76	3,659	4	6	-	6	2
Massachusetts	82,773	54,092	27,910	771	2	3	-	2	-	75	1	1	15	4	1	4	-
Michigan	123,886	85,001	37,981	904	7	6	9	4	6	1	1	-	16	10	1	68	206
Minnesota	58,770	40,911	16,840	1,019	-	9	2	7	4	-	-	2	4	-	18	14	-
Mississippi	56,667	50,721	5,234	712	73	4	14	-	-	-	-	-	10	12	1	2	-
Missouri	70,711	54,861	14,671	1,179	5	18	102	14	12	2	-	1	4	4	7	169	8
Montana	11,735	7,954	3,492	289	-	7	1	6	5	-	-	-	1	1	50	-	-
Nebraska	23,676	17,552	5,647	477	-	13	4	4	47	-	-	1	3	-	10	7	-
Nevada	2,732	1,650	951	181	-	5	-	25	7	-	-	-	-	-	20	-	-
New Hampshire	9,173	6,546	2,101	526	1	-	-	-	-	5	-	2	3	-	1	-	-
New Jersey	81,709	40,349	38,812	2,548	2	3	-	2	-	19	62	4	12	5	-	2	2
New Mexico	14,129	11,582	2,096	451	-	109	-	8	43	-	-	-	-	-	-	2	1
New York	244,802	198,806	44,453	1,543	14	13	1	7	4	246	11	8	34	22	2	11	3
North Carolina	89,854	72,883	16,364	607	7	13	1	1	1	1	-	10	20	33	-	-	3
North Dakota	13,357	8,662	4,181	514	-	-	2	3	3	-	-	-	-	-	4	1	-
Ohio	144,327	103,680	38,752	1,895	8	8	2	6	3	2	-	2	18	9	1	21	320
Oklahoma	46,008	35,204	9,698	1,106	2	120	235	39	10	-	-	-	2	2	3	7	-
Oregon	22,518	14,731	7,289	498	1	4	2	37	5	1	-	-	1	-	86	-	1
Pennsylvania	197,177	130,253	64,802	2,122	13	10	2	2	5	6	94	9	19	13	1	6	6
Rhode Island	14,182	8,786	4,756	640	1	-	-	-	-	26	1	-	1	1	-	-	-
South Carolina	48,835	41,778	6,552	505	6	1	-	1	1	-	-	9	22	254	1	-	1
South Dakota	12,424	8,252	3,594	578	1	4	-	2	10	-	-	-	1	1	12	1	1
Tennessee	65,147	56,121	8,117	909	51	-	24	4	3	1	-	1	10	89	2	6	11
Texas	144,742	118,385	24,829	1,528	10	160	292	28	17	-	-	2	20	7	5	13	9
Utah	15,822	10,884	4,765	173	2	15	-	3	22	-	-	-	-	1	73	1	-
Vermont	7,175	4,549	2,098	528	1	1	-	1	-	5	-	-	1	-	-	-	-
Virginia	67,950	52,332	11,631	3,987	1	1	2	5	2	3	2	3,181	8	14	1	7	2
Washington	39,007	24,587	13,599	821	6	5	-	48	12	1	-	-	2	-	285	2	-
West Virginia	43,922	36,658	6,084	1,185	3	4	1	-	-	-	-	2	3	2	-	1	2
Wisconsin	63,982	42,951	20,127	904	2	-	-	2	1	-	-	1	4	2	3	108	3
Wyoming	5,567	4,117	1,126	324	-	1	-	3	61	-	-	-	1	-	40	-	-

STATE OF RESIDENCE	BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued																	
	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,558	987	883	490	204	1,072	1,666	824	1,151	374	2,579	184	754	151	927	832	546	2,758
Alabama	3	2	17	28	-	2	1	-	-	74	3	-	1	1	-	-	2	3
Arizona	1	2	-	1	-	2	-	-	1	1	2	1	1	4	-	-	72	2
Arkansas	4	16	8	44	-	1	-	6	2	11	93	-	1	2	-	-	4	-
California	35	29	3	1	3	3	1	1	15	-	39	12	28	69	1	3	48	6
Colorado	4	33	2	-	20	1	2	1	2	1	15	5	54	6	-	-	54	-
Connecticut	-	1	3	-	-	2	443	-	2	1	2	-	-	-	32	13	1	433
Delaware	-	-	-	1	1	118	-	-	-	-	1	-	-	-	-	1	-	7
District of Columbia	2	4	1	3	2	266	15	1	3	1	5	3	1	-	1	6	-	44
Florida	1	1	2	10	1	8	-	1	1	4	1	2	-	-	2	6	3	11
Georgia	2	2	7	13	1	8	-	-	-	3	7	-	-	-	-	1	2	3
Idaho	4	1	-	2	1	-	-	1	-	1	2	17	1	5	-	-	1	1
Illinois	696	22	46	9	-	5	2	56	35	3	736	3	11	2	1	4	8	13
Indiana	12	3	211	4	-	1	1	166	5	2	22	-	3	1	-	-	1	6
Iowa	...	18	4	6	-	-	-	2	146	1	118	-	213	-	-	-	2	-
Kansas	10	...	-	3	-	4	-	-	3	1	1,140	-	175	1	-	-	8	1
Kentucky	4	6	...	4	-	3	-	7	1	2	15	-	1	-	1	1	-	2
Louisiana	1	2	1	...	1	5	-	2	1	165	6	-	1	-	-	-	24	-
Maine	1	-	-	1	...	1	69	-	-	-	-	-	1	-	379	2	1	5
Maryland	2	2	5	1	1	...	8	2	-	-	5	-	2	-	-	7	-	41
Massachusetts	2	3	3	3	47	6	...	2	3	2	5	-	1	-	126	15	-	53
Michigan	10	9	22	1	-	2	2	...	24	3	26	1	-	3	1	5	4	15

[1] The figures given in the row opposite each State in the stub show the number of births of residents of that State which occurred in each State named at the top of the column.

TABLE 2.—LIVE BIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: UNITED STATES AND EACH STATE, 1942—Continued

BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	143	4	2	3	-	3	-	7	...	-	33	3	9	2	-	1	3	-
Mississippi	2	3	6	127	-	3	1	3	2	...	5	-	-	-	-	4	1	-
Missouri	154	476	6	4	-	2	7	2	5	3	...	3	14	3	-	-	5	3
Montana	-	1	-	-	-	1	1	-	11	-	3	...	7	-	-	-	3	2
Nebraska	228	44	1	3	-	1	3	-	2	1	35	1	...	-	-	-	2	-
Nevada	1	1	-	-	-	-	9	-	5	1	2	1	-	...	-	3	3	-
New Hampshire	-	-	-	1	91	-	258	-	1	-	-	2	-	-	...	5	-	5
New Jersey	1	1	2	3	2	14	21	6	4	-	2	-	1	1	2	...	2	1,146
New Mexico	2	5	-	-	16	1	6	-	1	1	5	1	1	2	-	-	...	2
New York	7	9	8	9	-	24	146	12	5	-	17	-	2	2	6	352	4	...
North Carolina	-	-	6	6	-	18	2	2	1	6	5	-	-	-	-	2	-	17
North Dakota	3	1	-	1	-	-	1	2	325	-	7	58	4	-	-	-	-	-
Ohio	8	3	204	4	1	16	1	100	11	4	19	-	1	-	1	3	3	17
Oklahoma	3	220	12	12	-	2	4	-	-	1	105	-	2	5	1	-	51	1
Oregon	3	4	-	-	-	-	1	2	4	-	3	6	2	6	-	-	-	3
Pennsylvania	1	5	9	7	4	209	-	7	1	3	10	-	-	-	2	388	1	791
Rhode Island	-	-	1	-	6	3	571	1	-	-	1	-	-	-	5	2	-	12
South Carolina	-	2	2	6	-	4	-	1	1	1	4	-	-	-	-	-	-	4
South Dakota	124	5	-	-	-	1	-	-	204	-	3	4	107	-	-	-	2	2
Tennessee	-	4	190	5	-	10	-	7	1	57	15	-	-	-	-	-	3	6
Texas	11	31	4	154	1	2	4	71	15	13	22	7	7	23	-	-	219	4
Utah	-	1	1	-	-	-	2	-	1	-	-	2	1	8	-	-	1	-
Vermont	1	-	-	-	2	1	68	-	-	2	1	-	-	-	365	2	-	70
Virginia	4	2	45	3	2	120	9	3	3	1	6	-	1	-	1	4	1	21
Washington	4	1	2	1	-	-	2	3	5	-	7	35	6	3	-	-	2	-
West Virginia	-	3	44	1	-	196	1	-	1	2	2	-	-	-	-	1	1	4
Wisconsin	60	2	3	4	1	3	3	347	298	2	19	1	3	2	-	-	1	2
Wyoming	4	3	-	1	-	-	1	-	-	-	4	16	91	-	-	1	3	-

BIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.
UNITED STATES	693	622	2,013	761	734	2,807	569	197	192	2,084	812	418	252	1,040	688	1,139	926	186
Alabama	40	-	4	4	-	1	-	2	-	116	5	-	-	6	-	3	-	-
Arizona	-	-	1	10	1	-	-	-	-	-	12	19	-	-	-	1	1	-
Arkansas	4	-	1	50	2	3	-	-	-	443	161	-	-	-	2	-	1	-
California	1	7	3	52	163	4	-	-	4	13	33	101	1	21	44	1	2	13
Colorado	-	1	1	15	9	-	-	1	-	5	6	27	1	3	3	-	-	34
Connecticut	2	-	1	-	-	39	221	-	-	1	-	-	20	8	-	-	-	-
Delaware	1	-	2	-	-	95	-	-	-	2	-	-	-	6	-	1	1	-
District of Columbia	13	1	11	-	-	38	1	3	3	10	2	-	-	54	-	12	4	-
Florida	12	-	3	7	-	8	-	15	-	30	2	-	-	10	-	5	5	1
Georgia	-	-	2	5	2	4	-	23	-	325	2	-	-	13	-	-	1	-
Idaho	-	1	1	2	129	-	-	-	-	1	1	76	-	-	230	-	1	18
Illinois	6	5	19	21	1	19	-	1	2	76	10	1	1	6	5	4	390	2
Indiana	2	-	224	12	2	8	-	-	-	18	4	1	1	3	-	1	11	-
Iowa	-	2	1	14	7	1	-	-	20	9	1	4	2	2	3	-	56	1
Kansas	3	-	5	122	2	3	-	-	-	7	3	2	-	2	2	-	3	1
Kentucky	4	-	383	7	1	6	-	-	-	113	4	-	-	11	1	120	2	-
Louisiana	2	-	3	8	-	2	-	-	-	30	86	1	-	3	-	-	-	-
Maine	-	-	1	-	-	2	4	-	-	1	-	-	3	-	-	-	-	-
Maryland	19	-	17	4	-	465	-	1	-	9	1	-	1	65	2	91	1	-
Massachusetts	3	-	2	4	-	7	323	-	-	7	-	-	33	9	1	1	2	-
Michigan	4	-	250	4	-	21	-	1	-	31	5	2	-	3	1	4	114	1
Minnesota	-	413	4	4	5	-	-	-	23	3	1	3	-	4	11	-	273	2
Mississippi	2	-	2	6	-	2	-	-	-	420	3	1	-	2	-	1	-	-
Missouri	1	-	6	37	5	3	-	-	2	63	8	4	-	7	1	1	5	3
Montana	-	93	-	1	7	-	-	1	2	-	-	4	-	1	34	-	1	45
Nebraska	-	1	-	2	8	-	-	-	27	3	-	1	-	1	5	-	1	18
Nevada	-	-	-	1	1	6	-	-	-	-	2	88	-	-	-	-	-	-
New Hampshire	1	-	-	1	-	1	3	-	-	1	-	-	141	1	-	-	2	-
New Jersey	3	-	5	12	1	1,171	1	2	-	6	1	1	3	11	3	4	3	-
New Mexico	1	-	3	14	2	1	-	-	-	3	217	3	-	-	-	-	-	1
New York	21	-	19	11	1	384	5	2	2	23	6	-	39	42	3	2	4	-
North Carolina	...	-	9	9	1	17	-	130	-	88	1	1	1	192	-	2	1	-
North Dakota	1	...	1	1	3	1	-	-	75	-	-	1	-	-	12	-	2	2
Ohio	18	4	...	11	2	384	-	1	-	28	-	1	1	9	2	633	4	1
Oklahoma	-	1	4	...	9	1	-	-	-	21	214	1	-	5	5	2	2	2
Oregon	12	4	-	3	...	2	2	-	-	3	1	2	-	3	292	-	-	2
Pennsylvania	19	-	302	6	4	...	3	3	-	14	2	2	1	39	3	98	2	-
Rhode Island	1	-	1	3	-	1	...	-	-	-	-	-	1	1	-	-	-	-
South Carolina	141	-	3	7	-	7	1	...	-	15	3	-	-	5	-	1	1	-
South Dakota	-	71	-	1	3	-	2	-	...	1	-	-	-	1	3	1	2	7
Tennessee	73	-	5	5	-	1	1	4		...	3	-	-	314	-	1	2	-
Texas	-	8	9	270	5	3	-	1	3	29	...	7	1	5	9	4	17	6
Utah	-	-	2	4	5	1	-	-	1	2	4	...	-	-	1	-	-	19
Vermont	-	-	-	-	1	3	-	-	-	1	-	-	...	1	1	-	-	-
Virginia	214	-	18	3	-	41	1	5	1	97	3	1	1	...	2	142	3	-
Washington	1	8	1	2	348	1	-	-	2	1	2	7	-	6	...	1	3	6
West Virginia	7	-	682	1	-	48	-	-	-	7	1	-	-	160	2	...	2	1
Wisconsin	-	2	1	3	2	2	1	1	-	7	1	2	-	3	2	-	...	-
Wyoming	1	-	1	2	2	-	-	-	25	1	-	54	-	2	3	2	1	...

[1] The figures given in the row opposite each State in the stub show the number of births of residents of that State which occurred in each State named at the top of the column.

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
UNITED STATES	2,808,996	2,486,934	2,247,118	99,691	33,497	54,651	49,188	687	1,304	44	754	307,777	14,285
Male	1,444,365	1,280,711	1,157,771	51,239	17,226	28,004	25,007	363	692	19	390	156,336	7,318
Female	1,364,631	1,206,223	1,089,347	48,452	16,271	26,647	24,181	324	612	25	364	151,441	6,967
10 to 14 years M	1,830	642	383	7	250	1	-	-	1	-	-	1,183	25
F	1,736	593	370	3	218	-	-	-	-	-	2	1,124	19
15 to 19 years M	176,084	135,942	126,024	2,071	6,635	840	187	44	104	2	55	39,173	949
F	165,251	128,858	117,600	1,905	8,225	791	155	41	106	-	35	37,496	897
20 to 24 years M	477,536	425,367	398,587	11,186	6,307	6,989	1,909	90	205	2	112	49,745	2,424
F	450,125	399,436	374,230	10,378	5,975	6,587	1,881	89	187	4	105	48,417	2,272
25 to 29 years M	402,656	369,917	337,349	17,036	2,249	8,243	4,747	71	151	7	64	30,913	1,826
F	380,043	348,139	316,977	18,305	2,115	7,917	4,545	64	144	3	69	30,143	1,761
30 to 34 years M	237,072	216,559	186,418	13,059	1,032	7,513	8,325	68	98	4	42	19,406	1,107
F	225,308	205,340	176,743	12,290	989	6,984	8,151	66	73	8	36	18,910	1,058
35 to 39 years M	113,141	100,836	83,554	6,148	512	3,462	6,990	68	61	3	38	11,625	680
F	107,858	95,978	79,295	5,961	531	3,436	6,626	47	49	5	28	11,220	660
40 to 44 years M	31,175	27,469	22,242	1,547	181	871	2,572	20	31	1	4	3,462	244
F	29,692	26,140	21,149	1,443	145	845	2,512	13	19	5	9	3,306	246
45 to 49 years M	2,531	2,157	1,701	125	13	57	257	1	2	-	1	343	31
F	2,408	2,049	1,599	115	17	54	259	3	1	-	1	333	26
50 to 54 years M	82	57	42	4	-	3	7	1	-	-	-	22	3
F	87	61	54	1	1	-	5	-	-	-	-	26	-
Not stated M	2,278	1,765	1,491	56	47	25	33	-	39	-	74	484	29
F	2,123	1,629	1,330	51	55	33	47	1	33	-	79	466	28
ALABAMA	71,136	45,222	43,473	116	952	48	24	1	469	-	139	25,891	23
Male	36,388	23,245	22,372	55	468	28	11	1	239	-	71	13,132	11
Female	34,748	21,977	21,101	61	484	20	13	-	230	-	68	12,759	12
10 to 14 years M	118	21	11	-	10	-	-	-	-	-	-	97	-
F	125	30	25	-	5	-	-	-	-	-	-	95	-
15 to 19 years M	6,874	3,634	3,402	7	183	2	-	-	37	-	3	3,238	2
F	6,397	3,343	3,134	2	171	-	-	-	29	-	7	3,052	2
20 to 24 years M	11,685	7,795	7,530	14	151	10	-	-	66	-	24	3,886	4
F	11,002	7,173	6,905	12	160	8	-	-	67	-	21	3,827	2
25 to 29 years M	8,243	5,592	5,433	14	65	7	4	1	51	-	17	2,648	3
F	8,051	5,468	5,289	24	75	2	3	-	61	-	14	2,580	3
30 to 34 years M	5,248	3,447	3,343	15	32	7	6	-	37	-	7	1,800	1
F	5,023	3,328	3,232	16	29	7	3	-	31	-	10	1,692	3
35 to 39 years M	3,009	1,982	1,925	4	15	2	1	-	24	-	11	1,026	1
F	2,947	1,882	1,811	6	26	3	6	-	26	-	4	1,063	2
40 to 44 years M	871	577	555	1	4	-	-	-	15	-	2	294	-
F	849	545	525	1	5	-	1	-	9	-	4	304	-
45 to 49 years M	89	50	49	-	1	-	-	-	-	-	-	39	-
F	77	40	38	-	-	-	-	-	1	-	1	37	-
50 to 54 years M	9	4	4	-	-	-	-	-	-	-	-	5	-
F	6	3	3	-	-	-	-	-	-	-	-	3	-
Not stated M	242	143	120	-	7	-	-	-	9	-	7	99	-
F	271	165	139	-	13	-	-	-	6	-	7	106	-
ARIZONA	12,864	11,281	9,138	889	97	544	592	13	5	1	2	316	1,067
Male	6,470	5,780	4,699	459	49	279	282	7	2	1	2	155	535
Female	6,194	5,501	4,439	430	48	265	310	6	3	-	-	161	532
10 to 14 years M	5	4	2	-	2	-	-	-	-	-	-	-	1
F	5	2	2	-	-	-	-	-	-	-	-	1	2
15 to 19 years M	973	853	759	50	22	20	2	-	-	-	-	37	83
F	929	823	734	38	23	17	7	1	3	-	-	39	67
20 to 24 years M	2,312	2,091	1,827	148	12	71	30	1	1	1	-	52	169
F	2,153	1,939	1,647	157	17	69	48	1	-	-	-	51	163
25 to 29 years M	1,560	1,411	1,126	121	8	87	68	1	-	-	-	32	117
F	1,563	1,403	1,138	114	6	67	75	3	-	-	-	32	128
30 to 34 years M	955	858	625	86	5	65	74	2	1	-	-	19	78
F	924	814	586	77	2	61	88	-	-	-	-	27	83
35 to 39 years M	493	421	273	33	-	27	83	3	-	-	2	11	61
F	450	385	247	35	-	37	65	1	-	-	-	7	58
40 to 44 years M	149	127	77	18	-	9	23	-	-	-	-	4	18
F	144	116	74	8	-	11	23	-	-	-	-	3	25
45 to 49 years M	16	13	8	3	-	-	2	-	-	-	-	-	3
F	15	12	5	1	-	3	3	-	-	-	-	1	2
50 to 54 years F	1	1	-	-	-	-	1	-	-	-	-	-	-
Not stated M	7	2	2	-	-	-	-	-	-	-	-	-	5
F	10	6	6	-	-	-	-	-	-	-	-	-	4
ARKANSAS	42,680	32,618	32,091	66	347	31	26	-	45	-	12	10,050	12
Male	22,148	16,978	16,695	36	187	14	13	-	27	-	6	5,162	8
Female	20,532	15,640	15,396	30	160	17	13	-	18	-	6	4,888	4
10 to 14 years M	72	21	17	-	4	-	-	-	-	-	-	51	-
F	71	21	16	-	5	-	-	-	-	-	-	50	-
15 to 19 years M	4,454	3,058	2,962	1	88	1	-	-	6	-	-	1,395	1
F	4,124	2,880	2,803	-	72	2	-	-	3	-	-	1,243	1
20 to 24 years M	7,185	5,703	5,633	8	51	3	2	-	5	-	1	1,479	3
F	6,690	5,253	5,177	9	54	7	-	-	3	-	3	1,435	2
25 to 29 years M	4,684	3,741	3,693	9	28	5	1	-	5	-	2	940	3
F	4,365	3,473	3,436	10	16	3	3	-	5	-	-	891	1
30 to 34 years M	3,093	2,474	2,438	13	9	1	4	-	7	-	2	619	-
F	2,937	2,269	2,242	6	11	3	5	-	1	-	1	668	-
35 to 39 years M	1,854	1,412	1,390	3	8	4	4	-	2	-	1	441	1
F	1,667	1,244	1,234	3	1	2	2	-	1	-	1	423	-
40 to 44 years M	592	432	428	2	-	-	2	-	-	-	-	160	-
F	510	380	374	2	1	-	2	-	1	-	-	130	-
45 to 49 years M	39	28	28	-	-	-	-	-	-	-	-	11	-
F	34	26	25	-	-	-	1	-	-	-	-	8	-
50 to 54 years M	3	1	1	-	-	-	-	-	-	-	-	2	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	172	108	105	-	1	-	-	-	2	-	-	64	-
F	133	93	88	-	-	-	-	-	4	-	1	40	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
CALIFORNIA	154,567	148,483	127,231	9,724	636	5,565	5,253	39	27	4	4	2,681	3,403
Male	79,401	76,285	65,543	4,991	343	2,810	2,554	20	19	3	2	1,342	1,774
Female	75,166	72,198	61,688	4,733	293	2,755	2,699	19	8	1	2	1,339	1,629
10 to 14 years—M	46	36	22	3	11	-	-	-	-	-	-	6	4
F	36	26	15	-	11	-	-	-	-	-	-	6	4
15 to 19 years—M	9,745	9,293	8,596	414	135	102	39	3	2	2	-	315	137
F	8,933	8,498	7,882	342	115	120	35	4	-	-	-	302	133
20 to 24 years—M	28,855	27,781	25,041	1,409	116	891	311	4	9	-	-	471	603
F	27,283	26,213	23,579	1,389	104	829	303	5	3	-	1	464	586
25 to 29 years—M	22,841	21,996	18,900	1,600	45	891	550	4	5	1	-	290	555
F	21,658	20,843	17,737	1,527	38	890	642	5	3	1	-	320	495
30 to 34 years—M	11,827	11,423	8,997	1,036	20	841	723	4	2	-	-	153	251
F	11,438	11,070	8,718	981	14	569	782	4	2	-	-	159	209
35 to 39 years—M	4,847	4,602	3,265	419	11	239	662	5	-	-	1	80	165
F	4,617	4,410	3,101	389	8	271	640	1	-	-	-	64	143
40 to 44 years—M	1,118	1,039	641	99	5	45	248	-	1	-	-	25	54
F	1,109	1,034	599	94	2	71	268	-	-	-	-	23	52
45 to 49 years—M	72	69	43	6	-	-	20	-	-	-	-	2	1
F	72	68	57	5	-	3	23	-	-	-	-	-	4
50 to 54 years—M	3	2	2	-	-	-	-	-	-	-	-	-	1
F	2	2	1	-	-	-	1	-	-	-	-	-	-
Not stated—M	47	44	36	5	-	1	1	-	-	-	1	-	3
F	38	34	19	6	1	2	5	-	-	-	1	1	3
COLORADO	23,566	23,172	21,515	758	319	251	305	4	15	-	5	248	146
Male	12,176	11,985	11,123	397	165	135	156	1	6	-	2	112	79
Female	11,390	11,187	10,392	361	154	116	149	3	9	-	3	136	67
10 to 14 years—M	9	6	2	-	4	-	-	-	-	-	-	1	2
F	7	6	6	-	-	-	-	-	-	-	-	1	-
15 to 19 years—M	1,479	1,442	1,347	20	68	6	1	-	-	-	-	31	6
F	1,457	1,426	1,341	16	56	10	2	1	-	-	-	25	6
20 to 24 years—M	4,236	4,172	3,975	107	51	29	10	-	-	-	-	33	31
F	4,023	3,952	3,770	87	57	21	10	-	6	-	1	41	30
25 to 29 years—M	3,339	3,297	3,103	111	21	26	32	1	2	-	1	21	21
F	2,978	2,939	2,769	105	19	26	20	-	-	-	-	24	15
30 to 34 years—M	1,881	1,855	1,668	85	12	45	44	-	1	-	-	14	12
F	1,786	1,746	1,554	86	12	40	50	1	2	-	1	32	8
35 to 39 years—M	899	889	772	48	4	21	42	-	2	-	-	6	4
F	852	836	716	50	8	15	45	1	-	-	1	12	4
40 to 44 years—M	291	284	225	21	4	7	26	-	1	-	-	5	2
F	237	234	195	13	-	4	21	-	1	-	-	-	3
45 to 49 years—M	21	19	14	2	1	1	1	-	-	-	-	1	1
F	20	18	13	4	1	-	-	-	-	-	-	1	1
Not stated—M	21	21	17	3	-	-	-	-	-	-	1	-	-
F	30	30	28	-	1	-	1	-	-	-	-	-	-
CONNECTICUT	37,284	36,396	30,346	2,785	321	1,593	1,336	11	3	-	1	859	9
Male	19,302	18,870	15,760	1,439	157	817	689	5	2	-	1	427	5
Female	17,982	17,526	14,586	1,346	164	776	647	6	1	-	-	432	4
10 to 14 years—M	4	4	1	-	3	-	-	-	-	-	-	-	-
F	4	3	-	-	3	-	-	-	-	-	-	1	-
15 to 19 years—M	1,044	955	845	32	48	22	8	-	-	-	-	88	1
F	944	858	749	38	52	19	-	-	-	-	-	85	1
20 to 24 years—M	6,050	5,882	5,300	276	73	181	48	3	-	-	1	166	2
F	5,671	5,507	4,962	249	61	186	48	1	-	-	-	162	2
25 to 29 years—M	6,596	6,502	5,581	520	24	248	127	-	2	-	-	94	-
F	6,120	6,021	5,166	472	28	241	113	1	-	-	-	99	-
30 to 34 years—M	3,636	3,595	2,762	383	5	216	229	-	-	-	-	39	2
F	3,505	3,451	2,605	373	14	229	227	2	1	-	-	54	-
35 to 39 years—M	1,597	1,565	1,050	191	4	122	197	1	-	-	-	32	-
F	1,357	1,332	895	181	4	83	168	1	-	-	-	24	1
40 to 44 years—M	319	314	186	30	-	26	72	-	-	-	-	5	-
F	308	302	172	32	1	17	79	1	-	-	-	6	-
45 to 49 years—M	26	26	13	2	-	2	8	1	-	-	-	-	-
F	24	24	12	1	-	-	11	-	-	-	-	-	-
50 to 54 years—M	3	3	1	2	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated—M	27	24	21	3	-	-	-	-	-	-	-	3	-
F	27	26	23	-	1	1	1	-	-	-	-	1	-
DELAWARE	5,657	4,761	4,399	140	82	77	61	1	1	-	-	893	3
Male	2,912	2,458	2,262	76	46	43	29	1	1	-	-	452	2
Female	2,745	2,303	2,137	64	36	34	32	-	-	-	-	441	1
10 to 14 years—M	6	1	1	-	-	-	-	-	-	-	-	5	-
F	8	1	-	-	1	-	-	-	-	-	-	7	-
15 to 19 years—M	405	274	245	2	25	2	-	-	-	-	-	130	1
F	388	251	234	1	16	-	-	-	-	-	-	137	-
20 to 24 years—M	949	796	750	18	15	10	3	-	-	-	-	152	1
F	884	750	717	14	10	7	2	-	-	-	-	134	-
25 to 29 years—M	809	739	693	24	3	10	9	-	-	-	-	70	-
F	703	641	601	21	2	12	5	-	-	-	-	62	-
30 to 34 years—M	465	415	370	19	2	16	7	1	-	-	-	50	-
F	469	409	368	19	3	9	10	-	-	-	-	59	1
35 to 39 years—M	207	175	157	8	-	4	6	-	-	-	-	32	-
F	222	196	172	4	4	3	13	-	-	-	-	26	-
40 to 44 years—M	62	52	44	3	1	1	3	-	-	-	-	10	-
F	59	47	39	3	-	3	2	-	-	-	-	12	-
45 to 49 years—M	4	3	1	1	-	-	1	-	-	-	-	1	-
F	7	5	4	1	-	-	-	-	-	-	-	2	-
50 to 54 years—M	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated—M	4	2	1	-	-	-	-	-	1	-	-	2	-
F	5	3	2	1	-	-	-	-	-	-	-	2	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
DISTRICT OF COLUMBIA	15,179	10,080	8,911	390	207	253	207	9	10	-	103	5,048	41
Male	7,838	5,270	4,643	207	119	142	98	4	4	-	53	2,542	26
Female	7,341	4,820	4,268	183	88	111	109	5	6	-	50	2,506	15
10 to 14 years M	27	3	-	-	3	-	-	-	-	-	-	24	-
F	26	1	1	-	-	-	-	-	-	-	-	25	-
15 to 19 years M	1,091	455	406	6	32	3	-	-	-	-	8	636	-
F	1,038	425	383	5	31	1	1	-	1	-	3	612	1
20 to 24 years M	2,617	1,725	1,592	30	53	25	11	-	2	-	12	882	10
F	2,502	1,617	1,491	35	33	32	11	2	3	-	10	880	5
25 to 29 years M	2,181	1,642	1,459	87	19	51	21	1	2	-	2	533	6
F	1,973	1,461	1,323	64	14	30	23	-	2	-	5	508	4
30 to 34 years M	1,266	984	844	61	7	40	31	1	-	-	-	279	3
F	1,165	875	748	48	5	26	45	1	-	-	2	288	2
35 to 39 years M	487	349	277	19	4	22	22	2	-	-	3	135	3
F	477	329	259	24	4	19	22	1	-	-	-	146	2
40 to 44 years M	123	70	53	3	-	1	13	-	-	-	-	49	4
F	106	70	51	7	1	3	7	1	-	-	-	36	-
45 to 49 years M	6	5	4	1	-	-	-	-	-	-	-	1	-
F	5	3	3	-	-	-	-	-	-	-	-	2	-
50 to 54 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	40	37	8	-	1	-	-	-	-	-	28	3	-
F	48	38	8	-	-	-	-	-	-	-	30	9	1
FLORIDA	40,901	29,512	27,994	590	382	338	168	4	19	1	16	11,359	30
Male	21,151	15,266	14,505	313	177	151	93	2	14	1	10	5,868	17
Female	19,750	14,246	13,489	277	205	187	75	2	5	-	6	5,491	13
10 to 14 years M	74	22	17	-	5	-	-	-	-	-	-	52	-
F	56	9	6	-	3	-	-	-	-	-	-	47	-
15 to 19 years M	4,044	2,385	2,283	10	81	7	2	-	2	-	-	1,658	1
F	3,549	2,095	1,986	15	84	9	-	-	1	-	-	1,451	3
20 to 24 years M	7,023	5,195	4,988	83	64	41	9	-	6	-	4	1,819	9
F	6,652	4,961	4,741	77	75	55	8	1	1	-	3	1,688	3
25 to 29 years M	5,136	4,066	3,876	98	17	49	21	1	2	-	2	1,065	4
F	4,754	3,667	3,481	90	21	59	12	1	2	-	1	1,082	5
30 to 34 years M	2,875	2,177	2,034	72	4	36	27	1	2	-	1	696	2
F	2,842	2,170	2,038	63	8	40	21	-	-	-	-	671	1
35 to 39 years M	1,539	1,083	1,000	38	2	16	22	-	2	-	3	455	1
F	1,422	1,031	953	25	9	18	26	-	-	-	-	390	1
40 to 44 years M	355	258	234	9	1	1	12	-	-	1	-	97	-
F	367	247	223	7	3	6	8	-	-	-	-	120	-
45 to 49 years M	27	24	24	-	-	-	-	-	-	-	-	3	-
F	23	12	11	-	1	-	-	-	-	-	-	11	-
50 to 54 years M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	5	3	3	-	-	-	-	-	-	-	-	2	-
Not stated M	76	53	46	3	3	1	-	-	-	-	-	23	-
F	80	51	47	-	1	-	-	-	1	-	2	29	-
GEORGIA	72,491	45,507	44,502	139	713	82	46	1	14	-	10	26,971	13
Male	37,173	23,518	22,998	66	378	43	25	-	4	-	4	13,648	7
Female	35,318	21,989	21,504	73	335	39	21	1	10	-	6	13,323	6
10 to 14 years M	127	15	11	-	4	-	-	-	-	-	-	112	-
F	124	21	17	-	4	-	-	-	-	-	-	103	-
15 to 19 years M	7,160	3,720	3,557	4	155	1	-	-	2	-	1	3,439	1
F	6,823	3,422	3,276	4	139	-	-	-	3	-	-	3,400	1
20 to 24 years M	12,378	7,991	7,816	17	139	13	3	-	2	-	1	4,385	2
F	11,771	7,560	7,394	24	120	13	1	1	4	-	3	4,210	1
25 to 29 years M	8,523	5,735	5,653	20	47	8	6	-	-	-	1	2,788	-
F	8,136	5,346	5,257	28	41	13	5	-	1	-	1	2,789	1
30 to 34 years M	5,252	3,643	3,588	18	17	12	8	-	-	-	-	1,608	1
F	4,970	3,412	3,364	13	17	9	8	-	-	-	1	1,555	3
35 to 39 years M	2,844	1,837	1,808	5	11	7	6	-	-	-	-	1,004	3
F	2,651	1,686	1,659	4	12	2	7	-	1	-	1	965	-
40 to 44 years M	785	512	501	2	4	2	2	-	-	-	1	273	-
F	738	489	484	-	2	2	-	-	1	-	-	249	-
45 to 49 years M	82	52	52	-	-	-	-	-	-	-	-	30	-
F	70	35	35	-	-	-	-	-	-	-	-	35	-
50 to 54 years F	3	1	1	-	-	-	-	-	-	-	-	2	-
Not stated M	22	13	12	-	1	-	-	-	-	-	-	9	-
F	32	17	17	-	-	-	-	-	-	-	-	15	-
IDAHO	11,454	11,327	10,754	273	86	158	51	-	4	-	1	1	126
Male	5,904	5,834	5,554	129	35	87	25	-	3	-	1	1	69
Female	5,550	5,493	5,200	144	51	71	26	-	1	-	-	-	57
10 to 14 years M	4	4	4	-	-	-	-	-	-	-	-	-	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	787	777	753	7	11	5	-	-	-	-	1	-	10
F	684	672	640	6	21	5	-	-	-	-	-	-	12
20 to 24 years M	2,152	2,127	2,048	33	13	26	7	-	-	-	-	-	25
F	1,980	1,961	1,881	40	18	19	3	-	-	-	-	-	19
25 to 29 years M	1,492	1,477	1,413	35	2	22	4	-	1	-	-	-	15
F	1,434	1,423	1,351	37	7	23	5	-	-	-	-	-	11
30 to 34 years M	887	881	812	36	6	21	5	-	1	-	-	-	6
F	875	866	803	31	4	15	12	-	1	-	-	-	9
35 to 39 years M	435	426	393	13	2	11	6	-	1	-	-	1	8
F	415	412	375	22	1	8	6	-	-	-	-	-	3
40 to 44 years M	128	124	114	5	1	2	2	-	-	-	-	-	4
F	139	137	130	6	-	1	-	-	-	-	-	-	2
45 to 49 years M	15	14	13	-	-	-	1	-	-	-	-	-	1
F	13	13	11	2	-	-	-	-	-	-	-	-	-
50 to 54 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	4	4	4	-	-	-	-	-	-	-	-	-	-
F	6	5	5	-	-	-	-	-	-	-	-	-	1

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
ILLINOIS	156,232	147,724	131,718	7,193	2,212	3,286	3,150	52	50	6	57	8,407	101
Male	80,282	75,988	67,756	3,672	1,166	1,683	1,628	29	25	-	29	4,236	58
Female	75,950	71,736	63,962	3,521	1,046	1,603	1,522	23	25	6	28	4,171	43
10 to 14 years M	42	24	11	-	13	-	-	-	-	-	-	18	-
F	50	32	9	-	22	-	-	-	-	-	1	18	-
15 to 19 years M	7,320	6,214	5,646	108	389	55	4	4	2	-	6	1,102	4
F	7,039	5,928	5,433	94	347	42	7	1	3	-	1	1,108	3
20 to 24 years M	26,074	24,629	23,005	653	457	403	87	5	11	-	8	1,426	19
F	24,899	23,444	21,866	652	402	402	93	9	8	1	11	1,439	16
25 to 29 years M	25,129	24,323	21,973	1,334	184	527	286	8	8	-	3	791	15
F	23,377	22,601	20,450	1,235	163	465	274	3	6	1	4	766	10
30 to 34 years M	13,946	13,418	11,288	1,021	66	449	581	6	2	-	5	516	12
F	13,305	12,795	10,775	974	67	441	527	2	3	4	2	501	9
35 to 39 years M	6,099	5,792	4,603	449	33	208	492	6	1	-	-	303	4
F	5,642	5,375	4,235	466	25	196	441	7	4	-	1	264	3
40 to 44 years M	1,506	1,430	1,116	98	19	38	158	-	1	-	-	74	2
F	1,475	1,402	1,088	87	15	50	161	1	-	-	-	72	1
45 to 49 years M	106	102	76	3	2	1	20	-	-	-	-	3	1
F	103	100	72	8	2	4	14	-	-	-	-	2	1
50 to 54 years M	3	3	2	-	-	1	-	-	-	-	-	-	-
F	5	4	4	-	-	-	-	-	-	-	-	1	-
Not stated M	57	53	36	6	3	1	-	-	-	-	7	3	1
F	55	55	30	5	3	3	5	-	1	-	8	-	-
INDIANA	73,706	71,220	68,437	981	768	523	371	8	73	2	57	2,472	14
Male	38,129	36,852	35,400	518	398	278	180	5	42	1	30	1,268	9
Female	35,577	34,368	33,037	463	370	245	191	3	31	1	27	1,204	5
10 to 14 years M	27	20	14	-	6	-	-	-	-	-	-	7	-
F	26	21	16	-	5	-	-	-	-	-	-	5	-
15 to 19 years M	5,034	4,697	4,495	27	157	7	-	-	4	-	7	336	1
F	4,691	4,389	4,199	12	152	9	2	-	8	-	7	302	-
20 to 24 years M	13,486	13,095	12,709	121	143	84	13	2	13	-	10	396	5
F	12,607	12,216	11,875	108	123	80	18	1	4	1	6	389	2
25 to 29 years M	10,137	9,890	9,546	167	52	79	29	1	11	-	5	246	1
F	9,464	9,258	8,968	152	44	54	26	2	8	-	4	205	1
30 to 34 years M	5,667	5,508	5,218	128	19	67	70	-	4	1	1	159	-
F	5,289	5,109	4,837	114	24	58	67	-	5	-	4	179	1
35 to 39 years M	2,779	2,691	2,530	61	17	30	48	1	3	-	1	87	1
F	2,560	2,482	2,327	56	14	33	50	-	1	-	1	78	-
40 to 44 years M	779	747	706	12	2	4	20	1	1	-	1	31	1
F	774	737	681	18	4	8	25	-	-	-	1	37	-
45 to 49 years M	78	76	72	1	1	2	-	-	-	-	-	2	-
F	43	41	36	2	1	1	1	-	-	-	-	2	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated M	151	127	109	1	1	5	-	-	6	-	5	4	-
F	121	113	96	1	3	2	2	-	5	-	4	7	1
IOWA	48,454	48,141	45,944	890	725	375	186	4	11	2	4	281	32
Male	25,080	24,924	23,789	461	370	199	93	3	6	-	3	139	17
Female	23,374	23,217	22,155	429	355	176	93	1	5	2	1	142	15
10 to 14 years M	12	11	3	-	8	-	-	-	-	-	-	1	-
F	6	5	1	-	4	-	-	-	-	-	-	1	-
15 to 19 years M	2,488	2,451	2,263	20	157	7	1	1	1	-	1	33	4
F	2,285	2,257	2,077	12	155	9	1	-	3	-	-	28	-
20 to 24 years M	8,480	8,424	8,170	75	128	45	3	-	3	-	-	54	2
F	8,012	7,960	7,723	72	131	33	1	-	-	-	-	47	5
25 to 29 years M	7,131	7,099	6,856	129	49	47	16	-	1	-	1	24	8
F	6,571	6,526	6,282	135	39	54	15	-	1	-	-	36	9
30 to 34 years M	4,156	4,140	3,938	119	15	39	28	-	1	-	-	13	3
F	3,843	3,825	3,626	117	13	37	30	1	1	-	-	17	1
35 to 39 years M	2,111	2,100	1,938	77	12	45	26	2	-	-	-	11	-
F	1,973	1,964	1,834	64	8	29	28	-	-	1	-	9	-
40 to 44 years M	641	638	571	37	1	13	16	-	-	-	-	3	-
F	619	615	560	26	2	12	14	-	-	1	-	4	-
45 to 49 years M	51	51	42	2	-	3	3	-	-	-	1	-	-
F	54	54	43	3	2	2	4	-	-	-	-	-	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated M	9	9	7	2	-	-	-	-	-	-	-	-	-
F	9	9	7	-	1	-	-	-	-	-	1	-	-
KANSAS	33,920	32,752	31,528	403	452	171	180	2	12	1	3	1,111	57
Male	17,516	16,895	16,273	207	233	89	86	1	4	1	1	594	27
Female	16,404	15,857	15,255	196	219	82	94	1	8	-	2	517	30
10 to 14 years M	9	8	5	-	3	-	-	-	-	-	-	1	-
F	9	5	4	-	1	-	-	-	-	-	-	4	-
15 to 19 years M	2,072	1,903	1,783	14	98	5	1	-	1	-	1	167	2
F	1,899	1,775	1,661	17	93	2	-	1	1	-	-	116	8
20 to 24 years M	6,062	5,863	5,693	56	87	18	8	-	1	-	-	186	13
F	5,542	5,379	5,230	43	78	16	11	-	1	-	-	160	3
25 to 29 years M	4,697	4,574	4,468	46	20	23	16	-	-	1	-	116	7
F	4,471	4,353	4,235	50	26	19	18	-	4	-	1	109	9
30 to 34 years M	2,778	2,719	2,621	38	18	22	20	-	-	-	-	55	4
F	2,711	2,643	2,550	37	11	23	22	-	-	-	-	64	4
35 to 39 years M	1,411	1,361	1,278	38	4	13	27	-	1	-	-	50	-
F	1,335	1,276	1,198	29	6	15	27	-	1	-	-	53	6
40 to 44 years M	410	395	362	13	2	6	11	1	-	-	-	14	1
F	381	374	332	19	3	6	14	-	-	-	-	7	-
45 to 49 years M	31	31	26	1	-	2	2	-	-	-	-	-	-
F	27	24	21	1	-	1	1	-	-	-	-	3	-
50 to 54 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	46	41	37	1	1	-	1	-	1	-	-	5	-
F	28	27	23	-	1	-	1	-	1	-	1	1	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
KENTUCKY	66,267	62,619	61,633	151	621	81	46	2	61	-	24	3,644	4
Male	34,921	33,036	32,532	78	317	34	26	-	36	-	13	1,881	4
Female	31,346	29,583	29,101	73	304	47	20	2	25	-	11	1,763	-
10 to 14 years M	54	38	30	-	8	-	-	-	-	-	-	16	-
F	53	35	29	-	6	-	-	-	-	-	-	18	-
15 to 19 years M	5,533	5,031	4,871	3	145	2	-	-	9	-	1	502	-
F	5,031	4,549	4,413	1	127	1	-	-	6	-	1	482	-
20 to 24 years M	11,320	10,730	10,600	12	101	5	3	-	8	-	1	589	1
F	10,063	9,548	9,398	23	100	11	2	-	8	-	6	515	-
25 to 29 years M	8,153	7,798	7,710	27	36	11	1	-	8	-	5	353	2
F	7,427	7,102	7,023	19	38	14	2	-	5	-	1	325	-
30 to 34 years M	5,338	5,113	5,047	26	16	7	10	-	5	-	2	225	-
F	4,799	4,571	4,513	16	22	8	6	1	4	-	1	228	-
35 to 39 years M	3,251	3,117	3,080	7	7	6	10	-	4	-	3	133	1
F	2,863	2,726	2,682	12	7	12	10	1	1	-	1	137	-
40 to 44 years M	1,139	1,083	1,069	3	4	3	2	-	2	-	-	56	-
F	968	920	915	2	2	1	-	-	-	-	-	48	-
45 to 49 years M	97	92	92	-	-	-	-	-	-	-	-	5	-
F	100	93	93	-	-	-	-	-	-	-	-	7	-
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	5	4	4	-	-	-	-	-	-	-	-	1	-
Not stated M	34	32	31	-	-	-	-	-	-	-	1	2	-
F	37	35	31	-	2	-	-	-	1	-	1	2	-
LOUISIANA	58,093	35,082	34,323	242	307	125	65	-	10	-	10	22,923	88
Male	29,644	17,900	17,513	125	142	68	39	-	6	-	7	11,697	47
Female	28,449	17,182	16,810	117	165	57	26	-	4	-	3	11,226	41
10 to 14 years M	75	11	9	-	2	-	-	-	-	-	-	64	-
F	80	14	13	-	1	-	-	-	-	-	-	66	-
15 to 19 years M	5,245	2,563	2,510	4	46	2	-	-	-	-	1	2,671	11
F	5,039	2,456	2,388	6	61	-	-	-	-	-	1	2,573	10
20 to 24 years M	9,916	6,200	6,090	29	55	16	5	-	3	-	2	3,705	11
F	9,622	6,061	5,957	27	58	13	4	-	2	-	-	3,550	11
25 to 29 years M	7,114	4,643	4,558	34	17	19	10	-	2	-	3	2,459	12
F	6,706	4,375	4,280	39	24	23	8	-	-	-	1	2,325	6
30 to 34 years M	4,259	2,703	2,627	32	9	20	14	-	1	-	-	1,548	8
F	4,008	2,532	2,473	22	14	16	7	-	-	-	-	1,470	6
35 to 39 years M	2,224	1,319	1,274	21	9	9	6	-	-	-	-	900	5
F	2,202	1,295	1,262	18	6	4	3	-	1	-	1	899	8
40 to 44 years M	612	359	345	5	3	2	4	-	-	-	-	253	-
F	623	367	357	4	1	1	4	-	-	-	-	256	-
45 to 49 years M	63	36	36	-	-	-	-	-	-	-	-	27	-
F	47	24	23	1	-	-	-	-	-	-	-	23	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	4	2	2	-	-	-	-	-	-	-	-	2	-
Not stated M	135	65	63	-	1	-	-	-	-	-	1	70	-
F	118	56	55	-	-	-	-	-	1	-	-	62	-
MAINE	17,719	17,673	14,744	1,097	345	1,055	413	17	1	-	1	14	32
Male	9,181	9,159	7,626	590	188	518	221	14	1	-	1	5	17
Female	8,538	8,514	7,118	507	157	537	192	3	-	-	-	9	15
10 to 14 years M	8	8	7	-	1	-	-	-	-	-	-	-	-
F	8	8	5	-	3	-	-	-	-	-	-	-	-
15 to 19 years M	1,175	1,171	1,013	53	73	25	3	3	-	-	1	-	4
F	1,029	1,025	899	34	63	24	3	2	-	-	-	1	3
20 to 24 years M	3,157	3,148	2,739	163	74	140	27	5	-	-	-	3	6
F	2,916	2,908	2,540	133	60	149	26	-	-	-	-	3	5
25 to 29 years M	2,441	2,440	2,068	157	23	143	45	3	1	-	-	-	1
F	2,295	2,289	1,919	150	17	163	39	1	-	-	-	4	2
30 to 34 years M	1,381	1,377	1,105	107	8	111	45	1	-	-	-	1	3
F	1,345	1,341	1,064	117	9	102	49	-	-	-	-	1	3
35 to 39 years M	757	755	530	79	8	67	70	1	-	-	-	-	2
F	686	685	512	53	2	72	46	-	-	-	-	-	1
40 to 44 years M	241	239	152	29	1	30	26	1	-	-	-	1	1
F	242	241	164	20	2	26	29	-	-	-	-	-	1
45 to 49 years M	20	20	12	2	-	2	4	-	-	-	-	-	-
F	15	15	13	-	1	1	-	-	-	-	-	-	-
Not stated M	1	1	-	-	-	-	1	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
MARYLAND	44,237	35,985	34,160	800	288	423	277	3	21	2	11	8,235	17
Male	22,639	18,430	17,530	374	137	225	146	-	10	2	6	4,201	8
Female	21,598	17,555	16,630	426	151	198	131	3	11	-	5	4,034	9
10 to 14 years M	56	9	8	-	3	-	-	-	-	-	-	47	-
F	56	8	8	-	-	-	-	-	-	-	-	48	-
15 to 19 years M	3,409	2,201	2,121	18	48	10	1	-	1	-	2	1,206	2
F	3,263	2,133	2,034	19	72	6	-	1	1	-	-	1,129	1
20 to 24 years M	7,711	6,376	6,186	69	48	58	10	-	3	1	1	1,331	4
F	7,311	6,003	5,805	93	43	49	8	-	5	-	-	1,304	4
25 to 29 years M	5,902	5,156	4,922	129	17	60	24	-	3	1	-	744	2
F	5,644	4,914	4,673	139	16	55	28	2	-	-	1	729	1
30 to 34 years M	3,424	2,950	2,709	107	11	65	55	-	2	-	1	474	-
F	3,302	2,846	2,651	98	13	55	45	-	2	-	2	455	1
35 to 39 years M	1,603	1,323	1,215	35	5	23	45	-	-	-	-	280	-
F	1,518	1,259	1,126	62	7	30	32	-	2	-	-	257	2
40 to 44 years M	424	334	297	14	4	9	10	-	-	-	-	90	-
F	421	328	296	14	-	3	14	-	-	-	1	93	-
45 to 49 years M	39	27	24	2	-	-	1	-	-	-	-	12	-
F	39	30	28	-	-	-	4	-	-	-	-	9	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	70	53	49	-	1	-	-	-	1	-	2	17	-
F	44	34	31	1	-	-	-	-	1	-	1	10	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
MASSACHUSETTS	82,773	81,660	65,841	6,271	1,274	4,619	3,529	76	12	7	31	1,044	69
Male	42,669	42,101	33,902	3,263	654	2,378	1,837	39	7	4	17	527	41
Female	40,104	39,559	31,939	3,008	620	2,241	1,692	37	5	3	14	517	28
10 to 14 years M	15	12	3	-	9	-	-	-	-	-	-	3	-
F	9	8	3	-	5	-	-	-	-	-	-	-	1
15 to 19 years M	2,205	2,114	1,813	72	181	41	4	3	-	-	-	84	7
F	2,083	1,995	1,687	67	189	41	7	3	1	-	-	77	11
20 to 24 years M	12,536	12,322	10,800	641	257	507	98	11	4	-	4	201	13
F	11,778	11,568	10,169	596	260	434	94	8	2	1	4	203	7
25 to 29 years M	13,890	13,761	11,642	1,081	114	659	270	9	-	1	5	120	9
F	12,966	12,842	10,913	993	100	592	225	12	-	1	6	123	1
30 to 34 years M	8,909	8,837	6,466	920	56	720	659	8	2	1	5	67	5
F	8,347	8,275	6,079	832	48	709	595	6	1	1	4	68	4
35 to 39 years M	3,925	3,883	2,511	439	22	354	547	4	1	2	3	36	6
F	3,833	3,795	2,471	403	12	381	523	5	-	-	-	35	3
40 to 44 years M	998	985	545	114	9	82	229	4	-	-	-	15	-
F	930	920	537	103	4	72	201	3	-	-	-	9	1
45 to 49 years M	70	70	36	7	-	7	20	-	-	-	-	-	-
F	69	69	24	6	-	6	33	-	-	-	-	-	-
50 to 54 years M	4	3	1	-	-	-	2	-	-	-	-	-	1
F	2	2	-	-	-	-	2	-	-	-	-	-	-
Not stated M	117	116	85	9	6	8	8	-	-	-	-	1	-
F	87	85	56	8	2	6	12	-	1	-	-	2	-
MICHIGAN	123,886	118,784	102,450	7,308	1,407	4,471	3,041	31	58	4	14	4,867	235
Male	63,360	60,784	52,359	3,790	723	2,306	1,550	18	32	1	5	2,472	104
Female	60,526	58,000	50,091	3,518	684	2,165	1,491	13	26	3	9	2,395	131
10 to 14 years M	37	19	8	-	11	-	-	-	-	-	-	16	2
F	29	17	5	-	12	-	-	-	-	-	-	11	1
15 to 19 years M	6,482	5,873	5,272	172	294	107	17	7	4	-	-	597	12
F	6,239	5,634	5,038	188	291	95	11	5	5	-	1	586	19
20 to 24 years M	22,596	21,695	19,519	993	257	727	186	3	9	-	1	858	43
F	21,351	20,456	18,522	863	241	655	160	5	8	-	2	848	47
25 to 29 years M	18,416	17,919	15,542	1,276	103	673	312	4	6	-	1	480	17
F	17,618	17,154	14,842	1,218	80	668	339	1	4	-	2	433	31
30 to 34 years M	9,816	9,514	7,652	863	34	493	466	3	1	-	2	283	19
F	9,551	9,235	7,535	752	39	466	435	-	6	1	1	302	14
35 to 39 years M	4,610	4,426	3,399	377	18	238	389	-	4	1	-	176	8
F	4,375	4,202	3,199	392	17	221	368	2	-	1	2	157	16
40 to 44 years M	1,243	1,187	867	95	6	62	155	1	1	-	-	54	2
F	1,202	1,153	835	98	2	55	161	-	1	1	-	46	3
45 to 49 years M	101	98	57	12	-	6	22	-	1	-	-	3	-
F	98	96	73	3	-	4	16	-	-	-	-	2	-
50 to 54 years M	2	2	1	-	-	-	1	-	-	-	-	-	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	57	51	42	2	-	-	2	-	4	-	1	5	1
F	62	53	42	4	2	1	1	-	2	-	1	9	-
MINNESOTA	58,770	58,198	53,773	1,930	1,104	979	389	15	5	-	3	60	512
Male	30,100	29,804	27,533	967	585	515	189	9	3	-	3	31	265
Female	28,670	28,394	26,240	963	519	464	200	6	2	-	-	29	247
10 to 14 years M	6	6	1	-	5	-	-	-	-	-	-	-	-
F	7	6	1	-	5	-	-	-	-	-	-	-	1
15 to 19 years M	2,006	1,965	1,721	16	203	24	-	1	-	-	-	11	30
F	1,948	1,915	1,710	19	172	12	2	-	-	-	-	4	29
20 to 24 years M	9,356	9,257	8,718	170	231	118	12	4	3	-	1	10	89
F	8,870	8,782	8,275	169	223	98	11	4	2	-	-	9	79
25 to 29 years M	9,381	9,321	8,765	283	84	156	31	2	-	-	-	3	57
F	8,792	8,730	8,230	278	70	134	18	-	-	-	-	10	52
30 to 34 years M	5,659	5,606	5,121	265	39	131	49	1	-	-	-	5	48
F	5,440	5,389	4,940	257	27	114	50	1	-	-	-	4	47
35 to 39 years M	2,775	2,741	2,448	169	10	54	59	1	-	-	-	1	33
F	2,718	2,688	2,348	170	16	76	78	-	-	-	-	2	28
40 to 44 years M	831	824	691	59	12	29	33	-	-	-	-	1	6
F	827	818	686	63	6	25	37	1	-	-	-	-	9
45 to 49 years M	73	72	59	5	1	3	4	-	-	-	-	-	1
F	63	61	48	6	-	4	3	-	-	-	-	-	2
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated M	12	11	8	-	-	-	1	-	-	-	2	-	1
F	4	4	2	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI	56,667	25,566	25,107	89	300	32	26	-	8	-	4	30,979	122
Male	29,140	13,297	13,055	45	168	14	11	-	3	-	1	15,776	67
Female	27,527	12,269	12,052	44	132	18	15	-	5	-	3	15,203	55
10 to 14 years M	170	13	11	-	2	-	-	-	-	-	-	157	-
F	134	11	10	-	1	-	-	-	-	-	-	123	-
15 to 19 years M	5,973	1,983	1,892	4	87	-	-	-	-	-	-	3,980	10
F	5,758	1,854	1,797	2	51	1	1	-	1	-	1	3,893	11
20 to 24 years M	8,970	4,312	4,253	9	46	4	-	-	-	-	-	4,647	11
F	8,413	3,974	3,898	12	52	4	4	-	4	-	-	4,420	19
25 to 29 years M	6,396	3,303	3,260	14	18	5	3	-	2	-	1	3,077	16
F	5,991	2,997	2,962	15	10	8	1	-	-	-	1	2,984	10
30 to 34 years M	4,254	2,172	2,141	11	12	5	3	-	-	-	-	2,070	12
F	4,050	2,042	2,021	9	6	3	3	-	-	-	-	2,003	5
35 to 39 years M	2,526	1,138	1,125	5	2	-	5	-	1	-	-	1,375	13
F	2,368	1,027	1,007	5	10	2	3	-	-	-	-	1,332	9
40 to 44 years M	758	348	345	2	1	-	-	-	-	-	-	406	4
F	704	317	313	1	1	-	2	-	-	-	-	386	1
45 to 49 years M	65	19	19	-	-	-	-	-	-	-	-	45	1
F	73	33	31	-	1	-	1	-	-	-	-	40	-
50 to 54 years M	2	-	-	-	-	-	-	-	-	-	-	2	-
F	3	1	1	-	-	-	-	-	-	-	-	2	-
Not stated M	26	9	9	-	-	-	-	-	-	-	-	17	-
F	33	13	12	-	-	-	-	-	-	-	1	20	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
MISSOURI	70,711	65,903	63,449	775	1,031	369	250	4	19	-	6	4,776	32
Male	36,192	33,735	32,421	422	546	193	138	2	9	-	4	2,436	21
Female	34,519	32,168	31,028	353	485	176	112	2	10	-	2	2,340	11
10 to 14 years M	53	23	14	-	9	-	-	-	-	-	-	30	-
F	48	26	16	-	10	-	-	-	-	-	-	22	-
15 to 19 years M	5,109	4,450	4,191	14	237	3	1	-	2	-	2	655	4
F	5,033	4,439	4,212	13	204	6	-	-	3	-	1	592	2
20 to 24 years M	11,960	11,240	10,907	82	197	42	9	1	2	-	-	712	8
F	11,294	10,576	10,308	60	165	29	8	1	5	-	-	714	4
25 to 29 years M	9,477	8,995	8,700	150	54	60	29	-	2	-	-	478	4
F	8,896	8,425	8,180	117	56	51	19	1	1	-	-	470	1
30 to 34 years M	5,731	5,405	5,183	97	30	48	44	1	2	-	-	322	4
F	5,519	5,195	4,945	123	26	61	40	-	-	-	-	320	4
35 to 39 years M	2,909	2,730	2,579	64	13	28	46	-	-	-	-	178	1
F	2,791	2,633	2,520	36	16	25	36	-	-	-	-	158	-
40 to 44 years M	855	800	760	14	5	12	9	-	-	-	-	55	-
F	838	785	760	4	7	4	9	-	1	-	-	53	-
45 to 49 years M	65	61	60	1	-	-	-	-	-	-	-	4	-
F	68	59	59	-	-	-	-	-	-	-	-	9	-
50 to 54 years M	2	1	1	-	-	-	-	-	-	-	-	1	-
F	3	2	2	-	-	-	-	-	-	-	-	1	-
Not stated M	31	30	26	-	1	-	-	-	1	-	2	1	-
F	29	28	26	-	1	-	-	-	-	-	1	1	-
MONTANA	11,735	11,026	9,878	594	76	341	136	1	-	-	-	12	697
Male	6,041	5,678	5,080	309	39	176	74	-	-	-	-	8	355
Female	5,694	5,348	4,798	285	37	165	62	1	-	-	-	4	342
10 to 14 years M	4	2	2	-	-	-	-	-	-	-	-	-	2
F	3	2	-	2	-	-	-	-	-	-	-	-	1
15 to 19 years M	637	579	532	24	15	8	-	-	-	-	-	-	58
F	561	512	475	10	16	9	1	1	-	-	-	1	48
20 to 24 years M	2,065	1,959	1,817	85	12	37	8	-	-	-	-	3	103
F	1,937	1,819	1,698	63	15	37	6	-	-	-	-	-	118
25 to 29 years M	1,749	1,665	1,509	89	5	56	6	-	-	-	-	2	82
F	1,617	1,547	1,393	97	4	42	11	-	-	-	-	2	68
30 to 34 years M	989	923	786	63	4	51	19	-	-	-	-	1	65
F	989	928	804	62	1	43	18	-	-	-	-	1	62
35 to 39 years M	431	402	325	33	2	19	23	-	-	-	-	1	28
F	432	407	336	32	1	22	16	-	-	-	-	-	25
40 to 44 years M	139	126	98	12	1	4	11	-	-	-	-	-	13
F	138	122	85	17	-	9	11	-	-	-	-	-	16
45 to 49 years M	24	21	10	3	-	1	7	-	-	-	-	1	2
F	15	11	5	2	-	3	1	-	-	-	-	-	4
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	2	-	-	-	-	-	-	-	-	-	-	-	2
F	2	2	2	-	-	-	-	-	-	-	-	-	-
NEBRASKA	23,676	23,381	22,210	502	302	194	169	-	3	-	1	202	93
Male	12,163	12,016	11,429	247	152	105	81	-	1	-	1	101	46
Female	11,513	11,365	10,781	255	150	89	88	-	2	-	-	101	47
10 to 14 years M	2	2	1	-	1	-	-	-	-	-	-	-	-
F	2	2	1	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	1,124	1,090	1,010	17	60	3	-	-	-	-	-	26	8
F	1,022	988	908	13	61	3	4	-	1	-	-	27	7
20 to 24 years M	4,072	4,020	3,885	50	63	20	2	-	-	-	-	35	17
F	3,783	3,735	3,608	44	61	19	3	-	-	-	-	33	15
25 to 29 years M	3,458	3,427	3,312	68	16	24	7	-	-	-	-	22	9
F	3,334	3,303	3,165	80	16	27	14	-	1	-	-	18	13
30 to 34 years M	2,116	2,098	1,973	61	9	30	23	-	1	-	1	12	6
F	2,015	1,994	1,858	55	8	21	22	-	-	-	-	16	5
35 to 39 years M	1,052	1,043	949	36	3	20	35	-	-	-	-	5	4
F	1,006	995	904	47	1	13	30	-	-	-	-	6	5
40 to 44 years M	302	299	268	13	-	7	11	-	-	-	-	1	2
F	312	309	273	15	2	5	14	-	-	-	-	1	2
45 to 49 years M	28	28	23	2	-	-	3	-	-	-	-	-	-
F	25	25	22	1	-	1	1	-	-	-	-	-	-
50 to 54 years M	2	2	1	-	-	1	-	-	-	-	-	-	-
Not stated M	7	7	7	-	-	-	-	-	-	-	-	-	-
F	14	14	14	-	-	-	-	-	-	-	-	-	-
NEVADA	2,782	2,605	2,388	102	26	56	28	2	1	-	2	15	162
Male	1,438	1,350	1,247	48	11	30	10	2	1	-	1	10	78
Female	1,344	1,255	1,141	54	15	26	18	-	-	-	1	5	84
10 to 14 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	206	202	195	4	2	1	-	-	-	-	-	-	4
F	173	159	149	2	6	1	1	-	-	-	-	2	12
20 to 24 years M	519	479	453	14	3	8	-	-	-	-	1	5	35
F	500	465	438	14	3	7	3	-	-	-	-	2	33
25 to 29 years M	398	381	347	18	5	9	2	-	-	-	-	3	14
F	380	360	323	20	4	9	4	-	-	-	-	-	20
30 to 34 years M	197	181	159	9	1	7	3	1	1	-	-	2	14
F	195	186	163	11	1	6	5	-	-	-	-	-	9
35 to 39 years M	94	86	74	1	-	5	5	1	-	-	-	-	8
F	73	65	52	6	1	2	4	-	-	-	-	1	7
40 to 44 years M	20	18	18	2	-	-	-	-	-	-	-	-	2
F	18	16	14	-	-	1	1	-	-	-	-	-	2
45 to 49 years M	2	1	1	-	-	-	-	-	-	-	-	-	1
F	2	1	1	-	-	-	-	-	-	-	-	-	1
Not stated M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	2	2	-	1	-	-	-	-	-	-	1	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
NEW HAMPSHIRE	9,173	9,160	7,730	563	185	467	204	5	1	-	5	12	1
Male	4,752	4,746	4,017	286	106	227	104	2	-	-	4	5	1
Female	4,421	4,414	3,713	277	79	240	100	3	1	-	1	7	-
10 to 14 years M	2	2	1	-	1	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	473	472	409	19	41	2	1	-	-	-	-	1	-
F	401	401	341	16	30	13	1	-	-	-	-	-	-
20 to 24 years M	1,539	1,539	1,367	80	27	57	6	1	-	-	1	-	-
F	1,437	1,436	1,273	69	27	55	12	-	-	-	-	1	-
25 to 29 years M	1,379	1,378	1,176	90	16	70	24	1	-	-	1	1	-
F	1,263	1,262	1,081	90	17	54	17	3	-	-	-	1	-
30 to 34 years M	826	823	679	54	11	52	25	-	-	-	2	2	1
F	801	800	643	58	4	64	31	-	-	-	-	1	-
35 to 39 years M	414	413	297	35	9	40	32	-	-	-	-	1	-
F	405	401	300	32	1	39	28	-	-	-	1	4	-
40 to 44 years M	102	102	74	7	1	6	14	-	-	-	-	-	-
F	100	100	69	11	-	13	7	-	-	-	-	-	-
45 to 49 years M	12	12	10	-	-	-	2	-	-	-	-	-	-
F	3	3	2	-	-	-	1	-	-	-	-	-	-
Not stated M	5	5	4	1	-	-	-	-	-	-	-	-	-
F	10	10	3	1	-	2	3	-	1	-	-	-	-
NEW JERSEY	81,709	76,254	64,753	5,458	493	2,930	2,589	14	10	1	6	5,429	26
Male	42,082	39,284	33,368	2,789	245	1,514	1,348	9	7	1	3	2,782	16
Female	39,627	36,970	31,385	2,669	248	1,416	1,241	5	3	-	3	2,647	10
10 to 14 years M	25	9	4	-	5	-	-	-	-	-	-	16	-
F	18	5	2	-	3	-	-	-	-	-	-	13	-
15 to 19 years M	2,631	1,970	1,808	50	84	21	7	-	-	-	-	661	-
F	2,509	1,861	1,705	56	73	21	6	-	-	-	-	648	-
20 to 24 years M	13,119	12,122	11,058	529	89	365	77	2	2	-	-	989	8
F	12,224	11,249	10,292	491	97	290	75	1	1	-	2	972	3
25 to 29 years M	14,240	13,681	11,941	1,011	44	447	236	1	1	-	-	556	3
F	13,385	12,876	11,197	955	45	459	217	-	2	-	1	504	5
30 to 34 years M	8,104	7,772	6,054	795	12	445	460	2	1	1	2	329	3
F	7,733	7,452	5,824	756	17	416	438	1	-	-	-	280	1
35 to 39 years M	3,181	2,989	2,042	328	5	201	407	3	2	-	1	192	-
F	3,067	2,893	1,983	339	11	189	370	1	-	-	-	174	-
40 to 44 years M	728	691	426	72	6	34	151	1	1	-	-	36	1
F	642	589	357	67	1	39	125	-	-	-	-	52	1
45 to 49 years M	37	34	19	4	-	1	10	-	-	-	-	2	1
F	36	33	14	5	-	2	10	2	-	-	-	3	-
50 to 54 years M	3	2	2	-	-	-	-	-	-	-	-	1	-
Not stated M	14	14	14	-	-	-	-	-	-	-	-	-	-
F	13	12	11	-	1	-	-	-	-	-	-	1	-
NEW MEXICO	14,129	13,497	12,067	435	514	245	226	6	2	-	2	104	528
Male	7,183	6,882	6,134	231	272	114	125	3	1	-	2	44	257
Female	6,946	6,615	5,933	204	242	131	101	3	1	-	-	60	271
10 to 14 years M	7	4	-	-	4	-	-	-	-	-	-	1	2
F	5	5	2	-	3	-	-	-	-	-	-	-	-
15 to 19 years M	975	939	848	11	75	4	1	-	-	-	-	5	31
F	982	927	832	10	79	5	1	-	-	-	-	19	36
20 to 24 years M	2,271	2,196	1,980	61	105	35	14	-	-	-	1	8	67
F	2,125	2,047	1,874	50	86	26	9	1	1	-	-	14	64
25 to 29 years M	1,805	1,720	1,559	67	37	33	22	1	-	-	1	14	71
F	1,739	1,660	1,508	68	34	35	15	-	-	-	-	10	69
30 to 34 years M	1,161	1,112	965	53	29	22	41	1	1	-	-	10	39
F	1,153	1,099	972	43	19	33	32	-	-	-	-	10	44
35 to 39 years M	707	667	570	31	15	17	33	1	-	-	-	3	37
F	689	653	561	26	14	23	28	1	-	-	-	2	34
40 to 44 years M	221	212	182	7	6	3	14	-	-	-	-	2	7
F	204	188	153	7	6	9	13	-	-	-	-	3	13
45 to 49 years M	11	9	9	-	-	-	-	-	-	-	-	-	2
F	19	16	13	-	-	-	2	1	-	-	-	-	3
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated M	23	21	19	1	1	-	-	-	-	-	-	1	1
F	30	20	18	-	1	-	1	-	-	-	-	2	8
NEW YORK	244,802	233,795	183,543	21,054	2,620	11,168	15,267	121	12	-	10	10,505	502
Male	125,607	120,041	94,354	10,866	1,311	5,671	7,768	62	5	-	4	5,319	247
Female	119,195	113,754	89,189	10,188	1,309	5,497	7,499	59	7	-	6	5,186	255
10 to 14 years M	39	23	7	-	16	-	-	-	-	-	-	16	-
F	47	25	8	-	16	-	-	-	-	-	1	22	-
15 to 19 years M	7,223	5,983	5,169	218	445	112	27	10	2	-	-	1,202	38
F	6,881	5,675	4,888	229	415	111	22	10	-	-	-	984	22
20 to 24 years M	36,546	34,704	30,331	2,110	515	1,224	506	15	3	-	-	1,768	74
F	34,677	32,767	28,604	1,838	538	1,268	495	20	4	-	-	1,842	68
25 to 29 years M	42,417	41,188	33,777	3,903	194	1,767	1,537	10	-	-	-	1,170	59
F	40,103	38,829	31,704	3,755	196	1,718	1,445	7	1	-	3	1,191	83
30 to 34 years M	25,985	25,241	17,419	3,094	93	1,717	2,899	18	-	-	1	711	33
F	24,842	24,101	18,635	2,965	82	1,592	2,817	10	-	-	-	694	47
35 to 39 years M	10,854	10,469	6,302	1,274	36	704	2,147	6	-	-	-	359	26
F	10,486	10,109	6,147	1,171	46	685	2,051	9	-	-	-	353	24
40 to 44 years M	2,562	2,264	1,254	252	9	141	606	3	-	-	-	87	11
F	2,188	2,082	1,121	214	13	117	614	3	-	-	-	96	10
45 to 49 years M	146	135	70	15	2	5	43	-	-	-	-	6	5
F	147	142	66	16	2	5	53	-	-	-	-	4	1
50 to 54 years M	4	4	2	-	-	-	2	-	-	-	-	-	-
F	3	3	2	-	-	-	1	-	-	-	-	-	-
Not stated M	31	30	23	-	1	1	2	-	-	-	3	-	1
F	21	21	14	-	1	1	1	-	2	-	2	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
NORTH CAROLINA	89,854	62,081	60,839	128	954	83	36	-	16	-	25	26,772	1,001
Male	46,026	32,088	31,471	66	473	40	16	-	8	-	12	13,385	557
Female	43,828	29,995	29,368	62	481	43	20	-	8	-	13	13,389	444
10 to 14 years M	117	17	13	-	4	-	-	-	-	-	-	96	4
F	132	24	19	-	5	-	-	-	-	-	-	107	1
15 to 19 years M	8,122	4,752	4,531	2	213	-	-	-	1	-	5	3,268	102
F	7,735	4,385	4,175	1	201	2	-	-	3	-	3	3,279	71
20 to 24 years M	15,232	10,872	10,671	22	157	14	-	-	3	-	5	4,190	170
F	14,294	9,899	9,697	12	172	12	-	-	2	-	4	4,258	137
25 to 29 years M	10,812	7,926	7,842	15	54	12	1	-	2	-	-	2,753	133
F	10,479	7,605	7,506	22	57	10	5	-	2	-	3	2,785	89
30 to 34 years M	6,741	4,967	4,909	18	25	10	5	-	-	-	-	1,689	85
F	6,450	4,721	4,658	18	22	12	10	-	1	-	-	1,641	88
35 to 39 years M	3,634	2,605	2,570	6	16	3	9	-	1	-	-	988	41
F	3,454	2,461	2,425	8	18	6	4	-	-	-	-	950	43
40 to 44 years M	1,215	843	835	3	2	1	1	-	1	-	-	353	19
F	1,094	783	776	1	4	1	1	-	-	-	-	296	15
45 to 49 years M	106	73	73	-	-	-	-	-	-	-	-	30	3
F	132	86	85	-	1	-	-	-	-	-	-	46	-
50 to 54 years M	5	2	2	-	-	-	-	-	-	-	-	3	-
F	7	5	5	-	-	-	-	-	-	-	-	2	-
Not stated M	42	29	25	-	2	-	-	-	-	-	2	13	-
F	51	26	22	-	1	-	-	-	-	-	3	25	-
NORTH DAKOTA	13,357	12,994	11,713	673	178	293	127	7	3	-	-	4	359
Male	6,851	6,665	6,019	321	92	159	69	3	2	-	-	1	185
Female	6,506	6,329	5,694	352	86	134	58	4	1	-	-	3	174
10 to 14 years M	1	-	-	-	-	-	-	-	-	-	-	-	1
F	2	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years M	447	419	376	4	35	2	2	-	-	-	-	-	28
F	422	399	360	7	28	4	-	-	-	-	-	-	23
20 to 24 years M	2,004	1,950	1,833	40	42	28	4	2	1	-	-	-	54
F	1,910	1,851	1,745	46	55	21	2	2	-	-	-	1	58
25 to 29 years M	2,018	1,978	1,852	74	9	38	5	-	-	-	-	1	39
F	1,903	1,865	1,750	60	18	34	2	1	-	-	-	2	36
30 to 34 years M	1,400	1,363	1,235	77	4	34	12	-	1	-	-	-	37
F	1,273	1,240	1,094	95	3	39	8	1	-	-	-	-	33
35 to 39 years M	717	697	547	81	2	43	23	1	-	-	-	-	20
F	699	687	561	87	1	22	15	-	1	-	-	-	12
40 to 44 years M	242	238	163	44	-	13	18	-	-	-	-	-	4
F	269	260	164	55	-	13	28	-	-	-	-	-	9
45 to 49 years M	18	16	10	1	-	1	4	-	-	-	-	-	2
F	21	21	15	2	-	1	3	-	-	-	-	-	-
50 to 54 years F	1	1	-	-	1	-	-	-	-	-	-	-	-
Not stated M	4	4	3	-	-	-	1	-	-	-	-	-	-
F	6	5	5	-	-	-	-	-	-	-	-	-	1
OHIO	144,327	138,085	128,705	4,111	1,785	1,972	1,466	13	14	-	19	6,211	31
Male	74,061	70,930	66,185	2,068	914	992	754	5	5	-	7	3,118	13
Female	70,266	67,155	62,520	2,043	871	980	712	8	9	-	12	3,093	18
10 to 14 years M	41	28	14	-	14	-	-	-	-	-	-	13	-
F	47	24	13	-	11	-	-	-	-	-	-	23	-
15 to 19 years M	8,039	7,223	6,747	64	394	13	4	-	-	-	1	816	-
F	7,533	6,744	6,301	61	358	18	2	1	2	-	1	787	2
20 to 24 years M	25,400	24,301	23,264	410	338	238	44	1	2	-	4	1,093	6
F	24,186	23,110	22,108	398	327	218	49	4	4	-	2	1,071	5
25 to 29 years M	21,690	21,080	19,837	722	100	285	133	1	1	-	1	606	4
F	20,589	19,973	18,731	717	92	311	118	2	1	-	3	612	4
30 to 34 years M	12,086	11,761	10,595	572	45	313	233	2	1	-	-	323	2
F	11,335	10,993	9,864	552	50	291	234	-	1	-	1	339	3
35 to 39 years M	5,257	5,051	4,465	237	19	102	226	1	-	-	1	206	-
F	5,069	4,873	4,278	248	26	116	201	1	-	-	3	193	3
40 to 44 years M	1,405	1,352	1,148	59	4	40	101	-	-	-	-	52	1
F	1,362	1,298	1,105	60	7	26	100	-	-	-	-	64	-
45 to 49 years M	103	97	80	4	-	1	12	-	-	-	-	6	-
F	110	106	91	5	-	-	10	-	-	-	-	3	1
50 to 54 years M	1	-	-	-	-	-	-	-	-	-	-	1	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-
Not stated M	39	37	35	-	-	-	1	-	1	-	-	2	-
F	32	31	26	2	-	-	-	-	1	-	2	1	-
OKLAHOMA	46,008	41,012	39,807	197	785	95	37	-	67	-	24	3,007	1,989
Male	23,464	20,949	20,302	101	421	50	18	-	45	-	12	1,522	993
Female	22,544	20,063	19,505	96	364	45	19	-	22	-	12	1,485	996
10 to 14 years M	25	15	10	-	5	-	-	-	-	-	-	9	1
F	24	13	6	-	7	-	-	-	-	-	-	11	-
15 to 19 years M	4,072	3,506	3,318	4	168	3	-	-	10	-	3	393	173
F	4,054	3,443	3,267	8	158	-	1	-	8	-	1	433	178
20 to 24 years M	8,022	7,189	6,985	29	150	7	2	-	13	-	5	486	347
F	7,684	6,909	6,745	20	125	10	2	-	5	-	2	441	334
25 to 29 years M	5,387	4,903	4,802	26	52	15	1	-	6	-	1	276	208
F	5,114	4,624	4,531	24	41	17	2	-	6	-	3	269	221
30 to 34 years M	3,536	3,171	3,090	24	25	17	6	-	8	-	1	213	152
F	3,255	2,935	2,880	25	12	10	5	-	2	-	1	179	141
35 to 39 years M	1,764	1,592	1,544	12	19	7	8	-	1	-	1	105	67
F	1,760	1,563	1,519	16	14	6	6	-	1	-	1	107	90
40 to 44 years M	573	504	492	6	2	1	1	-	2	-	-	32	37
F	588	517	502	3	4	2	3	-	-	-	3	41	30
45 to 49 years M	41	39	38	-	-	-	-	-	1	-	-	2	-
F	41	39	39	-	-	-	-	-	-	-	-	2	-
50 to 54 years M	2	1	1	-	-	-	-	-	-	-	-	-	1
Not stated M	42	29	24	-	-	-	-	-	4	-	1	6	7
F	24	20	16	-	3	-	-	-	-	-	1	2	2

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
OREGON	22,518	22,203	20,362	880	141	662	144	2	5	-	7	41	274
Male	11,643	11,480	10,518	458	68	348	79	2	2	-	5	21	142
Female	10,875	10,723	9,844	422	73	314	65	-	3	-	2	20	132
10 to 14 years M	4	4	1	-	3	-	-	-	-	-	-	-	-
F	3	2	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years M	1,320	1,298	1,224	25	29	17	2	-	-	-	1	6	16
F	1,237	1,206	1,126	23	46	10	1	-	-	-	-	4	27
20 to 24 years M	4,308	4,247	3,976	125	28	105	8	1	2	-	2	9	52
F	4,028	3,986	3,742	118	17	101	7	-	1	-	-	8	32
25 to 29 years M	3,360	3,323	3,024	164	4	111	20	-	-	-	-	4	33
F	3,035	2,999	2,740	132	3	106	15	-	1	-	2	2	34
30 to 34 years M	1,717	1,693	1,499	90	2	77	23	1	-	-	1	1	23
F	1,681	1,660	1,493	87	1	62	17	-	-	-	-	1	20
35 to 39 years M	698	688	605	36	1	28	17	-	-	-	1	-	10
F	657	643	557	42	4	24	15	-	1	-	-	5	9
40 to 44 years M	195	188	157	15	1	8	7	-	-	-	-	1	6
F	190	187	153	15	-	9	10	-	-	-	-	-	3
45 to 49 years M	16	16	12	2	-	1	1	-	-	-	-	-	-
F	17	15	12	2	1	-	-	-	-	-	-	-	2
Not stated M	25	23	20	1	-	1	1	-	-	-	-	-	2
F	29	25	19	3	1	2	-	-	-	-	-	-	4
PENNSYLVANIA	197,177	186,349	170,808	7,548	1,868	3,184	2,900	16	16	1	8	10,771	57
Male	101,260	95,748	87,844	3,853	950	1,662	1,420	8	6	1	4	5,486	26
Female	95,917	90,601	82,964	3,695	918	1,522	1,480	8	10	-	4	5,285	31
10 to 14 years M	78	31	17	1	12	1	-	-	-	-	-	47	-
F	67	29	17	-	12	-	-	-	-	-	-	38	-
15 to 19 years M	9,536	8,204	7,712	80	374	27	7	1	3	-	-	1,331	1
F	8,784	7,597	7,141	85	341	24	3	1	2	-	-	1,184	3
20 to 24 years M	33,847	31,949	30,493	658	350	376	69	2	-	-	1	1,891	7
F	32,034	30,042	28,634	610	351	372	69	3	2	-	1	1,979	13
25 to 29 years M	30,334	29,299	27,249	1,261	130	439	212	2	3	-	3	1,027	8
F	28,913	27,882	25,867	1,264	121	424	199	1	4	-	2	1,026	5
30 to 34 years M	17,199	16,480	14,414	1,064	49	496	434	2	-	1	-	712	7
F	16,246	15,650	13,656	1,000	60	430	501	3	-	-	-	591	5
35 to 39 years M	7,890	7,528	6,256	588	24	235	425	-	-	-	-	360	2
F	7,597	7,236	5,991	583	25	204	431	-	1	-	1	356	5
40 to 44 years M	2,181	2,066	1,572	158	11	81	243	1	-	-	-	114	1
F	2,066	1,962	1,512	137	7	63	242	-	1	-	-	104	-
45 to 49 years M	181	177	118	23	-	6	30	-	-	-	-	4	-
F	191	187	131	16	-	5	35	-	-	-	-	4	-
50 to 54 years M	3	3	2	-	-	1	-	-	-	-	-	-	-
F	4	3	3	-	-	-	-	-	-	-	-	1	-
Not stated M	11	11	11	-	-	-	-	-	-	-	-	-	-
F	15	13	12	-	1	-	-	-	-	-	-	2	-
RHODE ISLAND	14,182	13,896	11,209	1,135	289	756	488	13	4	-	2	281	5
Male	7,274	7,144	5,738	603	157	379	257	6	2	-	2	126	4
Female	6,908	6,752	5,471	532	132	377	231	7	2	-	-	155	1
10 to 14 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	394	362	291	16	48	3	1	2	-	-	1	31	1
F	402	370	319	9	36	6	-	-	-	-	-	32	-
20 to 24 years M	2,227	2,187	1,910	106	65	82	22	2	-	-	-	39	1
F	2,144	2,091	1,853	99	49	76	13	1	-	-	-	53	-
25 to 29 years M	2,375	2,348	1,993	182	24	106	41	1	1	-	-	26	1
F	2,241	2,207	1,842	184	28	115	36	1	1	-	-	34	-
30 to 34 years M	1,497	1,480	1,083	177	9	123	86	1	1	-	-	17	-
F	1,324	1,301	979	142	8	91	78	3	-	-	-	22	1
35 to 39 years M	611	599	374	101	8	50	65	-	-	-	1	11	1
F	636	627	403	77	6	68	71	1	1	-	-	9	-
40 to 44 years M	152	150	80	18	2	14	36	-	-	-	-	2	-
F	145	140	67	19	4	21	28	1	-	-	-	5	-
45 to 49 years M	14	14	4	3	-	1	6	-	-	-	-	-	-
F	12	12	5	1	1	-	5	-	-	-	-	-	-
Not stated M	3	3	3	-	-	-	-	-	-	-	-	-	-
F	4	4	3	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	48,835	25,865	25,175	70	565	36	12	-	4	-	3	22,948	22
Male	25,141	13,429	13,065	34	302	21	4	-	2	-	1	11,699	13
Female	23,694	12,436	12,110	36	263	15	8	-	2	-	2	11,249	9
10 to 14 years M	77	10	5	-	5	-	-	-	-	-	-	67	-
F	58	8	5	-	3	-	-	-	-	-	-	50	-
15 to 19 years M	4,901	2,105	1,980	1	121	-	-	-	-	-	1	2,796	2
F	4,742	1,983	1,868	-	114	-	-	-	1	-	-	2,756	3
20 to 24 years M	8,878	4,816	4,690	13	100	10	1	-	2	-	-	4,059	3
F	8,206	4,358	4,254	11	88	3	1	-	-	-	1	3,847	1
25 to 29 years M	5,644	3,287	3,227	12	41	5	2	-	-	-	-	2,352	5
F	5,272	3,020	2,969	14	31	4	2	-	-	-	-	2,249	3
30 to 34 years M	3,226	1,958	1,928	6	18	5	1	-	-	-	-	1,267	1
F	3,105	1,837	1,806	9	14	4	3	-	-	-	1	1,267	1
35 to 39 years M	1,753	906	897	2	6	1	-	-	-	-	-	845	2
F	1,725	924	910	2	9	2	1	-	-	-	-	800	1
40 to 44 years M	539	299	292	-	7	-	-	-	-	-	-	240	-
F	474	259	254	-	2	2	1	-	-	-	-	215	-
45 to 49 years M	55	21	20	-	1	-	-	-	-	-	-	34	-
F	48	20	20	-	-	-	-	-	-	-	-	28	-
50 to 54 years M	3	1	1	-	-	-	-	-	-	-	-	2	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	65	28	25	-	3	-	-	-	-	-	-	37	-
F	63	27	24	-	2	-	-	-	1	-	-	36	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
SOUTH DAKOTA	12,424	11,627	10,876	306	256	121	41	6	16	-	5	5	792
Male	6,357	5,961	5,581	159	128	59	22	1	8	-	3	2	394
Female	6,067	5,666	5,295	147	128	62	19	5	8	-	2	3	398
10 to 14 years M	6	3	-	-	3	-	-	-	-	-	-	-	3
15 to 19 years M	509	459	410	4	43	2	-	-	-	-	-	-	50
F	435	400	351	3	44	-	-	1	1	-	-	-	35
20 to 24 years M	1,970	1,833	1,740	23	61	7	1	-	1	-	-	-	137
F	1,843	1,720	1,632	15	59	4	4	2	3	-	1	2	121
25 to 29 years M	1,809	1,729	1,656	44	11	14	1	-	3	-	-	1	79
F	1,771	1,652	1,591	31	13	14	-	-	2	-	1	-	119
30 to 34 years M	1,172	1,113	1,050	37	7	14	3	-	2	-	-	-	59
F	1,173	1,105	1,029	41	10	18	5	1	1	-	-	1	67
35 to 39 years M	618	570	516	27	1	13	10	1	1	-	1	1	47
F	593	556	493	36	2	17	7	1	-	-	-	-	37
40 to 44 years M	219	204	171	18	1	7	7	-	-	-	-	-	15
F	211	193	163	20	-	7	2	-	1	-	-	-	18
45 to 49 years M	19	19	16	2	-	1	-	-	-	-	-	-	-
F	17	17	14	1	-	1	1	-	-	-	-	-	-
Not stated M	35	31	22	4	1	1	-	-	1	-	2	-	4
F	24	23	22	-	-	1	-	-	-	-	-	-	1
TENNESSEE	65,147	54,900	53,535	110	1,146	42	32	-	26	-	9	10,241	6
Male	33,574	28,445	27,691	61	633	21	16	-	18	-	5	5,124	5
Female	31,573	26,455	25,844	49	513	21	16	-	8	-	4	5,117	1
10 to 14 years M	68	24	19	-	5	-	-	-	-	-	-	44	-
F	81	31	23	-	8	-	-	-	-	-	-	50	-
15 to 19 years M	5,792	4,459	4,180	3	272	-	-	-	3	-	1	1,333	-
F	5,353	4,017	3,785	-	231	-	-	-	1	-	-	1,335	1
20 to 24 years M	10,964	9,465	9,231	13	204	8	2	-	4	-	3	1,497	2
F	10,199	8,713	8,518	14	171	5	1	-	2	-	2	1,486	-
25 to 29 years M	7,808	6,756	6,651	16	73	5	7	-	4	-	-	1,052	-
F	7,532	6,483	6,397	15	55	9	5	-	1	-	1	1,049	-
30 to 34 years M	5,039	4,388	4,310	22	46	5	2	-	3	-	-	650	1
F	4,754	4,064	4,017	13	22	4	7	-	1	-	-	690	-
35 to 39 years M	2,889	2,484	2,444	7	25	3	4	-	1	-	-	404	1
F	2,691	2,315	2,283	5	20	2	3	-	2	-	-	376	-
40 to 44 years M	864	744	739	-	3	-	1	-	1	-	-	119	1
F	844	730	725	2	2	1	-	-	-	-	-	114	-
45 to 49 years M	88	76	75	-	1	-	-	-	-	-	-	12	-
F	73	64	62	-	2	-	-	-	-	-	-	9	-
50 to 54 years M	4	1	1	-	-	-	-	-	-	-	-	3	-
F	4	3	3	-	-	-	-	-	-	-	-	1	-
Not stated M	58	48	41	-	4	-	-	-	2	-	1	10	-
F	42	35	31	-	2	-	-	-	1	-	1	7	-
TEXAS	144,742	126,424	111,611	5,897	2,003	2,962	3,712	139	69	8	23	18,243	75
Male	74,557	65,076	57,548	3,012	989	1,514	1,892	74	33	2	12	9,442	39
Female	70,185	61,348	54,063	2,885	1,014	1,448	1,820	65	36	6	11	8,801	36
10 to 14 years M	143	70	48	3	18	-	-	-	1	-	-	73	-
F	135	58	33	1	24	-	-	-	-	-	-	76	1
15 to 19 years M	12,163	9,718	8,925	291	383	86	24	4	5	-	-	2,438	7
F	11,237	8,920	8,154	294	365	71	25	4	5	-	2	2,308	9
20 to 24 years M	25,181	22,231	20,433	875	351	372	170	14	10	-	6	2,939	11
F	23,800	21,024	19,250	870	354	345	184	6	11	-	2	2,765	11
25 to 29 years M	18,164	16,357	14,550	861	116	403	400	15	9	2	1	1,797	10
F	17,186	15,561	13,867	799	139	360	371	15	9	-	1	1,587	8
30 to 34 years M	11,271	10,064	8,413	572	75	384	608	9	2	-	1	1,201	6
F	10,611	9,454	7,904	501	85	364	588	24	5	2	1	1,153	4
35 to 39 years M	5,712	4,994	3,908	325	31	206	491	26	5	-	2	713	5
F	5,449	4,768	3,634	329	34	235	514	13	3	2	4	680	1
40 to 44 years M	1,339	1,337	1,028	86	12	55	170	5	1	-	-	202	-
F	1,425	1,257	974	71	11	60	137	1	1	2	-	167	1
45 to 49 years M	89	67	40	7	1	4	15	-	-	-	-	22	-
F	98	80	64	5	-	2	9	-	-	-	-	18	-
50 to 54 years M	7	6	2	1	-	-	2	1	-	-	-	1	-
F	10	5	5	-	-	-	-	-	-	-	-	5	-
Not stated M	288	232	201	11	2	4	12	-	-	-	2	56	-
F	264	221	178	15	2	11	12	-	2	-	1	42	1
UTAH	15,822	15,635	14,714	445	39	312	121	1	1	-	-	22	167
Male	8,265	8,170	7,689	225	23	164	68	1	-	-	-	13	82
Female	7,557	7,463	7,025	220	16	148	53	-	1	-	-	9	85
10 to 14 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	821	811	781	10	10	10	-	-	-	-	-	5	5
F	759	752	731	11	6	3	-	-	1	-	-	1	6
20 to 24 years M	2,903	2,867	2,772	52	10	28	5	-	-	-	-	6	30
F	2,662	2,629	2,534	51	5	35	4	-	-	-	-	5	28
25 to 29 years M	2,334	2,311	2,188	68	3	43	9	-	-	-	-	-	23
F	2,151	2,119	1,980	74	4	53	8	-	-	-	-	2	30
30 to 34 years M	1,300	1,287	1,160	56	-	45	26	-	-	-	-	2	11
F	1,202	1,192	1,103	45	1	30	13	-	-	-	-	1	9
35 to 39 years M	669	662	596	27	-	23	16	-	-	-	-	-	7
F	608	600	524	35	-	21	20	-	-	-	-	-	8
40 to 44 years M	214	210	176	12	-	12	9	1	-	-	-	-	4
F	162	159	142	3	-	6	8	-	-	-	-	-	3
45 to 49 years M	18	16	11	-	-	2	3	-	-	-	-	-	2
F	12	11	10	1	-	-	-	-	-	-	-	-	1
Not stated M	5	5	4	-	-	1	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
VERMONT	7,175	7,174	6,044	410	133	338	241	6	-	-	2	1	-
Male	3,761	3,761	3,151	220	61	182	144	2	-	-	1	-	-
Female	3,414	3,413	2,893	190	72	156	97	4	-	-	1	1	-
10 to 14 years M	2	2	1	-	1	-	-	-	-	-	-	-	-
15 to 19 years M	393	393	323	17	37	13	3	-	-	-	-	-	-
F	370	370	310	17	35	7	-	1	-	-	-	-	-
20 to 24 years M	1,145	1,145	1,026	51	13	43	11	-	-	-	1	-	-
F	1,088	1,088	954	55	25	37	14	2	-	-	1	-	-
25 to 29 years M	1,060	1,060	898	60	4	52	46	-	-	-	-	-	-
F	926	925	815	48	9	36	17	-	-	-	-	1	-
30 to 34 years M	685	685	558	47	5	39	36	-	-	-	-	-	-
F	616	616	510	36	1	41	28	-	-	-	-	-	-
35 to 39 years M	363	363	260	40	1	29	31	2	-	-	-	-	-
F	292	292	221	25	2	28	16	-	-	-	-	-	-
40 to 44 years M	103	103	76	4	-	6	17	-	-	-	-	-	-
F	111	111	77	7	-	7	20	-	-	-	-	-	-
45 to 49 years M	5	5	5	-	-	-	-	-	-	-	-	-	-
F	8	8	5	1	-	-	2	-	-	-	-	-	-
Not stated M	5	5	4	1	-	-	-	-	-	-	-	-	-
F	3	3	1	1	-	-	-	1	-	-	-	-	-
VIRGINIA	67,950	50,911	49,324	354	880	240	94	1	5	-	13	16,998	41
Male	34,910	26,310	25,483	179	450	132	55	1	5	-	5	8,576	24
Female	33,040	24,601	23,841	175	430	108	39	-	-	-	8	8,422	17
10 to 14 years M	83	23	18	-	5	-	-	-	-	-	-	60	-
F	92	18	13	-	5	-	-	-	-	-	-	74	-
15 to 19 years M	5,665	3,460	3,263	3	193	-	-	-	1	-	-	2,198	7
F	5,318	3,210	3,005	9	193	2	1	-	-	-	-	2,104	4
20 to 24 years M	11,525	8,712	8,481	33	157	33	5	-	2	-	1	2,808	5
F	10,804	8,092	7,891	41	130	23	4	-	-	-	3	2,709	3
25 to 29 years M	8,597	6,979	6,819	51	50	45	12	-	1	-	1	1,610	8
F	8,159	6,524	6,359	58	54	44	7	-	-	-	2	1,631	4
30 to 34 years M	5,355	4,303	4,159	59	26	35	21	1	1	-	1	1,052	-
F	5,085	4,032	3,927	37	28	23	17	-	-	-	-	1,051	2
35 to 39 years M	2,662	2,086	2,023	26	13	13	11	-	-	-	-	573	3
F	2,632	2,038	1,983	17	17	14	7	-	-	-	-	591	3
40 to 44 years M	875	657	633	7	5	6	6	-	-	-	-	218	-
F	823	599	583	11	1	1	3	-	-	-	-	223	1
45 to 49 years M	89	58	58	-	-	-	-	-	-	-	-	30	1
F	71	52	49	2	-	1	-	-	-	-	-	19	-
50 to 54 years M	2	1	1	-	-	-	-	-	-	-	-	1	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	57	31	28	-	1	-	-	-	-	-	2	26	-
F	55	36	31	-	2	-	-	-	-	-	3	19	-
WASHINGTON	39,007	38,244	33,744	2,119	268	1,654	425	17	9	-	8	81	682
Male	20,097	19,704	17,401	1,078	129	860	217	10	5	-	4	48	345
Female	18,910	18,540	16,343	1,041	139	794	208	7	4	-	4	33	337
10 to 14 years M	9	6	2	-	4	-	-	-	-	-	-	-	3
F	4	2	1	-	1	-	-	-	-	-	-	-	2
15 to 19 years M	2,226	2,171	2,005	80	40	41	2	2	1	-	-	5	50
F	2,061	2,007	1,860	53	51	35	5	2	-	-	1	7	47
20 to 24 years M	7,464	7,320	6,602	313	58	305	31	5	4	-	2	17	127
F	7,127	6,996	6,330	296	52	288	26	2	2	-	-	10	121
25 to 29 years M	5,761	5,665	4,975	362	17	261	48	2	-	-	-	12	84
F	5,426	5,334	4,645	361	12	251	60	2	2	-	1	10	82
30 to 34 years M	3,083	3,030	2,601	203	5	164	56	1	-	-	-	8	45
F	2,849	2,800	2,369	215	13	148	54	1	-	-	-	4	45
35 to 39 years M	1,209	1,179	963	90	3	68	54	-	-	-	1	5	25
F	1,129	1,102	912	85	5	55	45	-	-	-	-	1	26
40 to 44 years M	299	290	220	28	2	19	21	-	-	-	-	1	8
F	272	259	198	26	4	16	15	-	-	-	-	1	12
45 to 49 years M	29	27	20	1	-	1	5	-	-	-	-	-	2
F	25	24	16	4	1	1	2	-	-	-	-	-	1
Not stated M	17	16	13	1	-	1	-	-	-	-	1	-	1
F	17	16	12	1	-	-	1	-	-	-	2	-	1
WEST VIRGINIA	43,922	41,412	38,645	434	1,947	114	152	2	56	2	60	2,504	6
Male	22,586	21,299	19,923	214	978	57	70	1	26	1	29	1,286	1
Female	21,336	20,113	18,722	220	969	57	82	1	30	1	31	1,218	5
10 to 14 years M	29	17	9	-	8	-	-	-	-	-	-	12	-
F	25	18	9	-	9	-	-	-	-	-	-	7	-
15 to 19 years M	3,628	3,305	2,885	9	398	2	-	1	4	-	6	323	-
F	3,393	3,071	2,638	12	407	1	1	-	8	-	4	322	-
20 to 24 years M	7,600	7,182	6,725	55	361	18	10	-	5	-	8	418	-
F	7,176	6,796	6,366	42	341	17	5	-	11	1	13	378	2
25 to 29 years M	5,431	5,197	4,980	71	113	12	10	-	4	1	6	233	1
F	5,107	4,879	4,658	70	111	16	15	-	6	-	3	226	2
30 to 34 years M	3,328	3,157	3,028	38	50	14	17	-	4	-	6	171	-
F	3,090	2,950	2,792	59	53	16	25	1	1	-	3	139	1
35 to 39 years M	1,806	1,712	1,626	29	32	8	15	-	1	-	1	94	-
F	1,804	1,701	1,602	31	33	5	24	-	1	-	5	103	-
40 to 44 years M	588	562	526	10	11	2	11	-	2	-	-	26	-
F	605	577	552	5	9	1	8	-	2	-	-	28	-
45 to 49 years M	73	69	61	1	1	1	5	-	-	-	-	4	-
F	53	50	44	1	-	1	4	-	-	-	-	3	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	102	97	82	1	4	-	2	-	6	-	2	5	-
F	83	71	61	-	6	-	-	-	1	-	3	12	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother not stated				
			Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated	Father native	Father foreign	Father not stated		
WISCONSIN	63,982	63,329	58,960	1,969	1,027	872	479	15	5	1	1	213	440
Male	32,658	32,344	30,073	1,034	544	449	232	8	3	-	1	104	210
Female	31,324	30,985	28,887	935	483	423	247	7	2	1	-	109	230
10 to 14 years—M	10	9	-	-	9	-	-	-	-	-	-	1	-
F	8	5	2	-	3	-	-	-	-	-	-	1	2
15 to 19 years—M	2,283	2,237	2,011	29	185	9	1	1	-	-	1	21	25
F	2,148	2,101	1,894	19	172	14	1	-	1	-	-	21	26
20 to 24 years—M	10,668	10,567	10,036	194	221	99	11	8	-	-	-	37	64
F	10,066	9,955	9,502	147	197	89	15	4	1	-	-	42	69
25 to 29 years—M	10,155	10,078	9,517	323	76	115	47	-	-	-	-	21	56
F	9,760	9,686	9,180	313	56	97	40	-	-	-	-	24	50
30 to 34 years—M	5,935	5,883	5,381	275	28	132	67	-	-	-	-	17	35
F	5,688	5,634	5,150	251	35	114	82	2	-	-	-	11	41
35 to 39 years—M	2,729	2,703	2,383	163	18	66	70	-	3	-	-	6	20
F	2,752	2,714	2,399	156	16	75	68	-	-	-	-	8	30
40 to 44 years—M	808	798	687	44	5	26	35	1	-	-	-	1	9
F	827	815	695	44	4	33	37	1	-	1	-	2	10
45 to 49 years—M	64	63	53	6	1	2	1	-	-	-	-	-	1
F	69	67	57	5	-	1	4	-	-	-	-	-	2
50 to 54 years—F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated—M	6	6	5	-	1	-	-	-	-	-	-	-	-
F	6	6	6	-	-	-	-	-	-	-	-	-	-
WYOMING	5,567	5,401	5,017	197	41	65	70	3	6	1	1	25	141
Male	2,898	2,819	2,617	97	27	29	45	2	2	-	-	12	67
Female	2,669	2,582	2,400	100	14	36	25	1	4	1	1	13	74
15 to 19 years—M	377	365	345	8	7	2	1	1	1	-	-	3	9
F	336	318	309	6	2	-	-	1	-	-	-	5	13
20 to 24 years—M	991	966	921	29	8	3	5	-	-	-	-	5	20
F	924	898	858	20	5	10	4	-	1	-	-	5	21
25 to 29 years—M	804	781	728	32	7	10	3	1	-	-	-	2	21
F	735	713	673	22	5	6	4	-	2	-	1	2	20
30 to 34 years—M	421	412	373	15	2	5	17	-	-	-	-	1	8
F	402	390	336	33	1	11	8	-	1	-	-	1	11
35 to 39 years—M	236	231	198	11	2	8	12	-	-	-	-	-	5
F	212	205	174	17	1	6	6	-	-	1	-	-	7
40 to 44 years—M	60	56	45	2	1	1	6	-	1	-	-	-	4
F	52	50	45	1	-	2	2	-	-	-	-	-	2
45 to 49 years—M	7	6	5	-	-	-	1	-	-	-	-	1	-
F	4	4	1	1	-	1	1	-	-	-	-	-	-
Not stated—M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	4	4	4	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UNITED STATES	2,808,996	3,566	341,315	927,661	782,699	462,380	220,999	60,867	4,939	169	4,401
White, mother native	2,380,306	1,231	260,460	806,643	692,051	390,531	176,001	46,707	3,570	102	3,030
White, mother foreign	104,526	1	2,038	17,545	25,587	31,107	20,629	6,833	631	16	139
White, mother not stated	2,102	3	302	615	438	261	184	69	5	-	225
Negro	307,777	2,287	76,669	98,162	61,056	38,316	22,845	6,768	676	48	950
Other	14,285	44	1,846	4,696	3,587	2,165	1,340	490	57	3	57
Urban	1,638,192	1,600	175,221	553,023	487,788	274,914	115,366	26,681	1,747	78	1,774
White, mother native	1,406,640	553	135,846	489,718	437,461	231,727	89,781	19,081	1,162	45	1,266
White, mother foreign	84,645	1	1,515	14,114	21,090	25,832	16,410	5,144	429	14	96
White, mother not stated	865	1	118	266	176	108	61	11	1	-	123
Negro	141,614	1,039	37,267	47,401	27,782	16,627	8,741	2,323	138	17	279
Other	4,428	6	475	1,524	1,279	620	373	122	17	2	10
Places of 100,000 or more	792,625	779	76,538	262,920	245,211	137,610	55,814	12,369	732	39	613
White, mother native	657,517	220	55,106	226,837	215,712	110,781	40,107	7,918	419	21	396
White, mother foreign	53,972	-	844	8,511	13,505	17,135	10,622	3,077	241	8	29
White, mother not stated	291	-	30	86	50	27	15	2	-	-	81
Negro	78,559	558	20,355	26,715	15,265	9,322	4,868	1,302	65	8	101
Other	2,286	1	203	771	679	345	202	70	7	2	6
Places of 25,000 to 100,000	336,834	305	37,986	116,080	98,369	54,939	23,095	5,273	359	18	410
White, mother native	294,082	113	30,071	104,017	89,234	47,515	18,695	3,872	256	11	298
White, mother foreign	14,814	-	285	2,707	3,600	4,336	2,793	971	82	3	37
White, mother not stated	216	1	41	63	44	37	13	3	-	-	14
Negro	27,131	191	7,531	9,100	5,318	2,968	1,529	412	18	4	60
Other	591	-	58	193	173	83	65	15	3	-	1
Places of 10,000 to 25,000	226,515	224	25,639	77,367	65,599	37,281	16,024	3,813	265	7	296
White, mother native	202,049	89	21,100	70,499	60,238	33,172	13,504	3,014	196	7	230
White, mother foreign	7,860	1	168	1,442	1,974	2,202	1,479	536	45	-	13
White, mother not stated	137	-	9	43	40	24	8	3	-	-	10
Negro	16,033	132	4,284	5,220	3,249	1,831	1,001	253	21	-	42
Other	436	2	78	163	98	52	32	7	3	-	1
Places of 2,500 to 10,000	282,218	292	35,058	98,656	78,609	45,084	20,433	5,226	391	14	455
White, mother native	252,992	131	29,569	88,365	72,277	40,259	17,475	4,277	291	6	342
White, mother foreign	7,999	-	218	1,454	2,011	2,159	1,516	560	61	3	17
White, mother not stated	221	-	38	74	42	20	25	3	1	-	18
Negro	19,891	158	5,097	6,366	3,950	2,506	1,343	356	34	5	76
Other	1,115	3	136	397	329	140	74	30	4	-	2
Rural	1,170,804	1,966	166,094	374,638	294,911	187,466	105,633	34,186	3,192	91	2,627
White, mother native	975,666	678	124,614	316,925	254,570	158,804	86,220	27,626	2,408	57	1,764
White, mother foreign	19,881	-	523	3,431	4,497	5,275	4,219	1,689	202	2	43
White, mother not stated	1,237	2	184	349	262	153	123	58	4	-	102
Negro	166,165	1,248	39,402	50,761	33,274	21,689	14,104	4,445	538	31	671
Other	9,857	38	1,371	3,172	2,308	1,545	967	368	40	1	47
ALABAMA	71,136	243	13,271	22,687	16,294	10,271	5,956	1,720	166	15	513
White, mother native	44,541	51	6,899	14,772	10,900	6,667	3,787	1,091	88	7	279
White, mother foreign	73	-	2	18	17	23	12	1	-	-	-
White, mother not stated	608	-	76	178	143	85	65	30	2	-	29
Negro	25,891	192	6,290	7,713	5,228	3,492	2,089	598	76	8	205
Other	23	-	4	6	6	4	3	-	-	-	-
Urban	24,573	94	4,794	8,459	5,962	3,301	1,508	323	18	2	112
White, mother native	15,836	17	2,383	5,734	4,210	2,230	983	198	10	2	69
White, mother foreign	60	-	2	16	16	17	8	1	-	-	-
White, mother not stated	101	-	12	34	28	10	12	2	-	-	3
Negro	8,572	77	2,397	2,674	1,707	1,042	505	122	8	-	40
Other	4	-	-	1	1	2	-	-	-	-	-
Places of 100,000 or more	7,178	26	1,438	2,493	1,723	966	432	77	2	-	21
White, mother native	4,143	3	539	1,553	1,144	599	254	37	-	-	14
White, mother foreign	18	-	-	3	8	4	2	1	-	-	-
White, mother not stated	3	-	-	1	1	-	1	-	-	-	-
Negro	3,012	23	899	936	569	362	175	39	2	-	7
Other	2	-	-	-	1	1	-	-	-	-	-
Places of 25,000 to 100,000	7,082	30	1,434	2,444	1,735	932	392	86	3	2	24
White, mother native	4,664	3	728	1,697	1,243	649	266	58	3	2	15
White, mother foreign	26	-	1	9	6	8	2	-	-	-	-
White, mother not stated	23	-	3	7	8	5	-	-	-	-	-
Negro	2,368	27	702	730	478	270	124	28	-	-	9
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,887	6	758	1,397	983	474	224	45	6	-	14
White, mother native	2,516	1	403	958	672	304	139	28	3	-	8
White, mother foreign	5	-	-	2	-	1	2	-	-	-	-
White, mother not stated	15	-	2	5	6	1	-	1	-	-	-
Negro	1,351	5	353	432	285	168	83	16	3	-	6
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,426	32	1,164	2,125	1,541	929	460	115	7	-	53
White, mother native	4,513	10	713	1,528	1,151	678	324	75	4	-	32
White, mother foreign	11	-	1	2	2	4	2	-	-	-	-
White, mother not stated	60	-	7	21	13	4	11	1	-	-	3
Negro	1,841	22	443	576	375	242	123	39	3	-	18
Other	1	-	-	-	-	1	-	-	-	-	-
Rural	46,563	149	8,477	14,228	10,332	6,970	4,448	1,397	148	13	401
White, mother native	28,705	34	4,516	9,038	6,690	4,437	2,804	893	78	5	210
White, mother foreign	13	-	-	2	1	6	4	-	-	-	-
White, mother not stated	507	-	64	144	115	75	53	28	2	-	26
Negro	17,319	115	3,893	5,039	3,521	2,450	1,584	476	68	8	165
Other	19	-	4	5	5	2	3	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
ARIZONA	12,664	10	1,902	4,465	3,123	1,879	943	293	31	1	17
White, mother native	10,124	6	1,626	3,808	2,513	1,381	588	177	17	-	8
White, mother foreign	1,149	-	47	220	301	290	216	66	8	1	-
White, mother not stated	8	-	3	2	-	1	2	-	-	-	-
Negro	316	1	76	103	64	46	18	7	1	-	-
Other	1,067	3	150	332	245	161	119	43	5	-	9
Urban	6,760	4	948	2,456	1,754	1,004	441	140	9	1	3
White, mother native	5,769	4	851	2,210	1,510	783	307	94	7	-	3
White, mother foreign	625	-	29	124	154	166	113	36	2	1	-
White, mother not stated	4	-	3	-	-	1	-	-	-	-	-
Negro	229	-	50	81	48	33	12	5	-	-	-
Other	133	-	15	41	42	21	9	5	-	-	-
Places of 25,000 to 100,000	3,964	4	507	1,442	1,046	620	249	89	6	-	1
White, mother native	3,390	4	436	1,302	904	497	183	58	5	-	1
White, mother foreign	284	-	12	54	67	80	48	22	1	-	-
White, mother not stated	4	-	3	-	-	1	-	-	-	-	-
Negro	187	-	43	62	42	25	11	4	-	-	-
Other	99	-	13	24	33	17	7	5	-	-	-
Places of 2,500 to 10,000	2,796	-	441	1,014	708	384	192	51	3	1	2
White, mother native	2,379	-	415	908	606	286	124	36	2	-	2
White, mother foreign	341	-	17	70	87	86	65	14	1	1	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	42	-	7	19	6	8	1	1	-	-	-
Other	34	-	2	17	9	4	2	-	-	-	-
Rural	5,904	6	954	2,009	1,369	875	502	153	22	-	14
White, mother native	4,355	2	775	1,598	1,003	598	281	83	10	-	5
White, mother foreign	524	-	18	96	147	124	103	30	6	-	-
White, mother not stated	4	-	-	2	-	-	2	-	-	-	-
Negro	87	1	26	22	16	13	6	2	1	-	-
Other	934	3	135	291	203	140	110	38	5	-	9
ARKANSAS	42,680	143	8,578	13,875	9,049	6,030	3,521	1,102	73	4	305
White, mother native	32,504	42	5,926	10,932	7,190	4,719	2,639	807	53	2	194
White, mother foreign	57	-	3	12	12	13	12	4	1	-	-
White, mother not stated	57	-	9	12	12	11	5	1	-	-	7
Negro	10,050	101	2,638	2,914	1,831	1,287	864	290	19	2	104
Other	12	-	2	5	4	-	1	-	-	-	-
Urban	11,911	31	2,178	4,302	2,893	1,600	699	149	8	-	51
White, mother native	9,643	15	1,568	3,622	2,429	1,326	540	104	5	-	34
White, mother foreign	29	-	1	10	8	4	6	-	-	-	-
White, mother not stated	7	-	-	2	2	2	-	-	-	-	1
Negro	2,225	16	608	665	452	268	152	45	3	-	16
Other	7	-	1	3	2	-	1	-	-	-	-
Places of 25,000 to 100,000	3,344	9	594	1,243	824	423	202	37	-	-	12
White, mother native	2,743	3	434	1,064	704	346	158	24	-	-	10
White, mother foreign	12	-	-	4	3	2	3	-	-	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	586	6	160	175	116	74	40	13	-	-	2
Other	1	-	-	-	-	-	1	-	-	-	-
Places of 10,000 to 25,000	3,308	5	612	1,192	830	438	170	44	4	-	13
White, mother native	2,647	2	421	1,009	693	362	122	27	2	-	9
White, mother foreign	9	-	1	2	4	-	2	-	-	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	650	3	190	181	132	75	46	17	2	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,259	17	972	1,867	1,239	739	327	68	4	-	26
White, mother native	4,253	10	713	1,549	1,032	618	260	53	3	-	15
White, mother foreign	8	-	-	4	1	2	1	-	-	-	-
White, mother not stated	3	-	-	2	-	-	-	-	-	-	1
Negro	989	7	258	309	204	119	66	15	1	-	10
Other	6	-	1	3	2	-	-	-	-	-	-
Rural	30,769	112	6,400	9,573	6,156	4,430	2,822	953	65	4	254
White, mother native	22,861	27	4,358	7,310	4,761	3,393	2,099	703	48	2	160
White, mother foreign	28	-	2	2	4	9	6	4	1	-	-
White, mother not stated	50	-	9	10	10	9	5	1	-	-	6
Negro	7,825	85	2,030	2,249	1,379	1,019	712	245	16	2	88
Other	5	-	1	2	2	-	-	-	-	-	-
CALIFORNIA	154,567	82	18,678	56,118	44,499	23,265	9,464	2,227	144	5	85
White, mother native	137,591	62	17,484	51,638	39,847	19,766	7,193	1,440	91	3	67
White, mother foreign	10,857	-	303	2,343	2,982	2,723	1,818	632	46	1	9
White, mother not stated	35	-	4	13	10	4	1	1	-	-	2
Negro	2,681	12	617	935	610	312	144	48	2	-	1
Other	3,403	8	270	1,189	1,050	460	308	106	5	1	6
Urban	115,908	53	13,187	42,336	34,238	17,609	6,859	1,493	86	4	41
White, mother native	103,177	39	12,261	38,926	30,673	14,979	5,259	952	53	2	33
White, mother foreign	8,134	-	212	1,809	2,304	2,059	1,282	435	28	1	4
White, mother not stated	27	-	4	8	8	4	1	1	-	-	1
Negro	2,383	11	548	841	546	270	122	43	1	-	1
Other	2,185	3	162	752	707	297	195	62	4	1	2
Places of 100,000 or more	61,737	30	6,910	22,502	18,403	9,449	3,650	730	43	2	18
White, mother native	54,078	22	6,282	20,408	16,277	7,851	2,740	455	26	1	16
White, mother foreign	4,634	-	125	1,054	1,319	1,206	704	211	15	-	-
White, mother not stated	12	-	3	3	4	2	-	-	-	-	-
Negro	1,759	8	410	631	394	196	91	27	1	-	1
Other	1,254	-	90	406	409	194	115	37	1	1	1

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
CALIFORNIA—Continued											
Places of 25,000 to 100,000	21,838	9	2,332	7,979	6,561	3,344	1,305	287	15	1	5
White, mother native	19,731	6	2,190	7,422	5,966	2,914	1,034	188	7	-	4
White, mother foreign	1,377	-	29	307	391	345	214	82	7	1	1
White, mother not stated	3	-	-	1	2	-	-	-	-	-	-
Negro	439	3	96	147	111	50	22	10	-	-	-
Other	288	-	17	102	91	35	35	7	1	-	-
Places of 10,000 to 25,000	14,535	6	1,694	5,336	4,182	2,230	861	204	15	-	7
White, mother native	13,373	5	1,616	5,038	3,854	1,997	697	148	11	-	7
White, mother foreign	856	-	21	187	256	195	147	48	2	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	126	-	31	44	26	17	5	3	-	-	-
Other	178	1	26	67	45	20	12	5	2	-	-
Places of 2,500 to 10,000	17,796	8	2,251	6,519	5,092	2,586	1,043	272	13	1	1
White, mother native	15,995	6	2,173	6,058	4,576	2,217	788	161	9	1	6
White, mother foreign	1,267	-	37	261	338	313	217	94	4	-	3
White, mother not stated	10	-	1	4	1	1	1	1	-	-	1
Negro	59	-	11	19	15	7	4	3	-	-	-
Other	465	2	29	177	162	48	33	13	-	-	1
Rural	38,661	29	5,491	13,782	10,261	5,656	2,605	734	58	1	44
White, mother native	34,414	23	5,223	12,712	9,174	4,787	1,934	488	38	1	34
White, mother foreign	2,723	-	91	534	678	664	536	197	18	-	5
White, mother not stated	8	-	-	5	2	-	-	-	-	-	1
Negro	298	1	69	94	64	42	22	5	1	-	-
Other	1,218	5	108	437	343	163	113	44	1	-	4
COLORADO	23,566	16	2,936	8,259	6,317	3,667	1,751	528	41	-	51
White, mother native	22,592	12	2,849	8,047	6,128	3,417	1,598	458	35	-	49
White, mother foreign	560	-	20	70	105	180	124	58	2	-	1
White, mother not stated	20	-	-	7	3	4	3	2	-	-	1
Negro	248	2	56	74	45	46	18	5	2	-	-
Other	146	2	12	61	36	20	8	5	2	-	-
Urban	13,889	7	1,756	5,010	3,785	2,113	939	243	16	-	20
White, mother native	13,315	5	1,687	4,879	3,671	1,962	865	213	14	-	19
White, mother foreign	293	-	11	40	62	99	56	25	-	-	-
White, mother not stated	6	-	-	2	-	3	-	-	-	-	1
Negro	234	2	54	69	44	43	16	4	2	-	-
Other	41	-	4	20	8	6	2	1	-	-	-
Places of 100,000 or more	7,479	5	885	2,685	2,138	1,140	499	114	5	-	8
White, mother native	7,105	3	848	2,592	2,087	1,039	455	100	3	-	8
White, mother foreign	176	-	3	28	44	60	30	11	-	-	-
White, mother not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	172	2	33	54	31	35	12	3	2	-	-
Other	24	-	1	10	6	5	2	-	-	-	-
Places of 25,000 to 100,000	2,182	-	321	760	596	338	125	37	1	-	4
White, mother native	2,100	-	299	743	579	323	120	31	1	-	4
White, mother foreign	31	-	4	2	8	9	3	5	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	49	-	18	13	9	6	2	1	-	-	-
Other	2	-	-	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,286	1	161	451	323	212	108	27	1	-	2
White, mother native	1,244	1	158	447	315	197	100	24	1	-	1
White, mother foreign	34	-	2	4	4	13	8	3	-	-	-
White, mother not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	2	-	-	-	2	-	-	-	-	-	-
Other	4	-	1	-	2	1	-	-	-	-	-
Places of 2,500 to 10,000	2,942	1	389	1,114	728	423	207	65	9	-	6
White, mother native	2,866	1	382	1,097	720	403	190	58	9	-	6
White, mother foreign	52	-	2	6	6	17	15	6	-	-	-
White, mother not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	11	-	3	2	2	2	2	-	-	-	-
Other	11	-	2	8	-	-	-	1	-	-	-
Rural	9,677	9	1,180	3,249	2,532	1,554	812	285	25	-	31
White, mother native	9,277	7	1,161	3,168	2,457	1,455	733	245	21	-	30
White, mother foreign	267	-	9	30	43	81	68	33	2	-	1
White, mother not stated	14	-	-	5	3	1	3	2	-	-	-
Negro	14	-	2	5	1	3	2	1	-	-	-
Other	105	2	8	41	28	14	6	4	2	-	-
CONNECTICUT	37,264	8	1,988	11,721	12,716	7,141	2,954	627	50	5	54
White, mother native	33,452	7	1,764	10,921	11,791	6,142	2,325	421	28	5	48
White, mother foreign	2,940	-	49	467	730	903	572	195	22	-	2
White, mother not stated	4	-	-	1	2	1	-	-	-	-	-
Negro	859	1	173	328	193	93	56	11	-	-	4
Other	9	-	2	4	-	2	1	-	-	-	-
Urban	25,857	7	1,369	8,333	8,868	4,818	1,966	428	32	5	31
White, mother native	22,844	6	1,177	7,670	8,130	4,050	1,493	266	19	5	28
White, mother foreign	2,211	-	33	355	558	678	421	153	13	-	-
White, mother not stated	4	-	-	1	2	1	-	-	-	-	-
Negro	790	1	157	303	178	88	51	9	-	-	3
Other	8	-	2	4	-	1	1	-	-	-	-
Places of 100,000 or more	10,683	4	638	3,496	3,674	1,912	748	188	11	3	9
White, mother native	9,243	3	511	3,152	3,346	1,576	530	109	5	3	8
White, mother foreign	931	-	12	144	226	287	183	73	6	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	505	1	114	197	102	49	35	6	-	-	1
Other	3	-	1	2	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
CONNECTICUT—Continued											
Places of 25,000 to 100,000	10,016	2	448	3,120	3,453	1,964	831	177	11	2	8
White, mother native	8,898	2	400	2,889	3,172	1,664	642	112	7	2	8
White, mother foreign	897	-	14	148	224	270	175	62	4	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	216	-	34	81	57	28	13	3	-	-	-
Other	4	-	-	2	-	1	1	-	-	-	-
Places of 10,000 to 25,000	3,870	1	193	1,284	1,345	701	285	45	5	-	11
White, mother native	3,519	1	179	1,212	1,243	605	235	31	4	-	9
White, mother foreign	284	-	6	47	83	86	47	14	1	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	66	-	8	25	18	10	3	-	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,288	-	90	433	396	241	102	18	5	-	3
White, mother native	1,184	-	87	417	369	205	86	14	3	-	3
White, mother foreign	99	-	1	16	25	35	16	4	2	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	3	-	1	-	1	1	-	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
Rural	11,407	1	619	3,388	3,848	2,323	988	199	18	-	23
White, mother native	10,608	1	587	3,251	3,661	2,092	832	155	9	-	20
White, mother foreign	729	-	16	112	172	225	151	42	9	-	2
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	69	-	16	25	15	5	5	2	-	-	1
Other	1	-	-	-	-	1	-	-	-	-	-
DELAWARE	5,657	14	793	1,833	1,512	934	429	121	11	1	9
White, mother native	4,621	2	523	1,524	1,344	781	345	90	7	1	4
White, mother foreign	139	-	2	22	36	43	26	9	1	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	893	12	267	286	132	109	58	22	3	-	4
Other	3	-	1	1	-	1	-	-	-	-	-
Urban	3,032	5	406	1,013	830	498	218	50	8	-	4
White, mother native	2,451	-	249	841	741	411	169	33	5	-	2
White, mother foreign	104	-	2	16	28	32	19	8	1	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	476	5	155	156	63	55	30	9	2	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 100,000 or more	2,389	4	292	814	653	397	180	40	6	-	3
White, mother native	1,927	-	169	679	579	328	140	28	3	-	1
White, mother foreign	94	-	2	16	23	27	18	7	1	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	367	4	121	119	51	42	22	5	2	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	643	1	114	199	177	101	38	10	2	-	1
White, mother native	524	-	80	162	162	83	29	5	2	-	1
White, mother foreign	10	-	-	-	3	5	1	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	109	1	34	37	12	13	8	4	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	2,625	9	387	820	682	436	211	71	3	1	5
White, mother native	2,170	2	274	683	603	370	176	57	2	1	2
White, mother foreign	35	-	-	6	10	11	7	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	417	7	112	130	69	54	28	13	1	-	3
Other	3	-	1	1	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA	15,179	53	2,129	5,119	4,154	2,431	964	229	11	1	88
White, mother native	9,508	4	863	3,234	2,966	1,713	587	115	8	1	17
White, mother foreign	469	-	5	81	126	144	88	25	-	-	-
White, mother not stated	113	-	12	27	11	2	3	-	-	-	58
Negro	5,048	49	1,248	1,762	1,041	567	281	85	3	-	12
Other	41	-	1	15	10	5	5	4	-	-	1
FLORIDA	40,901	130	7,593	13,675	9,889	5,717	2,961	722	50	8	156
White, mother native	28,966	31	4,459	10,028	7,583	4,219	2,027	477	36	6	100
White, mother foreign	510	-	18	114	143	125	82	27	-	-	1
White, mother not stated	36	-	3	14	7	3	5	1	-	-	3
Negro	11,359	99	3,109	3,507	2,147	1,367	845	217	14	2	52
Other	30	-	4	12	9	3	2	-	-	-	-
Urban	22,804	68	4,000	7,844	5,708	3,153	1,436	308	12	5	70
White, mother native	16,079	12	2,233	5,806	4,453	2,362	962	193	9	4	45
White, mother foreign	397	-	18	85	112	96	64	21	-	-	1
White, mother not stated	15	-	2	5	1	3	1	1	-	-	2
Negro	6,109	56	1,747	1,947	1,140	691	409	93	3	1	22
Other	4	-	-	1	2	1	-	-	-	-	-
Places of 100,000 or more	10,145	29	1,755	3,589	2,610	1,388	591	131	6	3	43
White, mother native	7,406	8	1,045	2,729	2,070	1,047	394	76	6	3	28
White, mother foreign	221	-	9	47	59	57	37	12	-	-	-
White, mother not stated	10	-	1	3	-	2	1	1	-	-	2
Negro	2,505	21	700	809	480	281	159	42	-	-	13
Other	3	-	-	1	1	1	-	-	-	-	-
Places of 25,000 to 100,000	3,795	9	644	1,352	952	536	244	54	3	-	1
White, mother native	2,784	2	386	999	762	414	183	37	1	-	-
White, mother foreign	72	-	2	20	22	14	9	5	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	937	7	256	333	167	107	52	12	2	-	1
Other	1	-	-	-	1	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
FLORIDA—Continued											
Places of 10,000 to 25,000	3,755	17	656	1,293	949	537	246	45	1	-	11
White, mother native	2,660	1	336	979	734	409	163	30	1	-	7
White, mother foreign	48	-	4	7	15	11	10	-	-	-	1
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,046	16	316	306	200	117	73	15	-	-	3
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	4,909	13	945	1,610	1,197	692	355	78	2	2	15
White, mother native	3,229	1	466	1,099	887	492	222	50	1	1	10
White, mother foreign	56	-	3	11	16	14	8	4	-	-	-
White, mother not stated	3	-	1	1	1	-	-	-	-	-	-
Negro	1,621	12	475	499	293	186	125	24	1	1	5
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	18,297	62	3,393	5,831	4,181	2,564	1,525	414	38	3	86
White, mother native	12,887	19	2,226	4,222	3,130	1,857	1,065	284	27	2	55
White, mother foreign	113	-	-	29	31	29	18	6	-	-	-
White, mother not stated	21	-	1	9	6	-	4	-	-	-	1
Negro	5,250	43	1,362	1,560	1,007	676	436	124	11	1	30
Other	26	-	4	11	7	2	2	-	-	-	-
GEORGIA	72,491	251	13,983	24,149	16,659	10,222	5,495	1,523	152	3	54
White, mother native	45,354	36	7,135	15,510	11,046	7,017	3,499	993	87	1	30
White, mother foreign	129	-	1	31	32	37	22	6	-	-	-
White, mother not stated	24	-	6	10	3	1	2	2	-	-	-
Negro	26,971	215	6,839	8,595	5,577	3,163	1,969	522	65	2	24
Other	13	-	2	3	1	4	3	-	-	-	-
Urban	29,061	94	5,730	10,458	6,912	3,884	1,621	330	20	1	11
White, mother native	19,572	8	3,054	7,352	5,000	2,829	1,098	212	12	-	7
White, mother foreign	109	-	1	27	27	30	20	4	-	-	-
White, mother not stated	7	-	-	5	2	-	-	-	-	-	-
Negro	9,362	86	2,673	3,072	1,882	1,022	500	114	8	1	4
Other	11	-	2	2	1	3	3	-	-	-	-
Places of 100,000 or more	7,443	25	1,290	2,571	1,882	1,116	469	83	5	-	2
White, mother native	5,101	-	677	1,805	1,392	841	329	51	4	-	2
White, mother foreign	47	-	-	9	15	11	10	2	-	-	-
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	2,292	25	613	755	475	263	130	30	1	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000	9,411	36	2,066	3,563	2,130	1,087	431	89	4	-	5
White, mother native	6,263	6	1,080	2,556	1,504	786	269	56	2	-	4
White, mother foreign	44	-	1	15	8	13	6	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3,096	30	984	990	618	286	153	32	2	-	1
Other	8	-	1	2	-	2	3	-	-	-	-
Places of 10,000 to 25,000	5,075	11	1,017	1,799	1,232	666	283	61	4	-	2
White, mother native	3,497	-	572	1,266	909	509	203	35	3	-	-
White, mother foreign	10	-	-	-	3	3	3	1	-	-	-
White, mother not stated	4	-	-	3	1	-	-	-	-	-	-
Negro	1,562	11	444	530	318	154	77	25	1	-	2
Other	2	-	1	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	7,132	22	1,357	2,525	1,668	1,015	438	97	7	1	2
White, mother native	4,711	2	725	1,725	1,195	693	297	70	3	-	1
White, mother foreign	8	-	-	3	1	3	1	-	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	2,412	20	632	797	471	319	140	27	4	1	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	43,430	157	8,253	13,691	9,747	6,338	3,874	1,193	132	2	43
White, mother native	25,782	28	4,081	8,158	6,046	4,188	2,401	781	75	1	23
White, mother foreign	20	-	-	4	5	7	2	2	-	-	-
White, mother not stated	17	-	6	5	1	1	2	2	-	-	-
Negro	17,609	129	4,166	5,523	3,695	2,141	1,469	408	57	1	20
Other	2	-	-	1	-	1	-	-	-	-	-
IDAHO	11,454	7	1,471	4,132	2,926	1,762	850	267	28	1	10
White, mother native	11,113	7	1,438	4,033	2,845	1,692	806	256	26	1	9
White, mother foreign	209	-	10	55	54	53	31	5	1	-	-
White, mother not stated	5	-	1	-	1	2	1	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-
Other	126	-	22	44	26	15	11	6	1	-	1
Urban	4,661	4	579	1,683	1,256	738	306	86	4	-	5
White, mother native	4,548	4	567	1,653	1,225	713	291	86	4	-	5
White, mother foreign	91	-	4	26	25	23	13	-	-	-	-
White, mother not stated	5	-	1	-	1	2	1	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	17	-	7	4	5	-	1	-	-	-	-
Places of 25,000 to 100,000	689	2	69	245	201	121	42	8	-	-	1
White, mother native	679	2	69	243	199	118	39	8	-	-	1
White, mother foreign	7	-	-	2	1	3	1	-	-	-	-
White, mother not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	-	1	-	1	-	-	-	-
Places of 10,000 to 25,000	2,082	2	254	766	563	321	140	33	2	-	1
White, mother native	2,042	2	249	754	555	311	135	33	2	-	1
White, mother foreign	34	-	1	10	8	10	5	-	-	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	5	-	3	2	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
IDAHO—Continued											
Places of 2,500 to 10,000	1,890	-	256	672	492	296	124	45	2	-	3
White, mother native	1,827	-	249	658	471	284	117	45	2	-	3
White, mother foreign	50	-	3	14	16	10	7	-	-	-	-
White, mother not stated	3	-	-	-	1	2	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	10	-	4	2	4	-	-	-	-	-	-
Rural	6,793	3	892	2,449	1,670	1,024	544	181	24	1	5
White, mother native	6,565	3	871	2,380	1,620	979	515	170	22	1	4
White, mother foreign	118	-	6	29	29	30	18	5	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-
Other	109	-	15	40	21	15	10	6	1	-	1
ILLINOIS	156,232	92	14,359	50,973	48,506	27,251	11,741	2,981	209	8	112
White, mother native	141,123	55	12,017	47,035	45,339	24,191	9,811	2,423	163	6	83
White, mother foreign	6,488	-	113	999	1,563	2,006	1,350	408	39	1	9
White, mother not stated	113	1	12	39	22	16	6	1	-	-	16
Negro	8,407	36	2,210	2,865	1,557	1,017	567	146	5	1	3
Other	101	-	7	35	25	21	7	3	2	-	1
Urban	119,878	65	10,100	39,171	38,511	21,282	8,601	1,936	108	7	97
White, mother native	105,599	32	7,885	35,412	35,508	18,409	6,787	1,421	69	5	71
White, mother foreign	6,089	-	98	946	1,481	1,892	1,255	374	33	1	9
White, mother not stated	89	1	9	30	18	13	5	-	-	-	13
Negro	8,007	32	2,102	2,752	1,479	949	547	138	4	1	3
Other	94	-	6	31	25	19	7	3	2	-	1
Places of 100,000 or more	71,658	38	5,281	22,909	24,220	12,942	5,017	1,126	62	5	78
White, mother native	60,170	13	3,456	19,864	21,828	10,631	3,570	718	30	3	57
White, mother foreign	4,851	-	81	725	1,191	1,511	1,007	299	27	1	9
White, mother not stated	37	-	1	10	9	7	2	-	-	-	8
Negro	6,517	25	1,718	2,283	1,166	778	432	106	3	1	3
Other	83	-	5	27	24	15	6	3	2	-	1
Places of 25,000 to 100,000	21,077	10	2,013	7,115	6,418	3,661	1,498	337	17	1	7
White, mother native	19,561	3	1,765	6,703	6,100	3,372	1,317	282	14	1	4
White, mother foreign	556	-	7	110	129	164	108	36	2	-	-
White, mother not stated	31	1	4	10	6	5	2	-	-	-	3
Negro	927	6	237	291	163	119	71	19	1	-	-
Other	2	-	-	1	-	1	-	-	-	-	-
Places of 10,000 to 25,000	11,438	7	1,177	3,946	3,303	1,932	857	196	15	-	5
White, mother native	10,769	6	1,082	3,787	3,139	1,803	768	168	13	-	3
White, mother foreign	310	-	4	43	83	96	61	21	2	-	-
White, mother not stated	10	-	1	4	2	-	1	-	-	-	2
Negro	343	1	89	109	79	31	27	7	-	-	-
Other	6	-	1	3	-	2	-	-	-	-	-
Places of 2,500 to 10,000	15,705	10	1,649	5,201	4,570	2,747	1,229	277	14	1	7
White, mother native	15,099	10	1,582	5,058	4,441	2,603	1,132	253	12	1	7
White, mother foreign	372	-	6	68	78	121	79	18	2	-	-
White, mother not stated	11	-	3	6	1	1	-	-	-	-	-
Negro	220	-	58	69	49	21	17	6	-	-	-
Other	3	-	-	-	1	1	1	-	-	-	-
Rural	36,354	27	4,259	11,802	9,995	5,969	3,140	1,045	101	1	15
White, mother native	35,524	23	4,132	11,623	9,831	5,782	3,024	1,002	94	1	12
White, mother foreign	399	-	15	53	82	114	95	34	6	-	-
White, mother not stated	24	-	3	9	4	3	1	1	-	-	3
Negro	400	4	108	113	78	68	20	8	1	-	-
Other	7	-	1	4	-	2	-	-	-	-	-
INDIANA	73,706	53	9,725	26,103	19,601	10,956	5,339	1,553	121	3	252
White, mother native	70,186	41	9,042	25,079	18,929	10,340	5,005	1,423	113	3	211
White, mother foreign	902	-	18	198	191	262	162	58	4	-	9
White, mother not stated	132	-	26	34	28	15	6	3	-	-	20
Negro	2,472	12	638	785	451	338	165	68	4	-	11
Other	14	-	1	7	2	1	1	1	-	-	1
Urban	44,802	33	6,050	16,500	12,119	6,454	2,783	686	51	1	125
White, mother native	41,588	21	5,390	15,547	11,516	5,901	2,496	570	45	1	101
White, mother foreign	730	-	14	161	157	215	125	49	2	-	7
White, mother not stated	74	-	20	20	13	9	4	1	-	-	7
Negro	2,402	12	625	766	433	329	157	66	4	-	10
Other	8	-	1	6	-	-	1	-	-	-	-
Places of 100,000 or more	17,298	17	2,221	6,159	4,854	2,648	1,081	274	14	-	30
White, mother native	15,227	8	1,758	5,537	4,458	2,307	923	204	11	-	21
White, mother foreign	367	-	7	82	84	104	58	28	1	-	3
White, mother not stated	9	-	5	2	1	-	-	-	-	-	1
Negro	1,692	9	450	536	311	237	100	42	2	-	5
Other	3	-	1	2	-	-	-	-	-	-	-
Places of 25,000 to 100,000	14,508	8	1,996	5,557	3,787	1,998	898	201	18	1	44
White, mother native	13,621	6	1,854	5,301	3,628	1,834	800	165	17	1	35
White, mother foreign	259	-	2	53	50	87	51	15	-	-	1
White, mother not stated	27	-	5	7	5	4	2	1	-	-	3
Negro	597	2	155	193	104	73	44	20	1	-	5
Other	4	-	-	3	-	-	1	-	-	-	-
Places of 10,000 to 25,000	5,759	3	837	2,180	1,527	768	312	98	11	-	23
White, mother native	5,618	3	817	2,135	1,499	744	298	93	9	-	20
White, mother foreign	60	-	3	15	12	14	9	4	1	-	2
White, mother not stated	15	-	3	5	4	1	1	-	-	-	1
Negro	66	-	14	25	12	9	4	1	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000	7,237	5	996	2,604	1,951	1,040	492	113	8	-	28
White, mother native	7,122	4	981	2,574	1,931	1,016	475	108	8	-	25
White, mother foreign	44	-	2	11	11	10	7	2	-	-	1
White, mother not stated	23	-	7	6	3	4	1	-	-	-	2
Negro	47	1	6	12	6	10	9	3	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	28,904	20	3,675	9,603	7,482	4,502	2,556	867	70	2	127
White, mother native	28,598	20	3,652	9,532	7,413	4,439	2,509	853	68	2	110
White, mother foreign	172	-	4	37	34	47	37	9	2	-	2
White, mother not stated	58	-	6	14	15	6	2	2	-	-	13
Negro	70	-	13	19	18	9	8	2	-	-	1
Other	6	-	-	1	2	1	-	1	-	-	1
IOWA	48,454	18	4,773	16,492	13,702	7,999	4,084	1,260	105	3	18
White, mother native	47,559	16	4,684	16,299	13,490	7,828	3,933	1,197	92	3	17
White, mother foreign	565	-	19	82	132	135	130	55	12	-	-
White, mother not stated	17	-	5	3	3	2	1	1	1	-	1
Negro	231	2	61	101	60	30	20	7	-	-	-
Other	32	-	4	7	17	4	-	-	-	-	-
Urban	21,740	7	2,444	7,793	6,168	3,404	1,489	401	27	-	7
White, mother native	21,172	5	2,368	7,648	6,024	3,306	1,417	376	22	-	6
White, mother foreign	280	-	12	44	80	67	54	19	4	-	-
White, mother not stated	8	-	1	2	1	1	-	1	1	-	1
Negro	263	2	59	94	57	28	18	5	-	-	-
Other	17	-	4	5	6	2	-	-	-	-	-
Places of 100,000 or more	3,444	4	400	1,220	1,032	533	209	44	2	-	-
White, mother native	3,274	2	371	1,174	990	506	192	38	1	-	-
White, mother foreign	45	-	3	6	11	14	7	3	1	-	-
White, mother not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	120	2	26	38	29	12	10	3	-	-	-
Other	3	-	-	1	2	-	-	-	-	-	-
Places of 25,000 to 100,000	9,799	1	1,118	3,582	2,761	1,528	634	162	10	-	3
White, mother native	9,533	1	1,088	3,512	2,698	1,476	599	149	8	-	2
White, mother foreign	155	-	6	27	43	36	31	10	2	-	-
White, mother not stated	3	-	1	-	-	-	-	1	-	-	1
Negro	101	-	21	41	19	14	4	2	-	-	-
Other	7	-	2	2	1	2	-	-	-	-	-
Places of 10,000 to 25,000	2,960	-	365	1,067	836	441	190	56	3	-	2
White, mother native	2,904	-	356	1,051	823	434	181	54	3	-	2
White, mother foreign	23	-	-	6	9	6	5	2	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	26	-	9	9	3	1	4	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,537	2	561	1,924	1,539	902	456	139	12	-	2
White, mother native	5,461	2	553	1,911	1,513	890	445	135	10	-	2
White, mother foreign	52	-	3	5	17	11	11	4	1	-	-
White, mother not stated	2	-	-	1	-	-	-	-	1	-	-
Negro	16	-	3	6	6	1	-	-	-	-	-
Other	6	-	2	1	3	-	-	-	-	-	-
Rural	26,714	11	2,329	8,699	7,534	4,595	2,595	859	78	3	11
White, mother native	26,387	11	2,316	8,651	7,466	4,522	2,516	821	70	3	11
White, mother foreign	285	-	7	38	52	68	76	36	8	-	-
White, mother not stated	9	-	4	1	2	1	1	-	-	-	-
Negro	18	-	2	7	3	2	2	2	-	-	-
Other	15	-	-	2	11	2	-	-	-	-	-
KANSAS	33,920	18	3,971	11,604	9,168	5,489	2,746	791	58	1	74
White, mother native	32,383	13	3,668	11,187	8,845	5,275	2,553	731	49	1	63
White, mother foreign	353	-	9	53	76	87	82	38	6	-	2
White, mother not stated	16	-	3	2	6	-	2	-	-	-	3
Negro	1,111	5	283	346	225	119	103	21	3	-	6
Other	57	-	10	16	16	8	6	1	-	-	-
Urban	17,223	12	2,469	6,412	4,504	2,427	1,092	260	17	-	30
White, mother native	15,985	7	2,190	6,052	4,254	2,264	960	224	11	-	23
White, mother foreign	210	-	8	38	44	55	41	20	3	-	1
White, mother not stated	4	-	1	-	3	-	-	-	-	-	-
Negro	998	5	262	312	198	107	89	16	3	-	6
Other	26	-	8	10	5	1	2	-	-	-	-
Places of 100,000 or more	6,559	3	1,018	2,620	1,676	802	354	78	3	-	5
White, mother native	5,972	2	870	2,450	1,561	734	293	59	1	-	2
White, mother foreign	87	-	4	20	14	22	14	11	1	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	488	1	139	145	100	45	47	8	1	-	2
Other	12	-	5	5	1	1	-	-	-	-	-
Places of 25,000 to 100,000	2,050	3	271	713	555	315	152	36	3	-	2
White, mother native	1,866	1	232	658	525	284	132	31	3	-	-
White, mother foreign	43	-	3	6	6	11	12	5	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	135	2	35	47	22	20	7	-	-	-	2
Other	6	-	1	2	2	-	1	-	-	-	-
Places of 10,000 to 25,000	4,432	4	651	1,580	1,176	650	284	71	4	-	12
White, mother native	4,102	3	581	1,479	1,108	604	248	64	3	-	12
White, mother foreign	45	-	1	7	13	12	10	2	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	281	1	69	91	54	34	26	5	1	-	-
Other	3	-	-	3	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
KANSAS—Continued											
Places of 2,500 to 10,000	4,182	2	529	1,499	1,097	660	302	75	7	-	11
White, mother native	4,045	1	507	1,465	1,060	642	287	70	4	-	9
White, mother foreign	35	-	-	5	11	10	5	2	2	-	-
White, mother not stated	3	-	1	-	2	-	-	-	-	-	-
Negro	94	1	19	29	22	8	9	3	1	-	2
Other	5	-	2	-	2	-	1	-	-	-	-
Rural	16,697	6	1,502	5,192	4,664	3,062	1,654	531	41	1	44
White, mother native	16,398	6	1,476	5,135	4,591	3,011	1,593	507	38	1	40
White, mother foreign	143	-	1	15	32	32	41	18	3	-	1
White, mother not stated	12	-	2	2	3	-	2	-	-	-	3
Negro	113	-	21	34	27	12	14	5	-	-	-
Other	31	-	2	6	11	7	4	1	-	-	-
KENTUCKY	66,267	107	10,564	21,383	15,580	10,157	6,114	2,107	197	7	71
White, mother native	62,405	73	9,560	20,234	14,853	9,640	5,795	1,995	185	6	64
White, mother foreign	129	-	3	21	28	32	39	6	-	-	-
White, mother not stated	85	-	17	23	19	12	9	2	-	-	3
Negro	3,644	34	984	1,104	678	453	270	104	12	1	4
Other	4	-	-	1	2	-	1	-	-	-	-
Urban	21,626	35	3,522	7,489	5,442	3,105	1,575	410	36	3	9
White, mother native	19,440	16	2,916	6,840	5,035	2,853	1,392	349	32	2	5
White, mother foreign	91	-	3	12	20	21	30	5	-	-	-
White, mother not stated	16	-	1	7	4	2	1	-	-	-	1
Negro	2,075	19	602	629	381	229	151	56	4	1	3
Other	4	-	-	1	2	-	1	-	-	-	-
Places of 100,000 or more	8,528	12	1,290	3,020	2,267	1,253	563	115	7	1	-
White, mother native	7,518	1	1,014	2,703	2,073	1,137	490	93	6	1	-
White, mother foreign	49	-	3	6	10	9	17	4	-	-	-
White, mother not stated	7	-	-	2	3	2	-	-	-	-	-
Negro	950	11	273	308	179	105	55	18	1	-	-
Other	4	-	-	1	2	-	1	-	-	-	-
Places of 25,000 to 100,000	5,467	11	901	1,871	1,374	781	417	96	12	2	2
White, mother native	5,020	7	772	1,742	1,294	735	373	84	11	1	1
White, mother foreign	26	-	-	4	3	9	9	1	-	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	419	4	128	124	77	37	35	11	1	1	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,698	2	307	556	411	245	141	31	4	-	1
White, mother native	1,500	1	244	502	374	226	122	26	4	-	1
White, mother foreign	3	-	-	1	1	-	1	-	-	-	-
White, mother not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	193	1	63	52	36	19	17	5	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,933	10	1,024	2,042	1,390	826	454	168	13	-	6
White, mother native	5,402	7	866	1,893	1,294	755	407	146	11	-	3
White, mother foreign	13	-	-	1	6	3	3	-	-	-	-
White, mother not stated	5	-	-	3	1	-	-	-	-	-	1
Negro	513	3	138	145	89	68	44	22	2	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	44,641	72	7,042	13,894	10,138	7,032	4,539	1,697	161	4	62
White, mother native	42,965	57	6,644	13,394	9,818	6,787	4,403	1,646	153	4	59
White, mother foreign	38	-	-	9	8	11	9	1	-	-	-
White, mother not stated	69	-	16	16	15	10	8	2	-	-	2
Negro	1,569	15	382	475	297	224	119	48	8	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	58,093	155	10,284	19,538	13,820	8,267	4,426	1,235	110	5	253
White, mother native	34,872	25	5,015	12,216	8,952	5,177	2,590	715	60	3	119
White, mother foreign	190	-	2	38	60	57	22	11	-	-	-
White, mother not stated	20	-	2	7	6	1	2	-	-	-	2
Negro	22,923	130	5,244	7,255	4,784	3,018	1,799	509	50	2	132
Other	88	-	21	22	18	14	13	-	-	-	-
Urban	25,786	55	4,430	9,267	6,480	3,528	1,550	379	20	2	75
White, mother native	16,976	6	2,213	6,347	4,666	2,444	1,003	233	14	1	49
White, mother foreign	153	-	2	32	52	45	17	5	-	-	-
White, mother not stated	12	-	-	4	4	1	2	-	-	-	1
Negro	8,629	49	2,210	2,880	1,755	1,037	525	141	6	1	25
Other	16	-	5	4	3	1	3	-	-	-	-
Places of 100,000 or more	11,229	19	1,844	4,027	2,821	1,603	723	166	10	1	15
White, mother native	7,011	2	810	2,578	1,992	1,072	442	98	8	1	8
White, mother foreign	105	-	-	26	35	31	12	1	-	-	-
White, mother not stated	3	-	-	2	1	-	-	-	-	-	-
Negro	4,100	17	1,031	1,418	792	500	266	67	2	-	7
Other	10	-	3	3	1	-	3	-	-	-	-
Places of 25,000 to 100,000	5,520	10	1,012	2,018	1,413	700	276	73	1	-	17
White, mother native	3,620	2	459	1,402	1,038	479	185	41	1	-	13
White, mother foreign	33	-	1	5	13	7	4	3	-	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	1,864	8	552	611	361	212	87	29	-	-	4
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	2,310	7	424	819	610	282	125	29	3	-	11
White, mother native	1,572	-	249	571	436	204	86	18	2	-	6
White, mother foreign	4	-	-	1	1	1	-	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	733	7	174	247	173	77	39	10	1	-	5
Other	1	-	1	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
LOUISIANA—Continued											
Places of 2,500 to 10,000	6,727	19	1,150	2,403	1,636	943	426	111	6	1	32
White, mother native	4,773	2	895	1,796	1,200	689	290	76	3	-	22
White, mother foreign	11	-	1	-	3	6	1	-	-	-	-
White, mother not stated	7	-	-	2	2	-	2	-	-	-	1
Negro	1,932	17	453	604	429	248	133	35	3	1	9
Other	4	-	1	1	2	-	-	-	-	-	-
Rural	32,307	100	5,854	10,271	7,340	4,739	2,876	856	90	3	178
White, mother native	17,896	19	2,802	5,869	4,286	2,733	1,587	482	46	2	70
White, mother foreign	37	-	-	6	8	12	5	6	-	-	-
White, mother not stated	8	-	2	3	2	-	-	-	-	-	1
Negro	14,294	81	3,034	4,375	3,029	1,981	1,274	368	44	1	107
Other	72	-	16	18	15	13	10	-	-	-	-
MAINE	17,719	16	2,204	6,073	4,736	2,726	1,443	483	35	-	3
White, mother native	16,186	16	2,135	5,709	4,334	2,410	1,184	368	28	-	2
White, mother foreign	1,485	-	60	347	394	308	256	112	7	-	1
White, mother not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	14	-	1	6	4	2	-	1	-	-	-
Other	32	-	7	11	3	6	3	2	-	-	-
Urban	7,038	3	772	2,485	1,998	1,065	539	158	16	-	2
White, mother native	6,272	3	739	2,305	1,791	909	413	100	11	-	1
White, mother foreign	743	-	30	172	201	152	126	56	5	-	1
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	14	-	1	6	4	2	-	1	-	-	-
Other	8	-	1	2	2	2	-	1	-	-	-
Places of 25,000 to 100,000	3,078	1	338	1,082	871	497	223	60	6	-	-
White, mother native	2,735	1	325	1,010	782	416	164	32	5	-	-
White, mother foreign	328	-	11	67	84	79	59	27	1	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	12	-	1	4	4	2	-	1	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,190	1	211	776	629	323	195	49	5	-	1
White, mother native	1,939	1	204	714	557	274	151	33	4	-	1
White, mother foreign	248	-	7	60	71	49	44	16	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	1,770	1	223	627	498	245	121	49	5	-	1
White, mother native	1,598	1	210	581	452	219	98	35	2	-	-
White, mother foreign	167	-	12	45	46	24	23	13	3	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	5	-	1	1	-	2	-	1	-	-	-
Rural	10,661	13	1,432	3,588	2,738	1,661	904	325	19	-	1
White, mother native	9,914	13	1,396	3,404	2,543	1,501	771	268	17	-	1
White, mother foreign	742	-	30	175	193	156	130	56	2	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	24	-	6	9	1	4	3	1	-	-	-
MARYLAND	44,237	112	6,672	15,022	11,546	6,726	3,121	845	78	1	114
White, mother native	35,248	17	4,512	12,244	9,896	5,569	2,450	625	52	1	82
White, mother foreign	703	-	18	125	189	220	130	36	5	-	-
White, mother not stated	34	-	4	10	5	7	2	1	-	-	5
Negro	8,235	95	2,335	2,635	1,473	929	537	183	21	-	27
Other	17	-	3	8	3	1	2	-	-	-	-
Urban	26,102	74	3,971	9,334	6,910	3,730	1,632	377	34	-	40
White, mother native	20,334	11	2,389	7,524	5,860	3,023	1,210	264	20	-	33
White, mother foreign	512	-	15	86	129	157	100	21	4	-	-
White, mother not stated	11	-	-	5	1	4	1	-	-	-	-
Negro	5,231	63	1,565	1,712	917	545	320	92	10	-	7
Other	14	-	2	7	3	1	1	-	-	-	-
Places of 100,000 or more	20,158	56	3,175	7,247	5,235	2,844	1,264	288	27	-	22
White, mother native	15,070	6	1,773	5,636	4,313	2,228	894	188	14	-	18
White, mother foreign	437	-	14	67	102	139	91	20	4	-	-
White, mother not stated	7	-	-	5	1	-	1	-	-	-	-
Negro	4,631	50	1,386	1,532	817	476	277	80	9	-	4
Other	13	-	2	7	2	1	1	-	-	-	-
Places of 25,000 to 100,000	1,593	5	250	561	398	233	99	35	4	-	8
White, mother native	1,517	2	236	534	377	228	96	32	4	-	8
White, mother foreign	11	-	-	3	6	-	1	1	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	64	3	14	24	15	4	2	2	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,065	9	291	744	566	297	130	22	1	-	5
White, mother native	1,698	2	182	629	502	262	99	17	1	-	4
White, mother foreign	18	-	-	7	4	3	4	-	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	348	7	109	108	60	31	27	5	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,286	4	255	782	711	356	139	32	2	-	5
White, mother native	2,049	1	198	725	668	305	121	27	1	-	3
White, mother foreign	46	-	1	9	17	15	4	-	-	-	-
White, mother not stated	2	-	-	-	-	2	-	-	-	-	-
Negro	188	3	56	48	25	34	14	5	1	-	2
Other	1	-	-	-	1	-	-	-	-	-	-
Rural	18,135	38	2,701	5,688	4,636	2,996	1,489	468	44	1	74
White, mother native	14,914	6	1,923	4,720	4,036	2,546	1,240	361	32	1	49
White, mother foreign	191	-	3	39	40	63	30	15	1	-	-
White, mother not stated	23	-	4	5	4	3	1	1	-	-	5
Negro	3,004	32	770	923	556	384	217	91	11	-	20
Other	3	-	1	1	-	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MASSACHUSETTS	82,773	24	4,288	24,314	26,856	17,256	7,758	1,928	139	6	204
White, mother native	73,386	20	4,009	22,723	24,823	14,401	5,858	1,312	73	1	166
White, mother foreign	8,224	-	99	1,152	1,767	2,697	1,814	591	66	4	34
White, mother not stated	50	-	1	15	13	14	6	-	-	-	1
Negro	1,044	3	161	404	243	135	71	24	-	-	3
Other	69	1	18	20	10	9	9	1	-	1	-
Urban	73,886	20	3,733	21,744	24,034	15,429	6,886	1,728	119	6	187
White, mother native	65,250	17	3,486	20,294	22,168	12,800	5,114	1,159	60	1	151
White, mother foreign	7,613	-	87	1,061	1,638	2,492	1,694	546	59	4	32
White, mother not stated	48	-	1	15	11	14	6	-	-	-	1
Negro	912	3	142	355	209	114	64	22	-	-	3
Other	63	-	17	19	8	9	8	1	-	1	-
Places of 100,000 or more	32,721	13	1,742	9,709	10,547	6,762	3,058	782	53	3	52
White, mother native	28,077	10	1,576	8,907	9,560	5,388	2,087	482	23	-	44
White, mother foreign	3,819	-	42	484	799	1,274	903	280	30	2	5
White, mother not stated	13	-	-	5	1	4	2	-	-	-	1
Negro	773	3	120	295	182	89	62	20	-	-	2
Other	39	-	4	18	5	7	4	-	-	1	-
Places of 25,000 to 100,000	22,296	2	952	6,439	7,448	4,752	2,060	516	34	2	91
White, mother native	19,841	2	914	6,040	6,898	3,974	1,562	364	17	1	69
White, mother foreign	2,330	-	20	355	518	755	493	150	17	1	21
White, mother not stated	24	-	1	6	8	7	2	-	-	-	-
Negro	91	-	15	37	21	16	-	1	-	-	1
Other	10	-	2	1	3	-	3	1	-	-	-
Places of 10,000 to 25,000	13,326	4	715	3,896	4,255	2,821	1,280	294	26	-	35
White, mother native	12,201	4	687	3,706	4,020	2,472	1,051	216	15	-	30
White, mother foreign	1,088	-	18	178	232	341	226	77	11	-	5
White, mother not stated	9	-	-	3	1	3	2	-	-	-	-
Negro	18	-	2	9	2	4	-	1	-	-	-
Other	10	-	8	-	-	1	1	-	-	-	-
Places of 2,500 to 10,000	5,543	1	324	1,700	1,784	1,094	488	136	6	1	9
White, mother native	5,131	1	309	1,641	1,690	966	414	97	5	-	8
White, mother foreign	376	-	7	44	89	122	72	39	1	1	1
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	30	-	5	14	4	5	2	-	-	-	-
Other	4	-	3	-	-	1	-	-	-	-	-
Rural	8,887	4	555	2,570	2,822	1,827	872	200	20	-	17
White, mother native	8,136	3	523	2,429	2,655	1,601	744	153	13	-	15
White, mother foreign	611	-	12	91	129	205	120	45	7	-	2
White, mother not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	132	-	19	49	34	21	7	2	-	-	-
Other	6	1	1	1	2	-	1	-	-	-	-
MICHIGAN	123,886	66	12,721	43,947	36,034	19,367	8,985	2,445	199	3	119
White, mother native	111,165	36	11,255	40,395	33,061	16,875	7,402	1,903	145	1	92
White, mother foreign	7,543	-	242	1,736	1,997	1,863	1,218	434	48	1	4
White, mother not stated	76	-	10	20	15	11	8	3	1	-	8
Negro	4,867	27	1,183	1,706	913	585	333	100	5	1	14
Other	235	3	31	90	48	33	24	5	-	-	1
Urban	84,992	48	8,609	30,625	25,325	13,078	5,736	1,386	109	2	74
White, mother native	73,957	21	7,246	27,460	22,726	10,976	4,445	963	69	-	51
White, mother foreign	6,244	-	206	1,465	1,700	1,537	967	330	35	1	3
White, mother not stated	36	-	6	9	8	6	2	-	-	-	5
Negro	4,670	26	1,144	1,659	867	548	313	93	5	1	14
Other	85	1	7	32	24	11	9	-	-	-	1
Places of 100,000 or more	44,218	31	4,242	15,751	13,509	6,838	3,033	738	48	2	26
White, mother native	36,177	8	3,163	13,459	11,646	5,310	2,102	448	28	-	13
White, mother foreign	4,235	-	136	960	1,167	1,066	670	214	19	1	2
White, mother not stated	5	-	1	-	2	1	1	-	-	-	-
Negro	3,774	23	942	1,325	684	456	255	76	1	1	11
Other	27	-	-	7	10	5	5	-	-	-	-
Places of 25,000 to 100,000	20,352	6	2,219	7,620	5,961	2,959	1,250	289	29	-	19
White, mother native	18,764	4	2,055	7,150	5,588	2,655	1,064	216	17	-	15
White, mother foreign	1,023	-	36	259	253	251	153	62	9	-	-
White, mother not stated	22	-	4	8	5	2	-	-	-	-	3
Negro	519	2	120	195	108	48	32	11	3	-	-
Other	24	-	4	8	7	3	1	-	-	-	1
Places of 10,000 to 25,000	9,341	6	962	3,373	2,677	1,457	681	162	12	-	11
White, mother native	8,585	5	886	3,158	2,473	1,318	594	134	9	-	8
White, mother foreign	487	-	17	115	148	108	73	23	3	-	-
White, mother not stated	4	-	-	-	1	2	-	-	-	-	1
Negro	260	1	59	97	55	27	14	5	-	-	2
Other	5	-	-	3	-	2	-	-	-	-	-
Places of 2,500 to 10,000	11,081	5	1,186	3,881	3,178	1,824	772	197	20	-	18
White, mother native	10,431	4	1,142	3,693	3,019	1,693	685	165	15	-	15
White, mother foreign	499	-	17	131	132	112	71	31	4	-	1
White, mother not stated	5	-	1	1	-	1	1	-	-	-	1
Negro	117	-	23	42	20	17	12	1	1	-	1
Other	29	1	3	14	7	1	3	-	-	-	-
Rural	38,894	18	4,112	13,322	10,709	6,289	3,249	1,059	90	1	45
White, mother native	37,208	15	4,009	12,935	10,335	5,899	2,957	940	76	1	41
White, mother foreign	1,299	-	36	271	297	326	251	104	13	-	1
White, mother not stated	40	-	4	11	7	5	6	3	1	-	3
Negro	197	1	39	47	46	37	20	7	-	-	-
Other	150	2	24	58	24	22	15	5	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MINNESOTA	58,770	13	3,954	18,226	18,173	11,099	5,493	1,658	136	2	16
White, mother native	56,807	12	3,841	17,786	17,710	10,649	5,161	1,517	119	2	10
White, mother foreign	1,383	-	39	247	341	346	268	125	14	-	3
White, mother not stated	8	-	-	6	-	-	-	-	-	-	2
Negro	60	-	15	19	13	9	3	1	-	-	-
Other	512	1	59	168	109	95	61	15	3	-	1
Urban	29,935	4	1,902	9,623	9,782	5,587	2,391	599	32	1	14
White, mother native	29,008	4	1,859	9,423	9,530	5,366	2,249	543	24	1	9
White, mother foreign	827	-	23	161	234	210	137	53	7	-	2
White, mother not stated	6	-	-	4	-	-	-	-	-	-	2
Negro	56	-	15	18	12	7	3	1	-	-	-
Other	38	-	5	17	6	4	2	2	1	-	1
Places of 100,000 or more	18,166	3	1,129	5,878	5,979	3,407	1,394	347	16	-	13
White, mother native	17,483	3	1,096	5,727	5,800	3,243	1,287	308	10	-	9
White, mother foreign	600	-	15	120	164	155	102	37	6	-	1
White, mother not stated	4	-	-	2	-	-	-	-	-	-	2
Negro	56	-	15	18	12	7	3	1	-	-	-
Other	23	-	3	11	3	2	2	1	-	-	1
Places of 25,000 to 100,000	541	-	29	154	187	114	45	12	-	-	-
White, mother native	524	-	28	153	182	108	42	11	-	-	-
White, mother foreign	17	-	1	1	5	6	3	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,851	1	272	1,245	1,208	698	337	82	6	1	1
White, mother native	3,792	1	272	1,237	1,191	681	326	78	5	1	-
White, mother foreign	56	-	-	7	16	17	11	4	-	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	3	-	-	1	1	-	-	-	1	-	-
Places of 2,500 to 10,000	7,377	-	472	2,346	2,408	1,368	615	158	10	-	-
White, mother native	7,209	-	463	2,306	2,357	1,334	594	146	9	-	-
White, mother foreign	154	-	7	33	49	32	21	11	1	-	-
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	12	-	2	5	2	2	-	1	-	-	-
Rural	28,835	9	2,052	8,603	8,391	5,512	3,102	1,059	104	1	2
White, mother native	27,799	8	1,982	8,363	8,180	5,283	2,912	974	95	1	1
White, mother foreign	556	-	16	86	107	136	131	72	7	-	1
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	4	-	-	1	1	2	-	-	-	-	-
Other	474	1	54	151	103	91	59	13	2	-	-
MISSISSIPPI	56,667	304	11,731	17,383	12,387	8,304	4,894	1,462	138	5	59
White, mother native	25,496	24	3,833	8,270	6,279	4,200	2,154	663	51	1	21
White, mother foreign	58	-	2	12	17	14	10	2	1	-	-
White, mother not stated	12	-	2	4	4	-	1	-	-	-	1
Negro	30,979	280	7,873	9,087	6,061	4,073	2,707	792	85	4	37
Other	122	-	21	30	26	17	22	5	1	-	-
Urban	10,864	33	1,967	3,763	2,742	1,539	661	135	13	1	10
White, mother native	6,879	4	984	2,498	1,876	1,043	389	75	7	-	3
White, mother foreign	40	-	1	11	14	8	4	1	1	-	-
White, mother not stated	4	-	-	-	2	-	1	-	-	-	1
Negro	3,921	29	978	1,251	842	486	264	59	5	1	6
Other	20	-	4	3	8	2	3	-	-	-	-
Places of 25,000 to 100,000	2,271	7	410	797	603	294	128	23	5	-	4
White, mother native	1,444	3	209	505	421	209	82	13	2	-	-
White, mother foreign	13	-	-	6	3	2	1	-	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	814	4	201	286	179	83	45	10	2	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	4,711	15	891	1,620	1,161	676	282	60	2	-	4
White, mother native	3,019	1	459	1,125	786	451	159	36	-	-	2
White, mother foreign	15	-	1	3	6	3	1	1	-	-	-
White, mother not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	1,665	14	430	491	364	221	119	23	2	-	1
Other	10	-	1	1	4	1	3	-	-	-	-
Places of 2,500 to 10,000	3,882	11	666	1,346	978	569	251	52	6	1	2
White, mother native	2,416	-	316	868	669	383	148	26	5	-	1
White, mother foreign	12	-	-	2	5	3	2	-	-	-	-
White, mother not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	1,442	11	347	474	299	182	100	26	1	1	1
Other	10	-	3	2	4	1	-	-	-	-	-
Rural	45,803	271	9,764	13,620	9,645	6,765	4,233	1,327	125	4	49
White, mother native	18,617	20	2,849	5,772	4,403	3,157	1,765	588	44	1	18
White, mother foreign	18	-	1	1	3	6	6	1	-	-	-
White, mother not stated	8	-	2	4	2	-	-	-	-	-	-
Negro	27,058	251	6,895	7,816	5,219	3,587	2,443	733	80	3	31
Other	102	-	17	27	18	15	19	5	1	-	-
MISSOURI	70,711	101	10,142	23,254	18,373	11,250	5,700	1,693	133	5	60
White, mother native	65,255	49	8,871	21,719	17,257	10,404	5,228	1,550	120	3	54
White, mother foreign	623	-	10	90	160	194	135	34	-	-	-
White, mother not stated	25	-	8	7	3	2	-	1	-	-	4
Negro	4,776	52	1,247	1,426	948	642	336	108	13	2	2
Other	32	-	6	12	5	8	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MISSOURI—Continued											
Urban	38,829	65	5,378	13,173	10,872	6,167	2,698	623	39	2	12
White, mother native	34,625	25	4,385	11,980	9,815	5,506	2,337	537	31	-	9
White, mother foreign	537	-	9	74	143	170	117	24	-	-	-
White, mother not stated	10	-	3	3	1	1	-	-	-	-	2
Negro	3,634	40	977	1,109	709	482	244	62	8	2	1
Other	23	-	4	7	4	8	-	-	-	-	-
Places of 100,000 or more	23,234	45	3,210	7,991	6,441	3,647	1,555	325	16	2	2
White, mother native	19,813	11	2,400	7,017	5,747	3,119	1,258	252	9	-	-
White, mother foreign	425	-	8	51	116	131	97	22	-	-	-
White, mother not stated	5	-	1	1	1	1	-	-	-	-	1
Negro	2,974	34	798	915	573	393	200	51	7	2	1
Other	17	-	3	7	4	3	-	-	-	-	-
Places of 25,000 to 100,000	3,821	1	573	1,283	1,033	595	264	65	6	-	1
White, mother native	3,693	1	549	1,251	1,004	569	250	62	6	-	1
White, mother foreign	47	-	-	7	9	18	11	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	77	-	23	25	20	5	3	1	-	-	-
Other	4	-	1	-	-	3	-	-	-	-	-
Places of 10,000 to 25,000	5,107	8	624	1,620	1,459	887	411	89	6	-	3
White, mother native	4,800	5	557	1,538	1,393	832	385	83	5	-	2
White, mother foreign	48	-	-	11	14	18	5	-	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	257	3	67	71	52	36	21	6	1	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	6,667	11	971	2,279	1,739	1,038	468	144	11	-	6
White, mother native	6,319	8	879	2,174	1,671	986	444	140	11	-	6
White, mother foreign	17	-	1	5	4	3	4	-	-	-	-
White, mother not stated	4	-	2	2	-	-	-	-	-	-	-
Negro	326	3	89	98	64	48	20	4	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Rural	31,882	36	4,764	10,081	7,701	5,083	3,002	1,070	94	3	48
White, mother native	30,630	24	4,486	9,739	7,442	4,898	2,891	1,013	89	3	45
White, mother foreign	86	-	1	16	17	24	18	10	-	-	-
White, mother not stated	15	-	5	4	2	1	-	1	-	-	2
Negro	1,142	12	270	317	239	160	92	46	5	-	1
Other	9	-	2	5	1	-	1	-	-	-	-
MONTANA	11,735	7	1,198	4,002	3,366	1,978	863	277	39	1	4
White, mother native	10,548	4	1,072	3,690	3,097	1,720	729	213	20	1	2
White, mother foreign	478	-	19	88	115	129	80	35	12	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	12	-	1	3	4	2	1	-	1	-	-
Other	697	3	106	221	150	127	53	29	6	-	2
Urban	5,454	-	532	1,866	1,673	925	357	92	9	-	-
White, mother native	5,203	-	515	1,815	1,601	867	316	82	7	-	-
White, mother foreign	216	-	11	42	62	53	36	10	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	1	1	3	2	1	-	-	-	-
Other	27	-	5	8	7	3	4	-	-	-	-
Places of 25,000 to 100,000	1,810	-	169	644	578	265	125	27	2	-	-
White, mother native	1,729	-	162	627	555	247	113	23	2	-	-
White, mother foreign	72	-	5	13	23	17	10	4	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	1	1	-	-	1	-	-	-	-
Other	6	-	1	3	-	1	1	-	-	-	-
Places of 10,000 to 25,000	1,863	-	179	629	567	350	109	26	3	-	-
White, mother native	1,785	-	172	615	549	329	94	24	2	-	-
White, mother foreign	66	-	5	11	14	19	14	2	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	-	2	2	-	-	-	-	-
Other	8	-	2	3	2	-	1	-	-	-	-
Places of 2,500 to 10,000	1,781	-	184	593	528	310	123	39	4	-	-
White, mother native	1,689	-	181	573	497	291	109	35	3	-	-
White, mother foreign	78	-	1	18	25	17	12	4	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	13	-	2	2	5	2	2	-	-	-	-
Rural	6,281	7	666	2,136	1,693	1,053	506	185	30	1	4
White, mother native	5,345	4	557	1,875	1,496	853	413	131	13	1	2
White, mother foreign	262	-	8	46	53	76	44	25	10	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	2	1	-	-	-	1	-	-
Other	670	3	101	213	143	124	49	29	6	-	2
NEBRASKA	23,676	4	2,146	7,855	6,792	4,131	2,058	614	53	2	21
White, mother native	23,014	4	2,067	7,711	6,657	3,994	1,940	571	48	1	21
White, mother foreign	363	-	10	44	72	96	98	37	5	1	-
White, mother not stated	4	-	1	-	1	2	-	-	-	-	-
Negro	202	-	53	68	40	28	11	2	-	-	-
Other	93	-	15	32	22	11	9	4	-	-	-
Urban	10,489	3	1,043	3,687	3,100	1,692	742	196	15	1	10
White, mother native	10,087	3	982	3,589	3,018	1,613	678	181	12	1	10
White, mother foreign	195	-	7	29	41	49	54	12	3	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	199	-	53	68	38	28	10	2	-	-	-
Other	7	-	1	1	2	2	-	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEBRASKA—Continued											
Places of 100,000 or more	4,924	2	475	1,724	1,502	787	343	83	7	-	1
White, mother native	4,618	2	420	1,644	1,441	735	295	73	5	-	1
White, mother foreign	119	-	5	17	25	25	38	7	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	185	-	50	63	34	26	10	2	-	-	-
Other	4	-	-	-	2	1	-	1	-	-	-
Places of 25,000 to 100,000	1,376	-	128	446	415	249	115	19	3	-	1
White, mother native	1,348	-	125	444	411	238	109	18	2	-	1
White, mother foreign	23	-	-	2	2	11	6	1	1	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	4	-	3	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,929	-	193	723	536	301	128	40	3	1	4
White, mother native	1,892	-	191	716	526	289	123	39	3	1	4
White, mother foreign	31	-	2	3	9	11	5	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	-	4	1	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,260	1	247	794	647	355	156	54	2	-	4
White, mother native	2,231	1	246	785	640	351	151	51	2	-	4
White, mother foreign	22	-	-	7	5	2	5	3	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	1	2	1	-	-	-	-	-
Other	3	-	1	1	-	1	-	-	-	-	-
Rural	13,187	1	1,103	4,168	3,692	2,439	1,316	418	38	1	11
White, mother native	12,927	1	1,085	4,122	3,639	2,381	1,262	390	36	-	11
White, mother foreign	168	-	3	15	31	47	44	25	2	1	-
White, mother not stated	3	-	1	-	-	2	-	-	-	-	-
Negro	3	-	-	-	2	-	1	-	-	-	-
Other	86	-	14	31	20	9	9	3	-	-	-
NEVADA	2,782	1	379	1,019	778	392	167	38	4	-	4
White, mother native	2,518	1	358	925	717	344	134	32	2	-	3
White, mother foreign	86	-	3	18	24	22	17	2	-	-	-
White, mother not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	15	-	2	7	3	2	1	-	-	-	-
Other	162	-	16	68	34	23	15	4	2	-	-
Urban	1,242	-	168	442	373	171	77	10	-	-	1
White, mother native	1,164	-	164	420	350	155	66	9	-	-	-
White, mother foreign	46	-	2	8	15	11	10	-	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	13	-	2	6	2	2	1	-	-	-	-
Other	18	-	-	8	6	3	-	1	-	-	-
Places of 10,000 to 25,000	503	-	47	166	168	87	32	3	-	-	-
White, mother native	469	-	46	161	157	79	24	2	-	-	-
White, mother foreign	22	-	-	3	7	5	7	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	1	1	1	1	1	-	-	-	-
Other	7	-	-	1	3	2	-	1	-	-	-
Places of 2,500 to 10,000	739	-	121	276	205	84	45	7	-	-	1
White, mother native	695	-	118	259	193	76	42	7	-	-	-
White, mother foreign	24	-	2	5	8	6	3	-	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	8	-	1	5	1	1	-	-	-	-	-
Other	11	-	-	7	3	1	-	-	-	-	-
Rural	1,540	1	211	577	405	221	90	28	4	-	3
White, mother native	1,352	1	194	505	367	189	68	23	2	-	3
White, mother foreign	40	-	1	10	9	11	7	2	-	-	-
White, mother not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	144	-	16	60	28	20	15	3	2	-	-
NEW HAMPSHIRE	9,173	3	874	2,976	2,642	1,627	819	202	15	-	15
White, mother native	8,478	3	856	2,843	2,470	1,449	674	162	12	-	9
White, mother foreign	676	-	17	131	169	172	139	40	3	-	5
White, mother not stated	6	-	-	1	1	2	1	-	-	-	1
Negro	12	-	1	1	2	3	5	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Urban	5,588	2	477	1,832	1,656	977	510	117	8	-	9
White, mother native	5,099	2	464	1,737	1,533	854	409	90	5	-	5
White, mother foreign	474	-	12	94	122	117	96	27	3	-	3
White, mother not stated	4	-	-	1	-	2	-	-	-	-	1
Negro	10	-	1	-	1	3	5	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000	2,503	1	169	799	756	470	251	51	-	-	6
White, mother native	2,260	1	162	759	701	404	192	37	-	-	4
White, mother foreign	237	-	6	40	55	63	57	14	-	-	2
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	5	-	1	-	-	2	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,239	1	229	754	654	377	172	44	5	-	3
White, mother native	2,049	1	225	708	601	333	143	34	3	-	1
White, mother foreign	182	-	4	45	52	42	26	10	2	-	1
White, mother not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	5	-	-	-	1	1	3	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEW HAMPSHIRE—Continued											
Places of 2,500 to 10,000	846	-	79	279	246	130	87	22	3	-	-
White, mother native	790	-	77	270	231	117	74	19	2	-	-
White, mother foreign	55	-	2	9	15	12	13	3	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Rural	3,585	1	397	1,144	986	650	309	85	7	-	6
White, mother native	3,379	1	392	1,106	937	595	265	72	7	-	4
White, mother foreign	202	-	5	37	47	55	43	13	-	-	2
White, mother not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	81,709	43	5,140	25,343	27,625	15,837	6,248	1,370	73	3	27
White, mother native	70,704	14	3,776	22,556	25,193	13,458	4,708	929	42	2	26
White, mother foreign	5,533	-	55	810	1,360	1,762	1,171	350	25	-	-
White, mother not stated	17	-	-	5	4	4	3	1	-	-	-
Negro	5,429	29	1,309	1,961	1,060	609	366	88	5	1	1
Other	26	-	-	11	8	4	-	2	1	-	-
Urban	66,818	37	3,884	20,658	22,973	13,153	4,973	1,053	64	1	20
White, mother native	57,406	13	2,726	18,244	20,896	11,096	3,692	683	36	1	19
White, mother foreign	4,796	-	47	720	1,181	1,540	988	297	23	-	-
White, mother not stated	9	-	-	3	2	3	-	1	-	-	-
Negro	4,585	24	1,111	1,681	888	512	293	71	4	-	1
Other	20	-	-	10	6	2	-	1	1	-	-
Places of 100,000 or more	24,013	19	1,740	7,983	7,918	4,331	1,621	365	28	-	8
White, mother native	19,822	9	1,100	6,788	7,085	3,505	1,095	238	14	-	8
White, mother foreign	1,727	-	21	270	416	551	366	92	11	-	-
White, mother not stated	4	-	-	1	1	1	-	1	-	-	-
Negro	2,454	10	619	920	435	273	160	34	3	-	-
Other	6	-	-	4	1	1	-	-	-	-	-
Places of 25,000 to 100,000	18,850	9	860	5,574	6,797	3,875	1,431	281	20	1	2
White, mother native	16,192	2	618	4,961	6,193	3,222	1,026	158	11	1	2
White, mother foreign	1,623	-	17	251	384	531	328	104	8	-	-
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	1,027	7	227	356	219	122	77	18	1	-	-
Other	6	-	-	4	1	-	-	1	-	-	-
Places of 10,000 to 25,000	11,642	4	639	3,419	3,991	2,436	940	204	5	-	4
White, mother native	10,215	1	475	3,055	3,671	2,109	748	147	5	-	4
White, mother foreign	742	-	5	103	180	246	160	48	-	-	-
White, mother not stated	3	-	-	-	1	2	-	-	-	-	-
Negro	681	3	159	261	138	79	32	9	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	12,311	5	645	3,682	4,267	2,511	981	203	11	-	6
White, mother native	11,177	1	535	3,440	3,967	2,260	823	140	6	-	5
White, mother foreign	704	-	4	96	201	212	134	53	4	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	423	4	106	144	96	38	24	10	-	-	1
Other	7	-	-	2	3	1	-	-	1	-	-
Rural	14,893	6	1,256	4,685	4,652	2,684	1,275	317	9	2	7
White, mother native	13,298	1	1,050	4,312	4,297	2,362	1,016	246	6	1	7
White, mother foreign	737	-	8	90	179	222	183	53	2	-	-
White, mother not stated	8	-	-	2	2	1	3	-	-	-	-
Negro	844	5	198	280	172	97	73	17	1	1	-
Other	6	-	-	1	2	2	-	1	-	-	-
NEW MEXICO	14,129	12	1,957	4,396	3,544	2,314	1,396	425	30	2	53
White, mother native	13,016	9	1,855	4,156	3,273	2,081	1,217	361	22	2	40
White, mother foreign	477	-	11	85	106	129	103	39	3	-	1
White, mother not stated	4	-	-	2	1	1	-	-	-	-	-
Negro	104	1	24	22	24	20	5	5	-	-	3
Other	528	2	67	131	140	83	71	20	5	-	9
Urban	5,526	7	801	1,828	1,461	866	432	110	5	-	16
White, mother native	5,253	6	775	1,772	1,395	799	392	96	5	-	13
White, mother foreign	188	-	8	28	40	47	35	10	-	-	-
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	70	1	13	15	18	15	3	3	-	-	2
Other	33	-	5	12	7	5	2	1	-	-	1
Places of 25,000 to 100,000	1,026	-	135	344	308	157	88	14	-	-	-
White, mother native	968	-	131	327	288	146	63	13	-	-	-
White, mother foreign	37	-	-	9	12	10	5	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	2	3	4	1	-	-	-	-	-
Other	11	-	2	5	4	-	-	-	-	-	-
Places of 10,000 to 25,000	1,562	3	224	530	409	248	114	28	1	-	5
White, mother native	1,513	2	217	518	401	235	109	27	1	-	3
White, mother foreign	13	-	-	2	1	6	3	1	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	25	1	5	6	5	6	1	-	-	-	1
Other	10	-	2	4	1	1	1	-	-	-	1
Places of 2,500 to 10,000	2,938	4	442	954	744	461	250	68	4	-	11
White, mother native	2,772	4	427	927	706	418	220	56	4	-	10
White, mother foreign	118	-	8	17	27	31	27	8	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	35	-	6	6	9	8	2	3	-	-	1
Other	12	-	1	3	2	4	1	1	-	-	-
Rural	8,603	5	1,156	2,568	2,083	1,448	964	315	25	2	37
White, mother native	7,763	3	1,080	2,384	1,878	1,282	825	265	17	2	27
White, mother foreign	309	-	3	57	66	82	68	29	3	-	1
White, mother not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	34	-	11	7	6	5	2	2	-	-	1
Other	495	2	62	119	133	78	69	19	5	-	8

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEW YORK	244,802	86	13,904	71,223	82,520	50,827	21,340	4,550	293	7	52
White, mother native	207,217	47	11,364	63,936	73,529	40,288	14,976	2,863	171	4	39
White, mother foreign	26,556	-	292	3,528	6,484	9,053	5,602	1,483	106	3	5
White, mother not stated	22	1	2	7	4	1	-	-	-	-	7
Negro	10,505	38	2,186	3,610	2,361	1,405	712	183	10	-	-
Other	502	-	60	142	142	80	50	21	6	-	1
Urban	202,403	73	10,394	58,364	69,779	42,722	17,297	3,518	213	6	37
White, mother native	167,606	35	8,023	51,635	61,434	32,926	11,439	1,977	106	3	28
White, mother foreign	24,431	-	253	3,196	5,968	8,396	5,147	1,352	93	3	3
White, mother not stated	13	-	-	5	2	-	-	-	-	-	6
Negro	10,046	38	2,090	3,449	2,272	1,340	676	171	10	-	-
Other	307	-	28	79	83	60	35	18	4	-	-
Places of 100,000 or more	158,138	51	7,277	44,491	55,505	34,366	13,536	2,718	164	6	24
White, mother native	127,138	18	5,165	38,606	48,049	25,506	8,318	1,384	73	3	16
White, mother foreign	21,611	-	195	2,696	5,315	7,585	4,577	1,159	78	3	3
White, mother not stated	9	-	-	3	1	-	-	-	-	-	5
Negro	9,103	33	1,890	3,118	2,065	1,219	611	157	10	-	-
Other	277	-	27	68	75	56	30	18	3	-	-
Places of 25,000 to 100,000	15,456	6	1,108	5,100	4,943	2,797	1,238	243	16	-	5
White, mother native	13,857	4	999	4,717	4,568	2,407	978	169	10	-	5
White, mother foreign	1,135	-	20	221	276	320	224	69	5	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	455	2	89	157	98	69	35	5	-	-	-
Other	8	-	-	4	1	1	1	-	1	-	-
Places of 10,000 to 25,000	15,950	7	1,099	4,879	5,167	3,075	1,398	306	16	-	3
White, mother native	14,633	4	999	4,584	4,851	2,778	1,183	219	13	-	2
White, mother foreign	966	-	24	170	230	262	196	81	3	-	-
White, mother not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	338	3	75	120	83	33	18	6	-	-	-
Other	10	-	1	4	2	2	1	-	-	-	-
Places of 2,500 to 10,000	12,859	9	910	3,894	4,164	2,484	1,125	251	17	-	5
White, mother native	11,978	9	860	3,728	3,966	2,235	960	205	10	-	5
White, mother foreign	719	-	14	109	167	229	150	43	7	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	150	-	36	54	26	19	12	3	-	-	-
Other	12	-	-	3	5	1	3	-	-	-	-
Rural	42,399	13	3,510	12,859	12,741	8,105	4,043	1,032	80	1	15
White, mother native	39,611	12	3,341	12,301	12,095	7,362	3,537	886	65	1	11
White, mother foreign	2,125	-	39	332	496	657	455	131	13	-	2
White, mother not stated	9	1	2	2	2	1	-	-	-	-	1
Negro	459	-	96	161	89	65	36	12	-	-	-
Other	195	-	32	63	59	20	15	3	2	-	1
NORTH CAROLINA	89,854	249	15,857	29,526	21,291	13,191	7,088	2,309	238	12	93
White, mother native	61,921	41	9,123	20,731	15,496	9,650	5,043	1,621	159	7	50
White, mother foreign	119	-	2	26	28	37	22	4	-	-	-
White, mother not stated	41	-	12	14	7	1	1	1	-	-	5
Negro	26,772	203	6,547	8,448	5,538	3,330	1,938	649	76	5	38
Other	1,001	5	173	307	222	173	84	34	3	-	-
Urban	24,100	66	4,413	8,550	5,951	3,346	1,408	324	20	4	18
White, mother native	17,078	8	2,472	6,260	4,531	2,520	1,032	233	13	2	7
White, mother foreign	79	-	-	16	18	25	17	3	-	-	-
White, mother not stated	8	-	3	3	2	-	-	-	-	-	-
Negro	6,922	57	1,935	2,265	1,399	801	357	88	7	2	11
Other	13	1	3	6	1	-	2	-	-	-	-
Places of 100,000 or more	2,485	9	444	900	615	355	136	25	-	-	1
White, mother native	1,680	1	225	631	439	262	101	20	-	-	1
White, mother foreign	9	-	-	1	3	4	1	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	796	8	219	268	173	89	34	5	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	9,284	21	1,709	3,247	2,304	1,278	583	130	6	2	4
White, mother native	6,078	2	815	2,198	1,651	909	413	84	5	-	1
White, mother foreign	34	-	-	9	6	10	6	3	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	3,170	19	894	1,038	647	359	164	43	1	2	3
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,422	20	1,229	2,337	1,560	847	332	87	5	1	4
White, mother native	4,658	3	738	1,750	1,210	654	237	60	3	1	2
White, mother foreign	23	-	-	5	6	6	6	-	-	-	-
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	1,734	16	490	579	343	187	88	27	2	-	2
Other	5	1	1	2	-	-	1	-	-	-	-
Places of 2,500 to 10,000	5,909	16	1,031	2,066	1,472	866	357	82	9	1	9
White, mother native	4,662	2	694	1,681	1,231	695	281	69	5	1	3
White, mother foreign	13	-	-	1	3	5	4	-	-	-	-
White, mother not stated	5	-	3	1	1	-	-	-	-	-	-
Negro	1,222	14	332	380	236	166	71	13	4	-	6
Other	7	-	2	3	1	-	1	-	-	-	-
Rural	65,754	183	11,444	20,976	15,340	9,845	5,680	1,985	218	8	75
White, mother native	44,843	33	6,651	14,471	10,965	7,130	4,011	1,388	146	5	43
White, mother foreign	40	-	2	10	10	12	5	1	-	-	-
White, mother not stated	33	-	9	11	5	1	1	1	-	-	5
Negro	19,850	146	4,612	6,183	4,139	2,529	1,581	561	69	3	27
Other	988	4	170	301	221	173	82	34	3	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NORTH DAKOTA	13,357	3	869	3,914	3,921	2,673	1,416	511	39	1	10
White, mother native	12,564	-	810	3,741	3,763	2,508	1,279	426	28	1	8
White, mother foreign	427	-	8	59	80	94	104	72	9	-	1
White, mother not stated	3	-	-	1	-	1	1	-	-	-	-
Negro	4	-	-	1	3	-	-	-	-	-	-
Other	359	3	51	112	75	70	32	13	2	-	1
Urban	3,141	-	167	993	1,014	600	282	74	7	1	3
White, mother native	3,045	-	165	980	986	575	263	66	6	1	3
White, mother foreign	89	-	1	11	27	22	19	8	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	5	-	1	1	-	3	-	-	-	-	-
Places of 25,000 to 100,000	897	-	26	213	234	147	63	11	2	-	1
White, mother native	671	-	26	208	226	139	58	11	2	-	1
White, mother foreign	26	-	-	5	8	8	5	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,279	-	80	403	391	250	126	25	2	1	1
White, mother native	1,250	-	80	401	381	244	115	25	2	1	1
White, mother foreign	28	-	-	2	9	6	11	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,165	-	81	377	389	203	93	38	3	-	1
White, mother native	1,124	-	59	371	379	192	90	30	2	-	1
White, mother foreign	35	-	1	4	10	8	3	8	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	5	-	1	1	-	3	-	-	-	-	-
Rural	10,216	3	702	2,921	2,907	2,073	1,134	437	32	-	7
White, mother native	9,519	-	645	2,761	2,777	1,933	1,016	360	22	-	5
White, mother foreign	339	-	7	48	53	72	85	64	8	-	1
White, mother not stated	3	-	-	1	-	1	1	-	-	-	-
Negro	2	-	-	-	2	-	-	-	-	-	-
Other	354	3	50	111	75	67	32	13	2	-	1
OHIO	144,327	88	15,572	49,586	42,279	23,421	10,326	2,767	213	4	71
White, mother native	134,601	52	13,925	46,845	40,199	21,678	9,273	2,383	180	3	63
White, mother foreign	3,451	-	38	554	848	1,073	647	267	23	-	1
White, mother not stated	33	-	4	12	6	3	4	-	-	-	4
Negro	6,211	36	1,603	2,164	1,218	662	399	116	9	1	3
Other	31	-	2	11	8	5	3	1	1	-	-
Urban	101,752	65	10,758	35,415	30,744	16,469	6,589	1,567	106	3	36
White, mother native	92,961	30	9,216	32,906	28,855	14,907	5,676	1,256	82	2	31
White, mother foreign	2,974	-	29	480	748	941	548	210	17	-	1
White, mother not stated	18	-	1	7	3	3	2	-	-	-	2
Negro	5,775	35	1,510	2,014	1,132	615	360	100	6	1	2
Other	24	-	2	8	6	3	3	1	1	-	-
Places of 100,000 or more	58,954	46	6,165	20,597	18,217	9,341	3,641	877	54	2	14
White, mother native	52,189	18	4,929	18,619	16,757	8,174	2,990	648	40	1	13
White, mother foreign	2,102	-	20	342	532	670	376	152	9	-	1
White, mother not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	4,641	28	1,214	1,628	922	495	273	76	4	1	-
Other	20	-	2	8	4	2	2	1	1	-	-
Places of 25,000 to 100,000	16,409	11	1,850	5,636	4,863	2,709	1,086	228	22	-	4
White, mother native	15,480	6	1,894	5,400	4,657	2,529	976	197	18	-	3
White, mother foreign	388	-	4	62	103	125	89	21	4	-	-
White, mother not stated	5	-	1	2	1	-	1	-	-	-	-
Negro	534	5	151	172	100	55	40	10	-	-	1
Other	2	-	-	-	2	-	-	-	-	-	-
Places of 10,000 to 25,000	11,789	8	1,201	4,169	3,398	2,003	792	200	12	1	5
White, mother native	11,232	6	1,145	4,021	3,281	1,873	716	175	10	1	4
White, mother foreign	274	-	3	39	66	92	55	19	-	-	-
White, mother not stated	7	-	-	3	-	3	1	-	-	-	-
Negro	275	2	53	106	51	34	20	6	2	-	1
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	14,600	-	1,542	5,013	4,266	2,416	1,070	262	18	-	13
White, mother native	14,060	-	1,448	4,866	4,160	2,331	994	236	14	-	11
White, mother foreign	210	-	2	37	47	54	48	18	4	-	-
White, mother not stated	4	-	-	2	-	-	-	-	-	-	2
Negro	325	-	92	108	59	31	27	8	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-
Rural	42,575	23	4,814	14,171	11,535	6,952	3,737	1,200	107	1	35
White, mother native	41,640	22	4,709	13,939	11,344	6,771	3,597	1,127	98	1	32
White, mother foreign	477	-	9	74	100	132	99	57	6	-	-
White, mother not stated	15	-	3	5	3	-	2	-	-	-	2
Negro	436	1	93	150	86	47	39	16	3	-	1
Other	7	-	-	3	2	2	-	-	-	-	-
OKLAHOMA	46,008	49	8,126	15,706	10,501	6,791	3,524	1,161	82	2	66
White, mother native	40,789	28	6,923	14,052	9,476	6,056	3,124	1,009	77	1	43
White, mother foreign	132	-	4	21	35	38	27	7	-	-	-
White, mother not stated	91	-	22	25	18	12	4	5	1	-	6
Negro	3,007	20	826	927	545	392	212	73	4	-	8
Other	1,989	1	351	681	429	293	157	67	-	1	9

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
OKLAHOMA—Continued											
Urban	20,625	24	3,584	7,474	5,037	2,905	1,244	315	16	1	25
White, mother native	18,405	13	3,001	6,747	4,589	2,837	1,105	279	16	1	17
White, mother foreign	83	-	2	12	29	23	16	1	-	-	-
White, mother not stated	36	-	10	10	6	4	3	1	-	-	2
Negro	1,630	11	469	536	303	186	95	26	-	-	4
Other	471	-	102	169	110	55	25	8	-	-	2
Places of 100,000 or more	8,090	9	1,380	2,883	2,031	1,164	505	101	5	1	11
White, mother native	7,276	6	1,165	2,624	1,864	1,061	449	93	5	1	8
White, mother foreign	42	-	1	5	15	12	8	1	-	-	-
White, mother not stated	13	-	3	4	4	1	1	-	-	-	-
Negro	690	3	197	221	132	84	45	6	-	-	2
Other	69	-	14	29	16	6	2	1	-	-	1
Places of 25,000 to 100,000	1,282	3	222	504	283	182	71	15	1	-	1
White, mother native	1,089	1	173	443	244	156	58	13	1	-	-
White, mother foreign	5	-	-	1	1	2	1	-	-	-	-
White, mother not stated	6	-	4	-	-	1	-	-	-	-	1
Negro	162	2	37	55	34	21	11	2	-	-	-
Other	20	-	8	5	4	2	1	-	-	-	-
Places of 10,000 to 25,000	5,372	6	955	2,005	1,308	701	303	82	6	-	6
White, mother native	4,794	3	794	1,812	1,196	640	269	70	6	-	4
White, mother foreign	22	-	1	4	7	7	3	-	-	-	-
White, mother not stated	10	-	1	4	1	1	1	1	-	-	1
Negro	434	3	135	140	78	44	22	11	-	-	1
Other	112	-	24	45	26	9	8	-	-	-	-
Places of 2,500 to 10,000	5,881	6	1,027	2,082	1,415	858	365	117	4	-	7
White, mother native	5,246	3	869	1,868	1,285	780	329	103	4	-	5
White, mother foreign	14	-	-	2	6	2	4	-	-	-	-
White, mother not stated	7	-	2	2	1	1	1	-	-	-	-
Negro	344	3	100	120	59	37	17	7	-	-	1
Other	270	-	56	90	64	38	14	7	-	-	1
Rural	25,383	25	4,542	8,232	5,464	3,886	2,280	846	66	1	41
White, mother native	22,384	15	3,922	7,305	4,887	3,419	2,019	730	61	-	26
White, mother foreign	49	-	2	9	6	15	11	6	-	-	-
White, mother not stated	55	-	12	15	10	8	1	4	1	-	4
Negro	1,377	9	357	391	242	206	117	47	4	-	4
Other	1,518	1	249	512	319	238	132	59	-	1	7
OREGON	22,518	7	2,557	8,334	6,395	3,398	1,355	385	33	-	54
White, mother native	21,383	6	2,473	8,006	6,067	3,172	1,245	341	29	-	44
White, mother foreign	808	-	30	222	252	180	84	34	2	-	4
White, mother not stated	12	-	1	5	3	1	2	-	-	-	-
Negro	41	-	10	17	6	2	5	1	-	-	-
Other	274	1	43	84	67	43	19	9	2	-	6
Urban	13,518	4	1,394	5,085	3,994	2,048	758	195	13	-	27
White, mother native	12,838	4	1,356	4,880	3,791	1,904	692	175	12	-	24
White, mother foreign	544	-	20	150	170	129	55	17	-	-	3
White, mother not stated	10	-	1	4	2	1	2	-	-	-	-
Negro	35	-	10	13	5	2	4	1	-	-	-
Other	91	-	7	38	26	12	5	2	1	-	-
Places of 100,000 or more	7,071	3	637	2,596	2,211	1,119	391	92	5	-	17
White, mother native	6,609	3	609	2,460	2,068	1,020	347	83	5	-	14
White, mother foreign	369	-	13	98	121	90	36	8	-	-	3
White, mother not stated	5	-	1	2	1	-	1	-	-	-	-
Negro	32	-	9	11	5	2	4	1	-	-	-
Other	56	-	5	25	16	7	3	-	-	-	-
Places of 25,000 to 100,000	554	-	45	221	148	95	39	5	-	-	1
White, mother native	532	-	45	213	142	90	37	4	-	-	1
White, mother foreign	18	-	-	5	6	5	1	1	-	-	-
White, mother not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	3	-	-	3	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,144	-	252	830	618	306	101	35	1	-	1
White, mother native	2,070	-	246	806	600	288	96	32	1	-	1
White, mother foreign	65	-	5	20	16	16	5	3	-	-	-
White, mother not stated	3	-	-	1	1	1	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	5	-	-	3	1	1	-	-	-	-	-
Places of 2,500 to 10,000	3,749	1	460	1,438	1,017	528	227	63	7	-	8
White, mother native	3,627	1	456	1,401	981	506	212	56	6	-	8
White, mother foreign	92	-	2	27	27	18	13	5	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other	27	-	2	7	9	4	2	2	1	-	-
Rural	9,000	3	1,163	3,249	2,401	1,350	597	90	20	-	27
White, mother native	8,545	2	1,117	3,126	2,276	1,268	553	166	17	-	20
White, mother foreign	264	-	10	72	82	51	29	17	2	-	1
White, mother not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	6	-	-	4	1	-	1	-	-	-	-
Other	183	1	36	46	41	31	14	7	1	-	6
PENNSYLVANIA	197,177	145	18,320	65,881	59,247	33,445	15,487	4,247	372	7	26
White, mother native	180,224	59	15,733	61,096	55,892	30,263	13,467	3,397	288	5	24
White, mother foreign	6,100	1	63	891	1,277	1,866	1,295	630	76	1	-
White, mother not stated	25	-	5	4	12	1	2	1	-	-	-
Negro	10,771	85	2,515	3,870	2,053	1,303	716	218	8	1	2
Other	57	-	4	20	13	12	7	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
PENNSYLVANIA—Continued											
Urban	131,862	109	11,095	44,497	41,128	22,755	9,701	2,384	173	2	20
White, mother native	117,008	32	8,702	40,170	38,183	19,991	8,059	1,732	120	1	18
White, mother foreign	4,990	1	51	753	1,076	1,575	1,020	467	46	1	-
White, mother not stated	15	-	3	3	7	1	-	-	-	-	-
Negro	9,803	76	2,335	3,554	1,849	1,179	616	185	7	-	2
Other	46	-	4	17	11	9	5	-	-	-	-
Places of 100,000 or more	58,497	79	4,839	19,463	18,429	10,347	4,269	1,009	55	1	6
White, mother native	48,115	15	3,019	16,351	16,356	8,436	3,243	654	35	1	5
White, mother foreign	2,921	-	26	423	667	1,011	563	217	14	-	-
White, mother not stated	8	-	1	3	3	-	1	-	-	-	-
Negro	7,421	64	1,790	2,676	1,395	893	458	138	6	-	1
Other	32	-	3	10	8	7	4	-	-	-	-
Places of 25,000 to 100,000	25,004	10	2,288	8,657	7,615	4,187	1,790	421	32	-	4
White, mother native	23,181	7	2,029	8,112	7,259	3,869	1,548	327	27	-	3
White, mother foreign	705	-	10	117	137	196	164	76	5	-	-
White, mother not stated	3	-	1	-	1	1	-	-	-	-	-
Negro	1,110	3	248	426	216	121	77	18	-	-	1
Other	5	-	-	2	2	-	1	-	-	-	-
Places of 10,000 to 25,000	23,211	12	1,906	7,744	7,316	4,051	1,673	463	42	-	4
White, mother native	21,627	4	1,698	7,328	7,003	3,728	1,475	359	28	-	4
White, mother foreign	736	1	8	125	153	209	142	85	13	-	-
White, mother not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	844	7	200	289	158	114	56	19	1	-	-
Other	2	-	-	2	-	-	-	-	-	-	-
Places of 2,500 to 10,000	25,150	8	2,062	8,633	7,766	4,170	1,969	491	44	1	6
White, mother native	24,085	6	1,956	8,379	7,565	3,958	1,793	392	30	-	6
White, mother foreign	628	-	7	88	119	159	151	89	14	1	-
White, mother not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	428	2	97	163	80	51	25	10	-	-	-
Other	7	-	1	3	1	2	-	-	-	-	-
Rural	65,315	36	7,225	21,384	18,121	10,690	5,786	1,863	199	5	6
White, mother native	63,216	27	7,031	20,926	17,709	10,272	5,408	1,665	168	4	6
White, mother foreign	1,110	-	12	138	201	291	275	163	30	-	-
White, mother not stated	10	-	2	1	5	-	1	1	-	-	-
Negro	968	9	180	316	204	124	100	33	1	1	-
Other	11	-	-	3	2	3	2	1	-	-	-
RHODE ISLAND	14,182	1	796	4,371	4,616	2,821	1,247	297	26	-	7
White, mother native	12,633	1	719	4,082	4,253	2,398	969	190	14	-	7
White, mother foreign	1,257	-	12	196	300	382	255	100	12	-	-
White, mother not stated	6	-	1	-	2	1	2	-	-	-	-
Negro	281	-	63	92	60	39	20	7	-	-	-
Other	5	-	1	1	1	1	1	-	-	-	-
Urban	12,799	-	711	3,900	4,196	2,565	1,140	262	20	-	5
White, mother native	11,365	-	640	3,634	3,863	2,175	876	163	9	-	5
White, mother foreign	1,165	-	11	182	274	353	242	92	11	-	-
White, mother not stated	6	-	1	-	2	1	2	-	-	-	-
Negro	258	-	58	83	56	35	19	7	-	-	-
Other	5	-	1	1	1	1	1	-	-	-	-
Places of 100,000 or more	4,926	-	306	1,452	1,650	989	431	88	9	-	1
White, mother native	4,334	-	255	1,340	1,514	834	329	57	4	-	1
White, mother foreign	406	-	4	58	94	128	90	27	5	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	182	-	46	53	42	26	11	4	-	-	-
Other	4	-	1	1	-	1	1	-	-	-	-
Places of 25,000 to 100,000	5,676	-	300	1,755	1,809	1,149	518	133	9	-	3
White, mother native	5,048	-	286	1,632	1,667	966	403	85	4	-	3
White, mother foreign	561	-	3	95	130	174	108	46	5	-	-
White, mother not stated	3	-	1	-	-	-	2	-	-	-	-
Negro	63	-	10	28	11	7	5	2	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	1,663	-	80	532	563	320	150	35	2	-	1
White, mother native	1,507	-	76	505	524	277	107	16	1	-	1
White, mother foreign	166	-	3	25	38	41	40	18	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	1	2	1	2	3	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	514	-	25	161	174	107	41	6	-	-	-
White, mother native	476	-	23	157	158	96	37	5	-	-	-
White, mother foreign	32	-	1	4	12	10	4	1	-	-	-
White, mother not stated	3	-	-	-	2	1	-	-	-	-	-
Negro	3	-	1	-	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	1,383	1	85	471	420	256	107	35	6	-	2
White, mother native	1,268	1	79	448	390	223	93	27	5	-	2
White, mother foreign	92	-	1	14	26	29	13	8	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	23	-	5	9	4	4	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	48,835	135	9,643	17,084	10,916	6,331	3,478	1,013	103	4	128
White, mother native	25,810	18	4,084	9,156	6,294	3,781	1,826	555	41	1	54
White, mother foreign	48	-	-	15	13	13	4	3	-	-	-
White, mother not stated	7	-	2	3	-	1	-	-	-	-	1
Negro	22,948	117	5,552	7,906	4,601	2,534	1,645	455	62	3	73
Other	22	-	5	4	8	2	3	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
SOUTH CAROLINA—Continued											
Urban	14,751	33	2,905	5,469	3,431	1,929	753	186	13	1	31
White, mother native	10,005	5	1,590	3,859	2,492	1,434	491	126	7	1	20
White, mother foreign	33	-	-	10	7	12	4	-	-	-	-
White, mother not stated	4	-	2	1	-	-	-	-	-	-	1
Negro	4,704	28	1,312	1,618	931	482	257	60	6	-	10
Other	5	-	1	1	1	1	1	-	-	-	-
Places of 25,000 to 100,000	6,564	17	1,373	2,455	1,541	803	287	80	1	-	7
White, mother native	4,229	4	650	1,679	1,097	566	176	52	1	-	4
White, mother foreign	22	-	-	6	5	7	4	-	-	-	-
White, mother not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	2,309	13	721	769	439	230	106	28	-	-	3
Other	2	-	1	-	-	-	1	-	-	-	-
Places of 10,000 to 25,000	2,797	5	514	1,091	647	338	153	34	3	1	11
White, mother native	2,012	1	325	788	486	273	107	23	1	1	7
White, mother foreign	2	-	-	1	-	1	-	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	781	4	189	301	161	63	46	11	2	-	4
Other	2	-	-	1	-	1	-	-	-	-	-
Places of 2,500 to 10,000	5,390	11	1,018	1,923	1,243	788	313	72	9	-	13
White, mother native	3,764	-	615	1,372	909	595	208	51	5	-	9
White, mother foreign	9	-	-	3	2	4	-	-	-	-	-
White, mother not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	1,614	11	402	548	331	189	105	21	4	-	3
Other	1	-	-	-	1	-	-	-	-	-	-
Rural	34,084	102	6,738	11,615	7,485	4,402	2,725	827	90	3	97
White, mother native	15,805	13	2,494	5,317	3,802	2,347	1,335	429	34	-	34
White, mother foreign	15	-	-	5	6	1	-	3	-	-	-
White, mother not stated	3	-	-	2	-	1	-	-	-	-	-
Negro	18,244	89	4,240	6,288	3,670	2,052	1,388	395	56	3	63
Other	17	-	4	3	7	1	2	-	-	-	-
SOUTH DAKOTA	12,424	6	944	3,813	3,580	2,345	1,211	430	36	-	59
White, mother native	11,438	3	855	3,530	3,346	2,174	1,075	373	33	-	49
White, mother foreign	168	-	3	18	29	41	49	23	3	-	2
White, mother not stated	21	-	1	5	6	3	2	1	-	-	3
Negro	5	-	-	2	1	1	1	-	-	-	-
Other	792	3	85	258	198	126	84	33	-	-	5
Urban	3,832	-	321	1,223	1,071	644	281	89	6	-	17
White, mother native	3,546	-	316	1,192	1,049	620	267	81	5	-	16
White, mother foreign	44	-	1	5	7	13	9	7	1	-	1
White, mother not stated	10	-	-	4	3	2	1	-	-	-	-
Negro	3	-	-	1	1	1	-	-	-	-	-
Other	49	-	4	21	11	8	4	1	-	-	-
Places of 25,000 to 100,000	1,002	-	98	352	306	171	59	15	1	-	-
White, mother native	989	-	98	349	304	167	57	13	1	-	-
White, mother foreign	6	-	-	-	-	2	2	2	-	-	-
White, mother not stated	4	-	-	2	1	1	-	-	-	-	-
Negro	3	-	-	1	1	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,337	-	108	458	374	239	108	33	4	-	13
White, mother native	1,305	-	106	450	369	228	106	31	3	-	12
White, mother foreign	16	-	-	2	3	6	2	1	1	-	1
White, mother not stated	4	-	-	1	2	1	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	12	-	2	5	-	4	-	1	-	-	-
Places of 2,500 to 10,000	1,313	-	115	413	391	234	114	41	1	-	4
White, mother native	1,252	-	112	393	376	225	104	37	1	-	4
White, mother foreign	22	-	1	3	4	5	5	4	-	-	-
White, mother not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	37	-	2	16	11	4	4	-	-	-	-
Rural	8,772	6	623	2,590	2,509	1,701	930	341	30	-	42
White, mother native	7,892	3	539	2,338	2,297	1,554	808	292	28	-	33
White, mother foreign	124	-	2	13	22	28	40	16	2	-	1
White, mother not stated	11	-	1	1	3	1	1	1	-	-	3
Negro	2	-	-	1	-	-	1	-	-	-	-
Other	743	3	81	237	187	118	80	32	-	-	5
TENNESSEE	65,147	149	11,145	21,163	15,340	9,793	5,580	1,708	161	8	100
White, mother native	54,791	55	8,471	18,151	13,207	8,430	4,784	1,471	140	4	78
White, mother foreign	74	-	-	16	26	18	12	2	-	-	-
White, mother not stated	35	-	5	11	6	4	3	1	-	-	5
Negro	10,241	94	2,668	2,983	2,101	1,340	780	233	21	4	17
Other	6	-	1	2	-	1	1	1	-	-	-
Urban	24,764	73	4,629	8,528	6,047	3,441	1,614	380	24	3	25
White, mother native	19,195	16	3,077	6,895	4,924	2,740	1,226	282	19	1	15
White, mother foreign	61	-	-	12	23	16	8	2	-	-	-
White, mother not stated	10	-	1	3	1	2	1	-	-	-	2
Negro	5,493	57	1,550	1,616	1,099	682	379	95	5	2	8
Other	5	-	1	2	-	1	-	1	-	-	-
Places of 100,000 or more	16,457	56	3,212	5,657	3,979	2,246	1,039	238	14	3	13
White, mother native	11,996	7	1,958	4,341	3,097	1,696	719	161	10	1	6
White, mother foreign	52	-	-	10	22	13	6	1	-	-	-
White, mother not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	4,403	49	1,253	1,304	860	536	314	75	4	2	6
Other	5	-	1	2	-	1	-	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
TENNESSEE—Continued											
Places of 25,000 to 100,000	541	1	90	196	128	78	36	9	2	-	1
White, mother native	496	1	83	181	117	71	34	7	2	-	-
White, mother foreign	1	-	-	1	-	-	-	-	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	43	-	7	14	11	6	2	2	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,534	6	466	862	627	372	161	35	3	-	2
White, mother native	2,135	2	348	750	544	316	158	32	3	-	2
White, mother foreign	3	-	-	-	-	2	1	-	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	395	4	118	112	83	53	22	3	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,232	10	861	1,813	1,313	745	378	98	5	-	9
White, mother native	4,568	6	688	1,623	1,166	657	335	82	4	-	7
White, mother foreign	5	-	-	1	1	1	1	1	-	-	-
White, mother not stated	7	-	1	3	1	-	1	-	-	-	1
Negro	652	4	172	186	145	87	41	15	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	40,383	76	6,516	12,635	9,293	6,352	3,966	1,328	157	5	75
White, mother native	35,596	39	5,394	11,256	8,283	5,690	3,558	1,189	121	3	63
White, mother foreign	13	-	-	4	3	2	4	-	-	-	-
White, mother not stated	25	-	4	8	5	2	2	1	-	-	3
Negro	4,748	37	1,118	1,367	1,002	658	401	138	16	2	9
Other	1	-	-	-	-	-	1	-	-	-	-
TEXAS	144,742	278	23,400	48,981	35,320	21,882	11,161	2,964	187	17	552
White, mother native	119,511	127	18,412	42,133	30,332	17,550	8,261	2,162	117	8	409
White, mother foreign	6,813	-	214	1,093	1,564	1,957	1,485	428	30	3	39
White, mother not stated	100	1	12	29	22	11	16	4	-	-	5
Negro	18,243	149	4,746	5,704	3,384	2,354	1,393	369	40	6	98
Other	75	1	16	22	18	10	6	1	-	-	1
Urban	82,403	147	13,648	29,635	20,295	11,806	5,325	1,209	70	9	259
White, mother native	68,893	73	10,897	25,904	17,618	9,434	3,892	830	42	5	198
White, mother foreign	4,408	-	141	743	1,063	1,296	872	252	17	2	22
White, mother not stated	53	-	6	18	15	6	4	2	-	-	2
Negro	9,004	73	2,596	2,954	1,588	1,065	554	125	11	2	36
Other	45	1	8	16	11	5	3	-	-	-	1
Places of 100,000 or more	30,638	59	5,244	11,354	7,512	4,270	1,750	371	13	3	82
White, mother native	25,145	29	3,966	9,698	6,489	3,406	1,258	241	9	1	48
White, mother foreign	1,301	-	37	231	298	381	277	74	3	1	1
White, mother not stated	8	-	1	3	2	2	-	-	-	-	-
Negro	4,160	29	1,235	1,412	718	481	215	56	1	1	12
Other	24	1	5	10	7	-	-	-	-	-	1
Places of 25,000 to 100,000	20,614	32	3,390	7,471	5,094	2,932	1,305	293	22	4	71
White, mother native	16,978	13	2,754	6,519	4,344	2,229	882	174	12	2	49
White, mother foreign	1,585	-	55	245	404	482	289	90	7	1	12
White, mother not stated	13	-	1	5	2	2	2	1	-	-	-
Negro	2,022	19	578	698	340	215	130	28	3	1	10
Other	16	-	2	4	4	4	2	-	-	-	-
Places of 10,000 to 25,000	9,346	23	1,486	3,350	2,310	1,344	634	151	8	-	40
White, mother native	7,886	11	1,187	2,957	2,015	1,084	482	113	3	-	34
White, mother foreign	460	-	13	89	105	139	81	28	3	-	2
White, mother not stated	12	-	-	5	6	1	-	-	-	-	-
Negro	986	12	286	298	184	120	70	10	2	-	4
Other	2	-	-	1	-	-	1	-	-	-	-
Places of 2,500 to 10,000	21,805	33	3,528	7,460	5,379	3,260	1,636	394	27	2	86
White, mother native	18,884	20	2,990	6,730	4,770	2,715	1,270	302	18	2	67
White, mother foreign	1,062	-	36	178	258	294	225	60	4	-	7
White, mother not stated	20	-	4	5	5	1	2	1	-	-	2
Negro	1,836	13	497	546	346	249	139	31	5	-	10
Other	3	-	1	1	-	1	-	-	-	-	-
Rural	62,339	131	9,752	19,346	15,025	10,076	5,836	1,755	117	8	293
White, mother native	50,618	54	7,515	16,229	12,714	8,116	4,369	1,332	75	3	211
White, mother foreign	2,405	-	73	350	501	661	613	176	13	1	17
White, mother not stated	47	1	6	11	7	5	12	2	-	-	3
Negro	9,239	76	2,150	2,750	1,796	1,289	839	244	29	4	62
Other	30	-	8	6	7	5	3	1	-	-	-
UTAH	15,822	2	1,580	5,565	4,485	2,502	1,277	376	30	-	5
White, mother native	15,198	2	1,549	5,424	4,317	2,365	1,182	333	22	-	4
White, mother foreign	434	-	13	72	113	114	80	36	5	-	1
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	22	-	6	11	2	3	-	-	-	-	-
Other	167	-	11	58	53	20	15	7	3	-	-
Urban	9,693	-	968	3,521	2,834	1,484	695	175	15	-	1
White, mother native	9,341	-	951	3,446	2,746	1,394	640	153	11	-	-
White, mother foreign	298	-	10	55	74	82	53	20	3	-	1
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	20	-	6	10	1	3	-	-	-	-	-
Other	33	-	-	10	13	5	2	2	1	-	-
Places of 100,000 or more	4,556	-	444	1,634	1,379	707	315	74	3	-	-
White, mother native	4,356	-	431	1,594	1,333	653	262	61	2	-	-
White, mother foreign	178	-	8	32	40	51	33	13	1	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	15	-	5	6	1	3	-	-	-	-	-
Other	7	-	-	2	5	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UTAH—Continued											
Places of 25,000 to 100,000	1,544	-	161	586	432	223	108	30	4	-	-
White, mother native	1,487	-	158	571	418	213	100	26	1	-	-
White, mother foreign	42	-	1	8	12	9	7	3	2	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	5	-	1	4	-	-	-	-	-	-	-
Other	9	-	-	3	2	1	1	1	1	-	-
Places of 10,000 to 25,000	880	-	76	332	263	143	54	11	1	-	-
White, mother native	859	-	75	328	256	137	54	8	1	-	-
White, mother foreign	21	-	1	4	7	6	-	3	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,713	-	287	969	760	411	218	60	7	-	1
White, mother native	2,639	-	287	953	739	391	204	58	7	-	-
White, mother foreign	57	-	-	11	15	16	13	1	-	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	17	-	-	5	6	4	1	1	-	-	-
Rural	6,129	2	612	2,044	1,651	1,018	582	201	15	-	4
White, mother native	5,857	2	598	1,978	1,571	971	542	180	11	-	4
White, mother foreign	136	-	3	17	39	32	27	16	2	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	134	-	11	48	40	15	13	5	2	-	-
VERMONT	7,175	2	765	2,233	1,986	1,301	655	214	13	-	8
White, mother native	6,587	2	739	2,124	1,834	1,157	549	164	11	-	7
White, mother foreign	585	-	24	107	151	144	106	50	2	-	1
White, mother not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Urban	2,799	2	276	838	847	500	256	74	3	-	3
White, mother native	2,585	2	269	800	792	443	213	62	2	-	2
White, mother foreign	213	-	7	37	55	57	43	12	1	-	1
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	619	1	56	187	188	119	55	12	1	-	-
White, mother native	565	1	55	181	174	105	38	10	1	-	-
White, mother foreign	54	-	1	6	14	14	17	2	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	585	-	53	137	189	122	66	18	-	-	-
White, mother native	537	-	52	128	179	107	58	13	-	-	-
White, mother foreign	47	-	1	8	10	15	8	5	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,595	1	167	514	470	259	135	44	2	-	3
White, mother native	1,483	1	162	491	439	231	117	39	1	-	2
White, mother foreign	112	-	5	23	31	28	18	5	1	-	1
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	4,376	-	487	1,395	1,139	801	399	140	10	-	5
White, mother native	4,002	-	470	1,324	1,042	714	336	102	9	-	5
White, mother foreign	372	-	17	70	96	87	63	38	1	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	67,950	175	10,983	22,329	16,756	10,440	5,294	1,698	160	3	112
White, mother native	50,558	41	6,686	16,733	13,391	8,236	4,079	1,240	109	1	82
White, mother foreign	335	-	3	65	108	97	45	16	1	-	-
White, mother not stated	18	-	1	6	4	2	-	-	-	-	5
Negro	16,998	134	4,302	5,517	3,241	2,103	1,164	441	49	2	45
Other	41	-	11	8	12	2	6	1	1	-	-
Urban	25,386	55	3,978	8,831	6,714	3,835	1,549	365	17	1	41
White, mother native	19,217	8	2,285	6,695	5,561	3,139	1,242	256	15	-	18
White, mother foreign	239	-	2	47	79	69	29	13	-	-	-
White, mother not stated	10	-	1	3	2	1	-	-	-	-	3
Negro	5,901	47	1,685	2,084	1,067	626	275	96	2	1	20
Other	19	-	7	4	5	-	3	-	-	-	-
Places of 100,000 or more	8,199	25	1,440	2,913	2,054	1,179	455	115	4	-	14
White, mother native	5,577	1	684	2,019	1,574	882	333	76	4	-	4
White, mother foreign	94	-	2	17	29	28	14	4	-	-	-
White, mother not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	2,514	24	749	874	447	269	106	35	-	-	10
Other	13	-	5	3	3	-	2	-	-	-	-
Places of 25,000 to 100,000	10,432	17	1,533	3,520	2,876	1,674	648	135	7	-	22
White, mother native	7,888	2	840	2,630	2,406	1,389	523	82	6	-	10
White, mother foreign	107	-	-	22	37	32	8	8	-	-	-
White, mother not stated	9	-	1	3	1	1	-	-	-	-	3
Negro	2,422	15	690	864	430	252	116	45	1	-	9
Other	6	-	2	1	2	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
VIRGINIA—Continued											
Places of 10,000 to 25,000	1,685	5	270	576	464	227	120	22	-	-	1
White, mother native	1,345	1	170	462	405	190	98	18	-	-	1
White, mother foreign	9	-	-	1	5	2	1	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	331	4	100	113	54	35	21	4	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,070	8	735	1,822	1,320	755	326	93	6	1	4
White, mother native	4,407	4	591	1,582	1,176	678	288	80	5	-	3
White, mother foreign	29	-	-	7	8	7	6	1	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	634	4	144	233	136	70	32	12	1	1	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	42,564	120	7,005	13,498	10,042	6,605	3,745	1,333	143	2	71
White, mother native	31,341	33	4,381	10,040	7,830	5,097	2,837	984	94	1	44
White, mother foreign	96	-	1	18	29	28	16	3	1	-	-
White, mother not stated	8	-	-	3	2	1	-	-	-	-	2
Negro	11,097	87	2,619	3,433	2,174	1,477	889	345	47	1	25
Other	22	-	4	4	7	2	3	1	1	-	-
WASHINGTON	39,007	13	4,287	14,591	11,187	5,932	2,338	571	54	-	34
White, mother native	36,131	8	4,089	13,651	10,372	5,406	2,058	478	42	-	27
White, mother foreign	2,096	-	87	657	624	424	222	71	9	-	2
White, mother not stated	17	-	2	8	3	-	1	-	-	-	3
Negro	81	-	12	27	22	12	6	2	-	-	-
Other	682	5	97	248	166	90	51	20	3	-	2
Urban	22,624	5	2,343	8,525	6,773	3,472	1,229	240	27	-	10
White, mother native	20,928	5	2,254	7,961	6,261	3,145	1,077	197	20	-	8
White, mother foreign	1,356	-	46	435	414	285	130	39	6	-	1
White, mother not stated	7	-	1	3	1	-	1	-	-	-	1
Negro	70	-	10	27	17	10	5	1	-	-	-
Other	263	-	32	99	80	32	16	3	1	-	-
Places of 100,000 or more	14,330	2	1,420	5,324	4,358	2,276	779	148	19	-	2
White, mother native	13,128	2	1,359	4,929	3,988	2,049	671	116	13	-	1
White, mother foreign	953	-	33	296	298	199	92	29	6	-	-
White, mother not stated	3	-	-	2	-	-	-	-	-	-	1
Negro	58	-	8	22	13	9	5	1	-	-	-
Other	188	-	20	75	59	21	11	2	-	-	-
Places of 25,000 to 100,000	1,857	-	160	725	549	273	119	27	1	-	3
White, mother native	1,702	-	155	669	505	241	106	22	1	-	3
White, mother foreign	142	-	5	50	41	28	13	5	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	-	3	2	1	-	-	-	-	-
Other	7	-	-	3	1	3	-	-	-	-	-
Places of 10,000 to 25,000	3,504	3	380	1,364	1,045	512	165	30	3	-	4
White, mother native	3,354	3	373	1,308	998	486	151	28	3	-	4
White, mother foreign	130	-	4	48	40	25	11	2	-	-	-
White, mother not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	3	-	1	1	1	-	-	-	-	-	-
Other	16	-	2	6	6	1	1	-	-	-	-
Places of 2,500 to 10,000	2,933	-	383	1,112	821	409	168	35	4	-	1
White, mother native	2,744	-	367	1,055	770	369	149	31	3	-	-
White, mother foreign	131	-	4	41	35	33	14	3	-	-	1
White, mother not stated	3	-	1	-	1	-	1	-	-	-	-
Negro	3	-	1	1	1	-	-	-	-	-	-
Other	52	-	10	15	14	7	4	1	1	-	-
Rural	16,383	8	1,944	6,066	4,414	2,460	1,109	331	27	-	24
White, mother native	15,203	3	1,835	5,690	4,111	2,261	981	281	22	-	19
White, mother foreign	740	-	41	222	210	139	92	32	3	-	1
White, mother not stated	10	-	1	5	2	-	-	-	-	-	2
Negro	11	-	2	-	5	2	1	1	-	-	-
Other	419	5	65	149	86	58	35	17	2	-	2
WEST VIRGINIA	43,922	54	7,021	14,776	10,538	6,418	3,610	1,193	126	1	185
White, mother native	41,026	35	6,349	13,890	10,003	6,020	3,353	1,115	108	1	154
White, mother foreign	268	-	5	50	53	73	52	22	11	-	2
White, mother not stated	118	-	22	38	20	14	8	4	-	-	12
Negro	2,504	19	645	796	459	310	197	54	7	-	17
Other	6	-	-	2	3	1	-	-	-	-	-
Urban	12,620	15	1,878	4,585	3,288	1,838	771	199	11	-	35
White, mother native	11,864	8	1,710	4,336	3,155	1,729	705	184	9	-	28
White, mother foreign	124	-	3	27	28	40	19	6	1	-	-
White, mother not stated	31	-	8	13	4	2	2	1	-	-	1
Negro	600	7	157	208	101	67	45	8	1	-	6
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	5,887	8	873	2,155	1,582	846	324	80	4	-	15
White, mother native	5,572	6	795	2,047	1,522	806	302	77	4	-	13
White, mother foreign	54	-	1	12	16	15	8	2	-	-	-
White, mother not stated	13	-	6	6	1	-	-	-	-	-	-
Negro	247	2	71	89	43	25	14	1	-	-	2
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,660	4	383	947	732	398	149	39	-	-	8
White, mother native	2,459	1	344	885	692	364	134	34	-	-	5
White, mother foreign	30	-	-	8	7	11	2	2	-	-	-
White, mother not stated	8	-	1	2	2	1	1	1	-	-	-
Negro	163	3	38	52	31	22	12	2	-	-	3
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
WEST VIRGINIA—Continued											
Places of 2,500 to 10,000	4,073	3	622	1,483	974	594	298	80	7	-	12
White, mother native	3,833	1	571	1,404	941	559	269	73	5	-	10
White, mother foreign	40	-	2	7	5	14	9	2	1	-	-
White, mother not stated	10	-	1	5	1	1	1	-	-	-	1
Negro	190	2	48	67	27	20	19	5	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	31,302	39	5,143	10,191	7,250	4,580	2,839	994	115	1	150
White, mother native	29,162	27	4,639	9,554	6,848	4,291	2,648	929	99	1	126
White, mother foreign	144	-	2	23	25	33	33	16	10	-	2
White, mother not stated	87	-	14	25	16	12	6	3	-	-	11
Negro	1,904	12	488	588	358	243	152	46	6	-	11
Other	5	-	-	1	3	1	-	-	-	-	-
WISCONSIN	63,982	18	4,431	20,734	19,915	11,621	5,481	1,635	133	2	12
White, mother native	61,956	14	4,310	20,297	19,465	11,120	5,155	1,479	122	2	12
White, mother foreign	1,366	-	26	224	299	397	279	133	8	-	-
White, mother not stated	7	-	2	1	-	-	3	1	-	-	-
Negro	213	2	42	79	45	28	14	3	-	-	-
Other	440	2	51	133	106	76	50	19	3	-	-
Urban	35,570	6	2,118	11,972	11,683	6,455	2,636	651	43	1	5
White, mother native	34,330	4	2,050	11,711	11,395	6,124	2,427	574	39	1	5
White, mother foreign	966	-	22	162	227	293	187	72	3	-	-
White, mother not stated	3	-	2	-	-	-	1	-	-	-	-
Negro	206	2	40	77	44	27	13	3	-	-	-
Other	65	-	4	22	17	11	8	2	1	-	-
Places of 100,000 or more	11,901	2	646	4,149	4,033	2,053	819	190	5	-	4
White, mother native	11,233	-	600	3,989	3,879	1,893	710	154	4	-	4
White, mother foreign	478	-	10	86	119	135	95	32	1	-	-
White, mother not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	170	2	35	63	33	24	10	3	-	-	-
Other	19	-	1	11	2	1	3	1	-	-	-
Places of 25,000 to 100,000	13,153	2	746	4,353	4,313	2,468	1,011	245	15	-	-
White, mother native	12,752	2	732	4,274	4,217	2,354	943	216	14	-	-
White, mother foreign	346	-	7	63	76	106	64	29	1	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	33	-	5	13	11	2	2	-	-	-	-
Other	21	-	1	3	9	6	2	-	-	-	-
Places of 10,000 to 25,000	4,991	1	327	1,585	1,638	935	402	99	3	1	-
White, mother native	4,894	1	324	1,572	1,618	900	383	92	3	1	-
White, mother foreign	84	-	2	9	18	32	16	7	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	-	1	1	-	-	-	-
Other	10	-	1	3	2	2	2	-	-	-	-
Places of 2,500 to 10,000	5,525	1	399	1,885	1,699	999	404	117	20	-	1
White, mother native	5,451	1	394	1,876	1,681	977	391	112	18	-	1
White, mother foreign	58	-	3	4	14	20	12	4	1	-	-
White, mother not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	15	-	1	5	4	2	1	1	1	-	-
Rural	28,412	12	2,313	8,762	8,232	5,166	2,845	984	90	1	7
White, mother native	27,626	10	2,280	8,586	8,070	4,996	2,708	905	83	1	7
White, mother foreign	400	-	4	62	72	104	92	61	5	-	-
White, mother not stated	4	-	-	1	-	-	2	1	-	-	-
Negro	7	-	2	2	1	1	1	-	-	-	-
Other	375	2	47	111	89	65	42	17	2	-	-
WYOMING	5,567	-	713	1,915	1,539	823	448	112	11	-	6
White, mother native	5,255	-	677	1,841	1,467	760	403	94	7	-	6
White, mother foreign	138	-	5	22	24	41	32	11	3	-	-
White, mother not stated	8	-	1	1	3	1	1	1	-	-	-
Negro	25	-	8	10	4	2	-	-	1	-	-
Other	141	-	22	41	41	19	12	6	-	-	-
Urban	2,481	-	313	913	681	372	157	39	4	-	2
White, mother native	2,391	-	303	895	666	348	140	34	3	-	2
White, mother foreign	62	-	3	8	11	19	16	4	1	-	-
White, mother not stated	3	-	-	-	1	1	1	-	-	-	-
Negro	17	-	6	7	2	2	-	-	-	-	-
Other	8	-	1	3	1	2	-	1	-	-	-
Places of 10,000 to 25,000	1,622	-	191	605	459	243	102	20	1	-	1
White, mother native	1,572	-	184	596	449	232	92	17	1	-	1
White, mother foreign	32	-	1	2	8	8	10	3	-	-	-
White, mother not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	13	-	5	5	1	2	-	-	-	-	-
Other	3	-	1	2	-	-	-	-	-	-	-
Places of 2,500 to 10,000	859	-	122	308	222	129	55	19	3	-	1
White, mother native	819	-	119	299	217	116	48	17	2	-	1
White, mother foreign	30	-	2	6	3	11	6	1	1	-	-
White, mother not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	4	-	1	2	1	-	-	-	-	-	-
Other	5	-	-	1	1	2	-	1	-	-	-
Rural	3,086	-	400	1,002	858	451	291	73	7	-	4
White, mother native	2,864	-	374	946	801	412	263	60	4	-	4
White, mother foreign	76	-	2	14	13	22	16	7	2	-	-
White, mother not stated	5	-	1	1	2	-	-	1	-	-	-
Negro	8	-	2	3	2	-	-	-	1	-	-
Other	133	-	21	38	40	17	12	5	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942

(Figures for Massachusetts are included in the total and not-stated listings; they are not given by order of birth because this State does not require the reporting of such information)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UNITED STATES	2,808,996	3,566	341,315	927,661	782,699	462,380	220,999	60,867	4,939	169	4,401
White	2,486,934	1,235	262,800	824,803	718,056	421,899	198,814	53,609	4,206	118	3,394
First	1,014,372	1,207	203,593	437,317	253,004	90,586	24,313	3,198	143	15	996
Second	614.047	8	43,988	223,066	204,710	106,250	31,118	4,055	158	15	679
Third	304,760	-	6,753	87,062	106,891	70,028	28,556	4,808	224	13	445
Fourth	161,628	-	820	30,129	58,381	44,393	22,426	4,958	244	6	271
Fifth	93,609	-	103	8,985	31,113	30,364	17,823	4,777	307	11	146
Sixth	59,367	-	32	2,220	15,478	21,492	15,147	4,582	288	10	118
Seventh	39,749	-	-	623	6,799	15,030	12,608	4,292	314	4	79
Eighth	27,549	-	-	181	2,578	9,367	10,807	4,204	350	4	58
Ninth	18,670	-	-	68	975	5,009	8,324	3,887	357	5	45
Tenth	12,431	-	-	20	290	2,512	5,689	3,535	351	8	28
Eleventh	8,020	-	-	34	127	1,136	3,594	2,761	341	4	23
Twelfth	4,990	-	-	-	68	485	2,044	2,058	315	6	14
Thirteenth	2,855	-	-	-	23	201	1,072	1,318	227	4	10
Fourteenth	1,548	-	-	-	13	80	486	814	154	1	-
Fifteenth	814	-	-	-	4	38	251	433	86	1	1
Sixteenth	365	-	-	-	1	15	97	214	37	-	1
Seventeenth	205	-	-	-	-	13	50	107	35	-	-
Eighteenth	104	-	-	-	-	3	33	48	18	2	2
Nineteenth	39	-	-	-	-	-	8	25	6	-	-
Twentieth	31	-	-	-	-	1	7	19	3	-	1
Twenty-first	9	-	-	-	-	-	4	4	1	-	-
Twenty-second and over	17	-	-	-	-	-	6	8	2	1	-
Not stated	121,735	20	7,511	35,118	37,601	24,896	12,351	3,506	245	10	477
Male	1,280,711	642	135,942	425,367	369,917	216,559	100,836	27,469	2,157	57	1,765
First	524,049	623	105,313	226,046	130,477	46,722	12,574	1,698	76	3	517
Second	316,078	7	22,803	114,833	105,458	54,542	15,925	2,074	82	7	347
Third	156,660	-	3,470	44,708	55,130	35,921	14,643	2,457	103	5	223
Fourth	82,847	-	404	15,428	30,092	22,642	11,460	2,559	113	2	147
Fifth	48,038	-	60	4,626	15,926	15,642	9,141	2,403	157	8	75
Sixth	30,424	-	9	1,140	7,946	10,988	7,824	2,318	150	5	64
Seventh	20,166	-	-	316	3,437	7,626	6,405	2,171	173	2	36
Eighth	14,104	-	-	102	1,342	4,777	5,552	2,110	186	2	33
Ninth	9,517	-	-	40	501	2,533	4,255	1,991	172	4	21
Tenth	6,458	-	-	9	142	1,308	2,935	1,857	187	4	16
Eleventh	3,994	-	-	16	69	551	1,775	1,394	176	1	12
Twelfth	2,600	-	-	-	38	242	1,062	1,080	171	3	8
Thirteenth	1,511	-	-	-	12	112	568	691	123	2	3
Fourteenth	791	-	-	-	8	38	255	410	79	1	-
Fifteenth	409	-	-	-	1	19	134	208	46	-	1
Sixteenth	179	-	-	-	1	6	50	101	21	-	-
Seventeenth	100	-	-	-	-	6	22	49	23	-	-
Eighteenth	51	-	-	-	-	2	20	19	8	1	1
Nineteenth	21	-	-	-	-	-	4	14	3	-	-
Twentieth	19	-	-	-	-	1	4	11	2	-	1
Twenty-first	5	-	-	-	-	-	2	2	1	-	-
Twenty-second and over	6	-	-	-	-	-	1	5	-	-	-
Not stated	62,684	12	3,883	18,103	19,339	12,881	6,225	1,847	125	7	262
Female	1,206,223	593	126,858	399,436	348,139	205,340	95,978	26,140	2,049	61	1,629
First	490,323	584	98,280	211,271	122,527	43,864	11,739	1,500	67	12	479
Second	297,959	1	21,185	108,233	99,252	51,708	15,193	1,981	76	8	332
Third	148,120	-	3,283	42,354	51,761	34,107	13,913	2,351	121	8	222
Fourth	78,781	-	416	14,701	28,289	21,751	10,966	2,399	131	4	124
Fifth	45,571	-	43	4,339	15,187	14,722	8,682	2,374	150	3	71
Sixth	28,943	-	23	1,080	7,532	10,504	7,323	2,264	158	5	54
Seventh	19,583	-	-	307	3,362	7,404	6,203	2,121	141	2	43
Eighth	13,445	-	-	79	1,236	4,590	5,255	2,094	164	2	25
Ninth	9,153	-	-	28	474	2,476	4,069	1,896	185	1	24
Tenth	5,973	-	-	11	148	1,204	2,754	1,678	164	2	12
Eleventh	4,026	-	-	18	58	585	1,819	1,367	165	3	11
Twelfth	2,390	-	-	-	32	243	982	978	144	3	8
Thirteenth	1,344	-	-	-	11	89	504	627	104	2	7
Fourteenth	757	-	-	-	5	42	231	404	75	-	-
Fifteenth	405	-	-	-	3	19	117	225	40	1	-
Sixteenth	186	-	-	-	-	9	47	113	16	-	1
Seventeenth	105	-	-	-	-	7	28	58	12	-	-
Eighteenth	53	-	-	-	-	1	13	27	10	1	1
Nineteenth	18	-	-	-	-	-	4	11	3	-	-
Twentieth	12	-	-	-	-	-	3	8	1	-	-
Twenty-first	4	-	-	-	-	-	2	2	-	-	-
Twenty-second and over	11	-	-	-	-	-	5	3	2	1	-
Not stated	59,051	8	3,628	17,015	18,262	12,015	6,126	1,859	120	3	215
Nonwhite	322,062	2,331	78,515	102,858	64,643	40,481	24,185	7,258	733	51	1,007
First	92,136	2,317	49,816	27,872	7,979	2,787	1,003	147	13	7	195
Second	62,165	10	19,883	27,731	9,320	3,623	1,224	186	12	6	170
Third	43,370	-	5,564	21,756	10,262	3,989	1,398	236	19	3	143
Fourth	31,039	-	1,085	12,989	10,448	4,377	1,715	290	28	1	106
Fifth	22,906	-	204	6,013	9,424	4,758	2,023	378	25	1	80
Sixth	16,950	-	43	2,221	7,016	4,928	2,230	414	45	4	49
Seventh	12,547	-	-	738	4,133	4,894	2,376	517	35	1	53
Eighth	9,487	-	-	288	2,144	3,772	2,583	643	53	2	24
Ninth	6,988	-	-	91	951	2,672	2,462	710	67	3	32
Tenth	4,981	-	-	42	374	1,658	2,078	755	58	2	14
Eleventh	3,583	-	-	27	149	834	1,544	713	80	3	13
Twelfth	2,270	-	-	-	83	414	1,039	654	67	1	12
Thirteenth	1,408	-	-	-	32	188	624	510	61	2	11
Fourteenth	818	-	-	-	20	92	375	284	42	2	1
Fifteenth	467	-	-	-	9	42	182	203	29	2	-
Sixteenth	263	-	-	-	3	20	95	116	27	1	1
Seventeenth	156	-	-	-	-	15	51	60	10	2	-
Eighteenth	72	-	-	-	-	7	21	33	10	1	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UNITED STATES—Continued											
Nonwhite—Continued											
Nineteenth	40	-	-	-	-	3	16	15	6	-	-
Twentieth	16	-	-	-	-	-	2	11	3	-	-
Twenty-first	10	-	-	-	-	-	3	4	3	-	-
Twenty-second and over	10	-	-	-	-	-	5	3	2	-	-
Not stated	10,620	4	1,920	3,112	2,296	1,628	1,136	376	38	7	103
Male	163,654	1,188	40,122	52,169	32,739	20,513	12,305	3,706	374	25	513
First	46,901	1,181	25,378	14,174	4,080	1,391	513	67	5	4	108
Second	31,753	4	10,223	14,086	4,722	1,882	643	103	6	3	81
Third	21,857	-	2,867	10,996	5,090	2,013	682	121	10	2	76
Fourth	15,769	-	532	6,619	5,298	2,225	873	156	15	-	53
Fifth	11,572	-	111	3,002	4,831	2,384	1,010	180	14	1	39
Sixth	8,636	-	27	1,134	3,519	2,541	1,155	210	24	3	23
Seventh	6,348	-	-	369	2,094	2,345	1,229	273	15	-	23
Eighth	4,903	-	-	143	1,138	1,922	1,339	317	26	1	17
Ninth	3,489	-	-	45	449	1,355	1,248	333	35	2	22
Tenth	2,539	-	-	20	199	844	1,061	379	28	-	8
Eleventh	1,694	-	-	15	73	426	773	356	43	1	7
Twelfth	1,160	-	-	-	32	202	505	378	37	1	5
Thirteenth	680	-	-	-	9	80	314	242	31	1	3
Fourteenth	429	-	-	-	12	47	194	153	22	1	-
Fifteenth	259	-	-	-	5	21	97	119	15	2	-
Sixteenth	138	-	-	-	1	8	55	61	12	-	1
Seventeenth	74	-	-	-	-	9	30	30	4	1	-
Eighteenth	35	-	-	-	-	3	12	16	4	-	-
Nineteenth	21	-	-	-	-	1	7	9	4	-	-
Twentieth	8	-	-	-	-	-	1	6	1	-	-
Twenty-first	7	-	-	-	-	-	1	4	2	-	-
Twenty-second and over	3	-	-	-	-	-	1	1	1	-	-
Not stated	5,379	3	984	1,566	1,189	814	562	192	20	2	47
Female	158,408	1,143	38,393	50,689	31,904	19,868	11,880	3,552	359	26	494
First	45,235	1,136	24,438	13,698	3,899	1,396	490	80	8	3	87
Second	30,412	6	9,660	13,645	4,598	1,741	581	83	6	3	89
Third	21,513	-	2,697	10,760	5,172	1,976	716	115	9	1	67
Fourth	15,270	-	553	6,370	5,152	2,152	842	134	13	1	53
Fifth	11,334	-	93	3,011	4,593	2,374	1,013	198	11	-	41
Sixth	8,314	-	16	1,087	3,497	2,387	1,075	204	21	1	26
Seventh	6,199	-	-	369	2,039	2,349	1,147	244	20	1	30
Eighth	4,584	-	-	123	1,006	1,850	1,244	326	27	1	7
Ninth	3,499	-	-	46	502	1,317	1,214	377	32	1	10
Tenth	2,442	-	-	22	175	814	1,017	376	30	2	6
Eleventh	1,669	-	-	12	76	408	771	357	37	2	6
Twelfth	1,110	-	-	-	51	212	534	276	30	-	7
Thirteenth	728	-	-	-	23	88	310	268	30	1	8
Fourteenth	387	-	-	-	8	45	181	151	20	1	1
Fifteenth	208	-	-	-	4	21	85	84	14	-	-
Sixteenth	125	-	-	-	2	12	40	55	15	1	-
Seventeenth	64	-	-	-	-	6	21	30	6	1	-
Eighteenth	37	-	-	-	-	4	9	17	6	1	-
Nineteenth	19	-	-	-	-	2	9	6	2	-	-
Twentieth	8	-	-	-	-	-	1	5	2	-	-
Twenty-first	3	-	-	-	-	-	2	-	1	-	-
Twenty-second and over	7	-	-	-	-	-	4	2	1	-	-
Not stated	5,241	1	936	1,546	1,107	814	574	184	18	5	56
ALABAMA	71,136	245	13,271	22,687	16,294	10,271	5,956	1,720	166	15	513
White	45,222	51	6,977	14,988	11,060	6,775	3,864	1,122	90	7	308
First	18,736	51	5,484	7,045	2,768	954	289	36	3	1	105
Second	10,610	-	1,273	4,659	2,991	1,216	355	50	2	1	63
Third	6,035	-	167	2,128	2,111	1,098	411	66	4	1	49
Fourth	3,827	-	16	900	1,517	979	439	55	2	-	19
Fifth	2,457	-	1	189	917	825	425	79	7	-	14
Sixth	1,685	-	-	50	424	666	416	104	6	2	17
Seventh	1,195	-	-	13	176	466	410	112	8	-	10
Eighth	925	-	-	4	59	305	408	133	9	-	7
Ninth	588	-	-	-	22	127	295	124	10	2	8
Tenth and over	888	-	-	4	10	99	384	346	39	-	6
Not stated	276	-	36	76	65	40	32	17	-	-	10
Nonwhite	25,914	192	6,294	7,719	5,234	3,496	2,092	598	76	8	205
First	7,291	191	4,338	1,968	498	177	68	7	2	3	39
Second	4,544	1	1,450	2,093	590	262	92	13	-	1	42
Third	3,391	-	389	1,753	795	311	105	14	2	-	22
Fourth	2,612	-	46	1,054	962	354	145	22	1	-	28
Fifth	2,046	-	10	477	879	432	199	26	1	-	22
Sixth	1,548	-	3	177	677	455	194	25	6	1	10
Seventh	1,271	-	-	66	410	507	221	46	6	-	15
Eighth	915	-	-	18	205	391	248	44	4	2	3
Ninth	655	-	-	7	81	256	232	62	11	-	6
Tenth and over	1,279	-	-	7	57	295	546	327	41	1	5
Not stated	362	-	58	99	80	56	42	12	2	-	13
ARIZONA	12,664	10	1,902	4,465	3,123	1,879	943	293	31	1	17
White	11,281	6	1,676	4,030	2,814	1,672	806	243	25	1	8
First	3,894	6	1,257	1,653	654	255	63	4	1	-	1
Second	2,720	-	338	1,289	711	299	68	12	1	-	2
Third	1,693	-	60	699	570	252	90	17	2	1	2
Fourth	984	-	12	266	377	215	76	16	2	-	-
Fifth	653	-	1	78	284	202	90	16	1	-	1
Sixth	391	-	-	25	127	143	72	20	3	-	1
Seventh	286	-	-	8	56	109	69	22	2	-	-
Eighth	210	-	-	4	32	83	75	16	-	-	-
Ninth	157	-	-	-	11	54	61	27	3	-	1
Tenth and over	511	-	-	1	6	60	142	92	10	-	-
Not stated	22	-	8	7	6	-	-	1	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
ARIZONA—Continued											
Nonwhite	1,383	4	226	435	309	207	137	50	6	-	9
First	304	4	148	104	35	9	3	-	-	-	1
Second	208	-	38	112	34	17	4	2	-	-	1
Third	191	-	19	85	58	22	4	2	-	-	1
Fourth	174	-	1	65	68	28	10	1	-	-	1
Fifth	129	-	-	24	46	38	15	5	-	-	1
Sixth	80	-	-	6	34	22	15	3	-	-	-
Seventh	62	-	-	2	10	26	20	3	-	-	1
Eighth	38	-	-	-	6	13	14	5	-	-	-
Ninth	32	-	-	-	2	11	13	5	1	-	-
Tenth and over	52	-	-	-	1	7	23	16	4	-	1
Not stated	113	-	20	37	15	14	16	8	1	-	2
ARKANSAS	42,680	143	8,578	13,875	9,049	6,030	3,521	1,102	73	4	305
White	32,618	42	5,938	10,956	7,214	4,743	2,656	812	54	2	201
First	11,318	42	4,228	4,612	1,634	562	163	34	3	-	40
Second	7,459	-	1,293	3,380	1,768	780	193	23	1	-	43
Third	4,681	-	274	1,856	1,449	742	289	33	1	-	37
Fourth	2,799	-	31	885	1,029	660	324	52	1	-	17
Fifth	1,918	-	18	219	673	597	323	69	1	1	19
Sixth	1,268	-	-	52	343	511	293	58	1	-	10
Seventh	913	-	-	19	129	394	273	83	6	-	9
Eighth	660	-	-	2	61	235	258	98	6	-	4
Ninth	455	-	-	2	25	112	206	103	4	-	3
Tenth and over	693	-	-	2	13	88	303	251	29	1	6
Not stated	454	-	96	147	92	62	33	10	1	-	13
Nonwhite	10,062	101	2,640	2,919	1,835	1,287	865	290	19	2	104
First	2,275	100	1,333	555	172	61	32	4	-	-	18
Second	1,888	1	841	725	189	75	33	7	-	1	18
Third	1,382	-	300	631	267	108	52	10	1	-	13
Fourth	1,099	-	82	490	313	136	57	11	1	-	9
Fifth	821	-	19	247	289	175	69	13	-	-	9
Sixth	601	-	4	132	217	147	77	18	-	-	6
Seventh	473	-	-	49	166	161	70	17	1	-	9
Eighth	367	-	-	17	94	141	93	18	2	-	2
Ninth	288	-	-	4	60	114	83	25	-	1	1
Tenth and over	655	-	-	5	34	154	279	156	14	-	13
Not stated	213	-	61	64	34	15	20	11	-	-	8
CALIFORNIA	154,567	82	18,678	56,118	44,499	23,265	9,464	2,227	144	5	85
White	148,483	62	17,791	53,994	42,839	22,493	9,012	2,073	137	4	78
First	71,738	61	14,375	31,304	17,756	6,320	1,675	210	8	2	27
Second	41,432	1	2,888	15,231	13,980	6,982	2,061	264	9	-	18
Third	16,880	-	413	4,998	5,799	3,862	1,523	268	10	-	9
Fourth	7,626	-	47	1,661	2,701	1,986	987	229	8	-	7
Fifth	3,867	-	9	505	1,305	1,162	685	184	14	-	3
Sixth	2,206	-	1	125	682	759	490	138	9	-	2
Seventh	1,370	-	-	35	312	507	381	123	10	-	2
Eighth	955	-	-	6	127	387	309	117	8	1	-
Ninth	643	-	-	4	60	220	244	103	11	-	1
Tenth and over	1,427	-	-	2	41	266	633	431	50	1	3
Not stated	339	-	60	125	76	42	24	6	-	-	6
Nonwhite	6,084	20	887	2,124	1,660	772	452	154	7	1	7
First	2,284	20	657	1,014	434	111	36	10	-	-	2
Second	1,361	-	186	591	413	126	39	6	-	-	-
Third	849	-	33	304	324	125	44	14	2	1	2
Fourth	542	-	8	139	210	121	50	13	-	-	1
Fifth	348	-	1	51	133	80	63	19	1	-	-
Sixth	224	-	1	15	74	76	39	17	1	-	1
Seventh	161	-	-	4	40	54	46	16	-	-	1
Eighth	111	-	-	-	20	39	38	13	1	-	-
Ninth	71	-	-	-	5	22	34	9	1	-	-
Tenth and over	114	-	-	-	2	15	60	36	1	-	-
Not stated	19	-	1	6	5	3	3	1	-	-	-
COLORADO	23,566	16	2,936	8,259	6,317	3,667	1,751	528	41	-	51
White	23,172	12	2,868	8,124	6,236	3,601	1,725	518	37	-	51
First	7,544	12	1,851	3,352	1,570	560	169	22	2	-	6
Second	4,983	-	438	2,051	1,554	685	217	25	-	-	13
Third	2,819	-	76	992	940	541	215	41	3	-	11
Fourth	1,576	-	19	346	593	386	181	47	2	-	2
Fifth	936	-	6	122	326	276	152	49	1	-	4
Sixth	630	-	-	26	193	223	137	48	3	-	2
Seventh	455	-	-	18	106	170	102	52	4	-	3
Eighth	291	-	-	4	49	108	96	29	4	-	3
Ninth	201	-	-	-	18	65	84	29	4	-	1
Tenth and over	422	-	-	2	17	90	182	122	9	-	-
Not stated	3,315	-	478	1,211	870	499	190	56	5	-	6
Nonwhite	394	4	68	135	81	66	26	10	4	-	-
First	129	4	47	54	16	5	2	1	-	-	-
Second	71	-	9	37	15	7	3	-	-	-	-
Third	42	-	1	17	15	7	1	1	-	-	-
Fourth	35	-	-	9	12	11	1	2	-	-	-
Fifth	22	-	-	3	9	9	1	-	-	-	-
Sixth	14	-	-	3	2	3	4	1	1	-	-
Seventh	13	-	-	-	1	8	4	-	-	-	-
Eighth	7	-	-	-	1	5	1	-	-	-	-
Ninth	8	-	-	-	-	2	3	2	1	-	-
Tenth and over	8	-	-	-	-	1	2	3	2	-	-
Not stated	45	-	11	12	10	8	4	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
CONNECTICUT	37,264	8	1,988	11,721	12,716	7,141	2,954	627	50	5	54
White	36,396	7	1,813	11,389	12,523	7,046	2,887	616	50	5	50
First	18,130	7	1,536	7,724	6,037	2,141	581	76	3	1	24
Second	9,713	-	219	2,559	3,858	2,322	655	79	7	2	12
Third	4,170	-	19	674	1,516	1,295	568	93	1	1	3
Fourth	1,753	-	5	173	521	573	371	97	8	-	5
Fifth	850	-	-	54	220	270	230	72	4	-	-
Sixth	458	-	-	12	96	134	168	43	5	-	-
Seventh	260	-	-	1	37	82	93	43	4	-	-
Eighth	163	-	-	-	18	47	64	29	4	1	-
Ninth	95	-	-	-	6	27	41	17	4	-	-
Tenth and over	181	-	-	-	1	40	76	53	9	-	2
Not stated	623	-	34	192	213	115	50	14	1	-	4
Nonwhite	868	1	175	332	193	95	57	11	-	-	4
First	300	1	127	125	33	8	4	-	-	-	2
Second	196	-	30	103	45	12	6	-	-	-	-
Third	111	-	11	58	22	13	6	1	-	-	-
Fourth	77	-	2	30	29	12	2	2	-	-	-
Fifth	54	-	-	7	31	7	8	1	-	-	-
Sixth	34	-	-	5	17	10	2	-	-	-	-
Seventh	17	-	-	1	4	8	4	-	-	-	-
Eighth	31	-	-	-	6	14	8	2	-	-	1
Ninth	14	-	-	-	3	7	1	2	-	-	1
Tenth and over	24	-	-	-	2	4	15	3	-	-	-
Not stated	10	-	5	3	1	-	1	-	-	-	-
DELAWARE	5,657	14	793	1,833	1,512	934	429	121	11	1	9
White	4,761	2	525	1,546	1,380	824	371	99	8	1	5
First	2,207	2	438	904	571	215	63	12	-	-	2
Second	1,200	-	76	396	419	233	66	8	2	-	-
Third	582	-	9	152	176	160	70	15	-	-	-
Fourth	303	-	2	72	111	65	43	8	2	-	-
Fifth	156	-	-	14	49	54	28	10	-	-	1
Sixth	97	-	-	5	25	34	23	9	-	1	-
Seventh	65	-	-	1	17	26	16	5	-	-	-
Eighth	53	-	-	-	4	17	19	11	1	-	1
Ninth	45	-	-	-	5	15	18	5	2	-	-
Tenth and over	48	-	-	-	1	5	24	16	1	-	1
Not stated	5	-	-	2	2	-	1	-	-	-	-
Nonwhite	896	12	268	237	132	110	58	22	3	-	4
First	269	12	150	80	15	9	1	-	-	-	2
Second	206	-	88	78	20	11	4	3	-	-	2
Third	113	-	21	55	22	8	6	1	-	-	-
Fourth	76	-	5	39	16	9	5	2	-	-	-
Fifth	75	-	3	23	26	17	4	1	1	-	-
Sixth	41	-	1	9	14	11	5	-	1	-	-
Seventh	35	-	-	2	13	14	6	-	-	-	-
Eighth	22	-	-	1	3	7	10	1	-	-	-
Ninth	16	-	-	-	2	7	5	2	-	-	-
Tenth and over	42	-	-	-	1	17	11	12	1	-	-
Not stated	1	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA	15,179	53	2,129	5,119	4,154	2,431	964	229	11	1	88
White	10,090	4	880	3,342	3,103	1,859	678	140	8	1	75
First	5,141	4	657	1,998	1,569	686	182	25	1	-	19
Second	2,469	-	132	775	826	540	165	24	1	-	6
Third	1,023	-	20	231	326	301	120	22	1	-	2
Fourth	348	-	1	66	97	99	68	16	-	-	1
Fifth	189	-	-	21	49	64	38	16	1	-	-
Sixth	70	-	-	2	10	22	28	6	1	-	1
Seventh	45	-	-	3	7	17	11	7	-	-	-
Eighth	31	-	-	1	2	14	8	5	1	-	-
Ninth	19	-	-	-	3	4	10	2	-	-	-
Tenth and over	20	-	-	-	-	7	5	6	1	1	-
Not stated	735	-	70	245	214	105	43	11	1	-	46
Nonwhite	5,089	49	1,249	1,777	1,051	572	286	89	3	-	13
First	1,409	49	620	483	171	54	24	5	-	-	3
Second	998	-	298	455	158	59	21	5	-	-	2
Third	664	-	86	308	169	76	23	2	-	-	-
Fourth	398	-	10	158	140	63	24	3	-	-	-
Fifth	268	-	2	65	104	60	34	3	-	-	-
Sixth	200	-	-	29	85	53	26	4	1	-	2
Seventh	111	-	-	7	41	37	20	6	-	-	-
Eighth	79	-	-	-	19	33	23	4	-	-	-
Ninth	59	-	-	1	9	22	19	8	-	-	-
Tenth and over	105	-	-	1	-	31	35	36	-	-	-
Not stated	800	-	233	270	155	84	37	13	2	-	6
FLORIDA	40,901	130	7,593	13,675	9,889	5,717	2,961	722	50	8	156
White	29,512	31	4,480	10,156	7,733	4,347	2,114	505	36	6	104
First	12,721	31	3,518	5,159	2,615	1,013	297	54	3	1	30
Second	7,486	-	764	3,064	2,200	1,059	341	33	1	2	22
Third	3,730	-	122	1,216	1,298	746	280	47	3	2	16
Fourth	1,968	-	14	421	769	503	210	38	6	-	7
Fifth	1,131	-	3	113	411	353	204	40	3	-	4
Sixth	748	-	2	38	216	257	182	47	1	-	5
Seventh	478	-	-	15	76	176	166	38	1	-	4
Eighth	334	-	-	7	36	94	155	36	4	-	2
Ninth	229	-	-	2	11	53	110	50	2	-	1
Tenth and over	312	-	-	-	11	42	125	117	11	1	5
Not stated	375	-	57	121	90	49	44	5	1	-	8

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
FLORIDA—Continued											
Nonwhite	11,389	99	3,113	3,519	2,156	1,370	847	217	14	2	52
First	3,024	99	1,770	753	260	108	22	7	-	-	5
Second	2,283	-	893	918	289	122	52	2	-	-	7
Third	1,594	-	286	806	334	123	47	7	-	-	11
Fourth	1,125	-	63	480	319	169	74	12	-	-	8
Fifth	865	-	12	278	346	148	72	6	-	-	3
Sixth	573	-	-	118	210	156	70	14	2	-	3
Seventh	466	-	-	40	160	172	75	16	-	1	2
Eighth	351	-	-	17	80	129	104	18	-	-	3
Ninth	264	-	-	9	47	86	95	24	2	-	1
Tenth and over	489	-	-	6	44	112	208	106	10	-	3
Not stated	355	-	109	94	67	45	28	5	-	1	6
GEORGIA	72,491	251	13,983	24,149	16,659	10,222	5,495	1,523	152	3	54
White	45,507	36	7,142	15,551	11,081	7,055	3,523	1,001	87	1	30
First	18,621	36	5,735	7,872	3,379	1,232	323	31	2	-	11
Second	10,687	-	1,184	4,626	2,961	1,489	384	53	1	-	9
Third	5,982	-	187	2,105	2,071	1,136	395	81	4	-	3
Fourth	3,427	-	15	693	1,353	888	397	73	4	-	4
Fifth	2,227	-	1	154	755	831	400	81	4	-	1
Sixth	1,577	-	-	32	365	686	406	105	2	1	-
Seventh	1,013	-	-	10	125	420	355	93	9	-	1
Eighth	712	-	-	5	30	242	322	104	9	-	-
Ninth	476	-	-	3	9	99	248	103	13	-	1
Tenth and over	644	-	-	-	7	53	277	270	37	-	-
Not stated	141	-	20	51	26	19	16	7	2	-	-
Nonwhite	26,984	215	6,841	8,598	5,578	3,167	1,972	522	65	2	24
First	8,091	215	4,667	2,323	605	204	60	7	1	1	8
Second	5,159	-	1,644	2,432	738	245	83	12	3	-	2
Third	3,690	-	423	1,890	938	294	119	20	1	-	5
Fourth	2,768	-	58	1,163	1,023	352	143	22	4	-	3
Fifth	1,984	-	10	477	892	404	173	23	3	-	2
Sixth	1,519	-	5	174	661	431	206	35	6	-	1
Seventh	1,123	-	-	55	360	428	224	35	1	-	-
Eighth	808	-	-	14	180	322	234	50	7	-	1
Ninth	577	-	-	7	77	217	224	45	6	-	1
Tenth and over	1,103	-	-	6	49	254	494	266	32	1	1
Not stated	162	-	34	57	35	16	12	7	1	-	-
IDAHO	11,454	7	1,471	4,132	2,926	1,762	850	267	28	1	10
White	11,327	7	1,449	4,088	2,900	1,747	838	261	27	1	9
First	4,009	7	1,117	1,826	717	279	55	7	-	-	1
Second	3,092	-	290	1,397	916	367	102	15	-	-	5
Third	1,810	-	35	601	635	382	125	29	2	-	1
Fourth	939	-	4	188	345	248	125	28	1	-	-
Fifth	576	-	-	50	164	204	126	27	4	-	1
Sixth	335	-	-	10	77	123	87	35	2	-	1
Seventh	202	-	-	5	21	83	63	27	3	-	-
Eighth	131	-	-	1	9	26	62	30	3	-	-
Ninth	74	-	-	-	3	15	40	13	3	-	-
Tenth and over	117	-	-	-	1	13	48	46	8	1	-
Not stated	42	-	3	10	12	7	5	4	1	-	-
Nonwhite	127	-	22	44	26	15	12	6	1	-	1
First	37	-	18	14	5	-	-	-	-	-	-
Second	19	-	1	12	5	1	-	-	-	-	-
Third	13	-	-	6	7	-	-	-	-	-	-
Fourth	14	-	-	5	5	3	1	-	-	-	-
Fifth	11	-	-	4	2	4	-	1	-	-	-
Sixth	9	-	-	-	1	5	2	1	-	-	-
Seventh	2	-	-	-	-	-	1	-	-	-	1
Eighth	4	-	-	-	-	-	2	2	-	-	-
Ninth	4	-	-	-	-	-	3	-	1	-	-
Tenth and over	6	-	-	-	-	1	3	2	-	-	-
Not stated	8	-	3	3	1	1	-	-	-	-	-
ILLINOIS	156,232	92	14,359	50,973	48,506	27,251	11,741	2,981	209	8	112
White	147,724	56	12,142	48,073	46,924	26,213	11,167	2,832	202	7	108
First	70,050	56	10,125	29,933	20,575	7,170	1,868	237	8	1	57
Second	40,257	-	1,749	12,503	15,056	8,186	2,404	323	13	3	20
Third	17,708	-	219	3,953	6,225	4,891	1,994	397	16	1	12
Fourth	8,414	-	22	1,214	2,825	2,510	1,471	352	15	-	5
Fifth	4,334	-	-	323	1,301	1,438	973	267	31	1	-
Sixth	2,484	-	1	71	542	845	748	261	15	-	1
Seventh	1,535	-	-	14	233	530	503	232	21	-	2
Eighth	1,050	-	-	2	84	318	431	200	11	-	4
Ninth	648	-	-	1	22	151	299	154	19	-	-
Tenth and over	1,068	-	-	-	17	150	442	404	52	1	2
Not stated	178	-	26	59	44	24	14	5	1	-	5
Nonwhite	8,508	36	2,217	2,900	1,582	1,038	574	149	7	1	4
First	3,091	36	1,575	1,006	300	117	55	2	-	-	-
Second	1,950	-	503	913	326	136	62	9	-	-	1
Third	1,225	-	110	591	306	159	52	5	1	-	1
Fourth	731	-	17	264	252	124	59	15	-	-	-
Fifth	464	-	3	92	194	113	49	12	-	-	1
Sixth	315	-	-	22	104	113	56	19	1	-	-
Seventh	216	-	-	9	64	83	51	8	1	-	-
Eighth	163	-	-	-	23	94	49	15	2	-	-
Ninth	126	-	-	-	7	45	51	18	-	-	1
Tenth and over	189	-	-	-	2	49	89	46	2	1	-
Not stated	18	-	9	3	4	1	1	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
INDIANA	73,706	53	9,725	26,103	19,601	10,956	5,339	1,553	121	3	252
White	71,220	41	9,086	25,311	19,148	10,617	5,173	1,484	117	3	240
First	28,892	41	7,081	12,921	6,018	2,084	576	90	2	-	79
Second	18,275	-	1,551	7,400	5,779	2,627	744	113	6	-	55
Third	9,337	-	247	2,992	3,284	1,887	771	117	6	1	32
Fourth	5,090	-	21	1,081	1,861	1,312	636	140	9	-	30
Fifth	2,979	-	3	366	1,019	898	509	166	8	1	9
Sixth	1,854	-	1	100	516	651	442	126	9	-	9
Seventh	1,266	-	-	31	260	454	367	141	7	-	6
Eighth	835	-	-	9	89	265	335	122	10	-	5
Ninth	631	-	-	2	47	166	285	118	10	-	3
Tenth and over	1,022	-	-	3	16	163	456	329	49	1	5
Not stated	1,039	-	182	406	259	110	52	22	1	-	7
Nonwhite	2,486	12	639	792	453	339	166	69	4	-	12
First	796	12	432	231	73	30	15	2	-	-	1
Second	517	-	146	236	82	39	10	2	1	-	1
Third	337	-	42	162	83	36	10	2	-	-	2
Fourth	230	-	7	92	70	39	17	4	-	-	1
Fifth	134	-	1	35	43	35	12	7	-	-	1
Sixth	114	-	-	13	45	39	11	5	-	-	1
Seventh	83	-	-	2	20	41	15	4	-	-	1
Eighth	69	-	-	2	16	26	21	3	1	-	-
Ninth	52	-	-	1	3	21	19	6	2	-	-
Tenth and over	101	-	-	2	5	28	30	33	-	-	3
Not stated	53	-	11	16	13	5	6	1	-	-	1
IOWA	48,454	18	4,773	16,492	13,702	7,999	4,084	1,260	105	3	18
White	48,141	16	4,708	16,384	13,625	7,965	4,064	1,255	105	3	18
First	18,885	16	3,830	8,854	4,234	1,446	431	65	4	1	4
Second	12,914	-	772	5,034	4,347	2,037	619	94	5	-	6
Third	6,780	-	99	1,741	2,540	1,587	671	135	5	-	2
Fourth	3,659	-	5	539	1,314	1,066	572	154	7	-	2
Fifth	2,159	-	-	149	678	728	440	154	8	-	2
Sixth	1,319	-	-	47	310	468	373	114	6	1	-
Seventh	827	-	-	5	121	279	297	114	11	-	-
Eighth	549	-	-	1	54	174	222	91	7	-	-
Ninth	373	-	-	-	14	89	162	99	9	-	-
Tenth and over	642	-	-	1	4	87	275	232	43	-	-
Not stated	34	-	2	15	9	4	2	1	-	1	2
Nonwhite	313	2	65	108	77	34	20	7	-	-	-
First	93	2	43	34	11	3	-	-	-	-	-
Second	73	-	18	37	10	6	2	-	-	-	-
Third	44	-	3	16	18	6	1	-	-	-	-
Fourth	28	-	1	11	9	5	1	1	-	-	-
Fifth	24	-	-	8	13	3	-	-	-	-	-
Sixth	19	-	-	2	13	2	2	-	-	-	-
Seventh	3	-	-	-	1	1	-	1	-	-	-
Eighth	6	-	-	-	1	2	2	1	-	-	-
Ninth	6	-	-	-	-	2	3	1	-	-	-
Tenth and over	14	-	-	-	-	3	8	3	-	-	-
Not stated	3	-	-	-	1	1	1	-	-	-	-
KANSAS	33,920	18	3,971	11,604	9,168	5,489	2,746	791	58	1	74
White	32,752	13	3,678	11,242	8,927	5,362	2,637	769	55	1	68
First	13,390	13	2,971	6,119	2,892	1,037	286	43	4	-	25
Second	8,584	-	608	3,340	2,819	1,345	390	60	4	-	18
Third	4,378	-	87	1,217	1,591	1,011	405	55	3	-	9
Fourth	2,475	-	8	406	875	734	368	72	2	-	10
Fifth	1,402	-	2	109	422	474	310	80	4	-	1
Sixth	869	-	-	29	199	313	248	74	4	1	1
Seventh	559	-	-	7	79	211	186	72	2	-	2
Eighth	357	-	-	2	26	104	148	69	7	-	1
Ninth	253	-	-	-	8	65	105	66	9	-	-
Tenth and over	448	-	-	-	8	60	185	178	16	-	1
Not stated	37	-	2	13	8	8	6	-	-	-	-
Nonwhite	1,168	5	293	362	241	127	109	22	3	-	6
First	413	5	218	124	35	20	8	1	-	-	2
Second	236	-	55	103	51	20	7	-	-	-	-
Third	174	-	17	88	45	14	8	1	-	-	1
Fourth	98	-	2	24	37	17	14	2	-	-	-
Fifth	79	-	-	16	35	14	10	2	-	-	2
Sixth	49	-	-	5	18	16	10	-	-	-	-
Seventh	34	-	-	1	11	4	14	4	-	-	-
Eighth	29	-	-	1	5	7	13	2	1	-	-
Ninth	18	-	-	-	1	6	8	3	-	-	-
Tenth and over	38	-	-	-	3	9	17	7	1	-	1
Not stated	2	-	1	-	-	-	-	-	1	-	-
KENTUCKY	66,267	107	10,564	21,383	15,580	10,137	6,114	2,107	197	7	71
White	62,619	73	9,580	20,278	14,900	9,684	5,843	2,003	185	6	67
First	24,133	71	7,670	10,010	4,155	1,575	527	90	5	2	28
Second	12,397	2	1,602	5,590	3,238	1,447	432	79	1	-	6
Third	7,706	-	265	2,941	2,623	1,281	501	80	3	1	11
Fourth	5,311	-	33	1,198	2,155	1,220	571	118	6	-	10
Fifth	3,714	-	6	399	1,409	1,207	565	119	6	1	2
Sixth	2,740	-	1	105	786	1,040	659	154	12	-	3
Seventh	2,143	-	-	18	345	890	664	212	13	-	1
Eighth	1,603	-	-	6	129	549	675	230	12	-	2
Ninth	1,148	-	-	5	39	278	555	236	33	-	2
Tenth and over	1,707	-	-	4	18	191	711	685	94	2	2
Not stated	17	-	3	2	3	6	3	-	-	-	-

594337 O - 44 - 8

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
KENTUCKY—Continued											
Nonwhite	3,648	34	984	1,105	680	453	271	104	12	1	4
First	1,408	34	738	414	129	55	33	5	-	-	-
Second	700	-	201	313	107	51	20	4	1	1	2
Third	451	-	39	209	132	50	16	5	-	-	-
Fourth	308	-	5	104	115	58	20	5	-	-	1
Fifth	220	-	1	43	91	50	29	5	1	-	-
Sixth	170	-	-	14	58	61	26	8	2	-	1
Seventh	108	-	-	6	28	44	18	8	2	-	-
Eighth	88	-	-	1	13	35	26	12	1	-	-
Ninth	77	-	-	-	5	24	31	16	1	-	-
Tenth and over	120	-	-	1	2	25	52	36	4	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	58,093	155	10,284	19,538	13,820	8,267	4,426	1,235	110	5	253
White	35,082	25	5,019	12,261	9,018	5,235	2,614	726	60	3	121
First	13,648	25	3,750	6,065	2,640	859	255	29	2	1	22
Second	8,589	-	954	3,522	2,566	1,153	315	47	-	-	32
Third	4,650	-	176	1,562	1,617	906	308	55	3	1	22
Fourth	2,567	-	19	549	965	694	266	60	3	1	10
Fifth	1,527	-	3	175	536	487	262	56	-	-	8
Sixth	955	-	-	44	246	346	253	59	3	-	4
Seventh	705	-	-	17	117	261	239	58	8	-	5
Eighth	524	-	-	7	44	168	216	80	6	-	3
Ninth	308	-	-	2	13	71	159	56	4	-	3
Tenth and over	546	-	-	2	9	76	237	199	30	-	2
Not stated	1,063	-	117	316	265	214	104	36	1	-	10
Nonwhite	23,011	130	5,265	7,277	4,802	3,032	1,812	509	50	2	132
First	5,818	130	3,177	1,757	486	187	60	5	-	-	16
Second	4,248	-	1,411	1,837	641	253	77	8	1	-	20
Third	3,249	-	427	1,647	745	286	95	18	1	-	30
Fourth	2,320	-	80	973	791	310	137	18	-	-	11
Fifth	1,820	-	18	514	731	376	144	27	3	-	7
Sixth	1,288	-	2	159	565	379	143	27	7	-	6
Seventh	954	-	-	69	311	347	184	33	1	-	9
Eighth	711	-	-	17	177	285	200	48	2	-	2
Ninth	550	-	-	11	70	207	195	58	4	-	5
Tenth and over	1,042	-	-	6	59	260	457	222	28	1	9
Not stated	1,011	-	150	287	226	162	120	45	3	1	17
MAINE	17,719	16	2,204	6,073	4,736	2,726	1,443	483	35	-	3
White	17,673	16	2,196	6,056	4,729	2,718	1,440	480	35	-	3
First	6,719	15	1,684	2,965	1,337	522	159	35	2	-	-
Second	4,323	1	415	1,760	1,317	601	191	35	2	-	1
Third	2,393	-	79	787	858	452	171	44	2	-	-
Fourth	1,432	-	8	340	559	321	161	42	1	-	-
Fifth	848	-	1	120	292	246	142	43	3	-	1
Sixth	563	-	1	39	182	170	133	36	2	-	-
Seventh	389	-	-	18	92	141	95	41	2	-	-
Eighth	249	-	-	1	44	84	84	35	1	-	-
Ninth	203	-	-	1	12	78	73	37	2	-	-
Tenth and over	480	-	-	1	7	96	226	131	18	-	1
Not stated	74	-	8	24	29	7	5	1	-	-	-
Nonwhite	46	-	8	17	7	8	3	3	-	-	-
First	15	-	6	6	2	1	-	-	-	-	-
Second	14	-	2	9	3	-	-	-	-	-	-
Third	2	-	-	-	1	1	-	-	-	-	-
Fourth	-	-	-	-	-	-	-	-	-	-	-
Fifth	3	-	-	1	1	-	1	-	-	-	-
Sixth	2	-	-	1	-	1	-	-	-	-	-
Seventh	2	-	-	-	-	1	-	1	-	-	-
Eighth	1	-	-	-	-	1	-	-	-	-	-
Ninth	2	-	-	-	-	1	-	1	-	-	-
Tenth and over	5	-	-	-	-	2	2	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	44,237	112	6,672	15,022	11,546	6,726	3,121	845	78	1	114
White	35,985	17	4,334	12,379	10,070	5,796	2,582	662	57	1	87
First	16,478	17	3,446	7,145	3,988	1,391	418	40	3	-	30
Second	9,117	-	723	3,278	2,909	1,629	502	58	-	-	18
Third	4,208	-	102	1,175	1,409	992	435	80	4	-	11
Fourth	2,215	-	13	438	812	592	282	63	4	-	11
Fifth	1,250	-	3	141	431	363	249	55	4	-	4
Sixth	769	-	-	35	214	286	168	59	4	-	3
Seventh	505	-	-	8	87	193	148	62	7	-	-
Eighth	332	-	-	6	32	111	132	48	3	-	-
Ninth	206	-	-	1	15	65	75	41	6	1	2
Tenth and over	378	-	-	-	4	74	140	137	20	-	3
Not stated	527	-	47	152	169	100	33	19	2	-	5
Nonwhite	8,252	95	2,338	2,643	1,476	930	539	183	21	-	27
First	2,517	95	1,472	639	184	85	28	7	-	-	7
Second	1,662	-	581	724	236	86	27	5	-	-	3
Third	1,150	-	179	586	238	102	33	8	1	-	3
Fourth	734	-	42	357	199	86	42	4	2	-	2
Fifth	572	-	6	168	218	112	53	12	1	-	2
Sixth	393	-	-	67	157	108	52	6	1	-	2
Seventh	268	-	-	21	90	95	49	12	1	-	-
Eighth	234	-	-	7	69	93	49	14	1	-	1
Ninth	159	-	-	2	29	57	48	18	3	-	2
Tenth and over	348	-	-	-	18	77	148	92	11	-	2
Not stated	215	-	58	72	38	29	10	5	-	-	3

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MASSACHUSETTS[1]	82,773	24	4,288	24,314	26,856	17,256	7,758	1,928	139	6	204
Not stated	82,773	24	4,288	24,314	26,856	17,256	7,758	1,928	139	6	204
White	81,660	20	4,109	23,890	26,603	17,112	7,678	1,903	139	5	201
Nonwhite	1,113	4	179	424	253	144	80	25	-	1	3
MICHIGAN	123,886	66	12,721	43,947	36,034	19,367	8,985	2,445	199	3	119
White	118,784	36	11,507	42,151	35,073	18,749	8,628	2,340	194	2	104
First	48,464	36	8,726	21,436	11,283	3,750	1,049	142	3	-	39
Second	30,548	-	1,892	11,796	10,501	4,742	1,393	189	9	-	26
Third	15,774	-	356	4,532	5,800	3,450	1,390	223	12	-	11
Fourth	8,124	-	34	1,580	2,899	2,260	1,095	235	14	-	7
Fifth	4,449	-	3	490	1,463	1,390	870	217	13	-	3
Sixth	2,656	-	1	114	733	877	638	263	22	1	7
Seventh	1,657	-	-	26	328	588	507	189	16	-	3
Eighth	1,132	-	-	9	130	415	375	187	15	-	1
Ninth	759	-	-	4	58	208	333	139	15	-	2
Tenth and over	1,352	-	-	5	36	223	572	447	66	-	3
Not stated	5,869	-	495	2,159	1,842	846	406	109	9	1	2
Nonwhite	5,102	30	1,214	1,796	961	618	357	105	5	1	15
First	1,656	30	785	560	171	76	26	3	1	-	4
Second	1,060	-	287	487	184	71	22	5	1	-	3
Third	676	-	65	336	156	83	30	5	-	-	1
Fourth	460	-	16	208	126	79	23	6	-	-	2
Fifth	297	-	2	85	115	53	28	13	-	-	1
Sixth	183	-	-	18	62	60	37	5	-	-	1
Seventh	145	-	-	3	49	54	30	8	-	-	1
Eighth	110	-	-	2	18	43	36	10	1	-	-
Ninth	80	-	-	1	13	19	36	10	-	1	-
Tenth and over	165	-	-	-	5	48	73	36	2	-	1
Not stated	270	-	59	96	62	32	16	4	-	-	1
MINNESOTA	58,770	13	3,954	18,226	18,173	11,099	5,493	1,658	136	2	16
White	58,198	12	3,880	18,039	18,051	10,995	5,429	1,642	133	2	15
First	22,741	12	3,318	10,064	6,347	2,256	645	92	2	-	5
Second	15,583	-	504	5,377	5,632	2,998	906	154	6	-	6
Third	8,391	-	51	1,872	3,167	2,216	922	156	5	1	1
Fourth	4,585	-	4	557	1,608	1,389	814	205	6	1	1
Fifth	2,495	-	-	127	719	858	586	195	10	-	-
Sixth	1,491	-	-	28	352	525	416	160	10	-	-
Seventh	1,043	-	-	5	143	367	371	147	10	-	-
Eighth	722	-	-	3	59	209	286	149	16	-	-
Ninth	447	-	-	-	10	91	212	125	9	-	-
Tenth and over	669	-	-	-	4	81	267	258	59	-	-
Not stated	31	-	3	6	10	5	4	1	-	-	2
Nonwhite	572	1	74	187	122	104	64	16	3	-	1
First	130	1	60	50	13	5	1	-	-	-	-
Second	85	-	11	56	7	7	4	-	-	-	-
Third	67	-	1	38	20	8	2	-	-	-	-
Fourth	66	-	-	24	29	7	5	1	-	-	-
Fifth	51	-	-	10	27	9	4	1	-	-	-
Sixth	40	-	-	4	16	14	6	-	-	-	-
Seventh	40	-	-	1	5	23	7	4	-	-	-
Eighth	40	-	-	-	3	19	15	2	1	-	-
Ninth	18	-	-	-	-	8	7	3	-	-	-
Tenth and over	25	-	-	-	-	5	13	5	2	-	-
Not stated	10	-	2	4	2	1	-	-	-	-	1
MISSISSIPPI	56,867	304	11,731	17,383	12,387	8,304	4,894	1,462	138	5	59
White	25,566	24	3,837	8,286	6,300	4,214	2,165	665	52	1	22
First	9,223	24	3,013	3,826	1,584	596	151	23	1	-	5
Second	5,979	-	695	2,600	1,658	787	201	30	2	-	6
Third	3,597	-	116	1,240	1,262	677	268	31	-	-	3
Fourth	2,110	-	11	423	831	581	221	56	5	-	2
Fifth	1,532	-	-	139	523	550	244	68	6	-	2
Sixth	1,026	-	-	32	258	410	260	63	2	-	1
Seventh	708	-	-	11	113	291	219	67	5	1	1
Eighth	498	-	-	6	34	169	203	81	5	-	-
Ninth	330	-	-	3	19	89	145	72	2	-	-
Tenth and over	540	-	-	-	8	62	252	194	24	-	-
Not stated	23	-	2	6	10	2	1	-	-	-	2
Nonwhite	31,101	280	7,894	9,097	6,087	4,090	2,729	797	86	4	37
First	6,700	277	4,204	1,610	426	120	51	2	1	-	9
Second	5,738	3	2,545	2,189	664	226	88	11	1	-	9
Third	4,457	-	885	2,267	832	326	123	16	2	-	6
Fourth	3,436	-	204	1,627	1,047	380	150	21	4	-	3
Fifth	2,643	-	42	852	1,028	475	209	35	-	-	2
Sixth	2,122	-	6	356	913	573	234	35	3	-	2
Seventh	1,565	-	-	111	584	537	271	53	5	-	2
Eighth	1,236	-	-	55	311	485	308	69	6	-	2
Ninth	979	-	-	11	163	400	317	73	12	1	2
Tenth and over	2,204	-	-	14	113	565	977	480	52	3	-
Not stated	25	-	8	5	6	3	1	2	-	-	-

[1] The birth certificate of this State does not require the number of child in order of birth.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
MISSOURI	70,711	101	10,142	23,254	18,373	11,250	5,700	1,693	133	5	60
White	65,903	49	8,889	21,816	17,420	10,600	5,363	1,585	120	3	58
First	27,877	48	7,121	11,632	6,066	2,285	613	87	4	-	21
Second	16,682	1	1,510	6,374	5,191	2,654	850	81	7	-	14
Third	8,369	-	220	2,561	2,857	1,835	753	132	6	-	5
Fourth	4,493	-	30	898	1,612	1,221	599	127	3	-	3
Fifth	2,761	-	2	253	899	905	545	143	7	2	5
Sixth	1,835	-	-	57	470	669	468	158	9	-	4
Seventh	1,297	-	-	17	201	487	432	152	6	-	2
Eighth	957	-	-	6	73	295	422	148	13	-	-
Ninth	629	-	-	2	31	149	286	153	8	-	-
Tenth and over	948	-	-	-	4	91	391	402	57	1	2
Not stated	55	-	6	16	16	9	4	2	-	-	2
Nonwhite	4,808	52	1,253	1,438	953	650	337	108	13	2	2
First	1,564	52	848	452	131	65	12	4	-	-	-
Second	955	-	320	392	143	64	26	6	1	1	2
Third	620	-	70	289	164	70	23	4	-	-	-
Fourth	470	-	10	176	170	76	30	7	1	-	-
Fifth	332	-	2	82	127	88	24	9	-	-	-
Sixth	227	-	1	31	93	63	29	8	1	1	-
Seventh	184	-	-	10	61	65	34	13	1	-	-
Eighth	155	-	-	4	38	68	33	12	-	-	-
Ninth	87	-	-	-	16	32	32	6	1	-	-
Tenth and over	209	-	-	1	10	58	93	39	8	-	-
Not stated	5	-	2	1	-	1	1	-	-	-	-
MONTANA	11,735	7	1,198	4,002	3,366	1,978	863	277	39	1	4
White	11,026	4	1,091	3,778	3,212	1,849	809	248	32	1	2
First	4,271	4	893	1,911	991	364	88	18	-	-	2
Second	3,002	-	163	1,195	1,021	476	129	17	1	-	-
Third	1,594	-	27	453	606	355	138	17	-	-	-
Fourth	836	-	2	157	305	228	115	28	1	-	-
Fifth	471	-	1	46	155	156	79	30	3	1	-
Sixth	302	-	4	12	73	108	77	25	3	-	-
Seventh	190	-	-	2	40	66	58	20	4	-	-
Eighth	116	-	-	-	8	45	44	17	2	-	-
Ninth	80	-	-	-	4	24	33	17	2	-	-
Tenth and over	152	-	-	-	3	26	48	59	16	-	-
Not stated	12	-	1	2	6	1	2	-	-	-	-
Nonwhite	709	3	107	224	154	129	54	29	7	-	2
First	144	3	77	49	9	3	3	-	-	-	-
Second	143	-	22	89	25	5	2	-	-	-	-
Third	94	-	6	49	32	6	-	-	-	-	1
Fourth	80	-	2	28	31	16	4	1	-	-	-
Fifth	55	-	-	8	23	17	4	2	1	-	-
Sixth	56	-	-	-	19	27	2	7	-	-	1
Seventh	49	-	-	2	13	29	3	2	-	-	-
Eighth	34	-	-	1	2	14	12	4	1	-	-
Ninth	13	-	-	-	-	7	3	3	-	-	-
Tenth and over	40	-	-	-	-	4	21	10	5	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-
NEBRASKA	23,676	4	2,146	7,855	6,792	4,131	2,058	614	53	2	21
White	23,381	4	2,078	7,755	6,730	4,092	2,038	608	53	2	21
First	9,548	4	1,702	4,419	2,355	809	217	36	1	-	5
Second	5,879	-	313	2,183	2,000	1,050	287	40	-	-	6
Third	3,273	-	46	803	1,204	789	348	76	5	-	2
Fourth	1,791	-	10	247	659	519	283	66	4	-	3
Fifth	1,006	-	-	56	290	371	221	63	5	-	-
Sixth	649	-	-	23	122	238	194	62	7	-	3
Seventh	418	-	-	5	61	134	159	59	-	-	-
Eighth	294	-	-	3	17	87	121	60	6	-	-
Ninth	202	-	-	1	8	52	86	50	4	-	1
Tenth and over	279	-	-	-	-	39	121	95	21	2	1
Not stated	42	-	7	15	14	4	1	1	-	-	-
Nonwhite	295	-	68	100	62	39	20	6	-	-	-
First	101	-	51	35	8	5	1	1	-	-	-
Second	55	-	10	27	13	2	3	-	-	-	-
Third	43	-	4	21	10	7	1	-	-	-	-
Fourth	24	-	1	7	10	3	3	-	-	-	-
Fifth	22	-	-	5	12	3	1	1	-	-	-
Sixth	16	-	-	1	6	8	1	-	-	-	-
Seventh	10	-	-	2	2	5	1	-	-	-	-
Eighth	7	-	-	-	-	3	3	1	-	-	-
Ninth	6	-	-	-	-	1	4	1	-	-	-
Tenth and over	6	-	-	-	-	2	2	2	-	-	-
Not stated	5	-	2	2	1	-	-	-	-	-	-
NEVADA	2,782	1	379	1,019	778	392	167	38	4	-	4
White	2,605	1	361	944	741	367	151	34	2	-	4
First	1,050	1	267	437	230	86	24	3	-	-	2
Second	781	-	75	332	228	110	31	4	-	-	1
Third	359	-	12	104	136	69	33	5	-	-	-
Fourth	193	-	-	41	88	40	21	3	-	-	-
Fifth	86	-	-	14	30	22	16	3	-	-	1
Sixth	42	-	-	4	12	14	7	5	-	-	-
Seventh	28	-	-	-	6	8	9	5	-	-	-
Eighth	13	-	-	-	3	4	5	1	-	-	-
Ninth	15	-	-	-	4	6	1	2	2	-	-
Tenth and over	9	-	-	-	-	3	4	2	-	-	-
Not stated	29	-	7	12	4	5	-	1	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEVADA—Continued											
Nonwhite	177	-	18	75	37	25	16	4	2	-	-
First	42	-	13	24	3	2	-	-	-	-	-
Second	32	-	3	19	8	1	1	-	-	-	-
Third	31	-	1	18	8	3	1	-	-	-	-
Fourth	19	-	-	9	5	4	1	-	-	-	-
Fifth	17	-	-	4	7	4	2	-	-	-	-
Sixth	10	-	-	-	3	2	4	1	-	-	-
Seventh	8	-	-	-	1	4	2	1	-	-	-
Eighth	7	-	-	-	1	3	2	1	-	-	-
Ninth	2	-	-	-	-	-	1	-	1	-	-
Tenth and over	5	-	-	-	-	2	1	1	1	-	-
Not stated	4	-	1	1	1	-	1	-	-	-	-
NEW HAMPSHIRE	9,173	3	874	2,976	2,642	1,627	819	202	15	-	15
White	9,160	3	873	2,975	2,640	1,623	814	202	15	-	15
First	3,742	3	656	1,566	934	396	152	25	3	-	7
Second	2,171	-	137	782	701	407	131	10	1	-	2
Third	1,166	-	28	336	430	241	104	23	3	-	1
Fourth	663	-	6	125	216	190	108	17	-	-	1
Fifth	374	-	1	38	121	127	66	19	1	-	1
Sixth	197	-	-	14	47	57	60	17	2	-	-
Seventh	172	-	-	3	40	61	49	18	1	-	-
Eighth	97	-	-	-	19	32	30	14	2	-	-
Ninth	58	-	-	-	6	14	29	8	-	-	1
Tenth and over	116	-	-	-	5	19	47	41	2	-	2
Not stated	404	-	45	111	121	79	38	10	-	-	-
Nonwhite	13	-	1	1	2	4	5	-	-	-	-
First	2	-	1	1	-	-	-	-	-	-	-
Second	2	-	-	-	1	1	-	-	-	-	-
Third	1	-	-	-	-	-	1	-	-	-	-
Fourth	-	-	-	-	-	-	-	-	-	-	-
Fifth	-	-	-	-	-	-	-	-	-	-	-
Sixth	-	-	-	-	-	-	-	-	-	-	-
Seventh	3	-	-	-	1	1	1	-	-	-	-
Eighth	1	-	-	-	-	-	1	-	-	-	-
Ninth	1	-	-	-	-	-	1	-	-	-	-
Tenth and over	2	-	-	-	-	1	1	-	-	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-
NEW JERSEY	81,709	43	5,140	25,343	27,625	15,837	6,248	1,370	73	3	27
White	76,254	14	3,831	23,371	26,557	15,224	5,882	1,280	67	2	26
First	38,347	14	3,168	15,905	13,138	4,831	1,156	118	3	-	14
Second	20,793	-	497	5,208	8,375	5,109	1,427	169	5	-	3
Third	8,401	-	89	1,407	2,888	2,646	1,170	195	3	-	3
Fourth	3,588	-	11	420	1,081	1,197	704	165	8	-	2
Fifth	1,718	-	1	97	451	590	432	137	8	1	1
Sixth	989	-	-	35	200	323	295	133	3	-	-
Seventh	594	-	-	8	93	188	226	74	5	-	-
Eighth	377	-	-	1	35	103	156	75	7	-	-
Ninth	240	-	-	-	13	55	111	58	3	-	-
Tenth and over	378	-	-	2	12	56	143	143	21	1	-
Not stated	829	-	65	288	271	126	62	13	1	-	3
Nonwhite	5,455	29	1,309	1,972	1,068	613	366	90	6	1	1
First	1,851	29	903	649	196	53	16	5	-	-	-
Second	1,224	-	299	587	219	86	30	3	-	-	-
Third	715	-	63	363	169	81	33	5	-	-	1
Fourth	497	-	13	216	169	65	26	7	1	-	-
Fifth	333	-	2	94	129	65	34	7	1	1	-
Sixth	235	-	-	34	78	72	44	6	1	-	-
Seventh	151	-	-	3	48	63	29	7	1	-	-
Eighth	107	-	-	3	28	40	28	8	-	-	-
Ninth	98	-	-	3	15	43	34	3	-	-	-
Tenth and over	168	-	-	1	6	35	89	35	2	-	-
Not stated	76	-	29	19	11	10	3	4	-	-	-
NEW MEXICO	14,129	12	1,957	4,396	3,544	2,314	1,396	425	30	2	53
White	13,497	9	1,866	4,243	3,380	2,211	1,320	400	25	2	41
First	3,808	9	1,349	1,599	587	173	69	11	-	-	9
Second	2,815	-	401	1,280	722	311	89	8	-	-	4
Third	1,914	-	87	737	665	279	122	18	-	-	6
Fourth	1,302	-	13	359	519	291	106	11	-	-	3
Fifth	971	-	2	144	409	275	109	26	2	-	4
Sixth	659	-	-	47	230	234	126	17	1	1	3
Seventh	532	-	-	20	122	210	145	31	2	-	2
Eighth	413	-	-	6	62	178	133	31	2	-	1
Ninth	311	-	-	5	23	119	118	40	3	-	3
Tenth and over	631	-	-	2	14	111	280	205	15	1	3
Not stated	143	-	14	44	27	30	23	2	-	-	3
Nonwhite	632	3	91	153	164	103	76	25	5	-	12
First	102	3	47	36	8	5	2	-	-	-	1
Second	86	-	24	32	20	9	1	-	-	-	-
Third	74	-	2	27	27	11	4	1	-	-	2
Fourth	58	-	-	16	26	9	4	-	-	-	3
Fifth	63	-	-	4	24	16	13	2	-	-	4
Sixth	39	-	-	3	12	13	10	-	-	-	1
Seventh	36	-	-	1	12	8	13	1	1	-	-
Eighth	22	-	-	-	4	9	3	4	2	-	-
Ninth	18	-	-	1	1	5	8	3	-	-	-
Tenth and over	37	-	-	1	2	10	11	11	2	-	-
Not stated	97	-	18	32	28	8	7	3	-	-	1

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
NEW YORK	244,802	86	13,904	71,223	82,520	50,827	21,340	4,550	293	7	52
White	233,795	48	11,658	67,471	80,017	49,342	20,578	4,346	277	7	51
First	115,788	47	9,922	46,024	39,860	15,356	4,057	486	14	1	21
Second	64,217	1	1,519	15,042	24,812	17,023	5,196	584	31	2	7
Third	26,157	-	172	4,417	8,642	8,223	4,004	665	29	-	5
Fourth	11,907	-	20	1,365	3,540	3,827	2,514	614	27	-	-
Fifth	6,163	-	3	397	1,671	2,020	1,557	483	32	-	-
Sixth	3,429	-	2	85	780	1,123	1,022	385	31	-	1
Seventh	2,109	-	-	21	353	743	706	254	28	1	3
Eighth	1,346	-	-	6	126	426	520	253	15	-	-
Ninth	875	-	-	2	55	245	396	160	16	-	1
Tenth and over	1,398	-	-	-	25	276	584	456	54	3	-
Not stated	406	-	20	112	153	80	22	6	-	-	13
Nonwhite	11,007	38	2,246	3,752	2,503	1,485	782	204	16	-	1
First	4,257	38	1,630	1,599	647	247	85	10	1	-	-
Second	2,648	-	490	1,145	610	286	94	21	2	-	-
Third	1,488	-	102	597	450	226	90	20	3	-	-
Fourth	858	-	17	267	291	184	85	12	2	-	-
Fifth	593	-	3	100	222	169	82	16	1	-	-
Sixth	438	-	1	35	161	132	89	19	1	-	-
Seventh	245	-	-	2	65	93	64	19	1	-	1
Eighth	181	-	-	5	34	60	60	22	-	-	-
Ninth	121	-	-	-	15	43	42	19	2	-	-
Tenth and over	170	-	-	-	6	44	71	46	3	-	-
Not stated	8	-	3	2	2	1	-	-	-	-	-
NORTH CAROLINA	89,854	249	15,857	29,526	21,291	13,191	7,088	2,309	238	12	93
White	62,081	41	9,137	20,771	15,531	9,688	5,066	1,626	159	7	55
First	22,555	41	6,811	9,659	4,103	1,463	403	52	2	2	19
Second	14,569	-	1,910	6,167	3,980	1,869	552	73	4	-	14
Third	8,417	-	337	3,160	2,859	1,449	517	85	2	-	8
Fourth	5,173	-	49	1,191	2,060	1,266	498	101	6	-	2
Fifth	3,511	-	4	424	1,338	1,107	504	124	7	1	2
Sixth	2,461	-	1	102	706	968	540	137	6	-	1
Seventh	1,746	-	-	35	317	688	533	156	14	1	2
Eighth	1,240	-	-	11	109	434	499	182	22	1	2
Ninth	889	-	-	1	29	261	391	189	14	1	3
Tenth and over	1,459	-	-	2	19	179	629	545	82	1	2
Not stated	61	-	25	19	11	4	-	2	-	-	-
Nonwhite	27,773	208	6,720	8,755	5,760	3,503	2,022	683	79	5	38
First	6,782	207	3,855	1,966	517	161	49	12	1	2	10
Second	5,431	1	2,039	2,354	701	248	67	9	1	-	11
Third	3,934	-	603	2,040	898	290	80	13	4	-	6
Fourth	2,999	-	126	1,314	1,037	374	121	20	1	-	4
Fifth	2,286	-	26	652	991	436	154	22	3	-	2
Sixth	1,635	-	12	235	714	466	181	23	4	-	-
Seventh	1,312	-	-	100	457	499	211	41	2	-	2
Eighth	1,020	-	-	37	250	402	289	57	5	-	-
Ninth	716	-	-	10	117	275	227	82	3	-	2
Tenth and over	1,547	-	-	5	72	347	662	403	54	3	1
Not stated	111	-	57	40	6	5	1	1	1	-	-
NORTH DAKOTA	13,357	3	869	3,914	3,921	2,673	1,416	511	32	1	10
White	12,994	-	818	3,801	3,843	2,603	1,384	498	37	1	9
First	3,693	-	587	1,723	943	350	75	13	-	-	2
Second	2,817	-	131	1,086	963	458	146	30	-	1	2
Third	1,767	-	11	391	719	442	165	35	3	-	1
Fourth	1,136	-	2	141	412	362	178	40	1	-	-
Fifth	715	-	-	48	225	249	146	45	2	-	-
Sixth	470	-	-	14	115	181	122	35	3	-	-
Seventh	326	-	-	1	59	120	100	41	5	-	-
Eighth	247	-	-	2	17	94	90	39	5	-	-
Ninth	187	-	-	-	10	41	99	34	3	-	-
Tenth and over	350	-	-	-	2	48	144	143	12	-	1
Not stated	1,286	-	87	395	378	258	119	43	3	-	3
Nonwhite	363	3	51	113	78	70	32	13	2	-	1
First	65	3	25	27	4	5	1	-	-	-	-
Second	63	-	15	32	14	1	-	-	-	-	1
Third	48	-	2	21	15	8	1	1	-	-	-
Fourth	22	-	-	5	11	6	-	-	-	-	-
Fifth	25	-	-	5	14	5	1	-	-	-	-
Sixth	22	-	-	2	4	12	2	2	-	-	-
Seventh	23	-	-	-	9	8	5	1	-	-	-
Eighth	15	-	-	-	2	7	5	1	-	-	-
Ninth	12	-	-	-	-	6	5	1	-	-	-
Tenth and over	20	-	-	-	-	3	9	6	2	-	-
Not stated	48	-	9	21	5	9	3	1	-	-	-
OHIO	144,327	88	15,572	49,586	42,279	23,421	10,326	2,767	213	4	71
White	138,085	52	13,967	47,411	41,053	22,754	9,924	2,650	203	3	68
First	60,981	52	11,292	27,106	15,787	5,280	1,264	165	8	-	27
Second	37,092	-	2,294	13,245	13,040	6,519	1,732	239	7	-	16
Third	17,575	-	286	4,782	6,223	4,251	1,727	277	17	1	11
Fourth	8,875	-	47	1,543	3,215	2,510	1,248	291	15	-	6
Fifth	4,704	-	2	475	1,442	1,541	970	265	9	-	-
Sixth	2,941	-	4	97	721	1,035	810	258	13	-	3
Seventh	1,862	-	-	20	305	658	661	202	15	1	-
Eighth	1,277	-	-	6	110	444	507	189	20	-	1
Ninth	864	-	-	2	36	254	356	196	20	-	-
Tenth and over	1,474	-	-	2	24	187	617	563	79	1	1
Not stated	440	-	42	133	150	75	32	5	-	-	3

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
OHIO—Continued											
Nonwhite	6,242	36	1,605	2,175	1,226	667	402	117	10	1	3
First	2,304	36	1,180	772	223	64	19	6	2	-	2
Second	1,309	-	340	672	252	106	34	4	-	1	-
Third	825	-	76	399	222	87	38	3	-	-	-
Fourth	532	-	9	220	184	67	41	10	1	-	-
Fifth	357	-	-	75	151	81	41	8	1	-	-
Sixth	247	-	-	23	100	68	47	9	-	-	-
Seventh	173	-	-	5	49	68	39	12	-	-	-
Eighth	118	-	-	2	25	50	27	14	-	-	-
Ninth	98	-	-	1	11	40	34	12	-	-	-
Tenth and over	168	-	-	-	5	35	81	39	6	-	-
Not stated	13	-	-	6	4	1	1	-	-	-	1
OKLAHOMA	46,008	49	8,126	15,706	10,501	6,791	3,524	1,161	82	2	66
White	41,012	28	6,949	14,098	9,527	6,106	3,155	1,021	78	1	49
First	15,772	28	5,439	6,591	2,438	944	266	46	1	-	19
Second	9,884	-	1,278	4,399	2,639	1,183	329	41	4	1	10
Third	5,633	-	203	2,063	1,912	1,006	379	63	2	-	5
Fourth	3,212	-	22	721	1,176	836	368	82	4	-	3
Fifth	2,200	-	1	241	767	730	368	84	6	-	3
Sixth	1,457	-	1	55	365	569	361	92	11	-	3
Seventh	954	-	-	12	151	393	301	94	2	-	1
Eighth	677	-	-	2	51	240	267	114	3	-	-
Ninth	439	-	-	1	14	110	194	112	7	-	1
Tenth and over	747	-	-	1	6	89	319	291	38	-	3
Not stated	37	-	5	12	8	6	3	2	-	-	1
Nonwhite	4,996	21	1,177	1,608	974	685	369	140	4	1	17
First	1,574	21	841	503	140	45	18	3	-	-	3
Second	977	-	255	479	157	64	15	4	-	-	3
Third	662	-	71	330	165	71	18	4	-	-	3
Fourth	451	-	8	171	150	89	23	7	1	-	2
Fifth	354	-	1	74	142	98	30	7	-	-	2
Sixth	283	-	-	33	109	92	37	12	-	-	-
Seventh	216	-	-	9	60	83	46	17	-	-	1
Eighth	167	-	-	3	31	65	52	14	-	-	2
Ninth	110	-	-	-	11	35	42	22	-	-	-
Tenth and over	190	-	-	-	6	42	88	50	3	1	-
Not stated	12	-	1	6	3	1	-	-	-	-	1
OREGON	22,518	7	2,557	8,334	6,395	3,398	1,355	385	33	-	54
White	22,203	6	2,504	8,233	6,322	3,353	1,331	375	31	-	48
First	9,765	6	1,908	4,406	2,351	818	215	41	3	-	17
Second	6,445	-	473	2,552	2,071	1,029	268	42	2	-	8
Third	2,882	-	78	845	1,005	655	244	44	1	-	10
Fourth	1,378	-	9	272	489	360	188	48	6	-	6
Fifth	616	-	-	53	203	195	120	41	2	-	2
Sixth	345	-	-	10	90	109	91	38	6	-	1
Seventh	224	-	-	5	43	73	68	34	1	-	-
Eighth	123	-	-	-	15	39	49	19	1	-	-
Ninth	79	-	-	-	4	24	29	21	1	-	-
Tenth and over	121	-	-	1	-	21	49	42	8	-	-
Not stated	225	-	36	89	51	30	10	5	-	-	4
Nonwhite	315	1	53	101	73	45	24	10	2	-	6
First	102	1	35	48	11	4	3	-	-	-	-
Second	57	-	10	25	11	9	2	-	-	-	-
Third	44	-	3	10	21	7	1	1	-	-	1
Fourth	32	-	1	12	10	6	3	-	-	-	-
Fifth	18	-	-	2	8	4	2	-	-	-	2
Sixth	13	-	-	2	5	2	3	-	-	-	1
Seventh	12	-	-	-	1	8	2	-	1	-	-
Eighth	8	-	-	-	2	2	1	2	1	-	-
Ninth	6	-	-	-	-	3	1	1	-	-	1
Tenth and over	12	-	-	-	1	-	4	6	-	-	1
Not stated	11	-	4	2	3	-	2	-	-	-	-
PENNSYLVANIA	197,177	145	18,320	65,881	59,247	33,445	15,487	4,247	372	7	26
White	186,349	60	15,801	61,991	57,181	32,130	14,764	4,028	364	6	24
First	78,970	59	12,396	35,062	21,987	7,317	1,893	238	13	-	5
Second	48,910	1	2,871	17,222	17,293	8,654	2,530	323	7	1	8
Third	24,391	-	461	6,515	8,958	5,800	2,295	340	17	1	4
Fourth	12,831	-	52	2,275	4,557	3,698	1,839	388	21	-	1
Fifth	7,257	-	8	628	2,360	2,370	1,464	388	36	1	2
Sixth	4,591	-	-	166	1,147	1,844	1,226	386	20	1	1
Seventh	3,027	-	-	56	512	1,127	960	344	27	-	1
Eighth	2,051	-	-	17	203	677	790	331	33	-	-
Ninth	1,417	-	-	4	88	400	604	297	24	-	-
Tenth and over	2,792	-	-	8	50	421	1,153	990	166	2	2
Not stated	112	-	13	38	26	22	10	3	-	-	-
Nonwhite	10,828	85	2,519	3,890	2,066	1,315	723	219	8	1	2
First	3,781	85	1,739	1,406	360	132	53	6	-	-	-
Second	2,381	-	603	1,121	420	172	52	12	-	1	-
Third	1,490	-	142	735	372	168	59	14	-	-	-
Fourth	965	-	33	375	302	168	76	11	-	-	-
Fifth	676	-	2	181	244	158	72	17	1	-	1
Sixth	471	-	-	51	184	150	68	18	-	-	-
Seventh	289	-	-	15	89	108	63	13	1	-	-
Eighth	240	-	-	1	53	101	65	20	-	-	-
Ninth	166	-	-	1	21	60	59	23	2	-	-
Tenth and over	363	-	-	1	21	97	154	85	4	-	1
Not stated	6	-	-	3	-	1	2	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
RHODE ISLAND	14,182	1	796	4,371	4,616	2,821	1,247	297	26	-	7
White	13,896	1	732	4,278	4,555	2,781	1,226	290	26	-	7
First	6,472	1	598	2,776	2,063	771	229	31	2	-	1
Second	3,484	-	89	914	1,347	861	244	27	1	-	1
Third	1,646	-	11	296	580	481	239	38	1	-	-
Fourth	712	-	2	72	211	246	147	32	1	-	1
Fifth	403	-	-	26	95	148	95	38	1	-	-
Sixth	209	-	-	3	38	59	81	25	3	-	-
Seventh	155	-	-	2	24	48	55	24	2	-	-
Eighth	88	-	-	-	8	27	34	15	3	-	1
Ninth	53	-	-	-	3	9	22	13	5	-	1
Tenth and over	100	-	-	-	2	18	34	38	7	-	1
Not stated	574	-	32	189	184	113	46	9	-	-	1
Nonwhite	286	-	64	93	61	40	21	7	-	-	-
First	110	-	46	41	16	5	1	1	-	-	-
Second	57	-	13	25	12	3	4	-	-	-	-
Third	29	-	2	13	10	4	-	-	-	-	-
Fourth	26	-	2	7	6	7	3	1	-	-	-
Fifth	21	-	-	6	10	3	2	-	-	-	-
Sixth	12	-	-	1	6	4	1	-	-	-	-
Seventh	11	-	-	-	1	7	2	1	-	-	-
Eighth	4	-	-	-	-	2	2	-	-	-	-
Ninth	7	-	-	-	-	3	3	1	-	-	-
Tenth and over	8	-	-	-	-	2	3	3	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA	48,835	135	9,643	17,084	10,916	6,331	3,478	1,013	103	4	128
White	25,865	18	4,086	9,174	6,307	3,795	1,830	558	41	1	55
First	10,542	18	3,295	4,539	1,829	644	168	23	3	-	25
Second	5,993	-	678	2,675	1,632	759	216	24	-	-	9
Third	3,433	-	98	1,318	1,150	617	211	33	2	-	4
Fourth	2,007	-	12	461	800	502	184	38	1	1	8
Fifth	1,212	-	1	135	474	392	162	43	2	-	3
Sixth	861	-	-	28	243	346	199	43	2	-	-
Seventh	629	-	-	8	95	266	204	50	4	-	2
Eighth	417	-	-	1	38	142	174	57	4	-	1
Ninth	288	-	-	-	21	68	122	71	5	-	1
Tenth and over	427	-	-	1	9	43	182	174	18	-	-
Not stated	56	-	2	8	16	16	10	2	-	-	2
Nonwhite	22,970	117	5,557	7,910	4,609	2,536	1,648	455	62	3	73
First	6,903	115	3,961	2,136	457	123	70	14	2	-	25
Second	4,198	2	1,241	2,193	534	150	52	11	-	-	15
Third	3,076	-	300	1,754	730	194	82	9	-	-	7
Fourth	2,375	-	40	1,087	803	302	119	14	5	-	5
Fifth	1,750	-	11	463	796	332	121	20	3	-	4
Sixth	1,356	-	1	174	622	365	161	26	2	-	5
Seventh	961	-	-	50	349	352	173	34	1	-	2
Eighth	690	-	-	22	151	266	201	45	3	-	2
Ninth	557	-	-	6	74	207	218	45	5	-	2
Tenth and over	997	-	-	3	57	224	437	230	41	3	2
Not stated	107	-	3	22	36	21	14	7	-	-	4
SOUTH DAKOTA	12,424	6	944	3,813	3,580	2,345	1,211	430	36	-	59
White	11,627	3	859	3,553	3,361	2,218	1,126	397	36	-	54
First	4,172	3	729	1,803	1,053	335	114	18	1	-	16
Second	2,877	-	121	1,085	986	476	165	32	-	-	12
Third	1,843	-	7	413	706	484	186	35	2	-	10
Fourth	990	-	-	107	339	334	157	42	3	-	8
Fifth	607	-	-	32	188	215	128	37	5	-	2
Sixth	361	-	-	7	76	145	86	42	5	-	-
Seventh	257	-	-	1	19	110	85	36	3	-	3
Eighth	163	-	-	-	10	63	63	26	-	-	1
Ninth	121	-	-	-	-	26	61	30	4	-	-
Tenth and over	219	-	-	1	1	23	80	99	13	-	2
Not stated	17	-	2	4	3	7	1	-	-	-	-
Nonwhite	797	3	85	260	199	127	85	33	-	-	5
First	185	3	58	91	22	10	1	-	-	-	-
Second	139	-	19	75	31	11	1	1	-	-	1
Third	120	-	2	54	41	15	5	2	-	-	1
Fourth	81	-	-	21	46	9	4	-	-	-	1
Fifth	81	-	-	5	34	26	14	2	-	-	-
Sixth	42	-	1	-	6	19	13	3	-	-	-
Seventh	34	-	-	-	5	13	13	2	-	-	1
Eighth	22	-	-	-	3	7	9	3	-	-	-
Ninth	22	-	-	-	1	6	11	4	-	-	-
Tenth and over	31	-	-	-	1	3	12	15	-	-	-
Not stated	40	-	5	14	9	8	2	1	-	-	1
TENNESSEE	65,147	149	11,145	21,163	15,340	9,793	5,580	1,708	161	8	100
White	54,900	55	8,476	18,178	13,239	8,452	4,799	1,474	140	4	83
First	19,750	55	6,527	8,241	3,308	1,195	356	46	2	1	19
Second	12,617	-	1,594	5,585	3,352	1,516	492	54	4	-	20
Third	7,382	-	254	2,725	2,531	1,319	460	78	5	1	9
Fourth	4,681	-	29	1,088	1,892	1,111	446	93	7	-	15
Fifth	3,084	-	6	338	1,094	970	542	113	14	-	7
Sixth	2,244	-	5	79	572	900	559	120	6	-	3
Seventh	1,558	-	-	23	265	625	473	141	6	-	5
Eighth	1,200	-	-	9	93	437	482	160	17	-	2
Ninth	823	-	-	5	38	207	371	183	19	-	-
Tenth and over	1,295	-	-	1	26	139	590	478	59	2	-
Not stated	286	-	61	84	68	33	28	8	1	-	3

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
TENNESSEE—Continued											
Nonwhite	10,247	94	2,669	2,985	2,101	1,341	781	234	21	4	17
First	3,102	92	1,788	796	279	92	42	4	2	1	6
Second	1,931	2	637	801	303	135	45	5	-	-	3
Third	1,450	-	168	709	352	147	62	7	-	1	4
Fourth	1,024	-	35	409	385	136	45	11	1	-	2
Fifth	708	-	6	159	293	175	57	16	1	-	1
Sixth	558	-	1	51	229	180	82	13	1	1	-
Seventh	430	-	-	16	143	164	80	27	-	-	-
Eighth	318	-	-	10	62	126	93	24	2	-	1
Ninth	225	-	-	6	21	94	86	17	1	-	-
Tenth and over	414	-	-	3	23	84	184	107	12	1	-
Not stated	87	-	34	25	11	8	5	3	1	-	-
TEXAS	144,742	278	23,400	48,981	35,320	21,882	11,161	2,964	187	17	552
White	126,424	128	18,638	43,255	31,918	19,518	9,762	2,594	147	11	453
First	48,715	128	14,476	20,988	8,912	3,171	839	91	6	1	123
Second	29,297	-	3,000	12,388	8,605	3,937	1,121	142	1	1	102
Third	14,111	-	336	4,681	4,940	2,858	1,081	146	7	-	62
Fourth	7,309	-	33	1,389	2,800	2,001	872	173	6	2	33
Fifth	4,051	-	3	343	1,381	1,365	768	169	6	1	15
Sixth	2,457	-	1	57	590	946	674	188	6	1	14
Seventh	1,496	-	-	16	196	604	514	154	11	-	1
Eighth	927	-	-	4	67	295	394	148	9	1	9
Ninth	526	-	-	1	8	127	272	105	10	1	2
Tenth and over	619	-	-	3	12	66	288	224	18	-	8
Not stated	16,916	-	789	3,405	4,407	4,148	2,939	1,074	67	3	84
Nonwhite	18,318	150	4,762	5,726	3,402	2,364	1,399	370	40	6	99
First	5,741	150	3,243	1,668	425	169	58	8	-	-	20
Second	3,334	-	983	1,529	488	233	81	7	-	-	13
Third	1,969	-	180	1,029	477	196	65	10	-	1	11
Fourth	1,206	-	13	431	453	221	66	9	1	1	11
Fifth	814	-	1	175	348	186	82	15	1	-	6
Sixth	612	-	-	47	226	218	102	15	1	-	3
Seventh	406	-	-	7	112	161	106	15	3	-	2
Eighth	278	-	-	-	42	127	79	24	2	-	4
Ninth	188	-	-	1	14	67	74	28	1	-	3
Tenth and over	240	-	-	2	5	48	108	64	10	1	2
Not stated	3,530	-	342	837	812	738	578	175	21	3	24
UTAH	15,822	2	1,580	5,565	4,485	2,502	1,277	376	30	-	5
White	15,633	2	1,563	5,496	4,430	2,479	1,262	369	27	-	5
First	5,615	2	1,282	2,793	1,125	323	88	18	2	-	2
Second	4,126	-	266	1,757	1,428	509	147	18	-	-	1
Third	2,555	-	29	673	1,000	589	230	31	2	-	1
Fourth	1,448	-	4	206	512	451	233	40	1	-	1
Fifth	776	-	1	53	222	271	181	45	3	-	-
Sixth	460	-	-	10	99	162	146	41	2	-	-
Seventh	259	-	-	2	26	97	86	45	3	-	-
Eighth	146	-	-	-	13	39	61	27	6	-	-
Ninth	108	-	-	-	3	23	39	41	-	-	-
Tenth and over	137	-	-	-	-	15	51	63	8	-	-
Not stated	5	-	1	2	2	-	-	-	-	-	-
Nonwhite	189	-	17	69	55	23	15	7	3	-	-
First	40	-	11	20	8	1	-	-	-	-	-
Second	40	-	5	21	11	3	-	-	-	-	-
Third	28	-	-	13	13	2	-	-	-	-	-
Fourth	25	-	-	12	6	5	1	-	1	-	-
Fifth	16	-	-	2	9	1	4	-	-	-	-
Sixth	13	-	-	-	6	3	3	-	1	-	-
Seventh	6	-	-	1	2	-	-	3	-	-	-
Eighth	6	-	-	-	-	3	1	2	-	-	-
Ninth	6	-	-	-	-	4	1	-	1	-	-
Tenth and over	8	-	-	-	-	1	5	2	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-
VERMONT	7,175	2	763	2,233	1,986	1,301	655	214	13	-	8
White	7,174	2	763	2,233	1,985	1,301	655	214	13	-	8
First	2,468	2	567	1,019	538	260	72	8	1	-	1
Second	1,816	-	160	711	543	286	96	18	1	-	1
Third	1,034	-	21	296	386	207	109	11	1	-	3
Fourth	622	-	4	126	227	172	70	20	2	-	1
Fifth	390	-	-	43	142	110	68	26	1	-	-
Sixth	233	-	-	11	70	75	52	23	-	-	2
Seventh	171	-	-	2	33	67	46	23	-	-	-
Eighth	134	-	-	2	18	48	47	18	1	-	-
Ninth	71	-	-	-	3	26	30	11	1	-	-
Tenth and over	149	-	-	-	1	34	57	52	5	-	-
Not stated	86	-	11	23	24	16	8	4	-	-	-
Nonwhite	1	-	-	-	1	-	-	-	-	-	-
First	1	-	-	-	1	-	-	-	-	-	-
Second	-	-	-	-	-	-	-	-	-	-	-
Third	-	-	-	-	-	-	-	-	-	-	-
Fourth	-	-	-	-	-	-	-	-	-	-	-
Fifth	-	-	-	-	-	-	-	-	-	-	-
Sixth	-	-	-	-	-	-	-	-	-	-	-
Seventh	-	-	-	-	-	-	-	-	-	-	-
Eighth	-	-	-	-	-	-	-	-	-	-	-
Ninth	-	-	-	-	-	-	-	-	-	-	-
Tenth and over	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
VIRGINIA	67,950	175	10,983	22,329	16,756	10,440	5,294	1,698	160	3	112
White	50,911	41	6,670	16,804	13,503	8,335	4,124	1,256	110	1	67
First	19,289	40	4,720	7,946	4,355	1,719	435	49	1	-	24
Second	11,634	1	1,346	4,590	3,350	1,707	548	80	2	-	10
Third	6,165	-	283	2,202	2,003	1,137	447	83	3	-	7
Fourth	3,671	-	40	964	1,358	850	380	72	4	-	3
Fifth	2,287	-	5	302	869	707	321	78	3	-	2
Sixth	1,854	-	6	91	546	595	324	82	7	-	3
Seventh	1,244	-	-	26	269	506	342	95	4	-	2
Eighth	939	-	-	2	95	375	344	115	7	-	1
Ninth	650	-	-	3	55	194	285	103	9	-	1
Tenth and over	1,220	-	-	1	20	186	506	438	66	1	2
Not stated	2,158	-	270	677	583	359	192	61	4	-	12
Nonwhite	17,039	134	4,313	5,525	3,253	2,105	1,170	442	50	2	45
First	4,150	134	2,284	1,252	319	121	33	3	-	-	4
Second	3,001	-	1,119	1,266	407	157	40	5	-	-	7
Third	2,201	-	391	1,132	440	179	44	8	1	-	6
Fourth	1,582	-	114	744	455	196	57	9	1	-	6
Fifth	1,150	-	20	368	457	208	77	17	1	-	2
Sixth	883	-	4	149	369	240	97	20	1	1	2
Seventh	689	-	-	82	224	237	119	23	3	-	1
Eighth	516	-	-	23	135	203	106	43	6	-	-
Ninth	374	-	-	8	45	162	113	41	2	-	3
Tenth and over	916	-	-	4	56	212	376	232	30	-	6
Not stated	1,597	-	381	517	346	190	108	41	5	1	8
WASHINGTON	39,007	13	4,287	14,591	11,187	5,932	2,338	571	54	-	34
White	38,244	8	4,178	14,316	10,999	5,830	2,281	549	51	-	32
First	17,888	8	3,431	8,250	4,298	1,460	369	54	4	-	14
Second	10,855	-	647	4,143	3,652	1,863	480	66	-	-	4
Third	4,853	-	83	1,373	1,715	1,131	468	72	5	-	6
Fourth	2,127	-	10	387	743	598	319	66	4	-	-
Fifth	1,053	-	1	104	352	335	191	63	4	-	3
Sixth	605	-	-	27	144	213	158	58	4	-	1
Seventh	320	-	-	3	55	102	113	40	6	-	1
Eighth	178	-	-	2	20	57	87	27	5	-	-
Ninth	110	-	-	2	6	31	40	28	3	-	-
Tenth and over	190	-	-	-	3	27	72	71	16	-	1
Not stated	65	-	6	25	11	13	4	4	-	-	2
Nonwhite	763	5	109	275	188	102	57	22	3	-	2
First	238	5	77	109	40	4	2	-	-	-	1
Second	161	-	21	75	44	17	2	1	-	-	1
Third	103	-	8	46	27	16	5	1	-	-	-
Fourth	78	-	2	30	30	9	5	2	-	-	-
Fifth	52	-	-	12	17	13	9	1	-	-	-
Sixth	45	-	-	2	23	11	5	4	-	-	-
Seventh	29	-	-	-	2	16	9	1	1	-	-
Eighth	18	-	-	-	4	7	7	-	-	-	-
Ninth	5	-	-	-	-	3	2	-	-	-	-
Tenth and over	30	-	-	-	-	6	10	12	2	-	-
Not stated	4	-	1	1	1	-	1	-	-	-	-
WEST VIRGINIA	43,922	54	7,021	14,776	10,538	6,418	3,610	1,193	126	1	185
White	41,412	35	6,376	13,978	10,076	6,107	3,413	1,139	119	1	168
First	13,104	35	4,542	5,479	2,055	726	197	31	3	-	36
Second	8,983	-	1,404	4,163	2,218	879	253	32	2	-	32
Third	5,865	-	281	2,491	1,870	887	274	44	6	-	32
Fourth	3,788	-	55	1,111	1,466	754	318	60	5	-	19
Fifth	2,614	-	3	417	1,093	720	302	66	1	-	12
Sixth	1,898	-	-	116	675	675	344	76	5	-	7
Seventh	1,430	-	-	33	345	582	383	98	5	-	4
Eighth	1,055	-	-	11	148	412	361	107	11	-	5
Ninth	774	-	-	6	53	235	341	127	10	-	2
Tenth and over	1,391	-	-	1	29	191	613	480	69	1	7
Not stated	510	-	91	150	124	66	47	18	2	-	12
Nonwhite	2,510	19	645	798	462	311	197	54	7	-	17
First	744	19	430	213	56	18	3	1	-	-	4
Second	476	-	149	228	60	22	13	2	-	-	2
Third	338	-	45	191	59	35	6	-	-	-	2
Fourth	239	-	8	92	66	52	17	2	-	-	2
Fifth	191	-	-	44	85	40	16	3	-	-	3
Sixth	129	-	-	17	66	25	17	4	-	-	-
Seventh	95	-	-	3	28	37	21	5	-	-	1
Eighth	77	-	-	3	22	26	20	5	1	-	-
Ninth	71	-	-	-	11	29	24	4	2	-	1
Tenth and over	111	-	-	-	1	24	54	28	4	-	-
Not stated	39	-	13	7	8	3	6	-	-	-	2
WISCONSIN	63,982	18	4,431	20,734	19,915	11,621	5,481	1,635	133	2	12
White	63,329	14	4,338	20,522	19,764	11,517	5,417	1,613	130	2	12
First	25,539	14	3,616	11,737	6,952	2,457	667	89	3	-	4
Second	16,448	-	625	5,738	6,122	2,931	895	129	5	1	2
Third	8,877	-	86	2,114	3,342	2,281	876	166	11	-	1
Fourth	4,944	-	11	690	1,819	1,430	792	194	5	1	2
Fifth	2,679	-	-	177	828	916	572	171	14	-	1
Sixth	1,664	-	-	39	415	585	453	162	10	-	-
Seventh	1,085	-	-	12	172	383	353	153	11	-	1
Eighth	711	-	-	4	65	242	247	140	12	-	1
Ninth	525	-	-	3	28	152	224	108	10	-	-
Tenth and over	837	-	-	1	16	134	338	299	49	-	-
Not stated	20	-	-	7	5	6	-	2	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 104)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
WISCONSIN—Continued											
Nonwhite	853	4	93	212	151	104	64	22	3	-	-
First	155	4	68	58	15	7	2	1	-	-	-
Second	123	-	19	71	24	5	3	1	-	-	-
Third	87	-	5	49	24	7	1	1	-	-	-
Fourth	54	-	-	21	23	9	1	-	-	-	-
Fifth	55	-	-	10	26	14	4	1	-	-	-
Sixth	56	-	-	1	26	15	13	1	-	-	-
Seventh	40	-	-	1	7	19	8	4	1	-	-
Eighth	27	-	-	-	3	15	6	3	-	-	-
Ninth	17	-	-	-	1	5	9	1	1	-	-
Tenth and over	32	-	-	-	1	7	15	8	1	-	-
Not stated	7	-	1	1	1	1	2	1	-	-	-
WYOMING	5,567	-	713	1,915	1,539	823	448	112	11	-	6
White	5,401	-	683	1,864	1,494	802	436	106	10	-	6
First	1,971	-	509	839	423	150	44	4	1	-	1
Second	1,443	-	128	643	435	170	60	4	-	-	3
Third	791	-	28	244	297	152	56	11	1	-	2
Fourth	439	-	3	77	168	118	61	11	1	-	-
Fifth	251	-	-	24	88	80	45	14	-	-	-
Sixth	163	-	-	10	36	50	52	14	1	-	-
Seventh	87	-	-	2	17	27	32	9	-	-	-
Eighth	47	-	-	-	3	10	19	13	2	-	-
Ninth	52	-	-	-	2	15	24	11	-	-	-
Tenth and over	75	-	-	-	4	16	39	14	2	-	-
Not stated	82	-	15	25	21	14	4	1	2	-	-
Nonwhite	166	-	30	51	45	21	12	6	1	-	-
First	46	-	20	15	10	1	-	-	-	-	-
Second	28	-	9	13	5	1	-	-	-	-	-
Third	28	-	1	14	9	3	1	-	-	-	-
Fourth	13	-	-	5	7	1	-	-	-	-	-
Fifth	7	-	-	3	2	2	-	-	-	-	-
Sixth	14	-	-	-	6	6	2	-	-	-	-
Seventh	7	-	-	-	4	1	2	-	-	-	-
Eighth	9	-	-	-	2	2	4	1	-	-	-
Ninth	7	-	-	-	-	4	1	2	-	-	-
Tenth and over	6	-	-	-	-	-	2	3	1	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1942

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,808,996	14	49,261	575,972	835,721	617,592	362,045	171,806	76,040	27,542	16,750	76,252
10 to 14 years	3,566	6	698	764	158	58	34	16	6	8	7	1,811
15 to 19 years	341,315	8	40,373	192,790	56,824	12,395	3,981	1,329	552	247	239	32,577
20 to 24 years	927,661	-	7,675	343,044	399,275	111,229	29,089	9,053	3,364	1,258	996	22,678
25 to 29 years	782,699	-	372	35,160	336,518	278,188	86,051	23,243	8,648	3,117	2,184	9,118
30 to 34 years	462,380	-	60	3,047	38,010	192,619	149,609	49,168	15,867	5,598	3,524	4,878
35 to 39 years	220,999	-	22	464	3,650	21,183	86,891	65,614	26,538	8,543	5,254	2,840
40 to 44 years	60,867	-	10	81	347	1,246	5,813	22,595	18,837	7,353	3,782	803
45 to 49 years	4,939	-	1	15	34	40	133	528	2,092	1,327	692	77
50 to 54 years	169	-	-	4	8	18	28	17	14	43	30	7
Not stated	4,401	-	50	603	797	616	417	243	122	48	42	1,463
ALABAMA	71,136	-	1,852	15,698	17,580	12,861	8,633	4,472	2,275	912	791	6,062
10 to 14 years	243	-	28	45	2	1	3	1	1	1	-	161
15 to 19 years	13,271	-	1,521	6,531	1,939	411	167	57	20	7	12	2,606
20 to 24 years	22,687	-	266	8,175	8,649	2,711	819	298	129	51	45	1,544
25 to 29 years	16,294	-	23	790	6,086	5,561	1,997	575	287	118	110	747
30 to 34 years	10,271	-	4	79	735	3,681	3,388	1,139	455	206	177	407
35 to 39 years	5,956	-	2	12	93	411	2,099	1,770	765	261	245	298
40 to 44 years	1,720	-	1	2	5	24	115	584	545	209	168	67
45 to 49 years	166	-	-	-	3	3	3	18	56	49	26	8
50 to 54 years	15	-	-	1	1	2	-	4	-	2	2	3
Not stated	513	-	7	63	67	56	42	26	17	8	6	221
ARIZONA	12,664	-	252	2,840	3,620	2,595	1,668	842	382	165	116	184
10 to 14 years	10	-	3	4	-	-	-	-	-	-	-	3
15 to 19 years	1,902	-	220	1,095	380	95	43	9	4	1	-	55
20 to 24 years	4,465	-	25	1,581	1,848	629	203	72	32	12	8	55
25 to 29 years	3,123	-	4	138	1,225	1,103	423	130	36	23	13	28
30 to 34 years	1,879	-	-	18	146	661	653	253	69	30	30	19
35 to 39 years	943	-	-	2	16	95	318	274	138	50	36	14
40 to 44 years	293	-	-	1	2	8	25	99	86	44	25	3
45 to 49 years	31	-	-	-	-	2	2	3	14	5	4	1
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	17	-	-	1	3	2	1	1	3	-	-	6
ARKANSAS	42,680	1	1,453	10,512	10,804	7,991	5,183	2,886	1,522	679	498	1,151
10 to 14 years	143	-	50	42	8	5	3	-	-	2	-	33
15 to 19 years	8,578	1	1,189	4,819	1,451	362	138	52	22	9	10	525
20 to 24 years	13,875	-	190	5,064	5,537	1,873	590	211	71	27	30	282
25 to 29 years	9,049	-	12	452	3,290	3,293	1,234	350	179	72	58	109
30 to 34 years	6,030	-	4	54	387	2,113	2,029	784	324	154	111	70
35 to 39 years	3,521	-	1	17	68	269	1,098	1,107	508	218	184	51
40 to 44 years	1,102	-	3	5	6	27	55	354	374	173	92	13
45 to 49 years	73	-	-	-	2	-	3	9	31	18	10	-
50 to 54 years	4	-	-	-	1	-	-	-	1	2	-	-
Not stated	305	-	4	59	54	49	33	19	12	4	3	68
CALIFORNIA	154,567	-	2,397	35,209	50,773	34,302	18,400	8,106	3,214	1,118	582	466
10 to 14 years	82	-	31	19	7	4	3	1	1	1	1	14
15 to 19 years	18,678	-	2,041	11,983	3,497	708	216	55	13	9	6	150
20 to 24 years	56,118	-	313	21,027	24,924	7,079	1,860	557	147	41	20	150
25 to 29 years	44,499	-	7	1,947	19,802	15,414	5,117	1,476	477	121	68	70
30 to 34 years	23,265	-	-	193	2,275	9,880	7,166	2,528	835	233	112	43
35 to 39 years	9,464	-	3	23	226	1,122	3,769	2,643	1,074	378	202	24
40 to 44 years	2,227	-	-	2	21	76	255	820	607	290	149	7
45 to 49 years	144	-	-	-	1	2	5	17	56	43	20	-
50 to 54 years	5	-	-	-	-	-	1	-	-	2	2	-
Not stated	85	-	2	15	20	17	8	9	4	-	2	8
COLORADO	23,566	-	449	5,165	7,042	5,140	2,918	1,465	719	273	173	222
10 to 14 years	16	-	2	4	4	1	1	-	-	-	-	4
15 to 19 years	2,936	-	363	1,730	586	127	41	10	8	2	2	67
20 to 24 years	8,259	-	75	3,082	3,460	1,077	326	106	42	14	11	66
25 to 29 years	6,317	-	4	311	2,644	2,188	780	224	80	37	15	34
30 to 34 years	3,667	-	2	30	293	1,523	1,133	398	155	69	36	28
35 to 39 years	1,751	-	2	2	36	200	589	555	222	80	54	11
40 to 44 years	528	-	-	1	4	10	44	165	198	56	46	4
45 to 49 years	41	-	-	-	1	-	-	2	13	15	8	2
Not stated	51	-	1	5	14	14	4	5	1	-	1	6
CONNECTICUT	37,264	-	251	6,309	12,809	9,371	5,027	1,986	746	232	79	454
10 to 14 years	8	-	1	-	-	-	-	-	-	-	-	7
15 to 19 years	1,988	-	202	1,226	373	60	10	-	1	1	-	115
20 to 24 years	11,721	-	47	4,382	5,505	1,293	235	67	18	3	4	167
25 to 29 years	12,716	-	1	652	6,081	4,431	1,108	251	72	23	8	89
30 to 34 years	7,141	-	-	35	783	3,216	2,210	629	174	43	15	36
35 to 39 years	2,954	-	-	7	49	342	1,350	788	288	80	27	23
40 to 44 years	627	-	-	2	2	20	95	239	177	67	20	5
45 to 49 years	50	-	-	-	-	-	6	8	15	15	5	1
50 to 54 years	5	-	-	-	-	1	3	1	-	-	-	-
Not stated	54	-	-	5	16	8	10	3	1	-	-	11
DELAWARE	5,657	1	103	1,198	1,608	1,231	708	306	125	35	23	319
10 to 14 years	14	-	-	1	-	-	-	-	-	-	-	13
15 to 19 years	793	1	88	409	90	23	10	2	-	-	1	169
20 to 24 years	1,833	-	15	719	722	220	50	10	7	3	1	86
25 to 29 years	1,512	-	-	63	712	507	152	36	14	4	2	22
30 to 34 years	934	-	-	4	82	417	292	94	23	6	2	14
35 to 39 years	429	-	-	-	1	61	184	117	38	13	9	6
40 to 44 years	121	-	-	1	1	2	18	46	36	7	8	2
45 to 49 years	11	-	-	-	-	1	1	1	6	2	-	-
50 to 54 years	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	9	-	-	1	-	-	1	-	-	-	-	7

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	15,179	-	271	3,118	4,461	3,087	1,715	726	310	98	42	1,351
10 to 14 years	53	-	2	4	-	-	-	-	-	-	-	47
15 to 19 years	2,129	-	233	1,043	216	43	14	1	2	1	-	576
20 to 24 years	5,119	-	34	1,849	2,094	529	162	45	14	3	3	385
25 to 29 years	4,154	-	1	188	1,879	1,343	423	118	38	11	10	143
30 to 34 years	2,431	-	-	23	239	1,048	697	223	86	22	11	82
35 to 39 years	964	-	-	5	25	114	385	248	100	35	13	39
40 to 44 years	229	-	-	2	1	5	31	86	68	22	4	10
45 to 49 years	11	-	-	-	-	1	1	2	2	4	1	-
50 to 54 years	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	88	-	1	4	7	3	2	3	-	-	-	68
FLORIDA	40,901	-	870	8,943	11,032	7,935	4,983	2,552	1,195	453	446	2,482
10 to 14 years	130	-	19	33	4	2	1	-	-	-	1	70
15 to 19 years	7,593	-	727	3,765	1,305	325	139	55	21	8	7	1,241
20 to 24 years	13,675	-	114	4,545	5,416	1,937	656	236	101	45	33	592
25 to 29 years	9,889	-	8	497	3,765	3,320	1,285	411	201	78	61	263
30 to 34 years	5,717	-	1	66	441	2,013	1,326	742	266	109	108	145
35 to 39 years	2,961	-	1	8	54	295	998	836	392	118	142	107
40 to 44 years	722	-	-	-	7	19	60	257	192	88	80	19
45 to 49 years	50	-	-	1	-	1	3	5	14	15	10	1
50 to 54 years	8	-	-	-	1	-	2	1	-	-	3	1
Not stated	156	-	-	28	29	23	13	9	8	2	1	43
GEORGIA	72,491	-	2,008	17,315	18,675	13,190	8,266	4,161	2,094	872	784	5,126
10 to 14 years	251	-	27	44	9	2	-	2	-	1	-	166
15 to 19 years	13,983	-	1,671	7,136	1,993	434	151	45	24	14	7	2,508
20 to 24 years	24,149	-	298	9,178	9,349	2,706	787	262	115	51	49	1,354
25 to 29 years	16,659	-	12	859	6,445	5,766	1,989	528	244	110	108	598
30 to 34 years	10,222	-	-	79	756	3,808	3,325	1,173	435	199	189	258
35 to 39 years	5,495	-	-	10	96	432	1,900	1,616	744	271	254	172
40 to 44 years	1,523	-	-	1	16	25	109	514	486	179	146	47
45 to 49 years	152	-	-	-	1	4	2	20	46	47	29	3
50 to 54 years	3	-	-	-	-	1	-	-	-	-	2	-
Not stated	54	-	-	8	10	12	3	1	-	-	-	20
IDAHO	11,454	-	148	2,458	3,592	2,514	1,439	688	344	138	68	65
10 to 14 years	7	-	2	3	1	1	-	-	-	-	-	-
15 to 19 years	1,471	-	124	893	341	64	21	7	4	-	1	16
20 to 24 years	4,132	-	20	1,418	1,852	599	149	45	15	3	3	28
25 to 29 years	2,926	-	2	132	1,236	1,057	357	81	31	14	4	12
30 to 34 years	1,762	-	-	9	142	713	592	183	70	32	17	4
35 to 39 years	850	-	-	1	13	75	306	260	132	36	23	4
40 to 44 years	267	-	-	-	2	4	12	108	80	41	19	1
45 to 49 years	28	-	-	-	-	-	1	4	12	10	1	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	10	-	-	2	5	1	1	-	-	1	-	-
ILLINOIS	156,232	-	1,963	29,033	50,171	36,521	20,615	9,039	3,588	1,092	537	3,673
10 to 14 years	92	-	7	13	3	2	-	-	-	-	-	67
15 to 19 years	14,359	-	1,643	8,382	2,308	468	130	52	18	6	6	1,346
20 to 24 years	50,973	-	300	18,542	23,155	5,664	1,467	419	130	42	30	1,224
25 to 29 years	48,506	-	12	1,939	22,263	17,078	4,827	1,250	411	109	70	547
30 to 34 years	27,251	-	1	129	2,225	12,127	8,856	2,559	758	222	114	260
35 to 39 years	11,741	-	-	12	177	1,116	5,003	3,488	1,301	339	162	143
40 to 44 years	2,981	-	-	-	15	41	320	1,238	871	314	134	48
45 to 49 years	209	-	-	-	4	1	5	24	95	54	20	6
50 to 54 years	8	-	-	-	1	-	-	1	1	5	-	-
Not stated	112	-	-	16	20	24	7	8	3	1	1	32
INDIANA	73,706	-	1,628	18,003	22,392	15,365	8,643	4,117	1,723	647	343	845
10 to 14 years	53	-	16	17	3	2	1	1	-	1	-	12
15 to 19 years	9,725	-	1,345	6,233	1,432	296	80	26	12	4	5	292
20 to 24 years	26,103	-	257	10,659	11,105	2,802	660	243	80	32	21	244
25 to 29 years	19,601	-	5	968	8,784	6,991	1,939	510	170	65	53	115
30 to 34 years	10,956	-	-	74	933	4,722	3,566	1,046	363	131	66	55
35 to 39 years	5,339	-	-	10	75	489	2,219	1,635	570	186	115	40
40 to 44 years	1,553	-	1	1	8	30	155	627	460	195	67	9
45 to 49 years	121	-	-	1	1	1	-	13	62	30	11	2
50 to 54 years	3	-	-	-	-	-	1	-	-	2	-	-
Not stated	252	-	4	40	51	32	22	16	6	1	5	75
IOWA	48,454	-	675	10,010	14,850	10,802	6,159	3,158	1,340	463	225	772
10 to 14 years	18	-	3	1	1	-	-	-	-	-	-	13
15 to 19 years	4,773	-	536	2,839	838	159	44	14	5	5	1	332
20 to 24 years	16,492	-	133	6,417	7,142	1,904	426	124	41	21	12	272
25 to 29 years	13,702	-	2	708	6,078	4,882	1,397	347	118	52	24	94
30 to 34 years	7,999	-	-	34	716	3,430	2,541	862	253	85	48	30
35 to 39 years	4,084	-	1	7	68	395	1,621	1,303	461	136	73	19
40 to 44 years	1,260	-	-	1	4	28	128	492	416	137	51	3
45 to 49 years	105	-	-	-	-	-	1	15	46	26	14	3
50 to 54 years	3	-	-	-	-	-	-	-	-	1	2	-
Not stated	18	-	-	3	3	4	1	1	-	-	-	6
KANSAS	33,920	-	625	7,492	10,032	7,274	4,251	2,130	940	370	181	625
10 to 14 years	18	-	3	6	-	-	-	-	-	-	-	9
15 to 19 years	3,971	-	506	2,356	635	145	34	11	4	5	3	272
20 to 24 years	11,604	-	111	4,628	4,841	1,347	318	101	31	16	8	203
25 to 29 years	9,168	-	2	450	4,007	3,248	956	293	94	27	23	68
30 to 34 years	5,489	-	-	36	484	2,244	1,810	568	195	72	41	39
35 to 39 years	2,746	-	1	3	43	263	1,061	862	308	132	58	15
40 to 44 years	791	-	-	-	4	13	59	286	281	97	42	9
45 to 49 years	58	-	-	1	-	1	1	5	24	20	6	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	74	-	2	12	18	13	12	4	3	-	-	10

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY	66,267	1	1,737	15,050	17,845	13,007	8,701	4,982	2,492	1,007	797	648
10 to 14 years	107	1	30	41	12	2	1	1	-	-	-	19
15 to 19 years	10,564	-	1,375	6,057	2,048	481	193	73	33	12	23	269
20 to 24 years	21,383	-	302	7,864	8,781	2,850	834	288	136	64	62	202
25 to 29 years	15,580	-	19	930	6,034	5,478	1,918	602	263	137	125	74
30 to 34 years	10,137	-	11	115	813	3,643	3,469	1,241	447	194	170	34
35 to 39 years	6,114	-	-	24	120	508	2,118	1,963	851	285	229	16
40 to 44 years	2,107	-	-	8	17	35	157	788	684	266	144	8
45 to 49 years	197	-	-	2	2	2	3	23	77	46	41	1
50 to 54 years	7	-	-	-	-	1	-	1	1	1	3	-
Not stated	71	-	-	9	18	7	8	2	-	2	-	25
LOUISIANA	58,093	-	1,650	13,448	15,544	11,413	7,145	3,546	1,798	715	523	2,311
10 to 14 years	155	-	37	39	5	5	5	1	1	-	-	62
15 to 19 years	10,284	-	1,402	5,563	1,605	463	168	59	17	8	18	981
20 to 24 years	19,538	-	197	7,130	7,808	2,520	821	281	105	50	40	586
25 to 29 years	13,820	-	8	591	5,356	4,781	1,779	538	268	111	86	302
30 to 34 years	8,267	-	1	67	623	3,166	2,686	922	381	155	93	173
35 to 39 years	4,426	-	1	14	84	405	1,558	1,309	582	198	163	112
40 to 44 years	1,235	-	-	3	8	34	95	412	388	154	103	38
45 to 49 years	110	-	-	-	2	2	2	8	45	32	18	1
50 to 54 years	5	-	-	-	-	-	1	1	1	2	-	-
Not stated	253	-	4	41	53	37	30	15	10	5	2	56
MAINE	17,719	-	372	3,905	5,226	3,732	2,177	1,123	513	199	114	358
10 to 14 years	16	-	6	2	-	-	1	1	-	-	-	6
15 to 19 years	2,204	-	269	1,217	462	91	26	9	-	2	1	127
20 to 24 years	6,073	-	87	2,377	2,424	730	195	68	26	17	6	143
25 to 29 years	4,736	-	10	281	2,022	1,629	522	138	50	23	15	46
30 to 34 years	2,726	-	-	25	281	1,090	841	302	115	39	17	16
35 to 39 years	1,443	-	-	2	34	174	532	425	178	51	33	14
40 to 44 years	483	-	-	-	2	18	59	176	132	54	38	4
45 to 49 years	35	-	-	-	-	-	1	4	12	13	4	1
Not stated	3	-	-	1	1	-	-	-	-	-	-	1
MARYLAND	44,237	2	1,294	10,785	13,111	9,152	5,313	2,447	1,000	339	171	623
10 to 14 years	112	-	56	23	5	2	3	1	-	-	1	21
15 to 19 years	6,672	2	1,087	4,015	1,013	204	65	24	9	4	2	247
20 to 24 years	15,022	-	138	6,088	6,359	1,602	436	142	45	26	22	164
25 to 29 years	11,546	-	10	567	5,033	4,127	1,246	321	130	32	14	66
30 to 34 years	6,726	-	-	58	593	2,837	2,160	713	209	65	35	56
35 to 39 years	3,121	-	-	14	79	344	1,296	906	320	95	43	24
40 to 44 years	845	-	-	2	7	22	89	325	247	94	46	13
45 to 49 years	78	-	-	-	-	-	4	7	39	20	8	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	114	-	3	18	22	14	14	8	1	2	-	32
MASSACHUSETTS	82,773	-	492	13,286	26,445	20,693	11,957	5,224	1,990	519	218	1,949
10 to 14 years	24	-	-	1	1	1	-	-	-	-	-	21
15 to 19 years	4,288	-	380	2,602	669	119	18	4	2	-	-	494
20 to 24 years	24,314	-	107	9,293	11,026	2,446	539	130	38	10	11	714
25 to 29 years	26,856	-	4	1,262	12,928	9,157	2,358	548	178	46	24	351
30 to 34 years	17,256	-	-	94	1,644	7,940	5,268	1,548	437	99	42	184
35 to 39 years	7,758	-	-	10	125	959	3,470	2,131	739	181	69	74
40 to 44 years	1,928	-	-	3	9	49	276	824	520	156	60	31
45 to 49 years	139	-	-	-	-	-	3	28	72	24	11	1
50 to 54 years	6	-	-	-	-	-	3	-	-	3	-	-
Not stated	204	-	1	21	43	22	22	11	4	-	1	79
MICHIGAN	123,886	-	1,801	26,855	39,751	26,955	15,453	7,231	3,032	1,004	420	1,384
10 to 14 years	66	-	17	10	5	2	1	1	-	-	-	30
15 to 19 years	12,721	-	1,487	7,961	2,100	454	115	29	14	3	3	545
20 to 24 years	43,947	-	280	17,151	19,503	4,848	1,182	371	107	38	28	439
25 to 29 years	36,034	-	15	1,588	16,324	12,583	3,809	1,030	342	96	57	190
30 to 34 years	19,367	-	-	106	1,643	8,107	6,350	2,152	667	192	62	88
35 to 39 years	8,985	-	-	15	139	875	3,731	2,669	1,030	343	133	50
40 to 44 years	2,445	-	-	1	13	55	248	946	770	286	115	11
45 to 49 years	199	-	-	2	1	-	7	24	99	44	22	-
50 to 54 years	3	-	-	-	-	1	-	-	1	-	-	1
Not stated	119	-	2	21	23	20	10	9	2	2	-	30
MINNESOTA	58,770	-	421	9,067	17,788	14,309	8,586	4,416	2,001	685	295	1,202
10 to 14 years	13	-	-	1	-	1	-	-	-	-	-	11
15 to 19 years	3,954	-	329	2,162	800	190	50	10	3	2	4	404
20 to 24 years	18,226	-	90	6,081	8,183	2,532	560	178	70	15	9	488
25 to 29 years	18,173	-	1	773	7,759	6,448	2,131	611	198	59	27	166
30 to 34 years	11,099	-	-	43	955	4,535	3,590	1,303	394	138	64	77
35 to 39 years	5,493	-	-	3	78	559	2,068	1,702	737	222	94	30
40 to 44 years	1,658	-	-	2	10	35	165	603	537	208	76	22
45 to 49 years	136	-	-	-	-	2	1	9	62	40	21	1
50 to 54 years	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	16	-	1	2	3	6	1	-	-	-	-	3
MISSISSIPPI	56,667	1	1,740	12,252	13,049	10,206	7,086	3,725	2,085	878	715	4,930
10 to 14 years	304	1	38	59	15	2	1	1	1	1	-	185
15 to 19 years	11,731	-	1,455	5,530	1,587	384	165	58	41	17	8	2,476
20 to 24 years	17,883	-	220	5,999	6,433	2,321	782	250	165	49	41	1,123
25 to 29 years	12,387	-	13	571	4,346	4,275	1,673	490	273	120	104	522
30 to 34 years	8,304	-	2	70	564	2,838	2,719	992	416	203	178	322
35 to 39 years	4,894	-	-	16	81	352	1,643	1,424	693	260	203	222
40 to 44 years	1,462	-	1	2	6	23	92	493	451	185	158	51
45 to 49 years	138	-	-	-	1	-	6	16	45	43	21	6
50 to 54 years	5	-	-	-	1	-	2	-	-	-	2	-
Not stated	59	-	1	5	15	11	3	1	-	-	-	23

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI	70,711	-	1,612	15,379	20,072	15,204	8,936	4,428	2,136	775	515	1,654
10 to 14 years	101	-	22	25	-	1	2	-	-	-	-	51
15 to 19 years	10,142	-	1,327	5,761	1,697	406	136	46	21	13	4	731
20 to 24 years	23,254	-	253	8,667	9,789	2,913	731	230	100	40	29	502
25 to 29 years	18,373	-	9	830	7,615	6,649	2,120	588	242	76	70	174
30 to 34 years	11,250	-	1	75	881	4,693	3,605	1,204	429	144	112	106
35 to 39 years	5,700	-	-	8	68	504	2,194	1,748	716	256	153	53
40 to 44 years	1,693	-	-	1	9	25	136	598	565	210	127	22
45 to 49 years	133	-	-	-	1	1	5	11	62	36	16	1
50 to 54 years	5	-	-	-	-	-	1	-	-	-	4	-
Not stated	60	-	-	12	12	12	6	3	1	-	-	14
MONTANA	11,735	-	116	2,087	3,495	2,821	1,658	760	421	185	103	89
10 to 14 years	7	-	1	4	1	-	1	-	-	-	-	-
15 to 19 years	1,198	-	79	660	302	76	29	8	2	1	2	39
20 to 24 years	4,002	-	33	1,262	1,746	664	177	50	30	3	8	29
25 to 29 years	3,366	-	2	143	1,278	1,236	481	136	45	25	10	10
30 to 34 years	1,978	-	-	17	152	739	655	243	102	40	21	9
35 to 39 years	863	-	1	1	13	97	287	235	149	53	26	1
40 to 44 years	277	-	-	-	1	7	24	82	85	51	26	1
45 to 49 years	39	-	-	-	1	-	3	5	8	12	10	-
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	4	-	-	-	1	2	1	-	-	-	-	-
NEBRASKA	23,676	-	299	4,512	7,023	5,584	3,236	1,605	742	252	125	298
10 to 14 years	4	-	-	2	1	-	-	-	-	-	-	1
15 to 19 years	2,146	-	240	1,255	408	87	24	8	4	-	-	120
20 to 24 years	7,855	-	56	2,910	3,362	1,031	266	71	31	9	8	111
25 to 29 years	6,792	-	2	322	2,880	2,491	731	217	76	24	10	39
30 to 34 years	4,131	-	-	19	338	1,768	1,370	426	135	39	20	16
35 to 39 years	2,058	-	-	3	27	193	795	655	253	79	47	6
40 to 44 years	614	-	-	-	3	8	47	225	214	83	33	1
45 to 49 years	53	-	-	-	-	-	2	2	27	16	6	-
50 to 54 years	2	-	-	-	-	-	-	-	-	2	-	-
Not stated	21	-	1	1	4	6	1	1	2	-	1	4
NEVADA	2,782	-	33	606	866	620	339	178	72	34	5	29
10 to 14 years	1	-	-	-	1	-	-	-	-	-	-	-
15 to 19 years	379	-	30	224	95	18	7	1	1	-	-	3
20 to 24 years	1,019	-	2	343	437	144	58	16	7	3	1	8
25 to 29 years	778	-	1	36	287	278	96	50	12	8	1	9
30 to 34 years	392	-	-	3	38	161	117	44	20	7	1	1
35 to 39 years	167	-	-	-	7	17	57	45	20	15	1	5
40 to 44 years	38	-	-	-	-	1	4	22	8	1	1	1
45 to 49 years	4	-	-	-	-	-	-	-	4	-	-	-
Not stated	4	-	-	-	1	1	-	-	-	-	-	2
NEW HAMPSHIRE	9,173	-	128	1,871	2,799	2,045	1,232	554	221	69	45	209
10 to 14 years	3	-	1	1	-	-	-	-	-	-	-	1
15 to 19 years	874	-	94	509	141	38	10	5	2	1	-	74
20 to 24 years	2,976	-	32	1,175	1,246	337	95	22	6	2	3	58
25 to 29 years	2,642	-	1	158	1,181	875	277	66	27	10	9	38
30 to 34 years	1,627	-	-	21	200	670	476	166	45	15	11	23
35 to 39 years	819	-	-	5	30	110	337	200	94	20	11	12
40 to 44 years	202	-	-	-	1	9	33	88	46	17	7	1
45 to 49 years	15	-	-	-	-	2	-	5	1	4	3	-
Not stated	15	-	-	2	-	4	4	2	-	-	1	2
NEW JERSEY	81,709	1	737	12,873	27,182	21,713	11,355	4,597	1,723	471	168	889
10 to 14 years	43	-	15	5	2	-	-	-	-	-	-	21
15 to 19 years	5,140	1	610	3,133	838	134	39	21	12	4	-	348
20 to 24 years	25,343	-	107	8,810	12,352	2,893	627	181	48	18	7	300
25 to 29 years	27,625	-	5	878	12,686	10,507	2,601	577	175	62	16	118
30 to 34 years	15,837	-	-	39	1,202	7,458	5,126	1,465	376	75	40	56
35 to 39 years	6,248	-	-	5	83	682	2,795	1,793	656	155	51	28
40 to 44 years	1,370	-	-	3	7	32	161	553	414	142	48	10
45 to 49 years	73	-	-	-	-	-	4	6	40	15	6	2
50 to 54 years	3	-	-	-	-	1	-	-	2	-	-	-
Not stated	27	-	-	-	12	6	2	1	-	-	-	6
NEW MEXICO	14,129	-	229	2,732	3,646	2,788	1,967	1,100	618	261	147	641
10 to 14 years	12	-	-	3	-	-	1	-	-	-	-	8
15 to 19 years	1,957	-	192	1,049	384	100	28	18	1	4	2	179
20 to 24 years	4,396	-	34	1,484	1,759	601	192	57	31	8	4	226
25 to 29 years	3,544	-	2	163	1,290	1,245	494	130	74	34	20	92
30 to 34 years	2,314	-	-	19	186	718	793	323	129	53	27	66
35 to 39 years	1,396	-	-	8	17	111	429	438	217	97	45	34
40 to 44 years	425	-	-	-	4	7	24	128	151	56	43	12
45 to 49 years	30	-	-	1	-	1	-	1	13	7	6	1
50 to 54 years	2	-	-	-	-	-	-	1	-	1	-	-
Not stated	53	-	1	5	6	5	6	4	2	1	-	23
NEW YORK	244,802	-	[illegible],558	34,607	75,571	66,242	38,499	16,070	5,704	1,724	634	4,193
10 to 14 years	86	-	8	13	2	-	-	1	-	-	1	61
15 to 19 years	13,904	-	1,280	7,893	2,563	501	157	43	14	7	4	1,442
20 to 24 years	71,223	-	258	23,842	33,573	9,030	2,157	571	161	42	36	1,553
25 to 29 years	82,520	-	9	2,677	35,598	31,578	9,039	2,140	616	156	78	629
30 to 34 years	50,827	-	2	155	3,519	22,851	17,040	5,213	1,253	371	132	291
35 to 39 years	21,340	-	-	17	281	2,169	9,507	6,195	2,231	585	215	140
40 to 44 years	4,550	-	-	5	28	106	582	1,869	1,282	491	148	39
45 to 49 years	293	-	-	-	1	2	13	36	146	70	19	6
50 to 54 years	7	-	-	-	-	1	2	-	1	2	1	-
Not stated	52	-	1	5	6	4	2	2	-	-	-	32

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH CAROLINA	89,854	1	3,055	21,953	23,615	16,635	10,405	5,541	2,684	1,163	900	3,902
10 to 14 years	249	-	76	56	9	2	-	-	-	-	-	106
15 to 19 years	15,857	1	2,442	8,536	2,206	471	146	53	23	17	17	1,945
20 to 24 years	29,526	-	497	11,916	11,373	3,177	893	299	141	52	61	1,117
25 to 29 years	21,291	-	30	1,235	8,704	7,210	2,421	702	311	156	128	394
30 to 34 years	13,191	-	7	164	1,170	5,135	4,109	1,496	511	217	205	177
35 to 39 years	7,088	-	1	19	138	581	2,632	2,163	855	326	273	100
40 to 44 years	2,309	-	-	5	5	43	184	802	742	325	173	30
45 to 49 years	238	-	-	-	2	2	7	19	97	66	42	3
50 to 54 years	12	-	-	2	-	3	1	-	1	4	1	-
Not stated	93	-	2	20	8	11	12	7	3	-	-	30
NORTH DAKOTA	13,357	-	74	1,862	3,612	3,203	2,267	1,196	609	218	112	204
10 to 14 years	3	-	1	2	-	-	-	-	-	-	-	-
15 to 19 years	869	-	49	450	215	58	19	6	3	1	-	68
20 to 24 years	3,914	-	23	1,208	1,703	642	178	54	16	2	4	84
25 to 29 years	3,921	-	-	191	1,466	1,406	574	169	59	14	11	31
30 to 34 years	2,673	-	-	7	209	983	923	368	114	37	19	13
35 to 39 years	1,416	-	1	-	17	108	521	440	218	76	31	4
40 to 44 years	511	-	-	1	1	4	50	159	178	75	43	-
45 to 49 years	39	-	-	-	-	-	1	-	21	13	4	-
50 to 54 years	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	10	-	-	3	1	1	1	-	-	-	-	4
OHIO	144,327	-	2,365	31,248	46,491	31,666	17,285	7,697	3,417	1,061	535	2,562
10 to 14 years	88	-	15	14	2	1	2	-	-	-	-	54
15 to 19 years	15,572	-	1,951	9,384	2,404	471	144	47	13	10	6	1,142
20 to 24 years	49,586	-	383	19,682	21,850	5,040	1,172	373	147	52	33	854
25 to 29 years	42,279	-	11	2,011	20,062	14,534	3,837	991	382	111	76	264
30 to 34 years	23,421	-	3	122	1,997	10,487	7,436	2,231	700	206	98	141
35 to 39 years	10,326	-	-	20	140	1,084	4,400	2,975	1,142	353	143	69
40 to 44 years	2,767	-	-	2	20	37	280	1,057	916	288	148	19
45 to 49 years	213	-	-	1	2	1	4	19	115	40	30	1
50 to 54 years	4	-	-	-	-	1	1	-	-	1	1	-
Not stated	71	-	2	12	14	10	9	4	2	-	-	18
OKLAHOMA	46,008	-	1,307	11,585	12,315	9,017	5,524	2,952	1,367	616	451	874
10 to 14 years	49	-	11	17	6	1	-	-	-	-	-	14
15 to 19 years	8,126	-	1,105	4,779	1,412	307	75	30	12	8	5	393
20 to 24 years	15,706	-	183	6,229	6,218	1,951	550	195	71	36	21	252
25 to 29 years	10,501	-	4	492	4,117	3,860	1,264	399	150	68	49	98
30 to 34 years	6,791	-	-	51	493	2,603	2,291	823	276	107	100	47
35 to 39 years	3,524	-	2	9	52	270	1,256	1,090	454	204	156	31
40 to 44 years	1,161	-	-	2	5	20	83	408	368	166	103	6
45 to 49 years	82	-	-	-	1	1	-	5	34	26	15	-
50 to 54 years	2	-	-	-	-	-	-	-	1	1	-	-
Not stated	66	-	2	6	11	4	5	2	1	-	2	33
OREGON	22,518	-	269	4,852	7,514	5,141	2,596	1,188	482	232	112	132
10 to 14 years	7	-	2	-	1	-	-	1	-	-	-	3
15 to 19 years	2,557	-	228	1,559	555	131	33	9	4	1	1	36
20 to 24 years	8,334	-	38	2,988	3,803	1,090	259	76	21	8	4	47
25 to 29 years	6,395	-	1	271	2,798	2,251	739	224	54	24	20	13
30 to 34 years	3,398	-	-	24	317	1,496	989	372	120	49	21	10
35 to 39 years	1,355	-	-	1	28	151	525	380	162	67	35	6
40 to 44 years	385	-	-	-	1	12	42	122	110	67	29	2
45 to 49 years	33	-	-	-	-	-	2	3	10	15	2	1
Not stated	54	-	-	9	11	10	7	1	1	1	-	14
PENNSYLVANIA	197,177	3	2,830	39,235	63,467	45,132	25,289	11,296	4,958	1,580	698	2,689
10 to 14 years	145	2	40	26	6	4	-	2	2	1	1	61
15 to 19 years	18,320	1	2,284	11,278	2,955	495	170	64	18	8	12	1,035
20 to 24 years	65,881	-	479	25,160	29,917	7,042	1.602	448	153	54	38	988
25 to 29 years	59,247	-	21	2,518	27,515	20,956	5,777	1,406	510	140	78	326
30 to 34 years	33,445	-	4	214	2,784	14,995	10,802	3,108	938	290	124	186
35 to 39 years	15,487	-	1	34	250	1,541	6,509	4,554	1,805	499	224	70
40 to 44 years	4,247	-	1	3	29	89	416	1,677	1,355	478	181	18
45 to 49 years	372	-	-	-	3	2	9	35	175	109	39	-
50 to 54 years	7	-	-	-	-	1	3	1	1	1	-	-
Not stated	26	-	-	2	8	7	1	1	1	-	1	5
RHODE ISLAND	14,182	-	115	2,457	4,613	3,521	1,874	771	332	95	46	358
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	796	-	80	455	129	18	3	3	1	-	-	107
20 to 24 years	4,371	-	33	1,722	1,942	434	79	21	7	5	-	128
25 to 29 years	4,616	-	2	252	2,212	1,568	373	95	31	12	3	68
30 to 34 years	2,821	-	-	21	299	1,318	833	219	76	16	12	27
35 to 39 years	1,247	-	-	6	27	172	551	321	112	25	16	17
40 to 44 years	297	-	-	-	1	11	33	109	95	24	15	9
45 to 49 years	26	-	-	-	-	-	1	3	9	12	-	1
Not stated	7	-	-	1	3	-	1	-	1	1	-	-
SOUTH CAROLINA	48,835	-	1,092	12,093	12,254	8,088	5,199	2,649	1,342	594	441	5,083
10 to 14 years	135	-	7	18	3	-	-	-	-	-	-	107
15 to 19 years	9,643	-	922	4,749	1,080	214	70	25	20	8	8	2,547
20 to 24 years	17,084	-	155	6,703	6,352	1,697	496	149	69	31	30	1,402
25 to 29 years	10,916	-	5	532	4,307	3,610	1,278	372	158	86	64	504
30 to 34 years	6,331	-	2	66	432	2,340	2,032	714	270	125	102	248
35 to 39 years	3,478	-	-	9	60	202	1,249	1,043	469	157	141	148
40 to 44 years	1,013	-	-	4	7	16	64	331	321	154	76	40
45 to 49 years	103	-	-	1	1	-	3	10	33	31	18	6
50 to 54 years	4	-	-	-	-	-	1	1	-	1	1	-
Not stated	128	-	1	11	12	9	6	4	2	1	1	81
SOUTH DAKOTA	12,424	-	101	1,896	3,481	2,912	1,788	1,140	486	200	87	333
10 to 14 years	6	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	944	-	78	487	215	48	8	2	1	1	3	101
20 to 24 years	3,813	-	21	1,220	1,667	562	137	54	14	6	4	128
25 to 29 years	3,580	-	2	167	1,383	1,306	461	146	44	18	12	41
30 to 34 years	2,345	-	-	11	186	877	728	366	96	45	7	29
35 to 39 years	1,211	-	-	-	13	108	412	404	171	61	32	10
40 to 44 years	430	-	-	2	2	8	36	160	134	63	23	2
45 to 49 years	36	-	-	1	-	-	-	5	20	5	5	-
Not stated	59	-	-	8	15	3	6	3	6	1	1	16

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TENNESSEE	65,147	3	1,652	14,641	17,081	12,652	8,146	4,166	2,113	838	729	3,126
10 to 14 years	149	2	20	32	7	1	1	1	-	-	-	85
15 to 19 years	11,145	1	1,302	5,856	1,794	446	163	43	19	6	15	1,500
20 to 24 years	21,163	-	309	7,712	8,370	2,713	768	260	112	47	56	816
25 to 29 years	15,340	-	14	885	5,968	5,276	1,889	538	247	109	97	317
30 to 34 years	9,793	-	5	110	801	3,714	3,172	1,070	401	169	152	199
35 to 39 years	5,580	-	1	22	108	454	1,983	1,657	725	264	218	148
40 to 44 years	1,708	-	-	3	8	31	156	573	549	203	155	30
45 to 49 years	161	-	-	3	-	-	4	18	59	38	34	5
50 to 54 years	8	-	-	-	1	-	4	1	-	-	2	-
Not stated	100	-	1	18	24	17	6	5	1	2	-	26
TEXAS	144,742	-	3,493	31,858	39,539	30,228	18,606	9,200	4,162	1,585	1,097	4,974
10 to 14 years	278	-	49	70	15	7	2	-	-	-	1	134
15 to 19 years	23,400	-	2,877	12,799	4,080	1,059	326	121	57	17	20	2,044
20 to 24 years	48,981	-	521	17,076	20,154	6,887	1,995	621	243	90	64	1,330
25 to 29 years	35,320	-	34	1,633	13,324	12,983	4,603	1,345	492	202	128	576
30 to 34 years	21,882	-	3	175	1,660	8,224	7,363	2,556	916	363	228	394
35 to 39 years	11,161	-	2	40	202	944	3,991	3,440	1,473	494	359	215
40 to 44 years	2,964	-	2	3	17	48	262	1,073	895	359	247	58
45 to 49 years	187	-	1	-	1	1	6	11	69	50	42	6
50 to 54 years	17	-	-	1	1	2	1	-	2	5	3	2
Not stated	552	-	4	61	85	73	57	33	15	5	5	214
UTAH	15,822	-	250	3,568	4,959	3,472	2,003	964	371	123	68	44
10 to 14 years	2	-	1	1	-	-	-	-	-	-	-	-
15 to 19 years	1,580	-	198	1,014	285	54	9	5	-	1	-	14
20 to 24 years	5,565	-	50	2,335	2,426	557	123	34	14	6	2	18
25 to 29 years	4,485	-	1	206	2,046	1,620	438	112	34	15	6	7
30 to 34 years	2,502	-	-	7	186	1,111	856	250	58	20	13	1
35 to 39 years	1,277	-	-	1	12	125	540	392	142	40	23	2
40 to 44 years	376	-	-	3	1	5	36	165	108	34	22	2
45 to 49 years	30	-	-	-	-	-	-	6	15	7	2	-
Not stated	5	-	-	1	3	-	1	-	-	-	-	-
VERMONT	7,175	-	84	1,338	2,060	1,684	994	510	244	72	55	134
10 to 14 years	2	-	-	1	-	-	-	-	-	-	-	1
15 to 19 years	763	-	67	423	150	34	15	3	2	-	1	68
20 to 24 years	2,233	-	15	792	969	297	83	24	6	6	1	40
25 to 29 years	1,986	-	2	115	794	704	243	71	28	7	12	10
30 to 34 years	1,301	-	-	5	132	560	392	131	48	16	9	8
35 to 39 years	655	-	-	1	13	81	234	199	86	18	18	5
40 to 44 years	214	-	-	-	1	7	26	78	71	20	11	-
45 to 49 years	13	-	-	-	-	-	-	2	3	5	3	-
Not stated	8	-	-	1	1	1	1	2	-	-	-	2
VIRGINIA	67,950	-	1,666	15,293	18,612	13,697	8,157	4,214	2,080	818	637	2,776
10 to 14 years	175	-	45	44	13	3	1	-	-	-	1	68
15 to 19 years	10,983	-	1,325	5,842	1,888	400	140	43	21	8	11	1,305
20 to 24 years	22,329	-	268	8,296	8,960	2,829	745	232	108	40	45	806
25 to 29 years	16,756	-	21	971	6,692	5,842	2,005	539	232	94	82	278
30 to 34 years	10,440	-	5	103	919	4,085	3,217	1,237	409	167	141	157
35 to 39 years	5,294	-	-	21	102	477	1,890	1,535	717	250	205	97
40 to 44 years	1,698	-	-	2	14	41	149	602	534	205	121	30
45 to 49 years	160	-	-	-	1	2	3	19	54	51	28	2
50 to 54 years	3	-	-	-	-	-	-	2	-	-	1	-
Not stated	112	-	2	14	23	18	7	5	5	3	2	33
WASHINGTON	39,007	-	473	8,608	13,042	8,903	4,460	1,916	827	364	159	255
10 to 14 years	13	-	3	4	-	2	-	-	-	-	-	4
15 to 19 years	4,287	-	388	2,661	917	185	36	13	6	2	2	77
20 to 24 years	14,591	-	76	5,416	6,598	1,833	402	117	33	11	7	98
25 to 29 years	11,187	-	5	466	4,912	4,035	1,228	317	123	46	18	37
30 to 34 years	5,932	-	1	50	561	2,562	1,788	636	201	83	32	18
35 to 39 years	2,338	-	-	4	45	257	940	658	274	109	45	6
40 to 44 years	571	-	-	-	3	20	60	172	170	96	43	7
45 to 49 years	54	-	-	-	-	1	1	2	20	17	12	1
Not stated	34	-	-	7	6	8	5	1	-	-	-	7
WEST VIRGINIA	43,922	-	738	9,308	11,955	8,397	5,482	2,991	1,550	630	455	2,416
10 to 14 years	54	-	3	13	4	-	-	-	-	-	-	34
15 to 19 years	7,021	-	583	3,617	1,343	297	87	28	12	8	3	1,043
20 to 24 years	14,776	-	141	5,108	6,015	1,859	544	182	68	36	25	798
25 to 29 years	10,538	-	9	483	3,981	3,715	1,375	409	189	70	68	239
30 to 34 years	6,418	-	1	55	516	2,190	2,197	807	306	113	100	133
35 to 39 years	3,610	-	1	7	58	284	1,185	1,147	539	173	134	82
40 to 44 years	1,193	-	-	1	7	27	74	389	380	191	101	23
45 to 49 years	126	-	-	1	-	-	1	18	52	33	19	2
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	185	-	-	23	31	25	19	11	4	5	5	62
WISCONSIN	63,982	-	433	10,447	20,535	15,368	9,036	4,408	1,769	601	248	1,137
10 to 14 years	18	-	-	1	-	1	-	-	-	-	-	16
15 to 19 years	4,431	-	348	2,487	939	188	56	16	6	1	-	390
20 to 24 years	20,734	-	81	7,085	9,730	2,525	603	178	52	17	7	456
25 to 29 years	19,915	-	3	801	8,791	7,241	2,100	589	157	55	34	144
30 to 34 years	11,621	-	-	66	1,004	4,820	3,869	1,246	368	121	52	75
35 to 39 years	5,481	-	-	6	65	560	2,220	1,726	627	166	72	39
40 to 44 years	1,635	-	1	1	2	28	181	632	503	210	63	14
45 to 49 years	133	-	-	-	1	1	3	21	56	31	19	1
50 to 54 years	2	-	-	-	1	-	1	-	-	-	-	-
Not stated	12	-	-	-	2	4	3	-	-	-	1	2
WYOMING	5,567	-	100	1,112	1,722	1,213	687	387	182	78	37	49
15 to 19 years	713	-	91	383	161	43	13	6	-	-	3	13
20 to 24 years	1,915	-	8	654	848	262	80	34	10	1	1	17
25 to 29 years	1,539	-	1	67	632	552	187	57	26	7	5	5
30 to 34 years	823	-	-	7	75	309	263	100	43	12	7	7
35 to 39 years	448	-	-	-	4	46	136	150	60	33	16	3
40 to 44 years	112	-	-	-	-	1	8	39	37	22	4	1
45 to 49 years	11	-	-	-	-	-	-	1	6	3	1	-
Not stated	6	-	-	1	2	-	-	-	-	-	-	3

594337 O - 44 - 9

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1942

(Figures for Massachusetts are included in the total and not-stated listings; they are not given by order of birth because this State does not require the reporting of such information)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES	2,808,996	2,486,934	2,380,306	104,526	307,777	14,285
First	1,106,508	1,014,372	982,669	30,985	88,185	3,951
Second	676,212	614,047	588,951	24,713	59,455	2,710
Third	348,150	304,780	291,120	13,420	41,450	1,920
Fourth	192,667	161,628	153,903	7,573	29,608	1,431
Fifth	116,515	93,609	88,858	4,642	21,778	1,128
Sixth	76,317	59,367	56,064	3,219	16,154	796
Seventh	52,296	39,749	37,343	2,340	11,947	600
Eighth	37,036	27,549	25,796	1,717	9,038	449
Ninth	25,658	18,670	17,351	1,289	6,683	305
Tenth	17,412	12,431	11,414	990	4,793	188
Eleventh	11,383	8,020	7,329	679	3,217	146
Twelfth	7,260	4,990	4,472	508	2,193	77
Thirteenth	4,263	2,855	2,488	362	1,351	57
Fourteenth	2,364	1,548	1,357	191	786	30
Fifteenth	1,281	814	702	109	449	18
Sixteenth	628	365	305	59	260	3
Seventeenth	343	205	162	43	131	7
Eighteenth	176	104	80	23	71	1
Nineteenth	79	39	35	3	39	1
Twentieth	47	31	24	7	16	-
Twenty-first	19	9	5	4	10	-
Twenty-second and over	27	17	16	1	10	-
Not stated	132,355	121,735	109,862	11,649	10,153	467
ALABAMA	71,136	45,222	44,541	73	25,891	23
First	24,027	16,736	16,538	32	7,287	4
Second	15,154	10,610	10,467	20	4,538	6
Third	9,426	6,035	5,936	12	3,390	1
Fourth	6,439	3,827	3,756	3	2,610	2
Fifth	4,503	2,457	2,404	2	2,042	4
Sixth	3,233	1,685	1,649	2	1,545	3
Seventh	2,466	1,195	1,168	-	1,268	3
Eighth	1,840	925	914	-	915	-
Ninth	1,243	588	576	-	655	-
Tenth	864	413	401	1	451	-
Eleventh	569	238	236	-	331	-
Twelfth	365	133	129	1	232	-
Thirteenth	170	53	50	-	117	-
Fourteenth	101	30	30	-	71	-
Fifteenth	48	12	12	-	36	-
Sixteenth	18	2	2	-	16	-
Seventeenth	12	4	4	-	8	-
Eighteenth	10	3	3	-	7	-
Nineteenth	5	-	-	-	5	-
Twentieth	1	-	-	-	1	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	3	-	-	-	3	-
Not stated	638	276	266	-	362	-
ARIZONA	12,664	11,281	10,124	1,149	316	1,067
First	4,198	3,894	3,695	196	96	208
Second	2,928	2,720	2,545	175	69	139
Third	1,884	1,693	1,550	143	49	142
Fourth	1,138	964	836	127	37	137
Fifth	782	653	557	95	20	109
Sixth	471	391	304	87	11	69
Seventh	328	266	202	64	9	53
Eighth	248	210	142	67	8	30
Ninth	189	157	98	58	7	25
Tenth	141	123	70	53	2	16
Eleventh	72	59	32	27	1	12
Twelfth	76	66	39	27	3	7
Thirteenth	31	26	17	9	1	4
Fourteenth	17	15	4	11	-	2
Fifteenth	12	11	8	3	1	-
Sixteenth	7	7	4	3	-	-
Seventeenth	3	2	-	2	-	1
Eighteenth	2	1	-	1	-	1
Nineteenth	1	-	-	-	-	1
Twentieth	1	1	1	-	-	-
Not stated	135	22	20	1	2	111
ARKANSAS	42,680	32,618	32,504	57	10,050	12
First	13,593	11,318	11,287	19	2,268	7
Second	9,347	7,459	7,441	9	1,884	4
Third	6,063	4,681	4,670	4	1,382	-
Fourth	3,898	2,799	2,787	5	1,099	-
Fifth	2,739	1,918	1,908	8	821	-
Sixth	1,869	1,268	1,259	3	600	1
Seventh	1,386	913	909	1	473	-
Eighth	1,027	660	658	2	367	-
Ninth	743	455	453	1	288	-
Tenth	489	276	271	2	213	-
Eleventh	338	179	177	1	159	-
Twelfth	207	113	110	1	94	-
Thirteenth	135	53	53	-	82	-
Fourteenth	77	33	33	-	44	-
Fifteenth	34	13	13	-	21	-
Sixteenth	28	10	10	-	18	-
Seventeenth	17	6	6	-	11	-
Eighteenth	9	5	5	-	4	-
ARKANSAS—Continued						
Nineteenth	9	3	3	-	6	-
Twentieth	3	1	1	-	2	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	1	1	1	-	-	-
Not stated	667	454	449	1	213	-
CALIFORNIA	154,567	148,483	137,591	10,857	2,681	3,403
First	74,022	71,738	68,343	3,378	1,037	1,247
Second	42,793	41,432	38,878	2,545	622	739
Third	17,729	16,880	15,523	1,354	386	463
Fourth	8,188	7,626	6,798	825	231	311
Fifth	4,215	3,867	3,326	540	133	215
Sixth	2,430	2,206	1,734	472	89	135
Seventh	1,531	1,370	1,001	368	63	98
Eighth	1,066	955	658	297	44	67
Ninth	714	643	382	261	23	48
Tenth	517	475	256	219	18	24
Eleventh	352	317	146	171	11	24
Twelfth	252	242	94	148	4	6
Thirteenth	155	145	53	92	4	6
Fourteenth	115	103	34	69	5	7
Fifteenth	70	67	25	42	-	3
Sixteenth	35	34	16	18	1	-
Seventeenth	21	20	6	14	1	-
Eighteenth	13	13	4	9	-	-
Nineteenth	5	5	3	2	-	-
Twentieth	4	4	1	3	-	-
Twenty-first	2	2	-	2	-	-
Not stated	358	339	310	28	9	10
COLORADO	23,566	23,172	22,592	560	248	146
First	7,673	7,544	7,461	76	79	50
Second	5,054	4,983	4,906	74	41	30
Third	2,861	2,819	2,765	52	21	21
Fourth	1,611	1,576	1,526	49	25	10
Fifth	958	936	891	42	11	11
Sixth	644	630	590	39	11	3
Seventh	468	455	411	43	8	5
Eighth	298	291	266	25	4	3
Ninth	209	201	175	24	5	3
Tenth	152	150	133	17	1	1
Eleventh	108	107	85	22	1	-
Twelfth	70	69	60	9	1	-
Thirteenth	42	41	33	8	-	1
Fourteenth	30	29	22	7	1	-
Fifteenth	11	11	8	3	-	-
Sixteenth	9	8	6	2	1	-
Seventeenth	6	6	6	-	-	-
Eighteenth	1	-	-	-	1	-
Twenty-second and over	1	1	1	-	-	-
Not stated	3,360	3,315	3,247	68	37	8
CONNECTICUT	37,264	36,396	33,452	2,940	859	9
First	18,430	18,130	17,134	993	298	2
Second	9,909	9,713	8,881	832	191	5
Third	4,281	4,170	3,739	430	110	1
Fourth	1,830	1,753	1,523	230	77	-
Fifth	904	850	710	140	53	1
Sixth	492	458	359	99	34	-
Seventh	277	260	205	55	17	-
Eighth	194	163	125	38	31	-
Ninth	109	95	75	20	14	-
Tenth	78	71	49	22	7	-
Eleventh	54	48	41	7	6	-
Twelfth	36	33	17	16	3	-
Thirteenth	20	16	15	1	4	-
Fourteenth	3	3	3	-	-	-
Fifteenth	8	6	5	1	2	-
Sixteenth	2	1	1	-	1	-
Seventeenth	3	2	2	-	1	-
Twentieth	1	1	1	-	-	-
Not stated	633	623	567	56	10	-
DELAWARE	5,657	4,761	4,621	139	893	3
First	2,476	2,207	2,162	44	269	-
Second	1,406	1,200	1,162	38	204	2
Third	695	582	558	24	113	-
Fourth	379	303	293	10	76	-
Fifth	231	156	151	5	74	1
Sixth	138	97	91	6	41	-
Seventh	100	65	60	5	35	-
Eighth	75	53	52	1	22	-
Ninth	61	45	42	3	16	-
Tenth	42	24	24	-	18	-
Eleventh	16	12	10	2	4	-
Twelfth	17	8	8	-	9	-
Thirteenth	5	-	-	-	5	-
Fourteenth	1	-	-	-	1	-
Fifteenth	6	3	2	1	3	-
Sixteenth	3	1	1	-	2	-
Not stated	6	5	5	-	1	-

[1] Includes "Nativity not stated."

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 126)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
DISTRICT OF COLUMBIA	15,179	10,090	9,508	469	5,048	41
First	6,550	5,141	4,930	188	1,396	13
Second	3,467	2,469	2,346	118	985	13
Third	1,687	1,023	950	70	661	3
Fourth	746	348	325	22	394	4
Fifth	457	189	180	8	265	3
Sixth	270	70	64	5	199	1
Seventh	156	45	40	5	111	-
Eighth	110	31	27	4	78	1
Ninth	78	19	19	-	59	-
Tenth	40	6	6	-	34	-
Eleventh	30	1	1	-	29	-
Twelfth	16	4	4	-	12	-
Thirteenth	16	4	4	-	12	-
Fourteenth	9	2	2	-	7	-
Fifteenth	5	2	2	-	2	1
Sixteenth	3	1	1	-	2	-
Seventeenth	2	-	-	-	2	-
Eighteenth	1	-	-	-	1	-
Twentieth	1	-	-	-	1	-
Not stated	1,535	735	607	49	798	2
FLORIDA	40,901	29,512	28,966	510	11,359	30
First	15,745	12,721	12,488	228	3,014	10
Second	9,769	7,486	7,341	137	2,272	11
Third	5,324	3,730	3,656	68	1,592	2
Fourth	3,093	1,968	1,939	27	1,124	1
Fifth	1,996	1,131	1,111	19	864	1
Sixth	1,321	748	740	6	571	2
Seventh	944	478	472	5	465	1
Eighth	685	334	330	3	350	1
Ninth	493	229	228	1	264	-
Tenth	313	131	126	5	182	-
Eleventh	217	86	83	2	130	1
Twelfth	118	43	43	-	75	-
Thirteenth	75	25	24	1	50	-
Fourteenth	47	17	17	-	30	-
Fifteenth	20	8	8	-	12	-
Sixteenth	3	1	-	1	2	-
Seventeenth	5	-	-	-	5	-
Eighteenth	2	1	1	-	1	-
Twenty-first	1	-	-	-	1	-
Not stated	730	375	359	7	355	-
GEORGIA	72,491	45,507	45,354	129	26,971	13
First	26,712	18,621	18,547	62	8,090	1
Second	15,846	10,687	10,648	35	5,156	3
Third	9,672	5,982	5,959	21	3,688	2
Fourth	6,195	3,427	3,422	4	2,765	3
Fifth	4,211	2,227	2,225	1	1,982	2
Sixth	3,096	1,577	1,573	3	1,518	1
Seventh	2,136	1,013	1,011	1	1,123	-
Eighth	1,520	712	710	1	808	-
Ninth	1,053	476	476	-	577	-
Tenth	707	293	293	-	414	-
Eleventh	436	162	162	-	274	-
Twelfth	282	103	103	-	179	-
Thirteenth	162	54	54	-	108	-
Fourteenth	83	18	18	-	65	-
Fifteenth	43	9	8	-	33	1
Sixteenth	17	1	1	-	16	-
Seventeenth	8	-	-	-	8	-
Eighteenth	3	2	2	-	1	-
Nineteenth	3	1	1	-	2	-
Twentieth	1	-	-	-	1	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	1	1	1	-	-	-
Not stated	303	141	140	1	162	-
IDAHO	11,454	11,327	11,113	209	1	126
First	4,046	4,009	3,944	63	-	37
Second	3,111	3,092	3,047	43	-	19
Third	1,823	1,810	1,775	37	-	13
Fourth	953	939	919	19	1	13
Fifth	587	576	564	12	-	11
Sixth	344	335	322	13	-	9
Seventh	204	202	196	6	-	2
Eighth	135	131	124	7	-	4
Ninth	78	74	71	3	-	4
Tenth	56	54	51	3	-	2
Eleventh	32	31	30	1	-	1
Twelfth	20	19	19	-	-	1
Thirteenth	5	5	3	2	-	-
Fourteenth	5	4	4	-	-	1
Fifteenth	2	1	1	-	-	1
Seventeenth	2	2	2	-	-	-
Nineteenth	1	1	1	-	-	-
Not stated	50	42	42	-	-	8
ILLINOIS	156,232	147,724	141,123	6,488	8,407	101
First	73,141	70,050	67,667	2,321	3,066	25
Second	42,207	40,257	38,422	1,812	1,925	25
Third	18,933	17,708	16,693	1,006	1,204	21
Fourth	9,145	8,414	7,893	518	722	9
Fifth	4,798	4,334	4,075	257	458	6
ILLINOIS—Continued						
Sixth	2,799	2,484	2,313	168	311	4
Seventh	1,751	1,535	1,404	126	214	2
Eighth	1,233	1,050	966	84	179	4
Ninth	772	646	581	65	124	2
Tenth	551	469	417	51	79	3
Eleventh	308	266	227	39	42	-
Twelfth	182	149	134	15	33	-
Thirteenth	121	102	87	15	19	-
Fourteenth	54	48	44	4	6	-
Fifteenth	26	22	19	3	4	-
Sixteenth	10	8	7	1	2	-
Seventeenth	2	2	2	-	-	-
Eighteenth	2	2	1	1	-	-
Nineteenth	1	-	-	-	1	-
Not stated	196	178	171	2	18	-
INDIANA	73,706	71,220	70,186	902	2,472	14
First	29,688	28,892	28,578	255	769	7
Second	18,792	18,275	17,998	252	516	1
Third	9,674	9,337	9,221	109	334	3
Fourth	5,320	5,090	5,001	78	230	-
Fifth	3,113	2,979	2,918	54	134	-
Sixth	1,968	1,854	1,805	46	113	1
Seventh	1,349	1,266	1,231	32	83	-
Eighth	904	835	821	13	69	-
Ninth	683	631	617	13	52	-
Tenth	412	383	375	5	29	-
Eleventh	292	263	256	6	29	-
Twelfth	198	176	169	7	22	-
Thirteenth	101	92	84	7	8	1
Fourteenth	53	48	44	4	5	-
Fifteenth	38	34	31	2	4	-
Sixteenth	11	10	10	-	1	-
Seventeenth	6	6	6	-	-	-
Eighteenth	6	5	4	1	1	-
Twentieth	1	1	1	-	-	-
Twenty-first	1	1	1	-	-	-
Twenty-second and over	4	3	3	-	1	-
Not stated	1,092	1,039	1,012	18	52	1
IOWA	48,454	48,141	47,559	565	281	32
First	18,978	18,885	18,734	145	88	5
Second	12,987	12,914	12,794	117	68	5
Third	6,824	6,780	6,696	83	35	9
Fourth	3,687	3,659	3,601	57	24	4
Fifth	2,183	2,159	2,115	44	20	4
Sixth	1,338	1,319	1,290	27	16	3
Seventh	830	827	797	30	2	1
Eighth	555	549	534	15	6	-
Ninth	379	373	361	12	6	-
Tenth	261	255	240	14	6	-
Eleventh	169	167	159	8	2	-
Twelfth	109	107	103	4	2	-
Thirteenth	58	57	54	3	1	-
Fourteenth	35	32	28	4	3	-
Fifteenth	15	15	14	-	-	-
Sixteenth	8	8	6	2	-	-
Eighteenth	1	1	1	-	-	-
Not stated	37	34	32	-	2	1
KANSAS	33,920	32,752	32,383	353	1,111	57
First	13,803	13,390	13,322	63	386	27
Second	8,820	8,584	8,515	61	228	8
Third	4,552	4,378	4,336	40	166	8
Fourth	2,571	2,475	2,439	36	92	4
Fifth	1,481	1,402	1,373	29	73	6
Sixth	918	869	849	20	48	1
Seventh	593	559	545	14	33	1
Eighth	386	357	341	16	28	1
Ninth	271	253	237	16	18	-
Tenth	197	182	163	19	15	-
Eleventh	115	105	92	13	10	-
Twelfth	84	76	65	11	7	1
Thirteenth	40	38	34	4	2	-
Fourteenth	23	21	20	1	2	-
Fifteenth	11	11	8	3	-	-
Sixteenth	6	6	6	-	-	-
Seventeenth	4	4	1	3	-	-
Eighteenth	2	1	-	1	1	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	-	1	-	-
Twenty-first	2	2	-	2	-	-
Not stated	39	37	36	-	2	-
KENTUCKY	66,267	62,619	62,405	129	3,644	4
First	25,541	24,133	24,050	55	1,408	-
Second	13,097	12,397	12,359	25	699	1
Third	8,157	7,706	7,682	16	449	2
Fourth	5,619	5,311	5,296	8	307	1
Fifth	3,934	3,714	3,699	7	220	-
Sixth	2,910	2,740	2,724	9	170	-
Seventh	2,249	2,143	2,138	3	106	-
Eighth	1,691	1,603	1,597	4	88	-
Ninth	1,225	1,148	1,142	-	77	-
Tenth	814	765	762	1	49	-

[1]Includes "Nativity not stated."

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 126)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
KENTUCKY—Continued						
Eleventh	533	502	501	-	31	-
Twelfth	234	217	216	-	17	-
Thirteenth	138	125	125	-	13	-
Fourteenth	62	58	57	1	4	-
Fifteenth	25	24	24	-	1	-
Sixteenth	14	10	10	-	4	-
Seventeenth	3	3	3	-	-	-
Eighteenth	3	3	3	-	-	-
Twenty-second and over	1	-	-	-	1	-
Not stated	17	17	17	-	-	-
LOUISIANA	58,093	35,082	34,872	190	22,923	88
First	19,466	13,648	13,579	64	5,795	23
Second	12,837	8,589	8,525	56	4,237	11
Third	7,899	4,650	4,623	25	3,237	12
Fourth	4,887	2,567	2,546	21	2,311	9
Fifth	3,347	1,527	1,519	6	1,810	10
Sixth	2,243	955	951	3	1,288	-
Seventh	1,659	705	701	4	948	6
Eighth	1,235	524	522	2	703	8
Ninth	858	308	306	2	547	3
Tenth	618	219	218	1	397	2
Eleventh	405	149	146	3	253	3
Twelfth	267	83	83	-	184	-
Thirteenth	144	44	44	-	99	1
Fourteenth	64	21	21	-	43	-
Fifteenth	47	20	20	-	27	-
Sixteenth	22	4	4	-	18	-
Seventeenth	8	2	2	-	6	-
Eighteenth	7	3	3	-	4	-
Nineteenth	2	1	1	-	1	-
Twentieth	2	-	-	-	2	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	1	-	-	-	1	-
Not stated	2,074	1,063	1,058	3	1,011	-
MAINE	17,719	17,673	16,186	1,485	14	32
First	6,734	6,719	6,291	426	5	10
Second	4,337	4,323	4,005	318	5	9
Third	2,395	2,393	2,163	230	2	-
Fourth	1,432	1,432	1,297	135	-	-
Fifth	851	848	762	86	-	3
Sixth	565	563	494	69	-	2
Seventh	391	389	335	54	1	1
Eighth	250	249	203	46	-	1
Ninth	205	203	166	37	-	2
Tenth	170	169	145	24	-	1
Eleventh	94	93	79	14	-	1
Twelfth	72	71	60	11	1	-
Thirteenth	65	63	52	11	-	2
Fourteenth	36	36	30	6	-	-
Fifteenth	14	14	10	4	-	-
Sixteenth	17	17	14	3	-	-
Seventeenth	13	13	8	5	-	-
Eighteenth	2	2	2	-	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	-	1	-	-
Not stated	74	74	69	5	-	-
MARYLAND	44,237	35,985	35,248	703	8,235	17
First	18,995	16,478	16,184	284	2,510	7
Second	10,779	9,117	8,941	167	1,659	3
Third	5,358	4,209	4,096	108	1,148	2
Fourth	2,949	2,215	2,165	49	732	2
Fifth	1,822	1,250	1,222	26	569	3
Sixth	1,162	769	749	20	393	-
Seventh	773	505	492	12	268	-
Eighth	566	332	319	11	234	-
Ninth	365	206	203	3	159	-
Tenth	264	144	139	4	120	-
Eleventh	167	93	91	2	74	-
Twelfth	117	60	59	1	57	-
Thirteenth	74	34	32	2	40	-
Fourteenth	40	16	16	-	24	-
Fifteenth	28	14	13	1	14	-
Sixteenth	15	6	6	-	9	-
Seventeenth	14	7	7	-	7	-
Eighteenth	5	3	3	-	2	-
Nineteenth	2	1	1	-	1	-
Not stated	742	527	510	13	215	-
MASSACHUSETTS	82,773	81,660	73,386	8,224	1,044	69
Not stated	82,773	81,660	73,386	8,224	1,044	69
MICHIGAN	123,886	118,784	111,165	7,543	4,867	235
First	48,120	46,464	44,079	2,353	1,593	63
Second	31,608	30,548	28,640	1,892	1,009	51
Third	16,450	15,774	14,690	1,071	648	28
Fourth	8,584	8,124	7,518	606	433	27
Fifth	4,746	4,449	4,099	347	271	26
Sixth	2,839	2,656	2,414	239	178	5
Seventh	1,802	1,657	1,489	166	135	10
Eighth	1,242	1,132	1,033	98	101	9
Ninth	839	759	682	76	78	2
MICHIGAN—Continued						
Tenth	535	468	417	50	64	3
Eleventh	392	358	304	52	31	5
Twelfth	232	205	175	29	25	2
Thirteenth	170	156	124	32	14	-
Fourteenth	78	67	57	10	11	-
Fifteenth	53	48	41	7	4	1
Sixteenth	22	20	17	3	1	1
Seventeenth	19	17	13	4	2	-
Eighteenth	8	8	4	3	-	-
Nineteenth	2	1	1	-	1	-
Twentieth	2	2	2	-	-	-
Twenty-first	2	2	2	-	-	-
Twenty-second and over	2	2	2	-	-	-
Not stated	6,139	5,869	5,362	505	268	2
MINNESOTA	58,770	58,198	56,807	1,383	60	512
First	22,871	22,741	22,346	393	28	102
Second	15,668	15,583	15,268	313	7	78
Third	8,458	8,391	8,177	213	7	60
Fourth	4,651	4,585	4,452	133	6	60
Fifth	2,546	2,495	2,400	94	4	47
Sixth	1,531	1,491	1,427	64	-	40
Seventh	1,083	1,043	986	57	4	36
Eighth	762	722	680	42	4	36
Ninth	465	447	426	21	-	18
Tenth	290	283	263	20	-	7
Eleventh	156	148	137	11	-	8
Twelfth	114	112	100	12	-	2
Thirteenth	67	62	57	5	-	5
Fourteenth	36	34	33	1	-	2
Fifteenth	16	15	14	1	-	1
Sixteenth	10	10	8	2	-	-
Seventeenth	3	3	3	-	-	-
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Not stated	41	31	28	1	-	10
MISSISSIPPI	56,667	25,566	25,496	58	30,979	122
First	15,923	9,223	9,201	18	6,674	26
Second	11,715	5,979	5,957	19	5,715	21
Third	8,054	3,597	3,588	7	4,439	18
Fourth	5,546	2,110	2,107	2	3,419	17
Fifth	4,175	1,532	1,530	1	2,633	10
Sixth	3,148	1,026	1,022	4	2,113	9
Seventh	2,271	708	704	3	1,557	6
Eighth	1,734	498	496	2	1,229	7
Ninth	1,309	330	329	1	976	3
Tenth	989	238	238	-	728	3
Eleventh	681	148	147	1	532	1
Twelfth	475	89	89	-	385	1
Thirteenth	267	34	34	-	233	-
Fourteenth	152	14	14	-	138	-
Fifteenth	89	7	7	-	82	-
Sixteenth	60	6	6	-	54	-
Seventeenth	25	3	3	-	22	-
Eighteenth	14	-	-	-	14	-
Nineteenth	6	-	-	-	6	-
Twentieth	2	-	-	-	2	-
Twenty-first	2	-	-	-	2	-
Twenty-second and over	2	1	1	-	1	-
Not stated	48	23	23	-	25	-
MISSOURI	70,711	65,903	65,255	623	4,776	32
First	29,441	27,877	27,674	192	1,551	13
Second	17,637	16,682	16,475	202	950	5
Third	8,989	8,369	8,270	97	614	6
Fourth	4,963	4,493	4,442	47	465	5
Fifth	3,093	2,761	2,732	29	332	-
Sixth	2,062	1,835	1,823	11	225	2
Seventh	1,481	1,297	1,284	13	184	-
Eighth	1,112	957	946	11	154	1
Ninth	716	629	621	8	87	-
Tenth	441	364	362	2	77	-
Eleventh	308	258	249	8	50	-
Twelfth	187	155	154	1	32	-
Thirteenth	117	90	90	-	27	-
Fourteenth	56	44	43	1	12	-
Fifteenth	20	17	17	-	3	-
Sixteenth	16	10	9	1	6	-
Seventeenth	6	5	5	-	1	-
Eighteenth	3	3	3	-	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	1	-	-	-
Twenty-second and over	1	-	-	-	1	-
Not stated	60	55	54	-	5	-
MONTANA	11,735	11,026	10,548	478	12	697
First	4,415	4,271	4,164	107	4	140
Second	3,145	3,002	2,889	113	1	142
Third	1,688	1,594	1,522	72	2	92
Fourth	916	836	786	50	1	79
Fifth	526	471	440	31	1	54
Sixth	358	302	278	24	-	56
Seventh	239	190	167	23	2	47
Eighth	150	116	104	12	-	34

[1]Includes "Nativity not stated."

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 126)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MONTANA—Continued						
Ninth	93	80	67	13	-	13
Tenth	68	50	43	7	1	17
Eleventh	48	39	31	8	-	9
Twelfth	29	22	16	6	-	7
Thirteenth	25	22	17	5	-	3
Fourteenth	10	9	6	3	-	1
Fifteenth	8	6	4	2	-	2
Sixteenth	1	1	1	-	-	-
Seventeenth	2	2	-	2	-	-
Twentieth	1	1	1	-	-	-
Not stated	13	12	12	-	-	1
NEBRASKA	23,676	23,381	23,014	363	202	93
First	9,649	9,548	9,477	70	83	18
Second	5,934	5,879	5,816	61	36	19
Third	3,316	3,273	3,222	51	26	17
Fourth	1,815	1,791	1,756	34	18	6
Fifth	1,028	1,006	983	23	15	7
Sixth	665	649	630	19	9	7
Seventh	428	418	402	16	5	5
Eighth	301	294	272	22	5	2
Ninth	208	202	178	24	3	3
Tenth	122	120	109	11	1	1
Eleventh	77	75	63	12	-	2
Twelfth	33	33	28	5	-	-
Thirteenth	20	20	16	4	-	-
Fourteenth	16	15	11	4	-	1
Fifteenth	8	8	6	2	-	-
Sixteenth	3	3	2	1	-	-
Seventeenth	3	2	-	2	-	1
Eighteenth	2	2	-	2	-	-
Nineteenth	1	1	1	-	-	-
Not stated	47	42	42	-	1	4
NEVADA	2,782	2,605	2,516	86	15	162
First	1,092	1,050	1,021	28	6	36
Second	813	781	759	20	2	30
Third	390	359	343	16	4	27
Fourth	212	193	187	6	1	18
Fifth	103	86	82	4	2	15
Sixth	52	42	40	2	-	10
Seventh	36	28	27	1	-	8
Eighth	20	13	10	3	-	7
Ninth	17	15	14	1	-	2
Tenth	5	2	2	-	-	3
Eleventh	3	2	2	-	-	1
Twelfth	1	1	-	1	-	-
Thirteenth	1	1	-	1	-	-
Fourteenth	3	2	1	1	-	1
Fifteenth	1	1	-	1	-	-
Not stated	33	29	28	1	-	4
NEW HAMPSHIRE	9,173	9,160	8,478	676	12	1
First	3,744	3,742	3,519	220	2	-
Second	2,173	2,171	2,005	166	1	1
Third	1,167	1,166	1,083	82	1	-
Fourth	663	663	596	67	-	-
Fifth	374	374	333	41	-	-
Sixth	197	197	178	19	-	-
Seventh	175	172	150	22	3	-
Eighth	98	97	85	12	1	-
Ninth	59	58	53	5	1	-
Tenth	41	39	32	7	2	-
Eleventh	25	25	18	7	-	-
Twelfth	21	21	17	4	-	-
Thirteenth	16	16	8	8	-	-
Fourteenth	7	7	7	-	-	-
Fifteenth	5	5	4	1	-	-
Sixteenth	2	2	1	1	-	-
Eighteenth	1	1	-	1	-	-
Not stated	405	404	389	13	1	-
NEW JERSEY	81,709	76,254	70,704	5,533	5,429	26
First	40,198	38,347	36,341	1,997	1,845	6
Second	22,017	20,793	19,188	1,603	1,216	8
Third	9,116	8,401	7,575	823	710	5
Fourth	4,085	3,588	3,164	423	495	2
Fifth	2,051	1,718	1,483	234	332	1
Sixth	1,224	989	843	146	235	-
Seventh	745	594	511	83	151	-
Eighth	484	377	309	68	106	1
Ninth	338	240	207	32	98	-
Tenth	207	146	116	30	61	-
Eleventh	128	95	80	15	33	-
Twelfth	83	55	46	9	28	-
Thirteenth	58	45	37	8	12	1
Fourteenth	32	16	13	3	16	-
Fifteenth	15	8	7	1	7	-
Sixteenth	6	5	4	1	1	-
Seventeenth	8	3	2	1	5	-
Eighteenth	3	1	1	-	2	-
Nineteenth	3	2	1	1	1	-
Twentieth	3	2	2	-	1	-
Not stated	905	829	774	55	74	2

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEW MEXICO	14,129	13,497	13,016	477	104	528
First	3,908	3,806	3,741	65	29	73
Second	2,901	2,815	2,752	61	18	68
Third	1,988	1,914	1,867	47	18	56
Fourth	1,360	1,302	1,249	53	7	51
Fifth	1,034	971	926	45	8	55
Sixth	698	659	623	35	4	35
Seventh	568	532	504	28	6	30
Eighth	435	413	365	48	4	18
Ninth	329	311	280	30	4	14
Tenth	221	209	190	19	1	11
Eleventh	172	160	145	15	2	10
Twelfth	110	108	97	11	1	1
Thirteenth	79	74	65	9	1	4
Fourteenth	41	39	36	3	-	2
Fifteenth	20	18	14	4	-	2
Sixteenth	13	13	10	3	-	-
Seventeenth	8	6	6	-	-	2
Eighteenth	3	3	3	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	240	143	142	1	1	96
NEW YORK	244,802	233,795	207,217	26,556	10,505	502
First	120,045	115,788	105,580	10,196	4,101	156
Second	66,865	64,217	56,230	7,984	2,532	116
Third	27,645	26,157	22,312	3,844	1,425	63
Fourth	12,765	11,907	10,014	1,892	806	52
Fifth	6,756	6,163	5,107	1,056	551	42
Sixth	3,867	3,429	2,834	595	410	28
Seventh	2,354	2,109	1,768	339	227	18
Eighth	1,527	1,346	1,130	216	172	9
Ninth	996	875	718	157	111	10
Tenth	619	554	459	95	62	3
Eleventh	385	344	285	59	39	2
Twelfth	257	204	178	26	31	2
Thirteenth	168	151	124	27	17	-
Fourteenth	76	67	56	11	9	-
Fifteenth	42	40	39	1	2	-
Sixteenth	13	13	10	3	-	-
Seventeenth	12	10	8	2	2	-
Eighteenth	8	7	6	1	1	-
Nineteenth	5	5	5	-	-	-
Twentieth	3	3	2	1	-	-
Not stated	414	406	352	51	7	1
NORTH CAROLINA	89,854	62,081	61,921	119	26,772	1,001
First	29,337	22,555	22,478	48	6,565	217
Second	20,000	14,569	14,534	33	5,258	173
Third	12,351	8,417	8,391	21	3,776	158
Fourth	8,172	5,173	5,163	9	2,888	111
Fifth	5,797	3,511	3,509	2	2,202	84
Sixth	4,096	2,461	2,458	3	1,565	70
Seventh	3,058	1,746	1,745	-	1,268	44
Eighth	2,260	1,240	1,237	1	988	32
Ninth	1,605	889	888	1	682	34
Tenth	1,138	594	593	1	520	24
Eleventh	743	382	381	-	338	23
Twelfth	511	250	250	-	249	12
Thirteenth	269	115	115	-	145	9
Fourteenth	155	68	68	-	84	3
Fifteenth	98	29	29	-	67	2
Sixteenth	49	8	8	-	41	-
Seventeenth	24	7	7	-	15	2
Eighteenth	12	3	3	-	9	-
Nineteenth	5	1	1	-	4	-
Twentieth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	172	61	61	-	108	3
NORTH DAKOTA	13,357	12,994	12,564	427	4	359
First	3,758	3,693	3,631	62	-	65
Second	2,880	2,817	2,743	73	2	61
Third	1,815	1,767	1,720	46	-	48
Fourth	1,158	1,136	1,098	38	-	22
Fifth	740	715	688	27	1	24
Sixth	492	470	449	20	-	22
Seventh	349	326	301	25	-	23
Eighth	262	247	231	16	-	15
Ninth	199	187	163	24	-	12
Tenth	142	135	117	18	-	7
Eleventh	76	71	64	7	-	5
Twelfth	61	59	40	19	-	2
Thirteenth	45	45	33	12	-	-
Fourteenth	20	19	16	3	-	1
Fifteenth	15	11	8	3	-	4
Sixteenth	6	5	5	-	-	1
Seventeenth	4	4	3	1	-	-
Eighteenth	1	1	-	1	-	-
Not stated	1,334	1,286	1,254	32	1	47
OHIO	144,327	138,085	134,601	3,451	6,211	31
First	63,285	60,981	59,845	1,119	2,292	12
Second	38,501	37,092	36,145	939	1,405	4
Third	18,400	17,575	17,045	527	817	8
Fourth	9,407	8,875	8,595	278	531	1

[1]Includes "Nativity not stated."

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 126)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
OHIO—Continued						
Fifth	5,061	4,704	4,527	177	355	2
Sixth	3,188	2,941	2,824	117	246	1
Seventh	2,035	1,862	1,788	73	172	1
Eighth	1,395	1,277	1,204	72	117	1
Ninth	962	864	818	46	98	-
Tenth	650	585	554	31	65	-
Eleventh	416	375	357	18	41	-
Twelfth	254	225	211	14	28	1
Thirteenth	154	135	129	6	19	-
Fourteenth	97	90	85	5	7	-
Fifteenth	40	37	33	4	3	-
Sixteenth	16	16	14	2	-	-
Seventeenth	6	5	5	-	1	-
Eighteenth	4	3	2	1	1	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	453	440	417	22	13	-
OKLAHOMA	46,008	41,012	40,789	132	3,007	1,989
First	17,346	15,772	15,688	43	940	634
Second	10,861	9,884	9,851	23	575	402
Third	6,295	5,633	5,603	16	415	247
Fourth	3,663	3,212	3,193	13	257	194
Fifth	2,554	2,200	2,184	11	197	157
Sixth	1,740	1,457	1,448	6	176	107
Seventh	1,170	954	946	5	140	76
Eighth	844	677	669	5	97	70
Ninth	549	439	434	3	65	45
Tenth	388	317	314	2	54	17
Eleventh	233	184	183	-	40	9
Twelfth	164	131	129	2	20	13
Thirteenth	72	54	53	1	15	3
Fourteenth	40	33	32	1	5	2
Fifteenth	18	15	15	-	3	-
Sixteenth	10	8	6	1	2	-
Seventeenth	5	3	3	-	1	1
Eighteenth	6	2	2	-	4	-
Nineteenth	1	-	-	-	1	-
Not stated	49	37	36	-	-	12
OREGON	22,518	22,203	21,383	808	41	274
First	9,867	9,765	9,439	319	21	81
Second	6,502	6,445	6,203	242	8	49
Third	2,926	2,882	2,769	111	2	42
Fourth	1,410	1,378	1,315	61	3	29
Fifth	634	616	594	22	2	16
Sixth	358	345	333	11	1	12
Seventh	236	224	210	14	1	11
Eighth	131	123	116	7	-	8
Ninth	85	79	74	5	-	6
Tenth	53	52	44	8	1	-
Eleventh	36	31	31	-	-	5
Twelfth	23	19	17	2	1	3
Thirteenth	11	9	8	1	-	2
Fourteenth	6	6	6	-	-	-
Fifteenth	2	2	2	-	-	-
Sixteenth	1	1	1	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	236	225	220	5	1	10
PENNSYLVANIA	197,177	186,349	180,224	6,100	10,771	57
First	82,751	78,870	77,211	1,749	3,865	16
Second	51,291	48,910	47,362	1,542	2,368	13
Third	25,881	24,391	23,514	871	1,482	8
Fourth	13,796	12,831	12,289	542	957	8
Fifth	7,933	7,257	6,902	354	672	4
Sixth	5,062	4,591	4,327	264	466	5
Seventh	3,316	3,027	2,812	215	289	-
Eighth	2,291	2,051	1,911	139	239	1
Ninth	1,583	1,417	1,303	114	165	1
Tenth	1,155	1,007	909	98	148	-
Eleventh	787	710	643	67	76	1
Twelfth	524	467	416	50	57	-
Thirteenth	312	280	232	48	32	-
Fourteenth	191	175	156	19	16	-
Fifteenth	90	77	71	6	13	-
Sixteenth	46	36	29	7	10	-
Seventeenth	25	22	16	6	3	-
Eighteenth	11	9	9	-	2	-
Nineteenth	9	5	5	-	4	-
Twentieth	5	4	3	1	1	-
Not stated	118	112	104	8	6	-
RHODE ISLAND	14,182	13,896	12,633	1,257	281	5
First	6,582	6,472	6,081	390	108	2
Second	3,541	3,484	3,182	301	55	2
Third	1,675	1,646	1,461	185	29	-
Fourth	738	712	595	116	25	1
Fifth	424	403	328	74	21	-
Sixth	221	209	165	44	12	-
Seventh	166	155	121	34	11	-
Eighth	92	88	67	21	4	-
Ninth	60	53	42	11	7	-
Tenth	40	37	22	15	3	-
RHODE ISLAND—Continued						
Eleventh	33	33	23	9	-	-
Twelfth	18	16	11	5	2	-
Thirteenth	8	7	6	1	1	-
Fourteenth	4	2	1	1	2	-
Fifteenth	1	1	-	1	-	-
Sixteenth	3	3	3	-	-	-
Seventeenth	1	1	1	-	-	-
Not stated	575	574	524	49	1	-
SOUTH CAROLINA	48,835	25,865	25,810	48	22,948	22
First	17,445	10,542	10,515	25	6,898	5
Second	10,191	5,993	5,980	11	4,195	3
Third	6,509	3,433	3,424	6	3,074	2
Fourth	4,382	2,007	2,005	2	2,373	2
Fifth	2,962	1,212	1,211	1	1,748	2
Sixth	2,217	861	860	1	1,352	4
Seventh	1,590	629	628	1	961	-
Eighth	1,107	417	417	-	690	-
Ninth	845	288	287	1	555	2
Tenth	522	162	162	-	359	1
Eleventh	348	116	116	-	231	1
Twelfth	221	65	65	-	156	-
Thirteenth	142	38	38	-	104	-
Fourteenth	91	23	23	-	68	-
Fifteenth	54	13	13	-	41	-
Sixteenth	21	6	6	-	15	-
Seventeenth	14	2	2	-	12	-
Eighteenth	3	-	-	-	3	-
Nineteenth	3	-	-	-	3	-
Twentieth	3	1	1	-	2	-
Twenty-second and over	2	1	1	-	1	-
Not stated	163	56	56	-	107	-
SOUTH DAKOTA	12,424	11,627	11,438	168	5	792
First	4,357	4,172	4,138	30	2	183
Second	3,016	2,877	2,840	33	2	137
Third	1,963	1,843	1,815	25	-	120
Fourth	1,071	990	971	15	-	81
Fifth	688	607	587	17	-	81
Sixth	403	361	351	10	1	41
Seventh	291	257	247	8	-	34
Eighth	185	163	156	6	-	22
Ninth	143	121	114	7	-	22
Tenth	100	83	77	6	-	17
Eleventh	71	63	60	3	-	8
Twelfth	37	33	30	3	-	4
Thirteenth	17	15	11	4	-	2
Fourteenth	13	13	12	1	-	-
Fifteenth	7	7	7	-	-	-
Sixteenth	1	1	1	-	-	-
Seventeenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	2	2	2	-	-	-
Not stated	57	17	17	-	-	40
TENNESSEE	65,147	54,900	54,791	74	10,241	6
First	22,852	19,750	19,714	31	3,102	-
Second	14,548	12,617	12,580	25	1,928	3
Third	8,832	7,382	7,369	9	1,450	-
Fourth	5,705	4,681	4,671	4	1,023	1
Fifth	3,792	3,084	3,079	3	707	1
Sixth	2,802	2,244	2,242	1	558	-
Seventh	1,968	1,538	1,537	1	429	1
Eighth	1,518	1,200	1,198	-	318	-
Ninth	1,048	823	823	-	225	-
Tenth	724	555	555	-	169	-
Eleventh	445	356	355	-	89	-
Twelfth	236	175	175	-	61	-
Thirteenth	149	106	106	-	43	-
Fourteenth	65	45	45	-	20	-
Fifteenth	49	35	35	-	14	-
Sixteenth	20	11	11	-	9	-
Seventeenth	9	3	3	-	6	-
Eighteenth	4	3	3	-	1	-
Nineteenth	3	3	2	-	-	-
Twentieth	2	1	1	-	1	-
Twenty-first	2	1	1	-	1	-
Twenty-second and over	1	1	1	-	-	-
Not stated	373	286	285	-	87	-
TEXAS	144,742	126,424	119,511	6,813	18,243	75
First	54,456	48,715	47,801	873	5,706	35
Second	32,631	29,297	28,393	888	3,322	12
Third	16,080	14,111	13,413	686	1,961	8
Fourth	8,515	7,309	6,824	482	1,204	2
Fifth	4,865	4,051	3,637	412	813	1
Sixth	3,069	2,457	2,125	326	609	3
Seventh	1,902	1,496	1,229	267	405	1
Eighth	1,205	927	738	188	277	1
Ninth	714	526	404	120	188	-
Tenth	422	309	234	75	112	1
Eleventh	220	151	119	32	69	-
Twelfth	113	87	57	30	26	-
Thirteenth	58	41	26	15	17	-
Fourteenth	20	12	6	6	8	-

[1]Includes "Nativity not stated."

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1942—Continued

(See headnote on p. 126)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
TEXAS—Continued						
Fifteenth	17	12	7	5	5	-
Sixteenth	7	6	3	3	1	-
Seventeenth	2	1	-	1	1	-
Not stated	20,446	16,916	14,495	2,404	3,519	11
UTAH	15,822	15,633	15,198	434	22	167
First	5,655	5,615	5,514	100	10	30
Second	4,166	4,126	4,035	91	7	33
Third	2,583	2,555	2,468	87	2	26
Fourth	1,473	1,448	1,394	54	1	24
Fifth	792	776	741	35	1	15
Sixth	473	460	438	22	1	12
Seventh	265	259	249	10	-	6
Eighth	152	146	134	12	-	6
Ninth	112	106	99	7	-	6
Tenth	54	52	45	7	-	2
Eleventh	34	32	31	1	-	2
Twelfth	25	22	20	2	-	3
Thirteenth	21	20	16	4	-	1
Fourteenth	8	8	7	1	-	-
Fifteenth	1	1	-	1	-	-
Sixteenth	2	2	2	-	-	-
Not stated	6	5	5	-	-	1
VERMONT	7,175	7,174	6,587	585	1	-
First	2,469	2,468	2,330	138	1	-
Second	1,816	1,816	1,695	120	-	-
Third	1,034	1,034	958	75	-	-
Fourth	622	622	544	78	-	-
Fifth	390	390	337	53	-	-
Sixth	233	233	203	30	-	-
Seventh	171	171	150	21	-	-
Eighth	134	134	114	20	-	-
Ninth	71	71	61	10	-	-
Tenth	63	63	47	16	-	-
Eleventh	36	36	29	7	-	-
Twelfth	21	21	16	5	-	-
Thirteenth	14	14	10	4	-	-
Fourteenth	8	8	7	1	-	-
Fifteenth	3	3	3	-	-	-
Sixteenth	3	3	2	1	-	-
Seventeenth	-	-	-	-	-	-
Eighteenth	1	1	-	1	-	-
Not stated	86	86	81	5	-	-
VIRGINIA	67,950	50,911	50,558	335	16,998	41
First	23,439	19,289	19,134	144	4,135	15
Second	14,635	11,634	11,537	97	2,993	8
Third	8,366	6,165	6,123	42	2,196	5
Fourth	5,253	3,671	3,645	25	1,580	2
Fifth	3,437	2,287	2,280	7	1,149	1
Sixth	2,537	1,654	1,652	2	881	2
Seventh	1,913	1,244	1,240	4	666	3
Eighth	1,455	939	938	1	513	3
Ninth	1,024	650	648	2	374	-
Tenth	766	474	474	-	292	-
Eleventh	546	320	317	3	226	-
Twelfth	344	204	204	-	139	1
Thirteenth	203	108	108	-	95	-
Fourteenth	119	53	53	-	66	-
Fifteenth	76	31	30	1	45	-
Sixteenth	43	16	16	-	27	-
Seventeenth	15	7	7	-	8	-
Eighteenth	16	5	5	-	11	-
Nineteenth	2	-	-	-	2	-
Twentieth	3	1	1	-	2	-
Twenty-first	2	1	1	-	1	-
Twenty-second and over	1	-	-	-	1	-
Not stated	3,755	2,158	2,145	7	1,596	1
WASHINGTON	39,007	38,244	36,131	2,096	81	682
First	18,126	17,888	16,991	891	27	211
Second	11,016	10,855	10,237	614	18	143
Third	4,956	4,853	4,558	293	14	89
Fourth	2,205	2,127	1,989	137	5	73
Fifth	1,105	1,053	996	56	5	47
Sixth	650	605	571	34	6	39
Seventh	349	320	297	22	2	27
WASHINGTON—Continued						
Eighth	196	178	166	11	2	16
Ninth	115	110	95	15	-	5
Tenth	80	74	67	7	1	5
Eleventh	53	45	38	7	-	8
Twelfth	37	30	29	1	1	6
Thirteenth	30	24	22	2	-	6
Fourteenth	11	8	7	1	-	3
Fifteenth	3	3	2	1	-	-
Sixteenth	1	1	1	-	-	-
Seventeenth	1	1	1	-	-	-
Eighteenth	2	2	2	-	-	-
Nineteenth	1	1	1	-	-	-
Twentieth	1	1	1	-	-	-
Not stated	69	65	60	4	-	4
WEST VIRGINIA	43,922	41,412	41,026	268	2,504	6
First	13,848	13,104	13,025	46	740	4
Second	9,459	8,983	8,889	68	475	1
Third	6,203	5,865	5,811	40	338	-
Fourth	4,027	3,788	3,753	26	239	-
Fifth	2,805	2,614	2,595	13	191	-
Sixth	2,027	1,898	1,880	14	128	1
Seventh	1,525	1,430	1,413	10	95	-
Eighth	1,132	1,055	1,038	13	77	-
Ninth	845	774	768	6	71	-
Tenth	546	511	505	3	35	-
Eleventh	373	340	329	10	33	-
Twelfth	277	262	252	9	15	-
Thirteenth	133	122	119	2	11	-
Fourteenth	96	83	79	4	13	-
Fifteenth	38	38	38	-	-	-
Sixteenth	17	17	17	-	-	-
Seventeenth	16	13	13	-	3	-
Eighteenth	2	2	2	-	-	-
Nineteenth	2	1	1	-	1	-
Twenty-second and over	2	2	2	-	-	-
Not stated	549	510	497	4	39	-
WISCONSIN	63,982	63,329	61,956	1,366	213	440
First	25,694	25,539	25,105	430	66	89
Second	16,571	16,448	16,126	322	55	68
Third	8,964	8,877	8,670	206	25	62
Fourth	4,998	4,944	4,799	145	12	42
Fifth	2,734	2,679	2,604	75	16	39
Sixth	1,720	1,664	1,617	46	20	36
Seventh	1,125	1,085	1,038	46	7	33
Eighth	738	711	681	30	5	22
Ninth	542	525	503	22	4	13
Tenth	339	321	304	17	2	16
Eleventh	225	222	218	4	-	3
Twelfth	138	135	124	11	1	2
Thirteenth	74	69	63	6	-	5
Fourteenth	52	50	48	2	-	2
Fifteenth	25	25	22	3	-	-
Sixteenth	8	7	7	-	-	1
Seventeenth	5	5	5	-	-	-
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Twenty-second and over	1	1	-	1	-	-
Not stated	27	20	20	-	-	7
WYOMING	5,567	5,401	5,255	138	25	141
First	2,017	1,971	1,952	16	10	36
Second	1,471	1,443	1,419	23	3	25
Third	819	791	770	19	8	20
Fourth	452	439	427	12	2	11
Fifth	258	251	234	17	-	7
Sixth	177	163	149	13	-	14
Seventh	94	87	82	5	-	7
Eighth	56	47	42	5	1	8
Ninth	59	52	44	8	-	7
Tenth	26	25	21	4	-	1
Eleventh	26	25	20	5	-	1
Twelfth	12	12	11	-	-	-
Thirteenth	6	5	3	2	-	1
Fourteenth	6	4	2	2	-	2
Fifteenth	4	4	3	1	-	-
Twenty-first	1	-	-	-	1	-
Not stated	83	82	76	6	-	1

[1]Includes "Nativity not stated."

TABLE 8.—LIVE BIRTHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1942

AREA	Total births	White	Negro	OTHER RACES				
				Total	Indian	Chinese	Japanese	All other
UNITED STATES	2,808,996	2,486,934	307,777	14,285	9,926	1,220	2,108	1,031
Alabama	71,136	45,222	25,891	23	20	1	1	1
Arizona	12,664	11,281	316	1,067	995	33	7	32
Arkansas	42,680	32,618	10,050	12	5	6	1	-
California	154,567	148,483	2,681	3,403	563	658	1,598	584
Colorado	23,586	23,172	248	146	41	5	90	10
Connecticut	37,264	36,396	859	9	4	3	1	1
Delaware	5,657	4,761	893	3	2	-	-	1
District of Columbia	15,179	10,090	5,048	41	3	26	3	9
Florida	40,901	29,512	11,359	30	24	2	3	1
Georgia	72,491	45,507	26,971	13	2	9	-	2
Idaho	11,454	11,327	1	126	92	3	31	-
Illinois	156,232	147,724	8,407	101	11	34	5	51
Indiana	73,706	71,220	2,472	14	8	3	1	2
Iowa	48,454	48,141	281	32	25	1	3	3
Kansas	33,920	32,752	1,111	57	50	2	-	5
Kentucky	66,267	62,619	3,644	4	3	1	-	-
Louisiana	58,093	35,082	22,923	88	72	4	-	12
Maine	17,719	17,673	14	32	28	2	-	2
Maryland	44,237	35,985	8,235	17	-	11	1	5
Massachusetts	82,773	81,660	1,044	69	18	41	1	9
Michigan	123,886	118,784	4,867	235	199	16	-	20
Minnesota	58,770	58,198	60	512	497	8	3	4
Mississippi	56,667	25,566	30,979	122	98	26	-	-
Missouri	70,711	65,903	4,776	32	19	4	1	8
Montana	11,735	11,026	12	697	684	3	3	7
Nebraska	23,676	23,381	202	93	90	1	2	-
Nevada	2,782	2,605	15	162	151	3	7	1
New Hampshire	9,173	9,160	12	1	1	-	-	-
New Jersey	81,709	76,254	5,429	26	3	18	2	3
New Mexico	14,129	13,497	104	528	516	3	3	6
New York	244,802	233,795	10,505	502	268	162	7	65
North Carolina	89,854	62,081	26,772	1,001	998	1	-	2
North Dakota	13,357	12,994	4	359	357	1	-	1
Ohio	144,327	138,085	6,211	31	8	8	3	12
Oklahoma	46,008	41,012	3,007	1,989	1,980	4	2	3
Oregon	22,518	22,203	41	274	167	24	64	19
Pennsylvania	197,177	186,349	10,771	57	13	18	2	24
Rhode Island	14,182	13,896	281	5	1	4	-	-
South Carolina	48,835	25,865	22,948	22	19	-	-	3
South Dakota	12,424	11,627	5	792	791	1	-	-
Tennessee	65,147	54,900	10,241	6	5	1	-	-
Texas	144,742	126,424	18,243	75	35	26	8	6
Utah	15,822	15,633	22	167	91	3	70	3
Vermont	7,175	7,174	1	-	-	-	-	-
Virginia	67,950	50,911	16,998	41	21	5	2	13
Washington	39,007	38,244	81	682	428	30	159	67
West Virginia	43,922	41,412	2,504	6	1	-	4	1
Wisconsin	63,982	63,329	213	440	430	5	1	4
Wyoming	5,567	5,401	25	141	93	-	19	29

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	2,808,996	224,251	208,149	227,012	209,363	213,594	217,609	239,127	249,525	257,448	265,589	246,991	250,338
Male	1,444,365	115,297	106,922	116,372	107,913	110,000	112,062	123,482	128,437	132,468	136,002	126,652	128,758
Female	1,364,631	108,954	101,227	110,640	101,450	103,594	105,547	115,645	121,088	124,980	129,587	120,339	121,580
White	2,486,934	195,838	181,886	199,448	183,842	188,821	192,699	211,518	220,648	228,839	238,124	221,422	223,849
Male	1,280,711	101,058	93,608	102,281	94,916	97,285	99,294	109,492	113,762	117,982	122,142	113,668	115,223
Female	1,206,223	94,780	88,278	97,167	88,926	91,536	93,405	102,026	106,886	110,857	115,982	107,754	108,626
Nonwhite	322,062	28,413	26,263	27,564	25,521	24,773	24,910	27,609	28,877	28,609	27,465	25,569	26,489
Male	163,654	14,239	13,314	14,091	12,997	12,715	12,768	13,990	14,675	14,486	13,860	12,964	13,535
Female	158,408	14,174	12,949	13,473	12,524	12,058	12,142	13,619	14,202	14,123	13,605	12,585	12,954
ALABAMA	71,136	6,049	5,666	6,055	5,640	5,358	5,225	5,887	6,364	6,554	6,361	5,971	5,986
Male	36,388	3,098	2,903	3,065	2,926	2,734	2,663	3,047	3,158	3,364	3,286	3,083	3,061
Female	34,748	2,951	2,763	2,990	2,714	2,624	2,562	2,840	3,206	3,190	3,095	2,888	2,925
White	45,222	3,700	3,485	3,690	3,550	3,367	3,288	3,665	4,118	4,281	4,218	3,954	3,906
Male	23,245	1,920	1,791	1,900	1,829	1,745	1,680	1,917	2,064	2,201	2,180	2,034	1,984
Female	21,977	1,780	1,694	1,790	1,721	1,622	1,608	1,748	2,054	2,080	2,038	1,920	1,922
Nonwhite	25,914	2,349	2,181	2,365	2,090	1,991	1,937	2,222	2,246	2,273	2,163	2,017	2,080
Male	13,143	1,178	1,112	1,165	1,097	989	983	1,130	1,094	1,163	1,106	1,049	1,077
Female	12,771	1,171	1,069	1,200	993	1,002	954	1,092	1,152	1,110	1,057	968	1,003
ARIZONA	12,664	1,068	948	1,099	939	1,058	962	1,159	1,169	1,069	1,104	1,078	1,011
Male	6,470	555	443	567	472	537	468	619	593	542	585	569	520
Female	6,194	513	505	532	467	521	494	540	576	527	519	509	491
White	11,281	947	832	979	824	919	835	1,030	1,051	953	995	993	923
Male	5,780	496	390	501	419	468	412	564	522	480	527	526	475
Female	5,501	451	442	478	405	451	423	466	529	473	468	467	448
Nonwhite	1,383	121	116	120	115	139	127	129	118	116	109	85	88
Male	690	59	53	66	53	69	56	55	71	62	58	43	45
Female	693	62	63	54	62	70	71	74	47	54	51	42	43
ARKANSAS	42,680	3,847	3,578	3,510	3,176	3,054	3,082	3,562	3,874	3,903	3,944	3,519	3,651
Male	22,148	1,945	1,912	1,848	1,645	1,606	1,567	1,829	2,036	2,041	2,009	1,806	1,904
Female	20,532	1,902	1,666	1,662	1,531	1,428	1,515	1,733	1,838	1,862	1,935	1,713	1,747
White	32,618	2,919	2,699	2,643	2,414	2,306	2,325	2,689	2,956	3,016	3,061	2,717	2,873
Male	16,978	1,490	1,467	1,391	1,270	1,226	1,193	1,382	1,545	1,564	1,563	1,384	1,503
Female	15,640	1,429	1,232	1,252	1,144	1,080	1,132	1,307	1,411	1,452	1,498	1,333	1,370
Nonwhite	10,062	928	879	867	762	728	757	873	918	887	883	802	778
Male	5,170	455	445	457	375	380	374	447	491	477	446	422	401
Female	4,892	473	434	410	387	348	383	426	427	410	437	380	377
CALIFORNIA	154,567	11,427	10,494	11,862	11,635	12,284	12,505	13,526	13,462	13,950	14,941	14,131	14,350
Male	79,401	5,880	5,349	6,151	6,077	6,350	6,410	6,859	6,809	7,185	7,675	7,312	7,344
Female	75,166	5,547	5,145	5,711	5,558	5,934	6,095	6,667	6,653	6,765	7,266	6,819	7,006
White	148,483	10,931	10,054	11,388	11,174	11,748	11,992	13,018	12,928	13,412	14,411	13,622	13,805
Male	76,285	5,635	5,127	5,914	5,826	6,063	6,154	6,609	6,535	6,910	7,407	7,035	7,070
Female	72,198	5,296	4,927	5,474	5,348	5,685	5,838	6,409	6,393	6,502	7,004	6,587	6,735
Nonwhite	6,084	496	440	474	461	536	513	508	534	538	530	509	545
Male	3,116	245	222	237	251	287	256	250	274	275	268	277	274
Female	2,968	251	218	237	210	249	257	258	260	263	262	232	271
COLORADO	23,566	1,865	1,723	1,976	1,897	2,028	1,948	1,975	2,073	2,070	2,164	1,882	1,965
Male	12,176	1,013	892	978	992	1,021	1,017	1,012	1,036	1,076	1,126	976	1,037
Female	11,390	852	831	998	905	1,007	931	963	1,037	994	1,038	906	928
White	23,172	1,843	1,697	1,949	1,857	1,993	1,919	1,943	2,036	2,040	2,129	1,840	1,926
Male	11,985	1,003	879	966	972	1,005	1,001	1,000	1,026	1,062	1,107	951	1,013
Female	11,187	840	818	983	885	988	918	943	1,010	978	1,022	889	913
Nonwhite	394	22	26	27	40	35	29	32	37	30	35	42	39
Male	191	10	13	12	20	16	16	12	10	14	19	25	24
Female	203	12	13	15	20	19	13	20	27	16	16	17	15
CONNECTICUT	37,264	2,694	2,574	2,813	2,819	3,029	3,008	3,069	3,138	3,431	3,688	3,438	3,563
Male	19,302	1,421	1,337	1,459	1,443	1,547	1,563	1,607	1,627	1,789	1,922	1,736	1,851
Female	17,962	1,273	1,237	1,354	1,376	1,482	1,445	1,462	1,511	1,642	1,766	1,702	1,712
White	36,396	2,629	2,505	2,758	2,758	2,940	2,932	2,997	3,065	3,354	3,605	3,359	3,494
Male	18,870	1,388	1,300	1,430	1,414	1,501	1,520	1,571	1,594	1,743	1,881	1,713	1,815
Female	17,526	1,241	1,205	1,328	1,344	1,439	1,412	1,426	1,471	1,611	1,724	1,646	1,679
Nonwhite	868	65	69	55	61	89	76	72	73	77	83	79	69
Male	432	33	37	29	29	46	43	36	35	46	41	23	36
Female	436	32	32	26	32	43	33	36	40	31	42	56	33
DELAWARE	5,657	459	428	448	459	429	452	464	503	502	551	486	496
Male	2,912	245	227	217	234	223	222	250	268	244	279	242	261
Female	2,745	214	201	231	205	206	230	214	235	258	272	244	235
White	4,761	367	353	374	352	364	378	397	431	419	481	416	429
Male	2,458	203	196	182	187	188	186	213	229	198	238	211	227
Female	2,303	164	157	192	165	176	192	184	202	221	243	205	202
Nonwhite	896	92	75	74	87	65	74	67	72	83	70	70	67
Male	454	42	31	35	47	35	36	37	39	46	41	31	34
Female	442	50	44	39	40	30	38	30	33	37	29	39	33
DISTRICT OF COLUMBIA	15,179	1,240	1,118	1,222	1,074	1,138	1,214	1,230	1,239	1,416	1,460	1,402	1,426
Male	7,838	655	575	618	585	589	617	633	640	730	753	713	730
Female	7,341	585	543	604	489	549	597	597	599	686	707	689	696
White	10,090	781	722	798	689	726	798	801	794	935	1,021	986	1,019
Male	5,270	420	374	405	386	383	407	411	416	514	530	503	521
Female	4,820	361	348	393	303	343	391	390	378	441	491	483	498
Nonwhite	5,089	459	396	424	385	412	416	429	445	461	439	416	407
Male	2,568	235	201	213	199	206	210	222	224	216	223	210	209
Female	2,521	224	195	211	186	206	206	207	221	245	216	206	198
FLORIDA	40,901	3,754	3,195	3,314	2,783	2,508	2,538	3,182	3,661	3,942	4,137	3,875	4,012
Male	21,151	1,906	1,669	1,662	1,453	1,300	1,376	1,691	1,909	2,067	2,099	1,970	2,049
Female	19,750	1,848	1,526	1,652	1,330	1,208	1,162	1,491	1,752	1,875	2,038	1,905	1,963
White	29,512	2,653	2,310	2,368	1,960	1,822	1,824	2,236	2,583	2,844	3,105	2,858	2,949
Male	15,266	1,343	1,224	1,171	1,014	943	987	1,189	1,365	1,484	1,583	1,457	1,506
Female	14,246	1,310	1,086	1,197	946	879	837	1,047	1,218	1,360	1,522	1,401	1,443
Nonwhite	11,389	1,101	885	946	823	686	714	946	1,078	1,098	1,032	1,017	1,063
Male	5,885	563	445	491	439	357	389	502	544	583	516	513	543
Female	5,504	538	440	455	384	329	325	444	534	515	516	504	520

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	72,491	6,147	5,767	6,106	5,724	5,406	5,320	6,143	6,522	6,796	6,549	6,031	5,980
Male	37,173	3,139	2,950	3,104	2,987	2,783	2,737	3,144	3,326	3,502	3,321	3,054	3,126
Female	35,318	3,008	2,817	3,002	2,737	2,623	2,583	2,999	3,196	3,294	3,228	2,977	2,854
White	45,507	3,745	3,511	3,644	3,459	3,356	3,267	3,821	4,117	4,424	4,276	3,950	3,937
Male	23,518	1,928	1,818	1,856	1,851	1,711	1,687	1,973	2,139	2,282	2,174	2,019	2,080
Female	21,989	1,817	1,693	1,788	1,608	1,645	1,580	1,848	1,978	2,142	2,102	1,931	1,857
Nonwhite	26,984	2,402	2,256	2,462	2,265	2,050	2,053	2,322	2,405	2,372	2,273	2,081	2,043
Male	13,655	1,211	1,132	1,248	1,136	1,072	1,050	1,171	1,187	1,220	1,147	1,035	1,046
Female	13,329	1,191	1,124	1,214	1,129	978	1,003	1,151	1,218	1,152	1,126	1,046	997
IDAHO	11,454	969	939	986	894	992	943	1,035	955	989	908	930	914
Male	5,904	508	506	494	443	501	501	562	469	504	477	468	471
Female	5,550	461	433	492	451	491	442	473	486	485	431	462	443
White	11,327	959	924	971	886	979	931	1,027	950	981	896	920	903
Male	5,834	501	501	487	439	491	496	559	464	500	470	460	466
Female	5,493	458	423	484	447	488	435	468	486	481	426	460	437
Nonwhite	127	10	15	15	8	13	12	8	5	8	12	10	11
Male	70	7	5	7	4	10	5	3	5	4	7	8	5
Female	57	3	10	8	4	3	7	5	-	4	5	2	6
ILLINOIS	156,232	12,489	11,533	12,346	11,075	11,157	11,940	13,627	14,260	14,642	15,366	14,020	13,777
Male	80,282	6,509	5,923	6,323	5,638	5,775	6,022	7,063	7,344	7,606	7,813	7,172	7,094
Female	75,950	5,980	5,610	6,023	5,437	5,382	5,918	6,564	6,916	7,036	7,553	6,848	6,683
White	147,724	11,784	10,863	11,664	10,449	10,506	11,215	12,874	13,440	13,880	14,652	13,345	13,052
Male	75,988	6,142	5,594	5,977	5,320	5,437	5,668	6,691	6,936	7,221	7,440	6,822	6,740
Female	71,736	5,642	5,269	5,687	5,129	5,069	5,547	6,183	6,504	6,659	7,212	6,523	6,312
Nonwhite	8,508	705	670	682	626	651	725	753	820	762	714	675	725
Male	4,294	367	329	346	318	338	354	372	408	385	373	350	354
Female	4,214	338	341	336	308	313	371	381	412	377	341	325	371
INDIANA	73,706	5,851	5,294	5,759	5,320	5,287	5,660	6,473	6,736	6,982	7,082	5,638	6,624
Male	38,129	3,008	2,722	2,950	2,791	2,761	2,986	3,352	3,474	3,620	3,660	3,394	3,411
Female	35,577	2,843	2,572	2,809	2,529	2,526	2,674	3,121	3,262	3,362	3,422	3,244	3,213
White	71,220	5,648	5,084	5,561	5,125	5,101	5,441	6,251	6,501	6,763	6,892	6,437	6,416
Male	36,852	2,898	2,603	2,835	2,701	2,657	2,894	3,233	3,343	3,512	3,569	3,293	3,314
Female	34,368	2,750	2,481	2,726	2,424	2,444	2,547	3,018	3,158	3,251	3,323	3,144	3,102
Nonwhite	2,486	203	210	198	195	186	219	222	235	219	190	201	208
Male	1,277	110	119	115	90	104	92	119	131	108	91	101	97
Female	1,209	93	91	83	105	82	127	103	104	111	99	100	111
IOWA	48,454	3,921	3,706	4,047	3,751	3,573	3,859	4,260	4,335	4,335	4,514	4,011	4,142
Male	25,080	2,009	1,940	2,095	1,961	1,842	2,015	2,208	2,322	2,216	2,352	1,992	2,128
Female	23,374	1,912	1,766	1,952	1,790	1,731	1,844	2,052	2,013	2,119	2,162	2,019	2,014
White	48,141	3,891	3,680	4,018	3,732	3,552	3,833	4,229	4,310	4,307	4,487	3,980	4,122
Male	24,924	1,994	1,923	2,084	1,951	1,830	1,999	2,195	2,308	2,200	2,342	1,979	2,119
Female	23,217	1,897	1,757	1,934	1,781	1,722	1,834	2,034	2,002	2,107	2,145	2,001	2,003
Nonwhite	313	30	26	29	19	21	26	31	25	28	27	31	20
Male	156	15	17	11	10	12	16	13	14	16	10	13	9
Female	157	15	9	18	9	9	10	18	11	12	17	18	11
KANSAS	33,920	2,737	2,672	2,633	2,447	2,469	2,527	2,970	3,028	3,046	3,256	3,098	3,037
Male	17,516	1,427	1,385	1,368	1,247	1,262	1,323	1,559	1,506	1,566	1,707	1,611	1,555
Female	16,404	1,310	1,287	1,265	1,200	1,207	1,204	1,411	1,522	1,480	1,549	1,487	1,482
White	32,752	2,637	2,571	2,542	2,346	2,375	2,438	2,879	2,928	2,950	3,169	2,989	2,928
Male	16,895	1,380	1,326	1,324	1,195	1,214	1,281	1,506	1,451	1,514	1,663	1,548	1,493
Female	15,857	1,257	1,245	1,218	1,151	1,161	1,157	1,373	1,477	1,436	1,506	1,441	1,435
Nonwhite	1,168	100	101	91	101	94	89	91	100	96	87	109	109
Male	621	47	59	44	52	48	42	53	55	52	44	63	62
Female	547	53	42	47	49	46	47	38	45	44	43	46	47
KENTUCKY	66,267	5,423	5,209	5,647	5,226	5,142	5,122	5,643	5,920	6,053	5,862	5,416	5,604
Male	34,921	2,835	2,745	2,984	2,716	2,722	2,705	3,014	3,170	3,115	3,064	2,908	2,943
Female	31,346	2,588	2,464	2,663	2,510	2,420	2,417	2,629	2,750	2,938	2,798	2,508	2,661
White	62,619	5,071	4,886	5,351	4,926	4,873	4,808	5,332	5,616	5,749	5,558	5,131	5,318
Male	33,036	2,665	2,587	2,829	2,566	2,592	2,538	2,847	3,008	2,959	2,896	2,756	2,793
Female	29,583	2,406	2,299	2,522	2,360	2,281	2,270	2,485	2,608	2,790	2,662	2,375	2,525
Nonwhite	3,648	352	323	296	300	269	314	311	304	304	304	285	286
Male	1,885	170	158	155	150	130	167	167	162	156	168	152	150
Female	1,763	182	165	141	150	139	147	144	142	148	136	133	136
LOUISIANA	58,093	5,186	4,590	4,586	3,976	3,540	3,732	4,586	5,603	5,716	5,892	5,331	5,355
Male	29,644	2,659	2,321	2,309	2,017	1,829	1,980	2,337	2,856	2,852	3,008	2,736	2,740
Female	28,449	2,527	2,269	2,277	1,959	1,711	1,752	2,249	2,747	2,864	2,884	2,595	2,615
White	35,082	3,020	2,660	2,648	2,224	2,093	2,135	2,706	3,441	3,546	3,773	3,403	3,433
Male	17,900	1,539	1,327	1,342	1,141	1,080	1,132	1,397	1,725	1,779	1,929	1,749	1,760
Female	17,182	1,481	1,333	1,306	1,083	1,013	1,003	1,309	1,716	1,767	1,844	1,654	1,673
Nonwhite	23,011	2,166	1,930	1,938	1,752	1,447	1,597	1,880	2,162	2,170	2,119	1,928	1,922
Male	11,744	1,120	994	967	876	749	848	940	1,131	1,073	1,079	987	980
Female	11,267	1,046	936	971	876	698	749	940	1,031	1,097	1,040	941	942
MAINE	17,719	1,371	1,308	1,515	1,406	1,498	1,447	1,603	1,549	1,537	1,566	1,436	1,483
Male	9,181	713	705	790	718	708	731	856	799	832	817	746	766
Female	8,538	658	603	725	688	790	716	747	750	705	749	690	717
White	17,673	1,369	1,306	1,510	1,403	1,494	1,443	1,597	1,544	1,532	1,561	1,433	1,481
Male	9,159	713	705	786	718	707	728	851	796	830	815	745	765
Female	8,514	656	601	724	685	787	715	746	748	702	746	688	716
Nonwhite	46	2	2	5	3	4	4	6	5	5	5	3	2
Male	22	-	-	4	-	1	3	5	3	2	2	1	1
Female	24	2	2	1	3	3	1	1	2	3	3	2	1
MARYLAND	44,237	3,381	3,143	3,657	3,014	3,410	3,376	3,745	4,004	4,060	4,274	4,053	4,120
Male	22,639	1,682	1,592	1,847	1,526	1,771	1,733	1,967	2,062	2,071	2,198	2,051	2,139
Female	21,598	1,699	1,551	1,810	1,488	1,639	1,643	1,778	1,942	1,989	2,076	2,002	1,981
White	35,985	2,725	2,475	2,940	2,398	2,728	2,658	3,001	3,284	3,316	3,597	3,397	3,466
Male	18,430	1,371	1,242	1,461	1,203	1,409	1,389	1,578	1,707	1,702	1,851	1,709	1,808
Female	17,555	1,354	1,233	1,479	1,195	1,319	1,269	1,423	1,577	1,614	1,746	1,688	1,658
Nonwhite	8,252	656	668	717	616	682	718	744	720	744	677	656	654
Male	4,209	311	350	386	323	362	344	389	355	369	347	342	331
Female	4,043	345	318	331	293	320	374	355	365	375	330	314	323

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	82,773	6,029	5,815	6,653	6,253	6,625	6,555	7,165	7,150	7,377	7,906	7,558	7,687
Male	42,669	3,069	3,052	3,320	3,296	3,472	3,360	3,694	3,732	3,813	4,116	3,883	3,862
Female	40,104	2,960	2,763	3,333	2,957	3,153	3,195	3,471	3,418	3,564	3,790	3,675	3,825
White	81,660	5,938	5,741	6,563	6,179	6,521	6,461	7,055	7,043	7,282	7,811	7,466	7,600
Male	42,101	3,024	3,013	3,272	3,258	3,422	3,313	3,637	3,674	3,767	4,068	3,831	3,822
Female	39,559	2,914	2,728	3,291	2,921	3,099	3,148	3,418	3,369	3,515	3,743	3,635	3,778
Nonwhite	1,113	91	74	90	74	104	94	110	107	95	95	92	87
Male	568	45	39	48	38	50	47	57	58	46	48	52	40
Female	545	46	35	42	36	54	47	53	49	49	47	40	47
MICHIGAN	123,886	9,924	9,123	10,331	9,372	9,617	10,087	10,505	11,085	11,343	11,360	10,505	10,634
Male	63,360	5,121	4,721	5,168	4,771	4,995	5,222	5,454	5,557	5,806	5,782	5,355	5,408
Female	60,526	4,803	4,402	5,163	4,601	4,622	4,865	5,051	5,528	5,537	5,578	5,150	5,226
White	118,784	9,517	8,744	9,938	8,969	9,168	9,628	10,035	10,590	10,923	10,901	10,130	10,241
Male	60,784	4,939	4,521	4,974	4,574	4,747	4,989	5,206	5,319	5,594	5,542	5,171	5,208
Female	58,000	4,578	4,223	4,964	4,395	4,421	4,639	4,829	5,271	5,329	5,359	4,959	5,033
Nonwhite	5,102	407	379	393	403	449	459	470	495	420	459	375	393
Male	2,576	182	200	194	197	248	235	248	238	212	240	184	200
Female	2,526	225	179	199	206	201	226	222	257	208	219	191	193
MINNESOTA	58,770	4,478	4,241	4,805	4,599	4,430	4,789	5,218	5,360	5,316	5,410	5,114	5,010
Male	30,100	2,300	2,236	2,385	2,362	2,294	2,472	2,700	2,734	2,757	2,762	2,527	2,571
Female	28,670	2,178	2,005	2,420	2,237	2,136	2,317	2,518	2,626	2,559	2,648	2,587	2,439
White	58,198	4,428	4,187	4,746	4,568	4,382	4,744	5,161	5,304	5,266	5,362	5,075	4,975
Male	29,804	2,274	2,208	2,354	2,348	2,269	2,448	2,677	2,703	2,727	2,737	2,508	2,551
Female	28,394	2,154	1,979	2,392	2,220	2,113	2,296	2,484	2,601	2,539	2,625	2,567	2,424
Nonwhite	572	50	54	59	31	48	45	57	56	50	48	39	35
Male	296	26	28	31	14	25	24	23	31	30	25	19	20
Female	276	24	26	28	17	23	21	34	25	20	23	20	15
MISSISSIPPI	56,667	5,121	4,516	4,818	4,444	4,179	4,194	4,719	5,081	5,158	4,902	4,663	4,872
Male	29,140	2,612	2,311	2,528	2,272	2,175	2,145	2,442	2,616	2,650	2,509	2,410	2,470
Female	27,527	2,509	2,205	2,290	2,172	2,004	2,049	2,277	2,465	2,508	2,393	2,253	2,402
White	25,568	2,334	1,948	2,088	1,869	1,669	1,766	2,109	2,323	2,470	2,364	2,254	2,332
Male	13,297	1,219	1,003	1,080	956	924	891	1,098	1,219	1,295	1,255	1,170	1,187
Female	12,269	1,115	945	1,008	913	765	875	1,011	1,104	1,175	1,129	1,084	1,145
Nonwhite	31,101	2,787	2,568	2,730	2,575	2,490	2,428	2,610	2,758	2,688	2,518	2,409	2,540
Male	15,843	1,393	1,308	1,448	1,316	1,251	1,254	1,344	1,397	1,355	1,254	1,240	1,283
Female	15,258	1,394	1,260	1,282	1,259	1,239	1,174	1,266	1,361	1,333	1,264	1,169	1,257
MISSOURI	70,711	5,825	5,372	5,657	4,911	5,026	5,378	6,153	6,565	6,519	6,813	6,212	6,280
Male	36,192	2,964	2,717	2,903	2,590	2,585	2,763	3,175	3,351	3,300	3,494	3,134	3,216
Female	34,519	2,861	2,655	2,754	2,321	2,441	2,615	2,978	3,214	3,219	3,319	3,078	3,064
White	65,903	5,421	5,027	5,270	4,580	4,645	5,011	5,674	6,122	6,061	6,394	5,818	5,880
Male	33,735	2,763	2,536	2,682	2,415	2,397	2,563	2,922	3,137	3,063	3,288	2,925	3,044
Female	32,168	2,658	2,491	2,588	2,165	2,248	2,448	2,752	2,985	2,998	3,106	2,893	2,836
Nonwhite	4,808	404	345	387	331	361	367	479	443	458	419	394	400
Male	2,457	201	181	221	175	188	200	253	214	237	206	209	172
Female	2,351	203	164	166	156	193	167	226	229	221	213	185	228
MONTANA	11,735	977	889	1,021	952	979	1,025	945	1,039	1,063	965	923	957
Male	6,041	477	480	517	502	501	537	496	535	516	511	473	496
Female	5,694	500	409	504	450	478	488	449	504	547	454	450	461
White	11,026	917	825	949	887	918	966	900	972	1,011	915	868	898
Male	5,678	448	449	481	464	473	511	466	500	488	488	445	465
Female	5,348	469	376	468	423	445	455	434	472	523	427	423	433
Nonwhite	709	60	64	72	65	61	59	45	67	52	50	55	59
Male	363	29	31	36	38	28	26	30	35	28	23	28	31
Female	346	31	33	36	27	33	33	15	32	24	27	27	28
NEBRASKA	23,676	1,899	1,732	1,889	1,815	1,754	1,837	2,115	2,119	2,138	2,264	2,005	2,109
Male	12,163	974	871	993	912	892	967	1,076	1,137	1,106	1,138	1,018	1,079
Female	11,513	925	861	896	903	862	870	1,039	982	1,032	1,126	987	1,030
White	23,381	1,882	1,714	1,851	1,794	1,738	1,812	2,096	2,083	2,116	2,238	1,971	2,086
Male	12,016	963	862	978	900	886	952	1,067	1,121	1,093	1,127	1,004	1,063
Female	11,365	919	852	873	894	852	860	1,029	962	1,023	1,111	967	1,023
Nonwhite	295	17	18	38	21	16	25	19	36	22	26	34	23
Male	147	11	9	15	12	6	15	9	16	13	11	14	16
Female	148	6	9	23	9	10	10	10	20	9	15	20	7
NEVADA	2,762	203	195	204	234	238	231	215	279	256	250	235	242
Male	1,438	111	100	112	122	118	123	110	134	135	121	120	132
Female	1,344	92	95	92	112	120	108	105	145	121	129	115	110
White	2,605	180	176	190	222	227	218	205	264	239	239	221	224
Male	1,350	98	91	106	118	115	117	107	127	127	115	110	119
Female	1,255	82	85	84	104	112	101	98	137	112	124	111	105
Nonwhite	177	23	19	14	12	11	13	10	15	17	11	14	18
Male	88	13	9	6	4	3	6	3	7	8	6	10	13
Female	89	10	10	8	8	8	7	7	8	9	5	4	5
NEW HAMPSHIRE	9,173	726	685	707	707	758	776	808	865	876	810	743	712
Male	4,752	385	379	378	365	393	406	414	444	459	409	366	354
Female	4,421	341	306	329	342	365	370	394	421	417	401	377	358
White	9,160	726	682	707	706	754	776	808	864	876	806	743	712
Male	4,746	385	378	378	365	392	406	414	443	459	406	366	354
Female	4,414	341	304	329	341	362	370	394	421	417	400	377	358
Nonwhite	13	-	3	-	1	4	-	-	1	-	4	-	-
Male	6	-	1	-	-	1	-	-	1	-	3	-	-
Female	7	-	2	-	1	3	-	-	-	-	1	-	-
NEW JERSEY	81,709	6,088	5,739	6,367	5,850	6,310	6,413	6,941	6,931	7,548	8,208	7,723	7,591
Male	42,082	3,194	2,923	3,246	3,060	3,228	3,287	3,510	3,596	3,960	4,188	3,985	3,905
Female	39,627	2,894	2,816	3,121	2,790	3,082	3,126	3,431	3,335	3,588	4,020	3,738	3,686
White	76,254	5,660	5,313	5,919	5,471	5,855	5,973	6,433	6,454	7,081	7,703	7,261	7,131
Male	39,284	2,967	2,705	3,013	2,858	2,994	3,047	3,259	3,359	3,738	3,935	3,751	3,658
Female	36,970	2,693	2,608	2,906	2,613	2,861	2,926	3,174	3,095	3,343	3,768	3,510	3,473
Nonwhite	5,455	428	426	448	379	455	440	508	477	467	505	462	460
Male	2,798	227	218	233	202	234	240	251	237	222	253	234	247
Female	2,657	201	208	215	177	221	200	257	240	245	252	228	213

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	14,129	1,150	1,054	1,290	1,213	1,244	1,163	1,245	1,175	1,207	1,168	1,085	1,135
Male	7,183	575	539	630	629	621	588	647	594	647	592	552	569
Female	6,946	575	515	660	584	623	575	598	581	560	576	533	566
White	13,497	1,108	1,008	1,230	1,151	1,184	1,110	1,199	1,128	1,148	1,121	1,018	1,092
Male	6,882	552	518	600	592	599	559	621	575	620	568	521	557
Female	6,615	556	490	630	559	585	551	578	553	528	553	497	535
Nonwhite	632	42	46	60	62	60	53	46	47	59	47	67	43
Male	301	23	21	30	37	22	29	26	19	27	24	31	12
Female	331	19	25	30	25	38	24	20	28	32	23	36	31
NEW YORK	244,802	18,505	17,255	19,382	18,231	19,696	19,287	20,519	20,195	22,104	24,188	22,586	22,854
Male	125,607	9,384	8,831	10,031	9,389	10,157	9,962	10,568	10,347	11,375	12,255	11,526	11,782
Female	119,195	9,121	8,424	9,351	8,842	9,539	9,325	9,951	9,848	10,729	11,933	11,060	11,072
White	233,795	17,538	16,378	18,534	17,402	18,849	18,389	19,554	19,202	21,136	23,206	21,677	21,930
Male	120,041	8,906	8,395	9,589	8,957	9,736	9,507	10,081	9,835	10,919	11,761	11,056	11,299
Female	113,754	8,632	7,983	8,945	8,445	9,113	8,882	9,473	9,367	10,217	11,445	10,621	10,631
Nonwhite	11,007	967	877	848	829	847	898	965	993	968	982	909	924
Male	5,566	478	436	442	432	421	455	487	512	456	494	470	483
Female	5,441	489	441	406	397	426	443	478	481	512	488	439	441
NORTH CAROLINA	89,854	7,630	7,121	7,359	6,997	6,936	6,789	7,336	7,879	8,283	8,122	7,518	7,884
Male	46,026	3,859	3,642	3,779	3,578	3,517	3,506	3,761	4,115	4,192	4,147	3,832	4,098
Female	43,828	3,771	3,479	3,580	3,419	3,419	3,283	3,575	3,764	4,091	3,975	3,686	3,786
White	62,081	5,050	4,861	5,025	4,728	4,574	4,558	5,036	5,512	5,847	5,857	5,405	5,828
Male	32,086	2,635	2,511	2,589	2,434	2,311	2,397	2,618	2,883	2,965	3,005	2,803	2,935
Female	29,995	2,415	2,350	2,436	2,294	2,263	2,161	2,418	2,629	2,882	2,852	2,602	2,693
Nonwhite	27,773	2,580	2,260	2,334	2,269	2,362	2,231	2,300	2,367	2,436	2,265	2,113	2,256
Male	13,940	1,224	1,131	1,190	1,144	1,206	1,109	1,143	1,232	1,227	1,142	1,029	1,163
Female	13,833	1,356	1,129	1,144	1,125	1,156	1,122	1,157	1,135	1,209	1,123	1,084	1,093
NORTH DAKOTA	13,357	1,040	954	1,078	1,046	1,119	1,125	1,142	1,183	1,139	1,196	1,148	1,187
Male	6,851	541	461	552	560	600	574	590	589	600	628	557	599
Female	6,506	499	493	526	486	519	551	552	594	539	568	591	588
White	12,994	995	939	1,042	1,019	1,092	1,097	1,101	1,143	1,106	1,162	1,133	1,165
Male	6,665	516	455	533	545	587	560	574	570	581	610	547	587
Female	6,329	479	484	509	474	505	537	527	573	525	552	586	578
Nonwhite	363	45	15	36	27	27	28	41	40	33	34	15	22
Male	186	25	6	19	15	13	14	16	19	19	18	10	12
Female	177	20	9	17	12	14	14	25	21	14	16	5	10
OHIO	144,327	11,466	10,446	11,388	10,406	10,844	11,557	12,445	12,841	13,264	13,794	12,926	12,950
Male	74,061	5,905	5,302	5,939	5,342	5,464	5,900	6,415	6,624	6,753	7,056	6,684	6,677
Female	70,266	5,561	5,144	5,449	5,064	5,380	5,657	6,030	6,217	6,511	6,738	6,242	6,273
White	138,085	10,958	9,947	10,944	9,925	10,359	11,161	11,845	12,231	12,694	13,296	12,401	12,324
Male	70,930	5,642	5,039	5,717	5,111	5,218	5,703	6,094	6,304	6,488	6,821	6,412	6,381
Female	67,155	5,316	4,908	5,227	4,814	5,141	5,458	5,751	5,927	6,206	6,475	5,989	5,943
Nonwhite	6,242	508	499	444	481	485	396	600	610	570	498	525	626
Male	3,131	263	263	222	231	246	197	321	320	265	235	272	296
Female	3,111	245	236	222	250	239	199	279	290	305	263	253	330
OKLAHOMA	46,008	4,019	3,577	3,886	3,298	3,180	3,350	3,905	4,189	4,175	4,354	4,011	4,064
Male	23,464	2,051	1,786	1,968	1,699	1,618	1,727	1,965	2,132	2,128	2,301	2,042	2,047
Female	22,544	1,968	1,791	1,918	1,599	1,562	1,623	1,940	2,057	2,047	2,053	1,969	2,017
White	41,012	3,580	3,171	3,430	2,906	2,796	2,971	3,476	3,710	3,736	3,927	3,633	3,676
Male	20,949	1,817	1,594	1,727	1,488	1,421	1,542	1,768	1,907	1,901	2,086	1,860	1,838
Female	20,063	1,763	1,577	1,703	1,418	1,375	1,429	1,708	1,803	1,835	1,841	1,773	1,838
Nonwhite	4,996	439	406	456	392	384	379	429	479	439	427	378	388
Male	2,515	234	192	241	211	197	185	197	225	227	215	182	209
Female	2,481	205	214	215	181	187	194	232	254	212	212	196	179
OREGON	22,518	1,765	1,570	1,747	1,740	1,845	1,919	1,946	1,990	1,976	1,960	1,997	2,063
Male	11,643	906	803	868	873	983	999	1,037	1,044	1,014	1,053	1,032	1,031
Female	10,875	859	767	879	867	862	920	909	946	962	907	965	1,032
White	22,203	1,743	1,539	1,721	1,712	1,820	1,889	1,925	1,955	1,955	1,943	1,973	2,028
Male	11,480	896	789	857	857	971	986	1,026	1,023	1,001	1,047	1,018	1,009
Female	10,723	847	750	864	855	849	903	899	932	954	896	955	1,019
Nonwhite	315	22	31	26	28	25	30	21	35	21	17	24	35
Male	163	10	14	11	16	12	13	11	21	13	6	14	22
Female	152	12	17	15	12	13	17	10	14	8	11	10	13
PENNSYLVANIA	197,177	14,155	14,141	15,785	14,415	15,747	15,948	17,109	17,557	18,223	18,820	17,505	17,772
Male	101,260	7,251	7,186	8,024	7,549	8,143	8,170	8,838	9,012	9,391	9,564	9,032	9,100
Female	95,917	6,904	6,955	7,761	6,866	7,604	7,778	8,271	8,545	8,832	9,256	8,473	8,672
White	186,349	13,412	13,308	14,890	13,588	14,876	15,017	16,124	16,557	17,240	17,675	16,620	16,842
Male	95,748	6,882	6,788	7,549	7,098	7,690	7,692	8,331	8,509	8,911	9,097	8,586	8,615
Female	90,601	6,530	6,520	7,341	6,490	7,186	7,325	7,793	8,048	8,329	8,778	8,034	8,227
Nonwhite	10,828	743	833	895	827	871	931	985	1,000	983	945	885	930
Male	5,512	369	398	475	451	453	478	507	503	480	467	446	485
Female	5,316	374	435	420	376	418	453	478	497	503	478	439	445
RHODE ISLAND	14,182	1,051	1,033	1,087	1,047	1,115	1,181	1,191	1,162	1,246	1,395	1,291	1,383
Male	7,274	549	522	561	551	556	594	644	568	649	700	674	706
Female	6,908	502	511	526	496	559	587	547	594	597	695	617	677
White	13,896	1,024	1,008	1,065	1,027	1,093	1,156	1,173	1,140	1,224	1,367	1,264	1,355
Male	7,144	538	509	549	539	547	581	635	565	640	690	663	688
Female	6,752	486	499	516	488	546	575	538	575	584	677	601	667
Nonwhite	286	27	25	22	20	22	25	18	22	22	28	27	28
Male	130	11	13	12	12	9	13	9	3	9	10	11	18
Female	156	16	12	10	8	13	12	9	19	13	18	16	10
SOUTH CAROLINA	48,835	4,354	3,992	4,185	3,849	3,569	3,668	4,141	4,388	4,508	4,392	3,792	3,997
Male	25,141	2,202	2,040	2,170	1,945	1,920	1,874	2,112	2,290	2,383	2,265	1,903	2,037
Female	23,694	2,152	1,952	2,015	1,904	1,649	1,794	2,029	2,098	2,125	2,127	1,889	1,960
White	25,865	2,236	2,011	2,095	1,919	1,861	1,936	2,187	2,369	2,484	2,420	2,117	2,230
Male	13,429	1,142	1,006	1,109	976	1,013	981	1,140	1,221	1,320	1,279	1,083	1,159
Female	12,436	1,094	1,005	986	943	848	955	1,047	1,148	1,164	1,141	1,034	1,071
Nonwhite	22,970	2,118	1,981	2,090	1,930	1,708	1,732	1,954	2,019	2,024	1,972	1,675	1,767
Male	11,712	1,060	1,034	1,061	969	907	893	972	1,069	1,063	986	820	878
Female	11,258	1,058	947	1,029	961	801	839	982	950	961	986	855	889

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	12,424	1,026	916	1,069	981	978	987	1,118	1,072	1,050	1,130	1,090	1,007
Male	6,357	515	486	530	487	489	512	566	552	526	576	583	535
Female	6,067	511	430	539	494	489	475	552	520	524	554	507	472
White	11,627	952	851	997	911	907	922	1,061	1,008	975	1,075	1,021	947
Male	5,961	486	457	489	451	458	482	541	516	489	552	542	498
Female	5,666	466	394	508	460	449	440	520	492	486	523	479	449
Nonwhite	797	74	65	72	70	71	65	57	64	75	55	69	60
Male	396	29	29	41	36	31	30	25	36	37	24	41	37
Female	401	45	36	31	34	40	35	32	28	38	31	28	23
TENNESSEE	65,147	5,225	4,945	5,185	5,139	5,094	5,087	5,564	5,855	5,940	5,892	5,530	5,691
Male	33,574	2,743	2,541	2,708	2,617	2,598	2,632	2,791	3,006	3,119	3,023	2,877	2,919
Female	31,573	2,482	2,404	2,477	2,522	2,496	2,455	2,773	2,649	2,821	2,869	2,653	2,772
White	54,900	4,368	4,120	4,317	4,321	4,275	4,303	4,620	4,933	5,043	5,050	4,727	4,823
Male	28,445	2,316	2,121	2,264	2,205	2,205	2,230	2,344	2,530	2,668	2,596	2,476	2,490
Female	26,455	2,052	1,999	2,053	2,116	2,070	2,073	2,276	2,403	2,375	2,454	2,251	2,333
Nonwhite	10,247	857	825	868	818	819	784	944	922	897	842	803	868
Male	5,129	427	420	444	412	393	402	447	476	451	427	401	429
Female	5,118	430	405	424	406	426	382	497	446	446	415	402	439
TEXAS	144,742	12,572	11,018	11,149	9,753	9,477	9,591	11,715	13,573	14,129	14,624	13,450	13,691
Male	74,557	6,503	5,734	5,735	4,946	4,901	4,945	6,123	7,058	7,224	7,443	6,876	7,069
Female	70,185	6,069	5,284	5,414	4,807	4,576	4,646	5,592	6,515	6,905	7,181	6,574	6,622
White	126,424	10,944	9,536	9,685	8,301	8,230	8,291	10,245	11,880	12,411	12,907	11,895	12,099
Male	65,076	5,637	4,979	4,994	4,221	4,249	4,216	5,369	6,180	6,364	6,573	6,074	6,220
Female	61,348	5,307	4,557	4,691	4,080	3,981	4,075	4,876	5,700	6,047	6,334	5,821	5,879
Nonwhite	18,318	1,628	1,482	1,464	1,452	1,247	1,300	1,470	1,693	1,718	1,717	1,555	1,592
Male	9,481	866	755	741	725	652	729	754	878	860	870	802	849
Female	8,837	762	727	723	727	595	571	716	815	858	847	753	743
UTAH	15,822	1,163	1,117	1,274	1,228	1,297	1,347	1,311	1,401	1,476	1,467	1,328	1,413
Male	8,265	622	580	686	653	631	671	685	713	801	781	696	746
Female	7,557	541	537	588	575	666	676	626	688	675	686	632	667
White	15,633	1,148	1,098	1,263	1,203	1,269	1,339	1,299	1,380	1,466	1,449	1,318	1,401
Male	8,170	613	571	680	646	617	668	679	700	794	772	692	738
Female	7,463	535	527	583	557	652	671	620	680	672	677	626	663
Nonwhite	189	15	19	11	25	28	8	12	21	10	18	10	12
Male	95	9	9	6	7	14	3	6	13	7	9	4	8
Female	94	6	10	5	18	14	5	6	8	3	9	6	4
VERMONT	7,175	541	507	591	583	656	652	662	643	579	598	566	597
Male	3,761	273	287	303	289	331	327	355	351	293	332	293	327
Female	3,414	268	220	288	294	325	325	307	292	286	266	273	270
White	7,174	541	507	591	583	656	652	661	643	579	598	566	597
Male	3,761	273	287	303	289	331	327	355	351	293	332	293	327
Female	3,413	268	220	288	294	325	325	306	292	286	266	273	270
Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA	67,950	5,436	5,149	5,793	5,191	5,361	5,483	5,823	5,907	6,098	5,983	5,694	6,032
Male	34,910	2,840	2,617	2,938	2,627	2,702	2,866	2,986	3,058	3,149	3,038	2,984	3,105
Female	33,040	2,596	2,532	2,855	2,564	2,659	2,617	2,837	2,849	2,949	2,945	2,710	2,927
White	50,911	3,974	3,793	4,239	3,824	4,026	4,111	4,393	4,430	4,619	4,564	4,391	4,547
Male	26,310	2,107	1,942	2,165	1,949	2,010	2,157	2,274	2,336	2,395	2,304	2,323	2,348
Female	24,601	1,867	1,851	2,074	1,875	2,016	1,954	2,119	2,094	2,224	2,260	2,068	2,199
Nonwhite	17,039	1,462	1,356	1,554	1,367	1,335	1,372	1,430	1,477	1,479	1,419	1,303	1,485
Male	8,600	733	675	773	678	692	709	712	722	754	734	661	757
Female	8,439	729	681	781	689	643	663	718	755	725	685	642	728
WASHINGTON	39,007	2,890	2,645	3,107	2,968	3,244	3,162	3,406	3,501	3,414	3,600	3,451	3,599
Male	20,097	1,519	1,357	1,626	1,482	1,646	1,680	1,763	1,849	1,718	1,858	1,774	1,825
Female	18,910	1,371	1,288	1,481	1,486	1,598	1,502	1,643	1,652	1,696	1,742	1,677	1,774
White	38,244	2,826	2,582	3,046	2,894	3,166	3,112	3,325	3,442	3,336	3,550	3,408	3,557
Male	19,704	1,488	1,331	1,600	1,442	1,600	1,644	1,720	1,816	1,679	1,832	1,753	1,799
Female	18,540	1,338	1,251	1,446	1,452	1,566	1,468	1,605	1,626	1,657	1,718	1,655	1,758
Nonwhite	763	64	63	61	74	78	70	81	59	78	50	43	42
Male	393	31	26	26	40	46	36	43	33	39	26	21	26
Female	370	33	37	35	34	32	34	38	26	39	24	22	16
WEST VIRGINIA	43,922	3,679	3,347	3,853	3,512	3,639	3,573	3,694	4,010	3,788	3,969	3,508	3,350
Male	22,586	1,874	1,697	2,008	1,833	1,851	1,824	1,912	2,088	1,887	1,990	1,807	1,805
Female	21,336	1,805	1,650	1,845	1,679	1,778	1,749	1,782	1,922	1,901	1,979	1,701	1,545
White	41,412	3,453	3,158	3,630	3,322	3,409	3,341	3,470	3,809	3,601	3,768	3,298	3,153
Male	21,299	1,760	1,592	1,908	1,740	1,739	1,701	1,779	1,990	1,788	1,906	1,706	1,690
Female	20,113	1,693	1,566	1,722	1,582	1,670	1,640	1,691	1,819	1,813	1,862	1,592	1,463
Nonwhite	2,510	226	189	223	190	230	232	224	201	187	201	210	197
Male	1,287	114	105	100	93	122	123	133	98	99	84	101	115
Female	1,223	112	84	123	97	108	109	91	103	88	117	109	82
WISCONSIN	63,982	5,005	4,739	5,298	4,950	4,795	5,140	5,485	5,657	5,779	5,924	5,625	5,585
Male	32,658	2,556	2,399	2,686	2,515	2,485	2,580	2,798	2,956	2,943	2,964	2,887	2,889
Female	31,324	2,449	2,340	2,612	2,435	2,310	2,560	2,687	2,701	2,836	2,960	2,738	2,696
White	63,329	4,948	4,673	5,229	4,900	4,749	5,102	5,418	5,599	5,722	5,883	5,581	5,525
Male	32,344	2,532	2,363	2,654	2,496	2,459	2,565	2,763	2,931	2,913	2,938	2,868	2,862
Female	30,985	2,416	2,310	2,575	2,404	2,290	2,537	2,655	2,668	2,809	2,945	2,713	2,663
Nonwhite	653	57	66	69	50	46	38	67	58	57	41	44	60
Male	314	24	36	32	19	26	15	35	25	30	26	19	27
Female	339	33	30	37	31	20	23	32	33	27	15	25	33
WYOMING	5,567	431	431	473	444	502	435	447	478	483	486	463	494
Male	2,898	215	226	251	226	263	213	246	251	252	255	231	269
Female	2,669	216	205	222	218	239	222	201	227	231	231	232	225
White	5,401	418	424	458	435	491	427	437	465	470	466	439	471
Male	2,819	211	221	246	222	255	207	241	245	247	247	217	260
Female	2,582	207	203	212	213	236	220	196	220	223	219	222	211
Nonwhite	166	13	7	15	9	11	8	10	13	13	20	24	23
Male	79	4	5	5	4	8	6	5	6	5	8	14	9
Female	87	9	2	10	5	3	2	5	7	8	12	10	14

TABLE 10.—CASES OF PLURAL BIRTHS BY RACE AND SEX, CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN: UNITED STATES AND EACH STATE, 1942

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS				
UNITED STATES	30,156	25,950	4,082	124
2 males	10,358	8,967	1,353	38
Both living	9,370	8,178	1,155	37
1 living	556	445	111	-
Both stillborn	432	344	87	1
1 male, 1 female	9,904	8,408	1,447	49
Both living	9,065	7,794	1,226	45
1 living M	281	205	75	1
F	352	258	93	1
Both stillborn	206	151	53	2
2 females	9,868	8,554	1,277	37
Both living	9,055	7,887	1,135	33
1 living	460	369	89	2
Both stillborn	353	298	53	2
Both unknown	26	21	5	-
Both stillborn	26	21	5	-
ALABAMA:				
2 males	243	143	100	-
Both living	219	129	90	-
1 living	14	8	6	-
Both stillborn	10	6	4	-
1 male, 1 female	316	171	145	-
Both living	266	148	118	-
1 living M	15	6	9	-
F	26	9	17	-
Both stillborn	9	8	1	-
2 females	256	157	99	-
Both living	232	146	86	-
1 living	17	7	10	-
Both stillborn	7	4	3	-
Both unknown	1	-	1	-
Both stillborn	1	-	1	-
ARIZONA:				
2 males	50	48	1	1
Both living	46	44	1	1
1 living	3	3	-	-
Both stillborn	1	1	-	-
1 male, 1 female	51	48	-	3
Both living	50	47	-	3
1 living M	1	1	-	-
2 females	47	39	3	5
Both living	46	38	3	5
1 living	1	1	-	-
ARKANSAS:				
2 males	173	134	39	-
Both living	154	120	34	-
1 living	9	9	-	-
Both stillborn	10	5	5	-
1 male, 1 female	194	134	60	-
Both living	179	127	52	-
1 living M	3	2	1	-
F	9	3	6	-
Both stillborn	3	2	1	-
2 females	159	124	35	-
Both living	149	116	33	-
1 living	6	5	1	-
Both stillborn	4	3	1	-
Both unknown	2	2	-	-
Both stillborn	2	2	-	-
CALIFORNIA:				
2 males	557	536	15	6
Both living	506	487	13	6
1 living	30	29	1	-
Both stillborn	21	20	1	-
1 male, 1 female	510	491	9	10
Both living	486	467	9	10
1 living M	5	5	-	-
F	13	13	-	-
Both stillborn	6	6	-	-
2 females	557	530	14	13
Both living	507	481	14	12
1 living	30	30	-	-
Both stillborn	20	19	-	1
COLORADO:				
2 males	90	89	1	-
Both living	82	81	1	-
1 living	5	5	-	-
Both stillborn	3	3	-	-
1 male, 1 female	67	66	1	-
Both living	65	65	-	-
Both stillborn	2	1	1	-
2 females	65	64	-	1
Both living	58	57	-	1
1 living	4	4	-	-
Both stillborn	3	3	-	-
CONNECTICUT:				
2 males	152	148	4	-
Both living	144	141	3	-
1 living	4	4	-	-
Both stillborn	4	3	1	-
1 male, 1 female	131	127	4	-
Both living	123	120	3	-
1 living M	2	2	-	-
F	5	4	1	-
Both stillborn	1	1	-	-
CASES OF TWINS—Con.				
CONNECTICUT—Continued				
2 females	130	125	5	-
Both living	123	118	5	-
1 living	5	5	-	-
Both stillborn	2	2	-	-
DELAWARE:				
2 males	16	12	4	-
Both living	13	9	4	-
1 living	1	1	-	-
Both stillborn	2	2	-	-
1 male, 1 female	12	10	2	-
Both living	12	10	2	-
2 females	13	12	1	-
Both living	13	12	1	-
DISTRICT OF COLUMBIA:				
2 males	62	37	25	-
Both living	49	31	18	-
1 living	6	3	3	-
Both stillborn	7	3	4	-
1 male, 1 female	35	19	16	-
Both living	33	19	14	-
1 living F	2	-	2	-
2 females	50	27	23	-
Both living	43	24	19	-
1 living	3	-	3	-
Both stillborn	4	3	1	-
FLORIDA:				
2 males	151	96	55	-
Both living	134	85	49	-
1 living	8	5	3	-
Both stillborn	9	6	3	-
1 male, 1 female	147	89	58	-
Both living	129	78	51	-
1 living M	6	3	3	-
F	10	7	3	-
Both stillborn	2	1	1	-
2 females	134	95	39	-
Both living	122	86	36	-
1 living	5	4	1	-
Both stillborn	7	5	2	-
GEORGIA:				
2 males	263	147	115	1
Both living	230	128	101	1
1 living	16	8	8	-
Both stillborn	17	11	6	-
1 male, 1 female	263	141	122	-
Both living	237	124	113	-
1 living M	11	8	3	-
F	3	2	1	-
Both stillborn	12	7	5	-
2 females	259	156	103	-
Both living	233	149	84	-
1 living	16	4	12	-
Both stillborn	10	3	7	-
IDAHO:				
2 males	37	37	-	-
Both living	36	36	-	-
Both stillborn	1	1	-	-
1 male, 1 female	44	44	-	-
Both living	44	44	-	-
2 females	39	39	-	-
Both living	37	37	-	-
1 living	2	2	-	-
ILLINOIS:				
2 males	535	499	35	1
Both living	490	457	32	1
1 living	31	29	2	-
Both stillborn	14	13	1	-
1 male, 1 female	500	472	27	1
Both living	456	435	20	1
1 living M	15	13	2	-
F	19	16	3	-
Both stillborn	10	8	2	-
2 females	530	489	41	-
Both living	491	455	36	-
1 living	22	17	5	-
Both stillborn	17	17	-	-
INDIANA:				
2 males	253	240	13	-
Both living	236	223	13	-
1 living	14	14	-	-
Both stillborn	3	3	-	-
1 male, 1 female	221	209	12	-
Both living	210	198	12	-
1 living M	6	6	-	-
F	3	3	-	-
Both stillborn	2	2	-	-
2 females	246	241	5	-
Both living	235	231	4	-
1 living	7	6	1	-
Both stillborn	4	4	-	-
CASES OF TWINS—Con.				
IOWA:				
2 males	195	195	-	-
Both living	181	181	-	-
1 living	9	9	-	-
Both stillborn	5	5	-	-
1 male, 1 female	157	155	2	-
Both living	141	140	1	-
1 living M	4	4	-	-
F	9	8	1	-
Both stillborn	3	3	-	-
2 females	157	157	-	-
Both living	144	144	-	-
1 living	9	9	-	-
Both stillborn	4	4	-	-
KANSAS:				
2 males	100	98	2	-
Both living	94	92	2	-
1 living	3	3	-	-
Both stillborn	3	3	-	-
1 male, 1 female	101	99	2	-
Both living	96	94	2	-
1 living M	1	1	-	-
F	4	4	-	-
2 females	121	117	4	-
Both living	113	110	3	-
1 living	5	5	-	-
Both stillborn	3	2	1	-
KENTUCKY:				
2 males	276	260	15	1
Both living	246	232	13	1
1 living	15	14	1	-
Both stillborn	15	14	1	-
1 male, 1 female	293	276	17	-
Both living	271	257	14	-
1 living M	4	3	1	-
F	9	8	1	-
Both stillborn	9	8	1	-
2 females	259	245	14	-
Both living	231	219	12	-
1 living	17	15	2	-
Both stillborn	11	11	-	-
LOUISIANA:				
2 males	206	122	84	-
Both living	186	110	76	-
1 living	7	4	3	-
Both stillborn	13	8	5	-
1 male, 1 female	224	113	111	-
Both living	206	106	100	-
1 living M	7	3	4	-
F	7	2	5	-
Both stillborn	4	2	2	-
2 females	212	107	105	-
Both living	198	100	98	-
1 living	4	3	1	-
Both stillborn	10	4	6	-
MAINE:				
2 males	53	53	-	-
Both living	47	47	-	-
1 living	5	5	-	-
Both stillborn	1	1	-	-
1 male, 1 female	59	59	-	-
Both living	57	57	-	-
1 living F	2	2	-	-
2 females	49	49	-	-
Both living	42	42	-	-
1 living	4	4	-	-
Both stillborn	3	3	-	-
MARYLAND:				
2 males	160	134	26	-
Both living	142	122	20	-
1 living	7	5	2	-
Both stillborn	11	7	4	-
1 male, 1 female	139	108	31	-
Both living	124	98	26	-
1 living M	2	1	1	-
F	6	3	3	-
Both stillborn	7	6	1	-
2 females	159	124	35	-
Both living	142	115	27	-
1 living	9	5	4	-
Both stillborn	8	4	4	-
Both unknown	2	2	-	-
Both stillborn	2	2	-	-
MASSACHUSETTS:				
2 males	307	302	5	-
Both living	281	276	5	-
1 living	13	13	-	-
Both stillborn	13	13	-	-
1 male, 1 female	293	287	6	-
Both living	274	268	6	-
1 living M	7	7	-	-
F	8	8	-	-
Both stillborn	4	4	-	-
2 females	285	279	6	-
Both living	264	258	6	-
1 living	9	9	-	-
Both stillborn	12	12	-	-

TABLE 10.—CASES OF PLURAL BIRTHS BY RACE AND SEX, CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
MICHIGAN:				
2 males	416	392	24	-
Both living	384	360	24	-
1 living	14	14	-	-
Both stillborn	18	18	-	-
1 male, 1 female	396	375	21	-
Both living	371	352	19	-
1 living—M	6	6	-	-
F	11	10	1	-
Both stillborn	8	7	1	-
2 females	417	398	18	1
Both living	394	377	16	1
1 living	11	9	2	-
Both stillborn	12	12	-	-
MINNESOTA:				
2 males	262	260	1	1
Both living	239	237	1	1
1 living	13	13	-	-
Both stillborn	10	10	-	-
1 male, 1 female	218	213	-	5
Both living	207	202	-	5
1 living—M	5	5	-	-
F	3	3	-	-
Both stillborn	3	3	-	-
2 females	204	201	-	3
Both living	184	182	-	2
1 living	11	11	-	-
Both stillborn	9	8	-	1
MISSISSIPPI:				
2 males	262	90	171	1
Both living	220	81	138	1
1 living	22	3	19	-
Both stillborn	20	6	14	-
1 male, 1 female	239	97	142	-
Both living	205	90	115	-
1 living—M	12	2	10	-
F	17	4	13	-
Both stillborn	5	1	4	-
2 females	221	87	134	-
Both living	202	84	118	-
1 living	14	1	13	-
Both stillborn	5	2	3	-
Both unknown	1	1	-	-
Both stillborn	1	1	-	-
MISSOURI:				
2 males	256	241	15	-
Both living	221	208	13	-
1 living	23	21	2	-
Both stillborn	12	12	-	-
1 male, 1 female	263	241	22	-
Both living	244	224	20	-
1 living—M	7	5	2	-
F	7	7	-	-
Both stillborn	5	5	-	-
2 females	269	248	21	-
Both living	239	222	17	-
1 living	21	18	3	-
Both stillborn	9	8	1	-
Both unknown	3	3	-	-
Both stillborn	3	3	-	-
MONTANA:				
2 males	42	41	-	1
Both living	40	39	-	1
1 living	2	2	-	-
1 male, 1 female	33	30	-	3
Both living	32	29	-	3
1 living—F	1	1	-	-
2 females	25	25	-	-
Both living	24	24	-	-
Both stillborn	1	1	-	-
NEBRASKA:				
2 males	93	92	-	1
Both living	89	88	-	1
1 living	4	4	-	-
1 male, 1 female	84	83	1	-
Both living	80	79	1	-
1 living—F	3	3	-	-
Both stillborn	1	1	-	-
2 females	92	91	1	-
Both living	86	85	1	-
1 living	1	1	-	-
Both stillborn	5	5	-	-
NEVADA:				
2 males	14	14	-	-
Both living	14	14	-	-
1 male, 1 female	4	4	-	-
Both living	4	4	-	-
2 females	9	9	-	-
Both living	8	8	-	-
Both stillborn	1	1	-	-
NEW HAMPSHIRE:				
2 males	36	36	-	-
Both living	34	34	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
CASES OF TWINS—Con.				
NEW HAMPSHIRE—Continued				
1 male, 1 female	31	30	1	-
Both living	30	29	1	-
Both stillborn	1	1	-	-
2 females	24	24	-	-
Both living	23	23	-	-
Both stillborn	1	1	-	-
NEW JERSEY:				
2 males	295	270	25	-
Both living	271	250	21	-
1 living	14	13	1	-
Both stillborn	10	7	3	-
1 male, 1 female	266	229	37	-
Both living	240	208	32	-
1 living—M	13	9	4	-
F	12	12	-	-
Both stillborn	1	-	1	-
2 females	289	265	24	-
Both living	263	241	22	-
1 living	16	15	1	-
Both stillborn	10	9	1	-
NEW MEXICO:				
2 males	55	54	-	1
Both living	48	47	-	1
1 living	5	5	-	-
Both stillborn	2	2	-	-
1 male, 1 female	56	54	-	2
Both living	52	50	-	2
1 living—M	2	2	-	-
F	2	2	-	-
2 females	48	48	-	-
Both living	42	42	-	-
1 living	6	6	-	-
NEW YORK:				
2 males	881	828	53	-
Both living	808	759	49	-
1 living	31	29	2	-
Both stillborn	42	40	2	-
1 male, 1 female	771	724	43	4
Both living	696	655	37	4
1 living—M	23	22	1	-
F	31	28	3	-
Both stillborn	21	19	2	-
2 females	880	825	54	1
Both living	809	760	48	1
1 living	34	32	2	-
Both stillborn	37	33	4	-
Both unknown	15	12	3	-
Both stillborn	15	12	3	-
NORTH CAROLINA:				
2 males	356	245	110	1
Both living	308	223	85	-
1 living	32	14	18	-
Both stillborn	16	8	7	1
1 male, 1 female	316	211	101	4
Both living	269	193	74	2
1 living—M	16	6	10	-
F	19	8	10	1
Both stillborn	12	4	7	1
2 females	338	214	122	2
Both living	301	195	105	1
1 living	21	8	12	1
Both stillborn	16	11	5	-
NORTH DAKOTA:				
2 males	55	53	-	2
Both living	52	50	-	2
Both stillborn	3	3	-	-
1 male, 1 female	53	51	-	2
Both living	53	51	-	2
2 females	40	40	-	-
Both living	38	38	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
OHIO:				
2 males	468	439	29	-
Both living	437	411	26	-
1 living	9	8	1	-
Both stillborn	22	20	2	-
1 male, 1 female	470	448	22	-
Both living	446	424	22	-
1 living—M	6	6	-	-
F	11	11	-	-
Both stillborn	7	7	-	-
2 females	490	462	28	-
Both living	461	434	27	-
1 living	10	10	-	-
Both stillborn	19	18	1	-
OKLAHOMA:				
2 males	188	163	14	11
Both living	171	147	13	11
1 living	12	11	1	-
Both stillborn	5	5	-	-
CASES OF TWINS—Con.				
OKLAHOMA—Continued				
1 male, 1 female	179	157	14	8
Both living	170	152	12	6
1 living—M	4	1	2	1
F	2	2	-	-
Both stillborn	3	2	-	1
2 females	169	145	14	10
Both living	152	132	11	9
1 living	10	7	2	1
Both stillborn	7	6	1	-
OREGON:				
2 males	64	62	-	2
Both living	60	58	-	2
1 living	2	2	-	-
Both stillborn	2	2	-	-
1 male, 1 female	75	75	-	-
Both living	70	70	-	-
1 living—M	1	1	-	-
F	1	1	-	-
Both stillborn	3	3	-	-
2 females	89	89	-	-
Both living	86	86	-	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
PENNSYLVANIA:				
2 males	736	693	43	-
Both living	645	610	35	-
1 living	58	53	5	-
Both stillborn	33	30	3	-
1 male, 1 female	661	610	51	-
Both living	610	563	47	-
1 living—M	22	21	1	-
F	18	16	2	-
Both stillborn	11	10	1	-
2 females	663	625	38	-
Both living	587	552	35	-
1 living	41	39	2	-
Both stillborn	35	34	1	-
Both unknown	1	1	-	-
Both stillborn	1	1	-	-
RHODE ISLAND:				
2 males	53	52	1	-
Both living	49	48	1	-
1 living	2	2	-	-
Both stillborn	2	2	-	-
1 male, 1 female	39	39	-	-
Both living	38	38	-	-
1 living—F	1	1	-	-
2 females	43	43	-	-
Both living	40	40	-	-
1 living	3	3	-	-
SOUTH CAROLINA:				
2 males	199	85	114	-
Both living	171	82	89	-
1 living	16	3	13	-
Both stillborn	12	-	12	-
1 male, 1 female	230	100	130	-
Both living	189	90	99	-
1 living—M	13	5	8	-
F	10	1	9	-
Both stillborn	18	4	14	-
2 females	162	71	91	-
Both living	150	67	83	-
1 living	4	2	2	-
Both stillborn	8	2	6	-
SOUTH DAKOTA:				
2 males	51	50	-	1
Both living	46	45	-	1
1 living	2	2	-	-
Both stillborn	3	3	-	-
1 male, 1 female	35	31	-	4
Both living	33	29	-	4
1 living—M	1	1	-	-
Both stillborn	1	1	-	-
2 females	54	53	-	1
Both living	50	49	-	1
1 living	3	3	-	-
Both stillborn	1	1	-	-
TENNESSEE:				
2 males	242	202	40	-
Both living	225	188	37	-
1 living	9	8	1	-
Both stillborn	8	6	2	-
1 male, 1 female	274	229	45	-
Both living	245	208	37	-
1 living—M	18	11	7	-
F	8	8	-	-
Both stillborn	3	2	1	-
2 females	211	172	39	-
Both living	201	163	38	-
1 living	3	3	-	-
Both stillborn	7	6	1	-

TABLE 10.—CASES OF PLURAL BIRTHS BY RACE AND SEX, CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
TEXAS:				
2 males	545	459	85	1
Both living	496	419	76	1
1 living	26	20	6	-
Both stillborn	23	20	3	-
1 male, 1 female	549	455	94	-
Both living	499	414	85	-
1 living—M	13	11	2	-
F	28	24	4	-
Both stillborn	9	6	3	-
2 females	548	466	82	-
Both living	507	428	79	-
1 living	23	21	2	-
Both stillborn	18	17	1	-
Both unknown	1	-	1	-
Both stillborn	1	-	1	-
UTAH:				
2 males	62	62	-	-
Both living	58	58	-	-
1 living	4	4	-	-
1 male, 1 female	63	61	-	2
Both living	59	57	-	2
1 living—M	1	1	-	-
F	1	1	-	-
Both stillborn	2	2	-	-
2 females	48	48	-	-
Both living	46	46	-	-
1 living	2	2	-	-
VERMONT:				
2 males	29	29	-	-
Both living	26	26	-	-
1 living	1	1	-	-
Both stillborn	2	2	-	-
1 male, 1 female	31	31	-	-
Both living	31	31	-	-
2 females	25	25	-	-
Both living	21	21	-	-
1 living	4	4	-	-
VIRGINIA:				
2 males	272	195	77	-
Both living	235	174	61	-
1 living	29	17	12	-
Both stillborn	8	4	4	-
1 male, 1 female	285	201	84	-
Both living	246	178	68	-
1 living—M	16	12	4	-
F	14	6	8	-
Both stillborn	9	5	4	-
2 females	239	170	69	-
Both living	211	153	58	-
1 living	20	12	8	-
Both stillborn	8	5	3	-
WASHINGTON:				
2 males	120	116	1	3
Both living	116	112	1	3
1 living	4	4	-	-
1 male, 1 female	115	115	-	-
Both living	101	101	-	-
1 living—M	6	6	-	-
F	7	7	-	-
Both stillborn	1	1	-	-
2 females	105	104	1	-
Both living	102	101	1	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
WEST VIRGINIA:				
2 males	176	167	9	-
Both living	162	153	9	-
1 living	9	9	-	-
Both stillborn	5	5	-	-
1 male, 1 female	191	178	13	-
Both living	177	164	13	-
1 living—M	4	4	-	-
F	4	4	-	-
Both stillborn	6	6	-	-
2 females	185	177	8	-
Both living	171	163	8	-
1 living	7	7	-	-
Both stillborn	7	7	-	-
WISCONSIN:				
2 males	228	224	2	2
Both living	206	203	1	2
1 living	12	11	1	-
Both stillborn	10	10	-	-
1 male, 1 female	204	203	1	-
Both living	194	193	1	-
1 living—M	3	3	-	-
F	5	5	-	-
Both stillborn	2	2	-	-
2 females	223	222	1	-
Both living	205	204	1	-
1 living	14	14	-	-
Both stillborn	4	4	-	-
CASES OF TWINS—Con.				
WYOMING:				
2 males	23	23	-	-
Both living	23	23	-	-
1 male, 1 female	16	15	-	1
Both living	15	14	-	1
1 living—F	1	1	-	-
2 females	31	31	-	-
Both living	29	29	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
CASES OF TRIPLETS				
UNITED STATES	291	248	43	-
3 males	85	73	12	-
All living	71	64	7	-
2 living	3	3	-	-
1 living	2	-	2	-
All stillborn	9	6	3	-
2 males, 1 female	61	50	11	-
All living	52	44	8	-
2 living—2M	3	3	-	-
1M,1F	2	2	-	-
1 living—F	3	1	2	-
All stillborn	1	-	1	-
1 male, 2 females	75	62	13	-
All living	58	52	6	-
2 living—2F	3	2	1	-
1M,1F	8	4	4	-
1 living—M	2	-	2	-
F	3	3	-	-
All stillborn	1	1	-	-
3 females	69	63	6	-
All living	61	55	6	-
2 living	4	4	-	-
1 living	2	2	-	-
All stillborn	2	2	-	-
All unknown	1	-	1	-
All stillborn	1	-	1	-
ALABAMA:				
3 males	5	5	-	-
All living	5	5	-	-
2 males, 1 female	2	1	1	-
All living	1	1	-	-
1 living—F	1	-	1	-
3 females	1	-	1	-
All living	1	-	1	-
ARIZONA:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	3	3	-	-
All living	1	1	-	-
1 living—F	2	2	-	-
ARKANSAS:				
2 males, 1 female	5	3	2	-
All living	4	3	1	-
1 living—F	1	-	1	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
1 living—F	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
CALIFORNIA:				
3 males	4	4	-	-
All living	3	3	-	-
2 living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	3	3	-	-
All living	2	2	-	-
2 living—1M,1F	1	1	-	-
3 females	3	2	1	-
All living	2	1	1	-
1 living	1	1	-	-
COLORADO:				
3 males	1	1	-	-
All living	1	1	-	-
CONNECTICUT:				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
DELAWARE:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
CASES OF TRIPLETS—Con.				
DISTRICT OF COLUMBIA:				
3 males	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
FLORIDA:				
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	-	1	-
All living	1	-	1	-
3 females	1	1	-	-
All living	1	1	-	-
GEORGIA:				
3 males	2	1	1	-
All living	2	1	1	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	2	-	2	-
All living	1	-	1	-
2 living—1M,1F	1	-	1	-
3 females	1	1	-	-
2 living	1	1	-	-
IDAHO:				
3 females	1	1	-	-
All living	1	1	-	-
ILLINOIS:				
3 males	5	5	-	-
All living	4	4	-	-
All stillborn	1	1	-	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	5	5	-	-
All living	4	4	-	-
2 living—2F	1	1	-	-
3 females	2	1	1	-
All living	2	1	1	-
INDIANA:				
3 males	5	5	-	-
All living	5	5	-	-
2 males, 1 female	3	3	-	-
All living	3	3	-	-
3 females	1	1	-	-
All living	1	1	-	-
IOWA:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
KANSAS:				
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
All living	1	1	-	-
KENTUCKY:				
3 males	1	1	-	-
2 living	1	1	-	-
1 male, 2 females	4	2	2	-
All living	2	2	-	-
1 living—M	2	-	2	-
3 females	2	2	-	-
All living	1	1	-	-
1 living	1	1	-	-
LOUISIANA:				
3 males	3	1	2	-
All living	2	1	1	-
All stillborn	1	-	1	-
1 male, 2 females	1	-	1	-
All living	1	-	1	-
3 females	2	2	-	-
All living	2	2	-	-
MARYLAND:				
3 males	1	1	-	-
All stillborn	1	1	-	-
1 male, 2 females	1	1	-	-
2 living—1M,1F	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
MASSACHUSETTS:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	5	5	-	-
All living	5	5	-	-

TABLE 10.—CASES OF PLURAL BIRTHS BY RACE AND SEX, CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN: UNITED STATES AND EACH STATE, 1942—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
MICHIGAN:				
2 males, 1 female	4	4	-	-
All living	4	4	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	2	2	-	-
All living	2	2	-	-
MINNESOTA:				
2 males, 1 female	2	2	-	-
All living	2	2	-	-
3 females	3	3	-	-
All living	3	3	-	-
MISSISSIPPI:				
3 males	4	1	3	-
All living	2	1	1	-
1 living	1	-	1	-
All stillborn	1	-	1	-
2 males, 1 female	3	1	2	-
All living	2	1	1	-
All stillborn	1	-	1	-
1 male, 2 females	2	-	2	-
All living	2	-	2	-
3 females	1	1	-	-
All living	1	1	-	-
MISSOURI:				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	2	1	1	-
All living	2	1	1	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
2 living—1M,1F	1	1	-	-
3 females	1	1	-	-
All stillborn	1	1	-	-
MONTANA:				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
NEBRASKA:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	3	3	-	-
NEVADA:				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
NEW HAMPSHIRE:				
3 males	1	1	-	-
All living	1	1	-	-
NEW JERSEY:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	3	3	-	-
All living	2	2	-	-
2 living—1M,1F	1	1	-	-
3 females	3	2	1	-
All living	2	1	1	-
2 living	1	1	-	-
NEW YORK:				
3 males	8	8	-	-
All living	7	7	-	-
All stillborn	1	1	-	-
2 males, 1 female	4	3	1	-
All living	3	2	1	-
2 living—2M	1	1	-	-
1 male, 2 females	4	3	1	-
All living	3	3	-	-
2 living—1M,1F	1	-	1	-
3 females	5	4	1	-
All living	5	4	1	-
All unknown	1	-	1	-
All stillborn	1	-	1	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
NORTH CAROLINA:				
3 males	1	-	1	-
1 living	1	-	1	-
2 males, 1 female	3	3	-	-
All living	3	3	-	-
1 male, 2 females	5	4	1	-
All living	3	3	-	-
2 living—2F	1	-	1	-
All stillborn	1	1	-	-
NORTH DAKOTA:				
3 females	1	1	-	-
All living	1	1	-	-
OHIO:				
3 males	3	3	-	-
All living	3	3	-	-
1 male, 2 females	4	3	1	-
All living	3	3	-	-
2 living—1M,1F	1	-	1	-
3 females	2	2	-	-
All living	2	2	-	-
OKLAHOMA:				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	2	2	-	-
2 living	1	1	-	-
OREGON:				
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
PENNSYLVANIA:				
3 males	2	2	-	-
All living	1	1	-	-
2 living	1	1	-	-
2 males, 1 female	2	2	-	-
All living	1	1	-	-
2 living—1M,1F	1	1	-	-
1 male, 2 females	6	5	1	-
All living	6	5	1	-
3 females	5	5	-	-
All living	4	4	-	-
All stillborn	1	1	-	-
SOUTH CAROLINA:				
3 males	3	1	2	-
All living	2	1	1	-
All stillborn	1	-	1	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	2	1	1	-
All living	1	1	-	-
2 living—1M,1F	1	-	1	-
3 females	2	1	1	-
All living	1	-	1	-
2 living	1	1	-	-
SOUTH DAKOTA:				
2 males, 1 female	1	1	-	-
2 living—2M	1	1	-	-
TENNESSEE:				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
2 living—2F	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
TEXAS:				
3 males	8	6	2	-
All living	7	5	2	-
All stillborn	1	1	-	-
2 males, 1 female	2	2	-	-
2 living—1M,1F	1	1	-	-
1 living—F	1	1	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
TEXAS—Continued				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
UTAH:				
3 males	3	3	-	-
All living	3	3	-	-
3 females	2	2	-	-
All living	2	2	-	-
VERMONT:				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
VIRGINIA:				
3 males	2	1	1	-
All living	2	1	1	-
2 males, 1 female	2	2	-	-
All living	1	1	-	-
2 living—2M	1	1	-	-
WASHINGTON:				
3 males	3	3	-	-
All living	3	3	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
WEST VIRGINIA:				
3 males	4	4	-	-
All living	2	2	-	-
All stillborn	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	1	1	-	-
All living	1	1	-	-
WISCONSIN:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	4	4	-	-
All living	4	4	-	-
WYOMING:				
3 males	1	1	-	-
All living	1	1	-	-
CASES OF QUADRUPLETS				
UNITED STATES	5	-	5	-
4 males	1	-	1	-
3 living	1	-	1	-
2 males, 2 females	3	-	3	-
3 living—2M,1F	1	-	1	-
1M,2F	1	-	1	-
2 living—2F	1	-	1	-
1 male, 3 females	1	-	1	-
All living	1	-	1	-
ARKANSAS:				
2 males, 2 females	1	-	1	-
3 living—2M,1F	1	-	1	-
LOUISIANA:				
1 male, 3 females	1	-	1	-
All living	1	-	1	-
NORTH CAROLINA:				
4 males	1	-	1	-
3 living	1	-	1	-
2 males, 2 females	1	-	1	-
3 living—1M,2F	1	-	1	-
SOUTH CAROLINA:				
2 males, 2 females	1	-	1	-
2 living—2F	1	-	1	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	2,808,996	1,906,833	693,921	196,061	12,181
White	2,486,934	1,808,121	616,503	54,470	7,840
Nonwhite	322,062	98,712	77,418	141,591	4,341
Urban	1,638,192	1,381,852	214,475	39,292	2,573
White	1,492,150	1,301,697	175,717	13,152	1,584
Nonwhite	146,042	80,155	38,758	26,140	989
Places of 100,000 or more	792,625	715,325	68,876	7,676	748
White	711,780	656,779	49,779	4,824	398
Nonwhite	80,845	58,546	19,097	2,852	350
Places of 25,000 to 100,000	336,834	288,566	38,244	9,431	593
White	309,112	275,831	30,309	2,613	359
Nonwhite	27,722	12,735	7,935	6,818	234
Places of 10,000 to 25,000	226,515	181,810	35,926	8,479	300
White	210,046	177,182	30,842	1,855	167
Nonwhite	16,469	4,628	5,084	6,624	133
Places of 2,500 to 10,000	282,218	196,151	71,429	13,706	932
White	261,212	191,905	64,787	3,860	660
Nonwhite	21,006	4,246	6,642	9,846	272
Rural	1,170,804	524,981	479,446	156,769	9,608
White	994,784	506,424	440,786	41,318	6,256
Nonwhite	176,020	18,557	38,660	115,451	3,352
Section A (States)					
ALABAMA	71,136	21,220	30,048	18,511	1,357
White	45,222	18,241	23,797	2,728	456
Nonwhite	25,914	2,979	6,251	15,783	901
Urban	24,573	13,901	7,095	3,245	332
White	15,997	11,525	4,188	200	84
Nonwhite	8,576	2,376	2,907	3,045	248
Places of 10,000 or more	18,147	11,453	4,437	2,054	203
White	11,413	9,225	2,041	87	60
Nonwhite	6,734	2,228	2,396	1,967	143
Places of 2,500 to 10,000	6,426	2,448	2,658	1,191	129
White	4,584	2,300	2,147	113	24
Nonwhite	1,842	148	511	1,078	105
Rural	46,563	7,319	22,953	15,266	1,025
White	29,225	6,716	19,609	2,528	372
Nonwhite	17,338	603	3,344	12,738	653
ARIZONA	12,664	9,276	2,312	617	459
White	11,281	8,463	2,118	564	136
Nonwhite	1,383	813	194	53	323
Urban	6,760	5,305	1,034	346	75
White	6,398	5,061	967	316	54
Nonwhite	362	244	67	30	21
Places of 10,000 or more	3,964	3,289	450	174	51
White	3,678	3,094	399	151	34
Nonwhite	286	195	51	23	17
Places of 2,500 to 10,000	2,796	2,016	584	172	24
White	2,720	1,967	568	165	20
Nonwhite	76	49	16	7	4
Rural	5,904	3,971	1,278	271	384
White	4,883	3,402	1,151	248	82
Nonwhite	1,021	569	127	23	302
ARKANSAS	42,680	11,812	21,473	8,692	703
White	32,618	11,315	19,367	1,492	444
Nonwhite	10,062	497	2,106	7,200	259
Urban	11,911	7,461	3,316	1,066	68
White	9,679	7,074	2,480	93	32
Nonwhite	2,232	387	836	973	36
Places of 10,000 or more	6,652	4,941	1,312	378	21
White	5,415	4,592	785	30	8
Nonwhite	1,237	349	527	348	13
Places of 2,500 to 10,000	5,259	2,520	2,004	688	47
White	4,264	2,482	1,695	63	24
Nonwhite	995	38	309	625	23
Rural	30,769	4,351	18,157	7,626	635
White	22,939	4,241	16,887	1,399	412
Nonwhite	7,830	110	1,270	6,227	223
CALIFORNIA	154,567	142,332	11,370	461	404
White	148,483	137,329	10,416	380	358
Nonwhite	6,084	5,003	954	81	46
Urban	115,906	108,491	6,778	394	243
White	111,338	104,721	6,051	345	221
Nonwhite	4,568	3,770	727	49	22
Places of 10,000 or more	98,110	92,470	5,083	387	170
White	94,066	89,173	4,401	341	151
Nonwhite	4,044	3,297	682	46	19
Places of 2,500 to 10,000	17,796	16,021	1,695	7	73
White	17,272	15,548	1,650	4	70
Nonwhite	524	473	45	3	3
Rural	38,661	33,841	4,592	67	161
White	37,145	32,608	4,365	35	137
Nonwhite	1,516	1,233	227	32	24
Section A (States)—Continued					
COLORADO	23,566	17,125	6,032	167	242
White	23,172	16,861	5,910	164	237
Nonwhite	394	264	122	3	5
Urban	13,889	11,348	2,431	64	46
White	13,614	11,166	2,338	62	48
Nonwhite	275	180	93	2	-
Places of 10,000 or more	10,947	9,220	1,663	44	20
White	10,694	9,056	1,576	42	20
Nonwhite	253	164	87	2	-
Places of 2,500 to 10,000	2,942	2,126	768	20	28
White	2,920	2,110	762	20	28
Nonwhite	22	16	6	-	-
Rural	9,677	5,779	3,601	103	194
White	9,558	5,695	3,572	102	189
Nonwhite	119	84	29	1	5
CONNECTICUT	37,264	35,752	1,442	59	11
White	36,396	34,985	1,350	50	11
Nonwhite	868	767	92	9	-
Urban	25,857	24,925	868	58	6
White	25,059	24,221	782	50	6
Nonwhite	798	704	86	8	-
Places of 10,000 or more	24,569	23,737	768	58	6
White	23,775	23,036	683	50	6
Nonwhite	794	701	85	8	-
Places of 2,500 to 10,000	1,288	1,188	100	-	-
White	1,284	1,185	99	-	-
Nonwhite	4	3	1	-	-
Rural	11,407	10,827	574	1	5
White	11,337	10,764	568	-	5
Nonwhite	70	63	6	1	-
DELAWARE	5,657	4,410	874	369	4
White	4,761	3,997	693	68	3
Nonwhite	896	413	181	301	1
Urban	3,032	2,730	198	102	2
White	2,556	2,404	130	21	1
Nonwhite	476	326	68	81	1
Places of 10,000 or more	2,389	2,246	94	49	-
White	2,022	1,945	68	9	-
Nonwhite	367	301	26	40	-
Places of 2,500 to 10,000	643	484	104	53	2
White	534	459	62	12	1
Nonwhite	109	25	42	41	1
Rural	2,625	1,680	676	267	2
White	2,205	1,593	563	47	2
Nonwhite	420	87	113	220	-
DISTRICT OF COLUMBIA	15,179	13,702	1,471	4	2
White	10,090	9,739	348	1	2
Nonwhite	5,089	3,963	1,123	3	-
FLORIDA	40,901	22,739	9,052	9,015	95
White	29,512	20,733	7,260	1,477	42
Nonwhite	11,389	2,006	1,792	7,538	53
Urban	22,604	15,818	2,954	3,809	23
White	16,491	14,226	1,941	321	3
Nonwhite	6,113	1,592	1,013	3,488	20
Places of 10,000 or more	17,695	13,481	1,613	2,578	23
White	13,203	12,013	948	239	3
Nonwhite	4,492	1,468	665	2,339	20
Places of 2,500 to 10,000	4,909	2,337	1,341	1,231	-
White	3,288	2,213	993	82	-
Nonwhite	1,621	124	348	1,149	-
Rural	18,297	6,921	6,098	5,206	72
White	13,021	6,507	5,319	1,156	39
Nonwhite	5,276	414	779	4,050	33
GEORGIA	72,491	29,330	21,276	21,784	101
White	45,507	25,135	17,259	3,048	65
Nonwhite	26,984	4,195	4,017	18,736	36
Urban	29,061	19,581	5,341	4,119	20
White	19,688	15,945	3,407	327	9
Nonwhite	9,373	3,636	1,934	3,792	11
Places of 10,000 or more	21,929	16,655	3,119	2,143	12
White	14,968	13,136	1,622	203	7
Nonwhite	6,961	3,519	1,497	1,940	5
Places of 2,500 to 10,000	7,132	2,926	2,222	1,976	8
White	4,720	2,809	1,785	124	2
Nonwhite	2,412	117	437	1,852	6
Rural	43,430	9,749	15,935	17,665	81
White	25,819	9,190	13,852	2,721	56
Nonwhite	17,611	559	2,083	14,944	25

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
IDAHO	11,454	9,278	2,146	18	12
White	11,327	9,181	2,117	18	11
Nonwhite	127	97	29	-	1
Urban	4,661	4,076	579	4	2
White	4,644	4,061	577	4	2
Nonwhite	17	15	2	-	-
Places of 10,000 or more	2,771	2,625	142	4	-
White	2,764	2,618	142	4	-
Nonwhite	7	7	-	-	-
Places of 2,500 to 10,000	1,890	1,451	437	-	2
White	1,880	1,443	435	-	2
Nonwhite	10	8	2	-	-
Rural	6,793	5,202	1,567	14	10
White	6,683	5,120	1,540	14	9
Nonwhite	110	82	27	-	1
ILLINOIS	156,232	132,614	23,320	189	109
White	147,724	126,384	21,076	183	81
Nonwhite	8,508	6,230	2,244	6	28
Urban	119,878	109,575	10,074	157	72
White	111,777	103,445	8,129	152	51
Nonwhite	8,101	6,130	1,945	5	21
Places of 10,000 or more	104,173	97,064	6,910	155	44
White	96,295	91,033	5,087	150	25
Nonwhite	7,878	6,031	1,823	5	19
Places of 2,500 to 10,000	15,705	12,511	3,164	2	28
White	15,482	12,412	3,042	2	26
Nonwhite	223	99	122	-	2
Rural	36,354	23,039	13,246	32	37
White	35,947	22,939	12,947	31	30
Nonwhite	407	100	299	1	7
INDIANA	73,706	50,937	22,622	108	39
White	71,220	49,899	21,203	88	30
Nonwhite	2,486	1,038	1,419	20	9
Urban	44,802	35,551	9,147	87	17
White	42,392	34,525	7,792	67	8
Nonwhite	2,410	1,026	1,355	20	9
Places of 10,000 or more	37,565	30,325	7,140	86	14
White	35,203	29,316	5,818	66	5
Nonwhite	2,362	1,009	1,324	20	9
Places of 2,500 to 10,000	7,237	5,226	2,007	1	3
White	7,189	5,209	1,976	1	3
Nonwhite	48	17	31	-	-
Rural	28,904	15,386	13,475	21	22
White	28,828	15,374	13,411	21	22
Nonwhite	76	12	64	-	-
IOWA	48,454	34,899	13,519	10	26
White	48,141	34,658	13,448	9	26
Nonwhite	313	241	71	1	-
Urban	21,740	18,737	2,996	3	4
White	21,460	18,519	2,935	2	4
Nonwhite	280	218	61	1	-
Places of 10,000 or more	16,203	14,527	1,671	1	4
White	15,945	14,325	1,616	-	4
Nonwhite	258	202	55	1	-
Places of 2,500 to 10,000	5,537	4,210	1,325	2	-
White	5,515	4,194	1,319	2	-
Nonwhite	22	16	6	-	-
Rural	26,714	16,162	10,523	7	22
White	26,681	16,139	10,513	7	22
Nonwhite	33	23	10	-	-
KANSAS	33,920	23,780	10,091	14	25
White	32,752	23,281	9,436	11	24
Nonwhite	1,168	509	655	3	1
Urban	17,223	13,989	3,221	4	9
White	16,199	13,541	2,647	3	8
Nonwhite	1,024	448	574	1	1
Places of 10,000 or more	13,041	10,922	2,107	4	8
White	12,116	10,526	1,580	3	7
Nonwhite	925	396	527	1	1
Places of 2,500 to 10,000	4,182	3,067	1,114	-	1
White	4,083	3,015	1,067	-	1
Nonwhite	99	52	47	-	-
Rural	16,697	9,801	6,870	10	16
White	16,553	9,740	6,789	8	16
Nonwhite	144	61	81	2	-
KENTUCKY	66,267	18,080	38,635	9,205	347
White	62,619	17,157	36,183	8,937	342
Nonwhite	3,648	923	2,452	268	5
Urban	21,626	13,530	7,868	221	7
White	19,547	12,688	6,682	170	7
Nonwhite	2,079	842	1,186	51	-
Section A (States)—Continued					
KENTUCKY—Continued					
Places of 10,000 or more	15,693	11,190	4,436	65	2
White	14,127	10,397	3,697	31	2
Nonwhite	1,566	793	739	34	-
Places of 2,500 to 10,000	5,933	2,340	3,432	156	5
White	5,420	2,291	2,985	139	5
Nonwhite	513	49	447	17	-
Rural	44,641	4,550	30,767	8,984	340
White	43,072	4,469	29,501	8,767	335
Nonwhite	1,569	81	1,266	217	5
LOUISIANA	58,093	30,424	12,304	15,241	124
White	35,082	22,425	9,942	2,666	49
Nonwhite	23,011	7,999	2,362	12,575	75
Urban	25,786	19,752	3,112	2,898	24
White	17,141	14,242	2,303	592	4
Nonwhite	8,645	5,510	809	2,306	20
Places of 10,000 or more	19,059	15,841	1,788	1,421	9
White	12,350	10,859	1,190	321	-
Nonwhite	6,709	5,002	598	1,100	9
Places of 2,500 to 10,000	6,727	3,911	1,324	1,477	15
White	4,791	3,403	1,113	271	4
Nonwhite	1,936	508	211	1,206	11
Rural	32,307	10,672	9,192	12,343	100
White	17,941	8,183	7,639	2,074	45
Nonwhite	14,366	2,489	1,553	10,269	55
MAINE	17,719	11,981	5,617	23	98
White	17,673	11,955	5,597	23	98
Nonwhite	46	26	20	-	-
Urban	7,038	5,812	1,222	1	3
White	7,016	5,796	1,216	1	3
Nonwhite	22	16	6	-	-
Places of 10,000 or more	5,268	4,608	658	1	1
White	5,251	4,594	655	1	1
Nonwhite	17	14	3	-	-
Places of 2,500 to 10,000	1,770	1,204	564	-	2
White	1,765	1,202	561	-	2
Nonwhite	5	2	3	-	-
Rural	10,681	6,169	4,395	22	95
White	10,657	6,159	4,381	22	95
Nonwhite	24	10	14	-	-
MARYLAND	44,237	29,955	11,803	2,428	71
White	35,985	26,306	8,889	751	39
Nonwhite	8,252	3,629	2,914	1,677	32
Urban	26,102	19,528	5,770	795	9
White	20,857	16,821	3,753	277	6
Nonwhite	5,245	2,707	2,017	518	3
Places of 10,000 or more	23,816	17,732	5,336	741	7
White	18,760	15,096	3,386	274	4
Nonwhite	5,056	2,636	1,950	467	3
Places of 2,500 to 10,000	2,286	1,796	434	54	2
White	2,097	1,725	367	3	2
Nonwhite	189	71	67	51	-
Rural	18,135	10,407	6,033	1,633	62
White	15,128	9,485	5,136	474	33
Nonwhite	3,007	922	897	1,159	29
MASSACHUSETTS	82,773	75,866	6,863	1	43
White	81,660	74,995	6,631	-	34
Nonwhite	1,113	871	232	1	9
Urban	73,886	67,934	5,914	1	37
White	72,911	67,153	5,730	-	28
Nonwhite	975	781	184	1	9
Places of 10,000 or more	68,343	63,149	5,161	1	32
White	67,402	62,395	4,984	-	23
Nonwhite	941	754	177	1	9
Places of 2,500 to 10,000	5,543	4,785	753	-	5
White	5,509	4,758	746	-	5
Nonwhite	34	27	7	-	-
Rural	8,887	7,932	949	-	6
White	8,749	7,842	901	-	6
Nonwhite	138	90	48	-	-
MICHIGAN	123,886	98,065	25,489	186	146
White	118,784	94,594	23,909	155	126
Nonwhite	5,102	3,471	1,580	31	20
Urban	84,992	73,188	11,711	54	39
White	80,237	69,833	10,345	30	29
Nonwhite	4,755	3,355	1,366	24	10
Places of 10,000 or more	73,911	64,140	9,696	43	32
White	69,302	60,869	8,392	19	22
Nonwhite	4,609	3,271	1,304	24	10
Places of 2,500 to 10,000	11,081	9,048	2,015	11	7
White	10,935	8,964	1,953	11	7
Nonwhite	146	84	62	-	-
Rural	38,894	24,877	13,778	132	107
White	38,547	24,761	13,564	125	97
Nonwhite	347	116	214	7	10

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
MINNESOTA	58,770	46,513	11,893	170	194
White	58,198	46,078	11,830	157	133
Nonwhite	572	435	63	13	61
Urban	29,935	27,450	2,420	56	9
White	29,841	27,366	2,410	56	9
Nonwhite	94	84	10	-	-
Places of 10,000 or more	22,558	21,229	1,304	20	5
White	22,476	21,154	1,297	20	5
Nonwhite	82	75	7	-	-
Places of 2,500 to 10,000	7,377	6,221	1,116	36	4
White	7,365	6,212	1,113	36	4
Nonwhite	12	9	3	-	-
Rural	28,835	19,063	9,473	114	185
White	28,357	18,712	9,420	101	124
Nonwhite	478	351	53	13	61
MISSISSIPPI	56,667	12,161	18,327	26,045	134
White	25,566	10,899	13,360	1,254	53
Nonwhite	31,101	1,262	4,967	24,791	81
Urban	10,864	6,135	1,980	2,744	5
White	6,923	5,651	1,175	96	1
Nonwhite	3,941	484	805	2,648	4
Places of 10,000 or more	6,982	4,292	941	1,746	3
White	4,493	3,930	513	49	1
Nonwhite	2,489	362	428	1,697	2
Places of 2,500 to 10,000	3,882	1,843	1,039	998	2
White	2,430	1,721	662	47	-
Nonwhite	1,452	122	377	951	2
Rural	45,803	6,026	16,347	23,301	129
White	18,643	5,248	12,185	1,158	52
Nonwhite	27,160	778	4,162	22,143	77
MISSOURI	70,711	42,117	26,183	1,530	881
White	65,903	39,198	24,927	1,036	742
Nonwhite	4,808	2,919	1,256	494	139
Urban	38,829	31,894	6,469	413	53
White	35,172	29,170	5,670	296	36
Nonwhite	3,657	2,724	799	117	17
Places of 10,000 or more	32,162	28,341	3,527	258	36
White	28,832	25,645	2,935	225	27
Nonwhite	3,330	2,696	592	33	9
Places of 2,500 to 10,000	6,667	3,553	2,942	155	17
White	6,340	3,525	2,735	71	9
Nonwhite	327	28	207	84	8
Rural	31,882	10,223	19,714	1,117	828
White	30,731	10,028	19,257	740	706
Nonwhite	1,151	195	457	377	122
MONTANA	11,735	10,470	1,118	76	71
White	11,026	9,919	1,048	43	16
Nonwhite	709	551	70	33	55
Urban	5,454	5,208	237	9	2
White	5,419	5,174	235	8	2
Nonwhite	35	32	2	1	-
Places of 10,000 or more	3,673	3,584	85	3	1
White	3,652	3,565	84	2	1
Nonwhite	21	19	1	1	-
Places 2,500 to 10,000	1,781	1,622	152	6	1
White	1,767	1,609	151	6	1
Nonwhite	14	13	1	-	-
Rural	6,281	5,264	881	67	69
White	5,607	4,745	813	35	14
Nonwhite	674	519	68	32	55
NEBRASKA	23,676	16,671	6,982	2	21
White	23,381	16,456	6,908	2	15
Nonwhite	295	215	74	-	6
Urban	10,489	9,097	1,390	-	2
White	10,283	8,945	1,336	-	2
Nonwhite	206	152	54	-	-
Places of 10,000 or more	8,229	7,378	850	-	1
White	8,030	7,230	799	-	1
Nonwhite	199	148	51	-	-
Places of 2,500 to 10,000	2,260	1,719	540	-	1
White	2,253	1,715	537	-	1
Nonwhite	7	4	3	-	-
Rural	13,187	7,574	5,592	2	19
White	13,098	7,511	5,572	2	13
Nonwhite	89	63	20	-	6
NEVADA	2,782	2,538	211	5	28
White	2,605	2,397	204	2	2
Nonwhite	177	141	7	3	26
Urban	1,242	1,195	45	2	-
White	1,211	1,166	43	2	-
Nonwhite	31	29	2	-	-
Section A (States)—Continued					
NEVADA—Continued					
Places of 10,000 or more	503	491	12	-	-
White	491	480	11	-	-
Nonwhite	12	11	1	-	-
Places of 2,500 to 10,000	739	704	33	2	-
White	720	686	32	2	-
Nonwhite	19	18	1	-	-
Rural	1,540	1,343	166	3	28
White	1,394	1,231	161	-	2
Nonwhite	146	112	5	3	26
NEW HAMPSHIRE	9,173	7,924	1,246	-	3
White	9,160	7,913	1,244	-	3
Nonwhite	13	11	2	-	-
Urban	5,588	5,040	547	-	1
White	5,577	5,031	545	-	1
Nonwhite	11	9	2	-	-
Places of 10,000 or more	4,742	4,295	446	-	1
White	4,732	4,287	444	-	1
Nonwhite	10	8	2	-	-
Places of 2,500 to 10,000	846	745	101	-	-
White	845	744	101	-	-
Nonwhite	1	1	-	-	-
Rural	3,585	2,884	699	-	2
White	3,583	2,882	699	-	2
Nonwhite	2	2	-	-	-
NEW JERSEY	81,709	73,718	6,817	1,134	40
White	76,254	69,477	5,667	1,078	32
Nonwhite	5,455	4,241	1,150	56	8
Urban	66,816	61,470	4,277	1,041	28
White	62,211	57,689	3,492	1,005	25
Nonwhite	4,605	3,781	785	36	3
Places of 10,000 or more	54,505	50,352	3,200	937	16
White	50,330	46,884	2,528	904	14
Nonwhite	4,175	3,468	672	33	2
Places of 2,500 to 10,000	12,311	11,118	1,077	104	12
White	11,881	10,805	964	101	11
Nonwhite	430	313	113	3	1
Rural	14,893	12,248	2,540	93	12
White	14,043	11,788	2,175	73	7
Nonwhite	850	460	365	20	5
NEW MEXICO	14,129	5,683	4,581	3,126	739
White	13,497	5,432	4,510	3,009	546
Nonwhite	632	251	71	117	193
Urban	5,526	3,231	1,484	727	84
White	5,423	3,165	1,455	720	83
Nonwhite	103	66	29	7	1
Places of 10,000 or more	2,588	1,773	563	221	31
White	2,532	1,733	547	221	31
Nonwhite	56	40	16	-	-
Places of 2,500 to 10,000	2,938	1,458	921	506	53
White	2,891	1,432	908	499	52
Nonwhite	47	26	13	7	1
Rural	8,603	2,452	3,097	2,399	655
White	8,074	2,267	3,055	2,289	463
Nonwhite	529	185	42	110	192
NEW YORK	244,802	225,623	17,815	1,194	170
White	233,795	215,817	16,865	972	141
Nonwhite	11,007	9,806	950	222	29
Urban	202,403	192,069	9,096	1,135	103
White	192,050	182,665	8,360	937	88
Nonwhite	10,353	9,404	736	198	15
Places of 10,000 or more	189,544	180,763	7,559	1,124	98
White	179,355	171,484	6,860	926	85
Nonwhite	10,191	9,279	699	198	15
Places of 2,500 to 10,000	12,859	11,306	1,537	11	5
White	12,697	11,181	1,500	11	5
Nonwhite	162	125	37	-	-
Rural	42,399	33,554	8,719	59	67
White	41,745	33,152	8,505	35	53
Nonwhite	654	402	214	24	14
NORTH CAROLINA	89,854	34,243	36,969	17,998	644
White	62,081	30,418	27,869	3,563	231
Nonwhite	27,773	3,825	9,100	14,435	413
Urban	24,100	15,826	5,845	2,154	275
White	17,165	13,501	3,552	70	42
Nonwhite	6,935	2,325	2,293	2,084	233
Places of 10,000 or more	18,191	12,530	3,862	1,530	269
White	12,485	10,367	2,030	50	38
Nonwhite	5,706	2,163	1,832	1,480	231
Places of 2,500 to 10,000	5,909	3,296	1,983	624	6
White	4,680	3,134	1,522	20	4
Nonwhite	1,229	162	461	604	2
Rural	65,754	18,417	31,124	15,844	369
White	44,916	16,917	24,317	3,493	189
Nonwhite	20,838	1,500	6,807	12,351	180

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
NORTH DAKOTA	13,357	9,960	3,110	82	205
White	12,994	9,676	3,077	76	165
Nonwhite	363	284	33	6	40
Urban	3,141	2,954	183	1	3
White	3,134	2,947	183	1	3
Nonwhite	7	7	-	-	-
Places of 10,000 or more	1,976	1,880	95	1	-
White	1,975	1,879	95	1	-
Nonwhite	1	1	-	-	-
Places of 2,500 to 10,000	1,165	1,074	88	-	3
White	1,159	1,068	88	-	3
Nonwhite	6	6	-	-	-
Rural	10,216	7,006	2,927	81	202
White	9,860	6,729	2,894	75	162
Nonwhite	356	277	33	6	40
OHIO	144,327	108,804	35,418	50	55
White	138,085	104,820	33,168	48	49
Nonwhite	6,242	3,984	2,250	2	6
Urban	101,752	85,962	15,739	30	21
White	95,953	82,111	13,796	29	17
Nonwhite	5,799	3,851	1,943	1	4
Places of 10,000 or more	87,152	75,795	11,315	26	16
White	81,679	72,094	9,547	25	13
Nonwhite	5,473	3,701	1,768	1	3
Places of 2,500 to 10,000	14,600	10,167	4,424	4	5
White	14,274	10,017	4,249	4	4
Nonwhite	326	150	175	-	1
Rural	42,575	22,842	19,679	20	34
White	42,132	22,709	19,372	19	32
Nonwhite	443	133	307	1	2
OKLAHOMA	46,008	25,396	18,815	1,224	573
White	41,012	23,528	16,861	363	260
Nonwhite	4,996	1,868	1,954	861	313
Urban	20,625	15,308	4,889	300	128
White	18,524	14,521	3,905	50	48
Nonwhite	2,101	787	984	250	80
Places of 10,000 or more	14,744	11,737	2,780	164	63
White	13,257	11,217	2,014	15	11
Nonwhite	1,487	520	766	149	52
Places of 2,500 to 10,000	5,881	3,571	2,109	136	65
White	5,267	3,304	1,891	35	37
Nonwhite	614	267	218	101	28
Rural	25,383	10,088	13,926	924	445
White	22,488	9,007	12,956	313	212
Nonwhite	2,895	1,081	970	611	233
OREGON	22,518	21,030	1,425	14	49
White	22,203	20,759	1,404	9	31
Nonwhite	315	271	21	5	18
Urban	13,518	13,104	398	7	9
White	13,392	12,983	396	5	8
Nonwhite	126	121	2	2	1
Places of 10,000 or more	9,769	9,594	166	5	4
White	9,672	9,500	165	3	4
Nonwhite	97	94	1	2	-
Places of 2,500 to 10,000	3,749	3,510	232	2	5
White	3,720	3,483	231	2	4
Nonwhite	29	27	1	-	1
Rural	9,000	7,926	1,027	7	40
White	8,811	7,776	1,008	4	23
Nonwhite	189	150	19	3	17
PENNSYLVANIA	197,177	145,792	50,997	290	98
White	186,349	137,996	48,002	267	84
Nonwhite	10,828	7,796	2,995	23	14
Urban	131,862	111,081	20,529	206	46
White	122,013	103,718	18,073	190	32
Nonwhite	9,849	7,363	2,456	16	14
Places of 10,000 or more	106,712	91,997	14,515	160	40
White	97,298	84,920	12,207	145	26
Nonwhite	9,414	7,077	2,308	15	14
Places of 2,500 to 10,000	25,150	19,084	6,014	46	6
White	24,715	18,798	5,866	45	6
Nonwhite	435	286	148	1	-
Rural	65,315	34,711	30,468	84	52
White	64,336	34,278	29,929	77	52
Nonwhite	979	433	539	7	-
RHODE ISLAND	14,182	12,383	1,746	40	13
White	13,896	12,143	1,704	37	12
Nonwhite	286	240	42	3	1
Urban	12,799	11,198	1,554	40	7
White	12,536	10,979	1,514	37	6
Nonwhite	263	219	40	3	1
Section A (States)—Continued					
RHODE ISLAND—Continued					
Places of 10,000 or more	12,285	10,788	1,469	21	7
White	12,025	10,569	1,432	18	6
Nonwhite	260	219	37	3	1
Places of 2,500 to 10,000	514	410	85	19	-
White	511	410	82	19	-
Nonwhite	3	-	3	-	-
Rural	1,383	1,185	192	-	6
White	1,360	1,164	190	-	6
Nonwhite	23	21	2	-	-
SOUTH CAROLINA	48,835	14,591	15,107	19,108	29
White	25,865	12,932	11,534	1,390	9
Nonwhite	22,970	1,659	3,573	17,718	20
Urban	14,751	8,344	3,929	2,476	2
White	10,042	7,446	2,490	106	-
Nonwhite	4,709	898	1,439	2,370	2
Places of 10,000 or more	9,361	6,072	1,959	1,329	1
White	6,267	5,313	904	50	-
Nonwhite	3,094	759	1,055	1,279	1
Places of 2,500 to 10,000	5,390	2,272	1,970	1,147	1
White	3,775	2,133	1,586	56	-
Nonwhite	1,615	139	384	1,091	1
Rural	34,084	6,247	11,178	16,632	27
White	15,823	5,486	9,044	1,284	9
Nonwhite	18,261	761	2,134	15,348	18
SOUTH DAKOTA	12,424	8,607	3,610	27	180
White	11,627	8,112	3,477	3	35
Nonwhite	797	495	133	24	145
Urban	3,652	3,151	495	1	5
White	3,600	3,113	486	1	-
Nonwhite	52	38	9	-	5
Places of 10,000 or more	2,339	2,103	234	-	2
White	2,324	2,090	234	-	-
Nonwhite	15	13	-	-	2
Places of 2,500 to 10,000	1,313	1,048	261	1	3
White	1,276	1,023	252	1	-
Nonwhite	37	25	9	-	3
Rural	8,772	5,456	3,115	26	175
White	8,027	4,999	2,991	2	35
Nonwhite	745	457	124	24	140
TENNESSEE	65,147	24,724	35,742	4,634	47
White	54,900	21,656	30,693	2,509	42
Nonwhite	10,247	3,068	5,049	2,125	5
Urban	24,764	16,856	7,432	464	12
White	19,266	14,181	4,951	126	8
Nonwhite	5,498	2,675	2,481	338	4
Places of 10,000 or more	19,532	14,557	4,652	312	11
White	14,686	11,967	2,649	63	7
Nonwhite	4,846	2,590	2,003	249	4
Places of 2,500 to 10,000	5,232	2,299	2,780	152	1
White	4,580	2,214	2,302	63	1
Nonwhite	652	85	478	89	-
Rural	40,383	7,868	28,310	4,170	35
White	35,634	7,475	25,742	2,383	34
Nonwhite	4,749	393	2,568	1,787	1
TEXAS	144,742	80,479	43,470	18,132	2,661
White	126,424	75,558	38,033	10,977	1,856
Nonwhite	18,318	4,921	5,437	7,155	805
Urban	82,403	56,615	17,299	7,821	668
White	73,354	52,555	14,135	6,142	522
Nonwhite	9,049	4,060	3,164	1,679	146
Places of 10,000 or more	60,598	45,201	9,707	5,367	323
White	53,388	41,424	7,327	4,392	245
Nonwhite	7,210	3,777	2,380	975	78
Places of 2,500 to 10,000	21,805	11,414	7,592	2,454	345
White	19,966	11,131	6,808	1,750	277
Nonwhite	1,839	283	784	704	68
Rural	62,339	23,864	26,171	10,311	1,993
White	53,070	23,003	23,898	4,835	1,334
Nonwhite	9,269	861	2,273	5,476	659
UTAH	15,822	13,056	2,672	62	32
White	15,633	12,902	2,639	62	30
Nonwhite	189	154	33	-	2
Urban	9,693	8,811	867	10	5
White	9,640	8,770	855	10	5
Nonwhite	53	41	12	-	-
Places of 10,000 or more	6,980	6,595	375	7	3
White	6,944	6,563	371	7	3
Nonwhite	36	32	4	-	-
Places of 2,500 to 10,000	2,713	2,216	492	3	2
White	2,696	2,207	484	3	2
Nonwhite	17	9	8	-	-
Rural	6,129	4,245	1,805	52	27
White	5,993	4,132	1,784	52	25
Nonwhite	136	113	21	-	2

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
VERMONT	7,175	5,058	2,113	3	1
White	7,174	5,058	2,112	3	1
Nonwhite	1	-	1	-	-
Urban	2,799	2,390	409	-	-
White	2,799	2,390	409	-	-
Nonwhite	-	-	-	-	-
Places of 10,000 or more	1,204	1,076	128	-	-
White	1,204	1,076	128	-	-
Nonwhite	-	-	-	-	-
Places of 2,500 to 10,000	1,595	1,314	281	-	-
White	1,595	1,314	281	-	-
Nonwhite	-	-	-	-	-
Rural	4,376	2,668	1,704	3	1
White	4,375	2,668	1,703	3	1
Nonwhite	1	-	1	-	-
VIRGINIA	67,950	30,453	24,746	12,361	390
White	50,911	27,674	19,755	3,204	278
Nonwhite	17,039	2,779	4,991	9,157	112
Urban	25,386	18,562	4,626	2,165	33
White	19,466	16,514	2,754	188	10
Nonwhite	5,920	2,048	1,872	1,977	23
Places of 10,000 or more	20,316	15,643	2,712	1,934	27
White	15,030	13,718	1,170	137	5
Nonwhite	5,286	1,925	1,542	1,797	22
Places of 2,500 to 10,000	5,070	2,919	1,914	231	6
White	4,436	2,796	1,584	51	5
Nonwhite	634	123	330	180	1
Rural	42,564	11,891	20,120	10,196	357
White	31,445	11,160	17,001	3,016	268
Nonwhite	11,119	731	3,119	7,180	89
WASHINGTON	39,007	36,869	2,063	22	53
White	38,244	36,233	1,959	9	43
Nonwhite	763	636	104	13	10
Urban	22,624	22,069	536	8	11
White	22,291	21,762	518	1	10
Nonwhite	333	307	18	7	1
Places of 10,000 or more	19,691	19,302	373	8	8
White	19,413	19,044	361	1	7
Nonwhite	278	258	12	7	1
Places of 2,500 to 10,000	2,933	2,767	163	-	3
White	2,878	2,718	157	-	3
Nonwhite	55	49	6	-	-
Rural	16,383	14,800	1,527	14	42
White	15,953	14,471	1,441	8	33
Nonwhite	430	329	86	6	9
WEST VIRGINIA	43,922	14,131	27,811	1,585	395
White	41,412	13,783	25,702	1,550	377
Nonwhite	2,510	348	2,109	35	18
Urban	12,620	8,390	4,179	39	12
White	12,019	8,196	3,781	31	11
Nonwhite	601	194	398	8	1
Places of 10,000 or more	8,547	6,614	1,909	15	9
White	8,136	6,451	1,668	9	8
Nonwhite	411	163	241	6	1
Places of 2,500 to 10,000	4,073	1,776	2,270	24	3
White	3,883	1,745	2,113	22	3
Nonwhite	190	31	157	2	-
Rural	31,302	5,741	23,632	1,546	383
White	29,393	5,587	21,921	1,519	366
Nonwhite	1,909	154	1,711	27	17
WISCONSIN	63,982	49,744	14,155	40	43
White	63,329	49,248	14,020	29	32
Nonwhite	653	496	135	11	11
Urban	35,570	31,305	4,252	7	6
White	35,299	31,095	4,193	7	4
Nonwhite	271	210	59	-	2
Places of 10,000 or more	30,045	26,908	3,125	7	5
White	29,789	26,712	3,067	7	3
Nonwhite	256	196	58	-	2
Places of 2,500 to 10,000	5,525	4,397	1,127	-	1
White	5,510	4,383	1,126	-	1
Nonwhite	15	14	1	-	-
Rural	28,412	18,439	9,903	33	37
White	28,030	18,153	9,827	22	28
Nonwhite	382	286	76	11	9
WYOMING	5,567	4,528	1,020	5	14
White	5,401	4,406	982	5	8
Nonwhite	166	122	38	-	6
Urban	2,481	2,207	269	4	1
White	2,456	2,187	264	4	1
Nonwhite	25	20	5	-	-
Section A (States)—Continued					
WYOMING—Continued					
Places of 10,000 or more	1,622	1,494	128	-	-
White	1,606	1,479	127	-	-
Nonwhite	16	15	1	-	-
Places of 2,500 to 10,000	859	713	141	4	1
White	850	708	137	4	1
Nonwhite	9	5	4	-	-
Rural	3,086	2,321	751	1	13
White	2,945	2,219	718	1	7
Nonwhite	141	102	33	-	6
Section B (Counties)					
ALABAMA (total)	71,136	21,220	30,048	18,511	1,357
Autauga	453	95	110	236	12
Baldwin	861	205	380	263	15
Barbour	881	107	289	427	58
Bibb	537	47	264	209	17
Blount	599	19	559	10	11
Bullock	573	22	54	487	10
Butler	763	141	263	326	33
Calhoun	1,824	549	1,104	151	20
Anniston	904	388	420	93	3
Balance of county	920	161	684	58	17
Chambers	937	294	331	284	28
Cherokee	406	28	256	83	39
Chilton	664	94	398	158	14
Choctaw	489	65	138	275	11
Clarke	634	59	183	385	7
Clay	358	7	307	44	-
Cleburne	316	9	242	64	1
Coffee	626	81	495	49	1
Colbert	957	394	365	193	5
Conecuh	609	31	249	329	-
Coosa	320	51	121	144	4
Covington	928	138	595	192	3
Crenshaw	427	29	238	159	1
Cullman	1,178	253	850	59	16
Dale	557	36	406	112	3
Dallas	1,506	396	88	1,001	21
Selma	559	267	35	257	-
Balance of county	947	129	53	744	21
De Kalb	823	25	720	72	6
Elmore	657	188	113	337	19
Escambia	774	118	357	283	16
Etowah	1,867	632	1,058	92	85
Gadsden	936	435	441	12	48
Balance of county	931	197	617	80	37
Fayette	497	45	341	96	15
Franklin	781	141	575	45	20
Geneva	651	111	426	93	21
Greene	458	17	41	382	18
Hale	630	41	100	468	21
Henry	536	38	182	303	13
Houston	1,028	302	474	227	25
Dothan	421	213	132	75	1
Balance of county	607	89	342	152	24
Jackson	1,124	47	834	215	28
Jefferson	11,949	7,380	4,418	121	30
Bessemer	760	316	414	28	2
Birmingham	7,178	5,303	1,837	24	14
Fairfield	314	199	114	-	1
Balance of county	3,697	1,562	2,053	69	13
Lamar	402	15	349	38	-
Lauderdale	1,212	353	739	115	5
Florence	489	222	237	28	2
Balance of county	723	131	502	87	3
Lawrence	671	164	394	108	5
Lee	880	226	177	447	30
Limestone	843	228	434	177	4
Lowndes	659	25	49	581	4
Macon	765	112	136	376	141
Madison	1,626	341	822	426	37
Huntsville	554	211	229	90	24
Balance of county	1,072	130	593	336	13
Marengo	743	52	166	495	30
Marion	660	53	501	90	16
Marshall	1,030	103	815	99	13
Mobile	5,080	2,869	892	1,135	184
Mobile	2,717	1,910	217	535	55
Balance of county	2,363	959	675	600	129
Monroe	763	27	262	442	32
Montgomery	2,592	1,340	123	1,063	66
Montgomery	1,961	1,234	61	613	53
Balance of county	631	106	62	450	13
Morgan	1,046	317	590	120	19
Decatur	353	190	112	51	-
Balance of county	693	127	478	69	19
Perry	679	24	104	546	5
Pickens	664	23	313	282	46
Pike	647	114	257	254	22

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ALABAMA—Continued					
Randolph	535	66	298	163	8
Russell	990	256	177	554	3
Phenix City	437	211	116	110	-
Balance of county	553	45	61	444	3
St. Clair	664	104	466	88	6
Shelby	730	105	528	96	1
Sumter	693	47	109	531	6
Talladega	1,773	761	559	444	9
Tallapoosa	806	247	442	117	-
Tuscaloosa	1,542	648	507	383	4
Tuscaloosa	564	354	72	138	-
Balance of county	978	294	435	245	4
Walker	1,582	225	1,274	79	4
Washington	399	12	197	184	6
Wilcox	760	24	115	619	2
Winston	522	106	329	85	2
ARIZONA (total)	12,664	9,276	2,312	617	459
Apache	374	200	116	25	33
Cochise	925	630	230	51	14
Coconino	372	243	84	13	32
Gila	755	468	227	6	34
Graham	317	148	147	13	9
Greenlee	425	345	75	1	4
Maricopa	4,864	4,134	495	166	69
Phoenix	2,587	2,351	161	48	27
Balance of county	2,277	1,783	334	118	42
Mohave	153	109	25	11	8
Navajo	576	366	38	5	167
Pima	1,768	1,241	325	152	50
Tucson	1,377	938	289	126	24
Balance of county	391	303	36	26	26
Pinal	750	469	222	49	10
Santa Cruz	220	90	87	31	12
Yavapai	630	418	197	6	9
Yuma	555	415	44	88	8
ARKANSAS (total)	42,680	11,812	21,473	8,692	703
Arkansas	505	85	301	113	6
Ashley	691	180	287	218	6
Baxter	209	47	139	8	15
Benton	650	262	373	4	11
Boone	327	48	261	16	2
Bradley	365	90	214	57	4
Calhoun	178	25	105	41	7
Carroll	265	13	220	24	8
Chicot	599	124	159	306	10
Clark	543	116	266	155	6
Clay	510	66	407	31	6
Cleburne	305	119	130	42	14
Cleveland	214	29	138	45	2
Columbia	429	88	250	87	4
Conway	481	89	268	115	9
Craighead	1,076	270	758	40	8
Jonesboro	255	176	46	31	2
Balance of county	821	94	712	9	6
Crawford	562	186	327	43	6
Crittenden	1,121	109	174	804	34
Cross	535	119	238	169	9
Dallas	313	32	194	81	6
Desha	520	144	87	276	13
Drew	428	117	135	174	2
Faulkner	557	165	309	78	5
Franklin	246	93	152	-	1
Fulton	167	13	142	5	7
Garland	897	435	373	85	4
Hot Springs	584	367	184	31	2
Balance of county	313	68	189	54	2
Grant	214	21	182	9	2
Greene	603	57	534	2	10
Hempstead	582	150	199	228	5
Hot Spring	457	101	291	64	1
Howard	298	20	215	60	3
Independence	583	105	435	28	15
Izard	253	19	223	7	4
Jackson	684	61	531	80	12
Jefferson	1,437	504	319	600	14
Pine Bluff	605	407	100	98	-
Balance of county	832	97	219	502	14
Johnson	340	81	235	17	7
Lafayette	316	32	115	167	2
Lawrence	416	49	344	15	8
Lee	632	30	209	370	23
Lincoln	426	23	128	262	13
Little River	317	28	204	81	4
Logan	517	208	300	3	6
Lonoke	754	92	418	225	19
Madison	273	31	164	67	11
Marion	164	19	120	21	4

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ARKANSAS—Continued					
Miller	756	328	293	122	13
Texarkana[1]	415	257	100	58	-
Balance of county	341	71	193	64	13
Mississippi	2,161	286	1,353	505	17
Blytheville	268	145	85	36	2
Balance of county	1,893	141	1,268	469	15
Monroe	450	26	203	208	13
Montgomery	189	7	168	12	2
Nevada	362	76	202	77	7
Newton	220	5	155	36	24
Ouachita	658	273	168	205	12
Perry	231	19	201	8	3
Phillips	1,082	191	221	654	16
Pike	216	12	186	15	3
Poinsett	1,168	96	939	119	14
Polk	326	110	209	2	5
Pope	533	137	344	44	8
Prairie	299	29	187	79	4
Pulaski	3,974	2,610	1,036	300	28
Little Rock	2,213	1,760	415	30	8
North Little Rock	716	490	188	35	3
Balance of county	1,045	360	433	235	17
Randolph	356	51	285	13	7
St. Francis	811	122	269	406	14
Saline	427	78	326	19	4
Scott	289	28	250	6	5
Searcy	207	8	132	34	33
Sebastian	1,657	1,157	479	16	5
Fort Smith	1,131	961	157	10	3
Balance of county	526	196	322	6	2
Sevier	321	107	178	34	2
Sharp	193	9	167	9	8
Stone	162	16	105	20	21
Union	986	564	211	198	13
El Dorado	465	378	37	49	1
Balance of county	521	186	174	149	12
Van Buren	199	22	162	10	5
Washington	832	479	290	49	14
White	738	162	537	21	18
Woodruff	495	39	319	125	12
Yell	423	70	325	23	5
CALIFORNIA (total)	154,567	142,332	11,370	461	404
Alameda	11,461	11,066	387	2	6
Alameda	894	881	13	-	-
Albany	263	260	3	-	-
Berkeley	1,918	1,893	24	-	1
Oakland	6,694	6,443	248	2	1
San Leandro	439	430	9	-	-
Balance of county	1,253	1,159	90	-	4
Alpine	8	7	-	-	1
Amador	106	75	31	-	-
Butte	843	738	105	-	-
Calaveras	118	101	17	-	-
Colusa	157	151	6	-	-
Contra Costa	3,449	3,235	213	-	1
Richmond	1,254	1,188	66	-	-
Balance of county	2,195	2,047	147	-	1
Del Norte	66	56	6	-	4
El Dorado	163	114	47	-	2
Fresno	3,991	3,601	375	4	11
Fresno	1,322	1,224	95	2	1
Balance of county	2,669	2,377	280	2	10
Glenn	176	151	25	-	-
Humboldt	843	825	18	-	-
Eureka	321	317	4	-	-
Balance of county	522	508	14	-	-
Imperial	1,596	940	624	2	30
Brawley	446	204	228	-	14
El Centro	303	233	69	-	1
Balance of county	847	503	327	2	15
Inyo	210	197	13	-	-
Kern	3,601	3,321	259	-	21
Bakersfield	1,410	1,373	33	-	4
Balance of county	2,191	1,948	226	-	17
Kings	957	738	219	-	-
Lake	115	93	21	-	1
Lassen	380	356	24	-	-
Los Angeles	61,525	56,901	4,013	388	223
Alhambra	783	761	22	-	-
Bell	316	303	13	-	-
Belvedere (twp.)[2]	482	182	200	82	18
Beverly Hills	80	79	1	-	-
Burbank	1,507	1,460	44	-	3
Compton	640	621	19	-	-
Glendale	1,677	1,633	44	-	-
Huntington Park	664	646	17	1	-
Inglewood	928	908	16	-	4
Long Beach	4,047	3,995	48	-	4

[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Los Angeles—Continued					
Los Angeles	30,905	28,377	2,184	273	71
Lynwood	395	383	11	-	1
Maywood	304	293	11	-	-
Monrovia	250	215	31	-	4
Pasadena	1,380	1,339	39	-	2
Pomona	497	469	28	-	-
Redondo Beach	363	327	32	-	4
San Gabriel	416	384	32	-	-
Santa Monica	1,155	1,038	115	-	2
South Gate	948	923	24	-	1
South Pasadena	201	196	5	-	-
Whittier	408	393	15	-	-
Balance of county	13,179	11,976	1,062	32	109
Madera	600	575	21	-	4
Marin	903	892	11	-	-
Mariposa	51	44	7	-	-
Mendocino	447	351	93	-	3
Merced	1,190	1,154	34	1	1
Merced	286	281	4	1	-
Balance of county	904	873	30	-	1
Modoc	233	204	27	-	2
Mono	25	22	1	-	2
Monterey	1,961	1,749	208	-	4
Monterey	341	333	8	-	-
Salinas	662	628	34	-	-
Balance of county	958	788	166	-	4
Napa	650	636	14	-	-
Nevada	328	305	23	-	-
Orange	3,012	2,427	582	-	3
Anaheim	300	263	37	-	-
Fullerton	254	234	20	-	-
Santa Ana	736	596	140	-	-
Balance of county	1,722	1,334	385	-	3
Placer	510	441	68	1	-
Plumas	229	211	18	-	-
Riverside	2,536	2,106	425	1	4
Riverside	967	854	112	-	1
Balance of county	1,569	1,252	313	1	3
Sacramento	3,685	3,540	114	24	7
Sacramento	2,267	2,212	43	7	5
Balance of county	1,418	1,328	71	17	2
San Benito	227	174	53	-	-
San Bernardino	3,602	2,724	867	1	10
Ontario	363	282	81	-	-
Redlands	290	223	67	-	-
San Bernardino	1,209	973	234	-	2
Balance of county	1,740	1,246	485	1	8
San Diego	9,187	8,785	378	8	16
National City	408	395	13	-	-
San Diego	6,617	6,425	180	1	11
Balance of county	2,162	1,965	185	7	5
San Francisco, coextensive with San Francisco (city)	11,207	11,055	126	16	10
San Joaquin	2,730	2,627	93	2	8
Lodi	243	240	3	-	-
Stockton	1,538	1,490	45	-	3
Balance of county	949	897	45	2	5
San Luis Obispo	994	925	68	-	1
San Mateo	2,576	2,541	33	1	1
Burlingame	331	330	1	-	-
Redwood City	367	358	8	-	1
San Mateo	517	515	2	-	-
Balance of county	1,361	1,338	22	1	-
Santa Barbara	1,552	1,451	99	1	1
Santa Barbara	617	585	32	-	-
Balance of county	935	866	67	1	1
Santa Clara	3,503	3,360	137	3	3
Palo Alto	347	341	5	1	-
San Jose	1,623	1,571	50	1	1
Balance of county	1,533	1,448	82	1	2
Santa Cruz	677	620	56	-	1
Santa Cruz	219	214	5	-	-
Balance of county	458	406	51	-	1
Shasta	760	701	59	-	-
Sierra	38	32	6	-	-
Siskiyou	657	608	47	-	2
Solano	1,927	1,852	75	-	-
Vallejo	1,431	1,411	20	-	-
Balance of county	496	441	55	-	-
Sonoma	1,212	1,163	49	-	-
Santa Rosa	404	399	5	-	-
Balance of county	808	764	44	-	-
Stanislaus	1,728	1,623	103	-	2
Modesto	609	597	12	-	-
Balance of county	1,119	1,026	91	-	2
Sutter	429	419	10	-	-
Tehama	254	248	6	-	-
Trinity	32	28	4	-	-
Tulare	2,459	1,994	450	-	15
Tuolumne	157	145	12	-	-
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Ventura	1,531	1,034	493	2	2
San Buenaventura	347	294	53	-	-
Balance of county	1,184	740	440	2	2
Yolo	571	499	66	4	2
Yuba	432	401	31	-	-
COLORADO (total)	23,566	17,125	6,032	167	242
Adams	493	358	129	3	3
Alamosa	220	165	51	3	1
Arapahoe	846	771	74	-	1
Archuleta	90	8	64	3	15
Baca	130	63	65	1	1
Bent	181	138	42	-	1
Boulder	649	484	164	1	-
Boulder	262	233	28	1	-
Balance of county	387	251	136	-	-
Chaffee	118	99	16	2	1
Cheyenne	45	31	13	1	-
Clear Creek	62	37	25	-	-
Conejos	248	93	122	-	33
Costilla	146	41	45	15	45
Crowley	120	38	80	-	2
Custer	23	11	12	-	-
Delta	293	133	155	2	3
Denver, coextensive with Denver (city)	7,479	6,457	982	30	10
Dolores	44	18	25	1	-
Douglas	50	41	8	-	1
Eagle	125	81	44	-	-
Elbert	100	58	37	1	4
El Paso	1,160	1,069	83	5	3
Colorado Springs	952	883	67	-	2
Balance of county	208	186	16	5	1
Fremont	283	185	98	-	-
Garfield	185	116	69	-	-
Gilpin	21	14	5	-	2
Grand	77	40	37	-	-
Gunnison	113	75	33	1	4
Hinsdale	1	1	-	-	-
Huerfano	261	65	154	13	29
Jackson	28	16	12	-	-
Jefferson	659	549	110	-	-
Kiowa	65	56	9	-	-
Kit Carson	139	96	40	1	2
Lake	189	156	32	-	1
La Plata	304	205	89	2	8
Larimer	570	416	149	-	5
Fort Collins	109	84	25	-	-
Balance of county	461	332	124	-	5
Las Animas	708	208	484	10	6
Trinidad	366	122	239	4	1
Balance of county	342	86	245	6	5
Lincoln	121	45	76	-	-
Logan	353	294	55	-	4
Mesa	570	321	241	5	3
Grand Junction	241	154	83	1	3
Balance of county	329	167	158	4	-
Mineral	28	21	7	-	-
Moffat	100	59	41	-	-
Montezuma	218	78	126	3	11
Montrose	329	168	158	-	3
Morgan	367	247	118	1	1
Otero	527	285	236	2	4
Ouray	26	15	10	-	1
Park	27	25	2	-	-
Phillips	89	56	33	-	-
Pitkin	22	16	6	-	-
Prowers	331	215	114	-	2
Pueblo	1,625	1,286	309	18	12
Pueblo	1,230	1,020	201	5	4
Balance of county	395	266	108	13	8
Rio Blanco	52	24	26	1	1
Rio Grande	263	136	118	1	8
Routt	218	158	58	-	2
Saguache	137	49	58	27	3
San Juan	24	24	-	-	-
San Miguel	69	36	32	-	1
Sedgwick	121	64	57	-	-
Summit	27	14	13	-	-
Teller	88	77	10	-	1
Washington	124	91	31	2	-
Weld	1,296	798	484	10	4
Greeley	308	267	38	3	-
Balance of county	988	531	446	7	4
Yuma	189	131	56	2	-
CONNECTICUT (total)	37,264	35,752	1,442	59	11
Fairfield	9,005	8,716	255	32	2
Bridgeport	3,379	3,289	63	27	-
Danbury	488	467	21	-	-
Norwalk	861	803	55	3	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
CONNECTICUT—Continued					
Fairfield—Continued					
Shelton	232	219	13	-	-
Stamford	1,226	1,184	40	-	2
Stratford (town)	522	514	7	1	-
Balance of county	2,297	2,240	56	1	-
Hartford	10,599	10,380	215	4	-
Bristol	717	703	10	4	-
East Hartford (town)	612	610	2	-	-
Hartford	4,073	4,044	29	-	-
New Britain	1,440	1,406	34	-	-
West Hartford (town)	541	538	3	-	-
Balance of county	3,216	3,079	137	-	-
Litchfield	1,880	1,799	81	-	-
Torrington	545	531	14	-	-
Balance of county	1,335	1,268	67	-	-
Middlesex	1,146	1,113	33	-	-
Middletown	521	512	9	-	-
Balance of county	625	601	24	-	-
New Haven	10,185	9,669	488	23	5
Ansonia	383	362	21	-	-
Derby	203	188	15	-	-
Meriden	743	722	21	-	-
Naugatuck	289	280	8	1	-
New Haven	3,231	3,000	219	11	1
Wallingford	245	237	8	-	-
Waterbury	2,206	2,143	52	9	2
West Haven (town)	604	562	40	2	-
Balance of county	2,281	2,175	104	-	2
New London	2,676	2,486	189	-	1
New London	612	599	12	-	1
Norwich	633	578	55	-	-
Balance of county	1,431	1,309	122	-	-
Tolland	691	668	23	-	-
Windham	1,082	921	158	-	3
Willimantic	263	246	17	-	-
Balance of county	819	675	141	-	3
DELAWARE (total)	5,657	4,410	874	369	4
Kent	634	339	174	121	-
New Castle	3,919	3,612	203	102	2
Wilmington	2,389	2,246	94	49	-
Balance of county	1,530	1,366	109	53	2
Sussex	1,104	459	497	146	2
DISTRICT OF COLUMBIA	15,179	13,702	1,471	4	2
FLORIDA (total)	40,901	22,739	9,052	9,015	95
Alachua	921	378	192	350	1
Gainesville	400	255	33	112	-
Balance of county	521	123	159	238	1
Baker	164	27	39	94	4
Bay	725	428	190	106	1
Panama City	376	264	63	49	-
Balance of county	349	164	127	57	1
Bradford	310	69	158	83	-
Brevard	244	87	60	97	-
Broward	739	430	130	229	-
Fort Lauderdale	354	257	46	51	-
Balance of county	435	173	84	178	-
Calhoun	216	22	144	49	1
Charlotte	49	11	27	10	1
Citrus	99	10	45	44	-
Clay	181	97	11	71	2
Collier	79	35	20	21	3
Columbia	358	127	74	156	1
Dade	4,923	4,039	282	596	6
Miami	3,200	2,585	151	461	3
Miami Beach	315	313	2	-	-
Balance of county	1,408	1,141	129	135	3
De Soto	214	190	2	22	-
Dixie	168	7	89	72	-
Duval	5,308	4,332	507	456	13
Jacksonville	4,533	3,798	386	336	13
Balance of county	775	534	121	120	-
Escambia	2,470	1,721	313	432	4
Pensacola	1,317	941	128	247	1
Balance of county	1,153	780	185	185	3
Flagler	44	11	6	27	-
Franklin	139	6	73	58	2
Gadsden	645	131	144	370	-
Gilchrist	98	23	44	31	-
Glades	40	5	19	9	7
Gulf	192	42	86	61	3
Hamilton	245	18	129	98	-
Hardee	205	44	151	9	1
Hendry	117	59	24	28	6
Hernando	130	32	87	11	-
Highlands	273	197	46	30	-
Hillsborough	4,185	3,080	716	384	5
Tampa	2,412	1,979	146	283	4
Balance of county	1,773	1,101	570	101	1
Holmes	374	64	234	75	1
Section B (Counties)—Continued					
FLORIDA—Continued					
Indian River	157	50	83	24	-
Jackson	882	143	382	354	3
Jefferson	289	11	74	204	-
Lafayette	80	9	63	7	1
Lake	451	245	74	131	1
Lee	369	155	156	58	-
Fort Myers	245	116	85	44	-
Balance of county	124	39	71	14	-
Leon	813	333	81	398	1
Tallahassee	434	251	46	136	1
Balance of county	379	82	35	262	-
Levy	283	52	135	95	1
Liberty	80	11	32	35	2
Madison	423	92	58	273	-
Manatee	509	300	45	164	-
Marion	604	252	114	236	2
Martin	103	56	32	14	1
Monroe	398	168	38	192	-
Key West	395	165	38	192	-
Balance of county	3	3	-	-	-
Nassau	261	72	113	76	-
Okaloosa	429	219	166	43	1
Okeechobee	70	24	17	29	-
Orange	1,381	789	411	180	1
Orlando	791	539	173	78	1
Balance of county	590	250	238	102	-
Osceola	144	75	38	23	8
Palm Beach	1,391	734	228	429	-
West Palm Beach	622	413	50	159	-
Balance of county	769	321	178	270	-
Pasco	296	52	187	57	-
Pinellas	1,210	816	149	245	-
Clearwater	186	127	11	48	-
St. Petersburg	750	539	37	174	-
Balance of county	274	150	101	23	-
Polk	1,878	659	991	228	-
Lakeland	449	265	153	31	-
Balance of county	1,429	394	838	197	-
Putnam	371	123	137	108	3
St. Johns	394	284	24	86	-
St. Augustine	267	227	13	27	-
Balance of county	127	57	11	59	-
St. Lucie	262	106	43	113	-
Santa Rosa	341	35	239	67	-
Sarasota	299	247	21	30	1
Sarasota	192	159	8	25	-
Balance of county	107	88	13	5	1
Seminole	354	154	43	157	-
Sanford	179	97	17	65	-
Balance of county	175	57	26	92	-
Sumter	250	108	59	82	1
Suwannee	434	30	203	200	1
Taylor	229	22	135	71	1
Union	137	32	69	35	1
Volusia	731	383	121	227	-
Daytona Beach	278	191	27	60	-
Balance of county	453	192	94	167	-
Wakulla	125	23	28	74	-
Walton	280	112	65	101	2
Washington	288	41	156	90	1
GEORGIA (total)	72,491	29,330	21,276	21,784	101
Appling	367	30	238	99	-
Atkinson	187	26	109	52	-
Bacon	227	33	134	59	1
Baker	201	13	37	150	1
Baldwin	323	116	18	189	-
Banks	162	23	127	11	1
Barrow	262	64	131	67	-
Bartow	600	179	319	101	1
Ben Hill	285	119	55	110	1
Berrien	265	87	149	28	1
Bibb	2,351	1,755	97	496	3
Macon	1,956	1,539	74	341	2
Balance of county	395	216	23	155	1
Bleckley	247	20	100	127	-
Brantley	172	21	101	50	-
Brooks	554	124	97	332	1
Bryan	145	24	50	71	-
Bulloch	522	97	187	238	-
Burke	716	67	84	565	-
Butts	219	27	88	104	-
Calhoun	290	41	33	216	-
Camden	200	46	21	133	-
Candler	135	20	63	52	-
Carroll	657	81	473	103	-
Catoosa	267	103	156	8	-
Charlton	101	45	19	37	-
Chatham	3,162	2,414	570	176	2
Savannah	2,707	2,130	448	128	1
Balance of county	455	284	122	48	1
Chattahoochee	139	91	14	34	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
GEORGIA—Continued					
Chattooga	420	235	145	40	-
Cherokee	411	91	292	28	-
Clarke	549	273	109	167	-
Athens	398	231	72	95	-
Balance of county	151	42	37	72	-
Clay	157	12	25	120	-
Clayton	207	75	67	65	-
Clinch	142	15	45	82	-
Cobb	865	315	507	62	1
Coffee	655	164	286	205	-
Colquitt	918	347	358	213	-
Moultrie	335	137	97	101	-
Balance of county	583	210	261	112	-
Columbia	215	37	59	119	-
Cook	247	45	153	49	-
Coweta	522	122	170	229	1
Crawford	164	24	12	128	-
Crisp	424	106	52	266	-
Dade	138	21	115	2	-
Dawson	73	21	25	26	1
Decatur	614	230	135	247	2
De Kalb	1,922	1,320	347	254	1
Atlanta (part)	692	650	30	12	-
Decatur	409	305	23	81	-
Balance of county	821	365	294	161	1
Dodge	448	70	191	187	-
Dooly	380	27	118	235	-
Dougherty	702	341	167	193	1
Albany	563	305	114	143	1
Balance of county	139	36	53	50	-
Douglas	197	30	118	48	1
Early	495	109	37	343	6
Echols	52	13	12	27	-
Effingham	188	19	82	87	-
Elbert	434	128	100	206	-
Emanuel	480	129	138	212	1
Evans	184	21	103	60	-
Fannin	373	74	223	68	8
Fayette	160	36	29	95	-
Floyd	1,332	898	317	116	1
Rome	714	570	79	64	1
Balance of county	618	328	238	52	-
Forsyth	258	15	173	69	1
Franklin	296	76	168	51	1
Fulton	8,816	7,706	754	153	3
Atlanta (part)	6,751	6,245	422	82	2
Atlanta (total)	7,443	6,895	452	94	2
District 1511, Center Hill[2]	3	3	-	-	-
East Point	302	280	18	4	-
Balance of county	1,560	1,178	314	67	1
Gilmer	247	70	89	85	3
Glascock	106	15	44	47	-
Glynn	592	320	139	133	-
Brunswick	417	234	100	83	-
Balance of county	175	86	39	50	-
Gordon	409	259	112	38	-
Grady	475	63	271	141	-
Greene	321	33	120	168	-
Gwinnett	573	181	320	72	-
Habersham	313	38	207	66	2
Hall	757	303	355	89	10
Gainesville	272	132	110	30	-
Balance of county	485	171	245	59	10
Hancock	357	12	60	284	1
Haralson	259	54	131	73	1
Harris	239	17	80	142	-
Hart	306	52	194	60	-
Heard	120	4	65	51	-
Henry	324	25	93	205	1
Houston	306	64	77	165	-
Irwin	336	105	46	185	-
Jackson	460	96	303	61	-
Jasper	175	9	69	97	-
Jeff Davis	177	13	120	44	-
Jefferson	490	48	60	380	2
Jenkins	315	56	75	184	-
Johnson	225	36	68	118	3
Jones	207	17	50	140	-
Lamar	193	5	76	112	-
Lanier	83	16	34	32	1
Laurens	749	251	155	343	-
Lee	146	15	23	108	-
Liberty	192	39	51	102	-
Lincoln	171	12	59	100	-
Long	69	6	45	18	-
Lowndes	813	332	79	401	1
Valdosta	482	254	11	216	1
Balance of county	331	78	68	185	-
Lumpkin	144	32	88	23	1
McDuffie	289	67	72	150	-
McIntosh	152	14	23	115	-
Section B (Counties)—Continued					
GEORGIA—Continued					
Macon	398	102	78	218	-
Madison	280	42	159	79	-
Marion	202	4	69	129	-
Meriwether	542	58	185	298	1
Miller	189	43	30	116	-
Mitchell	620	64	211	343	2
Monroe	256	11	79	166	-
Montgomery	202	22	67	113	-
Morgan	326	22	100	204	-
Murray	210	21	128	60	1
Muscogee	2,695	1,965	381	346	3
Columbus	2,319	1,743	317	256	3
Balance of county	376	222	64	90	-
Newton	441	209	97	135	-
Oconee	112	17	62	33	-
Oglethorpe	287	25	111	150	1
Paulding	246	31	190	25	-
Peach	270	48	53	169	-
Pickens	166	67	85	14	-
Pierce	287	37	175	75	-
Pike	212	14	58	140	-
Polk	618	170	368	79	1
Pulaski	197	47	26	124	-
Putnam	180	18	42	120	-
Quitman	86	11	8	67	-
Rabun	181	14	110	57	-
Randolph	383	53	61	269	-
Richmond	2,077	1,275	686	116	-
Augusta	1,715	1,033	659	23	-
Balance of county	362	242	27	93	-
Rockdale	146	17	60	68	1
Schley	104	2	39	63	-
Screven	429	76	78	272	3
Seminole	220	115	6	99	-
Spalding	496	49	291	155	1
Griffin	291	40	177	73	1
Balance of county	205	9	114	82	-
Stephens	399	258	104	36	1
Stewart	227	11	23	192	1
Sumter	567	136	89	338	4
Talbot	182	7	39	136	-
Taliaferro	117	12	29	76	-
Tattnall	261	52	155	54	-
Taylor	191	46	72	73	-
Telfair	309	45	139	125	-
Terrell	440	39	107	294	-
Thomas	665	171	130	362	2
Thomasville	270	113	29	128	-
Balance of county	395	58	101	234	2
Tift	482	117	210	155	-
Toombs	367	62	182	123	-
Towns	115	15	90	9	-
Treutlen	134	25	41	68	-
Troup	971	341	286	343	1
La Grange	459	204	154	101	-
Balance of county	512	137	132	242	1
Turner	214	22	98	94	-
Twiggs	266	25	46	195	-
Union	203	20	134	47	2
Upson	600	56	358	184	2
Walker	766	453	282	31	-
Walton	454	90	204	159	1
Ware	694	283	182	229	-
Waycross	491	237	99	155	-
Balance of county	203	46	83	74	-
Warren	249	33	51	165	-
Washington	560	69	91	400	-
Wayne	338	157	83	98	-
Webster	116	14	29	72	1
Wheeler	202	19	108	75	-
White	168	3	111	54	-
Whitfield	731	455	215	60	1
Dalton	383	270	86	27	-
Balance of county	348	185	129	33	1
Wilcox	234	23	130	80	1
Wilkes	341	87	64	190	-
Wilkinson	254	19	85	150	-
Worth	512	26	261	223	2
IDAHO (total)	11,454	9,278	2,146	18	12
Ada	1,052	1,016	33	2	1
Boise City	689	679	10	-	-
Balance of county	363	337	23	2	1
Adams	85	68	17	-	-
Bannock	956	882	74	-	-
Pocatello	656	646	10	-	-
Balance of county	300	236	64	-	-
Bear Lake	170	142	28	-	-
Benewah	116	67	49	-	-
Bingham	538	397	139	-	2
Blaine	126	76	49	1	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IDAHO—Continued					
Boise	25	24	1	-	-
Bonner	322	245	74	1	2
Bonneville	652	606	41	5	-
Idaho Falls	385	364	18	3	-
Balance of county	267	242	23	2	-
Boundary	119	85	32	1	1
Butte	42	19	22	1	-
Camas	28	11	17	-	-
Canyon	826	723	99	3	1
Nampa	243	211	31	1	-
Balance of county	583	512	68	2	1
Caribou	40	32	8	-	-
Cassia	339	177	161	-	1
Clark	25	23	2	-	-
Clearwater	147	111	35	1	-
Custer	59	31	28	-	-
Elmore	146	117	29	-	-
Franklin	266	158	108	-	-
Fremont	215	142	73	-	-
Gem	186	160	26	-	-
Gooding	182	156	26	-	-
Idaho	201	134	66	-	1
Jefferson	272	181	90	-	1
Jerome	247	198	49	-	-
Kootenai	395	356	38	-	1
Coeur d'Alene	219	199	20	-	-
Balance of county	176	157	18	-	1
Latah	308	259	49	-	-
Lemhi	135	80	53	1	1
Lewis	68	25	43	-	-
Lincoln	94	77	17	-	-
Madison	260	151	109	-	-
Minidoka	171	71	100	-	-
Nez Perce	377	321	56	-	-
Lewiston	222	204	18	-	-
Balance of county	155	117	38	-	-
Oneida	114	109	5	-	-
Owyhee	102	89	13	-	-
Payette	184	153	31	-	-
Power	83	81	2	-	-
Shoshone	564	522	42	-	-
Teton	104	100	4	-	-
Twin Falls	851	738	112	1	-
Twin Falls	357	322	35	-	-
Balance of county	494	416	77	1	-
Valley	121	69	52	-	-
Washington	141	96	44	1	-
Yellowstone National Park (part)	-	-	-	-	-
ILLINOIS (total)	156,232	132,614	23,320	189	109
Adams	1,117	1,037	80	-	-
Quincy	775	764	11	-	-
Balance of county	342	273	69	-	-
Alexander	484	218	245	-	21
Cairo	255	157	81	-	17
Balance of county	229	61	164	-	4
Bond	262	140	122	-	-
Boone	304	291	13	-	-
Brown	116	34	82	-	-
Bureau	605	526	78	1	-
Calhoun	131	9	122	-	-
Carroll	340	237	103	-	-
Cass	285	124	161	-	-
Champaign	1,549	1,407	141	-	1
Champaign	506	488	17	-	1
Urbana	349	336	13	-	-
Balance of county	694	583	111	-	-
Christian	653	451	202	-	-
Clark	311	114	197	-	-
Clay	336	142	194	-	-
Clinton	431	271	160	-	-
Centralia (part)	15	12	3	-	-
Balance of county	416	259	157	-	-
Coles	720	338	382	-	-
Mattoon	331	195	136	-	-
Balance of county	389	143	246	-	-
Cook	82,544	77,535	4,841	148	20
Berwyn	967	963	4	-	-
Blue Island	379	371	8	-	-
Brookfield	186	182	4	-	-
Calumet City	296	280	15	1	-
Chicago	69,442	64,925	4,364	136	17
Chicago Heights	538	481	57	-	-
Cicero	1,206	1,171	31	4	-
Elgin (part)	10	10	-	-	-
Elmwood Park	322	315	7	-	-
Evanston	1,122	1,115	7	-	-
Forest Park	256	254	2	-	-
Harvey	516	484	32	-	-
La Grange	246	242	4	-	-
Maywood	529	515	11	-	3
Melrose Park	302	293	9	-	-
Section B (Counties)—Continued					
ILLINOIS—Continued					
Cook—Continued					
Oak Park	994	988	6	-	-
Park Ridge	181	179	1	1	-
Wilmette	251	248	3	-	-
Winnetka	149	148	1	-	-
Balance of county	4,652	4,371	275	6	-
Crawford	368	172	196	-	-
Cumberland	194	63	131	-	-
De Kalb	708	674	34	-	-
De Witt	297	210	87	-	-
Douglas	273	166	107	-	-
Du Page	2,065	1,964	99	1	1
Elmhurst	280	275	5	-	-
Balance of county	1,785	1,689	94	1	1
Edgar	412	259	152	-	1
Edwards	166	48	118	-	-
Effingham	433	262	171	-	-
Fayette	479	181	298	-	-
Ford	285	204	81	-	-
Franklin	945	404	541	-	-
West Frankfort	220	150	70	-	-
Balance of county	725	254	471	-	-
Fulton	796	600	195	1	-
Canton	225	211	13	1	-
Balance of county	571	389	182	-	-
Gallatin	213	57	155	-	1
Greene	359	147	211	-	1
Grundy	410	360	50	-	-
Hamilton	282	103	178	-	1
Hancock	421	265	156	-	-
Hardin	171	77	92	1	1
Henderson	195	109	86	-	-
Henry	791	706	85	-	-
Kewanee	334	287	47	-	-
Balance of county	457	419	38	-	-
Iroquois	547	363	184	-	-
Jackson	736	352	384	-	-
Jasper	253	87	166	-	-
Jefferson	720	175	545	-	-
Mount Vernon	365	118	247	-	-
Balance of county	355	57	298	-	-
Jersey	257	79	176	1	1
Jo Daviess	456	254	202	-	-
Johnson	186	30	156	-	-
Kane	2,643	2,605	37	1	-
Aurora	1,155	1,144	10	1	-
Elgin (part)	641	633	8	-	-
Elgin (total)	651	643	8	-	-
Balance of county	847	828	19	-	-
Kankakee	1,256	907	348	-	1
Kankakee	617	504	113	-	-
Balance of county	639	403	235	-	1
Kendall	183	169	14	-	-
Knox	969	832	137	-	-
Galesburg	572	543	29	-	-
Balance of county	397	289	108	-	-
Lake	2,623	2,457	131	5	30
Highland Park	245	244	1	-	-
Waukegan	804	786	14	3	1
Balance of county	1,574	1,427	116	2	29
La Salle	1,875	1,715	158	2	-
La Salle	232	232	-	-	-
Ottawa	374	344	30	-	-
Streator	348	322	26	-	-
Balance of county	921	817	102	2	-
Lawrence	294	90	204	-	-
Lee	605	523	82	-	-
Dixon	269	251	18	-	-
Balance of county	336	272	64	-	-
Livingston	625	548	77	-	-
Logan	417	345	72	-	-
Lincoln	179	168	11	-	-
Balance of county	238	177	61	-	-
McDonough	477	333	144	-	-
McHenry	751	661	88	2	-
McLean	1,249	1,046	201	-	2
Bloomington	518	484	34	-	-
Balance of county	731	562	167	-	2
Macon	1,717	1,537	178	1	1
Decatur	1,237	1,163	72	1	1
Balance of county	480	374	106	-	-
Macoupin	677	385	292	-	-
Madison	3,472	2,800	669	1	2
Alton	946	782	164	-	-
Granite City	596	541	55	-	-
Balance of county	1,930	1,477	450	1	2
Marion	967	643	320	2	2
Centralia (part)	350	306	44	-	-
Centralia (total)	365	318	47	-	-
Balance of county	617	337	276	2	2
Marshall	183	134	49	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ILLINOIS—Continued					
Mason	237	114	123	-	-
Massac	296	99	197	-	-
Menard	180	90	90	-	-
Mercer	320	248	70	2	-
Monroe	235	129	106	-	-
Montgomery	566	373	192	-	1
Morgan	494	328	166	-	-
Jacksonville	224	178	46	-	-
Balance of county	270	150	120	-	-
Moultrie	248	96	152	-	-
Ogle	551	423	128	-	-
Peoria	3,203	2,984	219	-	-
Peoria	2,216	2,159	57	-	-
Balance of county	987	825	162	-	-
Perry	464	221	243	-	-
Piatt	273	201	72	-	-
Pike	437	214	223	-	-
Pope	127	21	106	-	-
Pulaski	286	46	235	2	3
Putnam	91	67	24	-	-
Randolph	538	200	335	1	2
Richland	334	183	151	-	-
Rock Island	2,611	2,436	175	-	-
East Moline	227	211	16	-	-
Moline	771	755	16	-	-
Rock Island	970	901	69	-	-
Balance of county	643	569	74	-	-
St. Clair	3,348	2,800	536	12	-
Belleville	634	611	22	1	-
East St. Louis	1,559	1,280	276	3	-
Balance of county	1,155	909	238	8	-
Saline	641	202	439	-	-
Harrisburg	210	86	124	-	-
Balance of county	431	116	315	-	-
Sangamon	2,155	1,910	243	1	1
Springfield	1,604	1,535	67	1	1
Balance of county	551	375	176	-	-
Schuyler	155	83	70	1	1
Scott	116	45	71	-	-
Shelby	421	200	221	-	-
Stark	159	109	50	-	-
Stephenson	715	593	120	-	2
Freeport	417	362	53	-	2
Balance of county	298	231	67	-	-
Tazewell	1,367	1,198	169	-	-
Pekin	397	363	34	-	-
Balance of county	970	835	135	-	-
Union	377	138	237	-	2
Vermilion	1,490	1,115	375	-	-
Danville	680	583	97	-	-
Balance of county	810	532	278	-	-
Wabash	247	75	172	-	-
Warren	348	266	82	-	-
Washington	227	93	133	-	1
Wayne	437	106	326	-	5
White	408	80	328	-	-
Whiteside	901	636	265	-	-
Sterling	251	189	62	-	-
Balance of county	650	447	203	-	-
Will	2,481	2,320	161	-	-
Joliet	1,483	1,446	37	-	-
Balance of county	998	874	124	-	-
Williamson	901	306	594	1	-
Winnebago	2,914	2,660	249	2	3
Rockford	1,900	1,801	96	2	1
Balance of county	1,014	859	153	-	2
Woodford	344	231	112	-	1
INDIANA (total)	73,706	50,937	22,622	108	39
Adams	476	298	178	-	-
Allen	3,425	2,905	519	-	1
Fort Wayne	2,613	2,372	240	-	1
Balance of county	812	533	279	-	-
Bartholomew	679	417	261	-	1
Columbus	307	239	68	-	-
Balance of county	372	178	193	-	1
Benton	228	144	84	-	-
Blackford	265	206	59	-	-
Boone	452	376	76	-	-
Brown	104	23	81	-	-
Carroll	245	139	106	-	-
Cass	682	537	145	-	-
Logansport	433	378	55	-	-
Balance of county	249	159	90	-	-
Clark	902	506	394	-	2
Jeffersonville	355	305	50	-	-
Balance of county	547	201	344	-	2
Clay	345	183	162	-	-
Clinton	571	414	157	-	-
Frankfort	280	223	57	-	-
Balance of county	291	191	100	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
INDIANA—Continued					
Crawford	184	13	171	-	-
Daviess	643	337	299	4	3
Dearborn	458	237	221	-	-
Decatur	327	197	130	-	-
De Kalb	510	321	189	-	-
Delaware	1,822	1,366	456	-	-
Muncie	1,289	989	300	-	-
Balance of county	533	377	156	-	-
Dubois	518	116	402	-	-
Elkhart	1,657	1,311	346	-	-
Elkhart	698	605	93	-	-
Goshen	306	284	22	-	-
Balance of county	653	422	231	-	-
Fayette	509	344	164	-	1
Connersville	370	265	104	-	1
Balance of county	139	79	60	-	-
Floyd	830	551	278	-	1
New Albany	632	452	179	-	1
Balance of county	198	99	99	-	-
Fountain	353	176	177	-	-
Franklin	279	107	171	1	-
Fulton	275	135	140	-	-
Gibson	496	191	303	-	2
Grant	1,221	576	644	1	-
Marion	653	309	343	1	-
Balance of county	568	267	301	-	-
Greene	531	299	232	-	-
Hamilton	478	382	95	-	1
Hancock	375	205	169	-	1
Harrison	423	69	354	-	-
Hendricks	325	219	106	-	-
Henry	847	592	255	-	-
New Castle	356	281	75	-	-
Balance of county	491	311	180	-	-
Howard	1,036	675	361	-	-
Kokomo	751	519	232	-	-
Balance of county	285	156	129	-	-
Huntington	569	319	250	-	-
Huntington	290	166	124	-	-
Balance of county	279	153	126	-	-
Jackson	526	281	242	2	1
Jasper	342	250	92	-	-
Jay	417	303	114	-	-
Jefferson	421	160	261	-	-
Jennings	259	66	193	-	-
Johnson	437	197	239	-	1
Knox	860	440	419	-	1
Vincennes	406	275	131	-	-
Balance of county	454	165	288	-	1
Kosciusko	561	419	142	-	-
Lagrange	305	117	188	-	-
Lake	7,615	6,645	880	87	3
East Chicago	1,344	1,106	190	46	2
Gary	2,894	2,582	283	28	1
Hammond	1,583	1,401	179	3	-
Whiting	452	418	29	5	-
Balance of county	1,342	1,138	199	5	-
La Porte	1,612	1,417	195	-	-
La Porte	483	439	44	-	-
Michigan City	614	563	51	-	-
Balance of county	515	415	100	-	-
Lawrence	784	372	410	2	-
Bedford	299	218	81	-	-
Balance of county	485	154	329	2	-
Madison	2,024	1,797	226	-	1
Anderson	1,046	973	73	-	-
Elwood	254	214	40	-	-
Balance of county	724	610	113	-	1
Marion	10,519	8,068	2,444	2	5
Indianapolis	9,481	7,311	2,165	2	3
Balance of county	1,038	757	279	-	2
Marshall	584	453	131	-	-
Martin	237	45	192	-	-
Miami	553	382	171	-	-
Peru	269	230	39	-	-
Balance of county	264	152	112	-	-
Monroe	790	287	498	5	-
Bloomington	461	225	236	-	-
Balance of county	329	62	262	5	-
Montgomery	428	327	101	-	-
Crawfordsville	202	159	43	-	-
Balance of county	226	168	58	-	-
Morgan	390	206	184	-	-
Newton	199	109	90	-	-
Noble	447	284	163	-	-
Ohio	76	30	44	1	1
Orange	285	72	213	-	-
Owen	203	43	160	-	-
Parke	286	117	168	-	1
Perry	335	29	306	-	-
Pike	306	90	216	-	-
Porter	655	562	93	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
INDIANA—Continued					
Posey	353	193	160	-	-
Pulaski	253	93	159	-	1
Putnam	315	215	100	-	-
Randolph	513	385	127	-	1
Ripley	351	191	160	-	-
Rush	344	221	122	-	1
St. Joseph	3,798	3,525	271	1	1
Mishawaka	701	674	27	-	-
South Bend	2,310	2,208	101	1	-
Balance of county	787	643	143	-	1
Scott	288	159	128	1	-
Shelby	450	278	172	-	-
Shelbyville	216	169	47	-	-
Balance of county	234	109	125	-	-
Spencer	278	34	243	-	1
Starke	337	126	211	-	-
Steuben	230	124	106	-	-
Sullivan	436	246	189	1	-
Switzerland	133	23	109	-	1
Tippecanoe	1,205	1,097	107	-	1
Lafayette	771	735	36	-	-
Balance of county	434	362	71	-	1
Tipton	312	217	95	-	-
Union	97	61	36	-	-
Vanderburgh	2,814	1,738	1,073	-	3
Evansville	2,315	1,459	853	-	3
Balance of county	499	279	220	-	-
Vermillion	352	194	158	-	-
Vigo	1,789	1,218	571	-	-
Terre Haute	1,286	976	310	-	-
Balance of county	503	242	261	-	-
Wabash	519	364	155	-	-
Warren	147	74	73	-	-
Warrick	350	139	211	-	-
Washington	332	35	297	-	-
Wayne	1,242	886	354	-	2
Richmond	825	603	220	-	2
Balance of county	417	283	134	-	-
Wells	362	278	84	-	-
White	296	152	144	-	-
Whitley	314	217	97	-	-
IOWA (total)	48,454	34,899	13,519	10	28
Adair	225	57	168	-	-
Adams	215	80	135	-	-
Allamakee	312	202	110	-	-
Appanoose	387	213	173	-	1
Audubon	234	111	122	-	1
Benton	399	255	143	-	1
Black Hawk	1,815	1,708	105	1	1
Waterloo	1,186	1,164	20	1	1
Balance of county	629	544	85	-	-
Boone	472	432	40	-	-
Boone	198	196	2	-	-
Balance of county	274	236	38	-	-
Bremer	283	208	74	-	1
Buchanan	396	254	139	1	2
Buena Vista	344	301	43	-	-
Butler	319	157	162	-	-
Calhoun	281	226	55	-	-
Carroll	466	375	91	-	-
Cass	388	209	178	-	1
Cedar	305	195	110	-	-
Cerro Gordo	865	731	134	-	-
Mason City	558	508	50	-	-
Balance of county	307	223	84	-	-
Cherokee	345	257	88	-	-
Chickasaw	321	248	73	-	-
Clarke	188	141	47	-	-
Clay	345	299	46	-	-
Clayton	449	144	303	1	1
Clinton	942	806	136	-	-
Clinton	590	547	43	-	-
Balance of county	352	259	93	-	-
Crawford	363	177	186	-	-
Dallas	407	237	170	-	-
Davis	177	69	108	-	-
Decatur	271	199	72	-	-
Delaware	361	201	159	1	-
Des Moines	936	883	53	-	-
Burlington	716	690	26	-	-
Balance of county	220	193	27	-	-
Dickinson	214	154	60	-	-
Dubuque	1,354	1,066	287	-	1
Dubuque	925	804	120	-	1
Balance of county	429	262	167	-	-
Emmet	243	163	79	1	-
Fayette	477	274	203	-	-
Floyd	359	261	98	-	-
Franklin	285	217	68	-	-
Fremont	235	157	77	-	1
Greene	267	224	43	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IOWA—Continued					
Grundy	251	173	78	-	-
Guthrie	317	129	187	-	1
Hamilton	391	306	85	-	-
Hancock	318	183	134	-	1
Hardin	395	278	116	-	1
Harrison	332	77	254	-	1
Henry	353	253	100	-	-
Howard	269	173	96	-	-
Humboldt	252	135	117	-	-
Ida	172	95	77	-	-
Iowa	304	164	140	-	-
Jackson	309	207	102	-	-
Jasper	521	344	177	-	-
Newton	158	123	35	-	-
Balance of county	363	221	142	-	-
Jefferson	253	185	68	-	-
Johnson	603	524	79	-	-
Iowa City	327	311	16	-	-
Balance of county	276	213	63	-	-
Jones	350	284	64	1	1
Keokuk	324	135	188	-	1
Kossuth	580	324	256	-	-
Lee	852	735	116	-	1
Fort Madison	286	241	45	-	-
Keokuk	332	326	6	-	-
Balance of county	234	168	65	-	1
Linn	1,794	1,628	166	-	-
Cedar Rapids	1,280	1,214	66	-	-
Balance of county	514	414	100	-	-
Louisa	206	109	97	-	-
Lucas	220	122	98	-	-
Lyon	314	111	203	-	-
Madison	270	162	108	-	-
Mahaska	426	275	151	-	-
Oskaloosa	141	99	42	-	-
Balance of county	285	176	109	-	-
Marion	476	308	168	-	-
Marshall	715	639	74	-	2
Marshalltown	415	389	25	-	1
Balance of county	300	250	49	-	1
Mills	245	123	122	-	-
Mitchell	270	197	73	-	-
Monona	363	183	180	-	-
Monroe	247	82	164	1	-
Montgomery	273	213	60	-	-
Muscatine	604	506	97	-	1
Muscatine	387	337	50	-	-
Balance of county	217	169	47	-	1
O'Brien	374	199	175	-	-
Osceola	242	159	83	-	-
Page	412	327	85	-	-
Palo Alto	312	191	121	-	-
Plymouth	462	306	156	-	-
Pocahontas	364	199	165	-	-
Polk	4,005	3,292	711	1	1
Des Moines	3,444	2,946	497	-	1
Balance of county	561	346	214	1	-
Pottawattamie	1,254	942	312	-	-
Council Bluffs	836	673	163	-	-
Balance of county	418	269	149	-	-
Poweshiek	342	239	102	1	-
Ringgold	169	48	121	-	-
Sac	352	219	132	-	1
Scott	1,850	1,742	107	-	1
Davenport	1,407	1,337	70	-	-
Balance of county	443	405	37	-	1
Shelby	329	142	187	-	-
Sioux	593	229	362	1	1
Story	631	541	90	-	-
Ames	256	244	12	-	-
Balance of county	375	297	78	-	-
Tama	372	242	130	-	-
Taylor	238	71	167	-	-
Union	224	133	91	-	-
Van Buren	204	59	144	-	1
Wapello	965	672	293	-	-
Ottumwa	729	544	185	-	-
Balance of county	236	128	108	-	-
Warren	266	112	154	-	-
Washington	407	261	146	-	-
Wayne	192	82	110	-	-
Webster	796	676	120	-	-
Fort Dodge	460	423	37	-	-
Balance of county	336	253	83	-	-
Winnebago	254	181	73	-	-
Winneshiek	403	296	107	-	-
Woodbury	2,027	1,701	326	-	-
Sioux City	1,572	1,411	161	-	-
Balance of county	455	290	165	-	-
Worth	206	137	69	-	-
Wright	395	248	147	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KANSAS (total)	33,920	23,790	10,091	14	25
Allen	303	150	152	1	-
Anderson	199	128	71	-	-
Atchison	376	335	41	-	-
Atchison	265	241	24	-	-
Balance of county	111	94	17	-	-
Barber	155	111	44	-	-
Barton	579	516	63	-	-
Bourbon	329	261	67	1	-
Fort Scott	172	159	12	1	-
Balance of county	157	102	55	-	-
Brown	234	178	55	-	1
Butler	624	509	114	-	1
El Dorado	210	192	17	-	1
Balance of county	414	317	97	-	-
Chase	104	80	24	-	-
Chautauqua	125	46	77	1	1
Cherokee	630	245	383	2	-
Cheyenne	133	47	86	-	-
Clark	57	45	11	-	1
Clay	227	131	96	-	-
Cloud	303	195	108	-	-
Coffey	192	54	137	-	1
Comanche	91	60	30	-	1
Cowley	631	533	98	-	-
Arkansas City	227	174	53	-	-
Balance of county	404	359	45	-	-
Crawford	734	426	305	2	1
Pittsburg	337	244	90	2	1
Balance of county	397	182	215	-	-
Decatur	110	80	30	-	-
Dickinson	388	251	137	-	-
Doniphan	199	36	163	-	-
Douglas	467	393	74	-	-
Lawrence	311	269	42	-	-
Balance of county	156	124	32	-	-
Edwards	106	65	41	-	-
Elk	111	33	78	-	-
Ellis	416	263	152	1	-
Ellsworth	159	120	39	-	-
Finney	253	170	83	-	-
Ford	302	249	52	1	-
Franklin	305	144	161	-	-
Ottawa	164	87	77	-	-
Balance of county	141	57	84	-	-
Geary	430	411	19	-	-
Gove	109	53	56	-	-
Graham	113	21	91	-	1
Grant	42	30	12	-	-
Gray	75	24	51	-	-
Greeley	36	28	8	-	-
Greenwood	276	117	159	-	-
Hamilton	49	37	12	-	-
Harper	178	161	17	-	-
Harvey	420	383	37	-	-
Newton	215	198	17	-	-
Balance of county	205	185	20	-	-
Haskell	33	16	17	-	-
Hodgeman	52	39	13	-	-
Jackson	216	175	39	2	-
Jefferson	193	65	128	-	-
Jewell	155	79	76	-	-
Johnson	736	562	174	-	-
Kearny	42	38	4	-	-
Kingman	235	184	51	-	-
Kiowa	81	25	56	-	-
Labette	684	398	282	-	4
Parsons	345	263	81	-	1
Balance of county	339	135	201	-	3
Lane	49	32	17	-	-
Leavenworth	611	544	67	-	-
Leavenworth	431	406	25	-	-
Balance of county	180	138	42	-	-
Lincoln	115	36	78	-	1
Linn	180	46	133	-	1
Logan	81	35	46	-	-
Lyon	413	322	91	-	-
Emporia	216	198	18	-	-
Balance of county	197	124	73	-	-
McPherson	440	397	43	-	-
Marion	306	227	79	-	-
Marshall	267	164	103	-	-
Meade	114	39	75	-	-
Miami	297	105	192	-	-
Mitchell	186	140	46	-	-
Montgomery	871	491	380	-	-
Coffeyville	340	214	126	-	-
Independence	197	122	75	-	-
Balance of county	334	155	179	-	-
Morris	163	81	82	-	-
Morton	52	33	19	-	-
Nemaha	305	130	173	-	-
Section B (Counties)—Continued					
KANSAS—Continued					
Neosho	395	115	280	-	-
Chanute	204	79	125	-	-
Balance of county	191	36	155	-	-
Ness	122	67	54	-	1
Norton	174	96	78	-	-
Osage	240	84	156	-	-
Osborne	127	61	66	-	-
Ottawa	129	32	96	-	1
Pawnee	150	124	26	-	-
Phillips	178	57	120	1	-
Pottawatomie	229	142	87	-	-
Pratt	185	122	63	-	-
Rawlins	106	62	43	-	1
Reno	1,042	921	121	-	-
Hutchinson	677	656	21	-	-
Balance of county	365	265	100	-	-
Republic	183	106	77	-	-
Rice	307	268	39	-	-
Riley	435	381	54	-	-
Manhattan	302	274	28	-	-
Balance of county	133	107	26	-	-
Rooks	142	50	92	-	-
Rush	164	98	66	-	-
Russell	256	141	114	-	1
Saline	620	574	46	-	-
Salina	496	468	28	-	-
Balance of county	124	106	18	-	-
Scott	104	63	41	-	-
Sedgwick	4,414	3,860	552	-	2
Wichita	3,977	3,575	400	-	2
Balance of county	437	285	152	-	-
Seward	152	84	68	-	-
Shawnee	1,559	1,150	408	-	1
Topeka	1,373	1,052	320	-	1
Balance of county	186	98	88	-	-
Sheridan	94	47	47	-	-
Sherman	143	127	16	-	-
Smith	150	64	86	-	-
Stafford	179	137	42	-	-
Stanton	28	22	6	-	-
Stevens	48	15	32	1	-
Sumner	400	331	69	-	-
Thomas	134	96	38	-	-
Trego	100	60	40	-	-
Wabaunsee	141	77	63	-	1
Wallace	41	25	16	-	-
Washington	228	111	117	-	-
Wichita	50	33	17	-	-
Wilson	301	137	164	-	-
Woodson	127	27	100	-	-
Wyandotte	2,898	2,301	593	1	3
Kansas City	2,582	2,051	528	1	2
Balance of county	316	250	65	-	1
KENTUCKY (total)	66,267	18,080	38,635	9,205	347
Adair	438	15	343	68	12
Allen	285	32	231	20	2
Anderson	188	21	167	-	-
Ballard	204	32	172	-	-
Barren	548	96	381	71	-
Bath	237	12	184	40	1
Bell	1,324	180	946	185	13
Middlesborough	324	110	203	11	-
Balance of county	1,000	70	743	174	13
Boone	210	73	137	-	-
Bourbon	338	122	216	-	-
Boyd	1,114	518	559	34	3
Ashland	780	454	315	10	1
Balance of county	334	64	244	24	2
Boyle	326	109	217	-	-
Bracken	158	18	140	-	-
Breathitt	642	14	63	552	13
Breckinridge	363	11	343	8	1
Bullitt	222	46	174	2	-
Butler	338	9	166	161	2
Caldwell	257	29	225	3	-
Calloway	354	113	240	1	-
Campbell	1,342	1,021	319	1	1
Fort Thomas	167	160	7	-	-
Newport	571	413	157	1	-
Balance of county	604	448	155	-	1
Carlisle	119	24	92	3	-
Carroll	137	20	116	1	-
Carter	737	61	438	237	1
Casey	526	7	370	141	8
Christian	635	87	464	82	2
Hopkinsville	246	60	151	35	-
Balance of county	389	27	313	47	2
Clark	345	60	280	5	-
Clay	789	144	204	369	72
Clinton	268	5	214	46	3
Crittenden	235	24	198	13	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KENTUCKY—Continued					
Cumberland	255	15	112	104	4
Daviess	1,149	414	728	7	-
Owensboro	784	379	405	-	-
Balance of county	365	35	323	7	-
Edmonson	278	2	212	64	-
Elliott	166	6	62	98	-
Estill	443	16	287	139	1
Fayette	1,407	981	422	3	1
Lexington	1,263	946	316	1	-
Balance of county	144	35	106	2	1
Fleming	278	31	236	9	2
Floyd	1,659	132	1,014	502	11
Franklin	433	220	213	-	-
Frankfort	284	182	102	-	-
Balance of county	149	38	111	-	-
Fulton	392	106	246	40	-
Gallatin	87	8	77	2	-
Garrard	253	35	197	21	-
Grant	195	16	179	-	-
Graves	569	213	354	2	-
Grayson	387	11	321	55	-
Green	225	8	203	14	-
Greenup	650	104	460	80	6
Hancock	149	22	121	6	-
Hardin	840	330	489	21	-
Harlan	2,330	283	1,915	126	6
Harrison	262	102	159	1	-
Hart	338	9	306	23	-
Henderson	570	164	397	9	-
Henderson	332	142	189	1	-
Balance of county	238	22	208	8	-
Henry	233	24	209	-	-
Hickman	144	31	110	3	-
Hopkins	682	104	567	11	-
Jackson	461	36	217	208	-
Jefferson	9,523	7,171	2,351	-	1
Louisville	8,528	6,628	1,899	-	1
Balance of county	995	543	452	-	-
Jessamine	188	35	153	-	-
Johnson	690	50	536	102	2
Kenton	1,911	1,564	347	-	-
Covington	1,337	1,139	198	-	-
Balance of county	574	425	149	-	-
Knott	591	27	189	368	7
Knox	819	32	533	246	8
Larue	184	15	164	7	-
Laurel	648	15	470	161	2
Lawrence	394	49	176	166	3
Lee	225	11	65	147	2
Leslie	482	121	29	232	100
Letcher	1,274	36	954	282	2
Lewis	343	9	224	106	4
Lincoln	386	42	255	88	1
Livingston	187	4	173	10	-
Logan	510	38	452	18	2
Lyon	149	11	116	21	1
McCracken	940	441	495	4	-
Paducah	732	434	296	2	-
Balance of county	208	7	199	2	-
McCreary	486	11	368	106	1
McLean	213	13	185	15	-
Madison	630	161	398	69	2
Magoffin	495	4	232	257	2
Marion	439	44	394	1	-
Marshall	326	55	271	-	-
Martin	349	12	154	183	-
Mason	423	138	279	5	1
Meade	226	32	186	8	-
Menifee	107	5	70	31	1
Mercer	259	83	183	3	-
Metcalfe	237	7	178	50	2
Monroe	347	1	313	32	1
Montgomery	298	65	192	40	1
Morgan	433	24	228	181	-
Muhlenberg	932	63	788	81	-
Nelson	547	43	500	4	-
Nicholas	160	26	133	1	-
Ohio	415	21	379	15	-
Oldham	124	45	79	-	-
Owen	158	13	143	2	-
Owsley	195	8	59	124	4
Pendleton	167	13	154	-	-
Perry	1,531	94	1,050	365	22
Pike	2,248	222	1,198	826	2
Powell	189	6	118	64	1
Pulaski	1,004	39	740	225	-
Robertson	59	5	52	2	-
Rockcastle	487	21	191	274	1
Rowan	329	22	179	127	1
Russell	245	10	211	24	-
Scott	255	70	185	-	-
Section B (Counties)—Continued					
KENTUCKY—Continued					
Shelby	343	147	194	2	-
Simpson	189	41	148	-	-
Spencer	172	11	156	5	-
Taylor	320	15	304	1	-
Todd	252	11	205	36	-
Trigg	278	8	223	47	-
Trimble	108	18	87	3	-
Union	359	38	320	-	1
Warren	706	179	495	32	-
Bowling Green	345	143	198	4	-
Balance of county	361	36	297	28	-
Washington	351	39	301	11	-
Wayne	479	10	309	158	2
Webster	274	12	261	1	-
Whitley	709	47	562	100	-
Wolfe	290	18	126	145	1
Woodford	176	115	60	-	1
LOUISIANA (total)	58,093	30,424	12,304	15,241	124
Acadia	1,197	426	413	353	5
Allen	489	277	138	74	-
Ascension	518	204	181	132	1
Assumption	548	136	186	226	-
Avoyelles	946	259	251	436	-
Beauregard	417	118	250	48	1
Bienville	507	124	145	234	4
Bossier	805	448	78	279	-
Caddo	5,628	2,863	256	503	6
Shreveport	2,356	2,157	104	94	1
Balance of parish	1,272	706	152	409	5
Calcasieu	1,581	844	429	304	4
Lake Charles	771	524	74	172	1
Balance of parish	810	320	355	132	3
Caldwell	263	98	78	86	1
Cameron	96	17	67	11	1
Catahoula	293	45	114	133	1
Claiborne	527	117	89	321	-
Concordia	329	66	36	227	-
De Soto	714	103	156	454	1
East Baton Rouge	2,670	1,804	135	724	7
Baton Rouge	1,554	1,255	36	258	5
Balance of parish	1,116	549	99	466	2
East Carroll	410	31	145	234	-
East Feliciana	383	72	64	245	2
Evangeline	607	202	184	219	2
Franklin	781	120	327	334	-
Grant	376	180	104	89	3
Iberia	921	412	285	222	2
New Iberia	360	236	93	29	2
Balance of parish	561	176	192	193	-
Iberville	677	263	54	359	1
Jackson	431	155	161	114	1
Jefferson	1,512	1,169	180	162	1
Gretna	277	204	37	36	-
Balance of parish	1,235	965	143	126	1
Jefferson Davis	644	208	241	195	-
Lafayette	1,132	548	277	305	2
Lafayette	552	352	148	52	-
Balance of parish	580	196	129	253	2
Lafourche	1,025	225	489	310	1
La Salle	302	157	122	23	-
Lincoln	461	179	103	178	1
Livingston	392	73	270	47	2
Madison	486	71	84	325	6
Morehouse	684	247	89	347	1
Natchitoches	938	252	240	442	4
Orleans, coextensive with New Orleans	11,229	9,696	1,099	434	-
Ouachita	1,336	836	251	249	-
Monroe	656	478	82	96	-
Balance of parish	680	358	169	153	-
Plaquemines	306	168	45	93	-
Pointe Coupee	589	101	113	372	3
Rapides	2,225	1,557	200	466	2
Alexandria	954	699	65	190	-
Balance of parish	1,271	858	135	276	2
Red River	380	136	109	134	1
Richland	690	119	330	241	-
Sabine	491	277	111	95	8
St. Bernard	189	165	7	17	-
St. Charles	316	147	113	55	1
St. Helena	185	68	41	75	1
St. James	470	99	189	182	-
St. John the Baptist	381	107	120	153	1
St. Landry	2,022	471	387	1,155	9
St. Martin	695	195	194	303	3
St. Mary	943	224	362	352	5
St. Tammany	572	270	130	172	-
Tangipahoa	1,107	626	326	151	4
Tensas	373	97	32	243	1
Terrebonne	1,074	419	356	295	4
Union	405	63	208	133	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
LOUISIANA—Continued					
Vermilion	837	480	172	178	7
Vernon	560	351	130	77	2
Washington	839	383	226	229	1
Bogalusa	350	240	50	60	-
Balance of parish	489	143	176	169	1
Webster	944	515	196	230	3
West Baton Rouge	234	65	47	122	-
West Carroll	462	83	265	113	1
West Feliciana	216	25	26	163	2
Winn	333	168	98	64	3
MAINE (total)	17,719	11,981	5,617	23	98
Androscoggin	1,514	1,128	383	-	3
Auburn	339	296	43	-	-
Lewiston	746	535	211	-	-
Balance of county	429	297	129	-	3
Aroostook	2,300	769	1,498	11	22
Cumberland	3,393	3,049	338	-	6
Portland	1,773	1,697	76	-	-
South Portland	335	321	14	-	-
Westbrook	213	193	19	-	1
Balance of county	1,072	838	229	-	5
Franklin	385	205	177	-	3
Hancock	471	291	173	-	7
Kennebec	1,494	1,223	266	1	4
Augusta	303	265	38	-	-
Waterville	316	285	30	1	-
Balance of county	875	673	198	-	4
Knox	419	257	161	-	1
Lincoln	338	232	103	-	3
Oxford	859	623	233	-	3
Penobscot	2,039	1,224	798	4	13
Bangor	559	456	103	-	-
Balance of county	1,480	768	695	4	13
Piscataquis	377	249	125	-	3
Sagadahoc	475	387	85	-	3
Bath	252	221	31	-	-
Balance of county	223	166	54	-	3
Somerset	759	435	313	6	5
Waldo	366	141	220	-	5
Washington	626	223	392	-	11
York	1,904	1,545	352	1	6
Biddeford	432	339	93	-	-
Balance of county	1,472	1,206	259	1	6
MARYLAND (total)	44,237	29,935	11,803	2,428	71
Allegany	1,915	1,298	605	10	2
Cumberland	781	652	129	-	-
Balance of county	1,134	646	476	10	2
Anne Arundel	1,818	1,122	449	244	3
Annapolis	339	224	30	84	1
Balance of county	1,479	898	419	160	2
Baltimore	4,372	2,958	1,396	17	1
District 12 [2]	569	406	161	2	-
District 13 [2]	288	240	48	-	-
Balance of county	3,515	2,312	1,187	15	1
Baltimore (city)	20,158	15,176	4,485	496	1
Calvert	262	120	78	64	-
Caroline	348	154	103	89	2
Carroll	759	350	395	2	12
Cecil	575	374	199	2	-
Charles	615	241	90	278	6
Dorchester	519	247	93	179	-
Cambridge	229	121	25	83	-
Balance of county	290	126	68	96	-
Frederick	1,126	627	471	23	5
Frederick	317	228	84	5	-
Balance of county	809	399	387	18	5
Garrett	491	94	248	142	7
Harford	1,130	553	573	4	-
Howard	406	172	234	-	-
Kent	258	116	89	53	-
Montgomery	2,631	2,245	339	41	6
Prince Georges	2,814	2,354	328	128	4
Queen Annes	249	70	131	42	6
St. Marys	450	151	185	113	1
Somerset	358	137	137	82	2
Talbot	353	199	58	96	-
Washington	1,564	734	804	17	9
Hagerstown	812	478	330	2	2
Balance of county	752	256	474	15	7
Wicomico	654	344	151	155	4
Salisbury	323	207	44	69	3
Balance of county	331	137	107	86	1
Worcester	412	99	162	151	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MASSACHUSETTS (total)	82,773	75,866	6,863	1	43
Barnstable	690	563	126	-	1
Berkshire	2,431	2,233	196	-	2
Adams (town)	244	235	9	-	-
North Adams	420	332	88	-	-
Pittsfield	1,046	1,031	14	-	1
Balance of county	721	635	85	-	1
Bristol	7,153	5,574	1,575	-	4
Attleboro	474	445	29	-	-
Fairhaven (town)	182	145	36	-	1
Fall River	2,368	1,682	686	-	-
New Bedford	2,048	1,526	521	-	1
North Attleborough (town)	220	173	47	-	-
Taunton	703	640	61	-	2
Balance of county	1,158	963	195	-	-
Dukes	103	87	16	-	-
Essex	8,337	7,416	903	-	18
Amesbury (town)	185	156	29	-	-
Andover (town)	133	117	16	-	-
Beverly	492	478	14	-	-
Danvers (town)	219	196	23	-	-
Gloucester	431	358	73	-	-
Haverhill	786	596	190	-	-
Lawrence	944	874	69	-	1
Lynn	2,044	1,877	152	-	15
Marblehead (town)	222	218	4	-	-
Methuen (town)	266	227	39	-	-
Newburyport	234	184	48	-	2
Peabody	368	333	35	-	-
Salem	747	641	106	-	-
Saugus (town)	302	289	13	-	-
Swampscott (town)	166	161	5	-	-
Balance of county	798	711	87	-	-
Franklin	985	873	112	-	-
Greenfield (town)	359	341	18	-	-
Balance of county	626	532	94	-	-
Hampden	6,565	6,209	354	-	2
Chicopee	858	763	95	-	-
Holyoke	1,041	1,005	36	-	-
Springfield	2,983	2,884	99	-	-
Westfield	421	390	29	-	2
West Springfield (town)	299	282	17	-	-
Balance of county	963	885	78	-	-
Hampshire	1,160	1,060	97	-	3
Easthampton (town)	173	158	15	-	-
Northampton	352	312	39	-	1
Balance of county	635	590	43	-	2
Middlesex	18,710	17,688	1,020	-	2
Arlington (town)	682	672	10	-	-
Belmont (town)	452	444	8	-	-
Cambridge	2,390	2,292	98	-	-
Everett	1,027	970	57	-	-
Framingham (town)	402	390	12	-	-
Lexington (town)	191	174	17	-	-
Lowell	1,921	1,662	259	-	-
Malden	1,120	1,080	40	-	-
Marlborough	271	264	7	-	-
Medford	1,250	1,224	26	-	-
Melrose	409	402	7	-	-
Natick (town)	290	285	5	-	-
Newton	1,214	1,190	24	-	-
Reading (town)	220	196	24	-	-
Somerville	2,080	1,969	111	-	-
Stoneham (town)	206	203	3	-	-
Wakefield (town)	303	274	29	-	-
Waltham	794	753	41	-	-
Watertown (town)	674	655	19	-	-
Winchester (town)	245	245	-	-	-
Woburn	376	353	23	-	-
Balance of county	2,193	1,991	200	-	2
Nantucket	38	37	1	-	-
Norfolk	6,494	6,229	262	-	3
Braintree (town)	329	325	4	-	-
Brookline (town)	758	739	19	-	-
Dedham (town)	344	329	15	-	-
Milton (town)	271	265	6	-	-
Needham (town)	227	226	1	-	-
Norwood (town)	329	319	10	-	-
Quincy	1,688	1,658	30	-	-
Wellesley (town)	226	219	7	-	-
Weymouth (town)	531	523	8	-	-
Balance of county	1,791	1,626	162	-	3
Plymouth	3,279	2,975	302	-	2
Brockton	1,186	1,103	83	-	-
Plymouth (town)	233	218	15	-	-
Balance of county	1,860	1,654	204	-	2
Suffolk	16,950	15,944	1,003	-	3
Boston	15,087	14,223	863	-	1
Chelsea	768	669	97	-	2
Revere	784	749	35	-	-
Winthrop (town)	311	303	8	-	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MASSACHUSETTS—Continued					
Worcester	9,878	8,978	896	1	3
Athol (town)	241	201	40	-	-
Clinton (town)	234	230	4	-	-
Fitchburg	829	732	96	-	1
Gardner	369	318	51	-	-
Leominster	525	469	55	-	1
Milford (town)	303	288	15	-	-
Northbridge (town)	132	119	12	-	1
Southbridge (town)	324	271	53	-	-
Webster (town)	223	189	34	-	-
Worcester	3,844	3,718	125	1	-
Balance of county	2,854	2,443	411	-	-
MICHIGAN (total)	123,886	98,065	25,489	186	146
Alcona	91	13	78	-	-
Alger	199	134	60	4	1
Allegan	920	600	320	-	-
Alpena	445	270	167	6	2
Alpena	295	211	83	1	-
Balance of county	150	59	84	5	2
Antrim	200	56	144	-	-
Arenac	176	109	57	7	3
Baraga	185	97	79	7	2
Barry	445	347	96	1	1
Bay	2,029	1,334	693	2	-
Bay City	1,362	984	377	1	-
Balance of county	667	350	316	1	-
Benzie	161	67	92	-	2
Berrien	2,150	1,651	497	-	2
Benton Harbor	544	454	90	-	-
Niles	295	283	12	-	-
Balance of county	1,311	914	395	-	2
Branch	517	387	130	-	-
Calhoun	2,417	2,134	282	-	1
Battle Creek	1,243	1,169	74	-	-
Balance of county	1,174	965	208	-	1
Cass	451	323	126	-	2
Charlevoix	259	145	111	3	-
Cheboygan	287	111	165	6	5
Chippewa	714	532	164	17	1
Sault Ste. Marie	462	385	77	-	-
Balance of county	252	147	87	17	1
Clare	206	55	149	1	1
Clinton	622	451	170	-	1
Crawford	62	40	22	-	-
Delta	594	449	143	2	-
Escanaba	257	226	31	-	-
Balance of county	337	223	112	2	-
Dickinson	454	329	120	5	-
Iron Mountain	218	165	53	-	-
Balance of county	236	164	67	5	-
Eaton	722	576	146	-	-
Emmet	453	302	49	1	1
Genesee	5,559	4,644	897	14	4
Flint	3,414	3,025	372	13	4
Balance of county	2,145	1,619	525	1	-
Gladwin	220	111	106	2	1
Gogebic	625	458	149	7	11
Ironwood	249	188	61	-	-
Balance of county	376	270	88	7	11
Grand Traverse	444	353	90	-	1
Traverse City	266	246	20	-	-
Balance of county	178	107	70	-	1
Gratiot	745	418	326	-	1
Hillsdale	603	420	183	-	-
Houghton	672	383	265	18	6
Huron	701	316	384	1	-
Ingham	3,378	3,094	282	1	1
Lansing	1,862	1,763	97	1	1
Balance of county	1,516	1,331	185	-	-
Ionia	700	383	317	-	-
Iosco	141	37	104	-	-
Iron	392	338	54	-	-
Isabella	584	246	336	-	2
Jackson	1,987	1,829	158	-	-
Jackson	1,385	1,356	29	-	-
Balance of county	602	473	129	-	-
Kalamazoo	2,583	2,215	164	1	3
Kalamazoo	1,653	1,578	73	1	1
Balance of county	730	637	91	-	2
Kalkaska	95	15	78	3	1
Kent	5,463	4,107	1,352	1	3
Grand Rapids	3,681	2,985	693	1	2
Balance of county	1,782	1,122	659	-	1
Keweenaw	61	34	18	9	-
Lake	76	38	36	2	-
Lapeer	685	276	409	-	-
Leelanau	141	54	85	1	1
Lenawee	1,205	989	214	1	1
Adrian	394	364	30	-	-
Balance of county	811	625	184	1	1
Livingston	472	379	93	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MICHIGAN—Continued					
Luce	157	126	30	-	1
Mackinac	192	76	114	2	-
Macomb	3,276	2,327	947	1	1
Mount Clemens	525	397	127	-	1
St. Clair Shores	294	236	58	-	-
Balance of county	2,457	1,694	762	1	-
Manistee	339	209	130	-	-
Marquette	958	819	135	3	1
Marquette	343	292	51	-	-
Balance of county	615	527	84	3	1
Mason	356	233	123	-	-
Mecosta	352	187	162	1	2
Menominee	502	371	126	3	2
Menominee	228	210	18	-	-
Balance of county	274	161	108	3	2
Midland	857	455	395	4	3
Midland	360	268	92	-	-
Balance of county	497	187	303	4	3
Missaukee	179	49	128	-	2
Monroe	1,447	1,110	337	-	-
Monroe	611	543	68	-	-
Balance of county	836	567	269	-	-
Montcalm	579	291	286	-	2
Montmorency	88	22	65	1	-
Muskegon	2,755	2,476	279	-	-
Muskegon	1,443	1,370	73	-	-
Muskegon Heights	405	365	40	-	-
Balance of county	907	741	166	-	-
Newaygo	392	177	213	1	1
Oakland	7,443	6,329	1,113	1	-
Birmingham	350	342	8	-	-
Ferndale	609	556	53	-	-
Pontiac	1,749	1,549	200	-	-
Royal Oak	862	804	58	-	-
Balance of county	3,873	3,078	794	1	-
Oceana	277	200	76	-	1
Ogemaw	162	65	96	1	-
Ontonagon	196	107	86	2	1
Osceola	292	147	142	1	2
Oscoda	43	5	38	-	-
Otsego	108	24	79	5	-
Ottawa	1,525	1,018	490	-	17
Holland	350	282	67	-	1
Balance of county	1,175	736	423	-	16
Presque Isle	272	64	198	4	6
Roscommon	69	19	50	-	-
Saginaw	3,271	2,789	476	1	5
Saginaw	2,060	1,878	182	-	-
Balance of county	1,211	911	294	1	5
St. Clair	1,816	1,003	804	2	7
Port Huron	869	529	337	1	2
Balance of county	947	474	467	1	5
St. Joseph	683	595	87	-	1
Sanilac	575	230	345	-	-
Schoolcraft	218	148	66	3	1
Shiawassee	960	817	142	-	1
Owosso	360	320	40	-	-
Balance of county	600	497	102	-	1
Tuscola	741	504	236	1	-
Van Buren	618	486	131	-	1
Washtenaw	2,028	1,848	179	-	1
Ann Arbor	801	770	31	-	-
Ypsilanti	540	514	25	-	1
Balance of county	687	564	123	-	-
Wayne	47,773	40,800	6,923	24	26
Dearborn	2,118	1,935	183	-	-
Detroit	37,123	31,944	5,139	24	16
Ecorse	335	224	111	-	-
Grosse Pointe Park	92	85	7	-	-
Hamtramck	1,121	951	167	-	3
Highland Park	861	806	55	-	-
Lincoln Park	515	423	92	-	-
River Rouge	444	314	130	-	-
Wyandotte	963	851	112	-	-
Balance of county	4,201	3,267	927	-	7
Wexford	396	292	102	2	-
MINNESOTA (total)	58,770	46,513	11,893	170	194
Aitkin	335	235	97	2	1
Anoka	539	435	86	17	1
Becker	595	404	149	11	31
Beltrami	624	418	145	36	25
Benton	359	247	97	14	1
St. Cloud (part)	36	29	7	-	-
Balance of county	323	218	90	14	1
Big Stone	202	144	57	-	1
Blue Earth	742	653	89	-	-
Mankato	360	332	28	-	-
Balance of county	382	321	61	-	-
Brown	542	424	118	-	-
Carlton	456	341	105	2	8
Carver	327	209	118	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MINNESOTA—Continued					
Cass	427	279	119	5	24
Chippewa	381	276	105	-	-
Chisago	188	133	55	-	-
Clay	560	426	132	-	2
Clearwater	266	162	96	6	2
Cook	60	43	16	-	1
Cottonwood	353	227	125	1	-
Crow Wing	697	453	229	6	9
Brainerd	302	198	103	-	1
Balance of county	395	255	126	6	8
Dakota	996	892	102	2	-
South St. Paul	360	348	12	-	-
Balance of county	636	544	90	2	-
Dodge	254	149	105	-	-
Douglas	385	227	157	1	-
Faribault	564	294	270	-	-
Fillmore	472	302	170	-	-
Freeborn	676	533	142	-	1
Albert Lea	287	243	43	-	1
Balance of county	389	290	99	-	-
Goodhue	538	427	111	-	-
Grant	211	100	111	-	-
Hennepin	11,752	11,289	451	11	1
Minneapolis	9,817	9,488	319	9	1
Balance of county	1,935	1,801	132	2	-
Houston	299	245	53	1	-
Hubbard	239	104	127	7	1
Isanti	177	102	74	1	-
Itasca	800	642	145	5	8
Jackson	346	212	133	-	1
Kanabec	186	115	70	-	1
Kandiyohi	538	343	194	-	1
Kittson	229	168	58	1	2
Koochiching	445	359	81	2	3
Lac qui Parle	321	265	55	1	-
Lake	149	149	-	-	-
Lake of the Woods	101	65	34	1	1
Le Sueur	393	280	113	-	-
Lincoln	237	173	62	-	2
Lyon	534	373	161	-	-
McLeod	436	277	158	-	1
Mahnomen	197	121	67	2	7
Marshall	350	226	114	6	4
Martin	525	323	202	-	-
Meeker	371	239	132	-	-
Mille Lacs	287	181	101	1	4
Morrison	646	370	273	1	2
Mower	978	643	335	-	-
Austin	571	408	163	-	-
Balance of county	407	235	172	-	-
Murray	335	176	157	1	1
Nicollet	284	257	27	-	-
Nobles	525	415	109	-	1
Norman	274	186	83	-	5
Olmsted	883	659	224	-	-
Rochester	541	484	57	-	-
Balance of county	342	175	167	-	-
Otter Tail	1,021	719	300	1	1
Fergus Falls	168	148	20	-	-
Balance of county	853	571	280	1	1
Pennington	275	233	39	-	3
Pine	376	179	189	2	6
Pipestone	314	192	122	-	-
Polk	708	574	132	-	2
Pope	299	240	59	-	-
Ramsey	6,967	6,672	280	13	2
St. Paul	6,379	6,121	246	11	1
Balance of county	588	551	34	2	1
Red Lake	167	93	72	1	1
Redwood	513	285	228	-	-
Renville	536	232	303	-	1
Rice	644	447	196	1	-
Faribault	253	175	78	-	-
Balance of county	391	272	118	1	-
Rock	221	172	49	-	-
Roseau	394	215	173	1	5
St. Louis	3,925	3,615	304	2	4
Duluth	1,970	1,933	37	-	-
Hibbing	381	332	49	-	-
Virginia	232	216	16	-	-
Balance of county	1,342	1,134	202	2	4
Scott	333	217	116	-	-
Sherburne	180	109	71	-	-
St. Cloud (part)	8	6	2	-	-
Balance of county	172	103	69	-	-
Sibley	329	216	112	-	1
Stearns	1,545	861	677	-	7
St. Cloud (part)	437	368	69	-	-
St. Cloud (total)	481	403	78	-	-
Balance of county	1,108	493	608	-	7
Steele	401	324	77	-	-
Stevens	267	208	59	-	-
Section B (Counties)—Continued					
MINNESOTA—Continued					
Swift	376	229	145	-	2
Todd	560	288	269	2	1
Traverse	184	128	54	-	2
Wabasha	312	220	92	-	-
Wadena	361	219	140	1	1
Waseca	293	240	53	-	-
Washington	564	483	79	2	-
Watonwan	301	232	69	-	-
Wilkin	220	193	27	-	-
Winona	737	591	144	-	2
Winona	456	400	55	-	1
Balance of county	281	191	89	-	1
Wright	582	309	273	-	-
Yellow Medicine	279	188	91	-	-
MISSISSIPPI (total)	58,667	12,161	18,327	26,045	134
Adams	608	284	55	266	3
Natchez	343	205	38	100	-
Balance of county	265	79	17	166	3
Alcorn	624	152	359	109	4
Amite	590	62	222	298	8
Attala	797	119	356	313	9
Benton	250	13	100	137	-
Bolivar	1,907	252	481	1,173	1
Calhoun	488	48	395	45	-
Carroll	494	37	187	270	-
Chickasaw	492	38	295	156	3
Choctaw	279	29	159	91	-
Claiborne	301	25	34	242	-
Clarke	488	58	240	190	-
Clay	482	37	119	326	-
Coahoma	1,105	125	127	853	-
Clarksdale	224	92	31	101	-
Balance of county	881	33	96	752	-
Copiah	828	59	317	450	2
Covington	495	84	238	173	-
De Soto	723	70	186	465	2
Forrest	1,240	709	320	208	3
Hattiesburg	894	571	175	148	-
Balance of county	346	138	145	60	3
Franklin	266	36	119	111	-
George	267	12	226	29	-
Greene	264	11	183	68	2
Grenada	495	77	113	303	2
Hancock	218	81	54	82	1
Harrison	1,425	953	241	229	2
Biloxi	624	437	109	77	1
Gulfport	384	300	44	40	-
Balance of county	417	216	88	112	1
Hinds	2,598	1,071	296	1,227	4
Jackson	1,457	937	155	365	-
Balance of county	1,141	134	141	862	4
Holmes	1,017	83	142	789	3
Humphreys	752	33	152	563	4
Issaquena	156	10	20	126	-
Itawamba	443	47	379	16	1
Jackson	856	520	207	128	1
Jasper	549	26	303	219	1
Jefferson	349	32	45	272	-
Jefferson Davis	460	26	238	193	3
Jones	1,417	852	233	324	8
Laurel	575	380	32	162	1
Balance of county	842	472	201	162	7
Kemper	488	42	145	300	1
Lafayette	512	88	191	233	-
Lamar	320	79	188	53	-
Lauderdale	1,376	701	227	442	6
Meridian	814	560	86	167	1
Balance of county	562	141	141	275	5
Lawrence	344	52	126	166	-
Leake	624	44	349	226	5
Lee	878	200	600	76	2
Leflore	1,585	182	187	1,216	-
Greenwood	285	129	32	124	-
Balance of county	1,300	53	155	1,092	-
Lincoln	608	168	237	200	3
Lowndes	838	189	175	474	-
Columbus	335	136	74	125	-
Balance of county	503	53	101	349	-
Madison	1,117	111	153	850	3
Marion	633	191	225	217	-
Marshall	815	43	169	604	-
Monroe	853	106	417	330	-
Montgomery	399	69	114	213	3
Neshoba	668	184	360	116	8
Newton	537	188	208	140	1
Noxubee	678	58	85	535	-
Oktibbeha	559	68	173	318	-
Panola	930	131	274	522	3
Pearl River	525	86	414	25	-
Perry	252	46	116	90	-
Pike	896	278	326	287	5

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Pontotoc	481	53	346	82	-
Prentiss	511	85	385	41	-
Quitman	811	218	161	430	2
Rankin	614	162	115	337	-
Scott	561	92	215	253	1
Sharkey	424	38	63	323	-
Simpson	543	98	300	145	-
Smith	450	42	343	58	7
Stone	135	15	92	28	-
Sunflower	1,788	108	515	1,163	2
Tallahatchie	970	93	314	560	3
Tate	539	59	179	299	2
Tippah	473	34	379	60	-
Tishomingo	395	30	358	6	1
Tunica	660	30	64	566	-
Union	423	190	165	67	1
Walthall	528	171	201	152	4
Warren	838	449	100	289	-
Vicksburg	486	324	71	91	-
Balance of county	352	125	29	198	-
Washington	1,879	333	286	1,260	-
Greenville	561	221	94	246	-
Balance of county	1,318	112	192	1,014	-
Wayne	445	105	174	166	-
Webster	276	13	219	44	-
Wilkinson	594	75	107	412	-
Winston	567	93	250	222	2
Yalobusha	450	55	184	209	2
Yazoo	1,153	145	212	796	-
MISSOURI (total)	70,711	42,117	26,183	1,530	881
Adair	326	122	201	1	2
Kirksville	164	78	86	-	-
Balance of county	162	44	115	1	2
Andrew	164	49	115	-	-
Atchison	199	68	131	-	-
Audrain	497	274	219	2	2
Barry	505	142	355	5	3
Barton	208	66	140	2	-
Bates	324	163	160	-	1
Benton	161	62	90	8	1
Bollinger	162	23	117	2	20
Boone	563	272	289	1	1
Columbia	329	204	125	-	-
Balance of county	234	68	164	1	1
Buchanan	1,343	868	464	8	3
St. Joseph	1,110	754	348	6	2
Balance of county	233	114	116	2	1
Butler	915	202	543	54	116
Poplar Bluff	279	122	144	5	8
Balance of county	636	80	399	49	108
Caldwell	123	49	73	-	1
Callaway	334	151	178	2	3
Camden	187	21	150	7	9
Cape Girardeau	737	482	243	5	7
Cape Girardeau	367	298	65	3	1
Balance of county	370	184	178	2	6
Carroll	299	71	227	-	1
Carter	120	31	75	6	8
Cass	301	101	200	-	-
Cedar	165	22	142	-	1
Chariton	287	37	244	3	3
Christian	254	55	186	6	7
Clark	141	43	98	-	-
Clay	641	377	264	-	-
Clinton	184	44	138	1	1
Cole	546	357	186	-	3
Jefferson City	379	294	84	-	1
Balance of county	167	63	102	-	2
Cooper	250	128	122	-	-
Crawford	192	39	124	14	15
Dade	166	65	99	-	2
Dallas	176	23	144	6	3
Daviess	175	24	150	-	1
De Kalb	125	20	105	-	-
Dent	210	27	129	50	4
Douglas	304	22	202	35	45
Dunklin	1,133	144	926	42	21
Franklin	637	301	335	1	-
Gasconade	190	64	125	-	1
Gentry	179	31	148	-	-
Greene	1,799	1,336	456	1	6
Springfield	1,304	1,093	210	-	1
Balance of county	495	243	246	1	5
Grundy	179	70	107	1	1
Harrison	240	83	156	-	1
Henry	314	219	95	-	-
Hickory	93	10	81	-	2
Holt	174	31	142	1	-
Howard	183	66	104	9	4
Howell	471	133	269	35	34
Iron	207	52	75	26	56

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MISSOURI—Continued					
Jackson	8,917	7,879	1,029	3	6
Independence	615	560	55	-	-
Kansas City	7,579	6,816	755	3	5
Balance of county	723	503	219	-	1
Jasper	1,709	1,215	483	2	9
Carthage	232	210	21	-	1
Joplin (part)	837	604	227	1	5
Joplin (total)	851	613	232	1	5
Balance of county	640	401	235	1	3
Jefferson	581	193	383	3	2
Johnson	277	149	126	2	-
Knox	129	41	88	-	-
Laclede	457	205	220	18	14
Lafayette	455	119	331	3	2
Lawrence	409	111	297	-	1
Lewis	177	53	124	-	-
Lincoln	234	47	186	1	-
Linn	292	80	211	-	1
Livingston	275	117	158	-	-
McDonald	309	87	208	6	8
Macon	276	87	187	1	1
Madison	210	28	168	1	13
Maries	177	29	148	-	-
Marion	505	439	66	-	-
Hannibal	369	340	29	-	-
Balance of county	136	99	37	-	-
Mercer	134	40	94	-	-
Miller	255	42	211	-	2
Mississippi	696	50	500	110	36
Moniteau	156	26	130	-	-
Monroe	199	43	156	-	-
Montgomery	184	43	139	1	1
Morgan	185	18	161	3	3
New Madrid	1,149	122	814	176	37
Newton	687	356	325	4	2
Joplin (part)	14	9	5	-	-
Balance of county	673	347	320	4	2
Nodaway	401	252	149	-	-
Oregon	234	24	164	35	11
Osage	209	52	152	-	5
Ozark	217	5	170	12	30
Pemiscot	1,036	97	748	156	35
Perry	322	51	269	-	2
Pettis	509	278	231	-	-
Sedalia	330	195	135	-	-
Balance of county	179	83	96	-	-
Phelps	480	191	279	5	5
Pike	289	152	130	5	2
Platte	203	116	83	-	4
Polk	249	49	194	6	-
Pulaski	350	117	233	-	-
Putnam	213	77	136	-	-
Ralls	151	95	56	-	-
Randolph	305	100	198	6	1
Moberly	170	72	94	4	-
Balance of county	135	28	104	2	1
Ray	260	47	211	-	2
Reynolds	139	22	88	12	17
Ripley	250	61	131	29	29
St. Charles	575	430	145	-	-
St. Charles	319	283	36	-	-
Balance of county	256	147	109	-	-
St. Clair	200	76	121	1	2
St. Francois	703	231	436	29	7
St. Louis	6,013	5,375	568	64	6
Clayton	288	285	3	-	-
Kirkwood	331	294	36	1	-
Maplewood	267	251	11	5	-
Richmond Heights	336	328	8	-	-
University City	556	548	8	-	-
Webster Groves	332	315	17	-	-
Balance of county	3,903	3,354	485	58	6
St. Louis (city)	15,655	14,388	1,025	230	12
Ste. Genevieve	224	23	199	-	2
Saline	421	155	265	1	-
Schuyler	96	25	71	-	-
Scotland	120	41	79	-	-
Scott	725	245	412	57	11
Shannon	238	21	157	40	20
Shelby	141	22	119	-	-
Stoddard	890	63	739	70	18
Stone	246	13	202	23	8
Sullivan	214	43	170	-	1
Taney	181	17	144	17	3
Texas	416	48	318	16	34
Vernon	343	191	150	-	2
Warren	105	44	61	-	-
Washington	338	39	236	19	44
Wayne	175	43	102	9	21
Webster	355	97	241	2	15
Worth	105	13	92	-	-
Wright	298	29	246	18	5

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MONTANA (total)	11,735	10,470	1,118	76	71
Beaverhead	114	96	17	1	-
Big Horn	279	212	51	6	10
Blaine	237	179	51	3	4
Broadwater	58	53	5	-	-
Carbon	217	144	73	-	-
Carter	49	26	21	1	1
Cascade	964	947	13	2	2
Great Falls	734	731	2	1	-
Balance of county	230	216	11	1	2
Chouteau	99	93	5	1	-
Custer	202	193	9	-	-
Daniels	89	81	5	2	1
Dawson	190	172	15	3	-
Deer Lodge	405	395	8	2	-
Anaconda	362	353	7	2	-
Balance of county	43	42	1	-	-
Fallon	77	61	14	1	1
Fergus	290	274	13	3	-
Flathead	474	381	89	4	-
Gallatin	335	309	21	5	-
Garfield	50	49	-	1	-
Glacier	280	240	24	3	13
Golden Valley	25	23	2	-	-
Granite	65	51	13	-	1
Hill	332	316	15	-	1
Jefferson	68	63	5	-	-
Judith Basin	54	54	-	-	-
Lake	243	195	48	-	-
Lewis and Clark	416	409	7	-	-
Helena	316	310	6	-	-
Balance of county	100	99	1	-	-
Liberty	43	42	1	-	-
Lincoln	146	109	36	-	1
McCone	68	63	4	1	-
Madison	86	52	34	-	-
Meagher	36	22	14	-	-
Mineral	36	28	8	-	-
Missoula	624	617	6	-	1
Missoula	502	498	4	-	-
Balance of county	122	119	2	-	1
Musselshell	95	90	5	-	-
Park	220	175	44	1	-
Petroleum	16	13	-	3	-
Phillips	135	128	6	1	-
Pondera	160	142	8	4	6
Powder River	46	37	6	1	2
Powell	114	111	3	-	-
Prairie	52	47	3	2	-
Ravalli	230	222	8	-	-
Richland	236	191	42	2	1
Roosevelt	241	209	25	4	3
Rosebud	168	116	28	8	16
Sanders	123	90	28	3	2
Sheridan	126	120	4	2	-
Silver Bow	1,154	1,077	76	1	-
Butte	1,076	1,017	59	-	-
Balance of county	78	60	17	1	-
Stillwater	159	140	18	1	-
Sweet Grass	63	40	23	-	-
Teton	148	132	16	-	-
Toole	125	116	9	-	-
Treasure	34	24	9	-	1
Valley	256	224	27	4	1
Wheatland	61	39	22	-	-
Wibaux	53	37	16	-	-
Yellowstone	1,069	1,001	65	-	3
Billings	683	675	7	-	1
Balance of county	386	326	58	-	2
Yellowstone National Park (part)	-	-	-	-	-
NEBRASKA (total)	23,676	16,671	6,982	2	21
Adams	426	326	100	-	-
Hastings	304	250	54	-	-
Balance of county	122	76	46	-	-
Antelope	258	57	201	-	-
Arthur	15	9	6	-	-
Banner	21	18	2	-	1
Blaine	28	14	14	-	-
Boone	219	64	155	-	-
Box Butte	235	223	12	-	-
Boyd	117	71	46	-	-
Brown	114	111	3	-	-
Buffalo	433	333	99	-	1
Burt	197	127	70	-	-
Butler	212	124	87	1	-
Cass	280	159	121	-	-
Cedar	283	62	221	-	-
Chase	114	100	14	-	-
Cherry	201	119	79	-	3
Cheyenne	235	223	12	-	-
Clay	138	77	61	-	-
Section B (Counties)—Continued					
NEBRASKA—Continued					
Colfax	159	78	81	-	-
Cuming	244	124	120	-	-
Custer	383	123	259	-	1
Dakota	210	129	81	-	-
Dawes	205	150	55	-	-
Dawson	369	284	84	-	1
Deuel	66	47	19	-	-
Dixon	202	134	68	-	-
Dodge	454	363	91	-	-
Fremont	237	221	16	-	-
Balance of county	217	142	75	-	-
Douglas	5,105	4,687	417	-	1
Omaha	4,924	4,532	391	-	1
Balance of county	181	155	26	-	-
Dundy	107	68	39	-	-
Fillmore	140	76	64	-	-
Franklin	121	63	58	-	-
Frontier	98	32	66	-	-
Furnas	147	96	51	-	-
Gage	480	394	86	-	-
Beatrice	208	205	3	-	-
Balance of county	272	189	83	-	-
Garden	82	60	22	-	-
Garfield	75	17	58	-	-
Gosper	59	27	32	-	-
Grant	23	17	6	-	-
Greeley	110	47	63	-	-
Hall	545	414	131	-	-
Grand Island	414	334	80	-	-
Balance of county	131	80	51	-	-
Hamilton	135	77	58	-	-
Harlan	91	56	35	-	-
Hayes	48	14	34	-	-
Hitchcock	109	61	48	-	-
Holt	326	123	202	-	1
Hooker	35	14	21	-	-
Howard	124	41	83	-	-
Jefferson	233	170	63	-	-
Johnson	142	68	74	-	-
Kearney	109	90	19	-	-
Keith	150	79	71	-	-
Keya Paha	55	48	6	-	1
Kimball	100	92	7	-	1
Knox	316	78	235	-	3
Lancaster	1,572	1,378	194	-	-
Lincoln	1,376	1,251	125	-	-
Balance of county	196	127	69	-	-
Lincoln	506	338	168	-	-
North Platte	305	225	80	-	-
Balance of county	201	113	88	-	-
Logan	42	16	26	-	-
Loup	31	8	23	-	-
McPherson	18	11	7	-	-
Madison	393	268	125	-	-
Norfolk	183	141	42	-	-
Balance of county	210	127	83	-	-
Merrick	157	95	62	-	-
Morrill	189	74	115	-	-
Nance	124	70	54	-	-
Nemaha	193	139	54	-	-
Nuckolls	192	75	117	-	-
Otoe	302	246	56	-	-
Pawnee	100	84	16	-	-
Perkins	96	52	44	-	-
Phelps	126	114	12	-	-
Pierce	171	87	84	-	-
Platte	385	238	147	-	-
Polk	117	101	16	-	-
Red Willow	197	131	66	-	-
Richardson	357	162	194	-	1
Rock	55	52	3	-	-
Saline	201	128	73	-	-
Sarpy	180	158	22	-	-
Saunders	313	248	64	1	-
Scotts Bluff	817	585	230	-	2
Scottsbluff	278	219	59	-	-
Balance of county	539	366	171	-	2
Seward	212	121	91	-	-
Sheridan	182	104	78	-	-
Sherman	125	76	49	-	-
Sioux	41	26	15	-	-
Stanton	137	67	70	-	-
Thayer	186	95	91	-	-
Thomas	24	6	18	-	-
Thurston	214	151	60	-	3
Valley	135	51	84	-	-
Washington	191	153	38	-	-
Wayne	147	102	44	-	1
Webster	118	26	92	-	-
Wheeler	35	10	25	-	-
York	212	167	45	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEVADA (total)	2,782	2,538	211	5	28
Churchill	108	106	-	-	2
Clark	754	688	65	1	-
Douglas	31	22	5	-	4
Elko	234	208	21	2	3
Esmeralda	25	23	2	-	-
Eureka	8	6	2	-	-
Humboldt	114	102	4	-	8
Lander	28	26	-	-	2
Lincoln	109	88	21	-	-
Lyon	56	44	9	-	3
Mineral	144	138	5	-	1
Nye	51	47	1	-	3
Ormsby	67	62	4	-	1
Pershing	56	50	6	-	-
Storey	15	13	2	-	-
Washoe	658	642	13	2	1
Reno	503	491	12	-	-
Balance of county	155	151	1	2	1
White Pine	324	273	51	-	-
NEW HAMPSHIRE (total)	9,173	7,924	1,246	-	3
Belknap	436	395	40	-	1
Laconia	260	241	18	-	1
Balance of county	176	154	22	-	-
Carroll	232	208	24	-	-
Cheshire	720	604	116	-	-
Keene	308	283	25	-	-
Balance of county	412	321	91	-	-
Coos	703	461	242	-	-
Berlin	365	260	105	-	-
Balance of county	338	201	137	-	-
Grafton	807	623	184	-	-
Hillsborough	2,669	2,438	229	-	2
Manchester	1,475	1,370	105	-	-
Nashua	633	574	59	-	-
Balance of county	561	494	65	-	2
Merrimack	914	836	78	-	-
Concord	395	387	8	-	-
Balance of county	519	449	70	-	-
Rockingham	1,194	1,075	119	-	-
Portsmouth	414	397	17	-	-
Balance of county	780	678	102	-	-
Strafford	899	753	146	-	-
Dover	336	306	30	-	-
Rochester	235	188	47	-	-
Balance of county	328	259	69	-	-
Sullivan	599	531	68	-	-
Claremont (town)	321	289	32	-	-
Balance of county	278	242	36	-	-
NEW JERSEY (total)	81,709	73,718	6,817	1,134	40
Atlantic	1,774	1,401	340	29	4
Atlantic City	843	765	67	11	-
Pleasantville	201	119	79	2	1
Balance of county	730	517	194	16	3
Bergen	8,360	8,052	250	53	5
Bergenfield	216	213	3	-	-
Cliffside Park	348	342	5	1	-
Englewood	357	356	1	-	-
Garfield	588	556	9	20	3
Hackensack	479	454	22	2	1
Lodi	218	207	9	2	-
Lyndhurst (twp.)[2]	375	354	20	1	-
Ridgefield Park	219	212	7	-	-
Ridgewood	213	209	4	-	-
Rutherford	246	240	4	2	-
Teaneck (twp.)[2]	449	440	7	2	-
Balance of county	4,652	4,469	159	23	1
Burlington	1,936	1,458	453	25	-
Burlington	249	202	47	-	-
Balance of county	1,687	1,256	406	25	-
Camden	5,403	4,474	813	105	11
Camden	2,446	1,943	410	89	4
Collingswood	218	209	9	-	-
Gloucester City	281	221	56	4	-
Pennsauken (twp.)[2]	237	194	42	1	-
Balance of county	2,221	1,907	296	11	7
Cape May	383	280	101	-	2
Cumberland	1,452	1,068	384	-	-
Bridgeton	407	276	131	-	-
Millville	267	213	54	-	-
Balance of county	778	579	199	-	-
Essex	16,318	15,520	580	217	1
Belleville	579	543	21	15	-
Bloomfield	874	850	18	6	-
East Orange	1,304	1,268	31	5	-
Irvington	1,119	1,089	27	3	-
Maplewood (twp.)[2]	296	286	10	-	-
Millburn (twp.)[2]	182	176	6	-	-
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Essex—Continued					
Montclair	622	604	16	2	-
Newark	8,671	8,096	398	176	1
Nutley	420	403	13	4	-
Orange	804	783	18	3	-
South Orange	166	163	3	-	-
West Orange	449	443	4	2	-
Balance of county	832	816	15	1	-
Gloucester	1,611	1,211	397	3	-
Hudson	12,393	11,851	441	100	1
Bayonne	1,589	1,496	72	21	-
Harrison	285	269	16	-	-
Hoboken	859	811	33	15	-
Jersey City	5,954	5,705	235	13	1
Kearny	783	763	14	6	-
North Bergen (twp.)[2]	748	721	18	9	-
Union City	973	935	26	12	-
Weehawken (twp.)[2]	203	200	3	-	-
West New York	740	702	18	20	-
Balance of county	259	249	6	4	-
Hunterdon	608	446	160	1	1
Mercer	3,612	3,239	358	14	1
Trenton	2,170	1,956	201	13	-
Balance of county	1,442	1,283	157	1	1
Middlesex	4,505	3,699	549	254	3
Carteret	255	187	20	48	-
New Brunswick	689	610	77	1	1
Perth Amboy	798	614	99	85	-
South River	283	227	35	21	-
Woodbridge (twp.)[2]	636	495	80	61	-
Balance of county	1,844	1,566	238	38	2
Monmouth	3,128	2,894	226	7	1
Asbury Park	277	259	18	-	-
Long Branch	402	392	7	3	-
Neptune (twp.)[2]	165	149	16	-	-
Red Bank	242	238	4	-	-
Balance of county	2,042	1,856	181	4	1
Morris	2,584	2,338	237	8	1
Dover	205	191	14	-	-
Morristown	322	301	21	-	-
Balance of county	2,057	1,846	202	8	1
Ocean	667	572	95	-	-
Passaic	5,857	5,477	323	54	3
Clifton	1,061	1,030	23	8	-
Hawthorne	226	203	21	2	-
Passaic	1,000	949	30	21	-
Paterson	2,588	2,423	142	22	1
Balance of county	982	872	107	1	2
Salem	1,043	837	205	-	1
Somerset	1,512	1,332	120	58	2
North Plainfield	207	202	4	1	-
Balance of county	1,305	1,130	116	57	2
Sussex	626	438	188	-	-
Union	7,018	6,415	394	206	3
Cranford (twp.)[2]	290	263	23	4	-
Elizabeth	2,184	1,903	127	152	2
Hillside (twp.)[2]	325	317	5	3	-
Linden	661	589	41	30	1
Plainfield	864	820	44	-	-
Rahway	333	298	33	2	-
Roselle	282	257	17	8	-
Summit	317	299	18	-	-
Union (twp.)[2]	556	537	16	3	-
Westfield	335	316	19	-	-
Balance of county	871	816	51	4	-
Warren	919	716	203	-	-
Phillipsburg	355	296	59	-	-
Balance of county	564	420	144	-	-
NEW MEXICO (total)	14,129	5,683	4,581	3,126	739
Bernalillo	2,038	1,102	612	231	93
Albuquerque	1,026	806	160	52	8
Balance of county	1,012	296	452	179	85
Catron	125	27	62	25	11
Chaves	728	382	271	66	9
Roswell	490	320	137	26	7
Balance of county	238	62	134	40	2
Colfax	446	271	90	72	13
Curry	452	385	59	7	1
Clovis	300	254	39	6	1
Balance of county	152	131	20	1	-
De Baca	80	49	11	18	2
Dona Ana	964	180	602	147	35
Eddy	753	442	234	56	21
Grant	589	362	162	52	13
Guadalupe	220	26	68	115	11
Harding	104	18	53	28	5
Hidalgo	121	56	38	21	4
Lea	408	363	44	-	1
Hobbs	239	228	11	-	-
Balance of county	169	135	33	-	1

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW MEXICO—Continued					
Lincoln	221	59	86	63	13
Luna	200	69	123	4	4
McKinley	493	201	129	104	59
Mora	304	38	74	158	34
Otero	284	67	161	37	19
Quay	336	182	96	53	5
Rio Arriba	748	126	246	292	84
Roosevelt	297	270	25	1	1
Sandoval	368	53	79	184	52
San Juan	170	89	71	3	7
San Miguel	783	199	64	495	25
Santa Fe	783	217	338	199	29
Santa Fe	533	165	216	137	15
Balance of county	250	52	122	62	14
Sierra	114	20	73	14	7
Socorro	301	32	134	97	38
Taos	555	139	82	289	45
Torrance	303	51	156	81	15
Union	174	77	59	32	6
Valencia	667	129	279	182	77
NEW YORK (total)	244,802	225,623	17,815	1,194	170
Albany	4,034	3,744	265	23	2
Albany	2,348	2,267	60	21	-
Cohoes	425	341	84	-	-
Watervliet	317	279	34	2	2
Balance of county	944	857	87	-	-
Allegany	853	676	176	1	-
Broome	3,291	3,105	178	7	1
Binghamton	1,427	1,382	39	5	1
Endicott	494	485	9	-	-
Johnson City	388	378	10	-	-
Balance of county	982	860	120	2	-
Cattaraugus	1,398	1,184	208	-	6
Olean	467	443	24	-	-
Balance of county	931	741	184	-	6
Cayuga	1,194	1,040	151	-	3
Auburn	653	621	32	-	-
Balance of county	541	419	119	-	3
Chautauqua	2,201	1,964	236	-	1
Dunkirk	393	356	37	-	-
Jamestown	723	717	6	-	-
Balance of county	1,085	891	193	-	1
Chemung	1,618	1,562	55	-	1
Elmira	986	964	22	-	-
Balance of county	632	598	33	-	1
Chenango	693	530	159	-	4
Clinton	1,120	770	348	1	1
Plattsburgh	360	333	27	-	-
Balance of county	760	437	321	1	1
Columbia	615	479	133	1	2
Hudson	173	147	26	-	-
Balance of county	442	332	107	1	2
Cortland	697	610	84	2	1
Cortland	348	332	14	1	1
Balance of county	349	278	70	1	-
Delaware	821	478	340	-	3
Dutchess	1,836	1,701	103	31	1
Beacon	249	220	15	14	-
Poughkeepsie	792	759	22	10	1
Balance of county	795	722	66	7	-
Erie	17,422	15,013	2,309	87	13
Buffalo	12,175	10,722	1,378	66	9
Kenmore	351	346	5	-	-
Lackawanna	643	525	106	12	-
Tonawanda	273	265	7	-	1
Balance of county	3,980	3,155	813	9	3
Essex	696	427	268	-	1
Franklin	856	350	490	9	7
Fulton	831	681	149	1	-
Gloversville	396	361	34	1	-
Johnstown	175	153	22	-	-
Balance of county	260	167	93	-	-
Genesee	966	899	66	1	-
Batavia	413	401	12	-	-
Balance of county	553	498	54	1	-
Greene	417	325	92	-	-
Hamilton	78	52	26	-	-
Herkimer	1,130	951	175	2	2
Little Falls	190	185	5	-	-
Balance of county	940	766	170	2	2
Jefferson	1,952	1,480	471	-	1
Watertown	805	714	91	-	-
Balance of county	1,147	766	380	-	1
Lewis	448	320	127	-	1
Livingston	673	560	112	-	1
Madison	829	661	168	-	-
Oneida	229	214	15	-	-
Balance of county	600	447	153	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW YORK—Continued					
Monroe	8,451	7,969	464	7	11
Irondequoit (town)	585	569	15	1	-
Rochester	5,944	5,634	294	5	11
Balance of county	1,922	1,766	155	1	-
Montgomery	1,009	854	152	3	-
Amsterdam	561	525	33	3	-
Balance of county	448	329	119	-	-
Nassau	8,068	7,613	446	9	-
Floral Park	250	243	7	-	-
Freeport	392	371	21	-	-
Garden City	145	143	2	-	-
Glen Cove	197	170	25	2	-
Hempstead	475	459	16	-	-
Lynbrook	280	270	10	-	-
Mineola	170	166	4	-	-
Rockville Centre	302	292	10	-	-
Valley Stream	430	416	14	-	-
Balance of county	5,427	5,083	337	7	-
New York City [3]	129,487	124,804	3,679	953	51
Niagara	3,909	3,723	180	3	3
Lockport	491	481	10	-	-
Niagara Falls	2,041	2,006	35	-	-
North Tonawanda	518	493	22	2	1
Balance of county	859	743	113	1	2
Oneida	4,068	3,686	374	1	7
Rome	786	727	57	-	2
Utica	2,007	1,952	53	1	1
Balance of county	1,275	1,007	264	-	4
Onondaga	5,911	5,559	336	6	10
Syracuse	3,969	3,809	148	4	8
Balance of county	1,942	1,750	188	2	2
Ontario	959	877	81	-	1
Geneva	306	294	11	-	1
Balance of county	653	583	70	-	-
Orange	2,192	1,768	419	2	3
Middletown	295	278	17	-	-
Newburgh	495	416	78	-	1
Balance of county	1,402	1,074	324	2	2
Orleans	520	428	91	-	1
Oswego	1,460	1,105	355	-	-
Fulton	303	267	36	-	-
Oswego	426	373	53	-	-
Balance of county	731	465	266	-	-
Otsego	786	610	173	-	3
Oneonta	204	198	6	-	-
Balance of county	582	412	167	-	3
Putnam	244	200	44	-	-
Rensselaer	2,177	1,969	205	1	2
Rensselaer	194	184	10	-	-
Troy	1,275	1,211	61	1	2
Balance of county	708	574	134	-	-
Rockland	1,108	1,015	84	9	-
St. Lawrence	2,126	1,354	770	-	2
Massena	361	184	177	-	-
Ogdensburg	287	266	20	-	1
Balance of county	1,478	904	573	-	1
Saratoga	1,372	1,105	265	-	2
Saratoga Springs	285	252	33	-	-
Balance of county	1,087	853	232	-	2
Schenectady	2,584	2,425	147	12	-
Schenectady	1,916	1,806	99	11	-
Balance of county	668	619	48	1	-
Schoharie	401	203	195	-	3
Schuyler	247	208	39	-	-
Seneca	481	417	64	-	-
Steuben	1,887	1,549	335	1	2
Corning	402	386	16	-	-
Hornell	296	291	5	-	-
Balance of county	1,189	872	314	1	2
Suffolk	3,254	2,885	373	12	4
Sullivan	594	439	153	-	2
Tioga	542	373	169	-	-
Tompkins	845	744	100	-	1
Ithaca	399	369	30	-	-
Balance of county	446	375	70	-	1
Ulster	1,269	1,083	184	-	2
Kingston	449	410	38	-	1
Balance of county	820	673	146	-	1
Warren	703	508	195	-	-
Glens Falls	359	325	34	-	-
Balance of county	344	183	161	-	-
Washington	848	575	272	-	1
Wayne	864	692	170	-	2
Westchester	8,998	8,687	298	9	4
Mamaroneck	221	210	11	-	-
Mount Vernon	1,045	940	100	3	2
New Rochelle	802	779	21	2	-
Ossining	214	208	6	-	-
Peekskill	255	220	35	-	-
Port Chester	435	429	6	-	-

[3] Data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW YORK—Continued					
Westchester—Continued					
Scarsdale	189	188	1	-	-
White Plains	700	694	6	-	-
Yonkers	2,208	2,145	58	4	1
Balance of county	2,929	2,874	54	-	1
Wyoming	507	413	93	-	1
Yates	262	241	21	-	-
NORTH CAROLINA (total)	89,854	34,243	36,969	17,998	644
Alamance	1,516	738	749	29	-
Burlington	357	263	94	-	-
Balance of county	1,159	475	655	29	-
Alexander	296	41	234	21	-
Alleghany	133	12	113	8	-
Anson	710	118	234	355	3
Ashe	523	87	239	193	4
Avery	393	226	63	98	6
Beaufort	824	309	242	267	6
Bertie	725	161	153	411	-
Bladen	794	76	392	326	-
Brunswick	448	143	43	262	-
Buncombe	2,166	1,278	686	198	4
Asheville	890	598	172	120	-
Balance of county	1,276	680	514	78	4
Burke	987	661	172	90	64
Cabarrus	1,494	1,037	341	111	5
Concord	302	227	50	24	1
Balance of county	1,192	810	291	87	4
Caldwell	1,130	392	652	81	5
Camden	109	19	53	37	-
Carteret	492	237	183	72	-
Caswell	509	47	323	139	-
Catawba	1,382	914	322	146	-
Hickory	368	287	48	33	-
Balance of county	1,014	627	274	113	-
Chatham	527	102	313	111	1
Cherokee	575	189	141	231	14
Chowan	308	28	186	94	-
Clay	163	27	114	20	2
Cleveland	1,464	596	504	362	2
Shelby	354	263	44	46	1
Balance of county	1,110	333	460	316	1
Columbus	1,360	458	249	646	7
Craven	807	222	265	319	1
New Bern	303	71	115	117	-
Balance of county	504	151	150	202	1
Cumberland	2,135	1,005	532	594	4
Fayetteville	942	607	169	166	-
Balance of county	1,193	398	363	428	4
Currituck	120	21	72	27	-
Dare	115	16	78	21	-
Davidson	1,240	465	773	31	1
Lexington	308	93	215	-	-
Thomasville	247	169	70	8	-
Balance of county	715	203	488	23	1
Davie	311	104	196	8	3
Duplin	1,032	114	635	281	2
Durham	1,918	1,502	287	129	-
Durham	1,437	1,227	129	81	-
Balance of county	481	275	158	48	-
Edgecombe	1,215	317	482	416	-
Rocky Mount (part)	220	101	97	22	-
Balance of county	995	216	385	394	-
Forsyth	2,757	2,001	737	17	2
Winston-Salem	1,735	1,307	422	5	1
Balance of county	1,022	694	315	12	1
Franklin	694	72	336	285	1
Gaston	2,207	696	1,423	87	1
Gastonia	567	280	265	22	-
Balance of county	1,640	416	1,158	65	1
Gates	251	28	103	120	-
Graham	225	27	125	70	3
Granville	731	109	495	127	-
Greene	487	32	349	102	4
Guilford	3,425	2,198	1,109	116	2
Greensboro	1,288	982	260	46	-
High Point	896	592	276	28	-
Balance of county	1,241	624	573	42	2
Halifax	1,522	397	319	799	7
Harnett	1,159	318	653	188	-
Haywood	885	517	346	21	1
Henderson	640	308	272	45	15
Hertford	484	41	302	141	-
Hoke	474	34	172	268	-
Hyde	156	15	75	66	-
Iredell	1,135	509	464	162	-
Statesville	259	154	97	8	-
Balance of county	876	355	367	154	-
Jackson	521	81	300	133	7
Johnston	1,544	230	1,008	305	1
Jones	264	34	132	98	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Lee	610	218	297	94	1
Lenoir	1,023	407	237	378	1
Kinston	366	172	62	132	-
Balance of county	657	235	175	246	1
Lincoln	572	304	210	58	-
McDowell	613	318	268	27	-
Macon	477	76	312	84	5
Madison	445	35	268	139	3
Martin	708	72	376	259	1
Mecklenburg	3,678	2,620	598	62	398
Charlotte	2,485	1,865	342	16	262
Balance of county	1,193	755	256	46	136
Mitchell	407	81	221	103	2
Montgomery	399	73	232	94	-
Moore	698	271	272	155	-
Nash	1,507	388	655	462	2
Rocky Mount (part)	346	197	92	59	1
Rocky Mount (total)	566	298	186	81	1
Balance of county	1,161	191	566	403	1
New Hanover	2,000	1,871	68	60	1
Wilmington	1,426	1,333	44	48	1
Balance of county	574	538	24	12	-
Northampton	698	94	197	405	2
Onslow	645	126	380	136	3
Orange	550	232	236	81	1
Pamlico	244	12	152	80	-
Pasquotank	548	184	175	189	-
Elizabeth City	322	144	80	98	-
Balance of county	226	40	95	91	-
Pender	485	92	157	235	1
Perquimans	227	16	131	79	1
Person	687	148	479	60	-
Pitt	1,422	222	683	517	-
Greenville	280	91	87	102	-
Balance of county	1,142	131	596	415	-
Polk	264	107	122	33	2
Randolph	1,065	501	478	85	1
Richmond	883	207	449	224	3
Robeson	2,364	707	852	802	3
Rockingham	1,248	394	779	75	-
Reidsville	199	108	80	11	-
Balance of county	1,049	286	699	64	-
Rowan	1,485	669	685	127	4
Salisbury	365	210	120	35	-
Balance of county	1,120	459	565	92	4
Rutherford	1,115	93	927	95	-
Sampson	1,279	119	734	424	2
Scotland	566	122	159	285	-
Stanly	866	451	385	30	-
Stokes	559	58	464	37	-
Surry	1,083	265	730	87	1
Swain	381	92	213	73	3
Transylvania	361	90	234	33	4
Tyrrell	142	46	47	49	-
Union	1,005	224	624	155	2
Vance	742	297	168	275	2
Wake	2,427	1,270	752	402	3
Raleigh	1,046	871	91	84	-
Balance of county	1,381	399	661	318	3
Warren	637	52	128	456	1
Washington	368	54	123	191	-
Watauga	434	245	120	63	6
Wayne	1,178	167	849	162	-
Goldsboro	355	85	228	42	-
Balance of county	823	82	621	120	-
Wilkes	1,072	250	557	262	3
Wilson	1,313	419	514	378	2
Wilson	528	233	116	177	2
Balance of county	785	186	398	201	-
Yadkin	413	145	249	18	1
Yancey	449	30	282	136	1
NORTH DAKOTA (total)	13,357	9,960	3,110	82	205
Adams	96	58	38	-	-
Barnes	338	301	35	1	1
Benson	225	172	48	-	5
Billings	40	36	4	-	-
Bottineau	296	238	56	-	2
Bowman	68	28	39	-	1
Burke	128	108	19	-	1
Burleigh	485	419	63	2	1
Bismarck	346	308	37	1	-
Balance of county	139	111	26	1	1
Cass	1,113	1,017	96	-	-
Fargo	697	682	15	-	-
Balance of county	416	335	81	-	-
Cavalier	268	216	47	1	4
Dickey	164	92	72	-	-
Divide	109	101	8	-	-
Dunn	159	101	50	2	6
Eddy	100	85	15	-	-
Emmons	280	88	184	4	4

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NORTH DAKOTA—Continued					
Foster	125	82	42	-	1
Golden Valley	70	64	6	-	-
Grand Forks	746	685	61	-	-
Grand Forks	497	471	26	-	-
Balance of county	249	214	35	-	-
Grant	176	112	52	5	7
Griggs	106	76	30	-	-
Hettinger	180	51	125	1	3
Kidder	129	59	60	2	8
La Moure	205	114	84	3	2
Logan	190	42	116	13	19
McHenry	300	233	57	3	7
McIntosh	177	33	134	3	7
McKenzie	151	106	35	1	9
McLean	351	245	96	1	9
Mercer	225	148	59	9	9
Morton	445	274	143	8	20
Mountrail	211	142	66	1	2
Nelson	172	139	33	-	-
Oliver	89	61	25	-	3
Pembina	315	196	117	-	2
Pierce	248	204	27	3	14
Ramsey	395	340	54	-	1
Ransom	192	119	73	-	-
Renville	125	104	20	-	1
Richland	420	342	78	-	-
Rolette	368	309	37	3	19
Sargent	140	89	50	-	1
Sheridan	128	89	30	4	5
Sioux	118	80	19	6	13
Slope	61	15	45	-	1
Stark	378	266	103	1	8
Steele	116	70	46	-	-
Stutsman	401	299	96	3	3
Towner	139	95	43	-	1
Traill	229	180	49	-	-
Walsh	422	316	105	-	1
Ward	711	662	47	1	1
Minot	436	419	17	-	-
Balance of county	275	243	30	1	1
Wells	211	156	55	-	-
Williams	325	303	18	1	3
OHIO (total)	144,327	108,804	35,418	50	55
Adams	371	30	339	2	-
Allen	1,788	1,328	459	-	1
Lima	1,109	930	179	-	-
Balance of county	679	398	280	-	1
Ashland	598	471	127	-	-
Ashland	264	237	27	-	-
Balance of county	334	234	100	-	-
Ashtabula	1,236	797	438	-	1
Ashtabula	458	285	172	-	1
Balance of county	778	512	266	-	-
Athens	798	217	580	-	1
Auglaize	558	260	297	-	1
Belmont	1,753	1,154	597	-	2
Bellaire	294	227	66	-	1
Martins Ferry	295	251	44	-	-
Balance of county	1,164	676	487	-	1
Brown	337	59	278	-	-
Butler	2,795	2,224	569	2	-
Hamilton	1,260	1,066	193	1	-
Middletown	849	671	178	-	-
Balance of county	686	487	198	1	-
Carroll	298	66	231	-	1
Champaign	556	307	249	-	-
Clark	2,085	1,578	502	3	2
Springfield	1,640	1,301	336	2	1
Balance of county	445	277	166	1	1
Clermont	516	169	346	1	-
Clinton	461	111	350	-	-
Columbiana	2,051	1,111	939	1	-
East Liverpool	557	381	176	-	-
Salem	319	247	72	-	-
Balance of county	1,175	483	691	1	-
Coshocton	493	295	198	-	-
Coshocton	210	154	56	-	-
Balance of county	283	141	142	-	-
Crawford	807	632	175	-	-
Cuyahoga	25,156	22,841	2,292	18	5
Cleveland	19,112	17,036	2,057	15	4
Cleveland Heights	542	536	6	-	-
East Cleveland	1,091	1,066	23	1	1
Euclid	435	412	23	-	-
Garfield Heights	210	192	18	-	-
Lakewood	1,171	1,134	36	1	-
Parma	299	285	14	-	-
Shaker Heights	327	325	2	-	-
Balance of county	1,969	1,855	113	1	-
Darke	795	473	322	-	-
Defiance	509	352	157	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OHIO—Continued					
Delaware	474	237	237	-	-
Erie	898	801	96	-	1
Sandusky	553	525	28	-	-
Balance of county	345	276	68	-	1
Fairfield	900	529	370	-	1
Lancaster	502	337	165	-	-
Balance of county	398	192	205	-	1
Fayette	436	77	359	-	-
Franklin	8,149	6,708	1,438	-	3
Columbus	6,796	5,715	1,080	-	1
Balance of county	1,353	993	358	-	2
Fulton	532	121	411	-	-
Gallia	461	109	346	2	4
Geauga	400	220	180	-	-
Greene	762	359	403	-	-
Xenia	283	124	159	-	-
Balance of county	479	235	244	-	-
Guernsey	612	238	374	-	-
Cambridge	253	136	117	-	-
Balance of county	359	102	257	-	-
Hamilton	13,126	11,580	1,543	1	2
Cincinnati	9,379	8,509	867	1	2
Norwood	702	656	46	-	-
Balance of county	3,045	2,415	630	-	-
Hancock	990	833	157	-	-
Findlay	467	400	67	-	-
Fostoria (part)	208	205	3	-	-
Balance of county	315	228	87	-	-
Hardin	489	223	266	-	-
Harrison	340	101	239	-	-
Henry	428	176	251	-	1
Highland	428	89	339	-	-
Hocking	407	82	325	-	-
Holmes	289	115	174	-	-
Huron	783	610	173	-	-
Jackson	554	73	477	1	3
Jefferson	1,853	1,118	733	-	2
Steubenville	760	591	169	-	-
Balance of county	1,093	527	564	-	2
Knox	589	442	147	-	-
Mount Vernon	285	256	29	-	-
Balance of county	304	186	118	-	-
Lake	1,170	1,104	66	-	-
Painesville	325	317	8	-	-
Balance of county	845	787	58	-	-
Lawrence	1,011	664	342	4	1
Ironton	361	323	38	-	-
Balance of county	650	341	304	4	1
Licking	1,146	758	388	-	-
Newark	679	522	157	-	-
Balance of county	467	236	231	-	-
Logan	616	319	297	-	-
Lorain	2,465	2,283	182	-	-
Elyria	617	600	17	-	-
Lorain	1,040	951	89	-	-
Balance of county	808	732	76	-	-
Lucas	7,070	5,792	1,275	-	3
Toledo	5,850	4,915	934	-	1
Balance of county	1,220	877	341	-	2
Madison	472	110	361	-	1
Mahoning	4,842	4,219	620	1	2
Campbell	212	166	46	-	-
Struthers	236	206	30	-	-
Youngstown (part)	3,596	3,208	387	-	1
Youngstown (total)	3,598	3,210	387	-	1
Balance of county	798	639	157	1	1
Marion	958	666	292	-	-
Marion	694	499	195	-	-
Balance of county	264	167	97	-	-
Medina	768	670	97	-	1
Meigs	428	77	350	-	1
Mercer	516	337	179	-	-
Miami	1,275	1,011	264	-	-
Piqua	385	339	46	-	-
Balance of county	890	672	218	-	-
Monroe	242	32	210	-	-
Montgomery	7,364	6,554	807	2	1
Dayton	5,986	5,482	503	1	-
Balance of county	1,378	1,072	304	1	1
Morgan	184	29	155	-	-
Morrow	248	132	116	-	-
Muskingum	1,445	1,141	304	-	-
Zanesville	876	767	109	-	-
Balance of county	569	374	195	-	-
Noble	148	28	120	-	-
Ottawa	555	375	180	-	-
Paulding	305	141	164	-	-
Perry	454	109	345	-	-
Pickaway	468	198	270	-	-
Pike	290	20	266	1	3
Portage	1,091	885	206	-	-
Preble	432	230	202	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OHIO—Continued					
Putnam	511	221	290	-	-
Richland	1,646	1,342	304	-	-
Mansfield	904	768	136	-	-
Balance of county	742	574	168	-	-
Ross	1,176	249	925	-	2
Chillicothe	529	181	348	-	-
Balance of county	647	68	577	-	2
Sandusky	861	664	197	-	-
Fremont	332	296	36	-	-
Balance of county	529	368	161	-	-
Scioto	1,665	779	884	1	1
Portsmouth	682	502	180	-	-
Balance of county	983	277	704	1	1
Seneca	899	581	316	-	2
Fostoria (part)	140	104	35	-	1
Fostoria (total)	348	309	38	-	1
Tiffin	365	271	93	-	1
Balance of county	394	206	188	-	-
Shelby	527	337	190	-	-
Stark	5,769	4,776	991	1	1
Alliance	515	390	125	-	-
Canton	2,729	2,457	271	1	-
Massillon	691	610	81	-	-
Balance of county	1,834	1,319	514	-	1
Summit	7,528	6,611	912	4	1
Akron	5,504	4,940	560	3	1
Barberton	592	455	137	-	-
Cuyahoga Falls	421	401	20	-	-
Balance of county	1,011	815	195	1	-
Trumbull	3,035	2,587	446	1	1
Niles	327	280	47	-	-
Warren	1,102	1,011	91	-	-
Youngstown (part)	2	2	-	-	-
Balance of county	1,604	1,294	308	1	1
Tuscarawas	1,527	841	685	1	-
New Philadelphia	266	175	91	-	-
Balance of county	1,261	666	594	1	-
Union	310	79	231	-	-
Van Wert	480	268	212	-	-
Vinton	195	11	181	2	1
Warren	659	314	343	1	1
Washington	723	365	358	-	-
Marietta	274	207	67	-	-
Balance of county	449	158	291	-	-
Wayne	1,217	740	477	-	-
Wooster	290	260	30	-	-
Balance of county	927	480	447	-	-
Williams	463	190	273	-	-
Wood	905	463	442	-	-
Wyandot	407	186	220	-	1
OKLAHOMA (total)	46,008	25,396	18,815	1,224	573
Adair	320	110	147	52	11
Alfalfa	169	119	50	-	-
Atoka	406	59	304	33	10
Beaver	183	120	61	1	1
Beckham	351	251	118	2	-
Blaine	406	203	188	11	4
Bryan	809	280	508	7	14
Durant	263	162	97	-	4
Balance of county	546	118	411	7	10
Caddo	922	390	497	23	12
Canadian	464	279	184	-	1
El Reno	222	143	79	-	-
Balance of county	242	136	105	-	1
Carter	641	259	363	13	6
Ardmore	294	146	144	3	1
Balance of county	347	113	219	10	5
Cherokee	474	119	287	48	20
Choctaw	512	157	246	78	31
Cimarron	73	26	44	2	1
Cleveland	468	251	206	6	5
Norman	259	185	74	-	-
Balance of county	209	66	132	6	5
Coal	189	21	163	2	3
Comanche	1,335	854	449	24	8
Lawton	878	629	225	20	4
Balance of county	457	225	224	4	4
Cotton	276	134	141	1	-
Craig	410	239	163	3	5
Creek	983	341	545	57	40
Sapulpa	285	105	151	21	8
Balance of county	698	236	394	36	32
Custer	396	299	95	1	1
Delaware	310	72	209	17	12
Dewey	209	56	141	7	5
Ellis	145	117	27	-	1
Garfield	785	674	110	-	1
Enid	582	533	48	-	1
Balance of county	203	141	62	-	-
Garvin	678	376	297	5	-
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Grady	851	477	364	1	9
Chickasha	370	238	132	-	-
Balance of county	481	239	232	1	9
Grant	168	129	39	-	-
Greer	266	138	127	-	1
Harmon	192	80	112	-	-
Harper	102	67	34	-	1
Haskell	380	40	327	12	1
Hughes	558	203	342	10	3
Jackson	419	228	189	2	-
Jefferson	245	97	147	1	-
Johnston	285	60	216	4	5
Kay	897	756	139	2	-
Ponca City	375	355	20	-	-
Balance of county	522	401	119	2	-
Kingfisher	246	137	102	6	1
Kiowa	477	375	102	-	-
Latimer	257	37	212	6	2
Le Flore	815	149	631	15	20
Lincoln	454	151	283	16	4
Logan	436	194	186	45	11
Guthrie	184	102	59	20	3
Balance of county	252	92	127	25	8
Love	213	26	184	1	2
McClain	369	75	289	3	2
McCurtain	751	113	545	68	25
McIntosh	558	216	218	83	41
Major	226	63	159	1	3
Marshall	255	104	149	1	1
Mayes	486	342	129	8	7
Murray	241	144	95	1	1
Muskogee	1,287	809	324	107	47
Muskogee	700	555	96	37	12
Balance of county	587	254	228	70	35
Noble	235	79	148	1	7
Nowata	272	100	151	18	3
Okfuskee	551	183	313	38	17
Oklahoma	5,101	4,249	825	18	9
Oklahoma City	4,443	3,770	662	5	6
Balance of county	658	479	163	13	3
Okmulgee	840	425	317	78	20
Okmulgee	246	157	74	10	5
Balance of county	594	268	243	68	15
Osage	662	416	229	14	3
Ottawa	920	349	568	1	2
Pawnee	338	126	209	2	1
Payne	651	390	247	5	9
Stillwater	207	172	34	-	1
Balance of county	444	218	213	5	8
Pittsburg	898	316	554	26	2
McAlester	263	171	88	3	1
Balance of county	635	145	466	23	1
Pontotoc	695	392	294	5	4
Ada	316	225	87	3	1
Balance of county	379	167	207	2	3
Pottawatomie	971	554	376	30	11
Shawnee	422	334	69	16	3
Balance of county	549	220	307	14	8
Pushmataha	340	75	225	21	19
Roger Mills	196	126	66	2	2
Rogers	462	242	204	11	5
Seminole	986	634	302	37	13
Seminole	206	167	35	3	1
Wewoka	156	126	24	5	1
Balance of county	624	341	243	29	11
Sequoyah	610	92	450	46	22
Stephens	669	486	169	3	11
Texas	189	90	99	-	-
Tillman	451	332	92	22	5
Tulsa	4,528	3,580	917	19	12
Tulsa	3,647	3,090	530	17	10
Balance of county	881	490	387	2	2
Wagoner	520	100	366	38	16
Washington	650	448	198	3	1
Bartlesville	426	372	52	1	1
Balance of county	224	76	146	2	-
Washita	361	214	147	-	-
Woods	278	214	64	-	-
Woodward	286	188	98	-	-
OREGON (total)	22,518	21,030	1,425	14	49
Baker	313	258	55	-	-
Benton	419	407	12	-	-
Clackamas	1,111	1,017	87	4	3
Clatsop	452	443	9	-	-
Astoria	234	233	1	-	-
Balance of county	218	210	8	-	-
Columbia	383	320	63	-	-
Coos	594	564	30	-	-
Crook	147	142	5	-	-
Curry	48	33	14	-	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OREGON—Continued					
Deschutes	433	407	25	1	-
Bend	266	256	10	-	-
Balance of county	167	151	15	1	-
Douglas	465	385	78	-	2
Gilliam	36	31	5	-	-
Grant	113	94	18	-	1
Harney	93	87	6	-	-
Hood River	199	193	5	-	1
Jackson	787	736	51	-	-
Medford	419	407	12	-	-
Balance of county	368	329	39	-	-
Jefferson	47	41	1	1	4
Josephine	274	228	43	-	3
Klamath	936	896	40	-	-
Klamath Falls	602	596	6	-	-
Balance of county	334	300	34	-	-
Lake	150	144	5	-	1
Lane	1,637	1,477	155	-	5
Eugene	623	606	16	-	1
Balance of county	1,014	871	139	-	4
Lincoln	318	286	31	-	1
Linn	809	697	108	-	4
Malheur	410	380	28	2	-
Marion	1,228	1,152	74	1	1
Salem	554	536	17	1	-
Balance of county	674	616	57	-	1
Morrow	61	39	22	-	-
Multnomah	7,677	7,548	120	4	5
Portland	7,071	6,960	104	4	3
Balance of county	606	588	16	-	2
Polk	404	343	60	-	1
Sherman	36	36	-	-	-
Tillamook	244	229	14	-	1
Umatilla	540	491	44	-	5
Union	357	328	29	-	-
Wallowa	146	117	29	-	-
Wasco	213	195	7	1	10
Washington	810	742	68	-	-
Wheeler	61	44	17	-	-
Yamhill	567	500	67	-	-
PENNSYLVANIA (total)	197,177	145,792	50,997	290	98
Adams	782	457	325	-	-
Allegheny	29,464	24,844	4,541	76	3
Bellevue	199	192	7	-	-
Braddock	400	340	59	1	-
Carnegie	358	280	78	-	-
Clairton	424	296	127	1	-
Coraopolis	262	225	37	-	-
Dormont	172	169	3	-	-
Duquesne	416	320	80	16	-
Harrison (twp.) [2]	232	150	82	-	-
Homestead	282	260	22	-	-
McKeesport	1,324	856	446	22	-
McKees Rocks	681	631	49	1	-
Mount Lebanon (twp.) [2]	261	256	5	-	-
Munhall	234	202	28	4	-
North Braddock	329	270	55	4	-
Pittsburgh	14,194	12,712	1,471	10	1
Shaler (twp.) [2]	126	93	33	-	-
Stowe (twp.) [2]	24	22	2	-	-
Swissvale	334	306	28	-	-
Wilkinsburg	711	680	31	-	-
Balance of county	8,501	6,584	1,898	17	2
Armstrong	1,786	673	1,108	5	-
Beaver	3,574	2,560	998	7	9
Aliquippa	571	364	192	7	8
Ambridge	442	373	69	-	-
Beaver Falls	472	378	94	-	-
Ellwood City (part)	19	14	5	-	-
Balance of county	2,070	1,431	638	-	1
Bedford	879	280	595	1	3
Berks	3,973	2,785	1,185	1	2
Reading	1,774	1,523	249	1	1
Balance of county	2,199	1,262	936	-	1
Blair	2,815	1,767	1,042	3	3
Altoona	1,548	1,199	346	3	-
Balance of county	1,267	568	696	-	3
Bradford	1,046	859	187	-	-
Bucks	2,163	1,805	356	-	2
Bristol	282	245	37	-	-
Balance of county	1,881	1,560	319	-	2
Butler	1,923	1,170	753	-	-
Butler	545	425	120	-	-
Balance of county	1,378	745	633	-	-
Cambria	4,909	3,079	1,817	11	2
Johnstown	1,809	1,538	270	1	-
Balance of county	3,100	1,541	1,547	10	2
Cameron	149	106	43	-	-
Carbon	1,069	618	451	-	-
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Centre	1,046	645	398	-	3
Chester	2,661	2,095	566	-	-
Coatesville	300	242	58	-	-
Phoenixville	232	196	36	-	-
West Chester	287	281	6	-	-
Balance of county	1,842	1,376	466	-	-
Clarion	787	142	641	2	2
Clearfield	1,912	1,022	886	1	3
Du Bois	264	233	31	-	-
Balance of county	1,648	789	855	1	3
Clinton	745	571	171	2	1
Lock Haven	247	210	37	-	-
Balance of county	498	361	134	2	1
Columbia	1,014	787	227	-	-
Berwick	333	288	45	-	-
Balance of county	681	499	182	-	-
Crawford	1,728	1,468	260	-	-
Meadville	494	469	25	-	-
Balance of county	1,234	999	235	-	-
Cumberland	1,680	1,083	597	-	-
Carlisle	330	247	83	-	-
Balance of county	1,350	836	514	-	-
Dauphin	3,494	2,435	1,059	-	-
Harrisburg	1,653	1,351	302	-	-
Steelton	281	198	83	-	-
Balance of county	1,560	886	674	-	-
Delaware	6,624	6,166	452	5	1
Chester	1,482	1,298	179	5	-
Darby	215	203	12	-	-
Haverford (twp.) [2]	1,028	1,008	20	-	-
Lansdowne	265	254	10	-	1
Upper Darby (twp.) [2]	492	488	4	-	-
Balance of county	3,142	2,915	227	-	-
Elk	692	518	174	-	-
Erie	4,253	3,622	624	3	4
Erie	2,806	2,463	338	2	3
Balance of county	1,447	1,159	286	1	1
Fayette	4,279	1,748	2,497	29	5
Connellsville	248	168	79	1	-
Uniontown	538	394	144	-	-
Balance of county	3,493	1,186	2,274	28	5
Forest	118	40	78	-	-
Franklin	1,544	1,022	518	1	3
Chambersburg	294	259	35	-	-
Waynesboro	225	196	28	-	1
Balance of county	1,025	567	455	1	2
Fulton	209	25	184	-	-
Greene	892	277	611	3	1
Huntingdon	849	297	550	2	-
Indiana	1,623	607	1,015	1	-
Indiana	173	142	31	-	-
Balance of county	1,450	465	984	1	-
Jefferson	967	510	456	-	1
Juniata	315	93	222	-	-
Lackawanna	4,277	3,109	1,133	33	2
Carbondale	317	246	71	-	-
Dickson City	172	126	46	-	-
Dunmore	288	213	74	1	-
Old Forge	212	152	51	9	-
Scranton	2,078	1,622	453	2	1
Balance of county	1,210	750	438	21	1
Lancaster	4,464	2,432	2,029	-	3
Columbia	206	149	57	-	-
Lancaster	1,213	994	219	-	-
Balance of county	3,045	1,289	1,753	-	3
Lawrence	2,203	1,845	354	3	1
Ellwood City (part)	312	289	23	-	-
Ellwood City (total)	331	303	28	-	-
New Castle	1,078	941	134	2	1
Balance of county	813	615	197	1	-
Lebanon	1,714	995	714	1	4
Lebanon	731	514	213	1	3
Balance of county	983	481	501	-	1
Lehigh	3,430	2,468	957	2	3
Allentown	1,800	1,467	331	1	1
Bethlehem (part)	369	346	23	-	-
Balance of county	1,261	655	603	1	2
Luzerne	7,032	4,845	2,169	15	3
Hanover (twp.) [2]	71	58	13	-	-
Hazleton	635	515	120	-	-
Kingston	360	332	28	-	-
Nanticoke	358	188	170	-	-
Pittston	398	296	101	1	-
Plains (twp.) [2]	205	134	70	-	1
Plymouth	279	162	116	1	-
Wilkes-Barre	1,411	1,055	352	2	2
Balance of county	3,315	2,105	1,199	11	-
Lycoming	1,953	1,457	494	-	2
Williamsport	1,019	817	201	-	1
Balance of county	934	640	293	-	1

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
McKean	1,198	1,037	160	-	1
Bradford	403	391	12	-	-
Balance of county	795	646	148	-	1
Mercer	2,341	1,916	425	-	-
Farrell	299	250	49	-	-
Sharon	655	614	41	-	-
Balance of county	1,387	1,052	335	-	-
Mifflin	991	449	541	-	1
Lewistown	337	251	86	-	-
Balance of county	654	198	455	-	1
Monroe	483	294	189	-	-
Montgomery	5,925	5,310	615	-	-
Abington (twp.) [2]	368	350	18	-	-
Cheltenham (twp.) [2]	228	221	7	-	-
Conshohocken	261	237	24	-	-
Lower Merion (twp.) [2]	706	682	24	-	-
Norristown	811	767	44	-	-
Pottstown	407	355	52	-	-
Balance of county	3,144	2,698	446	-	-
Montour	229	125	104	-	-
Northampton	3,473	2,497	962	12	2
Bethlehem (part)	1,014	880	124	9	1
Bethlehem (total)	1,383	1,226	147	9	1
Easton	793	650	143	-	-
Balance of county	1,666	967	695	3	1
Northumberland	2,219	1,459	759	-	1
Mount Carmel	292	220	72	-	-
Shamokin	553	384	169	-	-
Sunbury	265	188	77	-	-
Balance of county	1,109	667	441	-	1
Perry	442	158	284	-	-
Philadelphia, coextensive with Philadelphia (city)	37,645	34,377	3,219	38	11
Pike	81	50	31	-	-
Potter	344	203	141	-	-
Schuylkill	3,589	2,317	1,259	9	4
Mahanoy City	179	126	53	-	-
Pottsville	387	314	73	-	-
Shenandoah	287	214	69	4	-
Tamaqua	206	168	38	-	-
Balance of county	2,530	1,495	1,026	5	4
Snyder	451	147	304	-	-
Somerset	1,642	747	892	-	3
Sullivan	119	80	38	-	1
Susquehanna	555	262	293	-	-
Tioga	769	463	305	1	-
Union	373	237	136	-	-
Venango	1,187	825	362	-	-
Oil City	430	381	49	-	-
Balance of county	757	444	313	-	-
Warren	791	636	155	-	-
Warren	323	311	12	-	-
Balance of county	468	325	143	-	-
Washington	4,399	2,606	1,782	8	3
Canonsburg	310	251	56	2	1
Charleroi	219	166	53	-	-
Donora	301	262	39	-	-
Washington	684	487	197	-	-
Balance of county	2,885	1,440	1,437	6	2
Wayne	463	276	187	-	-
Westmoreland	6,376	3,975	2,381	15	5
Arnold	169	121	48	-	-
Greensburg	449	363	85	1	-
Jeannette	343	229	114	-	-
Latrobe	274	235	38	1	-
Monessen	392	250	134	6	2
New Kensington	637	505	132	-	-
Vandergrift	199	98	101	-	-
Balance of county	3,913	2,174	1,729	7	3
Wyoming	315	125	190	-	-
York	3,740	1,894	1,846	-	-
Hanover	295	225	70	-	-
York	1,467	951	516	-	-
Balance of county	1,978	718	1,260	-	-
RHODE ISLAND (total)	14,182	12,383	1,746	40	13
Bristol	542	437	79	26	-
Bristol (town)	255	196	52	7	-
Balance of county	287	241	27	19	-
Kent	1,222	942	277	1	2
Warwick	578	502	76	-	-
West Warwick (town)	371	251	117	1	2
Balance of county	273	189	84	-	-
Newport	1,087	1,031	53	-	3
Newport	679	671	8	-	-
Balance of county	408	360	45	-	3
Providence	10,578	9,283	1,277	13	5
Central Falls	470	318	152	-	-
Cranston	818	776	40	2	-
Section B (Counties)—Continued					
RHODE ISLAND—Continued					
Providence—Continued					
Cumberland (town)	167	132	35	-	-
East Providence (town)	691	617	71	1	2
Johnston (town)	204	187	17	-	-
Lincoln (town)	160	125	35	-	-
North Providence (town)	260	243	17	-	-
Pawtucket	1,448	1,211	236	-	1
Providence	4,926	4,620	294	10	2
Woonsocket	992	700	292	-	-
Balance of county	442	354	88	-	-
Washington	753	690	60	-	3
Westerly (town)	266	239	27	-	-
Balance of county	487	451	33	-	3
SOUTH CAROLINA (total)	48,835	14,591	15,107	19,108	29
Abbeville	435	61	171	203	-
Aiken	1,170	400	336	433	1
Allendale	371	24	21	326	-
Anderson	1,994	522	1,117	353	2
Anderson	668	336	273	59	-
Balance of county	1,326	186	844	294	2
Bamberg	429	27	126	276	-
Barnwell	467	25	96	346	-
Beaufort	622	114	55	452	1
Berkeley	710	139	45	526	-
Calhoun	461	45	31	385	-
Charleston	4,380	2,586	1,030	763	1
Charleston	2,413	1,476	892	45	-
Balance of county	1,967	1,110	138	718	1
Cherokee	755	139	496	118	2
Chester	809	197	309	303	-
Chesterfield	904	81	586	236	1
Clarendon	688	32	129	527	-
Colleton	646	178	79	389	-
Darlington	1,287	368	326	593	-
Dillon	789	101	267	421	-
Dorchester	566	133	110	323	-
Edgefield	468	37	250	181	-
Fairfield	656	29	259	368	-
Florence	1,680	318	587	774	1
Florence	494	219	90	185	-
Balance of county	1,186	99	497	589	1
Georgetown	839	80	185	574	-
Greenville	3,241	1,797	1,027	416	1
Greenville	1,107	913	45	149	-
Balance of county	2,134	884	982	267	1
Greenwood	889	419	216	254	-
Greenwood	365	272	52	41	-
Balance of county	524	147	164	213	-
Hampton	449	39	67	343	-
Horry	1,449	467	593	385	4
Jasper	316	72	29	215	-
Kershaw	866	193	192	481	-
Lancaster	782	261	309	212	-
Laurens	787	130	366	291	-
Lee	659	50	105	504	-
Lexington	939	279	396	264	-
McCormick	324	9	139	175	1
Marion	731	229	251	271	-
Marlboro	905	130	281	493	1
Newberry	756	215	202	339	-
Oconee	816	187	478	151	-
Orangeburg	1,883	265	279	1,337	2
Orangeburg	386	166	57	163	-
Balance of county	1,497	99	222	1,174	2
Pickens	862	94	656	112	-
Richland	3,009	1,980	162	866	1
Columbia	2,087	1,629	88	369	1
Balance of county	922	351	74	497	-
Saluda	295	27	143	125	-
Spartanburg	2,970	1,021	1,570	377	2
Spartanburg	957	529	280	148	-
Balance of county	2,013	492	1,290	229	2
Sumter	1,432	229	180	1,015	8
Sumter	407	189	77	141	-
Balance of county	1,025	40	103	874	8
Union	736	160	332	244	-
Williamsburg	1,195	110	179	906	-
York	1,440	592	384	464	-
Rock Hill	477	343	105	29	-
Balance of county	963	249	279	435	-
SOUTH DAKOTA (total)	12,424	8,607	3,610	27	180
Armstrong	3	2	1	-	-
Aurora	94	39	55	-	-
Beadle	346	270	76	-	-
Huron	212	167	45	-	-
Balance of county	134	103	31	-	-
Bennett	83	45	32	-	6

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Bon Homme	158	38	115	-	5
Brookings	293	248	44	1	-
Brown	589	485	104	-	-
Aberdeen	345	298	47	-	-
Balance of county	244	187	57	-	-
Brule	115	75	39	-	1
Buffalo	54	44	8	-	2
Butte	165	97	68	-	-
Campbell	92	53	38	-	1
Charles Mix	241	145	94	-	2
Clark	157	105	52	-	-
Clay	164	100	64	-	-
Codington	401	349	52	-	-
Watertown	234	205	29	-	-
Balance of county	167	144	23	-	-
Corson	152	83	31	21	17
Custer	99	39	60	-	-
Davison	264	231	33	-	-
Mitchell	193	175	18	-	-
Balance of county	71	56	15	-	-
Day	258	187	70	-	1
Deuel	152	116	35	-	1
Dewey	165	100	62	-	3
Douglas	154	59	95	-	-
Edmunds	132	65	64	-	3
Fall River	155	135	20	-	-
Faulk	83	52	31	-	-
Grant	194	149	44	1	-
Gregory	173	119	54	-	-
Haakon	72	57	15	-	-
Hamlin	131	88	43	-	-
Hand	144	114	30	-	-
Hanson	119	47	71	-	1
Harding	38	33	4	-	1
Hughes	131	116	15	-	-
Hutchinson	210	84	119	-	7
Hyde	58	43	15	-	-
Jackson	30	23	6	-	1
Jerauld	64	43	21	-	-
Jones	56	42	13	-	1
Kingsbury	197	96	101	-	-
Lake	209	152	57	-	-
Lawrence	377	293	83	-	1
Lincoln	181	82	99	-	-
Lyman	82	63	17	-	2
McCook	174	53	120	-	1
McPherson	159	81	71	1	6
Marshall	211	157	53	-	1
Meade	244	148	95	-	1
Mellette	93	54	29	-	10
Miner	127	35	92	-	-
Minnehaha	1,328	1,113	215	-	-
Sioux Falls	1,002	917	85	-	-
Balance of county	326	196	130	-	-
Moody	160	126	34	-	-
Pennington	501	468	30	1	2
Rapid City	353	341	10	-	2
Balance of county	148	127	20	1	-
Perkins	117	73	44	-	-
Potter	89	34	55	-	-
Roberts	352	283	63	-	6
Sanborn	96	72	24	-	-
Shannon	167	116	10	1	40
Spink	179	134	45	-	-
Stanley	29	27	2	-	-
Sully	43	27	16	-	-
Todd	145	99	20	-	26
Tripp	194	104	86	1	3
Turner	221	80	141	-	-
Union	215	133	81	-	1
Walworth	118	84	34	-	-
Washabaugh	36	14	12	-	10
Washington	44	25	3	-	16
Yankton	276	216	59	-	1
Ziebach	71	45	26	-	-
TENNESSEE (total)	65,147	24,724	35,742	4,634	47
Anderson	599	75	499	24	1
Bedford	482	170	308	4	-
Benton	242	120	97	25	-
Bledsoe	223	11	160	52	-
Blount	1,364	225	1,117	22	-
Bradley	851	92	707	51	1
Cleveland	362	61	281	19	1
Balance of county	489	31	426	32	-
Campbell	854	83	737	34	-
Cannon	234	59	167	8	-
Carroll	514	85	425	2	2
Carter	1,003	269	680	52	2

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TENNESSEE—Continued					
Cheatham	164	22	139	3	-
Chester	200	13	182	4	1
Claiborne	555	88	444	21	2
Clay	208	13	160	35	-
Cocke	571	49	430	92	-
Coffee	522	189	323	10	-
Crockett	375	35	322	18	-
Cumberland	434	62	231	141	-
Davidson	5,474	4,377	1,072	22	3
Nashville	4,316	3,688	621	4	3
Balance of county	1,158	689	451	18	-
Decatur	193	18	168	7	-
De Kalb	287	46	227	14	-
Dickson	379	40	332	7	-
Dyer	697	94	579	23	1
Dyersburg	185	57	121	7	-
Balance of county	512	37	458	16	1
Fayette	797	52	309	436	-
Fentress	341	19	204	118	-
Franklin	488	139	314	35	-
Gibson	879	213	645	21	-
Giles	523	81	371	71	-
Grainger	277	22	239	16	-
Greene	839	230	519	89	1
Grundy	325	51	249	25	-
Hamblen	513	177	333	3	-
Hamilton	4,473	2,953	1,381	135	4
Chattanooga	3,374	2,534	730	106	4
Balance of county	1,099	419	651	29	-
Hancock	228	12	165	51	-
Hardeman	444	31	326	87	-
Hardin	350	20	300	30	-
Hawkins	643	103	485	54	1
Haywood	654	89	321	244	-
Henderson	366	38	315	12	1
Henry	446	149	288	9	-
Hickman	324	22	206	95	1
Houston	148	9	123	16	-
Humphreys	241	18	212	10	1
Jackson	264	6	205	53	-
Jefferson	508	100	386	21	1
Johnson	312	19	250	42	1
Knox	4,074	2,551	1,482	39	2
Knoxville	2,609	2,003	597	7	2
Balance of county	1,465	548	885	32	-
Lake	289	15	225	49	-
Lauderdale	634	80	437	117	-
Lawrence	690	218	416	55	1
Lewis	114	2	112	-	-
Lincoln	545	130	406	9	-
Loudon	531	131	393	7	-
McMinn	730	380	329	21	-
McNairy	442	30	400	12	-
Macon	256	13	209	14	-
Madison	1,177	398	557	221	1
Jackson	519	289	169	61	-
Balance of county	658	109	388	160	1
Marion	533	61	459	12	1
Marshall	332	127	201	4	-
Maury	846	182	614	50	-
Columbia	231	98	128	7	-
Balance of county	615	84	488	43	-
Meigs	136	18	109	9	-
Monroe	699	61	567	69	2
Montgomery	602	128	402	72	-
Clarksville	229	81	127	21	-
Balance of county	373	47	275	51	-
Moore	65	8	57	-	-
Morgan	312	30	243	39	-
Obion	525	131	387	7	-
Overton	357	24	253	79	1
Perry	145	4	138	3	-
Pickett	112	16	88	8	-
Polk	377	145	219	13	-
Putnam	551	53	428	68	2
Rhea	418	68	270	79	1
Roane	749	279	411	58	1
Robertson	480	81	384	15	-
Rutherford	697	328	309	59	1
Scott	402	27	311	64	-
Sequatchie	148	7	123	18	-
Sevier	587	88	416	79	4
Shelby	7,783	5,574	1,816	392	1
Memphis	6,158	4,765	1,328	64	1
Balance of county	1,625	809	488	328	-
Smith	276	34	241	1	-
Stewart	238	18	201	19	-
Sullivan	1,813	941	830	42	-
Bristol [4]	369	221	146	2	-
Kingsport	639	453	183	3	-
Balance of county	805	267	501	37	-

[4] Includes data for Bristol, Tenn., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TENNESSEE—Continued					
Sumner	641	118	505	18	-
Tipton	774	107	499	168	-
Trousdale	115	17	95	3	-
Unicoi	369	94	215	59	1
Union	129	17	92	20	-
Van Buren	81	6	64	11	-
Warren	414	94	295	26	1
Washington	1,161	493	642	26	-
Johnson City	541	307	223	11	-
Balance of county	620	186	419	15	-
Wayne	306	17	209	80	-
Weakley	422	100	317	3	2
White	338	48	280	9	1
Williamson	489	230	212	47	-
Wilson	455	214	224	17	-
TEXAS (total)	144,742	80,479	43,470	18,132	2,661
Anderson	653	225	251	149	28
Palestine	240	117	77	43	3
Balance of county	413	108	174	106	25
Andrews	25	15	10	-	-
Angelina	637	432	179	19	7
Aransas	80	29	50	1	-
Archer	132	113	19	-	-
Armstrong	41	16	25	-	-
Atascosa	493	73	218	160	42
Austin	302	149	71	72	10
Bailey	136	113	19	2	2
Bandera	48	20	28	-	-
Bastrop	463	122	180	135	26
Baylor	153	136	17	-	-
Bee	358	91	156	91	20
Bell	891	429	409	45	8
Temple	334	239	81	13	1
Balance of county	557	190	328	32	7
Bexar	10,266	5,833	1,948	2,372	113
San Antonio	9,058	5,421	1,551	2,028	58
Balance of county	1,208	412	397	344	55
Blanco	86	63	19	3	1
Borden	13	6	6	1	-
Bosque	252	147	104	-	1
Bowie	1,435	531	597	296	11
Texarkana [5]	487	347	80	59	1
Balance of county	948	184	517	237	10
Brazoria	960	635	246	77	2
Brazos	611	385	69	140	17
Bryan	316	217	40	53	6
Balance of county	295	168	29	87	11
Brewster	180	37	110	16	17
Briscoe	96	40	53	2	1
Brooks	213	14	79	90	30
Brown	797	650	135	12	-
Brownwood	553	484	60	9	-
Balance of county	244	166	75	3	-
Burleson	311	22	144	127	18
Burnet	177	82	93	2	-
Caldwell	472	116	190	116	50
Calhoun	183	39	120	22	2
Callahan	168	63	103	2	-
Cameron	2,619	494	925	1,150	50
Brownsville	776	195	154	423	4
Harlingen	294	148	134	11	1
Balance of county	1,549	151	637	716	45
Camp	183	103	35	44	1
Carson	139	89	48	2	-
Cass	754	205	351	161	37
Castro	101	76	25	-	-
Chambers	120	53	50	14	3
Cherokee	722	251	348	111	12
Childress	266	218	48	-	-
Clay	205	66	139	-	-
Cochran	122	57	63	2	-
Coke	65	24	41	-	-
Coleman	423	282	122	8	11
Collin	786	335	431	17	3
Collingsworth	196	154	39	3	-
Colorado	242	98	51	88	5
Comal	285	67	172	28	18
Comanche	274	197	76	-	1
Concho	102	66	26	7	3
Cooke	480	224	240	14	2
Coryell	282	56	224	2	-
Cottle	183	53	123	3	4
Crane	54	49	5	-	-
Crockett	80	26	48	4	2
Crosby	173	37	136	-	-
Culberson	34	17	12	4	1
Dallam	156	109	47	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Dallas	9,222	7,729	1,462	17	14
Dallas	6,634	5,477	1,137	10	10
Highland Park	113	111	2	-	-
University Park	296	295	1	-	-
Balance of county	2,179	1,846	322	7	4
Dawson	448	314	115	18	1
Deaf Smith	122	109	13	-	-
Delta	217	78	132	7	-
Denton	544	283	255	5	1
Denton	210	145	64	1	-
Balance of county	334	138	191	4	1
De Witt	516	126	229	129	32
Dickens	197	67	120	7	3
Dimmit	290	17	144	105	24
Donley	142	72	70	-	-
Duval	531	114	197	170	50
Eastland	489	335	149	3	2
Ector	393	353	38	2	-
Edwards	65	17	41	6	1
Ellis	726	335	317	64	10
El Paso	4,460	2,787	766	884	23
El Paso	3,418	2,487	206	716	9
Balance of county	1,042	300	560	168	14
Erath	317	230	87	-	-
Falls	583	144	257	158	24
Fannin	630	237	372	21	-
Fayette	498	164	212	98	24
Fisher	235	168	53	4	10
Floyd	163	62	98	-	3
Foard	105	59	45	-	1
Fort Bend	613	252	221	130	10
Franklin	126	24	90	10	2
Freestone	378	120	100	142	14
Frio	329	95	116	104	14
Gaines	151	117	33	-	1
Galveston	2,152	1,946	201	3	2
Galveston	1,516	1,456	55	3	2
Balance of county	636	490	146	-	-
Garza	116	37	75	3	1
Gillespie	213	148	61	-	4
Glasscock	7	6	1	-	-
Goliad	162	17	74	41	30
Gonzales	544	76	241	194	33
Gray	502	411	91	-	-
Pampa	389	328	61	-	-
Balance of county	113	83	30	-	-
Grayson	1,377	903	443	30	1
Denison	374	338	19	17	-
Sherman	395	301	88	6	-
Balance of county	608	264	336	7	1
Gregg	1,086	856	170	57	3
Longview	390	331	39	18	2
Balance of county	696	525	131	39	1
Grimes	308	110	50	145	3
Guadalupe	508	130	274	43	61
Hale	388	197	185	4	2
Hall	288	183	99	5	1
Hamilton	251	173	77	1	-
Hansford	59	30	27	1	1
Hardeman	217	71	141	5	-
Hardin	352	86	234	29	3
Harris	12,989	11,188	1,446	317	38
Houston	10,706	9,263	1,179	237	27
Balance of county	2,283	1,925	267	80	11
Harrison	1,113	275	246	498	94
Marshall	430	208	104	99	19
Balance of county	683	67	142	399	75
Hartley	41	36	5	-	-
Haskell	232	139	84	7	2
Hays	294	88	159	34	33
Hemphill	73	62	11	-	-
Henderson	524	192	248	68	16
Hidalgo	3,275	532	1,597	1,007	139
McAllen	466	121	222	129	14
Balance of county	2,789	411	1,375	878	125
Hill	587	133	398	48	8
Hockley	390	227	159	1	3
Hood	99	42	57	-	-
Hopkins	518	201	286	31	-
Houston	497	106	235	152	4
Howard	562	364	175	15	8
Big Spring	440	266	157	9	8
Balance of county	122	98	18	6	-
Hudspeth	70	12	48	10	-
Hunt	791	263	465	59	4
Greenville	270	144	97	27	2
Balance of county	521	119	368	32	2
Hutchinson	526	505	19	2	-
Borger	336	321	15	-	-
Balance of county	190	184	4	2	-

[5] Includes data for Texarkana, Tex., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Irion	55	26	17	12	-
Jack	174	136	38	-	-
Jackson	306	95	159	48	4
Jasper	391	75	231	75	10
Jeff Davis	60	5	37	10	8
Jefferson	3,828	2,709	789	307	23
Beaumont	1,709	1,287	266	145	11
Port Arthur	1,383	1,039	269	69	6
Balance of county	736	383	254	93	6
Jim Hogg	171	32	56	77	6
Jim Wells	538	169	221	99	49
Johnson	509	277	220	9	3
Cleburne	219	144	72	3	-
Balance of county	290	133	148	6	3
Jones	516	348	149	18	1
Karnes	404	102	190	56	56
Kaufman	624	140	360	109	15
Terrell	156	68	58	29	1
Balance of county	468	72	302	80	14
Kendall	111	14	78	15	4
Kenedy	21	2	10	9	-
Kent	75	18	56	1	-
Kerr	212	88	95	26	3
Kimble	93	25	67	1	-
King	10	5	3	2	-
Kinney	118	30	55	26	7
Kleberg	417	120	265	27	5
Knox	238	138	84	14	2
Lamar	991	422	451	103	15
Paris	428	261	143	20	4
Balance of county	563	161	308	83	11
Lamb	391	325	59	3	4
Lampasas	212	124	84	2	2
La Salle	240	17	140	49	34
Lavaca	505	159	253	73	20
Lee	218	16	115	79	8
Leon	293	31	126	128	8
Liberty	498	221	173	99	5
Limestone	455	147	185	111	12
Lipscomb	98	84	12	1	1
Live Oak	187	52	83	25	27
Llano	93	55	34	4	-
Loving	4	4	-	-	-
Lubbock	1,415	946	423	39	7
Lubbock	1,015	695	288	31	1
Balance of county	400	251	135	8	6
Lynn	268	82	174	10	2
McCulloch	323	233	68	20	2
McLennan	2,008	1,307	491	177	33
Waco	1,280	1,025	196	51	8
Balance of county	728	282	295	126	25
McMullen	22	6	9	7	-
Madison	202	23	66	111	2
Marion	231	15	109	99	8
Martin	120	52	65	2	1
Mason	98	40	53	4	1
Matagorda	515	230	194	81	10
Maverick	325	26	126	165	8
Medina	436	127	153	144	12
Menard	101	39	58	3	1
Midland	352	246	89	15	2
Milam	501	159	207	126	9
Mills	117	33	82	-	2
Mitchell	264	141	95	27	1
Montague	332	132	199	-	1
Montgomery	388	172	136	71	9
Moore	187	122	65	-	-
Morris	130	31	77	18	4
Motley	104	23	81	-	-
Nacogdoches	551	208	278	57	8
Navarro	757	353	309	91	4
Corsicana	274	203	61	8	2
Balance of county	483	150	248	83	2
Newton	275	17	222	30	6
Nolan	354	263	86	5	-
Sweetwater	216	162	52	2	-
Balance of county	138	101	34	3	-
Nueces	3,497	1,769	990	704	34
Corpus Christi	2,429	1,501	591	324	13
Balance of county	1,068	268	399	380	21
Ochiltree	93	80	13	-	-
Oldham	22	13	9	-	-
Orange	810	646	86	75	3
Palo Pinto	488	252	236	-	-
Panola	287	75	116	80	16
Parker	337	204	131	2	-
Parmer	115	114	1	-	-
Pecos	240	67	124	42	7
Polk	416	204	89	105	18
Potter	1,318	1,134	178	-	6
Amarillo (part)	1,260	1,081	174	-	5
Amarillo (total)	1,265	1,086	174	-	5
Balance of county	58	53	4	-	1
Section B (Counties)—Continued					
TEXAS—Continued					
Presidio	355	37	177	82	59
Rains	108	8	87	11	2
Randall	111	64	46	-	1
Amarillo (part)	5	5	-	-	-
Balance of county	106	59	46	-	1
Reagan	43	34	9	-	-
Real	45	15	20	7	3
Red River	570	110	318	130	12
Reeves	245	109	119	7	10
Refugio	210	71	75	50	14
Roberts	17	12	5	-	-
Robertson	469	66	141	236	26
Rockwall	109	45	40	14	10
Runnels	446	208	232	4	2
Rusk	782	277	325	146	34
Sabine	179	30	97	51	1
San Augustine	234	28	121	75	10
San Jacinto	138	23	30	68	17
San Patricio	771	203	441	91	36
San Saba	195	60	130	2	3
Schleicher	62	17	35	4	6
Scurry	215	145	68	1	1
Shackelford	84	39	45	-	-
Shelby	497	128	288	73	8
Sherman	43	16	27	-	-
Smith	1,386	480	497	386	23
Tyler	572	316	178	78	-
Balance of county	814	164	319	308	23
Somervell	34	14	20	-	-
Starr	475	42	167	103	163
Stephens	181	125	56	-	-
Sterling	31	16	11	4	-
Stonewall	85	26	57	1	1
Sutton	83	10	64	2	7
Swisher	123	103	20	-	-
Tarrant	5,081	4,641	419	16	5
Fort Worth	4,240	3,933	287	16	4
Balance of county	841	708	132	-	1
Taylor	1,266	1,026	234	4	2
Abilene	916	802	110	3	1
Balance of county	350	224	124	1	1
Terrell	72	24	46	2	-
Terry	303	156	142	4	1
Throckmorton	59	30	29	-	-
Titus	331	119	187	24	1
Tom Green	981	763	175	39	4
San Angelo	792	627	133	29	3
Balance of county	189	136	42	10	1
Travis	2,256	1,847	247	138	24
Austin	1,890	1,620	183	70	17
Balance of county	366	227	64	68	7
Trinity	156	27	95	29	5
Tyler	209	37	120	47	5
Upshur	459	258	84	103	14
Upton	82	64	14	4	-
Uvalde	337	82	199	42	14
Val Verde	506	93	339	71	3
Del Rio	486	82	337	65	2
Balance of county	20	11	2	6	1
Van Zandt	509	43	425	37	4
Victoria	641	343	156	131	11
Victoria	438	273	85	77	3
Balance of county	203	70	71	54	8
Walker	285	47	119	94	25
Waller	153	54	25	66	8
Ward	256	169	74	10	3
Washington	432	118	140	156	18
Webb	1,366	318	486	478	84
Laredo	1,258	296	453	436	73
Balance of county	108	22	33	42	11
Wharton	808	374	290	128	16
Wheeler	294	262	32	-	-
Wichita	1,658	1,448	207	1	2
Wichita Falls	1,171	1,021	148	-	2
Balance of county	487	427	59	1	-
Wilbarger	393	322	67	1	3
Willacy	403	104	97	185	17
Williamson	773	363	303	91	16
Wilson	381	92	207	39	43
Winkler	86	80	6	-	-
Wise	311	213	98	-	-
Wood	466	118	313	34	1
Yoakum	57	41	16	-	-
Young	308	210	96	2	-
Zapata	94	9	20	61	4
Zavala	312	43	145	111	13
UTAH (total)	15,822	13,056	2,672	62	32
Beaver	111	54	57	-	-
Box Elder	510	495	15	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
UTAH—Continued					
Cache	748	659	89	-	-
Logan	338	327	11	-	-
Balance of county	410	332	78	-	-
Carbon	476	408	67	1	-
Daggett	10	6	4	-	-
Davis	554	464	86	2	2
Duchesne	191	48	133	5	5
Emery	169	46	121	1	1
Garfield	113	24	60	26	3
Grand	48	42	4	-	2
Iron	218	208	9	1	-
Juab	138	79	58	-	1
Kane	61	52	4	3	2
Millard	222	105	116	1	-
Morgan	70	62	8	-	-
Piute	53	19	34	-	-
Rich	36	23	13	-	-
Salt Lake	6,577	6,138	423	13	3
Salt Lake City	4,556	4,323	224	7	2
Balance of county	2,021	1,815	199	6	1
San Juan	107	38	59	-	10
Sanpete	309	55	254	-	-
Sevier	271	149	122	-	-
Summit	253	200	53	-	-
Tooele	261	207	54	-	-
Uintah	288	109	178	1	-
Utah	1,597	1,227	368	1	1
Provo	542	461	81	-	-
Balance of county	1,055	766	287	1	1
Wasatch	207	118	89	-	-
Washington	218	146	67	5	-
Wayne	61	18	41	2	-
Weber	1,945	1,857	86	-	2
Ogden	1,544	1,484	59	-	1
Balance of county	401	373	27	-	1
VERMONT (total)	7,175	5,058	2,113	3	1
Addison	326	185	141	-	-
Bennington	398	309	89	-	-
Caledonia	509	259	250	-	-
Chittenden	1,141	943	198	-	-
Burlington	619	525	94	-	-
Balance of county	522	418	104	-	-
Essex	130	33	95	2	-
Franklin	581	308	273	-	-
Grand Isle	49	33	16	-	-
Lamoille	252	146	105	1	-
Orange	312	218	94	-	-
Orleans	450	221	229	-	-
Rutland	749	612	137	-	-
Rutland	330	312	18	-	-
Balance of county	419	300	119	-	-
Washington	764	624	139	-	1
Barre	255	239	16	-	-
Balance of county	509	385	123	-	1
Windham	567	413	154	-	-
Windsor	947	754	193	-	-
VIRGINIA [8] (total)	67,950	30,453	24,746	12,361	390
Accomack	530	86	225	217	2
Albemarle	420	267	98	51	4
Alexandria (city)	1,213	1,136	50	27	-
Alleghany	480	123	331	24	2
Amelia	220	17	88	114	1
Amherst	402	146	153	92	11
Appomattox	162	39	76	45	2
Arlington [7]	2,226	2,139	72	15	-
Augusta	1,011	378	582	45	6
Bath	132	33	77	15	7
Bedford	567	178	308	79	2
Bland	164	14	143	6	1
Botetourt	336	50	259	25	2
Bristol [8] (city)	295	162	132	1	-
Brunswick	498	57	164	275	2
Buchanan	1,196	115	715	344	22
Buckingham	308	36	89	178	5
Buena Vista (city)	121	17	99	5	-
Campbell	575	178	289	104	4
Caroline	312	44	167	98	3
Carroll	617	31	532	50	4
Charles City	122	4	10	108	-
Charlotte	314	49	126	139	-
Charlottesville (city)	463	427	32	4	-
Chesterfield	590	347	86	157	-
Clarke	154	51	71	32	-
Clifton Forge (city)	112	58	52	1	1

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
VIRGINIA [6]—Continued					
Craig	83	13	65	5	-
Culpeper	262	56	194	12	-
Cumberland	191	23	51	114	3
Danville (city)	714	470	76	167	1
Dickenson	769	163	407	186	13
Dinwiddie	320	36	89	194	1
Elizabeth City	779	614	67	97	1
Essex	151	30	76	44	1
Fairfax	1,304	938	314	48	4
Fauquier	454	153	212	89	-
Floyd	261	23	195	36	7
Fluvanna	122	33	48	39	2
Franklin	594	61	367	152	14
Frederick	333	184	109	39	1
Fredericksburg (city)	230	172	41	17	-
Giles	469	88	355	22	4
Gloucester	169	59	91	19	-
Goochland	179	21	36	121	1
Grayson	533	64	415	49	5
Greene	125	50	50	23	2
Greensville	427	79	153	194	1
Halifax	1,008	148	454	403	3
Hampton (city)	369	339	19	11	-
Hanover	383	80	180	123	-
Harrisonburg (city)	184	172	12	-	-
Henrico	579	401	126	52	-
Henry	912	166	577	163	6
Highland	106	6	92	5	3
Hopewell (city)	244	143	76	25	-
Isle of Wight	312	40	88	183	1
James City	133	43	32	58	-
King and Queen	139	19	72	46	2
King George	136	64	33	37	2
King William	199	52	84	63	-
Lancaster	160	17	121	20	2
Lee	1,131	63	837	215	16
Loudoun	441	155	251	34	1
Louisa	261	41	123	95	2
Lunenburg	311	51	144	114	2
Lynchburg (city)	881	780	86	13	2
Madison	176	69	94	9	4
Martinsville (city)	262	131	120	10	1
Mathews	85	18	63	3	1
Mecklenburg	839	112	323	397	7
Middlesex	111	24	52	35	-
Montgomery	757	361	354	40	2
Nansemond	591	55	125	410	1
Nelson	354	122	89	138	5
New Kent	86	17	17	50	2
Newport News (city)	1,462	1,137	101	239	5
Norfolk	1,401	878	190	330	3
Norfolk (city)	3,959	2,819	740	399	1
Northampton	335	88	50	197	-
Northumberland	172	21	90	60	1
Nottoway	320	94	98	128	-
Orange	245	130	84	29	2
Page	366	112	208	44	2
Patrick	400	28	266	99	7
Petersburg (city)	717	284	98	334	1
Pittsylvania	1,580	557	564	452	7
Portsmouth (city)	1,729	1,134	101	489	5
Powhatan	103	15	28	60	-
Prince Edward	292	93	62	137	-
Prince George	234	73	42	117	2
Prince William	448	243	135	68	2
Princess Anne	646	332	138	174	2
Pulaski	832	389	369	62	12
Radford (city)	285	180	102	2	1
Rappahannock	114	38	59	17	-
Richmond	130	8	79	41	2
Richmond (city)	4,240	3,396	706	133	5
Roanoke	966	649	284	31	2
Roanoke (city)	1,470	1,137	326	2	5
Rockbridge	449	123	232	82	12
Rockingham	683	267	405	10	1
Russell	820	91	629	91	9
Scott	595	72	282	205	36
Shenandoah	442	198	212	30	2
Smyth	784	108	613	51	12
Southampton	688	140	117	427	4
South Norfolk (city)	209	111	57	41	-
Spotsylvania	237	94	77	65	1
Stafford	189	86	61	42	-
Staunton (city)	229	147	76	6	-
Suffolk (city)	226	117	47	62	-
Surry	133	15	14	104	-

[8] Cities of Virginia are independent, each having the same status as a county. Places of 10,000 inhabitants or more include: Alexandria, Arlington County,[7] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[7] Classified as urban under a special rule in the 1940 census.

[8] Includes data for Bristol, Va., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
VIRGINIA[6]—Continued					
Sussex	339	63	39	237	-
Tazewell	1,360	267	1,062	23	8
Warren	276	145	111	20	-
Warwick	643	541	69	33	-
Washington	914	122	627	152	13
Westmoreland	209	18	92	99	-
Williamsburg (city)	77	55	13	9	-
Winchester (city)	275	217	40	17	1
Wise	1,651	171	1,323	145	12
Wythe	658	118	497	38	5
York	239	131	50	58	-
WASHINGTON (total)	39,007	36,869	2,063	22	53
Adams	95	64	30	-	1
Asotin	164	139	22	-	3
Benton	183	164	19	-	-
Chelan	686	645	40	-	1
Wenatchee	251	244	7	-	-
Balance of county	435	401	33	-	1
Clallam	486	449	36	-	1
Clark	1,350	1,284	64	1	1
Vancouver	606	593	13	-	-
Balance of county	744	691	51	1	1
Columbia	102	101	1	-	-
Cowlitz	1,062	1,019	43	-	-
Longview	440	428	12	-	-
Balance of county	622	591	31	-	-
Douglas	106	84	22	-	-
Ferry	89	81	7	-	1
Franklin	154	150	3	-	1
Garfield	62	18	44	-	-
Grant	220	205	15	-	-
Grays Harbor	1,031	984	42	3	2
Aberdeen	411	402	9	-	-
Hoquiam	217	211	5	1	-
Balance of county	403	371	28	2	2
Island	115	97	18	-	-
Jefferson	233	226	6	1	-
King	12,378	12,040	321	9	8
Seattle	9,084	8,923	151	7	3
Balance of county	3,294	3,117	170	2	5
Kitsap	2,080	2,014	64	-	2
Bremerton	837	825	12	-	-
Balance of county	1,243	1,189	52	-	2
Kittitas	359	319	40	-	-
Klickitat	206	198	6	1	1
Lewis	829	772	56	-	1
Lincoln	174	137	37	-	-
Mason	294	288	6	-	-
Okanogan	493	401	88	-	4
Pacific	285	225	60	-	-
Pend Oreille	127	114	13	-	-
Pierce	4,440	4,339	97	1	3
Tacoma	2,673	2,652	20	-	1
Balance of county	1,767	1,687	77	1	2
San Juan	29	22	7	-	-
Skagit	678	652	25	-	1
Skamania	71	71	-	-	-
Snohomish	1,749	1,598	149	-	2
Everett	630	612	18	-	-
Balance of county	1,119	986	131	-	2
Spokane	3,251	3,129	117	-	5
Spokane	2,573	2,494	76	-	3
Balance of county	678	635	41	-	2
Stevens	400	359	36	1	4
Thurston	834	704	126	2	2
Olympia	407	383	24	-	-
Balance of county	427	321	102	2	2
Wahkiakum	59	54	4	1	-
Walla Walla	511	487	22	-	2
Walla Walla	335	318	16	-	1
Balance of county	176	169	6	-	1
Whatcom	1,120	1,043	75	1	1
Bellingham	612	608	4	-	-
Balance of county	508	435	71	1	1
Whitman	469	375	93	-	1
Yakima	2,033	1,818	209	1	5
Yakima	615	609	6	-	-
Balance of county	1,418	1,209	203	1	5
WEST VIRGINIA (total)	43,922	14,131	27,811	1,585	395
Barbour	410	84	308	16	2
Berkeley	477	291	175	10	1
Martinsburg	276	195	78	2	1
Balance of county	201	96	97	8	-
Boone	800	56	715	27	2
Braxton	462	64	300	85	13

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WEST VIRGINIA—Continued					
Brooke	434	243	189	1	1
Cabell	2,146	1,521	607	16	2
Huntington (part)	1,682	1,362	318	2	-
Huntington (total)	1,755	1,422	331	2	-
Balance of county	464	159	289	14	2
Calhoun	275	15	203	42	15
Clay	413	35	304	54	20
Doddridge	157	26	128	2	3
Fayette	2,048	239	1,755	47	7
Gilmer	212	12	195	3	2
Grant	171	32	88	50	1
Greenbrier	913	131	748	25	9
Hampshire	265	46	215	3	1
Hancock	727	478	242	5	2
Hardy	190	26	158	4	2
Harrison	1,625	717	897	2	9
Clarksburg	710	489	219	-	2
Balance of county	915	228	678	2	7
Jackson	326	74	226	22	4
Jefferson	319	144	168	4	3
Kanawha	5,188	2,560	2,518	97	13
Charleston	1,650	1,263	378	6	3
South Charleston	357	280	76	1	-
Balance of county	3,181	1,017	2,064	90	10
Lewis	337	161	168	4	4
Lincoln	487	73	299	101	14
Logan	2,078	173	1,821	72	12
McDowell	2,897	336	2,464	64	33
Marion	1,557	692	862	1	2
Fairmont	568	422	146	-	-
Balance of county	989	270	716	1	2
Marshall	682	478	201	1	2
Moundsville	279	235	44	-	-
Balance of county	403	243	157	1	2
Mason	491	118	354	14	5
Mercer	1,461	389	1,042	28	2
Bluefield[9]	380	230	150	-	-
Balance of county	1,081	159	892	28	2
Mineral	549	202	322	19	6
Mingo	1,213	207	863	128	15
Monongalia	1,257	709	531	3	14
Morgantown	478	395	82	-	1
Balance of county	779	314	449	3	13
Monroe	312	18	291	-	3
Morgan	176	42	112	19	3
Nicholas	507	70	404	26	7
Ohio	1,435	1,362	71	1	1
Wheeling	1,043	994	48	-	1
Balance of county	392	368	23	1	-
Pendleton	192	11	150	30	1
Pleasants	108	16	91	1	-
Pocahontas	311	47	260	1	3
Preston	648	135	475	18	20
Putnam	438	37	386	14	1
Raleigh	2,199	319	1,794	73	13
Beckley	322	157	161	4	-
Balance of county	1,877	162	1,633	69	13
Randolph	766	147	557	54	8
Ritchie	249	26	217	5	1
Roane	407	65	290	43	9
Summers	463	60	356	38	9
Taylor	388	111	250	18	9
Tucker	234	53	153	22	6
Tyler	166	28	135	3	-
Upshur	415	122	269	13	11
Wayne	826	187	553	73	13
Huntington (part)	73	60	13	-	-
Balance of county	753	127	540	73	13
Webster	481	51	310	84	36
Wetzel	417	100	295	16	6
Wirt	103	23	64	11	5
Wood	1,221	721	494	5	1
Parkersburg	729	532	196	-	1
Balance of county	492	189	298	5	-
Wyoming	893	48	770	67	8
WISCONSIN (total)	63,982	49,744	14,155	40	43
Adams	140	47	93	-	-
Ashland	488	376	102	4	4
Ashland	224	215	9	-	-
Balance of county	262	161	93	4	4
Barron	617	399	217	-	1
Bayfield	253	190	39	3	1
Brown	1,935	1,669	264	-	2
Green Bay	1,187	1,084	101	-	2
Balance of county	748	585	163	-	-
Buffalo	331	214	117	-	-
Burnett	191	96	93	1	1

[6] See footnote on p. 171.
[9] Includes data for Bluefield, W. Va., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1942—Continued

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WISCONSIN—Continued					
Calumet	325	172	153	-	-
Chippewa	887	502	383	-	2
Chippewa Falls	224	189	35	-	-
Balance of county	663	313	348	-	2
Clark	621	259	360	-	2
Columbia	616	464	151	-	1
Crawford	385	196	189	-	-
Dane	2,869	2,666	203	-	-
Madison	1,647	1,628	19	-	-
Balance of county	1,222	1,038	184	-	-
Dodge	919	687	232	-	-
Beaver Dam	196	188	8	-	-
Watertown (part)	40	23	17	-	-
Balance of county	683	476	207	-	-
Door	471	329	142	-	-
Douglas	942	864	78	-	-
Superior	746	703	43	-	-
Balance of county	196	161	35	-	-
Dunn	518	269	249	-	-
Eau Claire	1,060	968	90	-	2
Eau Claire	693	676	17	-	-
Balance of county	367	292	73	-	2
Florence	53	23	29	-	1
Fond du Lac	1,190	950	240	-	-
Fond du Lac	611	560	51	-	-
Balance of county	579	390	189	-	-
Forest	278	92	183	2	1
Grant	800	369	428	-	3
Green	417	349	68	-	-
Green Lake	210	152	58	-	-
Iowa	363	284	79	-	-
Iron	186	130	56	-	-
Jackson	338	273	65	-	-
Jefferson	605	477	128	-	-
Watertown (part)	134	101	33	-	-
Watertown (total)	174	124	50	-	-
Balance of county	471	376	95	-	-
Juneau	367	185	182	-	-
Kenosha	1,253	1,194	58	1	-
Kenosha	1,014	988	26	-	-
Balance of county	239	206	32	1	-
Kewaunee	332	168	164	-	-
La Crosse	1,273	1,034	239	-	-
La Crosse	882	734	148	-	-
Balance of county	391	300	91	-	-
Lafayette	322	212	110	-	-
Langlade	467	228	239	-	-
Lincoln	445	368	76	-	1
Manitowoc	1,369	1,093	276	-	-
Manitowoc	573	502	71	-	-
Two Rivers	229	196	33	-	-
Balance of county	567	395	172	-	-
Marathon	1,647	1,157	486	2	2
Wausau	631	577	54	-	-
Balance of county	1,016	580	432	2	2
Marinette	718	564	153	-	1
Marinette	302	288	14	-	-
Balance of county	416	276	139	-	1
Marquette	105	43	62	-	-
Milwaukee	15,895	13,844	2,045	6	-
Cudahy	255	208	47	-	-
Milwaukee	11,901	10,387	1,509	5	-
Shorewood	253	248	5	-	-
South Milwaukee	233	183	50	-	-
Wauwatosa	536	517	19	-	-
West Allis	911	801	109	1	-
Balance of county	1,806	1,500	306	-	-
Monroe	673	390	281	1	1
Oconto	532	310	222	-	-
Oneida	437	288	146	1	2
Outagamie	1,776	1,393	381	1	1
Appleton	719	660	59	-	-
Balance of county	1,057	733	322	1	1
Ozaukee	381	319	62	-	-
Pepin	175	116	58	1	-
Pierce	410	277	132	-	1
Polk	471	307	161	2	1
Section B (Counties)—Continued					
WISCONSIN—Continued					
Portage	661	351	310	-	-
Stevens Point	315	212	103	-	-
Balance of county	346	139	207	-	-
Price	303	133	170	-	-
Racine	1,847	1,752	93	1	1
Racine	1,384	1,345	37	1	1
Balance of county	463	407	56	-	-
Richland	424	214	210	-	-
Rock	1,609	1,391	218	-	-
Beloit	618	568	50	-	-
Janesville	465	394	71	-	-
Balance of county	526	429	97	-	-
Rusk	409	270	137	1	1
St. Croix	472	340	132	-	-
Sauk	742	576	166	-	-
Sawyer	190	93	88	8	1
Shawano	767	520	242	4	1
Sheboygan	1,520	1,390	130	-	-
Sheboygan	818	779	39	-	-
Balance of county	702	611	91	-	-
Taylor	414	165	246	1	2
Trempealeau	482	349	132	-	1
Vernon	596	312	283	-	1
Vilas	152	74	78	-	-
Walworth	525	444	80	-	1
Washburn	246	93	153	-	-
Washington	652	480	172	-	-
Waukesha	1,370	1,189	181	-	-
Waukesha	466	436	30	-	-
Balance of county	904	753	151	-	-
Waupaca	607	390	217	-	-
Waushara	175	91	84	-	-
Winnebago	1,685	1,341	343	-	1
Menasha	290	277	13	-	-
Neenah	230	222	8	-	-
Oshkosh	756	541	214	-	1
Balance of county	409	301	108	-	-
Wood	1,100	830	268	-	2
Marshfield	255	206	49	-	-
Wisconsin Rapids	307	272	34	-	1
Balance of county	538	352	185	-	1
WYOMING (total)	5,567	4,528	1,020	5	14
Albany	280	272	8	-	-
Laramie	237	235	2	-	-
Balance of county	43	37	6	-	-
Big Horn	319	250	66	-	3
Campbell	108	102	6	-	-
Carbon	257	218	38	-	1
Converse	127	87	40	-	-
Crook	86	50	36	-	-
Fremont	314	198	110	-	6
Goshen	283	158	125	-	-
Hot Springs	85	60	25	-	-
Johnson	94	70	24	-	-
Laramie	937	816	121	-	-
Cheyenne	836	735	101	-	-
Balance of county	101	81	20	-	-
Lincoln	260	199	61	-	-
Natrona	412	386	25	-	1
Casper	343	324	19	-	-
Balance of county	69	62	6	-	1
Niobrara	92	80	12	-	-
Park	276	210	65	1	-
Platte	222	160	61	-	1
Sheridan	335	320	13	1	1
Sheridan	206	200	6	-	-
Balance of county	129	120	7	1	1
Sublette	51	43	8	-	-
Sweetwater	532	503	26	-	-
Teton	67	61	6	-	-
Uinta	169	91	78	-	-
Washakie	161	108	49	3	1
Weston	94	78	16	-	-
Yellowstone National Park (part)	6	5	1	-	-
Yellowstone National Park (total)	6	5	1	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

594337 O - 44 - 12

TABLE 12.—STILLBIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: UNITED STATES AND EACH STATE, 1942

STATE OF RESIDENCE	Total stillbirths of residents	STILLBIRTHS OF RESIDENTS OCCURRING		STILLBIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]													
		In place of residence	In other areas of same State	Total	Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	Ind.
UNITED STATES	79,174	60,288	19,353	1,533	27	8	42	10	11	6	8	174	27	47	10	19	37
Alabama	2,383	1,971	364	48	...	-	2	-	-	-	-	-	9	23	-	-	-
Arizona	287	223	57	7	-	...	-	2	-	-	-	-	-	-	-	-	-
Arkansas	1,189	995	166	30	-	-	...	-	-	-	-	-	-	-	-	-	-
California	2,908	1,794	1,093	21	-	1	-	...	1	-	-	-	-	-	-	-	-
Colorado	563	419	135	9	-	-	1	-	...	-	-	-	1	-	-	-	-
Connecticut	736	492	200	44	-	1	-	-	-	...	-	-	-	-	-	-	-
Delaware	142	85	43	16	-	-	-	-	-	-	...	-	-	-	-	-	-
District of Columbia	409	394	...	15	-	-	-	-	-	-	-	...	-	-	-	-	-
Florida	1,551	1,283	245	23	9	-	-	-	-	-	-	-	...	9	-	-	1
Georgia	2,807	2,356	424	27	6	-	-	-	-	-	-	-	5	...	-	-	-
Idaho	239	148	79	12	-	-	-	-	1	-	-	-	-	-	...	-	-
Illinois	3,445	2,585	774	86	1	-	1	-	-	-	-	-	1	-	-	...	24
Indiana	1,508	1,034	444	28	-	-	-	-	1	-	-	1	-	1	-	11	...
Iowa	982	599	369	14	-	-	-	-	-	-	-	-	-	-	-	1	-
Kansas	712	466	196	50	-	1	1	-	2	-	-	-	-	-	-	-	-
Kentucky	1,768	1,483	249	36	1	-	-	-	-	-	-	-	1	-	-	1	3
Louisiana	1,860	1,352	494	14	-	-	-	-	-	-	-	-	-	3	-	-	-
Maine	442	307	122	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,585	1,217	267	101	-	-	-	-	-	-	3	81	-	-	-	-	-
Massachusetts	2,039	1,370	645	24	-	-	-	1	-	1	-	-	-	1	-	-	-
Michigan	3,055	2,048	984	23	1	-	-	-	-	-	-	-	-	-	-	1	1
Minnesota	1,282	846	421	15	-	-	-	-	-	-	-	1	-	-	-	-	-
Mississippi	2,378	2,045	317	16	5	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	2,175	1,678	452	45	-	-	5	2	-	-	-	-	1	-	-	5	-
Montana	207	152	47	8	-	-	-	-	-	-	-	-	-	-	1	-	-
Nebraska	517	339	165	13	-	-	-	-	3	-	-	-	-	-	-	-	-
Nevada	59	38	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	245	187	51	7	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,086	1,120	842	124	-	-	-	-	-	-	2	1	-	-	-	-	-
New Mexico	334	280	43	11	-	-	1	-	-	-	-	-	-	-	-	-	-
New York	12,506	11,316	1,144	46	-	-	-	-	-	1	-	3	2	-	-	-	-
North Carolina	2,825	2,412	386	27	-	-	-	-	-	-	-	-	1	1	-	-	-
North Dakota	234	141	81	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,619	2,560	1,002	57	2	-	-	1	-	-	-	-	1	-	-	-	6
Oklahoma	914	654	231	29	-	-	14	-	1	-	-	-	-	-	-	-	-
Oregon	379	222	145	12	-	-	-	1	-	-	-	-	1	-	1	-	-
Pennsylvania	4,878	3,032	1,766	80	-	3	-	-	-	-	3	-	1	1	-	-	-
Rhode Island	322	200	103	19	-	-	-	-	-	3	-	-	-	-	-	-	-
South Carolina	1,996	1,651	336	9	-	-	-	-	-	-	-	-	-	6	-	-	-
South Dakota	248	158	67	23	-	-	-	1	-	-	-	-	-	-	-	-	-
Tennessee	1,460	1,172	260	28	2	-	-	-	-	1	-	-	-	1	-	-	1
Texas	3,684	3,010	612	62	-	2	16	2	-	-	-	-	-	-	-	-	-
Utah	281	192	86	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Vermont	176	113	44	19	-	-	1	-	-	-	-	-	-	-	-	-	-
Virginia	2,292	1,732	437	123	-	-	-	-	-	-	-	87	2	1	-	-	-
Washington	606	370	212	24	-	-	-	-	-	-	-	-	-	-	7	-	-
West Virginia	1,527	1,171	310	46	-	-	-	-	-	-	-	-	1	-	-	-	-
Wisconsin	1,229	806	401	22	-	-	-	-	-	-	-	-	-	-	-	-	1
Wyoming	107	74	26	7	-	-	-	-	1	-	-	-	-	-	-	-	-

STILLBIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	40	26	24	15	9	48	44	23	31	15	76	8	21	7	20	31	10	191
Alabama	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1
Arizona	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Arkansas	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
California	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	2
Colorado	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
Connecticut	-	-	-	-	1	1	15	-	-	-	-	-	-	-	-	-	-	22
Delaware	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	1
District of Columbia	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	4
Florida	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Georgia	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Illinois	17	-	-	3	-	-	-	1	-	-	22	-	-	-	-	1	-	1
Indiana	-	-	3	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Iowa	...	-	1	-	-	-	-	-	2	-	3	-	5	-	-	-	-	-
Kansas	-	...	-	-	-	-	-	-	-	-	36	-	6	1	-	-	-	-
Kentucky	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	...	-	-	-	-	-	7	1	-	-	-	-	-	-	1
Maine	-	1	-	-	...	-	1	-	-	-	-	-	-	-	9	-	-	2
Maryland	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	1	-	2
Massachusetts	-	-	1	-	3	-	...	-	-	1	-	-	-	-	-	3	-	5
Michigan	-	-	-	-	-	-	-	...	-	-	-	1	-	-	-	-	1	4

[1] The figures given in the row opposite each State in the stub show the number of stillbirths of residents of that State which occurred in each State named at the top of the column.

TABLE 12.—STILLBIRTHS OF RESIDENTS, BY PLACE OF OCCURRENCE: UNITED STATES AND EACH STATE, 1942—Continued

STILLBIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	3	-	-	-	-	-	-	-	...	-	2	-	-	-	-	-	-	-
Mississippi	-	-	-	4	-	-	-	-	-	...	-	-	-	-	-	-	-	-
Missouri	8	16	-	-	-	-	1	-	1	-	...	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	1	-	-	-	-	...	-	-	-	-	-	-
Nebraska	7	1	-	-	-	-	-	-	-	1	1	-	...	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	1	1	-	-	...	-	-	-	-
New Hampshire	-	-	-	-	2	-	4	-	-	-	-	-	-	-	...	-	-	-
New Jersey	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	...	-	91
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New York	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	12	1	...
North Carolina	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
North Dakota	-	-	-	-	-	-	-	-	9	-	-	1	-	-	-	-	-	-
Ohio	-	1	4	-	-	-	-	8	1	-	-	-	-	-	-	1	-	1
Oklahoma	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	1	10	-	-	-	-	-	-	-	-	-	13	-	35
Rhode Island	-	-	-	-	1	-	13	-	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
South Dakota	2	1	-	-	-	-	-	-	9	-	-	-	3	-	-	-	1	-
Tennessee	-	-	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Texas	-	-	-	7	-	-	-	2	-	-	4	-	1	-	-	-	4	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	1	-	3	-	-	-	-	-	-	-	10	-	-	4
Virginia	-	-	2	-	-	4	-	-	-	1	-	-	-	-	-	-	-	7
Washington	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
West Virginia	-	-	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	2	-	-	-	-	-	-	8	8	-	-	2	-	-	-	-	-	1
Wyoming	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-

STILLBIRTHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.
UNITED STATES	1	8	75	15	21	73	9	8	4	82	27	10	3	46	19	45	17	5
Alabama	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-
Arizona	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Arkansas	-	-	-	2	-	-	-	-	-	23	3	-	-	-	-	-	-	-
California	-	-	1	1	3	1	-	-	-	-	2	3	-	-	1	-	-	-
Colorado	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Connecticut	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Florida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Georgia	-	-	1	-	-	-	-	1	-	9	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	3	-	-	-	-	-	-	1	-	-	4	-	-	1
Illinois	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	9	1
Indiana	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Kentucky	-	-	9	-	-	-	-	-	-	5	-	-	-	3	1	12	-	-
Louisiana	7	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	6	-	-	-	-	-	-	-	3	-	5	-	-
Massachusetts	-	-	-	-	-	3	5	-	-	-	-	-	-	-	-	-	-	-
Michigan	-	-	10	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Minnesota	-	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	-
Mississippi	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-
Montana	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1
Nebraska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey	-	-	-	1	-	23	-	-	-	-	-	-	-	2	-	-	-	-
New Mexico	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	-	-
New York	-	-	-	1	-	15	-	-	-	-	-	-	2	3	1	-	-	-
North Carolina	...	-	-	-	-	-	-	6	-	2	-	-	-	14	-	-	-	-
North Dakota	-	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Ohio	-	-	...	1	-	9	-	-	-	-	-	-	-	2	1	18	-	-
Oklahoma	-	-	-	...	-	-	-	-	-	1	8	-	-	-	-	-	-	-
Oregon	-	-	-	-	...	-	-	-	-	-	-	-	-	-	9	-	-	-
Pennsylvania	-	-	11	-	-	...	-	-	-	-	-	-	-	-	-	2	-	-
Rhode Island	-	-	1	-	-	-	...	-	-	-	-	-	-	1	-	-	-	-
South Carolina	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-
South Dakota	-	3	-	-	-	-	-	-	...	-	1	1	-	-	-	-	-	1
Tennessee	-	-	1	1	-	-	-	-	-	...	-	-	-	10	-	-	-	-
Texas	-	-	9	4	-	-	-	-	-	10	...	-	-	1	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	1	-	...	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-
Virginia	1	-	2	-	-	-	-	1	-	7	-	-	-	...	-	8	-	-
Washington	-	-	-	-	13	-	-	-	-	-	-	-	-	-	...	-	-	-
West Virginia	-	-	21	-	-	6	-	-	-	-	-	-	-	6	-	...	-	-
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	...

[1] The figures given in the row opposite each State in the stub show the number of stillbirths of residents of that State which occurred in each State named at the top of the column.

TABLE 13.—STILLBIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND SEX, URBAN AND RURAL: UNITED STATES, 1942

AREA, RACE AND SEX OF CHILD, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
UNITED STATES	79,174	168	8,964	19,774	19,288	14,676	9,712	3,741	405	9	2,437
White, mother native	58,722	33	5,475	15,217	15,432	11,198	6,885	2,587	275	5	1,615
White, mother foreign	4,217	-	54	395	767	1,194	1,151	534	63	3	56
White, mother not stated	362	1	22	48	34	26	20	9	1	-	201
Negro	15,538	133	3,386	4,036	2,982	2,174	1,612	592	61	1	561
Other	335	1	27	78	73	84	44	19	5	-	4
Urban	47,804	70	4,537	11,895	12,703	9,512	5,692	1,934	187	6	1,268
White, mother native	36,228	10	2,800	9,520	10,501	7,306	3,935	1,242	120	4	790
White, mother foreign	3,644	-	47	335	682	1,054	995	437	50	2	42
White, mother not stated	223	1	11	28	23	20	12	6	-	-	122
Negro	7,608	59	1,670	1,996	1,469	1,104	733	246	17	-	314
Other	101	-	9	16	28	28	17	3	-	-	-
Places of 100,000 or more	26,087	27	1,954	6,240	7,316	5,636	3,243	1,044	101	2	524
White, mother native	19,115	2	1,075	4,929	5,971	4,178	2,064	587	60	-	249
White, mother foreign	2,732	-	31	218	531	810	769	320	30	2	21
White, mother not stated	127	-	3	10	17	12	7	5	-	-	73
Negro	4,055	25	840	1,069	780	620	398	131	11	-	181
Other	58	-	5	14	17	16	5	1	-	-	-
Places of 25,000 to 100,000	8,481	15	949	2,242	2,153	1,513	954	323	27	1	304
White, mother native	6,508	2	576	1,779	1,793	1,196	711	224	16	1	210
White, mother foreign	446	-	6	60	76	131	99	55	9	-	10
White, mother not stated	30	-	3	7	2	1	1	-	-	-	16
Negro	1,482	13	363	395	279	183	137	42	2	-	68
Other	15	-	1	1	3	2	6	2	-	-	-
Places of 10,000 to 25,000	5,870	13	708	1,528	1,511	1,038	640	232	23	1	176
White, mother native	4,625	3	477	1,248	1,251	841	490	171	18	1	125
White, mother foreign	220	-	6	25	37	53	65	25	5	-	4
White, mother not stated	34	-	3	6	2	3	2	-	-	-	18
Negro	983	10	220	249	218	139	82	36	-	-	29
Other	8	-	2	-	3	2	1	-	-	-	-
Places of 2,500 to 10,000	7,366	15	926	1,885	1,723	1,325	855	335	36	2	264
White, mother native	5,980	3	672	1,564	1,486	1,091	670	260	26	2	206
White, mother foreign	246	-	4	32	38	60	62	37	6	-	7
White, mother not stated	32	1	2	5	2	4	2	1	-	-	15
Negro	1,088	11	247	283	192	162	116	37	4	-	36
Other	20	-	1	1	5	8	5	-	-	-	-
Rural	31,370	98	4,427	7,879	6,585	5,164	4,020	1,807	218	3	1,169
White, mother native	22,494	23	2,675	5,697	4,931	3,892	2,950	1,345	155	1	825
White, mother foreign	573	-	7	60	85	140	156	97	13	1	14
White, mother not stated	139	-	11	20	11	6	8	3	1	-	79
Negro	7,930	74	1,716	2,040	1,513	1,070	879	346	44	1	247
Other	234	1	18	62	45	56	27	16	5	-	4
MALE	40,638	102	4,908	10,313	9,643	7,288	4,884	1,903	212	3	1,382
White, mother native	30,012	18	2,977	7,881	7,679	5,573	3,496	1,319	148	1	920
White, mother foreign	1,718	-	27	182	308	470	454	221	25	1	30
White, mother not stated	194	-	14	30	13	12	12	3	-	-	110
Negro	8,541	83	1,874	2,182	1,607	1,195	894	350	35	1	320
Other	173	1	16	38	36	38	28	10	4	-	2
Urban	23,278	38	2,433	5,982	5,990	4,453	2,684	891	82	1	724
White, mother native	17,715	3	1,484	4,789	4,992	3,445	1,912	580	59	-	451
White, mother foreign	1,412	-	23	150	266	397	368	172	16	1	19
White, mother not stated	111	-	7	16	7	8	8	1	-	-	64
Negro	3,994	35	914	1,018	715	592	385	138	7	-	190
Other	46	-	5	9	10	11	11	-	-	-	-
Places of 100,000 or more	11,441	13	994	2,893	3,062	2,352	1,366	423	39	1	298
White, mother native	8,432	-	530	2,286	2,527	1,764	908	247	26	-	144
White, mother foreign	931	-	16	84	187	268	253	106	9	1	7
White, mother not stated	56	-	2	5	4	3	5	1	-	-	36
Negro	1,995	13	445	511	338	308	196	69	4	-	111
Other	27	-	1	7	6	9	4	-	-	-	-
Places of 25,000 to 100,000	4,542	6	528	1,177	1,141	831	521	152	13	-	173
White, mother native	3,460	1	321	924	947	660	382	99	8	-	118
White, mother foreign	228	-	4	34	41	62	48	30	4	-	5
White, mother not stated	19	-	1	6	1	1	-	-	-	-	10
Negro	826	5	201	212	150	108	86	23	1	-	40
Other	9	-	1	1	2	-	5	-	-	-	-
Places of 10,000 to 25,000	3,251	10	398	859	831	563	342	129	9	-	110
White, mother native	2,549	2	267	704	688	444	262	93	9	-	80
White, mother foreign	122	-	3	13	22	35	31	14	-	-	4
White, mother not stated	19	-	3	3	1	2	2	-	-	-	8
Negro	556	8	123	139	118	81	47	22	-	-	18
Other	5	-	2	-	2	1	-	-	-	-	-
Places of 2,500 to 10,000	4,044	9	513	1,053	956	707	455	187	21	-	143
White, mother native	3,274	-	366	875	830	577	360	141	16	-	109
White, mother foreign	131	-	-	19	16	32	36	22	3	-	3
White, mother not stated	17	-	1	2	1	2	1	-	-	-	10
Negro	617	9	145	156	109	95	56	24	2	-	21
Other	5	-	1	1	-	1	2	-	-	-	-
Rural	17,360	64	2,475	4,331	3,653	2,835	2,200	1,012	130	2	658
White, mother native	12,297	15	1,493	3,092	2,687	2,128	1,584	739	89	1	469
White, mother foreign	306	-	4	32	42	73	86	49	9	-	11
White, mother not stated	83	-	7	14	8	4	4	2	-	-	46
Negro	4,547	48	980	1,164	892	603	509	212	28	1	130
Other	127	1	11	29	26	27	17	10	4	-	2

TABLE 13.—STILLBIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND SEX, URBAN AND RURAL: UNITED STATES, 1942—Continued

AREA, RACE AND SEX OF CHILD, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
FEMALE	32,506	62	3,781	8,304	7,890	5,878	3,929	1,527	159	5	971
White, mother native	24,444	14	2,348	6,437	6,341	4,582	2,877	1,107	110	4	646
White, mother foreign	1,442	-	23	151	277	389	370	185	22	1	24
White, mother not stated	132	1	7	17	14	8	5	4	-	-	76
Negro	6,336	47	1,396	1,660	1,224	877	661	222	26	-	223
Other	152	-	9	39	34	42	16	9	1	-	2
Urban	18,927	29	1,890	4,856	5,046	3,620	2,159	758	75	4	492
White, mother native	14,540	6	1,194	3,897	4,165	2,848	1,547	520	45	4	314
White, mother foreign	1,189	-	20	124	236	328	304	140	18	-	21
White, mother not stated	83	1	4	11	9	6	2	3	-	-	47
Negro	3,067	22	670	818	620	425	300	92	10	-	110
Other	48	-	2	6	16	15	6	3	-	-	-
Places of 100,000 or more	9,398	12	780	2,353	2,666	1,913	1,085	361	32	-	196
White, mother native	7,005	2	447	1,865	2,175	1,480	724	221	19	-	92
White, mother foreign	782	-	11	75	164	218	205	91	6	-	12
White, mother not stated	45	-	1	4	6	4	-	2	-	-	28
Negro	1,542	10	319	403	312	226	155	46	7	-	64
Other	24	-	2	6	9	5	1	1	-	-	-
Places of 25,000 to 100,000	3,819	9	412	1,044	985	657	414	162	14	1	121
White, mother native	2,946	1	251	836	819	514	313	116	8	1	87
White, mother foreign	211	-	2	25	35	66	48	25	5	-	5
White, mother not stated	11	-	2	1	1	-	1	-	-	-	6
Negro	645	8	157	182	129	75	51	19	1	-	23
Other	6	-	-	-	1	2	1	2	-	-	-
Places of 10,000 to 25,000	2,526	3	308	648	655	455	285	98	13	1	60
White, mother native	2,007	1	208	527	541	382	221	74	9	1	43
White, mother foreign	85	-	3	11	15	14	28	10	4	-	-
White, mother not stated	13	-	-	3	1	1	-	-	-	-	8
Negro	418	2	97	107	97	57	35	14	-	-	9
Other	3	-	-	-	1	1	1	-	-	-	-
Places of 2,500 to 10,000	3,184	5	390	811	740	595	375	137	14	2	115
White, mother native	2,582	2	288	669	630	492	289	109	9	2	92
White, mother foreign	111	-	4	13	22	28	23	14	3	-	4
White, mother not stated	14	1	1	3	1	1	1	1	-	-	5
Negro	462	2	97	126	82	67	59	13	2	-	14
Other	15	-	-	-	5	7	3	-	-	-	-
Rural	13,579	33	1,891	3,448	2,844	2,258	1,770	769	86	1	479
White, mother native	9,904	8	1,152	2,540	2,176	1,714	1,330	587	65	-	332
White, mother foreign	253	-	3	27	41	63	66	45	4	1	3
White, mother not stated	49	-	3	6	5	2	3	1	-	-	29
Negro	3,269	25	726	842	604	452	361	130	16	-	113
Other	104	-	7	33	18	27	10	6	1	-	2
NOT STATED	6,030	4	275	1,157	1,755	1,510	899	311	34	1	84
White, mother native	4,266	1	152	899	1,412	1,063	512	161	17	-	49
White, mother foreign	1,057	-	4	62	182	335	327	128	16	1	2
White, mother not stated	36	-	1	1	7	6	3	2	1	-	15
Negro	661	3	116	194	151	102	57	20	-	-	18
Other	10	-	2	1	3	4	-	-	-	-	-
Urban	5,599	3	214	1,057	1,667	1,439	849	285	32	1	52
White, mother native	3,973	1	122	834	1,344	1,013	476	142	16	-	25
White, mother foreign	1,043	-	4	61	180	331	323	125	16	1	2
White, mother not stated	29	-	-	1	7	6	2	2	-	-	11
Negro	547	2	86	160	134	87	48	16	-	-	14
Other	7	-	2	1	2	2	-	-	-	-	-
Places of 100,000 or more	5,248	2	180	994	1,588	1,371	792	260	30	1	30
White, mother native	3,678	-	98	778	1,269	954	432	119	15	-	13
White, mother foreign	1,019	-	4	59	180	324	311	123	15	1	2
White, mother not stated	26	-	-	1	7	5	2	2	-	-	9
Negro	518	2	76	155	130	86	47	16	-	-	6
Other	7	-	2	1	2	2	-	-	-	-	-
Places of 25,000 to 100,000	120	-	9	21	27	25	19	9	-	-	10
White, mother native	102	-	4	19	27	22	16	9	-	-	5
White, mother foreign	7	-	-	1	-	3	3	-	-	-	-
White, mother not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	11	-	5	1	-	-	-	-	-	-	5
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	93	-	2	21	25	20	13	5	1	-	6
White, mother native	69	-	2	17	22	15	7	4	-	-	2
White, mother foreign	13	-	-	1	-	4	6	1	1	-	-
White, mother not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	9	-	-	3	3	1	-	-	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	138	1	23	21	27	23	25	11	1	-	6
White, mother native	124	1	18	20	26	22	21	10	1	-	5
White, mother foreign	4	-	-	-	-	-	3	1	-	-	-
White, mother not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	9	-	5	1	1	-	1	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	431	1	61	100	88	71	50	26	2	-	32
White, mother native	293	-	30	65	68	50	36	19	1	-	24
White, mother foreign	14	-	-	1	2	4	4	3	-	-	-
White, mother not stated	7	-	1	-	-	-	1	-	1	-	4
Negro	114	1	30	34	17	15	9	4	-	-	4
Other	3	-	-	-	1	2	-	-	-	-	-

TABLE 14.—STILLBIRTHS BY SEX, AGE OF MOTHER, ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1942

(Figures for Massachusetts are included in the "total" and "not stated" groups; they are not given by order of birth because this State does not require the reporting of such information)

SEX, AGE OF MOTHER, AND ORDER OF BIRTH	Total still-births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
TOTAL	79,174	63,301	58,722	4,217	15,538	335
Male	40,638	31,924	30,012	1,718	8,541	173
Female	32,506	26,018	24,444	1,442	6,336	152
Not stated	6,030	5,359	4,266	1,057	661	10
10 to 14 years	168	34	33	-	133	1
15 to 19 years	8,964	5,551	5,475	54	3,386	27
20 to 24 years	19,774	15,660	15,217	395	4,036	78
25 to 29 years	19,288	16,233	15,432	767	2,982	73
30 to 34 years	14,676	12,418	11,198	1,194	2,174	84
35 to 39 years	9,712	8,056	6,885	1,151	1,612	44
40 to 44 years	3,741	3,130	2,587	534	592	19
45 to 49 years	405	339	275	63	61	5
50 to 54 years	9	8	5	3	1	-
Not stated	2,437	1,872	1,615	56	561	4
FIRST CHILD	28,690	24,313	23,130	1,094	4,295	82
Male	14,749	12,343	11,858	431	2,362	44
Female	11,768	9,967	9,561	377	1,765	36
Not stated	2,173	2,003	1,711	286	168	2
10 to 14 years	167	34	33	-	132	1
15 to 19 years	6,217	4,125	4,072	36	2,076	16
20 to 24 years	9,629	8,440	8,204	213	1,158	31
25 to 29 years	6,979	6,462	6,107	346	498	19
30 to 34 years	3,606	3,343	3,048	287	252	11
35 to 39 years	1,376	1,278	1,107	167	95	3
40 to 44 years	256	236	199	36	19	1
45 to 49 years	19	18	16	2	1	-
50 to 54 years	1	1	-	1	-	-
Not stated	440	376	344	6	64	-
SECOND CHILD	13,524	11,243	10,503	695	2,230	51
Male	6,716	5,474	5,196	261	1,217	25
Female	5,460	4,537	4,305	213	899	24
Not stated	1,348	1,232	1,002	221	114	2
10 to 14 years	1	-	-	-	1	-
15 to 19 years	1,613	875	861	10	732	6
20 to 24 years	4,186	3,314	3,229	73	850	22
25 to 29 years	3,820	3,471	3,296	167	333	16
30 to 34 years	2,466	2,284	2,028	253	177	5
35 to 39 years	1,028	944	795	147	83	1
40 to 44 years	223	201	161	38	22	-
45 to 49 years	15	13	11	2	2	-
Not stated	172	141	122	5	30	1
THIRD CHILD	8,736	7,007	6,444	539	1,701	28
Male	4,319	3,405	3,213	182	904	10
Female	3,508	2,799	2,627	162	693	16
Not stated	909	803	604	195	104	2
15 to 19 years	460	185	183	2	272	3
20 to 24 years	2,366	1,615	1,580	31	741	10
25 to 29 years	2,458	2,069	1,978	87	383	6
30 to 34 years	2,007	1,826	1,623	198	174	7
35 to 39 years	1,077	983	804	174	94	-
40 to 44 years	257	231	187	44	24	2
45 to 49 years	21	18	16	2	3	-
Not stated	90	80	73	1	10	-
FOURTH CHILD	5,816	4,473	4,112	345	1,315	28
Male	2,885	2,161	2,027	130	709	15
Female	2,432	1,878	1,777	92	541	13
Not stated	499	434	308	123	65	-
15 to 19 years	117	34	34	-	83	-
20 to 24 years	1,206	703	696	10	490	8
25 to 29 years	1,628	1,244	1,209	31	378	6
30 to 34 years	1,448	1,219	1,117	99	220	9
35 to 39 years	1,004	895	759	135	106	3
40 to 44 years	315	290	224	66	23	2
45 to 49 years	23	23	20	3	-	-
50 to 54 years	2	1	1	-	1	-
Not stated	73	59	52	1	14	-
FIFTH CHILD	3,895	2,862	2,582	275	1,009	24
Male	2,025	1,455	1,350	104	557	13
Female	1,558	1,135	1,049	85	412	11
Not stated	312	272	183	86	40	-
15 to 19 years	34	8	8	-	26	-
20 to 24 years	500	230	222	8	268	2
25 to 29 years	1,107	719	698	21	381	7
30 to 34 years	1,055	853	789	63	191	11
35 to 39 years	833	722	608	114	108	3
40 to 44 years	296	277	215	61	19	-
45 to 49 years	29	24	18	6	5	-
Not stated	41	29	24	2	11	1
SIXTH CHILD	2,750	1,932	1,749	176	797	21
Male	1,449	984	896	82	457	8
Female	1,157	840	773	66	304	13
Not stated	144	108	80	28	36	-
15 to 19 years	5	2	2	-	3	-
20 to 24 years	227	87	84	2	139	1
25 to 29 years	707	410	393	16	289	8
SIXTH CHILD—Continued						
30 to 34 years	807	596	556	40	205	6
35 to 39 years	673	552	472	79	116	5
40 to 44 years	262	230	195	33	31	1
45 to 49 years	26	25	20	5	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	42	29	26	1	13	-
SEVENTH CHILD	2,109	1,424	1,304	114	667	18
Male	1,130	748	692	53	371	11
Female	880	604	567	35	270	6
Not stated	99	72	45	26	26	1
20 to 24 years	103	29	28	1	74	-
25 to 29 years	433	212	206	6	217	4
30 to 34 years	681	461	432	27	214	6
35 to 39 years	607	483	437	45	117	7
40 to 44 years	230	200	170	29	29	1
45 to 49 years	29	25	19	6	4	-
50 to 54 years	1	1	1	-	-	-
Not stated	25	13	11	-	12	-
EIGHTH CHILD	1,600	1,056	966	86	526	18
Male	847	542	505	35	293	12
Female	697	471	430	40	220	6
Not stated	56	43	31	11	13	-
20 to 24 years	32	10	10	-	22	-
25 to 29 years	223	98	94	4	124	1
30 to 34 years	492	293	280	13	189	10
35 to 39 years	551	394	354	38	151	6
40 to 44 years	253	218	193	25	34	1
45 to 49 years	28	26	23	3	2	-
50 to 54 years	1	1	-	1	-	-
Not stated	20	16	12	2	4	-
NINTH CHILD	1,255	820	737	81	420	15
Male	646	405	368	35	233	8
Female	556	372	336	36	177	7
Not stated	53	43	33	10	10	-
20 to 24 years	25	10	10	-	15	-
25 to 29 years	142	54	52	1	85	3
30 to 34 years	328	187	175	11	135	6
35 to 39 years	441	306	279	27	131	4
40 to 44 years	281	236	198	38	44	1
45 to 49 years	25	19	16	3	5	1
50 to 54 years	1	1	1	-	-	-
Not stated	12	7	6	1	5	-
TENTH CHILD	974	625	564	59	341	8
Male	550	350	319	30	195	5
Female	399	258	232	25	138	3
Not stated	25	17	13	4	8	-
20 to 24 years	13	5	5	-	8	-
25 to 29 years	69	16	15	1	53	-
30 to 34 years	233	128	117	11	101	4
35 to 39 years	380	256	238	18	122	2
40 to 44 years	247	192	166	25	53	2
45 to 49 years	26	23	20	3	3	-
Not stated	6	5	3	1	1	-
ELEVENTH CHILD	689	427	380	46	253	9
Male	364	237	212	24	123	4
Female	305	174	156	18	126	5
Not stated	20	16	12	4	4	-
20 to 24 years	4	1	1	-	3	-
25 to 29 years	35	13	13	-	22	-
30 to 34 years	122	51	48	3	68	3
35 to 39 years	272	164	148	16	104	4
40 to 44 years	214	166	145	21	47	1
45 to 49 years	29	24	20	4	4	1
Not stated	13	8	5	2	5	-
TWELFTH CHILD	478	308	281	27	163	7
Male	266	173	162	11	89	4
Female	199	128	115	13	69	2
Not stated	13	7	4	3	5	1
25 to 29 years	10	3	3	-	7	-
30 to 34 years	74	31	26	5	41	2
35 to 39 years	201	129	120	9	71	1
40 to 44 years	164	123	112	11	39	2
45 to 49 years	22	18	16	2	3	1
Not stated	7	4	4	-	2	1
THIRTEENTH CHILD	364	188	159	28	173	3
Male	212	108	87	20	102	2
Female	149	78	70	8	70	1
Not stated	3	2	2	-	1	-
25 to 29 years	10	4	3	1	6	-
30 to 34 years	50	20	19	1	30	-
35 to 39 years	151	69	59	9	80	2
40 to 44 years	130	80	68	12	49	1
45 to 49 years	19	12	8	4	7	-
Not stated	4	3	2	1	1	-

[1]Includes "Nativity not stated."

TABLE 14.—STILLBIRTHS BY SEX, AGE OF MOTHER, ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1942—Continued

(See headnote on p. 178)

SEX, AGE OF MOTHER, AND ORDER OF BIRTH	Total still-births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
FOURTEENTH CHILD	247	137	118	19	109	1
Male	154	86	74	12	67	1
Female	85	47	40	7	38	-
Not stated	8	4	4	-	4	-
25 to 29 years	7	2	1	1	5	-
30 to 34 years	17	6	5	1	11	-
35 to 39 years	96	48	42	6	47	1
40 to 44 years	101	63	55	8	38	-
45 to 49 years	22	15	13	2	7	-
50 to 54 years	1	1	-	1	-	-
Not stated	3	2	2	-	1	-
FIFTEENTH CHILD	151	80	65	15	71	-
Male	80	47	40	7	33	-
Female	68	32	25	7	36	-
Not stated	3	1	-	1	2	-
25 to 29 years	2	-	-	-	2	-
30 to 34 years	14	7	5	2	7	-
35 to 39 years	47	27	22	5	20	-
40 to 44 years	71	34	26	8	37	-
45 to 49 years	15	10	10	-	5	-
Not stated	2	2	2	-	-	-
SIXTEENTH CHILD	75	39	30	9	36	-
Male	41	22	16	6	19	-
Female	33	17	14	3	16	-
Not stated	1	-	-	-	1	-
25 to 29 years	1	-	-	-	1	-
30 to 34 years	9	1	1	-	8	-
35 to 39 years	21	10	8	2	11	-
40 to 44 years	35	20	15	5	15	-
45 to 49 years	8	8	6	2	-	-
Not stated	1	-	-	-	1	-
SEVENTEENTH CHILD	44	23	20	3	21	-
Male	21	10	8	2	11	-
Female	22	13	12	1	9	-
Not stated	1	-	-	-	1	-
30 to 34 years	5	3	3	-	2	-
35 to 39 years	12	3	3	-	9	-
40 to 44 years	22	13	11	2	9	-
45 to 49 years	4	4	3	1	-	-
Not stated	1	-	-	-	1	-
EIGHTEENTH CHILD	28	11	8	3	17	-
Male	17	6	5	1	11	-
Female	11	5	3	2	6	-
30 to 34 years	3	1	1	-	2	-
35 to 39 years	9	2	1	1	7	-
40 to 44 years	13	8	6	2	5	-
45 to 49 years	3	-	-	-	3	-
NINETEENTH CHILD	10	3	3	-	7	-
Male	6	1	1	-	5	-
Female	4	2	2	-	2	-
30 to 34 years	1	1	1	-	-	-
35 to 39 years	5	-	-	-	5	-
40 to 44 years	3	1	1	-	2	-
45 to 49 years	1	1	1	-	-	-
TWENTIETH CHILD	11	6	4	2	5	-
Male	6	2	2	-	4	-
Female	4	3	2	1	1	-
Not stated	1	1	-	1	-	-
35 to 39 years	3	2	2	-	1	-
40 to 44 years	5	1	-	1	4	-
45 to 49 years	3	3	2	1	-	-
TWENTY-FIRST CHILD	9	5	5	-	4	-
Male	6	4	4	-	2	-
Female	3	1	1	-	2	-
35 to 39 years	3	1	1	-	2	-
40 to 44 years	6	4	4	-	2	-
TWENTY-SECOND CHILD AND OVER	11	7	7	-	4	-
Male	7	6	6	-	1	-
Female	4	1	1	-	3	-
35 to 39 years	2	-	-	-	2	-
40 to 44 years	6	5	5	-	1	-
45 to 49 years	2	1	1	-	1	-
Not stated	1	1	1	-	-	-
NOT STATED	7,708	6,312	5,551	601	1,374	22
Male	4,142	3,355	2,971	292	776	11
Female	3,204	2,656	2,346	251	539	9
Not stated	362	301	234	58	59	2
15 to 19 years	518	322	315	6	194	2
20 to 24 years	1,483	1,211	1,148	57	268	4
25 to 29 years	1,657	1,456	1,364	85	198	3
30 to 34 years	1,258	1,107	924	180	147	4
35 to 39 years	920	788	628	159	130	2
40 to 44 years	351	301	231	69	46	4
45 to 49 years	36	29	16	12	5	2
50 to 54 years	1	1	1	-	-	-
Not stated	1,484	1,097	928	35	386	1

[1]Includes "Nativity not stated."

TABLE 15.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	79,174	47,804	26,087	8,481	5,870	7,366	31,370
White	63,301	40,095	21,974	6,984	4,879	6,258	23,206
Nonwhite	15,873	7,709	4,113	1,497	991	1,108	8,164
Alabama	2,383	855	255	238	154	208	1,528
White	1,128	346	79	94	70	103	782
Nonwhite	1,255	509	176	144	84	105	746
Arizona	287	158	...	100	...	58	129
White	244	144	...	89	...	55	100
Nonwhite	43	14	...	11	...	3	29
Arkansas	1,189	342	...	79	91	172	847
White	749	225	...	54	50	121	524
Nonwhite	440	117	...	25	41	51	323
California	2,908	2,196	1,200	396	243	357	712
White	2,750	2,072	1,115	381	233	343	678
Nonwhite	158	124	85	15	10	14	34
Colorado	563	329	175	43	31	80	234
White	553	322	170	42	31	79	231
Nonwhite	10	7	5	1	-	1	3
Connecticut	736	544	219	197	102	26	192
White	705	515	201	189	99	26	190
Nonwhite	31	29	18	8	3	-	2
Delaware	142	63	50	...	...	13	79
White	104	47	39	...	...	8	57
Nonwhite	38	16	11	...	...	5	22
District of Columbia	409	409	409	...	...	...	...
White	204	204	204	...	...	...	...
Nonwhite	205	205	205	...	...	...	...
Florida	1,551	839	352	143	164	180	712
White	805	435	186	81	81	87	370
Nonwhite	746	404	166	62	83	93	342
Georgia	2,807	1,127	233	399	246	249	1,680
White	1,290	553	130	180	114	129	737
Nonwhite	1,517	574	103	219	132	120	943
Idaho	239	109	...	11	55	43	130
White	234	109	...	11	55	43	125
Nonwhite	5	-	...	-	-	-	5
Illinois	3,445	2,754	1,697	464	221	372	691
White	3,155	2,488	1,507	418	202	361	667
Nonwhite	290	266	190	46	19	11	24
Indiana	1,506	902	337	294	132	139	604
White	1,437	834	295	268	132	139	603
Nonwhite	69	68	42	26	-	-	1
Iowa	982	434	52	218	55	109	548
White	964	419	46	212	53	108	545
Nonwhite	18	15	6	6	2	1	3
Kansas	712	384	153	37	103	91	328
White	670	347	134	35	89	89	323
Nonwhite	42	37	19	2	14	2	5
Kentucky	1,768	516	176	129	54	157	1,252
White	1,652	465	154	119	50	142	1,187
Nonwhite	116	51	22	10	4	15	65
Louisiana	1,860	865	314	227	80	244	995
White	790	415	147	107	40	121	375
Nonwhite	1,070	450	167	120	40	123	620
Maine	442	171	...	69	55	47	271
White	439	170	...	69	54	47	269
Nonwhite	3	1	...	-	1	-	2
Maryland	1,585	989	772	61	65	91	596
White	1,082	652	468	60	39	85	430
Nonwhite	503	337	304	1	26	6	166
Massachusetts	2,039	1,832	817	556	318	141	207
White	2,008	1,807	797	555	316	139	201
Nonwhite	31	25	20	1	2	2	6
Michigan	3,055	2,066	1,145	448	196	277	989
White	2,870	1,891	999	432	190	270	979
Nonwhite	185	175	146	16	6	7	10
Minnesota	1,282	676	438	8	85	145	606
White	1,264	668	430	8	85	145	596
Nonwhite	18	8	8	-	-	-	10
Mississippi	2,378	467	...	109	191	167	1,911
White	677	193	...	42	87	64	484
Nonwhite	1,701	274	...	67	104	103	1,427
Missouri	2,175	1,267	832	103	144	188	908
White	1,850	998	597	100	129	172	852
Nonwhite	325	269	235	3	15	16	56

TABLE 15.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—CONTINUED

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	207	100	...	43	34	23	107
White	200	100	...	43	34	23	100
Nonwhite	7	-	...	-	-	-	7
Nebraska	517	202	100	23	41	38	315
White	510	198	98	23	40	37	312
Nonwhite	7	4	2	-	1	1	3
Nevada	59	26	...	...	10	16	33
White	55	25	...	...	9	16	30
Nonwhite	4	1	...	...	1	-	3
New Hampshire	245	151	...	86	50	15	94
White	245	151	...	86	50	15	94
Nonwhite	-	-	...	-	-	-	-
New Jersey	2,086	1,723	694	450	262	317	363
White	1,885	1,547	597	412	241	297	338
Nonwhite	201	176	97	38	21	20	25
New Mexico	334	144	...	23	43	78	190
White	329	140	...	22	43	75	189
Nonwhite	5	4	...	1	-	3	1
New York	12,506	11,571	10,315	390	474	392	935
White	11,376	10,463	9,248	374	457	384	913
Nonwhite	1,130	1,108	1,067	16	17	8	22
North Carolina	2,825	990	82	347	305	256	1,835
White	1,567	581	47	184	179	171	986
Nonwhite	1,258	409	35	163	126	85	849
North Dakota	234	50	...	9	18	23	184
White	221	50	...	9	18	23	171
Nonwhite	13	-	...	-	-	-	13
Ohio	3,619	2,522	1,565	344	280	333	1,097
White	3,330	2,254	1,353	314	266	321	1,076
Nonwhite	289	268	212	30	14	12	21
Oklahoma	914	391	157	28	92	114	523
White	783	337	139	23	79	96	446
Nonwhite	131	54	18	5	13	18	77
Oregon	379	202	94	10	31	67	177
White	372	201	93	10	31	67	171
Nonwhite	7	1	1	-	-	-	6
Pennsylvania	4,878	3,174	1,380	581	597	616	1,704
White	4,480	2,813	1,127	530	556	600	1,667
Nonwhite	398	361	253	51	41	16	37
Rhode Island	322	288	118	117	43	10	34
White	317	283	115	116	42	10	34
Nonwhite	5	5	3	1	1	-	-
South Carolina	1,996	563	...	221	100	242	1,433
White	657	253	...	96	43	114	404
Nonwhite	1,339	310	...	125	57	128	1,029
South Dakota	248	77	...	20	27	30	171
White	230	76	...	20	27	29	154
Nonwhite	18	1	...	-	-	1	17
Tennessee	1,460	597	394	18	69	116	863
White	1,114	391	237	15	49	90	723
Nonwhite	346	206	157	3	20	26	140
Texas	3,684	2,071	735	527	270	539	1,613
White	2,874	1,654	565	428	203	458	1,220
Nonwhite	810	417	170	99	67	81	393
Utah	281	164	80	30	9	45	117
White	278	164	80	30	9	45	114
Nonwhite	3	-	-	-	-	-	3
Vermont	176	74	...	8	16	50	102
White	176	74	...	8	16	50	102
Nonwhite	-	-	...	-	-	-	-
Virginia	2,292	894	292	385	52	165	1,398
White	1,377	534	132	223	36	143	843
Nonwhite	915	360	160	162	16	22	555
Washington	606	358	231	25	56	46	248
White	588	352	226	25	56	45	236
Nonwhite	18	6	5	-	-	1	12
West Virginia	1,527	443	...	198	84	161	1,084
White	1,401	411	...	181	77	153	990
Nonwhite	126	32	...	17	7	8	94
Wisconsin	1,229	689	224	269	85	111	540
White	1,210	679	219	266	83	111	531
Nonwhite	19	10	5	3	2	-	9
Wyoming	107	46	...	...	37	9	61
White	102	45	...	...	36	9	57
Nonwhite	5	1	...	...	1	-	4

TABLE 16.—STILLBIRTHS BY PERSON IN ATTENDANCE AND BY RACE: UNITED STATES AND EACH STATE, 1942

AREA AND RACE	Total	STILLBIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	79,174	52,335	19,837	6,225	777
White	63,301	46,760	15,292	845	404
Nonwhite	15,873	5,575	4,545	5,380	373
Alabama	2,383	748	950	619	66
White	1,128	506	559	44	19
Nonwhite	1,255	242	391	575	47
Arizona	287	217	63	3	4
White	244	183	56	3	2
Nonwhite	43	34	7	-	2
Arkansas	1,189	340	577	255	17
White	749	288	436	18	7
Nonwhite	440	52	141	237	10
California	2,908	2,600	286	-	22
White	2,750	2,477	256	-	17
Nonwhite	158	123	30	-	5
Colorado	563	418	132	2	11
White	553	409	131	2	11
Nonwhite	10	9	1	-	-
Connecticut	736	674	62	-	-
White	705	650	55	-	-
Nonwhite	31	24	7	-	-
Delaware	142	101	35	6	-
White	104	80	24	-	-
Nonwhite	38	21	11	6	-
District of Columbia	409	325	84	-	-
White	204	175	29	-	-
Nonwhite	205	150	55	-	-
Florida	1,551	743	375	428	5
White	805	554	206	44	1
Nonwhite	746	189	169	384	4
Georgia	2,807	1,054	815	925	13
White	1,290	763	447	74	6
Nonwhite	1,517	291	368	851	7
Idaho	239	194	45	-	-
White	234	190	44	-	-
Nonwhite	5	4	1	-	-
Illinois	3,445	2,839	604	1	1
White	3,155	2,650	504	-	1
Nonwhite	290	189	100	1	-
Indiana	1,506	1,082	419	3	2
White	1,437	1,049	383	3	2
Nonwhite	69	33	36	-	-
Iowa	982	730	250	-	2
White	964	718	246	-	-
Nonwhite	18	12	4	-	2
Kansas	712	531	179	-	2
White	670	513	156	-	1
Nonwhite	42	18	23	-	1
Kentucky	1,768	558	1,032	141	37
White	1,652	524	962	133	33
Nonwhite	116	34	70	8	4
Louisiana	1,860	994	434	357	75
White	790	539	216	26	9
Nonwhite	1,070	455	218	331	66
Maine	442	306	136	-	-
White	439	303	136	-	-
Nonwhite	3	3	-	-	-
Maryland	1,585	713	791	68	13
White	1,082	533	533	10	6
Nonwhite	503	180	258	58	7
Massachusetts	2,039	1,817	219	1	2
White	2,008	1,793	212	1	2
Nonwhite	31	24	7	-	-
Michigan	3,055	2,406	633	4	12
White	2,870	2,285	572	4	9
Nonwhite	185	121	61	-	3
Minnesota	1,282	1,098	177	3	4
White	1,264	1,085	174	3	2
Nonwhite	18	13	3	-	2
Mississippi	2,378	576	643	1,131	28
White	677	345	303	27	2
Nonwhite	1,701	231	340	1,104	26
Missouri	2,175	1,372	700	22	81
White	1,850	1,157	632	11	50
Nonwhite	325	215	68	11	31
Montana	207	184	19	-	4
White	200	178	19	-	3
Nonwhite	7	6	-	-	1
Nebraska	517	376	140	-	1
White	510	370	139	-	1
Nonwhite	7	6	1	-	-
Nevada	59	50	9	-	-
White	55	48	7	-	-
Nonwhite	4	2	2	-	-
New Hampshire	245	216	29	-	-
White	245	216	29	-	-
Nonwhite	-	-	-	-	-
New Jersey	2,086	1,786	298	1	1
White	1,885	1,643	240	1	1
Nonwhite	201	143	58	-	-
New Mexico	334	143	116	53	22
White	329	141	114	52	22
Nonwhite	5	2	2	1	-
New York	12,506	11,170	1,289	3	44
White	11,376	10,222	1,113	3	38
Nonwhite	1,130	948	176	-	6
North Carolina	2,825	1,132	1,138	493	62
White	1,567	843	626	74	24
Nonwhite	1,258	289	512	419	38
North Dakota	234	177	52	1	4
White	221	166	51	1	3
Nonwhite	13	11	1	-	1
Ohio	3,619	2,809	798	2	10
White	3,330	2,628	696	2	4
Nonwhite	289	181	102	-	6
Oklahoma	914	529	357	21	7
White	783	477	295	8	3
Nonwhite	131	52	62	13	4
Oregon	379	349	30	-	-
White	372	342	30	-	-
Nonwhite	7	7	-	-	-
Pennsylvania	4,878	3,670	1,188	3	17
White	4,480	3,383	1,079	3	15
Nonwhite	398	287	109	-	2
Rhode Island	322	280	41	-	1
White	317	278	38	-	1
Nonwhite	5	2	3	-	-
South Carolina	1,996	619	514	855	8
White	657	387	239	31	-
Nonwhite	1,339	232	275	824	8
South Dakota	248	192	53	-	3
White	230	177	51	-	2
Nonwhite	18	15	2	-	1
Tennessee	1,460	652	741	51	16
White	1,114	519	568	16	11
Nonwhite	346	133	173	35	5
Texas	3,684	1,904	1,329	379	72
White	2,874	1,647	1,044	149	34
Nonwhite	810	257	285	230	38
Utah	281	222	57	-	2
White	278	219	57	-	2
Nonwhite	3	3	-	-	-
Vermont	176	123	53	-	-
White	176	123	53	-	-
Nonwhite	-	-	-	-	-
Virginia	2,292	1,032	826	353	81
White	1,377	785	492	63	37
Nonwhite	915	247	334	290	44
Washington	606	567	36	-	3
White	588	552	34	-	2
Nonwhite	18	15	2	-	1
West Virginia	1,527	647	823	40	17
White	1,401	596	751	38	16
Nonwhite	126	51	72	2	1
Wisconsin	1,229	979	244	1	5
White	1,210	965	239	1	5
Nonwhite	19	14	5	-	-
Wyoming	107	91	16	-	-
White	102	86	16	-	-
Nonwhite	5	5	-	-	-

TABLE 17.—DEATHS OF RESIDENTS, BY PLACE OF OCCURRENCE: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

STATE OF RESIDENCE	Total deaths of residents	DEATHS OF RESIDENTS OCCURRING		DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]													
		In place of residence	In other areas of same State	Total	Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	Ind.
UNITED STATES	1,385,187	1,140,435	210,955	33,797	498	910	466	1,311	475	449	129	1,147	1,767	635	287	1,366	881
Alabama	26,084	22,050	3,419	615	...	6	4	8	6	-	-	5	95	192	-	13	2
Arizona	5,586	4,443	964	179	-	...	-	72	6	1	-	1	-	-	2	5	-
Arkansas	15,764	12,883	2,085	796	6	14	...	21	6	-	-	2	8	1	1	17	7
California	84,851	64,115	19,619	1,117	3	255	6	...	32	3	1	5	18	1	25	23	11
Colorado	12,532	10,088	2,130	314	2	25	4	58	...	-	-	-	4	1	4	3	2
Connecticut	18,456	14,802	3,076	578	1	3	2	5	-	...	1	4	51	-	1	4	-
Delaware	3,331	2,748	448	135	-	-	-	1	-	-	...	4	4	-	-	1	-
District of Columbia	8,417	7,871	...	546	2	3	4	3	6	5	2	...	19	3	-	4	4
Florida	21,207	17,269	3,307	631	89	4	4	10	2	7	1	10	...	145	1	13	10
Georgia	29,083	24,956	3,495	632	111	3	2	8	3	1	-	5	155	...	-	4	2
Idaho	4,648	3,280	1,056	312	1	6	-	24	3	-	-	1	-	-	...	4	1
Illinois	87,777	73,226	12,111	2,440	7	54	39	77	21	7	-	5	113	9	4	...	375
Indiana	39,308	32,140	6,171	997	3	15	5	26	6	2	1	1	53	6	2	317	...
Iowa	25,001	19,772	4,572	657	-	20	3	36	16	-	1	1	12	2	4	86	2
Kansas	18,149	14,247	3,164	738	2	23	12	37	47	-	1	-	6	1	3	36	6
Kentucky	28,279	24,753	2,666	860	20	10	5	5	8	2	1	8	20	7	-	41	101
Louisiana	23,010	18,495	4,145	370	23	9	25	12	5	-	-	2	11	10	-	26	3
Maine	10,446	8,279	1,891	276	-	1	-	3	1	9	-	4	16	-	-	-	-
Maryland	22,168	18,843	2,418	907	2	8	-	4	-	4	30	539	26	1	-	4	4
Massachusetts	51,036	42,823	7,431	782	3	7	1	28	1	87	4	10	85	4	3	6	1
Michigan	52,827	42,906	9,098	823	3	19	5	43	5	4	-	2	91	3	2	110	99
Minnesota	25,851	20,709	4,568	574	-	16	2	31	9	1	1	-	11	3	3	36	3
Mississippi	20,794	17,522	2,743	529	87	2	7	4	2	1	-	3	8	5	-	12	1
Missouri	41,888	34,577	6,019	1,292	4	24	86	44	25	-	-	1	12	5	5	229	16
Montana	5,516	4,119	1,174	223	-	4	-	20	2	-	-	-	-	-	20	5	1
Nebraska	12,359	10,000	1,952	407	-	5	-	36	56	1	-	-	1	-	4	20	1
Nevada	1,634	1,111	397	126	-	4	1	78	2	-	-	-	-	-	9	-	1
New Hampshire	5,662	4,713	644	305	1	2	1	2	1	7	-	1	14	-	-	1	-
New Jersey	46,716	35,105	9,768	1,843	5	9	1	9	2	28	24	9	105	6	1	4	1
New Mexico	5,203	4,138	791	274	-	66	1	30	35	-	-	-	2	-	1	-	-
New York	149,820	133,665	13,972	2,183	11	36	9	66	18	221	14	23	364	20	1	20	16
North Carolina	29,414	24,438	4,458	518	9	2	3	7	-	2	2	14	25	26	-	4	1
North Dakota	4,818	3,481	1,090	247	1	1	-	8	2	-	-	1	4	-	2	2	2
Ohio	78,000	66,768	9,761	1,471	9	24	7	37	13	2	1	7	134	15	4	67	155
Oklahoma	19,324	15,251	3,261	812	5	56	76	54	16	-	-	2	5	1	1	23	4
Oregon	12,865	9,902	2,618	345	-	8	1	97	1	-	-	1	4	-	42	1	-
Pennsylvania	110,174	89,364	18,920	1,890	2	23	7	34	5	19	33	34	121	11	2	10	12
Rhode Island	8,166	6,443	1,454	269	-	6	-	-	1	16	2	2	19	-	-	-	-
South Carolina	18,306	15,413	2,528	365	13	-	1	4	-	1	-	5	27	95	-	3	-
South Dakota	5,432	4,188	982	262	1	4	-	11	4	-	-	-	1	-	2	10	1
Tennessee	27,017	23,160	3,249	608	51	8	27	9	5	-	-	4	30	34	1	18	13
Texas	59,315	50,262	8,023	1,030	10	84	101	75	39	2	2	5	20	11	1	45	2
Utah	4,849	3,821	906	122	-	13	-	41	8	-	-	1	1	-	20	1	-
Vermont	4,250	3,391	685	174	-	1	-	1	-	7	-	1	11	1	-	-	-
Virginia	29,197	23,986	4,124	1,087	5	4	2	9	5	5	7	412	20	4	-	3	5
Washington	20,552	15,980	4,003	569	-	6	-	88	5	-	-	-	6	2	100	4	2
West Virginia	16,975	13,430	2,895	650	5	7	4	5	-	2	-	10	13	3	-	2	4
Wisconsin	31,004	23,880	6,399	725	1	5	8	23	3	2	-	1	21	7	1	125	10
Wyoming	2,126	1,629	305	192	-	5	-	7	42	-	-	1	1	-	15	4	-

DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	805	820	489	616	162	1,029	1,043	738	1,043	412	1,425	183	346	222	280	1,126	418	2,270
Alabama	-	-	7	20	-	4	5	6	2	87	8	-	-	-	-	1	1	4
Arizona	4	1	-	3	-	-	2	-	2	-	2	2	-	3	-	-	39	3
Arkansas	4	10	8	71	1	2	2	6	4	30	86	1	1	3	1	-	5	1
California	27	19	3	15	-	6	8	21	28	4	24	12	12	136	-	8	52	33
Colorado	2	28	1	1	-	1	2	1	5	-	19	3	17	6	-	1	37	2
Connecticut	-	1	-	1	14	3	147	-	2	-	1	-	-	-	7	16	3	244
Delaware	-	-	-	-	-	42	-	1	-	-	1	-	-	-	-	12	-	8
District of Columbia	2	-	1	1	3	295	8	2	-	1	-	1	1	-	-	17	1	35
Florida	3	1	6	17	1	22	5	12	13	18	5	-	1	1	3	22	1	50
Georgia	-	-	9	11	-	4	16	6	2	10	1	1	1	-	-	4	-	10
Idaho	1	1	-	1	-	-	-	-	3	-	1	18	4	3	1	-	1	-
Illinois	299	26	39	19	1	4	16	134	96	14	581	3	10	7	-	11	13	37
Indiana	9	4	109	7	-	5	5	93	22	7	15	2	3	2	1	4	6	12
Iowa	...	14	-	1	-	3	2	8	143	2	51	2	111	2	-	4	6	6
Kansas	8	...	-	2	1	-	-	4	9	2	340	1	65	3	-	1	16	3
Kentucky	1	-	...	5	-	8	4	15	7	5	22	1	-	2	-	3	3	4
Louisiana	2	2	-	...	-	7	2	3	1	115	8	-	-	-	-	2	6	7
Maine	-	-	1	2	...	2	117	-	1	1	-	-	-	-	70	2	-	31
Maryland	1	1	1	3	2	...	11	-	-	1	-	1	-	1	-	20	1	24
Massachusetts	2	1	2	4	61	7	...	2	4	2	6	3	-	1	89	36	-	118
Michigan	7	4	6	5	-	4	11	...	38	5	15	2	-	3	2	7	1	37

[1] The figures given in the row opposite each State in the stub show the number of deaths of residents of that State which occurred in each State named at the top of the column.

TABLE 17.—DEATHS OF RESIDENTS, BY PLACE OF OCCURRENCE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	62	2	-	3	2	2	3	11	...	-	12	12	5	-	-	1	3	6
Mississippi	-	-	2	126	-	2	4	3	2	...	12	-	-	-	-	1	1	3
Missouri	112	433	12	8	1	3	7	15	15	3	...	3	21	-	-	5	11	8
Montana	6	-	-	-	-	-	2	2	32	-	-	...	4	3	-	1	1	2
Nebraska	118	30	-	1	-	1	1	2	18	1	26	2	...	1	-	-	3	4
Nevada	-	-	-	1	-	-	-	-	-	-	-	1	1	...	-	1	2	-
New Hampshire	-	1	-	-	30	-	177	1	-	-	-	-	-	-	...	4	-	12
New Jersey	1	1	-	7	5	34	36	3	-	3	7	-	2	-	4	...	1	867
New Mexico	2	1	-	1	-	-	2	1	1	-	1	-	1	2	-	-	...	1
New York	4	4	3	21	20	61	150	24	12	4	8	2	3	5	15	476	8	...
North Carolina	1	-	3	8	1	25	6	2	-	2	3	-	-	1	-	8	-	10
North Dakota	5	-	-	-	-	-	1	2	135	-	1	33	-	-	-	-	-	3
Ohio	8	6	91	11	1	21	11	177	16	4	21	4	-	2	-	13	8	69
Oklahoma	3	185	2	8	-	4	2	3	14	5	68	3	6	1	-	-	35	3
Oregon	4	2	2	-	1	-	-	1	2	-	1	6	4	4	-	-	3	-
Pennsylvania	2	3	7	8	10	195	30	22	9	3	8	3	-	5	3	415	1	482
Rhode Island	-	-	-	-	3	1	178	1	-	-	1	-	-	-	6	4	-	19
South Carolina	-	-	2	8	-	9	4	1	1	-	1	-	-	-	-	2	-	11
South Dakota	48	2	-	-	-	-	-	2	79	-	1	6	36	1	-	-	2	-
Tennessee	2	1	112	9	-	12	5	14	2	60	23	1	1	1	-	2	5	5
Texas	11	22	5	196	1	1	3	20	13	20	26	3	4	7	-	1	125	12
Utah	-	3	-	-	-	1	1	-	1	-	-	-	1	11	-	-	5	-
Vermont	-	1	-	-	-	-	37	-	2	-	-	-	-	-	77	1	-	31
Virginia	1	1	21	5	2	121	11	6	2	1	3	-	-	1	1	14	2	34
Washington	4	4	-	-	-	-	3	4	8	-	1	30	-	1	-	-	3	3
West Virginia	-	-	31	1	1	116	3	4	3	-	4	-	-	1	-	4	3	9
Wisconsin	38	-	2	5	-	1	3	103	264	1	8	3	4	1	-	2	3	7
Wyoming	2	5	1	-	-	-	-	-	10	-	3	18	27	1	-	-	1	-

DEATHS OF RESIDENTS OCCURRING IN OTHER STATES[1]—Continued

STATE OF RESIDENCE	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.
UNITED STATES	807	221	1,202	338	557	1,412	224	270	85	1,220	650	256	119	775	501	632	579	200
Alabama	19	-	5	-	1	2	1	5	-	83	8	-	-	5	3	4	-	3
Arizona	-	-	4	4	1	1	-	-	-	-	12	7	-	1	-	-	1	-
Arkansas	3	-	1	53	3	1	-	1	-	354	50	3	-	2	2	2	2	-
California	5	4	6	14	99	8	3	2	3	4	28	56	-	3	59	1	4	27
Colorado	2	-	3	5	7	-	1	-	-	-	8	17	-	1	6	1	1	33
Connecticut	3	1	3	-	1	9	34	1	-	1	-	2	2	9	-	-	1	-
Delaware	1	-	1	-	-	50	-	-	-	-	1	1	-	5	-	2	-	-
District of Columbia	18	-	9	-	1	16	-	5	-	8	2	-	1	56	1	6	-	-
Florida	46	-	19	1	8	18	1	6	1	20	6	1	1	15	2	5	4	-
Georgia	56	-	3	1	-	5	2	54	-	118	4	-	-	20	-	-	-	-
Idaho	-	-	-	2	50	-	-	-	1	2	-	61	-	-	120	-	-	2
Illinois	13	4	40	16	5	23	4	1	6	22	24	7	-	6	10	5	224	9
Indiana	5	-	184	6	4	12	1	-	1	13	9	-	-	4	1	5	9	-
Iowa	1	2	6	7	1	4	-	1	11	1	7	9	-	5	5	1	52	6
Kansas	1	1	4	67	3	2	1	-	-	-	18	3	-	1	2	2	2	2
Kentucky	14	-	275	2	-	2	1	-	-	111	7	1	-	20	5	111	-	3
Louisiana	8	-	1	2	2	4	-	-	-	5	60	-	-	4	1	1	1	-
Maine	2	-	1	-	-	3	5	1	-	1	-	-	1	1	-	-	-	-
Maryland	24	-	5	-	2	86	2	5	-	3	3	1	2	46	1	88	-	-
Massachusetts	12	-	6	2	7	13	110	5	-	2	2	2	23	16	1	-	2	1
Michigan	7	2	126	3	3	21	2	6	1	13	1	1	1	6	4	1	90	2
Minnesota	-	146	5	3	2	-	1	-	17	2	6	1	-	1	16	1	128	5
Mississippi	13	-	1	1	-	-	1	2	-	217	5	-	-	1	-	-	-	-
Missouri	6	1	15	41	9	4	1	1	1	51	19	4	-	1	10	4	4	12
Montana	-	26	1	-	15	1	1	-	1	-	-	7	-	-	41	1	3	21
Nebraska	1	-	4	2	5	1	1	-	18	-	2	1	-	2	2	-	5	31
Nevada	1	-	-	-	1	-	-	-	-	1	-	21	-	-	-	-	-	1
New Hampshire	2	-	-	-	1	1	2	1	-	-	-	-	40	1	2	-	-	-
New Jersey	27	-	8	-	2	573	9	7	-	5	1	3	5	21	4	-	1	2
New Mexico	1	-	-	6	1	-	-	1	-	1	111	3	-	1	1	-	-	-
New York	48	-	41	5	5	250	19	23	-	20	12	4	37	59	7	7	6	1
North Carolina	...	-	2	-	2	5	2	109	-	47	2	-	-	180	1	1	-	2
North Dakota	1	...	2	-	2	1	-	-	19	-	1	2	-	-	9	1	4	2
Ohio	16	-	...	4	1	173	2	2	-	20	10	1	-	18	5	268	11	2
Oklahoma	-	-	1	...	4	2	1	1	-	1	196	3	-	3	9	-	1	4
Oregon	5	2	-	1	...	2	-	-	1	1	1	2	-	2	137	-	1	5
Pennsylvania	45	1	187	2	5	...	6	10	-	8	10	-	3	40	4	47	3	-
Rhode Island	3	-	-	-	-	2	...	1	-	1	-	-	1	2	-	-	-	-
South Carolina	147	-	-	-	-	5	1	...	-	6	-	-	-	16	1	-	1	-
South Dakota	-	22	-	-	1	1	-	1	...	-	4	1	-	-	4	-	7	10
Tennessee	49	-	7	1	1	5	-	5	-	...	4	-	-	76	1	4	-	-
Texas	14	1	3	86	5	8	3	1	1	12	...	1	1	5	12	2	5	3
Utah	-	-	-	-	4	1	-	-	-	-	-	...	-	-	2	1	-	6
Vermont	-	-	1	-	-	1	-	-	-	-	-	-	...	-	-	1	-	-
Virginia	168	-	11	-	-	19	2	9	-	54	5	1	-	...	1	107	3	-
Washington	3	2	-	-	279	1	-	1	-	-	2	4	-	1	...	-	-	2
West Virginia	11	-	204	-	-	72	2	2	-	9	-	-	-	118	-	...	1	1
Wisconsin	6	6	7	-	3	4	1	-	1	3	8	-	1	6	4	1	...	2
Wyoming	-	-	-	1	11	-	1	-	2	-	1	25	-	-	5	1	2	...

[1] The figures given in the row opposite each State in the stub show the number of deaths of residents of that State which occurred in each State named at the top of the column.

TABLE 18.—DEATHS BY SPECIFIED RACE AND BY SEX: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

AREA AND SEX	Total deaths	White	Negro	OTHER RACES				
				Total	Indian	Chinese	Japanese	All other
UNITED STATES	1,385,187	1,209,944	168,244	8,999	4,487	1,206	890	416
Male	780,454	685,468	90,430	4,556	2,421	1,096	665	374
Female	604,733	524,476	77,814	2,443	2,066	110	225	42
Alabama	26,084	14,401	11,677	6	3	1	-	2
Male	14,481	8,314	6,162	5	3	1	-	1
Female	11,603	6,087	5,515	1	-	-	-	1
Arizona	5,586	4,547	215	824	791	19	11	3
Male	3,515	2,926	130	459	434	15	8	2
Female	2,071	1,621	85	365	357	4	3	1
Arkansas	15,764	10,719	5,028	17	5	4	7	1
Male	8,882	6,203	2,666	13	4	3	5	1
Female	6,882	4,516	2,362	4	1	1	2	-
California	84,851	81,183	1,904	1,764	355	526	599	284
Male	50,486	47,991	1,122	1,373	205	459	445	264
Female	34,365	33,192	782	391	150	67	154	20
Colorado	12,532	12,242	232	58	23	4	27	4
Male	7,234	7,070	126	38	13	4	18	3
Female	5,298	5,172	106	20	10	-	9	1
Connecticut	18,456	17,959	487	10	7	2	1	-
Male	10,023	9,758	256	9	6	2	1	-
Female	8,433	8,201	231	1	1	-	-	-
Delaware	3,331	2,697	633	1	1	-	-	-
Male	1,850	1,483	366	1	1	-	-	-
Female	1,481	1,214	267	-	-	-	-	-
District of Columbia	8,417	5,288	3,105	24	4	16	2	2
Male	4,593	2,934	1,639	20	1	15	2	2
Female	3,824	2,354	1,466	4	3	1	-	-
Florida	21,207	13,962	7,222	23	16	7	-	-
Male	12,524	8,464	4,046	14	7	7	-	-
Female	8,683	5,498	3,176	9	9	-	-	-
Georgia	29,083	16,014	13,065	4	-	2	-	2
Male	16,246	9,291	6,952	3	-	1	-	2
Female	12,837	6,723	6,113	1	-	1	-	-
Idaho	4,648	4,577	9	62	47	2	13	-
Male	2,900	2,861	7	32	24	2	6	-
Female	1,748	1,716	2	30	23	-	7	-
Illinois	87,777	81,441	6,250	86	10	67	3	6
Male	49,156	45,746	3,327	83	8	66	3	6
Female	38,621	35,695	2,923	3	2	1	-	-
Indiana	39,308	37,273	2,033	2	-	2	-	-
Male	22,017	20,906	1,109	2	-	2	-	-
Female	17,291	16,367	924	-	-	-	-	-
Iowa	25,001	24,723	266	12	9	3	-	-
Male	13,999	13,831	160	8	5	3	-	-
Female	11,002	10,892	106	4	4	-	-	-
Kansas	18,149	17,123	1,001	25	23	-	-	2
Male	10,295	9,734	550	11	11	-	-	-
Female	7,854	7,389	451	14	12	-	-	2
Kentucky	28,279	24,546	3,732	1	1	-	-	-
Male	15,872	13,843	2,029	-	-	-	-	-
Female	12,407	10,703	1,703	1	1	-	-	-
Louisiana	23,010	12,568	10,421	21	9	8	3	1
Male	12,973	7,435	5,524	14	3	7	3	1
Female	10,037	5,133	4,897	7	6	1	-	-
Maine	10,446	10,399	23	24	21	3	-	-
Male	5,786	5,754	15	17	14	3	-	-
Female	4,660	4,645	8	7	7	-	-	-
Maryland	22,168	17,136	5,017	15	1	10	1	3
Male	12,272	9,467	2,790	15	1	10	1	3
Female	9,896	7,669	2,227	-	-	-	-	-
Massachusetts	51,036	50,101	844	91	12	72	3	4
Male	26,988	26,421	469	76	8	62	2	4
Female	24,070	23,680	375	15	4	10	1	-
Michigan	52,827	49,880	2,816	131	98	23	4	6
Male	30,298	28,681	1,534	83	53	22	3	5
Female	22,529	21,199	1,282	48	45	1	1	1
Minnesota	25,851	25,515	160	176	168	4	3	1
Male	14,837	14,651	89	97	89	4	3	1
Female	11,014	10,864	71	79	79	-	-	-
Mississippi	20,794	8,827	11,927	40	31	9	-	-
Male	11,420	5,186	6,211	23	17	6	-	-
Female	9,374	3,641	5,716	17	14	3	-	-
Missouri	41,888	37,713	4,159	16	5	7	1	3
Male	23,530	21,242	2,275	13	3	6	1	3
Female	18,358	16,471	1,884	3	2	1	-	-

TABLE 18.—DEATHS BY SPECIFIED RACE AND BY SEX: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND SEX	Total deaths	White	Negro	OTHER RACES				
				Total	Indian	Chinese	Japanese	All other
Montana	5,516	5,230	27	259	249	6	4	-
Male	3,604	3,443	13	148	138	6	4	-
Female	1,912	1,787	14	111	111	-	-	-
Nebraska	12,359	12,085	206	68	65	1	-	2
Male	7,089	6,924	128	37	35	1	-	1
Female	5,270	5,161	78	31	30	-	-	1
Nevada	1,634	1,482	27	125	112	7	6	-
Male	1,175	1,096	18	61	49	7	5	-
Female	459	386	9	64	63	-	1	-
New Hampshire	5,662	5,652	9	1	1	-	-	-
Male	3,043	3,036	6	1	1	-	-	-
Female	2,619	2,616	3	-	-	-	-	-
New Jersey	46,716	43,116	3,569	31	2	21	4	4
Male	25,579	23,620	1,930	29	1	20	4	4
Female	21,137	19,496	1,639	2	1	1	-	-
New Mexico	5,203	4,866	55	282	276	2	4	-
Male	2,959	2,779	39	141	135	2	4	-
Female	2,244	2,087	16	141	141	-	-	-
New York	149,820	142,276	7,100	444	161	218	34	31
Male	81,855	77,845	3,630	380	117	207	31	25
Female	67,965	64,431	3,470	64	44	11	3	6
North Carolina	29,414	18,615	10,612	187	184	2	-	1
Male	16,435	10,713	5,621	101	98	2	-	1
Female	12,979	7,902	4,991	86	86	-	-	-
North Dakota	4,818	4,665	6	147	144	1	2	-
Male	2,878	2,806	6	66	63	1	2	-
Female	1,940	1,859	-	81	81	-	-	-
Ohio	78,000	72,700	5,270	30	7	18	3	2
Male	43,307	40,334	2,946	27	4	18	3	2
Female	34,693	32,366	2,324	3	3	-	-	-
Oklahoma	19,324	16,644	2,036	644	639	1	3	1
Male	11,208	9,745	1,132	331	326	1	3	1
Female	8,116	6,899	904	313	313	-	-	-
Oregon	12,865	12,647	52	166	98	40	21	7
Male	7,991	7,840	36	115	59	37	13	6
Female	4,874	4,807	16	51	39	3	8	1
Pennsylvania	110,174	103,003	7,121	50	6	33	-	11
Male	61,110	57,173	3,894	43	2	33	-	8
Female	49,064	45,830	3,227	7	4	-	-	3
Rhode Island	8,166	7,969	191	6	2	4	-	-
Male	4,273	4,169	99	5	1	4	-	-
Female	3,893	3,800	92	1	1	-	-	-
South Carolina	18,306	8,518	9,783	5	4	-	-	1
Male	10,151	5,012	5,135	4	3	-	-	1
Female	8,155	3,506	4,648	1	1	-	-	-
South Dakota	5,432	5,048	9	375	375	-	-	-
Male	3,187	2,990	4	193	193	-	-	-
Female	2,245	2,058	5	182	182	-	-	-
Tennessee	27,017	20,075	6,939	3	1	-	-	2
Male	14,892	11,221	3,669	2	1	-	-	1
Female	12,125	8,854	3,270	1	-	-	-	1
Texas	59,315	48,243	11,034	38	11	22	3	2
Male	34,587	28,516	6,039	32	9	20	1	2
Female	24,728	19,727	4,995	6	2	2	2	-
Utah	4,849	4,744	30	75	46	7	20	2
Male	2,869	2,793	23	53	30	7	15	1
Female	1,980	1,951	7	22	16	-	5	1
Vermont	4,250	4,249	1	-	-	-	-	-
Male	2,310	2,309	1	-	-	-	-	-
Female	1,940	1,940	-	-	-	-	-	-
Virginia	29,197	19,193	9,986	18	13	3	1	1
Male	16,438	11,083	5,346	9	6	3	-	-
Female	12,759	8,110	4,640	9	7	-	1	1
Washington	20,552	20,019	162	371	228	22	98	23
Male	12,673	12,325	112	236	122	20	73	21
Female	7,879	7,694	50	135	106	2	25	2
West Virginia	16,975	15,382	1,592	1	-	1	-	-
Male	9,879	8,948	930	1	-	1	-	-
Female	7,096	6,434	662	-	-	-	-	-
Wisconsin	31,004	30,644	178	182	174	6	1	1
Male	17,464	17,259	108	97	89	6	1	1
Female	13,540	13,385	70	85	85	-	-	-
Wyoming	2,126	2,045	23	58	49	-	8	1
Male	1,343	1,297	11	35	29	-	5	1
Female	783	748	12	23	20	-	3	-

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	1,385,187	129,164	116,104	127,776	116,206	113,873	106,641	110,240	103,373	103,756	114,528	114,623	128,903
Male	780,454	72,546	64,629	71,651	65,061	64,007	60,462	62,028	58,932	58,856	64,519	64,681	73,082
Female	604,733	56,618	51,475	56,125	51,145	49,866	46,179	48,212	44,441	44,900	50,009	49,942	55,821
White	1,209,944	112,575	101,186	111,688	101,599	99,347	92,660	95,532	90,046	90,694	100,254	100,951	113,412
Male	685,468	63,420	56,540	62,850	57,280	56,120	52,874	54,196	51,713	51,831	56,767	57,354	64,523
Female	524,476	49,155	44,646	48,838	44,319	43,227	39,786	41,336	38,333	38,863	43,487	43,597	48,889
Nonwhite	175,243	16,589	14,918	16,088	14,607	14,526	13,981	14,708	13,327	13,062	14,274	13,672	15,491
Male	94,986	9,126	8,089	8,801	7,781	7,887	7,588	7,832	7,219	7,025	7,752	7,327	8,559
Female	80,257	7,463	6,829	7,287	6,826	6,639	6,393	6,876	6,108	6,037	6,522	6,345	6,932
ALABAMA	26,084	2,641	2,360	2,516	2,119	2,087	2,099	2,188	1,954	1,899	2,024	1,998	2,199
Male	14,481	1,495	1,297	1,419	1,210	1,152	1,146	1,197	1,084	1,060	1,115	1,107	1,199
Female	11,603	1,146	1,063	1,097	909	935	953	991	870	839	909	891	1,000
White	14,401	1,449	1,290	1,381	1,179	1,145	1,156	1,210	1,071	1,033	1,114	1,119	1,254
Male	8,314	847	716	816	708	673	654	685	622	596	637	654	706
Female	6,087	602	574	565	471	472	502	525	449	437	477	465	548
Nonwhite	11,683	1,192	1,070	1,135	940	942	943	978	883	866	910	879	945
Male	6,167	648	581	603	502	479	492	512	462	464	478	453	493
Female	5,516	544	489	532	438	463	451	466	421	402	432	426	452
ARIZONA	5,586	506	468	511	474	480	447	476	454	402	422	452	494
Male	3,515	327	291	323	292	306	260	305	278	253	260	305	315
Female	2,071	179	177	188	182	174	187	171	176	149	162	147	179
White	4,547	404	369	416	384	392	350	385	357	328	350	390	422
Male	2,926	259	233	264	244	257	214	256	225	210	227	264	273
Female	1,621	145	136	152	140	135	136	129	132	118	123	126	149
Nonwhite	1,039	102	99	95	90	88	97	91	97	74	72	62	72
Male	589	68	58	59	48	49	46	49	53	43	33	41	42
Female	450	34	41	36	42	39	51	42	44	31	39	21	30
ARKANSAS	15,784	1,596	1,407	1,470	1,268	1,321	1,287	1,396	1,122	1,182	1,283	1,162	1,270
Male	8,882	896	750	826	717	743	716	776	640	664	746	682	726
Female	6,882	700	657	644	551	578	571	620	482	518	537	480	544
White	10,719	1,081	963	983	874	904	855	930	768	813	870	791	887
Male	6,203	630	520	564	523	504	496	522	452	466	529	475	522
Female	4,516	451	443	419	351	400	359	408	316	347	341	316	365
Nonwhite	5,045	515	444	487	394	417	432	466	354	369	413	371	383
Male	2,679	266	230	262	194	239	220	254	188	198	217	207	204
Female	2,366	249	214	225	200	178	212	212	136	171	196	164	179
CALIFORNIA	84,851	7,601	6,683	7,591	7,105	7,213	6,654	6,714	6,358	6,548	6,913	7,409	8,062
Male	50,486	4,521	4,027	4,484	4,200	4,294	3,938	3,991	3,804	3,946	4,113	4,362	4,806
Female	34,365	3,080	2,656	3,107	2,905	2,919	2,716	2,723	2,554	2,602	2,800	3,047	3,256
White	81,183	7,289	6,402	7,271	6,797	6,885	6,356	6,431	6,067	6,251	6,581	7,132	7,721
Male	47,991	4,293	3,830	4,275	3,991	4,064	3,721	3,797	3,602	3,753	3,896	4,186	4,583
Female	33,192	2,996	2,572	2,996	2,806	2,821	2,635	2,634	2,465	2,498	2,685	2,946	3,138
Nonwhite	3,668	312	281	320	308	328	298	283	291	297	332	277	341
Male	2,495	228	197	209	209	230	217	194	202	193	217	176	223
Female	1,173	84	84	111	99	98	81	89	89	104	115	101	118
COLORADO	12,532	1,189	1,072	1,091	1,002	1,025	882	1,214	961	984	1,022	979	1,111
Male	7,234	700	631	600	560	613	491	683	559	603	559	574	661
Female	5,298	489	441	491	442	412	391	531	402	381	463	405	450
White	12,242	1,165	1,043	1,066	980	1,004	859	1,184	934	971	993	959	1,084
Male	7,070	685	614	589	550	602	478	665	541	593	543	566	644
Female	5,172	480	429	477	430	402	381	519	393	378	450	393	440
Nonwhite	290	24	29	25	22	21	23	30	27	13	29	20	27
Male	164	15	17	11	10	11	13	18	18	10	16	8	17
Female	126	9	12	14	12	10	10	12	9	3	13	12	10
CONNECTICUT	18,456	1,621	1,461	1,694	1,563	1,555	1,482	1,320	1,396	1,410	1,520	1,528	1,906
Male	10,023	878	795	883	836	876	817	742	756	790	811	841	998
Female	8,433	743	666	811	727	679	665	578	640	620	709	687	908
White	17,959	1,588	1,416	1,648	1,526	1,517	1,442	1,280	1,358	1,361	1,482	1,480	1,861
Male	9,758	864	773	853	820	855	793	720	738	766	786	815	975
Female	8,201	724	643	795	706	662	649	560	620	595	696	665	886
Nonwhite	497	33	45	46	37	38	40	40	38	49	38	48	45
Male	265	14	22	30	16	21	24	22	18	24	25	26	23
Female	232	19	23	16	21	17	16	18	20	25	13	22	22
DELAWARE	3,331	297	273	313	285	268	251	273	235	280	282	264	310
Male	1,850	175	142	174	157	155	137	148	135	156	154	153	164
Female	1,481	122	131	139	128	113	114	125	100	124	128	111	146
White	2,697	256	221	264	236	220	205	217	188	222	218	208	242
Male	1,483	148	109	145	136	132	104	118	111	117	118	120	125
Female	1,214	108	112	119	100	88	101	99	77	105	100	88	117
Nonwhite	634	41	52	49	49	48	46	56	47	58	64	56	68
Male	367	27	33	29	21	23	33	30	24	39	36	33	39
Female	267	14	19	20	28	25	13	26	23	19	28	23	29
DISTRICT OF COLUMBIA	8,417	748	645	747	696	678	643	700	651	646	798	676	789
Male	4,593	417	322	415	372	366	376	375	362	353	419	378	438
Female	3,824	331	323	332	324	312	267	325	289	293	379	298	351
White	5,288	474	404	485	438	411	397	411	397	413	502	441	515
Male	2,934	282	212	266	234	235	240	226	215	228	270	252	274
Female	2,354	192	192	219	204	176	157	185	182	185	232	189	241
Nonwhite	3,129	274	241	262	258	267	246	289	254	233	296	235	274
Male	1,659	135	110	149	138	131	136	149	147	125	149	126	164
Female	1,470	139	131	113	120	136	110	140	107	108	147	109	110
FLORIDA	21,207	2,028	1,798	1,863	1,775	1,669	1,651	1,776	1,636	1,676	1,700	1,718	1,917
Male	12,524	1,169	1,068	1,116	1,043	976	969	1,012	965	998	1,019	1,016	1,173
Female	8,683	859	730	747	732	693	682	764	671	678	681	702	744
White	13,962	1,324	1,165	1,248	1,124	1,074	1,096	1,154	1,098	1,124	1,110	1,163	1,282
Male	8,464	772	724	770	670	634	641	688	662	682	689	724	808
Female	5,498	552	441	478	454	440	455	466	436	442	421	439	474
Nonwhite	7,245	704	633	615	651	595	555	622	538	552	590	555	635
Male	4,060	397	344	346	373	342	328	324	303	316	330	292	365
Female	3,185	307	289	269	278	253	227	298	235	236	260	263	270

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirtns)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	29,083	2,837	2,574	2,683	2,426	2,304	2,319	2,449	2,174	2,195	2,385	2,233	2,504
Male	16,246	1,597	1,440	1,487	1,361	1,247	1,279	1,403	1,183	1,208	1,353	1,255	1,433
Female	12,837	1,240	1,134	1,196	1,065	1,057	1,040	1,046	991	987	1,032	978	1,071
White	16,014	1,518	1,382	1,448	1,355	1,304	1,273	1,328	1,240	1,231	1,301	1,240	1,394
Male	9,291	898	780	829	792	730	729	792	720	727	765	716	813
Female	6,723	620	602	619	563	574	544	536	520	504	536	524	581
Nonwhite	13,069	1,319	1,192	1,235	1,071	1,000	1,046	1,121	934	964	1,084	993	1,110
Male	6,955	699	660	658	569	517	550	611	463	481	588	539	620
Female	6,114	620	532	577	502	463	496	510	471	483	496	454	490
IDAHO	4,648	409	399	433	394	369	354	372	362	401	407	369	379
Male	2,900	249	245	271	245	203	228	232	223	258	252	245	249
Female	1,748	160	154	162	149	166	126	140	139	143	155	124	130
White	4,577	405	392	424	387	365	349	366	357	393	397	365	377
Male	2,861	246	241	268	241	200	225	228	220	253	250	242	247
Female	1,716	159	151	156	146	165	124	138	137	140	147	123	130
Nonwhite	71	4	7	9	7	4	5	6	5	8	10	4	2
Male	39	3	4	3	4	3	3	4	3	5	2	3	2
Female	32	1	3	6	3	1	2	2	2	3	8	1	-
ILLINOIS	87,777	8,364	7,318	7,939	7,273	7,268	6,724	[illegible]	6,588	6,576	7,447	7,277	8,032
Male	49,156	4,672	3,953	4,416	4,027	4,122	3,816	3,930	3,765	3,727	4,081	4,132	4,515
Female	38,621	3,692	3,365	3,523	3,246	3,146	2,908	3,041	2,823	2,849	3,366	3,145	3,517
White	81,441	7,773	6,821	7,376	6,711	6,692	6,213	6,469	6,121	6,080	6,926	6,776	7,481
Male	45,746	4,332	3,708	4,091	3,725	3,794	3,553	3,669	3,514	3,465	3,811	3,863	4,221
Female	35,695	3,441	3,113	3,285	2,986	2,898	2,660	2,800	2,607	2,615	3,117	2,913	3,260
Nonwhite	6,336	591	497	563	562	576	511	502	467	496	519	501	551
Male	3,410	340	245	325	302	328	263	261	251	262	270	269	294
Female	2,926	251	252	238	260	248	248	241	216	234	249	232	257
INDIANA	39,308	3,559	3,264	3,601	3,314	3,272	3,068	3,059	2,983	3,031	3,243	3,232	3,682
Male	22,017	1,990	1,790	2,010	1,847	1,833	1,712	1,730	1,697	1,723	1,841	1,795	2,049
Female	17,291	1,569	1,474	1,591	1,467	1,439	1,356	1,329	1,286	1,308	1,402	1,437	1,633
White	37,273	3,373	3,079	3,400	3,157	3,097	2,907	2,912	2,817	2,880	3,086	3,062	3,503
Male	20,906	1,892	1,690	1,890	1,758	1,739	1,624	1,651	1,602	1,637	1,751	1,712	1,960
Female	16,367	1,481	1,389	1,510	1,399	1,358	1,283	1,261	1,215	1,243	1,335	1,350	1,543
Nonwhite	2,035	186	185	201	157	175	161	147	166	151	157	170	179
Male	1,111	98	100	120	89	94	88	79	95	86	90	83	89
Female	924	88	85	81	68	81	73	68	71	65	67	87	90
IOWA	25,001	2,283	2,047	2,304	2,172	2,130	1,930	1,983	1,873	1,878	2,060	2,074	2,267
Male	13,999	1,286	1,143	1,252	1,189	1,158	1,112	1,087	1,079	1,064	1,201	1,185	1,243
Female	11,002	997	904	1,052	983	972	818	896	794	814	859	889	1,024
White	24,723	2,251	2,034	2,270	2,153	2,111	1,896	1,982	1,854	1,856	2,037	2,056	2,243
Male	13,831	1,264	1,134	1,232	1,179	1,145	1,092	1,077	1,065	1,051	1,188	1,177	1,227
Female	10,892	987	900	1,038	974	966	804	885	789	805	849	879	1,016
Nonwhite	278	32	13	34	19	19	34	21	19	22	23	18	24
Male	168	22	9	20	10	13	20	10	14	13	13	8	16
Female	110	10	4	14	9	6	14	11	5	9	10	10	8
KANSAS	18,149	1,724	1,478	1,733	1,552	1,558	1,380	1,415	1,384	1,344	1,457	1,480	1,644
Male	10,295	976	793	956	873	911	802	806	773	776	851	848	930
Female	7,854	748	685	777	679	647	578	609	611	568	606	632	714
White	17,123	1,624	1,414	1,637	1,452	1,480	1,297	1,332	1,296	1,255	1,377	1,399	1,560
Male	9,734	922	765	910	808	869	757	768	728	723	807	797	880
Female	7,389	702	649	727	644	611	540	564	568	532	570	602	680
Nonwhite	1,026	100	64	96	100	78	83	83	88	89	80	81	84
Male	561	54	28	46	65	42	45	38	45	53	44	51	50
Female	465	46	36	50	35	36	38	45	43	36	36	30	34
KENTUCKY	28,279	2,760	2,553	2,825	2,405	2,323	2,056	2,268	2,045	2,021	2,248	2,170	2,605
Male	15,872	1,531	1,416	1,566	1,330	1,345	1,148	1,273	1,163	1,142	1,247	1,231	1,480
Female	12,407	1,229	1,137	1,259	1,075	978	908	995	882	879	1,001	939	1,125
White	24,546	2,416	2,246	2,460	2,056	2,019	1,757	1,954	1,769	1,767	1,971	1,885	2,246
Male	13,843	1,336	1,246	1,359	1,164	1,161	990	1,110	1,007	1,007	1,109	1,079	1,275
Female	10,703	1,080	1,000	1,101	892	858	767	844	762	760	862	806	971
Nonwhite	3,733	344	307	365	349	304	299	314	276	254	277	285	359
Male	2,029	195	170	207	166	184	158	163	156	135	138	152	205
Female	1,704	149	137	158	183	120	141	151	120	119	139	133	154
LOUISIANA	23,010	2,250	1,981	2,031	1,853	1,807	1,834	1,865	1,833	1,707	1,919	1,872	2,058
Male	12,973	1,257	1,106	1,137	1,051	1,022	1,012	1,021	1,033	997	1,101	1,068	1,168
Female	10,037	993	875	894	802	785	822	844	800	710	818	804	890
White	12,568	1,247	1,111	1,119	1,006	978	957	1,075	1,010	932	1,036	986	1,111
Male	7,435	721	659	649	617	595	554	605	612	578	607	568	670
Female	5,133	526	452	470	389	383	403	470	398	354	429	418	441
Nonwhite	10,442	1,003	870	912	847	829	877	790	823	775	883	886	947
Male	5,538	536	447	488	434	427	458	416	421	419	494	500	498
Female	4,904	467	423	424	413	402	419	374	402	356	389	386	449
MAINE	10,446	918	853	956	922	920	770	746	816	813	850	907	975
Male	5,786	508	448	515	500	479	428	419	439	477	501	521	551
Female	4,660	410	405	441	422	441	342	327	377	336	349	386	424
White	10,399	915	851	951	916	918	767	744	811	808	845	899	974
Male	5,754	507	447	511	495	478	427	418	438	473	496	514	550
Female	4,645	408	404	440	421	440	340	326	373	335	349	385	424
Nonwhite	47	3	2	5	6	2	3	2	5	5	5	8	1
Male	32	1	1	4	5	1	1	1	1	4	5	7	1
Female	15	2	1	1	1	1	2	1	4	1	-	1	-
MARYLAND	22,168	2,049	1,838	2,081	1,857	1,758	1,655	1,793	1,677	1,629	1,831	1,829	2,171
Male	12,272	1,135	984	1,146	1,007	1,005	938	1,004	937	914	1,002	992	1,208
Female	9,896	914	854	935	850	753	717	789	740	715	829	837	963
White	17,136	1,597	1,415	1,620	1,442	1,304	1,257	1,395	1,267	1,212	1,415	1,474	1,718
Male	9,467	890	754	905	784	745	692	785	716	667	765	801	943
Female	7,669	707	661	715	658	559	565	610	571	545	630	673	775
Nonwhite	5,032	452	423	461	415	454	398	398	390	417	416	355	453
Male	2,805	245	230	241	223	260	246	219	221	247	217	191	265
Female	2,227	207	193	220	192	194	152	179	169	170	199	164	188

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	51,036	4,680	4,360	4,685	4,320	4,095	3,838	3,725	3,735	3,801	4,260	4,674	4,863
Male	26,966	2,519	2,273	2,410	2,271	2,241	2,013	1,982	2,034	2,020	2,269	2,397	2,537
Female	24,070	2,161	2,087	2,275	2,049	1,854	1,825	1,743	1,701	1,781	1,991	2,277	2,326
White	50,101	4,605	4,290	4,611	4,241	4,015	3,760	3,653	3,663	3,717	4,194	4,598	4,754
Male	26,421	2,474	2,232	2,370	2,225	2,192	1,973	1,941	1,994	1,970	2,226	2,358	2,466
Female	23,680	2,131	2,058	2,241	2,016	1,823	1,787	1,712	1,669	1,747	1,968	2,240	2,288
Nonwhite	935	75	70	74	79	80	78	72	72	84	66	76	109
Male	545	45	41	40	46	49	40	41	40	50	43	39	71
Female	390	30	29	34	33	31	38	31	32	34	23	37	38
MICHIGAN	52,827	4,770	4,218	4,892	4,449	4,438	4,006	4,237	4,083	4,051	4,366	4,403	4,914
Male	30,298	2,704	2,430	2,794	2,459	2,511	2,341	2,434	2,405	2,311	2,524	2,537	2,848
Female	22,529	2,066	1,788	2,098	1,990	1,927	1,665	1,803	1,678	1,740	1,842	1,866	2,066
White	49,880	4,521	4,010	4,619	4,216	4,186	3,765	4,010	3,834	3,816	[illegible]	4,126	4,647
Male	28,681	2,574	2,297	2,650	2,341	2,366	2,207	2,308	2,267	2,184	2,386	[illegible]	2,699
Female	21,199	1,947	1,713	1,969	1,875	1,820	1,558	1,702	1,567	1,632	1,742	1,726	1,948
Nonwhite	2,947	249	208	273	233	252	241	227	249	235	236	277	267
Male	1,617	130	133	144	118	145	134	126	138	127	136	137	149
Female	1,330	119	75	129	115	107	107	101	111	108	100	140	118
MINNESOTA	25,851	2,271	1,977	2,205	2,260	2,252	2,050	2,079	1,882	1,997	2,280	2,207	2,391
Male	14,837	1,313	1,133	1,266	1,274	1,251	1,204	1,203	1,086	1,156	1,305	1,284	1,362
Female	11,014	958	844	939	986	1,001	846	876	796	841	975	923	1,029
White	25,515	2,238	1,958	2,185	2,225	2,226	2,027	2,053	1,855	1,964	2,254	2,176	2,354
Male	14,651	1,295	1,126	1,257	1,258	1,237	1,191	1,188	1,073	1,135	1,291	1,263	1,337
Female	10,864	943	832	928	967	989	836	865	782	829	963	913	1,017
Nonwhite	336	33	19	20	35	26	23	26	27	33	26	31	37
Male	186	18	7	9	16	14	13	15	13	21	14	21	25
Female	150	15	12	11	19	12	10	11	14	12	12	10	12
MISSISSIPPI	20,794	2,041	1,790	2,027	1,712	1,716	1,642	1,698	1,515	1,526	1,718	1,549	1,860
Male	11,420	1,115	991	1,120	934	926	914	930	816	841	944	844	1,045
Female	9,374	926	799	907	778	790	728	768	699	685	774	705	815
White	8,827	888	747	906	722	669	670	675	646	613	767	689	835
Male	5,186	489	427	523	427	382	398	411	392	378	438	413	508
Female	3,641	399	320	383	295	287	272	264	254	235	329	276	327
Nonwhite	11,967	1,153	1,043	1,121	990	1,047	972	1,023	869	913	951	860	1,025
Male	6,234	626	564	597	507	544	516	519	424	463	506	431	537
Female	5,733	527	479	524	483	503	456	504	445	450	445	429	488
MISSOURI	41,888	4,019	3,418	3,968	3,717	3,486	3,156	3,315	3,075	3,089	3,485	3,237	3,923
Male	23,530	2,256	1,894	2,235	2,129	1,934	1,773	1,855	1,777	1,705	1,935	1,827	2,210
Female	18,358	1,763	1,524	1,733	1,588	1,552	1,383	1,460	1,298	1,384	1,550	1,410	1,713
White	37,713	3,628	3,081	3,570	3,403	3,097	2,823	3,012	2,751	2,789	3,172	2,874	3,513
Male	21,242	2,042	1,729	2,007	1,957	1,718	1,578	1,693	1,604	1,541	1,767	1,610	1,996
Female	16,471	1,586	1,352	1,563	1,446	1,379	1,245	1,319	1,147	1,248	1,405	1,264	1,517
Nonwhite	4,175	391	337	398	314	389	333	303	324	300	313	363	410
Male	2,288	214	165	228	172	216	195	162	173	164	168	217	214
Female	1,887	177	172	170	142	173	138	141	151	136	145	146	196
MONTANA	5,516	548	407	490	486	479	445	447	406	416	470	425	497
Male	3,604	353	267	323	304	314	299	281	264	274	330	284	311
Female	1,912	195	140	167	182	165	146	166	142	142	140	141	186
White	5,230	509	382	469	459	455	426	428	382	390	445	405	480
Male	3,443	330	252	311	293	301	289	273	251	260	311	271	301
Female	1,787	179	130	158	166	154	137	155	131	130	134	134	179
Nonwhite	286	39	25	21	27	24	19	19	24	26	25	20	17
Male	161	23	15	12	11	13	10	8	13	14	19	13	10
Female	125	16	10	9	16	11	9	11	11	12	6	7	7
NEBRASKA	12,359	1,118	939	1,058	1,067	1,092	993	1,002	934	882	1,039	1,065	1,170
Male	7,089	646	543	601	595	601	577	560	555	503	602	611	695
Female	5,270	472	396	457	472	491	416	442	379	379	437	454	475
White	12,085	1,092	919	1,037	1,029	1,071	973	975	915	872	1,014	1,046	1,142
Male	6,924	628	529	588	570	591	568	548	544	496	586	602	674
Female	5,161	464	390	449	459	480	405	427	371	376	428	444	468
Nonwhite	274	26	20	21	38	21	20	27	19	10	25	19	28
Male	165	18	14	13	25	10	9	12	11	7	16	9	21
Female	109	8	6	8	13	11	11	15	8	3	9	10	7
NEVADA	1,634	148	131	150	143	140	122	145	122	116	137	141	139
Male	1,175	104	94	100	104	101	90	104	85	84	102	109	98
Female	459	44	37	50	39	39	32	41	37	32	35	32	41
White	1,482	136	122	135	131	121	110	135	113	107	131	121	120
Male	1,096	97	89	96	98	88	84	99	81	78	96	98	92
Female	386	39	33	39	33	33	26	36	32	29	35	23	28
Nonwhite	152	12	9	15	12	19	12	10	9	9	6	20	19
Male	79	7	5	4	6	13	6	5	4	6	6	11	6
Female	73	5	4	11	6	6	6	5	5	3	-	9	13
NEW HAMPSHIRE	5,662	548	495	533	483	482	481	319	371	403	509	495	543
Male	3,043	296	249	302	264	271	282	166	196	219	251	263	284
Female	2,619	252	246	231	219	211	199	153	175	184	258	232	259
White	5,652	548	493	532	482	481	480	319	368	403	508	495	543
Male	3,036	296	248	301	263	270	281	166	195	219	250	263	284
Female	2,616	252	245	231	219	211	199	153	173	184	258	232	259
Nonwhite	10	-	2	1	1	1	1	-	3	-	1	-	-
Male	7	-	1	1	1	1	1	-	1	-	1	-	-
Female	3	-	1	-	-	-	-	-	2	-	-	-	-
NEW JERSEY	46,716	4,424	4,018	4,184	3,770	3,680	3,461	3,669	3,401	3,453	4,041	3,929	4,686
Male	25,579	2,355	2,154	2,290	2,069	1,986	1,928	2,002	1,860	1,939	2,208	2,173	2,615
Female	21,137	2,069	1,864	1,894	1,701	1,694	1,533	1,667	1,541	1,514	1,833	1,756	2,071
White	43,116	4,097	3,729	3,865	3,461	3,387	3,188	3,374	3,115	3,181	3,744	3,647	4,328
Male	23,620	2,170	1,980	2,109	1,900	1,834	1,784	1,840	1,697	1,794	2,049	2,032	2,431
Female	19,496	1,927	1,749	1,756	1,561	1,553	1,404	1,534	1,418	1,387	1,695	1,615	1,897
Nonwhite	3,600	327	289	319	309	293	273	295	286	272	297	282	358
Male	1,959	185	174	181	169	152	144	162	163	145	159	141	184
Female	1,641	142	115	138	140	141	129	133	123	127	138	141	174

594337 O - 44 - 13

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	5,203	482	476	512	438	436	393	423	420	417	441	387	378
Male	2,959	270	260	300	240	265	225	250	239	220	255	213	222
Female	2,244	212	216	212	198	171	168	173	181	197	186	174	156
White	4,866	458	445	483	410	414	371	388	392	382	408	363	352
Male	2,779	256	244	285	231	253	211	230	229	201	237	197	205
Female	2,087	202	201	198	179	161	160	158	163	181	171	166	147
Nonwhite	337	24	31	29	28	22	22	35	28	35	33	24	26
Male	180	14	16	15	9	12	14	20	10	19	18	16	17
Female	157	10	15	14	19	10	8	15	18	16	15	8	9
NEW YORK	149,820	13,500	12,514	13,659	12,575	12,158	11,405	11,828	10,819	11,278	12,754	12,952	14,578
Male	81,855	7,364	6,823	7,404	6,794	6,601	6,307	6,296	6,067	6,199	6,950	7,056	7,994
Female	67,965	6,136	5,691	6,255	5,781	5,557	5,098	5,332	4,752	5,079	5,804	5,896	6,584
White	142,276	12,796	11,905	12,958	11,949	11,524	10,832	11,015	10,276	10,710	12,111	12,325	13,875
Male	77,845	6,963	6,502	7,033	6,477	6,254	6,013	5,973	5,762	5,917	6,609	6,723	7,619
Female	64,431	5,833	5,403	5,925	5,472	5,270	4,819	5,042	4,514	4,793	5,502	5,602	6,256
Nonwhite	7,544	704	609	701	626	634	573	613	543	568	643	627	703
Male	4,010	401	321	371	317	347	294	323	305	282	341	333	375
Female	3,534	303	288	330	309	287	279	290	238	286	302	294	328
NORTH CAROLINA	29,414	2,823	2,574	2,667	2,420	2,373	2,318	2,535	2,204	2,118	2,335	2,345	2,702
Male	16,435	1,551	1,412	1,527	1,329	1,341	1,280	1,411	1,216	1,186	1,322	1,318	1,542
Female	12,979	1,272	1,162	1,140	1,091	1,032	1,038	1,124	988	932	1,013	1,027	1,160
White	18,615	1,804	1,654	1,676	1,502	1,500	1,458	1,555	1,427	1,359	1,503	1,459	1,718
Male	10,713	984	916	988	858	892	839	906	786	798	868	864	994
Female	7,902	820	738	688	644	608	619	649	641	561	615	595	724
Nonwhite	10,799	1,019	920	991	918	873	860	980	777	759	832	886	984
Male	5,722	567	496	539	471	449	441	505	430	388	434	454	548
Female	5,077	452	424	452	447	424	419	475	347	371	398	432	436
NORTH DAKOTA	4,818	404	366	417	412	416	382	428	359	380	400	408	446
Male	2,878	236	216	243	248	236	222	282	216	237	230	246	266
Female	1,940	168	150	174	164	180	160	146	143	143	170	162	180
White	4,665	394	358	404	391	404	363	419	345	369	386	400	432
Male	2,806	230	213	234	240	230	210	275	213	233	227	242	259
Female	1,859	164	145	170	151	174	153	144	132	136	159	158	173
Nonwhite	153	10	8	13	21	12	19	9	14	11	14	8	14
Male	72	6	3	9	8	6	12	7	3	4	3	4	7
Female	81	4	5	4	13	6	7	2	11	7	11	4	7
OHIO	78,000	7,294	6,703	7,361	6,424	6,418	5,871	6,089	5,785	5,946	6,358	6,458	7,293
Male	43,307	3,930	3,662	4,103	3,535	3,540	3,267	3,425	3,267	3,309	3,549	3,570	4,130
Female	34,693	3,364	3,041	3,258	2,889	2,878	2,604	2,664	2,498	2,637	2,809	2,888	3,163
White	72,700	6,825	6,239	6,866	5,994	6,027	5,481	5,639	5,363	5,506	5,914	6,024	6,822
Male	40,334	3,662	3,421	3,826	3,299	3,314	3,034	3,186	3,044	3,075	3,282	3,331	3,860
Female	32,366	3,163	2,818	3,040	2,695	2,713	2,447	2,453	2,319	2,431	2,632	2,693	2,962
Nonwhite	5,300	469	464	495	430	391	390	450	422	440	444	434	471
Male	2,973	268	241	277	236	226	233	239	243	234	267	239	270
Female	2,327	201	223	218	194	165	157	211	179	206	177	195	201
OKLAHOMA	19,324	1,822	1,628	1,876	1,623	1,676	1,417	1,539	1,513	1,373	1,516	1,590	1,751
Male	11,206	1,080	943	1,071	920	982	856	866	882	813	869	904	1,022
Female	8,116	742	685	805	703	694	561	673	631	560	647	686	729
White	16,644	1,606	1,396	1,625	1,381	1,433	1,208	1,296	1,281	1,192	1,308	1,387	1,531
Male	9,745	951	808	940	790	851	746	726	760	711	757	800	905
Female	6,899	655	588	685	591	582	462	570	521	481	551	587	626
Nonwhite	2,680	216	232	251	242	243	209	243	232	181	208	203	220
Male	1,463	129	135	131	130	131	110	140	122	102	112	104	117
Female	1,217	87	97	120	112	112	99	103	110	79	96	99	103
OREGON	12,865	1,204	1,057	1,232	1,168	993	988	998	926	934	1,074	1,123	1,168
Male	7,991	739	663	771	736	608	617	600	576	586	652	705	738
Female	4,874	465	394	461	432	385	371	398	350	348	422	418	430
White	12,647	1,178	1,025	1,216	1,159	982	973	976	914	923	1,052	1,108	1,141
Male	7,840	724	637	761	730	602	605	583	569	579	639	693	718
Female	4,807	454	388	455	429	380	368	393	345	344	413	415	423
Nonwhite	218	26	32	16	9	11	15	22	12	11	22	15	27
Male	151	15	26	10	6	6	12	17	7	7	13	12	20
Female	67	11	6	6	3	5	3	5	5	4	9	3	7
PENNSYLVANIA	110,174	10,174	9,541	10,382	9,442	8,843	8,125	8,462	7,951	8,170	9,055	9,254	10,775
Male	61,110	5,633	5,237	5,770	5,256	4,836	4,571	4,676	4,471	4,482	5,015	5,121	6,042
Female	49,064	4,541	4,304	4,612	4,186	4,007	3,554	3,786	3,480	3,688	4,040	4,133	4,733
White	103,003	9,528	8,921	9,740	8,805	8,260	7,592	7,940	7,382	7,683	8,451	8,637	10,064
Male	57,173	5,290	4,900	5,421	4,918	4,516	4,272	4,410	4,140	4,209	4,674	4,807	5,616
Female	45,830	4,238	4,021	4,319	3,887	3,744	3,320	3,530	3,242	3,474	3,777	3,830	4,448
Nonwhite	7,171	646	620	642	637	583	533	522	569	487	604	617	711
Male	3,937	343	337	349	338	320	299	266	331	273	341	314	426
Female	3,234	303	283	293	299	263	234	256	238	214	263	303	285
RHODE ISLAND	8,166	725	642	737	690	669	645	587	603	598	710	733	827
Male	4,273	413	312	359	362	335	346	319	343	318	341	382	443
Female	3,893	312	330	378	328	334	299	268	260	280	369	351	384
White	7,969	712	627	719	674	649	634	570	587	586	691	714	806
Male	4,169	406	304	348	356	319	340	315	334	311	331	373	432
Female	3,800	306	323	371	318	330	294	255	253	275	360	341	374
Nonwhite	197	13	15	18	16	20	11	17	16	12	19	19	21
Male	104	7	8	11	6	16	6	4	9	7	10	9	11
Female	93	6	7	7	10	4	5	13	7	5	9	10	10
SOUTH CAROLINA	18,306	1,630	1,616	1,652	1,462	1,495	1,484	1,582	1,355	1,409	1,449	1,469	1,503
Male	10,151	1,010	914	964	815	806	837	866	738	794	768	819	820
Female	8,155	820	702	688	647	689	647	716	617	615	681	650	683
White	8,518	867	702	758	666	689	675	721	601	668	689	745	737
Male	5,012	508	411	453	392	394	407	420	353	406	377	459	432
Female	3,506	359	291	305	274	295	268	301	248	262	312	286	305
Nonwhite	9,788	9[illegible]	914	894	796	806	809	861	754	741	760	724	766
Male	5,139	502	503	511	423	412	430	446	385	388	391	360	388
Female	4,649	461	411	383	373	394	379	415	369	353	369	364	378

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	5,432	513	413	498	466	460	417	419	404	410	478	470	484
Male	3,187	298	228	292	270	280	226	241	254	249	278	289	282
Female	2,245	215	185	206	196	180	191	178	150	161	200	181	202
White	5,048	469	381	457	427	428	385	393	380	372	456	445	455
Male	2,990	277	210	272	250	266	211	225	240	227	265	277	270
Female	2,058	192	171	185	177	162	174	168	140	145	191	168	185
Nonwhite	384	44	32	41	39	32	32	26	24	38	22	25	29
Male	197	21	18	20	20	14	15	16	14	22	13	12	12
Female	187	23	14	21	19	18	17	10	10	16	9	13	17
TENNESSEE	27,017	2,630	2,433	2,684	2,158	2,172	2,157	2,190	2,067	1,924	2,063	2,096	2,441
Male	14,892	1,451	1,325	1,491	1,200	1,192	1,200	1,183	1,122	1,051	1,153	1,165	1,359
Female	12,125	1,179	1,108	1,193	958	980	957	1,007	945	873	910	933	1,082
White	20,075	1,953	1,817	2,027	1,612	1,624	1,597	1,529	1,529	1,422	1,517	1,601	1,797
Male	11,221	1,099	988	1,146	910	897	920	860	852	792	865	893	999
Female	8,854	854	829	881	702	727	677	719	677	630	652	708	798
Nonwhite	6,942	677	616	657	546	548	560	611	538	502	546	497	644
Male	3,671	352	337	345	290	295	280	323	270	259	288	272	360
Female	3,271	325	279	312	256	253	280	288	268	243	258	225	284
TEXAS	59,315	5,745	4,831	5,458	4,757	4,867	5,045	4,812	4,652	4,364	4,823	4,716	5,245
Male	34,587	3,291	2,742	3,192	2,762	2,796	2,928	2,792	2,747	2,540	2,847	2,773	3,177
Female	24,728	2,454	2,089	2,266	1,995	2,071	2,117	2,020	1,905	1,824	1,976	1,943	2,068
White	48,243	4,714	3,915	4,493	3,840	3,945	4,125	3,836	3,821	3,595	3,830	3,831	4,298
Male	28,516	2,710	2,248	2,669	2,282	2,285	2,414	2,257	2,277	2,124	2,306	2,307	2,637
Female	19,727	2,004	1,667	1,824	1,558	1,660	1,711	1,579	1,544	1,471	1,524	1,524	1,661
Nonwhite	11,072	1,031	916	965	917	922	920	976	831	769	993	885	947
Male	6,071	581	494	523	480	511	514	535	470	416	541	466	540
Female	5,001	450	422	442	437	411	406	441	361	353	452	419	407
UTAH	4,849	382	392	453	449	386	367	399	357	395	418	386	465
Male	2,869	234	237	271	283	224	221	242	205	235	227	205	285
Female	1,980	148	155	182	166	162	146	157	152	160	191	181	180
White	4,744	371	383	449	438	373	358	392	348	389	406	381	456
Male	2,793	225	231	267	276	217	212	237	199	229	219	201	280
Female	1,951	146	152	182	162	156	146	155	149	160	187	180	176
Nonwhite	105	11	9	4	11	13	9	7	9	6	12	5	9
Male	76	9	6	4	7	7	9	5	6	6	8	4	5
Female	29	2	3	-	4	6	-	2	3	-	4	1	4
VERMONT	4,250	396	339	369	385	368	376	331	302	300	346	321	417
Male	2,310	210	187	195	211	207	208	186	156	160	184	190	216
Female	1,940	186	152	174	174	161	168	145	146	140	162	131	201
White	4,249	396	339	369	384	368	376	331	302	300	346	321	417
Male	2,309	210	187	195	210	207	208	186	156	160	184	190	216
Female	1,940	186	152	174	174	161	168	145	146	140	162	131	201
Nonwhite	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	29,197	2,716	2,576	2,849	2,427	2,269	2,161	2,525	2,245	2,165	2,366	2,277	2,621
Male	16,438	1,549	1,416	1,574	1,375	1,266	1,221	1,380	1,297	1,231	1,355	1,301	1,473
Female	12,759	1,167	1,160	1,275	1,052	1,003	940	1,145	948	934	1,011	976	1,148
White	19,1 3	1,785	1,746	1,867	1,595	1,421	1,426	1,671	1,464	1,417	1,558	1,539	1,704
Male	11,083	1,045	980	1,054	917	818	834	946	870	836	915	896	974
Female	8,110	740	766	813	678	603	592	725	594	581	645	643	730
Nonwhite	10,004	931	830	982	832	848	735	854	781	748	808	738	917
Male	5,355	504	436	520	458	448	387	434	427	395	442	405	499
Female	4,649	427	394	462	374	400	348	420	354	353	366	333	418
WASHINGTON	20,552	1,928	1,624	1,808	1,691	1,768	1,596	1,658	1,517	1,534	1,747	1,809	1,872
Male	12,673	1,199	1,016	1,097	1,023	1,083	967	1,022	945	971	1,083	1,097	1,170
Female	7,879	729	608	711	668	685	629	636	572	563	664	712	702
White	20,019	1,867	1,590	1,766	1,636	1,716	1,554	1,609	1,464	1,496	1,711	1,762	1,828
Male	12,325	1,162	994	1,072	990	1,055	941	982	917	943	1,060	1,065	1,144
Female	7,694	705	596	694	646	661	613	627	567	553	651	697	684
Nonwhite	533	61	34	42	55	52	42	49	53	38	36	47	44
Male	348	37	22	25	33	28	26	40	28	28	23	32	26
Female	185	24	12	17	22	24	16	9	5	10	13	15	18
WEST VIRGINIA	16,975	1,710	1,554	1,596	1,490	1,454	1,248	1,346	1,317	1,237	1,271	1,309	1,443
Male	9,879	1,001	894	908	863	871	738	810	780	689	742	757	826
Female	7,096	709	660	688	627	583	510	536	537	548	529	552	617
White	15,382	1,548	1,420	1,464	1,368	1,309	1,111	1,191	1,194	1,131	1,166	1,187	1,293
Male	8,948	916	828	830	785	780	658	723	706	632	675	676	739
Female	6,434	632	592	634	583	529	453	468	488	499	491	511	554
Nonwhite	1,593	162	134	132	122	145	137	155	123	106	105	122	150
Male	931	85	66	78	78	91	80	87	74	57	67	81	87
Female	662	77	68	54	44	54	57	68	49	49	38	41	63
WISCONSIN	31,004	2,773	2,427	2,796	2,650	2,617	2,371	2,512	2,384	2,264	2,661	2,600	2,949
Male	17,464	1,540	1,374	1,548	1,493	1,497	1,345	1,424	1,332	1,305	1,503	1,446	1,657
Female	13,540	1,233	1,053	1,248	1,157	1,120	1,026	1,088	1,052	959	1,158	1,154	1,292
White	30,644	2,733	2,405	2,767	2,618	2,592	2,342	2,487	2,352	2,236	2,633	2,563	2,918
Male	17,259	1,515	1,357	1,528	1,476	1,486	1,333	1,409	1,315	1,286	1,493	1,425	1,636
Female	13,385	1,218	1,046	1,239	1,142	1,106	1,009	1,078	1,037	950	1,140	1,138	1,282
Nonwhite	360	40	24	29	32	25	29	25	32	28	28	37	31
Male	205	25	17	20	17	11	12	15	17	19	10	21	21
Female	155	15	7	9	15	14	17	10	15	9	18	16	10
WYOMING	2,126	166	173	196	217	170	195	163	167	184	147	164	184
Male	1,343	107	99	134	126	99	134	106	106	120	100	105	107
Female	783	59	74	62	91	71	61	57	61	64	47	59	77
White	2,045	160	171	188	208	161	188	151	162	176	146	157	177
Male	1,297	104	97	130	122	93	129	100	103	115	100	100	104
Female	748	56	74	58	86	68	59	51	59	61	46	57	73
Nonwhite	81	6	2	8	9	9	7	12	5	8	1	7	7
Male	46	3	2	4	4	6	5	6	3	5	-	5	3
Female	35	3	-	4	5	3	2	6	2	3	1	2	4

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
All causes	1,385,187	129,164	116,104	127,776	115,206	113,873	106,641	110,240	103,373	103,756	114,528	114,623	128,903
Typhoid, paratyphoid fever 1,2	750	45	35	36	32	56	81	102	99	82	86	58	38
Cerebrospinal (meningococcus) meningitis 6	981	57	66	111	101	88	82	55	57	50	84	87	143
Scarlet fever 8	447	56	50	57	39	44	17	22	21	21	27	43	30
Whooping cough 9	2,536	207	246	243	224	210	213	239	194	198	176	166	220
Diphtheria 10	1,273	142	102	81	54	38	36	39	53	122	194	240	172
Tuberculosis of respiratory system, etc.* 13	52,980	4,575	4,382	4,809	4,790	4,837	4,532	4,327	4,227	3,977	4,208	3,929	4,387
Tuberculosis (other forms) 14-22	4,710	404	375	449	412	434	440	417	384	351	349	350	345
Dysentery 27	1,877	71	54	58	73	135	288	346	252	211	176	129	84
Malaria 28	861	33	32	22	36	57	91	141	135	129	98	56	31
Syphilis 30	16,345	1,565	1,283	1,444	1,415	1,395	1,355	1,264	1,227	1,238	1,402	1,350	1,407
Influenza 33	10,902	1,681	1,727	1,904	1,128	622	299	237	219	331	619	811	1,324
Measles 35	1,302	157	199	277	227	177	105	46	27	15	12	23	37
Poliomyelitis, polioencephalitis (acute) 36	561	33	26	21	24	19	24	51	95	92	86	42	48
Cancer of digestive organs, peritoneum 45	74,785	6,359	5,608	6,246	6,139	6,315	6,140	6,543	6,345	6,188	6,515	6,068	6,319
Cancer of female genital organs 48,49	21,031	1,800	1,618	1,773	1,756	1,853	1,700	1,761	1,717	1,747	1,775	1,744	1,787
Cancer of breast 50	15,954	1,436	1,320	1,406	1,331	1,300	1,268	1,313	1,310	1,243	1,370	1,310	1,347
Cancer (other sites) 45,47,51-55	51,630	4,469	4,072	4,525	4,276	4,327	4,176	4,269	4,199	4,141	4,400	4,352	4,424
Acute rheumatic fever 58	1,527	134	188	149	137	142	145	134	128	92	110	105	113
Diabetes mellitus 61	33,971	3,328	2,853	3,194	3,017	2,837	2,533	2,609	2,297	2,435	2,813	2,800	3,255
Exophthalmic goiter 63b	2,934	282	236	266	251	291	258	255	220	187	225	227	236
Pellagra (except alcoholic) 69	1,513	137	118	148	127	135	116	153	128	122	122	112	95
Alcoholism (ethylism) 77	2,541	237	212	212	202	159	190	215	191	216	215	239	253
Intracranial lesions of vascular origin 83	120,652	11,410	10,270	11,164	9,953	9,911	9,070	9,529	8,530	9,034	9,935	10,232	11,614
Other diseases of nervous system, etc.* 80-82,84-88	14,783	1,302	1,159	1,349	1,280	1,244	1,115	1,299	1,139	1,046	1,203	1,249	1,398
Diseases of ear, nose, and throat 89,104,115	5,024	478	432	526	490	434	360	419	339	340	357	414	435
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	25,296	2,424	2,119	2,363	2,132	2,197	1,915	1,830	1,852	1,833	2,063	2,091	2,467
Diseases of coronary arteries, angina pectoris 94	113,636	10,782	9,384	10,222	9,406	9,298	8,476	8,504	8,037	8,573	9,724	9,924	11,306
Diseases of heart (other forms)--90b,91,92a,d,e,93a,b,d,e,95a,c	255,983	24,404	22,159	24,200	21,985	21,009	19,447	19,047	17,714	18,402	21,060	21,447	25,109
Pneumonia (all forms) 107-109	63,630	7,700	7,433	8,348	5,949	4,416	3,137	3,237	2,831	3,154	4,578	5,179	7,668
Ulcer of stomach or duodenum 117	9,259	811	678	752	788	765	688	733	727	695	838	833	941
Diarrhea, enteritis, etc.* 119,120	11,774	588	518	572	586	845	1,310	1,655	1,444	1,430	1,250	874	692
Appendicitis 121	8,368	683	616	738	654	708	724	869	839	707	647	585	597
Hernia, intestinal obstruction 122	11,483	987	878	968	893	925	831	1,060	1,008	980	1,005	918	1,030
Cirrhosis of the liver 124	12,553	1,041	987	1,108	1,032	1,001	960	976	1,035	1,010	1,128	1,088	1,187
Biliary calculi, etc.* 126,127	6,882	596	551	627	595	605	596	603	566	567	562	503	511
Nephritis 130-132	96,907	9,314	8,281	9,195	8,240	8,134	7,546	7,580	6,973	6,862	7,931	7,774	9,077
Diseases of the prostate 137	7,995	695	688	697	640	575	640	659	662	621	684	695	639
Puerperal septicemia 140,142a,145A,147	2,808	234	253	243	224	230	245	256	233	224	227	217	222
Puerperal toxemias 141a,c,144,148	1,866	169	135	160	138	141	160	165	185	177	169	145	122
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	2,593	236	182	221	186	190	215	255	251	204	215	218	220
Congenital malformations 157	15,867	1,369	1,185	1,341	1,287	1,254	1,221	1,261	1,358	1,375	1,404	1,304	1,508
Premature birth 159	34,504	2,872	2,369	2,580	2,784	2,982	2,872	3,075	3,095	3,076	2,960	2,909	2,930
Suicide 163,164	16,117	1,303	1,281	1,566	1,579	1,578	1,361	1,430	1,295	1,234	1,262	1,175	1,053
Homicide 165-168	7,743	614	535	630	649	618	613	743	768	639	687	598	649
Motor-vehicle accidents 170	28,309	3,085	2,439	2,472	2,146	2,300	2,131	2,316	2,325	2,380	2,198	2,316	2,201
Other accidents 169,171-195	67,580	5,668	4,889	5,318	5,041	5,564	5,900	6,685	5,752	5,202	5,518	5,963	6,080
All other causes*	142,164	13,191	11,931	12,975	11,738	11,378	11,019	11,516	10,880	10,803	11,851	11,730	13,152
ALABAMA													
All causes	26,084	2,641	2,360	2,516	2,119	2,087	2,099	2,188	1,954	1,899	2,024	1,998	2,199
Typhoid, paratyphoid fever 1,2	7	1	-	-	-	-	-	1	2	1	1	-	1
Cerebrospinal (meningococcus) meningitis 6	23	-	3	2	3	2	3	5	1	-	-	1	3
Scarlet fever 8	4	-	1	-	-	-	1	-	2	-	-	-	-
Whooping cough 9	79	4	5	8	3	8	9	8	7	6	8	7	6
Diphtheria 10	41	1	3	-	1	2	1	1	1	10	6	10	5
Tuberculosis of respiratory system, etc.* 13	1,200	137	94	100	107	110	98	102	92	87	96	80	97
Tuberculosis (other forms) 14-22	85	9	9	10	11	5	6	5	4	8	6	5	7
Dysentery 27	43	-	-	3	1	5	16	6	4	4	1	1	2
Malaria 28	90	3	1	2	3	6	9	16	18	13	9	7	3
Syphilis 30	305	26	24	20	15	30	21	25	21	30	39	27	27
Influenza 33	383	75	77	60	33	15	9	7	6	5	18	28	49
Measles 35	25	-	6	5	6	4	2	-	1	1	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	18	2	1	1	1	2	1	2	6	-	1	1	-
Cancer of digestive organs, peritoneum 45	665	46	45	59	62	44	54	60	49	50	73	63	49
Cancer of female genital organs 48,49	377	27	26	35	27	36	39	23	27	28	34	40	35
Cancer of breast 50	139	9	11	7	12	8	7	12	15	14	11	19	14
Cancer (other sites) 45,47,51-55	625	55	47	57	57	57	56	51	50	43	58	50	44
Acute rheumatic fever 58	40	8	6	2	3	5	1	2	-	3	4	4	2
Diabetes mellitus 61	327	25	30	26	22	33	28	26	23	24	30	30	30
Exophthalmic goiter 63b	29	4	2	1	2	5	1	4	6	2	-	-	2
Pellagra (except alcoholic) 69	157	20	5	17	14	10	18	12	11	16	15	11	8
Alcoholism (ethylism) 77	38	3	2	3	5	3	7	1	3	3	3	2	3
Intracranial lesions of vascular origin 83	2,391	244	220	222	214	196	189	185	161	177	205	186	192
Other diseases of nervous system, etc.* 80-82,84-88	391	37	31	41	36	34	24	32	28	32	22	40	34
Diseases of ear, nose, and throat 89,104,115	107	12	5	7	5	9	5	14	3	8	15	9	15
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	303	24	19	21	34	33	23	25	32	19	20	28	25
Diseases of coronary arteries, angina pectoris 94	1,170	94	112	114	102	93	100	74	82	85	97	98	119
Diseases of heart (other forms)--90b,91,92a,d,e,93a,b,d,e,95a,c	3,265	311	326	330	284	255	280	268	247	227	230	227	280
Pneumonia (all forms) 107-109	1,599	247	242	244	145	86	75	73	78	66	83	93	167
Ulcer of stomach or duodenum 117	117	11	2	6	9	12	10	10	11	5	8	18	15
Diarrhea, enteritis, etc.* 119,120	341	11	9	14	8	17	80	74	41	25	33	18	11
Appendicitis 121	139	11	4	6	7	17	15	19	15	19	9	8	9
Hernia, intestinal obstruction 122	194	21	18	17	14	11	14	20	17	15	17	17	13
Cirrhosis of the liver 124	109	5	7	11	11	6	10	6	7	12	8	14	12
Biliary calculi, etc.* 126,127	61	2	1	4	3	4	6	11	8	5	4	8	5
Nephritis 130-132	2,060	242	182	187	147	171	155	205	147	143	160	164	157
Diseases of the prostate 137	78	4	8	7	2	14	7	6	4	6	5	8	7
Puerperal septicemia 140,142a,145A,147	70	7	4	5	5	8	8	7	6	10	5	2	3
Puerperal toxemias 141a,c,144,148	85	11	4	6	6	5	6	11	11	8	4	9	4
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	80	8	8	4	4	8	6	10	3	5	6	9	9
Congenital malformations 157	222	22	19	16	18	16	17	15	21	18	21	18	21
Premature birth 159	962	98	69	75	64	87	65	97	86	90	81	68	82
Suicide 163,164	167	16	16	13	15	16	15	8	13	17	17	14	7
Homicide 165-168	381	23	23	23	31	33	34	47	39	37	38	29	24
Motor-vehicle accidents 170	530	58	43	57	33	48	31	44	44	48	36	46	32
Other accidents 169,171-195	1,461	138	116	123	118	124	112	143	125	106	107	120	129
All other causes*	5,101	519	473	545	416	394	415	415	376	367	380	361	440

* Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARIZONA													
All causes	5,586	506	468	511	474	480	447	476	454	402	422	452	494
Typhoid, paratyphoid fever 1,2	10	-	-	-	-	-	1	1	1	1	3	3	-
Cerebrospinal (meningococcus) meningitis 6	4	-	-	-	1	-	-	1	-	-	-	2	-
Scarlet fever 8	2	-	1	-	-	-	-	-	-	-	-	-	1
Whooping cough 9	39	2	8	6	5	1	6	1	2	1	3	-	4
Diphtheria 10	8	2	1	-	1	-	1	1	-	-	-	1	1
Tuberculosis of respiratory system, etc.* 13	632	62	46	49	55	72	53	48	52	56	41	47	51
Tuberculosis (other forms) 14-22	43	2	3	4	5	2	6	4	1	6	1	6	3
Dysentery 27	28	2	1	1	2	5	2	1	2	5	3	3	1
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	66	9	4	5	9	4	5	4	6	6	6	4	4
Influenza 33	74	13	15	19	8	6	1	-	-	2	2	3	5
Measles 35	70	8	14	25	9	5	5	2	1	-	-	1	-
Poliomyelitis, polioencephalitis (acute) 36	5	-	-	-	-	-	1	-	1	1	1	-	1
Cancer of digestive organs, peritoneum 46	188	16	14	19	15	20	12	21	16	13	9	17	16
Cancer of female genital organs 48,49	63	4	3	5	5	7	2	10	5	5	5	7	5
Cancer of breast 50	35	2	1	3	5	1	6	1	4	3	7	-	2
Cancer (other sites) 45,47,51-55	127	15	10	9	10	12	14	12	7	6	6	20	6
Acute rheumatic fever 58	5	-	-	-	-	1	-	-	2	-	2	-	-
Diabetes mellitus 61	68	2	6	4	6	4	10	5	3	8	7	9	4
Exophthalmic goiter 63b	4	-	1	1	-	1	-	-	-	-	1	-	-
Pellagra (except alcoholic) 69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism) 77	16	2	1	-	1	1	-	2	-	1	1	4	3
Intracranial lesions of vascular origin 83	286	30	20	27	27	26	21	23	20	16	18	30	28
Other diseases of nervous system, etc.* 80-82,84-88	59	3	3	4	3	7	7	10	4	3	5	2	8
Diseases of ear, nose, and throat 89,104,115	39	1	3	4	4	3	4	3	5	3	1	1	7
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	62	8	5	8	5	6	7	4	6	3	2	6	2
Diseases of coronary arteries, angina pectoris 94	247	33	21	20	25	18	12	16	21	14	32	12	23
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	639	48	54	60	53	59	48	60	47	35	44	63	68
Pneumonia (all forms) 107-109	432	39	61	63	33	48	28	18	20	26	29	26	46
Ulcer of stomach or duodenum 117	31	1	2	2	4	1	6	2	1	4	1	3	4
Diarrhea, enteritis, etc.* 119,120	254	6	5	7	8	18	30	30	43	39	32	19	17
Appendicitis 121	20	1	1	1	3	1	-	2	1	3	5	-	2
Hernia, intestinal obstruction 122	35	3	4	3	3	3	2	3	4	2	3	2	3
Cirrhosis of the liver 124	34	2	4	8	3	-	3	2	4	3	-	3	2
Biliary calculi, etc.* 126,127	24	4	3	4	3	2	2	2	-	1	-	3	-
Nephritis 130-132	218	27	18	21	23	19	17	18	14	7	21	14	19
Diseases of the prostate 137	20	1	1	1	-	-	3	2	2	4	3	1	2
Puerperal septicemia 140,142a,145A,147	20	4	3	1	2	2	1	2	2	2	1	-	-
Puerperal toxemias 141a,c,144,148	17	1	1	1	2	-	2	2	3	3	1	-	1
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	12	2	-	-	1	-	3	3	1	-	2	-	-
Congenital malformations 157	73	10	3	5	6	7	7	7	9	5	3	4	7
Premature birth 159	198	9	15	14	18	21	15	15	16	15	23	15	22
Suicide 163,164	75	6	4	14	5	7	2	11	5	3	4	4	10
Homicide 165-168	40	3	2	3	4	-	7	5	5	1	2	6	2
Motor-vehicle accidents 170	186	20	19	15	16	18	7	11	16	16	13	16	19
Other accidents 169,171-195	369	35	27	20	30	17	39	44	41	37	21	34	23
All other causes*	708	67	60	55	56	55	54	67	61	43	58	60	72
ARKANSAS													
All causes	15,764	1,596	1,407	1,470	1,268	1,321	1,287	1,396	1,122	1,182	1,283	1,162	1,270
Typhoid, paratyphoid fever 1,2	52	3	2	1	1	4	4	4	12	10	5	2	4
Cerebrospinal (meningococcus) meningitis 6	14	2	3	2	1	-	-	-	-	1	2	2	1
Scarlet fever 8	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough 9	47	4	4	3	3	7	2	10	1	6	3	1	3
Diphtheria 10	56	9	4	2	1	6	-	-	2	9	8	8	7
Tuberculosis of respiratory system, etc.* 13	985	88	75	107	81	84	90	94	60	81	86	72	67
Tuberculosis (other forms) 14-22	44	5	3	3	1	6	5	5	3	1	2	5	5
Dysentery 27	66	2	1	-	1	3	9	21	9	7	9	2	2
Malaria 28	118	4	4	2	8	11	24	22	12	12	10	5	4
Syphilis 30	215	26	17	23	11	18	17	16	17	19	18	18	15
Influenza 33	303	54	60	48	38	19	7	6	7	6	8	13	37
Measles 35	53	8	10	11	7	7	2	2	3	-	-	-	3
Poliomyelitis, polioencephalitis (acute) 36	12	1	-	1	-	-	-	3	1	5	-	-	1
Cancer of digestive organs, peritoneum 46	551	33	47	40	42	55	39	52	37	66	40	55	45
Cancer of female genital organs 48,49	247	26	22	16	27	26	22	15	21	18	15	19	20
Cancer of breast 50	90	15	3	10	10	6	6	8	9	3	11	6	3
Cancer (other sites) 45,47,51-55	420	40	38	34	44	40	31	33	34	43	30	30	23
Acute rheumatic fever 58	12	1	3	-	2	1	-	1	-	-	1	1	2
Diabetes mellitus 61	189	16	16	15	21	22	6	19	15	15	13	16	13
Exophthalmic goiter 63b	8	3	1	1	-	1	-	1	-	-	1	-	-
Pellagra (except alcoholic) 69	56	9	2	6	1	6	4	6	7	5	7	2	1
Alcoholism (ethylism) 77	26	2	-	2	1	-	2	2	3	4	2	3	5
Intracranial lesions of vascular origin 83	1,389	157	129	125	118	104	122	110	82	96	115	112	119
Other diseases of nervous system, etc.* 80-82,84-88	169	21	26	27	9	12	14	17	11	9	13	14	16
Diseases of ear, nose, and throat 89,104,115	76	7	6	5	7	8	5	6	8	3	3	10	8
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	236	25	24	32	11	24	14	18	16	19	12	16	23
Diseases of coronary arteries, angina pectoris 94	717	72	64	65	67	60	57	46	49	47	56	64	70
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,913	191	168	206	164	150	157	161	150	152	150	105	159
Pneumonia (all forms) 107-109	1,031	185	134	135	98	63	38	57	26	38	68	73	116
Ulcer of stomach or duodenum 117	103	9	11	7	10	10	6	7	11	8	7	6	11
Diarrhea, enteritis, etc.* 119,120	282	3	11	11	9	11	57	68	29	30	29	19	5
Appendicitis 121	135	14	9	20	4	7	15	15	15	8	17	8	3
Hernia, intestinal obstruction 122	165	11	9	12	11	18	17	14	11	17	20	16	9
Cirrhosis of the liver 124	89	5	5	9	10	7	11	7	6	12	5	8	4
Biliary calculi, etc.* 126,127	52	6	12	3	5	2	5	5	4	2	2	3	3
Nephritis 130-132	1,340	118	103	131	100	145	97	119	92	109	116	115	95
Diseases of the prostate 137	82	7	8	5	9	8	8	7	6	7	5	5	7
Puerperal septicemia 140,142a,145A,147	55	6	3	13	5	1	4	9	2	3	4	1	4
Puerperal toxemias 141a,c,144,148	55	8	4	8	3	2	9	2	7	5	3	3	1
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	48	4	5	2	5	3	3	7	6	2	3	3	5
Congenital malformations 157	150	14	13	9	8	12	10	12	10	17	20	13	12
Premature birth 159	423	28	31	27	32	45	41	42	33	39	37	31	37
Suicide 163,164	123	9	10	16	9	12	12	9	12	5	12	9	8
Homicide 165-168	176	18	12	18	8	13	20	12	15	17	16	11	18
Motor-vehicle accidents 170	301	28	21	31	31	27	28	17	27	23	24	32	12
Other accidents 169,171-195	857	72	59	55	52	70	87	104	86	49	88	64	71
All other causes*	2,210	225	215	171	182	185	180	205	155	154	187	161	190

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA													
All causes	84,851	7,601	6,683	7,591	7,105	7,213	6,654	6,714	6,358	6,548	6,913	7,409	8,062
Typhoid, paratyphoid fever 1,2	21	4	-	2	1	4	1	1	1	2	1	3	1
Cerebrospinal (meningococcus) meningitis 6	69	4	3	9	3	6	11	2	3	5	10	7	6
Scarlet fever 8	12	2	1	2	-	1	1	-	-	-	1	1	3
Whooping cough 9	107	6	8	10	10	11	9	4	10	15	10	4	10
Diphtheria 10	83	6	6	9	9	3	6	6	5	4	6	17	6
Tuberculosis of respiratory system, etc.* 13	3,539	317	288	325	300	317	301	303	267	275	275	263	307
Tuberculosis (other forms) 14-22	337	27	20	26	35	33	31	32	22	23	31	31	26
Dysentery 27	86	3	7	1	1	6	10	6	10	9	9	15	9
Malaria 28	2	-	-	-	1	-	-	-	-	1	-	-	-
Syphilis 30	1,210	120	102	106	111	94	96	102	99	90	94	91	105
Influenza 33	282	38	34	38	20	25	13	9	8	12	26	23	36
Measles 35	102	8	9	22	19	16	17	8	1	2	-	-	-
Poliomyelitis, policencephalitis (acute) 36	27	1	-	-	1	-	1	3	3	4	7	5	2
Cancer of digestive organs, peritoneum 46	4,613	417	332	398	359	372	357	393	392	374	422	403	394
Cancer of female genital organs 48,49	1,323	123	105	106	99	113	97	119	114	95	116	118	118
Cancer of breast 50	1,144	103	82	102	107	106	93	96	88	80	90	103	94
Cancer (other sites) 45,47,51-55	3,496	284	258	289	298	294	279	292	292	316	279	308	307
Acute rheumatic fever 58	49	5	5	3	5	3	7	2	6	2	3	4	2
Diabetes mellitus 61	1,747	149	130	164	159	158	141	130	135	126	154	143	158
Exophthalmic goiter 63b	122	15	9	12	11	9	8	5	11	10	5	13	14
Pellagra (except alcoholic) 69	23	2	3	-	2	2	-	3	3	3	1	2	2
Alcoholism (ethylism) 77	225	13	9	23	18	15	18	30	17	17	16	30	19
Intracranial lesions of vascular origin 83	6,651	583	573	599	515	602	497	521	497	490	545	590	639
Other diseases of nervous system, etc.* 80-82,84-88	708	67	69	56	59	49	48	68	64	54	55	54	65
Diseases of ear, nose, and throat 89,104,115	277	23	22	32	27	24	14	30	24	23	16	16	26
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	1,422	138	107	130	123	130	118	104	97	99	131	107	138
Diseases of coronary arteries, angina pectoris 94	7,955	756	674	721	733	653	576	589	508	517	637	713	778
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a, c	16,925	1,562	1,366	1,560	1,427	1,473	1,342	1,240	1,204	1,321	1,300	1,457	1,673
Pneumonia (all forms) 107-109	3,745	385	330	422	333	316	242	248	173	220	286	343	447
Ulcer of stomach or duodenum 117	800	64	58	82	66	71	58	50	58	65	72	73	83
Diarrhea, enteritis, etc.* 119,120	483	20	27	17	12	28	46	55	59	40	67	55	57
Appendicitis 121	417	27	30	34	27	42	39	35	47	50	38	25	23
Hernia, intestinal obstruction 122	623	55	44	52	49	65	49	53	50	58	58	39	51
Cirrhosis of the liver 124	1,670	141	116	121	115	137	124	133	153	130	159	154	187
Biliary calculi, etc.* 126,127	363	33	27	34	23	36	21	30	33	33	34	32	27
Nephritis 130-132	4,499	436	327	464	389	396	349	330	313	310	331	399	455
Diseases of the prostate 137	457	42	31	43	36	37	38	37	36	40	34	49	34
Puerperal septicemia 140,142a,145A,147	115	11	6	6	14	6	6	19	11	7	12	9	8
Puerperal toxemias 141a,c,144,148	65	8	5	3	5	2	5	7	5	3	6	9	7
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	126	11	12	7	3	6	16	10	17	9	15	6	14
Congenital malformations 157	928	69	64	80	75	83	78	68	76	98	82	73	82
Premature birth 159	1,740	136	123	111	150	146	136	141	164	169	167	151	146
Suicide 163,164	1,492	124	129	131	150	136	130	135	99	108	114	130	106
Homicide 165-168	352	30	27	27	30	24	31	42	32	25	28	28	28
Motor-vehicle accidents 170	2,579	286	257	213	207	212	197	214	208	204	163	220	198
Other accidents 169,171-195	3,947	285	260	299	297	335	345	379	326	332	344	356	389
All other causes*	7,893	661	588	699	670	616	652	630	617	578	663	737	782
COLORADO													
All causes	12,532	1,189	1,072	1,091	1,002	1,025	882	1,214	961	984	1,022	979	1,111
Typhoid, paratyphoid fever 1,2	9	-	-	-	1	1	1	-	-	2	-	4	-
Cerebrospinal (meningococcus) meningitis 6	16	-	-	2	1	-	-	1	1	1	1	1	8
Scarlet fever 8	12	1	-	3	-	1	1	2	2	-	2	-	-
Whooping cough 9	26	4	4	4	3	3	4	1	-	-	-	2	1
Diphtheria 10	24	1	-	3	1	-	2	1	-	2	5	8	1
Tuberculosis of respiratory system, etc.* 13	444	42	48	39	27	49	37	36	35	28	27	35	41
Tuberculosis (other forms) 14-22	51	6	3	5	6	1	4	2	2	6	6	3	7
Dysentery 27	16	-	-	-	2	1	-	1	2	4	4	1	1
Malaria 28	2	-	-	-	-	-	-	1	-	-	-	1	-
Syphilis 30	140	15	19	11	16	10	13	10	10	10	7	8	11
Influenza 33	105	12	12	7	14	12	6	-	4	4	10	14	10
Measles 35	17	-	2	2	4	5	2	-	-	1	-	-	1
Poliomyelitis, policencephalitis (acute) 36	6	-	2	-	1	-	-	-	-	2	-	-	1
Cancer of digestive organs, peritoneum 46	673	45	62	52	62	60	52	71	56	52	49	55	57
Cancer of female genital organs 48,49	153	19	11	14	9	11	16	21	16	3	12	10	11
Cancer of breast 50	159	17	13	12	9	13	11	18	8	14	15	14	15
Cancer (other sites) 45,47,51-55	436	35	39	38	43	30	24	44	29	36	41	45	32
Acute rheumatic fever 58	29	1	5	-	2	3	2	8	3	1	1	2	1
Diabetes mellitus 61	197	16	18	21	16	17	10	16	12	18	13	23	17
Exophthalmic goiter 63b	26	2	5	4	1	1	4	2	1	2	2	-	2
Pellagra (except alcoholic) 69	1	1	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	30	4	3	3	3	1	1	5	3	1	3	1	2
Intracranial lesions of vascular origin 83	985	87	80	114	69	77	80	94	73	79	67	84	81
Other diseases of nervous system, etc.* 80-82,84-88	137	8	9	15	14	14	10	14	11	13	5	10	14
Diseases of ear, nose, and throat 89,104,115	54	7	5	2	6	3	6	5	4	2	2	7	5
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	282	26	28	31	16	25	25	27	20	15	26	15	28
Diseases of coronary arteries, angina pectoris 94	888	81	74	71	69	72	64	92	71	74	69	54	97
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,942	209	158	170	158	148	140	181	157	133	145	162	181
Pneumonia (all forms) 107-109	769	108	89	89	75	58	34	48	25	40	60	63	80
Ulcer of stomach or duodenum 117	105	12	7	7	13	12	7	10	6	8	7	11	5
Diarrhea, enteritis, etc.* 119,120	207	6	4	4	9	6	4	14	26	67	41	14	12
Appendicitis 121	101	6	11	5	8	7	9	6	12	11	12	6	8
Hernia, intestinal obstruction 122	130	11	11	11	8	12	5	17	14	8	13	10	10
Cirrhosis of the liver 124	93	2	7	7	5	14	5	11	6	10	10	6	10
Biliary calculi, etc.* 126,127	98	12	5	4	8	6	5	12	16	5	13	3	9
Nephritis 130-132	917	88	72	86	65	76	65	106	67	66	65	66	95
Diseases of the prostate 137	99	10	8	10	9	8	7	9	7	4	8	8	11
Puerperal septicemia 140,142a,145A,147	18	-	1	3	-	5	1	-	-	3	3	-	2
Puerperal toxemias 141a,c,144,148	13	2	-	2	1	1	1	2	1	1	1	1	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	13	2	1	3	1	1	-	2	-	1	1	1	-
Congenital malformations 157	139	9	8	18	14	7	8	14	12	11	12	14	12
Premature birth 159	315	26	20	26	25	33	22	36	29	26	28	22	22
Suicide 163,164	214	13	25	19	22	24	24	16	20	13	14	12	12
Homicide 165-168	40	3	-	7	3	2	6	2	5	1	5	4	2
Motor-vehicle accidents 170	276	27	30	15	13	26	18	33	26	24	18	33	13
Other accidents 169,171-195	739	80	46	51	51	69	48	85	54	75	66	42	72
All other causes*	1,386	133	127	101	119	100	98	138	115	107	133	104	111

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT													
All causes	18,456	1,621	1,461	1,694	1,563	1,555	1,482	1,320	1,396	1,410	1,520	1,528	1,906
Typhoid, paratyphoid fever 1,2	2	-	-	-	-	-	-	1	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis 6	15	-	1	1	2	-	-	-	1	-	2	4	4
Scarlet fever 8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough 9	9	-	1	1	-	1	-	2	1	1	-	-	2
Diphtheria 10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	571	40	46	62	44	41	58	51	55	52	46	37	39
Tuberculosis (other forms) 14-22	62	6	2	9	3	6	7	5	2	4	5	5	8
Dysentery 27	2	-	1	-	-	-	-	-	1	-	-	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	150	10	15	17	12	16	12	8	16	12	10	12	10
Influenza 33	44	5	2	7	5	2	1	1	2	1	5	8	5
Measles 35	5	-	-	1	-	1	1	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	3	-	-	-	-	-	-	-	-	1	2	-	-
Cancer of digestive organs, peritoneum 46	1,290	89	82	111	119	128	121	100	116	104	97	103	120
Cancer of female genital organs 48,49	299	22	18	28	25	17	22	24	34	23	33	23	30
Cancer of breast 50	314	21	25	34	25	26	27	20	28	25	35	22	26
Cancer (other sites) 45,47,51-55	824	71	58	75	62	74	74	62	75	69	57	55	92
Acute rheumatic fever 58	24	4	4	3	-	5	3	1	1	-	-	2	1
Diabetes mellitus 61	587	49	71	55	60	42	47	33	37	33	49	44	67
Exophthalmic goiter 63b	25	1	5	2	2	2	3	3	2	-	1	4	-
Pellagra (except alcoholic) 69	3	-	-	1	-	-	-	-	1	-	-	-	1
Alcoholism (ethylism) 77	66	8	4	2	6	5	4	4	6	8	5	7	7
Intracranial lesions of vascular origin 83	1,581	142	124	146	146	144	130	113	104	119	118	144	151
Other diseases of nervous system, etc.* 80-82,84-88	170	11	11	27	15	21	13	7	10	9	8	18	20
Diseases of ear, nose, and throat 89,104,115	46	6	5	9	4	2	5	2	3	2	2	5	1
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	352	30	22	24	32	30	32	24	32	24	34	28	40
Diseases of coronary arteries, angina pectoris 94	1,999	179	142	201	178	163	130	135	149	156	191	168	207
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	3,877	364	350	369	326	282	296	266	267	263	346	325	423
Pneumonia (all forms) 107-109	597	66	52	59	61	58	33	34	26	32	37	52	87
Ulcer of stomach or duodenum 117	143	20	8	8	14	6	8	10	10	18	14	12	15
Diarrhea, enteritis, etc.* 119,120	68	3	10	6	5	7	4	4	9	7	6	4	3
Appendicitis 121	89	4	4	7	9	5	9	9	9	11	12	8	4
Hernia, intestinal obstruction 122	134	21	14	9	12	10	9	10	9	8	8	7	17
Cirrhosis of the liver 124	225	22	20	29	9	21	22	9	16	18	20	18	21
Biliary calculi, etc.* 126,127	109	9	9	10	9	7	15	9	8	5	8	10	10
Nephritis 130-132	1,190	109	103	93	99	120	97	75	82	88	90	114	120
Diseases of the prostate 137	78	5	7	8	4	5	4	7	7	5	7	7	12
Puerperal septicemia 140,142a,145A,147	24	3	1	3	-	1	3	2	2	1	1	4	3
Puerperal toxemias 141a,c,144,148	11	-	1	1	-	2	2	-	2	-	1	2	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	32	5	4	4	1	1	1	4	8	1	-	2	1
Congenital malformations 157	267	4	19	16	23	23	26	24	29	27	21	17	28
Premature birth 159	356	30	17	23	26	32	37	37	22	48	19	30	35
Suicide 163,164	233	19	21	21	22	22	19	22	20	25	20	8	14
Homicide 165-168	44	2	3	2	4	1	7	7	3	3	4	3	5
Motor-vehicle accidents 170	291	39	15	24	16	29	27	18	17	28	18	34	26
Other accidents 169,171-195	781	61	58	65	60	70	65	75	66	62	57	57	85
All other causes*	1,464	131	106	121	123	127	108	101	108	117	130	127	165
DELAWARE													
All causes	3,331	297	273	313	285	268	251	273	235	280	282	264	310
Typhoid, paratyphoid fever 1,2	2	-	-	-	-	-	-	-	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis 6	2	-	-	-	-	-	-	-	-	-	-	1	1
Scarlet fever 8	4	1	1	-	2	-	-	-	-	-	-	-	-
Whooping cough 9	5	-	-	-	-	-	-	-	1	-	2	1	1
Diphtheria 10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	134	15	12	15	11	14	16	11	7	7	10	7	9
Tuberculosis (other forms) 14-22	12	-	-	-	2	2	2	-	-	2	1	2	1
Dysentery 27	1	-	-	1	-	-	-	-	-	-	-	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	45	-	2	3	7	5	3	2	4	6	5	3	5
Influenza 33	26	4	1	5	-	1	2	1	-	-	3	2	7
Measles 35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer of digestive organs, peritoneum 46	164	16	8	18	18	19	18	10	8	15	9	12	13
Cancer of female genital organs 48,49	50	3	1	6	3	4	6	1	4	6	5	4	7
Cancer of breast 50	30	1	3	2	1	1	6	2	2	6	1	2	3
Cancer (other sites) 45,47,51-55	97	5	9	7	9	10	10	6	7	9	8	9	8
Acute rheumatic fever 58	3	-	1	-	-	-	-	1	-	-	-	1	-
Diabetes mellitus 61	91	4	2	10	13	11	4	10	4	8	6	9	10
Exophthalmic goiter 63b	8	-	-	-	1	4	2	-	-	-	-	-	1
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	3	1	-	-	1	-	-	-	-	-	-	1	-
Intracranial lesions of vascular origin 83	292	32	33	28	27	20	16	28	18	23	17	30	20
Other diseases of nervous system, etc.* 80-82,84-88	27	4	1	2	-	1	2	3	4	3	3	2	2
Diseases of ear, nose, and throat 89,104,115	7	1	2	-	-	2	1	-	-	-	-	1	-
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	45	3	3	3	2	7	1	3	2	7	3	6	5
Diseases of coronary arteries, angina pectoris 94	285	35	27	27	24	17	16	22	16	20	24	25	32
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	669	71	65	68	57	67	51	52	39	49	63	33	54
Pneumonia (all forms) 107-109	148	15	21	28	11	6	3	3	6	9	17	12	17
Ulcer of stomach or duodenum 117	20	1	4	2	3	3	-	-	-	1	1	2	3
Diarrhea, enteritis, etc.* 119,120	48	1	-	1	-	-	2	5	5	10	16	8	-
Appendicitis 121	11	-	1	2	-	-	1	-	3	3	1	-	-
Hernia, intestinal obstruction 122	26	1	1	2	1	1	4	2	2	2	2	4	4
Cirrhosis of the liver 124	25	1	3	2	-	3	-	5	2	1	2	5	1
Biliary calculi, etc.* 126,127	18	1	3	2	-	3	2	3	1	1	1	-	1
Nephritis 130-132	350	26	26	32	32	32	25	27	30	33	28	23	36
Diseases of the prostate 137	16	2	2	2	1	-	-	3	2	1	1	-	2
Puerperal septicemia 140,142a,145A,147	3	-	-	-	-	-	-	-	-	1	1	1	-
Puerperal toxemias 141a,c,144,148	2	-	-	-	1	1	-	-	-	-	-	-	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	4	-	-	-	-	-	1	-	2	-	-	-	1
Congenital malformations 157	32	3	1	1	3	1	1	4	3	1	6	3	5
Premature birth 159	74	3	5	3	9	6	7	4	8	1	8	14	6
Suicide 163,164	26	2	2	3	3	2	-	5	1	1	2	-	4
Homicide 165-168	16	-	1	-	-	1	1	5	3	3	-	1	1
Motor-vehicle accidents 170	65	11	4	2	3	2	8	10	4	10	2	5	4
Other accidents 169,171-195	182	8	8	17	12	12	23	24	21	10	13	14	20
All other causes*	262	26	20	19	28	10	17	20	26	30	19	21	26

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA													
All causes	8,417	748	645	747	696	678	643	700	651	646	798	676	789
Typhoid, paratyphoid fever 1,2	3	-	-	-	-	1	-	-	-	1	-	-	1
Cerebrospinal (meningococcus) meningitis 6	11	1	-	2	-	4	1	-	-	1	-	1	1
Scarlet fever 8	2	-	-	-	1	-	-	-	-	-	1	-	-
Whooping cough 9	17	2	3	3	1	1	-	-	2	2	1	-	2
Diphtheria 10	2	-	-	-	1	-	-	-	1	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	497	40	42	37	46	44	53	39	42	34	40	42	38
Tuberculosis (other forms) 14-22	54	4	8	2	4	7	3	5	3	3	4	5	6
Dysentery 27	3	-	-	-	-	-	-	-	-	-	2	1	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	152	18	8	14	11	18	11	18	12	8	13	11	10
Influenza 33	18	1	2	6	1	1	-	-	-	-	1	1	5
Measles 35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute) 36	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer of digestive organs, peritoneum 46	440	30	31	34	34	34	48	5[illegible]	31	35	40	37	36
Cancer of female genital organs 48,49	138	11	9	7	10	20	15	12	9	11	16	6	12
Cancer of breast 50	123	9	11	10	8	18	7	6	6	6	15	16	11
Cancer (other sites) 45,47,51-55	337	29	26	32	31	27	29	31	26	29	26	22	29
Acute rheumatic fever 58	10	-	-	-	2	2	1	-	1	1	1	1	1
Diabetes mellitus 61	223	18	16	18	26	17	20	14	17	19	23	16	19
Exophthalmic goiter 63b	17	2	-	3	3	-	1	-	1	1	1	2	3
Pellagra (except alcoholic) 69	3	-	-	-	-	1	2	-	-	-	-	-	-
Alcoholism (ethylism) 77	29	1	1	1	1	1	2	6	2	2	2	3	2
Intracranial lesions of vascular origin 83	531	44	47	56	43	40	54	37	42	43	54	32	39
Other diseases of nervous system, etc.* 80-82,84-88	79	4	7	8	8	1	6	8	10	4	9	9	5
Diseases of ear, nose, and throat 89,104,115	28	2	3	2	2	3	3	4	1	4	2	1	1
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	134	10	11	14	7	18	8	14	5	11	13	15	8
Diseases of coronary arteries, angina pectoris 94	512	53	48	44	45	55	49	47	55	56	55	51	54
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,467	157	125	139	120	115	86	111	103	90	123	126	172
Pneumonia (all forms) 107-109	463	47	53	58	42	29	24	29	21	21	39	34	66
Ulcer of stomach or duodenum 117	49	3	6	1	3	4	6	3	4	6	3	4	6
Diarrhea, enteritis, etc.* 119,120	152	8	3	5	4	12	11	10	26	20	32	13	8
Appendicitis 121	42	2	1	4	3	2	7	5	5	4	2	4	3
Hernia, intestinal obstruction 122	74	3	4	3	3	3	4	5	8	9	14	8	10
Cirrhosis of the liver 124	112	11	5	12	9	5	5	9	12	9	15	9	11
Biliary calculi, etc.* 126,127	26	4	4	4	3	1	2	3	1	-	2	4	-
Nephritis 130-132	724	70	53	74	75	44	51	54	53	59	63	46	82
Diseases of the prostate 137	46	4	-	6	3	5	6	8	4	3	1	4	2
Puerperal septicemia 140,142a,145A,147	15	-	1	1	2	1	2	1	2	2	3	-	-
Puerperal toxemias 141a,c,144,148	9	-	1	-	2	1	1	1	1	1	-	1	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	17	2	-	4	-	2	2	1	-	3	-	1	2
Congenital malformations 157	62	4	5	7	4	5	1	4	8	3	7	5	9
Premature birth 159	242	14	18	23	22	20	17	19	31	21	17	22	18
Suicide 163,164	110	9	7	12	14	6	9	7	8	11	10	13	4
Homicide 165-168	83	5	3	7	6	8	5	10	13	3	10	7	6
Motor-vehicle accidents 170	117	12	11	12	10	10	6	15	6	12	11	5	7
Other accidents 169,171-195	389	45	20	24	25	37	27	39	29	41	30	38	34
All other causes*	752	69	52	58	61	54	58	75	50	57	97	60	61
FLORIDA													
All causes	21,207	2,028	1,798	1,863	1,775	1,669	1,651	1,776	1,636	1,676	1,700	1,718	1,917
Typhoid, paratyphoid fever 1,2	30	3	5	3	5	1	7	1	1	-	3	-	1
Cerebrospinal (meningococcus) meningitis 6	15	2	2	2	-	-	4	1	-	-	-	2	2
Scarlet fever 8	2	-	-	-	-	-	-	-	-	-	2	-	-
Whooping cough 9	46	1	8	-	2	5	9	5	3	4	3	2	6
Diphtheria 10	29	4	6	3	1	2	-	-	-	1	6	4	2
Tuberculosis of respiratory system, etc.* 13	828	80	73	74	67	86	64	61	64	56	66	56	81
Tuberculosis (other forms) 14-22	42	2	4	5	1	3	8	4	3	1	2	7	2
Dysentery 27	38	6	1	2	2	5	7	1	2	-	4	3	5
Malaria 28	50	6	5	2	4	1	2	4	8	11	2	2	3
Syphilis 30	385	36	26	21	33	39	30	45	36	29	30	29	31
Influenza 33	286	38	47	41	38	25	7	8	2	7	17	22	34
Measles 35	57	5	8	14	13	5	3	2	2	1	1	3	-
Poliomyelitis, poliocencephalitis (acute) 36	4	-	-	-	-	-	1	-	1	1	-	1	-
Cancer of digestive organs, peritoneum 46	694	56	51	63	65	59	58	55	54	59	64	54	56
Cancer of female genital organs 48,49	320	23	28	24	22	31	28	31	25	31	27	27	23
Cancer of breast 50	170	19	13	11	16	20	14	13	12	13	12	15	12
Cancer (other sites) 45,47,51-55	713	56	55	66	54	48	58	62	61	56	63	64	70
Acute rheumatic fever 58	19	-	2	2	3	-	1	1	2	1	1	3	3
Diabetes mellitus 61	342	27	25	30	35	32	23	32	24	22	26	31	35
Exophthalmic goiter 63b	24	2	2	-	2	1	2	4	-	3	2	5	1
Pellagra (except alcoholic) 69	51	4	2	4	1	5	3	10	-	6	6	5	5
Alcoholism (ethylism) 77	36	2	3	5	4	1	3	2	5	3	5	2	1
Intracranial lesions of vascular origin 83	2,077	202	182	185	168	158	165	182	178	145	159	163	190
Other diseases of nervous system, etc.* 80-82,84-88	222	17	14	23	18	18	28	14	14	16	16	26	18
Diseases of ear, nose, and throat 89,104,115	96	10	5	9	9	6	11	8	7	4	10	14	3
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	286	31	23	35	29	25	20	17	18	25	14	22	27
Diseases of coronary arteries, angina pectoris 94	1,532	150	122	119	124	124	120	126	122	118	125	126	156
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,896	287	238	275	263	217	204	226	200	209	234	258	285
Pneumonia (all forms) 107-109	935	118	104	126	67	64	50	65	56	59	63	73	90
Ulcer of stomach or duodenum 117	146	8	12	14	17	8	18	12	8	8	14	15	12
Diarrhea, enteritis, etc.* 119,120	236	19	14	19	22	36	18	22	29	15	15	9	18
Appendicitis 121	128	9	3	9	11	13	18	24	11	9	7	6	8
Hernia, intestinal obstruction 122	189	26	17	13	14	14	15	21	12	18	9	18	12
Cirrhosis of the liver 124	190	17	16	17	21	13	18	14	15	12	21	13	13
Biliary calculi, etc.* 126,127	56	6	1	6	7	3	4	4	10	6	3	3	3
Nephritis 130-132	1,594	130	145	142	130	121	132	138	131	115	143	126	141
Diseases of the prostate 137	149	9	20	13	6	5	15	16	9	21	10	15	10
Puerperal septicemia 140,142a,145A,147	55	5	6	1	3	4	3	11	6	5	6	2	3
Puerperal toxemias 141a,c,144,148	46	3	6	6	-	2	3	4	8	7	4	1	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	65	2	4	6	4	4	8	10	8	7	2	5	5
Congenital malformations 157	219	18	25	14	25	16	18	17	17	25	14	14	16
Premature birth 159	586	69	39	34	40	61	42	50	41	61	54	51	44
Suicide 163,164	242	14	25	16	23	27	26	19	19	19	22	19	13
Homicide 165-168	367	30	21	23	27	34	24	39	33	29	36	24	47
Motor-vehicle accidents 170	531	68	47	51	44	40	47	26	46	43	38	46	35
Other accidents 169,171-195	1,330	98	90	96	116	91	90	132	106	139	115	133	124
All other causes*	2,851	310	253	239	219	196	222	237	227	256	224	199	269

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA													
All causes	29,083	2,837	2,574	2,683	2,426	2,304	2,319	2,449	2,174	2,195	2,385	2,233	2,504
Typhoid, paratyphoid fever 1,2	24	1	1	-	1	-	3	7	3	2	3	2	1
Cerebrospinal (meningococcus) meningitis 6	23	1	2	5	2	4	1	1	2	1	2	-	2
Scarlet fever 8	2	-	-	1	-	1	-	-	-	-	-	-	-
Whooping cough 9	102	-	10	12	13	5	10	16	8	8	6	4	10
Diphtheria 10	57	5	4	5	2	-	1	1	-	9	12	12	6
Tuberculosis of respiratory system, etc.* 13	1,180	96	105	98	109	102	102	103	104	87	89	76	109
Tuberculosis (other forms) 14-22	115	9	9	15	9	11	7	13	5	10	10	6	11
Dysentery 27	85	8	2	5	2	6	22	10	9	8	5	4	4
Malaria 28	79	2	3	1	1	4	3	15	10	18	11	8	3
Syphilis 30	508	49	41	44	30	39	53	40	41	45	38	44	44
Influenza 33	477	83	90	88	41	19	12	7	3	23	22	31	58
Measles 35	60	8	19	12	11	5	1	1	1	-	1	-	1
Poliomyelitis, polioencephalitis (acute) 36	13	2	-	-	4	1	-	1	-	3	1	-	1
Cancer of digestive organs, peritoneum 46	770	85	60	53	68	56	62	69	81	73	50	52	61
Cancer of female genital organs 48,49	414	32	28	35	27	35	37	30	38	37	49	34	32
Cancer of breast 50	218	20	22	20	15	18	18	15	13	12	20	19	26
Cancer (other sites) 45,47,51-55	731	60	59	55	74	57	62	61	72	55	69	47	60
Acute rheumatic fever 58	35	4	3	4	2	3	1	3	1	2	4	4	4
Diabetes mellitus 61	367	39	32	39	32	25	32	26	23	26	31	28	34
Exophthalmic goiter 63b	31	2	1	4	5	2	4	4	3	3	3	-	-
Pellagra (except alcoholic) 69	178	15	17	19	17	13	13	18	11	18	12	10	15
Alcoholism (ethylism) 77	64	4	5	6	11	5	5	2	4	10	1	2	9
Intracranial lesions of vascular origin 83	3,060	289	265	285	247	240	248	256	203	218	267	261	281
Other diseases of nervous system, etc.* 80-82,84-88	355	37	32	28	25	29	23	36	24	23	33	28	37
Diseases of ear, nose, and throat 89,104,115	153	18	15	23	15	5	16	11	10	15	6	8	11
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	325	34	23	28	26	29	33	29	29	21	19	22	32
Diseases of coronary arteries, angina pectoris 94	1,337	125	100	120	132	88	114	115	107	103	110	104	119
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	3,594	321	289	340	326	320	278	269	277	270	291	297	316
Pneumonia (all forms) 107-109	1,587	253	218	210	119	116	76	87	70	73	88	121	156
Ulcer of stomach or duodenum 117	197	15	12	14	22	12	18	13	12	11	25	17	26
Diarrhea, enteritis, etc.* 119,120	391	18	10	17	13	40	73	76	29	27	42	22	24
Appendicitis 121	180	13	15	18	13	16	19	26	17	13	11	13	6
Hernia, intestinal obstruction 122	206	19	18	11	21	19	10	26	15	23	17	12	15
Cirrhosis of the liver 124	157	8	13	10	16	13	14	11	13	9	19	12	19
Biliary calculi, etc.* 126,127	75	3	6	7	6	7	5	10	7	2	10	7	5
Nephritis 130-132	3,171	282	281	274	287	302	257	254	210	257	270	243	254
Diseases of the prostate 137	143	16	9	11	16	9	12	15	6	11	19	10	9
Puerperal septicemia 140,142a,145A,147	87	10	3	6	5	12	3	6	8	6	7	7	8
Puerperal toxemias 141a,c,144,148	111	7	7	17	10	6	12	8	13	7	13	5	6
Other puerperal causes 151b,d,e,f,142b,143,145B,146,149,150	102	4	7	11	6	13	10	9	5	12	10	11	4
Congenital malformations 157	246	27	18	25	23	18	20	17	19	18	23	17	21
Premature birth 159	1,052	104	76	78	92	93	79	89	99	87	86	92	77
Suicide 163,164	225	13	13	24	19	15	18	25	21	17	23	16	21
Homicide 165-168	521	49	50	43	43	39	52	46	48	37	39	35	40
Motor-vehicle accidents 170	696	72	64	61	50	53	44	55	53	60	53	68	53
Other accidents 169,171-195	1,438	142	114	107	121	100	110	161	136	98	108	106	135
All other causes*	4,141	433	403	394	296	299	321	356	311	327	357	316	328
IDAHO													
All causes	4,648	409	399	433	394	369	354	372	362	401	407	369	379
Typhoid, paratyphoid fever 1,2	3	-	-	-	-	-	-	1	-	2	-	-	-
Cerebrospinal (meningococcus) meningitis 6	4	-	-	-	-	1	2	-	-	-	1	-	-
Scarlet fever 8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough 9	5	-	-	2	-	-	1	1	-	-	1	-	-
Diphtheria 10	5	-	-	1	2	-	-	1	-	-	-	-	1
Tuberculosis of respiratory system, etc.* 13	77	7	8	8	5	7	6	8	4	5	8	5	6
Tuberculosis (other forms) 14-22	9	3	3	-	-	-	-	-	1	1	1	-	-
Dysentery 27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	28	1	1	1	3	3	2	2	2	-	6	4	3
Influenza 33	47	3	5	10	10	9	-	-	3	2	-	4	1
Measles 35	3	-	1	-	-	-	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer of digestive organs, peritoneum 46	224	7	16	19	23	17	19	25	17	20	24	22	15
Cancer of female genital organs 48,49	43	1	2	3	-	5	4	5	3	4	9	4	3
Cancer of breast 50	43	1	3	4	5	7	2	3	5	3	4	3	3
Cancer (other sites) 45,47,51-55	171	16	16	13	11	15	16	6	15	19	12	14	18
Acute rheumatic fever 58	9	2	-	1	1	1	1	-	-	-	1	1	1
Diabetes mellitus 61	106	9	11	7	10	10	6	8	8	10	11	8	8
Exophthalmic goiter 63b	12	-	-	2	1	2	1	1	2	1	1	1	-
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	12	-	-	1	1	1	-	1	2	1	4	-	1
Intracranial lesions of vascular origin 83	400	35	49	32	33	27	33	28	37	31	33	32	30
Other diseases of nervous system, etc.* 80-82,84-88	44	3	4	3	7	3	5	4	5	2	4	1	3
Diseases of ear, nose, and throat 89,104,115	27	1	-	-	5	3	1	2	5	2	3	3	2
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	88	7	9	13	10	6	8	12	4	3	4	5	7
Diseases of coronary arteries, angina pectoris 94	416	36	39	40	33	30	32	28	33	37	34	32	42
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	782	79	57	81	63	70	49	58	55	63	63	64	80
Pneumonia (all forms) 107-109	187	17	16	30	24	15	4	12	7	12	16	17	17
Ulcer of stomach or duodenum 117	47	3	4	4	6	3	2	4	8	4	4	2	3
Diarrhea, enteritis, etc.* 119,120	16	2	2	-	-	1	2	2	2	1	3	-	1
Appendicitis 121	35	1	5	5	3	3	4	3	2	2	2	4	1
Hernia, intestinal obstruction 122	39	3	3	3	1	1	2	3	5	8	3	4	3
Cirrhosis of the liver 124	21	1	2	5	-	2	-	3	-	1	1	1	5
Biliary calculi, etc.* 126,127	34	3	1	4	6	3	4	1	1	7	1	3	-
Nephritis 130-132	362	41	26	28	28	31	38	26	19	30	32	26	37
Diseases of the prostate 137	32	2	3	2	4	3	3	2	4	2	1	4	2
Puerperal septicemia 140,142a,145A,147	10	-	1	1	1	-	-	-	2	1	1	1	2
Puerperal toxemias 141a,c,144,148	8	-	-	1	-	2	-	2	-	-	1	-	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	12	1	1	-	1	1	-	1	1	3	2	1	-
Congenital malformations 157	68	8	7	4	5	1	4	4	7	7	11	2	8
Premature birth 159	134	17	12	13	10	8	12	8	10	12	8	13	11
Suicide 163,164	53	5	3	6	7	5	4	4	4	6	4	1	4
Homicide 165-168	14	-	2	1	3	2	1	2	-	-	3	-	-
Motor-vehicle accidents 170	103	10	3	5	6	7	11	8	10	15	11	12	5
Other accidents 169,171-195	352	38	20	18	26	24	34	46	34	36	37	20	19
All other causes*	562	46	64	62	40	39	40	46	45	48	42	55	35

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS													
All causes	87,777	8,364	7,318	7,939	7,273	7,268	6,724	6,971	6,588	6,576	7,447	7,277	8,032
Typhoid, paratyphoid fever 1,2	17	1	1	2	3	-	3	1	2	2	2	-	-
Cerebrospinal (meningococcus) meningitis 6	28	1	1	2	3	2	-	1	2	2	5	2	7
Scarlet fever 8	37	7	4	2	3	3	-	-	1	2	3	8	4
Whooping cough 9	97	10	6	10	9	11	5	10	8	10	5	9	4
Diphtheria 10	64	8	5	6	1	6	5	4	3	6	6	7	7
Tuberculosis of respiratory system, etc.* 13	3,087	284	204	288	284	282	266	241	251	228	278	229	252
Tuberculosis (other forms) 14-22	251	20	19	32	16	25	18	16	28	19	18	20	20
Dysentery 27	57	5	2	4	4	5	3	4	11	6	5	6	2
Malaria 28	14	1	1	2	1	3	-	1	1	-	1	2	1
Syphilis 30	874	91	77	84	66	66	67	76	72	58	74	72	71
Influenza 33	397	58	47	71	36	25	16	5	5	17	24	40	53
Measles 35	37	-	4	8	9	9	2	3	-	-	-	-	2
Poliomyelitis, polioencephalitis (acute) 36	43	3	2	3	1	1	-	2	7	7	13	3	1
Cancer of digestive organs, peritoneum 46	5,643	461	424	463	479	467	453	491	528	493	435	507	442
Cancer of female genital organs 48,49	1,445	138	112	116	112	120	109	144	100	127	113	125	129
Cancer of breast 50	1,139	99	97	95	99	102	88	96	88	81	114	95	85
Cancer (other sites) 45,47,51-55	3,575	319	275	334	280	274	280	304	288	266	331	305	318
Acute rheumatic fever 58	71	2	6	7	9	8	6	8	3	4	10	6	2
Diabetes mellitus 61	2,506	276	225	236	238	192	194	198	153	162	209	199	224
Exophthalmic goiter 63b	266	34	15	20	21	34	24	24	16	14	20	23	21
Pellagra (except alcoholic) 69	5	-	1	-	1	-	-	2	-	-	1	-	-
Alcoholism (ethylism) 77	63	5	4	6	6	6	5	6	5	6	5	4	5
Intracranial lesions of vascular origin 83	6,757	689	603	633	554	533	506	550	475	492	571	546	603
Other diseases of nervous system, etc.* 80-82,84-88	827	66	71	63	83	59	64	74	74	54	68	66	85
Diseases of ear, nose, and throat 89,104,115	285	22	20	30	26	31	22	20	13	25	25	27	24
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	1,730	152	142	178	119	158	151	129	136	114	149	144	158
Diseases of coronary arteries, angina pectoris 94	5,877	563	475	506	460	508	451	460	423	456	501	518	554
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	21,742	2,097	1,834	1,994	1,863	1,753	1,604	1,580	1,495	1,597	1,893	1,851	2,181
Pneumonia (all forms) 107-109	3,183	351	364	350	301	245	182	172	154	181	262	251	370
Ulcer of stomach or duodenum 117	586	50	50	45	38	48	46	55	46	41	58	56	53
Diarrhea, enteritis, etc.* 119,120	347	20	12	12	19	22	37	45	46	49	33	26	26
Appendicitis 121	567	53	38	52	47	48	42	52	62	53	45	34	41
Hernia, intestinal obstruction 122	785	67	60	61	60	74	55	72	70	68	73	65	60
Cirrhosis of the liver 124	942	77	73	91	71	73	98	74	79	73	75	69	89
Biliary calculi, etc.* 126,127	550	40	47	54	50	54	29	47	40	47	53	44	45
Nephritis 130-132	6,619	722	603	610	541	550	490	496	479	458	519	518	633
Diseases of the prostate 137	705	66	57	52	57	56	63	55	68	57	56	53	65
Puerperal septicemia 140,142a,145A,147	132	7	15	12	11	10	14	11	10	10	12	9	11
Puerperal toxemias 141a,c,144,148	49	3	3	7	4	4	1	5	8	3	6	3	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	145	14	10	13	7	11	18	8	16	10	12	14	12
Congenital malformations 157	1,044	96	89	80	76	74	76	84	87	89	111	75	107
Premature birth 159	1,727	143	119	108	119	168	147	172	142	156	154	146	153
Suicide 163,164	966	87	98	97	82	95	71	86	72	64	77	71	66
Homicide 165-168	365	33	22	28	50	27	28	42	30	29	32	17	27
Motor-vehicle accidents 170	1,713	212	135	171	148	132	127	139	142	147	110	135	115
Other accidents 169,171-195	3,680	318	278	301	262	306	375	337	310	255	336	318	284
All other causes*	6,738	593	567	600	544	588	483	569	539	536	544	557	618
INDIANA													
All causes	39,308	3,559	3,264	3,601	3,314	3,272	3,068	3,059	2,983	3,031	3,243	3,232	3,682
Typhoid, paratyphoid fever 1,2	12	-	1	-	-	2	1	-	1	3	2	-	2
Cerebrospinal (meningococcus) meningitis 6	13	-	1	2	1	2	1	1	-	1	2	-	2
Scarlet fever 8	14	2	2	-	3	2	-	2	1	1	-	1	-
Whooping cough 9	63	1	4	6	2	6	9	7	11	6	4	2	5
Diphtheria 10	18	3	2	1	-	-	-	-	2	-	3	3	4
Tuberculosis of respiratory system, etc.* 13	1,148	89	111	134	113	100	104	82	71	84	78	86	96
Tuberculosis (other forms) 14-22	133	7	13	18	10	9	10	11	19	7	7	15	7
Dysentery 27	29	3	1	-	2	1	2	4	4	5	4	1	2
Malaria 28	6	-	-	-	1	-	1	1	-	1	1	-	1
Syphilis 30	407	39	39	37	30	33	45	28	28	42	28	25	33
Influenza 33	422	51	68	74	29	26	12	13	10	20	24	35	60
Measles 35	13	-	-	2	2	1	2	2	2	-	1	1	-
Poliomyelitis, polioencephalitis (acute) 36	18	1	2	-	-	-	2	-	5	6	1	-	1
Cancer of digestive organs, peritoneum 46	1,998	164	141	168	163	169	176	169	162	175	184	155	172
Cancer of female genital organs 48,49	607	50	56	52	50	57	41	45	50	46	46	66	48
Cancer of breast 50	419	34	37	48	32	30	36	37	37	32	28	24	44
Cancer (other sites) 45,47,51-55	1,477	130	111	138	104	140	129	114	110	120	109	144	128
Acute rheumatic fever 58	32	3	3	3	3	4	3	5	3	2	1	1	1
Diabetes mellitus 61	960	97	77	71	95	81	69	81	68	64	76	79	102
Exophthalmic goiter 63b	132	16	7	7	16	6	9	12	8	14	9	14	14
Pellagra (except alcoholic) 69	4	1	1	-	-	1	-	-	-	-	-	1	-
Alcoholism (ethylism) 77	57	4	3	5	6	8	4	4	4	5	2	6	6
Intracranial lesions of vascular origin 83	3,990	359	342	359	350	338	275	321	258	328	329	346	385
Other diseases of nervous system, etc.* 80-82,84-88	434	42	25	37	41	35	33	37	37	31	47	31	38
Diseases of ear, nose, and throat 89,104,115	146	16	20	8	17	12	16	11	6	9	9	12	10
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	678	68	45	76	59	54	37	45	50	57	49	66	72
Diseases of coronary arteries, angina pectoris 94	3,450	344	285	300	276	274	279	252	252	280	283	274	351
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	6,742	643	581	600	591	586	516	512	498	456	544	565	650
Pneumonia (all forms) 107-109	1,685	187	187	229	159	123	77	83	73	83	114	130	240
Ulcer of stomach or duodenum 117	213	15	18	14	19	15	13	14	20	20	19	28	18
Diarrhea, enteritis, etc.* 119,120	282	17	6	11	12	20	21	41	49	56	21	18	10
Appendicitis 121	255	23	14	23	17	24	19	26	25	25	23	18	18
Hernia, intestinal obstruction 122	338	27	28	29	32	23	30	31	27	27	37	17	30
Cirrhosis of the liver 124	264	17	21	16	25	29	12	18	25	29	24	27	21
Biliary calculi, etc.* 126,127	229	22	19	18	22	17	19	23	20	17	20	15	17
Nephritis 130-132	3,545	306	305	348	304	288	285	266	273	239	310	289	332
Diseases of prostate 137	192	24	20	18	10	15	17	17	20	12	12	15	12
Puerperal septicemia 140,142a,145A,147	82	6	10	8	7	6	4	6	5	9	9	6	6
Puerperal toxemias 141a,c,144,148	36	3	4	5	1	2	3	1	3	4	3	3	4
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	60	3	2	15	9	3	3	6	1	3	3	6	6
Congenital malformations 157	435	35	32	40	37	34	28	43	38	40	38	35	35
Premature birth 159	838	53	46	53	72	74	86	77	92	77	80	66	62
Suicide 163,164	453	37	44	43	37	45	35	38	31	38	45	38	22
Homicide 165-168	112	14	10	6	10	7	9	9	9	12	9	7	10
Motor-vehicle accidents 170	959	106	78	73	85	89	69	89	88	83	74	74	51
Other accidents 169,171-195	1,912	153	109	136	129	174	184	177	175	147	173	166	189
All other causes*	3,996	344	333	370	331	307	342	298	312	315	358	321	365

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IOWA													
All causes	25,001	2,283	2,047	2,304	2,172	2,130	1,930	1,983	1,873	1,878	2,060	2,074	2,267
Typhoid, paratyphoid fever 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis 6	3	-	-	-	-	1	-	-	1	-	-	-	1
Scarlet fever 8	9	1	-	1	2	-	-	1	-	-	1	1	2
Whooping cough 9	29	5	4	1	3	4	2	1	-	-	3	5	1
Diphtheria 10	9	-	-	1	2	-	-	-	-	1	-	2	3
Tuberculosis of respiratory system, etc.* 13	379	26	32	28	27	35	30	41	32	29	34	26	39
Tuberculosis (other forms) 14-22	48	4	5	4	4	5	6	3	5	4	4	2	2
Dysentery 27	9	-	-	-	-	-	5	1	-	3	-	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	194	18	11	17	17	12	19	14	11	13	19	23	20
Influenza 33	217	27	21	34	26	17	6	4	7	8	19	21	27
Measles 35	17	5	1	3	3	1	2	1	-	-	-	-	1
Poliomyelitis, poliocencephalitis (acute) 36	8	1	-	2	-	-	1	-	1	1	1	-	1
Cancer of digestive organs, peritoneum 46	1,703	126	130	150	163	140	131	145	142	159	146	136	135
Cancer of female genital organs 48,49	408	37	34	33	38	26	43	32	36	34	25	37	33
Cancer of breast 50	346	47	33	30	27	23	23	24	26	33	23	35	22
Cancer (other sites) 45,47,51-55	1,142	91	97	87	105	100	86	91	104	102	109	77	93
Acute rheumatic fever 58	14	1	-	1	1	1	1	3	1	-	1	2	2
Diabetes mellitus 61	632	55	46	58	52	58	56	58	45	45	46	48	65
Exophthalmic goiter 63b	61	5	3	5	6	6	9	4	4	5	4	4	6
Pellagra (except alcoholic) 69	2	-	-	2	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	24	3	2	3	3	3	4	-	1	1	3	-	1
Intracranial lesions of vascular origin 83	2,794	279	253	239	220	260	178	225	200	218	207	246	269
Other diseases of nervous system, etc.* 80-82,84-88	320	28	25	29	24	24	25	22	29	28	33	21	32
Diseases of ear, nose, and throat 89,104,115	91	7	9	10	8	13	11	11	5	6	4	3	4
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	500	42	44	61	48	34	38	35	32	39	45	34	48
Diseases of coronary arteries, angina pectoris 94	2,758	252	216	225	226	222	222	222	181	212	253	264	263
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	3,935	378	325	394	355	342	283	308	285	269	304	324	368
Pneumonia (all forms) 107-109	946	121	94	123	95	79	42	43	49	43	59	79	119
Ulcer of stomach or duodenum 117	172	17	8	10	18	18	14	13	24	14	9	11	16
Diarrhea, enteritis, etc.* 119,120	107	11	5	10	7	7	9	7	10	16	9	7	9
Appendicitis 121	174	18	14	15	11	13	16	19	20	14	13	12	9
Hernia, intestinal obstruction 122	215	8	17	20	22	18	17	16	20	28	15	22	12
Cirrhosis of the liver 124	135	10	7	13	14	4	10	14	11	13	15	13	11
Biliary calculi, etc.* 126,127	143	10	17	16	10	16	13	16	8	11	6	12	9
Nephritis 130-132	1,601	145	125	150	139	153	134	118	100	103	161	135	138
Diseases of the prostate 137	231	23	22	20	10	16	17	14	26	21	22	20	20
Puerperal septicemia 140,142a,145A,147	42	8	4	3	6	-	4	3	2	4	1	4	3
Puerperal toxemias 141a,c,144,148	13	-	-	3	-	-	4	1	-	1	1	1	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	39	4	2	4	-	2	2	7	7	1	3	1	6
Congenital malformations 157	293	23	28	17	27	20	26	29	21	29	25	22	26
Premature birth 159	558	51	55	38	51	41	44	43	49	31	41	64	50
Suicide 163,164	307	18	16	30	36	33	34	19	25	18	30	21	27
Homicide 165-168	30	2	2	-	3	2	3	-	2	5	5	2	4
Motor-vehicle accidents 170	447	43	30	40	40	35	41	42	33	39	37	32	35
Other accidents 169,171-195	1,259	99	78	112	101	97	102	127	127	81	115	114	106
All other causes*	2,637	234	232	262	222	250	217	206	191	196	209	191	227
KANSAS													
All causes	18,149	1,724	1,478	1,733	1,552	1,558	1,380	1,415	1,384	1,344	1,457	1,480	1,644
Typhoid, paratyphoid fever 1,2	5	-	-	-	-	-	-	-	1	-	3	1	-
Cerebrospinal (meningococcus) meningitis 6	8	-	-	2	1	-	-	1	-	1	-	-	3
Scarlet fever 8	7	2	2	-	-	1	-	-	1	-	-	1	-
Whooping cough 9	15	-	-	1	2	3	3	-	2	1	-	-	3
Diphtheria 10	10	1	2	-	-	-	-	1	-	1	-	4	1
Tuberculosis of respiratory system, etc.* 13	399	33	29	31	41	35	29	37	32	34	42	33	23
Tuberculosis (other forms) 14-22	39	4	1	5	3	5	1	2	3	6	4	3	2
Dysentery 27	10	-	-	-	2	1	1	-	2	1	2	1	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	189	19	8	15	17	13	16	17	21	17	14	14	18
Influenza 33	185	32	35	46	26	6	6	5	4	3	6	7	9
Measles 35	21	1	1	4	8	5	2	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute) 36	19	-	-	1	-	-	1	2	1	7	6	1	-
Cancer of digestive organs, peritoneum 46	1,023	78	81	87	83	85	80	93	90	82	100	77	87
Cancer of female genital organs 48,49	249	20	20	26	25	24	14	26	25	13	21	10	25
Cancer of breast 50	226	24	25	20	16	16	18	11	19	21	17	12	27
Cancer (other sites) 45,47,51-55	736	50	65	61	55	66	64	56	58	66	67	71	57
Acute rheumatic fever 58	18	-	3	1	1	1	3	1	3	1	2	1	1
Diabetes mellitus 61	441	60	35	45	32	42	28	31	29	42	30	37	30
Exophthalmic goiter 63b	69	7	6	8	4	6	8	5	3	4	4	6	8
Pellagra (except alcoholic) 69	8	1	1	1	1	-	1	1	-	1	-	-	1
Alcoholism (ethylism) 77	12	2	1	-	1	-	-	-	-	3	1	2	2
Intracranial lesions of vascular origin 83	2,002	189	157	191	153	162	161	161	136	152	171	174	195
Other diseases of nervous system, etc.* 80-82,84-88	256	29	19	23	20	20	19	22	19	16	22	19	28
Diseases of ear, nose, and throat 89,104,115	80	4	8	10	10	12	4	6	3	7	4	7	5
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	336	27	22	23	36	39	22	14	29	28	28	33	35
Diseases of coronary arteries, angina pectoris 94	1,737	183	138	172	136	166	132	110	132	107	151	151	159
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,960	294	260	295	258	239	252	224	195	199	232	237	275
Pneumonia (all forms) 107-109	588	84	61	84	71	45	21	19	18	30	35	45	75
Ulcer of stomach or duodenum 117	134	14	10	12	6	8	6	17	12	7	17	12	13
Diarrhea, enteritis, etc.* 119,120	96	4	4	8	13	4	4	9	15	13	9	8	5
Appendicitis 121	132	14	5	8	17	11	11	11	10	13	8	10	14
Hernia, intestinal obstruction 122	171	12	15	18	11	14	13	16	13	13	17	10	19
Cirrhosis of the liver 124	93	6	10	13	10	11	7	6	5	5	6	4	10
Biliary calculi, etc.* 126,127	122	13	15	10	5	14	11	7	6	12	13	9	7
Nephritis 130-132	1,487	147	126	132	130	133	125	114	109	92	118	116	145
Diseases of the prostate 137	140	11	11	7	5	19	8	12	17	11	11	16	12
Puerperal septicemia 140,142a,145A,147	49	4	3	6	2	6	4	3	5	4	3	2	7
Puerperal toxemias 141a,c,144,148	17	2	1	1	1	1	2	2	3	-	3	1	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	22	1	1	1	1	-	4	3	2	4	1	2	2
Congenital malformations 157	234	25	21	18	22	20	14	20	21	17	14	23	19
Premature birth 159	395	24	26	32	34	37	29	50	39	29	22	32	41
Suicide 163,164	215	21	12	18	22	27	18	17	22	15	12	14	17
Homicide 165-168	54	3	1	5	5	3	6	6	10	6	2	4	3
Motor-vehicle accidents 170	361	32	23	34	22	35	33	40	23	33	24	35	27
Other accidents 169,171-195	982	75	74	75	92	94	70	95	89	73	86	81	78
All other causes*	1,797	172	140	183	152	129	129	142	157	154	129	154	156

* Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY													
All causes	28,279	2,760	2,553	2,825	2,405	2,323	2,056	2,268	2,045	2,021	2,248	2,170	2,605
Typhoid, paratyphoid fever 1,2	45	2	3	1	3	2	4	10	2	7	3	5	3
Cerebrospinal (meningococcus) meningitis 6	32	1	3	6	1	2	3	4	-	1	2	3	6
Scarlet fever 8	26	4	4	2	3	3	1	1	3	1	-	4	-
Whooping cough 9	120	16	16	10	13	5	5	11	5	9	8	11	11
Diphtheria 10	64	9	7	4	1	-	-	2	1	10	9	12	9
Tuberculosis of respiratory system, etc.* 13	1,634	140	127	158	176	150	128	121	129	119	119	121	146
Tuberculosis (other forms) 14-22	207	19	17	22	22	15	18	17	20	18	13	15	11
Dysentery 27	132	3	2	4	3	5	12	38	32	19	8	4	2
Malaria 28	13	-	1	1	-	1	-	5	1	-	3	1	-
Syphilis 30	296	23	21	32	27	33	21	22	25	14	27	33	18
Influenza 33	402	68	65	90	44	19	10	6	5	7	12	24	52
Measles 35	26	4	1	6	7	3	2	1	-	-	-	1	1
Poliomyelitis, polioencephalitis (acute) 36	26	-	2	1	1	2	1	6	4	2	2	3	2
Cancer of digestive organs, peritoneum 46	1,180	103	91	93	111	93	111	87	96	92	102	100	101
Cancer of female genital organs 48,49	438	44	33	44	42	33	33	29	41	37	26	28	48
Cancer of breast 50	199	23	24	13	9	16	16	19	12	16	13	16	22
Cancer (other sites) 45,47,51-55	756	66	58	63	66	72	68	54	65	58	64	63	59
Acute rheumatic fever 58	25	3	1	3	1	2	4	3	-	1	4	2	1
Diabetes mellitus 61	443	40	34	36	41	33	37	37	30	33	44	34	44
Exophthalmic goiter 63b	42	3	2	3	3	5	3	3	3	4	7	4	2
Pellagra (except alcoholic) 69	48	1	4	4	5	7	3	2	8	3	3	5	3
Alcoholism (ethylism) 77	29	1	4	4	1	-	1	2	2	4	3	3	4
Intracranial lesions of vascular origin 83	2,580	247	255	250	226	213	187	213	164	193	205	201	226
Other diseases of nervous system, etc.* 80-82,84-88	319	29	26	26	27	29	19	35	20	18	34	29	27
Diseases of ear, nose, and throat 89,104,115	118	8	12	19	12	11	6	8	11	5	10	5	11
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	454	46	47	35	32	51	40	28	34	29	26	34	58
Diseases of coronary arteries, angina pectoris 94	1,729	155	127	155	159	158	113	121	131	133	189	152	185
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	4,572	496	420	481	367	388	340	298	303	318	381	379	401
Pneumonia (all forms) 107-109	1,813	224	254	281	178	100	65	77	63	59	139	132	241
Ulcer of stomach or duodenum 117	182	23	7	17	19	17	11	20	16	8	11	19	14
Diarrhea, enteritis, etc.* 119,120	449	12	13	15	7	20	45	118	71	75	38	19	16
Appendicitis 121	204	17	12	11	17	14	22	23	22	11	19	16	20
Hernia, intestinal obstruction 122	183	16	18	22	13	14	14	20	8	7	20	17	14
Cirrhosis of the liver 124	142	11	11	12	11	14	10	11	15	16	6	9	16
Biliary calculi, etc.* 126,127	119	12	8	13	13	8	10	12	8	5	9	12	9
Nephritis 130-132	2,120	214	186	199	194	179	156	176	141	155	178	147	195
Diseases of the prostate 137	135	15	12	9	12	16	6	12	4	16	10	8	15
Puerperal septicemia 140,142a,145A,147	60	6	4	4	4	9	5	6	6	4	3	3	6
Puerperal toxemias 141a,c,144,148	55	4	2	4	8	7	2	3	8	4	4	3	6
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	63	7	8	7	7	2	4	6	5	4	6	4	3
Congenital malformations 157	354	34	36	38	30	26	26	21	31	22	25	24	41
Premature birth 159	902	84	58	100	85	81	70	88	67	72	54	70	73
Suicide 163,164	299	26	19	24	33	37	28	26	23	27	23	18	15
Homicide 165-168	303	26	26	31	24	33	11	25	28	25	21	22	31
Motor-vehicle accidents 170	565	41	50	43	35	51	50	57	45	48	56	45	44
Other accidents 169,171-195	1,547	172	133	157	98	113	120	145	118	117	122	109	143
All other causes*	2,829	262	289	272	214	231	215	239	219	195	237	201	255
LOUISIANA													
All causes	23,010	2,250	1,981	2,031	1,853	1,807	1,834	1,865	1,833	1,707	1,919	1,872	2,058
Typhoid, paratyphoid fever 1,2	40	3	2	2	2	5	2	8	5	1	5	3	2
Cerebrospinal (meningococcus) meningitis 6	13	1	1	4	-	-	1	1	3	1	-	-	1
Scarlet fever 8	2	-	-	-	-	-	1	1	-	-	-	-	-
Whooping cough 9	69	5	3	4	4	10	5	6	5	6	6	3	12
Diphtheria 10	42	7	3	5	1	1	1	2	1	1	6	7	7
Tuberculosis of respiratory system, etc.* 13	1,125	83	98	100	108	103	100	100	70	92	86	81	94
Tuberculosis (other forms) 14-22	86	7	11	9	9	3	8	3	7	12	5	6	6
Dysentery 27	63	5	3	2	5	10	7	5	1	6	6	9	4
Malaria 28	57	1	1	1	-	2	9	14	10	7	5	4	3
Syphilis 30	533	47	37	58	47	53	39	39	29	50	45	44	45
Influenza 33	312	59	55	46	23	13	11	3	6	16	17	21	42
Measles 35	31	2	1	7	3	6	7	2	1	1	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	8	1	-	1	2	1	-	1	1	1	-	-	-
Cancer of digestive organs, peritoneum 46	848	72	75	71	56	75	68	77	69	69	83	65	68
Cancer of female genital organs 48,49	358	30	28	24	37	43	25	25	34	28	27	29	28
Cancer of breast 50	152	13	18	7	10	18	20	8	14	12	13	11	8
Cancer (other sites) 45,47,51-55	746	74	64	62	62	60	63	52	58	60	55	76	60
Acute rheumatic fever 58	29	3	3	1	-	3	6	2	3	4	2	1	1
Diabetes mellitus 61	383	50	27	35	34	38	25	37	26	17	27	27	40
Exophthalmic goiter 63b	37	8	3	1	3	1	4	-	3	2	2	4	6
Pellagra (except alcoholic) 69	58	6	8	4	4	2	4	3	3	6	7	7	4
Alcoholism (ethylism) 77	20	1	1	2	1	2	5	2	2	2	1	1	-
Intracranial lesions of vascular origin 83	1,708	159	134	163	137	128	131	157	117	121	147	152	162
Other diseases of nervous system, etc.* 80-82,84-88	239	19	17	27	20	20	21	22	20	17	19	19	18
Diseases of ear, nose, and throat 89,104,115	79	11	7	4	7	5	4	10	4	10	8	6	3
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	353	39	34	23	21	36	26	24	23	25	33	22	47
Diseases of coronary arteries, angina pectoris 94	1,172	94	102	114	95	105	80	77	87	81	99	109	129
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	4,306	448	380	399	368	332	344	331	354	274	365	342	369
Pneumonia (all forms) 107-109	1,377	192	157	132	103	90	77	87	88	85	108	103	155
Ulcer of stomach or duodenum 117	141	14	14	11	14	9	7	13	10	13	12	11	13
Diarrhea, enteritis, etc.* 119,120	268	17	21	19	15	27	29	37	19	24	18	24	18
Appendicitis 121	156	8	11	12	11	13	18	12	19	15	20	9	8
Hernia, intestinal obstruction 122	203	22	20	18	14	8	13	24	18	15	15	17	19
Cirrhosis of the liver 124	187	22	15	12	16	13	12	20	14	15	19	12	17
Biliary calculi, etc.* 126,127	61	1	4	6	9	7	3	4	4	8	7	8	-
Nephritis 130-132	1,857	184	174	169	143	141	142	161	148	130	153	142	160
Diseases of the prostate 137	107	4	5	10	6	8	15	11	5	8	15	13	7
Puerperal septicemia 140,142a,145A,147	73	5	4	11	2	7	12	8	10	4	3	4	3
Puerperal toxemias 141a,c,144,148	58	10	7	3	5	1	5	5	7	7	2	4	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	70	8	6	1	4	2	7	10	8	4	6	5	9
Congenital malformations 157	252	27	21	20	24	15	16	18	18	20	25	20	28
Premature birth 159	780	57	48	58	64	55	72	70	78	72	86	62	58
Suicide 163,164	179	18	11	15	19	15	14	15	21	15	16	12	8
Homicide 165-168	268	18	15	25	24	15	22	20	34	16	27	21	31
Motor-vehicle accidents 170	457	41	41	38	41	39	34	39	46	37	27	39	35
Other accidents 169,171-195	1,211	117	88	92	87	100	116	85	124	107	102	103	90
All other causes*	2,426	237	203	203	193	167	203	214	206	190	189	204	217

* Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE													
All causes	10,446	918	853	956	922	920	770	746	816	813	850	907	975
Typhoid, paratyphoid fever 1,2	4	1	-	-	-	-	-	1	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis 6	24	2	-	2	3	3	2	3	1	1	2	2	3
Scarlet fever 8	6	-	1	2	1	-	-	1	1	-	-	-	-
Whooping cough 9	25	1	1	-	2	1	-	2	5	3	2	4	4
Diphtheria 10	3	-	-	-	-	-	1	1	-	-	-	-	1
Tuberculosis of respiratory system, etc.* 13	237	21	16	16	20	21	21	22	25	17	20	19	19
Tuberculosis (other forms) 14-22	21	-	-	3	2	3	3	-	1	3	2	2	2
Dysentery 27	3	-	1	-	-	-	-	-	-	1	1	-	-
Malaria 28	1	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis 30	52	2	7	7	7	2	3	4	2	2	3	9	4
Influenza 33	83	4	15	15	13	4	3	2	1	3	4	10	9
Measles 35	10	4	2	-	-	1	2	-	-	1	-	-	-
Poliomyelitis, poliocencephalitis (acute) 36	4	-	-	-	-	-	-	-	-	2	1	-	1
Cancer of digestive organs, peritoneum 46	667	71	46	55	59	56	51	53	65	54	55	48	54
Cancer of female genital organs 48,49	172	15	13	16	13	13	12	16	18	19	11	16	10
Cancer of breast 50	111	11	10	7	12	8	9	11	9	7	4	10	13
Cancer (other sites) 45,47,51-55	360	31	32	28	23	32	25	23	31	40	27	44	24
Acute rheumatic fever 58	9	1	1	1	-	1	-	-	2	-	2	-	1
Diabetes mellitus 61	252	32	18	25	23	25	22	16	15	13	16	20	27
Exophthalmic goiter 63b	6	-	-	-	-	1	-	-	-	2	1	1	1
Pellagra (except alcoholic) 69	4	2	-	-	1	-	-	-	1	-	-	-	-
Alcoholism (ethylism) 77	25	5	1	2	2	-	3	2	2	4	-	2	2
Intracranial lesions of vascular origin 83	1,054	103	90	110	76	89	75	67	86	83	91	72	112
Other diseases of nervous system, etc.* 80-82,84-88	105	13	8	9	10	16	4	7	9	8	12	4	5
Diseases of ear, nose, and throat 89,104,115	43	3	1	5	6	4	4	2	7	2	3	4	2
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	170	15	16	16	7	15	14	14	16	14	13	16	14
Diseases of coronary arteries, angina pectoris 94	1,145	92	79	89	106	92	79	96	97	83	114	107	111
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,788	155	166	183	167	155	139	107	133	127	136	158	162
Pneumonia (all forms) 107-109	485	41	46	63	56	45	25	26	16	20	34	43	70
Ulcer of stomach or duodenum 117	57	4	4	2	6	4	4	5	5	4	8	2	9
Diarrhea, enteritis, etc.* 119,120	78	5	9	3	2	5	4	8	7	14	9	6	6
Appendicitis 121	57	5	5	6	7	5	5	4	6	6	3	1	4
Hernia, intestinal obstruction 122	74	3	6	5	6	5	8	4	5	9	10	8	5
Cirrhosis of the liver 124	49	5	4	4	1	6	2	2	4	4	4	8	5
Biliary calculi, etc.* 126,127	57	6	3	5	5	8	4	4	4	3	3	7	5
Nephritis 130-132	710	61	59	65	63	64	53	52	54	57	54	65	63
Diseases of the prostate 137	51	6	5	6	2	1	4	2	9	5	5	3	3
Puerperal septicemia 140,142a,145A,147	19	3	1	1	-	2	3	2	2	-	2	2	1
Puerperal toxemias 141a,c,144,148	6	-	-	2	-	1	2	-	-	-	-	-	1
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	13	2	-	1	2	1	1	-	2	1	2	-	1
Congenital malformations 157	124	13	11	14	13	12	5	8	12	9	8	11	8
Premature birth 159	210	12	18	21	23	18	14	17	15	21	16	19	16
Suicide 163,164	133	10	6	12	17	16	8	7	9	14	10	8	16
Homicide 165-168	14	1	-	-	-	2	1	1	-	1	-	7	1
Motor-vehicle accidents 170	164	30	11	10	10	15	14	13	5	17	13	14	12
Other accidents 169,171-195	526	31	38	42	42	45	43	44	52	43	43	51	52
All other causes*	1,235	96	103	103	114	123	98	96	82	96	104	104	116
MARYLAND													
All causes	22,168	2,049	1,838	2,081	1,857	1,758	1,655	1,793	1,677	1,629	1,831	1,829	2,171
Typhoid, paratyphoid fever 1,2	7	2	-	-	-	-	-	1	-	1	1	2	-
Cerebrospinal (meningococcus) meningitis 6	46	4	3	6	8	3	4	2	2	3	3	3	5
Scarlet fever 8	3	-	1	1	-	-	-	-	-	-	1	-	-
Whooping cough 9	31	1	2	1	2	-	5	5	3	3	5	-	4
Diphtheria 10	7	-	2	-	-	-	-	-	-	1	-	1	3
Tuberculosis of respiratory system, etc.* 13	1,209	92	112	110	124	107	96	93	103	93	88	98	93
Tuberculosis (other forms) 14-22	102	10	5	3	9	10	13	12	8	4	11	7	10
Dysentery 27	24	-	-	-	-	1	1	1	4	8	7	2	-
Malaria 28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis 30	379	35	25	37	39	35	32	29	20	39	32	28	28
Influenza 33	84	12	12	13	10	3	2	2	2	3	9	6	10
Measles 35	12	2	-	3	3	3	-	-	-	-	-	1	-
Poliomyelitis, poliocencephalitis (acute) 36	1	-	-	-	-	-	-	-	-	-	-	-	1
Cancer of digestive organs, peritoneum 46	1,077	111	68	95	68	108	88	101	84	84	83	84	103
Cancer of female genital organs 48,49	308	28	24	30	22	27	18	37	27	23	21	23	28
Cancer of breast 50	246	15	17	27	16	21	22	28	21	15	18	26	20
Cancer (other sites) 45,47,51-55	793	65	75	62	67	55	58	76	67	60	64	71	73
Acute rheumatic fever 58	19	3	1	5	-	1	5	2	-	1	-	-	1
Diabetes mellitus 61	567	65	49	45	55	44	34	38	46	36	43	50	61
Exophthalmic goiter 63b	32	4	2	5	4	5	2	4	2	1	2	-	1
Pellagra (except alcoholic) 69	3	-	1	1	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism) 77	64	8	8	4	6	3	4	6	6	3	4	4	8
Intracranial lesions of vascular origin 83	1,786	163	154	170	130	146	144	147	109	144	138	156	165
Other diseases of nervous system, etc.* 80-82,84-88	197	11	16	18	18	17	13	15	14	16	23	15	21
Diseases of ear, nose, and throat 89,104,115	69	10	2	4	4	4	7	4	7	7	4	6	10
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	383	44	25	35	38	26	28	30	27	31	28	28	43
Diseases of coronary arteries, angina pectoris 94	1,726	175	127	178	145	127	128	120	115	128	151	163	169
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	4,403	375	383	448	380	350	315	332	306	303	355	383	473
Pneumonia (all forms) 107-109	1,152	127	137	156	104	54	42	64	52	60	85	103	168
Ulcer of stomach or duodenum 117	107	9	8	6	9	13	7	13	8	5	10	8	11
Diarrhea, enteritis, etc.* 119,120	299	13	13	10	13	18	13	35	42	44	44	31	23
Appendicitis 121	90	5	4	10	3	4	7	15	7	11	11	6	7
Hernia, intestinal obstruction 122	179	20	14	15	15	15	14	17	22	11	11	12	13
Cirrhosis of the liver 124	177	18	7	15	16	10	13	14	11	15	21	14	23
Biliary calculi, etc.* 126,127	63	5	4	4	6	6	4	5	8	5	6	9	1
Nephritis 130-132	2,055	214	183	195	181	160	171	137	162	117	179	159	197
Diseases of the prostate 137	97	5	9	6	16	11	6	12	9	6	5	6	6
Puerperal septicemia 140,142a,145A,147	39	4	7	1	4	1	2	4	2	3	3	4	4
Puerperal toxemias 141a,c,144,148	15	-	2	1	2	2	3	-	-	2	1	1	1
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	34	3	1	3	6	6	4	1	1	1	1	4	3
Congenital malformations 157	254	19	24	28	24	25	18	18	18	24	27	13	26
Premature birth 159	572	38	32	57	43	41	48	57	67	53	46	45	45
Suicide 163,164	221	26	17	23	27	20	17	18	18	12	16	13	14
Homicide 165-168	173	17	7	10	15	20	18	17	17	11	18	10	13
Motor-vehicle accidents 170	437	52	47	34	20	36	30	33	29	43	34	30	49
Other accidents 169,171-195	980	76	76	52	81	85	93	110	98	70	82	73	84
All other causes*	1,635	143	132	154	123	135	126	138	132	129	139	131	153

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS													
All causes	51,036	4,680	4,360	4,685	4,320	4,095	3,838	3,725	3,735	3,801	4,260	4,674	4,863
Typhoid, paratyphoid fever 1,2	3	1	-	1	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis 6	35	2	4	3	4	5	1	-	4	3	3	-	6
Scarlet fever 8	14	1	1	3	3	1	-	-	1	2	1	-	1
Whooping cough 9	27	1	4	3	2	2	3	4	4	2	1	1	-
Diphtheria 10	7	1	-	-	2	-	1	1	-	1	-	1	-
Tuberculosis of respiratory system, etc.* 13	1,501	106	120	127	170	132	127	106	115	130	136	115	117
Tuberculosis (other forms) 14-22	129	14	13	8	8	11	14	12	14	8	2	14	11
Dysentery 27	3	-	-	-	1	1	-	-	-	-	1	-	-
Malaria 28	3	1	-	-	-	-	-	-	2	-	-	-	-
Syphilis 30	328	34	20	40	37	27	29	20	20	18	29	25	29
Influenza 33	104	15	13	18	11	3	4	-	2	6	9	10	13
Measles 35	15	1	-	4	3	3	2	-	-	-	-	2	-
Poliomyelitis, polioencephalitis (acute) 36	4	-	-	-	-	-	-	-	-	1	2	1	-
Cancer of digestive organs, peritoneum 46	3,584	339	297	296	277	311	264	306	311	285	309	297	292
Cancer of female genital organs 48,49	800	62	70	79	75	66	63	62	58	67	72	49	77
Cancer of breast 50	816	76	74	73	61	54	68	61	69	68	70	69	73
Cancer (other sites) 45,47,51-55	2,177	195	176	193	167	194	171	178	176	189	163	180	195
Acute rheumatic fever 58	29	6	2	2	3	1	8	2	1	1	1	-	2
Diabetes mellitus 61	1,553	148	141	149	146	129	114	98	130	98	123	134	143
Exophthalmic goiter 63b	40	3	3	6	3	4	3	-	6	2	3	2	2
Pellagra (except alcoholic) 69	5	-	-	1	1	2	-	-	-	1	-	-	-
Alcoholism (ethylism) 77	187	19	13	19	11	4	19	25	11	13	14	19	20
Intracranial lesions of vascular origin 83	4,691	453	461	452	403	366	355	341	338	322	367	386	447
Other diseases of nervous system, etc.* 80-82,84-88	452	35	40	31	46	37	27	36	36	24	45	43	52
Diseases of ear, nose, and throat 89,104,115	128	9	6	14	17	13	5	15	8	9	10	13	9
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	1,016	96	96	86	84	80	81	69	73	76	77	90	108
Diseases of coronary arteries, angina pectoris 94	5,382	517	427	489	476	443	402	404	369	434	432	473	516
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	11,222	1,058	946	1,029	965	899	862	777	780	854	987	939	1,126
Pneumonia (all forms) 107-109	2,283	248	254	289	214	149	119	107	93	120	189	211	295
Ulcer of stomach or duodenum 117	416	29	30	37	44	30	26	34	29	43	37	32	45
Diarrhea, enteritis, etc.* 119,120	171	19	7	11	9	18	13	11	14	13	30	16	10
Appendicitis 121	226	16	21	26	21	14	15	21	28	11	18	27	8
Hernia, intestinal obstruction 122	423	34	36	36	41	36	25	43	39	31	29	35	38
Cirrhosis of the liver 124	573	55	49	51	52	48	41	31	51	51	50	44	40
Biliary calculi, etc.* 126,127	267	14	25	24	27	33	24	24	19	21	23	16	17
Nephritis 130-132	2,759	273	263	261	211	222	235	191	189	167	244	239	264
Diseases of the prostate 137	303	29	28	25	30	30	19	29	21	24	24	24	20
Puerperal septicemia 140,142a,145A,147	75	8	9	7	4	2	4	9	6	4	11	4	7
Puerperal toxemias 141a,c,144,148	28	-	1	2	3	4	-	3	2	5	2	3	3
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	71	9	6	6	2	6	3	10	3	8	3	4	11
Congenital malformations 157	552	41	36	43	50	40	35	58	54	41	44	54	56
Premature birth 159	941	94	56	75	67	76	81	63	73	77	86	107	86
Suicide 163,164	501	36	45	46	55	45	45	42	37	45	38	38	29
Homicide 165-168	55	4	9	5	5	2	4	5	4	8	1	3	5
Motor-vehicle accidents 170	578	73	50	60	31	41	29	53	44	32	39	56	70
Other accidents 169,171-195	2,585	177	180	191	158	183	175	191	192	155	184	573	226
All other causes*	3,974	330	328	364	320	328	322	283	309	321	350	325	394
MICHIGAN													
All causes	52,827	4,770	4,218	4,892	4,449	4,438	4,006	4,237	4,083	4,051	4,366	4,403	4,914
Typhoid, paratyphoid fever 1,2	9	-	-	1	1	-	-	1	2	1	2	-	1
Cerebrospinal (meningococcus) meningitis 6	23	4	-	-	3	1	1	2	2	-	4	5	1
Scarlet fever 8	24	4	4	8	3	1	-	1	-	-	1	1	1
Whooping cough 9	71	4	3	10	2	1	7	8	7	9	4	5	11
Diphtheria 10	22	1	1	2	1	2	1	1	4	1	1	3	4
Tuberculosis of respiratory system, etc.* 13	1,684	158	135	158	147	131	131	168	137	135	147	115	122
Tuberculosis (other forms) 14-22	207	14	19	18	20	22	24	15	18	20	20	7	10
Dysentery 27	36	1	5	1	3	1	1	1	9	2	5	2	5
Malaria 28	4	-	-	-	-	1	1	-	-	2	-	-	-
Syphilis 30	594	55	43	67	42	52	53	51	32	45	38	64	51
Influenza 33	228	17	29	42	25	11	5	7	-	6	29	17	40
Measles 35	8	1	-	1	4	-	2	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute) 36	10	-	-	1	-	-	-	1	3	4	-	-	1
Cancer of digestive organs, peritoneum 46	3,058	245	231	252	248	288	259	261	287	247	264	257	219
Cancer of female genital organs 48,49	824	75	52	63	72	84	51	56	70	70	80	85	66
Cancer of breast 50	616	60	40	54	58	50	49	44	65	49	47	49	51
Cancer (other sites) 45,47,51-55	1,925	174	156	176	140	156	153	166	190	145	156	139	174
Acute rheumatic fever 58	48	3	7	4	5	5	6	3	5	2	1	3	4
Diabetes mellitus 61	1,447	137	107	131	115	119	114	115	108	108	115	136	142
Exophthalmic goiter 63b	187	13	19	20	14	23	12	20	10	19	16	10	11
Pellagra (except alcoholic) 69	5	-	-	-	1	1	-	1	-	-	-	2	-
Alcoholism (ethylism) 77	54	2	4	5	4	6	-	7	3	6	8	5	4
Intracranial lesions of vascular origin 83	4,816	445	426	456	403	387	342	383	298	365	414	420	477
Other diseases of nervous system, etc.* 80-82,84-88	564	45	41	56	59	62	37	37	45	44	51	42	45
Diseases of ear, nose, and throat 89,104,115	202	23	9	29	20	24	14	13	10	18	10	17	15
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	1,017	100	84	77	86	87	71	77	59	85	89	84	118
Diseases of coronary arteries, angina pectoris 94	5,154	509	428	439	405	403	393	388	365	399	445	456	524
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	9,798	901	821	945	894	843	741	745	706	700	763	810	929
Pneumonia (all forms) 107-109	2,348	264	253	323	227	166	128	124	103	101	156	207	294
Ulcer of stomach or duodenum 117	348	30	27	19	25	28	31	29	32	29	26	33	39
Diarrhea, enteritis, etc.* 119,120	317	17	13	25	19	22	19	25	38	43	30	30	36
Appendicitis 121	317	27	33	21	25	24	32	39	32	22	18	22	22
Hernia, intestinal obstruction 122	464	37	47	47	49	29	38	35	38	45	30	34	40
Cirrhosis of the liver 124	523	52	40	48	44	40	43	52	31	33	49	49	42
Biliary calculi, etc.* 126,127	287	28	22	20	24	30	21	25	21	24	28	20	24
Nephritis 130-132	2,708	252	204	257	198	216	214	208	235	211	216	216	281
Diseases of the prostate 137	304	25	21	23	30	21	19	24	30	21	30	28	32
Puerperal septicemia 140,142a,145A,147	91	10	11	6	4	12	7	9	2	6	4	12	8
Puerperal toxemias 141a,c,144,148	54	4	6	2	4	1	4	2	7	10	6	4	4
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	112	9	5	10	9	8	10	10	14	8	13	8	8
Congenital malformations 157	854	63	65	86	82	62	63	62	71	74	72	66	88
Premature birth 159	1,540	113	102	127	130	171	125	127	139	134	123	133	115
Suicide 163,164	636	30	36	75	61	73	63	60	55	55	56	41	31
Homicide 165-168	176	12	12	20	16	19	16	10	11	15	17	18	10
Motor-vehicle accidents 170	1,409	149	116	108	98	120	100	128	133	155	123	92	87
Other accidents 169,171-195	2,337	178	159	186	157	192	211	260	240	194	186	179	195
All other causes*	5,367	479	382	473	472	443	398	436	416	388	471	477	532

*Refer to complete International List titles, table VII, Part 1.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA													
All causes	25,851	2,271	1,977	2,205	2,260	2,252	2,050	2,079	1,882	1,997	2,280	2,207	2,391
Typhoid, paratyphoid fever 1,2	6	-	1	-	-	-	1	1	1	-	1	1	-
Cerebrospinal (meningococcus) meningitis 6	12	-	-	1	1	-	1	-	-	2	3	2	2
Scarlet fever 8	9	-	-	3	1	1	1	-	-	-	1	2	-
Whooping cough 9	21	-	1	3	2	2	1	4	2	1	2	-	3
Diphtheria 10	10	-	-	1	-	1	-	-	-	1	5	2	-
Tuberculosis of respiratory system, etc.* 13	326	44	55	43	56	57	57	49	59	49	53	51	53
Tuberculosis (other forms) 14-22	67	6	4	6	8	4	10	13	4	2	4	4	2
Dysentery 27	6	1	-	1	1	-	-	-	-	1	1	1	-
Malaria 28	4	-	1	-	-	-	1	-	-	-	1	-	1
Syphilis 30	208	21	18	18	15	21	19	13	16	21	11	20	15
Influenza 33	166	17	18	23	20	21	7	3	5	6	15	15	16
Measles 35	12	1	2	2	4	1	-	1	-	-	-	-	1
Poliomyelitis, poliocencephalitis (acute) 36	6	-	-	-	-	1	-	-	1	1	-	2	1
Cancer of digestive organs, peritoneum 46	1,914	153	146	158	165	149	157	177	142	173	159	165	170
Cancer of female genital organs 48,49	375	33	30	26	25	33	24	25	23	35	40	35	46
Cancer of breast 50	363	25	24	29	31	31	27	23	47	26	36	25	39
Cancer (other sites) 45,47,51-55	1,119	88	73	106	96	99	98	90	91	89	104	92	88
Acute rheumatic fever 58	36	4	2	4	4	4	7	4	4	1	1	-	1
Diabetes mellitus 61	717	54	46	66	78	59	52	64	42	69	61	48	78
Exophthalmic goiter 63b	75	5	3	10	8	3	11	2	8	5	7	6	7
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	47	1	2	2	2	1	5	6	3	5	9	3	8
Intracranial lesions of vascular origin 83	2,559	248	202	215	233	211	198	210	166	185	233	223	235
Other diseases of nervous system, etc.* 80-82,84-88	297	28	25	25	21	33	16	21	25	22	28	24	29
Diseases of ear, nose, and throat 89,104,115	75	9	5	10	10	5	2	4	2	5	3	7	13
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	506	45	54	35	48	46	32	32	42	39	44	44	45
Diseases of coronary arteries, angina pectoris 94	3,048	292	242	257	254	255	233	252	206	235	266	267	289
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	3,983	348	315	339	338	369	313	313	289	288	363	332	376
Pneumonia (all forms) 107-109	1,348	130	112	127	128	127	100	78	61	77	129	120	159
Ulcer of stomach or duodenum 117	180	22	11	12	13	14	11	15	12	13	20	16	21
Diarrhea, enteritis, etc.* 119,120	102	10	12	18	6	9	5	6	7	13	7	3	6
Appendicitis 121	156	12	11	17	16	17	7	16	18	6	11	11	14
Hernia, intestinal obstruction 122	227	12	14	25	19	24	19	28	21	17	24	13	11
Cirrhosis of the liver 124	199	18	12	23	16	15	16	16	8	11	27	26	11
Biliary calculi, etc.* 126,127	175	12	10	15	22	19	14	11	16	19	14	12	11
Nephritis 130-132	1,099	100	74	98	111	109	101	78	72	88	75	97	96
Diseases of the prostate 137	210	19	22	16	9	19	22	14	15	17	17	20	20
Puerperal septicemia 140,142a,145A,147	40	2	2	3	5	3	3	3	2	6	2	4	5
Puerperal toxemias 141a,c,144,148	19	-	2	-	1	1	4	2	1	4	1	-	3
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	37	3	1	5	5	4	1	1	3	3	4	5	2
Congenital malformations 157	390	37	25	31	25	36	32	35	35	38	27	30	39
Premature birth 159	644	54	35	36	57	58	70	50	52	60	45	65	62
Suicide 163,164	332	24	30	23	32	28	25	31	32	27	36	22	22
Homicide 165-168	45	6	3	3	3	1	5	1	8	4	2	5	4
Motor-vehicle accidents 170	479	48	43	49	38	38	35	36	41	35	42	40	34
Other accidents 169,171-195	1,332	108	87	94	96	116	106	152	112	87	128	131	115
All other causes*	2,570	231	197	227	237	207	201	199	188	211	218	216	238
MISSISSIPPI													
All causes	20,794	2,041	1,790	2,027	1,712	1,716	1,642	1,698	1,515	1,526	1,718	1,549	1,860
Typhoid, paratyphoid fever 1,2	21	1	1	-	-	3	2	3	8	-	1	1	1
Cerebrospinal (meningococcus) meningitis 6	16	-	5	1	1	2	2	-	2	-	-	1	2
Scarlet fever 8	6	-	1	3	-	-	-	-	-	-	-	2	-
Whooping cough 9	100	4	11	8	7	12	22	13	7	6	4	4	2
Diphtheria 10	42	4	1	2	3	1	1	-	2	5	9	10	4
Tuberculosis of respiratory system, etc.* 13	1,050	88	83	108	109	104	92	89	89	77	73	60	78
Tuberculosis (other forms) 14-22	63	4	2	5	9	6	5	7	9	3	2	4	7
Dysentery 27	111	5	4	-	1	11	25	30	10	4	11	7	3
Malaria 28	79	1	1	4	5	5	8	9	15	14	10	7	-
Syphilis 30	435	37	39	28	46	47	29	35	31	33	29	44	37
Influenza 33	448	100	69	75	41	21	8	3	8	7	20	37	59
Measles 35	55	8	11	11	6	9	3	1	1	1	2	1	2
Poliomyelitis, poliocencephalitis (acute) 36	8	1	1	-	-	1	1	-	-	1	-	-	3
Cancer of digestive organs, peritoneum 46	605	61	49	58	46	53	69	47	46	46	39	38	53
Cancer of female genital organs 48,49	322	25	25	24	32	27	23	38	27	21	24	30	26
Cancer of breast 50	117	9	14	11	12	9	9	9	7	11	11	8	7
Cancer (other sites) 45,47,51-55	480	47	38	46	38	37	39	47	40	34	43	35	36
Acute rheumatic fever 58	31	2	5	3	3	2	5	2	3	1	2	2	1
Diabetes mellitus 61	285	32	29	26	26	22	15	17	20	22	18	25	33
Exophthalmic goiter 63b	27	-	3	3	3	4	1	4	2	2	3	2	-
Pellagra (except alcoholic) 69	117	8	10	9	11	10	7	10	9	13	9	9	12
Alcoholism (ethylism) 77	22	6	1	1	3	1	2	2	4	1	-	-	1
Intracranial lesions of vascular origin 83	1,646	133	150	170	128	135	117	138	108	148	134	123	162
Other diseases of nervous system, etc.* 80-82,84-88	202	21	17	21	18	18	12	21	12	16	14	7	25
Diseases of ear, nose, and throat 89,104,115	96	14	8	6	9	9	9	9	3	4	7	9	9
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	458	38	35	35	40	34	37	37	42	36	39	39	46
Diseases of coronary arteries, angina pectoris 94	599	56	52	47	62	51	47	40	43	40	55	60	46
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,103	196	186	197	175	185	131	177	150	154	192	156	204
Pneumonia (all forms) 107-109	877	126	94	115	77	53	39	27	34	34	80	78	120
Ulcer of stomach or duodenum 117	110	11	5	15	10	13	6	8	8	10	7	6	11
Diarrhea, enteritis, etc.* 119,120	310	6	12	9	19	25	73	67	23	24	29	17	5
Appendicitis 121	155	12	16	16	14	14	9	11	10	15	18	9	11
Hernia, intestinal obstruction 122	211	24	9	15	16	15	18	18	17	16	19	17	27
Cirrhosis of the liver 124	92	6	6	10	9	3	5	7	11	7	9	11	8
Biliary calculi, etc.* 126,127	47	3	7	3	8	5	4	2	2	3	4	3	3
Nephritis 130-132	2,075	199	171	221	184	172	180	174	143	160	168	124	179
Diseases of the prostate 137	91	3	7	9	9	12	10	11	4	7	8	9	2
Puerperal septicemia 140,142a,145A,147	87	5	4	6	13	10	6	4	8	9	10	7	5
Puerperal toxemias 141a,c,144,148	92	11	9	10	10	4	5	7	8	7	6	6	9
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	70	8	7	5	4	10	6	5	1	6	4	7	7
Congenital malformations 157	135	6	10	9	15	11	16	16	9	12	13	10	8
Premature birth 159	605	52	46	42	41	47	54	59	47	52	71	41	53
Suicide 163,164	126	9	13	12	12	12	14	11	15	5	10	6	7
Homicide 165-168	391	31	30	36	28	27	23	42	29	33	39	33	40
Motor-vehicle accidents 170	399	58	30	26	23	28	30	37	45	21	41	28	32
Other accidents 169,171-195	1,019	84	82	148	47	75	90	71	84	82	80	85	91
All other causes*	4,357	486	361	418	339	360	333	333	319	323	351	331	383

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI													
All causes	41,888	4,019	3,418	3,968	3,717	3,486	3,156	3,315	3,075	3,089	3,485	3,237	3,923
Typhoid, paratyphoid fever 1,2	29	-	-	1	1	-	4	10	3	5	1	1	3
Cerebrospinal (meningococcus) meningitis 6	21	4	2	2	2	1	2	2	2	-	2	-	2
Scarlet fever 8	12	1	1	2	3	2	-	-	-	1	1	1	-
Whooping cough 9	33	4	3	1	4	2	4	3	4	3	2	3	-
Diphtheria 10	42	2	1	2	3	1	-	-	-	5	8	11	9
Tuberculosis of respiratory system, etc.* 13	1,461	138	107	137	112	144	130	119	112	91	113	127	131
Tuberculosis (other forms) 14-22	113	12	9	12	9	9	10	7	11	6	10	8	10
Dysentery 27	42	2	1	-	3	1	5	12	7	6	2	2	1
Malaria 28	22	-	-	2	3	-	-	4	5	2	1	3	2
Syphilis 30	530	58	43	42	49	38	41	42	43	42	41	51	40
Influenza 33	462	78	80	81	54	32	13	12	7	11	34	17	43
Measles 35	40	1	5	9	14	7	2	-	1	-	1	-	-
Poliomyelitis, poliocencephalitis (acute) 36	15	1	-	1	-	1	-	1	4	2	2	1	2
Cancer of digestive organs, peritoneum 46	2,322	171	179	225	184	198	177	202	181	190	234	180	201
Cancer of female genital organs 48,49	718	56	66	65	72	60	54	59	46	57	65	58	60
Cancer of breast 50	507	51	54	48	42	37	42	32	36	50	39	36	40
Cancer (other sites) 45,47,51-55	1,610	124	115	185	145	131	121	154	120	147	149	126	143
Acute rheumatic fever 58	35	2	2	6	3	3	1	1	3	7	2	2	3
Diabetes mellitus 61	873	88	69	69	80	76	67	53	77	64	64	73	93
Exophthalmic goiter 63b	107	7	15	12	10	3	7	12	10	7	5	10	9
Pellagra (except alcoholic) 69	18	5	2	-	1	1	-	3	3	2	1	-	-
Alcoholism (ethylism) 77	46	2	5	2	1	5	4	9	4	3	3	4	4
Intracranial lesions of vascular origin 83	3,666	352	310	333	314	315	247	305	275	243	308	295	369
Other diseases of nervous system, etc.* 80-82,84-88	405	33	33	32	29	35	45	40	24	29	37	34	33
Diseases of ear, nose, and throat 89,104,115	136	13	16	12	10	12	8	7	15	7	11	12	13
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	1,052	94	76	103	89	101	88	76	85	70	83	82	105
Diseases of coronary arteries, angina pectoris 94	3,039	327	246	288	277	275	216	207	205	194	211	262	331
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	7,715	790	610	763	669	638	596	604	528	604	617	565	731
Pneumonia (all forms) 107-109	2,261	289	243	280	218	156	101	102	92	130	185	176	289
Ulcer of stomach or duodenum 117	308	33	20	32	36	33	25	17	17	15	32	22	26
Diarrhea, enteritis, etc.* 119,120	302	8	12	16	15	18	39	60	27	44	27	20	16
Appendicitis 121	275	11	31	26	25	24	16	23	37	20	19	22	21
Hernia, intestinal obstruction 122	372	28	24	30	35	20	26	37	36	34	33	28	41
Cirrhosis of the liver 124	388	35	23	34	38	28	32	34	23	30	29	31	51
Biliary calculi, etc.* 126,127	239	26	16	18	20	16	21	15	17	23	24	16	27
Nephritis 130-132	3,975	385	334	385	357	332	305	305	271	263	360	292	386
Diseases of the prostate 137	243	18	21	27	30	22	22	15	21	20	20	16	11
Puerperal septicemia 140,142a,145A,147	76	8	9	8	5	4	6	6	9	10	4	3	4
Puerperal toxemias 141a,c,144,148	48	1	3	4	5	3	6	7	1	6	4	5	3
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	58	6	5	5	8	5	5	7	3	1	2	9	2
Congenital malformations 157	436	46	29	33	32	39	39	37	41	33	42	38	27
Premature birth 159	881	76	47	60	73	75	80	92	89	78	94	56	61
Suicide 163,164	430	26	31	41	50	48	39	39	31	21	39	33	32
Homicide 165-168	214	19	19	20	15	19	13	16	18	23	19	19	14
Motor-vehicle accidents 170	755	88	60	71	69	51	62	56	53	69	57	61	58
Other accidents 169,171-195	1,928	156	131	151	168	154	163	183	196	166	147	150	163
All other causes*	3,528	344	310	342	335	310	272	288	282	255	301	276	313
MONTANA													
All causes	5,516	548	407	490	486	479	445	447	406	416	470	425	497
Typhoid, paratyphoid fever 1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis 6	7	1	-	1	-	2	1	-	-	1	1	-	-
Scarlet fever 8	3	-	1	-	-	2	-	-	-	-	-	-	-
Whooping cough 9	12	2	1	-	-	-	-	1	3	2	1	-	2
Diphtheria 10	5	1	1	1	-	-	1	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.* 13	185	16	15	22	17	19	16	20	9	10	13	15	13
Tuberculosis (other forms) 14-22	16	2	1	2	1	-	1	3	-	2	2	1	1
Dysentery 27	4	-	-	-	1	-	-	1	-	1	1	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	59	10	8	7	3	3	9	-	2	8	5	1	3
Influenza 33	26	6	5	1	4	1	1	1	2	-	2	-	3
Measles 35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute) 36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer of digestive organs, peritoneum 46	302	24	16	22	24	22	28	30	24	33	29	24	26
Cancer of female genital organs 48,49	58	2	4	3	5	5	4	7	7	5	9	5	2
Cancer of breast 50	70	14	5	5	7	4	5	3	5	7	3	3	9
Cancer (other sites) 45,47,51-55	213	18	11	23	15	22	21	16	22	18	16	9	22
Acute rheumatic fever 58	8	1	2	1	1	-	1	1	-	-	-	-	1
Diabetes mellitus 61	108	9	9	7	12	10	9	11	8	6	9	12	6
Exophthalmic goiter 63b	7	3	-	-	-	1	-	-	-	1	1	1	-
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	16	2	-	-	-	-	3	3	1	1	1	3	2
Intracranial lesions of vascular origin 83	477	41	37	42	43	43	37	37	32	38	32	41	54
Other diseases of nervous system, etc.* 80-82,84-88	76	10	3	7	11	7	4	6	7	6	6	4	5
Diseases of ear, nose, and throat 89,104,115	24	1	2	-	4	1	2	3	3	1	1	5	1
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	104	13	1	11	13	10	9	6	6	9	9	8	9
Diseases of coronary arteries, angina pectoris 94	470	39	29	30	47	37	46	34	33	32	54	42	47
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,003	100	92	101	75	77	76	80	71	75	79	81	96
Pneumonia (all forms) 107-109	235	29	23	20	32	24	15	11	10	9	19	15	28
Ulcer of stomach or duodenum 117	48	1	2	9	6	4	2	4	5	6	3	2	4
Diarrhea, enteritis, etc.* 119,120	33	1	4	4	3	4	1	1	5	3	3	3	1
Appendicitis 121	36	2	4	4	7	3	-	4	3	3	3	1	2
Hernia, intestinal obstruction 122	59	3	7	6	8	4	-	6	10	-	2	4	9
Cirrhosis of the liver 124	56	6	-	6	3	2	6	5	4	5	7	8	4
Biliary calculi, etc.* 126,127	30	5	-	4	3	-	2	4	2	3	1	2	4
Nephritis 130-132	284	35	19	28	20	28	17	23	17	21	29	24	23
Diseases of the prostate 137	34	4	3	2	3	3	2	2	2	6	4	1	2
Puerperal septicemia 140,142a,145A,147	9	-	2	3	-	-	-	2	-	-	-	1	1
Puerperal toxemias 141a,c,144,148	9	2	-	-	2	1	1	1	-	-	1	-	1
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	8	2	1	-	-	1	1	-	1	-	-	2	-
Congenital malformations 157	66	7	5	8	3	8	5	7	6	1	5	6	5
Premature birth 159	127	18	10	9	7	8	12	11	7	15	6	12	12
Suicide 163,164	98	4	10	6	9	5	13	10	9	9	10	6	7
Homicide 165-168	17	2	1	-	1	-	-	1	1	1	4	3	3
Motor-vehicle accidents 170	105	10	11	8	4	16	7	5	11	4	15	6	8
Other accidents 169,171-195	363	25	18	29	26	37	34	47	36	29	28	25	29
All other causes*	645	77	44	58	66	65	53	40	42	44	55	49	52

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
All causes	12,359	1,118	939	1,058	1,067	1,092	993	1,002	934	882	1,039	1,065	1,170
Typhoid, paratyphoid fever—1,2	3	1	-	-	-	-	-	-	1	-	-	-	1
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	4	1	-	-	1	-	-	1	-	1	-	-	-
Whooping cough—9	13	1	1	1	1	2	-	2	2	1	-	2	-
Diphtheria—10	8	-	1	1	-	-	2	-	-	2	1	-	1
Tuberculosis of respiratory system, etc.*—13	157	10	12	17	11	11	14	13	17	11	16	15	12
Tuberculosis (other forms)—14-22	23	1	1	1	1	1	3	1	3	3	1	5	2
Dysentery—27	4	1	-	-	-	-	-	-	1	1	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	112	10	8	11	15	12	7	5	7	3	11	11	12
Influenza—33	130	14	14	23	13	13	6	5	4	2	9	10	17
Measles—35	8	-	-	1	2	1	2	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	24	-	-	-	-	-	-	1	6	5	7	4	1
Cancer of digestive organs, peritoneum—46	855	81	65	67	76	83	64	69	73	69	62	75	71
Cancer of female genital organs—48,49	178	16	10	10	21	18	13	17	17	15	15	17	9
Cancer of breast—50	159	14	13	13	14	14	9	20	10	14	12	15	11
Cancer (other sites)—45,47,51-55	522	56	31	39	40	38	38	56	43	51	51	45	34
Acute rheumatic fever—58	19	2	-	2	3	3	3	3	2	-	1	-	-
Diabetes mellitus—61	352	32	32	28	23	38	30	25	18	26	29	37	34
Exophthalmic goiter—63b	27	4	2	2	2	-	3	8	2	1	2	-	1
Pellagra (except alcoholic)—69	5	-	-	3	-	-	-	-	-	2	-	-	-
Alcoholism (ethylism)—77	7	1	-	-	-	-	-	1	-	1	2	1	1
Intracranial lesions of vascular origin—83	1,286	120	102	97	111	116	99	112	85	94	116	96	138
Other diseases of nervous system, etc.*—80-82,84-88	171	17	14	17	17	13	11	10	18	9	14	19	12
Diseases of ear, nose, and throat—89,104,115	52	7	3	4	6	7	6	4	3	1	1	5	5
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	263	20	20	37	29	20	20	19	20	14	18	27	19
Diseases of coronary arteries, angina pectoris—94	1,166	105	73	101	94	95	102	88	76	98	101	110	123
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,046	189	163	200	177	209	149	156	150	129	165	173	186
Pneumonia (all forms)—107-109	479	45	32	51	58	33	31	23	23	25	34	53	71
Ulcer of stomach or duodenum—117	69	9	4	4	3	9	2	6	9	3	7	4	9
Diarrhea, enteritis, etc.*—119,120	48	1	4	2	3	4	2	4	7	5	7	5	4
Appendicitis—121	78	10	5	9	5	8	7	9	2	4	5	7	7
Hernia, intestinal obstruction—122	137	13	12	13	7	12	15	11	9	9	11	12	13
Cirrhosis of the liver—124	83	4	10	7	10	6	4	6	12	9	7	3	5
Biliary calculi, etc.*—126,127	93	6	6	5	14	7	10	6	6	11	8	5	9
Nephritis—130-132	844	68	70	73	68	73	70	66	76	54	70	69	87
Diseases of the prostate—137	98	10	10	7	7	6	9	4	13	8	7	6	11
Puerperal septicemia—140,142a,145A,147	20	3	3	1	2	1	2	3	-	1	2	1	1
Puerperal toxemias—141a,c,144,148	13	2	1	1	-	2	3	-	1	-	3	-	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	12	1	4	-	-	2	1	-	1	1	-	2	-
Congenital malformations—157	139	14	9	13	9	13	10	11	11	11	10	10	18
Premature birth—159	261	20	21	15	17	16	29	18	23	33	27	23	19
Suicide—163,164	186	12	17	21	21	12	16	14	23	16	8	15	11
Homicide—165-168	22	1	-	1	2	3	1	2	2	2	2	2	4
Motor-vehicle accidents—170	219	16	11	20	16	18	25	17	29	14	14	21	18
Other accidents—169,171-195	669	60	44	33	44	74	74	72	53	29	69	55	62
All other causes*	1,295	120	111	107	124	99	101	113	76	94	113	107	130
NEVADA													
All causes	1,634	148	131	150	143	140	122	145	122	116	137	141	139
Typhoid, paratyphoid fever—1,2	1	-	-	-	-	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	2	-	-	-	-	-	1
Scarlet fever—8	2	-	-	-	1	-	-	-	-	-	-	1	-
Whooping cough—9	8	-	1	2	1	3	-	-	-	-	1	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	69	8	8	8	3	8	6	4	4	5	6	3	6
Tuberculosis (other forms)—14-22	11	2	-	1	2	1	-	-	2	1	2	-	-
Dysentery—27	10	-	-	-	-	-	3	3	-	2	-	-	2
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	19	2	1	-	2	1	1	2	-	3	2	3	2
Influenza—33	3	-	1	-	-	1	-	-	1	-	-	-	-
Measles—35	2	-	-	-	1	-	-	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	1	-	-	-	1	-	-	-	-	-	-	-	-
Cancer of digestive organs, peritoneum—46	63	6	4	11	6	3	3	8	6	5	4	5	2
Cancer of female genital organs—48,49	6	-	2	-	-	1	-	1	1	1	-	-	-
Cancer of breast—50	18	1	2	2	3	-	2	1	-	3	1	1	2
Cancer (other sites)—45,47,51-55	56	5	4	6	10	7	2	1	2	6	3	7	3
Acute rheumatic fever—58	2	-	-	-	-	-	1	-	-	-	-	-	1
Diabetes mellitus—61	22	1	1	3	6	1	1	1	3	1	1	1	2
Exophthalmic goiter—63b	2	-	1	-	-	-	-	-	-	-	-	1	-
Pellagra (except alcoholic)—69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	22	-	3	1	1	1	1	3	2	1	3	4	2
Intracranial lesions of vascular origin—83	120	15	11	10	11	14	5	9	10	8	12	11	4
Other diseases of nervous system, etc.*—80-82,84-88	10	-	-	-	-	-	2	3	-	1	-	3	1
Diseases of ear, nose, and throat—89,104,115	6	-	2	2	-	1	-	-	-	-	-	-	1
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	24	2	2	3	1	2	1	2	-	4	2	4	1
Diseases of coronary arteries, angina pectoris—94	139	14	12	9	10	10	12	9	11	9	15	12	16
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	249	30	19	27	20	23	18	23	22	15	18	14	20
Pneumonia (all forms)—107-109	85	5	4	5	11	10	9	6	3	6	5	9	12
Ulcer of stomach or duodenum—117	17	-	2	1	1	1	1	2	-	1	5	1	2
Diarrhea, enteritis, etc.*—119,120	24	-	-	-	2	2	5	1	2	4	5	1	2
Appendicitis—121	15	-	2	1	1	1	1	-	2	1	1	2	3
Hernia, intestinal obstruction—122	21	1	3	-	2	3	1	3	-	1	-	3	4
Cirrhosis of the liver—124	18	2	-	-	4	1	1	2	-	2	3	1	2
Biliary calculi, etc.*—126,127	7	1	1	-	-	-	2	1	-	-	1	-	1
Nephritis—130-132	76	5	7	6	5	6	4	11	9	3	4	7	9
Diseases of the prostate—137	7	-	-	2	1	-	-	-	1	-	-	1	2
Puerperal septicemia—140,142a,145A,147	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal toxemias—141a,c,144,148	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	2	-	-	-	-	-	-	-	1	-	-	-	1
Congenital malformations—157	15	-	-	1	1	2	5	1	2	2	-	-	1
Premature birth—159	37	2	2	4	3	2	2	-	5	7	3	3	4
Suicide—163,164	34	6	2	6	2	4	2	3	2	1	1	4	1
Homicide—165-168	14	2	-	3	1	-	-	-	4	1	-	1	2
Motor-vehicle accidents—170	74	7	7	5	5	7	3	3	6	7	9	8	7
Other accidents—169,171-195	127	15	12	11	10	9	10	13	9	5	14	12	7
All other causes*	192	16	15	19	15	15	15	28	12	10	16	18	13

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 14

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE													
All causes	5,662	548	495	533	483	482	461	319	371	403	509	495	543
Typhoid, paratyphoid fever 1,2	1	-	-	-	-	-	-	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis 6	4	-	-	-	1	1	-	-	1	-	-	-	1
Scarlet fever 8	4	-	1	-	1	-	-	-	-	-	1	-	1
Whooping cough 9	10	-	1	-	1	-	1	1	3	-	2	-	1
Diphtheria 10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.* 13	94	9	9	4	6	7	12	6	8	9	6	7	11
Tuberculosis (other forms) 14-22	8	-	2	2	1	1	-	-	1	-	-	1	-
Dysentery 27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	37	5	3	4	7	2	2	1	5	3	2	2	1
Influenza 33	43	7	3	12	6	5	1	3	-	2	-	2	2
Measles 35	5	-	-	-	1	-	1	-	1	-	-	1	1
Poliomyelitis, polioencephalitis (acute) 36	3	-	-	-	-	-	1	-	-	-	2	-	-
Cancer of digestive organs, peritoneum 46	356	32	27	32	23	34	37	27	22	31	27	31	33
Cancer of female genital organs 48,49	96	5	10	8	8	8	15	6	3	10	9	8	6
Cancer of breast 50	78	9	3	6	13	3	2	10	7	4	7	8	6
Cancer (other sites) 45,47,51-55	252	28	26	22	21	23	28	16	22	13	20	11	22
Acute rheumatic fever 58	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus 61	142	17	15	10	18	15	10	8	2	14	8	11	14
Exophthalmic goiter 63b	8	1	2	-	1	2	-	-	1	-	-	-	1
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	8	-	-	2	-	3	-	1	1	-	1	-	-
Intracranial lesions of vascular origin 83	600	74	40	63	48	49	41	37	37	50	47	58	56
Other diseases of nervous system, etc.* 80-82,84-88	59	5	3	9	4	1	5	3	7	5	6	4	7
Diseases of ear, nose, and throat 89,104,115	20	2	1	5	1	3	-	1	3	-	-	3	1
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	99	9	13	11	9	8	10	5	3	8	6	10	7
Diseases of coronary arteries, angina pectoris 94	697	66	62	64	40	64	67	37	43	40	62	68	84
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,080	118	111	87	97	84	81	44	72	77	121	97	91
Pneumonia (all forms) 107-109	227	19	27	32	25	20	15	9	6	11	21	14	28
Ulcer of stomach or duodenum 117	40	3	4	2	5	3	3	1	1	3	4	4	7
Diarrhea, enteritis, etc.* 119,120	21	2	1	2	2	1	1	1	1	2	4	1	3
Appendicitis 121	24	3	2	2	3	1	3	2	4	-	2	-	2
Hernia, intestinal obstruction 122	51	5	4	7	4	3	2	1	2	2	7	8	6
Cirrhosis of the liver 124	35	3	1	1	3	6	6	1	2	2	4	2	4
Biliary calculi, etc.* 126,127	30	4	1	-	2	1	2	1	4	6	3	2	4
Nephritis 130-132	336	24	23	33	36	35	27	19	21	19	32	29	38
Diseases of the prostate 137	31	1	4	6	4	3	2	4	1	3	1	1	1
Puerperal septicemia 140,142a,145A,147	5	2	-	1	1	-	-	-	-	-	-	-	1
Puerperal toxemias 141a,c,144,148	2	-	-	1	-	-	-	-	-	1	-	-	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	4	-	-	-	-	-	1	-	-	1	-	1	1
Congenital malformations 157	66	9	6	7	4	5	7	2	6	3	3	6	8
Premature birth 159	111	10	4	10	9	7	9	15	8	14	7	8	10
Suicide 163,164	68	5	6	10	7	7	4	5	3	6	3	6	6
Homicide 165-168	1	-	-	-	-	-	-	-	-	1	-	-	-
Motor-vehicle accidents 170	57	4	6	3	4	6	5	3	6	5	3	9	3
Other accidents 169,171-195	262	26	23	19	23	22	31	13	16	19	24	32	14
All other causes*	587	41	51	56	44	49	49	36	47	30	64	50	61
NEW JERSEY													
All causes	46,716	4,424	4,018	4,184	3,770	3,680	3,461	3,669	3,401	3,453	4,041	3,929	4,686
Typhoid, paratyphoid fever 1,2	6	-	-	1	-	1	-	-	2	-	-	1	1
Cerebrospinal (meningococcus) meningitis 6	33	-	2	2	-	3	3	2	3	4	2	4	8
Scarlet fever 8	9	3	-	1	-	1	1	-	1	-	1	1	-
Whooping cough 9	47	4	-	1	3	3	2	4	4	10	8	2	6
Diphtheria 10	6	-	-	-	-	1	-	4	-	-	1	-	-
Tuberculosis of respiratory system, etc.* 13	1,754	140	137	146	150	138	157	156	145	126	141	145	173
Tuberculosis (other forms) 14-22	128	16	10	11	11	13	10	13	11	9	6	6	12
Dysentery 27	14	1	-	2	1	-	-	-	5	3	2	-	-
Malaria 28	3	1	-	-	-	1	-	-	-	-	-	1	-
Syphilis 30	470	33	33	39	43	37	39	43	33	33	48	41	48
Influenza 33	153	24	21	15	13	9	5	6	8	1	12	16	23
Measles 35	7	-	-	1	-	3	2	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute) 36	25	1	-	-	-	-	1	3	8	5	5	1	1
Cancer of digestive organs, peritoneum 46	3,141	263	249	241	273	263	243	272	270	261	296	246	264
Cancer of female genital organs 48,49	691	58	53	55	50	59	50	69	57	54	69	60	57
Cancer of breast 50	632	62	55	55	43	47	46	61	44	58	60	51	50
Cancer (other sites) 45,47,51-55	1,961	167	153	177	164	175	152	192	130	138	187	159	167
Acute rheumatic fever 58	64	7	8	6	4	7	3	6	8	4	3	4	4
Diabetes mellitus 61	1,463	151	118	165	131	129	115	108	77	98	121	129	121
Exophthalmic goiter 63b	94	5	13	3	10	7	6	8	6	11	9	5	11
Pellagra (except alcoholic) 69	2	-	1	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism) 77	107	13	11	11	3	6	8	9	6	16	8	6	10
Intracranial lesions of vascular origin 83	3,945	411	316	335	315	303	295	301	311	279	328	365	386
Other diseases of nervous system, etc.* 80-82,84-88	441	31	42	35	40	29	30	39	28	36	44	34	53
Diseases of ear, nose, and throat 89,104,115	117	11	15	13	9	9	2	19	6	9	10	6	8
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	853	92	82	65	66	66	65	57	66	66	76	75	77
Diseases of coronary arteries, angina pectoris 94	4,203	395	347	375	335	323	323	317	314	307	386	347	434
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	10,650	1,053	1,005	958	853	811	742	743	697	796	926	898	1,168
Pneumonia (all forms) 107-109	1,767	216	225	226	133	123	91	80	73	83	137	158	222
Ulcer of stomach or duodenum 117	314	30	23	23	16	26	22	30	26	22	26	32	38
Diarrhea, enteritis, etc.* 119,120	172	12	26	11	20	7	10	15	10	21	15	11	14
Appendicitis 121	292	26	18	28	18	24	26	36	30	22	20	17	27
Hernia, intestinal obstruction 122	399	43	18	38	33	42	25	43	29	30	29	28	41
Cirrhosis of the liver 124	564	32	50	49	49	45	45	34	43	55	55	50	57
Biliary calculi, etc.* 126,127	282	23	26	38	25	22	27	23	22	19	21	20	16
Nephritis 130-132	3,068	291	258	282	271	253	221	225	209	210	283	279	286
Diseases of the prostate 137	227	13	20	23	18	21	15	25	14	16	22	19	21
Puerperal septicemia 140,142a,145A,147	71	1	7	9	4	8	9	7	5	3	7	5	6
Puerperal toxemias 141a,c,144,148	31	5	2	1	-	4	3	-	2	2	7	3	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	60	4	1	8	9	2	4	3	7	7	6	5	4
Congenital malformations 157	486	36	40	44	36	34	37	30	44	42	34	49	60
Premature birth 159	865	71	54	69	73	63	86	86	94	78	60	63	68
Suicide 163,164	552	53	38	49	60	50	47	37	53	49	34	46	36
Homicide 165-168	105	11	7	10	11	7	5	10	14	9	9	10	2
Motor-vehicle accidents 170	783	101	81	77	54	49	49	48	54	57	56	67	90
Other accidents 169,171-195	1,922	157	155	141	140	158	154	189	158	141	142	155	222
All other causes*	3,737	357	298	345	283	298	285	306	274	283	328	308	392

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO													
All causes	5,203	482	476	512	438	436	393	423	420	417	441	387	378
Typhoid, paratyphoid fever—1,2	9	-	1	-	-	1	1	-	1	-	2	1	2
Cerebrospinal (meningococcus) meningitis—6	5	1	-	-	-	-	-	1	1	-	-	1	1
Scarlet fever—8	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough—9	37	1	7	9	8	-	3	3	-	-	2	1	3
Diphtheria—10	17	-	3	3	1	-	-	1	-	2	3	2	2
Tuberculosis of respiratory system, etc.*—13	272	23	21	26	32	25	23	19	23	18	19	20	23
Tuberculosis (other forms)—14-22	31	2	4	4	2	-	1	3	2	3	3	4	3
Dysentery—27	64	3	3	-	-	1	2	14	17	10	8	5	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	54	6	7	7	1	7	7	2	1	3	6	5	2
Influenza—33	72	15	10	18	8	2	3	-	1	2	2	5	6
Measles—35	35	9	2	6	6	6	3	-	-	1	-	-	2
Poliomyelitis, polioencephalitis (acute)—36	7	-	-	-	-	-	2	2	2	1	-	-	-
Cancer of digestive organs, peritoneum—46	126	7	15	13	7	16	11	12	10	11	9	4	11
Cancer of female genital organs—48,49	34	4	1	1	2	4	1	2	2	5	2	6	4
Cancer of breast—50	31	1	4	3	1	4	6	2	1	1	6	-	2
Cancer (other sites)—45,47,51-55	97	8	11	6	12	5	9	4	11	6	8	10	7
Acute rheumatic fever—58	10	-	-	1	1	2	1	3	-	-	1	-	1
Diabetes mellitus—61	50	7	1	2	2	8	2	3	2	5	10	3	5
Exophthalmic goiter—63b	7	-	1	-	1	-	1	1	2	-	-	-	1
Pellagra (except alcoholic)—69	3	-	-	1	-	-	-	-	1	-	-	-	1
Alcoholism (ethylism)—77	11	-	-	-	1	-	-	1	2	1	1	2	3
Intracranial lesions of vascular origin—83	209	25	22	14	23	20	18	18	10	7	18	21	15
Other diseases of nervous system, etc.*—80-82,84-88	47	7	3	3	4	3	6	7	-	7	3	3	1
Diseases of ear, nose, and throat—89,104,115	27	4	3	2	-	3	4	3	3	-	-	5	-
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	74	12	7	4	4	5	10	5	4	4	6	7	6
Diseases of coronary arteries, angina pectoris—94	152	8	17	9	13	17	12	15	11	15	13	9	13
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	441	53	45	50	37	39	27	28	33	24	30	44	31
Pneumonia (all forms)—107-109	350	41	65	66	27	25	16	17	8	18	19	21	27
Ulcer of stomach or duodenum—117	26	2	2	3	3	3	4	1	-	1	1	1	5
Diarrhea, enteritis, etc.*—119,120	224	4	2	6	3	11	16	34	45	50	29	17	7
Appendicitis—121	36	3	5	4	3	5	1	3	2	3	2	1	4
Hernia, intestinal obstruction—122	46	4	3	3	2	2	3	3	2	5	6	7	6
Cirrhosis of the liver—124	27	2	4	2	1	2	1	2	3	2	4	3	1
Biliary calculi, etc.*—126,127	20	1	3	3	-	1	2	1	2	2	4	1	-
Nephritis—130-132	234	26	12	30	20	19	22	18	16	12	19	23	17
Diseases of the prostate—137	24	2	3	1	3	-	2	2	1	1	4	2	3
Puerperal septicemia—140,142a,145A,147	25	-	2	2	3	2	2	3	2	2	4	2	1
Puerperal toxemias—141a,c,144,148	18	-	1	-	3	1	1	4	4	2	1	1	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	25	3	1	-	2	3	2	6	1	3	2	1	1
Congenital malformations—157	67	5	7	6	6	6	5	3	6	6	5	3	9
Premature birth—159	222	27	22	17	19	17	16	21	16	19	7	13	28
Suicide—163,164	55	2	4	8	2	7	9	-	6	3	6	4	4
Homicide—165-168	33	2	3	4	4	2	2	1	2	3	2	4	4
Motor-vehicle accidents—170	129	15	8	3	5	10	8	16	13	11	17	15	8
Other accidents—169,171-195	288	19	15	17	26	30	29	35	22	20	30	24	21
All other causes*	1,431	130	126	155	140	122	98	104	129	128	127	86	86
NEW YORK													
All causes	149,820	13,500	12,514	13,659	12,575	12,158	11,405	11,628	10,819	11,278	12,754	12,952	14,578
Typhoid, paratyphoid fever—1,2	22	-	-	2	1	2	3	2	4	1	5	1	1
Cerebrospinal (meningococcus) meningitis—6	123	4	7	16	16	11	10	6	2	9	10	19	13
Scarlet fever—8	24	2	3	2	4	4	1	-	-	1	-	2	5
Whooping cough—9	145	15	11	4	15	12	5	16	10	17	13	13	14
Diphtheria—10	17	2	2	1	-	1	2	-	-	1	2	2	4
Tuberculosis of respiratory system, etc.*—13	5,622	500	474	514	485	517	468	448	424	445	459	424	464
Tuberculosis (other forms)—14-22	451	41	39	40	33	52	49	36	26	37	36	31	31
Dysentery—27	45	-	1	2	3	1	5	4	2	6	6	9	6
Malaria—28	7	1	3	1	-	1	-	-	-	-	1	-	-
Syphilis—30	1,896	186	149	174	185	154	154	130	123	141	166	154	180
Influenza—33	305	28	38	50	22	14	8	10	7	15	19	37	57
Measles—35	13	2	-	1	2	3	1	2	-	-	-	1	1
Poliomyelitis, polioencephalitis (acute)—36	29	3	2	-	1	1	1	2	6	3	9	-	1
Cancer of digestive organs, peritoneum—46	10,241	908	764	815	831	880	861	914	823	810	937	812	886
Cancer of female genital organs—48,49	2,461	220	177	225	208	203	220	210	186	210	206	186	210
Cancer of breast—50	2,367	225	212	215	211	177	186	186	200	165	220	188	182
Cancer (other sites)—45,47,51-55	6,967	603	587	668	566	586	594	571	540	505	549	602	596
Acute rheumatic fever—58	176	16	9	20	23	14	11	19	10	13	16	9	16
Diabetes mellitus—61	5,352	484	442	510	458	414	399	438	352	399	483	432	541
Exophthalmic goiter—63b	303	32	24	29	28	42	24	25	23	15	23	19	19
Pellagra (except alcoholic)—69	12	2	-	2	1	1	1	1	1	1	-	2	-
Alcoholism (ethylism)—77	342	39	40	23	30	27	27	14	11	38	27	28	38
Intracranial lesions of vascular origin—83	10,033	907	805	933	794	795	753	765	731	776	835	878	1,061
Other diseases of nervous system, etc.*—80-82,84-88	1,353	106	92	130	118	128	97	104	94	87	105	136	156
Diseases of ear, nose, and throat—89,104,115	413	31	32	42	45	45	31	42	24	28	28	32	33
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	3,212	305	249	283	302	269	248	235	234	248	262	258	319
Diseases of coronary arteries, angina pectoris—94	14,485	1,343	1,215	1,313	1,157	1,135	1,034	1,095	1,017	1,092	1,266	1,346	1,472
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	36,461	3,335	3,186	3,358	3,124	2,929	2,725	2,645	2,420	2,654	3,125	3,202	3,758
Pneumonia (all forms)—107-109	5,493	573	619	638	527	364	272	299	299	292	403	510	697
Ulcer of stomach or duodenum—117	1,155	101	80	90	98	95	92	75	99	78	97	127	123
Diarrhea, enteritis, etc.*—119,120	602	47	45	48	45	36	48	56	58	59	62	58	40
Appendicitis—121	818	71	53	82	72	61	64	99	83	66	49	63	55
Hernia, intestinal obstruction—122	1,245	107	93	113	82	107	82	118	108	107	98	118	112
Cirrhosis of the liver—124	1,726	143	139	160	149	144	112	142	154	122	153	162	146
Biliary calculi, etc.*—126,127	815	84	64	68	67	66	90	76	68	64	58	51	59
Nephritis—130-132	7,605	720	696	727	640	636	565	537	537	564	633	620	730
Diseases of the prostate—137	864	72	83	85	71	67	61	58	81	63	77	81	65
Puerperal septicemia—140,142a,145A,147	238	19	23	14	16	13	19	22	18	21	26	23	24
Puerperal toxemias—141a,c,144,148	84	8	1	6	6	6	6	7	8	12	11	9	4
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	223	18	16	16	10	20	17	24	21	20	27	20	14
Congenital malformations—157	1,529	124	104	128	131	124	107	120	127	119	142	161	142
Premature birth—159	2,635	211	182	209	212	215	209	243	223	234	233	225	239
Suicide—163,164	1,878	157	165	164	177	186	152	171	132	151	143	149	131
Homicide—165-168	369	28	17	30	34	32	32	35	38	34	41	25	23
Motor-vehicle accidents—170	2,225	226	153	175	187	156	181	200	168	170	187	196	226
Other accidents—169,171-195	6,120	473	492	526	464	490	513	570	483	494	509	533	573
All other causes*	11,319	978	926	1,007	924	922	865	856	844	891	997	998	1,111

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA													
All causes	29,414	2,823	2,574	2,667	2,420	2,373	2,318	2,535	2,204	2,118	2,335	2,345	2,702
Typhoid, paratyphoid fever—1,2	19	1	1	-	1	-	3	4	3	3	2	1	-
Cerebrospinal (meningococcus) meningitis—6	32	3	3	3	4	3	1	3	4	-	2	1	5
Scarlet fever—8	8	1	1	1	-	1	-	2	2	-	-	-	-
Whooping cough—9	104	14	24	13	7	13	8	10	2	1	3	3	6
Diphtheria—10	76	5	2	3	2	1	-	1	4	10	25	14	9
Tuberculosis of respiratory system, etc.*—13	1,326	124	101	130	111	140	111	114	109	100	102	84	100
Tuberculosis (other forms)—14-22	135	12	12	5	15	14	13	16	10	15	10	6	7
Dysentery—27	53	2	-	1	2	3	12	16	2	7	2	4	2
Malaria—28	33	-	-	-	2	3	6	6	5	6	4	-	1
Syphilis—30	328	35	22	26	34	25	26	28	18	28	33	29	24
Influenza—33	299	51	61	50	35	8	9	-	4	5	20	21	35
Measles—35	55	6	10	15	11	7	3	1	-	1	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	12	-	2	-	2	-	1	2	2	1	-	2	-
Cancer of digestive organs, peritoneum—46	829	76	63	67	79	64	67	63	64	80	63	68	75
Cancer of female genital organs—48,49	424	32	33	29	36	37	44	40	35	32	38	33	35
Cancer of breast—50	205	19	23	17	9	22	9	22	21	17	12	17	17
Cancer (other sites)—45,47,51-55	791	58	58	67	63	63	68	76	64	68	69	53	84
Acute rheumatic fever—58	60	2	6	6	4	6	4	8	5	7	5	2	5
Diabetes mellitus—61	455	54	39	47	37	34	35	33	27	39	38	38	34
Exophthalmic goiter—63b	30	4	3	-	2	-	2	2	2	3	7	4	1
Pellagra (except alcoholic)—69	116	13	20	11	8	9	11	12	9	8	4	7	4
Alcoholism (ethylism)—77	62	8	5	3	3	2	3	-	16	3	6	6	7
Intracranial lesions of vascular origin—83	3,055	275	262	247	228	267	255	275	215	223	257	264	287
Other diseases of nervous system, etc.*—80-82,84-88	413	32	24	36	32	27	34	43	42	25	32	39	47
Diseases of ear, nose, and throat—89,104,115	180	21	17	24	13	11	12	6	11	16	19	14	16
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	414	46	36	31	40	33	28	39	46	33	22	33	27
Diseases of coronary arteries, angina pectoris—94	1,526	142	130	127	129	134	123	111	106	112	131	130	151
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,890	391	326	369	314	350	316	317	259	272	311	294	371
Pneumonia (all forms)—107-109	1,617	217	245	284	159	98	54	66	49	70	69	102	184
Ulcer of stomach or duodenum—117	153	17	15	12	17	13	12	9	12	14	8	15	9
Diarrhea, enteritis, etc.*—119,120	522	25	12	16	14	34	89	123	59	48	53	34	15
Appendicitis—121	212	22	16	21	16	18	24	16	21	11	12	17	18
Hernia, intestinal obstruction—122	205	22	19	19	18	8	11	17	18	17	23	18	15
Cirrhosis of the liver—124	130	10	12	10	10	9	11	12	11	12	10	11	12
Biliary calculi, etc.*—126,127	85	12	5	5	6	3	9	7	7	8	7	6	10
Nephritis—130-132	2,983	247	265	270	263	244	235	285	239	203	221	250	261
Diseases of the prostate—137	112	9	13	14	6	13	8	9	10	6	7	13	4
Puerperal septicemia—140,142a,145A,147	95	10	14	6	13	3	12	9	5	8	3	4	8
Puerperal toxemias—141a,c,144,148	111	17	8	10	10	14	5	5	10	11	10	5	6
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	101	11	9	7	4	11	11	7	10	6	7	7	11
Congenital malformations—157	377	38	40	30	29	28	27	28	32	33	27	32	33
Premature birth—159	1,285	123	96	88	92	103	99	110	122	99	127	111	115
Suicide—163,164	245	15	14	25	24	26	11	18	25	23	23	22	19
Homicide—165-168	362	23	19	19	31	36	19	40	35	33	26	37	44
Motor-vehicle accidents—170	827	84	73	75	77	58	61	71	57	67	70	66	68
Other accidents—169,171-195	1,345	125	109	93	103	106	130	138	108	71	110	106	146
All other causes*	3,717	369	306	335	305	271	286	315	287	263	285	322	373
NORTH DAKOTA													
All causes	4,818	404	366	417	412	416	382	428	359	380	400	408	446
Typhoid, paratyphoid fever—1,2	2	1	-	-	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	1	1	-	-	-	-	-	1	-
Scarlet fever—8	2	1	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—9	10	1	-	-	-	2	1	-	2	2	1	1	-
Diphtheria—10	6	-	-	1	-	-	-	1	-	-	2	2	-
Tuberculosis of respiratory system, etc.*—13	105	12	6	14	8	10	12	9	6	14	6	1	7
Tuberculosis (other forms)—14-22	16	3	2	1	1	2	2	3	-	-	1	1	-
Dysentery—27	3	-	2	-	-	-	-	-	-	-	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	24	-	-	2	1	2	4	1	4	1	4	3	2
Influenza—33	35	2	7	1	8	2	1	2	1	-	1	6	4
Measles—35	7	-	1	1	2	-	1	1	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	4	1	-	1	-	-	-	-	-	2	-	-	-
Cancer of digestive organs, peritoneum—46	332	25	25	31	26	28	19	34	30	25	33	27	29
Cancer of female genital organs—48,49	49	6	4	3	4	7	2	5	5	4	2	4	3
Cancer of breast—50	55	5	2	6	3	7	6	1	6	3	7	6	3
Cancer (other sites)—45,47,51-55	185	8	12	17	18	9	17	24	14	20	16	13	17
Acute rheumatic fever—58	5	1	-	-	-	-	1	1	1	-	1	-	-
Diabetes mellitus—61	134	12	11	11	11	10	7	11	6	15	9	17	14
Exophthalmic goiter—63b	7	1	-	1	-	1	2	1	1	-	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	9	-	-	-	1	-	3	2	-	1	1	-	1
Intracranial lesions of vascular origin—83	475	49	41	39	31	54	34	46	35	21	32	41	52
Other diseases of nervous system, etc.*—80-82,84-88	63	5	3	3	2	7	9	7	3	5	9	7	3
Diseases of ear, nose, and throat—89,104,115	28	3	4	5	2	2	2	4	1	-	2	2	1
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	90	7	11	12	4	5	10	8	6	4	6	10	7
Diseases of coronary arteries, angina pectoris—94	341	30	23	25	31	29	28	26	28	33	28	33	27
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	760	63	56	71	66	62	53	51	47	56	77	62	96
Pneumonia (all forms)—107-109	228	22	16	23	22	22	18	13	13	7	17	24	31
Ulcer of stomach or duodenum—117	29	2	6	-	2	2	1	4	4	-	3	2	3
Diarrhea, enteritis, etc.*—119,120	36	2	2	4	1	3	6	4	3	4	3	1	3
Appendicitis—121	38	4	5	1	1	5	4	4	1	3	3	3	4
Hernia, intestinal obstruction—122	52	7	3	3	-	3	1	6	5	7	6	2	9
Cirrhosis of the liver—124	24	3	1	1	3	3	-	2	4	1	1	2	3
Biliary calculi, etc.*—126,127	31	2	2	5	1	3	1	4	-	4	5	2	2
Nephritis—130-132	275	20	18	21	25	22	18	27	26	19	26	22	29
Diseases of the prostate—137	35	-	1	1	5	5	-	5	6	2	1	5	4
Puerperal septicemia—140,142a,145A,147	13	2	2	4	-	-	-	3	-	-	-	2	-
Puerperal toxemias—141a,c,144,148	5	-	2	-	-	1	1	-	1	-	-	-	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	11	2	1	-	2	2	1	1	-	-	1	1	-
Congenital malformations—157	61	8	3	5	9	6	5	3	4	6	2	7	3
Premature birth—159	173	13	10	15	23	14	13	12	13	15	10	19	16
Suicide—163,164	66	4	2	8	7	6	4	9	9	8	4	4	1
Homicide—165-168	8	-	-	3	-	-	2	1	-	-	-	2	-
Motor-vehicle accidents—170	99	9	4	5	6	8	13	7	9	10	14	7	7
Other accidents—169,171-195	251	14	11	15	25	15	20	30	20	37	24	18	22
All other causes*	633	54	67	58	60	55	60	54	44	51	40	47	43

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO													
All causes	78,000	7,294	6,703	7,361	6,424	6,418	5,871	6,089	5,785	5,946	6,358	6,458	7,293
Typhoid, paratyphoid fever 1,2	22	3	2	1	1	2	1	1	3	3	3	2	-
Cerebrospinal (meningococcus) meningitis 6	17	2	-	1	3	1	1	1	-	2	-	1	5
Scarlet fever 8	35	2	1	5	5	5	1	2	1	2	2	5	4
Whooping cough 9	123	9	23	17	6	8	10	8	6	16	7	6	7
Diphtheria 10	29	4	5	-	1	1	-	-	2	1	5	3	7
Tuberculosis of respiratory system, etc.* 13	2,580	211	198	223	253	248	224	214	220	199	218	201	191
Tuberculosis (other forms) 14-22	266	27	21	25	27	18	22	30	19	18	22	24	13
Dysentery 27	26	-	2	1	1	4	1	7	1	3	3	2	1
Malaria 28	4	-	1	-	-	1	1	-	-	-	-	-	1
Syphilis 30	894	94	69	89	82	59	71	61	83	67	86	58	75
Influenza 33	637	89	101	111	67	30	16	15	20	27	39	50	72
Measles 35	30	5	5	4	4	6	3	1	-	-	-	1	1
Poliomyelitis, polioencephalitis (acute) 36	18	-	-	1	2	1	-	-	8	4	1	-	1
Cancer of digestive organs, peritoneum 46	4,324	373	329	362	366	360	336	385	420	332	367	320	374
Cancer of female genital organs 48,49	1,330	104	104	114	120	120	120	101	119	101	106	110	111
Cancer of breast 50	978	83	74	83	82	81	87	73	72	83	82	92	86
Cancer (other sites) 45,47,51-55	3,025	282	227	236	251	263	243	248	235	231	268	274	267
Acute rheumatic fever 58	73	3	6	7	9	6	8	4	7	7	5	3	8
Diabetes mellitus 61	2,170	238	201	217	191	171	153	175	145	137	179	181	182
Exophthalmic goiter 65b	264	26	22	22	19	25	24	27	22	16	25	15	21
Pellagra (except alcoholic) 69	15	1	-	2	4	-	1	-	3	1	-	1	2
Alcoholism (ethylism) 77	95	9	10	8	9	9	9	6	8	7	8	5	7
Intracranial lesions of vascular origin 83	7,713	733	623	688	630	657	568	555	543	637	593	699	787
Other diseases of nervous system, etc.* 80-82,84-88	866	68	68	78	70	83	66	82	64	66	64	78	79
Diseases of ear, nose, and throat 89,104,115	273	21	18	28	34	19	21	28	22	16	17	21	28
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	1,565	157	128	151	135	124	119	105	99	118	128	138	163
Diseases of coronary arteries, angina pectoris 94	7,008	658	581	658	551	610	498	513	500	516	642	582	699
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	14,107	1,399	1,275	1,402	1,185	1,151	1,067	1,026	908	998	1,118	1,204	1,374
Pneumonia (all forms) 107-109	3,346	424	423	493	282	200	184	161	148	175	211	282	363
Ulcer of stomach or duodenum 117	462	40	39	30	31	41	26	36	40	40	46	47	46
Diarrhea, enteritis, etc.* 119,120	591	31	29	24	26	24	29	59	100	95	83	46	45
Appendicitis 121	427	43	34	33	38	36	32	48	35	34	23	33	38
Hernia, intestinal obstruction 122	645	52	55	55	45	58	48	50	64	51	48	46	73
Cirrhosis of the liver 124	714	71	51	72	53	49	63	62	52	66	63	51	61
Biliary calculi, etc.* 126,127	441	37	30	43	32	34	43	41	39	37	42	32	31
Nephritis 130-132	5,393	503	503	507	456	445	392	414	383	390	438	434	528
Diseases of the prostate 137	484	38	39	37	29	55	33	40	45	40	50	42	36
Puerperal septicemia 140,142a,145A,147	135	10	8	15	10	11	9	7	13	11	14	18	9
Puerperal toxemias 141a,c,144,148	57	4	6	1	5	6	3	5	5	6	5	6	5
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	108	11	5	14	9	4	13	14	10	9	5	4	10
Congenital malformations 157	886	70	61	85	77	77	74	82	60	69	78	68	85
Premature birth 159	1,780	122	128	134	137	156	148	163	160	175	157	144	156
Suicide 163,164	971	81	77	110	102	102	77	83	75	82	60	66	56
Homicide 165-168	318	27	22	24	27	19	25	27	41	31	28	31	16
Motor-vehicle accidents 170	1,840	205	176	171	113	167	147	138	167	159	152	132	113
Other accidents 169,171-195	3,798	320	286	322	288	304	331	395	269	299	301	300	383
All other causes *	7,117	604	637	657	576	567	523	596	549	569	566	600	673
OKLAHOMA													
All causes	19,324	1,822	1,628	1,876	1,623	1,676	1,417	1,539	1,513	1,373	1,516	1,590	1,751
Typhoid, paratyphoid fever 1,2	41	2	4	1	-	4	6	9	5	1	2	2	5
Cerebrospinal (meningococcus) meningitis 6	9	1	1	2	1	1	-	1	-	-	1	1	-
Scarlet fever 8	3	-	-	3	-	-	-	-	-	-	-	-	-
Whooping cough 9	50	5	4	5	5	6	1	4	7	4	2	2	5
Diphtheria 10	55	13	4	1	3	2	-	-	-	3	7	9	13
Tuberculosis of respiratory system, etc.* 13	919	73	85	81	89	92	90	69	75	65	71	60	69
Tuberculosis (other forms) 14-22	63	6	3	10	4	7	8	4	8	2	2	6	3
Dysentery 27	88	1	2	1	3	4	6	20	10	16	16	5	4
Malaria 28	25	3	1	1	-	1	-	1	6	5	7	-	-
Syphilis 30	188	16	17	21	9	19	14	15	12	18	13	17	17
Influenza 33	247	49	43	52	27	13	-	8	1	2	17	12	23
Measles 35	92	10	28	20	17	8	7	-	1	-	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	15	-	2	1	1	2	1	1	2	-	3	1	1
Cancer of digestive organs, peritoneum 46	938	80	65	87	83	77	68	87	72	81	86	65	87
Cancer of female genital organs 48,49	268	21	15	26	25	17	18	26	22	22	23	26	27
Cancer of breast 50	154	11	4	17	14	17	10	13	11	16	9	12	20
Cancer (other sites) 45,47,51-55	635	57	44	52	53	73	57	43	59	46	40	56	55
Acute rheumatic fever 58	24	2	1	1	2	2	4	1	2	1	3	4	1
Diabetes mellitus 61	342	35	40	33	24	30	30	26	24	16	34	27	23
Exophthalmic goiter 65b	28	2	5	2	4	4	3	1	3	-	1	2	1
Pellagra (except alcoholic) 69	62	1	9	6	3	10	3	6	8	7	6	2	1
Alcoholism (ethylism) 77	20	3	1	-	2	1	1	3	3	1	2	2	1
Intracranial lesions of vascular origin 83	1,935	155	154	186	150	160	135	150	157	153	172	173	190
Other diseases of nervous system, etc.* 80-82,84-88	250	28	14	20	20	21	16	30	19	16	20	23	23
Diseases of ear, nose, and throat 89,104,115	92	11	11	5	9	3	4	9	9	8	9	7	7
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	277	29	25	29	22	22	17	29	22	14	16	20	32
Diseases of coronary arteries, angina pectoris 94	1,356	134	114	127	89	114	93	98	91	105	115	130	126
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,528	258	211	252	207	234	185	191	184	165	191	202	248
Pneumonia (all forms) 107-109	1,005	132	136	162	95	70	40	31	31	39	70	70	127
Ulcer of stomach or duodenum 117	131	14	11	11	11	11	9	13	10	11	12	6	12
Diarrhea, enteritis, etc.* 119,120	179	12	3	7	8	5	10	29	26	34	25	14	6
Appendicitis 121	197	14	8	20	10	17	16	21	20	16	15	15	25
Hernia, intestinal obstruction 122	169	13	16	19	8	7	12	21	18	15	10	16	14
Cirrhosis of the liver 124	107	10	14	10	8	10	6	10	11	7	3	6	12
Biliary calculi, etc.* 126,127	103	9	15	7	8	9	12	11	8	4	10	4	6
Nephritis 130-132	1,212	98	107	116	105	98	103	102	102	85	91	89	118
Diseases of the prostate 137	111	11	11	16	6	8	14	6	8	12	8	6	5
Puerperal septicemia 140,142a,145A,147	52	2	3	8	7	5	4	4	7	2	2	5	3
Puerperal toxemias 141a,c,144,148	42	4	3	4	4	4	3	3	2	3	4	6	2
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	48	4	6	4	5	-	2	6	9	3	3	3	3
Congenital malformations 157	222	29	17	11	16	15	15	19	26	22	21	18	13
Premature birth 159	571	38	36	42	47	61	46	41	61	41	41	59	58
Suicide 163,164	174	19	9	14	15	17	13	19	16	11	11	16	14
Homicide 165-168	136	12	13	12	14	14	8	16	10	9	9	11	8
Motor-vehicle accidents 170	410	42	39	42	31	36	24	34	42	28	43	31	18
Other accidents 169,171-195	1,109	98	74	74	127	130	113	88	78	71	69	107	80
All other causes *	2,664	255	200	255	232	217	190	220	215	193	201	242	244

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON													
All causes	12,865	1,204	1,057	1,232	1,188	993	988	998	926	934	1,074	1,123	1,168
Typhoid, paratyphoid fever—1,2	3	-	-	1	-	-	-	-	-	1	-	1	-
Cerebrospinal (meningococcus) meningitis—6	15	1	-	1	1	2	1	-	4	-	3	1	1
Scarlet fever—8	3	1	2	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	16	2	1	2	2	2	2	-	2	2	1	-	-
Diphtheria—10	6	-	-	-	-	-	-	-	-	1	3	1	1
Tuberculosis of respiratory system, etc.*—13	269	19	32	23	20	19	29	17	16	17	26	26	25
Tuberculosis (other forms)—14-22	30	1	2	3	4	1	5	1	3	1	2	2	5
Dysentery—27	5	-	-	-	-	1	1	-	-	-	2	1	-
Malaria—28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	127	10	7	13	12	7	13	10	7	18	13	7	10
Influenza—33	91	17	5	20	11	4	4	2	2	3	5	3	15
Measles—35	7	-	-	1	-	-	-	2	1	1	1	-	1
Poliomyelitis, polioencephalitis (acute)—36	4	-	1	1	-	-	-	-	-	-	1	-	1
Cancer of digestive organs, peritoneum—46	695	70	46	66	58	49	68	53	57	61	62	53	52
Cancer of female genital organs—48,49	158	16	11	14	13	17	12	14	16	13	13	6	13
Cancer of breast—50	150	13	7	15	17	9	12	14	17	7	10	19	10
Cancer (other sites)—45,47,51-55	511	47	42	44	56	40	35	38	50	46	41	37	35
Acute rheumatic fever—58	10	-	2	-	-	2	3	-	1	-	-	1	1
Diabetes mellitus—61	291	28	24	30	22	28	25	18	24	22	15	23	32
Exophthalmic goiter—63b	40	5	3	5	4	2	4	5	4	2	1	2	3
Pellagra (except alcoholic)—69	5	-	1	1	-	-	1	-	-	-	1	-	1
Alcoholism (ethylism)—77	30	1	2	2	4	-	1	1	7	2	3	5	2
Intracranial lesions of vascular origin—83	1,267	118	116	126	96	92	95	97	96	97	114	111	109
Other diseases of nervous system, etc.*—80-82,84-88	147	16	7	14	11	11	10	26	9	12	12	7	12
Diseases of ear, nose, and throat—89,104,115	27	3	2	3	3	1	5	4	1	-	-	2	3
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	254	7	21	21	28	22	19	21	16	20	21	22	16
Diseases of coronary arteries, angina pectoris—94	1,492	147	133	142	154	106	112	100	95	94	137	133	139
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,788	178	148	191	161	152	146	138	118	117	123	164	152
Pneumonia (all forms)—107-108	612	68	51	80	81	49	33	35	29	22	39	43	82
Ulcer of stomach or duodenum—117	116	13	8	10	7	5	11	6	9	13	12	12	10
Diarrhea, enteritis, etc.*—119,120	32	2	2	3	1	-	4	1	1	1	8	4	5
Appendicitis—121	62	5	8	5	6	5	3	5	8	8	4	2	3
Hernia, intestinal obstruction—122	85	10	4	10	10	1	4	13	8	3	11	5	6
Cirrhosis of the liver—124	81	7	8	3	6	6	4	3	8	4	5	16	11
Biliary calculi, etc.*—126,127	52	4	4	6	4	2	1	3	6	5	3	7	7
Nephritis—130-132	1,208	118	98	119	105	106	92	97	65	86	96	106	120
Diseases of the prostate—137	82	8	6	8	11	5	7	7	4	7	4	9	6
Puerperal septicemia—140,142a,145A,147	12	-	1	-	1	4	-	1	1	2	-	-	2
Puerperal toxemias—141a,c,144,148	9	-	1	1	2	-	2	-	-	-	1	2	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	17	2	-	1	-	2	1	1	2	1	3	2	2
Congenital malformations—157	129	6	10	12	11	10	9	12	16	13	12	6	12
Premature birth—159	205	14	17	15	15	16	11	18	15	22	18	20	24
Suicide—163,164	230	15	23	23	18	15	15	20	20	18	23	17	23
Homicide—165-168	33	-	6	3	1	3	1	3	3	3	3	2	5
Motor-vehicle accidents—170	300	19	27	15	30	19	29	25	31	20	28	28	29
Other accidents—169,171-195	907	76	57	78	77	75	58	100	67	69	79	104	67
All other causes*	1,251	117	110	101	105	103	100	87	87	100	115	111	115
PENNSYLVANIA													
All causes	110,174	10,174	9,541	10,382	9,442	8,843	8,125	8,462	7,951	8,170	9,055	9,254	10,775
Typhoid, paratyphoid fever—1,2	44	1	2	5	4	6	4	1	5	3	6	4	3
Cerebrospinal (meningococcus) meningitis—6	88	5	5	4	14	12	15	2	5	1	6	7	12
Scarlet fever—8	41	6	6	3	5	3	1	1	2	5	3	5	1
Whooping cough—9	161	15	15	23	14	7	8	9	10	8	11	22	19
Diphtheria—10	21	4	1	1	1	1	-	2	1	-	2	3	5
Tuberculosis of respiratory system, etc.*—13	3,881	311	343	327	380	310	307	329	341	278	303	285	367
Tuberculosis (other forms)—14-22	306	27	28	30	29	27	21	25	28	22	18	24	27
Dysentery—27	24	3	-	2	2	2	1	2	4	3	1	4	-
Malaria—28	5	1	-	-	-	-	-	-	-	1	2	-	1
Syphilis—30	1,222	109	103	92	102	119	92	81	106	73	127	99	119
Influenza—33	664	84	95	126	68	39	19	8	13	23	38	63	88
Measles—35	48	7	6	14	6	9	2	-	1	-	-	-	3
Poliomyelitis, polioencephalitis (acute)—36	24	2	-	2	2	-	-	-	-	10	3	1	4
Cancer of digestive organs, peritoneum—46	6,529	547	486	571	508	551	544	572	534	549	592	500	575
Cancer of female genital organs—48-49	1,726	167	142	147	154	150	134	132	129	141	136	160	134
Cancer of breast—50	1,305	101	88	127	119	119	103	123	102	113	110	86	114
Cancer (other sites)—45,47,51-55	3,952	352	310	331	340	323	301	342	304	323	343	338	345
Acute rheumatic fever—58	146	14	8	16	14	12	11	13	17	10	7	10	14
Diabetes mellitus—61	3,398	324	304	316	299	298	229	261	233	249	275	271	339
Exophthalmic goiter—63b	272	24	23	30	26	31	22	20	18	14	15	21	28
Pellagra (except alcoholic)—69	10	-	-	1	2	-	2	-	-	1	1	-	3
Alcoholism (ethylism)—77	203	19	27	20	17	19	13	10	12	12	17	22	15
Intracranial lesions of vascular origin—83	8,902	823	749	834	803	716	643	666	594	648	736	767	923
Other diseases of nervous system, etc.*—80-82,84-88	1,130	116	94	107	97	84	87	103	89	76	83	92	102
Diseases of ear, nose, and throat—89,104,115	290	13	22	34	28	27	15	20	32	21	18	29	31
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	2,264	221	201	224	167	197	160	152	171	142	197	192	240
Diseases of coronary arteries, angina pectoris—94	9,845	911	904	936	772	770	736	691	691	737	841	866	990
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	23,152	2,140	2,112	2,209	2,003	1,781	1,688	1,687	1,564	1,664	1,897	2,028	2,379
Pneumonia (all forms)—107-109	4,805	514	557	609	501	315	187	245	213	260	382	414	608
Ulcer of stomach or duodenum—117	587	58	48	60	44	34	42	62	46	37	50	46	60
Diarrhea, enteritis, etc.*—119,120	558	43	46	47	52	45	30	44	53	55	59	44	40
Appendicitis—121	624	45	50	53	46	66	51	62	57	55	49	46	44
Hernia, intestinal obstruction—122	882	70	63	61	69	77	71	72	84	82	81	69	83
Cirrhosis of the liver—124	1,077	88	104	99	98	82	86	88	77	81	78	94	102
Biliary calculi, etc.*—126,127	588	46	43	53	57	59	62	47	51	50	44	35	41
Nephritis—130-132	8,689	870	741	841	763	699	664	637	594	617	701	710	852
Diseases of the prostate—137	587	60	56	45	50	51	49	38	41	40	43	62	52
Puerperal septicemia—140,142a,145A,147	236	13	28	21	21	22	25	19	23	18	11	15	20
Puerperal toxemias—141a,c,144,148	110	8	11	11	6	6	6	14	11	10	10	8	9
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	184	24	12	16	14	5	9	19	21	14	14	16	20
Congenital malformations—157	1,277	119	80	102	88	104	93	113	101	119	127	105	126
Premature birth—159	2,443	192	165	199	219	219	189	211	210	202	220	209	208
Suicide—163,164	1,198	101	80	126	104	110	107	118	102	89	97	84	80
Homicide—165-168	250	27	21	30	19	13	16	23	24	24	24	22	17
Motor-vehicle accidents—170	1,922	214	168	170	158	165	157	147	138	142	135	151	177
Other accidents—169,171-195	5,075	417	425	432	372	412	450	487	410	413	367	425	467
All other causes*	9,419	918	769	875	785	746	673	764	689	735	775	802	888

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
All causes	8,166	725	642	737	690	669	645	587	603	598	710	733	827
Typhoid, paratyphoid fever—1,2	1	-	-	-	-	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	4	-	-	1	-	-	-	-	-	1	1	-	1
Scarlet fever—8	2	-	-	-	1	-	-	-	-	-	-	1	-
Whooping cough—9	9	-	1	-	1	1	-	-	2	1	-	1	2
Diphtheria—10	5	-	1	-	-	-	-	-	-	1	2	1	-
Tuberculosis of respiratory system, etc.*—13	258	30	24	20	22	21	15	26	26	23	18	18	15
Tuberculosis (other forms)—14-22	22	2	-	2	2	2	2	4	1	1	1	4	1
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	76	4	4	7	6	6	13	8	4	2	9	4	9
Influenza—33	21	3	5	3	2	-	-	1	-	1	-	1	5
Measles—35	3	-	-	-	1	-	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer of digestive organs, peritoneum—46	541	39	27	44	39	43	47	45	47	52	53	59	46
Cancer of female genital organs—48,49	115	13	5	10	7	9	12	7	7	10	7	17	11
Cancer of breast—50	118	3	9	8	7	10	11	11	6	12	17	11	13
Cancer (other sites)—45,47,51-55	337	30	26	25	30	28	33	22	21	37	24	39	22
Acute rheumatic fever—58	6	2	2	-	-	-	-	1	-	-	-	-	1
Diabetes mellitus—61	284	26	20	27	19	27	25	19	20	18	19	25	39
Exophthalmic goiter—63b	8	1	1	-	-	-	2	-	-	1	1	1	1
Pellagra (except alcoholic)—69	1	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism (ethylism)—77	15	2	1	-	4	-	1	1	2	2	1	1	-
Intracranial lesions of vascular origin—83	740	64	63	85	47	77	49	43	53	42	65	70	82
Other diseases of nervous system, etc.*—80-82,84-88	60	3	6	5	2	6	3	2	5	7	6	6	9
Diseases of ear, nose, and throat—89,104,115	23	6	2	1	2	4	1	2	1	1	1	2	-
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	134	12	11	13	11	17	4	11	8	11	12	8	16
Diseases of coronary arteries, angina pectoris—94	949	92	63	76	77	73	68	67	63	67	96	98	109
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,710	156	151	130	161	133	142	123	131	107	149	155	172
Pneumonia (all forms)—107-109	368	31	44	48	45	31	21	24	14	15	20	28	47
Ulcer of stomach or duodenum—117	49	2	1	4	3	6	6	8	2	3	4	6	4
Diarrhea, enteritis, etc.*—119,120	79	3	4	12	15	4	6	1	8	4	5	7	10
Appendicitis—121	32	3	4	3	1	2	4	4	4	3	2	2	-
Hernia, intestinal obstruction—122	59	6	2	5	6	4	6	4	6	5	7	4	4
Cirrhosis of the liver—124	85	11	8	6	7	7	4	5	9	6	7	5	10
Biliary calculi, etc.*—126,127	41	3	3	2	3	6	4	6	-	5	4	2	3
Nephritis—130-132	611	53	47	76	58	34	48	39	38	48	59	47	64
Diseases of the prostate—137	32	4	3	3	4	1	2	1	3	4	2	2	3
Puerperal septicemia—140,142a,145A,147	6	-	-	-	-	1	2	-	1	2	-	-	-
Puerperal toxemias—141a,c,144,148	9	-	1	1	-	1	-	-	1	2	2	1	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	11	2	1	-	2	1	-	1	1	-	2	1	-
Congenital malformations—157	138	13	6	13	11	11	12	5	16	14	11	7	19
Premature birth—159	151	13	12	14	15	11	11	10	12	15	11	14	13
Suicide—163,164	51	4	2	7	5	7	7	6	3	2	3	1	4
Homicide—165-168	9	-	1	-	1	2	-	-	2	-	2	1	-
Motor-vehicle accidents—170	78	12	5	9	4	4	7	5	5	6	10	7	4
Other accidents—169,171-195	315	24	26	19	24	29	34	24	25	22	32	27	29
All other causes*	599	53	50	58	45	50	40	50	56	44	45	49	59
SOUTH CAROLINA													
All causes	18,306	1,830	1,616	1,652	1,462	1,495	1,484	1,582	1,355	1,409	1,449	1,469	1,503
Typhoid, paratyphoid fever—1,2	45	3	-	1	2	4	9	5	6	5	7	3	-
Cerebrospinal (meningococcus) meningitis—6	21	3	1	2	3	2	1	1	2	2	1	1	2
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	77	11	3	12	7	6	13	9	4	1	1	7	3
Diphtheria—10	66	9	5	-	1	1	2	1	5	14	12	10	6
Tuberculosis of respiratory system, etc.*—13	753	65	63	64	69	65	56	69	56	55	67	63	61
Tuberculosis (other forms)—14-22	52	6	1	2	6	4	5	7	8	1	5	5	2
Dysentery—27	35	1	-	4	1	4	6	6	4	5	2	-	2
Malaria—28	104	4	-	2	1	5	12	20	19	16	18	6	1
Syphilis—30	278	28	23	20	21	21	27	24	24	21	27	22	20
Influenza—33	281	55	60	59	18	15	6	5	3	5	12	16	27
Measles—35	33	7	5	8	6	6	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	11	1	3	-	1	-	1	1	-	2	-	2	-
Cancer of digestive organs, peritoneum—46	452	43	24	41	31	43	36	42	39	34	40	36	43
Cancer of female genital organs—48,49	243	13	24	16	25	26	20	19	17	19	26	16	22
Cancer of breast—50	115	11	7	13	13	6	4	12	12	9	11	6	11
Cancer (other sites)—45,47,51-55	369	36	26	40	30	29	30	38	21	31	33	26	29
Acute rheumatic fever—58	30	3	6	8	2	3	1	-	1	-	1	4	1
Diabetes mellitus—61	249	24	17	25	26	24	19	19	16	15	21	23	20
Exophthalmic goiter—63b	11	-	1	-	1	1	1	-	2	3	1	1	-
Pellagra (except alcoholic)—69	95	10	2	15	6	11	10	13	9	3	8	3	5
Alcoholism (ethylism)—77	25	4	-	2	1	1	3	2	2	2	2	2	4
Intracranial lesions of vascular origin—83	1,873	191	165	151	154	166	159	156	131	160	156	143	141
Other diseases of nervous system, etc.*—80-82,84-88	214	23	20	12	15	16	12	12	28	22	13	17	24
Diseases of ear, nose, and throat—89,104,115	107	13	13	9	5	4	6	10	9	9	11	7	11
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	250	18	27	21	27	27	17	16	16	22	17	20	22
Diseases of coronary arteries, angina pectoris—94	873	92	83	76	74	75	62	71	55	55	68	83	77
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,385	230	221	225	193	210	221	194	167	179	177	180	188
Pneumonia (all forms)—107-109	1,102	173	145	152	86	61	61	69	48	45	62	90	110
Ulcer of stomach or duodenum—117	95	6	6	10	9	13	7	10	4	6	13	4	7
Diarrhea, enteritis, etc.*—119,120	361	11	13	12	13	32	64	63	38	36	34	32	13
Appendicitis—121	98	9	5	12	2	12	10	15	7	6	9	6	5
Hernia, intestinal obstruction—122	107	11	9	8	8	9	5	7	8	15	12	9	6
Cirrhosis of the liver—124	69	3	4	10	1	7	2	7	6	7	9	7	6
Biliary calculi, etc.*—126,127	42	2	2	2	4	5	5	6	5	-	1	4	6
Nephritis—130-132	1,926	194	152	163	167	167	170	180	141	144	140	156	152
Diseases of the prostate—137	55	3	5	2	7	3	4	5	5	3	9	5	4
Puerperal septicemia—140,142a,145A,147	86	7	9	6	2	9	8	6	7	16	3	8	5
Puerperal toxemias—141a,c,144,148	90	11	5	4	6	4	12	9	6	10	9	4	10
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	84	7	6	7	5	12	5	6	7	6	8	8	7
Congenital malformations—157	168	16	9	13	8	14	13	15	11	19	12	18	20
Premature birth—159	743	72	55	58	60	59	57	66	64	70	61	56	65
Suicide—163,164	93	10	5	7	8	11	8	5	10	9	8	6	6
Homicide—165-168	208	16	22	16	14	11	13	25	27	27	22	9	6
Motor-vehicle accidents—170	393	48	40	46	28	27	23	28	31	37	19	26	40
Other accidents—169,171-195	917	78	65	66	60	80	67	87	73	84	63	105	89
All other causes*	2,622	249	259	230	235	184	210	221	201	179	218	212	224

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA													
All causes	5,432	513	413	498	466	460	417	419	404	410	478	470	484
Typhoid, paratyphoid fever—1,2	3	1	-	-	-	-	-	-	1	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	-	-	-	-	-	2	-	1
Scarlet fever—8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	25	8	1	2	3	3	2	4	-	1	1	-	-
Diphtheria—10	20	7	-	1	-	-	1	1	2	-	-	6	2
Tuberculosis of respiratory system, etc.*—13	156	12	8	18	15	16	14	12	11	17	14	8	11
Tuberculosis (other forms)—14-22	29	-	5	5	5	1	3	3	1	2	1	-	3
Dysentery—27	1	-	-	-	-	-	-	-	-	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	34	3	2	1	6	6	1	-	2	3	3	3	4
Influenza—33	52	6	3	7	5	3	2	1	3	3	4	8	7
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	2
Poliomyelitis, polioencephalitis (acute)—36	2	-	-	-	1	-	-	-	-	-	-	-	1
Cancer of digestive organs, peritoneum—46	343	30	20	29	27	33	21	30	31	25	39	28	30
Cancer of female genital organs—48,49	69	7	4	8	4	6	9	6	7	1	4	6	7
Cancer of breast—50	68	7	9	4	5	4	3	3	9	7	5	7	3
Cancer (other sites)—45,47,51-55	208	18	19	14	20	16	15	17	19	18	22	17	13
Acute rheumatic fever—58	8	-	1	-	-	2	-	-	2	-	1	1	1
Diabetes mellitus—61	130	7	8	13	11	5	11	14	13	7	13	15	13
Exophthalmic goiter—63b	13	-	1	4	1	1	1	2	-	-	2	1	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	8	1	-	1	1	1	1	-	-	1	1	-	1
Intracranial lesions of vascular origin—83	510	58	41	42	46	43	42	42	39	29	38	46	44
Other diseases of nervous system, etc.*—80-82,84-88	76	8	6	8	5	8	5	5	8	5	4	4	10
Diseases of ear, nose, and throat—89,104,115	17	3	-	5	1	1	1	1	-	1	1	1	2
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	73	8	7	5	1	6	3	8	4	4	11	9	7
Diseases of coronary arteries, angina pectoris—94	429	30	35	49	35	30	40	34	29	33	36	43	35
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	849	77	63	78	83	61	78	64	61	54	72	70	88
Pneumonia (all forms)—107-109	257	37	32	38	21	21	14	10	10	12	13	18	31
Ulcer of stomach or duodenum—117	33	1	3	4	3	1	5	1	3	2	5	1	4
Diarrhea, enteritis, etc.*—119,120	41	2	1	1	4	2	2	2	12	7	4	3	1
Appendicitis—121	46	5	5	5	2	4	2	-	6	6	4	4	3
Hernia, intestinal obstruction—122	44	5	1	-	4	6	1	2	6	3	7	4	5
Cirrhosis of the liver—124	24	1	1	1	3	-	4	2	3	4	3	2	-
Biliary calculi, etc.*—126,127	47	2	5	1	3	4	1	8	4	5	3	3	8
Nephritis—130-132	301	22	28	41	27	21	21	22	23	29	15	24	28
Diseases of the prostate—137	33	2	6	2	3	1	2	4	3	3	3	3	1
Puerperal septicemia—140,142a,145A,147	7	1	-	-	1	-	1	1	1	-	-	1	1
Puerperal toxemias—141a,c,144,148	10	1	1	-	-	1	3	1	1	-	1	1	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	8	1	-	1	1	-	2	2	-	-	-	1	-
Congenital malformations—157	80	8	6	8	4	7	8	5	4	8	8	4	10
Premature birth—159	145	13	9	12	14	20	5	11	9	12	16	13	11
Suicide—163,164	43	2	-	1	7	5	5	7	4	3	5	2	2
Homicide—165-168	5	-	1	1	-	1	-	-	1	1	-	-	-
Motor-vehicle accidents—170	88	11	8	7	5	8	4	7	9	9	5	11	4
Other accidents—169,171-195	306	26	14	16	26	35	26	26	29	25	36	25	22
All other causes*	787	82	59	65	62	77	58	61	34	69	75	77	68
TENNESSEE													
All causes	27,017	2,630	2,433	2,684	2,158	2,172	2,157	2,190	2,067	1,924	2,063	2,098	2,441
Typhoid, paratyphoid fever—1,2	22	-	1	2	1	1	-	3	5	1	3	5	-
Cerebrospinal (meningococcus) meningitis—6	16	-	1	2	2	1	1	-	2	1	-	3	3
Scarlet fever—8	13	4	1	1	2	2	-	1	-	1	1	-	-
Whooping cough—9	70	5	6	6	4	7	7	8	3	3	7	8	6
Diphtheria—10	42	2	2	1	1	-	2	-	4	10	3	9	8
Tuberculosis of respiratory system, etc.*—13	1,892	187	168	154	170	188	180	133	169	120	139	136	148
Tuberculosis (other forms)—14-22	190	15	14	17	21	25	17	14	14	14	11	15	13
Dysentery—27	77	1	2	1	2	3	12	27	14	9	3	2	1
Malaria—28	31	-	-	-	2	3	6	8	4	2	3	1	2
Syphilis—30	381	34	34	27	23	36	36	24	34	34	38	31	30
Influenza—33	492	75	100	91	50	31	10	8	12	12	18	32	33
Measles—35	36	4	4	9	5	3	2	2	3	1	-	1	2
Poliomyelitis, polioencephalitis (acute)—36	28	4	-	1	-	1	1	9	8	1	-	2	1
Cancer of digestive organs, peritoneum—46	969	87	79	68	65	78	96	107	76	76	79	71	87
Cancer of female genital organs—48,49	414	26	27	37	37	43	33	49	43	38	26	29	26
Cancer of breast—50	199	20	18	18	17	16	12	16	18	12	15	21	16
Cancer (other sites)—45,47,51-55	733	78	54	61	53	50	69	60	64	59	60	67	58
Acute rheumatic fever—58	56	9	6	5	7	7	5	3	2	2	4	4	2
Diabetes mellitus—61	385	44	44	37	26	27	23	26	19	33	37	22	45
Exophthalmic goiter—63b	34	3	3	4	3	4	4	2	2	2	2	4	1
Pellagra (except alcoholic)—69	108	11	9	14	10	6	8	11	11	4	10	7	7
Alcoholism (ethylism)—77	40	6	4	5	6	3	1	-	1	4	5	2	3
Intracranial lesions of vascular origin—83	2,589	218	237	265	211	199	197	216	178	195	224	214	235
Other diseases of nervous system, etc.*—80-82,84-88	371	38	33	42	29	36	27	24	27	27	23	36	27
Diseases of ear, nose, and throat—89,104,115	124	15	11	8	18	11	11	6	10	8	9	9	8
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	536	42	54	64	53	39	41	41	43	33	38	40	46
Diseases of coronary arteries, angina pectoris—94	1,391	132	124	139	121	107	93	98	84	102	128	110	153
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,509	379	304	316	282	301	294	267	245	258	249	273	341
Pneumonia (all forms)—107-109	1,633	226	241	261	129	95	69	68	75	78	106	111	174
Ulcer of stomach or duodenum—117	149	16	13	17	13	12	11	8	11	7	13	11	17
Diarrhea, enteritis, etc.*—119,120	329	12	6	10	8	19	57	77	45	43	23	17	12
Appendicitis—121	184	18	15	12	20	14	22	17	19	18	6	9	14
Hernia, intestinal obstruction—122	221	20	16	18	10	18	17	29	21	20	16	19	17
Cirrhosis of the liver—124	143	8	11	11	17	15	13	8	14	16	15	10	11
Biliary calculi, etc.*—126,127	98	5	6	13	11	4	9	9	10	7	7	11	6
Nephritis—130-132	1,794	168	163	173	134	158	135	165	138	125	141	141	153
Diseases of the prostate—137	179	18	11	20	16	9	20	15	12	10	22	15	11
Puerperal septicemia—140,142a,145A,147	78	3	3	5	6	4	8	9	11	7	7	10	5
Puerperal toxemias—141a,c,144,148	62	6	5	10	2	4	6	4	7	6	3	5	4
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	57	6	5	3	5	3	4	3	8	5	3	8	4
Congenital malformations—157	276	24	19	24	33	15	22	19	29	26	24	16	25
Premature birth—159	822	79	54	68	66	74	65	61	87	85	68	67	50
Suicide—163,164	258	19	18	30	29	27	21	25	20	15	27	16	11
Homicide—165-168	356	27	19	32	26	32	38	31	35	22	29	24	41
Motor-vehicle accidents—170	527	52	56	54	43	46	38	25	44	39	53	36	41
Other accidents—169,171-195	1,189	125	86	152	72	84	123	129	97	61	82	71	127
All other causes*	3,914	359	344	398	303	311	291	325	289	268	283	347	396

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS													
All causes	59,315	5,745	4,831	5,458	4,757	4,867	5,045	4,812	4,652	4,364	4,823	4,716	5,245
Typhoid, paratyphoid fever—1,2	93	5	5	5	2	7	12	17	14	13	6	3	4
Cerebrospinal (meningococcus) meningitis—6	35	4	4	9	1	3	3	2	1	1	-	2	5
Scarlet fever—8	19	5	1	1	3	1	2	1	1	1	-	3	-
Whooping cough—9	188	8	16	20	20	17	11	10	19	16	14	18	19
Diphtheria—10	150	18	19	12	6	5	3	4	11	3	24	28	17
Tuberculosis of respiratory system, etc.*—13	3,358	287	290	337	298	333	279	273	254	247	252	234	274
Tuberculosis (other forms)—14-22	253	18	16	24	14	24	28	28	24	15	24	14	24
Dysentery—27	361	7	8	17	17	39	87	60	39	25	20	26	16
Malaria—28	97	4	8	1	4	8	7	13	17	15	8	8	4
Syphilis—30	779	76	47	65	68	70	62	70	68	64	72	53	64
Influenza—33	831	164	160	148	85	41	15	20	16	19	33	40	90
Measles—35	109	10	20	24	16	19	11	2	2	2	2	-	1
Poliomyelitis, polioencephalitis (acute)—36	50	5	3	1	2	1	4	4	4	-	9	7	10
Cancer of digestive organs, peritoneum—46	2,137	181	158	188	162	158	187	184	205	178	177	180	179
Cancer of female genital organs—48,49	786	57	49	58	61	75	77	55	64	78	67	61	84
Cancer of breast—50	403	36	28	34	24	30	42	37	37	36	38	33	34
Cancer (other sites)—45,47,51-55	2,105	185	168	189	185	173	158	161	190	162	189	173	172
Acute rheumatic fever—58	63	4	4	8	5	4	8	3	4	6	6	7	4
Diabetes mellitus—61	858	102	67	94	55	78	75	68	67	62	58	70	62
Exophthalmic goiter—63b	81	6	5	6	2	4	8	9	8	3	9	11	10
Pellagra (except alcoholic)—69	251	20	14	16	23	26	20	30	22	14	23	27	16
Alcoholism (ethylism)—77	52	8	5	6	4	1	4	4	3	4	5	6	2
Intracranial lesions of vascular origin—83	4,728	471	357	461	389	376	398	357	349	344	382	414	430
Other diseases of nervous system, etc.*—80-82,84-88	741	74	48	81	62	66	59	66	54	63	48	60	60
Diseases of ear, nose, and throat—89,104,115	324	32	35	33	34	27	19	24	18	17	30	23	32
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	518	51	54	54	45	42	29	40	37	35	42	49	40
Diseases of coronary arteries, angina pectoris—94	4,486	450	355	391	357	390	371	357	340	329	372	356	418
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	7,460	757	683	698	638	612	640	588	472	494	619	594	665
Pneumonia (all forms)—107-109	2,982	419	364	424	250	190	150	136	150	138	210	227	324
Ulcer of stomach or duodenum—117	310	17	22	30	26	27	21	18	21	29	33	31	35
Diarrhea, enteritis, etc.*—119,120	1,441	69	45	56	85	182	224	176	146	114	120	125	99
Appendicitis—121	444	45	33	33	40	40	40	50	39	41	27	28	28
Hernia, intestinal obstruction—122	510	42	28	38	42	34	45	43	56	45	43	43	51
Cirrhosis of the liver—124	308	25	26	24	26	23	20	22	30	24	30	28	30
Biliary calculi, etc.*—126,127	256	25	18	21	19	27	16	16	24	24	16	26	24
Nephritis—130-132	3,942	407	317	366	354	337	326	317	283	279	313	289	354
Diseases of the prostate—137	375	39	24	30	29	29	31	38	29	25	33	30	36
Puerperal septicemia—140,142a,145A,147	163	19	15	15	13	17	14	11	10	5	20	10	14
Puerperal toxemias—141a,c,144,148	140	7	7	11	9	13	15	13	14	15	12	14	10
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	137	12	13	8	12	13	10	8	13	12	11	9	16
Congenital malformations—157	664	58	39	56	55	40	57	39	64	66	73	52	65
Premature birth—159	2,099	171	129	130	145	142	197	198	227	185	195	182	198
Suicide—163,164	641	60	57	65	68	56	58	49	48	52	42	44	44
Homicide—165-168	659	34	49	50	56	57	54	67	68	50	57	58	59
Motor-vehicle accidents—170	1,447	158	107	140	89	123	129	124	131	147	96	93	110
Other accidents—169,171-195	3,343	325	245	253	259	265	338	302	290	271	252	248	285
All other causes*	8,134	768	666	717	598	622	683	698	669	596	711	679	727
UTAH													
All causes	4,849	382	392	453	449	386	367	399	357	395	418	386	465
Typhoid, paratyphoid fever—1,2	2	-	-	1	-	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever—8	4	-	-	1	1	-	1	-	-	-	-	1	-
Whooping cough—9	4	-	-	-	-	2	-	2	-	-	-	-	-
Diphtheria—10	3	-	-	-	-	-	-	-	-	-	1	-	2
Tuberculosis of respiratory system, etc.*—13	67	3	8	9	4	10	3	3	4	5	5	7	6
Tuberculosis (other forms)—14-22	15	2	-	-	1	-	3	2	2	1	1	2	1
Dysentery—27	5	-	-	-	1	-	1	-	1	1	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	30	-	4	4	2	2	2	2	3	1	4	4	2
Influenza—33	48	6	8	6	4	4	2	3	-	2	2	9	2
Measles—35	15	-	1	1	2	1	1	1	1	-	-	4	3
Poliomyelitis, polioencephalitis (acute)—36	2	-	-	-	-	-	-	-	-	-	-	1	1
Cancer of digestive organs, peritoneum—46	227	12	14	24	29	20	18	15	23	11	22	13	26
Cancer of female genital organs—48,49	61	2	6	9	6	4	2	6	4	7	9	4	2
Cancer of breast—50	53	6	6	7	4	2	3	6	3	3	5	4	4
Cancer (other sites)—45,47,51-55	167	13	9	18	15	13	13	11	12	16	20	8	19
Acute rheumatic fever—58	9	1	2	-	1	-	-	3	1	-	-	-	1
Diabetes mellitus—61	77	6	6	8	4	5	10	6	3	7	3	8	11
Exophthalmic goiter—63b	20	2	1	2	3	2	2	2	1	1	2	1	1
Pellagra (except alcoholic)—69	1	-	-	-	1	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	7	-	-	1	1	-	-	1	1	-	1	1	1
Intracranial lesions of vascular origin—83	362	28	23	31	36	33	24	21	28	34	42	24	38
Other diseases of nervous system, etc.*—80-82,84-88	66	4	4	5	9	5	7	6	3	8	7	5	3
Diseases of ear, nose, and throat—89,104,115	35	3	4	4	6	2	-	2	1	3	3	6	1
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	113	12	3	14	8	9	12	10	3	10	16	6	10
Diseases of coronary arteries, angina pectoris—94	440	50	43	42	42	31	24	29	30	39	32	27	31
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	856	74	79	88	81	64	57	85	67	58	62	70	71
Pneumonia (all forms)—107-109	181	14	19	20	20	20	14	6	5	7	17	16	23
Ulcer of stomach or duodenum—117	52	3	3	5	4	3	4	5	7	6	3	6	3
Diarrhea, enteritis, etc.*—119,120	28	2	3	2	-	2	-	3	3	5	6	1	1
Appendicitis—121	46	2	1	5	6	3	5	2	4	5	4	5	4
Hernia, intestinal obstruction—122	34	3	4	3	4	2	5	1	3	1	-	4	4
Cirrhosis of the liver—124	24	-	2	3	1	1	2	2	4	3	1	-	5
Biliary calculi, etc.*—126,127	31	3	5	4	1	2	2	2	2	3	1	2	4
Nephritis—130-132	294	28	30	31	23	26	21	20	13	16	33	24	29
Diseases of the prostate—137	36	2	4	5	3	3	1	1	5	4	3	1	4
Puerperal septicemia—140,142a,145A,147	7	-	2	-	2	-	-	-	-	1	-	2	-
Puerperal toxemias—141a,c,144,148	9	1	-	-	-	-	2	2	1	1	-	2	-
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	11	1	1	-	2	1	-	4	1	1	-	-	-
Congenital malformations—157	76	7	11	3	3	5	8	6	7	4	6	11	5
Premature birth—159	196	19	13	17	15	11	19	13	17	21	17	17	17
Suicide—163,164	46	3	3	5	6	7	6	5	4	-	2	4	1
Homicide—165-168	14	-	-	-	-	1	1	3	1	3	3	1	1
Motor-vehicle accidents—170	155	13	10	10	9	18	11	12	11	20	10	15	16
Other accidents—169,171-195	332	21	19	15	30	23	31	43	28	41	27	17	37
All other causes*	587	36	41	50	53	49	50	52	50	45	47	53	55

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT													
All causes	4,250	396	359	369	385	368	376	331	302	300	346	321	417
Typhoid, paratyphoid fever 1,2	1	-	-	-	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis 6	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever 8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough 9	13	2	-	-	-	3	1	-	1	3	-	-	3
Diphtheria 10	2	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.* 13	105	9	10	12	11	11	6	10	9	7	5	7	8
Tuberculosis (other forms) 14-22	7	-	1	2	-	-	-	2	-	-	-	-	2
Dysentery 27	3	-	2	-	-	-	-	-	-	-	1	-	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	15	-	2	3	-	1	1	1	1	2	1	1	2
Influenza 33	28	5	2	3	6	3	-	-	2	-	2	3	2
Measles 35	4	-	-	-	-	-	1	-	1	-	1	1	-
Poliomyelitis, polioencephalitis (acute) 36	5	-	-	-	-	1	-	1	-	1	1	1	-
Cancer of digestive organs, peritoneum 46	234	22	15	24	20	16	26	19	16	21	17	21	17
Cancer of female genital organs 48,49	73	3	3	10	6	5	9	3	6	10	4	10	4
Cancer of breast 50	49	-	6	3	7	3	1	3	5	3	6	6	6
Cancer (other sites) 45,47,51-55	173	17	12	15	13	16	13	15	14	10	18	17	13
Acute rheumatic fever 58	4	-	-	1	-	-	1	-	1	1	-	-	-
Diabetes mellitus 61	100	12	7	7	15	5	8	7	6	6	13	5	9
Exophthalmic goiter 63b	12	1	-	1	1	-	1	4	-	1	1	1	1
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	6	-	3	-	-	-	-	-	-	-	-	-	3
Intracranial lesions of vascular origin 83	443	47	31	27	39	46	33	37	31	31	38	34	49
Other diseases of nervous system, etc.* 80-82,84-88	49	7	5	5	4	1	2	4	3	2	3	7	6
Diseases of ear, nose, and throat 89,104,115	14	2	2	2	-	-	1	2	2	1	-	-	2
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	83	9	6	8	7	7	9	8	7	5	6	5	6
Diseases of coronary arteries, angina pectoris 94	401	45	41	23	32	38	40	22	17	42	27	27	47
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	804	71	53	77	73	64	74	50	60	57	64	65	96
Pneumonia (all forms) 107-109	179	11	19	16	17	22	13	8	10	7	13	13	30
Ulcer of stomach or duodenum 117	30	4	1	4	5	-	1	3	2	-	6	1	3
Diarrhea, enteritis, etc.* 119,120	16	-	3	4	1	2	1	-	-	1	2	1	1
Appendicitis 121	31	-	3	2	2	6	3	2	3	-	4	3	3
Hernia, intestinal obstruction 122	47	2	7	3	4	10	1	-	3	4	8	1	4
Cirrhosis of the liver 124	32	7	4	3	3	4	4	3	-	-	2	2	-
Biliary calculi, etc.* 126,127	27	2	-	2	2	2	4	5	2	-	3	3	2
Nephritis 130-132	279	26	23	26	22	27	29	23	21	14	24	20	24
Diseases of the prostate 137	27	3	1	1	2	4	2	3	1	3	2	3	2
Puerperal septicemia 140,142a,145A,147	6	-	-	2	-	-	-	-	-	1	-	-	3
Puerperal toxemias 141a,c,144,148	7	1	2	2	1	-	-	1	-	-	-	-	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	2	1	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations 157	58	5	8	3	6	3	4	8	4	4	3	4	4
Premature birth 159	100	5	9	6	12	5	14	6	9	18	5	6	5
Suicide 163,164	65	4	4	4	11	7	4	11	1	4	8	5	2
Homicide 165-168	3	1	-	1	1	-	-	-	-	-	-	-	-
Motor-vehicle accidents 170	49	15	3	5	5	3	-	1	-	1	3	7	6
Other accidents 169,171-195	178	12	10	18	14	13	21	17	26	12	13	13	9
All other causes*	486	44	40	43	43	39	48	52	38	28	40	28	43
VIRGINIA													
All causes	29,197	2,716	2,576	2,849	2,427	2,269	2,161	2,525	2,245	2,165	2,366	2,277	2,621
Typhoid, paratyphoid fever 1,2	25	2	-	1	-	1	3	5	1	6	3	3	-
Cerebrospinal (meningococcus) meningitis 6	46	3	5	8	5	3	-	4	4	-	4	1	9
Scarlet fever 8	12	1	1	2	2	-	-	1	2	1	1	-	1
Whooping cough 9	102	12	13	10	14	4	9	11	5	1	10	7	6
Diphtheria 10	44	6	3	5	3	-	-	-	2	1	4	14	6
Tuberculosis of respiratory system, etc.* 13	1,495	139	111	129	135	135	122	123	119	117	114	122	129
Tuberculosis (other forms) 14-22	137	7	13	16	12	10	12	13	14	13	13	4	10
Dysentery 27	98	3	-	2	2	3	19	32	18	10	7	2	2
Malaria 28	6	-	-	-	-	-	1	-	1	3	1	-	-
Syphilis 30	432	39	43	41	41	35	27	38	36	26	38	32	38
Influenza 33	335	41	52	66	44	19	9	15	6	10	18	22	33
Measles 35	16	2	4	4	2	1	-	1	-	-	1	1	-
Poliomyelitis, polioencephalitis (acute) 36	7	1	-	1	-	-	1	-	3	1	-	-	-
Cancer of digestive organs, peritoneum 46	1,005	88	65	80	84	82	85	94	80	79	92	89	87
Cancer of female genital organs 48,49	356	31	32	20	22	45	25	30	32	35	23	32	29
Cancer of breast 50	245	28	19	22	25	20	24	22	19	20	16	14	16
Cancer (other sites) 45,47,51-55	794	56	66	79	69	72	62	61	68	67	79	52	63
Acute rheumatic fever 58	49	5	6	4	4	4	2	2	6	4	1	5	6
Diabetes mellitus 61	532	46	43	51	50	41	39	40	30	35	48	45	64
Exophthalmic goiter 63b	45	1	3	5	2	3	5	5	4	1	5	5	6
Pellagra (except alcoholic) 69	58	4	5	4	7	6	2	7	6	4	5	6	2
Alcoholism (ethylism) 77	81	4	10	9	7	2	2	7	7	3	9	13	8
Intracranial lesions of vascular origin 83	2,878	290	274	255	237	220	238	246	188	203	200	227	300
Other diseases of nervous system, etc.* 80-82,84-88	402	41	33	33	29	26	41	39	33	26	32	32	35
Diseases of ear, nose, and throat 89,104,115	143	15	10	18	13	12	9	7	5	10	12	14	18
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	521	54	51	50	43	43	35	37	40	29	47	40	52
Diseases of coronary arteries, angina pectoris 94	1,719	147	142	180	135	136	122	151	128	127	157	141	153
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	4,451	407	415	481	396	360	317	357	306	322	325	330	435
Pneumonia (all forms) 107-109	1,619	216	210	261	154	103	49	84	69	79	100	115	179
Ulcer of stomach or duodenum 117	171	11	15	19	16	12	14	15	16	13	16	9	15
Diarrhea, enteritis, etc.* 119,120	384	17	13	14	7	16	38	84	79	51	43	14	8
Appendicitis 121	148	8	9	12	12	8	18	19	9	15	16	10	12
Hernia, intestinal obstruction 122	228	15	16	22	23	17	16	18	19	18	26	17	21
Cirrhosis of the liver 124	154	9	14	13	9	12	9	8	19	11	21	15	14
Biliary calculi, etc.* 126,127	101	11	9	14	3	7	11	7	12	11	6	4	6
Nephritis 130-132	2,458	224	206	250	188	210	182	213	193	177	202	206	207
Diseases of the prostate 137	155	17	13	16	13	9	8	12	18	12	17	13	7
Puerperal septicemia 140,142a,145A,147	86	8	10	8	3	7	6	9	9	4	6	9	7
Puerperal toxemias 141a,c,144,148	64	5	6	4	5	7	1	8	5	6	6	7	4
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	70	2	2	6	4	6	7	6	9	6	10	7	5
Congenital malformations 157	352	31	31	30	18	25	23	25	31	38	41	26	33
Premature birth 159	1,021	81	88	75	89	85	91	98	74	87	89	80	84
Suicide 163,164	313	27	23	24	28	30	26	34	25	27	28	23	18
Homicide 165-168	332	27	23	31	25	22	34	22	44	30	34	17	23
Motor-vehicle accidents 170	702	75	70	61	66	47	29	60	66	49	58	71	52
Other accidents 169,171-195	1,471	135	111	98	108	103	145	203	121	118	103	104	122
All other causes*	3,334	324	286	315	273	280	243	252	266	259	283	277	296

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON													
All causes	20,552	1,928	1,624	1,808	1,691	1,768	1,596	1,658	1,517	1,534	1,747	1,809	1,872
Typhoid, paratyphoid fever 1,2	3	1	-	-	-	-	-	-	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis 6	9	-	-	1	3	1	-	1	-	-	-	1	2
Scarlet fever 8	8	1	1	-	3	1	-	-	-	-	1	-	1
Whooping cough 9	25	4	-	2	4	1	1	1	1	1	3	3	4
Diphtheria 10	19	-	2	-	-	-	2	-	-	2	1	8	4
Tuberculosis of respiratory system, etc.* 13	608	47	59	40	55	58	60	37	54	43	51	51	53
Tuberculosis (other forms) 14-22	68	7	2	5	5	14	8	8	6	4	4	4	1
Dysentery 27	5	-	-	-	-	1	-	-	1	1	1	1	-
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	216	20	21	19	17	19	27	16	7	17	13	23	17
Influenza 33	152	21	17	22	17	7	5	5	3	1	12	13	29
Measles 35	11	1	-	-	-	2	-	1	1	1	1	2	2
Poliomyelitis, polioencephalitis (acute) 36	7	-	1	-	-	-	-	-	1	1	1	1	2
Cancer of digestive organs, peritoneum 46	1,205	101	114	88	86	98	108	104	92	102	103	102	107
Cancer of female genital organs 48,49	271	33	27	28	21	16	25	19	20	29	19	16	18
Cancer of breast 50	251	21	24	18	12	19	23	24	22	16	20	26	26
Cancer (other sites) 45,47,51-55	796	65	78	68	56	71	64	51	62	61	76	80	64
Acute rheumatic fever 58	10	-	-	2	-	1	-	-	-	1	2	4	-
Diabetes mellitus 61	480	44	37	51	40	46	41	38	26	33	39	47	38
Exophthalmic goiter 63b	53	8	3	3	3	7	6	3	4	2	5	4	5
Pellagra (except alcoholic) 69	2	-	-	-	1	-	-	1	-	-	-	-	-
Alcoholism (ethylism) 77	80	7	2	10	3	6	3	12	6	4	11	9	7
Intracranial lesions of vascular origin 83	2,096	204	183	215	168	156	142	154	166	155	185	177	191
Other diseases of nervous system, etc.* 80-82,84-88	216	9	18	19	28	19	23	19	11	17	15	23	15
Diseases of ear, nose, and throat 89,104,115	60	9	7	5	4	6	5	7	2	1	3	5	6
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	439	35	33	33	32	45	36	31	41	33	40	33	47
Diseases of coronary arteries, angina pectoris 94	2,281	222	177	210	176	194	153	181	169	171	182	214	232
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	3,473	303	246	294	313	324	274	277	251	275	315	321	280
Pneumonia (all forms) 107-109	698	120	84	93	77	74	55	54	44	39	65	79	114
Ulcer of stomach or duodenum 117	184	19	13	18	17	19	15	13	7	15	18	17	13
Diarrhea, enteritis, etc.* 119,120	76	9	5	4	11	4	3	9	3	5	9	9	5
Appendicitis 121	87	8	1	10	4	8	4	10	5	8	10	10	9
Hernia, intestinal obstruction 122	159	7	10	17	8	12	10	15	17	17	16	18	12
Cirrhosis of the liver 124	148	11	11	6	9	18	12	8	14	16	16	12	15
Biliary calculi, etc.* 126,127	96	11	7	11	8	5	10	7	6	12	11	6	2
Nephritis 130-132	1,186	129	104	108	111	100	94	84	77	88	87	95	109
Diseases of the prostate 137	117	11	9	8	5	7	9	18	6	10	12	10	12
Puerperal septicemia 140,142a,145A,147	25	2	1	2	6	3	2	-	1	1	4	2	1
Puerperal toxemias 141a,c,144,148	20	4	-	1	-	4	2	4	1	1	1	2	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	23	1	-	5	2	-	1	3	3	1	3	3	1
Congenital malformations 157	227	15	14	20	16	26	24	24	18	23	13	18	16
Premature birth 159	382	30	31	34	33	39	30	34	24	25	29	34	39
Suicide 163,164	363	46	27	43	20	39	26	37	28	29	20	25	25
Homicide 165-168	54	2	4	4	5	6	3	8	2	4	5	4	7
Motor-vehicle accidents 170	479	53	44	40	35	35	29	46	36	38	44	43	38
Other accidents 169,171-195	1,213	100	69	84	93	105	86	143	119	88	123	88	115
All other causes*	1,971	187	158	167	186	152	175	151	160	143	156	166	190
WEST VIRGINIA													
All causes	16,975	1,710	1,554	1,596	1,490	1,454	1,248	1,346	1,317	1,237	1,271	1,309	1,443
Typhoid, paratyphoid fever 1,2	19	-	2	1	1	2	3	1	2	2	2	3	-
Cerebrospinal (meningococcus) meningitis 6	20	-	3	-	4	1	1	1	1	-	3	3	3
Scarlet fever 8	8	-	2	1	-	1	2	-	-	1	1	-	-
Whooping cough 9	52	11	6	4	10	3	3	3	4	3	2	1	2
Diphtheria 10	25	5	3	2	1	-	-	-	-	3	4	5	2
Tuberculosis of respiratory system, etc.* 13	691	63	71	69	63	61	66	48	54	42	40	52	62
Tuberculosis (other forms) 14-22	74	12	7	7	6	9	3	4	6	5	6	5	4
Dysentery 27	52	2	-	-	1	1	4	12	15	7	7	1	2
Malaria 28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis 30	258	26	14	19	19	29	23	22	21	10	11	20	24
Influenza 33	181	33	22	33	19	8	4	5	3	8	11	16	19
Measles 35	63	26	14	13	8	1	-	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	11	1	1	-	-	1	-	2	3	-	1	1	1
Cancer of digestive organs, peritoneum 46	692	63	55	59	67	55	55	60	63	58	45	55	57
Cancer of female genital organs 48,49	222	23	19	18	13	18	18	19	20	27	12	15	20
Cancer of breast 50	122	11	11	9	13	7	6	14	8	9	14	11	9
Cancer (other sites) 45,47,51-55	506	44	44	42	44	42	30	33	47	51	38	44	45
Acute rheumatic fever 58	21	3	2	2	2	1	1	5	1	-	2	2	2
Diabetes mellitus 61	337	46	33	29	28	25	26	23	24	33	37	17	36
Exophthalmic goiter 63b	36	2	4	5	4	5	1	6	4	1	-	2	2
Pellagra (except alcoholic) 69	11	-	-	1	-	3	1	-	1	2	-	2	1
Alcoholism (ethylism) 77	39	2	4	4	2	1	3	3	4	4	2	4	6
Intracranial lesions of vascular origin 83	1,427	133	108	154	122	122	104	123	109	113	99	105	135
Other diseases of nervous system, etc.* 80-82,84-88	193	16	22	21	13	23	13	18	8	10	14	15	20
Diseases of ear, nose, and throat 89,104,115	65	8	10	10	3	4	6	2	6	3	4	3	6
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	282	35	27	23	29	25	14	12	15	25	26	32	19
Diseases of coronary arteries, angina pectoris 94	983	101	75	85	91	85	65	85	71	61	80	90	94
Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	2,442	252	245	221	227	198	188	194	147	158	186	211	215
Pneumonia (all forms) 107-109	1,010	147	147	169	119	57	34	34	44	39	61	65	94
Ulcer of stomach or duodenum 117	106	8	3	8	5	11	10	10	6	7	10	13	15
Diarrhea, enteritis, etc.* 119,120	233	14	7	2	3	6	14	32	60	56	26	9	4
Appendicitis 121	98	5	11	11	8	6	10	8	16	4	5	7	7
Hernia, intestinal obstruction 122	139	15	10	10	7	12	13	12	13	13	14	7	13
Cirrhosis of the liver 124	110	6	13	10	11	13	6	8	11	7	7	10	8
Biliary calculi, etc.* 126,127	58	6	8	5	3	8	4	5	4	5	5	1	4
Nephritis 130-132	1,066	94	111	107	90	95	83	91	71	72	79	80	93
Diseases of the prostate 137	92	2	11	13	10	8	9	10	7	5	7	5	5
Puerperal septicemia 140,142a,145A,147	36	7	1	1	5	4	5	3	1	2	3	3	1
Puerperal toxemias 141a,c,144,148	24	2	2	1	2	2	2	3	4	1	3	2	-
Other puerperal causes 141b,d,e,f,142b,143,145B,146,149,150	43	2	1	1	6	2	2	4	4	7	5	5	4
Congenital malformations 157	282	26	11	25	17	31	31	20	24	20	19	29	29
Premature birth 159	708	79	46	57	64	72	58	58	62	53	59	54	46
Suicide 163,164	193	21	18	23	20	20	15	19	18	13	7	11	8
Homicide 165-168	127	8	6	9	11	19	9	14	13	4	9	12	13
Motor-vehicle accidents 170	334	31	49	21	36	29	26	21	28	30	37	23	23
Other accidents 169,171-195	1,296	111	101	96	85	156	108	133	122	78	96	110	100
All other causes*	2,168	208	194	195	198	172	169	166	172	185	172	148	189

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN													
All causes	31,004	2,773	2,427	2,796	2,650	2,617	2,371	2,512	2,384	2,264	2,661	2,600	2,949
Typhoid, paratyphoid fever—1,2	1	1	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	15	-	-	-	1	1	2	2	-	3	4	1	1
Scarlet fever—8	26	2	3	3	4	4	1	3	-	-	1	1	4
Whooping cough—9	44	2	2	3	4	3	2	10	5	3	2	1	7
Diphtheria—10	5	1	-	1	-	-	-	1	-	-	-	-	2
Tuberculosis of respiratory system, etc.*—13	708	51	61	65	62	65	69	48	65	55	65	53	49
Tuberculosis (other forms)—14-22	51	1	7	10	3	5	4	3	1	5	6	3	3
Dysentery—27	6	-	-	-	-	-	-	-	1	2	1	-	2
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	184	25	13	5	16	15	20	13	8	9	15	23	22
Influenza—33	197	21	18	23	26	12	10	10	10	11	9	16	31
Measles—35	8	1	1	2	-	2	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	9	-	1	-	-	-	-	-	3	-	3	-	2
Cancer of digestive organs, peritoneum—46	2,258	200	167	175	191	190	170	198	200	184	204	194	187
Cancer of female genital organs—48,49	467	36	36	44	37	39	38	31	45	41	56	33	31
Cancer of breast—50	383	29	36	28	28	37	29	37	34	24	30	36	35
Cancer (other sites)—45,47,51-55	1,337	114	92	115	106	106	108	101	115	98	134	122	126
Acute rheumatic fever—58	41	-	2	3	1	6	4	5	8	1	4	2	5
Diabetes mellitus—61	898	85	71	89	89	75	52	64	59	73	78	71	92
Exophthalmic goiter—63b	141	12	8	12	11	20	17	9	9	6	11	15	11
Pellagra (except alcoholic)—69	4	-	-	-	-	2	-	1	-	1	-	-	-
Alcoholism (ethylism)—77	52	9	5	2	3	4	5	3	4	2	1	8	6
Intracranial lesions of vascular origin—83	3,161	263	241	289	270	262	226	264	244	251	288	240	323
Other diseases of nervous system, etc.*—80-82,84-88	342	26	21	28	45	26	27	36	28	15	33	34	23
Diseases of ear, nose, and throat—89,104,115	95	6	12	10	9	7	14	8	1	4	10	8	6
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	598	58	48	68	46	56	38	40	46	48	54	50	46
Diseases of coronary arteries, angina pectoris—94	2,669	241	220	220	217	227	193	221	210	230	211	207	272
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	6,342	592	507	618	554	520	493	500	468	419	515	532	624
Pneumonia (all forms)—107-109	1,224	131	117	152	126	91	68	61	50	51	96	108	173
Ulcer of stomach or duodenum—117	199	14	15	8	18	17	21	17	15	16	21	13	24
Diarrhea, enteritis, etc.*—119,120	122	11	7	13	11	7	11	7	12	11	11	11	10
Appendicitis—121	208	22	17	15	10	15	15	16	24	15	28	15	16
Hernia, intestinal obstruction—122	262	25	22	17	17	21	21	30	16	20	25	23	25
Cirrhosis of the liver—124	308	31	22	26	30	20	22	24	21	18	29	26	39
Biliary calculi, etc.*—126,127	218	16	18	25	23	21	18	22	17	16	9	14	17
Nephritis—130-132	1,653	159	127	168	141	109	124	125	151	118	132	144	175
Diseases of the prostate—137	185	14	15	13	18	23	18	12	10	8	17	18	19
Puerperal septicemia—140,142a,145A,147	55	3	6	4	3	3	5	6	8	3	4	4	6
Puerperal toxemias—141a,c,144,148	24	3	1	1	1	5	1	3	1	-	6	1	1
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	35	1	-	6	1	1	2	6	4	4	3	4	3
Congenital malformations—157	410	35	35	36	32	35	34	27	39	25	33	45	34
Premature birth—159	651	58	53	46	45	67	50	60	59	58	42	55	60
Suicide—163,164	502	30	43	52	52	55	41	48	42	30	38	37	34
Homicide—165-168	51	15	1	4	4	3	2	1	5	3	5	4	4
Motor-vehicle accidents—170	590	48	52	60	44	61	42	55	46	59	52	45	26
Other accidents—169,171-195	1,452	121	80	90	100	117	130	164	132	126	145	133	114
All other causes*	2,815	260	224	247	251	262	223	221	188	200	230	250	259
WYOMING													
All causes	2,126	166	173	196	217	170	195	163	167	184	147	164	184
Typhoid, paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	3	-	-	-	-	1	-	-	-	1	-	1	-
Whooping cough—9	6	-	-	-	-	1	2	1	1	-	1	-	-
Diphtheria—10	1	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	29	-	2	4	2	3	4	3	2	3	1	3	2
Tuberculosis (other forms)—14-22	8	-	2	-	-	-	1	1	1	-	1	1	1
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	29	5	2	1	3	-	1	5	4	-	1	1	8
Influenza—33	24	1	4	7	4	3	2	-	-	1	-	1	1
Measles—35	3	-	1	-	-	2	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	2	-	-	-	-	-	-	1	-	1	-	-	-
Cancer of digestive organs, peritoneum—46	97	6	9	4	9	13	8	6	8	10	7	8	9
Cancer of female genital organs—48,49	24	1	4	3	2	3	1	2	2	1	2	1	2
Cancer of breast—50	20	2	1	1	2	3	3	2	1	1	-	2	2
Cancer (other sites)—45,47,51-55	65	4	6	5	5	4	8	5	4	3	6	6	9
Acute rheumatic fever—58	2	-	-	-	-	-	-	-	2	-	-	-	-
Diabetes mellitus—61	39	4	3	3	4	4	5	5	3	2	1	3	2
Exophthalmic goiter—63b	4	-	-	-	-	-	-	1	1	-	2	-	-
Pellagra (except alcoholic)—69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	9	-	2	1	-	-	-	2	-	-	2	1	1
Intracranial lesions of vascular origin—83	136	15	10	15	17	8	9	7	13	15	13	7	7
Other diseases of nervous system, etc.*—80-82,84-88	29	1	2	-	3	3	4	3	2	2	1	3	5
Diseases of ear, nose, and throat—89,104,115	10	1	-	-	1	1	-	-	2	2	-	2	1
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	68	8	8	6	8	4	7	6	-	3	4	9	5
Diseases of coronary arteries, angina pectoris—94	181	15	19	14	18	16	14	15	6	16	14	15	19
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	309	20	20	34	34	25	29	19	26	24	25	25	28
Pneumonia (all forms)—107-109	91	11	12	9	13	7	4	4	3	8	6	9	5
Ulcer of stomach or duodenum—117	22	2	1	1	1	5	-	2	4	2	-	3	1
Diarrhea, enteritis, etc.*—119,120	18	-	1	-	2	1	1	-	2	7	1	-	1
Appendicitis—121	26	1	3	1	2	2	4	1	2	5	2	3	-
Hernia, intestinal obstruction—122	17	2	2	3	2	1	-	-	2	1	2	1	1
Cirrhosis of the liver—124	17	1	1	2	2	1	4	1	1	1	1	2	-
Biliary calculi, etc.*—126,127	15	1	1	2	2	1	1	-	3	1	1	1	1
Nephritis—130-132	145	14	13	11	17	12	9	12	16	12	7	11	11
Diseases of the prostate—137	6	2	-	1	-	1	1	-	-	1	-	-	-
Puerperal septicemia—140,142a,145A,147	5	-	1	-	-	1	2	-	-	-	-	1	-
Puerperal toxemias—141a,c,144,148	4	-	-	-	-	-	-	1	1	-	-	1	1
Other puerperal causes—141b,d,e,f,142b,143,145B,146,149,150	4	-	1	1	1	-	1	-	-	-	-	-	-
Congenital malformations—157	45	3	5	6	3	7	2	2	3	4	4	2	4
Premature birth—159	96	6	10	5	6	6	12	8	6	14	6	7	10
Suicide—163,164	36	5	1	1	5	1	6	6	4	3	1	1	2
Homicide—165-168	11	-	-	-	4	1	1	2	-	-	-	2	1
Motor-vehicle accidents—170	59	3	3	7	5	2	6	5	3	9	6	4	6
Other accidents—169,171-195	189	18	11	19	19	9	16	18	20	17	10	11	21
All other causes*	221	14	12	27	20	18	27	17	19	14	19	15	19

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes	26,084	3,561	348	143	151	79	280	284	597	887	893	989	1,125	1,216	1,469	1,841	1,823	1,968	2,226	2,094	1,554	1,264	694	273	94	55	178
	White—M	8,314	1,123	82	46	47	23	93	87	151	261	231	257	279	302	390	519	630	715	835	817	593	482	232	55	17	2	45
	F	6,087	781	67	26	42	16	63	63	88	122	154	163	202	231	269	306	366	499	569	606	521	493	285	110	15	5	25
	Nonwhite—M	6,167	931	107	40	32	14	61	65	168	228	272	283	311	359	439	566	432	372	449	382	243	156	97	60	22	19	59
	F	5,516	726	92	31	30	26	63	69	190	276	236	286	331	324	371	450	395	382	373	289	197	133	80	48	40	29	49
1,2	Typhoid, paratyphoid fever	7	1	-	-	-	-	1	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	5	-	-	2	-	3	1	-	4	-	-	3	2	-	-	2	-	-	-	-	-	-	-	-	-	1
	White—M	10	2	-	-	-	-	1	-	-	2	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—M	5	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	79	50	14	5	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	8	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	24	16	3	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	11	9	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	41	6	7	6	8	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	2	2	3	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	3	5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,200	3	5	-	1	1	3	15	98	178	127	138	109	107	83	92	66	58	36	35	18	8	3	2	1	-	13
	White—M	270	1	-	-	-	-	1	-	7	16	20	26	21	27	27	36	27	25	13	13	3	2	-	2	-	-	3
	F	207	-	1	-	-	-	-	2	6	22	23	18	13	20	11	16	13	17	13	13	10	5	3	-	-	-	1
	Nonwhite—M	359	1	3	-	-	-	2	2	29	53	44	54	34	34	29	28	13	10	8	6	1	1	-	-	-	-	7
	F	364	1	1	-	1	1	-	11	56	87	40	40	41	26	16	12	13	6	2	3	4	-	-	-	1	-	2
14-22	Tuberculosis (other forms)	85	8	6	3	2	3	3	6	7	10	6	6	4	4	1	4	3	3	2	3	-	-	-	-	-	-	1
	White—M	19	1	2	1	1	-	2	1	-	-	-	2	3	1	1	-	1	1	1	1	-	-	-	-	-	-	-
	F	12	1	-	-	-	1	-	-	1	-	1	1	-	1	-	1	1	1	1	1	-	-	-	-	-	-	1
	Nonwhite—M	34	5	3	2	1	1	1	2	3	5	4	3	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	20	1	1	-	-	1	-	3	3	5	1	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-
27	Dysentery	43	17	8	2	1	-	-	-	-	-	2	1	1	-	-	2	1	-	2	1	4	-	1	-	-	-	-
	White—M	10	4	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	2	-	-	-	-	-	-
	F	9	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-
	Nonwhite—M	15	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	9	3	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	90	8	3	1	1	-	4	2	5	5	4	6	2	5	5	8	6	3	3	5	4	7	2	1	-	-	-
	White—M	21	3	-	-	-	-	4	2	1	1	-	-	1	-	-	1	1	1	1	2	-	1	1	1	-	-	-
	F	21	2	1	1	-	-	-	-	-	1	-	3	-	1	2	1	1	1	-	2	-	4	1	-	-	-	-
	Nonwhite—M	19	1	-	-	1	-	-	-	3	-	1	2	-	3	1	1	2	-	-	-	2	2	-	-	-	-	-
	F	29	2	2	-	-	-	-	-	1	3	3	1	1	1	2	5	2	1	2	1	2	-	-	-	-	-	-
30	Syphilis	305	42	2	1	-	-	-	-	7	14	20	13	39	28	32	37	22	15	14	8	3	4	-	-	-	-	4
	White—M	41	4	-	-	-	-	-	-	-	1	-	1	6	2	8	7	2	2	3	1	1	2	-	-	-	-	1
	F	13	2	-	-	-	-	-	-	-	1	2	-	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	165	18	1	1	-	-	-	-	3	5	7	5	23	18	15	24	14	12	9	5	2	1	-	-	-	-	2
	F	86	18	1	-	-	-	-	-	4	7	11	7	8	7	6	4	6	1	2	2	-	1	-	-	-	-	1
33	Influenza	383	75	16	8	4	2	5	7	6	10	10	9	13	14	16	18	13	27	18	29	31	30	14	4	2	-	2
	White—M	120	26	-	2	2	-	1	4	1	1	3	5	2	8	4	2	2	13	5	8	11	13	7	-	-	-	-
	F	88	16	4	2	1	2	1	-	1	3	2	-	2	-	2	1	3	5	8	4	13	14	1	2	-	-	1
	Nonwhite—M	78	21	2	2	-	-	-	1	3	2	2	1	7	1	4	7	5	4	2	5	4	2	2	1	-	-	-
	F	97	12	10	2	1	-	3	2	1	4	3	3	2	5	6	8	3	5	3	12	3	1	4	1	2	-	1
35	Measles	25	3	5	2	2	-	5	2	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	2	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	3	1	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	18	3	2	1	2	-	1	3	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	665	-	-	-	1	-	-	-	1	2	9	10	25	30	44	67	74	95	108	92	56	27	15	4	-	-	5
	White—M	257	-	-	-	1	-	-	-	-	-	4	2	8	14	11	24	35	34	43	38	24	10	7	1	-	-	1
	F	241	-	-	-	-	-	-	-	1	2	2	4	10	7	11	19	18	37	45	35	26	12	7	3	-	-	2
	Nonwhite—M	87	-	-	-	-	-	-	-	-	-	-	1	5	4	7	16	8	9	13	14	5	3	1	-	-	-	1
	F	80	-	-	-	-	-	-	-	-	-	3	3	2	5	15	8	13	15	7	5	1	2	-	-	-	-	1
48,49	Cancer of female genital organs	377	-	-	-	-	-	-	-	2	3	11	25	31	39	53	48	41	42	32	25	7	10	4	2	-	-	2
	White—F	201	-	-	-	-	-	-	-	2	1	4	10	22	18	31	17	23	22	20	17	5	5	2	1	-	-	1
	Nonwhite—F	176	-	-	-	-	-	-	-	-	2	7	15	9	21	22	31	18	20	12	8	2	5	2	1	-	-	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Contd.																											
50	Cancer of breast	159	-	-	-	-	-	-	-	-	1	1	5	6	15	16	20	17	15	15	14	5	5	-	-	2	-	2
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	106	-	-	-	-	-	-	-	-	-	-	2	5	11	12	17	14	10	12	12	5	5	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	1	1	3	1	4	4	3	3	4	2	2	-	-	-	-	1	-	2
45,47, 51-55	Cancer (other sites)	625	-	1	1	5	1	4	3	13	9	7	16	23	24	57	65	68	70	81	70	45	35	18	5	1	-	3
	White—M	295	-	-	1	2	-	1	2	2	5	3	6	6	11	17	30	33	32	44	45	24	24	6	1	-	-	-
	F	174	-	-	-	1	1	2	1	2	1	1	3	4	9	15	20	13	22	21	18	17	8	10	2	1	-	2
	Nonwhite—M	104	-	-	-	1	-	1	-	6	1	2	5	7	3	15	9	18	8	12	7	4	2	2	-	-	-	1
	F	52	-	1	-	1	-	-	-	3	2	1	2	6	1	10	6	4	8	4	-	-	1	-	2	-	-	-
58	Acute rheumatic fever	40	-	-	-	1	1	8	7	1	6	2	1	3	1	1	1	2	-	3	-	1	1	-	-	-	-	-
	White—M	8	-	-	-	1	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	3	2	-	2	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	2	2	1	3	-	-	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	327	-	-	-	1	-	1	14	7	8	4	11	8	14	26	29	37	51	45	29	21	13	4	1	1	-	2
	White—M	89	-	-	-	-	-	-	4	2	2	3	4	-	3	6	8	7	13	12	11	5	5	2	1	-	-	1
	F	118	-	-	-	-	-	-	6	1	2	1	-	3	3	7	7	14	19	21	13	12	7	2	-	-	-	-
	Nonwhite—M	36	-	-	-	-	-	1	-	-	2	-	3	2	4	5	4	4	4	2	3	1	-	-	-	1	-	-
	F	84	-	-	-	1	-	-	4	4	2	-	4	3	4	8	10	12	15	10	2	3	1	-	-	-	-	1
63b	Exophthalmic goiter	29	-	-	-	-	-	-	-	-	-	4	1	5	1	6	1	3	2	2	3	-	-	-	-	-	-	1
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	-	4	1	4	-	3	2	2	3	-	-	-	-	-	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	157	-	-	-	-	-	-	-	3	4	3	6	6	10	10	11	12	16	32	11	13	11	2	4	1	-	2
	White—M	28	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	3	5	4	4	2	2	1	1	-	-
	F	52	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	6	6	14	6	4	4	-	2	-	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	2	1	-	-	-	2	-	3	1	4	7	-	-	2	-	1	-	-	-
	F	54	-	-	-	-	-	-	-	1	3	3	6	4	3	8	4	2	3	6	1	5	3	-	-	-	-	2
77	Alcoholism (ethylism)	38	-	1	-	-	-	-	-	-	2	1	7	5	4	7	4	4	3	-	-	-	-	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	1	6	3	2	6	4	3	3	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	1	-	-	-	-	-	-	2	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,391	4	2	1	1	1	2	-	8	10	18	27	67	113	161	251	261	266	339	312	231	172	85	24	10	5	20
	White—M	725	1	1	1	1	-	-	-	2	3	3	6	11	15	32	43	65	75	129	132	93	64	37	6	3	-	2
	F	602	3	-	-	-	-	-	-	2	1	4	7	13	20	21	54	54	69	74	86	73	74	30	13	2	-	2
	Nonwhite—M	473	-	1	-	-	-	-	-	2	2	6	5	20	32	57	71	68	50	58	40	25	19	7	1	2	2	7
	F	591	-	-	-	-	1	2	-	2	4	5	9	23	46	51	83	76	72	78	54	40	15	11	4	3	3	9
80-82, 84-88	Other diseases of nervous system, etc.*	391	59	24	6	4	3	17	13	14	21	23	20	21	27	26	19	21	20	14	15	10	7	4	1	-	-	2
	White—M	130	25	7	1	3	1	8	3	3	6	9	7	2	4	7	6	11	5	4	7	4	4	2	-	-	-	1
	F	125	11	4	1	1	1	4	2	4	4	4	7	9	11	13	8	8	8	6	7	5	3	2	1	-	-	1
	Nonwhite—M	78	14	7	3	-	-	1	6	6	5	9	2	5	9	3	1	1	3	2	1	-	-	-	-	-	-	-
	F	58	9	6	1	-	1	4	2	1	6	1	4	5	3	3	4	1	4	2	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	107	21	3	4	1	1	8	4	7	6	8	2	5	5	6	5	3	7	3	2	2	2	2	-	-	-	-
	White—M	31	5	1	1	1	1	5	-	5	1	1	-	1	1	2	2	1	2	-	-	-	1	-	-	-	-	-
	F	33	8	1	-	-	-	-	2	1	-	3	-	1	3	2	-	1	3	1	2	2	1	2	-	-	-	-
	Nonwhite—M	26	6	1	2	-	-	2	1	-	4	3	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-
	F	17	2	-	1	-	-	1	1	1	1	1	2	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	303	-	2	-	1	-	5	3	13	7	7	10	9	17	18	20	21	32	36	32	33	15	12	5	-	1	4
	White—M	93	-	-	-	-	-	1	1	3	3	1	-	-	3	3	5	8	11	15	15	11	5	5	1	-	-	2
	F	79	-	-	-	-	-	1	-	3	3	1	1	3	2	5	4	6	8	7	10	13	5	6	1	-	-	-
	Nonwhite—M	64	-	1	-	1	-	2	2	2	1	2	2	1	8	3	7	4	6	6	4	6	3	-	2	-	1	-
	F	67	-	1	-	-	-	1	-	5	-	3	7	5	4	7	4	3	7	8	3	3	2	1	1	-	-	2
94	Diseases of coronary arteries, angina pectoris	1,170	-	-	-	-	-	-	2	1	3	18	24	47	74	90	131	151	155	165	133	94	51	22	5	2	-	2
	White—M	647	-	-	-	-	-	-	-	-	-	3	10	25	29	48	75	94	88	105	81	49	27	11	1	-	-	1
	F	240	-	-	-	-	-	-	1	-	2	3	3	3	11	8	15	21	38	36	34	35	17	10	3	-	-	-
	Nonwhite—M	157	-	-	-	-	-	-	1	-	-	5	6	10	17	24	22	22	18	10	10	5	5	-	1	-	-	1
	F	126	-	-	-	-	-	-	-	1	1	7	5	9	17	10	19	14	11	14	8	5	2	1	-	2	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,265	3	3	1	4	2	5	13	26	25	41	64	105	137	208	316	330	382	432	420	298	257	135	44	11	5	18
	White—M	1,041	1	1	1	-	-	1	3	9	9	5	11	18	16	40	69	112	142	159	179	113	103	35	8	2	1	3
	F	792	-	1	-	2	-	1	3	4	6	9	8	15	20	31	29	50	96	106	125	102	91	67	20	3	-	3
	Nonwhite—M	768	1	1	-	1	2	3	1	5	7	10	23	26	59	77	131	85	71	89	70	48	20	19	7	3	2	7
	F	664	1	-	-	1	-	-	6	8	3	17	22	46	42	60	87	83	73	78	46	35	23	14	9	3	2	5
107-109	Pneumonia (all forms)	1,599	505	64	22	17	13	31	21	23	28	26	53	44	43	67	67	67	66	101	91	93	90	48	13	2	1	3
	White—M	492	143	15	6	5	2	8	6	3	3	5	8	13	13	20	18	26	28	31	38	38	37	21	2	2	-	1
	F	393	111	9	1	2	3	10	4	3	6	4	7	6	5	12	7	7	15	34	33	39	45	22	7	-	-	1
	Nonwhite—M	383	134	20	5	5	1	3	5	10	8	9	23	11	13	19	28	23	17	17	11	11	2	4	3	-	-	1
	F	331	117	20	10	5	7	10	6	7	11	8	15	14	12	16	14	11	6	19	9	5	6	1	1	-	1	-
117	Ulcer of stomach or duodenum	117	1	1	-	-	-	-	-	-	4	6	7	8	15	11	16	11	11	14	4	3	4	-	-	-	-	1
	White—M	56	1	1	-	-	-	-	-	-	-	-	2	5	7	5	9	9	8	5	1	2	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	1	-	4	3	-	2	-	-	-	-	-
	Nonwhite—M	35	-	-	-	-	-	-	-	-	3	3	4	2	6	4	5	1	2	4	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	1	-	-	1	-	-	-	-	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	341	190	52	15	5	1	5	1	2	1	3	3	3	2	5	3	3	6	10	7	9	11	1	2	-	-	1
	White—M	97	57	14	6	1	-	-	-	2	1	1	-	-	2	1	-	1	2	4	2	1	2	-	-	-	-	-
	F	76	31	10	2	2	-	3	1	-	-	2	-	1	-	-	1	-	2	2	4	7	6	1	1	-	-	-
	Nonwhite—M	80	50	15	5	-	-	1	-	-	-	-	1	-	-	2	1	-	-	3	-	-	1	-	1	-	-	-
	F	88	52	13	2	2	1	1	-	-	-	-	2	2	-	2	1	2	2	1	1	1	2	-	-	-	-	1
121	Appendicitis	139	1	1	-	1	1	11	12	19	5	11	18	8	8	6	10	9	5	8	2	-	3	-	-	-	-	-
	White—M	47	1	-	-	-	-	6	3	7	2	2	7	3	2	2	3	2	-	6	1	-	-	-	-	-	-	-
	F	32	-	1	-	1	1	-	5	2	1	2	4	3	1	2	2	3	2	-	-	-	2	-	-	-	-	-
	Nonwhite—M	41	-	-	-	-	-	2	3	6	1	7	4	1	2	2	5	3	2	1	1	-	1	-	-	-	-	-
	F	19	-	-	-	-	-	3	1	4	1	-	3	1	3	-	-	1	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	194	15	2	2	1	2	4	4	3	6	11	9	16	13	16	19	13	14	12	15	7	4	4	1	1	-	-
	White—M	53	8	2	1	-	-	3	1	1	3	-	3	1	-	1	3	6	7	2	3	3	3	2	-	-	-	-
	F	51	2	-	-	1	1	1	2	1	1	2	3	1	5	2	6	3	2	7	6	3	1	-	1	-	-	-
	Nonwhite—M	43	3	-	-	-	1	-	1	-	1	5	2	4	2	6	7	3	3	1	3	-	-	1	-	-	-	-
	F	47	2	-	1	-	-	-	-	1	1	4	1	10	6	7	3	1	2	2	3	1	-	1	-	1	-	-
124	Cirrhosis of the liver	109	-	-	-	2	-	-	-	-	-	1	4	4	12	9	15	18	19	14	5	3	1	1	-	-	-	1
	White—M	55	-	-	-	-	-	-	-	-	-	1	2	1	5	2	7	9	10	10	2	3	1	1	-	-	-	1
	F	22	-	-	-	1	-	-	-	-	-	-	2	2	2	1	2	5	4	1	2	-	-	-	-	-	-	-
	Nonwhite—M	21	-	-	-	1	-	-	-	-	-	-	-	-	3	6	5	4	1	1	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	4	2	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	61	-	1	-	-	-	-	1	2	3	2	-	2	6	4	4	7	9	6	8	4	2	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	3	-	-	-	2	2	1	3	4	2	3	2	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	1	-	-	1	-	-	2	2	2	3	4	3	5	2	2	-	-	-	-	-
	Nonwhite—M	5	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,060	3	3	2	10	1	9	10	9	18	22	55	81	96	118	191	196	207	266	261	197	164	85	31	10	3	12
	White—M	613	1	1	-	2	-	3	1	2	3	5	11	7	19	22	48	43	60	102	86	84	62	36	8	6	-	1
	F	483	-	2	-	3	-	-	5	4	3	3	13	18	17	15	23	39	47	52	71	51	71	29	14	1	-	2
	Nonwhite—M	535	1	-	1	2	-	3	1	1	4	9	11	22	32	40	76	62	56	65	69	42	20	10	4	-	-	4
	F	429	1	-	1	3	1	3	3	2	8	5	20	34	28	41	44	52	44	47	35	20	11	10	5	3	3	5
137	Diseases of the prostate	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	17	20	10	8	6	3	-	-	1
	White—M	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	9	7	5	2	-	-	-	-
	Nonwhite—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	8	11	3	3	4	3	-	-	1
140, 142a, 145a,147	Puerperal septicemia	70	-	-	-	-	-	-	-	9	22	11	13	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	2	6	6	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	45	-	-	-	-	-	-	-	7	16	5	8	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	85	-	-	-	-	-	-	-	16	20	17	14	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	8	5	7	5	3	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	49	-	-	-	-	-	-	-	8	15	10	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	80	-	-	-	-	-	-	1	9	9	18	16	20	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	5	3	7	7	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	47	-	-	-	-	-	-	1	4	6	11	9	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	222	191	10	4	1	-	1	6	1	2	-	1	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	White—M	109	98	5	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	67	56	4	1	-	-	-	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	23	20	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	17	-	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	962	962	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	287	287	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	174	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	153	153	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	167	-	-	-	-	-	-	-	7	15	14	18	13	21	12	17	16	11	9	5	6	2	-	-	-	-	1
	White—M	129	-	-	-	-	-	-	-	4	10	7	14	10	17	12	13	13	8	9	4	6	2	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	2	3	4	3	3	2	-	4	3	2	-	1	-	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	381	-	1	-	1	2	2	2	37	63	78	62	51	21	25	11	7	7	3	3	2	-	-	-	-	-	3
	White—M	83	-	-	-	-	-	1	-	3	13	15	11	13	3	6	7	5	2	1	1	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	226	-	1	-	-	1	1	1	18	34	53	39	32	15	16	4	1	4	2	1	-	-	-	-	-	-	3
	F	66	-	-	-	1	1	-	-	15	16	9	11	5	3	3	-	1	-	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents	530	1	2	1	8	4	24	19	46	77	74	44	49	31	32	26	23	26	17	15	5	3	-	1	-	-	2
	White—M	329	-	2	-	4	2	12	10	30	48	46	27	29	22	22	13	16	20	10	10	4	1	-	-	-	-	1
	F	61	1	-	1	3	1	5	1	6	10	8	2	7	2	5	1	1	2	3	2	-	-	-	-	-	-	-
	Nonwhite—M	114	-	-	-	1	1	6	6	8	16	15	13	12	6	3	10	5	4	4	1	-	1	-	1	-	-	1
	F	26	-	-	-	-	-	1	2	2	3	5	2	1	1	2	2	1	-	-	2	1	1	-	-	-	-	-
169, 171-195	Other accidents	1,461	66	31	21	33	16	53	55	105	163	129	108	112	85	78	57	38	50	54	43	51	36	34	13	4	1	25
	White—M	669	17	5	8	9	7	14	26	47	101	70	58	60	41	39	32	17	28	19	16	17	8	7	3	-	-	20
	F	256	16	7	3	12	1	15	10	7	10	12	8	4	8	9	7	5	11	12	15	24	24	24	8	2	1	1
	Nonwhite—M	400	19	9	8	4	1	12	14	43	41	39	34	43	29	25	14	12	10	20	7	6	2	2	1	2	-	3
	F	136	14	10	2	8	7	12	5	8	11	8	8	5	7	5	4	4	1	3	5	4	2	1	1	-	-	1
	All other causes*	5,101	1,516	76	34	27	17	54	53	84	119	142	161	154	172	215	253	251	268	313	375	288	301	192	107	46	39	44
	White—M	1,267	362	20	11	8	7	12	16	13	21	22	26	25	30	44	51	73	85	85	102	80	97	48	19	3	1	6
	F	989	213	11	10	7	3	13	9	19	20	31	34	30	30	35	34	45	42	63	76	70	84	65	31	5	4	5
	Nonwhite—M	1,492	434	33	7	9	3	15	16	18	28	30	38	42	48	73	81	67	68	100	113	77	66	45	34	14	14	19
	F	1,353	307	12	6	3	4	14	12	34	50	59	63	57	64	63	87	66	73	65	84	61	54	34	23	24	20	14

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																											
	All causes	5,586	1,014	180	83	38	25	86	85	124	200	176	185	217	219	304	345	361	412	413	379	291	231	116	62	16	10	14
	White—M	2,926	430	52	25	11	8	27	31	49	83	80	89	109	135	179	218	240	268	264	226	167	132	56	26	8	3	10
	F	1,621	337	50	17	9	7	28	21	34	40	51	61	66	53	85	94	89	103	109	106	98	74	52	29	5	3	-
	Nonwhite—M	589	139	40	21	10	8	13	19	21	44	24	23	26	15	23	19	16	24	27	29	14	15	5	6	2	3	3
	F	450	108	38	20	8	2	18	14	20	33	21	12	16	16	17	14	16	17	13	18	12	10	3	1	1	1	1
1,2	Typhoid, paratyphoid fever	10	-	-	-	-	-	1	1	1	3	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	39	23	11	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	6	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	9	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	8	-	1	3	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	632	9	7	5	4	2	9	19	27	57	57	58	65	54	81	60	41	30	20	13	3	3	1	4	-	1	2
	White—M	330	2	2	1	-	-	-	-	5	10	20	25	37	43	61	47	24	23	17	7	-	1	1	2	-	-	2
	F	128	2	2	-	-	1	1	1	7	13	20	21	16	8	11	6	10	3	2	1	2	1	-	-	-	-	-
	Nonwhite—M	87	1	1	4	2	1	2	7	6	15	9	8	8	2	5	4	4	1	1	3	-	1	-	1	-	1	-
	F	87	4	2	-	2	-	6	11	9	19	8	4	4	1	4	3	3	3	-	2	1	-	-	1	-	-	-
14-22	Tuberculosis (other forms)	43	5	5	7	4	2	2	4	2	3	1	-	3	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	White—M	10	2	-	1	-	-	1	2	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	1	3	-	2	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	12	2	2	1	-	2	-	2	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	10	-	-	5	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	28	16	-	3	-	-	1	-	1	-	-	-	1	1	-	2	-	-	-	2	1	-	-	-	-	-	-
	White—M	12	9	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	66	10	1	1	-	-	-	1	-	1	-	1	8	6	5	5	9	5	5	5	1	-	1	1	-	-	-
	White—M	34	4	1	1	-	-	-	-	-	-	-	-	1	1	3	1	8	5	4	4	-	-	1	-	-	-	-
	F	20	5	-	-	-	-	-	1	-	-	-	1	5	1	2	2	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	-	-	1	4	-	1	-	-	1	-	-	-	-	1	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	74	21	8	2	-	-	2	-	-	3	-	1	4	2	3	2	4	6	3	4	3	2	2	1	-	1	-
	White—M	30	6	4	1	-	-	-	-	-	2	-	-	2	1	2	1	4	2	-	-	2	1	1	-	-	1	-
	F	31	11	4	1	-	-	1	-	-	1	-	-	2	1	-	1	-	2	2	2	1	-	1	1	-	-	-
	Nonwhite—M	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-
35	Measles	70	13	29	12	6	3	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	29	4	10	7	3	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	25	3	10	5	2	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	5	2	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	188	-	-	-	-	-	-	-	1	-	2	3	4	5	7	15	15	36	35	29	20	13	2	1	-	-	-
	White—M	110	-	-	-	-	-	-	-	-	-	1	1	4	2	5	7	8	22	21	19	10	8	1	1	-	-	-
	F	63	-	-	-	-	-	-	-	1	-	1	2	-	3	-	6	4	11	12	9	8	5	1	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	63	-	-	-	-	-	-	-	1	1	2	1	4	7	13	8	5	9	2	6	1	1	2	-	-	-	-
	White—F	58	-	-	-	-	-	-	-	1	1	2	1	4	7	12	7	5	8	2	5	1	-	2	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
50	Cancer of breast	35	-	-	-	-	-	-	-	-	-	-	1	3	3	5	1	4	4	8	4	1	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	1	3	2	5	1	4	4	8	4	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	127	2	-	-	1	-	1	1	2	1	1	-	1	6	6	12	15	15	15	25	11	9	5	-	-	-	-
	White—M	95	-	-	-	-	-	1	-	1	1	1	-	1	3	6	7	11	11	13	19	9	8	3	-	-	-	-
	F	28	2	-	-	1	-	-	1	-	-	-	-	-	3	-	5	4	-	2	5	2	1	2	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	68	1	-	-	-	-	-	1	-	-	1	-	3	2	3	8	10	8	6	12	6	3	2	1	1	-	-
	White—M	31	1	-	-	-	-	-	-	-	-	1	-	-	-	-	5	6	3	1	7	4	2	-	-	1	-	-
	F	31	-	-	-	-	-	-	1	-	-	-	-	2	2	3	2	1	5	5	4	2	1	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	16	-	-	-	-	-	-	-	-	-	-	2	-	2	4	1	-	2	2	3	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	2	2	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	286	-	-	-	-	-	-	-	1	1	-	2	3	4	12	30	23	29	50	36	37	33	18	6	-	-	1
	White—M	146	-	-	-	-	-	-	-	-	-	-	-	1	1	4	20	7	17	32	16	19	18	7	4	-	-	-
	F	112	-	-	-	-	-	-	-	1	1	-	-	1	3	5	7	13	10	14	16	16	13	10	2	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	2	4	1	-	-	-	-	-	1
	F	15	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	1	2	-	1	2	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	59	9	3	2	-	2	4	1	3	3	2	3	3	5	2	3	2	1	6	1	2	2	-	-	-	-	-
	White—M	26	3	1	1	-	1	1	-	2	1	-	1	2	3	2	1	2	1	3	-	-	1	-	-	-	-	-
	F	26	5	2	-	-	1	2	-	-	2	2	2	1	1	-	2	-	-	2	1	2	1	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	39	8	2	-	-	2	8	1	1	3	3	2	2	-	-	-	-	4	-	2	1	-	-	-	-	-	-
	White—M	12	3	-	-	-	-	3	1	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	16	2	2	-	-	1	5	-	1	-	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	62	-	-	-	-	-	1	1	1	3	3	3	-	3	3	8	7	3	10	7	4	4	1	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	1	-	1	1	-	1	2	3	7	3	7	1	2	1	-	-	-	-	-
	F	27	-	-	-	-	-	1	1	-	3	2	1	-	2	1	4	-	-	2	5	1	3	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	247	-	-	-	-	-	-	1	-	1	2	2	10	4	18	27	38	36	37	27	21	13	8	1	1	-	-
	White—M	188	-	-	-	-	-	-	1	-	1	1	-	7	4	11	18	33	29	30	24	14	9	5	1	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	-	1	2	-	4	8	4	6	6	3	7	3	3	-	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	1	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	639	1	-	2	1	-	1	2	7	3	3	5	13	20	28	51	67	64	84	90	78	62	36	15	1	3	2
	White—M	381	-	-	1	-	-	-	1	2	1	2	1	9	14	13	31	44	39	54	56	51	38	16	5	-	1	2
	F	202	1	-	1	1	-	-	1	4	1	1	2	2	1	11	14	17	18	24	28	25	22	16	10	1	1	-
	Nonwhite—M	35	-	-	-	-	-	1	-	-	1	-	1	2	3	2	3	2	6	4	4	2	1	3	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	1	-	2	2	3	4	1	2	2	-	1	1	-	-	1	-
107-109	Pneumonia (all forms)	432	161	36	13	9	4	6	2	4	5	7	13	9	13	15	11	11	25	17	16	17	10	7	13	3	3	2
	White—M	204	71	11	3	3	1	1	1	2	2	2	7	2	10	6	8	8	15	10	11	10	5	6	4	2	1	2
	F	124	48	11	3	2	1	3	-	-	1	2	5	3	1	6	2	2	6	4	3	6	4	1	8	1	1	-
	Nonwhite—M	63	24	8	3	3	1	-	1	2	-	2	1	4	1	2	1	1	3	2	1	-	1	-	1	-	1	-
	F	41	18	6	4	1	1	2	-	-	2	1	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	31	-	-	-	-	-	-	-	1	1	1	-	2	-	3	6	3	5	4	2	1	2	-	-	-	-	-
	White—M	29	-	-	-	-	-	-	-	1	1	1	-	2	-	3	5	2	5	4	2	1	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 15

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
119,120	Diarrhea, enteritis, etc.*	254	200	31	6	1	-	-	-	-	-	1	-	1	1	1	-	2	-	2	3	-	2	2	1	-	-	-
	White—M	85	68	10	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	1	1	-	-	-	-
	F	85	70	7	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	1	1	-	-	-
	Nonwhite—M	39	30	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	45	32	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	20	-	-	-	1	-	-	4	1	1	1	-	1	4	1	2	-	3	1	-	-	-	-	-	-	-	-
	White—M	13	-	-	-	1	-	-	4	-	1	-	-	-	3	-	1	-	2	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	35	6	-	-	-	-	3	-	1	-	1	-	-	-	2	3	4	4	4	1	3	3	-	-	-	-	-
	White—M	19	2	-	-	-	-	3	-	-	-	-	-	-	-	1	1	3	3	2	1	1	2	-	-	-	-	-
	F	9	2	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	34	-	-	-	-	-	-	-	-	-	-	2	2	3	6	3	8	2	3	2	1	-	1	1	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	6	1	3	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	1	-	1	1	-	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	24	-	-	-	-	-	-	-	-	-	1	-	1	2	2	6	3	3	2	1	2	-	-	1	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-	1	-	-	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	218	2	2	-	-	-	3	4	3	7	1	4	4	5	12	14	22	34	25	29	15	17	8	4	1	1	1
	White—M	126	-	2	-	-	-	1	-	1	4	-	3	3	1	7	6	15	24	12	20	8	12	3	3	-	-	1
	F	75	2	-	-	-	-	1	2	1	3	1	-	1	2	3	8	7	10	10	9	4	4	5	1	-	1	-
	Nonwhite—M	10	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	3	-	2	1	-	-	1	-	-
	F	7	-	-	-	-	-	-	1	1	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	4	2	3	-	1	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	4	1	3	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	20	-	-	-	-	-	-	-	1	3	4	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	14	-	-	-	-	-	-	-	1	1	2	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,146	Puerperal toxemias	17	-	-	-	-	-	-	-	4	4	4	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	10	-	-	-	-	-	-	-	4	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	12	-	-	-	-	-	-	-	-	3	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	3	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	73	67	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	24	23	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	36	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	198	198	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	75	-	-	-	-	-	-	-	4	3	4	9	12	6	9	7	7	2	2	5	3	1	-	1	-	-	-
	White—M	55	-	-	-	-	-	-	-	2	2	3	7	7	6	5	5	7	1	1	4	3	1	-	1	-	-	-
	F	17	-	-	-	-	-	-	-	2	-	1	2	4	-	4	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	40	1	-	-	-	-	-	2	4	8	6	3	1	5	3	1	2	2	2	-	-	-	-	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	3	4	3	1	-	3	2	1	1	2	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	12	1	-	-	-	-	-	-	1	4	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	186	1	2	4	1	1	8	8	12	23	19	17	14	12	9	13	15	10	9	4	4	-	-	-	-	-	-
	White—M	129	-	2	3	-	-	4	5	7	13	13	13	7	7	7	12	13	8	8	4	3	-	-	-	-	-	-
	F	26	-	-	1	1	1	3	2	3	2	2	1	3	2	2	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	28	1	-	-	-	-	1	1	2	6	4	3	4	3	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	369	24	15	13	5	1	15	20	23	47	27	25	17	16	19	14	14	20	10	8	15	11	7	1	-	1	1
	White—M	242	8	6	9	4	1	4	14	17	34	20	20	14	14	14	10	9	14	7	5	8	6	3	-	-	-	1
	F	68	11	4	3	-	-	7	3	1	2	5	3	1	1	-	2	3	3	1	2	7	5	3	1	-	-	-
	Nonwhite—M	43	-	1	-	1	-	3	3	3	10	2	2	2	1	5	1	2	3	1	1	-	-	1	-	-	1	-
	F	16	5	4	1	-	-	1	-	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	708	231	22	8	4	4	13	9	15	12	16	18	16	23	29	31	25	44	45	37	36	35	12	9	9	-	5
	White—M	341	108	2	2	3	3	3	2	4	3	7	8	6	14	17	21	19	26	25	18	20	13	7	3	5	-	2
	F	165	59	3	4	1	-	4	3	4	3	3	7	5	4	8	8	4	9	9	4	7	8	3	3	2	-	-
	Nonwhite—M	119	40	10	1	-	1	3	3	4	3	3	2	1	-	3	2	1	4	9	9	4	9	1	3	1	-	2
	F	83	24	7	1	-	-	3	1	3	3	3	1	4	5	1	-	1	5	2	6	5	5	1	-	1	-	1

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	All causes	15,764	694	257	123	83	61	194	193	357	430	465	538	638	650	813	1,048	1,105	1,272	1,460	1,557	1,089	901	511	185	54	19	69
	White—M	6,203	678	85	46	34	23	87	72	102	143	135	141	188	209	309	406	447	528	660	701	482	424	210	63	13	2	15
	F	4,516	551	62	47	22	17	47	53	91	88	103	141	169	140	142	221	262	350	409	519	396	367	214	78	18	1	8
	Nonwhite—M	2,679	249	63	20	17	8	37	37	71	94	121	111	133	141	184	216	226	223	231	196	126	63	49	22	9	6	26
	F	2,366	216	47	10	10	13	23	31	93	105	106	145	146	160	178	205	170	171	160	141	85	47	38	22	14	10	20
1,2	Typhoid, paratyphoid fever	52	-	1	-	1	1	7	6	6	3	5	5	5	3	2	2	2	-	1	2	-	-	-	-	-	-	-
	White—M	21	-	1	-	-	-	2	2	2	1	3	3	1	1	1	1	1	-	-	2	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	3	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	1	1	4	-	1	-	1	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	1	2	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	14	2	1	1	-	-	1	2	-	-	1	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	9	1	1	-	-	-	1	2	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	47	37	5	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	5	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	56	6	10	14	3	6	14	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White—M	27	3	4	5	1	4	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	25	3	5	8	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	985	3	4	-	1	4	8	15	69	86	112	100	88	70	92	79	58	51	61	38	19	16	3	1	-	-	7
	White—M	292	-	1	-	1	-	1	2	6	11	11	17	22	21	50	40	24	23	28	17	7	10	-	-	-	-	-
	F	239	2	-	-	-	-	1	-	8	16	28	24	26	19	14	13	18	17	22	19	7	3	1	1	-	-	-
	Nonwhite—M	212	-	2	-	-	1	2	3	15	24	34	22	26	17	22	17	5	7	8	-	3	1	1	-	-	-	2
	F	242	1	1	-	-	3	4	10	40	35	39	37	14	13	6	9	11	4	3	2	2	2	1	-	-	-	5
14-22	Tuberculosis (other forms)	44	3	5	2	-	-	1	1	3	5	1	1	4	3	4	4	1	1	2	2	1	-	-	-	-	-	-
	White—M	15	1	1	1	-	-	1	1	1	1	-	-	1	2	-	2	-	-	-	2	1	-	-	-	-	-	-
	F	9	-	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite—M	14	2	1	-	-	-	-	-	-	3	1	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	66	28	6	4	-	-	-	-	-	1	-	2	1	-	1	-	2	4	3	3	2	6	3	-	-	-	-
	White—M	27	14	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	2	2	-	-	-	-
	F	24	9	1	2	-	-	-	-	-	-	-	1	-	-	1	-	1	2	2	1	-	3	1	-	-	-	-
	Nonwhite—M	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	9	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
28	Malaria	118	15	7	5	4	3	5	4	7	2	5	3	4	4	5	5	5	7	6	12	4	3	1	-	-	-	2
	White—M	27	3	3	1	1	2	2	-	1	-	-	1	-	-	-	2	-	2	1	4	2	2	-	-	-	-	-
	F	29	5	1	3	-	-	1	2	1	1	-	2	1	1	1	1	-	1	1	4	1	1	1	-	-	-	-
	Nonwhite—M	32	3	-	1	2	1	2	-	2	1	3	-	1	1	3	1	3	-	3	3	1	-	-	-	-	-	1
	F	30	4	3	-	1	-	-	2	3	-	2	-	2	2	1	1	2	4	1	1	-	-	-	-	-	-	1
30	Syphilis	215	20	-	-	-	-	1	-	4	5	9	17	17	19	28	23	22	16	15	10	7	2	-	-	-	-	-
	White—M	56	2	-	-	-	-	-	-	1	-	1	2	4	5	13	7	9	3	3	4	1	1	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	1	-	2	1	3	-	1	2	4	3	-	1	-	1	-	-	-	-	-
	Nonwhite—M	88	9	-	-	-	-	1	-	2	2	2	7	7	9	6	11	8	8	7	3	6	-	-	-	-	-	-
	F	52	9	-	-	-	-	-	-	-	3	4	7	3	5	8	3	1	2	5	2	-	-	-	-	-	-	-
35	Influenza	303	48	12	6	2	2	4	7	8	11	12	4	6	10	10	14	18	14	23	27	26	15	14	7	2	-	1
	White—M	105	27	3	1	1	-	2	1	3	-	1	1	-	3	1	4	6	5	8	14	11	7	6	-	-	-	-
	F	96	12	6	3	-	1	-	3	2	2	2	-	2	2	3	3	5	3	8	8	11	7	7	5	1	-	-
	Nonwhite—M	44	4	1	1	-	-	-	2	2	6	6	1	1	1	-	5	3	4	4	2	1	-	-	-	-	-	-
	F	58	5	2	1	1	1	2	1	1	3	3	2	3	4	6	2	4	2	3	3	3	1	1	2	1	-	1
35	Measles	53	9	7	3	3	4	6	5	3	1	1	1	1	2	-	1	1	1	1	1	1	-	-	-	-	-	1
	White—M	19	2	3	-	2	1	2	1	1	1	1	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	F	21	6	2	2	-	-	2	2	1	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1
	Nonwhite—M	8	1	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	1	2	1	1	-	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	551	-	-	-	-	1	-	-	1	3	1	4	18	21	35	70	53	85	85	68	54	34	13	1	1	-	3
	White—M	236	-	-	-	-	1	-	-	1	-	-	1	7	12	14	24	25	32	45	28	23	18	4	1	-	-	-
	F	202	-	-	-	-	-	-	-	-	1	-	-	5	3	11	26	17	37	26	28	26	14	7	-	-	-	1
	Nonwhite—M	69	-	-	-	-	-	-	-	-	2	-	1	3	4	5	10	8	11	8	9	3	2	2	-	-	-	1
	F	44	-	-	-	-	-	-	-	-	-	1	2	3	2	5	10	3	5	6	3	2	-	-	-	1	-	1
48,49	Cancer of female genital organs	247	-	-	-	-	-	1	-	1	5	4	19	21	22	23	36	39	25	21	16	9	4	1	-	-	-	-
	White—F	159	-	-	-	-	-	1	-	1	2	2	12	12	9	13	24	31	15	16	12	5	3	1	-	-	-	-
	Nonwhite—F	88	-	-	-	-	-	-	-	-	3	2	7	9	13	10	12	8	10	5	4	4	1	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																											
50	Cancer of breast	90	-	-	-	-	-	-	-	-	-	-	2	11	10	9	10	13	10	11	5	1	4	4	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	70	-	-	-	-	-	-	-	-	-	-	2	9	4	7	7	9	9	11	4	1	4	3	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	6	2	2	3	1	-	1	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	420	-	-	-	1	-	3	5	5	9	2	11	11	21	21	27	39	49	63	63	34	35	14	5	1	-	1
	White—M	215	-	-	-	1	-	2	1	2	6	-	4	5	9	11	13	14	18	41	37	22	20	6	2	1	-	-
	F	132	-	-	-	-	-	-	3	1	1	1	3	4	5	7	9	17	16	17	17	7	14	6	3	-	-	1
	Nonwhite—M	43	-	-	-	-	-	1	1	-	-	-	3	1	1	2	1	6	9	5	8	3	1	1	-	-	-	-
	F	30	-	-	-	-	-	-	-	2	2	1	1	1	6	1	4	2	6	-	1	2	-	1	-	-	-	-
58	Acute rheumatic fever	12	1	-	-	-	-	3	1	1	-	-	1	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-
	White—M	6	1	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	189	-	-	-	-	-	1	3	6	-	2	5	6	7	7	15	13	26	35	22	23	9	4	2	1	-	2
	White—M	61	-	-	-	-	-	1	1	2	-	2	1	2	2	3	3	3	5	10	8	10	6	1	1	-	-	-
	F	86	-	-	-	-	-	-	1	3	-	-	2	1	1	3	8	5	16	18	13	9	1	2	1	-	-	2
	Nonwhite—M	19	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	1	3	5	-	2	1	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	2	2	3	-	3	4	2	2	1	2	1	-	-	1	-	-
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	56	-	-	-	-	-	-	-	-	1	-	2	3	2	4	1	6	6	10	10	5	3	2	-	-	-	1
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	-	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	5	5	4	1	1	-	-	-	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	-	2	1	-	3	-	3	2	3	3	1	-	1	-	-	-	-
77	Alcoholism (ethylism)	26	-	-	1	-	-	-	-	-	-	-	4	3	3	2	3	5	5	-	-	-	-	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	3	3	2	2	3	4	4	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,389	2	-	-	1	-	1	1	4	4	13	12	20	40	58	119	155	147	206	227	184	106	53	18	5	1	12
	White—M	497	1	-	-	-	-	-	-	2	1	8	-	5	6	14	38	53	50	89	85	79	41	17	5	-	-	3
	F	462	-	-	-	1	-	1	-	-	1	1	3	7	14	12	27	43	45	58	69	79	50	24	6	1	-	-
	Nonwhite—M	190	1	-	-	-	-	-	-	2	2	3	7	3	7	13	21	22	28	24	26	12	6	3	3	1	-	6
	F	240	-	-	-	-	-	-	1	-	-	1	2	5	13	19	33	37	24	35	27	14	9	9	4	3	1	3
80-82, 84-88	Other diseases of nervous system, etc.*	189	33	6	3	3	2	8	9	3	7	10	12	11	9	10	8	10	7	9	11	6	7	4	1	-	-	-
	White—M	63	12	3	-	-	-	2	2	1	3	4	7	2	4	4	-	2	1	4	4	3	2	2	1	-	-	-
	F	67	8	3	3	-	2	3	5	2	1	5	1	3	4	4	1	3	2	3	6	1	5	2	-	-	-	-
	Nonwhite—M	28	8	-	-	2	-	2	1	-	2	1	2	3	-	-	-	4	1	-	1	1	-	-	-	-	-	-
	F	31	5	-	-	1	-	1	1	-	1	-	2	3	1	2	7	1	3	2	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	76	10	2	2	2	5	7	4	10	-	1	4	2	1	2	5	3	6	1	4	1	2	1	1	-	-	-
	White—M	30	5	1	1	-	2	4	1	2	-	-	1	-	-	-	2	1	3	1	4	1	1	-	-	-	-	-
	F	24	2	-	1	1	2	1	3	4	-	1	3	2	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	12	3	-	-	1	-	2	-	1	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
	F	10	-	1	-	-	1	-	-	3	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	236	-	-	-	1	-	5	6	5	4	3	9	8	6	8	13	16	26	32	36	26	17	10	2	-	1	2
	White—M	97	-	-	-	-	-	2	2	2	2	-	1	2	-	1	2	9	10	12	19	14	13	3	2	-	1	-
	F	77	-	-	-	1	-	2	2	3	2	2	5	1	3	2	4	5	6	10	14	8	3	4	-	-	-	-
	Nonwhite—M	31	-	-	-	-	-	-	2	-	-	1	1	1	1	3	4	1	4	4	2	3	-	3	-	-	-	1
	F	31	-	-	-	-	-	1	-	-	-	-	2	4	2	2	3	1	6	6	1	1	1	-	-	-	-	1
94	Diseases of coronary arteries, angina pectoris	717	-	-	-	-	-	-	1	1	3	3	3	19	30	54	71	97	102	110	100	61	34	22	3	-	-	3
	White—M	474	-	-	-	-	-	-	-	-	1	2	2	8	16	38	47	70	76	77	66	36	21	11	2	-	-	1
	F	139	-	-	-	-	-	-	-	-	2	-	-	2	7	2	6	11	18	23	28	20	11	9	-	-	-	-
	Nonwhite—M	54	-	-	-	-	-	-	-	-	-	-	1	2	3	8	9	13	3	6	4	4	-	1	-	-	-	-
	F	50	-	-	-	-	-	-	1	1	-	1	-	7	4	6	9	3	5	4	2	1	2	1	1	-	-	2
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,913	6	2	4	1	2	2	6	8	20	20	31	43	57	105	141	152	213	267	311	204	166	86	40	10	3	13
	White—M	781	1	1	3	1	-	1	2	1	6	3	5	8	15	36	46	61	101	122	138	98	76	39	9	4	-	4
	F	515	4	1	1	-	-	1	1	3	2	5	13	15	8	14	17	22	48	67	101	64	70	36	19	3	-	-
	Nonwhite—M	345	1	-	-	-	1	-	3	2	3	6	4	9	20	26	38	43	42	52	34	30	12	5	5	1	1	7
	F	272	-	-	-	-	1	-	-	2	9	6	9	11	14	29	40	26	22	26	38	12	8	6	7	2	2	2
107-109	Pneumonia (all forms)	1,031	264	61	13	15	10	20	13	14	15	25	13	32	26	41	56	61	68	58	62	46	69	29	11	4	1	4
	White—M	372	100	18	4	4	5	8	4	4	4	5	4	11	6	12	21	22	27	19	23	15	39	11	5	-	-	1
	F	291	75	12	3	6	4	5	4	2	2	5	2	5	5	6	10	15	16	21	28	19	25	13	4	3	-	1
	Nonwhite—M	197	47	17	3	2	-	2	4	3	4	11	3	5	9	16	13	18	10	8	7	6	2	3	1	1	-	2
	F	171	42	14	3	3	1	5	1	5	5	4	4	11	6	7	12	6	15	10	4	6	3	2	1	-	1	-
117	Ulcer of stomach or duodenum	103	-	-	-	-	-	-	-	-	3	2	6	7	8	14	10	9	12	10	10	5	2	5	-	-	-	-
	White—M	62	-	-	-	-	-	-	-	-	3	1	3	-	5	13	7	4	7	6	7	3	1	2	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	2	1	2	1	1	3	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	1	1	4	1	-	2	4	2	3	1	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																											
119,120	Diarrhea, enteritis, etc. *	282	147	48	21	4	2	3	-	2	1	1	2	-	1	2	1	4	4	7	12	6	5	7	1	1	-	-
	White—M	96	52	15	8	2	1	3	-	-	-	-	-	-	-	-	-	-	-	3	3	2	4	1	1	1	-	-
	F	80	48	10	4	-	1	-	-	-	-	-	1	-	1	-	-	1	2	1	2	2	1	6	-	-	-	-
	Nonwhite—M	67	28	16	6	2	-	-	-	2	-	1	1	-	-	-	-	2	1	1	6	1	-	-	-	-	-	-
	F	39	19	7	3	-	-	-	-	-	1	-	-	-	-	2	1	1	1	2	1	1	-	-	-	-	-	-
121	Appendicitis	135	3	-	1	2	-	10	21	16	7	7	9	10	11	9	5	3	5	4	2	4	3	1	-	-	1	1
	White—M	68	2	-	1	2	-	5	9	7	2	3	4	8	5	3	2	3	3	2	1	2	3	-	-	-	-	1
	F	31	-	-	-	-	-	3	4	7	1	1	3	1	2	2	1	-	1	-	1	2	-	1	-	-	1	-
	Nonwhite—M	20	1	-	-	-	-	1	4	1	1	2	-	1	2	2	2	-	1	2	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	1	4	1	3	1	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	165	15	3	-	4	-	4	1	2	7	5	5	10	9	10	16	12	13	9	14	12	6	5	3	-	-	-
	White—M	59	9	1	-	2	-	2	1	-	2	1	1	-	2	2	6	5	2	5	8	6	1	2	1	-	-	-
	F	47	4	2	-	2	-	1	-	2	2	2	1	4	-	2	7	2	4	2	1	3	2	2	2	-	-	-
	Nonwhite—M	31	-	-	-	-	-	1	-	-	1	1	1	2	3	2	2	3	4	-	4	3	3	1	-	-	-	-
	F	28	2	-	-	-	-	-	-	-	2	1	2	4	4	4	1	2	3	2	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	89	-	-	-	-	-	-	-	1	-	-	2	7	3	15	11	11	10	9	16	2	-	2	-	-	-	-
	White—M	50	-	-	-	-	-	-	-	1	-	-	1	4	2	7	8	9	6	3	8	-	-	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	4	4	2	-	1	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	-	1	1	4	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc. *	52	-	-	-	-	-	-	-	-	3	2	1	3	-	-	5	6	9	8	8	4	-	3	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	4	4	2	1	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	2	-	1	-	-	-	2	-	3	3	5	3	-	3	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,340	2	-	1	3	2	6	6	13	16	9	25	37	56	80	93	106	153	173	200	137	133	64	19	2	3	1
	White—M	510	1	-	1	-	-	2	2	4	2	2	4	11	10	17	33	34	54	69	97	56	72	31	8	-	-	-
	F	362	1	-	-	2	-	3	3	5	6	3	7	7	13	8	15	25	43	46	49	49	45	23	9	-	-	-
	Nonwhite—M	273	-	-	-	-	-	1	1	-	4	3	7	7	16	23	25	23	36	41	39	25	9	8	2	2	1	-
	F	195	-	-	-	1	2	-	-	4	4	1	7	12	17	32	20	24	20	17	15	7	7	2	-	-	2	1
137	Diseases of the prostate	82	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	8	7	13	15	9	12	11	-	1	-	1
	White—M	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	12	8	10	10	-	1	-	-
	Nonwhite—M	30	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	6	4	7	3	1	2	1	-	-	-	1
140, 142a, 145a,147	Puerperal septicemia	55	-	-	-	-	-	-	-	7	14	13	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	3	6	3	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	31	-	-	-	-	-	-	-	4	8	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	55	-	-	-	-	-	-	1	8	7	9	11	16	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	35	-	-	-	-	-	-	1	4	2	7	7	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	20	-	-	-	-	-	-	-	4	5	2	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	48	-	-	-	-	-	-	-	5	7	6	12	12	5	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	30	-	-	-	-	-	-	-	2	5	6	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	18	-	-	-	-	-	-	-	3	2	-	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1
157	Congenital malformations	150	130	8	4	-	-	2	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	69	62	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	64	56	2	3	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	4	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	423	423	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	123	-	-	-	-	-	-	-	3	10	6	22	7	7	9	18	8	12	4	10	2	2	2	-	-	-	1
	White—M	88	-	-	-	-	-	-	-	-	3	3	15	4	6	8	14	7	10	3	8	2	2	2	-	-	-	1
	F	25	-	-	-	-	-	-	-	3	4	3	3	3	1	1	3	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	178	-	-	-	-	-	1	2	13	24	29	29	23	15	13	12	6	3	4	2	1	-	-	-	-	-	1
	White—M	44	-	-	-	-	-	-	-	2	4	6	6	7	3	2	5	3	2	2	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	99	-	-	-	-	-	1	1	5	14	14	17	16	8	10	7	3	-	2	-	-	-	-	-	-	-	1
	F	28	-	-	-	-	-	-	-	4	5	9	6	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	301	1	2	3	4	5	10	7	26	39	31	28	30	26	19	20	13	11	14	6	4	2	-	-	-	-	-
	White—M	197	1	-	2	2	4	5	4	20	26	19	13	20	17	10	16	10	7	10	6	4	1	-	-	-	-	-
	F	35	-	-	1	-	-	4	2	4	9	2	4	2	3	1	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	59	-	2	-	2	1	1	1	1	3	9	7	7	6	6	4	3	2	3	-	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	1	1	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	857	36	27	15	15	6	29	40	64	77	53	53	51	52	38	33	43	26	38	43	37	37	24	7	6	1	6
	White—M	458	12	10	6	10	3	14	24	29	55	37	32	32	37	21	18	32	12	20	14	15	8	12	1	1	-	3
	F	179	9	7	5	1	1	7	6	11	5	4	5	4	2	2	3	3	7	9	21	19	27	12	5	3	-	1
	Nonwhite—M	161	6	5	4	3	-	6	8	20	15	10	14	12	12	12	9	5	4	7	4	-	1	-	1	-	1	2
	F	59	9	5	-	1	2	2	2	4	2	2	2	3	1	3	3	3	3	2	4	3	1	-	-	2	-	-
	All other causes*	2,210	449	37	18	9	6	28	22	36	27	59	54	79	85	79	117	104	138	143	184	152	167	122	63	20	8	4
	White—M	763	168	8	9	3	-	10	9	6	8	21	9	18	17	25	39	27	55	60	74	58	61	47	24	5	1	1
	F	634	131	6	7	5	5	6	6	14	9	16	15	19	22	19	30	20	23	30	50	52	74	45	23	7	-	-
	Nonwhite—M	412	82	11	1	-	-	8	2	10	4	10	8	15	15	15	22	35	33	28	35	19	22	18	10	4	3	2
	F	401	68	12	1	1	1	4	5	6	6	12	22	27	31	20	26	22	27	25	25	23	10	12	6	4	4	1

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	All causes	84,851	5,385	483	253	201	154	499	387	906	1,542	1,583	1,832	2,394	3,343	4,426	5,884	7,118	8,271	9,210	9,719	8,610	7,136	3,827	1,267	291	70	60
	White—M	47,991	2,995	239	129	99	73	283	229	528	950	885	1,022	1,427	1,999	2,739	3,675	4,571	5,128	5,385	5,398	4,457	3,419	1,697	493	106	23	42
	F	33,192	2,128	207	106	85	70	188	138	305	463	554	633	758	1,098	1,422	1,888	2,192	2,778	3,482	4,088	4,000	3,589	2,081	740	176	31	12
	Nonwhite—M	2,495	156	21	8	9	5	16	14	42	81	93	120	159	176	175	216	264	272	236	163	99	91	45	16	5	8	5
	F	1,173	106	16	10	8	6	12	6	31	48	51	57	50	70	90	105	91	93	107	70	54	37	24	18	4	8	1
1,2	Typhoid, paratyphoid fever	21	-	-	-	1	1	-	2	2	-	-	2	2	3	1	-	5	1	-	1	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	1	1	-	-	2	2	2	-	-	4	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	69	4	5	4	5	3	4	2	6	4	6	3	6	6	2	1	5	3	-	-	-	-	-	-	-	-	-
	White—M	41	2	3	3	1	3	2	1	3	3	4	3	3	4	1	1	2	2	-	-	-	-	-	-	-	-	-
	F	24	2	2	1	4	-	1	-	2	1	2	-	2	2	1	-	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	1	-	-	2	-	4	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	2	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	107	74	26	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	37	26	10	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	61	42	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	83	2	11	8	12	3	12	4	-	2	-	4	5	8	3	1	1	3	1	-	2	-	1	-	-	-	-
	White—M	49	2	3	5	7	-	6	1	-	1	-	4	3	8	2	1	1	2	-	-	2	-	1	-	-	-	-
	F	30	-	6	2	5	3	5	3	-	1	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,539	14	21	12	7	8	27	31	149	233	266	309	307	347	343	368	313	237	224	162	93	50	14	1	-	-	3
	White—M	2,096	7	10	3	2	2	13	8	57	75	86	140	157	220	253	272	238	183	152	118	54	33	10	1	-	-	2
	F	998	6	11	8	4	5	10	19	69	111	122	118	98	83	58	60	40	36	53	38	32	15	1	-	-	-	1
	Nonwhite—M	325	-	-	1	1	-	2	2	11	25	36	33	44	34	29	31	31	14	18	4	6	1	2	-	-	-	-
	F	120	1	-	-	-	1	2	2	12	22	22	18	8	10	3	5	4	4	1	2	1	1	1	-	-	-	-
14-22	Tuberculosis (other forms)	337	24	35	9	12	5	26	6	15	27	21	26	16	20	15	27	18	10	9	8	5	4	1	-	-	-	-
	White—M	164	11	16	2	6	2	10	3	5	8	7	11	9	11	10	16	12	7	8	5	3	1	1	-	-	-	-
	F	121	11	15	5	6	3	12	2	7	11	10	8	4	4	5	7	2	2	1	2	2	2	-	-	-	-	-
	Nonwhite—M	35	1	2	1	-	-	3	1	1	6	2	6	2	4	-	2	2	-	-	1	-	1	-	-	-	-	-
	F	17	1	2	1	-	-	1	-	2	2	2	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	86	44	7	3	1	1	4	-	1	-	-	4	1	-	3	3	1	1	5	1	3	1	2	-	-	-	-
	White—M	48	24	4	2	1	-	2	-	-	-	-	4	1	-	1	2	-	-	2	1	3	-	1	-	-	-	-
	F	38	20	3	1	-	1	2	-	1	-	-	-	-	-	2	1	1	1	3	-	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,210	31	1	-	-	-	-	-	1	4	14	39	66	115	132	183	194	138	146	65	47	24	8	1	-	-	1
	White—M	814	12	-	-	-	-	-	-	1	2	4	17	38	73	84	117	155	101	111	45	33	17	4	-	-	-	-
	F	225	15	-	-	-	-	-	-	-	2	8	12	8	23	24	43	18	20	18	12	14	6	1	1	-	-	-
	Nonwhite—M	137	2	1	-	-	-	-	-	-	-	1	8	17	15	20	18	17	12	15	7	-	1	2	-	-	-	1
	F	34	2	-	-	-	-	-	-	-	-	1	2	3	4	4	5	4	5	2	1	-	-	1	-	-	-	-
33	Influenza	282	40	9	4	2	3	3	2	7	6	3	8	7	12	15	14	24	26	15	24	22	18	12	6	-	-	-
	White—M	148	23	3	1	1	-	2	1	3	4	2	5	4	5	9	10	16	13	6	17	13	5	3	2	-	-	-
	F	123	15	5	2	1	2	1	1	3	2	1	3	3	7	6	4	7	13	9	6	8	11	9	4	-	-	-
	Nonwhite—M	8	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
35	Measles	102	14	17	9	8	6	21	10	5	4	2	-	2	-	-	1	1	-	-	1	-	-	-	1	-	-	-
	White—M	46	3	6	6	3	2	10	7	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	48	9	9	2	4	3	10	3	1	2	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)	27	2	2	-	-	3	4	2	6	1	3	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	16	-	1	-	-	2	2	2	5	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	2	1	-	-	1	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	4,613	2	1	-	1	-	2	3	3	6	9	25	65	113	237	387	520	665	709	758	583	353	139	27	2	1	2
	White—M	2,440	1	1	-	-	-	1	3	2	3	7	15	29	64	113	200	298	389	377	410	295	188	56	8	-	-	-
	F	1,976	1	-	-	1	-	1	-	-	2	1	9	30	42	113	154	184	263	305	328	283	156	81	17	2	1	2
	Nonwhite—M	148	-	-	-	-	-	-	-	1	1	-	1	3	4	5	22	32	27	21	14	5	9	2	1	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	1	-	3	3	6	11	6	6	6	6	-	-	-	1	-	-	-
48,49	Cancer of female genital organs	1,323	-	-	1	1	-	-	1	2	6	15	24	60	91	142	163	198	180	181	98	93	60	24	3	-	-	-
	White—F	1,274	-	-	1	1	-	-	1	2	6	14	22	55	87	135	158	190	155	174	95	92	60	23	3	-	-	-
	Nonwhite—F	49	-	-	-	-	-	-	-	-	-	1	2	5	4	7	5	8	5	7	3	1	-	1	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
50	Cancer of breast	1,144	-	-	-	-	-	-	-	-	3	6	19	38	76	113	125	166	177	124	115	86	68	23	5	-	-	-
	White——M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	1	1	-	-	-	-	-
	F	1,113	-	-	-	-	-	-	-	-	3	6	17	37	74	110	124	162	171	121	110	85	66	22	5	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	3	3	3	1	-	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,496	6	2	6	6	2	14	9	35	37	49	69	85	118	193	327	385	423	490	481	355	245	118	30	7	2	2
	White——M	2,402	4	1	4	5	1	6	6	14	21	33	40	51	73	129	223	263	313	351	336	253	180	73	17	2	1	2
	F	977	2	1	2	1	1	8	3	19	15	15	24	27	41	50	83	106	99	127	130	97	63	44	13	5	1	-
	Nonwhite—M	91	-	-	-	-	-	-	-	2	1	-	3	7	3	9	15	12	9	8	15	5	1	1	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	2	-	1	5	6	4	2	4	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	49	1	1	1	-	1	6	10	5	1	3	5	4	2	1	2	2	2	1	1	-	-	-	-	-	-	-
	White——M	26	1	1	-	-	1	2	5	2	-	2	2	2	1	1	1	1	2	1	1	-	-	-	-	-	-	-
	F	18	-	-	1	-	-	3	4	2	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,747	4	4	1	-	1	5	4	12	11	16	20	24	26	63	123	163	228	326	304	233	124	43	8	3	1	-
	White——M	722	3	1	1	-	1	4	2	3	5	10	7	11	14	32	40	59	87	137	135	94	56	16	4	-	-	-
	F	961	1	3	-	-	-	1	2	9	6	6	11	12	10	29	74	93	125	180	163	135	67	27	3	3	1	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	4	7	3	4	2	-	-	1	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	7	9	6	2	2	1	-	-	-	-	-
63b	Exophthalmic goiter	122	-	-	-	-	-	-	-	1	2	3	2	7	10	14	12	13	25	15	8	7	1	2	-	-	-	-
	White——M	24	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	1	7	3	-	1	1	-	-	-	-	-
	F	92	-	-	-	-	-	-	-	1	1	2	1	5	9	11	7	11	18	10	8	6	-	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	23	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	2	3	5	4	-	2	-	-	-
	White——M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	3	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	4	1	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	225	-	-	-	-	-	-	-	1	-	5	15	24	35	25	33	22	25	23	10	3	3	1	-	-	-	-
	White——M	190	-	-	-	-	-	-	-	1	-	3	10	19	23	21	29	21	25	23	103	3	2	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	1	4	3	10	4	3	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,651	4	5	1	1	-	2	2	3	9	12	24	49	118	215	371	472	679	943	1,089	1,105	911	464	140	25	4	3
	White——M	3,054	1	4	1	1	-	1	2	1	5	7	11	23	64	91	178	237	324	458	534	484	368	189	55	12	1	2
	F	3,337	3	1	-	-	-	-	-	1	3	4	11	19	45	104	164	208	315	438	526	593	533	271	83	13	1	1
	Nonwhite—M	164	-	-	-	-	-	1	-	-	1	-	2	5	6	12	17	20	31	27	19	14	6	2	-	-	1	-
	F	96	-	-	-	-	-	-	-	1	-	1	-	2	3	8	12	7	9	20	10	14	4	2	2	-	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	708	36	14	6	6	8	22	18	18	33	30	37	29	50	61	50	55	51	58	56	31	22	13	4	-	-	-
	White——M	381	20	8	5	3	3	13	13	7	19	13	13	15	28	36	27	33	32	30	29	15	9	8	2	-	-	-
	F	298	13	6	1	2	5	6	5	9	12	13	22	13	20	22	23	21	18	25	26	15	13	5	2	-	-	-
	Nonwhite—M	22	3	-	-	-	-	3	-	2	1	2	2	1	1	2	-	1	1	2	1	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	277	35	6	5	12	3	26	13	12	21	16	15	14	16	14	16	11	9	8	9	5	8	3	-	-	-	-
	White——M	159	22	3	3	4	-	14	9	6	14	11	13	12	12	9	8	5	3	3	3	-	3	2	-	-	-	-
	F	106	13	2	-	7	3	11	4	6	6	5	2	2	4	4	6	5	6	4	5	5	5	1	-	-	-	-
	Nonwhite—M	5	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,422	-	-	2	1	2	9	14	21	56	57	60	79	102	107	118	145	131	118	136	114	115	39	13	1	1	1
	White——M	738	-	-	-	1	-	6	5	6	16	28	33	49	48	62	57	87	89	60	70	59	43	14	4	-	-	1
	F	620	-	-	2	-	1	3	8	10	19	27	19	27	49	36	53	56	41	52	63	55	66	24	7	1	1	-
	Nonwhite—M	40	-	-	-	-	1	-	1	-	1	1	5	3	4	4	6	2	-	4	2	-	4	-	2	-	-	-
	F	24	-	-	-	-	-	-	-	5	-	1	3	-	1	5	2	-	1	2	1	-	2	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	7,955	2	-	-	-	-	-	-	1	4	7	41	98	264	502	736	945	1,168	1,278	1,122	868	592	250	59	9	3	6
	White——M	5,564	1	-	-	-	-	-	-	1	4	3	30	80	223	431	593	753	875	875	696	508	323	151	26	4	3	4
	F	2,249	1	-	-	-	-	-	-	-	-	2	7	13	30	64	129	171	273	380	412	350	263	116	31	5	-	2
	Nonwhite—M	107	-	-	-	-	-	-	-	-	-	2	3	4	9	6	7	15	18	18	9	8	6	1	1	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	6	2	5	5	2	-	2	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	16,925	9	2	2	-	-	4	11	21	37	55	72	171	334	546	925	1,335	1,796	2,205	2,700	2,556	2,250	1,324	446	96	21	7
	White——M	9,407	5	1	2	-	-	2	7	12	28	28	43	102	197	359	636	940	1,127	1,300	1,498	1,305	1,036	574	161	35	7	4
	F	6,983	3	1	-	-	-	2	4	6	10	25	26	53	108	157	239	337	575	834	1,143	1,208	1,175	731	275	59	11	1
	Nonwhite—M	344	-	-	-	-	-	-	-	2	-	1	1	13	19	14	32	42	64	45	40	24	27	13	4	1	1	1
	F	191	1	-	-	-	-	-	-	1	1	1	2	3	10	16	18	16	30	26	19	19	12	6	6	1	2	1
107-109	Pneumonia (all forms)	3,745	637	98	35	27	12	32	20	23	45	61	80	138	181	186	225	255	241	248	304	292	303	200	81	12	7	2
	White——M	2,297	349	52	16	13	4	22	10	15	30	33	47	105	128	140	166	188	169	164	185	172	161	88	31	6	1	2
	F	1,261	248	37	16	10	6	9	9	7	11	23	24	24	41	37	51	57	63	69	108	113	136	107	45	6	4	-
	Nonwhite—M	125	23	4	2	2	1	-	1	1	2	4	6	7	9	7	3	9	8	12	8	5	5	4	1	-	1	-
	F	62	17	5	1	2	1	1	-	-	2	1	3	2	3	2	5	1	1	3	3	2	1	1	4	-	1	-
117	Ulcer of stomach or duodenum	800	1	-	-	-	-	-	-	2	1	10	17	37	43	74	106	120	123	101	69	45	33	15	2	1	-	-
	White——M	632	-	-	-	-	-	-	-	1	-	7	13	31	35	62	90	100	103	79	54	29	20	7	1	-	-	-
	F	134	1	-	-	-	-	-	-	1	1	1	3	3	5	11	12	13	15	17	14	16	13	6	1	1	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	2	-	2	3	-	3	7	5	5	-	-	-	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
119,120	Diarrhea, enteritis, etc.*	483	355	27	6	-	3	2	-	4	1	1	4	3	8	3	14	7	4	9	8	6	10	6	1	1	-	-
	White—M	265	202	17	2	-	2	-	-	3	1	1	1	3	3	3	8	3	2	4	3	2	3	2	-	-	-	-
	F	197	138	10	3	-	-	2	-	1	-	-	2	-	4	-	6	4	2	4	4	4	7	4	1	1	-	-
	Nonwhite—M	12	8	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	9	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	417	2	2	4	4	10	20	16	30	20	17	23	25	22	22	29	44	44	30	28	17	3	4	-	1	-	-
	White—M	250	2	1	1	3	6	14	7	15	15	11	15	17	18	10	21	23	24	17	16	10	1	2	-	1	-	-
	F	149	-	1	3	1	3	6	8	14	5	6	7	8	2	9	7	20	17	10	11	7	2	2	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	1	1	-	-	-	-	2	3	1	-	3	3	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	623	35	2	3	-	2	4	3	6	8	10	11	22	25	32	45	61	70	58	68	61	47	37	10	3	-	-
	White—M	308	20	-	1	-	2	3	1	3	3	5	1	8	9	19	20	35	33	32	35	33	22	18	4	1	-	-
	F	286	11	2	2	-	-	1	1	3	4	4	7	13	14	12	24	24	32	22	31	28	25	18	6	2	-	-
	Nonwhite—M	17	3	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	4	3	-	-	-	1	-	-	-	-
	F	12	1	-	-	-	-	-	1	-	1	1	1	1	1	-	-	1	1	1	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	1,670	1	-	1	-	-	1	3	1	1	19	63	115	164	205	233	248	205	153	130	77	34	11	1	2	1	1
	White—M	1,044	-	-	-	-	-	-	1	-	-	5	31	78	91	120	151	166	138	105	80	45	23	6	-	2	1	1
	F	552	1	-	1	-	-	1	2	1	1	12	29	31	64	70	71	71	61	44	47	29	10	5	1	-	-	-
	Nonwhite—M	81	-	-	-	-	-	-	-	-	-	2	1	6	7	11	10	10	6	3	2	2	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	2	-	2	4	1	1	-	1	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	363	-	-	1	-	-	1	-	-	2	2	5	6	16	22	35	35	57	53	42	42	30	12	2	-	-	-
	White—M	121	-	-	-	-	-	1	-	-	1	2	1	1	3	3	14	12	19	18	19	15	9	3	2	-	-	-
	F	232	-	-	1	-	-	-	-	-	1	-	4	5	13	17	21	23	36	31	22	29	21	8	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	4,499	6	2	2	4	3	8	9	21	30	45	68	97	138	210	245	352	465	518	653	627	551	307	106	27	4	1
	White—M	2,360	3	2	2	3	2	2	2	15	16	26	42	58	70	108	131	209	286	289	317	313	267	137	47	11	2	-
	F	1,948	3	-	-	1	1	6	6	6	9	15	21	35	53	83	104	120	157	202	321	298	272	162	58	13	1	1
	Nonwhite—M	120	-	-	-	-	-	-	1	-	3	1	3	2	8	9	6	15	17	21	10	11	6	4	-	2	1	-
	F	71	-	-	-	-	-	-	-	-	2	3	2	2	7	10	4	8	5	6	5	5	6	4	1	1	-	-
137	Diseases of the prostate	457	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	23	42	58	87	110	69	47	8	1	-	-
	White—M	446	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	23	40	54	85	109	68	46	8	1	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	1	1	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	115	-	-	-	-	-	-	-	11	29	24	22	21	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	106	-	-	-	-	-	-	-	10	28	22	21	18	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	1	1	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	65	-	-	-	-	-	-	-	11	17	15	9	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	59	-	-	-	-	-	-	-	8	15	15	9	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	126	-	-	-	-	-	-	-	9	29	36	22	21	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	121	-	-	-	-	-	-	-	9	28	35	21	21	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	928	784	26	14	7	4	16	10	15	14	11	7	4	3	3	4	4	2	-	-	-	-	-	-	-	-	-
	White—M	516	453	10	6	3	2	8	4	9	8	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	394	321	12	8	4	2	7	6	6	4	5	2	2	2	3	4	4	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	8	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,740	1,740	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	950	950	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	693	693	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,492	-	-	-	-	-	-	4	24	67	105	124	140	142	162	154	156	154	102	69	54	22	5	6	-	-	2
	White—M	1,073	-	-	-	-	-	-	3	14	40	72	78	96	99	111	97	122	128	84	56	43	18	4	6	-	-	2
	F	360	-	-	-	-	-	-	-	7	21	29	39	37	38	46	51	27	20	17	13	11	3	1	-	-	-	-
	Nonwhite—M	51	-	-	-	-	-	-	1	3	3	4	5	7	4	4	5	7	6	1	-	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	3	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	352	5	1	3	2	1	4	3	14	43	42	43	43	41	28	28	24	11	1	6	4	2	-	1	-	-	2
	White—M	194	5	-	2	1	-	1	1	7	20	20	25	24	22	16	17	17	10	1	1	2	1	-	1	-	-	-
	F	80	-	1	1	-	1	2	1	4	12	8	11	9	7	4	7	3	-	-	5	2	1	-	-	-	-	1
	Nonwhite—M	67	-	-	-	-	-	1	1	3	9	12	6	8	12	7	3	3	1	-	-	-	-	-	-	-	-	1
	F	11	-	-	-	1	-	-	-	-	2	2	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,579	7	28	14	14	13	63	49	201	256	201	168	166	198	197	197	197	196	157	97	72	59	21	5	-	-	3
	White—M	1,920	5	13	8	10	8	43	34	162	198	150	124	128	141	147	146	156	151	115	74	47	39	15	4	-	-	2
	F	535	2	13	6	4	4	19	14	31	44	38	31	30	46	38	42	30	36	39	22	22	18	5	1	-	-	-
	Nonwhite—M	112	-	2	-	-	1	1	1	8	13	11	13	7	10	12	8	9	9	2	1	2	2	1	-	-	-	1
	F	12	-	-	-	-	-	-	-	2	1	2	-	1	1	-	1	2	-	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	3,947	140	72	55	24	34	91	87	138	374	266	184	201	232	218	216	195	209	191	220	227	294	178	65	14	2	20
	White—M	2,749	85	39	33	11	18	55	73	116	347	240	162	175	187	187	179	147	153	122	116	98	117	49	17	5	1	17
	F	1,067	48	30	16	9	15	31	11	15	19	19	17	18	33	25	28	41	43	66	99	124	174	129	46	9	-	2
	Nonwhite—M	93	2	1	2	3	-	2	1	5	6	6	5	7	9	6	6	6	11	1	5	4	2	-	1	-	1	1
	F	38	5	2	4	1	1	3	2	2	2	1	-	1	3	-	3	1	2	2	-	1	1	-	1	-	-	-
	All other causes*	7,893	1,323	56	35	40	22	62	39	67	118	120	154	187	244	307	360	401	488	649	786	760	826	503	233	86	23	4
	White—M	4,260	753	29	20	19	12	38	17	34	63	56	70	87	120	163	211	239	307	402	442	414	401	237	91	26	6	3
	F	3,285	502	22	15	17	10	22	20	32	45	55	66	82	111	124	126	138	159	224	322	333	404	254	135	56	10	1
	Nonwhite—M	222	38	4	-	3	-	1	2	1	5	6	12	11	9	10	13	17	15	15	18	9	15	8	5	2	3	-
	F	126	30	1	-	1	-	1	-	-	5	3	6	7	4	10	10	7	7	8	4	4	6	4	2	2	4	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	All causes	12,532	1,172	113	62	45	30	123	122	187	224	235	267	306	361	522	670	889	1,078	1,295	1,435	1,412	1,162	604	181	31	4	2
	White—M	7,070	655	63	24	31	14	75	59	103	132	120	136	173	222	306	410	530	646	726	829	784	644	289	82	13	2	2
	F	5,172	490	48	34	13	16	46	58	80	82	101	128	126	125	198	244	328	405	539	576	616	503	308	90	16	2	-
	Nonwhite—M	164	19	1	2	1	-	-	2	2	6	7	1	5	5	12	9	17	15	15	18	7	10	5	4	1	-	-
	F	126	8	1	2	-	-	2	3	2	4	7	2	2	9	6	7	14	12	15	12	5	5	2	5	1	-	-
1,2	Typhoid, paratyphoid fever	9	1	-	-	-	-	1	1	1	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	-	1	1	1	-	2	1	1	-	1	3	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White—M	13	-	1	1	-	-	2	1	-	-	1	2	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	1	-	2	2	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	26	16	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	24	1	2	1	1	3	10	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	11	-	1	1	1	1	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	1	-	-	2	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	444	3	2	-	1	-	1	7	10	23	48	39	43	47	40	49	37	35	24	15	12	5	3	-	-	-	-
	White—M	257	1	2	-	-	-	1	1	3	4	13	19	22	28	32	40	25	27	18	11	9	1	-	-	-	-	-
	F	162	2	-	-	1	-	-	4	7	14	25	19	21	19	6	8	10	6	6	4	3	4	3	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	3	5	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	2	-	2	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	51	5	1	1	-	1	2	1	2	3	4	5	2	4	5	2	5	2	2	2	2	-	-	-	-	-	-
	White—M	22	2	-	-	-	1	-	-	-	2	1	1	1	2	3	2	3	2	-	1	1	-	-	-	-	-	-
	F	27	3	1	1	-	-	2	-	2	1	3	4	1	1	2	-	2	-	2	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	16	7	2	2	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-
	White—M	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	8	2	1	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	140	8	-	1	-	-	-	-	-	1	1	1	4	7	17	14	18	28	15	12	9	3	-	1	-	-	-
	White—M	102	6	-	-	-	-	-	-	-	-	-	-	3	5	12	10	14	20	13	8	7	3	-	1	-	-	-
	F	28	2	-	-	-	-	-	-	-	1	1	1	1	-	1	4	3	7	2	4	1	-	-	-	-	-	-
	Nonwhite—M	8	-	-	1	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	105	20	2	-	-	-	5	2	1	4	-	1	2	4	3	4	6	9	10	8	15	5	3	1	-	-	-
	White—M	66	14	-	-	-	-	3	1	1	2	-	-	1	3	3	2	6	5	6	4	11	2	2	-	-	-	-
	F	36	6	2	-	-	-	2	1	-	2	-	1	1	1	-	2	-	3	3	3	4	3	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
35	Measles	17	4	4	1	-	2	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	2	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	2	2	1	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	4	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	673	-	-	-	-	-	-	-	1	-	-	5	5	14	28	38	73	87	126	123	100	56	16	1	-	-	-
	White—M	348	-	-	-	-	-	-	-	-	-	-	2	-	7	14	21	36	42	66	72	54	29	5	-	-	-	-
	F	317	-	-	-	-	-	-	-	1	-	-	3	5	7	13	16	36	43	59	50	45	27	11	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	153	-	-	-	-	-	-	1	-	1	1	2	11	10	17	15	23	17	16	18	9	6	4	-	2	-	-
	White—F	149	-	-	-	-	-	-	1	-	1	1	2	11	8	16	15	22	17	16	18	9	6	4	-	2	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Contd.																											
50	Cancer of breast	159	-	-	-	-	-	-	-	-	-	3	1	5	13	18	21	18	21	29	11	9	5	5	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	156	-	-	-	-	-	-	-	-	-	3	1	4	12	18	21	17	21	29	11	9	5	5	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	436	-	1	-	1	-	4	4	1	7	4	6	7	10	22	33	44	51	67	66	52	33	16	6	1	-	-
	White—M	300	-	1	-	-	-	2	3	1	5	3	5	3	8	14	23	30	33	45	46	40	23	11	3	1	-	-
	F	133	-	-	-	1	-	2	1	-	2	1	1	4	2	8	10	14	17	22	19	12	10	4	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	29	1	1	-	-	2	6	5	2	-	2	-	3	1	2	1	1	1	-	1	-	-	-	-	-	-	-
	White—M	15	-	1	-	-	2	4	1	1	-	2	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	12	1	-	-	-	-	2	4	1	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	197	-	-	-	-	-	1	1	1	3	1	-	1	3	4	7	17	24	37	42	28	21	5	1	-	-	-
	White—M	86	-	-	-	-	-	-	1	-	-	1	-	1	1	1	3	6	8	12	21	16	12	2	1	-	-	-
	F	106	-	-	-	-	-	1	-	1	2	-	-	-	2	3	3	11	16	24	19	12	9	3	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	26	-	-	-	-	-	-	-	-	-	1	3	2	1	4	3	4	3	2	3	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	3	2	-	4	2	4	3	1	2	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	30	-	-	-	-	-	-	-	-	-	1	3	-	8	5	1	5	3	1	-	1	2	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	1	3	-	7	4	1	5	3	1	-	1	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	985	1	-	1	-	-	1	1	-	1	4	4	7	13	25	48	60	87	127	187	174	147	73	21	3	-	-
	White—M	466	-	-	-	-	-	1	1	-	1	1	2	4	9	9	22	29	38	59	87	76	77	35	14	1	-	-
	F	500	1	-	1	-	-	-	-	-	-	3	2	3	3	15	24	27	48	65	97	97	68	37	7	2	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	1	1	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	137	6	-	2	-	4	7	4	8	9	1	7	4	12	6	11	8	12	7	15	6	6	1	-	1	-	-
	White—M	67	5	-	-	-	1	6	-	3	6	-	5	2	5	3	5	5	4	4	7	2	3	1	-	-	-	-
	F	66	1	-	2	-	3	1	4	5	3	1	2	2	7	2	5	2	8	3	7	4	3	-	-	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	54	13	1	1	1	-	6	2	5	-	3	1	2	2	2	3	1	1	1	3	2	4	-	-	-	-	-
	White—M	33	10	-	-	1	-	4	-	2	-	3	-	-	1	1	2	1	1	-	3	2	2	-	-	-	-	-
	F	19	3	1	1	-	-	2	2	3	-	-	1	2	-	1	1	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	282	-	-	-	-	1	4	12	11	11	8	13	12	9	21	19	32	26	21	28	22	22	7	3	-	-	-
	White—M	153	-	-	-	-	-	2	6	7	7	5	8	5	6	12	8	20	10	13	15	11	11	6	1	-	-	-
	F	127	-	-	-	-	1	2	6	4	4	3	5	7	3	9	11	11	15	8	13	11	11	1	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	888	-	-	-	-	-	1	-	-	-	2	6	3	19	33	67	109	118	149	145	135	65	32	2	1	1	-
	White—M	623	-	-	-	-	-	1	-	-	-	1	3	2	17	27	58	77	86	103	101	85	40	19	1	1	1	-
	F	249	-	-	-	-	-	-	-	-	-	1	3	1	1	6	7	28	30	42	44	49	24	12	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	-	1	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,942	3	2	-	-	1	6	5	11	9	13	12	19	24	49	71	120	179	264	320	325	291	154	56	6	1	1
	White—M	1,139	2	1	-	-	1	3	1	4	7	8	2	13	11	26	43	81	121	162	199	177	164	80	28	3	1	1
	F	761	1	-	-	-	-	3	4	6	2	5	10	5	12	22	26	33	54	97	113	143	123	74	26	2	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	1	3	5	3	2	-	1	1	-	-
	F	17	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	3	2	2	-	1	-	-	-
107-109	Pneumonia (all forms)	769	204	24	10	11	-	5	4	11	7	8	6	23	13	30	27	37	55	57	65	64	62	28	15	3	-	-
	White—M	429	109	13	2	6	-	1	2	7	2	5	2	11	8	21	20	18	37	38	40	32	40	9	6	-	-	-
	F	321	93	11	8	5	-	3	2	4	4	3	3	9	3	9	7	19	16	19	23	31	20	19	7	3	-	-
	Nonwhite—M	15	2	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	2	-	2	1	1	-	1	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
117	Ulcer of stomach or duodenum	105	-	-	-	-	-	-	-	-	-	-	4	4	4	10	10	19	17	9	12	8	7	1	-	-	-	-
	White—M	79	-	-	-	-	-	-	-	-	-	-	3	4	4	8	8	13	16	3	9	6	4	1	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	5	1	6	2	2	3	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Contd.																											
119,120	Diarrhea, enteritis, etc.*	207	142	23	8	3	-	2	-	-	1	1	3	2	1	-	4	2	1	4	3	4	4	-	1	-	-	-
	White—M	105	70	13	2	3	-	2	-	-	-	-	1	2	-	-	3	1	1	2	2	1	2	-	-	-	-	-
	F	96	66	10	4	-	-	-	-	-	1	1	2	-	1	-	1	1	-	2	1	3	2	-	1	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	101	-	-	2	1	2	4	8	13	6	4	7	9	3	4	5	13	5	4	4	5	2	-	-	-	-	-
	White—M	60	-	-	-	1	1	3	5	4	3	2	4	7	1	3	3	8	3	2	4	4	2	-	-	-	-	-
	F	40	-	-	2	-	1	1	3	9	3	2	2	2	2	1	2	5	2	2	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	130	9	-	2	-	1	-	3	1	3	4	4	4	3	10	8	11	13	10	14	11	11	7	1	-	-	-
	White—M	69	6	-	1	-	1	-	3	1	-	1	2	1	-	4	5	5	9	7	3	8	7	4	1	-	-	-
	F	56	3	-	-	-	-	-	-	-	3	3	2	3	3	3	2	6	4	3	11	3	4	3	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	93	-	-	-	-	-	-	1	-	-	1	5	4	6	5	8	9	9	14	16	11	3	1	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	-	-	-	1	4	4	5	4	2	6	8	11	6	1	1	-	-	-	-
	F	38	-	-	-	-	-	-	1	-	-	1	4	-	2	-	3	7	3	5	5	5	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	98	-	-	-	-	-	-	-	-	-	-	2	6	3	9	10	8	13	10	15	12	5	5	-	-	-	-
	White—M	55	-	-	-	-	-	-	-	-	-	-	-	3	-	4	2	6	4	4	5	4	1	2	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	2	3	3	5	8	2	9	5	9	8	4	3	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	917	2	2	-	-	1	2	5	5	10	7	9	10	10	24	46	59	83	115	131	162	142	74	16	2	-	-
	White—M	491	1	1	-	-	1	-	-	4	6	3	4	8	8	12	22	35	48	54	67	88	85	36	7	1	-	-
	F	411	1	1	-	-	-	2	5	1	4	4	5	2	2	10	24	24	33	55	61	74	57	37	9	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	-	-	-	-	1	-	-
157	Diseases of the prostate	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	19	14	24	16	9	2	-	-	-
	White—M	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	19	14	24	16	9	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	18	-	-	-	-	-	-	-	3	3	2	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	3	3	2	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	15	-	-	-	-	-	-	-	1	4	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	1	4	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	13	-	-	-	-	-	-	-	-	2	6	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	-	2	5	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	159	122	5	-	-	-	3	1	3	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	98	87	4	-	-	-	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	33	1	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	315	315	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	174	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	214	-	-	-	-	-	-	-	4	11	12	18	22	20	15	23	26	23	13	13	7	5	1	1	-	-	-
	White—M	158	-	-	-	-	-	-	-	1	8	4	10	17	18	10	15	23	17	10	13	7	3	1	1	-	-	-
	F	53	-	-	-	-	-	-	-	3	3	8	8	5	2	4	8	3	5	3	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	40	1	-	-	-	-	-	-	5	2	4	5	7	4	6	2	-	1	-	1	-	2	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	3	1	3	3	6	-	3	2	-	1	-	-	-	1	-	-	-	-	-
	F	15	1	-	-	-	-	-	-	2	-	-	2	1	4	3	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	276	1	4	2	4	5	9	7	37	29	18	23	16	13	22	14	11	27	13	7	7	4	3	-	-	-	-
	White—M	208	1	1	1	3	2	7	3	24	26	14	14	13	13	18	12	10	19	8	7	7	2	3	-	-	-	-
	F	57	-	3	1	-	3	1	3	10	2	4	9	3	-	4	2	1	6	3	-	-	2	-	-	-	-	-
	Nonwhite—M	7	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	759	22	18	11	12	4	20	28	33	49	36	33	30	46	36	38	35	36	38	50	57	55	48	1	3	-	-
	White—M	516	15	10	4	9	1	14	22	27	45	35	27	27	38	30	36	29	28	20	31	28	22	17	1	2	-	-
	F	217	7	8	6	3	3	6	6	6	4	1	6	3	7	6	2	5	7	18	19	29	33	31	-	1	-	-
	Nonwhite—M	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,386	264	12	13	4	3	13	12	15	21	28	24	26	31	46	64	72	78	89	91	136	172	108	52	9	2	1
	White—M	703	143	8	9	3	2	7	6	7	6	12	12	7	16	25	36	37	45	47	47	75	88	45	15	4	-	1
	F	628	112	3	3	1	1	6	5	8	15	14	12	17	14	20	25	29	29	39	38	59	79	60	32	5	2	-
	Nonwhite—M	28	5	1	-	-	-	-	1	-	-	2	-	1	1	-	1	2	1	2	2	1	4	2	2	-	-	-
	F	27	4	-	1	-	-	-	-	-	-	-	-	1	-	1	2	4	3	1	4	1	1	1	3	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																											
	All causes	18,456	1,088	70	40	35	29	95	95	155	251	250	329	404	594	999	1,304	1,583	1,854	2,262	2,333	2,056	1,488	758	302	59	9	14
	White—M	9,758	581	32	17	20	13	52	53	100	134	136	189	209	317	572	767	975	1,057	1,242	1,131	1,017	704	294	111	22	3	10
	F	8,201	462	34	21	13	12	37	35	50	94	97	120	161	240	386	491	570	760	983	1,161	1,015	771	454	188	36	6	4
	Nonwhite—M	265	29	4	1	1	2	4	3	1	7	8	12	21	21	24	22	23	17	16	25	16	6	1	1	-	-	-
	F	232	16	-	1	1	2	2	4	4	16	9	8	13	16	17	24	15	20	21	16	8	7	9	2	1	-	-
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	1	1	1	1	-	-	-	2	2	-	-	2	-	1	-	3	-	-	-	1	-	-	-	-	-	-
	White—M	11	-	1	1	-	-	-	-	1	2	-	-	1	-	1	-	3	-	-	-	1	-	-	-	-	-	-
	F	4	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	571	5	-	-	-	1	3	6	23	46	49	42	44	44	52	66	49	53	42	27	12	4	1	1	-	-	1
	White—M	346	1	-	-	-	1	2	3	7	12	26	22	27	27	34	52	37	37	29	18	6	3	1	-	-	-	1
	F	171	3	-	-	-	-	-	2	13	22	21	14	10	12	15	10	9	15	11	7	5	1	-	1	-	-	-
	Nonwhite—M	26	1	-	-	-	-	-	-	-	3	2	5	5	1	2	2	2	-	2	1	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	1	1	3	9	-	1	2	4	1	2	1	1	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	62	4	3	2	2	1	2	2	1	2	5	2	8	2	4	4	4	3	6	3	1	1	-	-	-	-	-
	White—M	33	3	1	-	1	-	1	1	1	-	2	2	4	-	2	4	3	3	2	2	1	-	-	-	-	-	-
	F	14	-	-	2	1	1	-	-	-	-	2	-	-	1	1	-	1	-	4	1	-	-	-	-	-	-	-
	Nonwhite—M	9	-	2	-	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	1	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	150	-	-	-	-	-	1	1	-	7	3	4	5	9	14	21	28	26	12	8	8	2	1	-	-	-	-
	White—M	85	-	-	-	-	-	-	1	-	1	1	2	2	4	7	12	22	16	5	5	6	1	-	-	-	-	-
	F	39	-	-	-	-	-	1	-	-	4	-	-	-	2	3	6	5	9	4	2	1	1	1	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	1	1	1	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	2	2	1	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-
33	Influenza	44	4	1	-	-	1	2	1	2	3	-	1	3	1	1	4	5	2	3	4	4	2	-	-	-	-	-
	White—M	21	-	1	-	-	-	1	-	2	2	-	1	1	-	1	2	3	1	1	3	1	1	-	-	-	-	-
	F	19	3	-	-	-	1	1	1	-	1	-	-	1	-	-	1	2	1	2	1	3	1	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,290	-	-	-	-	-	-	-	-	1	2	8	14	26	75	122	144	171	235	205	137	110	30	7	1	-	2
	White—M	698	-	-	-	-	-	-	-	-	-	1	6	7	17	42	71	85	100	127	111	66	51	10	2	1	-	1
	F	572	-	-	-	-	-	-	-	-	1	1	2	7	8	32	47	57	67	102	93	71	59	20	4	-	-	1
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	4	1	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	299	-	-	-	-	-	-	-	-	2	7	4	11	22	30	38	38	38	37	32	22	6	8	4	-	-	-
	White—F	292	-	-	-	-	-	-	-	-	2	6	4	10	22	29	38	36	37	36	32	22	6	8	4	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
50	Cancer of breast	314	-	-	-	-	-	-	-	-	1	-	7	9	22	30	29	32	36	41	52	27	9	15	3	1	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-	-	-
	F	302	-	-	-	-	-	-	-	-	1	-	7	9	21	30	28	29	35	40	52	25	7	15	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	824	-	-	1	3	1	5	2	8	7	9	10	16	20	59	70	90	105	119	107	98	53	30	9	2	-	-
	White—M	581	-	-	-	1	-	2	-	7	5	6	7	8	8	32	51	67	69	100	77	72	38	25	5	1	-	-
	F	234	-	-	1	2	1	3	2	1	2	3	3	7	12	25	19	23	33	18	29	26	14	5	4	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	24	-	-	-	1	-	4	5	2	3	1	2	2	2	1	-	-	-	1	-	-	-	-	-	-		-
	White—M	11	-	-	-	-	-	1	4	1	1	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-		-
	F	12	-	-	-	1	-	3	1	1	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	587	-	-	-	-	-	-	1	-	1	3	3	3	7	22	30	62	87	120	115	78	39	13	3	-	-	-
	White—M	198	-	-	-	-	-	-	-	-	1	2	2	3	3	8	9	18	27	40	39	30	13	2	1	-	-	-
	F	377	-	-	-	-	-	-	1	-	-	1	1	-	3	13	19	44	57	79	74	47	25	11	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	25	-	-	-	-	-	-	-	-	-	2	1	1	2	3	3	3	5	1	1	2	-	-	1	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	3	4	1	1	2	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	66	-	-	-	-	-	-	-	-	-	1	6	4	17	14	11	6	3	2	2	-	-	-	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	-	-	1	4	4	14	12	10	6	3	2	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,581	2	-	1	1	-	-	3	3	3	1	6	13	32	67	108	129	178	226	237	227	200	89	49	5	1	-
	White—M	708	1	-	-	1	-	-	1	1	-	-	2	6	11	26	50	65	94	116	100	102	86	25	19	2	-	-
	F	836	1	-	1	-	-	-	2	2	3	1	4	6	20	33	51	63	80	105	135	121	112	62	30	3	1	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	-	-	2	1	4	1	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	4	3	1	-	1	2	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	170	15	7	4	1	2	5	5	6	8	6	10	10	10	7	9	15	14	12	5	7	9	1	2	-	-	-
	White—M	84	5	2	1	-	-	4	3	5	5	2	5	4	5	3	6	8	9	8	1	3	4	-	1	-	-	-
	F	78	9	5	3	-	1	-	1	1	3	4	5	5	3	4	3	7	5	4	4	4	5	1	1	-	-	-
	Nonwhite—M	5	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	46	4	3	1	1	2	4	2	2	5	1	3	1	2	3	3	2	1	3	2	-	-	1	-	-	-	-
	White—M	26	2	1	-	1	2	1	-	2	3	1	2	1	2	2	2	2	-	1	1	-	-	-	-	-	-	-
	F	20	2	2	1	-	-	3	2	-	2	-	1	-	-	1	1	-	1	2	1	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	352	-	-	-	-	-	3	7	10	15	22	21	27	24	42	31	20	33	35	32	15	12	2	1	-	-	-
	White—M	186	-	-	-	-	-	2	4	6	6	15	15	10	11	29	15	17	12	16	14	9	5	-	-	-	-	-
	F	161	-	-	-	-	-	1	3	4	8	7	5	17	12	13	16	3	20	19	17	6	7	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,999	-	-	-	-	-	-	-	1	-	4	11	31	64	139	192	258	275	311	304	220	115	60	11	3	-	-
	White—M	1,371	-	-	-	-	-	-	-	1	-	4	9	25	56	111	150	210	201	209	179	124	60	24	6	2	-	-
	F	602	-	-	-	-	-	-	-	-	-	-	1	6	6	26	38	44	71	101	119	95	54	35	5	1	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	4	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	1	2	-	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,877	1	-	-	-	1	-	1	9	10	11	15	22	60	123	207	275	400	541	641	656	500	273	106	18	5	2
	White—M	1,926	1	-	-	-	1	-	1	4	5	7	10	12	30	67	121	153	224	282	295	308	236	112	47	6	2	2
	F	1,880	-	-	-	-	-	-	-	5	5	4	5	8	25	51	75	114	164	251	338	342	261	158	59	12	3	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	5	7	2	5	4	1	1	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	3	5	6	3	2	2	2	-	-	-	-
107-109	Pneumonia (all forms)	597	73	9	4	1	1	3	5	5	7	7	15	17	26	28	36	49	57	44	61	59	45	28	11	5	-	1
	White—M	325	39	2	1	-	-	1	3	5	4	4	8	9	13	19	27	28	40	25	28	27	28	9	2	2	-	1
	F	248	27	6	3	1	-	2	2	-	2	2	5	7	11	7	8	17	17	19	32	32	17	19	9	3	-	-
	Nonwhite—M	15	6	1	-	-	-	-	-	-	-	-	-	1	2	2	-	2	-	-	1	-	-	-	-	-	-	-
	F	9	1	-	-	-	1	-	-	-	1	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	143	1	-	-	-	-	-	-	-	1	2	4	7	14	20	17	18	10	16	16	8	5	4	-	-	-	-
	White—M	114	1	-	-	-	-	-	-	-	1	1	4	3	9	16	14	15	10	13	14	8	3	2	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	-	2	5	2	3	2	-	3	2	-	2	2	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																											
119,120	Diarrhea, enteritis, etc.*	68	45	2	-	-	1	1	-	2	1	-	-	2	2	-	2	2	2	1	1	3	1	-	-	-	-	-
	White—M	42	27	1	-	-	-	1	-	1	-	-	-	1	1	-	2	2	1	-	1	3	1	-	-	-	-	-
	F	24	17	1	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	89	2	1	1	2	-	5	2	6	9	2	4	4	7	3	3	7	6	7	9	7	2	-	-	-	-	-
	White—M	51	1	-	1	-	-	2	1	4	7	1	4	3	2	-	2	4	4	6	4	4	1	-	-	-	-	-
	F	35	1	1	-	1	-	3	1	2	1	1	-	1	4	3	1	3	2	1	5	3	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	134	5	2	-	-	-	-	1	-	2	3	-	6	6	8	9	5	18	22	17	13	8	4	5	-	-	-
	White—M	61	4	2	-	-	-	-	1	-	2	1	-	5	1	4	2	1	10	7	5	5	6	2	3	-	-	-
	F	71	1	-	-	-	-	-	-	-	-	1	-	1	4	4	7	4	8	15	12	8	2	2	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	225	-	1	-	-	-	-	-	-	-	5	8	13	18	28	29	38	26	23	20	13	4	-	-	-	-	1
	White—M	136	-	1	-	-	-	-	-	-	-	1	4	8	12	17	16	25	17	15	13	5	2	-	-	-	-	-
	F	89	-	-	-	-	-	-	-	-	-	4	2	5	6	11	13	13	9	8	7	8	2	-	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	109	-	-	-	-	-	-	-	-	2	-	-	2	3	7	9	13	17	16	15	16	8	1	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	5	4	8	8	6	6	-	-	-	-	-
	F	65	-	-	-	-	-	-	-	-	2	-	-	1	2	3	9	8	13	7	7	10	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,190	1	1	-	-	1	2	3	3	9	9	15	17	33	61	72	89	106	168	180	174	157	58	21	8	1	1
	White—M	615	-	1	-	-	-	2	2	1	2	7	9	5	21	30	40	54	60	89	87	94	76	24	6	5	-	-
	F	538	1	-	-	-	1	-	1	2	6	2	5	8	10	29	31	30	45	77	84	76	78	32	15	3	1	1
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	4	2	1	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	1	-	1	4	2	1	1	1	-	1	5	2	2	2	-	-	-	-
137	Diseases of the prostate	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	17	14	17	12	10	2	1	-	-
	White—M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	17	13	16	12	10	2	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	24	-	-	-	-	-	-	-	1	7	5	7	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	1	7	5	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	11	-	-	-	-	-	-	-	1	3	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	1	3	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	32	-	-	-	-	-	-	-	-	5	6	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	30	-	-	-	-	-	-	-	-	5	4	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	267	224	12	4	5	2	2	6	3	3	1	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	136	113	3	2	3	2	1	4	1	3	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	125	107	8	2	2	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	356	356	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	188	188	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	233	-	-	-	-	-	-	-	9	11	9	22	15	24	31	26	32	22	9	9	6	6	2	-	-	-	-
	White—M	166	-	-	-	-	-	-	-	7	10	5	13	9	13	26	15	24	17	9	7	4	5	2	-	-	-	-
	F	66	-	-	-	-	-	-	-	1	1	4	9	6	11	5	11	8	5	-	2	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	44	1	-	-	-	-	2	2	1	3	3	4	5	5	4	3	4	1	3	1	-	-	2	-	-	-	-
	White—M	26	1	-	-	-	-	-	°1	1	2	-	2	3	4	4	1	3	1	2	-	-	-	1	-	-	-	-
	F	11	-	-	-	-	-	2	-	-	1	2	1	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents	291	-	1	2	4	2	16	6	22	26	19	17	15	11	25	21	23	23	18	19	12	4	2	1	-	-	2
	White—M	223	-	-	1	4	1	9	4	17	24	13	14	9	9	20	15	20	15	16	13	11	4	1	1	-	-	2
	F	56	-	1	-	-	1	6	2	4	1	5	2	5	1	5	3	3	8	2	5	1	-	1	-	-	-	-
	Nonwhite—M	11	-	-	1	-	-	1	-	1	1	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	781	21	16	11	7	4	23	18	26	28	27	24	26	31	31	57	49	41	60	81	76	59	41	17	4	-	3
	White—M	467	12	9	6	5	3	16	12	22	26	22	21	20	25	25	38	38	29	32	36	32	12	19	3	1	-	3
	F	289	8	7	5	2	1	6	5	4	1	4	2	4	3	5	17	8	10	27	42	43	47	22	13	3	-	-
	Nonwhite—M	21	1	-	-	-	-	1	1	-	1	1	1	2	3	1	2	3	1	1	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
	All other causes*	1,464	315	8	8	6	7	10	15	7	18	23	36	39	40	65	69	89	93	109	113	135	115	82	48	11	2	1
	White—M	724	180	5	4	4	2	5	6	3	10	11	17	16	17	28	36	54	49	62	58	71	48	25	13	1	1	-
	F	702	130	3	3	2	4	4	7	4	7	9	18	21	23	32	32	33	43	42	57	61	66	55	34	10	1	1
	Nonwhite—M	20	5	-	-	-	1	1	1	-	1	1	-	1	-	2	1	2	-	1	-	3	-	-	-	-	-	-
	F	18	-	-	1	-	-	-	1	-	-	2	1	1	-	3	-	-	1	4	-	-	1	2	1	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	All causes	3,331	266	17	3	6	9	18	21	38	49	65	82	106	123	151	225	243	307	365	370	342	293	152	47	15	5	13
	White—M	1,483	98	6	1	2	1	9	10	15	22	20	34	45	56	75	100	124	158	166	158	174	121	63	16	3	1	5
	F	1,214	76	3	-	3	6	5	4	7	7	20	19	21	35	41	71	75	103	147	166	141	148	77	25	11	1	2
	Nonwhite—M	367	55	4	1	1	1	1	3	11	9	13	21	20	23	23	27	26	27	30	23	18	14	8	2	-	1	5
	F	267	37	4	1	-	1	3	4	5	11	12	8	20	9	12	27	18	19	22	23	9	10	4	4	1	-	1
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	134	-	-	-	-	-	2	2	9	10	13	10	15	12	12	13	9	11	4	2	6	4	-	-	-	-	-
	White—M	52	-	-	-	-	-	-	-	2	1	2	3	8	8	7	6	2	3	2	2	5	1	-	-	-	-	-
	F	28	-	-	-	-	-	1	-	1	1	6	3	1	2	3	-	-	5	1	-	1	3	-	-	-	-	-
	Nonwhite—M	36	-	-	-	-	-	-	1	5	5	3	4	4	2	-	6	5	1	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	1	1	1	3	2	-	2	-	2	1	2	2	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	12	-	1	2	-	-	-	-	-	1	1	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	45	2	-	-	-	-	-	-	-	1	3	5	1	7	5	2	7	4	4	1	-	1	-	-	-	-	2
	White—M	14	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	4	1	1	1	-	-	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
	Nonwhite—M	19	2	-	-	-	-	-	-	-	-	1	3	1	3	3	1	1	1	1	-	-	1	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	26	3	1	-	-	-	1	1	-	1	2	3	1	1	2	-	-	1	3	-	-	2	4	-	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	1	2	-	-	-	-
	F	11	-	-	-	-	-	1	1	-	1	-	1	1	-	1	-	-	1	1	-	-	1	2	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	164	-	1	-	-	-	-	-	-	-	-	-	1	3	4	18	18	28	27	29	18	14	3	-	-	-	-
	White—M	75	-	1	-	-	-	-	-	-	-	-	-	-	1	2	7	7	14	17	7	11	7	1	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	6	12	9	18	7	6	1	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	2	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	1	-	-	-	-
48,49	Cancer of female genital organs	50	-	-	-	-	-	-	-	-	-	2	1	2	4	8	9	5	6	4	6	-	1	2	-	-	-	-
	White—F	41	-	-	-	-	-	-	-	-	-	1	1	2	3	5	7	4	5	4	6	-	1	2	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
50	Cancer of breast	30	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	5	4	1	8	4	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	4	1	7	4	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	97	-	-	-	1	1	-	-	1	-	1	4	-	-	5	12	10	11	20	12	13	4	-	1	1	-	-
	White—M	57	-	-	-	-	-	-	-	1	-	1	3	-	-	3	7	6	9	10	7	6	4	-	-	-	-	-
	F	26	-	-	-	1	1	-	-	-	-	-	-	-	-	2	3	2	-	6	4	5	-	-	1	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	1	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	91	1	-	-	-	-	-	-	-	1	2	-	-	2	2	10	12	15	18	14	9	4	1	-	-	-	-
	White—M	33	1	-	-	-	-	-	-	-	-	1	-	-	1	-	4	3	7	5	6	4	1	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	6	12	6	5	3	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	2	-	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	292	-	-	-	-	1	-	-	-	-	2	1	6	7	17	19	28	32	44	46	39	31	15	2	1	1	-
	White—M	117	-	-	-	-	-	-	-	-	-	1	-	1	2	4	7	10	15	16	23	17	12	8	-	-	1	-
	F	120	-	-	-	-	1	-	-	-	-	1	-	2	2	10	5	11	10	19	16	18	16	7	1	1	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	3	6	2	2	2	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	4	4	3	5	2	1	-	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	27	2	1	-	-	-	1	1	1	1	-	3	1	1	1	3	2	1	4	1	1	-	2	-	-	-	-
	White—M	10	1	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	2	-	-	-	1	-	-	-	-
	F	13	1	-	-	-	-	1	-	-	-	-	1	1	-	1	2	2	-	2	-	1	-	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	7	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-
	White—M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	45	-	-	-	-	-	1	1	1	1	2	5	1	4	1	3	4	4	3	4	4	2	2	2	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	1	2	1	-	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	1	1	1	3	-	2	-	1	3	1	1	1	3	2	1	2	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	285	-	-	-	-	-	-	-	-	-	2	2	5	7	20	24	39	34	45	44	33	22	4	4	-	-	-
	White—M	182	-	-	-	-	-	-	-	-	-	1	1	3	5	14	15	28	26	22	24	20	16	4	3	-	-	-
	F	82	-	-	-	-	-	-	-	-	-	1	1	1	2	3	5	8	6	19	18	12	5	-	1	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-	2	1	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	669	-	1	-	-	1	-	1	-	2	6	9	7	8	20	34	40	66	70	100	111	110	58	15	7	1	2
	White—M	298	-	-	-	-	-	-	-	-	1	3	5	3	1	11	15	28	36	32	37	56	41	20	7	2	-	-
	F	280	-	1	-	-	1	-	-	-	-	1	3	1	5	5	11	8	21	27	50	48	57	31	5	4	-	1
	Nonwhite—M	45	-	-	-	-	-	-	-	-	1	1	1	2	2	1	3	1	7	4	5	3	6	5	2	-	1	-
	F	46	-	-	-	-	-	-	1	-	-	1	-	1	-	3	5	3	2	7	8	4	6	2	1	1	-	1
107-109	Pneumonia (all forms)	148	47	3	-	-	-	-	1	3	2	2	4	8	5	10	10	3	7	9	10	10	4	6	2	1	1	-
	White—M	66	13	1	-	-	-	-	1	-	1	-	2	3	4	7	8	-	2	6	5	6	3	3	1	-	-	-
	F	34	11	-	-	-	-	-	-	2	-	1	-	-	-	-	-	2	3	3	3	3	1	3	-	1	1	-
	Nonwhite—M	29	13	1	-	-	-	-	-	-	-	1	2	1	1	3	2	1	1	-	2	1	-	-	-	-	-	-
	F	19	10	1	-	-	-	-	-	1	1	-	-	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	20	-	-	-	-	-	-	-	-	-	1	1	2	2	2	4	1	3	3	1	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	-	2	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
119,120	Diarrhea, enteritis, etc.*	48	38	3	-	-	1	-	-	1	-	-	-	-	2	-	-	-	1	-	-	1	-	1	-	-	-	-
	White—M	16	12	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	F	13	10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	11	1	-	-	-	-	1	1	-	1	-	1	1	3	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	26	3	-	-	-	-	-	-	-	-	2	-	2	1	3	2	2	-	5	3	2	-	1	-	-	-	-
	White—M	12	2	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	2	1	2	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	2	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	25	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	5	2	4	1	1	2	-	-	-	-	1
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	3	1	2	1	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	2	-	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	18	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	1	1	3	1	1	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	1	3	-	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	350	-	-	-	-	-	-	-	2	1	-	1	7	11	8	21	19	42	44	48	55	48	32	6	3	1	1
	White—M	149	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	11	24	19	21	30	16	14	1	-	-	-
	F	157	-	-	-	-	-	-	-	1	1	-	1	-	4	1	9	3	13	17	19	17	28	15	5	3	-	-
	Nonwhite—M	37	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	2	2	7	5	5	1	2	-	-	-	1
	F	27	-	-	-	-	-	-	-	1	-	-	-	3	2	-	3	3	3	1	3	3	3	1	-	-	1	-
137	Diseases of the prostate	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	4	5	2	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	3	2	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	4	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	52	30	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	10	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	28	-	-	-	-	-	-	1	-	2	2	-	4	3	2	2	2	2	3	1	1	-	1	-	-	-	-
	White—M	19	-	-	-	-	-	-	1	-	1	1	-	4	2	1	1	2	1	2	1	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-188	Homicide	16	-	-	-	-	-	-	-	-	1	3	2	2	2	1	1	-	-	1	1	-	-	-	-	-	-	2
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	65	-	-	-	-	3	3	1	4	8	5	6	11	3	3	9	3	-	3	2	-	1	-	-	-	-	-
	White—M	44	-	-	-	-	-	2	1	3	7	2	1	9	3	2	7	3	-	2	1	-	1	-	-	-	-	-
	F	11	-	-	-	-	1	1	-	1	-	3	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	1	-	-	-	1	-	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	182	9	1	1	2	1	6	7	12	9	6	10	6	15	4	6	9	10	14	12	8	19	4	7	1	-	3
	White—M	98	3	-	1	1	-	5	5	8	7	3	9	5	10	1	4	4	6	7	4	2	5	-	3	1	-	2
	F	54	3	-	-	1	1	1	1	-	1	-	-	-	1	1	-	3	3	4	7	5	14	4	4	-	-	-
	Nonwhite—M	26	2	1	-	-	-	-	1	4	1	2	-	1	4	2	2	2	-	1	1	1	-	-	-	-	-	1
	F	6	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	All other causes*	262	48	2	-	1	1	-	2	2	5	6	10	12	14	12	12	15	19	20	20	20	17	12	8	1	1	2
	White—M	117	19	1	-	-	-	-	1	3	-	-	5	3	7	6	5	11	9	9	13	8	10	4	1	-	-	2
	F	86	13	-	-	-	1	-	2	-	-	3	1	3	5	2	4	2	5	7	6	10	7	8	6	1	-	-
	Nonwhite—M	34	10	-	-	1	-	-	-	1	1	1	1	4	1	4	2	1	3	2	-	2	-	-	-	-	-	-
	F	25	6	1	-	-	-	-	-	-	1	2	3	2	1	-	1	1	2	2	1	-	-	-	1	-	1	-

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 16

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	All causes	8,417	771	38	17	13	10	46	44	96	183	242	292	380	468	591	656	685	782	828	769	639	509	244	79	21	6	8
	White—M	2,934	234	6	3	2	3	14	7	18	47	57	66	101	133	211	272	270	316	336	316	248	170	74	21	3	1	5
	F	2,354	162	8	1	4	1	8	5	10	29	36	52	62	78	121	131	184	211	273	284	265	254	123	39	11	2	-
	Nonwhite—M	1,659	202	12	6	6	4	13	18	27	50	73	107	117	137	155	141	123	149	106	90	58	36	21	3	2	1	2
	F	1,470	173	12	7	1	2	11	14	41	57	76	67	100	120	104	112	108	106	113	79	68	49	26	16	5	2	1
1,2	Typhoid, paratyphoid fever	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	-	-	1	-	-	1	1	-	-	-	1	-	1	1	3	-	1	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	17	10	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	497	1	3	-	-	-	1	6	25	53	61	56	64	57	41	34	30	29	19	12	4	1	-	-	-	-	-
	White—M	114	1	-	-	-	-	-	-	-	4	7	5	13	14	13	10	20	9	8	8	1	1	-	-	-	-	-
	F	48	-	1	-	-	-	-	-	-	3	1	6	7	5	5	7	1	4	6	1	1	-	-	-	-	-	-
	Nonwhite—M	201	-	2	-	-	-	-	1	9	20	22	33	27	27	18	13	6	16	4	1	2	-	-	-	-	-	-
	F	134	-	-	-	-	-	1	5	16	26	31	12	17	11	5	4	3	-	1	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	54	1	2	-	-	-	2	4	6	4	5	7	2	2	4	5	-	-	4	3	2	-	1	-	-	-	-
	White—M	9	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	2	3	3	1	4	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	19	1	-	-	-	-	-	1	3	3	1	2	-	1	2	3	-	-	1	1	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	152	7	-	-	-	-	-	-	1	-	2	7	15	20	19	16	19	19	12	7	3	2	2	1	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	1	3	4	5	5	4	10	3	3	2	1	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	1	-	-	-	-
	Nonwhite—M	69	2	-	-	-	-	-	-	1	-	-	3	7	11	8	9	12	6	5	3	1	-	-	1	-	-	-
	F	32	5	-	-	-	-	-	-	-	-	2	3	5	5	6	2	1	-	2	-	-	1	-	-	-	-	-
33	Influenza	18	2	-	1	-	-	-	-	-	-	2	-	-	2	3	2	-	-	1	-	4	-	-	1	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	2	-	-	1	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	440	-	-	-	-	-	-	1	-	-	1	2	9	24	28	43	43	67	73	65	41	37	5	1	-	-	-
	White—M	163	-	-	-	-	-	-	-	-	-	-	-	-	9	10	15	18	21	31	31	14	13	1	-	-	-	-
	F	167	-	-	-	-	-	-	-	-	-	-	1	5	4	6	16	10	29	27	22	21	22	3	1	-	-	-
	Nonwhite—M	66	-	-	-	-	-	-	-	-	-	-	-	3	6	8	9	11	10	7	7	3	1	1	-	-	-	-
	F	44	-	-	-	-	-	-	1	-	-	1	1	1	5	4	3	4	7	8	5	3	1	-	-	-	-	-
48,49	Cancer of female genital organs	138	-	-	-	-	-	-	-	1	-	3	6	14	13	15	23	24	12	14	7	2	4	-	-	-	-	-
	White—F	93	-	-	-	-	-	-	-	-	-	-	3	9	7	12	18	14	10	9	6	1	4	-	-	-	-	-
	Nonwhite—F	45	-	-	-	-	-	-	-	1	-	3	3	5	6	3	5	10	2	5	1	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
50	Cancer of breast	123	-	-	-	-	-	-	-	-	-	-	1	4	7	11	18	16	16	14	13	11	10	2	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	88	-	-	-	-	-	-	-	-	-	-	1	1	4	6	11	13	12	13	11	8	7	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	-	3	3	5	7	3	3	1	2	3	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	337	1	-	1	-	-	-	2	2	1	2	7	11	13	28	31	39	43	55	43	29	20	7	2	-	-	-
	White—M	178	-	-	-	-	-	-	1	1	-	1	4	5	5	9	18	24	22	30	26	14	13	3	2	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	1	2	2	10	4	4	9	12	10	10	6	2	-	-	-	-
	Nonwhite—M	57	-	-	-	-	-	-	1	-	1	1	1	1	2	5	7	7	8	9	6	5	1	2	-	-	-	-
	F	30	1	-	1	-	-	-	-	1	-	-	1	3	4	4	2	4	4	4	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	1	2	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	223	-	-	-	-	-	-	-	-	1	-	2	2	7	12	22	27	29	47	37	22	12	3	-	-	-	-
	White—M	67	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	6	9	15	14	8	4	1	-	-	-	-
	F	93	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	12	13	21	18	12	6	1	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	2	3	1	-	1	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	1	2	4	3	11	7	5	8	4	2	1	1	-	-	-	-
65b	Exophthalmic goiter	17	-	-	-	-	-	-	-	-	-	-	3	2	1	3	-	-	1	4	1	-	2	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	4	1	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	-	-	2	3	7	5	5	4	1	1	-	-	1	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	2	3	1	3	3	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	1	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	551	1	-	-	1	-	-	-	-	3	2	9	11	19	29	39	44	69	70	79	69	53	23	8	2	-	-
	White—M	159	1	-	-	-	-	-	-	-	3	1	3	3	5	7	12	14	25	15	26	20	13	8	3	-	-	-
	F	183	-	-	-	-	-	-	-	-	-	1	1	2	3	7	8	13	13	30	29	31	29	10	5	1	-	-
	Nonwhite—M	85	-	-	-	1	-	-	-	-	-	-	5	2	3	8	6	9	14	10	12	8	4	2	-	1	-	-
	F	104	-	-	-	-	-	-	-	-	-	-	-	4	8	7	13	8	17	15	12	10	7	3	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	79	8	1	-	1	-	2	3	1	5	3	6	5	7	8	5	6	5	1	6	4	1	1	-	-	-	-
	White—M	17	1	-	-	-	-	1	1	1	1	-	-	-	-	-	1	4	1	-	4	2	-	-	-	-	-	-
	F	27	2	1	-	1	-	1	1	-	1	1	2	2	3	2	1	-	3	1	2	1	1	1	-	-	-	-
	Nonwhite—M	26	3	-	-	-	-	-	-	-	1	1	3	2	3	6	3	2	1	-	-	1	-	-	-	-	-	-
	F	9	2	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	28	2	-	-	1	-	1	1	-	3	4	2	-	-	3	1	2	2	1	-	1	2	1	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F	10	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-	-
	Nonwhite—M	6	-	-	-	1	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	2	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	134	-	-	-	1	-	3	3	4	3	6	5	10	12	11	9	13	10	14	10	12	3	4	1	-	-	-
	White—M	47	-	-	-	-	-	-	-	2	1	3	3	4	5	4	3	5	4	4	3	5	1	-	-	-	-	-
	F	45	-	-	-	-	-	-	-	-	1	2	2	3	2	3	3	4	5	6	5	4	1	3	1	-	-	-
	Nonwhite—M	15	-	-	-	-	-	1	1	1	-	1	-	-	4	1	-	-	-	3	1	2	-	-	-	-	-	-
	F	27	-	-	-	1	-	2	2	1	1	-	-	3	1	3	3	4	1	1	1	1	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	612	1	-	-	-	-	-	-	-	-	2	6	13	26	56	76	80	94	90	74	47	32	14	1	-	-	-
	White—M	366	-	-	-	-	-	-	-	-	-	1	3	3	17	35	57	51	62	59	36	24	13	5	-	-	-	-
	F	152	-	-	-	-	-	-	-	-	-	-	1	2	3	7	5	16	17	25	30	20	17	8	1	-	-	-
	Nonwhite—M	61	-	-	-	-	-	-	-	-	-	1	1	6	3	11	10	6	12	5	4	2	-	-	-	-	-	-
	F	33	1	-	-	-	-	-	-	-	-	-	1	2	3	3	4	7	3	1	4	1	2	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,467	3	2	-	-	-	-	4	3	12	13	26	48	61	94	130	127	167	175	191	159	149	70	24	6	3	-
	White—M	470	2	-	-	-	-	-	-	-	3	4	6	12	15	25	50	36	55	64	64	61	53	14	5	1	-	-
	F	437	-	-	-	-	-	-	2	-	4	1	4	5	8	12	19	35	47	47	78	59	65	36	12	2	1	-
	Nonwhite—M	271	1	2	-	-	-	-	1	-	1	2	11	18	15	35	32	28	31	29	27	15	14	8	-	1	-	-
	F	289	-	-	-	-	-	-	1	3	4	6	5	13	23	22	29	28	34	35	22	24	17	12	7	2	2	-
107-109	Pneumonia (all forms)	463	67	11	2	2	1	1	1	4	2	14	14	27	25	32	31	33	39	42	51	27	33	18	4	1	1	-
	White—M	159	11	1	1	2	1	-	-	1	-	7	1	10	6	12	11	13	15	19	15	11	10	9	1	1	1	-
	F	100	9	4	-	-	-	-	-	-	2	3	1	2	3	4	3	7	7	11	6	13	19	4	2	-	-	-
	Nonwhite—M	114	27	2	-	-	-	1	-	-	-	2	5	10	8	13	10	8	11	8	3	2	1	3	-	-	-	-
	F	90	20	4	1	-	-	-	1	3	-	2	7	5	8	3	7	5	6	4	7	1	3	2	1	-	-	-
117	Ulcer of stomach or duodenum	49	-	-	-	-	-	-	-	-	2	2	1	3	5	5	6	7	5	5	5	1	2	-	-	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	1	2	1	2	3	2	5	4	2	4	5	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	152	140	2	-	-	-	1	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	29	27	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	24	22	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	46	43	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	53	48	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	42	-	-	-	1	1	-	1	1	2	3	1	3	4	2	4	5	8	3	1	1	1	-	-	-	-	-
	White—M	17	-	-	-	-	1	-	-	-	1	2	-	2	-	1	2	2	6	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	1	-	1	1	1	1	2	-	1	1	2	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	74	2	2	1	-	-	1	-	1	1	1	7	4	6	9	6	7	3	7	4	7	2	3	-	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	1	5	4	4	-	1	-	-	-	-
	F	22	2	2	-	-	-	-	-	1	-	-	2	-	2	1	1	3	-	1	-	3	2	2	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	2	2	1	-	-	-	-	-	-	-	-
	F	18	-	-	1	-	-	1	-	-	1	-	3	3	2	2	4	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	112	1	-	-	-	-	1	-	-	1	2	7	7	12	15	23	11	6	10	11	4	-	1	-	-	-	-
	White—M	65	-	-	-	-	-	-	-	-	1	-	2	4	6	13	14	8	4	5	5	2	-	1	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	2	1	4	1	6	1	-	5	2	2	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	1	-	4	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	1	-	-	-	1	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	28	1	-	-	-	-	-	-	-	-	-	1	1	-	3	2	3	5	5	3	3	1	-	-	-	-	-
	White—M	12	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	2	1	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	1	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	724	-	-	-	-	1	-	-	2	8	15	22	28	33	58	46	52	73	92	89	83	62	43	12	4	1	-
	White—M	251	-	-	-	-	-	-	-	-	1	2	6	7	9	15	21	24	27	36	32	35	21	11	4	-	-	-
	F	215	-	-	-	-	-	-	-	2	3	4	2	1	3	8	5	11	13	28	56	33	30	28	5	3	-	-
	Nonwhite—M	128	-	-	-	-	1	-	-	-	2	4	5	11	12	15	15	8	20	11	10	6	5	1	1	-	1	-
	F	130	-	-	-	-	-	-	-	-	2	5	9	9	9	20	5	9	13	17	11	9	8	3	2	1	-	-
137	Diseases of the prostate	46	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	-	6	8	7	8	7	1	3	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	4	6	7	6	6	1	2	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	2	1	-	1	-	-	-
140, 142a, 145a,147	Puerperal septicemia	15	-	-	-	-	-	-	1	2	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	1	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	1	-	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	17	-	-	-	-	-	-	-	1	6	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	-	3	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	62	55	2	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	26	23	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	19	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	110	-	-	-	-	-	-	-	2	5	13	11	9	19	17	7	10	7	3	1	3	2	1	-	-	-	-
	White—M	61	-	-	-	-	-	-	-	1	2	8	5	6	11	11	2	7	3	1	1	2	1	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	1	1	2	2	8	5	5	3	3	2	-	1	1	1	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	1	2	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	83	1	-	-	-	-	-	-	3	12	20	13	10	6	3	8	2	2	1	1	1	-	-	-	-	-	-
	White—M	15	1	-	-	-	-	-	-	-	1	1	-	2	-	1	4	1	2	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	53	-	-	-	-	-	-	-	2	9	14	11	7	5	-	3	1	-	1	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	2	4	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	117	-	2	1	2	2	8	2	12	10	10	7	10	6	10	5	9	7	4	2	4	4	-	-	-	-	-
	White—M	46	-	-	-	-	-	1	1	3	7	3	3	2	1	5	2	4	6	3	1	3	3	-	-	-	-	-
	F	29	-	-	-	1	-	1	1	3	-	3	1	5	2	3	1	4	1	-	1	1	1	-	-	-	-	-
	Nonwhite—M	32	-	2	-	1	2	3	-	5	2	4	3	3	2	2	2	1	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	1	-	-	3	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	389	28	3	4	3	4	13	10	12	20	19	20	18	26	28	19	24	14	19	21	30	29	12	10	2	-	1
	White—M	172	11	-	1	-	1	6	4	6	15	11	12	9	11	18	9	11	9	11	8	10	4	4	1	-	-	-
	F	98	4	-	1	-	1	1	-	1	2	1	2	2	3	6	3	6	4	4	9	15	21	6	5	1	-	-
	Nonwhite—M	79	8	2	2	3	1	4	6	4	3	6	5	5	9	4	6	2	-	1	3	2	2	-	-	-	-	1
	F	40	5	1	-	-	1	2	-	1	-	1	1	2	3	-	1	5	1	3	1	3	2	2	4	1	-	-
	All other causes*	752	194	3	4	1	1	7	2	8	19	24	25	33	43	35	34	49	42	34	45	56	37	32	10	6	1	7
	White—M	245	75	1	1	-	-	3	-	2	5	3	6	8	9	9	16	11	15	14	18	19	9	12	3	1	-	5
	F	220	47	-	-	1	-	3	1	3	3	6	6	7	6	9	7	18	12	11	15	22	18	15	5	4	1	-
	Nonwhite—M	146	43	-	2	-	-	1	1	-	4	5	4	5	13	11	8	12	9	4	7	6	6	4	-	-	-	1
	F	141	29	2	1	-	1	-	-	3	7	10	9	13	15	6	3	8	6	5	5	9	4	1	2	1	-	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																											
	All causes	21,207	1,953	197	96	59	62	198	146	380	784	729	802	930	1,112	1,286	1,558	1,622	1,682	1,887	1,859	1,598	1,262	633	237	87	28	40
	White—M	8,464	641	51	30	20	20	67	57	121	364	251	212	265	319	402	585	662	812	896	892	745	628	291	93	18	4	18
	F	5,498	509	41	17	15	12	52	34	61	93	119	124	153	184	229	276	369	430	575	650	616	531	266	101	34	4	3
	Nonwhite—M	4,060	461	62	32	12	19	43	30	97	161	198	251	274	311	391	408	335	266	221	190	149	68	41	22	4	4	10
	F	3,185	342	45	17	12	11	36	25	101	166	161	215	238	298	264	289	256	174	195	127	88	35	35	21	11	16	9
1,2	Typhoid, paratyphoid fever	30	2	-	1	-	-	2	1	3	-	4	2	5	3	5	-	-	1	-	-	-	1	-	-	-	-	-
	White—M	18	-	-	1	-	-	1	-	3	-	2	1	4	2	3	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	2	-	2	-	-	1	2	2	2	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	1	-	-	-	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	48	30	11	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	8	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	29	3	6	8	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	2	3	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	828	5	2	-	1	1	2	4	48	82	86	106	80	83	86	60	49	37	37	30	35	11	3	-	-	-	-
	White—M	238	-	-	-	-	-	1	-	1	8	10	15	20	24	31	25	31	22	21	16	6	5	2	-	-	-	-
	F	111	2	-	-	-	-	-	1	3	12	9	7	9	9	9	6	5	7	9	9	7	6	1	-	-	-	-
	Nonwhite—M	248	1	1	-	1	1	1	1	19	25	31	34	25	31	34	19	10	4	5	4	1	-	-	-	-	-	-
	F	231	2	1	-	-	-	-	2	25	37	36	50	26	19	12	10	3	4	2	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	42	2	-	-	2	1	3	2	3	5	5	2	1	4	2	1	2	2	5	-	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	2	-	-	1	1	-	-	1	1	-	2	2	2	-	-	-	-	-	-	-	-
	F	7	1	-	-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	14	1	-	-	1	1	1	1	1	2	2	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	2	1	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	38	12	7	1	-	-	-	-	-	1	4	1	2	2	-	2	1	-	1	1	1	2	-	-	-	-	-
	White—M	8	2	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	2	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	9	4	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	14	4	3	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-
28	Malaria	50	1	-	-	-	1	2	-	2	3	3	6	4	1	5	3	4	7	4	1	2	1	-	-	-	-	-
	White—M	11	-	-	-	-	1	-	-	-	1	-	2	1	-	1	1	2	1	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	1	-	-	-	2	1	-	-	2	1	1	2	1	-	-	-	-	-	-	-	-
	F	20	1	-	-	-	-	1	-	2	2	-	1	3	1	2	1	1	3	1	1	-	-	-	-	-	-	-
30	Syphilis	385	18	1	-	-	1	-	1	7	16	18	30	37	40	44	43	45	30	21	15	12	3	3	-	-	-	-
	White—M	90	5	-	-	-	-	-	-	-	-	-	1	8	8	6	12	14	14	9	8	4	1	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	1	1	1	-	1	5	1	1	5	3	3	1	2	1	-	-	-	-	-
	Nonwhite—M	182	11	-	-	-	1	-	-	2	2	8	17	22	16	32	25	21	10	5	4	3	-	3	-	-	-	-
	F	87	2	1	-	-	-	-	1	4	13	9	12	6	11	5	5	5	3	4	2	3	1	-	-	-	-	-
33	Influenza	286	34	15	7	-	2	2	1	4	7	9	14	14	20	19	17	30	15	10	21	19	10	10	5	-	-	1
	White—M	50	7	4	3	-	1	-	-	-	-	2	2	-	2	2	1	7	3	2	6	2	4	1	1	-	-	-
	F	64	4	3	-	-	-	1	-	-	-	3	2	2	4	4	3	3	1	4	4	9	6	7	4	-	-	-
	Nonwhite—M	90	12	6	3	-	1	1	-	1	3	1	5	5	8	8	6	11	5	3	7	3	-	1	-	-	-	-
	F	82	11	2	1	-	-	-	1	3	4	3	5	7	6	5	7	9	6	1	4	5	-	1	-	-	-	1
35	Measles	57	20	9	4	3	4	5	4	2	-	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	16	6	3	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	5	-	-	1	2	3	3	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	10	5	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	4	4	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	694	-	-	-	-	1	-	-	1	1	1	9	10	17	50	76	74	107	108	108	68	45	11	7	-	-	-
	White—M	329	-	-	-	-	1	-	-	-	-	1	2	5	6	12	32	33	58	53	58	32	26	6	4	-	-	-
	F	251	-	-	-	-	-	-	-	1	-	-	1	4	7	15	16	20	41	45	44	31	18	5	3	-	-	-
	Nonwhite—M	72	-	-	-	-	-	-	-	-	1	-	2	-	3	15	18	14	5	5	4	4	1	-	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	-	4	1	1	8	10	7	3	5	2	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	320	-	-	-	-	-	-	-	1	2	9	14	19	40	36	39	43	36	29	22	11	13	5	1	-	-	-
	White—F	227	-	-	-	-	-	-	-	-	-	5	9	10	21	24	26	29	28	27	19	10	13	5	1	-	-	-
	Nonwhite—F	93	-	-	-	-	-	-	-	1	2	4	5	9	19	12	13	14	8	2	3	1	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Contd.																											
50	Cancer of breast	170	-	-	-	-	-	-	-	-	1	2	1	6	20	23	24	18	21	22	15	9	9	1	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F	142	-	-	-	-	-	-	-	-	-	-	-	5	18	19	21	14	17	20	10	8	9	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	1	2	1	1	2	4	3	2	3	1	4	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	713	2	-	-	1	1	-	3	8	6	7	13	23	28	37	68	78	87	90	98	74	62	19	7	1	-	-
	White—M	462	1	-	-	-	1	-	1	5	2	5	7	9	17	23	45	41	58	61	77	46	46	12	5	-	-	-
	F	162	-	-	-	1	-	-	2	2	2	1	4	8	2	3	13	23	21	23	14	21	14	5	2	1	-	-
	Nonwhite—M	60	1	-	-	-	-	-	-	1	1	-	-	5	5	7	8	10	4	5	4	7	2	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	1	1	2	1	4	4	2	4	4	1	3	-	-	2	-	-	-	-
58	Acute rheumatic fever	19	-	-	-	-	-	1	1	-	2	-	3	-	2	-	3	3	2	-	1	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	342	1	1	1	-	-	4	1	4	7	6	4	4	15	22	29	33	46	44	43	44	15	10	6	-	-	2
	White—M	135	-	1	1	-	-	2	-	1	1	1	1	2	5	6	10	7	16	21	18	21	7	8	5	-	-	1
	F	140	1	-	-	-	-	1	-	2	3	3	1	1	3	5	9	16	25	16	23	21	8	1	1	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	1	-	2	-	1	6	4	2	2	-	-	1	-	-	-	-	-	1
	F	47	-	-	-	-	-	1	1	1	2	2	-	1	6	5	6	8	3	7	2	1	-	1	-	-	-	-
63b	Exophthalmic goiter	24	-	-	-	-	-	-	-	-	-	2	-	3	1	3	6	2	-	3	3	1	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	2	-	2	3	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	51	-	-	-	-	-	-	1	-	2	1	1	2	5	5	4	7	2	4	6	4	4	2	1	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	2	1	1	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	2	3	1	3	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	1	-	-	-	-
	F	20	-	-	-	-	-	-	1	-	2	1	-	1	4	3	4	2	-	1	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	36	-	1	-	-	-	-	-	-	2	2	2	8	3	7	4	3	1	2	1	-	-	-	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	1	1	5	2	2	3	1	1	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	1	-	-	1	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,077	-	-	1	-	2	4	2	2	7	9	32	60	98	153	206	193	244	288	252	223	176	90	21	7	2	5
	White—M	698	-	-	1	-	-	-	1	-	1	1	2	7	19	22	42	48	97	119	105	94	82	42	10	3	-	2
	F	579	-	-	-	-	-	2	-	-	-	3	4	9	16	29	39	45	61	78	86	88	78	37	3	2	1	-
	Nonwhite—M	407	-	-	-	-	2	2	1	-	2	3	19	17	27	51	65	50	51	45	34	23	6	3	4	-	-	2
	F	393	-	-	-	-	-	-	-	2	4	2	7	27	36	51	60	50	35	48	27	18	10	8	4	2	1	1
80-82, 84-88	Other diseases of nervous system, etc.*	222	22	9	5	3	2	7	6	8	7	12	9	9	13	16	13	11	14	15	16	14	6	3	1	-	-	1
	White—M	89	7	1	1	1	-	2	1	4	3	5	3	3	5	3	9	4	5	10	11	5	4	1	-	-	-	1
	F	72	7	4	2	1	1	5	2	1	2	4	2	4	2	5	-	5	7	3	4	7	1	2	1	-	-	-
	Nonwhite—M	30	4	2	-	1	-	-	1	2	1	3	3	1	3	4	2	-	1	1	-	-	1	-	-	-	-	-
	F	31	4	2	2	-	1	-	2	1	1	-	1	1	3	4	2	2	1	1	1	2	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	98	9	5	-	3	1	8	6	5	6	7	7	6	5	4	6	2	5	3	1	2	3	1	-	1	-	-
	White—M	29	1	2	-	2	-	4	3	1	-	1	5	1	-	-	3	2	1	2	-	1	-	-	-	-	-	-
	F	19	-	2	-	-	-	-	2	1	1	2	1	2	-	-	1	-	1	1	1	1	1	1	-	1	-	-
	Nonwhite—M	19	4	1	-	-	-	1	1	-	2	1	-	2	1	1	1	-	3	-	-	-	1	-	-	-	-	-
	F	29	4	-	-	1	1	3	-	3	3	3	1	1	4	3	1	-	-	-	-	-	1	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	286	-	-	1	-	-	5	4	7	6	5	12	17	14	19	24	20	33	23	28	30	20	13	3	-	1	1
	White—M	110	-	-	-	-	-	1	1	1	2	1	2	7	5	6	10	5	13	11	14	16	8	5	2	-	-	-
	F	86	-	-	-	-	-	2	1	2	2	1	5	2	3	6	4	5	8	5	12	11	10	6	-	-	1	-
	Nonwhite—M	48	-	-	1	-	-	1	2	1	1	1	2	4	3	6	6	3	8	3	1	-	2	2	1	-	-	-
	F	42	-	-	-	-	-	1	-	3	1	2	3	4	3	1	4	7	4	4	1	3	-	-	-	-	-	1
94	Diseases of coronary arteries, angina pectoris	1,532	1	1	-	-	-	-	-	2	-	5	12	38	90	112	172	183	204	214	215	137	103	31	9	1	-	2
	White—M	956	1	-	-	-	-	-	-	1	-	-	2	19	48	72	119	127	154	135	126	76	66	23	6	-	-	1
	F	399	-	-	-	-	-	-	-	-	-	1	2	7	11	18	26	39	50	65	81	56	35	8	2	1	-	1
	Nonwhite—M	98	-	1	-	-	-	-	-	1	-	1	6	8	13	14	15	8	13	8	4	3	1	1	1	-	-	-
	F	79	-	-	-	-	-	-	-	-	-	3	2	4	18	10	12	9	7	6	4	2	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,896	2	4	1	1	1	4	6	15	30	35	55	67	109	153	219	273	288	383	374	355	290	150	57	13	7	4
	White—M	1,201	1	3	-	1	1	1	1	6	5	4	8	14	22	47	82	95	143	193	166	173	136	69	23	4	3	2
	F	853	1	-	1	-	-	1	1	4	8	8	7	9	15	23	30	68	54	103	138	141	135	70	29	6	1	-
	Nonwhite—M	484	-	1	-	-	-	-	3	2	7	13	16	27	40	43	65	62	63	45	45	26	16	7	2	1	1	1
	F	358	-	-	-	-	-	2	1	3	10	10	24	17	32	40	42	50	28	44	25	15	3	4	3	2	2	1
107-109	Pneumonia (all forms)	935	239	32	9	12	9	11	8	11	27	25	21	36	47	43	58	51	37	54	60	49	56	24	10	4	-	2
	White—M	275	54	5	1	5	3	3	4	4	6	3	5	4	9	10	20	17	15	22	20	19	30	12	4	-	-	-
	F	219	62	9	1	1	2	1	2	2	3	4	2	4	8	7	6	5	7	14	21	14	23	12	5	4	-	-
	Nonwhite—M	256	75	10	6	1	3	5	1	3	8	13	5	16	13	18	21	19	8	8	12	8	2	-	1	-	-	-
	F	185	48	8	1	5	1	2	1	2	10	5	9	12	17	8	11	10	7	10	7	8	1	-	-	-	-	2
117	Ulcer of stomach or duodenum	146	-	-	1	-	-	-	-	1	2	7	17	17	18	11	18	15	8	14	8	3	2	3	1	-	-	-
	White—M	71	-	-	-	-	-	-	-	1	1	3	8	6	9	3	11	6	5	9	6	2	-	-	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	2	1	2	3	-	-	-	-
	Nonwhite—M	45	-	-	-	-	-	-	-	-	1	4	6	9	7	8	3	5	1	3	-	-	-	-	-	-	-	-
	F	16	-	-	1	-	-	-	-	-	-	-	2	2	1	2	3	2	1	2	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE; 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	236	135	28	10	3	2	2	-	-	1	2	2	9	3	4	7	8	1	3	4	3	3	4	2	-	-	-
	White—M	59	30	8	2	1	1	1	-	-	-	-	-	1	-	-	3	2	1	1	1	2	1	2	2	-	-	-
	F	45	32	4	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
	Nonwhite—M	75	50	9	2	1	-	-	-	-	-	-	2	1	-	1	3	3	-	1	1	-	1	-	-	-	-	-
	F	57	25	7	5	1	1	-	-	-	-	1	-	7	3	3	1	3	-	1	1	-	-	-	-	-	-	-
121	Appendicitis	128	-	-	2	-	4	8	7	11	8	10	10	12	11	12	5	8	6	7	4	2	1	-	-	-	-	-
	White—M	49	-	-	1	-	4	1	1	7	2	3	2	2	2	6	2	5	3	3	2	2	1	-	-	-	-	-
	F	22	-	-	1	-	-	1	4	-	1	1	3	-	3	1	-	-	3	3	1	-	-	-	-	-	-	-
	Nonwhite—M	23	-	-	-	-	-	3	1	2	2	4	1	2	5	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	-	3	1	2	3	2	4	8	1	4	3	1	-	1	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	189	5	1	-	-	-	2	2	2	6	7	8	13	11	13	18	13	14	24	14	17	11	6	1	1	-	-
	White—M	66	1	-	-	-	-	-	1	1	1	1	3	1	4	1	3	6	6	11	10	4	9	2	-	1	-	-
	F	58	2	-	-	-	-	-	-	1	4	2	-	3	1	2	6	3	5	10	3	12	1	2	1	-	-	-
	Nonwhite—M	35	-	1	-	-	-	-	1	-	1	1	3	4	3	6	5	3	2	2	-	1	-	2	-	-	-	-
	F	30	2	-	-	-	-	2	-	-	-	3	2	5	3	4	4	1	1	1	1	-	1	-	-	-	-	-
124	Cirrhosis of the liver	190	-	-	-	-	-	-	1	1	1	2	7	20	17	14	24	22	15	32	18	11	3	2	-	-	-	-
	White—M	111	-	-	-	-	-	-	-	-	-	-	4	8	9	7	12	16	10	19	15	7	2	2	-	-	-	-
	F	43	-	-	-	-	-	-	-	1	-	-	2	5	3	2	6	5	4	8	2	4	1	-	-	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	1	1	6	2	3	6	-	-	5	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	-	1	1	-	1	3	2	-	1	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	56	-	-	-	-	-	-	-	-	1	3	-	2	3	3	5	8	4	11	5	9	1	-	-	1	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	2	5	1	2	1	-	-	1	-	-
	F	32	-	-	-	-	-	-	-	-	-	2	-	2	1	3	1	5	2	5	4	7	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,594	2	5	3	1	3	9	4	11	20	26	23	47	86	85	128	147	153	182	223	195	144	66	23	7	1	-
	White—M	565	1	1	3	-	1	2	-	2	3	9	6	7	24	23	31	52	55	61	81	91	71	30	9	2	-	-
	F	466	-	3	-	-	1	3	2	4	3	7	6	11	15	11	19	23	33	67	90	67	57	28	11	5	-	-
	Nonwhite—M	517	1	-	-	-	-	2	-	3	7	5	6	17	19	25	48	46	34	29	32	24	10	7	2	-	-	-
	F	246	-	1	-	1	1	2	2	2	7	5	5	12	28	26	30	26	31	25	20	13	6	1	1	-	1	-
157	Diseases of the prostate	149	-	-	-	-	-	-	-	-	-	1	-	-	3	7	9	10	11	16	25	27	20	17	2	1	-	-
	White—M	111	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	7	12	23	24	18	17	2	1	-	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	8	4	4	2	3	2	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	55	-	-	-	-	-	-	1	11	14	11	8	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	4	7	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	-	-	-	-	-	-	1	7	7	6	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	46	-	-	-	-	-	-	-	8	12	6	5	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	22	-	-	-	-	-	-	-	4	7	4	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	24	-	-	-	-	-	-	-	4	5	2	3	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1
141b,d,e,f, 142b,145, 145b,146, 149,150	Other puerperal causes	65	-	-	-	-	-	-	-	8	15	12	17	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	30	-	-	-	-	-	-	-	2	8	6	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	35	-	-	-	-	-	-	-	6	7	6	9	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	219	191	9	2	-	-	5	1	3	2	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	97	81	2	-	-	-	4	1	2	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	76	4	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	21	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	586	586	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	226	226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	242	-	-	-	-	-	1	1	8	13	30	39	26	21	22	17	17	18	8	11	4	3	-	1	-	-	2
	White—M	151	-	-	-	-	-	1	-	5	6	13	21	19	11	15	9	14	13	6	8	4	3	-	1	-	-	2
	F	77	-	-	-	-	-	-	1	2	4	14	17	6	9	5	7	3	4	2	3	-	-	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	1	2	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	367	1	-	-	-	-	2	1	22	60	78	61	56	28	19	18	11	6	2	1	-	-	-	-	-	-	1
	White—M	70	-	-	-	-	-	1	-	3	5	11	13	9	3	8	3	9	3	1	1	-	-	-	-	-	-	-
	F	15	1	-	-	-	-	-	-	1	1	3	2	2	-	-	3	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	230	-	-	-	-	-	1	-	8	40	56	38	38	24	10	10	2	2	-	-	-	-	-	-	-	-	1
	F	52	-	-	-	-	-	-	1	10	14	8	8	7	1	1	2	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	531	2	3	2	8	2	19	17	52	65	58	65	53	30	31	23	27	21	21	14	9	3	2	-	-	1	3
	White—M	301	-	1	1	3	1	5	10	27	43	35	38	30	11	17	9	22	15	10	12	4	2	2	-	-	-	3
	F	74	-	1	-	3	-	11	2	7	9	7	3	7	4	4	4	1	3	5	1	2	-	-	-	-	-	-
	Nonwhite—M	127	1	1	1	2	1	1	3	14	12	12	22	13	14	7	8	2	3	5	1	2	1	-	-	-	1	-
	F	29	1	-	-	-	-	2	2	4	1	4	2	3	1	3	2	2	-	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,330	44	23	15	9	13	49	41	77	279	145	64	86	65	52	38	47	40	31	38	55	55	38	15	6	-	5
	White—M	768	9	9	3	1	-	17	21	35	249	116	36	50	34	22	22	31	25	21	15	20	15	9	3	2	-	3
	F	217	13	4	5	3	4	11	6	6	2	6	5	3	3	2	-	5	7	6	18	28	39	24	12	4	-	1
	Nonwhite—M	258	11	7	5	3	5	11	12	32	25	18	20	27	20	20	12	9	7	3	2	4	1	3	-	-	-	1
	F	87	11	3	2	2	4	10	2	4	3	5	3	6	8	8	4	2	1	1	3	3	-	2	-	-	-	-
	All other causes*	2,851	582	23	16	5	8	33	16	30	62	67	117	110	148	166	168	165	166	175	183	192	186	119	64	24	16	10
	White—M	994	194	4	4	2	3	15	8	10	21	15	20	20	33	49	59	58	80	71	89	84	88	45	14	4	1	3
	F	665	133	2	1	-	2	6	3	7	9	10	20	21	15	33	21	34	34	46	52	63	67	48	26	10	1	1
	Nonwhite—M	644	146	11	10	2	1	9	2	5	14	14	35	24	44	56	44	42	33	35	31	34	21	11	11	3	2	4
	F	548	109	6	1	1	2	3	3	8	18	28	42	45	56	28	44	31	19	23	11	11	10	15	13	7	12	2

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																											
	All causes	29,085	3,571	332	151	130	111	299	278	574	1,066	1,072	1,209	1,279	1,531	1,794	2,129	2,167	2,231	2,484	2,343	1,655	1,411	770	298	92	49	57
	White—M	9,291	1,022	79	60	38	25	102	99	154	343	273	283	285	366	520	634	732	876	989	917	640	536	245	58	14	1	22
	F	6,723	749	64	28	29	22	74	46	86	160	151	192	227	231	252	356	421	524	688	758	572	602	324	125	31	5	6
	Nonwhite—M	6,955	995	107	38	37	37	67	77	154	293	307	381	393	463	577	629	536	411	457	375	246	158	104	55	25	16	17
	F	6,114	805	82	25	26	27	56	56	180	270	341	353	376	471	445	510	478	420	370	293	197	115	97	60	22	27	12
1,2	Typhoid, paratyphoid fever	24	1	-	-	-	1	-	3	4	1	1	3	-	4	1	3	-	1	1	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	2	2	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	1	-	1	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	5	2	1	-	-	3	-	1	2	3	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	2	1	-	-	-	2	-	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	102	74	13	1	2	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	16	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	36	25	5	1	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	22	5	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	57	5	9	10	7	9	14	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	-	6	4	3	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	2	2	5	2	2	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	1	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,180	5	5	2	2	1	7	13	84	157	171	149	113	106	99	79	50	48	43	23	13	4	2	2	-	-	2
	White—M	258	1	-	-	-	-	-	1	4	13	18	24	25	21	37	31	22	16	24	11	6	1	2	1	-	-	-
	F	180	-	1	1	1	-	3	-	5	17	19	19	17	23	11	11	9	15	11	8	6	3	-	-	-	-	-
	Nonwhite—M	354	4	2	1	1	1	1	6	28	48	58	52	38	30	31	23	12	10	3	2	1	-	-	-	-	-	2
	F	388	-	2	-	-	-	3	6	47	79	76	54	33	32	20	14	7	7	5	2	-	-	-	1	-	-	-
14-22	Tuberculosis (other forms)	115	7	11	2	2	2	2	4	8	16	12	9	8	10	8	5	2	2	1	3	-	1	-	-	-	-	-
	White—M	25	1	3	1	1	1	1	-	-	1	1	2	2	4	1	-	1	1	1	2	-	1	-	-	-	-	-
	F	17	3	2	-	-	-	-	1	2	3	-	-	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	36	2	3	1	1	1	1	2	3	5	2	3	3	1	4	3	1	-	-	-	-	-	-	-	-	-	-
	F	37	1	3	-	-	-	-	1	3	7	9	4	2	4	2	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	85	31	9	3	2	-	-	-	1	-	1	2	3	-	2	3	2	2	2	5	5	9	2	-	1	-	-
	White—M	21	5	2	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	3	2	-	1	-	-
	F	21	4	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	4	4	-	-	-	-	-
	Nonwhite—M	23	11	4	1	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	1	1	-	-	-	-	-
	F	20	11	-	-	1	-	-	-	1	-	1	-	1	-	-	1	-	1	-	2	-	1	-	-	-	-	-
28	Malaria	79	3	3	3	2	5	2	4	1	5	4	3	1	4	7	6	8	7	4	3	4	-	-	-	-	-	-
	White—M	15	1	-	1	1	-	-	3	-	-	-	-	-	-	2	1	1	2	1	1	1	-	-	-	-	-	-
	F	10	-	1	-	-	1	1	1	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-
	Nonwhite—M	32	2	2	2	1	4	-	-	-	2	1	-	-	2	4	4	4	1	2	-	1	-	-	-	-	-	-
	F	22	-	-	-	-	-	1	-	1	3	3	3	1	2	1	-	2	3	1	1	-	-	-	-	-	-	-
30	Syphilis	508	35	4	2	1	2	2	1	7	29	33	54	54	67	73	49	40	17	22	11	2	1	1	-	-	-	1
	White—M	89	1	-	1	-	-	-	-	1	2	2	3	6	11	18	15	13	5	8	2	1	-	-	-	-	-	-
	F	36	3	-	-	-	1	-	-	-	4	2	5	4	5	3	2	2	2	2	-	-	-	1	-	-	-	-
	Nonwhite—M	257	16	4	1	-	-	-	-	3	11	18	27	32	32	43	26	19	8	8	6	1	1	-	-	-	-	1
	F	126	15	-	-	1	1	2	1	3	12	11	19	12	19	9	6	6	2	4	3	-	-	-	-	-	-	-
33	Influenza	477	91	26	8	3	7	8	5	8	10	17	17	18	25	27	21	28	29	32	25	21	24	17	4	4	1	1
	White—M	108	22	7	3	-	2	3	-	1	1	3	1	2	3	3	3	8	9	9	3	10	9	3	1	1	1	-
	F	95	19	6	1	1	-	-	-	1	1	4	2	1	-	2	-	3	5	8	10	4	14	9	2	2	-	-
	Nonwhite—M	128	24	6	-	1	1	4	1	2	1	3	6	5	12	14	10	10	8	5	6	5	-	3	-	1	-	-
	F	146	26	7	4	1	4	1	4	4	7	7	8	10	10	8	8	7	7	10	6	2	1	2	1	-	-	1
35	Measles	60	16	7	7	4	1	8	5	2	1	1	3	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-
	White—M	8	-	1	1	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	16	3	1	3	2	-	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	15	7	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	6	3	2	1	1	1	2	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	13	1	1	-	3	1	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	770	-	-	-	-	-	2	-	1	6	8	14	28	34	58	89	97	103	123	94	65	37	9	2	-	-	-
	White—M	298	-	-	-	-	-	2	-	1	1	2	3	2	8	26	26	42	43	53	46	22	18	3	-	-	-	-
	F	259	-	-	-	-	-	-	-	-	1	1	5	12	5	10	29	19	38	46	37	36	15	3	2	-	-	-
	Nonwhite—M	108	-	-	-	-	-	-	-	-	2	2	3	4	9	13	20	22	8	14	6	2	2	1	-	-	-	-
	F	105	-	-	-	-	-	-	-	-	2	3	3	10	12	9	14	14	14	10	5	5	2	2	-	-	-	-
48,49	Cancer of female genital organs	414	-	-	-	-	-	-	-	2	-	12	29	45	52	50	56	44	33	32	28	13	10	7	-	1	-	-
	White—F	242	-	-	-	-	-	-	-	1	-	4	13	30	28	28	30	24	21	19	22	9	7	5	-	1	-	-
	Nonwhite—F	172	-	-	-	-	-	-	-	1	-	8	16	15	24	22	26	20	12	13	6	4	3	2	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Contd.																											
50	Cancer of breast	218	-	-	-	-	-	-	-	-	1	2	13	23	22	19	34	30	28	22	10	10	4	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	146	-	-	-	-	-	-	-	-	1	1	6	9	13	13	24	20	21	19	8	8	3	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	71	-	-	-	-	-	-	-	-	-	1	7	14	9	5	10	10	7	3	2	2	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	731	1	2	-	2	1	6	5	5	15	9	20	19	43	50	64	87	85	99	87	58	54	17	2	-	-	-
	White—M	384	1	-	-	2	-	1	3	3	5	1	8	14	15	26	23	46	45	59	58	34	32	7	1	-	-	-
	F	181	-	1	-	-	1	3	1	-	5	4	6	2	5	14	17	20	20	25	21	16	13	7	-	-	-	-
	Nonwhite—M	114	-	1	-	-	-	2	-	1	4	2	4	3	13	8	15	16	13	11	6	7	6	2	-	-	-	-
	F	52	-	-	-	-	-	-	1	1	1	2	2	-	10	2	9	5	7	4	2	1	3	1	1	-	-	-
58	Acute rheumatic fever	35	-	-	-	-	1	1	13	4	2	3	2	3	-	-	-	2	-	1	1	1	-	-	-	1	-	-
	White—M	9	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	5	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	1	-	3	2	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
61	Diabetes mellitus	387	-	1	1	-	1	3	4	6	7	4	10	15	9	30	32	38	54	51	54	24	12	10	1	-	-	-
	White—M	136	-	-	1	-	-	3	-	3	3	2	3	6	2	7	9	11	22	26	18	9	7	4	-	-	-	-
	F	138	-	1	-	-	-	-	2	3	3	1	2	3	2	8	10	12	21	17	31	12	4	6	-	-	-	-
	Nonwhite—M	40	-	-	-	-	1	-	2	-	1	1	1	2	3	8	6	7	2	-	3	2	-	-	1	-	-	-
	F	53	-	-	-	-	-	-	-	-	-	-	4	4	2	7	7	8	9	8	2	1	1	-	-	-	-	-
65b	Exophthalmic goiter	31	-	-	-	-	-	-	-	1	1	2	2	5	4	4	5	2	4	-	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	2	-	-	1	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	178	-	-	-	-	-	1	-	1	3	5	10	3	14	10	19	17	15	22	25	13	11	6	3	2	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	7	5	5	3	4	-	-	-	-
	F	87	-	-	-	-	-	1	-	-	-	-	2	-	5	1	4	9	6	9	15	6	6	1	1	1	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	1	1	1	4	-	2	-	7	1	1	3	-	1	-	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	2	4	4	3	5	7	6	5	5	3	3	1	2	-	2	1	-	-
77	Alcoholism (ethylism)	64	-	-	-	-	1	-	-	3	4	6	2	14	11	7	5	6	3	-	2	-	-	-	-	-	-	-
	White—M	45	-	-	-	-	-	-	-	-	2	3	2	12	9	3	5	4	3	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	1	-	-	1	1	1	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	2	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,060	-	1	-	1	-	2	2	7	11	26	50	96	158	214	309	367	368	406	407	285	188	102	44	8	7	3
	White—M	846	-	-	-	-	-	2	-	2	2	5	6	16	26	32	59	94	117	144	153	84	69	26	9	-	-	-
	F	774	-	-	-	1	-	-	1	-	1	2	5	11	19	31	52	73	74	115	137	97	88	45	20	3	1	-
	Nonwhite—M	694	-	-	-	-	-	-	1	2	4	10	16	40	57	75	95	94	83	80	53	48	14	10	5	2	3	2
	F	746	-	1	-	-	-	-	-	3	4	9	23	29	56	76	103	106	94	67	64	54	19	21	10	3	3	1
80-82, 84-88	Other diseases of nervous system, etc.*	355	46	14	4	6	2	15	14	23	28	23	15	19	14	27	18	20	17	12	13	13	7	1	1	-	-	3
	White—M	111	14	4	2	2	1	6	6	5	10	6	5	4	5	5	3	5	7	7	5	2	5	-	-	-	-	2
	F	89	9	2	2	2	-	4	2	8	7	5	4	5	3	5	4	5	7	4	4	4	1	-	1	-	-	1
	Nonwhite—M	90	15	3	-	2	1	3	5	5	7	4	3	6	2	10	8	8	-	1	2	4	1	-	-	-	-	-
	F	65	8	5	-	-	-	2	1	5	4	8	3	4	4	7	3	2	3	-	2	3	-	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	153	28	10	5	5	3	10	7	16	9	7	8	4	10	5	4	3	4	3	4	3	1	2	1	-	-	1
	White—M	40	5	1	4	1	-	2	3	7	-	1	2	2	3	3	1	1	1	-	-	1	-	1	1	-	-	-
	F	36	3	4	-	3	-	3	2	3	3	1	2	1	3	-	-	-	-	2	3	1	1	1	-	-	-	-
	Nonwhite—M	44	16	2	1	1	2	4	1	2	3	1	2	1	1	1	1	1	2	-	1	1	-	-	-	-	-	-
	F	33	4	3	-	-	1	1	1	4	3	4	2	-	3	1	2	1	1	1	-	-	-	-	-	-	-	1
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	325	-	-	1	-	1	4	5	14	8	11	15	20	15	23	36	24	27	28	40	24	13	10	4	1	1	-
	White—M	82	-	-	-	-	-	-	1	8	3	4	4	2	3	3	4	-	9	8	16	10	2	3	2	-	-	-
	F	65	-	-	-	-	-	1	1	2	-	1	-	3	2	5	5	7	4	6	12	6	5	4	-	1	-	-
	Nonwhite—M	86	-	-	1	-	-	-	-	1	3	2	6	6	5	8	16	9	7	9	5	3	3	2	-	-	-	-
	F	92	-	-	-	-	1	3	3	3	2	4	5	9	5	7	11	8	7	5	7	5	3	1	2	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,337	1	-	-	-	-	-	1	-	9	18	32	51	92	122	156	189	179	174	136	74	62	27	9	3	1	1
	White—M	771	1	-	-	-	-	-	-	-	3	5	13	19	47	74	99	121	126	107	81	33	26	13	3	-	-	-
	F	292	-	-	-	-	-	-	-	-	1	4	3	8	11	12	21	23	36	45	41	37	34	12	4	-	-	-
	Nonwhite—M	138	-	-	-	-	-	-	-	-	-	4	10	10	19	21	22	18	10	10	6	4	1	1	-	1	1	-
	F	136	-	-	-	-	-	-	1	-	5	5	6	14	15	15	14	27	7	12	8	-	1	1	2	2	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,594	1	1	2	3	2	6	7	7	26	52	82	109	175	273	347	353	396	461	428	363	285	136	57	11	5	6
	White—M	1,107	-	-	1	-	-	1	-	3	7	5	7	12	26	65	100	118	153	164	162	137	97	37	13	2	-	2
	F	853	1	-	-	1	-	1	2	-	7	6	16	14	13	25	36	43	79	117	127	134	130	68	27	4	2	-
	Nonwhite—M	885	-	-	-	2	2	4	3	-	6	15	33	45	75	109	121	103	70	104	74	49	37	17	10	3	1	2
	F	749	-	1	1	-	-	-	2	4	6	26	26	38	61	74	90	94	94	76	65	45	21	14	7	2	2	2
107-109	Pneumonia (all forms)	1,587	440	52	21	17	9	21	29	23	45	49	48	67	76	100	90	67	72	89	83	65	61	36	17	3	5	4
	White—M	400	101	13	8	3	4	8	11	2	6	6	4	11	17	22	26	14	20	29	31	21	22	14	6	1	-	-
	F	318	75	5	4	6	2	2	4	1	4	3	4	5	13	10	15	12	18	34	26	23	28	14	8	1	-	1
	Nonwhite—M	442	120	21	4	4	1	6	8	10	16	19	24	27	20	34	26	25	17	15	18	12	5	4	1	1	2	2
	F	427	144	13	5	4	2	5	6	10	19	21	14	24	26	34	23	16	17	11	8	9	6	4	2	-	3	1
117	Ulcer of stomach or duodenum	197	-	-	-	-	-	-	-	3	7	13	18	16	19	19	26	24	17	14	8	5	8	-	-	-	-	-
	White—M	98	-	-	-	-	-	-	-	1	2	11	10	5	8	9	8	11	13	8	4	2	6	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	5	1	3	2	1	2	-	-	-	-	-
	Nonwhite—M	53	-	-	-	-	-	-	-	1	3	1	6	7	7	9	8	6	1	3	1	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	1	1	1	2	3	4	-	7	2	2	-	1	2	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	391	234	51	9	7	3	4	-	5	3	2	5	8	3	7	8	7	6	5	5	6	5	4	4	-	-	-
	White—M	92	59	11	3	4	-	-	-	3	-	-	-	-	-	1	-	1	-	2	2	3	2	-	1	-	-	-
	F	95	59	12	1	-	-	1	-	-	2	1	2	3	-	2	-	1	-	1	1	2	3	3	1	-	-	-
	Nonwhite—M	117	72	16	5	3	1	1	-	1	-	-	2	1	2	-	4	1	3	1	1	-	-	1	2	-	-	-
	F	87	44	12	-	-	2	2	-	1	1	1	1	4	1	4	4	4	3	1	1	1	-	-	-	-	-	-
121	Appendicitis	180	-	2	-	3	4	6	14	11	18	9	11	10	16	15	8	18	15	8	7	2	1	1	1	-	-	-
	White—M	77	-	-	-	2	1	3	7	4	5	1	4	3	5	6	4	11	9	6	3	2	1	-	-	-	-	-
	F	30	-	-	-	-	2	-	1	2	6	2	-	1	1	-	-	5	3	1	4	-	-	1	1	-	-	-
	Nonwhite—M	35	-	2	-	1	-	3	2	2	5	3	3	1	2	4	3	2	2	-	-	-	-	-	-	-	-	-
	F	38	-	-	-	-	1	-	4	3	2	3	4	5	8	5	1	-	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	206	11	8	2	2	-	2	2	2	7	7	8	16	17	19	13	14	16	17	18	9	10	5	1	-	-	-
	White—M	61	-	3	2	-	-	-	-	1	2	1	2	2	4	5	1	6	6	5	7	6	6	2	-	-	-	-
	F	60	5	2	-	1	-	2	-	-	3	-	-	4	4	3	5	4	4	7	7	3	3	3	-	-	-	-
	Nonwhite—M	39	3	2	-	1	-	-	2	1	1	2	1	1	2	4	3	4	4	3	3	-	1	-	1	-	-	-
	F	46	3	1	-	-	-	-	-	-	1	4	5	9	7	7	4	-	2	2	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	157	-	1	-	-	-	1	-	-	4	1	12	11	15	16	20	17	14	15	12	11	4	2	1	-	-	-
	White—M	89	-	-	-	-	-	1	-	-	2	-	6	6	7	13	13	8	9	9	7	6	2	-	-	-	-	-
	F	37	-	1	-	-	-	-	-	-	1	-	1	-	6	2	2	5	4	3	4	4	2	1	1	-	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	1	1	5	3	1	1	3	2	1	3	1	1	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	75	-	-	-	-	-	-	-	-	-	2	3	5	7	6	8	7	7	11	12	2	3	1	1	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	1	2	-	2	1	4	1	3	5	4	-	1	1	1	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	4	5	3	1	3	3	6	8	-	2	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	1	-	-	1	-	-	-	-	-	-
130-132	Nephritis	3,171	2	2	4	5	7	7	8	13	29	44	61	109	145	193	278	289	328	428	416	302	285	151	45	12	4	4
	White—M	980	-	-	2	1	-	2	-	5	6	4	10	18	17	44	67	79	109	146	143	130	126	65	5	1	-	-
	F	778	2	1	1	1	3	1	4	-	4	8	10	18	18	22	32	57	75	104	145	84	108	52	21	4	1	2
	Nonwhite—M	780	-	-	-	1	2	1	1	3	10	14	19	38	56	61	102	84	77	104	84	52	35	17	10	6	2	1
	F	633	-	1	1	2	2	3	3	5	9	18	22	35	54	66	77	69	67	74	44	36	16	17	9	1	1	1
137	Diseases of the prostate	143	-	-	-	-	-	-	-	-	-	-	-	3	4	6	9	15	8	17	35	20	14	11	1	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	5	10	24	17	9	8	1	-	-	-
	Nonwhite—M	59	-	-	-	-	-	-	-	-	-	-	-	2	4	5	7	9	3	7	11	3	5	3	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	87	-	-	-	-	-	-	-	14	23	20	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	43	-	-	-	-	-	-	-	6	13	8	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	44	-	-	-	-	-	-	-	8	10	12	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	111	-	-	-	-	-	-	-	18	27	17	28	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	9	12	9	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	59	-	-	-	-	-	-	-	9	15	8	17	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	102	-	-	-	-	-	-	1	14	14	17	20	24	7	3	-	-	-	-	-	-	-	-	-	-	-	2
	White—F	49	-	-	-	-	-	-	-	5	10	7	12	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	53	-	-	-	-	-	-	1	9	4	10	8	13	3	3	-	-	-	-	-	-	-	-	-	-	-	2
157	Congenital malformations	246	210	9	2	3	1	5	7	2	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	102	89	-	-	2	1	3	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	84	72	4	-	-	-	1	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	34	27	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	22	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,052	1,052	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	377	377	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	225	-	-	-	-	-	-	2	13	22	29	29	21	23	13	20	17	13	15	5	1	1	1	-	-	-	-
	White—M	163	-	-	-	-	-	-	2	4	14	17	20	15	17	12	16	14	13	11	5	1	1	1	-	-	-	-
	F	44	-	-	-	-	-	-	-	9	5	9	3	6	3	-	3	3	-	3	-	-	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	2	2	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide	521	-	1	-	-	-	1	4	37	117	98	85	55	46	35	12	9	7	5	-	3	2	1	-	-	-	3
	White—M	91	-	-	-	-	-	1	2	3	12	14	12	9	9	12	6	6	-	3	-	-	1	-	-	-	-	1
	F	17	-	-	-	-	-	-	-	1	6	2	1	2	-	2	-	-	1	1	-	-	-	-	-	-	-	1
	Nonwhite—M	320	-	1	-	-	-	-	1	20	73	64	56	39	28	20	6	2	5	1	-	1	1	1	-	-	-	1
	F	93	-	-	-	-	-	-	1	13	26	18	16	5	9	1	-	1	1	-	-	2	-	-	-	-	-	-
170	Motor-vehicle accidents	696	5	3	3	4	7	30	24	61	120	89	70	40	34	44	34	37	40	17	15	14	3	1	-	-	-	1
	White—M	408	3	3	2	2	4	16	13	32	83	44	42	23	19	27	18	20	24	9	11	10	2	1	-	-	-	-
	F	79	2	-	1	1	1	6	4	7	13	15	7	2	1	1	2	4	4	3	2	2	1	-	-	-	-	-
	Nonwhite—M	179	-	-	-	1	2	6	6	20	20	25	17	13	12	15	12	10	11	5	2	1	-	-	-	-	-	1
	F	30	-	-	-	-	-	2	1	2	4	5	4	2	2	1	2	3	1	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,438	93	28	31	22	16	63	61	99	174	135	98	68	62	58	65	31	50	55	57	40	70	40	9	3	1	9
	White—M	653	24	8	12	4	4	23	28	37	126	90	55	37	34	21	30	14	16	20	19	17	17	8	2	-	-	7
	F	251	20	5	3	4	3	11	6	11	8	7	6	4	3	1	5	4	11	17	24	17	45	27	6	2	-	1
	Nonwhite—M	357	27	10	9	5	5	12	21	40	37	27	29	19	18	25	22	5	16	8	7	4	6	3	1	-	-	1
	F	177	22	5	7	9	4	17	6	11	3	11	8	8	7	11	8	8	7	10	7	2	2	2	-	1	1	-
	All other causes*	4,141	1,173	55	27	22	18	53	31	52	100	106	151	148	174	149	197	206	216	249	273	183	221	167	88	42	24	16
	White—M	1,138	301	14	10	8	2	16	13	17	25	20	31	27	40	37	55	55	86	87	89	69	67	40	11	8	-	10
	F	898	209	8	5	3	4	16	5	9	17	20	30	26	29	33	39	45	47	59	56	52	82	61	30	12	1	-
	Nonwhite—M	1,123	392	19	7	8	7	14	8	4	24	24	41	43	41	45	49	57	47	56	77	40	39	37	24	11	7	4
	F	982	271	14	5	3	5	7	7	22	34	42	49	52	64	34	54	49	36	47	51	22	33	29	23	11	16	2

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	All causes	4,648	415	42	27	12	19	48	45	76	84	104	121	94	149	176	281	351	384	468	504	554	418	202	47	21	3	5
	White—M	2,861	229	24	15	6	10	26	29	46	52	65	70	50	99	105	179	236	250	292	327	339	263	113	26	8	1	5
	F	1,716	170	17	11	6	9	20	12	24	28	39	48	42	47	70	100	110	132	170	176	212	152	87	21	13	-	-
	Nonwhite—M	39	7	-	-	-	-	-	-	3	3	1	3	1	2	2	1	4	1	3	1	3	2	1	-	-	1	-
	F	32	9	1	1	-	-	2	2	3	1	1	-	1	1	1	1	1	1	3	-	-	1	1	-	-	1	-
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	-	1	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	77	-	-	-	-	-	1	2	8	8	4	4	6	4	6	7	8	5	9	2	2	1	-	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	4	3	2	1	3	4	4	6	5	4	7	2	1	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	1	-	3	2	3	3	-	2	1	2	1	2	-	1	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	2	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	28	1	-	-	-	-	-	-	-	-	-	1	1	2	3	1	5	5	6	2	1	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	4	4	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	47	7	1	-	-	1	-	1	1	-	2	1	-	1	2	1	4	3	3	10	5	4	-	-	-	-	-
	White—M	30	3	-	-	-	-	-	1	1	-	1	-	-	-	1	-	3	1	2	9	4	4	-	-	-	-	-
	F	15	3	1	-	-	1	-	-	-	-	1	1	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	224	-	-	-	-	-	-	-	-	-	2	4	4	6	12	14	27	33	29	41	26	20	5	-	1	-	-
	White—M	151	-	-	-	-	-	-	-	-	-	1	2	2	5	6	7	14	24	16	22	14	15	3	-	-	-	-
	F	90	-	-	-	-	-	-	-	-	-	1	1	2	1	6	7	12	9	13	19	12	5	1	-	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	43	-	-	-	-	-	-	-	1	1	2	3	1	2	3	5	7	3	6	3	4	2	-	-	-	-	-
	White—F	42	-	-	-	-	-	-	-	1	1	2	3	1	2	3	5	7	3	5	3	4	2	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
50	Cancer of breast	43	-	-	-	-	-	-	-	-	-	-	2	-	3	6	5	4	7	8	1	1	3	3	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	-	2	-	3	6	5	4	7	8	1	1	2	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	171	-	-	-	-	1	2	3	2	-	6	1	3	8	3	15	17	19	18	25	27	13	7	1	-	-	-
	White—M	128	-	-	-	-	-	-	2	2	-	5	1	1	7	1	10	13	14	12	20	20	12	7	1	-	-	-
	F	43	-	-	-	-	1	2	1	-	-	1	-	2	1	2	5	4	5	6	5	7	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	-	-	-	1	1	1	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	106	-	-	-	-	-	-	2	1	3	1	1	2	1	2	7	8	8	26	17	17	9	1	-	-	-	-
	White—M	49	-	-	-	-	-	-	1	-	2	-	-	-	1	2	3	3	3	11	9	11	2	1	-	-	-	-
	F	56	-	-	-	-	-	-	1	1	1	1	1	2	-	-	4	5	5	15	8	6	6	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	2	1	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	-	1	2	-	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	2	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	400	-	-	1	-	-	-	-	-	2	1	1	6	4	7	14	25	50	45	66	80	80	32	4	2	-	-
	White—M	224	-	-	1	-	-	-	-	-	1	1	-	1	4	2	6	15	30	26	38	44	36	16	2	1	-	-
	F	176	-	-	-	-	-	-	-	-	1	-	1	5	-	5	8	10	20	19	28	36	24	16	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	44	2	4	1	1	2	2	1	-	2	1	3	1	2	1	3	2	4	2	3	5	2	-	-	-	-	-
	White—M	26	2	1	-	-	2	1	1	-	2	1	2	-	2	1	-	1	1	2	2	4	1	-	-	-	-	-
	F	18	-	3	1	1	-	1	-	-	-	-	1	1	-	-	3	1	3	-	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	27	5	-	2	-	-	5	-	1	1	1	1	-	-	-	3	3	-	-	-	2	1	1	-	1	-	-
	White—M	11	1	-	2	-	-	1	-	-	1	1	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F	15	4	-	-	-	-	4	-	1	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	88	-	-	-	-	-	1	2	4	5	6	6	1	5	7	12	7	6	7	7	6	3	3	-	-	-	-
	White—M	46	-	-	-	-	-	-	1	3	3	3	3	-	1	3	6	6	4	2	4	4	2	1	-	-	-	-
	F	42	-	-	-	-	-	1	1	1	2	3	3	1	4	4	6	1	2	5	3	2	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	416	-	-	-	-	-	-	-	1	-	1	2	6	15	21	41	50	57	64	65	53	28	8	4	1	-	1
	White—M	319	-	-	-	-	-	-	-	-	-	1	2	4	13	16	34	41	43	51	49	35	21	4	4	-	-	1
	F	94	-	-	-	-	-	-	-	1	-	-	-	2	2	5	7	8	14	13	14	16	7	4	-	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	782	-	-	-	-	-	-	3	3	3	3	9	9	13	16	33	52	65	102	123	155	109	63	14	5	1	1
	White—M	478	-	-	-	-	-	-	1	2	1	2	4	7	8	10	23	39	42	62	73	89	65	40	7	1	1	1
	F	301	-	-	-	-	-	-	2	1	2	1	5	2	5	6	10	13	23	38	49	66	44	23	7	4	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	187	47	8	6	3	2	2	1	-	4	4	5	1	4	5	11	5	9	10	17	9	20	8	3	1	1	1
	White—M	113	22	6	4	2	-	-	1	-	2	2	4	1	2	3	6	4	6	7	12	8	13	4	2	1	-	1
	F	68	21	2	1	1	2	2	-	-	2	2	1	-	2	2	5	1	3	3	5	1	7	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
117	Ulcer of stomach or duodenum	47	-	-	-	-	-	-	-	-	-	-	2	1	4	10	4	6	3	8	2	4	2	1	-	-	-	-
	White—M	40	-	-	-	-	-	-	-	-	-	-	2	1	4	9	3	5	2	6	2	4	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
119,120	Diarrhea, enteritis, etc.*	16	7	-	1	1	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	1	-	-	-	-
	White—M	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	9	2	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	35	1	-	-	2	1	3	2	3	3	1	3	2	3	2	3	4	1	1	-	-	-	-	-	-	-	-
	White—M	26	1	-	-	2	-	3	1	3	1	1	3	1	3	2	2	1	1	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	1	-	1	-	2	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	39	3	1	-	-	-	-	-	-	1	-	-	4	1	2	3	4	4	4	3	4	2	3	-	-	-	-
	White—M	19	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	1	3	2	2	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	-	-	3	1	2	2	2	3	2	2	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	21	-	-	-	-	-	-	-	-	-	-	-	2	-	5	3	3	2	-	-	4	1	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	1	-	-	2	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	1	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	34	-	-	-	-	-	-	-	-	-	-	1	-	3	1	7	3	10	1	1	6	1	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	-	2	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	2	7	1	1	4	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	362	2	-	-	-	1	1	6	2	1	6	11	7	12	7	22	33	33	46	54	62	36	14	5	1	-	-
	White—M	215	-	-	-	-	-	-	4	1	1	3	4	2	7	2	15	17	22	29	36	39	19	10	3	1	-	-
	F	145	2	-	-	-	1	1	2	1	-	3	7	4	5	5	7	16	11	16	18	23	17	4	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	6	9	4	1	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	6	9	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	10	-	-	-	-	-	-	-	1	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	4	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	4	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	12	-	-	-	-	-	-	-	2	1	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	2	1	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	68	58	4	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	38	32	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	26	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	53	-	-	-	-	-	-	-	1	1	7	5	2	7	5	11	3	3	4	3	1	-	-	-	-	-	-
	White—M	41	-	-	-	-	-	-	-	1	-	5	4	2	6	4	9	2	3	2	2	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	-	-	-	-	-	-	-	-	4	2	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	2	1	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	103	2	2	-	-	2	9	2	8	9	11	7	2	13	7	6	10	3	4	1	3	2	-	-	-	-	-
	White—M	77	1	2	-	-	2	8	2	4	7	8	5	-	8	4	6	8	3	4	1	3	1	-	-	-	-	-
	F	19	1	-	-	-	-	1	-	3	2	3	1	2	3	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	352	18	14	11	3	2	11	12	20	23	21	28	17	19	16	14	19	15	14	13	21	19	16	2	2	-	2
	White—M	268	7	9	5	1	2	8	11	19	21	18	25	15	16	14	13	18	10	13	10	14	15	3	-	1	-	2
	F	77	10	5	6	2	-	3	1	1	1	3	2	1	2	2	1	1	4	1	3	7	6	12	2	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other causes*	582	121	5	2	2	4	6	2	6	10	13	8	6	8	23	30	30	30	44	41	49	70	31	13	7	1	-
	White—M	345	77	1	2	1	2	3	1	4	5	7	2	4	5	11	17	26	23	28	29	29	42	17	6	3	-	-
	F	208	41	3	-	1	2	2	1	2	5	6	6	2	3	12	12	4	7	15	12	20	27	14	7	4	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
	F	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																											
	All causes	87,777	5,170	395	185	169	149	529	517	926	1,297	1,420	1,876	2,396	3,325	4,888	6,457	7,648	8,482	9,746	10,481	9,200	7,344	3,696	1,172	251	41	19
	White—M	45,746	2,780	189	87	84	65	284	276	462	613	664	844	1,171	1,651	2,589	3,600	4,399	4,856	5,371	5,453	4,667	3,441	1,600	489	88	9	18
	F	35,695	2,004	158	74	72	75	200	171	311	477	502	712	810	1,134	1,663	2,185	2,648	3,081	3,844	4,641	4,299	3,782	2,033	641	158	20	2
	Nonwhite—M	3,410	198	22	12	5	8	25	46	74	115	143	168	227	299	359	369	349	291	283	188	112	57	34	18	4	4	-
	F	2,926	188	26	10	8	1	20	24	79	92	111	152	188	241	277	303	252	254	248	199	122	64	29	24	5	8	1
1,2	Typhoid, paratyphoid fever	17	-	-	-	-	-	2	3	3	1	1	-	1	3	-	1	-	1	1	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	2	-	2	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	28	3	4	2	-	1	-	2	-	5	3	-	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-
	White—M	19	2	2	2	-	1	-	1	-	2	2	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	8	1	1	-	-	-	-	1	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	37	1	-	-	4	7	8	5	4	-	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	22	1	-	-	-	4	5	2	4	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	4	3	2	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	97	63	17	6	2	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	40	28	4	3	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	28	6	3	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	64	1	2	6	6	11	19	8	1	-	1	1	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	35	1	2	2	2	3	13	3	1	-	1	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	4	4	8	4	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	3,087	14	8	5	1	1	7	28	137	282	293	274	299	312	320	333	219	210	165	96	51	21	8	2	-	-	1
	White—M	1,560	5	-	4	-	-	3	6	20	77	95	106	153	162	200	236	148	144	97	62	25	14	2	-	-	-	1
	F	830	6	4	-	1	-	2	11	43	121	101	88	72	69	66	56	35	43	52	28	22	7	6	1	-	-	-
	Nonwhite—M	430	2	2	1	-	1	1	3	25	33	48	49	49	65	44	31	34	19	14	6	2	-	-	1	-	-	-
	F	267	1	2	-	-	-	1	8	49	51	49	31	25	16	10	10	4	4	2	2	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	251	19	10	10	2	4	10	8	12	17	19	17	18	25	14	27	12	6	7	10	6	-	-	-	-	-	-
	White—M	101	6	3	3	-	2	7	2	-	5	3	6	7	12	4	17	9	1	5	6	3	-	-	-	-	-	-
	F	65	6	3	2	1	2	-	-	6	3	11	5	2	5	3	4	1	2	2	4	3	-	-	-	-	-	-
	Nonwhite—M	39	1	1	2	-	-	3	3	3	7	3	2	4	4	2	2	-	2	-	-	-	-	-	-	-	-	-
	F	46	6	3	3	1	-	-	3	3	2	2	4	3	4	5	4	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery	57	14	1	1	-	2	-	2	1	-	3	2	2	-	2	3	1	5	5	2	5	3	1	1	1	-	-
	White—M	33	9	1	-	-	2	-	-	1	-	2	-	1	-	1	2	1	4	1	1	2	3	1	-	1	-	-
	F	21	4	-	1	-	-	-	2	-	-	-	2	1	-	1	1	-	1	4	-	3	-	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	14	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	1	-	3	1	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	3	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	874	15	2	-	-	-	-	1	10	7	11	19	54	85	118	125	122	116	90	55	28	12	2	1	1	-	-
	White—M	493	1	-	-	-	-	-	1	2	1	5	3	25	41	55	63	80	73	59	34	22	7	1	-	-	-	-
	F	176	7	2	-	-	-	-	-	4	5	3	6	9	13	22	23	19	26	15	14	3	3	1	-	1	-	-
	Nonwhite—M	144	6	-	-	-	-	-	-	3	-	2	6	11	21	25	17	19	11	15	6	2	-	-	-	-	-	-
	F	61	1	-	-	-	-	-	-	1	1	1	4	9	10	16	2	4	6	1	1	1	2	-	1	-	-	-
33	Influenza	397	50	16	5	5	-	14	3	7	6	6	12	17	14	20	21	27	20	28	34	26	39	19	8	-	-	-
	White—M	185	23	8	-	3	-	7	1	7	3	1	3	8	8	8	11	16	13	17	11	10	18	7	2	-	-	-
	F	190	24	7	5	2	-	6	2	-	2	5	9	8	4	10	7	11	7	10	20	15	21	12	5	-	-	-
	Nonwhite—M	9	1	1	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
	F	13	2	-	-	-	-	1	-	-	1	-	-	1	2	1	2	-	-	-	1	1	-	-	1	-	-	-
35	Measles	37	12	4	1	2	-	5	1	5	2	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	17	5	-	1	2	-	2	1	-	2	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	20	7	4	-	-	-	3	-	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	43	-	1	1	1	-	4	4	9	6	2	5	2	1	4	-	-	-	2	1	-	-	-	-	-	-	-
	White—M	21	-	1	1	1	-	1	1	6	3	2	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	2	3	3	3	-	4	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	5,643	-	1	2	1	1	1	2	3	10	17	44	77	154	278	520	667	813	934	860	695	400	132	29	2	-	-
	White—M	2,990	-	-	2	1	-	-	-	1	6	11	13	32	59	130	275	378	457	527	466	368	199	52	12	1	-	-
	F	2,402	-	1	-	-	1	1	2	1	3	6	25	37	77	120	208	245	323	370	374	320	193	78	16	1	-	-
	Nonwhite—M	136	-	-	-	-	-	-	-	-	-	-	4	-	8	15	26	28	22	18	5	3	5	1	1	-	-	-
	F	115	-	-	-	-	-	-	-	1	1	-	2	8	10	13	11	16	11	19	15	4	3	1	-	-	-	-
48,49	Cancer of female genital organs	1,445	-	-	-	-	-	-	3	1	8	15	38	72	121	185	232	191	176	123	142	76	46	15	1	-	-	-
	White—F	1,315	-	-	-	-	-	-	3	1	8	11	29	55	102	165	212	174	165	120	136	73	45	15	1	-	-	-
	Nonwhite—F	130	-	-	-	-	-	-	-	-	-	4	9	17	19	20	20	17	11	3	6	3	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Contd.																											
50	Cancer of breast	1,139	-	-	-	-	-	-	-	-	1	5	26	55	97	120	160	158	131	115	110	79	49	28	5	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	1	-	-	-	-	-
	F	1,068	-	-	-	-	-	-	-	-	-	4	21	48	90	112	148	150	128	111	103	74	47	27	5	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	-	1	1	5	7	7	8	11	7	1	2	4	2	1	1	-	-	-	-
45-47, 51-55	Cancer (other sites)	3,575	6	4	4	5	6	25	14	28	22	37	60	74	132	247	344	471	448	492	475	330	228	95	22	5	-	1
	White—M	2,508	3	3	1	4	1	14	5	20	14	25	31	35	85	166	216	329	330	390	347	244	170	55	17	2	-	1
	F	910	3	1	3	1	4	10	7	8	6	11	22	32	35	53	104	123	104	87	114	82	54	39	4	3	-	-
	Nonwhite—M	114	-	-	-	-	1	1	2	-	1	1	4	6	9	20	15	13	12	11	10	4	2	1	1	-	-	-
	F	43	-	-	-	-	-	-	-	-	1	-	3	1	3	8	9	6	2	4	4	-	2	-	-	-	-	-
58	Acute rheumatic fever	71	-	1	-	-	1	7	14	8	7	6	2	4	7	-	3	1	-	4	1	1	2	2	-	-	-	-
	White—M	28	-	1	-	-	1	3	5	4	1	2	1	1	3	-	3	-	-	2	-	-	1	-	-	-	-	-
	F	32	-	-	-	-	-	-	6	3	6	3	1	2	4	-	-	-	-	2	1	1	1	2	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,506	2	3	-	-	1	3	13	15	19	15	16	29	47	96	191	280	378	460	450	290	165	29	3	1	-	-
	White—M	867	1	2	-	-	-	2	5	3	7	5	9	15	15	33	70	84	115	143	163	115	67	12	-	1	-	-
	F	1,544	1	-	-	-	1	1	7	11	11	7	5	13	24	52	111	184	247	301	279	171	98	17	3	-	-	-
	Nonwhite—M	31	-	1	-	-	-	-	1	1	1	2	1	1	-	2	2	4	3	6	5	1	-	-	-	-	-	-
	F	64	-	-	-	-	-	-	-	-	-	1	1	-	8	9	8	8	13	10	3	3	-	-	-	-	-	-
63b	Exophthalmic goiter	268	-	-	-	-	-	-	-	1	4	2	7	9	12	23	34	40	42	48	22	16	6	-	-	-	-	-
	White—M	40	-	-	-	-	-	-	-	-	1	1	-	2	1	5	7	5	7	7	3	-	1	-	-	-	-	-
	F	214	-	-	-	-	-	-	-	1	2	-	5	7	10	16	25	34	33	41	19	16	5	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	63	-	-	-	-	-	-	-	-	2	6	3	6	12	9	5	6	5	6	2	1	-	-	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	-	1	4	3	6	10	8	5	6	5	6	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,757	5	9	1	2	-	4	6	8	14	17	38	65	128	278	391	570	708	927	1,165	1,048	842	387	119	22	3	-
	White—M	3,184	4	6	-	1	-	2	2	6	3	8	13	25	48	120	172	280	372	459	578	471	368	164	57	4	1	-
	F	3,183	-	3	1	1	-	1	2	2	7	7	19	30	55	108	161	244	283	409	546	546	463	218	57	18	2	-
	Nonwhite—M	186	1	-	-	-	-	-	1	-	2	1	2	5	12	26	28	21	26	23	16	10	6	3	3	-	-	-
	F	224	-	-	-	-	-	1	1	-	2	1	4	5	13	24	30	25	27	36	25	21	5	2	2	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	827	46	25	10	4	7	25	25	31	33	28	37	44	40	46	61	61	70	73	70	55	24	12	2	-	-	-
	White—M	433	28	18	4	3	3	11	13	19	18	16	17	23	20	17	34	34	37	36	41	26	10	7	-	-	-	-
	F	345	17	5	5	1	4	14	10	12	11	8	18	17	18	22	18	25	28	35	28	28	14	5	2	-	-	-
	Nonwhite—M	27	-	2	1	-	-	-	1	-	3	1	1	2	2	4	6	-	2	-	1	1	-	-	-	-	-	-
	F	22	3	-	-	-	-	-	1	-	1	1	1	2	-	3	3	2	3	2	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	285	26	7	7	10	5	23	12	10	19	15	21	16	15	16	14	15	12	15	10	4	6	4	3	-	-	-
	White—M	157	16	5	3	6	3	13	8	6	9	9	11	9	7	11	6	9	5	9	5	2	3	1	1	-	-	-
	F	108	8	2	3	4	2	10	3	3	8	5	6	4	8	4	7	4	7	5	5	2	3	3	2	-	-	-
	Nonwhite—M	9	-	-	1	-	-	-	1	1	-	1	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	11	2	-	-	-	-	-	-	-	2	-	3	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,730	-	2	-	2	2	24	26	49	50	66	81	118	103	135	133	136	142	158	167	144	117	55	15	4	1	-
	White—M	821	-	1	-	1	1	9	11	29	22	32	39	36	44	50	67	71	85	82	83	66	51	32	7	1	1	-
	F	780	-	1	-	1	-	12	8	16	21	23	34	62	44	72	56	55	50	70	83	74	64	23	8	3	-	-
	Nonwhite—M	66	-	-	-	-	1	-	5	1	3	5	5	14	7	6	6	4	3	3	-	3	-	-	-	-	-	-
	F	63	-	-	-	-	-	3	2	3	4	6	3	6	8	7	4	6	4	3	1	1	2	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,877	1	1	-	-	-	-	1	2	3	17	38	106	206	371	557	717	828	920	841	651	394	168	48	7	-	-
	White—M	3,988	1	1	-	-	-	-	1	2	2	9	28	79	166	280	444	529	602	630	523	384	202	79	23	3	-	-
	F	1,745	-	-	-	-	-	-	-	-	1	6	8	17	29	73	98	166	206	270	313	262	184	86	23	3	-	-
	Nonwhite—M	82	-	-	-	-	-	-	-	-	-	1	1	4	10	7	9	15	10	13	2	4	4	1	-	1	-	-
	F	62	-	-	-	-	-	-	-	-	-	1	1	6	1	11	6	7	10	7	3	1	4	2	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	21,742	14	5	-	3	1	7	21	48	68	92	179	284	549	980	1,432	1,863	2,239	2,765	3,299	3,063	2,702	1,517	486	98	21	6
	White—M	11,183	7	3	-	1	-	4	7	17	34	45	69	133	274	539	822	1,151	1,306	1,509	1,678	1,496	1,241	619	190	32	3	5
	F	8,915	4	2	-	1	-	3	9	25	27	32	69	82	145	255	376	526	728	1,059	1,469	1,469	1,416	869	275	65	8	1
	Nonwhite—M	861	1	-	-	-	-	-	4	5	3	7	20	34	73	107	129	105	100	97	78	46	21	16	10	1	4	-
	F	783	2	-	-	1	1	-	1	1	4	8	21	35	57	79	105	81	105	100	76	52	24	13	11	-	6	-
107-109	Pneumonia (all forms)	3,183	538	96	21	23	16	34	23	27	41	66	79	122	133	161	196	236	220	257	271	234	226	125	26	9	3	-
	White—M	1,680	259	37	7	8	7	9	11	14	22	23	45	74	79	95	123	144	146	144	144	126	96	54	9	4	-	-
	F	1,181	215	44	9	13	7	24	11	11	12	25	19	23	25	46	39	59	63	84	116	100	126	68	16	4	2	-
	Nonwhite—M	193	37	4	1	1	2	-	-	1	5	8	7	16	17	15	19	20	6	19	5	7	2	1	-	-	-	-
	F	149	27	11	4	1	-	1	1	1	2	10	8	9	12	5	15	13	5	10	6	1	2	2	1	1	1	-
117	Ulcer of stomach or duodenum	586	-	-	-	-	-	-	-	-	5	15	22	31	32	64	74	90	82	61	51	33	17	9	-	-	-	-
	White—M	470	-	-	-	-	-	-	-	-	5	15	15	26	30	33	61	77	65	51	36	23	9	6	-	-	-	-
	F	91	-	-	-	-	-	-	-	-	-	1	4	1	1	7	8	8	16	10	14	10	8	3	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	1	2	2	1	4	3	4	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	347	208	28	7	3	3	4	5	1	7	5	6	2	10	3	1	4	6	18	11	4	4	5	-	2	-	-
	White—M	180	108	16	3	2	1	2	5	-	4	-	3	1	3	3	-	3	5	10	3	3	1	3	-	1	-	-
	F	137	82	9	3	1	2	2	-	1	3	4	2	1	4	-	1	1	1	6	7	1	3	2	-	1	-	-
	Nonwhite—M	13	5	3	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	17	13	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
121	Appendicitis	567	-	5	10	15	10	31	30	39	27	30	40	26	39	49	38	56	39	35	18	20	6	4	-	-	-	-
	White—M	312	-	2	5	9	2	16	19	23	11	11	24	17	27	23	26	27	27	19	10	10	1	3	-	-	-	-
	F	213	-	2	3	4	7	13	10	13	14	14	12	8	7	21	12	23	12	16	8	9	5	-	-	-	-	-
	Nonwhite—M	24	-	1	2	1	1	1	1	2	2	2	2	-	3	3	-	2	-	-	-	-	-	1	-	-	-	-
	F	18	-	-	-	1	-	1	-	1	-	3	2	1	2	2	-	4	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	785	32	7	4	3	5	5	6	7	11	16	24	33	30	55	65	74	69	78	91	73	56	24	13	3	1	-
	White—M	364	14	5	3	2	2	5	5	2	5	8	9	14	9	28	30	39	26	35	43	43	19	10	7	1	-	-
	F	375	15	1	1	1	2	-	1	4	4	5	13	15	16	21	28	32	40	41	46	30	36	14	6	2	1	-
	Nonwhite—M	21	1	1	-	-	1	-	-	-	1	1	2	1	2	2	4	2	1	1	-	-	1	-	-	-	-	-
	F	25	2	-	-	-	-	-	-	1	1	2	-	3	3	4	3	1	2	1	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	942	2	-	-	-	-	1	3	3	6	10	21	57	72	104	128	113	115	90	80	69	46	16	5	-	-	1
	White—M	599	-	-	-	-	-	-	1	1	5	5	8	34	43	70	79	85	82	66	44	42	22	9	3	-	-	-
	F	296	1	-	-	-	-	1	2	2	1	5	9	18	25	29	38	25	28	20	35	25	24	6	2	-	-	-
	Nonwhite—M	30	-	-	-	-	-	-	-	-	-	-	2	4	1	3	10	1	4	2	1	2	-	-	-	-	-	-
	F	17	1	-	-	-	-	-	-	-	-	-	2	1	3	2	1	2	1	2	-	-	-	1	-	-	-	1
126,127	Biliary calculi, etc.*	550	1	-	-	-	-	-	-	-	2	1	10	26	32	49	65	78	72	56	58	51	29	18	2	-	-	-
	White—M	163	-	-	-	-	-	-	-	-	-	-	2	7	8	14	19	23	32	11	15	20	6	5	1	-	-	-
	F	377	-	-	-	-	-	-	-	-	2	1	8	19	23	33	43	55	39	45	41	31	23	13	1	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	6,619	1	2	6	1	2	15	13	30	37	54	75	128	178	301	411	490	585	801	1,000	1,014	875	430	139	31	-	-
	White—M	3,104	-	2	4	-	-	6	7	15	20	26	32	52	75	131	182	234	290	383	492	482	392	202	63	14	-	-
	F	3,073	-	-	-	1	2	7	4	14	17	26	31	46	72	134	177	209	242	368	456	500	463	220	73	13	-	-
	Nonwhite—M	198	1	-	1	-	-	1	1	1	-	1	4	13	13	17	17	24	30	26	22	12	8	5	-	1	-	-
	F	244	-	-	1	-	-	1	1	-	-	1	8	17	18	19	35	23	23	26	30	20	12	3	3	3	-	-
137	Diseases of the prostate	705	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	34	58	96	156	165	121	45	15	1	-	-
	White—M	684	-	-	-	-	-	-	-	-	-	-	-	-	1	7	5	29	54	95	149	162	121	45	15	1	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	1	7	3	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	132	-	-	-	-	-	-	-	10	29	25	36	25	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	118	-	-	-	-	-	-	-	5	25	22	36	23	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	14	-	-	-	-	-	-	-	5	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	49	-	-	-	-	-	-	-	5	13	10	10	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	45	-	-	-	-	-	-	-	4	12	10	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	145	-	-	-	-	-	-	-	6	27	40	38	20	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	134	-	-	-	-	-	-	-	5	27	39	31	18	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	11	-	-	-	-	-	-	-	1	-	1	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,044	898	36	11	8	5	22	9	13	10	4	7	4	6	3	2	3	3	2	-	-	-	-	-	-	-	-
	White—M	567	500	19	7	2	2	11	4	6	3	1	3	2	1	2	2	-	-	2	-	-	-	-	-	-	-	-
	F	445	378	15	3	4	3	9	4	6	5	2	3	2	5	1	-	2	3	-	-	-	-	-	-	-	-	-
	Nonwhite—M	17	8	1	1	-	-	1	1	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	15	12	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,727	1,727	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	918	918	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	667	667	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	966	-	-	-	-	-	-	2	13	38	47	83	80	92	104	127	115	94	67	56	32	15	-	1	-	-	-
	White—M	726	-	-	-	-	-	-	2	8	22	31	56	58	72	79	101	81	74	54	46	27	14	-	1	-	-	-
	F	222	-	-	-	-	-	-	-	4	15	15	25	20	17	23	24	32	20	13	9	4	1	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	1	-	-	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	365	6	-	-	1	-	2	2	28	30	40	59	56	38	36	24	11	11	11	6	2	1	1	-	-	-	-
	White—M	141	4	-	-	-	-	1	1	14	4	7	19	24	15	16	12	6	7	5	4	2	-	-	-	-	-	-
	F	36	1	-	-	-	-	1	-	2	1	2	5	5	4	2	2	3	1	5	-	-	1	1	-	-	-	-
	Nonwhite—M	163	1	-	-	-	-	-	1	11	20	29	27	25	17	16	10	2	3	-	1	-	-	-	-	-	-	-
	F	25	-	-	-	1	-	-	-	1	5	2	8	2	2	2	-	-	-	1	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,713	2	9	6	19	15	71	56	132	151	99	111	99	100	138	138	141	111	116	82	63	44	6	3	-	-	1
	White—M	1,244	-	3	3	10	6	39	42	94	116	70	83	77	76	107	95	105	86	85	59	50	31	5	1	-	-	1
	F	374	1	5	3	7	9	26	9	33	27	21	26	13	20	23	32	29	21	23	20	12	12	-	2	-	-	-
	Nonwhite—M	74	1	-	-	1	-	5	4	5	8	6	1	7	2	6	9	6	2	8	2	-	1	-	-	-	-	-
	F	21	-	1	-	1	-	1	1	-	-	2	1	2	2	2	2	1	2	-	1	1	-	1	-	-	-	-
169, 171-195	Other accidents	3,680	116	49	23	32	18	95	99	138	169	171	178	158	195	213	243	244	232	246	234	279	275	191	59	10	6	7
	White—M	2,349	66	21	13	18	9	63	66	96	138	139	134	124	149	177	200	198	166	145	113	128	97	61	17	3	1	7
	F	1,106	37	23	9	11	8	23	19	25	14	20	28	17	30	24	34	31	52	86	114	144	177	128	42	6	4	-
	Nonwhite—M	162	9	2	-	2	1	6	12	11	14	9	16	15	10	10	5	11	8	12	3	4	-	1	-	1	-	-
	F	63	4	3	1	1	-	3	2	6	3	3	-	2	6	2	4	4	6	3	4	3	1	1	-	-	1	-
	All other causes*	6,738	1,347	40	34	16	21	58	66	81	107	107	154	167	272	329	349	397	433	472	555	587	572	348	164	54	6	2
	White—M	3,451	772	23	16	8	13	31	37	39	47	49	55	68	98	149	190	214	236	283	291	307	276	165	63	17	3	1
	F	2,840	491	17	16	8	8	22	28	38	48	44	74	75	127	140	132	143	181	163	240	268	284	177	96	36	3	1
	Nonwhite—M	234	50	-	1	-	-	3	1	3	8	7	7	9	17	20	16	25	22	12	13	7	7	4	2	-	-	-
	F	213	34	-	1	-	-	2	-	1	4	7	18	15	30	20	11	15	14	14	11	5	5	2	3	1	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	Area, cause of death, race, and sex	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																											
	All causes	39,508	2,701	210	102	101	67	259	259	446	661	717	781	920	1,165	1,548	2,218	2,750	3,430	4,309	4,840	4,744	4,155	2,146	715	162	27	35
	White—M	20,906	1,508	95	58	57	29	143	159	254	318	350	349	449	625	819	1,244	1,563	1,945	2,345	2,573	2,517	2,078	1,035	304	78	7	28
	F	16,367	1,036	100	38	37	34	106	85	144	228	283	277	342	392	590	785	1,009	1,319	1,785	2,127	2,099	1,978	1,086	388	76	17	6
	Nonwhite—M	1,111	87	9	1	4	4	7	8	26	35	47	54	64	76	84	99	98	94	95	85	62	43	13	13	5	3	1
	F	924	70	6	5	3	-	3	7	30	25	37	41	65	70	56	90	80	72	84	55	66	35	12	10	3	-	-
1,2	Typhoid, paratyphoid fever	12	-	-	-	-	-	-	-	-	1	2	1	-	3	-	1	2	1	-	-	-	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	5	-	-	1	-	2	-	-	-	-	-	-	-	3	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	10	4	-	-	-	-	2	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	14	-	-	-	-	1	4	1	-	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	2	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	1	2	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	63	44	14	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	29	20	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	31	22	6	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	18	1	1	1	3	4	5	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	9	1	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,148	1	5	1	5	1	7	8	51	99	121	102	96	65	61	92	69	83	79	70	42	23	8	1	-	-	-
	White—M	571	-	3	-	2	-	4	-	16	33	38	39	49	48	51	65	44	51	52	40	17	14	4	1	-	-	-
	F	382	-	1	-	-	1	1	5	17	41	49	40	28	27	30	17	20	19	20	28	25	9	4	-	-	-	-
	Nonwhite—M	117	-	-	-	1	-	2	-	6	13	20	13	13	11	8	8	5	11	5	1	-	-	-	-	-	-	-
	F	78	1	1	1	2	-	-	3	12	12	14	10	6	7	2	2	-	2	2	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	133	6	9	6	4	2	2	3	5	7	10	13	11	9	4	8	7	8	4	7	3	4	1	-	-	-	-
	White—M	61	5	2	2	4	2	1	2	1	2	3	5	3	5	2	5	4	7	1	2	1	2	-	-	-	-	-
	F	40	1	6	4	-	-	1	-	1	1	2	4	2	1	-	3	2	1	2	4	2	2	1	-	-	-	-
	Nonwhite—M	16	-	1	-	-	-	-	-	1	2	2	4	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	1	2	2	3	-	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	29	7	2	-	1	-	2	2	-	-	-	-	1	-	1	1	-	1	2	1	3	2	3	-	-	-	-
	White—M	15	2	2	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	2	1	1	-	2	-	-	-	-
	F	14	5	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	407	16	1	-	-	-	1	2	2	5	9	17	34	41	45	51	55	45	37	20	16	8	2	-	-	-	-
	White—M	249	3	-	-	-	-	1	1	-	1	3	9	19	25	30	30	39	33	24	13	12	6	-	-	-	-	-
	F	95	9	1	-	-	-	-	-	2	3	4	6	9	5	7	12	11	9	7	6	1	1	2	-	-	-	-
	Nonwhite—M	45	3	-	-	-	-	-	-	-	-	2	-	5	9	6	4	5	3	5	-	2	1	-	-	-	-	-
	F	18	1	-	-	-	-	-	1	-	1	-	2	1	2	2	5	-	-	1	1	1	-	-	-	-	-	-
33	Influenza	422	43	13	6	2	-	8	4	3	6	7	6	10	12	14	14	28	27	36	40	42	62	25	12	2	-	-
	White—M	190	24	5	3	1	-	3	2	2	4	2	1	6	8	9	6	14	15	17	17	16	17	10	6	2	-	-
	F	209	15	7	3	1	-	5	2	-	2	5	4	3	2	4	7	10	10	18	21	26	43	15	6	-	-	-
	Nonwhite—M	11	1	1	-	-	-	-	-	-	-	-	1	-	2	-	1	3	-	1	1	-	-	-	-	-	-	-
	F	12	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2	-	1	-	2	-	-	-	-	-
35	Measles	13	4	2	-	-	-	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	1	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	18	-	1	1	-	3	5	3	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	-	1	1	-	2	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,998	-	-	-	1	-	-	2	2	4	10	9	24	42	84	152	187	270	309	347	282	198	63	11	1	-	-
	White—M	1,017	-	-	-	-	-	-	1	2	2	3	4	9	19	44	84	99	141	173	171	142	96	23	3	1	-	-
	F	921	-	-	-	1	-	-	1	-	2	6	5	11	19	32	57	83	122	130	167	138	101	39	7	-	-	-
	Nonwhite—M	35	-	-	-	-	-	-	-	-	-	-	-	1	2	7	6	2	6	3	7	-	-	-	1	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	-	3	2	1	5	3	1	3	2	2	1	1	-	-	-	-
48,49	Cancer of female genital organs	607	-	-	-	-	-	-	-	-	2	15	26	45	50	67	77	61	67	70	61	35	18	9	3	1	-	-
	White—F	563	-	-	-	-	-	-	-	-	2	13	23	38	44	65	70	58	62	66	61	32	18	9	2	-	-	-
	Nonwhite—F	44	-	-	-	-	-	-	-	-	-	2	3	7	6	2	7	3	5	4	-	3	-	-	1	1	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Contd.																											
50	Cancer of breast	419	-	-	-	-	-	-	-	-	-	1	8	14	17	37	55	51	60	54	49	30	28	12	3	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	1	-	-	-	-
	F	392	-	-	-	-	-	-	-	-	-	1	7	13	13	34	53	50	54	53	45	28	27	11	3	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	1	5	-	2	2	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,477	2	2	-	1	-	4	5	11	9	18	17	31	46	67	123	147	167	211	204	190	131	62	21	5	1	2
	White—M	969	1	1	-	1	-	-	5	6	8	13	12	11	30	34	78	85	105	145	136	138	96	50	10	2	1	1
	F	463	1	1	-	-	-	4	-	3	1	5	5	16	16	30	37	55	58	56	64	50	34	12	11	3	-	1
	Nonwhite—M	36	-	-	-	-	-	-	-	1	-	-	-	2	-	2	8	4	3	9	4	2	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	3	1	1	-	-	-	1	-	-	-	-
58	Acute rheumatic fever	32	-	-	-	2	-	5	5	3	2	2	-	2	3	-	3	-	-	1	1	3	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	2	-	2	1	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-
	F	19	-	-	-	2	-	4	3	3	-	1	-	2	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	980	-	1	1	-	-	2	4	5	13	5	6	11	19	33	67	100	141	159	173	124	77	16	2	1	-	-
	White—M	392	-	-	-	-	-	1	1	2	4	1	5	4	7	13	29	41	52	59	75	59	30	7	2	-	-	-
	F	536	-	1	1	-	-	1	3	3	8	3	1	6	9	17	30	55	87	97	96	63	45	9	-	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	-	-	-	3	-	8	3	2	3	2	2	2	-	-	-	-	-
63b	Exophthalmic goiter	132	-	-	-	-	-	-	-	1	2	3	3	5	6	5	20	11	19	22	20	7	7	1	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	2	2	2	-	-	1	-	-	-	-
	F	116	-	-	-	-	-	-	-	-	1	3	3	3	5	5	18	10	16	20	17	7	7	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	57	-	-	-	-	-	-	-	-	-	1	4	10	9	7	8	7	3	6	1	1	-	-	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	-	-	-	4	10	9	7	6	7	3	5	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,990	6	1	-	-	-	4	4	5	4	7	16	29	55	112	187	249	389	582	722	713	555	284	85	17	4	-
	White—M	1,872	3	1	-	-	-	2	1	3	-	1	6	12	12	36	67	110	185	300	388	345	265	117	29	8	1	-
	F	1,924	3	-	-	-	-	1	2	2	4	6	8	14	30	64	79	113	180	256	331	350	272	146	53	8	2	-
	Nonwhite—M	100	-	-	-	-	-	-	-	-	-	-	1	1	5	8	9	12	15	12	13	9	12	1	1	-	1	-
	F	94	-	-	-	-	-	1	1	-	-	-	1	2	8	4	12	14	9	14	10	9	6	-	2	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	434	33	11	7	5	2	20	11	14	16	27	12	13	21	19	32	28	27	38	42	25	21	7	3	-	-	-
	White—M	236	18	5	5	4	1	11	3	5	9	16	8	8	14	11	20	14	13	19	21	13	12	6	-	-	-	-
	F	180	13	5	1	1	1	9	8	9	6	9	4	3	7	7	10	12	14	17	20	11	9	1	3	-	-	-
	Nonwhite—M	12	1	1	-	-	-	-	-	-	1	2	-	1	-	-	1	2	-	2	1	-	-	-	-	-	-	-
	F	6	1	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	146	17	5	-	2	3	7	8	7	10	9	4	5	5	5	6	13	11	12	8	2	1	4	2	-	-	-
	White—M	80	11	3	-	-	1	5	3	6	7	8	1	2	3	3	1	7	6	7	5	1	-	2	-	-	-	-
	F	55	4	1	-	2	2	2	5	-	2	1	2	2	2	2	3	6	5	5	3	1	1	2	2	-	-	-
	Nonwhite—M	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	678	-	-	-	1	-	5	10	9	13	20	22	33	38	32	41	42	68	53	92	75	67	43	10	3	-	1
	White—M	355	-	-	-	-	-	4	4	4	6	12	14	15	19	19	20	24	33	28	53	41	37	16	4	1	-	1
	F	275	-	-	-	-	-	1	6	5	7	6	6	13	14	12	16	13	27	22	36	29	28	26	6	2	-	-
	Nonwhite—M	19	-	-	-	1	-	-	-	-	-	2	-	2	-	-	3	2	3	1	2	2	-	1	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	2	3	5	1	2	3	5	2	1	3	2	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,450	2	-	-	1	-	-	1	1	1	6	21	57	111	179	277	388	492	551	495	414	290	119	30	6	3	5
	White—M	2,424	2	-	-	1	-	-	1	1	1	4	15	45	89	150	223	309	378	366	307	264	168	76	14	4	1	5
	F	960	-	-	-	-	-	-	-	-	-	2	3	12	16	23	45	67	104	178	185	146	119	42	15	2	1	-
	Nonwhite—M	44	-	-	-	-	-	-	-	-	-	-	3	-	5	4	6	7	7	4	2	3	2	-	-	-	1	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	3	3	1	1	1	1	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	6,742	8	4	1	3	-	9	6	18	25	36	35	61	110	150	309	421	590	876	1,015	1,133	1,083	581	214	40	8	6
	White—M	3,524	6	2	-	2	-	5	3	7	12	20	16	25	60	74	174	249	343	472	545	593	537	261	90	21	2	5
	F	2,895	2	1	1	1	-	3	3	9	11	14	14	25	29	56	99	137	215	356	437	506	523	315	115	18	5	-
	Nonwhite—M	160	-	-	-	-	-	1	-	1	2	1	3	3	12	9	18	20	13	21	17	17	13	-	7	-	1	1
	F	163	-	1	-	-	-	-	-	1	-	1	2	8	9	11	18	15	19	27	16	17	10	5	2	1	-	-
107-109	Pneumonia (all forms)	1,685	370	48	18	9	8	19	15	15	24	25	24	41	56	55	70	88	104	130	137	148	131	95	38	15	1	1
	White—M	874	188	20	9	6	4	9	6	6	10	12	16	17	28	30	37	53	70	71	72	83	67	39	15	4	1	1
	F	671	147	22	7	1	2	8	6	5	11	9	4	14	18	10	25	28	31	53	62	60	63	54	22	9	-	-
	Nonwhite—M	91	20	3	1	1	2	2	3	1	2	4	4	6	7	11	6	5	3	2	2	2	-	1	1	2	-	-
	F	49	15	3	1	1	-	-	-	3	1	-	-	4	3	4	2	2	-	4	1	3	1	1	-	-	-	-
117	Ulcer of stomach or duodenum	213	2	-	-	-	-	-	-	-	2	8	5	13	17	24	22	28	27	22	15	12	10	4	4	-	-	-
	White—M	169	1	-	-	-	-	-	-	-	1	8	5	10	16	21	18	24	20	10	10	10	8	4	3	-	-	-
	F	32	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	10	5	2	2	-	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	282	187	18	8	1	3	3	2	-	-	1	1	2	2	3	8	6	4	4	4	7	13	2	3	-	-	-
	White—M	149	99	8	8	-	2	3	1	-	-	1	1	-	-	2	5	4	-	1	3	4	5	1	1	-	-	-
	F	120	81	10	-	1	1	-	1	-	-	-	-	-	2	-	3	1	3	3	1	3	7	1	2	-	-	-
	Nonwhite—M	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	255	1	2	3	7	4	9	13	23	12	14	19	15	13	18	24	26	15	14	8	7	4	4	-	-	-	-
	White—M	150	1	2	1	5	1	4	10	14	5	7	14	9	7	13	19	13	6	4	5	5	3	2	-	-	-	-
	F	90	-	-	2	2	3	5	3	6	6	4	5	3	4	5	5	11	9	10	3	1	1	2	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	3	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	338	26	2	2	2	1	8	2	2	6	4	10	8	12	15	22	32	32	33	44	22	27	19	6	-	1	-
	White—M	160	18	2	1	2	1	3	-	2	1	2	4	2	4	5	14	12	13	17	21	10	12	12	2	-	-	-
	F	154	8	-	1	-	-	4	1	-	4	1	5	3	5	8	8	17	16	15	20	11	15	7	4	-	1	-
	Nonwhite—M	13	-	-	-	-	-	1	1	-	-	1	-	3	2	-	-	1	2	1	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	1	-	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver	264	-	-	-	-	-	1	-	1	-	7	2	11	14	19	32	24	31	40	37	27	11	5	1	1	-	-
	White—M	162	-	-	-	-	-	-	-	1	-	2	2	8	10	14	21	14	23	23	21	15	6	2	1	1	-	-
	F	91	-	-	-	-	-	1	-	-	-	5	-	4	3	4	8	8	7	17	15	11	5	3	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	229	-	-	1	-	-	-	-	1	-	3	6	5	7	22	17	27	25	36	29	22	18	9	1	-	-	-
	White—M	62	-	-	1	-	-	-	-	-	-	-	1	1	2	6	8	6	7	12	9	5	2	1	1	-	-	-
	F	164	-	-	-	-	-	-	-	1	-	3	5	4	5	15	8	21	18	24	20	17	15	8	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
130-132	Nephritis	3,545	6	-	1	5	3	6	5	12	11	17	32	32	55	94	144	258	290	410	548	657	564	299	90	23	1	2
	White—M	1,850	4	-	1	1	2	2	3	6	6	5	16	15	18	42	71	122	161	212	287	341	302	156	44	11	-	2
	F	1,511	2	-	-	4	1	3	2	5	5	11	8	13	28	41	53	108	108	171	236	271	250	137	43	10	1	-
	Nonwhite—M	101	-	-	-	-	-	-	-	-	-	-	3	1	3	6	7	13	10	14	17	14	7	4	-	2	-	-
	F	103	-	-	-	-	-	1	-	1	-	1	5	3	6	5	13	15	11	15	8	11	5	2	3	-	-	-
137	Diseases of the prostate	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	16	26	35	48	38	16	7	3	-	-
	White—M	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	15	24	33	45	37	16	7	3	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	1	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	82	-	-	-	-	-	-	-	7	18	23	13	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	77	-	-	-	-	-	-	-	6	17	21	12	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	36	-	-	-	-	-	-	-	3	7	13	7	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	35	-	-	-	-	-	-	-	3	7	13	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e, 142b,145, 145b,146, 149,150	Other puerperal causes	60	-	-	-	-	-	-	-	3	12	18	15	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	57	-	-	-	-	-	-	-	3	12	16	14	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	435	379	17	8	-	3	6	9	3	4	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	259	213	5	5	-	1	5	4	1	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	185	156	12	3	-	1	1	5	2	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	838	838	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	471	471	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	315	315	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	453	-	-	-	-	-	-	2	7	24	34	37	36	42	35	41	46	38	31	27	21	21	8	1	-	-	2
	White—M	325	-	-	-	-	-	-	-	3	13	25	21	25	37	18	32	35	26	25	20	19	17	7	1	-	-	1
	F	122	-	-	-	-	-	-	2	3	10	9	16	10	4	17	9	11	10	6	7	2	4	1	-	-	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide	112	1	-	-	-	-	2	2	10	15	14	17	15	14	9	4	5	3	-	1	-	-	-	-	-	-	-
	White—M	43	-	-	-	-	-	2	2	7	3	5	4	1	6	5	2	5	-	-	1	-	-	-	-	-	-	-
	F	18	1	-	-	-	-	-	-	-	4	2	4	4	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	44	-	-	-	-	-	-	-	3	8	5	9	8	5	3	1	-	2	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	959	2	6	2	6	6	25	29	92	111	84	56	63	42	69	59	52	63	61	57	42	18	8	1	-	-	5
	White—M	711	2	3	2	4	3	16	23	63	82	67	42	49	34	49	38	41	51	42	44	32	13	6	-	-	-	5
	F	202	-	3	-	2	3	9	6	28	25	15	7	11	6	14	13	9	9	16	10	8	5	2	1	-	-	-
	Nonwhite—M	36	-	-	-	-	-	-	-	-	2	1	5	2	2	4	8	1	3	3	3	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	2	1	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,912	68	28	23	19	11	57	62	88	85	81	66	78	65	83	103	90	88	97	127	196	196	139	44	12	1	5
	White—M	1,160	37	15	10	12	2	36	50	75	71	68	54	61	53	68	82	68	54	63	59	79	62	56	17	6	-	2
	F	680	26	12	11	6	8	21	10	7	11	10	6	8	7	10	19	19	30	31	62	112	134	83	27	6	1	3
	Nonwhite—M	50	4	-	-	1	1	-	2	5	2	3	4	9	4	5	2	2	3	-	1	2	-	-	-	-	-	-
	F	22	1	1	2	-	-	-	-	1	1	-	2	-	1	-	-	1	1	3	5	3	-	-	-	-	-	-
	All other causes*	3,998	626	17	11	18	12	27	18	41	44	57	86	82	120	142	165	199	222	302	402	414	507	318	122	32	7	5
	White—M	2,101	372	6	7	11	6	15	8	20	25	20	29	31	55	59	84	114	127	168	228	224	264	158	53	14	1	4
	F	1,751	221	10	4	7	6	12	8	19	19	31	47	43	57	71	70	73	87	124	165	181	235	152	65	17	6	1
	Nonwhite—M	87	17	1	-	-	-	-	1	-	-	2	4	3	3	4	5	6	6	9	8	3	5	6	3	1	-	-
	F	77	16	-	-	-	-	-	1	2	2	4	6	5	5	8	6	6	2	1	1	6	3	2	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																											
	All causes	25,001	1,623	110	61	65	48	159	156	257	279	283	343	424	600	854	1,286	1,554	2,050	2,724	3,255	3,536	3,058	1,708	585	152	20	11
	White—M	13,831	913	56	31	35	25	88	95	154	163	159	178	232	332	465	757	925	1,234	1,569	1,835	1,863	1,553	853	257	47	3	9
	F	10,892	697	54	28	30	23	70	59	100	110	118	158	182	256	368	499	607	787	1,124	1,391	1,452	1,493	845	322	103	14	2
	Nonwhite—M	168	7	-	1	-	-	1	-	1	4	3	4	8	3	14	18	13	20	22	14	13	9	4	5	2	2	-
	F	110	6	-	1	-	-	-	2	2	2	3	3	2	9	7	12	9	9	9	15	8	3	6	1	-	1	-
1,2	Typhoid, paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	-	-	-	2	2	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	29	23	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	8	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	13	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	9	-	2	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White—M	6	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	379	2	3	-	1	-	1	3	13	27	33	32	26	37	25	36	32	23	38	22	16	8	2	1	-	-	-
	White—M	219	2	3	-	1	-	1	1	2	14	14	20	12	21	17	20	24	20	19	14	7	5	1	1	-	-	-
	F	146	-	-	-	-	-	-	1	11	11	18	11	13	16	7	13	7	3	15	8	8	3	1	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	-	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	48	2	3	-	4	-	2	-	2	5	1	1	5	3	2	3	3	5	5	2	-	1	1	-	-	-	-
	White—M	26	2	1	-	2	-	1	-	-	2	1	-	2	1	1	1	1	4	4	1	-	1	1	-	-	-	-
	F	20	-	2	-	2	-	1	-	1	1	-	1	3	2	1	2	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	F	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	194	4	-	-	-	-	-	-	3	1	-	7	9	12	19	33	22	30	17	20	13	4	-	-	-	-	-
	White—M	120	2	-	-	-	-	-	-	1	-	-	2	5	5	11	18	14	24	15	14	8	1	-	-	-	-	-
	F	55	1	-	-	-	-	-	-	2	1	-	3	3	5	6	7	7	6	2	6	4	2	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	2	-	1	1	6	-	-	-	-	1	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	1	-	-	-	-	-
33	Influenza	217	28	5	2	2	1	2	4	2	7	-	3	4	5	4	8	11	11	9	21	23	37	18	4	5	-	1
	White—M	97	13	2	1	-	-	-	1	-	4	-	2	1	3	2	5	7	3	6	7	13	14	8	1	3	-	1
	F	119	15	3	1	2	1	2	3	2	3	-	1	3	2	2	3	4	7	3	14	10	23	10	3	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	17	4	2	1	1	2	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	3	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	1	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	8	2	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	6	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,703	-	-	1	1	-	-	1	2	6	4	12	18	27	57	116	159	182	245	308	288	190	85	17	6	-	-
	White—M	912	-	-	1	1	-	-	-	-	4	3	6	9	11	27	52	88	111	148	174	144	89	38	5	1	-	-
	F	778	-	-	-	-	-	-	1	2	2	1	6	7	16	27	64	69	69	95	131	124	100	47	12	5	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	2	2	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	408	-	-	-	-	-	-	-	-	-	3	10	18	27	43	49	41	56	56	48	31	17	7	-	2	-	-
	White—F	402	-	-	-	-	-	-	-	-	-	3	10	18	27	42	49	40	56	55	48	29	17	6	-	2	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
50	Cancer of breast	346	-	-	-	-	-	-	-	-	-	1	4	8	29	26	30	36	54	47	42	29	19	15	6	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	F	341	-	-	-	-	-	-	-	-	-	1	4	8	29	26	29	36	54	46	41	29	19	14	5	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,142	-	1	1	2	3	4	6	10	8	11	17	18	31	49	88	94	127	139	177	167	126	42	15	5	1	-
	White—M	838	-	-	-	2	1	2	5	8	4	9	9	13	19	33	57	66	93	100	135	138	106	28	8	2	-	-
	F	299	-	1	1	-	2	2	-	2	4	2	8	5	12	15	31	28	33	39	40	29	20	14	7	3	1	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	14	-	-	-	1	-	3	3	-	2	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	1	-	1	3	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	652	-	-	1	-	-	-	7	3	3	7	5	4	8	16	23	45	85	123	120	108	56	14	4	-	-	-
	White—M	275	-	-	1	-	-	-	2	1	1	5	2	2	5	7	8	17	39	56	49	50	23	6	1	-	-	-
	F	349	-	-	-	-	-	-	5	2	2	1	3	1	3	9	15	28	44	67	69	57	33	7	3	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-
63b	Exophthalmic goiter	61	-	-	-	-	-	-	-	2	-	1	2	2	-	3	5	10	9	11	8	5	3	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	1	-	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	-	2	-	1	2	1	-	2	4	8	8	8	7	5	3	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	24	-	-	-	-	-	-	-	1	-	-	1	2	3	1	7	2	1	5	1	-	-	-	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	1	2	3	-	6	2	1	5	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,794	8	-	-	1	-	2	-	2	4	7	6	17	29	58	97	141	229	381	499	537	467	215	69	19	3	3
	White—M	1,356	4	-	-	1	-	2	-	2	2	5	2	9	8	19	42	74	109	206	252	275	205	105	29	2	1	2
	F	1,413	4	-	-	-	-	-	-	-	2	2	4	8	20	39	53	65	117	170	241	258	262	110	39	17	1	1
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	-	-	1	-	1	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	5	2	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	320	24	7	2	-	5	6	8	10	10	7	8	17	11	26	17	21	30	27	32	24	20	5	2	1	-	-
	White—M	167	13	1	1	-	2	3	4	6	5	3	1	10	8	11	10	14	12	15	18	13	13	2	1	1	-	-
	F	149	11	6	1	-	3	3	4	4	4	4	7	7	3	15	6	7	17	11	14	11	7	3	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	91	8	1	1	5	-	10	5	5	6	4	4	2	5	5	3	6	2	3	2	3	4	5	2	-	-	-
	White—M	43	3	1	-	3	-	5	2	2	1	2	3	1	3	2	2	3	2	2	-	2	3	1	-	-	-	-
	F	47	5	-	1	2	-	5	3	3	5	2	1	1	1	3	1	3	-	1	2	1	1	4	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	500	-	1	-	-	1	4	1	6	6	8	10	12	15	26	34	43	44	53	52	65	73	38	6	1	1	-
	White—M	257	-	1	-	-	-	3	-	2	2	3	6	9	4	13	22	21	27	32	24	31	35	18	4	-	-	-
	F	239	-	-	-	-	1	1	1	4	3	5	4	3	11	13	12	22	16	21	28	33	38	20	2	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
94	Diseases of coronary arteries, angina pectoris	2,758	-	-	-	-	-	-	-	2	1	3	13	23	63	110	194	245	352	427	461	390	284	136	46	6	-	2
	White—M	1,903	-	-	-	-	-	-	-	-	1	2	8	16	54	84	165	195	266	286	298	247	168	87	24	-	-	2
	F	836	-	-	-	-	-	-	-	2	-	1	5	7	7	23	28	49	82	139	158	143	115	49	22	6	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	4	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,935	6	-	1	-	-	1	5	10	6	15	11	22	38	82	155	189	270	449	651	695	737	395	155	38	3	1
	White—M	2,122	4	-	-	-	-	-	4	6	2	8	4	7	24	52	94	119	166	249	347	384	375	187	73	16	-	1
	F	1,761	2	-	1	-	-	1	1	4	4	7	6	14	12	28	57	62	98	194	298	307	356	206	79	21	3	-
	Nonwhite—M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	5	3	2	5	1	2	1	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	1	1	3	2	1	1	1	-	-	-
107-109	Pneumonia (all forms)	946	148	23	6	4	2	9	5	6	5	12	13	11	17	19	31	33	47	78	96	117	114	98	35	14	1	2
	White—M	530	77	13	3	4	-	6	4	2	4	4	7	7	5	15	21	23	26	45	60	69	63	46	19	6	-	1
	F	405	69	10	3	-	2	3	1	4	1	6	5	3	12	4	9	10	20	30	36	47	51	51	16	8	1	1
	Nonwhite—M	11	2	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	2	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	172	-	-	-	-	-	-	-	-	1	1	4	5	8	18	20	20	25	24	16	17	7	6	-	-	-	-
	White—M	150	-	-	-	-	-	-	-	-	1	1	3	5	8	16	19	19	20	22	14	13	5	4	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	5	2	2	4	2	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
119,120	Diarrhea, enteritis, etc.*	107	55	6	2	2	1	1	1	1	-	1	1	1	-	1	-	2	4	6	7	4	3	5	2	1	-	-
	White—M	52	34	-	-	1	1	-	1	1	-	1	-	-	-	1	-	-	-	3	5	2	-	-	1	1	-	-
	F	53	20	6	2	1	-	-	-	-	-	-	1	1	-	-	-	2	4	3	2	2	3	5	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	174	1	2	5	3	4	12	12	10	11	5	6	13	11	11	11	13	15	10	8	7	2	-	2	-	-	-
	White—M	106	-	1	4	-	4	8	4	5	7	3	3	11	9	9	8	8	8	7	4	5	1	-	1	-	-	-
	F	67	1	1	1	3	-	4	8	4	4	2	3	2	2	2	5	5	9	3	4	2	1	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	215	11	2	-	1	2	4	2	3	5	4	6	2	5	6	15	17	16	28	24	23	20	15	4	-	-	-
	White—M	112	5	2	-	-	2	1	2	1	1	1	3	1	3	4	8	4	6	17	16	13	13	7	2	-	-	-
	F	100	6	-	-	1	-	3	-	2	4	3	3	1	2	2	6	13	10	11	8	10	6	7	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	135	-	1	-	-	-	-	-	-	2	-	2	3	10	5	12	16	17	21	16	16	12	2	-	-	-	-
	White—M	93	-	1	-	-	-	-	-	-	1	-	1	2	6	3	11	12	14	11	15	8	7	1	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	4	3	10	1	8	5	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	143	-	-	-	-	-	-	1	-	-	-	3	2	2	11	10	16	16	26	19	17	9	9	2	-	-	-
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	6	8	15	7	6	1	2	1	-	-	-
	F	92	-	-	-	-	-	-	1	-	-	-	3	2	2	8	8	10	8	11	12	11	8	7	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,801	1	-	-	-	-	5	2	12	12	12	16	22	42	51	83	100	135	189	212	250	267	146	40	3	1	-
	White—M	881	-	-	-	-	-	1	-	3	7	5	6	11	22	21	47	56	78	107	123	147	144	82	20	1	-	-
	F	700	1	-	-	-	-	4	2	9	5	7	10	10	19	27	32	42	55	81	88	101	123	61	20	2	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-	1	-	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	1	1	-	1	-	-	-	-
137	Diseases of the prostate	231	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	17	24	45	55	55	27	4	2	-	-
	White—M	228	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	17	23	44	54	55	27	4	2	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	42	-	-	-	-	-	-	-	1	6	9	14	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	42	-	-	-	-	-	-	-	1	6	9	14	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	13	-	-	-	-	-	-	-	1	4	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	-	4	-	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	39	-	-	-	-	-	-	-	2	11	6	6	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	-	2	11	6	6	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	293	258	10	1	1	4	2	2	2	3	2	1	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-
	White—M	148	131	5	-	-	2	1	2	1	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	144	126	5	1	1	2	1	-	1	1	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	558	558	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	229	229	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	307	-	-	-	-	-	-	1	6	7	14	18	30	22	27	32	42	34	26	20	19	5	4	-	-	-	-
	White—M	243	-	-	-	-	-	-	1	5	5	10	16	20	21	18	25	32	29	22	18	16	3	4	-	-	-	-
	F	61	-	-	-	-	-	-	-	1	2	4	2	8	1	9	9	10	4	4	2	3	2	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	Homicide	30	3	-	-	-	1	1	-	1	2	3	4	3	4	2	-	-	3	1	2	-	-	-	-	-	-	-
	White—M	12	1	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-
	F	14	2	-	-	-	1	1	-	1	-	1	-	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	447	-	5	2	9	5	26	17	58	50	33	38	22	26	23	26	31	19	15	11	14	11	4	-	1	1	-
	White—M	333	-	2	1	6	3	15	16	43	36	24	30	17	24	18	18	22	15	11	10	11	8	2	-	-	1	-
	F	111	-	3	1	3	2	11	1	15	13	8	8	5	2	5	8	9	4	4	1	3	3	2	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 1-195	Other accidents	1,259	43	24	21	11	13	42	50	53	45	43	29	35	34	32	44	48	61	58	91	128	185	117	41	8	1	2
	White—M	770	28	13	11	6	8	25	36	47	40	37	23	32	31	28	37	39	52	41	54	53	66	50	10	1	-	2
	F	481	15	11	8	5	5	17	14	6	5	6	6	2	3	4	6	9	8	17	36	75	118	67	31	7	-	-
	Nonwhite—M	6	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	1	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	All other causes*	2,637	429	10	12	15	3	15	15	24	23	30	32	48	61	89	102	111	130	182	222	293	320	296	127	40	8	-
	White—M	1,380	257	6	7	7	1	8	8	14	14	15	17	25	28	45	61	55	82	95	128	153	148	144	50	11	1	-
	F	1,227	171	4	5	8	2	7	7	10	9	14	15	22	32	41	39	52	45	82	92	137	171	151	75	29	7	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2	3	1	3	1	-	2	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	2	1	-	-	1	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	All causes	18,149	1,205	104	50	37	39	112	138	236	262	252	321	386	529	640	933	1,172	1,537	1,975	2,257	2,167	2,093	1,185	400	87	18	14
	White—M	9,734	662	52	30	17	17	65	81	137	149	140	156	171	285	343	507	653	883	1,104	1,228	1,173	1,077	571	186	34	5	8
	F	7,389	484	43	16	17	20	36	48	79	83	76	136	173	199	235	340	421	565	745	944	924	965	579	201	51	6	3
	Nonwhite—M	561	38	5	3	3	2	5	4	12	19	16	14	23	21	38	37	50	44	77	52	37	31	20	2	1	3	2
	F	465	21	4	1	-	-	6	5	8	11	18	15	19	24	24	49	48	45	49	33	33	20	15	11	1	4	1
1,2	Typhoid, paratyphoid fever	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	8	-	-	-	-	-	-	-	1	-	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	7	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	15	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	10	2	1	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	2	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	399	1	3	-	1	1	2	2	18	40	34	42	32	31	39	36	30	27	25	22	3	6	4	-	-	-	-
	White—M	212	1	1	-	-	-	1	1	6	11	9	16	17	21	29	20	24	21	15	12	2	2	3	-	-	-	-
	F	126	-	1	-	1	-	-	1	6	19	6	23	9	8	6	12	5	5	9	9	1	4	1	-	-	-	-
	Nonwhite—M	35	-	-	-	-	1	1	-	5	6	10	-	2	-	4	2	1	1	1	1	-	-	-	-	-	-	-
	F	26	-	1	-	-	-	-	-	1	4	9	3	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	39	1	3	-	1	-	1	3	2	4	2	4	-	1	1	1	2	5	6	-	2	-	-	-	-	-	-
	White—M	21	1	2	-	-	-	1	2	2	2	1	2	-	1	-	-	1	3	3	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	10	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	189	7	-	-	-	-	-	-	-	4	1	9	15	14	11	21	34	25	23	13	8	3	1	-	-	-	-
	White—M	122	2	-	-	-	-	-	-	-	1	1	3	12	9	8	13	29	20	16	6	1	-	1	-	-	-	-
	F	34	1	-	-	-	-	-	-	-	3	-	3	1	2	1	1	4	4	2	4	6	2	-	-	-	-	-
	Nonwhite—M	24	2	-	-	-	-	-	-	-	-	-	-	2	3	2	6	-	1	4	3	-	1	-	-	-	-	-
	F	9	2	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
33	Influenza	185	25	5	3	1	-	2	-	5	2	3	4	5	3	7	5	8	11	20	17	14	17	18	10	-	-	-
	White—M	84	9	2	2	1	-	2	-	2	1	1	3	3	-	4	2	6	3	13	7	4	7	9	3	-	-	-
	F	88	13	3	1	-	-	-	-	3	-	1	-	2	2	2	1	2	7	6	10	10	10	8	7	-	-	-
	Nonwhite—M	8	3	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
35	Measles	21	8	4	2	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	6	2	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	19	-	-	-	1	-	3	3	2	2	1	1	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	3	1	2	1	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,023	-	-	-	-	-	-	-	2	1	7	9	11	28	36	59	89	121	140	200	144	111	51	13	1	-	-
	White—M	514	-	-	-	-	-	-	-	2	1	3	2	8	10	18	30	41	62	68	105	72	59	26	7	-	-	-
	F	473	-	-	-	-	-	-	-	-	-	3	7	2	15	16	26	44	54	66	92	69	47	25	6	1	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	2	2	3	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	2	2	4	1	1	2	-	-	-	-	-
48,49	Cancer of female genital organs	249	-	-	-	-	-	-	-	-	-	1	6	21	22	14	36	34	24	39	23	15	9	6	-	-	-	1
	White—F	225	-	-	-	-	-	-	-	-	-	1	6	18	20	13	29	30	21	36	23	12	9	6	-	-	-	1
	Nonwhite—F	24	-	-	-	-	-	-	-	-	-	-	-	3	2	1	7	4	3	3	-	1	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Contd.																											
50	Cancer of breast	226	-	-	-	-	-	-	-	-	-	5	5	7	16	17	25	39	29	30	12	16	18	7	4	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	214	-	-	-	-	-	-	-	-	-	5	4	7	14	17	25	36	27	30	10	15	17	7	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	736	3	-	2	3	1	4	3	7	11	6	6	18	22	50	60	57	82	87	101	85	83	31	12	1	-	1
	White—M	502	1	-	1	1	1	2	1	4	7	4	5	9	15	35	37	34	56	60	72	65	56	26	8	1	-	1
	F	204	2	-	1	1	-	1	2	3	3	2	1	8	7	15	21	19	23	22	23	18	25	5	4	-	-	-
	Nonwhite—M	25	-	-	-	1	-	-	-	-	-	-	-	1	-	2	2	3	3	5	5	1	2	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	18	-	-	-	-	-	4	5	1	-	-	-	1	1	1	1	2	1	-	1	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	2	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	2	4	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	441	-	1	1	-	-	2	3	4	2	1	3	5	11	10	15	33	61	82	83	61	40	17	5	1	-	-
	White—M	207	-	1	-	-	-	2	1	1	1	1	2	3	6	4	6	12	32	40	39	27	16	9	3	1	-	-
	F	213	-	-	1	-	-	-	2	3	1	-	-	1	2	6	8	18	28	39	43	32	23	6	2	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	2	-	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	-	3	1	-	1	1	-	-	-	-
63b	Exophthalmic goiter	69	-	-	-	-	-	-	-	-	-	-	2	4	2	5	6	8	10	13	10	5	3	1	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	1	-	3	-	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	1	4	1	5	5	3	9	13	7	5	3	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	2	1	1	-	-	1	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	1	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,002	3	1	-	-	-	-	3	-	4	5	5	12	25	35	75	129	179	259	349	366	328	170	46	8	-	2
	White—M	985	3	1	-	-	-	-	3	-	1	3	4	5	16	11	37	58	89	128	190	184	156	78	12	5	-	1
	F	908	-	-	-	-	-	-	-	-	3	2	1	6	6	14	34	59	74	111	141	170	162	89	32	3	-	1
	Nonwhite—M	51	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	7	12	11	7	7	1	1	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	-	-	1	8	4	10	9	8	7	5	3	2	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	256	9	2	1	2	3	3	5	11	7	11	4	8	15	13	19	17	19	25	36	26	13	7	-	-	-	-
	White—M	139	4	1	1	1	1	2	3	5	4	6	3	4	10	7	12	9	8	15	22	15	6	-	-	-	-	-
	F	104	5	1	-	1	2	-	-	5	1	3	1	4	4	6	7	6	11	10	14	9	7	7	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	80	7	3	1	1	2	4	7	5	2	4	8	3	2	2	5	4	3	7	4	2	3	1	1	1	-	-
	White—M	38	5	1	1	-	-	1	5	4	1	2	2	2	1	-	3	1	1	4	2	-	1	-	1	-	-	-
	F	39	2	2	-	1	2	3	2	1	1	2	3	1	1	2	1	2	2	3	2	2	2	1	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	336	-	-	-	-	-	-	11	6	7	4	8	11	11	19	19	25	28	43	41	37	40	20	6	-	-	-
	White—M	169	-	-	-	-	-	-	5	1	2	1	3	4	5	8	12	7	17	26	22	22	22	8	4	-	-	-
	F	136	-	-	-	-	-	-	4	4	4	3	4	6	4	7	6	13	9	10	16	15	17	12	2	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	1	1	-	-	1	1	3	-	4	2	5	2	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	2	-	-	-	1	-	1	1	1	1	-	2	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,737	1	-	-	-	-	-	1	-	-	3	7	18	34	69	121	157	238	286	292	225	173	81	26	4	1	2
	White—M	1,178	-	-	-	-	-	-	1	-	-	1	5	10	25	52	88	127	170	212	186	144	96	44	15	1	1	-
	F	513	1	-	-	-	-	-	-	-	-	2	1	6	9	15	23	26	64	64	101	77	75	34	11	3	-	1
	Nonwhite—M	31	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	3	-	7	5	2	2	3	-	-	-	1
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	4	3	-	2	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,960	1	1	1	2	-	4	4	3	5	8	13	25	51	71	119	157	241	348	461	498	523	299	99	22	2	2
	White—M	1,580	1	-	1	-	-	2	2	1	4	2	6	11	29	34	55	86	139	190	256	274	285	153	50	8	-	1
	F	1,213	-	1	-	1	-	2	1	2	1	5	6	12	14	25	40	50	81	135	210	203	230	137	44	13	-	-
	Nonwhite—M	80	-	-	-	1	-	-	-	-	-	-	-	-	2	10	6	9	11	13	8	11	3	5	-	-	-	1
	F	87	-	-	-	-	-	-	1	-	-	1	1	2	6	2	8	12	10	10	7	10	5	4	5	1	2	-
107-109	Pneumonia (all forms)	588	136	15	5	5	3	6	7	10	6	12	6	7	17	19	17	23	28	46	51	62	49	32	19	4	-	1
	White—M	296	70	9	1	2	1	4	2	6	4	6	2	4	12	8	8	15	17	23	23	29	21	18	9	1	-	1
	F	222	48	3	3	3	2	1	5	3	1	3	1	1	5	8	6	5	8	17	23	28	26	10	9	3	-	-
	Nonwhite—M	41	12	1	1	-	-	-	-	1	1	2	2	1	-	1	2	2	-	6	2	3	1	3	-	-	-	-
	F	29	6	2	-	-	-	1	-	-	-	1	1	1	-	2	1	1	3	2	3	2	1	1	1	-	-	-
117	Ulcer of stomach or duodenum	134	-	-	-	-	-	-	-	1	1	4	8	3	7	15	22	13	13	9	17	10	10	-	1	-	-	-
	White—M	109	-	-	-	-	-	-	-	1	1	3	7	3	7	13	18	11	10	7	15	6	6	-	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	2	2	2	4	4	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Contd.																											
119,120	Diarrhea, enteritis, etc.*	96	51	10	3	1	-	3	1	2	1	-	1	1	-	1	1	2	1	4	4	3	-	5	1	-	-	-
	White—M	43	24	4	-	-	-	1	1	1	-	-	1	-	-	-	-	2	1	2	2	2	-	1	1	-	-	-
	F	40	21	6	1	1	-	-	-	1	-	-	-	1	-	-	1	-	-	2	2	1	-	3	-	-	-	-
	Nonwhite—M	12	6	-	1	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	132	1	2	1	2	1	2	15	10	10	8	6	7	8	11	15	2	6	7	9	5	1	3	-	-	-	-
	White—M	78	1	2	1	2	-	1	10	6	7	6	2	4	7	5	8	-	4	4	3	4	-	1	-	-	-	-
	F	50	-	-	-	-	1	1	5	4	3	2	4	2	1	6	6	1	2	2	6	1	1	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	171	5	3	1	-	-	2	-	2	4	3	1	7	6	9	9	16	16	16	17	21	19	10	4	-	-	-
	White—M	83	4	1	1	-	-	2	-	2	3	2	-	2	3	4	3	6	8	8	9	12	7	6	-	-	-	-
	F	79	1	2	-	-	-	-	-	-	1	-	1	5	3	4	6	7	8	7	7	8	12	4	3	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-
124	Cirrhosis of the liver	95	1	-	-	-	-	-	-	-	2	1	2	4	6	4	6	10	5	16	14	10	10	2	-	-	-	-
	White—M	54	1	-	-	-	-	-	-	-	2	1	1	1	3	2	2	6	4	8	9	6	8	-	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	4	1	5	5	4	2	2	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	122	-	-	-	-	-	-	-	-	-	-	2	3	6	7	6	12	17	25	19	9	8	7	1	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	5	9	6	2	3	1	-	-	-	-
	F	83	-	-	-	-	-	-	-	-	-	-	2	2	5	4	3	9	10	16	13	7	5	6	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,487	2	3	-	-	2	1	1	5	9	7	10	24	31	38	65	98	142	185	212	269	227	140	29	5	1	1
	White—M	777	2	1	-	-	2	-	-	3	5	5	3	10	12	20	37	54	84	86	101	150	118	70	11	3	-	-
	F	604	-	1	-	-	-	-	1	2	4	2	7	8	17	14	17	32	47	64	97	108	99	66	16	2	-	-
	Nonwhite—M	55	-	1	-	-	-	-	-	-	-	-	-	2	2	2	5	9	7	8	6	6	5	1	-	-	1	-
	F	51	-	-	-	-	-	1	-	-	-	-	-	4	-	2	6	3	4	7	8	5	5	3	2	-	-	1
157	Diseases of the prostate	140	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	13	24	22	29	22	15	6	-	-	-
	White—M	132	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	11	23	20	29	21	14	6	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	49	-	-	-	-	-	-	-	1	4	7	20	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	-	1	4	6	18	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	17	-	-	-	-	-	-	-	-	4	6	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	-	4	6	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e, 142b,143, 145b,146, 149,150	Other puerperal causes	22	-	-	-	-	-	-	-	2	5	3	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	2	4	3	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	254	202	7	3	-	2	2	3	3	4	-	3	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	124	109	2	1	-	2	-	1	3	2	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	108	91	5	2	-	-	2	2	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	395	395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide	215	-	-	-	-	-	-	3	4	9	9	24	12	26	25	20	27	19	20	5	4	8	-	-	-	-	-
	White—M	162	-	-	-	-	-	-	3	4	7	4	19	7	19	18	12	23	15	16	5	3	7	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	2	4	5	5	7	7	8	3	3	4	-	1	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	54	1	-	1	-	-	-	-	3	8	9	2	7	4	7	5	2	2	2	-	-	-	1	-	-	-	-
	White—M	25	1	-	-	-	-	-	-	1	3	8	1	3	-	2	2	2	2	2	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	-	1	2	-	-	1	2	2	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	1	4	1	-	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	361	1	2	2	-	4	9	12	56	40	29	25	18	21	21	16	18	27	23	17	9	8	3	-	-	-	-
	White—M	256	1	2	1	-	2	7	9	38	31	21	18	14	16	11	10	10	20	18	15	6	5	1	-	-	-	-
	F	85	-	-	1	-	2	1	2	15	7	6	4	2	4	8	5	7	7	4	2	3	3	2	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	1	1	1	2	1	3	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	982	33	22	9	8	9	39	31	45	49	44	43	35	42	31	40	37	34	57	56	80	110	90	22	12	1	3
	White—M	570	18	12	8	4	4	25	24	32	42	41	28	21	31	23	32	26	23	36	27	32	42	25	8	3	-	3
	F	360	13	8	-	4	5	14	5	9	4	3	10	10	7	4	6	8	10	17	25	47	65	62	14	9	1	-
	Nonwhite—M	36	2	2	1	-	-	-	1	2	2	-	5	4	4	3	2	2	1	2	2	-	-	1	-	-	-	-
	F	16	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	1	-	2	2	1	3	2	-	-	-	-
	All other causes*	1,797	294	11	10	5	9	10	13	22	14	13	24	38	54	51	82	73	107	124	145	148	250	163	95	28	13	1
	White—M	922	161	5	8	3	3	3	3	8	4	7	10	10	21	23	41	45	54	71	89	82	131	77	47	11	4	1
	F	793	119	5	2	2	5	5	10	12	9	5	11	25	29	24	33	23	47	46	54	64	114	82	46	16	5	-
	Nonwhite—M	42	7	1	-	-	1	1	-	1	-	-	1	2	1	1	2	4	1	4	2	1	5	3	1	1	2	-
	F	40	7	-	-	-	-	1	-	1	1	1	2	1	3	3	6	1	5	3	-	1	-	1	1	-	2	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA; CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	All causes	28,279	3,209	324	160	104	90	264	282	512	690	725	742	848	930	1,215	1,550	1,773	2,139	2,713	3,100	2,763	2,328	1,209	430	110	40	31
	White—M	13,843	1,695	154	88	57	46	151	143	257	352	352	333	395	436	582	744	864	1,126	1,372	1,502	1,322	1,096	563	175	38	8	12
	F	10,703	1,245	145	75	37	39	91	104	177	218	249	261	283	279	362	475	602	706	1,002	1,287	1,177	1,057	555	204	54	13	6
	Nonwhite—M	2,029	150	11	6	4	2	16	18	38	56	64	75	94	109	158	190	160	167	181	192	157	99	46	22	8	6	10
	F	1,704	119	14	11	6	3	6	17	40	64	60	73	86	106	113	141	147	140	158	119	107	74	45	29	10	13	3
1,2	Typhoid, paratyphoid fever	45	-	-	1	-	-	6	5	7	5	4	5	2	2	1	2	2	-	1	1	1	-	-	-	-	-	-
	White—M	21	-	-	-	-	-	2	2	3	-	2	2	2	2	-	2	2	-	-	1	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	4	1	4	4	1	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	32	10	2	2	1	1	4	-	3	2	2	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	20	6	1	1	1	-	2	-	2	1	2	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	10	3	1	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	26	-	5	-	2	1	7	4	2	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	15	-	2	-	1	1	4	2	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	11	-	3	-	1	-	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	120	84	25	7	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	68	52	10	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	25	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	64	8	10	9	11	11	7	3	1	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	34	6	8	5	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	2	2	3	6	5	3	1	1	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,634	6	4	3	1	-	5	13	78	146	160	154	151	116	125	121	124	94	126	92	71	34	8	1	-	-	1
	White—M	710	5	-	1	-	-	1	3	17	39	61	60	70	64	70	59	62	53	53	46	28	14	3	-	-	-	1
	F	642	-	3	2	-	-	2	6	40	70	69	70	61	28	28	33	41	28	60	40	38	18	4	1	-	-	-
	Nonwhite—M	146	-	-	-	-	-	1	1	5	16	16	10	12	14	15	17	13	8	9	4	4	1	-	-	-	-	-
	F	136	1	1	-	1	-	1	3	16	21	14	14	8	10	12	12	8	5	4	2	1	1	1	-	-	-	-
14-22	Tuberculosis (other forms)	207	22	13	9	4	2	11	10	17	13	7	17	4	10	12	7	14	8	13	8	3	2	1	-	-	-	-
	White—M	98	12	6	1	2	2	5	5	7	6	1	10	3	5	5	4	6	4	8	3	2	1	-	-	-	-	-
	F	68	6	7	6	1	-	5	1	2	3	3	4	-	2	4	2	6	3	5	5	1	1	1	-	-	-	-
	Nonwhite—M	18	2	-	-	-	-	-	2	5	-	1	1	1	1	3	-	2	-	-	-	-	-	-	-	-	-	-
	F	23	2	-	2	1	-	1	2	3	4	2	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	132	70	13	2	-	-	1	-	2	1	-	2	1	1	1	-	-	4	1	5	11	12	1	4	-	-	-
	White—M	73	36	10	-	-	-	1	-	2	1	-	1	-	-	1	-	-	4	1	1	6	7	1	1	-	-	-
	F	52	29	3	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	3	5	5	-	3	-	-	-
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	13	1	-	1	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	3	1	1	1	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	-	1	1	-	-	-	-
	F	6	1	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	296	25	-	-	-	-	-	1	3	3	11	23	18	20	28	43	28	30	22	18	13	6	1	1	-	-	2
	White—M	139	13	-	-	-	-	-	-	-	2	2	7	8	10	14	21	15	18	13	12	2	1	1	-	-	-	-
	F	59	6	-	-	-	-	-	1	2	1	3	5	4	4	5	7	4	2	4	3	3	4	-	1	-	-	-
	Nonwhite—M	72	4	-	-	-	-	-	-	1	-	-	6	6	5	4	12	8	9	5	3	6	1	-	-	-	-	2
	F	26	2	-	-	-	-	-	-	-	-	6	5	-	1	5	3	1	1	-	-	2	-	-	-	-	-	-
33	Influenza	402	58	12	1	3	1	3	3	7	10	5	6	4	14	7	17	18	18	27	42	57	52	27	8	1	1	-
	White—M	151	28	5	-	1	1	1	1	2	5	2	-	-	5	2	5	6	5	12	8	30	19	11	2	-	-	-
	F	183	22	7	-	1	-	2	2	1	2	1	2	1	6	1	7	7	7	14	26	25	32	13	4	-	-	-
	Nonwhite—M	40	4	-	1	1	-	-	-	2	1	2	2	1	1	2	5	4	2	1	4	2	1	1	2	1	-	-
	F	28	4	-	-	-	-	-	-	2	2	-	2	2	2	2	-	1	4	-	4	-	-	2	-	-	1	-
35	Measles	26	10	4	3	2	-	2	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	11	6	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	4	3	1	1	-	1	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	26	2	2	3	2	2	3	4	3	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	17	2	2	2	-	2	2	2	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	1	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,180	-	-	1	1	-	1	-	-	1	8	10	25	26	57	121	107	178	180	197	150	71	39	8	-	1	-
	White—M	539	-	-	-	1	-	1	-	-	1	6	4	16	13	21	54	49	83	82	94	69	28	16	1	-	-	-
	F	542	-	-	1	-	-	-	-	-	-	2	5	8	13	28	53	47	75	85	88	72	40	20	4	-	1	-
	Nonwhite—M	48	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	10	9	8	5	2	2	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	1	1	-	5	10	6	10	4	7	4	1	1	1	-	-	-
48,49	Cancer of female genital organs	438	-	-	-	-	-	-	-	1	1	7	16	25	53	58	57	46	49	50	35	26	10	3	-	-	-	1
	White—F	386	-	-	-	-	-	-	-	1	1	7	12	25	44	48	49	39	47	50	30	22	8	2	-	-	-	1
	Nonwhite—F	52	-	-	-	-	-	-	-	-	-	-	4	-	9	10	8	7	2	-	5	4	2	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Contd.																											
50	Cancer of breast	199	-	-	-	-	-	-	-	-	-	-	1	7	14	20	35	23	21	20	22	13	13	6	3	-	1	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-
	F	176	-	-	-	-	-	-	-	-	-	-	1	5	13	19	29	18	18	19	21	13	13	4	3	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	3	-	1	-	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	756	4	-	2	2	1	11	7	2	2	10	10	19	36	37	52	74	90	101	103	87	65	29	9	1	1	1
	White—M	504	1	-	-	1	1	8	4	2	1	5	6	13	21	24	31	45	64	66	71	64	45	23	7	1	-	-
	F	203	3	-	2	1	-	3	2	-	1	5	4	5	12	8	13	23	22	30	25	16	19	6	2	-	-	1
	Nonwhite—M	41	-	-	-	-	-	-	1	-	-	-	-	-	3	4	6	5	3	5	6	6	1	-	-	-	1	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	25	-	-	-	-	-	3	8	3	1	-	1	2	-	-	1	-	3	2	-	-	-	1	-	-	-	-
	White—M	11	-	-	-	-	-	2	2	2	-	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	F	10	-	-	-	-	-	1	4	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	443	-	-	-	-	-	3	4	10	4	5	4	7	9	18	30	54	58	67	74	48	30	15	2	1	-	-
	White—M	180	-	-	-	-	-	1	1	5	3	1	4	2	6	5	9	16	23	26	30	22	18	5	2	1	-	-
	F	213	-	-	-	-	-	2	2	5	1	3	-	2	2	7	17	28	32	34	41	21	8	8	-	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	1	4	2	-	2	2	-	-	-	-
	F	31	-	-	-	-	-	-	1	-	-	1	-	3	1	2	3	7	2	3	1	5	2	-	-	-	-	-
65b	Exophthalmic goiter	42	-	-	-	-	-	-	-	-	-	1	6	3	6	5	5	3	2	3	7	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	2	2	4	4	4	2	2	2	7	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	48	-	-	-	1	-	-	-	-	-	2	-	4	2	2	1	6	2	6	14	5	2	1	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	10	3	-	-	-	-	-	-
	F	28	-	-	-	1	-	-	-	-	-	2	-	4	1	1	1	4	-	5	4	2	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	-	-	3	3	1	4	5	4	4	3	-	1	1	-	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	3	2	-	3	4	2	4	3	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	2,580	6	3	-	2	-	5	4	5	9	6	12	27	47	107	155	184	236	376	470	409	311	147	50	18	5	6
	White—M	1,175	6	1	-	1	-	2	1	2	4	2	8	11	17	39	52	84	112	185	217	186	158	62	17	5	-	3
	F	1,062	-	2	-	-	-	3	2	2	2	3	2	10	16	39	45	67	96	134	206	186	136	74	28	8	1	-
	Nonwhite—M	157	-	-	-	1	-	-	1	-	2	-	-	3	4	11	22	13	13	21	26	19	7	6	2	3	1	2
	F	186	-	-	-	-	-	-	-	1	1	1	2	3	10	18	16	20	15	36	21	18	10	5	3	2	3	1
80-82, 84-88	Other diseases of nervous system, etc.*	319	33	14	14	4	6	7	16	19	12	11	12	13	15	14	23	14	14	32	21	12	10	2	-	1	-	-
	White—M	155	19	6	8	3	3	5	4	9	7	8	3	5	6	7	11	5	8	17	11	8	1	1	-	-	-	-
	F	124	12	7	2	1	3	1	8	9	5	3	5	5	3	5	10	7	5	11	9	3	8	1	-	1	-	-
	Nonwhite—M	29	1	1	1	-	-	1	2	1	-	-	2	2	6	2	2	2	1	2	1	1	1	-	-	-	-	-
	F	11	1	-	3	-	-	-	2	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	118	14	5	3	3	2	7	12	11	6	4	6	8	2	5	4	3	3	8	4	2	2	3	-	-	-	1
	White—M	60	7	2	1	1	2	5	4	7	3	1	1	4	1	3	4	1	2	5	2	2	-	2	-	-	-	-
	F	43	7	1	2	2	-	1	5	4	2	2	3	4	-	2	-	2	1	2	1	-	1	1	-	-	-	-
	Nonwhite—M	8	-	2	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	454	-	-	-	-	1	7	19	20	14	11	20	15	16	20	18	37	37	56	56	36	43	24	2	2	-	-
	White—M	222	-	-	-	-	-	3	12	7	6	7	8	7	7	11	7	18	15	25	29	19	25	15	1	-	-	-
	F	186	-	-	-	-	1	3	7	11	6	3	11	6	7	8	7	16	14	26	22	13	17	5	1	2	-	-
	Nonwhite—M	26	-	-	-	-	-	1	-	2	1	-	1	1	1	1	1	1	7	2	2	2	-	3	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	1	-	1	1	-	3	2	1	3	3	2	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,729	1	-	1	-	-	-	-	1	8	13	21	39	62	103	144	189	234	264	268	180	133	54	12	1	-	1
	White—M	1,042	-	-	1	-	-	-	-	1	3	8	10	21	41	66	99	128	157	170	143	95	84	28	6	-	-	1
	F	478	1	-	-	-	-	-	-	-	5	4	7	10	7	19	19	37	47	62	104	69	61	21	4	1	-	-
	Nonwhite—M	121	-	-	-	-	-	-	-	-	-	-	3	4	4	14	16	14	16	17	16	11	3	2	1	-	-	-
	F	88	-	-	-	-	-	-	-	-	-	1	1	4	10	4	10	10	14	15	5	5	5	3	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,572	1	3	3	1	1	10	8	21	22	36	52	50	97	162	250	361	448	669	728	681	569	273	97	18	6	5
	White—M	2,158	1	3	2	1	-	8	6	12	10	13	19	18	41	62	109	172	220	343	376	324	262	116	32	4	2	2
	F	1,719	-	-	1	-	1	1	1	8	9	17	14	18	26	41	70	115	144	230	284	286	261	132	49	10	1	-
	Nonwhite—M	377	-	-	-	-	-	1	-	-	1	2	7	7	19	40	38	35	39	49	41	49	23	15	6	2	1	2
	F	318	-	-	-	-	-	-	1	1	2	4	12	7	11	19	33	39	45	47	27	22	23	10	10	2	2	1
107-109	Pneumonia (all forms)	1,813	526	73	30	11	9	24	18	19	30	26	25	28	41	51	74	43	72	103	156	154	147	97	39	11	5	1
	White—M	854	252	38	12	7	3	14	9	9	13	13	11	8	19	20	37	20	33	46	65	64	89	48	21	4	1	-
	F	724	217	31	17	2	4	8	9	8	10	10	10	9	12	8	16	12	25	43	79	77	51	47	12	4	2	1
	Nonwhite—M	140	40	1	1	1	1	2	-	1	4	2	2	6	4	14	14	8	8	5	9	5	7	2	2	-	1	-
	F	95	17	3	-	1	1	-	-	1	3	1	2	5	6	9	7	3	6	9	3	8	-	2	4	3	1	-
117	Ulcer of stomach or duodenum	182	-	-	-	-	-	-	-	1	4	9	6	14	14	22	21	16	23	13	11	16	6	4	1	1	-	-
	White—M	125	-	-	-	-	-	-	-	1	4	5	6	14	11	15	16	13	16	5	6	9	2	2	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	2	-	-	2	5	2	2	6	8	5	6	3	1	1	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	1	1	-	-	-	1	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Contd.																											
119,120	Diarrhea, enteritis, etc.*	449	298	56	11	10	2	1	1	-	2	2	1	-	1	-	3	4	6	4	11	8	14	9	4	-	-	1
	White—M	210	135	29	4	8	1	1	1	-	2	-	1	-	1	-	-	2	1	1	3	4	8	5	3	-	-	-
	F	194	136	20	6	2	1	-	-	-	-	2	-	-	-	-	1	-	4	1	7	3	6	4	1	-	-	-
	Nonwhite—M	24	14	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	1	-	-	-	-	-	1
	F	21	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	204	2	1	1	8	2	16	14	19	9	19	5	13	12	18	15	11	7	9	10	10	-	2	-	-	-	1
	White—M	104	2	-	1	3	1	6	6	11	4	11	4	6	6	11	10	4	3	3	5	5	-	1	-	-	-	1
	F	79	-	1	-	4	1	6	6	7	3	5	1	5	2	6	5	7	4	6	5	4	-	1	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	2	1	1	1	2	-	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	1	-	2	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	183	9	1	4	1	2	5	3	3	4	6	5	8	5	12	9	15	18	16	12	21	14	7	3	-	-	-
	White—M	92	6	1	2	1	2	4	3	2	3	3	-	3	3	3	2	3	13	7	5	8	10	7	1	-	-	-
	F	58	3	-	2	-	-	-	-	-	-	3	4	4	-	4	5	5	4	4	5	10	4	-	1	-	-	-
	Nonwhite—M	18	-	-	-	-	-	1	-	1	-	-	1	-	1	2	1	3	1	3	1	2	-	-	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	4	-	2	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	142	-	-	1	-	-	-	-	-	-	1	5	11	12	13	13	24	19	13	15	7	6	1	-	1	-	-
	White—M	94	-	-	-	-	-	-	-	-	-	-	2	8	8	11	10	15	13	9	8	4	4	1	-	1	-	-
	F	37	-	-	1	-	-	-	-	-	-	1	3	3	1	2	1	8	3	4	6	3	1	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	119	1	-	1	-	-	-	-	-	1	3	4	3	3	11	12	13	15	13	12	15	10	2	-	-	-	-
	White—M	32	-	-	1	-	-	-	-	-	-	-	-	-	-	4	6	4	4	5	2	4	2	-	-	-	-	-
	F	81	1	-	-	-	-	-	-	-	1	3	4	2	2	5	5	8	11	8	10	11	8	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,120	2	2	2	2	1	10	15	11	17	23	29	53	51	81	110	145	168	250	319	320	291	158	48	9	1	2
	White—M	975	1	-	1	1	1	5	7	4	4	7	8	14	18	37	49	55	83	134	148	160	129	80	22	6	-	1
	F	742	1	2	1	1	-	5	6	2	9	13	15	17	18	18	28	47	45	71	109	117	132	64	19	2	-	-
	Nonwhite—M	228	-	-	-	-	-	-	1	-	1	1	4	9	6	14	18	28	25	23	40	24	19	8	4	1	1	1
	F	175	-	-	-	-	-	-	1	5	3	2	2	13	9	12	15	15	15	22	22	19	11	6	3	-	-	-
137	Diseases of the prostate	135	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	17	18	32	23	21	16	3	1	-	-
	White—M	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	14	15	29	22	18	15	3	1	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	3	1	3	1	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	60	-	-	-	-	-	-	-	9	17	10	9	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	7	12	9	7	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	13	-	-	-	-	-	-	-	2	5	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	55	-	-	-	-	-	-	1	6	17	13	5	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	48	-	-	-	-	-	-	-	5	16	11	4	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	63	-	-	-	-	-	-	-	6	5	16	14	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	6	4	15	12	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	-	1	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	354	317	11	2	4	3	3	3	4	2	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-
	White—M	189	171	5	-	3	2	2	2	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	148	133	6	1	-	1	1	1	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
159	Premature birth	902	902	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	487	487	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	343	343	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	299	-	-	-	-	-	-	3	10	22	26	22	25	28	29	23	22	23	24	20	13	4	7	-	-	-	-
	White—M	222	-	-	-	-	-	-	-	3	16	17	15	17	20	21	20	16	17	20	18	13	2	7	-	-	-	-
	F	62	-	-	-	-	-	-	3	7	4	7	3	3	7	6	3	6	6	3	2	-	2	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	303	3	-	-	-	-	1	4	17	47	61	45	30	29	21	21	7	7	4	1	2	2	-	-	-	-	1
	White—M	162	1	-	-	-	-	-	1	9	26	29	21	15	17	14	15	3	6	2	-	2	1	-	-	-	-	-
	F	20	2	-	-	-	-	-	1	4	4	3	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	92	-	-	-	-	-	1	2	3	13	19	17	7	11	6	4	3	1	2	1	-	1	-	-	-	-	1
	F	29	-	-	-	-	-	-	-	1	4	10	6	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	565	3	3	5	5	5	20	17	77	91	51	35	41	24	25	35	23	32	25	26	12	6	2	-	-	-	2
	White—M	424	1	2	2	3	3	17	11	57	77	42	24	30	21	17	22	18	27	14	19	10	3	2	-	-	-	2
	F	93	2	1	3	2	2	3	6	12	8	7	9	3	1	5	9	3	2	7	6	2	-	-	-	-	-	-
	Nonwhite—M	36	-	-	-	-	-	-	-	5	4	2	1	6	1	2	4	1	3	4	-	-	3	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	3	2	-	1	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,547	91	34	18	16	16	44	49	85	109	99	86	98	69	65	58	66	73	50	96	105	120	68	23	6	1	2
	White—M	942	46	14	7	9	7	25	30	67	90	63	71	76	45	51	44	52	49	30	37	37	47	18	6	-	-	1
	F	459	35	18	8	5	8	15	15	11	9	6	6	9	10	9	7	10	18	17	47	64	64	46	16	5	-	1
	Nonwhite—M	100	3	1	2	-	1	3	4	7	7	10	8	11	9	4	6	1	4	2	7	3	6	-	-	-	1	-
	F	46	7	1	1	2	-	1	-	-	3	-	1	2	5	1	1	3	2	1	5	1	3	4	1	1	-	-
	All other causes*	2,829	700	28	20	7	19	35	32	29	47	50	62	63	77	73	82	90	123	143	208	249	319	200	114	38	18	3
	White—M	1,353	393	8	10	3	8	19	22	10	17	17	21	24	23	42	39	42	71	70	98	118	137	92	50	15	4	-
	F	1,130	251	18	9	4	11	15	9	12	21	20	28	22	26	20	25	30	32	53	87	103	152	97	54	21	8	2
	Nonwhite—M	162	32	1	-	-	-	-	1	3	3	2	5	6	8	6	10	7	12	11	15	15	16	3	4	1	-	1
	F	184	24	1	1	-	-	1	-	4	6	11	8	11	20	5	8	11	8	9	8	13	14	8	6	1	6	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																											
	All causes	25,010	2,802	232	144	92	62	254	249	450	706	862	753	894	1,154	1,336	1,711	1,727	1,996	2,171	1,935	1,462	1,014	663	272	81	57	149
	White—M	7,435	748	57	43	25	17	82	69	140	229	184	194	236	334	384	549	598	775	802	751	512	369	207	58	10	2	60
	F	5,133	549	45	22	28	18	39	48	67	112	102	136	149	206	221	275	313	453	506	515	497	410	274	100	27	3	18
	Nonwhite—M	5,538	853	73	45	11	18	63	75	125	188	180	216	255	305	376	473	443	400	481	385	242	113	86	52	21	18	41
	F	4,904	852	57	34	28	9	50	57	118	177	196	207	254	309	357	414	373	368	382	284	211	122	96	62	23	34	30
1,2	Typhoid, paratyphoid fever	40	-	-	-	-	1	2	4	3	8	4	3	4	-	5	-	3	2	-	1	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	2	-	-	2	1	1	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	14	-	-	-	-	1	-	2	1	3	1	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	1	2	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	2	1	2	-	-	2	1	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White—M	6	-	1	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	5	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	69	55	6	5	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	13	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	22	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	42	7	9	11	5	3	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	3	4	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	3	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,125	11	3	2	1	3	5	13	49	126	123	128	121	115	91	108	74	65	41	31	9	5	2	-	-	-	6
	White—M	290	3	-	1	-	-	-	-	3	8	14	20	27	36	30	45	28	34	19	13	6	1	1	-	-	-	1
	F	143	-	-	-	-	-	-	1	5	16	17	22	9	14	10	11	10	8	9	6	3	1	1	-	-	-	-
	Nonwhite—M	383	5	1	1	1	1	5	5	13	49	36	49	44	38	36	35	24	18	8	9	-	1	-	-	-	-	4
	F	309	3	2	-	-	2	-	7	28	53	56	37	41	25	15	14	12	5	5	3	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	86	3	4	2	1	1	3	-	7	9	11	4	8	5	4	5	7	3	5	1	1	2	-	-	-	-	-
	White—M	14	1	-	-	-	-	-	-	1	1	-	-	1	1	1	2	2	1	2	-	-	1	-	-	-	-	-
	F	12	-	1	1	-	1	-	-	-	-	1	-	3	1	-	1	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite—M	38	1	1	-	1	-	2	-	2	4	8	3	3	2	3	2	4	-	1	-	-	1	-	-	-	-	-
	F	22	1	2	1	-	-	1	-	4	4	2	1	1	1	-	-	1	-	2	-	1	-	-	-	-	-	-
27	Dysentery	63	13	3	4	1	3	2	-	-	2	2	4	1	2	3	1	2	3	5	3	4	4	-	-	1	-	-
	White—M	16	2	-	1	-	1	-	-	-	1	-	1	-	-	1	-	1	1	2	1	2	1	-	-	1	-	-
	F	11	-	1	-	-	2	-	-	-	-	1	-	1	1	-	-	-	2	1	1	-	1	-	-	-	-	-
	Nonwhite—M	23	7	1	3	-	-	1	-	-	-	1	2	-	1	2	-	-	-	2	1	1	1	-	-	-	-	-
	F	13	4	1	-	1	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
28	Malaria	57	9	4	3	-	-	1	6	1	1	4	-	3	2	1	2	6	1	3	4	3	-	3	-	-	-	-
	White—M	9	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	2	-	1	-	-	-	-
	F	9	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	1	-	-	2	-	-	-	-
	Nonwhite—M	19	3	2	2	-	-	1	3	-	1	2	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-
	F	20	4	2	-	-	-	-	2	1	-	1	-	1	2	1	-	3	-	1	2	-	-	-	-	-	-	-
30	Syphilis	333	73	3	1	-	-	1	3	1	12	25	32	47	63	61	57	51	41	33	15	8	2	-	-	-	-	4
	White—M	76	6	-	-	-	-	-	-	-	1	2	1	5	3	4	8	16	13	10	4	2	1	-	-	-	-	-
	F	28	4	-	-	-	-	-	1	-	1	2	4	-	4	1	4	2	-	3	-	2	-	-	-	-	-	-
	Nonwhite—M	268	51	2	1	-	-	1	1	-	3	11	15	22	39	36	34	25	18	15	8	3	1	-	-	-	-	2
	F	161	32	1	-	-	-	-	1	1	7	10	12	20	17	20	11	8	10	5	3	1	-	-	-	-	-	2
35	Influenza	512	86	11	7	3	1	6	6	4	10	3	8	4	10	10	15	10	21	20	17	19	19	12	5	4	-	1
	White—M	70	17	3	-	1	-	3	-	1	1	1	1	2	1	1	2	1	2	7	5	8	7	5	-	1	-	-
	F	58	19	1	2	-	1	-	1	-	1	-	-	-	1	-	2	-	6	1	4	6	5	3	3	2	-	-
	Nonwhite—M	84	25	2	-	-	-	-	2	2	4	1	-	2	4	4	7	6	7	5	6	3	2	2	-	-	-	-
	F	100	25	5	5	2	-	3	3	1	4	1	7	-	4	5	4	3	6	7	2	2	5	2	2	1	-	1
55	Measles	31	8	8	2	-	3	2	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	1	3	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	2	-	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Poliomyelitis, polioencephalitis (acute)	8	-	-	-	1	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	848	-	1	-	1	1	1	-	2	1	5	12	23	51	63	94	110	124	109	116	60	42	15	8	-	-	9
	White—M	299	-	-	-	1	1	-	-	1	-	2	2	9	14	20	28	32	52	42	46	24	16	5	3	-	-	1
	F	238	-	-	-	-	-	-	-	-	1	1	3	3	11	13	21	30	39	27	37	21	21	5	3	-	-	2
	Nonwhite—M	181	-	-	-	-	-	-	-	1	-	-	5	3	16	23	28	27	17	25	22	7	2	2	-	-	-	5
	F	130	-	1	-	-	-	1	-	-	-	2	2	8	10	7	19	21	16	15	11	8	3	3	2	-	-	1
48,49	Cancer of female genital organs	358	-	-	-	-	-	-	-	1	2	8	16	24	44	45	50	48	32	37	32	9	7	1	1	-	-	1
	White—F	186	-	-	-	-	-	-	-	1	2	4	4	12	24	20	22	30	20	21	17	5	4	-	-	-	-	-
	Nonwhite—F	172	-	-	-	-	-	-	-	-	-	4	12	12	20	25	28	18	12	16	15	4	3	1	1	-	-	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Contd.																											
50	Cancer of breast	152	-	-	-	-	-	-	-	-	-	2	9	5	17	23	21	16	20	10	9	9	5	5	-	-	-	1
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	93	-	-	-	-	-	-	-	-	-	1	6	3	9	12	13	9	15	7	7	7	3	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	1	3	2	8	11	8	7	4	3	2	2	1	4	-	-	-	1
45,47, 51-55	Cancer (other sites)	746	-	2	1	3	1	3	6	7	8	12	22	17	38	69	76	84	90	87	90	64	35	19	4	1	-	7
	White—M	422	-	-	-	1	-	2	2	4	3	7	11	9	21	32	45	49	52	50	61	41	18	9	1	-	-	4
	F	133	-	2	-	1	1	1	2	-	-	1	3	4	5	12	6	18	16	16	12	13	11	6	1	1	-	1
	Nonwhite—M	130	-	-	-	-	-	-	1	3	4	2	4	-	5	16	19	11	17	16	13	8	5	2	2	-	-	2
	F	61	-	-	1	1	-	-	1	-	1	2	4	4	7	9	6	6	5	5	4	2	1	2	-	-	-	-
58	Acute rheumatic fever	29	-	-	-	1	1	7	1	4	2	1	1	-	3	2	1	2	-	3	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	3	-	2	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
61	Diabetes mellitus	383	1	-	-	-	-	1	-	3	6	8	8	6	13	15	26	38	66	74	53	37	19	7	1	-	1	-
	White—M	94	1	-	-	-	-	-	-	-	-	1	3	2	1	3	2	6	18	22	20	7	6	-	-	-	-	-
	F	164	-	-	-	-	-	1	-	-	1	2	2	-	2	4	7	18	34	34	24	19	12	4	-	-	-	-
	Nonwhite—M	41	-	-	-	-	-	-	-	1	3	2	1	2	4	2	3	3	4	6	3	3	1	2	-	-	1	-
	F	84	-	-	-	-	-	-	-	2	2	3	2	2	6	6	14	9	10	12	6	8	-	1	1	-	-	-
63b	Exophthalmic goiter	37	-	-	-	-	-	1	1	3	2	-	4	1	5	3	2	2	7	2	-	3	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	3	-	2	2	1	1	5	2	-	3	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	1	2	1	-	1	1	3	1	-	1	2	-	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	58	-	-	-	-	-	1	-	2	2	-	2	2	3	2	8	8	5	12	2	6	1	1	-	1	-	-
	White—M	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	1	1	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	1	-	-	-	3	-	-	-	-	-	-
	F	30	-	-	-	-	-	-	-	1	2	-	2	1	1	2	5	2	4	7	-	1	-	1	-	1	-	-
77	Alcoholism (ethylism)	20	-	-	-	-	-	-	-	-	-	2	-	5	5	2	3	2	1	-	-	-	-	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	2	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,708	4	-	-	1	-	2	2	9	2	12	17	29	74	122	169	187	250	257	227	159	97	58	28	8	5	11
	White—M	470	-	-	-	-	-	-	-	3	1	3	3	3	18	21	29	54	84	72	77	45	28	22	5	-	-	2
	F	405	-	-	-	1	-	1	1	2	-	1	3	2	15	20	30	38	53	64	57	46	43	20	7	2	-	1
	Nonwhite—M	387	1	-	-	-	-	1	-	1	-	3	2	8	20	35	49	39	48	62	41	38	16	7	7	2	3	4
	F	446	3	-	-	-	-	-	1	3	1	5	9	16	23	46	61	56	45	59	52	30	10	9	7	4	2	4
80-82, 84-88	Other diseases of nervous system, etc.*	239	41	11	3	7	2	7	9	16	17	7	12	11	14	13	23	7	16	11	5	2	4	-	-	1	-	-
	White—M	78	13	4	1	1	1	3	1	5	2	3	5	4	3	2	10	2	6	5	4	1	2	-	-	-	-	-
	F	49	4	1	1	2	-	1	3	-	3	2	3	2	6	3	7	3	4	3	-	-	1	-	-	-	-	-
	Nonwhite—M	59	11	3	-	1	1	2	3	2	9	-	2	4	4	4	4	-	4	2	-	1	1	-	-	1	-	-
	F	53	13	3	1	3	-	1	2	9	3	2	2	1	1	4	2	2	2	1	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	79	18	5	3	4	-	5	7	4	6	4	2	1	5	3	2	1	1	3	-	1	2	2	-	-	-	-
	White—M	28	6	3	2	1	-	2	3	1	3	1	-	-	1	-	-	-	1	1	-	1	1	1	-	-	-	-
	F	18	3	1	-	-	-	-	1	1	1	2	1	1	1	2	1	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite—M	12	4	1	1	-	-	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	21	5	-	-	3	-	2	3	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	353	-	-	1	-	4	8	7	10	6	10	15	19	18	15	30	30	39	39	30	33	19	12	6	-	2	-
	White—M	86	-	-	-	-	-	1	1	3	3	2	5	5	6	2	4	7	8	13	10	4	6	4	1	-	1	-
	F	74	-	-	-	-	1	1	2	-	1	3	4	6	2	3	4	4	6	7	7	10	6	5	2	-	-	-
	Nonwhite—M	82	-	-	-	-	2	2	2	1	-	1	2	1	6	6	11	12	11	10	8	3	1	1	2	-	-	-
	F	111	-	-	1	-	1	4	2	6	2	4	4	7	4	4	11	7	14	9	5	16	6	2	1	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,172	1	-	1	-	1	1	1	3	9	5	23	33	86	106	143	150	162	170	121	72	42	27	7	3	-	5
	White—M	645	1	-	-	-	-	1	-	-	2	2	6	12	41	67	90	90	95	102	65	36	18	12	3	1	-	1
	F	237	-	-	-	-	-	-	1	1	1	-	3	6	7	9	12	28	39	35	33	28	16	11	4	1	-	2
	Nonwhite—M	165	-	-	-	-	1	-	-	1	4	1	7	8	17	12	29	23	17	23	11	5	3	2	-	1	-	-
	F	125	-	-	1	-	-	-	-	1	2	2	7	7	21	18	12	9	11	10	12	3	5	2	-	-	-	2
90b,91, 92a,d,e, 93a,b,d,a, 95a,c	Diseases of heart (other forms)	4,306	5	2	3	2	2	7	11	16	23	32	55	91	157	236	358	418	549	628	565	478	331	201	75	16	14	33
	White—M	1,433	-	-	1	1	1	1	4	6	5	4	12	21	38	55	114	141	200	215	224	179	127	57	15	1	1	10
	F	1,041	1	2	1	1	1	2	5	2	3	4	8	15	18	30	46	59	109	140	157	171	133	88	36	5	-	4
	Nonwhite—M	945	3	-	1	-	-	2	-	3	9	9	18	23	45	77	96	124	115	151	111	71	32	26	9	6	4	10
	F	887	1	-	-	-	-	2	2	5	6	15	17	32	56	74	102	92	125	122	73	57	39	30	15	4	9	9
107-109	Pneumonia (all forms)	1,377	490	65	38	12	5	23	9	24	37	32	28	52	35	58	59	48	41	57	70	57	56	46	18	4	7	8
	White—M	372	114	9	4	3	-	8	3	9	8	5	8	15	8	20	18	12	18	27	23	18	22	11	5	2	-	4
	F	303	84	14	4	5	1	2	1	4	9	7	4	5	4	8	11	9	3	14	22	25	27	25	11	2	-	2
	Nonwhite—M	408	172	28	20	1	3	7	2	4	9	9	8	21	13	13	23	17	11	10	14	7	5	6	1	-	2	2
	F	294	120	14	10	3	1	6	3	7	11	11	6	11	10	17	9	10	9	6	11	7	2	4	1	-	5	-
117	Ulcer of stomach or duodenum	141	-	-	-	1	-	-	-	1	6	1	6	10	13	15	15	24	15	15	11	2	3	1	1	-	-	1
	White—M	71	-	-	-	-	-	-	-	1	1	-	1	4	7	5	9	15	8	10	5	1	3	-	-	-	-	1
	F	11	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	1	-	1	2	-	-	1	1	-	-	-
	Nonwhite—M	44	-	-	-	-	-	-	-	-	4	1	4	2	4	6	3	6	6	4	4	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	1	1	2	4	2	2	1	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	268	177	23	6	5	1	4	2	-	1	-	2	6	3	1	2	6	2	4	4	7	3	6	2	1	-	-
	White—M	50	35	3	-	-	-	2	1	-	-	-	-	1	1	-	1	2	-	-	2	1	-	1	-	-	-	-
	F	52	28	4	1	1	1	1	-	-	1	-	-	1	1	-	-	-	-	2	-	4	1	5	-	1	-	-
	Nonwhite—M	93	67	10	2	2	-	1	-	-	-	-	-	1	-	-	-	1	2	1	2	2	2	-	-	-	-	-
	F	73	47	6	3	2	-	-	1	-	-	-	2	3	1	1	1	3	-	1	-	-	-	-	2	-	-	-
121	Appendicitis	156	1	3	1	2	3	10	19	14	10	9	10	9	5	6	9	8	16	9	5	2	4	-	-	-	-	1
	White—M	57	-	1	-	1	3	3	6	4	4	2	2	3	3	3	4	2	5	5	2	-	3	-	-	-	-	1
	F	37	-	1	-	1	-	4	3	5	2	2	1	1	1	2	1	3	4	3	1	1	1	-	-	-	-	-
	Nonwhite—M	33	1	1	-	-	-	2	4	3	2	4	2	3	1	1	2	-	4	1	2	-	-	-	-	-	-	-
	F	29	-	-	1	-	-	1	6	2	2	1	5	2	-	-	2	3	3	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	11	2	3	1	3	4	1	6	9	9	9	12	13	17	12	13	17	12	26	13	7	3	-	-	-	-
	White—M	66	1	1	1	1	1	1	1	2	1	1	1	5	2	3	4	3	7	5	15	4	5	1	-	-	-	-
	F	49	3	-	-	-	1	1	-	-	1	1	2	-	6	3	3	3	4	4	7	7	2	1	-	-	-	-
	Nonwhite—M	48	2	-	2	-	1	2	-	3	3	2	2	3	2	5	4	3	5	3	3	2	-	1	-	-	-	-
	F	40	5	1	-	-	-	-	-	1	4	3	4	4	3	6	1	4	1	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	187	1	1	-	-	1	-	1	1	2	2	6	6	17	23	19	18	21	22	14	17	9	5	-	-	-	1
	White—M	92	-	-	-	-	-	-	-	1	1	-	2	2	8	10	14	14	12	12	6	4	3	2	-	-	-	1
	F	45	1	-	-	-	-	-	1	-	-	-	1	2	4	4	2	1	3	8	5	6	5	2	-	-	-	-
	Nonwhite—M	30	-	1	-	-	1	-	-	-	1	1	1	1	3	5	2	3	2	1	2	4	1	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	2	1	2	4	1	-	4	1	1	3	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	61	-	-	-	-	-	1	-	-	-	3	2	3	2	6	6	6	12	9	5	1	4	-	1	-	-	-
	White—M	18	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	1	6	2	1	-	1	-	1	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	4	4	6	2	1	3	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,867	9	2	1	3	-	4	3	17	16	23	38	61	71	113	174	166	192	251	250	192	118	108	39	13	1	2
	White—M	496	1	-	-	1	-	1	-	5	4	7	8	7	10	20	33	35	66	73	85	58	40	32	8	2	-	-
	F	419	3	-	-	1	-	-	-	6	5	3	4	11	11	21	29	15	32	49	60	71	43	43	7	3	-	2
	Nonwhite—M	442	5	-	1	-	-	-	3	3	1	4	8	19	18	32	46	48	46	67	55	35	16	17	13	6	1	-
	F	510	-	2	-	1	-	3	-	3	6	9	16	24	34	40	66	68	48	62	50	28	19	16	11	2	-	-
137	Diseases of the prostate	107	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	8	28	26	16	13	6	2	-	-	1
	White—M	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	16	13	10	9	4	1	-	-	1
	Nonwhite—M	49	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	5	12	13	6	4	2	1	-	-	-
140, 142a, 145a,147	Puerperal septicemia	73	-	-	-	-	-	-	-	7	25	11	17	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	38	-	-	-	-	-	-	-	2	16	2	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F	35	-	-	-	-	-	-	-	5	9	9	5	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	58	-	-	-	-	-	-	1	11	15	10	7	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	-	-	-	-	-	-	-	5	8	4	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	31	-	-	-	-	-	-	1	6	7	6	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	70	-	-	-	-	-	-	-	4	14	21	8	17	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	-	2	7	14	3	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	31	-	-	-	-	-	-	-	2	7	7	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	252	203	9	2	5	2	9	6	3	5	-	1	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	98	83	3	-	2	-	1	2	1	4	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	67	52	3	1	1	1	2	1	1	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	56	46	2	1	1	-	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	22	1	-	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	780	780	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	231	231	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	184	184	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	204	204	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	179	-	-	-	-	-	-	2	5	29	24	16	20	21	12	15	11	9	9	2	3	-	1	-	-	-	-
	White—M	121	-	-	-	-	-	-	1	2	13	16	12	13	15	9	12	9	7	8	1	2	-	1	-	-	-	-
	F	38	-	-	-	-	-	-	1	-	10	6	3	5	4	2	2	1	2	1	-	1	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	2	2	1	-	2	2	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	268	1	-	-	-	-	2	4	21	41	52	43	29	23	14	12	8	2	5	2	2	-	-	-	-	-	7
	White—M	42	-	-	-	-	-	1	1	1	5	8	4	3	6	4	2	1	1	1	2	-	-	-	-	-	-	2
	F	13	-	-	-	-	-	1	1	-	-	2	2	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	167	1	-	-	-	-	-	2	13	28	29	29	20	14	8	8	7	1	2	-	2	-	-	-	-	-	3
	F	46	-	-	-	-	-	-	-	7	8	13	8	3	1	2	1	-	-	1	-	-	-	-	-	-	-	2
170	Motor-vehicle accidents	457	2	3	2	5	7	27	18	46	53	40	32	38	32	26	24	19	27	20	12	13	4	1	-	-	-	6
	White—M	243	2	1	1	3	1	9	8	25	34	23	20	17	17	12	16	13	12	10	8	6	2	-	-	-	-	3
	F	66	-	1	1	1	4	8	1	7	5	4	2	6	7	4	1	-	5	2	2	3	1	1	-	-	-	-
	Nonwhite—M	117	-	1	-	1	2	6	6	13	10	12	9	14	6	6	6	6	5	8	2	1	1	-	-	-	-	2
	F	31	-	-	-	-	-	4	3	1	4	1	1	1	2	4	1	-	5	-	-	3	-	-	-	-	-	1
169, 171-195	Other accidents	1,211	69	22	22	17	10	43	64	100	141	88	89	63	73	46	55	45	42	42	48	37	42	21	13	5	2	12
	White—M	589	11	8	13	5	4	20	22	47	105	60	49	39	38	26	25	22	19	17	15	9	13	6	4	1	-	11
	F	184	16	4	3	5	1	5	4	8	8	3	8	1	8	4	6	4	10	12	15	16	22	13	5	4	1	-
	Nonwhite—M	320	18	6	3	1	3	12	31	39	27	23	27	20	22	16	18	16	8	10	10	4	3	1	1	-	1	-
	F	118	24	4	3	6	2	6	7	6	3	2	5	3	5	-	6	3	5	3	8	8	4	1	3	-	-	1
	All other causes*	2,426	721	28	17	10	2	31	30	43	47	56	61	92	103	103	116	96	114	137	138	123	116	100	63	23	25	31
	White—M	720	209	11	9	-	1	14	10	10	15	17	15	19	31	28	31	31	42	52	40	40	34	32	11	1	-	17
	F	553	132	5	2	4	-	3	11	14	10	9	16	25	26	29	24	16	26	26	34	27	47	36	20	6	2	3
	Nonwhite—M	608	224	4	5	2	1	4	5	10	5	13	15	23	14	21	38	30	26	32	43	32	13	14	16	5	6	7
	F	545	156	8	1	4	-	10	4	9	17	17	15	25	32	25	23	19	20	27	21	24	22	18	16	11	17	4

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																											
	All causes	10,446	816	74	41	28	15	82	81	97	137	132	138	206	286	362	502	643	958	1,127	1,255	1,307	1,152	647	292	55	10	5
	White—M	5,754	497	33	26	17	8	49	48	57	80	74	86	114	145	224	287	403	587	639	697	706	564	275	111	19	4	4
	F	4,645	314	40	15	9	6	33	33	35	54	55	52	91	141	137	209	238	370	485	555	599	585	370	180	34	4	1
	Nonwhite—M	32	4	-	-	2	1	-	-	5	3	3	-	1	-	-	4	2	-	-	-	2	1	2	1	-	1	-
	F	15	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	3	-	2	-	-	-	1	-
1,2	Typhoid, paratyphoid fever	4	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	24	5	1	1	2	1	3	3	1	1	-	1	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-
	White—M	17	2	1	1	2	-	1	3	1	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	3	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	1	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	25	18	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	10	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	237	1	1	-	-	-	2	1	12	18	20	27	22	26	25	17	19	16	11	11	7	1	-	-	-	-	-
	White—M	127	-	-	-	-	-	1	-	4	6	5	14	12	15	22	7	14	13	8	3	3	-	-	-	-	-	-
	F	107	1	1	-	-	-	1	1	8	12	15	13	10	11	2	10	4	3	3	8	3	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	21	1	1	1	-	1	3	-	-	3	-	1	1	1	1	2	1	-	2	-	1	1	-	-	-	-	-
	White—M	14	1	-	-	-	1	1	-	-	3	-	1	-	1	1	2	1	-	1	-	-	1	-	-	-	-	-
	F	7	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	52	3	-	-	-	-	1	1	-	1	-	1	5	2	3	5	5	10	6	5	2	1	1	-	-	-	-
	White—M	35	2	-	-	-	-	-	-	-	-	-	-	3	2	2	3	4	6	6	3	2	1	1	-	-	-	-
	F	17	1	-	-	-	-	1	1	-	1	-	1	2	-	1	2	1	4	-	2	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	83	19	4	1	-	-	2	1	4	2	1	2	3	1	2	7	4	6	2	3	10	2	6	1	-	-	-
	White—M	47	16	-	1	-	-	1	-	3	1	1	2	1	-	-	2	1	4	1	1	8	-	3	1	-	-	-
	F	36	3	4	-	-	-	1	1	1	1	-	-	2	1	2	5	3	2	1	2	2	2	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	10	4	1	-	-	-	1	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	8	3	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	667	-	-	-	-	-	-	-	-	1	3	3	3	16	20	40	60	101	102	113	97	70	30	7	-	-	1
	White—M	347	-	-	-	-	-	-	-	-	-	1	1	-	9	10	18	30	65	51	66	53	29	10	3	-	-	1
	F	319	-	-	-	-	-	-	-	-	1	2	2	3	7	10	22	30	36	50	47	44	41	20	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	172	-	-	-	-	-	-	1	-	-	1	3	11	16	12	23	20	22	20	22	7	6	7	-	1	-	-
	White—F	171	-	-	-	-	-	-	1	-	-	1	3	11	16	12	22	20	22	20	22	7	6	7	-	1	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Contd.																											
50	Cancer of breast	111	-	-	-	-	-	-	-	-	-	-	1	3	7	10	17	12	18	14	9	5	8	3	4	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	110	-	-	-	-	-	-	-	-	-	-	1	3	7	10	17	12	17	14	9	5	8	3	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	360	-	-	-	-	-	1	1	5	4	4	2	10	12	15	25	28	33	47	56	64	39	6	8	-	-	-
	White—M	254	-	-	-	-	-	-	1	4	2	3	2	5	5	9	19	22	22	32	44	47	28	4	5	-	-	-
	F	106	-	-	-	-	-	1	-	1	2	1	-	5	7	6	6	6	11	15	12	17	11	2	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	-	-	-	1	-	-	1	1	-	2	2	-	-	-	1	-	-	-	1	-	-	-	-		-
	White—M	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	252	-	1	-	1	-	-	2	3	4	3	4	1	4	3	9	21	38	46	46	35	26	4	-	-	-	1
	White—M	105	-	-	-	-	-	-	-	1	2	3	2	1	2	1	3	14	13	11	18	16	15	2	-	-	-	1
	F	145	-	1	-	1	-	-	2	2	2	-	2	-	2	2	6	7	25	34	27	19	11	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	6	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	25	-	-	-	-	-	-	-	-	-	2	1	6	1	6	2	3	3	1	-	-	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	2	-	4	1	6	2	2	3	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,054	-	1	-	-	-	-	-	2	1	2	4	5	11	27	39	60	102	145	182	177	164	85	41	5	-	1
	White—M	489	-	1	-	-	-	-	-	1	-	1	1	1	5	17	20	29	56	69	90	84	63	34	14	2	-	1
	F	565	-	-	-	-	-	-	-	1	1	1	3	4	6	10	19	31	46	76	92	93	101	51	27	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	105	9	4	4	2	1	5	2	4	3	1	5	2	4	8	5	7	5	11	11	6	5	-	1	-	-	-
	White—M	52	4	2	3	1	1	4	1	2	2	1	3	1	1	4	-	5	3	4	7	2	1	-	-	-	-	-
	F	53	5	2	1	1	-	1	1	2	1	-	2	1	3	4	5	2	2	7	4	4	4	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	43	5	2	1	1	-	5	3	1	2	2	3	1	-	-	3	3	2	2	3	3	-	1	-	-	-	-
	White—M	28	4	1	-	1	-	4	2	1	-	2	2	1	-	-	2	-	2	1	2	2	-	1	-	-	-	-
	F	15	1	1	1	-	-	1	1	-	2	-	1	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	170	-	-	-	-	-	-	3	2	5	3	4	10	9	8	8	13	11	21	25	17	16	7	6	2	-	-
	White—M	79	-	-	-	-	-	-	1	2	2	1	2	3	2	3	3	7	6	9	17	9	8	2	2	-	-	-
	F	91	-	-	-	-	-	-	2	-	3	2	2	7	7	5	5	6	5	12	8	8	8	5	4	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,145	-	-	-	-	-	-	-	-	-	1	4	19	33	65	90	105	171	175	168	156	106	46	4	1	1	-
	White—M	779	-	-	-	-	-	-	-	-	-	1	4	15	28	49	70	81	131	120	108	88	59	23	1	1	-	-
	F	365	-	-	-	-	-	-	-	-	-	-	-	4	5	16	19	24	40	55	60	68	47	23	3	-	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,788	-	-	1	-	-	2	-	2	3	4	5	15	26	26	57	94	171	204	285	330	286	169	89	14	3	2
	White—M	955	-	-	1	-	-	-	-	2	1	2	2	9	12	16	38	64	103	125	157	173	134	72	36	6	1	1
	F	828	-	-	-	-	-	2	-	-	2	2	3	6	14	10	19	30	68	79	128	157	150	96	53	8	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
107-109	Pneumonia (all forms)	485	122	16	6	3	-	2	7	2	3	8	5	5	9	13	12	25	31	40	29	54	49	32	9	3	-	-
	White—M	284	70	8	4	3	-	2	5	1	2	5	2	4	5	11	9	17	20	24	18	30	21	18	3	2	-	-
	F	195	49	8	2	-	-	-	2	1	1	3	3	1	4	2	1	7	11	16	11	24	28	14	6	1	-	-
	Nonwhite—M	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	57	-	-	-	-	-	-	-	-	-	1	-	4	3	4	5	8	13	4	6	5	4	-	-	-	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	1	-	4	3	2	4	7	9	2	5	4	3	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	2	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

524337 O - 44 - 18

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Contd.																											
119,120	Diarrhea, enteritis, etc.*	78	54	9	1	2	-	-	1	-	-	1	-	-	1	-	1	1	1	2	-	1	1	-	2	-	-	-
	White—M	46	30	4	1	2	-	-	-	-	-	1	-	-	1	-	1	1	1	2	-	-	1	-	1	-	-	-
	F	31	23	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	57	-	3	2	-	-	5	8	3	1	6	1	2	5	2	-	4	3	5	2	3	2	-	-	-	-	-
	White—M	35	-	2	1	-	-	3	5	1	-	4	1	2	1	2	-	2	2	5	1	1	2	-	-	-	-	-
	F	21	-	1	1	-	-	2	3	2	1	1	-	-	4	-	-	2	1	-	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	74	1	-	-	1	-	-	-	1	1	1	-	2	1	4	9	5	4	9	14	12	5	3	1	-	-	-
	White—M	40	1	-	-	1	-	-	-	1	-	-	-	2	-	2	5	3	1	4	8	7	3	2	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	1	1	-	-	1	2	4	2	3	5	6	5	2	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	49	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	6	8	10	7	1	4	1	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	1	-	-	2	1	6	2	5	9	5	1	2	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	1	2	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	57	-	-	-	-	-	-	-	-	-	-	1	-	6	5	9	5	9	10	3	3	3	3	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	1	1	2	1	1	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	-	-	5	3	7	4	8	9	2	1	2	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	710	-	1	1	-	-	1	2	1	4	5	5	5	11	20	26	34	58	89	100	126	125	70	26	-	-	-
	White—M	380	-	1	1	-	-	1	1	-	2	4	5	4	5	10	12	18	30	54	55	71	69	29	8	-	-	-
	F	326	-	-	-	-	-	-	1	1	2	1	-	1	6	10	13	16	28	35	43	55	56	40	18	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
137	Diseases of the prostate	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	11	13	11	7	-	-	-	-
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	11	13	11	7	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	19	-	-	-	-	-	-	-	4	4	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	4	4	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	8	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	13	-	-	-	-	-	-	-	1	2	4	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	1	2	4	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	124	105	1	5	-	1	4	2	1	1	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	61	52	1	2	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	53	-	3	-	1	1	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	133	-	-	-	-	-	-	-	-	11	6	10	10	13	11	12	17	12	12	8	5	6	-	-	-	-	-
	White—M	111	-	-	-	-	-	-	-	-	9	2	9	8	10	10	10	13	11	11	8	4	6	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	2	4	1	1	3	1	2	4	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	-	1	-	-	-	2	-	-	2	-	1	-	2	2	1	-	3	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	164	-	3	2	5	4	12	9	13	14	7	8	10	6	13	8	9	10	14	11	2	4	-	-	-	-	-
	White—M	123	-	2	1	4	3	9	6	11	6	5	7	8	2	10	7	8	10	11	9	2	2	-	-	-	-	-
	F	36	-	1	1	1	-	3	3	1	7	-	1	2	4	3	1	1	-	3	2	-	2	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	526	19	6	9	4	3	16	25	25	38	26	15	23	22	11	22	26	28	31	27	44	45	37	16	8	-	-
	White—M	336	11	2	5	2	1	11	17	17	35	23	14	19	19	9	20	21	20	22	13	16	24	10	4	1	-	-
	F	185	8	4	4	2	2	5	8	4	2	3	1	4	3	2	2	5	8	9	14	28	21	27	12	7	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	1,235	238	13	4	6	2	11	6	6	5	14	11	18	24	40	36	44	62	86	98	119	161	129	77	19	6	-
	White—M	664	157	5	3	1	1	4	3	2	4	4	6	6	11	23	17	33	43	50	47	67	79	55	33	7	3	-
	F	564	80	7	1	4	1	7	3	4	1	10	5	12	13	17	19	11	19	35	51	51	81	74	43	12	3	-
	Nonwhite—M	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	All causes	22,168	1,941	165	85	55	37	146	129	332	445	497	547	729	1,003	1,229	1,586	1,751	2,105	2,396	2,315	1,999	1,509	808	257	66	14	22
	White—M	9,467	773	50	31	19	19	59	59	105	139	183	199	301	378	540	688	844	1,017	1,074	1,054	920	627	288	78	16	2	4
	F	7,689	545	52	25	15	11	43	21	86	101	112	123	171	239	284	425	515	700	902	953	903	779	467	153	34	6	4
	Nonwhite—M	2,805	347	33	14	11	3	26	26	75	113	134	136	154	224	231	256	205	216	230	167	97	56	27	7	9	2	6
	F	2,227	276	30	15	10	4	18	23	66	92	68	89	103	162	174	217	187	172	190	141	79	47	26	19	7	4	8
1,2	Typhoid, paratyphoid fever	7	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	46	8	2	3	1	-	3	1	4	3	4	-	2	3	3	3	2	3	-	1	-	-	-	-	-	-	-
	White—M	19	4	1	1	1	-	1	-	3	-	2	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	F	16	3	-	2	-	-	2	-	1	1	1	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	5	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	31	21	7	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	6	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	-	1	1	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,209	7	10	6	1	1	6	12	71	120	119	112	113	126	118	108	95	57	65	30	22	7	3	-	-	-	-
	White—M	419	3	2	-	-	1	3	-	-	8	21	28	40	55	54	54	57	27	34	18	12	1	1	-	-	-	-
	F	214	1	1	1	-	-	-	2	9	32	26	19	16	18	11	12	15	9	19	9	8	4	2	-	-	-	-
	Nonwhite—M	353	1	6	2	-	-	2	2	28	38	39	40	42	36	40	28	19	17	9	2	2	2	-	-	-	-	-
	F	223	2	1	3	1	-	1	8	36	42	33	25	15	17	13	14	4	4	3	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	102	3	7	4	1	-	5	2	12	11	7	10	3	6	4	3	2	4	8	7	3	2	-	-	-	-	-
	White—M	25	1	1	1	-	-	-	-	1	1	2	4	-	-	3	-	1	2	1	6	1	-	-	-	-	-	-
	F	20	-	2	-	-	-	3	-	-	1	1	2	1	2	-	2	-	1	2	1	1	1	-	-	-	-	-
	Nonwhite—M	35	1	4	3	1	-	1	1	6	6	1	1	2	2	1	1	-	1	2	-	-	1	-	-	-	-	-
	F	22	1	-	-	-	-	1	1	5	3	3	3	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-
27	Dysentery	24	15	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	White—M	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	379	30	1	-	-	-	-	1	5	1	8	12	33	58	49	42	47	38	26	13	9	7	-	1	-	-	-
	White—M	135	8	-	-	-	-	-	-	-	-	-	4	9	12	20	20	19	15	13	7	5	3	-	-	-	-	-
	F	46	3	-	-	-	-	-	-	-	-	1	1	3	4	4	5	8	9	2	1	2	3	-	-	-	-	-
	Nonwhite—M	133	10	1	-	-	-	-	1	3	1	5	5	13	29	18	10	15	8	8	5	1	-	-	-	-	-	-
	F	65	9	-	-	-	-	-	-	2	-	2	2	8	13	7	7	5	4	3	-	1	1	-	1	-	-	-
33	Influenza	84	16	4	2	-	-	-	-	4	2	1	1	4	1	6	10	6	4	7	6	4	3	2	-	1	-	-
	White—M	32	5	1	1	-	-	-	-	1	1	-	1	2	1	1	4	2	4	1	2	2	1	1	-	1	-	-
	F	19	3	2	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	5	2	1	2	1	-	-	-	-
	Nonwhite—M	13	2	-	-	-	-	-	-	1	-	-	-	-	-	3	5	2	-	-	-	-	-	-	-	-	-	-
	F	20	6	1	1	-	-	-	-	2	-	1	-	1	-	2	1	1	-	1	2	1	-	-	-	-	-	-
35	Measles	12	3	4	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,077	-	-	-	-	-	-	-	-	1	6	12	20	41	66	94	118	176	174	149	118	67	28	7	-	-	-
	White—M	498	-	-	-	-	-	-	-	-	-	3	4	10	14	25	48	63	73	87	71	54	33	12	1	-	-	-
	F	436	-	-	-	-	-	-	-	-	-	1	4	9	18	27	24	40	78	65	64	54	31	16	5	-	-	-
	Nonwhite—M	80	-	-	-	-	-	-	-	-	1	-	1	-	4	7	14	6	17	14	7	6	3	-	-	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	2	3	1	5	7	8	9	8	8	7	4	-	-	1	-	-	-
48,49	Cancer of female genital organs	308	-	-	-	-	-	-	1	-	-	2	9	11	30	36	45	36	43	35	29	18	10	3	-	-	-	-
	White—F	264	-	-	-	-	-	-	1	-	-	2	6	9	22	29	36	33	35	32	29	17	10	3	-	-	-	-
	Nonwhite—F	44	-	-	-	-	-	-	-	-	-	-	3	2	8	7	9	3	8	3	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

* List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Contd.																											
50	Cancer of breast	246	-	-	-	-	-	-	-	-	1	3	2	11	16	21	35	34	25	26	29	18	14	8	1	2	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	223	-	-	-	-	-	-	-	-	-	2	2	9	13	17	33	32	25	24	28	15	14	7	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	1	-	2	3	4	2	2	-	2	1	2	-	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	793	2	3	1	3	2	3	3	5	6	12	12	22	22	59	79	79	102	121	115	68	53	15	5	1	-	-
	White—M	514	1	2	-	2	-	-	1	2	3	5	7	13	14	35	52	49	66	87	75	51	39	6	4	-	-	-
	F	189	-	-	-	-	-	3	-	3	2	5	3	5	3	15	19	18	29	24	25	16	11	6	1	1	-	-
	Nonwhite—M	62	-	-	1	-	-	-	-	-	1	2	2	2	4	6	5	8	6	6	12	1	3	3	-	-	-	-
	F	28	1	1	-	1	2	-	2	-	-	-	-	2	1	3	3	4	1	4	3	-	-	-	-	-	-	-
58	Acute rheumatic fever	19	-	1	-	1	2	5	1	-	1	-	1	2	1	-	1	1	-	-	-	-	1	1	-	-	-	-
	White—M	9	-	-	-	1	1	1	1	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite—M	5	-	1	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	567	-	-	-	1	-	-	1	-	-	7	4	11	10	25	46	62	93	118	87	61	26	14	1	-	-	-
	White—M	153	-	-	-	-	-	-	1	-	-	1	1	6	2	8	17	12	22	30	22	22	8	1	-	-	-	-
	F	345	-	-	-	1	-	-	-	-	-	4	2	2	3	9	23	42	62	73	61	36	14	12	1	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	2	4	5	2	2	3	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	1	-	2	4	5	6	6	5	10	2	1	1	1	-	-	-	-
63b	Exophthalmic goiter	32	-	-	-	-	-	-	-	1	-	1	1	1	2	3	4	5	4	8	1	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	1	-	-	1	-	1	1	4	4	4	8	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	64	-	-	-	-	-	-	-	-	-	1	7	9	14	11	5	7	3	4	3	-	-	-	-	-	-	-
	White—M	45	-	-	-	-	-	-	-	-	-	-	4	6	11	8	4	6	2	2	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	1	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,786	5	2	-	-	-	2	-	4	2	4	13	24	57	66	122	150	223	263	282	257	179	90	32	6	1	2
	White—M	638	2	-	-	-	-	1	-	-	2	2	3	9	14	15	37	51	86	88	104	115	70	28	11	-	-	-
	F	719	-	2	-	-	-	-	-	3	-	-	4	4	12	13	37	47	80	105	118	118	99	53	18	5	1	-
	Nonwhite—M	194	2	-	-	-	-	-	-	1	-	1	2	5	17	17	21	18	31	28	29	11	6	4	-	-	-	1
	F	235	1	-	-	-	-	1	-	-	-	1	4	6	14	21	27	34	26	42	31	13	4	5	3	1	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	197	16	6	3	4	-	3	5	11	14	6	14	9	11	11	19	14	12	9	13	9	4	4	-	-	-	-
	White—M	70	3	1	-	2	-	1	3	1	3	-	7	3	3	5	8	6	6	6	4	5	2	1	-	-	-	-
	F	74	6	4	2	1	-	1	1	6	4	2	1	3	3	4	6	6	5	3	8	4	2	2	-	-	-	-
	Nonwhite—M	33	5	-	-	-	-	-	-	3	3	4	4	3	3	2	3	2	1	-	-	-	-	-	-	-	-	-
	F	20	2	1	1	1	-	1	1	1	4	-	2	-	2	-	2	-	-	-	1	-	-	1	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	69	12	2	2	3	1	10	2	7	4	5	2	4	-	5	4	1	-	2	1	2	-	-	-	-	-	-
	White—M	27	6	-	2	-	-	3	1	4	1	3	-	1	-	1	2	-	-	1	1	1	-	-	-	-	-	-
	F	23	3	2	-	2	1	4	-	1	2	1	1	2	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	8	3	-	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	1	-	2	1	1	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	383	-	-	-	1	1	5	7	13	18	15	18	31	25	32	40	31	21	36	25	31	24	7	-	-	1	1
	White—M	163	-	-	-	-	1	2	5	5	10	7	4	11	14	17	15	10	11	13	11	14	10	3	-	-	-	-
	F	136	-	-	-	-	-	2	2	5	5	6	7	16	5	5	13	10	6	13	8	15	13	4	-	-	-	1
	Nonwhite—M	37	-	-	-	-	-	1	-	1	1	1	1	1	2	5	7	2	1	7	4	2	1	-	-	-	-	-
	F	47	-	-	-	1	-	-	-	2	2	1	6	3	4	5	5	9	3	3	2	-	-	-	-	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,726	-	-	1	-	-	-	-	1	2	7	13	40	75	141	181	223	254	251	224	176	88	33	7	5	1	3
	White—M	1,137	-	-	1	-	-	-	-	1	1	7	5	28	54	99	128	176	176	165	134	102	40	12	5	2	-	1
	F	425	-	-	-	-	-	-	-	-	1	-	2	4	11	16	25	31	59	65	79	64	45	20	2	1	-	-
	Nonwhite—M	104	-	-	-	-	-	-	-	-	-	-	4	7	6	14	17	12	13	13	8	6	-	-	-	2	1	1
	F	60	-	-	-	-	-	-	-	-	-	-	2	1	4	12	11	4	6	8	3	4	3	1	-	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,403	2	2	-	2	1	2	4	10	12	19	35	55	113	179	276	347	456	613	682	641	506	317	94	25	3	7
	White—M	1,856	-	-	-	2	-	-	1	1	3	8	11	18	35	67	101	156	224	272	318	290	206	114	22	5	1	1
	F	1,765	2	1	-	-	1	1	2	8	3	5	8	8	25	46	73	97	140	236	275	300	270	185	62	15	1	3
	Nonwhite—M	393	-	-	-	-	-	-	1	1	4	5	11	12	22	31	54	53	40	57	43	26	14	11	4	4	-	-
	F	389	-	1	-	-	-	1	-	-	2	1	5	17	31	35	48	41	52	48	46	25	16	7	6	3	1	3
107-109	Pneumonia (all forms)	1,152	251	40	13	10	2	7	4	12	19	18	28	42	61	67	69	71	70	72	84	72	63	48	21	6	1	1
	White—M	407	73	11	6	7	1	2	1	3	4	4	6	16	26	20	17	36	34	28	37	29	20	15	7	3	1	-
	F	348	70	14	3	2	1	3	1	5	6	3	9	8	11	8	12	14	15	29	30	31	33	27	11	2	-	-
	Nonwhite—M	221	50	9	2	1	-	1	-	2	4	9	8	12	16	27	22	15	10	10	10	6	3	1	2	1	-	-
	F	176	58	6	2	-	-	1	2	2	5	2	5	6	8	12	18	6	11	5	7	6	7	5	1	-	-	1
117	Ulcer of stomach or duodenum	107	-	-	-	-	-	-	-	-	2	3	5	6	11	7	17	17	13	9	4	8	4	1	-	-	-	-
	White—M	77	-	-	-	-	-	-	-	-	-	2	1	4	6	5	14	13	12	6	3	8	3	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	1	1	2	1	-	1	1	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	1	1	2	1	4	2	-	2	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Contd.																											
119,120	Diarrhea, enteritis, etc.*	299	246	18	4	2	-	1	2	3	3	1	1	1	1	3	2	2	1	2	1	2	2	1	-	-	-	-
	White—M	104	88	3	2	-	-	-	2	2	-	-	1	-	-	2	1	-	1	1	-	-	1	-	-	-	-	-
	F	72	59	4	-	-	-	-	-	1	1	-	-	-	-	-	1	2	-	-	-	2	1	1	-	-	-	-
	Nonwhite—M	69	57	5	1	1	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	54	42	6	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	90	1	2	5	1	2	6	4	2	6	2	5	9	6	10	2	7	7	4	4	2	2	1	-	-	-	-
	White—M	39	-	2	1	-	-	2	1	1	3	1	2	5	3	7	2	4	3	-	-	1	1	-	-	-	-	-
	F	32	1	-	4	1	1	1	-	1	3	-	1	4	3	1	-	-	3	2	3	1	1	1	-	-	-	-
	Nonwhite—M	14	-	-	-	-	1	1	2	-	-	1	2	-	-	2	-	1	1	2	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	179	12	2	-	-	1	-	2	4	7	6	5	11	12	14	18	15	19	13	19	4	10	3	1	1	-	-
	White—M	66	6	1	-	-	1	-	-	-	4	3	2	4	2	5	6	10	5	4	7	1	4	-	1	-	-	-
	F	70	3	-	-	-	-	-	1	2	2	2	2	3	3	3	5	4	11	4	12	3	6	3	-	1	-	-
	Nonwhite—M	18	2	-	-	-	-	-	1	-	1	-	1	1	3	-	2	1	2	4	-	-	-	-	-	-	-	-
	F	25	1	1	-	-	-	-	-	2	-	1	-	3	4	6	5	-	1	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	177	-	-	-	-	-	-	1	-	-	1	6	10	19	20	17	26	25	22	13	6	10	1	-	-	-	-
	White—M	109	-	-	-	-	-	-	-	-	-	-	4	2	10	11	11	16	18	17	8	4	8	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	1	2	6	7	6	4	6	4	4	5	2	2	1	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	63	-	-	-	-	-	-	-	-	-	1	2	1	3	5	7	5	9	12	7	6	3	-	2	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	4	2	3	1	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	1	1	1	3	4	5	4	4	5	5	3	2	-	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
130-132	Nephritis	2,055	3	1	1	-	1	3	6	11	10	13	26	43	87	91	142	170	226	293	273	268	232	111	33	7	-	4
	White—M	776	2	1	-	-	-	1	-	5	4	4	5	12	22	37	47	64	91	105	112	112	94	42	14	1	-	1
	F	763	-	-	-	-	-	2	1	4	1	4	4	11	22	18	33	58	65	114	112	121	115	59	16	3	-	-
	Nonwhite—M	257	1	-	-	-	-	-	5	2	3	3	6	7	25	15	28	17	37	36	25	23	13	7	1	1	-	2
	F	259	-	-	1	-	1	-	-	-	2	2	11	13	18	21	34	31	33	38	24	12	10	3	2	2	-	1
137	Diseases of the prostate	97	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	4	8	16	30	10	14	8	1	-	-	-
	White—M	79	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	7	11	24	8	14	8	1	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	5	6	2	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	39	-	-	-	-	-	-	-	3	8	7	9	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	1	4	6	4	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	14	-	-	-	-	-	-	-	2	4	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	15	-	-	-	-	-	-	-	5	4	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	3	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	34	-	-	-	-	-	-	-	4	8	7	4	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	3	6	4	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	10	-	-	-	-	-	-	-	1	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	264	228	6	6	2	-	2	3	4	3	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	129	119	2	2	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	87	72	2	2	-	-	1	2	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	24	18	1	-	2	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	19	1	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	572	572	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	239	239	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	221	-	-	-	-	-	-	2	3	11	14	27	29	26	19	19	16	19	15	15	4	2	-	-	-	-	-
	White—M	158	-	-	-	-	-	-	2	2	7	10	19	22	18	13	15	12	15	7	13	2	1	-	-	-	-	-
	F	53	-	-	-	-	-	-	-	1	2	4	8	7	6	5	4	3	3	6	2	1	1	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	2	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	173	1	-	-	-	-	1	2	12	24	33	26	24	20	7	8	8	5	-	2	-	-	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	1	2	-	2	3	4	2	1	3	4	2	-	1	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	2	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	119	-	-	-	-	-	1	1	9	15	28	19	17	14	4	4	3	3	-	1	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	7	3	4	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	437	3	2	4	2	5	21	20	45	51	45	21	32	30	20	32	25	26	24	15	5	6	2	-	-	-	1
	White—M	281	2	1	-	1	5	15	13	29	30	34	15	20	13	14	19	16	21	14	8	4	4	2	-	-	-	1
	F	75	1	1	3	1	-	2	-	8	8	6	2	4	8	2	6	4	4	6	6	1	2	-	-	-	-	-
	Nonwhite—M	66	-	-	-	-	-	3	4	4	11	4	3	8	9	4	6	5	1	3	1	-	-	-	-	-	-	-
	F	15	-	-	1	-	-	1	3	4	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	980	48	13	14	11	8	41	28	57	61	76	60	52	40	51	44	36	64	49	54	52	69	36	10	3	2	1
	White—M	530	22	4	5	3	5	19	19	33	41	47	40	34	29	35	27	24	46	27	16	20	21	11	1	1	-	-
	F	272	18	8	6	6	2	9	4	10	4	6	7	5	3	3	7	7	11	13	30	29	47	25	8	2	2	-
	Nonwhite—M	139	3	-	2	1	-	9	5	12	15	20	13	10	7	13	9	4	3	6	4	1	1	-	-	-	-	1
	F	39	5	1	1	1	1	4	-	2	1	3	-	3	1	-	1	1	4	3	4	2	-	-	1	-	-	-
	All other causes*	1,635	436	25	14	7	5	16	12	18	28	38	36	42	65	76	87	89	97	100	97	121	98	71	41	9	5	2
	White—M	658	183	13	8	-	1	7	4	7	10	14	13	17	15	29	30	31	43	49	48	52	40	30	11	3	-	-
	F	584	114	4	1	1	3	5	3	9	8	13	13	9	26	34	28	27	36	39	37	56	48	37	26	5	2	-
	Nonwhite—M	217	83	3	3	4	1	4	5	2	4	7	7	4	12	5	17	13	15	8	6	7	5	1	-	1	1	1
	F	176	56	5	2	2	-	-	2	-	6	4	3	12	12	8	12	18	3	4	6	6	5	3	4	-	2	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	All causes	51,036	2,651	198	102	107	66	243	236	412	623	771	805	1,142	1,512	2,411	3,225	4,204	5,118	6,183	6,729	5,960	4,709	2,492	838	175	26	108
	White—M	26,421	1,451	109	58	61	37	139	153	245	340	418	433	636	874	1,331	1,917	2,507	2,845	3,361	3,343	2,798	2,033	946	264	56	4	62
	F	23,680	1,181	83	41	43	28	98	75	151	262	327	343	469	585	1,009	1,225	1,608	2,176	2,730	3,287	3,109	2,636	1,514	568	118	21	43
	Nonwhite—M	545	39	3	1	2	1	4	4	12	12	19	18	21	35	48	42	59	59	49	60	28	28	5	2	-	1	3
	F	390	30	3	2	1	-	2	4	4	9	7	11	16	18	28	41	30	38	43	39	30	17	17	4	1	-	-
1,2	Typhoid, paratyphoid fever	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	35	4	1	3	2	1	3	3	1	5	2	1	2	2	1	1	2	1	-	-	-	-	-	-	-	-	-
	White—M	20	-	-	2	1	1	1	2	1	5	2	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	15	4	1	1	1	-	2	1	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	14	-	-	-	2	2	2	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	2	1	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	27	20	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	8	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	1	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,501	1	4	1	4	2	2	9	36	95	133	129	149	149	163	147	160	117	87	61	34	14	2	1	-	-	1
	White—M	974	-	1	-	3	1	-	2	10	33	61	77	97	110	128	117	124	84	59	36	20	7	2	1	-	-	1
	F	434	1	2	1	1	1	1	5	22	51	62	41	46	31	25	25	29	27	21	22	13	7	-	-	-	-	-
	Nonwhite—M	67	-	-	-	-	-	-	-	2	5	8	7	3	8	9	4	7	5	6	2	1	-	-	-	-	-	-
	F	26	-	1	-	-	-	1	2	2	6	2	4	3	-	1	1	-	1	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	129	2	3	2	1	3	4	5	6	9	6	5	7	11	13	9	10	6	14	6	4	2	-	1	-	-	-
	White—M	60	1	2	-	1	2	2	2	4	2	3	2	3	6	7	5	4	4	5	1	3	1	-	-	-	-	-
	F	59	1	1	2	-	1	2	2	1	5	3	2	3	5	4	4	5	1	9	5	1	1	-	1	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	1	1	2	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	328	2	-	-	-	-	2	-	-	1	1	4	10	26	28	50	49	55	36	36	17	8	2	-	-	-	1
	White—M	222	-	-	-	-	-	-	-	-	1	1	1	4	18	20	36	36	39	27	22	12	4	1	-	-	-	-
	F	72	1	-	-	-	-	2	-	-	-	-	2	4	4	4	7	8	11	9	10	5	4	1	-	-	-	-
	Nonwhite—M	23	1	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	3	-	3	-	-	-	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	-	1	-	-	-	-	-	-	-
33	Influenza	104	9	5	4	-	-	3	1	2	1	3	2	2	2	7	4	5	7	8	8	13	6	5	3	2	-	1
	White—M	55	6	3	2	-	-	2	1	2	1	2	2	1	-	3	2	1	7	6	5	2	3	2	1	-	-	1
	F	47	2	2	2	-	-	1	-	-	-	1	-	1	1	4	2	4	-	2	3	11	3	4	2	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	15	5	1	1	-	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	3	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,584	1	2	-	1	-	-	1	2	5	10	26	42	85	153	270	371	495	643	572	475	294	103	23	3	1	6
	White—M	1,852	-	1	-	-	-	-	1	1	3	4	11	25	42	77	146	208	284	355	292	245	121	27	6	-	-	3
	F	1,686	1	1	-	1	-	-	-	1	2	6	15	15	39	74	118	159	202	277	274	228	173	76	17	3	1	3
	Nonwhite—M	32	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	4	4	6	5	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	5	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	800	-	1	-	1	-	-	1	1	-	7	9	43	51	87	103	102	97	101	70	58	36	25	6	-	-	1
	White—F	782	-	1	-	1	-	-	1	1	-	7	9	42	50	84	99	100	94	100	69	57	36	24	6	-	-	1
	Nonwhite—F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	3	1	1	1	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
50	Cancer of breast	816	-	-	-	-	-	-	1	-	1	4	12	19	33	89	89	100	116	100	78	80	51	27	13	-	-	3
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	2	-	-	-	-	-	-
	F	799	-	-	-	-	-	-	1	-	1	4	11	19	33	87	88	98	112	98	76	77	51	27	13	-	-	3
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,177	4	4	1	4	3	14	12	8	11	20	19	45	63	112	187	232	261	349	331	241	166	67	16	3	-	4
	White—M	1,548	2	1	-	3	2	6	7	6	9	16	15	29	34	87	123	174	199	236	254	169	122	45	6	-	-	3
	F	600	2	3	1	1	1	8	5	2	2	3	4	16	26	25	64	55	58	105	70	71	44	20	10	3	-	1
	Nonwhite—M	23	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	3	7	6	1	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	1	-	-	-	-
58	Acute rheumatic fever	29	-	1	-	-	2	3	3	3	2	3	-	3	2	3	-	1	-	2	1	-	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	1	2	2	2	3	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	15	-	1	-	-	2	2	1	1	-	-	-	3	1	2	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,553	-	2	1	-	-	1	3	3	2	6	7	10	7	48	99	165	231	280	298	210	120	47	9	1	-	3
	White—M	501	-	1	-	-	-	-	1	2	1	1	3	4	2	20	31	64	65	93	89	64	44	12	3	-	-	1
	F	1,028	-	1	1	-	-	1	1	1	1	5	3	6	5	25	62	96	164	182	209	145	76	35	6	1	-	2
	Nonwhite—M	10	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	2	1	2	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	1	3	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	40	-	-	-	-	-	-	-	-	1	1	1	4	3	1	5	6	6	6	1	3	1	1	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	2	1	1	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	1	1	3	2	-	3	5	4	5	-	3	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	187	-	-	-	-	-	-	-	-	-	6	7	28	26	23	28	18	22	15	5	7	2	-	-	-	-	-
	White—M	152	-	-	-	-	-	-	-	-	-	5	7	24	22	16	24	16	16	10	5	5	2	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	1	4	5	-	1	-	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	2	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,691	8	2	3	1	1	1	3	5	7	6	17	37	63	163	249	328	522	713	793	730	618	299	91	22	3	6
	White—M	1,972	5	1	-	1	1	1	1	4	4	3	5	15	26	55	116	156	235	347	329	291	244	94	32	4	-	2
	F	2,628	3	1	3	-	-	-	2	1	3	3	10	20	32	97	127	166	275	350	452	431	367	201	59	18	3	4
	Nonwhite—M	40	-	-	-	-	-	-	-	-	-	-	1	1	4	5	2	2	6	8	4	2	3	2	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	4	6	8	8	6	4	2	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	452	38	18	5	6	4	15	12	16	17	20	23	26	29	29	28	31	26	38	33	23	4	5	3	-	-	3
	White—M	259	26	13	5	3	4	7	9	11	12	10	12	18	18	12	15	21	12	16	14	11	3	3	1	-	-	3
	F	190	12	5	-	2	-	8	3	4	5	10	11	8	10	17	13	10	14	22	19	12	1	2	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	128	14	5	2	3	1	8	7	4	6	4	7	6	8	11	10	8	7	3	4	5	3	1	-	-	-	1
	White—M	67	5	2	-	2	-	4	4	2	3	4	5	3	8	6	2	7	3	2	1	2	1	-	-	-	-	1
	F	58	9	3	2	1	1	3	3	2	1	-	2	3	-	5	8	1	4	1	3	3	2	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,016	-	-	-	-	-	3	15	21	38	37	58	70	59	89	90	100	83	96	94	57	63	32	7	-	-	4
	White—M	466	-	-	-	-	-	1	8	11	18	18	25	37	26	40	42	57	42	43	40	17	29	10	1	-	-	1
	F	529	-	-	-	-	-	2	7	9	20	17	31	32	30	47	45	40	39	53	54	38	34	22	6	-	-	3
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	2	2	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	-	-	-	2	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,382	-	-	1	-	1	1	-	-	8	8	19	74	137	289	464	635	770	874	834	639	389	177	49	4	-	9
	White—M	3,605	-	-	1	-	1	1	-	-	4	5	16	65	113	235	374	487	531	586	493	373	203	84	25	2	-	6
	F	1,731	-	-	-	-	-	-	-	-	4	2	3	7	23	51	82	138	236	282	336	263	183	92	24	2	-	3
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	9	-	6	3	-	2	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	1	3	-	2	3	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	11,222	5	1	1	2	-	4	8	17	11	33	35	61	121	302	449	814	1,119	1,458	1,965	1,833	1,611	970	308	62	9	23
	White—M	5,428	3	-	1	1	-	3	5	6	6	20	17	32	67	156	266	480	637	794	948	825	680	357	90	18	2	14
	F	5,602	2	1	-	1	-	1	3	9	5	13	17	25	47	136	168	316	459	644	977	990	914	602	214	44	6	8
	Nonwhite—M	103	-	-	-	-	-	-	-	2	-	-	1	3	1	5	8	8	15	9	25	10	11	1	2	-	1	1
	F	89	-	-	-	-	-	-	-	-	-	-	-	1	6	5	7	10	8	11	15	8	6	10	2	-	-	-
107-109	Pneumonia (all forms)	2,283	295	46	12	18	4	17	8	17	15	32	36	44	73	97	114	138	186	183	256	248	230	139	55	14	2	4
	White—M	1,197	170	22	7	9	1	8	5	11	9	15	18	25	36	64	81	85	110	103	117	121	99	56	15	8	-	2
	F	1,036	111	21	5	9	3	8	3	5	5	14	17	18	32	32	30	50	70	79	136	126	130	82	40	6	2	2
	Nonwhite—M	29	7	2	-	-	-	-	-	1	-	2	1	-	4	1	1	3	4	-	2	-	1	-	-	-	-	-
	F	21	7	1	-	-	-	1	-	-	1	1	-	1	1	-	2	-	2	1	1	1	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	416	1	-	-	-	-	-	-	-	5	8	13	18	30	35	54	47	62	50	36	32	14	8	2	-	-	1
	White—M	357	1	-	-	-	-	-	-	-	5	8	12	17	24	34	50	40	57	38	29	25	8	7	1	-	-	1
	F	55	-	-	-	-	-	-	-	-	-	-	1	-	6	1	3	6	4	12	7	7	6	1	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
119,120	Diarrhea, enteritis, etc.*	171	106	6	2	1	-	1	-	3	5	2	3	2	5	5	4	7	2	4	1	8	3	1	-	-	-	-
	White—M	92	54	5	2	-	-	-	-	-	2	1	2	2	4	4	2	7	1	3	-	3	-	-	-	-	-	-
	F	72	45	1	-	1	-	1	-	3	3	1	1	-	1	1	2	-	1	1	1	5	3	1	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	226	-	2	6	5	5	14	9	12	10	10	12	11	15	12	22	26	8	16	12	10	6	3	-	-	-	-
	White—M	127	-	1	4	3	4	9	4	11	7	4	8	3	11	4	12	12	3	10	7	7	1	2	-	-	-	-
	F	94	-	1	2	2	1	5	5	1	3	6	3	7	4	8	10	13	3	6	5	3	5	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	423	12	6	2	2	-	1	1	3	7	2	1	11	20	26	40	37	41	44	61	50	33	13	5	1	2	2
	White—M	222	7	5	2	1	-	1	-	2	4	2	1	5	11	11	24	22	26	24	29	24	14	4	2	-	1	-
	F	194	4	1	-	1	-	-	1	1	3	-	-	5	9	15	13	14	15	19	32	26	19	9	3	1	1	2
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	573	-	-	-	-	-	-	-	2	-	6	11	30	44	70	77	84	76	63	49	34	15	6	3	-	-	3
	White—M	344	-	-	-	-	-	-	-	-	-	3	9	12	27	37	44	54	46	43	36	17	9	5	-	-	-	2
	F	221	-	-	-	-	-	-	-	2	-	3	2	15	17	31	33	28	30	19	13	17	6	1	3	-	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	267	-	-	-	-	-	-	1	-	1	1	6	5	8	22	32	24	34	44	33	30	15	7	3	-	-	1
	White—M	87	-	-	-	-	-	-	-	-	-	-	-	2	5	6	16	8	10	10	14	9	4	3	-	-	-	-
	F	178	-	-	-	-	-	-	1	-	1	1	6	3	3	16	16	16	23	33	19	21	11	4	3	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,759	1	2	1	-	1	10	7	12	15	28	25	59	75	137	172	230	261	353	429	397	319	149	57	10	1	8
	White—M	1,327	1	2	-	-	1	5	5	3	8	15	11	29	36	65	95	133	139	172	201	179	129	65	21	6	1	5
	F	1,386	-	-	1	-	-	5	2	9	7	13	14	27	39	68	74	88	117	173	224	213	185	84	36	4	-	3
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	5	3	2	3	3	2	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	6	1	2	3	-	-	-	-	-
137	Diseases of the prostate	303	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	13	26	48	62	63	56	21	5	2	-	-
	White—M	296	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	13	26	47	60	61	55	21	5	2	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	75	-	-	-	-	-	-	-	4	16	19	16	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	73	-	-	-	-	-	-	-	4	16	19	16	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	28	-	-	-	-	-	-	-	1	5	5	7	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	1	5	5	7	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143, 145b,146, 149,150	Other puerperal causes	71	-	-	-	-	-	-	-	1	13	18	13	17	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	70	-	-	-	-	-	-	-	-	13	18	13	17	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	552	457	24	7	6	2	12	4	8	9	5	1	-	3	4	4	1	1	-	2	1	-	-	-	-	-	1
	White—M	263	219	12	3	1	-	6	2	4	5	3	-	-	1	1	3	-	1	-	1	-	-	-	-	-	-	1
	F	278	230	11	4	5	2	6	1	4	4	2	1	-	1	3	1	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	941	941	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	508	508	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	413	413	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	501	-	-	-	-	-	-	2	8	18	27	34	41	54	69	53	65	41	31	23	20	10	1	2	-	-	2
	White—M	362	-	-	-	-	-	-	2	6	13	21	24	31	40	42	43	43	23	29	21	14	8	1	-	-	-	1
	F	136	-	-	-	-	-	-	-	2	5	6	10	10	12	27	10	22	18	2	1	6	2	-	2	-	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	55	3	1	-	-	-	2	1	4	8	3	8	4	1	5	3	4	2	3	1	-	-	1	-	-	-	1
	White—M	32	2	1	-	-	-	2	1	2	5	-	3	2	-	3	3	3	1	3	1	-	-	-	-	-	-	-
	F	18	1	-	-	-	-	-	-	2	2	3	3	2	-	2	-	1	-	-	-	-	-	1	-	-	-	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	578	-	1	6	12	13	16	20	45	53	36	28	30	32	28	40	47	43	55	36	21	8	6	-	-	-	2
	White—M	453	-	-	4	7	7	8	19	34	44	30	23	27	26	20	33	38	31	45	31	14	7	4	-	-	-	1
	F	113	-	-	2	4	5	8	1	10	9	6	5	3	6	4	7	8	11	10	4	7	1	1	-	-	-	1
	Nonwhite—M	12	-	1	-	1	1	-	-	1	-	-	-	-	-	4	-	1	1	-	1	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,585	41	24	21	20	8	59	63	114	171	203	134	121	112	121	120	117	141	171	199	209	202	137	58	11	2	6
	White—M	1,528	24	16	15	15	5	41	48	78	99	134	88	86	83	96	99	89	88	101	102	91	60	44	15	5	-	6
	F	1,025	16	8	6	5	3	15	12	34	68	65	45	35	28	25	18	26	52	66	94	118	142	92	42	6	2	-
	Nonwhite—M	22	-	-	-	-	-	3	2	2	3	3	1	-	1	-	2	2	1	1	1	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	1	2	-	-	1	1	-	-	-
	All other causes*	3,974	678	31	18	15	12	38	31	49	49	52	75	91	144	166	201	224	250	295	337	408	409	226	118	40	6	11
	White—M	1,970	405	18	7	8	6	26	18	30	31	22	35	37	74	77	105	119	119	151	162	192	174	97	39	11	-	7
	F	1,924	258	13	8	6	6	12	13	17	18	26	36	50	67	83	90	101	126	142	169	210	229	129	78	28	6	3
	Nonwhite—M	44	8	-	1	1	-	-	-	1	-	4	3	4	-	4	2	3	4	1	1	3	3	-	-	-	-	1
	F	36	7	-	2	-	-	-	-	1	-	-	1	-	3	2	4	1	1	1	5	3	3	-	1	1	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	All causes	52,827	4,608	323	166	123	105	384	368	694	833	902	1,103	1,504	1,945	2,807	3,708	4,213	4,829	5,297	5,730	5,364	4,436	2,444	712	157	22	50
	White—M	28,681	2,482	164	95	69	54	217	213	390	420	406	518	731	969	1,561	2,213	2,512	2,917	2,981	3,094	2,827	2,242	1,173	321	64	11	37
	F	21,199	1,858	139	64	49	46	145	123	210	296	346	420	553	660	917	1,234	1,467	1,744	2,141	2,489	2,440	2,142	1,238	376	87	8	7
	Nonwhite—M	1,617	152	12	2	3	3	10	16	52	55	70	77	99	169	204	165	125	107	99	89	55	21	16	6	4	1	5
	F	1,330	116	8	5	2	2	12	16	42	62	80	88	121	147	125	96	109	61	76	58	42	31	17	9	2	2	1
1,2	Typhoid, paratyphoid fever	9	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	6	1	1	1	-	1	2	1	4	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	17	6	1	1	1	-	1	1	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	24	1	2	3	-	2	4	5	1	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	1	1	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	1	1	2	-	-	2	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	71	59	5	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	34	28	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	24	21	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	22	-	3	-	6	1	7	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	9	-	1	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	2	-	2	1	2	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,684	9	9	3	1	-	6	20	95	143	184	150	160	145	147	158	157	124	77	56	25	8	6	-	-	1	-
	White—M	863	4	3	-	-	-	-	7	22	43	66	53	68	73	85	130	107	90	54	36	14	6	2	-	-	-	-
	F	409	3	4	-	1	-	1	2	27	46	59	52	59	26	23	14	26	18	19	16	8	2	3	-	-	-	-
	Nonwhite—M	244	2	-	-	-	-	2	3	25	23	30	23	20	36	33	10	16	11	4	3	1	-	1	-	-	1	-
	F	168	-	2	3	-	-	3	8	21	31	29	22	13	10	6	4	8	5	-	1	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	207	9	13	4	1	2	9	8	10	26	10	10	12	18	17	15	15	12	9	3	3	-	1	-	-	-	-
	White—M	89	4	5	-	-	2	3	2	4	10	3	6	9	6	6	10	7	5	4	2	1	-	-	-	-	-	-
	F	64	4	6	2	1	-	6	3	1	7	1	2	1	4	6	3	5	5	4	1	1	-	1	-	-	-	-
	Nonwhite—M	31	1	1	1	-	-	-	-	2	5	3	1	1	5	5	2	3	1	-	-	-	-	-	-	-	-	-
	F	23	-	1	1	-	-	-	3	3	4	3	1	1	3	-	-	-	1	1	-	1	-	-	-	-	-	-
27	Dysentery	36	16	5	1	1	-	-	-	1	-	-	-	1	-	-	1	-	2	1	2	-	2	2	-	-	-	1
	White—M	21	8	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	2	-	1	2	-	-	-	1
	F	13	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	594	10	-	-	-	-	1	-	-	3	7	20	41	43	75	85	85	83	50	53	24	7	7	-	-	-	-
	White—M	355	3	-	-	-	-	-	-	-	3	1	6	20	15	38	49	56	64	40	37	14	5	4	-	-	-	-
	F	111	1	-	-	-	-	1	-	-	-	4	6	8	8	11	13	21	10	5	11	9	2	1	-	-	-	-
	Nonwhite—M	85	3	-	-	-	-	-	-	-	-	2	4	8	13	20	17	4	6	4	4	-	-	-	-	-	-	-
	F	43	3	-	-	-	-	-	-	-	-	-	4	5	7	6	6	4	3	1	1	1	-	2	-	-	-	-
33	Influenza	228	36	9	7	3	2	6	2	1	4	3	5	9	8	8	7	13	11	13	13	25	20	16	6	1	-	-
	White—M	126	18	6	4	2	1	2	1	-	2	2	3	4	5	7	4	10	7	6	4	16	9	10	2	1	-	-
	F	95	17	3	3	1	1	3	1	1	2	1	1	4	3	1	2	2	3	7	9	9	11	6	4	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	8	4	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	-	1	-	-	-	2	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,058	1	-	1	2	1	-	1	3	6	6	27	40	109	172	262	350	464	462	459	376	222	77	12	3	-	2
	White—M	1,651	1	-	-	1	-	-	1	2	3	5	15	14	46	93	146	201	272	260	245	192	111	35	6	1	-	1
	F	1,319	-	-	1	1	1	-	-	1	3	1	10	19	55	66	105	137	181	194	210	179	106	41	6	2	-	-
	Nonwhite—M	49	-	-	-	-	-	-	-	-	-	-	-	1	4	6	7	8	8	5	3	4	2	1	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	2	6	4	7	4	4	3	3	1	1	3	-	-	-	-	1
48,49	Cancer of female genital organs	824	-	-	-	-	-	-	-	2	3	11	21	49	64	105	122	115	81	85	70	52	34	10	-	-	-	-
	White—F	773	-	-	-	-	-	-	-	2	3	9	18	42	56	93	117	109	78	82	70	50	34	10	-	-	-	-
	Nonwhite—F	51	-	-	-	-	-	-	-	-	-	2	3	7	8	12	5	6	3	3	-	2	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths).

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Contd.																											
50	Cancer of breast	616	-	-	-	-	-	-	-	-	1	2	15	31	36	70	76	70	77	75	72	41	29	19	2	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	1	1	-	-	-	-
	F	584	-	-	-	-	-	-	-	-	1	1	13	27	29	68	71	68	76	73	69	40	28	18	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	2	4	7	1	3	1	-	2	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,925	-	4	5	5	5	12	7	11	18	20	28	48	73	147	178	254	226	248	236	188	127	69	13	3	-	-
	White—M	1,340	-	1	4	2	1	5	3	7	13	16	17	26	48	105	125	176	165	161	173	141	91	51	6	3	-	-
	F	541	-	3	1	2	4	7	4	4	3	4	10	18	19	40	46	71	56	84	60	46	36	17	6	-	-	-
	Nonwhite—M	35	-	-	-	1	-	-	-	-	1	-	1	3	3	2	6	5	5	2	3	1	-	1	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	2	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	48	-	-	1	1	1	8	8	4	4	4	3	1	6	1	2	2	1	1	-	-	-	-	-	-	-	-
	White—M	19	-	-	-	1	-	4	4	1	1	1	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	23	-	-	1	-	-	3	4	2	2	2	1	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,447	1	-	2	2	-	1	6	12	14	12	17	22	29	62	113	164	196	235	256	182	87	32	2	-	-	-
	White—M	477	-	-	1	1	-	-	1	4	2	6	5	7	6	18	36	45	71	77	83	70	32	11	1	-	-	-
	F	902	1	-	1	1	-	1	5	7	10	5	8	10	9	34	72	113	119	149	171	110	55	20	1	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	2	-	-	-	3	2	1	-	-	3	-	1	-	1	-	-	-	-
	F	55	-	-	-	-	-	-	-	1	-	1	4	5	11	8	4	6	6	6	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter	187	-	-	-	-	-	-	-	2	3	8	7	9	6	13	26	24	25	24	24	10	4	1	1	-	-	-
	White—M	41	-	-	-	-	-	-	-	-	1	2	-	1	2	3	7	7	6	7	1	3	1	-	-	-	-	-
	F	136	-	-	-	-	-	-	-	2	1	5	6	5	3	9	17	17	19	17	23	7	3	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	1	1	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	54	-	-	-	-	-	-	-	-	-	-	4	9	11	6	7	10	2	2	1	-	2	-	-	-	-	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	4	9	10	5	6	7	2	2	1	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,816	7	1	6	2	3	4	2	6	13	20	26	44	104	181	291	329	494	684	781	798	634	298	68	13	-	7
	White—M	2,322	4	-	5	2	2	4	1	2	8	9	17	24	37	71	126	160	263	359	396	376	289	131	29	3	-	4
	F	2,302	2	1	1	-	1	-	1	4	4	8	6	13	49	83	141	147	214	305	365	414	329	165	38	9	-	2
	Nonwhite—M	90	-	-	-	-	-	-	-	-	-	2	1	3	9	14	12	6	12	10	9	3	6	1	-	1	-	1
	F	102	1	-	-	-	-	-	-	-	1	1	2	4	9	13	12	16	5	10	11	5	10	1	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	564	46	19	7	6	4	20	13	19	21	26	18	30	18	38	41	48	49	40	41	32	21	5	1	-	-	1
	White—M	325	26	10	5	4	-	11	8	13	11	18	10	23	14	18	27	27	25	28	22	14	9	1	1	-	-	-
	F	220	17	6	2	2	4	8	5	5	9	7	6	7	4	18	14	19	23	11	19	18	12	4	-	-	-	-
	Nonwhite—M	12	3	2	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1
	F	7	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	202	28	7	4	3	7	24	9	7	8	9	12	6	11	9	8	10	9	11	6	3	6	5	-	-	-	-
	White—M	111	10	3	3	2	4	9	5	5	6	7	5	3	8	4	4	8	5	9	4	2	3	2	-	-	-	-
	F	78	14	4	1	1	3	15	2	1	2	-	4	3	2	5	4	2	4	2	2	1	3	3	-	-	-	-
	Nonwhite—M	8	2	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,017	-	-	1	-	1	8	23	32	30	20	46	52	63	87	80	71	87	101	99	96	68	40	10	2	-	-
	White—M	505	-	-	1	-	1	2	13	8	14	6	25	32	32	49	49	31	47	50	48	43	31	17	4	2	-	-
	F	458	-	-	-	-	-	5	10	17	14	13	20	15	25	35	26	35	37	45	45	53	37	23	3	-	-	-
	Nonwhite—M	27	-	-	-	-	-	-	-	4	-	-	1	3	3	-	3	4	2	3	3	-	-	-	1	-	-	-
	F	27	-	-	-	-	-	1	-	3	2	1	-	2	3	3	2	1	1	3	3	-	-	-	2	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,154	-	-	-	-	-	-	2	3	10	12	43	94	197	363	515	650	744	684	704	569	355	162	36	5	2	4
	White—M	3,580	-	-	-	-	-	-	1	2	4	9	28	69	148	291	416	499	540	471	443	348	206	81	18	1	2	3
	F	1,463	-	-	-	-	-	-	1	1	6	2	9	19	34	60	80	143	192	201	255	214	146	78	18	4	-	-
	Nonwhite—M	75	-	-	-	-	-	-	-	-	-	-	4	4	11	10	14	5	5	10	4	3	2	2	-	-	-	1
	F	36	-	-	-	-	-	-	-	-	-	1	2	2	4	2	5	3	7	2	2	4	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	9,798	11	1	1	4	2	3	18	25	24	50	75	131	206	324	595	712	971	1,226	1,504	1,491	1,348	758	256	47	7	8
	White—M	5,256	8	-	1	2	1	2	3	15	12	23	30	57	93	167	348	439	589	687	808	774	686	383	121	19	3	5
	F	4,006	3	1	-	2	1	-	13	9	11	19	30	44	62	93	186	208	327	489	638	683	648	383	127	25	2	2
	Nonwhite—M	289	-	-	-	-	-	1	1	1	1	5	8	12	25	35	35	32	38	29	32	21	4	3	3	2	-	1
	F	247	-	-	-	-	-	-	1	-	-	3	7	18	26	29	26	33	17	21	26	13	10	9	5	1	2	-
107-109	Pneumonia (all forms)	2,348	586	75	20	6	10	28	16	30	27	42	48	56	93	128	130	143	129	133	152	188	167	98	30	10	1	2
	White—M	1,306	314	40	10	4	6	18	5	16	13	22	15	27	58	70	82	99	89	84	91	92	88	45	13	4	-	1
	F	862	241	30	10	1	4	8	9	9	11	11	25	18	15	35	26	33	36	42	55	89	77	52	17	6	1	1
	Nonwhite—M	125	16	3	-	1	-	-	1	4	3	5	7	8	15	19	18	9	2	3	4	5	1	1	-	-	-	-
	F	55	15	2	-	-	-	2	1	1	-	4	1	3	5	4	4	2	2	4	2	2	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	348	2	-	-	-	-	1	-	1	4	7	9	20	30	41	53	54	38	32	22	17	14	2	1	-	-	-
	White—M	274	1	-	-	-	-	-	-	1	4	5	5	15	22	36	42	50	30	24	18	11	9	-	1	-	-	-
	F	51	-	-	-	-	-	1	-	-	-	-	2	1	5	3	8	3	5	7	3	6	5	2	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	1	2	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	1	1	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Contd.																											
119,120	Diarrhea, enteritis, etc.*	317	222	15	4	2	1	1	-	3	2	1	5	3	4	4	7	4	6	4	4	6	11	5	2	-	1	-
	White—M	165	118	9	3	-	-	1	-	1	-	-	-	-	1	3	6	2	5	3	1	3	5	2	1	-	1	-
	F	129	88	5	1	2	1	-	-	2	2	1	4	3	2	-	1	1	1	-	3	2	6	3	1	-	-	-
	Nonwhite—M	13	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	10	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	317	2	1	7	9	1	11	20	15	24	18	12	20	27	26	37	18	25	17	18	6	3	2	-	-	-	-
	White—M	190	1	1	4	6	1	8	14	6	10	11	9	12	15	19	25	12	14	6	9	4	2	1	-	-	-	-
	F	108	-	-	3	3	-	3	2	6	12	4	3	6	11	6	9	6	11	10	9	2	1	1	-	-	-	-
	Nonwhite—M	9	1	-	-	-	-	-	2	1	1	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	2	-	1	3	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	464	26	2	3	-	-	5	6	5	5	16	9	21	21	31	45	41	33	44	53	43	31	19	5	-	-	-
	White—M	229	16	2	2	-	-	4	5	4	2	5	6	6	6	13	19	22	16	24	32	22	15	6	2	-	-	-
	F	199	10	-	1	-	-	1	1	1	2	9	2	8	11	11	22	16	16	16	20	20	16	13	3	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	1	1	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	1	2	1	6	4	6	3	1	1	3	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	525	-	-	-	1	-	1	2	2	2	6	11	29	43	54	92	64	58	41	56	33	23	5	-	-	-	-
	White—M	339	-	-	-	1	-	1	1	-	-	2	7	20	25	38	61	38	45	28	37	17	13	5	-	-	-	-
	F	168	-	-	-	-	-	-	1	2	2	2	3	9	14	14	28	25	13	10	19	16	10	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	3	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	287	1	-	-	-	-	-	-	-	1	6	4	15	14	19	24	47	35	29	39	18	28	6	1	-	-	-
	White—M	102	-	-	-	-	-	-	-	-	-	-	-	3	5	5	9	22	8	11	19	6	10	3	1	-	-	-
	F	181	1	-	-	-	-	-	-	-	1	6	4	10	9	14	15	24	26	18	20	12	18	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,708	5	1	1	1	2	10	7	21	20	26	51	70	97	142	172	223	257	313	345	359	331	199	44	9	1	1
	White—M	1,404	3	1	-	1	2	5	1	12	12	16	20	28	40	69	82	111	147	165	183	208	169	105	21	1	1	1
	F	1,166	2	-	1	-	-	5	6	7	8	9	25	33	41	48	74	92	106	133	153	147	155	92	22	7	-	-
	Nonwhite—M	60	-	-	-	-	-	-	-	-	-	1	1	2	7	10	11	8	2	6	6	1	3	1	1	-	-	-
	F	78	-	-	-	-	-	-	-	2	-	-	5	7	9	15	5	12	2	9	3	3	4	1	-	1	-	-
137	Diseases of the prostate	304	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	10	19	46	61	68	55	32	5	1	-	-
	White—M	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	19	45	61	68	55	31	5	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	1	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	91	-	-	-	-	-	-	1	6	17	25	17	14	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	82	-	-	-	-	-	-	1	5	14	22	17	12	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	1	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	54	-	-	-	-	-	-	-	7	11	13	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	4	10	12	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	112	-	-	-	-	-	-	-	7	20	36	21	20	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	95	-	-	-	-	-	-	-	4	18	31	18	17	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	-	-	-	-	-	-	-	3	2	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	854	736	36	9	6	10	15	9	11	6	5	2	1	4	-	2	1	1	-	-	-	-	-	-	-	-	-
	White—M	452	389	15	5	4	2	11	5	8	3	2	2	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	371	320	20	4	2	6	4	4	3	3	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	15	13	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	14	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,540	1,540	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	812	812	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	630	630	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	636	-	-	-	-	-	-	2	12	30	37	48	69	60	49	84	55	73	39	31	32	10	1	-	-	-	4
	White—M	464	-	-	-	-	-	-	2	8	20	19	31	45	39	32	68	43	58	32	25	28	9	1	-	-	-	4
	F	161	-	-	-	-	-	-	-	4	8	16	17	22	21	16	15	11	13	7	6	4	1	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	176	3	1	2	2	-	1	1	11	15	15	18	32	23	21	12	6	3	5	3	2	-	-	-	-	-	-
	White—M	78	1	1	2	1	-	-	-	5	6	6	7	16	4	11	7	3	2	3	1	2	-	-	-	-	-	-
	F	28	2	-	-	1	-	1	1	1	2	2	2	2	5	3	1	2	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	58	-	-	-	-	-	-	-	5	4	5	7	12	11	7	4	1	-	1	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	3	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,409	11	15	13	14	14	65	52	152	138	93	94	83	76	110	97	103	82	81	42	37	25	9	-	-	-	3
	White—M	1,039	6	6	6	9	8	47	39	111	109	67	67	56	56	85	76	83	65	63	28	26	18	6	-	-	-	2
	F	304	4	7	6	5	5	16	10	38	22	22	21	18	12	15	20	17	17	16	12	11	6	3	-	-	-	1
	Nonwhite—M	49	1	1	-	-	-	2	3	2	5	2	5	6	4	9	1	3	-	2	2	-	1	-	-	-	-	-
	F	17	-	1	1	-	1	-	-	1	2	2	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	2,337	118	56	35	28	18	83	85	113	95	67	106	96	99	130	120	99	97	134	139	180	209	158	45	14	1	12
	White—M	1,445	66	32	22	14	10	50	67	96	75	48	83	74	85	107	102	77	71	79	64	67	71	56	13	4	-	12
	F	802	45	22	13	11	8	30	16	13	16	11	15	16	9	10	11	18	22	52	73	109	137	102	32	10	1	-
	Nonwhite—M	67	3	2	-	1	-	2	2	4	4	6	6	4	3	10	5	3	4	2	1	4	1	-	-	-	-	-
	F	23	4	-	-	2	-	1	-	-	-	2	2	2	2	3	2	1	-	1	1	-	-	-	-	-	-	-
	All other causes*	5,367	1,112	40	22	15	17	44	35	63	77	81	104	154	183	221	244	262	313	350	383	460	554	399	172	49	8	5
	White—M	2,859	632	22	12	7	11	21	21	33	30	28	40	58	64	110	142	157	192	197	215	265	294	201	76	24	4	3
	F	2,245	423	17	10	8	5	20	12	26	39	42	45	76	90	93	89	92	113	141	151	180	257	192	95	24	4	1
	Nonwhite—M	143	40	1	-	-	1	1	2	2	4	2	4	5	11	13	8	8	6	7	13	9	1	3	-	1	-	1
	F	120	17	-	-	-	-	2	-	2	4	9	15	15	18	5	5	5	2	5	4	6	2	3	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																											
	All causes	25,851	1,739	162	71	68	57	180	172	259	308	359	424	491	691	1,099	1,447	1,882	2,131	2,772	3,117	3,371	2,812	1,578	538	97	23	8
	White—M	14,651	968	78	38	27	41	99	107	156	183	200	224	283	389	643	852	1,156	1,234	1,640	1,752	1,888	1,590	802	264	43	7	7
	F	10,864	731	75	32	39	16	78	62	92	109	150	187	215	290	435	574	702	878	1,105	1,334	1,461	1,204	761	266	52	16	-
	Nonwhite—M	186	22	6	-	-	-	1	1	4	4	6	5	10	6	14	14	14	12	17	21	11	8	5	4	-	-	1
	F	150	18	3	1	2	-	2	2	7	12	3	8	3	6	7	7	10	7	10	10	11	10	5	4	2	-	-
1,2	Typhoid, paratyphoid fever	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	12	2	1	1	-	1	1	-	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	2	1	1	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	1	2	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	21	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	10	-	-	1	2	2	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	1	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	626	1	1	-	2	1	4	4	18	32	50	57	62	57	47	75	54	49	37	28	24	15	6	2	-	-	-
	White—M	355	-	-	-	1	1	3	-	5	10	21	26	30	34	36	54	37	33	25	14	13	8	2	2	-	-	-
	F	231	1	1	-	1	-	-	1	7	14	27	27	28	21	11	19	16	12	11	14	9	7	4	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	1	1	2	1	2	3	1	-	1	-	3	1	-	1	-	-	-	-	-	-
	F	23	-	-	-	-	-	1	2	5	6	1	2	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	67	2	5	-	2	1	-	3	2	3	4	5	6	5	7	7	6	5	1	1	1	-	-	-	-	-	1
	White—M	38	-	4	-	1	-	-	3	1	-	1	4	2	4	6	4	2	4	-	1	1	-	-	-	-	-	-
	F	26	2	1	-	1	1	-	-	-	3	3	1	4	1	1	3	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	208	2	-	-	-	-	-	1	2	3	2	3	7	10	18	27	34	31	35	15	12	5	1	-	-	-	-
	White—M	135	-	-	-	-	-	-	-	-	-	1	1	2	5	13	18	27	20	26	12	7	3	-	-	-	-	-
	F	63	2	-	-	-	-	-	1	2	3	1	2	5	5	4	7	4	11	8	2	4	1	1	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
33	Influenza	166	19	8	2	1	-	4	2	1	3	3	2	4	2	14	7	6	8	10	16	21	17	11	4	-	1	-
	White—M	92	11	5	-	1	-	3	-	-	2	-	2	-	2	6	6	6	5	6	8	13	9	4	2	-	1	-
	F	70	8	3	2	-	-	1	2	1	1	3	-	4	-	6	1	-	3	4	8	7	7	7	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles	12	3	-	1	-	-	4	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	7	2	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,914	1	-	-	-	-	1	-	1	1	7	14	14	34	86	133	203	225	301	319	267	200	89	16	2	-	-
	White—M	1,079	-	-	-	-	-	1	-	1	-	3	7	4	14	45	61	114	118	187	194	153	123	47	6	1	-	-
	F	817	1	-	-	-	-	-	-	-	1	4	7	10	19	41	71	87	107	110	123	112	74	41	9	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	1	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	1	-	-
48,49	Cancer of female genital organs	375	-	-	-	-	-	-	-	-	3	6	9	20	29	37	47	55	47	47	27	27	14	7	-	-	-	-
	White—F	373	-	-	-	-	-	-	-	-	3	6	9	20	29	37	47	55	47	46	27	26	14	7	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
50	Cancer of breast	363	-	-	-	-	-	-	-	-	1	1	5	14	22	43	38	49	41	54	39	31	14	8	3	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F	358	-	-	-	-	-	-	-	-	1	1	4	14	22	43	38	48	41	52	39	30	14	8	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,119	2	3	2	2	4	5	2	12	13	14	14	23	36	52	74	104	121	161	163	154	105	45	8	-	-	-
	White—M	812	-	2	1	-	3	2	1	6	10	8	9	15	19	31	53	67	87	125	129	117	85	36	6	-	-	-
	F	300	2	1	1	2	1	3	1	6	3	6	4	8	17	21	20	37	33	34	33	36	20	9	2	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	36	-	-	1	3	-	6	6	8	1	-	4	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	14	-	-	-	1	-	2	1	2	1	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	22	-	-	1	2	-	4	5	6	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	717	-	1	2	-	-	5	3	12	3	5	5	5	4	12	37	50	83	141	133	120	67	29	-	-	-	-
	White—M	271	-	-	1	-	-	2	2	4	2	1	2	4	3	5	14	24	31	47	40	44	33	12	-	-	-	-
	F	441	-	1	1	-	-	3	1	8	1	4	3	1	1	7	23	25	51	94	92	75	34	16	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
63b	Exophthalmic goiter	75	-	-	-	-	-	-	-	-	-	2	-	1	2	5	8	16	13	6	11	8	2	1	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	2	1	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	-	-	-	1	-	1	2	4	6	13	13	5	8	7	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	47	-	-	-	-	-	-	-	-	-	-	4	4	3	5	11	7	8	2	3	-	-	-	-	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	2	3	2	3	11	5	6	2	3	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,559	6	1	-	-	1	-	-	3	6	8	9	13	33	66	113	166	249	360	423	476	359	192	62	12	1	-
	White—M	1,303	3	-	-	-	-	-	-	2	5	4	5	9	14	34	52	93	118	182	219	251	187	85	36	4	-	-
	F	1,241	3	1	-	-	1	-	-	1	1	4	3	4	19	30	61	70	130	176	202	223	172	106	26	7	1	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	297	20	11	2	2	5	13	7	5	11	15	15	10	14	17	17	14	31	23	22	21	12	10	-	-	-	-
	White—M	155	12	2	2	-	2	5	5	1	5	10	6	9	9	5	12	8	15	10	14	11	5	7	-	-	-	-
	F	136	8	7	-	2	3	8	2	4	5	5	9	1	5	11	4	5	16	13	8	10	7	3	-	-	-	-
	Nonwhite—M	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	75	11	1	4	1	1	5	4	4	3	3	3	2	2	3	6	6	4	8	2	1	1	-	-	-	-	-
	White—M	48	6	-	2	-	1	2	2	4	3	2	2	1	2	3	5	2	3	5	2	-	1	-	-	-	-	-
	F	26	4	1	2	1	-	3	2	-	-	1	1	1	-	-	1	4	1	3	-	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	506	-	-	-	-	1	3	13	12	10	11	15	14	25	38	39	48	29	46	58	65	40	29	10	-	-	-
	White—M	250	-	-	-	-	1	2	8	6	3	7	9	6	13	18	15	24	16	23	28	33	23	11	4	-	-	-
	F	251	-	-	-	-	-	1	5	6	6	4	6	8	12	20	23	24	13	22	30	32	16	18	5	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,048	-	-	-	-	-	-	-	1	2	5	12	26	62	126	239	302	360	447	463	448	352	152	44	5	1	1
	White—M	2,088	-	-	-	-	-	-	-	1	1	3	11	21	47	109	183	236	260	311	297	286	207	89	24	1	-	1
	F	938	-	-	-	-	-	-	-	-	-	2	1	4	15	15	54	65	98	133	159	161	144	63	19	4	1	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	5	1	-	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	2	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,983	1	-	-	1	1	6	7	4	12	17	20	21	55	108	144	238	283	461	598	725	690	418	137	28	7	1
	White—M	2,203	-	-	-	1	-	3	6	2	5	8	10	14	31	76	79	154	159	282	331	386	366	208	66	14	1	1
	F	1,741	1	-	-	-	1	2	1	2	7	9	10	6	24	31	62	82	119	171	264	335	317	207	70	14	6	-
	Nonwhite—M	22	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	3	3	4	5	2	1	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	5	-	-	2	1	-	-	-	-
107-109	Pneumonia (all forms)	1,348	152	29	7	7	7	13	8	11	8	11	21	22	32	45	47	66	80	108	121	190	171	126	52	10	4	-
	White—M	810	76	15	4	2	5	2	5	4	4	5	10	12	24	30	29	48	62	67	76	110	111	69	30	8	2	-
	F	509	62	12	2	5	2	11	3	6	4	6	11	9	8	15	17	17	17	39	45	80	58	56	20	2	2	-
	Nonwhite—M	17	8	1	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	2	-	-	1	-	-	-	-	-
	F	12	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
117	Ulcer of stomach or duodenum	180	-	-	-	-	-	1	-	-	-	3	3	5	9	14	20	30	22	18	23	18	8	5	1	-	-	-
	White—M	149	-	-	-	-	-	-	-	-	-	3	1	5	9	14	20	26	17	14	14	15	5	5	1	-	-	-
	F	30	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	4	5	3	9	3	3	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
119,120	Diarrhea, enteritis, etc.*	102	52	12	2	-	3	1	1	-	2	1	1	-	1	1	2	-	2	3	7	3	4	3	1	-	-	-
	White—M	59	36	4	1	-	2	1	1	-	1	1	-	-	1	1	2	-	1	1	1	1	3	-	1	-	-	-
	F	41	15	7	1	-	1	-	-	-	1	-	1	-	-	-	-	-	1	2	6	2	1	3	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	156	-	-	1	1	4	10	16	15	10	5	9	9	8	9	11	10	8	10	9	6	3	2	-	-	-	-
	White—M	87	-	-	1	1	3	3	7	11	6	2	4	4	5	6	10	5	4	4	5	2	3	1	-	-	-	-
	F	66	-	-	-	-	1	6	9	4	3	3	5	5	2	3	1	5	4	6	4	4	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	227	17	5	1	1	-	1	1	-	1	5	5	5	8	8	6	26	20	25	35	26	20	9	1	1	-	-
	White—M	119	12	2	1	-	-	1	1	-	-	2	3	2	2	3	3	15	9	11	23	15	11	2	-	1	-	-
	F	108	5	3	-	1	-	-	-	-	1	3	2	3	6	5	3	11	11	14	12	11	9	7	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	199	-	-	-	1	-	-	-	1	1	2	3	5	12	18	27	30	24	22	18	20	12	2	1	-	-	-
	White—M	132	-	-	-	1	-	-	-	1	1	1	1	1	8	13	18	25	15	11	14	16	5	1	-	-	-	-
	F	63	-	-	-	-	-	-	-	-	-	1	1	4	3	5	9	4	9	11	4	3	7	1	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	175	-	-	-	-	-	-	-	-	1	-	5	9	8	14	12	16	14	25	22	20	13	14	2	-	-	-
	White—M	60	-	-	-	-	-	-	-	-	1	-	2	1	3	5	3	4	6	8	7	9	7	3	1	-	-	-
	F	112	-	-	-	-	-	-	-	-	-	-	3	7	4	8	9	12	8	17	15	11	6	11	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,099	-	1	-	1	1	5	3	10	10	9	10	21	27	57	62	84	105	99	150	182	159	75	20	7	1	-
	White—M	617	-	1	-	1	1	3	1	5	5	6	7	11	15	25	37	46	62	57	79	103	88	47	13	3	-	-
	F	465	-	-	-	-	-	2	2	4	4	3	3	10	11	29	24	36	39	42	68	78	70	28	7	4	1	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	2	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	3	-	1	-	1	-	-	-	-	-
137	Diseases of the prostate	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11	26	50	44	45	19	5	1	1	-
	White—M	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11	26	48	44	45	19	5	1	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	40	-	-	-	-	-	-	-	2	6	7	16	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	2	6	7	16	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	19	-	-	-	-	-	-	-	-	2	1	5	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	-	2	1	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	37	-	-	-	-	-	-	-	-	7	8	9	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	-	7	8	8	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	390	322	15	5	7	2	9	5	5	4	4	2	3	3	1	2	-	-	1	-	-	-	-	-	-	-	-
	White—M	213	178	7	4	3	2	5	3	2	2	1	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	172	140	8	1	4	-	4	2	3	2	2	1	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	644	644	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	358	358	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	332	-	-	-	-	-	-	-	6	11	16	23	23	34	43	37	37	32	28	14	18	9	1	-	-	-	-
	White—M	266	-	-	-	-	-	-	-	6	7	13	20	19	31	29	29	26	29	26	10	14	7	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	4	2	2	2	3	13	7	11	3	2	4	4	2	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	45	5	-	-	-	-	1	1	3	3	2	6	3	5	6	3	3	2	-	1	-	-	1	-	-	-	-
	White—M	26	3	-	-	-	-	1	-	2	1	1	4	2	3	2	2	2	1	-	1	-	-	1	-	-	-	-
	F	10	2	-	-	-	-	-	1	-	1	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	479	3	7	6	6	3	20	17	44	53	41	20	23	16	36	24	38	27	35	29	21	9	1	-	-	-	-
	White—M	372	2	2	5	-	2	13	11	29	45	35	18	18	11	28	18	31	23	29	23	19	9	1	-	-	-	-
	F	104	1	5	1	6	1	7	6	14	8	6	2	5	5	8	6	6	4	6	5	2	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,332	39	34	23	12	10	35	42	52	54	55	42	44	50	62	63	76	73	70	91	118	132	94	51	6	-	4
	White—M	863	22	20	12	7	10	27	32	44	50	44	34	34	42	55	52	60	53	50	42	59	51	39	19	1	-	4
	F	447	12	13	11	4	-	8	10	7	3	8	7	8	7	7	10	15	20	20	48	58	80	55	31	5	-	-
	Nonwhite—M	14	5	-	-	-	-	-	-	-	-	2	1	2	1	-	1	1	-	-	-	-	-	-	1	-	-	-
	F	8	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	All other causes*	2,570	415	22	8	13	9	21	23	22	26	34	44	45	70	95	104	99	122	162	226	302	334	223	118	25	7	1
	White—M	1,370	236	11	2	6	6	11	15	14	11	15	19	27	33	38	57	57	64	102	115	163	195	113	48	9	2	1
	F	1,171	175	9	6	7	3	10	8	8	14	19	24	18	35	56	44	41	58	59	105	136	139	107	69	16	5	-
	Nonwhite—M	14	3	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	3	-	-	2	1	-	-	-
	F	15	1	1	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	3	3	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	All causes	20,794	2,680	318	170	103	92	221	268	514	685	718	754	839	989	1,040	1,299	1,380	1,551	1,857	1,739	1,315	1,062	712	283	108	84	13
	White—M	5,186	583	49	29	20	20	44	59	79	165	143	138	146	185	240	318	358	455	566	564	380	349	218	57	14	4	3
	F	3,641	406	36	28	20	14	28	45	47	67	86	97	117	111	120	172	214	271	365	396	356	312	229	79	17	5	3
	Nonwhite—M	6,234	928	125	59	31	33	83	95	178	224	216	254	283	302	348	418	437	434	528	454	328	204	134	83	31	18	6
	F	5,733	763	108	54	32	25	66	69	210	229	273	265	293	391	332	391	371	391	398	325	251	197	131	64	46	57	1
1,2	Typhoid, paratyphoid fever	21	-	-	-	-	-	1	2	3	2	3	-	2	3	2	1	2	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	1	1	3	2	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	4	2	1	-	3	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	2	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	1	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	100	64	19	5	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	42	24	9	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	22	9	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	42	6	13	6	3	6	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	2	6	3	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	1	3	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,050	5	2	2	-	1	5	25	80	148	144	145	99	86	66	66	50	35	41	29	12	6	2	-	-	-	1
	White—M	160	-	-	-	-	-	-	1	1	5	7	13	15	14	13	24	15	15	19	10	7	1	-	-	-	-	-
	F	114	1	1	-	-	-	-	1	-	7	11	16	9	10	9	8	8	6	10	8	3	3	2	-	-	-	1
	Nonwhite—M	363	2	1	1	-	-	3	5	18	64	47	59	48	27	22	22	14	8	11	9	1	1	-	-	-	-	-
	F	413	2	-	1	-	1	2	18	61	72	79	57	27	35	22	12	13	6	1	2	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	63	5	3	-	2	-	3	1	8	9	8	5	2	2	3	1	4	1	3	2	1	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-
	F	10	4	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	24	1	2	-	1	-	-	-	3	4	5	2	1	1	1	-	-	-	1	2	-	-	-	-	-	-	-
	F	21	-	1	-	1	-	3	1	3	2	3	2	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-
27	Dysentery	111	40	16	3	1	1	-	2	-	1	1	-	4	-	1	4	2	5	7	5	3	6	6	3	-	-	-
	White—M	23	6	1	1	-	1	-	1	-	-	-	-	2	-	-	1	-	1	2	2	-	1	3	1	-	-	-
	F	21	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	1	3	1	-	-	-
	Nonwhite—M	39	15	11	1	1	-	-	1	-	1	-	-	-	-	1	2	-	1	1	2	-	1	-	1	-	-	-
	F	28	10	3	1	-	-	-	-	-	-	1	-	2	-	-	1	-	3	2	1	1	3	-	-	-	-	-
28	Malaria	79	8	3	3	3	-	5	3	1	3	5	8	4	5	3	3	2	9	2	2	6	1	-	-	-	-	-
	White—M	10	3	1	-	1	-	-	1	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite—M	29	2	-	1	1	-	4	1	1	2	3	5	1	-	-	1	-	2	2	2	1	-	-	-	-	-	-
	F	32	2	2	2	-	-	1	1	-	1	2	2	3	3	3	-	2	4	-	-	3	1	-	-	-	-	-
30	Syphilis	435	53	3	2	1	3	-	5	14	21	22	31	36	41	39	47	28	34	24	22	4	4	-	-	1	-	-
	White—M	39	6	-	-	-	-	-	-	-	1	-	3	2	3	5	6	3	2	3	3	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	1	3	3	2	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	250	26	2	2	-	2	-	4	5	9	11	11	21	22	26	29	19	26	15	16	1	2	-	-	1	-	-
	F	134	21	1	-	1	1	-	1	9	11	10	16	10	13	6	12	6	6	5	3	1	1	-	-	-	-	-
33	Influenza	448	119	24	6	2	3	9	7	6	14	5	3	15	15	15	15	18	31	35	30	21	25	17	8	4	1	-
	White—M	94	25	4	1	-	-	2	2	-	1	2	1	1	1	2	1	7	6	8	8	7	7	4	1	2	1	-
	F	103	12	6	-	-	-	1	-	1	3	-	1	4	-	3	3	4	8	7	13	8	13	12	4	-	-	-
	Nonwhite—M	134	45	10	2	1	3	4	3	3	2	1	-	4	6	4	7	6	9	13	2	4	1	-	3	1	-	-
	F	117	37	4	3	1	-	2	2	2	8	2	1	6	8	6	4	1	8	7	7	2	4	1	-	1	-	-
35	Measles	56	17	8	2	6	2	4	7	1	2	1	-	-	-	1	-	1	1	-	-	1	-	2	-	-	-	-
	White—M	15	5	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-
	F	10	1	1	2	2	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	7	2	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	4	5	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	8	-	-	1	1	-	2	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	605	-	-	2	1	-	1	-	2	5	7	13	14	37	40	62	83	78	81	77	48	38	14	1	-	1	-
	White—M	199	-	-	2	-	-	1	-	-	2	1	1	1	9	11	12	27	30	25	34	18	17	8	-	-	-	-
	F	150	-	-	-	1	-	-	-	-	-	1	2	5	4	7	14	17	21	26	20	16	12	3	1	-	-	-
	Nonwhite—M	132	-	-	-	-	-	-	-	1	2	2	5	2	15	12	22	22	10	15	13	9	2	-	-	-	-	-
	F	124	-	-	-	-	-	-	-	1	1	3	5	6	9	10	14	17	17	15	10	5	7	3	-	-	1	-
48,49	Cancer of female genital organs	322	-	-	-	-	-	-	-	1	4	12	12	26	50	31	35	45	31	36	20	11	4	3	1	-	-	-
	White—F	129	-	-	-	-	-	-	-	-	1	2	4	9	14	11	16	21	16	16	9	5	3	2	-	-	-	-
	Nonwhite—F	193	-	-	-	-	-	-	-	1	3	10	8	17	36	20	19	24	15	20	11	6	1	1	1	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
50	Cancer of breast	117	-	-	-	-	-	-	-	-	-	4	4	4	8	18	15	13	11	16	10	5	2	3	3	-	-	1
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	-	1	1	1	4	6	11	9	7	10	5	5	2	3	1	-	-	1
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	3	3	3	4	12	4	4	4	5	5	-	-	-	2	-	-	-
45,47, 51-55	Cancer (other sites)	480	-	-	2	2	1	3	3	9	12	7	6	11	24	25	45	48	57	70	61	49	26	13	4	1	1	-
	White-----M	245	-	-	-	2	-	1	1	3	2	2	2	6	10	10	27	21	31	38	34	32	17	5	-	-	1	-
	F	87	-	-	1	-	-	1	-	3	3	5	-	3	4	1	6	10	7	16	10	4	3	5	4	1	-	-
	Nonwhite--M	96	-	-	-	-	1	1	2	1	6	-	2	1	7	7	8	12	9	12	12	9	4	2	-	-	-	-
	F	52	-	-	1	-	-	-	-	2	1	-	2	1	3	7	4	5	10	4	5	4	2	1	-	-	-	-
58	Acute rheumatic fever	31	-	1	2	1	-	5	5	3	2	2	-	-	1	1	-	-	2	2	1	1	-	2	-	-	-	-
	White-----M	8	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
	F	7	-	-	1	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	9	-	-	1	-	-	1	2	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	285	-	-	-	1	1	2	3	11	2	7	3	6	18	14	22	32	41	41	39	22	13	6	1	-	-	-
	White-----M	74	-	-	-	-	-	1	-	1	1	3	-	1	3	3	4	6	12	14	17	5	3	-	-	-	-	-
	F	89	-	-	-	1	-	-	1	4	-	-	2	1	2	4	4	12	14	15	14	9	5	1	-	-	-	-
	Nonwhite--M	57	-	-	-	-	1	1	2	3	-	4	-	1	5	1	5	6	5	6	5	5	4	2	1	-	-	-
	F	65	-	-	-	-	-	-	-	3	1	-	1	3	8	6	9	8	10	6	3	3	1	3	-	-	-	-
63b	Exophthalmic goiter	27	-	-	-	-	-	-	-	2	-	2	3	3	3	1	8	-	2	1	-	2	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	2	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	2	-	1	3	2	2	-	3	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	117	-	-	-	1	-	-	-	1	2	4	2	5	7	11	7	10	10	20	15	12	4	5	-	-	-	-
	White-----M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	3	1	1	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	3	3	5	4	5	2	1	-	-	-	-
	Nonwhite--M	31	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	4	3	7	1	2	1	2	-	-	-	-
	F	45	-	-	-	1	-	-	-	1	2	4	1	3	5	5	1	2	4	3	7	4	-	2	-	-	-	-
77	Alcoholism (ethylism)	22	-	-	-	-	-	1	1	-	-	1	3	1	6	2	3	4	-	-	-	-	-	-	-	-	-	-
	White-----M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	1	1	-	-	-	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,646	2	-	1	-	1	3	2	5	6	9	14	32	69	110	149	176	194	254	237	160	113	64	28	12	5	-
	White-----M	417	-	-	1	-	1	1	-	2	1	1	2	8	6	13	25	42	53	83	75	40	40	14	8	-	1	-
	F	377	-	-	-	-	-	1	-	-	-	1	5	6	13	22	21	27	42	54	52	55	43	23	9	3	-	-
	Nonwhite--M	400	1	-	-	-	-	1	2	3	4	3	2	8	23	35	42	52	47	62	52	31	10	12	7	2	1	-
	F	452	1	-	-	-	-	-	-	-	1	4	5	10	27	40	61	55	52	55	58	34	20	15	4	7	3	-
80-82, 84-88	Other diseases of nervous system, etc.*	202	30	9	3	2	4	8	6	15	11	13	9	16	18	7	7	11	8	8	5	4	6	2	-	-	-	-
	White-----M	55	7	2	2	-	1	4	1	4	1	2	2	5	6	1	1	5	2	1	2	3	2	1	-	-	-	-
	F	39	3	1	-	1	-	-	2	2	1	2	2	4	4	1	1	4	2	4	2	-	2	1	-	-	-	-
	Nonwhite--M	64	8	3	1	-	2	3	2	5	6	6	4	3	7	4	3	1	3	1	1	-	1	-	-	-	-	-
	F	44	12	3	-	1	1	1	1	4	3	3	1	4	1	1	2	1	1	2	-	1	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	96	13	4	5	1	2	7	8	11	5	4	3	8	3	4	6	4	3	4	-	1	-	-	-	-	-	-
	White-----M	23	4	-	1	-	1	2	1	1	3	3	-	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-
	F	13	2	1	1	-	1	2	2	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	33	3	2	2	1	-	2	3	5	-	-	2	1	2	1	3	1	1	4	-	-	-	-	-	-	-	-
	F	27	4	1	1	-	-	1	2	5	2	1	-	5	1	1	1	1	-	-	-	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	458	-	-	-	-	2	5	9	4	3	11	13	14	21	25	31	38	40	57	56	50	46	22	8	1	2	-
	White-----M	111	-	-	-	-	1	1	1	2	1	3	1	1	3	9	5	6	9	17	16	12	12	8	2	-	1	-
	F	99	-	-	-	-	-	-	2	-	1	2	3	3	1	-	4	5	9	11	14	19	16	6	3	-	-	-
	Nonwhite--M	124	-	-	-	-	-	3	4	1	-	2	2	6	9	8	11	14	10	10	16	12	12	3	1	-	-	-
	F	124	-	-	-	-	1	1	2	1	1	4	7	4	8	8	11	13	12	19	10	7	6	5	2	1	1	-
94	Diseases of coronary arteries, angina pectoris	599	-	-	-	-	-	-	-	1	4	5	8	13	34	47	63	79	77	87	81	50	29	18	1	-	-	2
	White-----M	343	-	-	-	-	-	-	-	1	-	3	6	3	16	25	43	52	41	54	46	25	16	11	-	-	-	1
	F	116	-	-	-	-	-	-	-	-	1	-	-	3	3	4	6	8	20	15	21	19	11	4	1	-	-	-
	Nonwhite--M	70	-	-	-	-	-	-	-	-	1	-	1	2	6	10	8	7	8	11	8	2	2	3	-	-	-	1
	F	70	-	-	-	-	-	-	-	-	2	2	1	5	9	8	6	12	8	7	6	4	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,103	2	-	-	-	1	8	3	14	13	17	36	56	81	124	156	178	223	301	309	220	181	110	47	13	9	1
	White-----M	659	1	-	-	-	-	-	-	4	2	2	6	11	12	29	38	44	84	116	107	76	69	40	14	4	-	-
	F	441	-	-	-	-	-	2	2	1	4	5	4	4	7	10	15	23	30	62	89	61	66	39	13	3	-	1
	Nonwhite--M	516	-	-	-	-	-	4	1	3	2	5	13	18	30	53	50	57	56	62	64	46	24	15	8	1	4	-
	F	487	1	-	-	-	1	2	-	6	5	5	13	23	32	32	53	54	53	61	49	37	22	16	12	5	5	-
107-109	Pneumonia (all forms)	877	235	43	14	6	8	16	14	19	15	18	30	25	41	32	33	46	48	46	50	51	46	19	13	6	1	-
	White-----M	219	43	7	2	-	2	3	2	3	7	6	7	6	9	10	7	12	11	21	20	11	18	7	4	1	-	-
	F	172	42	8	3	3	-	2	5	4	2	1	4	3	4	2	3	8	10	10	11	20	16	5	5	1	-	-
	Nonwhite--M	279	86	12	4	3	2	7	5	9	3	5	10	7	15	13	13	18	13	11	13	13	8	4	3	2	-	-
	F	207	64	16	5	2	4	4	2	3	3	6	9	9	13	7	10	8	14	4	6	7	4	3	1	2	1	-
117	Ulcer of stomach or duodenum	110	1	-	-	-	-	-	-	3	4	3	5	13	11	16	9	8	11	12	9	3	-	2	-	-	-	-
	White-----M	56	1	-	-	-	-	-	-	-	-	2	2	5	5	7	7	7	7	8	3	-	-	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	40	-	-	-	-	-	-	-	3	3	1	1	7	3	7	1	1	3	4	4	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	1	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																											
119,120	Diarrhea, enteritis, etc.*	310	183	48	23	5	5	4	-	-	1	1	3	1	4	3	2	1	7	1	4	3	5	4	2	-	-	-
	White—M	49	32	4	4	-	2	1	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	1	-	-	-	-
	F	50	26	5	6	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	-	-	-
	Nonwhite—M	99	59	19	6	2	1	1	-	-	-	-	1	1	2	1	1	-	2	1	1	1	-	-	-	-	-	-
	F	112	66	20	7	2	-	1	-	-	1	1	2	-	1	1	1	1	3	-	1	1	2	-	1	-	-	-
121	Appendicitis	155	1	2	1	-	1	17	19	19	11	8	17	13	8	9	7	9	4	2	3	2	1	1	-	-	-	-
	White—M	44	-	-	1	-	-	6	4	3	3	2	6	1	5	4	3	4	-	-	1	1	-	-	-	-	-	-
	F	30	-	1	-	-	-	2	5	4	2	-	4	1	-	2	-	3	2	1	1	-	1	1	-	-	-	-
	Nonwhite—M	50	1	1	-	-	-	4	7	8	4	5	4	5	1	2	4	1	1	1	1	-	-	-	-	-	-	-
	F	31	-	-	-	-	1	5	3	4	2	1	3	6	2	1	-	1	1	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	211	17	5	-	-	1	5	3	3	9	6	9	18	8	17	21	21	13	19	9	14	6	4	2	1	-	-
	White—M	45	4	1	-	-	1	1	2	2	2	-	1	1	-	2	1	3	5	5	3	6	3	1	1	-	-	-
	F	37	5	1	-	-	-	1	-	-	1	2	-	5	3	2	5	3	3	1	1	2	-	1	1	-	-	-
	Nonwhite—M	72	3	2	-	-	-	2	-	1	1	2	6	1	1	6	10	8	3	12	5	5	3	1	-	-	-	-
	F	57	5	1	-	-	-	1	1	-	5	2	2	11	4	7	5	7	2	1	-	1	-	1	-	1	-	-
124	Cirrhosis of the liver	92	-	1	-	-	-	-	-	-	1	2	4	8	3	9	6	7	16	12	15	4	-	1	2	1	-	-
	White—M	43	-	-	-	-	-	-	-	-	1	-	1	4	-	2	2	4	9	6	10	2	-	1	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	1	2	-	-	1	-	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	2	-	2	-	4	1	2	4	4	4	-	-	-	-	1	-	-
	F	15	-	1	-	-	-	-	-	-	-	-	2	1	3	2	1	1	2	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	47	1	-	1	-	-	-	-	-	-	2	2	4	5	2	3	3	6	8	2	5	3	-	-	-	4	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	3	-	3	1	-	-	-	-	-
	F	14	1	-	1	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	2	2	2	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	2	2	-	-	-	-	-	-	-	-
130-132	Nephritis	2,075	7	4	6	-	4	6	8	11	16	22	49	46	92	112	152	186	223	288	264	238	170	104	43	13	11	-
	White—M	431	1	-	1	-	1	-	1	1	1	4	4	4	10	22	19	28	45	60	67	58	57	34	10	3	-	-
	F	369	1	1	-	-	-	2	1	-	2	6	9	8	7	8	20	20	30	50	62	51	47	29	11	3	1	-
	Nonwhite—M	667	4	-	3	-	2	1	4	4	4	3	10	16	25	35	55	75	85	102	85	71	39	24	14	3	3	-
	F	608	1	3	2	-	1	3	2	6	9	9	26	18	50	47	58	63	63	76	50	58	27	17	8	4	7	-
137	Diseases of the prostate	91	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	11	17	20	16	9	6	2	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	2	12	6	5	3	-	-	-	-
	Nonwhite—M	55	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	5	15	8	10	4	3	2	-	-	-
140, 142a, 145a,147	Puerperal septicemia	87	-	-	-	-	-	-	-	27	20	17	12	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	5	8	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	58	-	-	-	-	-	-	-	22	12	9	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	92	-	-	-	-	-	-	2	27	19	17	14	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	-	-	-	-	-	-	-	7	4	4	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	65	-	-	-	-	-	-	2	20	15	13	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	70	-	-	-	-	-	-	-	5	10	19	11	15	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	22	-	-	-	-	-	-	-	-	2	10	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	48	-	-	-	-	-	-	-	5	8	9	9	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	135	114	5	2	1	3	4	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	59	53	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	35	32	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	27	20	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	14	9	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	605	605	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	136	136	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	126	-	-	-	-	-	-	1	7	10	12	15	13	15	8	13	13	6	7	4	1	1	-	-	-	-	-
	White—M	85	-	-	-	-	-	-	1	1	7	7	8	9	13	5	10	8	6	5	3	1	1	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	3	1	3	3	2	-	2	1	4	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	2	-	3	2	1	1	-	1	-	2	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	3	-	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	391	-	-	-	-	-	-	4	38	68	70	61	44	33	23	14	14	6	5	5	3	2	-	-	-	-	1
	White—M	61	-	-	-	-	-	-	-	2	11	9	6	5	6	2	4	6	2	1	4	-	2	-	-	-	-	1
	F	6	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	261	-	-	-	-	-	-	3	22	44	44	45	36	24	16	9	7	3	4	1	3	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	1	13	13	13	10	3	3	5	-	1	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	399	1	4	3	6	2	10	23	47	56	49	40	29	21	22	19	19	11	12	13	3	5	2	1	-	-	1
	White—M	195	1	2	-	3	-	2	12	22	32	31	18	16	12	11	7	7	5	6	5	1	2	-	-	-	-	-
	F	44	-	-	2	1	-	4	4	3	9	2	4	3	1	4	1	-	1	1	4	-	-	-	-	-	-	-
	Nonwhite—M	130	-	-	-	2	2	4	5	19	13	13	13	10	7	6	10	10	4	3	2	1	3	1	1	-	-	1
	F	30	-	2	1	-	-	-	2	3	2	3	5	-	1	1	1	2	1	2	2	1	-	1	-	-	-	-
169, 171-195	Other accidents	1,019	65	34	35	29	12	46	54	64	111	83	56	57	51	39	50	29	26	27	38	27	36	35	5	4	1	5
	White—M	379	12	10	5	8	1	8	17	19	73	44	27	19	23	22	26	9	6	7	14	7	11	10	-	-	-	1
	F	134	6	4	4	6	3	3	7	4	4	6	2	1	4	2	4	2	6	9	10	13	12	19	1	1	1	-
	Nonwhite—M	326	24	13	14	5	3	18	21	37	27	26	22	30	16	10	13	10	8	6	10	4	2	-	2	2	-	3
	F	180	23	7	12	10	5	17	9	4	7	7	5	7	8	5	7	8	6	5	4	3	11	6	2	1	-	1
	All other causes*	4,357	1,081	62	39	20	23	34	40	48	62	93	104	162	149	157	222	188	267	311	302	262	274	245	108	51	52	1
	White—M	742	184	8	4	3	3	5	4	4	6	6	20	17	15	29	33	32	54	54	63	56	61	62	15	4	-	-
	F	553	114	2	7	2	4	2	10	2	5	8	14	19	11	11	22	20	27	38	41	48	50	66	22	5	3	-
	Nonwhite—M	1,567	449	27	13	9	8	12	15	18	17	22	28	46	41	57	79	78	104	126	114	94	80	61	40	18	10	1
	F	1,495	334	25	15	6	8	15	11	24	34	57	42	80	82	60	88	58	82	93	84	64	83	56	31	24	39	-

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 19

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes	41,888	2,761	245	90	97	83	247	261	450	584	662	885	1,068	1,365	1,892	2,467	3,037	3,761	4,432	5,233	4,953	4,126	2,222	758	174	24	61
	White--M	21,242	1,425	127	43	48	44	134	149	242	269	289	348	457	621	888	1,281	1,679	2,012	2,352	2,748	2,522	2,041	1,064	349	69	4	37
	F	16,471	1,025	92	38	40	29	78	81	141	217	242	298	363	429	655	771	972	1,365	1,730	2,178	2,203	1,954	1,084	376	90	11	9
	Nonwhite--M	2,288	177	12	6	3	5	21	21	33	46	65	90	131	171	196	257	224	207	193	169	124	71	37	13	6	2	8
	F	1,887	134	14	3	6	5	14	10	34	52	66	99	117	144	153	158	162	177	157	138	104	60	37	20	9	7	7
1,2	Typhoid, paratyphoid fever	29	-	1	1	1	2	4	1	2	2	1	3	1	1	1	-	2	2	2	2	-	-	-	-	-	-	-
	White--M	9	-	-	-	-	1	2	-	-	-	-	1	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-
	F	15	-	-	1	1	1	2	1	1	2	1	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	21	4	1	1	-	-	1	1	1	1	1	1	1	2	4	2	-	-	-	-	-	-	-	-	-	-	-
	White--M	9	-	-	-	-	-	-	-	1	-	1	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	1	-	2	-	-	2	3	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	1	-	1	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	33	18	10	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	10	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	42	3	10	6	4	6	8	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	17	1	6	2	2	1	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	23	2	3	4	2	5	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,461	8	4	1	-	2	10	11	50	107	127	146	124	132	125	124	125	116	94	70	49	24	10	-	-	-	2
	White--M	709	1	2	1	-	2	4	3	11	25	37	50	58	64	60	79	84	79	62	36	31	13	6	-	-	-	1
	F	410	4	-	-	-	-	-	4	15	43	51	48	31	33	29	16	25	26	27	30	15	9	3	-	-	-	1
	Nonwhite--M	212	2	1	-	-	-	4	3	8	14	21	23	20	26	28	29	14	9	4	2	2	2	-	-	-	-	-
	F	130	1	1	-	-	-	2	1	16	25	18	25	15	9	8	-	2	2	1	2	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	113	6	6	2	6	1	5	2	7	3	9	6	11	5	4	8	5	8	8	3	4	2	2	-	-	-	-
	White--M	50	4	4	-	5	-	3	1	2	1	2	1	8	2	2	4	1	6	1	1	1	-	1	-	-	-	-
	F	36	1	2	-	1	1	-	-	2	1	3	-	2	1	2	3	3	1	6	2	2	2	1	-	-	-	-
	Nonwhite--M	14	-	-	1	-	-	1	-	1	-	2	2	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-
	F	13	1	-	1	-	-	1	1	2	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	42	19	4	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	6	3	3	2	-	-	-
	White--M	20	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-
	F	19	6	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	3	2	3	1	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	22	2	-	1	1	-	1	1	-	1	1	2	-	-	1	1	1	4	1	-	2	1	-	1	-	-	-
	White--M	12	-	-	1	1	-	1	-	-	-	-	1	-	-	1	-	1	3	-	-	1	1	-	1	-	-	-
	F	8	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	530	18	1	-	-	-	1	1	5	3	5	12	37	71	47	59	72	54	63	42	19	15	5	-	-	-	-
	White--M	306	4	1	-	-	-	1	1	2	-	3	4	11	39	21	33	46	38	49	28	14	9	2	-	-	-	-
	F	80	9	-	-	-	-	-	-	1	-	2	2	6	1	8	10	9	10	7	7	2	3	3	-	-	-	-
	Nonwhite--M	106	4	-	-	-	-	-	-	-	-	-	3	13	23	13	13	16	5	5	7	2	2	-	-	-	-	-
	F	38	1	-	-	-	-	-	-	2	3	-	3	7	8	5	3	1	1	2	-	1	1	-	-	-	-	-
33	Influenza	462	53	14	1	4	2	3	5	4	2	7	11	13	8	12	17	28	31	37	44	59	44	39	17	5	1	1
	White--M	218	32	9	1	2	1	1	3	1	1	3	8	8	3	5	4	14	11	20	19	21	17	22	11	1	-	-
	F	204	16	5	-	2	-	2	1	1	1	4	1	4	5	4	6	8	16	16	24	36	27	15	5	4	1	-
	Nonwhite--M	23	4	-	-	-	1	-	1	1	-	-	2	-	-	1	4	2	2	-	-	2	-	2	-	-	-	1
	F	17	1	-	-	-	-	-	-	1	-	-	-	1	-	2	3	4	2	1	1	-	-	-	1	-	-	-
35	Measles	40	11	7	-	3	-	6	3	1	2	-	-	1	-	-	1	-	1	1	1	-	-	1	-	-	-	1
	White--M	19	5	4	-	2	-	2	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	F	20	6	3	-	1	-	3	2	-	-	-	-	1	-	-	1	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	15	2	-	-	-	1	3	2	2	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	7	1	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,322	-	-	-	-	-	2	2	1	4	8	18	28	65	94	165	249	306	327	396	356	204	75	17	-	-	5
	White--M	1,108	-	-	-	-	-	2	-	-	1	3	5	10	25	38	71	121	163	164	214	165	90	27	7	-	-	1
	F	1,091	-	-	-	-	-	-	2	1	3	4	11	16	31	45	71	111	130	150	169	184	107	46	8	-	-	2
	Nonwhite--M	64	-	-	-	-	-	-	-	-	-	1	1	-	3	6	15	8	8	7	6	4	3	1	1	-	-	-
	F	59	-	-	-	-	-	-	-	-	-	-	1	2	6	5	8	9	5	6	7	2	4	1	1	-	-	2
48,49	Cancer of female genital organs	718	-	-	-	-	-	-	-	2	3	6	29	39	48	98	81	89	93	76	59	46	32	12	5	-	-	-
	White--F	646	-	-	-	-	-	-	-	2	3	6	21	32	41	90	69	84	79	73	55	42	32	12	5	-	-	-
	Nonwhite--F	72	-	-	-	-	-	-	-	-	-	-	8	7	7	8	12	5	14	3	4	4	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Contd.																											
50	Cancer of breast	507	-	-	-	-	-	-	-	-	-	2	7	26	35	57	69	57	61	51	58	51	18	10	2	1	-	2
	White----M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-
	F	467	-	-	-	-	-	-	-	-	-	2	6	22	31	51	65	55	56	46	56	46	18	10	2	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	1	4	3	4	3	2	4	4	2	4	-	-	-	-	-	2
45,47, 51-55	Cancer (other sites)	1,610	4	4	4	4	1	7	5	11	14	25	27	30	50	78	128	183	206	198	214	195	137	58	23	3	1	-
	White----M	1,080	2	2	3	3	1	6	3	7	10	18	13	12	31	48	78	123	130	138	155	147	98	40	9	3	-	-
	F	442	2	2	1	1	-	1	2	4	4	4	11	14	17	24	38	49	60	48	49	41	38	18	13	-	1	-
	Nonwhite--M	62	-	-	-	-	-	-	-	-	-	2	3	-	1	4	10	9	9	10	7	6	-	-	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	2	7	2	3	1	1	-	-	-	-	-
58	Acute rheumatic fever	35	-	-	-	1	3	3	6	6	2	1	1	1	2	2	1	-	1	1	-	3	1	-	-	-	-	-
	White----M	19	-	-	-	1	1	1	4	3	1	-	1	-	-	1	1	-	1	1	-	2	1	-	-	-	-	-
	F	13	-	-	-	-	1	2	2	2	1	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	873	-	1	2	-	3	1	3	5	7	5	9	9	17	34	45	79	120	158	165	120	65	21	4	-	-	-
	White----M	323	-	-	1	-	2	-	-	1	4	2	6	4	10	8	14	25	41	60	63	43	28	9	2	-	-	-
	F	490	-	1	1	-	-	1	3	3	3	3	2	3	2	20	25	41	70	88	99	76	35	12	2	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	5	-	-	-	-	-	-	-	-
	F	43	-	-	-	-	1	-	-	1	-	-	1	2	4	4	4	9	6	5	3	1	2	-	-	-	-	-
63b	Exophthalmic goiter	107	-	-	-	-	-	-	1	-	-	3	6	3	8	14	7	9	17	9	18	11	1	-	-	-	-	-
	White----M	16	-	-	-	-	-	-	-	-	-	2	1	1	1	2	2	-	3	1	3	-	-	-	-	-	-	-
	F	81	-	-	-	-	-	-	-	-	-	1	2	2	6	11	5	7	13	8	14	11	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	1	-	-	-	3	-	1	1	-	2	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	18	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	2	2	8	1	-	-	-	-	-
	White----M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	1	1	6	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	46	-	-	-	-	-	-	-	-	1	1	4	4	6	5	7	8	2	2	3	2	-	-	-	-	-	1
	White----M	34	-	-	-	-	-	-	-	-	-	-	4	1	4	3	5	8	2	2	3	1	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,666	5	1	-	1	-	1	1	3	6	11	16	32	78	103	172	243	367	514	650	611	511	247	70	15	1	7
	White----M	1,721	4	1	-	1	-	1	1	1	3	5	9	16	14	38	68	127	188	257	312	307	220	110	28	7	-	3
	F	1,627	1	-	-	-	-	-	-	1	2	6	5	12	36	39	71	93	134	211	289	275	278	128	38	7	-	1
	Nonwhite--M	143	-	-	-	-	-	-	-	-	1	-	-	2	9	10	12	9	22	20	25	19	6	6	1	-	-	1
	F	175	-	-	-	-	-	-	-	1	-	-	2	2	19	16	21	14	23	26	24	10	7	3	3	1	1	2
80-82, 84-88	Other diseases of nervous system, etc.*	405	15	8	4	-	2	9	11	20	13	18	21	17	20	21	15	32	35	33	46	29	24	7	3	2	-	-
	White----M	202	7	5	2	-	1	4	7	12	6	8	10	4	11	6	9	20	16	18	21	14	12	5	2	2	-	-
	F	152	6	2	1	-	1	3	1	6	5	7	8	8	5	12	6	9	14	10	21	13	11	2	1	-	-	-
	Nonwhite--M	31	1	-	1	-	-	1	2	1	-	3	1	5	1	3	-	1	2	3	4	2	-	-	-	-	-	-
	F	20	1	1	-	-	-	1	1	1	2	-	2	-	3	-	-	2	3	2	-	-	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	136	16	6	2	1	2	15	9	8	8	4	9	5	7	11	5	3	7	4	4	3	3	-	1	2	1	-
	White----M	73	9	4	-	-	1	6	5	2	3	3	7	2	6	6	4	1	5	4	1	2	-	-	-	1	1	-
	F	50	6	2	2	1	1	7	3	6	2	1	1	1	1	4	-	1	2	-	3	1	3	-	1	1	-	-
	Nonwhite--M	4	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	1	-	2	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,052	-	-	-	1	-	11	15	12	15	20	25	34	40	56	72	79	90	113	135	128	120	67	15	2	1	1
	White----M	480	-	-	-	-	-	3	7	5	6	10	9	12	16	32	32	36	48	49	73	55	55	25	6	-	-	1
	F	439	-	-	-	1	-	5	7	5	8	9	14	12	19	16	32	24	25	49	51	64	55	34	7	1	1	-
	Nonwhite--M	70	-	-	-	-	-	1	-	2	-	1	1	4	3	4	7	10	9	6	7	4	4	5	1	1	-	-
	F	63	-	-	-	-	-	2	1	-	1	-	1	6	2	4	1	9	8	9	4	5	6	3	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,039	1	-	-	-	-	-	-	1	5	7	14	45	82	153	241	309	407	472	496	383	254	124	34	4	-	7
	White----M	2,027	-	-	-	-	-	-	-	1	2	3	7	32	59	121	186	229	289	317	319	226	137	73	18	3	-	5
	F	861	1	-	-	-	-	-	-	-	3	3	6	6	10	21	33	61	94	136	163	148	112	47	15	1	-	1
	Nonwhite--M	89	-	-	-	-	-	-	-	-	-	-	-	5	7	9	11	11	14	9	10	6	4	1	1	-	-	1
	F	62	-	-	-	-	-	-	-	-	-	1	1	2	6	2	11	8	10	10	4	3	1	3	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,715	8	2	1	3	1	5	10	18	19	21	47	82	126	265	400	534	724	923	1,222	1,243	1,124	651	221	53	3	9
	White----M	3,952	4	1	-	2	1	3	3	8	9	10	24	32	60	145	216	297	394	484	637	641	553	311	95	17	-	5
	F	3,048	4	-	-	1	-	2	6	9	8	7	12	21	29	56	100	144	245	347	505	542	530	324	119	32	2	3
	Nonwhite--M	397	-	1	1	-	-	-	1	1	-	1	6	14	17	32	50	61	45	57	42	33	22	8	3	1	-	1
	F	318	-	-	-	-	-	-	-	-	2	3	5	15	20	32	34	32	40	35	38	27	19	8	4	3	1	-
107-109	Pneumonia (all forms)	2,261	370	54	21	13	9	12	17	23	22	27	44	48	58	77	93	116	147	201	232	233	239	135	49	17	3	1
	White----M	1,074	176	25	11	6	1	6	9	15	8	10	19	19	25	27	45	60	61	108	114	115	115	59	31	7	1	1
	F	871	125	23	7	3	5	2	8	5	6	8	13	13	10	27	19	35	60	73	99	109	121	74	17	9	-	-
	Nonwhite--M	174	44	-	2	2	1	2	-	1	2	1	5	14	8	14	23	13	16	9	10	4	2	1	-	-	-	-
	F	142	25	6	1	2	2	2	-	2	6	8	7	2	15	9	6	8	10	11	9	5	1	1	1	1	2	-
117	Ulcer of stomach or duodenum	308	1	1	-	-	-	1	-	1	3	6	9	15	25	29	42	41	33	30	32	23	7	9	-	-	-	-
	White----M	234	-	-	-	-	-	-	-	-	1	3	8	10	18	25	33	33	27	28	23	14	5	6	-	-	-	-
	F	52	1	1	-	-	-	1	-	1	2	1	-	2	3	3	4	4	6	2	7	9	2	3	-	-	-	-
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	2	-	1	3	1	4	2	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	2	-	-	1	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Contd.																											
119,120	Diarrhea, enteritis, etc.*	302	192	34	4	2	-	3	1	-	2	2	1	2	6	2	2	4	5	9	7	11	5	3	4	1	-	-
	White—M	158	102	20	2	-	-	3	1	-	-	-	-	-	2	-	1	1	3	5	3	7	3	1	4	-	-	-
	F	110	66	11	2	1	-	-	-	-	2	2	-	2	3	2	1	2	1	3	4	3	2	2	-	1	-	-
	Nonwhite—M	21	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	13	8	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
121	Appendicitis	275	-	-	3	3	6	18	15	16	22	13	13	16	20	28	24	29	12	14	13	8	3	3	1	-	-	-
	White—M	151	-	-	2	1	5	11	10	11	10	7	1	8	9	11	14	18	8	9	8	4	2	2	-	-	-	-
	F	91	-	-	1	2	1	5	4	5	9	4	9	4	6	8	6	9	2	4	5	4	1	1	1	-	-	-
	Nonwhite—M	19	-	-	-	-	-	1	-	-	1	1	3	-	3	2	4	2	1	1	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	1	1	-	2	1	-	4	2	2	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	372	17	-	2	1	-	4	3	4	5	6	14	20	18	28	26	33	33	42	31	40	28	9	7	-	-	1
	White—M	167	9	-	1	-	-	2	1	2	1	2	5	5	4	13	10	9	12	22	17	24	19	4	5	-	-	-
	F	163	4	-	1	1	-	1	2	-	4	4	7	11	10	12	13	13	20	17	14	13	9	4	2	-	-	1
	Nonwhite—M	27	2	-	-	-	-	1	-	2	-	-	2	2	2	1	3	6	1	2	-	2	-	1	-	-	-	-
	F	15	2	-	-	-	-	-	-	-	-	-	-	2	2	2	-	5	-	1	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	388	-	-	-	-	-	-	-	-	1	4	7	20	26	35	34	41	46	55	46	39	24	10	-	-	-	-
	White—M	248	-	-	-	-	-	-	-	-	1	2	4	11	14	23	26	28	33	35	27	23	16	5	-	-	-	-
	F	110	-	-	-	-	-	-	-	-	-	-	2	4	9	8	5	10	13	17	18	13	7	4	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	1	1	2	-	2	3	1	-	1	-	1	1	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	3	3	2	-	2	-	2	1	2	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	239	-	-	-	-	-	1	-	1	-	3	4	7	10	12	22	26	29	30	36	33	11	10	3	1	-	-
	White—M	82	-	-	-	-	-	-	-	1	-	-	1	-	-	5	10	13	8	8	16	14	4	2	-	-	-	-
	F	147	-	-	-	-	-	1	-	-	-	3	2	6	10	7	9	13	20	20	19	19	7	7	3	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
130-132	Nephritis	3,975	4	1	-	3	-	7	4	15	16	19	33	59	87	155	210	263	386	476	631	609	584	294	89	24	4	2
	White—M	1,940	3	1	-	1	-	4	2	4	7	7	8	18	31	56	97	131	191	229	334	312	297	150	37	16	1	1
	F	1,575	1	-	-	2	-	3	2	8	7	10	17	25	31	46	59	81	133	202	247	257	263	130	44	5	2	-
	Nonwhite—M	227	-	-	-	-	-	-	-	1	2	1	2	3	14	24	24	24	37	23	28	19	14	7	1	2	-	1
	F	233	-	-	-	-	-	-	-	2	-	1	6	13	11	27	30	27	25	22	22	21	10	7	7	1	1	-
137	Diseases of the prostate	243	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	17	29	46	56	52	19	7	3	1	-
	White—M	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	16	23	42	52	49	19	7	2	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	6	4	4	3	-	-	1	1	-
140, 142a, 145a,147	Puerperal septicemia	76	-	-	-	-	-	-	1	7	24	20	13	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	68	-	-	-	-	-	-	1	5	23	15	13	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	48	-	-	-	-	-	-	-	4	8	9	13	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	44	-	-	-	-	-	-	-	3	8	9	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	58	-	-	-	-	-	-	-	7	9	12	13	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	47	-	-	-	-	-	-	-	5	9	8	9	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	11	-	-	-	-	-	-	-	2	-	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	436	396	9	3	3	3	7	5	2	-	2	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	235	216	5	2	2	2	2	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	181	163	2	1	1	1	4	3	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	881	881	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	438	438	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	338	338	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	430	-	-	-	-	-	-	2	10	23	30	32	34	36	35	51	54	35	36	21	15	9	4	2	-	-	1
	White—M	310	-	-	-	-	-	-	-	3	14	20	21	20	29	24	38	45	26	29	15	13	7	3	2	-	-	1
	F	104	-	-	-	-	-	-	2	7	7	6	10	11	5	9	13	8	9	6	6	2	2	1	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	214	4	-	-	-	-	1	2	7	24	18	33	34	30	17	12	12	10	7	2	1	-	-	-	-	-	-
	White—M	81	1	-	-	-	-	-	1	1	8	2	7	10	15	8	9	6	4	6	2	1	-	-	-	-	-	-
	F	27	3	-	-	-	-	1	-	2	3	1	1	3	3	3	-	2	4	1	-	-	-	-	-	-	-	-
	Nonwhite—M	89	-	-	-	-	-	-	1	4	9	13	19	20	12	4	3	3	1	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	4	2	6	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	755	2	6	5	5	5	22	20	76	76	73	43	47	49	49	45	37	46	59	37	24	20	5	-	1	-	3
	White—M	536	2	3	3	3	5	12	14	53	56	58	30	42	27	32	32	28	30	39	27	17	15	5	-	-	-	3
	F	166	-	2	2	2	-	8	6	20	18	11	11	2	14	14	7	4	11	15	8	5	5	-	-	1	-	-
	Nonwhite—M	47	-	-	-	-	-	2	-	3	2	4	2	2	8	3	6	4	5	3	2	1	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,928	46	30	11	23	16	38	66	78	79	70	68	76	78	101	104	81	106	122	157	170	200	131	52	9	5	11
	White—M	1,123	23	12	3	11	10	29	50	68	68	51	50	59	54	71	72	60	74	67	60	72	78	43	26	1	1	10
	F	649	18	13	7	11	5	6	7	6	5	13	5	10	11	12	17	12	26	49	89	92	118	81	26	7	3	-
	Nonwhite—M	110	1	3	1	1	1	1	9	4	6	5	10	5	12	16	12	7	4	4	4	2	1	1	-	-	-	-
	F	46	4	2	-	-	-	2	-	-	-	1	3	2	1	2	3	2	2	2	4	4	3	6	-	1	1	1
	All other causes*	3,628	654	30	12	11	17	34	30	40	49	63	77	115	101	141	174	184	202	232	312	363	360	258	129	31	3	6
	White—M	1,808	364	15	7	5	9	19	17	25	20	17	30	42	45	48	81	105	97	115	173	176	195	134	57	9	-	3
	F	1,456	228	14	5	4	6	11	7	12	22	26	33	46	32	56	64	53	83	95	123	168	154	118	66	19	1	-
	Nonwhite—M	190	40	-	-	-	2	3	3	3	6	6	3	10	10	14	15	15	12	13	8	8	7	3	4	1	1	3
	F	174	22	1	-	2	-	1	3	-	1	14	11	17	14	13	14	11	10	9	8	11	4	3	2	2	1	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	All causes	5,516	395	47	27	19	14	43	40	77	101	84	118	149	180	229	401	496	521	626	639	554	472	209	55	12	4	4
	White—M	3,443	204	17	12	8	3	20	25	47	56	44	71	92	103	155	280	348	364	368	408	356	300	121	33	4	1	3
	F	1,787	144	12	8	4	7	16	9	22	27	34	36	54	68	66	111	136	142	233	208	183	162	78	19	6	1	1
	Nonwhite—M	161	25	12	7	5	1	5	4	5	6	1	4	1	4	2	7	8	7	16	13	10	7	7	2	1	1	-
	F	125	22	6	-	2	3	2	2	3	12	5	7	2	5	6	3	4	8	9	10	5	3	3	1	1	1	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	12	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	185	3	1	2	1	1	2	2	8	17	8	15	11	9	8	22	29	17	10	14	5	-	-	-	-	-	-
	White—M	106	-	-	-	-	-	-	-	1	3	3	4	8	6	8	18	21	14	5	10	5	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	1	1	3	5	1	-	-	2	5	2	2	-	-	-	-	-	-	-	-
	Nonwhite—M	30	1	1	2	1	-	1	1	3	3	-	3	1	3	-	1	3	1	2	3	-	-	-	-	-	-	-
	F	27	2	-	-	-	1	1	1	3	10	2	3	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	16	1	1	-	3	1	1	1	1	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	59	-	2	-	-	-	-	-	-	1	-	2	2	4	3	7	14	10	8	3	3	-	-	-	-	-	-
	White—M	41	-	1	-	-	-	-	-	-	-	-	-	1	3	2	5	11	8	7	2	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	2	2	1	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	26	-	3	-	-	-	-	-	-	1	-	2	1	-	-	1	-	4	2	5	5	-	-	-	1	-	1
	White—M	14	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	4	3	-	-	-	-	-	1
	F	8	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	302	-	1	-	-	-	-	-	-	-	1	-	5	7	14	16	39	42	54	44	38	29	10	2	-	-	-
	White—M	177	-	-	-	-	-	-	-	-	-	-	-	1	4	6	8	22	24	33	27	26	20	5	1	-	-	-
	F	119	-	1	-	-	-	-	-	-	-	1	-	4	2	7	8	15	18	20	17	12	9	4	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
48,49	Cancer of female genital organs	58	-	-	-	-	-	-	-	-	1	1	-	4	6	4	7	7	9	6	7	3	2	1	-	-	-	-
	White—F	54	-	-	-	-	-	-	-	-	1	1	-	4	5	4	7	6	8	6	6	3	2	1	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
50	Cancer of breast	70	-	-	-	-	-	-	-	-	-	-	1	1	6	6	11	9	7	16	6	5	-	1	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	69	-	-	-	-	-	-	-	-	-	-	1	1	6	6	10	9	7	16	6	5	-	1	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	213	-	1	-	-	-	1	-	2	4	-	5	3	5	6	22	22	33	28	38	18	20	4	-	-	1	-
	White—M	159	-	-	-	-	-	1	-	2	4	-	2	2	3	2	15	18	24	19	30	15	18	4	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	3	1	2	2	7	4	9	9	8	3	1	-	-	-	1	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	108	-	-	1	-	-	-	2	1	-	-	2	2	3	6	12	6	12	19	21	12	6	2	1	-	-	-
	White—M	56	-	-	-	-	-	-	2	-	-	-	1	1	3	5	7	2	6	8	11	6	2	2	-	-	-	-
	F	52	-	-	1	-	-	-	-	1	-	-	1	1	-	1	5	4	6	11	10	6	4	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	2	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	16	-	-	-	-	-	-	-	1	-	1	4	2	1	1	3	1	-	-	-	2	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	1	4	2	1	1	3	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	477	1	1	-	-	-	-	-	-	1	-	3	3	7	9	28	34	48	70	72	90	76	25	9	-	-	-
	White—M	280	-	1	-	-	-	-	-	-	1	-	2	2	3	7	11	20	33	35	40	61	40	15	9	-	-	-
	F	189	1	-	-	-	-	-	-	-	-	-	1	1	4	2	16	14	14	33	29	28	36	10	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	76	13	5	1	3	1	2	1	2	2	2	3	5	4	5	7	4	2	6	4	2	1	1	-	-	-	-
	White—M	37	6	1	1	2	-	-	1	1	1	-	3	3	1	2	5	2	1	4	2	-	-	1	-	-	-	-
	F	37	6	3	-	1	1	2	-	1	1	2	-	2	3	3	2	2	1	2	2	2	1	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	24	2	-	-	-	-	2	1	1	-	-	-	5	2	2	2	2	1	2	1	1	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	1	1	-	-	-	-	3	2	2	2	2	-	1	1	1	-	-	-	-	-	-
	F	8	2	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	104	-	-	-	-	-	-	1	-	4	5	3	4	4	8	12	5	13	8	12	12	12	1	-	-	-	-
	White—M	62	-	-	-	-	-	-	1	-	2	2	2	3	2	5	7	2	8	5	7	8	8	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	2	3	1	1	2	3	4	3	4	3	4	4	4	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	470	-	-	-	-	-	-	-	1	-	3	2	5	11	24	40	63	65	83	78	49	28	15	2	1	-	-
	White—M	354	-	-	-	-	-	-	-	1	-	1	2	3	9	20	30	52	53	57	59	35	20	10	2	-	-	-
	F	107	-	-	-	-	-	-	-	-	-	2	-	2	2	4	10	11	9	23	17	14	7	5	-	1	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,003	-	-	-	-	-	3	-	2	3	4	4	14	25	30	66	94	102	135	153	147	135	64	14	6	1	1
	White—M	657	-	-	-	-	-	1	-	1	3	1	1	9	17	20	50	71	73	78	104	92	88	37	7	3	-	1
	F	318	-	-	-	-	-	-	-	1	-	3	2	4	8	9	14	23	25	51	46	53	46	23	7	3	-	-
	Nonwhite—M	16	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	4	1	1	1	4	-	-	-	-
	F	12	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	2	2	2	1	-	-	-	-	1	-
107-109	Pneumonia (all forms)	235	48	9	4	2	3	-	-	-	5	7	6	7	5	4	16	16	15	19	25	18	15	8	2	1	-	-
	White—M	131	21	2	1	1	1	-	-	-	2	3	3	3	2	2	15	12	9	12	16	10	9	6	-	1	-	-
	F	65	14	1	-	-	1	-	-	-	1	4	2	4	3	2	1	3	6	4	5	8	3	2	1	-	-	-
	Nonwhite—M	19	5	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-
	F	20	8	2	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	2	2	-	1	-	1	-	-	-
117	Ulcer of stomach or duodenum	48	-	-	-	-	-	-	-	-	-	1	2	1	5	2	10	7	9	8	1	1	1	-	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	1	2	1	5	2	9	6	8	7	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
119,120	Diarrhea, enteritis, etc.*	33	18	3	1	-	1	1	1	1	-	1	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-
	White—M	17	10	-	-	-	1	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	F	8	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite—M	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	36	-	-	-	-	-	3	2	2	2	1	2	3	2	2	4	2	1	1	2	3	3	1	-	-	-	-
	White—M	25	-	-	-	-	-	1	2	1	1	1	1	1	1	2	3	2	1	1	2	3	1	1	-	-	-	-
	F	11	-	-	-	-	-	2	-	1	1	-	1	2	1	-	1	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	59	2	-	-	-	-	-	1	-	-	2	2	3	3	3	6	6	8	4	8	5	5	1	-	-	-	-
	White—M	31	1	-	-	-	-	-	-	-	-	1	2	1	1	1	5	2	5	3	3	2	3	1	-	-	-	-
	F	27	1	-	-	-	-	-	1	-	-	1	-	2	2	2	-	4	3	1	5	3	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	56	-	-	-	-	-	-	-	-	2	-	1	4	5	6	4	4	7	12	3	1	6	1	-	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	4	6	8	1	-	4	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	2	-	1	1	3	2	2	-	1	4	2	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	30	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	3	6	1	5	6	3	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	4	1	3	4	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
130-132	Nephritis	284	1	-	-	-	-	2	1	4	3	5	4	3	8	10	13	29	35	40	38	45	27	11	4	1	-	-
	White—M	191	1	-	-	-	-	1	1	2	3	2	3	1	6	7	10	19	25	24	24	31	24	5	2	-	-	-
	F	85	-	-	-	-	-	1	-	2	-	2	1	2	1	3	3	10	9	16	14	12	2	4	2	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-
137	Diseases of the prostate	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	5	9	9	5	-	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	5	8	8	5	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	9	-	-	-	-	-	-	-	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	8	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	66	57	-	1	-	-	1	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	37	33	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	24	20	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	127	127	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	98	-	-	-	-	-	-	-	3	2	3	9	9	14	7	15	15	6	4	3	4	3	1	-	-	-	-
	White—M	80	-	-	-	-	-	-	-	2	2	3	4	7	9	6	14	13	6	4	3	3	3	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	1	-	-	4	2	5	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	17	-	-	-	-	-	-	-	1	1	1	1	2	1	3	1	1	2	1	-	1	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents	105	-	1	-	-	1	2	3	17	12	9	7	6	7	6	6	4	6	7	3	5	3	-	-	-	-	-
	White—M	73	-	1	-	-	-	1	1	13	9	7	5	5	5	5	3	2	4	5	1	3	3	-	-	-	-	-
	F	29	-	-	-	-	1	1	2	4	2	2	2	1	2	-	3	2	1	2	2	2	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	363	11	9	10	4	3	14	11	17	24	11	22	23	12	28	31	21	16	23	14	16	21	16	5	-	-	1
	White—M	276	6	6	6	3	-	10	9	15	20	10	22	22	10	27	28	18	13	15	9	11	7	4	4	-	-	1
	F	75	4	3	4	1	3	3	1	2	2	-	-	1	2	1	2	2	2	7	4	4	14	12	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	1	1	-	2	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	645	100	4	5	1	3	6	4	8	7	10	10	15	18	28	36	51	41	54	72	47	64	41	16	2	2	-
	White—M	394	56	2	3	1	1	3	2	6	4	6	7	7	8	14	26	37	34	32	44	29	40	23	8	-	1	-
	F	212	38	-	1	-	1	2	1	2	3	4	3	8	9	12	9	12	7	17	25	13	23	15	6	1	-	-
	Nonwhite—M	23	4	2	1	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	2	3	1	2	2	-	1	-
	F	16	2	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	-	4	1	2	-	1	-	1	-	-

*Refer to complete International List titles VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	All causes	12,359	791	59	29	24	18	94	104	154	159	147	177	217	325	420	667	896	1,091	1,318	1,534	1,485	1,420	842	303	64	13	8
	White—M	6,924	450	25	16	14	11	54	70	98	85	63	97	115	180	239	378	542	638	768	865	819	761	421	150	33	5	5
	F	5,161	316	28	10	10	7	34	32	51	60	58	68	89	130	167	261	327	436	529	647	651	648	417	148	29	5	3
	Nonwhite—M	165	7	6	-	-	-	6	1	2	5	4	5	5	7	10	20	21	11	12	13	11	7	3	5	1	3	-
	F	109	18	-	1	-	-	-	1	3	9	2	7	8	8	4	8	6	6	9	9	4	4	1	-	1	-	-
1,2	Typhoid, paratyphoid fever	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	8	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	8	-	-	-	2	-	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	157	1	1	-	-	-	1	2	3	15	14	15	8	13	17	11	19	12	7	10	4	3	1	-	-	-	-
	White—M	87	-	-	-	-	-	1	2	1	-	8	7	6	9	10	8	14	8	3	5	2	2	1	-	-	-	-
	F	49	1	-	-	-	-	-	-	1	4	6	6	1	2	5	2	5	4	4	5	2	1	-	-	-	-	-
	Nonwhite—M	10	-	1	-	-	-	-	-	-	4	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	7	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	23	-	2	-	-	1	1	1	-	1	2	-	1	2	4	1	1	2	1	1	1	-	1	-	-	-	-
	White—M	10	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	1	1	1	1	-	-	1	-	-	-	-
	F	8	-	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	112	2	1	-	-	-	-	-	-	-	1	3	6	5	9	19	13	18	10	11	11	3	-	-	-	-	-
	White—M	74	1	1	-	-	-	-	-	-	-	1	1	4	2	5	13	7	12	10	10	4	3	-	-	-	-	-
	F	24	1	-	-	-	-	-	-	-	-	-	1	1	2	3	2	3	4	-	1	6	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	2	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	130	20	1	-	-	-	1	2	-	2	-	-	2	4	4	3	6	7	9	14	21	12	11	11	-	-	-
	White—M	63	9	1	-	-	-	1	2	-	1	-	-	2	3	1	2	2	5	5	7	8	4	5	5	-	-	-
	F	65	11	-	-	-	-	-	-	-	1	-	-	-	-	3	1	4	2	4	7	13	7	6	6	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles	8	-	3	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	24	1	-	-	-	-	7	10	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	1	-	-	-	-	3	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	855	1	-	-	-	-	-	-	1	1	4	8	13	17	27	57	87	88	145	143	123	108	26	4	2	-	-
	White—M	472	-	-	-	-	-	-	-	-	1	3	4	3	10	14	29	50	52	83	75	73	60	13	1	1	-	-
	F	374	1	-	-	-	-	-	-	-	-	1	4	10	7	13	28	34	35	61	65	49	48	13	3	1	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	178	-	-	-	-	-	-	-	-	-	1	2	4	16	19	27	31	23	20	16	9	5	5	-	-	-	-
	White—F	175	-	-	-	-	-	-	-	-	-	1	2	4	16	17	27	31	23	19	16	9	5	5	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Contd.																											
50	Cancer of breast	159	-	-	-	-	-	-	-	-	-	-	5	7	9	15	16	22	19	29	14	9	8	6	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	156	-	-	-	-	-	-	-	-	-	-	4	7	9	14	16	22	19	29	13	9	8	6	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	522	1	-	1	1	-	2	2	2	6	5	4	11	18	22	42	51	67	77	69	61	56	16	8	-	-	-
	White-----M--	388	-	-	1	1	-	2	2	2	3	3	1	7	9	17	34	27	49	65	48	50	50	10	7	-	-	-
	F--	125	1	-	-	-	-	-	-	-	3	2	2	4	8	4	8	23	18	10	19	10	6	6	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	19	-	-	-	1	2	2	4	2	1	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	1
	White-----M--	10	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1
	F--	8	-	-	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	352	-	-	-	1	-	1	1	2	2	2	3	1	5	6	14	37	45	66	64	63	26	11	1	1	-	-
	White-----M--	147	-	-	-	-	-	-	-	2	-	1	3	-	2	5	6	15	16	21	33	21	14	7	1	-	-	-
	F--	195	-	-	-	1	-	-	1	-	2	1	-	1	1	1	7	21	26	44	31	42	12	4	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-
63b	Exophthalmic goiter	27	-	-	-	-	-	-	-	2	-	-	1	1	-	-	3	3	3	3	6	3	1	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	1	3	1	6	3	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	7	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,286	1	2	-	-	-	-	-	-	5	3	5	4	16	25	49	83	137	156	217	210	221	108	33	10	-	1
	White-----M--	656	1	1	-	-	-	-	-	-	2	2	3	-	12	11	22	43	77	86	107	105	113	51	15	5	-	-
	F--	602	-	1	-	-	-	-	-	-	3	1	1	3	3	13	23	38	59	65	108	101	103	56	18	5	-	1
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	1	3	3	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	3	1	1	2	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	171	6	2	-	1	2	3	5	7	7	2	3	8	15	8	8	14	12	16	19	16	12	4	-	1	-	-
	White-----M--	98	3	1	-	1	1	1	3	5	4	1	2	4	7	1	6	8	6	12	10	10	7	4	-	1	-	-
	F--	69	3	1	-	-	1	1	2	1	3	1	1	4	7	7	2	5	6	4	9	6	5	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	52	6	1	2	1	1	4	5	5	1	1	3	3	2	4	2	-	3	2	1	-	3	2	-	-	-	-
	White-----M--	33	4	1	2	-	1	3	3	2	1	1	2	2	2	3	1	-	2	-	1	-	2	-	-	-	-	-
	F--	18	2	-	-	1	-	1	2	3	-	-	1	-	-	1	1	-	1	2	-	-	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	263	-	-	-	-	1	3	2	5	5	6	4	9	9	10	21	16	28	21	34	44	19	20	4	2	-	-
	White-----M--	134	-	-	-	-	1	2	-	4	1	1	4	4	6	5	12	11	16	9	19	20	9	7	3	-	-	-
	F--	127	-	-	-	-	-	1	2	1	3	5	-	5	3	5	9	5	11	12	15	24	10	13	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,166	1	-	-	-	-	-	-	-	1	1	4	10	25	53	93	147	151	172	171	137	110	69	20	1	-	-
	White-----M--	840	-	-	-	-	-	-	-	-	1	1	3	8	21	48	74	120	113	133	114	88	65	40	10	1	-	-
	F--	313	1	-	-	-	-	-	-	-	-	-	1	2	4	4	15	22	36	38	57	49	45	29	10	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,046	1	2	-	1	1	1	4	6	7	4	13	13	31	44	80	119	176	232	327	327	360	206	66	18	3	4
	White-----M--	1,107	1	1	-	1	-	-	2	3	3	2	7	5	13	25	43	71	106	140	180	187	179	98	29	9	-	2
	F--	898	-	1	-	-	1	1	2	3	4	1	4	6	15	18	31	42	69	91	137	135	180	106	37	9	3	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	4	1	1	7	3	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	1	-	3	-	2	2	-	-	3	2	-	1	-	-	-	-
107-109	Pneumonia (all forms)	479	92	12	4	1	-	8	5	7	1	4	9	8	7	12	16	15	29	30	59	57	53	25	22	1	2	-
	White-----M--	250	47	4	2	1	-	3	4	4	1	1	4	4	7	7	10	12	14	13	35	34	27	9	6	1	-	-
	F--	194	36	5	1	-	-	3	1	3	-	3	4	3	-	4	3	2	12	13	23	22	25	16	15	-	-	-
	Nonwhite--M--	18	1	3	-	-	-	2	-	-	-	-	-	1	-	1	3	1	1	1	-	-	1	-	1	-	2	-
	F--	17	8	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	69	-	-	-	-	-	-	-	-	-	1	-	4	6	4	2	10	11	9	9	5	6	2	-	-	-	-
	White-----M--	58	-	-	-	-	-	-	-	-	-	1	-	3	6	4	2	9	9	6	8	4	4	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	48	26	1	2	-	2	-	-	-	1	-	-	1	-	1	2	-	2	-	4	2	1	2	-	-	1	-
	White-----M--	21	13	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	1	1	-	-	1	-
	F--	24	12	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-	2	-	1	2	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis-----	78	-	-	-	1	-	2	5	6	5	6	5	3	6	8	9	7	2	5	5	1	1	1	-	-	-	-
	White-----M--	49	-	-	-	1	-	-	4	4	4	3	4	2	4	5	6	6	1	3	2	-	-	-	-	-	-	-
	F--	29	-	-	-	-	-	2	1	2	1	3	1	1	2	3	3	1	1	2	3	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	137	2	1	1	1	-	-	1	2	1	1	6	5	2	8	9	9	15	21	17	14	9	10	1	-	-	1
	White-----M--	67	-	-	1	-	-	-	-	1	1	1	3	1	1	5	4	4	6	10	10	6	7	5	-	-	-	1
	F--	67	1	1	-	1	-	-	1	1	-	-	2	4	1	3	5	5	9	11	6	8	2	5	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	83	-	-	-	-	-	-	1	-	1	1	1	-	2	2	6	12	10	14	12	13	6	1	1	-	-	-
	White-----M--	52	-	-	-	-	-	-	1	-	-	1	-	-	1	1	3	10	6	7	9	8	3	1	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	4	7	3	5	3	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	93	-	-	-	-	-	-	-	-	-	1	3	-	3	5	12	13	10	7	11	16	7	5	-	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	3	3	4	4	4	2	3	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	1	1	-	2	4	7	10	7	3	7	12	5	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	844	1	-	-	1	-	1	4	2	9	5	4	9	19	23	39	45	95	105	122	112	142	77	25	4	-	-
	White-----M--	467	1	-	-	-	-	-	3	1	6	4	2	7	7	9	13	30	52	57	76	60	79	46	13	1	-	-
	F--	363	-	-	-	1	-	1	-	1	3	1	2	2	11	13	25	13	42	45	44	52	63	31	10	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	1	2	1	-	-	-	2	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
137	Diseases of the prostate	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	18	22	20	12	6	1	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	9	18	21	20	12	6	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	20	-	-	-	-	-	-	-	2	6	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	2	6	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	13	-	-	-	-	-	-	-	1	2	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	12	-	-	-	-	-	-	-	1	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	1	2	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	139	124	3	2	1	-	1	1	3	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	84	76	-	2	1	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	53	46	3	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	261	261	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	186	-	-	-	-	-	-	-	2	8	7	15	16	19	19	27	18	11	15	9	9	7	4	-	-	-	-
	White-----M--	141	-	-	-	-	-	-	-	1	5	4	10	13	13	13	21	16	10	11	7	7	6	4	-	-	-	-
	F--	45	-	-	-	-	-	-	-	1	3	3	5	3	6	6	6	2	1	4	2	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	22	-	-	-	-	-	-	-	1	1	5	1	1	2	1	2	3	2	1	-	2	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	3	2	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	219	1	4	3	3	1	12	10	37	22	15	11	9	11	14	14	15	13	9	9	4	1	-	1	-	-	-
	White-----M--	160	1	1	1	2	1	11	5	24	15	11	11	5	6	11	12	12	12	7	8	3	-	-	1	-	-	-
	F--	57	-	3	2	1	-	1	5	13	7	4	-	3	4	3	2	3	1	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	669	27	11	10	3	3	23	29	27	31	25	18	24	22	21	25	25	30	34	45	56	66	77	32	3	1	1
	White-----M--	431	17	5	6	2	1	16	26	25	27	22	17	19	19	15	20	21	24	20	25	30	23	34	9	2	-	1
	F--	226	10	5	4	1	2	6	2	2	4	2	1	3	3	4	5	4	6	13	19	26	37	43	22	1	1	-
	Nonwhite--M--	7	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	All other causes*	1,295	204	8	2	5	3	14	9	22	11	19	20	26	34	33	55	69	62	89	94	132	152	139	67	20	6	-
	White-----M--	698	129	7	-	3	3	6	4	14	4	9	6	13	14	20	27	42	29	48	48	72	76	67	42	11	4	-
	F--	579	68	1	2	2	-	8	5	8	7	10	13	12	20	13	27	27	32	41	46	59	74	71	24	8	1	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	-
	F--	9	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																											
	All causes	1,634	159	13	9	1	5	12	6	18	31	45	49	57	74	115	123	154	165	168	131	128	78	58	21	7	3	4
	White M	1,096	89	4	4	1	2	7	4	11	19	30	28	42	50	91	95	117	124	117	86	92	38	33	7	2	-	3
	White F	386	54	5	4	-	2	3	1	-	4	8	14	11	19	21	19	25	31	41	34	30	31	20	8	-	-	1
	Nonwhite M	79	8	1	1	-	1	2	-	3	4	1	5	-	3	2	6	9	6	6	8	3	2	3	2	2	1	-
	Nonwhite F	73	8	3	-	-	-	-	1	4	4	6	2	4	2	1	3	3	4	4	3	3	7	2	4	3	2	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough*	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	69	-	1	-	-	-	-	1	2	1	4	4	6	7	5	6	11	8	5	5	3	-	-	-	-	-	-
	White M	46	-	-	-	-	-	-	-	-	-	-	1	2	6	5	4	11	7	4	4	2	-	-	-	-	-	-
	White F	4	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	8	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite F	11	-	-	-	-	-	-	1	2	-	3	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	11	-	-	2	-	1	1	-	4	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White M	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	6	-	-	1	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	10	6	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	5	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	19	2	-	-	-	-	-	-	1	-	-	-	-	-	4	2	5	2	1	1	1	-	-	-	-	-	-
	White M	15	2	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	2	1	1	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	63	-	-	-	-	-	-	-	-	2	-	1	2	2	3	2	8	10	13	7	8	2	2	1	-	-	-
	White M	38	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	4	6	9	4	6	1	1	-	-	-	-
	White F	20	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	3	4	3	2	-	1	1	-	-	-
	Nonwhite M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	1	1	-	-	-	-
	White F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
50	Cancer of breast	18	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	6	1	-	1	3	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	6	1	-	1	3	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	56	-	-	-	-	-	2	-	-	2	-	1	2	-	5	7	6	4	14	3	3	3	2	1	1	-	-
	White—M	47	-	-	-	-	-	1	-	-	2	-	-	2	-	5	5	4	4	12	3	2	3	2	1	1	-	-
	F	9	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	2	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	22	-	-	-	-	-	-	-	-	-	1	1	-	-	3	3	3	3	3	3	1	1	-	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	1	2	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	2	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	22	-	-	-	-	-	-	-	-	-	-	1	2	3	2	4	3	4	2	-	1	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	3	4	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	120	-	-	-	-	-	-	-	-	-	1	-	-	3	9	6	13	12	20	15	17	9	13	2	-	-	-
	White—M	73	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	7	8	10	9	10	8	9	1	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	4	4	8	4	6	1	3	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	10	3	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-
	White—M	9	2	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	6	1	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	24	-	-	-	-	-	-	-	1	1	1	1	4	2	3	-	-	2	2	3	2	2	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	1	1	1	1	3	1	2	-	-	2	-	1	2	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	2	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	139	-	-	-	-	-	-	-	-	-	1	-	2	4	11	20	25	19	19	16	14	5	3	-	-	-	-
	White—M	113	-	-	-	-	-	-	-	-	-	1	-	1	3	9	15	21	16	16	13	14	2	2	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	2	1	3	-	3	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	249	-	-	-	-	-	-	-	-	-	1	2	3	10	18	16	24	43	30	30	27	17	17	7	3	1	-
	White—M	158	-	-	-	-	-	-	-	-	-	1	1	3	7	14	12	21	28	18	19	20	5	9	-	-	-	-
	F	68	-	-	-	-	-	-	-	-	-	-	1	-	2	4	4	3	10	10	9	5	8	7	5	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	1	1	1	1	1	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	1	2	1	-
107-109	Pneumonia (all forms)	85	21	3	-	-	-	1	-	-	2	3	1	4	4	4	9	6	6	5	5	2	5	3	-	1	-	-
	White—M	50	5	1	-	-	-	-	-	-	1	1	-	4	4	4	8	3	6	3	4	1	3	2	-	-	-	-
	F	19	11	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-
	Nonwhite—M	7	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F	9	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
117	Ulcer of stomach or duodenum	17	-	-	-	-	-	-	-	1	-	1	-	-	-	1	4	-	3	5	1	1	-	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	1	-	1	-	-	-	1	4	-	3	4	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
119,120	Diarrhea, enteritis, etc.*	24	19	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	White M	17	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	15	-	-	-	-	-	-	1	-	-	3	2	-	4	-	-	-	1	1	1	2	-	-	-	-	-	-
	White M	8	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	21	1	1	-	-	-	-	-	-	-	1	-	1	2	2	1	1	2	1	4	3	1	-	-	-	-	-
	White M	12	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	3	2	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	18	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	2	2	1	3	-	-	-	-	-	-
	White M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	1	1	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-
	White M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	76	-	-	-	-	-	-	-	1	-	-	1	2	4	1	7	8	9	18	8	8	7	1	1	-	-	-
	White M	49	-	-	-	-	-	-	-	1	-	-	-	1	3	-	5	5	8	16	3	6	-	-	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	2	5	1	7	1	-	-	-	-
	Nonwhite M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-
	White M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White M	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	34	-	-	-	-	-	-	-	1	2	5	3	2	2	3	5	4	2	3	2	-	-	-	-	-	-	-
	White M	28	-	-	-	-	-	-	-	1	1	4	3	1	2	3	5	2	1	3	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	1	-	-	-	-	-	-	-	2	2	1	-	1	-	-	3	2	-	-	1	1	-	-	-	-	-
	White M	10	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	2	2	-	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	74	-	-	-	1	1	3	-	3	4	9	9	7	8	5	5	6	4	3	2	3	-	-	1	-	-	-
	White M	65	-	-	-	1	1	3	-	3	4	8	8	7	7	4	3	6	2	3	2	2	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	127	4	-	3	-	-	3	3	2	6	11	12	15	8	17	7	8	6	6	6	5	5	1	-	-	-	1
	White M	104	3	-	2	-	-	2	3	2	6	8	11	12	5	16	6	8	6	3	4	4	2	-	-	-	-	1
	F	16	1	-	1	-	-	-	-	-	-	2	1	1	1	-	-	-	-	2	2	1	3	1	-	-	-	-
	Nonwhite M	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	192	41	2	2	-	2	-	-	1	5	-	4	5	5	10	12	9	12	12	10	16	14	15	8	2	2	3
	White M	119	22	-	1	-	1	-	-	1	2	-	-	3	3	8	10	8	10	7	6	14	9	8	3	1	-	2
	F	47	15	1	1	-	1	-	-	-	2	-	3	2	2	1	-	-	1	5	1	2	3	4	2	-	-	1
	Nonwhite M	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	1	1	-
	F	15	2	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	2	-	2	2	2	-	1	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																											
	All causes	5,662	329	28	20	5	8	25	30	26	50	52	62	113	126	218	298	384	491	675	848	727	633	346	118	33	6	11
	White—M	3,036	196	16	14	3	7	14	21	18	30	32	34	61	63	130	182	211	273	404	447	382	297	141	42	10	2	6
	F	2,616	133	12	6	2	1	10	9	8	20	19	28	52	63	87	115	172	217	268	401	345	336	205	76	23	4	4
	Nonwhite—M	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	10	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	94	1	-	-	-	-	-	-	2	4	5	8	13	4	9	13	8	4	8	9	5	1	-	-	-	-	-
	White—M	60	-	-	-	-	-	-	-	-	2	2	3	9	1	8	11	5	3	8	5	3	-	-	-	-	-	-
	F	34	1	-	-	-	-	-	-	2	2	3	5	4	3	1	2	3	1	-	4	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	8	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	37	1	-	1	-	-	-	-	-	-	1	1	2	1	3	4	7	7	3	2	1	2	1	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	5	6	2	1	1	1	-	-	-	-	-
	F	10	1	-	1	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	43	6	-	1	-	-	2	-	-	-	3	-	-	3	1	3	2	5	3	2	3	5	3	1	-	-	-
	White—M	21	2	-	-	-	-	2	-	-	-	2	-	-	3	-	2	-	3	1	1	1	4	-	-	-	-	-
	F	22	4	-	1	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	1	2	1	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	5	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	356	-	-	-	-	-	-	-	-	1	1	1	5	5	24	31	29	44	60	71	36	36	10	2	-	-	-
	White—M	185	-	-	-	-	-	-	-	-	-	1	-	1	3	12	19	13	22	36	40	18	16	3	1	-	-	-
	F	170	-	-	-	-	-	-	-	-	1	-	1	4	2	12	11	16	22	24	31	18	20	7	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	96	-	-	-	-	-	-	-	-	-	-	3	7	2	4	12	11	17	16	8	11	4	-	-	-	-	1
	White—F	96	-	-	-	-	-	-	-	-	-	-	3	7	2	4	12	11	17	16	8	11	4	-	-	-	-	1
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
50	Cancer of breast	78	-	-	-	-	-	-	-	-	-	-	1	-	6	6	6	11	11	12	10	5	8	2	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	78	-	-	-	-	-	-	-	-	-	-	1	-	6	6	6	11	11	12	10	5	8	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	252	-	-	-	1	-	1	-	1	2	3	2	2	7	15	18	19	34	41	39	32	17	17	1	-	-	-
	White—M	170	-	-	-	-	-	1	-	1	2	2	1	1	4	9	13	7	23	33	28	26	10	8	1	-	-	-
	F	81	-	-	-	1	-	-	-	-	-	-	1	1	3	6	5	12	11	8	11	6	7	9	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	142	-	-	-	-	1	-	1	-	-	4	-	1	2	2	2	20	21	22	33	17	12	2	1	1	-	-
	White—M	53	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	6	6	7	8	13	6	1	1	1	-	-
	F	89	-	-	-	-	-	-	1	-	-	3	-	1	2	1	1	14	15	15	25	4	6	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	1	1	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	2
	White—M	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	600	-	-	-	-	-	-	1	-	-	-	1	6	4	11	21	28	52	79	120	128	72	57	16	1	-	3
	White—M	276	-	-	-	-	-	-	-	-	-	-	1	2	-	5	10	17	30	44	56	60	25	21	3	1	-	1
	F	323	-	-	-	-	-	-	1	-	-	-	-	4	4	6	11	11	22	34	64	68	47	36	13	-	-	2
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	59	4	4	1	1	1	-	-	-	7	2	4	3	2	4	4	4	3	2	7	2	1	3	-	-	-	-
	White—M	28	3	1	1	-	1	-	-	-	2	1	1	3	2	2	2	2	-	1	3	-	-	3	-	-	-	-
	F	31	1	3	-	1	-	-	-	-	5	1	3	-	-	2	2	2	3	1	4	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	20	-	2	-	1	1	1	3	-	-	1	-	3	-	-	2	-	1	2	1	-	1	1	-	-	-	-
	White—M	13	-	2	-	1	1	1	3	-	-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	99	-	-	-	-	-	1	1	1	-	-	1	6	4	4	5	2	10	16	15	10	13	9	-	1	-	-
	White—M	47	-	-	-	-	-	-	-	1	-	-	1	4	2	1	1	1	3	11	11	5	4	2	-	-	-	-
	F	52	-	-	-	-	-	1	1	-	-	-	-	2	2	3	4	1	7	5	4	5	9	7	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	697	-	-	-	-	-	-	-	-	1	1	1	6	15	35	56	66	80	111	137	100	58	18	8	3	-	1
	White—M	471	-	-	-	-	-	-	-	-	1	1	1	4	11	32	44	50	57	78	80	65	37	7	2	-	-	1
	F	225	-	-	-	-	-	-	-	-	-	-	-	2	4	3	12	15	23	33	57	35	21	11	6	3	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,080	-	-	-	-	-	1	1	1	2	2	1	4	12	27	38	59	85	125	207	170	204	94	34	10	3	-
	White—M	529	-	-	-	-	-	-	1	-	1	1	-	1	6	11	22	29	46	74	109	80	92	36	16	3	1	-
	F	549	-	-	-	-	-	1	-	1	1	1	1	3	6	15	16	30	39	50	98	90	112	58	18	7	2	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	227	27	6	2	1	-	2	-	2	2	3	-	4	7	10	9	11	13	16	20	26	33	15	13	4	1	-
	White—M	120	15	5	1	1	-	1	-	2	2	2	-	2	5	9	6	6	8	6	10	13	14	6	6	-	-	-
	F	107	12	1	1	-	-	1	-	-	-	1	-	2	2	1	3	5	5	10	10	13	19	9	7	4	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	40	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	9	6	9	-	3	2	-	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	7	5	6	-	1	2	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
119,120	Diarrhea, enteritis, etc.*	21	13	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	2	-	1	-	-	-	-
	White—M	13	7	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	F	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	24	-	1	-	-	-	-	2	2	2	2	2	1	1	1	3	-	2	1	1	3	-	-	-	-	-	-
	White—M	17	-	1	-	-	-	-	2	2	1	2	2	1	1	1	1	-	1	-	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	51	2	-	-	1	-	1	-	-	1	1	-	1	4	-	3	5	4	8	4	6	6	2	2	-	-	-
	White—M	26	2	-	-	1	-	1	-	-	1	-	-	-	1	-	2	2	2	3	1	1	6	2	1	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	3	2	5	3	5	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	35	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	5	6	7	1	2	2	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	5	6	1	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	1	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	30	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	2	2	3	6	2	4	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	3	1	2	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	-	1	2	3	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	336	-	-	-	-	-	-	1	1	1	1	5	1	7	19	16	27	28	44	50	54	41	33	3	2	1	1
	White—M	195	-	-	-	-	-	-	1	-	1	1	3	1	1	10	11	18	17	30	29	26	23	19	1	1	1	1
	F	141	-	-	-	-	-	-	-	1	-	-	2	-	6	9	5	9	11	14	21	28	18	14	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	6	8	2	-	1	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	6	8	2	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	66	53	7	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	38	31	4	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	22	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	68	-	-	-	-	-	-	-	-	2	3	6	5	5	5	6	10	3	9	8	4	1	-	-	-	-	1
	White—M	53	-	-	-	-	-	-	-	-	1	2	4	2	4	4	6	8	3	7	7	4	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	2	-	2	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	57	-	4	2	-	-	4	1	6	6	5	3	4	2	2	6	2	3	3	3	1	-	-	-	-	-	-
	White—M	46	-	2	2	-	-	2	1	4	6	5	3	2	2	1	6	2	1	3	3	1	-	-	-	-	-	-
	F	11	-	2	-	-	-	2	-	2	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	262	9	2	8	-	4	2	13	5	10	7	6	17	13	13	5	12	14	17	25	25	21	21	9	1	1	2
	White—M	166	4	-	8	-	3	1	11	4	7	7	6	15	9	11	3	9	11	13	13	12	9	7	2	-	-	1
	F	95	5	2	-	-	1	-	2	1	3	-	-	2	4	2	2	3	3	4	12	13	12	14	7	1	1	1
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	587	90	1	3	-	1	1	3	2	3	4	9	13	10	15	21	28	30	49	59	73	81	54	28	9	-	-
	White—M	286	59	1	2	-	1	-	1	2	1	-	5	4	2	6	10	16	13	24	27	42	36	23	8	3	-	-
	F	301	31	-	1	-	-	1	2	-	2	4	4	9	8	9	11	12	17	25	32	31	45	31	20	6	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																											
	All causes	46,716	2,542	192	101	86	55	202	235	446	665	747	900	1,242	1,747	2,613	3,588	4,308	4,983	5,725	5,663	4,776	3,867	1,791	589	124	20	9
	White—M	23,620	1,294	90	40	51	24	108	117	223	300	338	400	592	851	1,378	2,102	2,493	2,717	3,013	2,762	2,273	1,490	721	201	34	4	4
	F	19,496	930	73	48	21	21	69	83	143	232	272	343	443	621	941	1,139	1,515	1,962	2,388	2,656	2,341	1,792	1,012	360	76	10	5
	Nonwhite—M	1,959	174	19	7	5	5	15	26	45	56	67	79	118	158	174	197	165	168	164	133	83	50	27	15	8	1	-
	F	1,641	144	10	6	9	5	10	9	35	77	70	78	89	117	120	150	135	136	166	112	79	35	31	13	5	5	-
1,2	Typhoid, paratyphoid fever	6	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	33	2	6	1	-	1	-	3	4	3	4	1	-	2	3	2	-	1	-	-	-	-	-	-	-	-	-
	White—M	20	2	2	1	-	1	-	-	4	3	3	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	4	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	1	-	1	1	-	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	47	31	10	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	11	7	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,754	2	4	2	-	1	-	8	61	150	159	158	169	182	159	207	169	129	86	55	29	14	9	1	-	-	-
	White—M	887	-	1	-	-	-	-	-	12	30	55	54	76	95	92	138	126	92	48	36	18	9	4	1	-	-	-
	F	473	2	2	-	-	-	-	2	15	60	63	54	54	40	30	34	27	30	26	16	9	4	5	-	-	-	-
	Nonwhite—M	223	-	1	1	-	1	-	2	15	19	21	26	19	31	31	29	11	4	8	2	1	1	-	-	-	-	-
	F	171	-	-	1	-	-	-	4	19	41	20	24	20	16	6	6	5	3	4	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	128	6	9	2	2	-	5	3	9	10	21	8	15	5	4	16	3	3	-	4	1	2	-	-	-	-	-
	White—M	44	2	4	1	-	-	1	1	3	3	4	3	4	1	-	9	1	3	-	2	1	1	-	-	-	-	-
	F	40	2	3	1	1	-	2	-	3	4	4	1	7	1	2	4	2	-	-	2	-	1	-	-	-	-	-
	Nonwhite—M	24	1	2	-	-	-	1	1	1	-	8	4	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	20	1	-	-	1	-	1	1	2	3	5	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	14	2	-	-	-	-	-	1	1	-	1	1	-	2	-	1	1	1	3	-	-	-	-	-	-	-	-
	White—M	9	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	470	11	1	-	-	-	1	-	3	6	5	19	33	45	67	66	62	64	49	26	8	3	1	-	-	-	-
	White—M	245	2	-	-	-	-	-	-	1	-	-	6	13	18	36	40	38	42	33	13	2	1	-	-	-	-	-
	F	73	3	-	-	-	-	1	-	1	1	-	3	4	4	12	6	9	9	6	8	5	1	-	-	-	-	-
	Nonwhite—M	101	4	1	-	-	-	-	-	-	4	1	6	11	17	14	13	9	7	6	5	1	1	1	-	-	-	-
	F	51	2	-	-	-	-	-	-	1	1	4	4	5	6	5	7	6	6	4	-	-	-	-	-	-	-	-
33	Influenza	153	22	3	2	3	-	3	2	2	3	2	3	5	5	6	15	8	12	13	13	9	12	5	4	1	-	-
	White—M	71	11	1	1	2	-	-	-	1	2	-	-	3	2	3	11	6	8	6	4	2	5	-	2	1	-	-
	F	61	6	2	-	-	-	3	1	1	-	2	2	2	1	2	2	2	4	5	7	5	7	5	2	-	-	-
	Nonwhite—M	8	2	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	13	3	-	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	1	2	2	-	-	-	-	-	-
35	Measles	7	4	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	25	1	1	2	1	1	6	7	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	12	-	1	-	-	-	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	2	1	1	-	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,141	-	-	-	1	-	-	-	-	8	13	12	54	95	191	293	386	469	497	508	333	179	89	13	-	-	-
	White—M	1,605	-	-	-	1	-	-	-	-	5	7	6	24	42	98	157	217	250	286	237	166	72	33	4	-	-	-
	F	1,413	-	-	-	-	-	-	-	-	2	6	6	27	47	82	119	149	202	190	257	162	104	51	9	-	-	-
	Nonwhite—M	81	-	-	-	-	-	-	-	-	-	-	-	2	4	5	9	14	13	14	12	4	2	2	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	1	-	-	1	2	6	8	6	4	7	2	1	1	3	-	-	-	-
48,49	Cancer of female genital organs	691	-	-	-	-	-	-	-	1	5	2	20	20	52	76	100	90	96	81	77	33	25	12	1	-	-	-
	White—F	645	-	-	-	-	-	-	-	1	4	2	19	14	45	70	96	82	94	77	75	29	24	12	1	-	-	-
	Nonwhite—F	46	-	-	-	-	-	-	-	-	1	-	1	6	7	6	4	8	2	4	2	4	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 20

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Contd.																											
50	Cancer of breast	632	-	-	-	-	-	-	-	-	-	2	7	34	59	57	74	96	69	80	69	41	32	8	4	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	1	2	1	-	-	-	-	-
	F--	603	-	-	-	-	-	-	-	-	-	2	7	32	57	57	69	90	64	77	66	39	31	8	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	4	2	1	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,961	1	5	3	8	-	3	6	9	16	23	32	43	73	136	201	229	280	283	262	188	101	41	15	2	-	1
	White-----M--	1,410	1	4	1	6	-	1	2	3	10	15	20	22	43	92	155	173	211	207	188	146	72	28	9	1	-	-
	F--	480	-	-	2	1	-	2	4	5	4	8	11	15	19	37	38	52	59	65	68	42	29	11	6	1	-	1
	Nonwhite--M--	48	-	-	-	1	-	-	-	1	1	-	-	6	9	5	6	2	6	6	4	-	-	1	-	-	-	-
	F--	23	-	1	-	-	-	-	-	-	1	-	1	-	2	2	2	2	4	5	2	-	-	1	-	-	-	-
58	Acute rheumatic fever	64	-	-	1	-	1	7	11	12	4	1	9	7	2	2	-	2	-	1	3	1	-	-	-	-	-	-
	White-----M--	25	-	-	-	-	-	4	4	3	3	-	4	4	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	30	-	-	1	-	1	1	4	6	1	1	5	2	2	2	-	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,463	1	-	1	-	-	1	5	4	11	8	9	11	39	73	86	179	237	265	245	178	84	20	6	-	-	-
	White-----M--	452	1	-	-	-	-	-	1	1	4	2	6	3	11	25	34	54	64	73	78	58	31	3	3	-	-	-
	F--	933	-	-	1	-	-	1	3	3	6	5	2	5	21	39	47	116	161	181	160	109	53	17	3	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	1	-	-	1	-	2	3	2	1	1	4	2	2	4	-	-	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	1	-	1	1	4	7	4	8	8	9	5	7	-	-	-	-	-	-
63b	Exophthalmic goiter	94	-	-	-	-	-	-	-	1	1	5	1	7	5	9	14	19	12	3	14	3	-	-	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	1	1	-	-	3	-	4	5	3	2	2	1	-	-	-	-	-	-
	F--	68	-	-	-	-	-	-	-	1	-	3	1	7	1	8	10	14	8	1	12	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	107	-	-	-	-	-	-	-	-	-	2	5	14	12	16	18	19	8	10	2	-	1	-	-	-	-	-
	White-----M--	82	-	-	-	-	-	-	-	-	-	2	3	9	10	11	14	15	5	10	2	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,945	3	2	1	2	2	3	2	7	8	19	18	56	77	168	276	359	452	641	634	561	371	214	56	11	2	-
	White-----M--	1,691	1	1	-	-	1	3	1	5	5	9	9	20	28	65	127	177	200	284	273	232	147	84	16	3	-	-
	F--	1,989	1	1	1	1	1	-	1	1	2	8	7	23	34	77	116	154	214	317	334	317	211	124	38	5	1	-
	Nonwhite--M--	122	1	-	-	1	-	-	-	1	1	1	-	8	6	15	14	11	15	15	13	5	9	3	1	2	-	-
	F--	143	-	-	-	-	-	-	-	-	-	1	2	5	9	11	19	17	23	25	14	7	4	3	1	1	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	441	37	13	4	2	2	9	11	18	19	16	18	27	21	25	32	36	40	42	31	23	13	2	-	-	-	-
	White-----M--	217	17	7	2	1	2	3	5	12	11	6	8	12	9	12	15	23	24	18	14	10	6	-	-	-	-	-
	F--	174	10	5	1	1	-	4	6	4	6	5	7	13	9	8	16	11	13	20	15	12	7	1	-	-	-	-
	Nonwhite--M--	24	4	1	-	-	-	1	-	2	-	4	1	1	1	1	1	1	2	1	1	1	-	1	-	-	-	-
	F--	26	6	-	1	-	-	1	-	-	2	1	2	1	2	4	-	1	1	3	1	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	117	17	4	4	3	4	11	6	3	7	3	8	4	12	4	3	2	9	6	3	2	-	1	1	-	-	-
	White-----M--	64	13	2	2	2	1	5	2	2	6	2	5	3	4	2	3	1	3	2	2	1	-	1	-	-	-	-
	F--	44	3	2	2	1	2	4	4	1	-	1	1	1	8	2	-	1	5	3	1	1	-	-	1	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	853	1	-	-	2	2	11	19	25	41	48	58	60	58	84	74	78	62	56	68	66	21	13	4	1	1	-
	White-----M--	373	1	-	-	1	1	5	2	12	16	18	17	32	29	31	40	43	22	27	37	27	7	3	1	1	-	-
	F--	422	-	-	-	-	1	4	14	11	21	28	38	22	28	44	30	33	35	26	27	36	12	9	3	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	2	-	1	1	3	1	-	5	1	1	1	1	1	2	1	1	-	-	1	-
	F--	35	-	-	-	1	-	2	1	2	3	1	-	5	1	4	3	1	4	2	3	1	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,203	1	-	-	-	1	-	1	2	2	12	21	85	156	268	434	564	675	670	557	414	230	86	21	3	-	-
	White-----M--	2,807	-	-	-	-	-	-	1	1	1	9	13	63	118	216	338	418	470	426	325	231	120	47	8	2	-	-
	F--	1,264	1	-	-	-	1	-	-	1	1	3	7	15	29	42	70	125	162	229	224	175	108	37	13	1	-	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	-	1	6	5	6	16	15	16	9	5	3	2	1	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	1	4	4	10	6	7	6	3	5	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	10,650	5	2	2	-	2	7	5	28	21	31	61	98	199	430	642	904	1,206	1,524	1,733	1,550	1,239	686	219	45	9	2
	White-----M--	5,295	3	-	-	-	-	3	2	13	10	14	27	51	109	231	380	521	653	821	857	711	540	274	66	7	2	-
	F--	4,643	1	1	2	-	1	3	1	10	10	9	22	27	53	145	190	297	468	601	786	774	670	392	141	31	6	2
	Nonwhite--M--	382	-	-	-	-	-	1	1	4	1	5	6	10	21	31	38	50	45	58	46	31	15	11	6	2	-	-
	F--	330	1	1	-	-	1	-	1	1	-	3	6	10	16	23	34	36	40	44	44	34	14	9	6	5	1	-
107-109	Pneumonia (all forms)	1,767	284	42	8	5	6	15	6	17	27	32	37	49	80	100	108	124	129	189	165	138	119	62	16	9	-	-
	White-----M--	875	124	20	3	2	1	6	2	8	10	13	18	25	35	62	66	87	72	94	75	72	51	19	7	4	-	-
	F--	660	91	12	3	2	3	4	4	6	13	10	13	14	23	25	24	28	40	85	81	62	65	40	8	4	-	-
	Nonwhite--M--	143	40	6	1	-	2	3	-	2	3	4	2	7	13	12	10	5	13	6	6	3	2	1	1	1	-	-
	F--	88	29	4	1	1	-	2	-	1	1	5	4	3	9	1	8	4	4	4	3	1	1	2	-	-	-	-
117	Ulcer of stomach or duodenum	314	-	-	-	-	-	-	-	1	2	5	11	17	19	41	44	48	44	43	19	13	3	3	1	-	-	-
	White-----M--	264	-	-	-	-	-	-	-	1	2	1	10	14	16	35	41	43	38	31	17	9	2	3	1	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	2	1	1	2	3	1	3	3	10	2	4	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	2	3	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Contd.																											
119,120	Diarrhea, enteritis, etc.*	172	85	11	5	-	-	3	1	1	8	2	7	6	4	9	1	2	5	6	3	3	4	4	1	1	-	-
	White—M	75	43	4	2	-	-	-	1	1	2	-	2	4	3	2	1	1	2	1	2	1	1	1	-	1	-	-
	F	72	26	5	2	-	-	3	-	-	6	2	4	1	1	6	-	1	3	5	1	2	2	1	1	-	-	-
	Nonwhite—M	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	6	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-
121	Appendicitis	292	-	1	5	5	2	9	12	17	17	14	3	11	27	26	38	35	22	15	14	9	8	2	-	-	-	-
	White—M	161	-	1	2	3	1	3	7	10	9	4	2	4	14	13	27	21	13	8	8	5	4	2	-	-	-	-
	F	115	-	-	3	2	1	6	5	6	7	7	1	5	11	11	11	12	9	6	6	3	3	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	2	-	1	-	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	399	18	2	1	-	1	2	-	4	6	7	9	19	9	25	46	33	50	53	43	31	25	9	4	2	-	-
	White—M	175	8	2	-	-	1	-	-	-	2	2	1	4	5	9	22	16	21	23	21	16	15	5	1	1	-	-
	F	192	7	-	1	-	-	2	-	3	2	3	4	11	3	13	21	13	27	26	21	15	10	4	3	1	-	-
	Nonwhite—M	15	1	-	-	-	-	-	-	1	1	-	1	2	-	2	2	2	1	1	1	-	-	-	-	-	-	-
	F	17	2	-	-	-	-	-	-	-	1	2	3	2	1	1	1	2	1	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	564	-	-	-	1	-	2	-	-	-	3	10	21	51	63	74	88	80	68	54	33	10	5	1	-	-	-
	White—M	359	-	-	-	1	-	2	-	-	-	1	7	10	28	35	47	67	56	48	33	19	6	-	-	-	-	-
	F	184	-	-	-	-	-	-	-	-	-	1	3	9	19	25	24	19	22	18	20	13	5	5	1	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	1	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	1	1	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	282	1	-	-	-	-	-	-	-	1	4	4	7	18	22	30	34	37	42	40	32	7	2	1	-	-	-
	White—M	88	1	-	-	-	-	-	-	-	-	1	-	4	4	9	12	12	11	8	13	11	2	-	-	-	-	-
	F	189	-	-	-	-	-	-	-	-	1	3	3	3	13	13	18	22	25	32	27	21	5	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
130-132	Nephritis	3,068	1	2	1	1	2	3	5	15	20	15	39	56	94	140	197	235	314	395	447	481	344	175	72	12	1	1
	White—M	1,405	-	2	-	1	2	1	3	9	7	7	20	24	38	61	100	102	139	178	218	224	161	79	28	1	-	-
	F	1,359	1	-	1	-	-	2	2	6	12	5	12	24	37	57	65	90	138	183	196	228	165	90	36	8	-	1
	Nonwhite—M	151	-	-	-	-	-	-	-	-	-	2	2	3	8	6	14	21	20	15	20	18	13	1	5	3	-	-
	F	153	-	-	-	-	-	-	-	-	1	1	5	5	11	16	18	22	17	19	13	11	5	5	3	-	1	-
137	Diseases of the prostate	227	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	11	17	44	39	54	35	19	1	1	-	-
	White—M	217	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	9	17	43	38	52	34	18	1	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	2	1	1	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	71	-	-	-	-	-	-	-	4	12	19	22	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	63	-	-	-	-	-	-	-	4	10	17	19	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	31	-	-	-	-	-	-	1	3	6	7	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	3	4	6	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	60	-	-	-	-	-	-	-	5	11	14	14	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	3	10	12	13	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	486	409	22	6	5	2	8	1	11	6	5	1	2	1	3	1	-	1	-	1	1	-	-	-	-	-	-
	White—M	256	220	8	4	3	1	5	1	3	4	3	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	209	169	14	2	2	1	3	-	8	2	2	1	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M	10	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	865	865	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	431	431	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	329	329	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	552	-	-	-	-	-	-	1	12	21	39	44	44	47	69	58	69	48	46	22	20	9	1	-	1	-	1
	White—M	388	-	-	-	-	-	-	1	8	14	22	27	34	28	42	45	52	34	40	20	14	6	-	-	1	-	-
	F	151	-	-	-	-	-	-	-	3	7	15	15	8	17	25	13	16	13	6	2	6	3	1	-	-	-	1
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	105	7	1	1	-	1	1	2	2	18	9	10	15	8	12	4	9	2	3	-	-	-	-	-	-	-	-
	White—M	43	4	-	-	-	1	-	1	-	4	3	3	7	4	6	3	4	2	1	-	-	-	-	-	-	-	-
	F	15	3	1	1	-	-	1	1	1	2	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	38	-	-	-	-	-	-	-	1	11	4	7	6	3	4	-	1	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	2	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	783	-	2	7	12	6	24	25	61	66	58	47	46	45	54	63	62	55	55	44	28	16	5	1	-	-	-
	White—M	580	-	-	4	9	2	19	18	47	51	49	36	32	29	37	44	44	45	42	34	20	13	4	1	-	-	-
	F	148	-	2	3	3	2	5	5	10	9	5	8	9	9	11	11	15	8	11	10	8	3	1	-	-	-	-
	Nonwhite—M	49	-	-	-	-	2	-	3	4	6	4	2	4	7	6	7	2	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,922	64	25	21	13	6	37	60	70	60	71	76	71	86	96	131	144	131	165	158	149	132	105	38	10	1	2
	White—M	1,127	35	16	10	7	2	24	42	50	50	59	56	50	62	79	96	109	92	85	65	50	45	29	10	2	-	2
	F	639	18	8	8	2	2	7	9	8	4	7	9	4	13	10	24	32	33	69	87	96	82	72	26	8	1	-
	Nonwhite—M	117	7	-	1	1	-	5	9	12	4	4	9	16	10	4	9	2	6	7	3	2	1	3	2	-	-	-
	F	39	4	1	2	3	2	1	-	-	2	1	2	1	1	3	2	1	-	4	3	1	4	1	-	-	-	-
	All other causes*	3,737	660	24	16	16	12	26	28	28	68	63	89	106	145	169	236	208	221	289	308	344	328	212	108	25	6	2
	White—M	1,806	364	11	7	10	7	16	14	9	35	25	35	39	59	69	129	104	120	161	145	171	138	84	42	8	2	2
	F	1,643	244	7	8	4	4	9	11	16	20	23	38	54	61	77	77	94	88	110	141	165	186	124	63	17	2	-
	Nonwhite—M	133	31	5	1	2	-	1	3	-	2	2	6	5	8	11	17	8	8	7	11	4	1	-	-	-	-	-
	F	155	21	1	-	-	1	-	-	3	11	13	10	8	17	12	13	2	5	11	11	4	3	4	3	-	2	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	All causes	5,203	1,383	174	62	34	24	72	74	143	157	114	133	151	173	189	267	249	314	360	318	363	243	125	48	15	12	6
	White—M	2,779	688	77	31	17	12	36	45	59	75	60	63	70	99	116	157	145	186	222	175	209	129	65	29	7	4	3
	F	2,087	611	88	27	12	10	29	24	64	64	43	46	64	66	62	94	97	104	118	133	137	106	59	16	8	7	3
	Nonwhite—M	180	42	6	2	2	-	6	1	9	7	8	11	4	5	9	11	3	16	14	8	10	4	1	2	-	-	-
	F	157	42	8	2	3	2	1	4	12	11	3	13	13	3	2	5	4	8	6	2	7	4	-	1	-	1	-
1,2	Typhoid, paratyphoid fever	9	-	-	-	-	-	-	3	2	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	37	24	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	17	1	2	2	4	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	272	2	2	2	-	-	3	2	28	23	18	29	27	28	21	22	19	17	12	9	6	2	-	-	-	-	-
	White—M	142	1	2	2	-	-	-	1	1	4	8	11	17	23	14	17	14	11	7	4	3	2	-	-	-	-	-
	F	76	-	-	-	-	-	-	-	16	9	6	11	6	3	7	4	3	3	3	3	2	-	-	-	-	-	-
	Nonwhite—M	24	1	-	-	-	-	3	-	3	2	3	2	-	1	-	1	1	2	2	2	1	-	-	-	-	-	-
	F	30	-	-	-	-	-	-	1	8	8	1	5	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	31	2	3	2	-	1	2	3	4	3	4	3	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	10	-	-	1	-	1	1	-	2	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	11	2	1	1	-	-	1	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	64	42	10	4	-	1	1	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-
	White—M	30	21	2	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	F	16	13	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	54	10	-	-	-	-	-	-	-	2	-	2	5	5	-	5	3	8	9	2	2	1	-	-	-	-	-
	White—M	28	3	-	-	-	-	-	-	-	-	-	1	1	4	-	1	2	6	5	2	2	1	-	-	-	-	-
	F	21	7	-	-	-	-	-	-	-	2	-	1	4	1	-	2	1	-	3	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
32	Influenza	72	20	3	4	-	1	2	2	3	-	3	-	1	3	-	6	3	2	5	3	6	2	1	-	1	-	-
	White—M	36	11	2	1	-	1	1	2	-	-	1	-	-	2	-	4	2	-	4	-	3	1	1	-	-	-	-
	F	32	7	-	3	-	-	1	-	3	-	2	-	1	1	-	2	1	2	2	3	2	1	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	35	13	7	3	2	-	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	10	1	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	3	5	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	1	1	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	126	-	-	-	-	-	-	-	-	-	1	1	4	4	6	12	5	18	27	23	12	11	1	-	-	1	-
	White—M	69	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	2	9	15	14	7	6	1	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	1	-	2	2	1	5	2	7	9	9	4	5	-	-	-	1	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	34	-	-	-	-	-	-	-	-	-	-	1	4	3	7	7	2	4	1	2	-	3	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	-	-	-	1	3	3	7	7	2	4	1	2	-	3	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
50	Cancer of breast	31	-	-	-	-	-	-	-	-	-	-	3	1	-	4	3	3	5	7	4	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	2	1	-	4	3	3	4	7	4	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	97	-	-	-	1	-	-	1	-	-	2	2	4	3	10	7	7	13	14	13	10	8	-	1	-	-	1
	White—M	65	-	-	-	1	-	-	-	-	-	1	1	1	1	9	4	4	10	10	6	9	7	-	-	-	-	1
	F	31	-	-	-	-	-	-	1	-	-	1	1	3	2	1	3	3	3	4	7	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	2	3	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	50	-	-	-	-	-	1	-	1	-	-	-	2	2	3	2	10	5	9	5	9	-	-	-	-	-	1
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	5	1	7	2	4	-	-	-	-	-	1
	F	25	-	-	-	-	-	1	-	1	-	-	-	1	-	2	1	5	4	2	3	5	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66b	Exophthalmic goiter	7	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (exclusive of alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	11	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	209	2	-	-	2	-	-	1	-	1	-	-	3	3	5	14	19	21	30	32	35	25	14	2	-	-	-
	White—M	105	1	-	-	2	-	-	1	-	-	-	-	1	1	1	8	8	10	19	17	17	11	6	2	-	-	-
	F	94	1	-	-	-	-	-	-	-	1	-	-	2	2	1	5	11	11	10	15	16	11	8	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	2	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	47	7	6	1	1	-	-	3	3	4	-	-	1	1	7	2	2	3	1	3	2	-	-	-	-	-	-
	White—M	23	3	2	-	-	-	-	1	1	4	-	-	-	1	3	1	2	2	-	1	2	-	-	-	-	-	-
	F	22	4	4	1	1	-	-	2	1	-	-	-	1	-	4	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	27	4	2	-	2	1	2	1	3	-	1	2	-	3	2	-	1	-	-	2	1	-	-	-	-	-	-
	White—M	12	1	-	-	2	1	-	1	-	-	1	1	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	15	3	2	-	-	-	2	-	3	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	74	-	-	-	-	1	3	4	5	1	3	3	4	3	4	5	6	8	5	8	5	2	3	1	-	-	-
	White—M	36	-	-	-	-	1	1	3	3	1	-	2	-	3	2	1	4	5	4	3	2	1	-	-	-	-	-
	F	36	-	-	-	-	-	2	1	2	-	3	1	3	-	2	4	2	3	1	4	3	1	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	152	-	-	-	-	-	-	-	1	-	-	1	3	4	13	17	20	21	28	13	17	11	3	-	-	-	-
	White—M	97	-	-	-	-	-	-	-	-	-	-	1	2	3	10	13	14	13	16	8	12	5	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	1	-	-	-	1	1	2	4	6	7	10	5	4	6	3	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	441	1	-	1	-	-	3	4	5	3	1	4	5	18	10	37	33	54	52	52	77	45	26	8	1	1	-
	White—M	247	1	-	-	-	-	1	1	1	2	-	1	2	9	7	22	13	33	34	28	48	24	14	4	1	1	-
	F	173	-	-	1	-	-	2	3	4	1	1	1	3	9	3	13	19	17	13	22	26	20	12	3	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	4	-	1	1	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	2	2	-	-	-	-	-	-
107-109	Pneumonia (all forms)	350	170	25	10	1	1	6	4	5	2	3	3	8	4	8	9	10	17	11	11	23	10	6	1	1	-	1
	White—M	176	74	12	5	-	-	4	2	3	-	1	2	5	2	5	9	7	11	5	7	13	5	4	-	-	-	-
	F	143	77	13	5	-	-	2	2	2	2	2	1	2	2	2	-	2	5	6	3	6	5	2	-	1	-	1
	Nonwhite—M	18	12	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-
	F	13	7	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	26	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	3	4	9	-	-	1	-	1	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	3	9	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
119,120	Diarrhea, enteritis, etc.*	224	179	24	5	-	2	4	-	-	2	-	1	1	-	-	2	-	1	2	-	-	-	-	1	-	-	-
	White—M	107	85	11	3	-	-	3	-	-	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	106	88	11	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
	Nonwhite—M	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	36	-	-	1	-	-	1	5	3	2	4	-	2	2	5	4	2	3	1	-	-	1	-	-	-	-	-
	White—M	21	-	-	1	-	-	-	3	2	1	3	-	-	1	3	4	1	1	1	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	2	-	1	1	-	1	1	1	-	1	2	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	46	5	1	1	1	1	1	-	1	2	-	1	3	1	5	3	4	2	2	3	3	2	3	-	-	-	1
	White—M	22	3	-	-	1	1	-	-	1	1	-	1	2	-	1	2	2	2	1	1	2	-	-	-	-	-	1
	F	22	2	1	1	-	-	-	-	-	1	-	-	1	1	4	1	2	-	-	2	1	2	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	27	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	2	3	5	1	5	1	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	5	1	3	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-	2	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	20	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	3	2	1	2	1	1	1	2	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	-	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	2	-	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	234	-	-	2	-	2	3	1	4	6	1	-	5	10	15	17	23	17	35	27	29	20	10	4	-	2	1
	White—M	122	-	-	2	-	1	2	1	1	3	1	-	1	2	11	7	12	7	19	16	13	13	6	4	-	-	-
	F	108	-	-	-	-	1	1	-	3	2	-	-	4	8	4	10	11	9	16	10	15	7	4	-	-	2	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	8	5	2	-	1	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	8	5	2	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	25	-	-	-	-	-	-	-	4	7	5	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	4	6	5	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	18	-	-	-	-	-	-	-	1	5	4	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	1	4	4	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	25	-	-	-	-	-	-	-	2	7	2	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	2	6	2	6	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	67	60	3	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	34	31	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	24	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	128	128	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	55	-	-	-	-	-	-	-	2	8	5	4	4	5	5	6	6	4	1	3	1	1	-	-	-	-	-
	White—M	33	-	-	-	-	-	-	-	1	5	4	3	-	2	4	3	5	1	1	2	1	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	2	1	1	4	3	1	2	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	33	1	-	-	-	-	-	-	4	1	1	3	5	4	2	5	1	4	1	-	-	-	1	-	-	-	-
	White—M	25	1	-	-	-	-	-	-	2	1	-	1	5	4	2	3	1	4	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	129	1	5	2	-	1	3	7	15	8	13	9	6	10	7	14	6	5	8	2	5	2	-	-	-	-	-
	White—M	104	-	2	2	-	1	2	6	13	5	11	6	6	10	6	11	4	5	6	1	5	2	-	-	-	-	-
	F	18	-	3	-	-	-	1	1	2	2	1	-	-	-	1	2	2	-	2	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	288	13	9	5	13	2	13	12	21	42	25	13	17	13	12	12	12	6	14	8	9	6	8	3	-	-	-
	White—M	210	6	4	4	7	1	7	9	15	38	24	11	15	8	8	10	12	5	11	5	5	1	3	1	-	-	-
	F	59	6	5	1	3	1	5	3	3	2	-	1	1	4	2	1	-	1	1	3	4	5	5	2	-	-	-
	Nonwhite—M	15	1	-	-	1	-	-	-	2	2	1	1	1	1	2	1	-	-	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes#	1,431	602	61	15	5	6	9	12	20	21	15	29	18	29	26	42	41	64	64	86	95	82	46	23	11	8	1
	White—M	728	295	30	5	3	2	5	7	9	4	3	14	6	13	16	20	24	39	38	54	47	43	27	16	5	3	-
	F	630	273	30	9	2	4	4	5	10	17	11	10	7	14	8	21	16	17	24	30	45	37	18	7	6	4	1
	Nonwhite—M	32	15	-	-	-	-	-	-	-	-	-	3	2	1	-	1	1	5	-	2	1	-	1	-	-	-	-
	F	41	19	1	1	-	-	-	-	1	-	1	2	3	1	2	-	-	3	2	-	2	2	-	-	-	1	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	All causes	149,820	7,814	536	266	230	185	760	672	1,288	1,530	2,187	2,952	3,946	5,633	8,437	11,350	13,688	15,135	18,432	18,283	15,576	11,464	5,713	1,897	407	66	23
	White—M	77,845	4,140	281	133	122	104	426	365	681	904	923	1,246	1,908	2,924	4,788	6485	8,145	9,018	9,942	9,318	7,498	5,150	2,368	710	134	21	16
	F	64,431	8,074	207	108	81	63	252	227	456	666	926	1,122	1,456	2,024	2,933	4,094	4,906	6,534	7,973	8,597	7,840	6,160	3,261	1,160	267	40	4
	Nonwhite—M	4,010	351	24	12	15	11	50	37	72	125	152	257	337	385	408	427	358	332	260	200	82	68	32	9	3	2	1
	F	3,534	249	24	13	12	7	32	43	79	185	186	227	250	300	308	344	279	251	257	168	156	85	52	18	3	3	2
1,2	Typhoid, paratyphoid fever	22	1	-	-	-	-	-	1	4	-	1	2	1	3	1	1	4	1	1	1	-	-	-	-	-	-	-
	White—M	17	1	-	-	-	-	-	1	3	-	1	2	1	2	-	1	3	-	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	123	11	6	2	4	-	2	5	6	8	14	11	10	10	5	9	4	7	7	1	1	-	-	-	-	-	-
	White—M	82	8	3	1	2	-	1	2	6	5	9	8	8	9	3	4	3	5	4	1	-	-	-	-	-	-	-
	F	30	2	-	1	2	-	-	3	-	1	4	2	2	1	-	5	1	2	3	-	1	-	-	-	-	-	-
	Nonwhite—M	7	1	1	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	24	2	1	2	1	-	9	3	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	-	-	2	1	-	3	3	-	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	F	10	1	1	-	-	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	145	110	20	5	4	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	64	52	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	64	44	11	1	2	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	7	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	17	1	2	2	-	2	3	-	-	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	1	-	2	-	-	2	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,622	16	7	4	8	6	14	37	172	361	431	516	520	553	608	588	534	445	331	243	136	65	20	5	1	-	1
	White—M	3,194	6	4	1	1	3	3	7	43	79	139	219	270	312	410	428	405	327	236	178	80	31	11	1	-	-	-
	F	1,375	5	3	-	2	1	2	8	67	140	162	158	117	124	100	95	82	93	75	48	51	30	7	4	1	-	-
	Nonwhite—M	609	3	-	1	3	1	5	5	25	41	58	83	86	86	74	50	35	22	11	14	2	3	1	-	-	-	-
	F	444	2	-	2	2	1	4	17	37	101	72	56	47	31	24	15	12	3	9	3	3	1	1	-	-	-	1
14-22	Tuberculosis (other forms)	451	16	35	16	4	3	15	15	27	39	36	34	37	31	26	33	23	21	14	11	10	4	1	-	-	-	-
	White—M	174	6	16	5	1	1	3	6	7	6	15	11	14	14	13	15	11	10	6	6	3	4	1	-	-	-	-
	F	139	5	9	6	-	1	9	2	9	13	10	8	8	7	8	7	11	8	7	5	6	-	-	-	-	-	-
	Nonwhite—M	72	4	3	2	1	1	2	3	4	10	4	7	12	4	4	6	1	2	1	-	1	-	-	-	-	-	-
	F	66	1	7	3	2	-	1	4	7	10	7	8	3	6	1	5	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	45	5	2	-	2	1	3	-	-	-	-	3	1	4	4	4	3	2	6	1	1	3	-	-	-	-	-
	White—M	16	2	1	-	1	-	2	-	-	-	-	1	-	-	4	2	1	1	1	-	-	-	-	-	-	-	-
	F	24	2	1	-	1	1	1	-	-	-	-	-	1	3	-	1	2	1	5	1	1	3	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	7	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,896	23	3	-	3	-	-	2	1	20	36	70	93	174	201	261	288	243	234	140	70	22	10	2	-	-	-
	White—M	1,087	8	-	-	-	-	-	1	1	7	6	11	27	76	115	153	188	165	158	100	46	16	7	2	-	-	-
	F	318	3	1	-	-	-	-	1	-	2	11	11	14	26	32	40	45	47	43	20	17	5	-	-	-	-	-
	Nonwhite—M	342	8	2	-	2	-	-	-	-	5	9	27	40	55	40	50	40	25	20	16	2	1	-	-	-	-	-
	F	149	4	-	-	1	-	-	-	-	6	10	21	12	17	14	18	15	6	13	4	5	-	3	-	-	-	-
33	Influenza	305	58	22	10	5	4	8	1	-	3	3	5	3	19	11	15	16	13	27	22	20	23	10	5	2	-	-
	White—M	146	31	11	5	4	2	3	1	-	1	1	1	-	10	7	7	10	6	12	11	8	8	4	3	-	-	-
	F	147	23	10	5	1	1	5	-	-	2	1	2	3	8	4	7	5	7	15	11	12	15	6	2	2	-	-
	Nonwhite—M	10	3	1	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	13	2	5	-	-	1	2	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	6	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	3	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	29	1	1	1	1	1	7	9	4	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	20	-	1	-	-	1	6	6	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	1	1	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	10,241	-	-	1	-	-	7	4	7	17	35	92	145	313	550	936	1,314	1,508	1,789	1,506	1,139	586	238	41	10	2	1
	White—M	5,382	-	-	1	-	-	2	3	5	5	16	43	68	161	279	478	756	844	966	800	564	269	98	21	2	-	1
	F	4,573	-	-	-	-	-	4	1	2	11	17	43	65	130	238	415	515	620	783	685	566	313	136	19	8	2	-
	Nonwhite—M	162	-	-	-	-	-	1	-	-	-	1	3	7	18	16	29	23	25	21	12	4	1	1	-	-	-	-
	F	124	-	-	-	-	-	-	-	-	1	1	3	5	4	17	14	20	19	19	9	5	3	3	1	-	-	-
48,49	Cancer of female genital organs	2,461	-	-	-	1	-	-	-	5	5	19	56	125	193	270	337	341	325	317	231	142	73	15	6	-	-	-
	White—F	2,299	-	-	-	1	-	-	-	4	5	19	42	107	168	245	317	320	311	304	227	138	71	14	6	-	-	-
	Nonwhite—F	162	-	-	-	-	-	-	-	1	-	-	14	18	25	25	20	21	14	13	4	4	2	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Contd.																											
50	Cancer of breast	2,367	-	-	-	-	-	-	-	-	3	12	60	98	179	251	301	282	343	266	233	171	119	38	10	1	-	-
	White-----M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	2	6	3	3	-	-	-	-	-
	F	2,264	-	-	-	-	-	-	-	-	3	12	56	89	168	239	289	264	331	263	221	166	115	37	10	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	78	-	-	-	-	-	-	-	-	-	-	4	9	11	12	11	13	8	1	5	2	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	6,967	5	7	9	17	4	26	32	35	54	54	79	152	290	468	697	938	1,014	1,033	882	625	374	137	32	2	1	-
	White-----M	4,970	2	2	5	10	3	16	17	23	32	30	53	99	176	304	506	693	737	770	640	473	272	89	17	1	-	-
	F	1,793	3	5	4	7	1	10	13	11	17	19	23	38	95	135	167	221	245	246	230	144	97	46	14	1	1	-
	Nonwhite--M	135	-	-	-	-	-	-	1	-	4	4	2	6	12	21	16	16	25	11	6	5	3	2	1	-	-	-
	F	69	-	-	-	-	-	-	1	1	1	1	1	9	7	8	8	8	7	6	6	3	2	-	-	-	-	-
58	Acute rheumatic fever	176	1	1	1	2	2	21	18	21	19	15	20	15	16	7	5	3	2	1	1	4	1	-	-	-	-	-
	White-----M	81	-	1	-	1	2	8	8	11	12	8	8	5	6	1	4	1	1	1	-	3	-	-	-	-	-	-
	F	80	1	-	1	1	-	9	7	10	5	5	11	8	9	6	1	2	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	2	2	-	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,352	-	1	1	2	1	4	11	16	18	18	25	39	75	200	388	633	937	1,081	928	580	280	88	22	4	-	-
	White-----M	1,759	-	-	-	1	-	1	3	2	3	3	10	19	32	74	130	209	293	343	321	176	104	29	6	-	-	-
	F	3,421	-	1	1	1	1	3	7	14	14	12	11	15	38	106	231	398	612	713	594	401	171	57	16	4	-	-
	Nonwhite--M	51	-	-	-	-	-	-	-	-	1	1	2	1	3	7	6	6	8	10	2	2	-	2	-	-	-	-
	F	121	-	-	-	-	-	-	1	-	-	2	2	4	2	13	21	20	24	15	11	1	5	-	-	-	-	-
63b	Exophthalmic goiter	303	-	-	-	-	-	-	-	1	7	9	9	14	29	35	38	47	44	26	23	14	7	-	-	-	-	-
	White-----M	47	-	-	-	-	-	-	-	-	2	-	-	4	4	6	5	7	7	5	5	2	-	-	-	-	-	-
	F	241	-	-	-	-	-	-	-	1	5	6	9	10	20	28	32	37	35	21	18	12	7	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	3	-	-	4	1	1	2	2	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	2	1	1	-	-	-	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	342	-	-	-	-	-	-	-	-	4	3	28	42	55	58	56	43	24	13	8	4	2	1	-	-	-	1
	White-----M	256	-	-	-	-	-	-	-	-	-	2	13	31	41	42	45	37	20	12	8	2	2	-	-	-	-	1
	F	52	-	-	-	-	-	-	-	-	1	-	8	6	6	10	8	6	4	-	-	2	-	1	-	-	-	-
	Nonwhite--M	25	-	-	-	-	-	-	-	-	1	1	4	3	6	6	3	-	-	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	10,033	6	4	1	5	-	7	7	15	15	30	51	89	178	369	611	791	1,052	1,470	1,700	1,564	1,259	589	182	32	6	-
	White-----M	4,375	3	3	1	3	-	5	2	9	7	13	20	33	60	162	256	346	502	695	753	695	516	217	60	13	1	-
	F	5,331	3	1	-	1	-	2	5	6	8	14	24	45	94	172	297	404	514	734	912	848	736	368	119	19	5	-
	Nonwhite--M	128	-	-	-	-	-	-	-	-	-	-	4	1	6	11	27	17	17	17	16	6	3	2	1	-	-	-
	F	199	-	-	-	1	-	-	-	-	-	3	3	10	18	24	31	24	19	24	19	15	4	2	2	-	-	-
60-82, 84-88	Other diseases of nervous system, etc.*	1,353	65	18	12	10	9	40	35	52	62	67	78	91	102	108	109	103	95	108	92	58	27	9	2	-	-	1
	White-----M	734	37	10	6	7	8	21	21	26	38	31	40	51	56	55	59	61	55	56	51	29	10	5	1	-	-	-
	F	544	25	8	5	2	1	17	14	18	22	31	28	30	37	46	45	37	38	51	39	28	17	4	-	-	-	1
	Nonwhite--M	40	2	-	-	1	-	-	-	5	2	4	7	5	4	3	2	3	1	-	-	-	-	-	1	-	-	-
	F	35	1	-	1	-	-	2	-	3	-	1	3	5	5	4	3	2	1	1	2	1	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	413	61	16	11	14	12	26	15	18	19	18	18	20	21	24	20	28	15	16	21	11	2	6	-	-	1	-
	White-----M	223	26	9	9	10	6	14	8	10	12	6	10	10	9	19	12	16	9	8	13	3	2	1	-	-	1	-
	F	159	27	6	2	3	5	11	6	6	6	8	6	8	9	4	7	12	5	8	8	8	-	4	-	-	-	-
	Nonwhite--M	23	6	-	-	1	1	1	1	2	1	2	1	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	2	1	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	3,212	-	-	2	2	3	45	68	134	147	181	250	280	290	294	322	243	201	179	208	161	114	64	19	5	-	-
	White-----M	1,417	-	-	1	1	2	20	26	60	54	76	109	124	128	144	148	122	95	79	80	70	48	26	4	-	-	-
	F	1,636	-	-	1	1	1	18	31	62	87	93	126	133	144	138	161	112	98	95	124	88	65	38	15	5	-	-
	Nonwhite--M	66	-	-	-	-	-	3	4	5	4	6	4	10	5	4	8	4	5	3	1	-	-	-	-	-	-	-
	F	93	-	-	-	-	-	4	7	7	2	6	11	13	13	8	5	5	3	2	3	3	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	14,485	1	-	-	-	-	-	1	1	8	19	68	210	533	1,027	1,551	1,902	2,198	2,278	1,972	1,404	844	341	98	26	1	2
	White-----M	9,933	1	-	-	-	-	-	1	-	4	11	57	164	426	831	1,218	1,471	1,580	1,512	1,191	809	436	164	43	13	-	1
	F	4,219	-	-	-	-	-	-	-	1	3	7	10	28	68	151	267	387	576	735	764	583	398	173	54	13	-	1
	Nonwhite--M	216	-	-	-	-	-	-	-	-	1	-	1	9	25	33	43	35	32	16	9	5	4	2	1	-	-	-
	F	117	-	-	-	-	-	-	-	-	-	1	-	9	14	12	23	9	10	15	8	7	6	2	-	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	36,461	8	2	3	1	1	10	10	42	57	90	178	281	554	1,251	2,060	2,887	4,117	5,287	6,018	5,673	4,557	2,375	798	172	26	3
	White-----M	18,145	4	-	2	-	1	5	6	20	29	38	82	142	302	715	1,156	1,724	2,252	2,784	2,996	2,607	1,988	926	293	62	9	2
	F	16,956	3	1	1	1	-	5	3	20	24	45	65	90	172	400	727	1,004	1,702	2,321	2,885	2,969	2,488	1,412	495	108	15	-
	Nonwhite--M	654	1	1	-	-	-	-	1	1	3	2	15	23	46	71	87	81	86	84	66	26	40	13	3	1	2	1
	F	706	-	-	-	-	-	-	-	1	1	5	16	26	34	65	90	78	77	98	71	71	41	24	7	1	-	-
107-109	Pneumonia (all forms)	5,493	787	108	38	25	21	40	28	74	72	76	117	172	210	274	384	344	463	489	567	504	386	210	80	22	1	1
	White-----M	2,917	403	52	16	12	12	19	11	36	41	30	55	84	115	167	246	231	266	288	285	253	168	88	31	6	1	1
	F	2,197	301	46	20	11	5	16	15	34	25	29	41	63	64	80	103	87	170	184	264	246	214	116	49	14	-	-
	Nonwhite--M	230	48	5	2	1	3	5	-	2	2	8	14	15	17	19	21	19	18	12	11	1	3	3	-	1	-	-
	F	149	35	5	-	1	1	-	2	2	4	9	7	10	14	8	14	7	9	5	7	4	1	3	-	1	-	-
117	Ulcer of stomach or duodenum	1,155	4	-	-	-	-	-	1	2	8	12	32	48	74	134	154	192	154	125	99	35	41	8	2	-	-	-
	White-----M	960	1	-	-	-	-	-	-	2	7	5	29	38	64	112	132	166	134	106	75	48	34	6	1	-	-	-
	F	156	3	-	-	-	-	-	-	-	1	6	2	7	6	14	14	23	15	15	23	17	7	2	1	-	-	-
	Nonwhite--M	33	-	-	-	-	-	-	1	-	-	1	1	3	4	8	6	2	3	4	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Contd.																											
119,120	Diarrhea, enteritis, etc.*	602	388	27	9	2	2	6	3	8	11	12	11	9	21	14	11	13	9	12	11	7	14	-	2	-	-	-
	White-----M--	322	213	14	4	2	1	2	1	4	7	5	7	3	13	6	5	6	6	5	6	4	7	-	1	-	-	-
	F--	251	150	12	5	-	1	4	2	4	4	7	4	5	7	8	5	7	3	7	5	3	7	-	1	-	-	-
	Nonwhite--M--	17	15	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	818	1	13	16	15	12	49	37	37	35	32	35	38	46	63	75	75	78	69	50	23	14	4	1	-	-	-
	White-----M--	458	1	9	9	7	8	26	24	25	17	16	14	22	25	39	45	39	36	36	35	13	9	3	-	-	-	-
	F--	320	-	4	5	8	3	19	11	10	17	14	13	16	16	22	28	32	39	32	14	10	5	1	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	1	3	2	-	-	-	6	-	3	1	1	2	2	-	-	-	-	-	-	-	-	-
	F--	19	-	-	2	-	-	1	-	2	1	2	2	-	2	1	1	2	1	1	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	1,245	28	14	3	2	4	12	7	11	11	21	19	39	57	75	94	131	117	148	169	135	91	45	11	1	-	-
	White-----M--	623	25	10	2	1	3	8	4	5	7	10	4	17	24	39	43	54	59	84	79	74	37	18	5	-	-	-
	F--	571	3	4	-	-	1	3	3	4	3	8	10	18	25	28	46	64	57	62	85	61	53	26	6	1	-	-
	Nonwhite--M--	26	-	-	1	1	-	1	-	1	1	2	1	1	4	4	-	3	1	-	4	-	-	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	4	3	4	4	5	-	-	2	1	-	1	-	-	-	-	-
124	Cirrhosis of the liver	1,726	-	3	1	-	-	-	3	3	4	13	34	79	125	196	251	264	213	211	152	100	50	21	3	-	-	-
	White-----M--	1,066	-	1	1	-	-	-	2	1	1	3	17	38	74	122	166	179	149	133	87	52	28	10	2	-	-	-
	F--	607	-	2	-	-	-	-	1	2	2	8	11	35	43	69	75	79	62	77	62	46	21	11	1	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	2	4	5	2	5	4	1	1	3	2	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	2	4	2	3	3	5	2	1	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	815	1	-	-	-	-	-	-	1	2	9	10	26	44	77	98	109	105	121	95	66	37	9	5	-	-	-
	White-----M--	289	-	-	-	-	-	-	-	-	1	1	1	6	13	28	42	49	38	47	33	21	9	-	-	-	-	-
	F--	512	1	-	-	-	-	-	-	-	1	7	9	19	27	49	50	60	66	74	62	45	28	9	5	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	1	-	-	4	-	5	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	7,605	1	4	4	3	4	23	22	53	64	69	96	175	260	407	531	650	821	1,001	1,007	1,045	774	428	125	34	3	1
	White-----M--	3,568	1	2	1	1	2	15	13	19	31	22	40	71	103	183	260	342	431	476	477	510	330	174	52	11	1	-
	F--	3,635	-	1	3	2	2	6	7	29	29	39	37	71	120	172	234	264	342	487	512	505	430	250	69	22	1	1
	Nonwhite--M--	175	-	1	-	-	-	-	1	3	2	5	8	15	16	22	13	21	20	18	11	12	4	1	1	1	-	-
	F--	227	-	-	-	-	-	2	1	2	2	3	11	18	21	30	24	23	28	20	7	18	10	3	3	-	1	-
137	Diseases of the prostate	864	-	-	-	-	-	-	-	-	-	-	1	1	3	6	10	41	79	156	192	181	132	43	16	-	1	-
	White-----M--	841	-	-	-	-	-	-	-	-	-	-	1	1	1	6	10	38	78	150	186	178	131	43	17	-	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	6	6	3	1	-	1	-	-	-
140, 142a, 145a,147	Puerperal septicemia	238	-	-	-	-	-	-	1	12	55	56	64	33	14	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	199	-	-	-	-	-	-	-	8	42	46	56	32	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	39	-	-	-	-	-	-	1	4	13	10	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	84	-	-	-	-	-	-	-	-	13	23	25	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	80	-	-	-	-	-	-	-	-	13	23	23	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	223	-	-	-	-	-	-	-	7	28	63	53	57	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	202	-	-	-	-	-	-	-	6	24	57	48	54	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	-	-	-	-	-	-	-	1	4	6	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,529	1,280	56	24	11	8	25	19	24	14	12	8	17	4	9	7	5	3	1	-	1	1	-	-	-	-	-
	White-----M--	757	636	36	10	5	3	13	11	14	9	5	4	9	2	3	2	2	1	1	-	-	1	-	-	-	-	-
	F--	702	595	18	14	6	4	9	7	10	4	7	4	7	2	5	5	3	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	30	25	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	30	24	1	-	-	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,635	2,635	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,356	1,356	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,032	1,032	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	144	144	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,878	-	-	-	-	-	-	8	27	60	100	147	178	206	250	216	215	175	117	82	57	25	12	2	-	-	1
	White-----M--	1,268	-	-	-	-	-	-	7	21	40	60	88	95	127	174	150	153	132	92	61	38	17	11	2	-	-	-
	F--	564	-	-	-	-	-	-	-	5	14	34	56	75	67	74	63	60	42	24	21	19	8	1	-	-	-	1
	Nonwhite--M--	35	-	-	-	-	-	-	1	1	4	3	3	8	6	2	3	2	1	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	2	3	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	369	17	4	1	1	4	5	2	20	47	40	46	43	34	39	25	15	7	10	7	2	-	-	-	-	-	-
	White-----M--	171	7	2	-	1	1	1	1	7	22	19	14	15	18	23	10	12	4	7	6	1	-	-	-	-	-	-
	F--	65	8	1	-	-	2	3	-	2	3	6	9	9	2	8	6	-	1	3	1	1	-	-	-	-	-	-
	Nonwhite--M--	101	1	1	1	-	-	-	1	10	12	12	16	16	11	7	9	3	1	-	-	-	-	-	-	-	-	-
	F--	32	1	-	-	-	1	1	-	1	10	3	7	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	2,225	4	10	14	25	20	97	64	151	183	159	117	109	123	151	180	187	166	183	143	82	36	17	4	-	-	-
	White-----M--	1,673	1	7	5	14	13	65	45	117	151	119	84	84	89	115	136	159	120	138	103	64	29	11	4	-	-	-
	F--	450	3	3	8	9	5	21	15	31	24	33	19	17	25	27	35	25	42	39	38	18	7	6	-	-	-	-
	Nonwhite--M--	75	-	-	-	1	1	7	3	2	8	5	11	7	5	6	7	3	3	5	1	-	-	-	-	-	-	-
	F--	27	-	-	1	1	1	4	1	1	-	2	3	1	4	3	2	-	1	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	6,120	175	64	33	33	33	157	125	171	226	198	222	272	344	379	372	384	390	423	525	592	495	353	124	19	5	6
	White-----M--	3,592	89	34	18	21	13	104	83	141	176	140	162	204	252	304	288	283	257	234	237	214	162	127	35	8	-	6
	F--	2,229	70	26	10	7	17	33	31	19	27	36	36	35	65	54	70	80	117	181	278	375	333	226	87	11	5	-
	Nonwhite--M--	223	10	2	4	3	1	18	9	9	12	14	19	29	20	18	11	16	13	4	10	1	-	-	-	-	-	-
	F--	76	6	2	1	2	2	2	2	2	11	8	5	4	7	3	3	5	3	4	-	2	-	-	2	-	-	-
	All other causes*	11,319	2,100	80	40	27	25	94	78	126	172	199	259	362	428	589	596	632	745	880	938	926	1,005	620	298	76	19	5
	White-----M--	5,791	1,217	43	23	14	19	57	41	60	93	82	127	143	180	283	319	352	393	492	484	454	479	298	109	18	7	4
	F--	4,955	760	28	14	11	6	32	31	58	61	89	99	158	201	255	241	255	324	366	438	450	514	310	186	57	11	-
	Nonwhite--M--	276	71	6	-	-	-	2	2	2	7	7	12	30	15	24	21	16	17	14	11	10	5	4	-	-	-	-
	F--	297	52	3	3	2	-	3	4	6	11	21	21	31	32	27	15	9	11	8	5	12	7	8	3	1	1	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes	29,414	4,342	385	185	156	103	345	333	652	949	979	1,011	1,155	1,301	1,467	1,850	2,106	2,377	2,866	2,283	1,709	1,485	847	337	75	44	72
	White—M	10,713	1,524	111	62	55	36	120	124	171	306	258	284	336	411	517	688	816	923	1,130	1,000	711	629	343	109	11	3	35
	F	7,902	1,048	97	51	44	30	83	75	117	161	178	200	248	264	284	384	514	639	853	801	666	631	354	135	26	14	5
	Nonwhite—M	5,722	958	86	38	27	21	68	80	181	228	282	269	325	305	366	417	408	449	462	276	185	119	71	52	18	6	23
	F	5,077	812	89	34	30	16	74	54	183	254	261	258	246	321	300	361	368	366	421	206	147	106	79	41	20	21	9
1,2	Typhoid, paratyphoid fever	19	1	1	1	-	-	1	2	2	1	-	5	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	1	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	32	6	5	1	3	1	2	4	4	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	2	2	-	-	1	2	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	2	2	1	3	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	1	1	-	1	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	104	80	11	3	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	17	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	36	27	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	14	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	22	3	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	76	8	13	10	13	15	12	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	39	4	6	6	5	9	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	3	3	3	5	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,326	5	4	1	4	-	8	21	100	197	187	139	111	131	121	111	58	58	36	20	7	5	-	1	-	-	1
	White—M	277	-	-	-	1	-	-	1	4	19	21	26	25	39	43	47	14	16	10	6	3	2	-	-	-	-	-
	F	229	2	-	-	-	-	2	-	7	29	29	24	17	17	15	16	20	18	17	10	3	2	-	1	-	-	-
	Nonwhite—M	366	-	1	1	2	-	3	9	31	53	62	40	33	44	37	29	15	15	6	3	1	-	-	-	-	-	1
	F	434	3	3	-	1	-	3	11	58	96	75	49	36	31	26	19	9	9	3	1	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	135	7	14	7	1	3	7	5	8	16	9	10	10	11	4	6	5	4	6	1	1	-	-	-	-	-	-
	White—M	24	4	3	2	-	-	1	-	1	3	-	3	-	2	1	1	1	-	1	-	1	-	-	-	-	-	-
	F	18	2	4	-	-	-	-	-	-	1	-	1	1	2	-	2	1	1	2	1	-	-	-	-	-	-	-
	Nonwhite—M	60	1	4	3	1	1	3	5	4	5	7	3	7	5	2	2	2	3	2	-	-	-	-	-	-	-	-
	F	33	-	3	2	-	2	3	-	3	7	2	3	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-
27	Dysentery	53	29	3	-	-	-	-	-	-	1	1	-	2	1	2	-	2	1	1	4	4	-	1	1	-	-	-
	White—M	21	9	2	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	3	-	1	1	-	-	-
	F	11	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite—M	10	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	11	6	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	33	4	1	4	2	-	1	1	2	3	2	2	1	1	2	-	1	-	3	2	-	1	-	-	-	-	-
	White—M	9	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	2	1	-	1	-	-	-	-	-
	F	8	1	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	10	1	-	1	1	-	-	1	1	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
30	Syphilis	328	41	1	1	-	1	2	3	9	10	19	27	44	36	32	35	24	20	10	3	6	2	1	-	-	-	1
	White—M	65	2	-	-	-	-	1	1	-	-	1	2	9	5	4	11	9	6	4	2	5	2	1	-	-	-	-
	F	31	6	-	-	-	1	-	1	1	1	1	2	4	3	2	4	-	4	1	-	-	-	-	-	-	-	-
	Nonwhite—M	158	17	-	-	-	-	-	-	2	4	11	18	25	23	18	16	12	8	1	1	1	-	-	-	-	-	1
	F	74	16	1	1	-	-	1	1	6	5	6	5	6	5	8	4	3	2	4	-	-	-	-	-	-	-	-
33	Influenza	299	86	12	5	3	1	6	5	6	6	16	9	13	7	12	19	6	10	21	19	9	14	10	3	1	-	-
	White—M	85	25	1	2	1	1	1	2	2	-	6	2	1	1	3	6	2	3	6	5	3	8	2	1	1	-	-
	F	80	25	2	-	2	-	1	3	-	1	3	2	3	3	1	3	2	2	4	8	4	3	6	2	-	-	-
	Nonwhite—M	65	19	5	-	-	-	-	-	2	3	2	3	5	-	6	4	2	-	6	5	-	2	1	-	-	-	-
	F	69	17	4	3	-	-	4	-	2	2	5	2	4	3	2	6	-	5	5	1	2	1	1	-	-	-	-
35	Measles	55	15	8	3	2	2	10	4	-	2	1	-	1	-	2	1	1	-	-	-	1	1	1	-	-	-	-
	White—M	18	3	3	1	1	-	3	2	-	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	F	21	5	3	1	1	1	3	2	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	1	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	12	1	-	-	2	-	2	2	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	829	-	-	-	1	-	1	1	1	3	3	12	27	34	49	98	97	124	139	111	66	34	24	2	-	-	2
	White—M	313	-	-	-	1	-	-	-	1	2	-	3	9	14	19	35	44	43	48	52	19	13	10	-	-	-	-
	F	314	-	-	-	-	-	1	1	-	1	1	6	4	8	11	31	27	43	58	49	38	19	13	2	-	-	1
	Nonwhite—M	109	-	-	-	-	-	-	-	-	-	2	2	7	1	9	16	14	27	18	7	4	1	-	-	-	-	1
	F	93	-	-	-	-	-	-	-	-	-	-	1	7	11	10	16	12	11	15	3	5	1	1	-	-	-	-
48,49	Cancer of female genital organs	424	-	-	-	-	-	-	-	2	5	7	24	42	43	46	59	56	40	44	26	18	9	1	2	-	-	-
	White—F	271	-	-	-	-	-	-	-	-	3	3	13	23	27	27	36	37	25	29	22	14	9	1	2	-	-	-
	Nonwhite—F	153	-	-	-	-	-	-	-	2	2	4	11	19	16	19	23	19	15	15	4	4	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
50	Cancer of breast	205	-	-	-	-	-	-	-	-	-	2	5	15	13	32	26	27	26	16	26	6	6	1	4	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	-	-	-	-	-
	F	138	-	-	-	-	-	-	-	-	-	1	2	9	5	23	18	19	21	9	21	4	3	-	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	1	3	4	7	8	7	8	5	7	3	1	2	1	1	-	-	-
45,47, 51-55	Cancer (other sites)	791	1	2	1	3	2	9	5	10	7	14	21	34	40	61	63	75	95	94	85	74	61	29	2	1	-	2
	White—M	405	-	1	1	3	-	4	2	4	4	4	9	14	16	26	36	38	52	45	48	47	40	15	1	-	-	-
	F	218	-	1	-	-	2	2	2	2	2	2	2	10	10	19	16	27	25	29	18	18	19	11	1	-	-	-
	Nonwhite—M	100	1	-	-	-	-	2	1	1	-	3	4	4	7	10	7	9	11	14	13	8	2	1	-	1	-	1
	F	68	-	-	-	-	-	1	-	3	1	5	6	6	7	6	4	6	7	6	6	1	-	2	-	-	-	1
58	Acute rheumatic fever	60	-	-	-	1	2	10	13	1	5	3	4	4	2	2	-	2	2	2	2	3	-	1	-	-	-	1
	White—M	20	-	-	-	1	-	4	5	-	1	1	3	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	19	-	-	-	-	-	4	1	1	1	1	-	2	1	-	-	1	2	1	1	2	-	1	-	-	-	-
	Nonwhite—M	11	-	-	-	-	1	-	3	-	2	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	1	2	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
61	Diabetes mellitus	455	-	1	1	-	1	3	3	10	15	9	8	9	20	21	47	41	68	66	56	43	20	9	2	-	-	2
	White—M	157	-	-	1	-	1	-	1	4	5	3	6	4	7	2	14	5	26	26	23	17	6	5	1	-	-	-
	F	160	-	1	-	-	-	-	1	1	4	4	-	2	2	6	13	16	22	28	27	18	12	2	1	-	-	-
	Nonwhite—M	58	-	-	-	-	-	1	1	3	3	1	2	2	5	3	7	7	8	7	2	4	-	1	-	-	-	1
	F	80	-	-	-	-	-	2	-	2	3	1	-	1	6	10	13	13	12	5	4	4	2	1	-	-	-	1
63b	Exophthalmic goiter	30	-	-	-	-	-	-	-	-	1	2	2	-	2	3	4	4	4	6	1	-	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	3	3	1	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	116	-	-	-	-	-	-	-	2	2	6	5	3	3	1	12	10	13	21	7	16	11	2	1	1	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	3	7	3	3	5	1	-	-	-	-
	F	54	-	-	-	-	-	-	-	-	1	1	-	1	-	-	4	7	7	10	4	12	5	1	-	1	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	1	2	-	1	-	1	-	-	3	-	1	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	1	4	2	1	2	-	5	-	3	1	-	-	-	-	1	-	-	-
77	Alcoholism (ethylism)	62	-	-	-	-	-	1	1	1	1	6	10	8	8	3	6	9	5	1	1	1	-	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	2	8	3	6	-	5	6	3	1	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	1	1	1	1	2	-	5	-	2	1	1	2	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,055	9	1	1	1	-	2	1	5	7	19	42	60	128	178	253	353	411	465	428	298	215	111	48	9	6	4
	White—M	1,060	3	-	1	1	-	-	-	1	2	9	6	18	29	42	67	119	149	176	188	113	78	42	15	-	-	1
	F	912	3	-	-	-	-	2	-	1	2	-	8	9	28	39	57	83	103	145	147	123	88	48	21	3	2	-
	Nonwhite—M	518	1	-	-	-	-	-	1	3	-	6	15	14	29	47	57	77	84	67	45	30	19	7	7	4	2	3
	F	565	2	1	-	-	-	-	-	-	3	4	13	19	42	50	72	74	75	77	48	32	30	14	5	2	2	-
80-82, 84-88	Other diseases of nervous system, etc.*	413	47	19	7	8	4	21	22	32	24	33	22	25	31	16	13	26	15	19	11	4	5	4	3	-	-	2
	White—M	121	14	6	2	5	1	6	4	5	11	9	9	3	7	2	3	9	5	10	5	1	2	1	1	-	-	-
	F	89	9	5	3	1	1	4	6	6	2	2	2	5	8	3	3	6	6	5	3	3	2	2	1	-	-	1
	Nonwhite—M	104	12	4	1	-	2	7	8	10	5	9	7	10	6	7	3	8	1	2	1	-	-	-	1	-	-	-
	F	99	12	4	1	2	-	4	4	11	6	13	4	7	10	4	4	3	3	2	2	-	1	1	-	-	-	1
89,104, 115	Diseases of ear, nose, and throat	180	40	10	3	10	3	18	9	12	13	8	8	6	4	8	4	7	4	1	5	1	4	-	1	1	-	-
	White—M	71	16	4	3	3	1	8	2	7	4	2	1	3	2	4	2	3	2	-	2	1	1	-	-	-	-	-
	F	45	3	2	-	5	2	7	2	3	4	3	3	1	1	1	-	4	-	-	-	-	3	-	1	-	-	-
	Nonwhite—M	32	11	1	-	1	-	2	1	1	5	1	3	-	1	2	1	-	1	-	1	-	-	-	-	-	-	-
	F	32	10	3	-	1	-	1	4	1	-	2	1	2	-	1	1	-	1	1	2	-	-	-	-	1	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	414	-	1	-	1	-	14	13	16	10	11	14	18	20	27	28	31	37	55	40	24	29	16	6	3	-	-
	White—M	129	-	-	-	-	-	3	2	1	2	2	2	8	5	4	9	8	18	24	14	12	10	3	1	1	-	-
	F	131	-	-	-	-	-	5	6	9	6	2	2	3	6	4	5	6	9	15	17	9	14	10	1	2	-	-
	Nonwhite—M	84	-	1	-	-	-	1	3	1	1	2	4	6	5	13	7	11	6	9	7	1	3	2	1	-	-	-
	F	70	-	-	-	1	-	5	2	5	1	5	6	1	4	6	7	6	4	7	2	2	2	1	3	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,526	-	1	-	-	-	-	-	3	5	8	22	57	80	117	152	199	225	259	177	109	68	34	5	2	1	2
	White—M	913	-	-	-	-	-	-	-	1	2	-	5	34	53	83	111	137	127	150	96	54	37	19	3	-	-	1
	F	394	-	-	-	-	-	-	-	1	1	1	2	8	10	12	17	41	63	85	67	49	24	11	1	-	1	-
	Nonwhite—M	135	-	-	-	-	-	-	-	1	1	5	8	10	9	16	16	11	22	13	9	5	4	2	1	1	-	1
	F	84	-	1	-	-	-	-	-	-	1	2	7	5	8	6	8	10	13	11	5	1	3	2	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,890	15	5	8	5	4	4	5	18	33	55	75	89	151	200	294	359	427	620	482	380	369	202	61	16	6	7
	White—M	1,533	6	1	4	1	1	2	2	8	3	7	15	21	42	73	93	143	175	260	222	163	166	98	23	1	2	1
	F	1,073	3	1	1	2	-	-	-	1	8	14	14	22	25	24	50	69	101	159	160	148	150	79	23	5	3	1
	Nonwhite—M	680	2	1	2	2	2	2	2	4	8	17	23	25	33	59	78	72	88	103	64	37	26	10	12	4	-	4
	F	604	4	2	1	-	1	-	1	5	14	17	23	21	51	44	73	75	63	98	36	32	17	15	3	6	1	1
107-109	Pneumonia (all forms)	1,617	653	86	26	16	16	19	17	28	25	33	41	39	55	46	57	63	44	73	73	74	58	42	21	5	4	3
	White—M	472	171	25	7	3	5	4	5	5	5	6	8	12	10	16	21	18	14	24	29	33	26	16	8	1	-	-
	F	404	137	20	8	3	2	4	1	1	4	7	10	5	10	9	10	18	9	30	30	29	24	20	10	2	1	-
	Nonwhite—M	430	205	22	7	6	5	8	5	9	10	14	14	15	17	13	20	14	11	9	7	7	4	3	1	2	-	2
	F	311	140	19	4	4	4	3	6	13	6	6	9	7	18	8	6	13	10	10	7	5	4	3	2	-	3	1
117	Ulcer of stomach or duodenum	153	-	-	-	-	-	-	-	1	2	7	9	13	14	16	19	23	18	22	6	2	1	-	-	-	-	-
	White—M	103	-	-	-	-	-	-	-	-	-	2	7	11	7	11	13	17	13	16	4	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	2	-	-	2	1	1	2	-	2	1	-	-	-	-	-	-	-
	Nonwhite—M	30	-	-	-	-	-	-	-	1	1	2	2	1	4	3	4	3	4	3	1	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
119,120	Diarrhea, enteritis, etc.*	522	402	44	18	2	1	5	2	2	3	-	1	3	3	3	1	1	4	9	5	1	3	3	5	1	-	-
	White—M	120	94	9	2	1	-	2	1	1	-	-	-	-	-	1	1	-	1	-	3	-	2	-	2	-	-	-
	F	120	83	13	7	-	1	-	-	1	-	-	-	-	1	1	-	-	-	5	2	-	-	3	3	-	-	-
	Nonwhite—M	133	107	8	2	1	-	2	-	-	2	-	-	2	2	-	-	1	1	3	-	1	-	-	-	1	-	-
	F	149	118	14	7	-	-	1	1	-	1	-	1	1	-	1	-	-	2	1	-	-	1	-	-	-	-	-
121	Appendicitis	212	-	-	2	2	5	15	22	15	22	13	12	17	10	15	16	10	10	6	8	5	3	4	-	-	-	-
	White—M	87	-	-	1	1	3	5	9	6	6	5	8	6	6	8	6	2	3	3	3	4	2	-	-	-	-	-
	F	52	-	-	1	-	1	3	8	3	4	2	2	4	1	3	5	3	4	1	3	1	1	2	-	-	-	-
	Nonwhite—M	45	-	-	-	-	1	4	4	3	7	3	-	4	2	2	4	4	2	2	2	-	-	1	-	-	-	-
	F	28	-	-	-	1	-	3	1	3	5	3	2	3	1	2	1	1	1	-	-	-	-	1	-	-	-	-
122	Hernia, intestinal obstruction	205	21	1	4	1	-	1	1	1	6	11	14	19	11	14	16	14	15	14	13	14	5	5	4	-	-	-
	White—M	58	7	1	3	1	-	-	-	-	1	2	4	-	1	1	6	3	5	8	2	7	3	1	2	-	-	-
	F	58	7	-	-	-	-	-	-	-	2	-	3	7	4	4	3	3	5	2	4	7	2	4	1	-	-	-
	Nonwhite—M	48	4	-	1	-	-	-	1	1	2	5	3	5	1	6	6	1	4	1	6	-	-	-	1	-	-	-
	F	41	3	-	-	-	-	1	-	-	1	4	4	7	5	3	1	7	1	3	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	130	-	1	-	-	1	-	-	1	2	2	3	8	8	13	17	23	16	17	7	6	4	1	-	-	-	-
	White—M	70	-	-	-	-	-	-	-	-	-	1	-	3	4	7	9	17	8	12	4	4	1	-	-	-	-	-
	F	31	-	1	-	-	1	-	-	1	-	-	2	-	2	2	1	4	5	5	1	2	3	1	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	2	-	-	5	2	3	2	1	-	-	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	1	-	-	1	5	1	3	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	85	-	-	-	-	-	-	-	-	1	3	4	6	2	8	10	16	7	11	4	7	4	1	1	-	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	1	1	1	-	2	5	3	2	1	1	3	-	1	1	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	2	3	2	1	6	4	10	4	8	1	4	3	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	2	2	-	-	-	-	-	-	-
130-132	Nephritis	2,983	10	3	3	6	2	9	12	15	37	40	55	93	106	145	208	272	337	491	349	299	273	152	48	5	7	6
	White—M	970	2	1	-	1	1	1	2	7	6	8	9	11	26	42	61	74	107	164	134	118	113	65	16	1	-	-
	F	791	4	-	1	3	1	4	7	3	7	9	11	19	16	24	35	52	81	122	110	105	109	52	12	2	1	1
	Nonwhite—M	650	2	2	1	2	-	1	1	1	10	11	16	34	28	39	59	84	75	110	59	41	35	22	11	-	2	4
	F	572	2	-	1	-	-	3	2	4	14	12	19	29	36	40	53	62	74	95	46	35	16	13	9	2	4	1
137	Diseases of the prostate	112	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	7	12	21	14	20	18	6	5	1	-	-
	White—M	69	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	7	5	12	18	14	4	3	1	-	-
	Nonwhite—M	43	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	5	16	2	2	4	2	2	-	-	-
140, 142a, 145a,147	Puerperal septicemia	95	-	-	-	-	-	-	-	17	23	25	17	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	63	-	-	-	-	-	-	-	8	15	17	12	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	-	-	-	-	-	-	-	9	8	8	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	111	-	-	-	-	-	-	1	24	25	25	17	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	59	-	-	-	-	-	-	-	11	9	16	9	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	52	-	-	-	-	-	-	1	13	16	9	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	101	-	-	-	-	-	-	-	5	18	21	27	23	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	2	6	11	12	16	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	48	-	-	-	-	-	-	-	3	12	10	15	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	377	315	15	8	3	-	15	6	3	4	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	170	149	7	-	-	-	4	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	146	116	6	7	2	-	8	2	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	39	33	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	17	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,285	1,285	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	548	548	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	312	312	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	215	215	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	245	-	-	-	-	-	-	1	13	23	33	20	23	23	22	27	20	16	11	10	1	2	-	-	-	-	-
	White—M	165	-	-	-	-	-	-	-	5	16	19	18	16	14	15	20	15	12	5	7	1	2	-	-	-	-	-
	F	56	-	-	-	-	-	-	-	6	2	7	2	7	5	6	6	5	3	4	3	-	-	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	1	1	5	3	-	-	3	1	-	-	1	2	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	4	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	362	2	1	2	-	-	-	4	34	56	64	60	44	34	20	17	9	11	-	-	1	-	-	-	-	-	3
	White—M	87	-	-	-	-	-	-	1	3	10	12	13	12	10	7	5	7	6	-	-	1	-	-	-	-	-	-
	F	27	1	-	1	-	-	-	1	2	2	2	6	2	8	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	195	-	1	1	-	-	-	2	20	30	39	33	25	12	11	11	2	5	-	-	-	-	-	-	-	-	3
	F	53	1	-	-	-	-	-	-	9	14	11	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	827	1	1	9	14	5	40	35	91	135	96	68	58	55	37	44	33	31	31	17	8	4	3	1	-	-	-
	White—M	496	-	-	4	6	3	24	19	47	92	52	50	37	30	25	28	24	14	18	14	7	2	-	-	-	-	-
	F	105	1	1	3	5	1	5	7	19	14	8	3	11	7	3	3	1	6	2	1	1	2	1	-	-	-	-
	Nonwhite—M	185	-	-	2	-	1	5	7	23	22	30	13	18	16	9	11	8	11	7	-	-	-	1	1	-	-	-
	F	41	-	-	-	3	-	6	2	2	7	6	2	2	2	-	2	-	-	4	2	-	-	1	-	-	-	-
169, 171-195	Other accidents	1,345	132	58	32	32	21	52	73	103	125	91	73	79	59	54	37	35	37	41	49	35	66	29	18	2	1	11
	White—M	612	45	16	13	9	5	18	40	43	82	54	40	39	30	31	14	23	18	16	26	7	21	7	3	1	-	11
	F	277	27	13	9	12	9	10	9	13	8	8	8	5	3	2	5	5	8	17	16	16	41	18	13	1	1	-
	Nonwhite—M	315	29	17	5	3	5	10	17	37	30	26	21	32	21	15	12	5	7	4	4	9	3	2	1	-	-	-
	F	141	31	12	5	8	2	14	7	10	5	3	4	3	5	6	6	2	4	4	3	3	1	2	1	-	-	-
	All other causes*	3,717	1,126	61	23	15	11	49	34	52	73	89	122	115	134	129	145	186	229	234	220	165	189	154	92	27	19	24
	White—M	1,285	408	21	8	8	3	18	17	12	25	25	23	29	39	39	53	71	84	86	92	58	69	50	27	4	1	20
	F	980	263	15	1	2	2	10	8	11	17	16	33	25	32	31	34	41	58	54	70	55	82	68	36	10	5	1
	Nonwhite—M	754	266	13	9	3	1	13	3	16	13	16	29	28	25	29	37	39	46	53	32	32	14	16	13	5	2	1
	F	698	194	12	5	2	5	8	6	13	18	32	37	33	38	30	21	35	41	41	26	20	24	20	16	8	11	2

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	All causes	4,818	488	50	17	15	16	47	40	74	72	83	102	107	121	161	237	298	412	528	547	565	456	268	94	12	2	6
	White—M	2,806	272	29	12	6	9	24	23	45	41	43	52	60	64	95	122	193	270	342	339	329	243	140	45	4	1	3
	F	1,859	193	18	5	8	5	18	13	19	23	35	48	40	50	61	102	102	126	183	201	228	203	120	47	7	1	3
	Nonwhite—M	72	13	2	-	-	1	2	1	3	1	3	1	3	1	3	8	3	9	1	2	4	5	3	2	1	-	-
	F	81	10	1	-	1	1	3	3	7	7	2	1	4	6	2	5	-	7	2	5	4	5	5	-	-	-	-
1,2	Typhoid, paratyphoid fever	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	105	-	-	-	-	-	2	4	12	8	13	6	7	9	6	9	5	9	5	6	3	1	-	-	-	-	-
	White—M	39	-	-	-	-	-	1	-	1	1	3	1	3	3	5	4	3	5	2	3	3	1	-	-	-	-	-
	F	33	-	-	-	-	-	-	2	4	3	7	4	1	2	1	2	1	2	3	1	-	-	-	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	3	-	3	-	2	1	-	3	1	1	-	2	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	1	2	4	4	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	16	1	2	-	-	-	-	-	-	2	1	3	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	11	1	1	-	-	-	-	-	-	2	-	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	24	2	-	-	-	-	-	-	-	-	1	-	1	-	3	-	5	2	5	2	-	2	1	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	5	2	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	35	3	1	1	1	-	-	1	1	1	1	1	-	-	2	-	-	-	2	6	3	3	4	4	-	-	-
	White—M	19	2	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	3	1	2	2	4	-	-	-
	F	15	1	-	1	1	-	-	-	-	1	1	1	-	-	1	-	-	-	1	3	2	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles	7	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	332	-	-	-	-	-	-	-	-	1	-	2	3	9	14	20	34	34	56	52	50	41	11	4	-	-	1
	White—M	208	-	-	-	-	-	-	-	-	1	-	1	-	7	8	15	25	21	34	35	30	26	4	-	-	-	1
	F	119	-	-	-	-	-	-	-	-	-	-	1	1	2	4	5	9	12	22	17	20	15	7	4	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	49	-	-	-	-	-	-	-	-	-	-	2	1	5	5	5	7	7	3	9	4	-	1	-	-	-	-
	White—F	49	-	-	-	-	-	-	-	-	-	-	2	1	5	5	5	7	7	3	9	4	-	1	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
50	Cancer of breast	55	-	-	-	-	-	-	-	-	-	-	1	5	5	4	7	8	8	5	4	2	4	2	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	-	1	5	5	4	7	8	8	5	4	2	4	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	185	-	-	1	-	1	2	-	2	4	2	3	5	4	7	12	11	26	33	28	33	5	4	1	-	-	1
	White—M	138	-	-	1	-	-	2	-	1	3	-	2	3	4	6	3	9	20	26	23	26	4	4	-	-	-	1
	F	44	-	-	-	-	-	-	-	1	1	2	1	2	-	1	8	2	6	7	5	6	1	-	1	-	-	-
	Nonwhite—M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	134	-	-	-	1	-	2	1	2	2	1	-	4	4	2	12	10	14	27	17	19	11	5	-	-	-	-
	White—M	56	-	-	-	-	-	-	1	2	1	1	-	1	1	-	2	5	6	13	8	6	6	3	-	-	-	-
	F	78	-	-	-	1	-	2	-	-	1	-	-	3	3	2	10	5	8	14	9	13	5	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	9	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	3	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	3	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	475	1	-	-	1	-	1	1	-	-	1	3	5	9	10	22	34	51	70	68	92	64	29	11	1	-	1
	White—M	257	1	-	-	1	-	-	1	-	-	-	2	2	5	3	8	15	33	45	44	49	34	8	5	1	-	-
	F	216	-	-	-	-	-	1	-	-	-	1	1	3	4	7	12	19	18	25	24	43	30	21	6	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	63	12	4	1	2	-	1	1	3	1	2	2	4	1	-	4	4	6	3	5	4	1	2	-	-	-	-
	White—M	44	10	2	-	1	-	-	1	2	1	2	2	1	-	-	3	3	6	3	4	2	-	1	-	-	-	-
	F	19	2	2	1	1	-	1	-	1	-	-	-	3	1	-	1	1	-	-	1	2	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	28	8	1	1	-	-	1	2	2	1	-	1	1	1	-	2	1	2	2	-	2	-	-	-	-	-	-
	White—M	15	3	1	1	-	-	1	1	1	1	-	1	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-
	F	11	3	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	90	-	-	-	-	1	3	3	2	2	3	8	5	1	5	8	9	11	6	6	6	5	5	-	1	-	-
	White—M	45	-	-	-	-	1	2	2	1	1	2	2	3	-	3	4	5	5	4	3	4	-	3	-	-	-	-
	F	45	-	-	-	-	-	1	1	1	1	1	6	2	1	2	4	4	6	2	3	2	5	2	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	341	-	-	-	-	-	-	-	-	-	2	2	2	6	17	21	31	46	56	58	56	26	14	4	-	-	-
	White—M	246	-	-	-	-	-	-	-	-	-	1	1	1	5	14	12	25	32	45	39	40	18	11	2	-	-	-
	F	94	-	-	-	-	-	-	-	-	-	1	1	1	1	3	8	6	14	11	19	16	8	3	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	760	1	1	-	1	-	-	-	1	6	4	3	5	11	16	24	34	75	104	115	129	133	73	18	5	-	1
	White—M	448	-	1	-	-	-	-	-	1	1	3	1	2	2	8	14	27	56	52	74	79	66	38	10	3	-	-
	F	287	1	-	-	1	-	-	-	-	3	1	1	2	9	6	9	7	16	42	39	49	61	30	8	1	-	1
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	1	2	3	-	1	-	-
	F	14	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	1	-	2	-	4	2	-	-	-	-
107-109	Pneumonia (all forms)	228	61	15	3	2	-	-	2	5	5	-	3	7	4	8	6	7	17	17	16	17	12	17	3	1	-	-
	White—M	128	28	9	3	2	-	-	-	3	4	-	2	3	4	4	5	5	11	10	9	10	7	8	1	-	-	-
	F	78	24	4	-	-	-	-	1	2	1	-	1	3	-	3	1	2	1	7	7	5	5	8	2	1	-	-
	Nonwhite—M	11	6	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	-	1	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	29	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	6	3	4	4	-	1	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	5	2	4	3	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
119,120	Diarrhea, enteritis, etc.*	36	29	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	White—M	17	13	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	18	15	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	38	-	-	-	2	1	-	2	4	-	1	-	1	1	4	3	3	4	3	5	2	-	2	-	-	-	-
	White—M	24	-	-	-	1	-	-	1	2	-	1	-	1	1	3	2	1	3	2	4	1	-	1	-	-	-	-
	F	11	-	-	-	1	1	-	1	1	-	-	-	-	-	1	1	-	1	1	1	1	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	52	3	-	-	-	-	-	-	1	-	1	3	2	-	1	2	4	2	8	8	5	6	4	1	-	-	1
	White—M	31	3	-	-	-	-	-	-	1	-	1	1	1	-	-	1	2	1	6	4	3	4	2	1	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	1	2	4	2	2	2	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	24	-	1	-	-	-	-	-	1	1	-	-	-	1	1	2	2	3	5	2	5	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	2	3	1	3	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	31	-	-	-	-	-	-	-	1	-	1	-	1	2	4	3	3	4	3	4	3	1	-	1	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	3	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	3	3	3	-	3	1	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	275	1	1	-	1	1	3	-	1	3	4	4	3	8	9	8	21	18	33	45	39	48	18	5	-	1	-
	White—M	152	-	-	-	-	-	1	-	1	1	2	3	1	6	5	3	14	11	19	25	20	24	12	3	-	1	-
	F	117	1	1	-	1	-	2	-	-	2	2	1	2	-	4	5	7	7	14	20	18	23	5	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
137	Diseases of the prostate	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	13	7	3	4	1	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	13	7	3	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	13	-	-	-	-	-	-	-	-	1	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	-	1	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	5	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	11	-	-	-	-	-	-	-	-	3	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	3	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	61	50	2	-	-	-	1	2	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	27	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	23	1	-	-	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	66	-	-	-	-	-	-	-	2	2	6	5	7	7	5	7	6	8	7	2	1	-	1	-	-	-	-
	White—M	55	-	-	-	-	-	-	-	2	2	5	4	6	4	4	5	6	7	7	1	1	-	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	8	1	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	99	-	4	-	1	2	5	4	9	13	9	10	10	6	3	2	3	8	1	3	4	1	1	-	-	-	-
	White—M	78	-	2	-	-	2	3	4	4	11	8	9	9	6	2	2	2	6	1	2	3	1	1	-	-	-	-
	F	19	-	2	-	1	-	2	-	4	2	1	1	1	-	1	-	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	251	7	9	7	1	7	11	9	14	8	10	13	13	5	7	13	17	17	15	17	15	16	14	4	-	1	1
	White—M	175	5	6	5	1	5	7	6	14	7	8	9	12	4	5	12	15	15	13	8	7	4	4	2	-	-	1
	F	75	2	3	2	-	2	3	3	-	1	2	4	1	1	2	1	2	2	2	9	8	12	10	2	-	1	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	633	120	4	1	1	1	10	7	5	7	9	10	6	13	19	37	31	33	46	50	58	69	56	36	4	-	-
	White—M	361	77	3	-	-	1	5	5	3	4	4	5	3	6	13	17	19	24	30	29	26	38	33	16	-	-	-
	F	239	36	1	1	-	-	2	2	1	1	4	5	3	6	6	18	12	6	13	20	29	29	22	18	4	-	-
	Nonwhite—M	17	5	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	3	1	-	1	2	-	2	-	-	-
	F	16	2	-	-	1	-	2	-	1	1	1	-	-	1	-	1	-	-	2	1	2	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	All causes	78,000	5,345	429	215	161	154	444	476	906	1,157	1,286	1,522	1,899	2,648	3,692	4,964	6,188	7,098	8,592	9,480	8,651	7,242	3,921	1,267	256	30	27
	White—M	40,334	2,785	204	100	78	83	252	275	498	544	601	728	910	1,301	1,946	2,726	3,567	4,087	4,625	4,917	4,294	3,411	1,791	504	83	8	16
	F	32,366	2,129	186	89	64	58	151	150	278	418	468	550	696	864	1,256	1,743	2,131	2,679	3,572	4,144	4,106	3,664	2,062	725	153	12	8
	Nonwhite—M	2,973	247	16	12	4	8	25	33	56	95	112	135	151	248	311	278	308	198	233	219	127	93	31	16	13	6	3
	F	2,327	184	23	14	15	10	16	18	74	100	105	109	142	235	169	217	182	134	162	150	124	74	37	22	7	4	-
1,2	Typhoid, paratyphoid fever	22	-	-	-	1	-	-	2	2	3	2	3	2	1	1	2	1	-	2	-	-	-	-	-	-	-	-
	White—M	14	-	-	-	1	-	-	-	2	1	1	2	1	1	1	1	1	-	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	17	1	2	-	-	-	3	1	2	2	-	1	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-
	White—M	10	-	2	-	-	-	1	1	-	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	35	1	2	5	1	1	11	4	3	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	1	2	2	1	1	6	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	3	-	-	3	2	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	123	81	22	13	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	45	29	7	6	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	40	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	7	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	29	1	2	4	3	4	10	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	18	1	-	2	-	4	8	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	-	2	1	3	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,580	12	10	6	8	4	4	14	111	221	272	247	198	256	245	222	242	167	135	101	66	25	11	3	-	-	-
	White—M	1,246	8	2	-	2	-	-	2	25	45	84	112	94	118	141	150	159	112	79	64	33	11	3	2	-	-	-
	F	740	3	5	5	1	1	3	4	30	96	110	69	57	56	48	37	51	38	45	32	29	11	8	1	-	-	-
	Nonwhite—M	354	1	2	-	1	2	1	4	19	31	39	41	30	56	44	24	29	13	8	4	3	2	-	-	-	-	-
	F	240	-	1	1	4	1	-	4	37	49	39	25	17	26	12	11	3	4	3	1	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	266	14	14	5	8	6	9	9	14	19	20	19	17	21	25	16	16	12	5	10	5	1	1	-	-	-	-
	White—M	104	6	5	-	3	4	2	4	2	4	8	7	7	10	15	2	12	8	-	3	2	-	-	-	-	-	-
	F	82	4	5	3	2	1	3	2	2	8	4	5	2	6	7	8	4	1	4	6	3	1	1	-	-	-	-
	Nonwhite—M	36	2	1	1	-	-	1	-	2	2	3	7	5	2	1	6	-	2	1	-	-	-	-	-	-	-	-
	F	44	2	3	1	3	1	3	3	8	5	5	-	3	3	2	-	-	1	-	1	-	-	-	-	-	-	-
27	Dysentery	26	9	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	6	2	-	1	-	-	-
	White—M	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	-	1	-	-	-
	F	14	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	894	38	1	1	1	-	-	3	2	7	13	35	50	76	113	125	140	110	85	48	31	7	6	1	-	-	1
	White—M	523	16	1	-	-	-	-	-	2	1	3	12	27	38	61	71	86	86	59	31	20	6	3	-	-	-	-
	F	167	12	-	1	1	-	-	1	-	1	5	7	9	10	20	24	25	15	15	9	7	1	3	1	-	-	-
	Nonwhite—M	147	8	-	-	-	-	-	-	-	4	2	11	8	20	25	22	24	5	7	7	3	-	-	-	-	-	1
	F	57	2	-	-	-	-	-	2	-	1	3	5	6	8	7	8	5	4	4	1	1	-	-	-	-	-	-
33	Influenza	637	87	20	10	5	8	12	8	11	5	8	20	21	20	21	22	34	25	56	56	61	66	38	17	5	-	1
	White—M	302	42	8	3	3	4	7	5	4	4	4	9	12	12	8	10	19	15	26	23	28	27	20	8	1	-	-
	F	295	43	8	6	2	3	5	2	5	1	2	10	7	5	10	8	10	10	28	31	31	36	18	9	4	-	1
	Nonwhite—M	20	2	3	-	-	-	-	-	-	-	1	-	1	2	3	1	3	-	2	-	-	2	-	-	-	-	-
	F	20	-	1	1	-	1	-	1	2	-	1	1	1	1	-	3	2	-	-	2	2	1	-	-	-	-	-
35	Measles	30	4	8	4	2	1	6	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	2	3	2	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	2	4	2	1	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	18	-	1	1	-	-	1	5	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	-	1	-	-	-	1	3	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	4,324	1	1	-	-	-	3	-	4	4	16	26	61	110	204	312	481	604	705	728	563	331	140	23	6	-	1
	White—M	2,261	1	1	-	-	-	1	-	-	2	6	9	26	46	107	170	246	335	381	392	306	156	64	10	1	-	1
	F	1,910	-	-	-	-	-	1	-	4	2	10	13	32	47	85	125	209	248	302	319	251	169	75	13	5	-	-
	Nonwhite—M	88	-	-	-	-	-	1	-	-	-	-	1	1	8	7	9	20	14	12	7	2	6	-	-	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	-	3	2	9	5	8	6	7	10	10	4	-	1	-	-	-	-
48,49	Cancer of female genital organs	1,330	-	-	-	-	-	-	1	4	6	10	37	79	104	139	180	176	157	147	129	98	41	16	6	-	-	-
	White—F	1,242	-	-	-	-	-	-	1	3	6	10	34	70	85	128	170	161	153	138	125	95	41	16	6	-	-	-
	Nonwhite—F	88	-	-	-	-	-	-	-	1	-	-	3	9	19	11	10	15	4	9	4	3	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
50	Cancer of breast	978	-	-	-	-	-	-	-	-	1	3	27	48	60	92	129	120	133	116	89	76	50	23	9	2	-	-
	White-----M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	3	-	2	-	1	-	1	-	-	-
	F	925	-	-	-	-	-	-	-	-	1	3	25	44	56	86	123	112	125	113	83	72	49	23	8	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	2	4	3	6	4	4	5	3	4	4	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,025	1	4	4	3	3	14	12	27	22	27	47	50	95	182	244	316	387	431	424	354	240	115	19	3	-	1
	White-----M	2,113	1	3	3	1	-	7	8	18	12	15	31	27	55	113	166	219	269	312	298	268	184	87	13	-	-	1
	F	789	-	1	1	2	3	7	4	8	9	11	15	21	28	48	61	85	107	102	113	81	49	27	4	2	-	-
	Nonwhite--M	89	-	-	-	-	-	-	-	1	-	-	1	-	7	16	12	10	8	14	11	2	6	-	-	1	-	-
	F	34	-	-	-	-	-	-	-	-	1	1	-	2	5	5	5	2	3	3	2	3	1	1	-	-	-	-
58	Acute rheumatic fever	73	-	-	-	2	3	10	7	10	7	5	3	2	2	3	4	4	3	2	1	2	3	-	-	-	-	-
	White-----M	30	-	-	-	1	-	5	3	3	1	2	2	1	1	1	2	2	1	1	1	-	3	-	-	-	-	-
	F	35	-	-	-	1	3	4	4	6	5	2	1	1	1	1	1	2	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,170	1	-	-	1	2	8	12	19	19	23	11	21	49	77	166	232	314	419	338	282	122	48	6	-	-	-
	White-----M	796	-	-	-	-	2	4	5	10	8	11	5	13	21	37	58	88	111	147	105	100	51	17	3	-	-	-
	F	1,293	1	-	-	1	-	4	7	7	9	7	5	7	23	36	98	131	191	260	228	177	69	29	3	-	-	-
	Nonwhite--M	33	-	-	-	-	-	-	-	-	1	4	1	-	3	2	2	5	4	5	3	2	1	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	2	1	1	-	1	2	2	6	8	8	7	2	3	1	2	-	-	-	-
63b	Exophthalmic goiter	264	-	-	-	-	-	-	-	3	4	8	4	14	14	17	26	38	43	32	29	22	9	1	-	-	-	-
	White-----M	34	-	-	-	-	-	-	-	-	1	2	2	3	2	1	5	4	7	2	3	1	1	-	-	-	-	-
	F	219	-	-	-	-	-	-	-	3	3	6	2	11	10	14	20	32	35	29	26	20	7	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	1	1	-	-	-	-	-
69	Pellagra (except alcoholic)	15	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	2	2	2	1	2	-	-	-	-
	White-----M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	2	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	95	-	-	-	-	-	-	-	-	1	3	3	10	17	8	14	15	10	8	4	1	1	-	-	-	-	-
	White-----M	84	-	-	-	-	-	-	-	-	1	1	3	8	16	7	13	13	10	6	4	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,713	10	1	2	3	1	3	4	6	7	28	27	51	139	249	430	568	781	1,046	1,315	1,283	1,031	545	153	25	3	2
	White-----M	3,604	7	1	1	-	1	1	1	4	3	16	9	28	48	86	208	270	398	508	643	574	485	247	54	9	1	1
	F	3,625	2	-	1	3	-	2	2	1	1	8	8	18	52	107	172	227	325	481	612	678	526	286	97	14	1	1
	Nonwhite--M	219	-	-	-	-	-	-	1	1	1	1	2	1	15	28	18	38	30	27	27	16	6	5	1	1	-	-
	F	265	1	-	-	-	-	-	-	-	2	3	8	4	24	28	32	33	28	30	33	15	14	7	1	1	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	866	43	14	6	6	11	22	23	30	41	32	52	33	40	46	52	72	83	79	58	62	41	15	4	1	-	-
	White-----M	463	20	7	4	3	2	11	15	22	20	21	30	21	19	25	31	42	39	42	29	35	17	7	1	-	-	-
	F	355	19	7	2	3	9	11	7	5	17	10	16	7	18	16	17	27	42	33	28	26	23	8	3	1	-	-
	Nonwhite--M	27	2	-	-	-	-	-	1	2	3	1	2	1	2	5	2	2	1	1	1	1	-	-	-	-	-	-
	F	21	2	-	-	-	-	-	-	1	1	-	4	4	1	-	2	1	1	3	-	-	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	273	28	11	4	10	1	23	13	16	15	16	15	10	15	12	17	12	17	15	8	4	7	3	1	-	-	-
	White-----M	140	16	7	3	5	-	10	6	6	10	8	9	5	10	6	8	6	12	6	2	2	2	1	-	-	-	-
	F	109	8	3	-	5	1	10	5	9	3	8	5	5	2	6	8	4	5	9	4	1	5	2	1	-	-	-
	Nonwhite--M	10	1	-	-	-	-	1	1	1	1	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	14	3	1	1	-	-	2	1	-	1	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	1,565	-	1	2	-	2	18	23	32	31	47	61	92	85	99	121	121	118	160	182	157	126	64	13	7	3	-
	White-----M	735	-	-	-	-	1	6	11	14	15	26	28	46	36	48	59	75	52	87	80	65	51	25	6	2	2	-
	F	741	-	-	2	-	-	9	6	16	14	17	29	42	40	43	57	40	59	63	94	87	73	39	7	4	-	-
	Nonwhite--M	44	-	-	-	-	-	2	4	2	-	2	2	3	3	5	2	3	1	6	3	3	1	-	-	1	1	-
	F	45	-	1	-	-	1	1	2	-	2	2	2	1	6	3	3	3	6	4	5	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	7,008	3	-	-	-	-	1	-	3	12	23	30	120	217	413	656	812	912	1,125	1,064	785	522	232	58	17	1	2
	White-----M	4,666	2	-	-	-	-	-	-	2	6	12	21	74	155	318	487	628	658	748	672	437	283	127	28	6	-	2
	F	2,082	1	-	-	-	-	-	-	-	4	7	5	24	37	58	125	156	235	351	370	339	234	100	28	8	-	-
	Nonwhite--M	174	-	-	-	-	-	-	-	-	2	3	2	12	14	23	33	22	13	20	12	7	4	4	-	2	1	-
	F	86	-	-	-	-	-	1	-	1	-	1	2	10	11	14	11	6	6	6	10	2	1	1	2	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	14,107	9	2	4	2	4	9	18	34	39	54	91	129	245	442	680	944	1,305	1,777	2,332	2,259	2,161	1,142	343	72	7	3
	White-----M	7,044	3	1	2	2	2	6	10	17	16	26	35	58	126	218	382	523	768	943	1,168	1,112	943	494	146	20	2	1
	F	6,229	5	1	2	-	2	3	6	16	19	19	40	46	66	146	208	321	466	731	1,035	1,065	1,170	632	181	44	3	2
	Nonwhite--M	464	1	-	-	-	-	-	2	-	1	5	9	12	23	46	50	58	46	59	69	38	25	7	8	4	1	-
	F	370	-	-	-	-	-	-	-	1	3	4	7	13	30	32	40	42	25	44	40	44	23	9	8	4	1	-
107-109	Pneumonia (all forms)	3,346	634	109	31	10	15	21	27	32	34	36	47	71	108	139	145	201	223	261	328	307	293	193	64	13	3	1
	White-----M	1,735	341	51	14	4	8	10	9	17	15	16	23	38	50	82	69	124	135	146	176	154	139	82	26	6	-	-
	F	1,297	233	45	11	6	4	8	16	12	15	15	16	15	30	34	39	48	75	105	137	143	142	105	36	5	2	-
	Nonwhite--M	185	39	5	4	-	1	1	-	1	1	4	5	12	16	15	20	18	9	8	8	5	8	1	1	2	-	1
	F	129	21	8	2	-	2	2	2	2	3	1	3	6	12	8	17	11	4	2	7	5	4	5	1	-	1	-
117	Ulcer of stomach or duodenum	462	2	-	-	1	-	-	-	-	5	11	17	17	40	54	59	62	60	49	38	28	14	3	-	1	-	1
	White-----M	359	1	-	-	1	-	-	-	-	3	9	10	15	30	43	53	52	44	38	31	17	10	-	-	1	-	1
	F	77	1	-	-	-	-	-	-	-	2	2	2	1	5	6	5	9	13	10	7	8	4	2	-	-	-	-
	Nonwhite--M	22	-	-	-	-	-	-	-	-	-	-	4	1	5	5	1	1	3	-	-	1	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
119,120	Diarrhea, enteritis, etc.*	591	396	41	7	3	2	5	6	4	7	6	2	7	5	8	6	10	10	10	13	11	16	10	5	1	-	-
	White—M	294	202	20	5	-	-	2	2	3	3	2	-	3	1	2	3	9	8	4	5	8	7	3	1	1	-	-
	F	241	150	20	2	3	2	3	3	1	3	4	1	3	3	5	2	-	2	6	7	3	9	6	3	-	-	-
	Nonwhite—M	24	20	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	32	24	1	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	1	1	-	-	-
121	Appendicitis	427	1	1	8	9	5	11	26	34	19	11	21	27	29	30	28	40	31	41	28	19	9	4	-	-	-	-
	White—M	244	-	1	5	6	4	6	12	18	10	3	14	17	18	21	23	30	16	21	7	9	2	1	-	-	-	-
	F	169	-	-	3	1	1	4	14	14	7	7	7	8	9	9	5	10	14	20	16	10	7	3	-	-	-	-
	Nonwhite—M	6	1	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	1	-	1	-	1	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	645	35	6	2	2	3	2	3	5	5	9	12	25	24	36	54	58	52	75	71	77	51	27	9	2	-	-
	White—M	324	23	5	1	1	1	1	1	-	1	2	5	10	11	12	26	30	26	40	31	42	34	11	7	1	-	-
	F	274	12	1	-	1	2	-	2	4	1	6	5	15	9	19	17	27	23	31	34	35	15	12	2	1	-	-
	Nonwhite—M	28	-	-	-	-	-	1	-	-	1	-	1	-	1	3	7	1	3	2	3	-	2	3	-	-	-	-
	F	19	-	-	1	-	-	-	-	1	2	1	1	-	3	2	2	-	-	2	3	-	-	1	-	-	-	-
124	Cirrhosis of the liver	714	-	-	-	-	-	-	1	1	1	3	12	36	45	53	79	107	97	78	91	54	33	17	4	1	-	1
	White—M	456	-	-	-	-	-	-	-	-	-	2	6	27	30	31	50	83	67	49	58	26	14	11	1	-	-	1
	F	235	-	-	-	-	-	-	1	1	1	1	5	8	11	19	25	23	26	27	32	27	19	6	2	1	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	-	3	-	1	1	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	441	-	-	-	-	-	-	-	1	4	3	14	11	21	34	55	58	60	50	48	34	31	13	4	-	-	-
	White—M	155	-	-	-	-	-	-	-	1	2	1	5	3	7	12	17	22	20	20	16	14	10	5	-	-	-	-
	F	277	-	-	-	-	-	-	-	-	2	2	7	8	14	20	35	36	40	30	32	18	21	8	4	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	5,393	4	3	5	1	4	10	11	27	36	44	64	106	180	199	295	407	506	657	820	813	667	382	124	21	6	1
	White—M	2,680	3	2	3	-	2	7	5	9	18	19	33	39	80	90	147	224	284	330	426	393	327	189	45	4	1	-
	F	2,329	1	1	2	1	2	2	5	15	17	18	22	41	58	82	113	141	196	290	352	375	315	182	77	16	4	1
	Nonwhite—M	200	-	-	-	-	-	1	1	2	1	2	2	10	14	13	11	24	12	26	31	28	14	7	-	1	-	-
	F	184	-	-	-	-	-	-	-	1	-	5	7	16	28	14	24	18	14	11	11	17	11	4	2	-	1	-
137	Diseases of the prostate	484	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	20	27	79	99	97	101	38	9	2	-	-
	White—M	466	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	19	26	74	95	95	99	38	9	2	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	5	4	2	2	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	135	-	-	-	-	-	-	-	6	29	39	25	21	14	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	120	-	-	-	-	-	-	-	6	26	33	24	17	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	15	-	-	-	-	-	-	-	-	3	6	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	57	-	-	-	-	-	-	-	3	12	15	13	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	3	9	15	12	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	108	-	-	-	-	-	-	-	10	26	23	18	17	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	94	-	-	-	-	-	-	-	6	23	19	17	16	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	14	-	-	-	-	-	-	-	4	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	886	777	27	8	12	9	10	13	5	8	4	2	3	2	2	-	2	-	1	-	1	-	-	-	-	-	-
	White—M	452	414	8	2	6	5	5	6	3	2	2	1	2	2	1	-	2	-	1	-	-	-	-	-	-	-	-
	F	387	334	17	6	5	2	4	6	2	6	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	15	13	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	16	1	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,780	1,780	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	913	913	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	709	709	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	971	-	-	-	-	-	-	2	13	48	57	82	76	85	108	109	110	104	77	48	23	20	6	2	-	-	1
	White—M	734	-	-	-	-	-	-	2	8	33	37	51	52	62	78	82	88	92	64	39	21	16	6	2	-	-	1
	F	211	-	-	-	-	-	-	-	5	13	14	27	22	21	27	25	20	10	12	9	2	4	-	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	2	5	2	1	2	3	1	1	2	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	318	6	-	-	-	1	-	2	21	31	51	36	41	35	30	18	19	10	7	4	4	-	-	-	-	-	-
	White—M	106	1	-	-	-	-	-	-	8	11	10	9	13	11	9	7	11	6	5	3	2	-	-	-	-	-	-
	F	45	3	-	-	-	1	-	2	1	3	6	4	3	5	4	2	4	3	2	-	2	-	-	-	-	-	-
	Nonwhite—M	135	1	-	-	-	-	-	-	8	15	25	20	21	17	15	7	4	1	-	1	-	-	-	-	-	-	-
	F	32	1	-	-	-	-	-	-	4	2	10	5	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,840	11	10	11	13	20	63	53	198	174	118	113	98	103	115	139	149	133	132	75	68	34	11	2	-	-	2
	White—M	1,365	3	7	6	8	13	42	41	140	133	98	83	69	81	81	104	110	108	96	51	47	31	10	2	-	-	1
	F	382	7	3	5	4	6	19	8	47	33	12	21	25	10	28	25	32	21	31	22	19	3	1	-	-	-	-
	Nonwhite—M	69	1	-	-	-	-	2	2	4	4	6	5	2	9	5	9	7	4	5	2	1	-	-	-	-	-	1
	F	24	-	-	-	1	1	-	2	2	4	2	4	2	3	1	1	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	3,798	133	62	42	24	24	97	140	142	148	139	144	150	153	188	212	204	213	233	274	304	399	241	104	20	1	7
	White—M	2,256	60	35	22	15	13	64	102	114	123	114	105	120	113	143	167	152	159	126	135	117	138	76	32	5	-	6
	F	1,312	53	24	15	6	10	22	24	16	9	17	27	12	21	24	30	37	43	96	137	181	258	165	70	14	-	1
	Nonwhite—M	172	12	1	4	-	-	9	14	9	13	7	10	15	15	17	11	14	7	7	1	2	2	-	1	-	1	-
	F	58	8	2	1	3	1	2	-	3	3	1	2	3	4	4	4	1	4	4	1	4	1	-	1	1	-	-
	All other causes*	7,117	1,222	54	29	28	18	56	30	71	98	102	135	172	218	301	333	394	388	491	578	690	787	574	283	57	6	2
	White—M	3,473	666	24	14	14	14	34	18	41	35	37	54	51	87	146	143	212	212	257	301	361	360	252	104	24	2	-
	F	3,176	480	28	8	11	4	18	11	26	45	54	62	84	97	124	153	145	154	206	243	312	402	304	169	32	2	2
	Nonwhite—M	242	47	1	3	1	-	4	-	1	9	1	4	13	8	24	20	22	15	16	22	9	12	3	4	1	2	-
	F	226	29	1	4	2	-	-	1	3	9	10	15	24	26	7	17	15	7	12	12	8	13	5	6	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	All causes	19,324	1,906	237	136	97	61	234	215	363	458	437	476	618	674	817	1,018	1,303	1,533	1,902	2,162	1,823	1,554	870	322	76	25	7
	White—M	9,745	912	107	65	45	24	116	106	174	206	174	207	255	299	406	528	713	815	1,015	1,172	972	816	441	137	28	5	5
	F	6,899	685	89	39	38	28	82	73	113	125	168	159	226	239	257	320	415	506	648	788	704	642	369	151	30	3	2
	Nonwhite—M	1,463	173	24	23	9	4	16	16	39	53	44	56	76	68	76	87	94	121	150	118	92	59	37	10	11	7	-
	F	1,217	136	17	9	5	5	20	20	37	74	51	54	61	68	78	83	81	91	89	84	55	35	23	24	7	10	-
1,2	Typhoid, paratyphoid fever	41	-	-	2	1	-	3	5	2	3	6	3	3	3	2	2	1	2	2	1	-	-	-	-	-	-	-
	White—M	17	-	-	1	-	-	-	1	1	1	1	3	2	1	1	1	-	1	2	1	-	-	-	-	-	-	-
	F	13	-	-	1	1	-	1	3	-	1	2	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	50	37	9	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	23	18	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	55	2	11	12	12	4	10	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	27	1	4	6	6	2	5	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	1	6	5	6	1	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	919	3	5	2	-	-	4	15	58	92	93	93	89	80	66	69	61	45	50	45	30	13	5	-	-	-	1
	White—M	359	1	-	1	-	-	-	1	10	14	25	28	29	45	40	35	37	25	22	23	15	5	2	-	-	-	1
	F	246	1	-	-	-	-	-	4	16	25	24	29	32	16	16	14	15	11	9	17	10	6	1	-	-	-	-
	Nonwhite—M	153	-	4	1	-	-	1	2	11	22	16	19	21	9	5	9	4	5	14	4	5	1	-	-	-	-	-
	F	161	1	1	-	-	-	3	8	21	31	28	17	7	10	5	11	5	4	5	1	-	1	2	-	-	-	-
14-22	Tuberculosis (other forms)	63	6	-	2	1	-	2	7	5	5	4	3	4	3	5	3	3	2	1	3	3	1	-	-	-	-	-
	White—M	24	1	-	-	-	-	1	2	-	1	-	2	1	3	2	2	2	2	1	2	1	1	-	-	-	-	-
	F	12	2	-	2	-	-	-	2	-	1	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	18	2	-	-	1	-	1	2	3	2	2	1	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	1	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	88	45	9	3	4	2	1	1	-	1	-	1	-	-	-	-	1	2	4	5	2	3	2	2	-	-	-
	White—M	42	22	5	1	2	1	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	1	2	2	-	-	-
	F	29	13	3	2	2	1	-	1	-	-	-	1	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	Nonwhite—M	11	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
28	Malaria	25	3	-	-	-	-	1	1	1	-	3	1	2	2	1	1	-	3	1	3	-	2	-	-	-	-	-
	White—M	10	1	-	-	-	-	1	1	-	-	1	1	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	1	-	2	-	2	-	1	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
30	Syphilis	188	14	-	1	-	-	2	-	-	-	5	11	20	17	13	31	29	18	10	7	7	2	1	-	-	-	-
	White—M	86	2	-	-	-	-	2	-	-	-	-	3	6	8	6	20	10	14	8	3	3	-	1	-	-	-	-
	F	39	6	-	-	-	-	-	-	-	-	2	3	3	1	2	4	11	-	1	1	3	2	-	-	-	-	-
	Nonwhite—M	47	3	-	1	-	-	-	-	-	-	2	2	6	7	5	6	6	4	1	3	1	-	-	-	-	-	-
	F	16	3	-	-	-	-	-	-	-	-	1	3	5	1	-	1	2	-	-	-	-	-	-	-	-	-	-
33	Influenza	247	30	5	3	1	2	3	2	7	4	2	2	7	9	5	13	8	16	19	26	20	36	16	9	2	-	-
	White—M	130	13	1	2	1	1	2	2	4	2	1	1	4	1	2	8	6	8	7	13	14	20	13	3	1	-	-
	F	83	12	3	-	-	1	1	-	1	1	1	-	1	5	2	3	2	6	9	9	5	14	3	4	-	-	-
	Nonwhite—M	22	4	-	1	-	-	-	-	2	1	-	1	1	3	1	-	-	-	1	3	1	1	-	1	1	-	-
	F	12	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	1	-	1	-	1	-	-	-
35	Measles	92	28	23	10	-	7	13	3	-	1	-	1	3	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	White—M	44	17	9	6	-	3	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	38	7	10	4	-	4	9	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	15	3	3	2	2	-	-	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	2	-	1	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	938	1	1	-	-	-	-	-	1	3	6	4	20	26	45	56	112	129	146	157	105	86	29	10	1	-	-
	White—M	478	-	1	-	-	-	-	-	1	2	3	2	9	10	19	22	46	65	82	91	61	45	15	4	-	-	-
	F	384	-	-	-	-	-	-	-	-	1	3	2	10	13	18	26	52	43	55	62	41	41	11	5	1	-	-
	Nonwhite—M	32	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	9	11	4	1	-	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	5	10	5	3	3	-	3	1	-	-	-
48,49	Cancer of female genital organs	268	-	-	-	-	-	-	-	1	-	5	15	26	27	36	26	26	29	26	21	17	11	2	-	-	-	-
	White—F	234	-	-	-	-	-	-	-	1	-	5	12	24	19	30	23	22	27	23	20	15	11	2	-	-	-	-
	Nonwhite—F	34	-	-	-	-	-	-	-	-	-	-	3	2	8	6	3	4	2	3	1	2	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Contd.																											
50	Cancer of breast	154	-	-	-	-	-	-	-	-	-	1	3	7	16	20	21	15	20	16	15	10	6	3	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-
	F--	143	-	-	-	-	-	-	-	-	-	1	3	7	16	20	19	13	18	14	14	9	6	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	635	1	2	1	1	-	4	4	6	10	10	11	15	19	33	47	56	84	84	85	64	60	31	6	1	-	-
	White-----M--	423	-	2	1	1	-	3	2	4	8	5	6	9	12	21	28	31	53	56	59	51	48	19	3	1	-	-
	F--	184	1	-	-	-	-	1	2	2	2	5	4	6	7	11	14	20	24	25	23	11	12	11	3	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	3	3	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	-	-	-	-	1	-	-	-	-
58	Acute rheumatic fever	24	-	-	-	-	-	7	2	2	1	1	1	1	-	1	1	1	1	1	1	-	2	-	-	1	-	-
	White-----M--	8	-	-	-	-	-	3	-	-	1	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	2	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-
61	Diabetes mellitus	342	-	1	1	-	-	1	3	9	9	6	2	8	10	9	16	27	37	53	66	45	25	12	-	-	1	1
	White-----M--	125	-	1	-	-	-	-	1	5	2	1	1	3	5	3	6	9	10	20	17	24	12	5	-	-	-	-
	F--	177	-	-	1	-	-	1	1	3	3	4	1	1	3	5	6	13	25	29	45	19	12	4	-	-	-	1
	Nonwhite--M--	17	-	-	-	-	-	-	-	1	1	-	-	3	1	1	2	-	-	-	3	2	1	2	-	-	-	-
	F--	23	-	-	-	-	-	-	1	-	3	1	-	1	1	-	2	5	2	4	1	-	-	1	-	-	1	-
63b	Exophthalmic goiter	28	-	-	-	-	-	-	-	1	-	-	5	1	2	2	4	5	2	4	2	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	1	-	2	2	3	5	1	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	62	-	-	-	-	-	-	-	-	-	-	1	2	4	-	4	6	2	7	13	10	10	3	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	3	1	4	5	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	1	3	9	5	2	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	1	2	-	-	-	-	-
77	Alcoholism (ethylism)	20	-	-	-	-	-	-	-	-	-	-	-	4	5	2	5	1	2	-	1	-	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	2	4	1	4	1	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,935	3	2	-	-	1	2	-	2	4	6	7	24	41	66	111	154	182	282	324	321	225	120	46	10	2	-
	White-----M--	899	2	2	-	-	1	-	-	1	-	1	4	11	12	25	41	71	81	126	160	170	112	57	18	3	1	-
	F--	813	1	-	-	-	-	2	-	-	2	4	2	4	18	19	53	56	80	119	132	130	103	59	23	6	-	-
	Nonwhite--M--	108	-	-	-	-	-	-	-	-	-	1	1	6	3	10	9	16	10	19	13	10	6	3	-	-	1	-
	F--	115	-	-	-	-	-	-	-	1	2	-	-	3	8	12	8	11	11	18	19	11	4	1	5	1	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	250	20	7	7	4	3	6	3	12	8	15	17	13	16	10	17	13	13	21	21	11	7	4	2	-	-	-
	White-----M--	127	11	2	6	-	1	3	1	5	4	7	6	6	10	5	10	6	9	13	11	6	4	-	1	-	-	-
	F--	96	4	3	-	3	1	3	2	6	4	5	7	6	4	5	6	7	2	7	9	5	3	3	1	-	-	-
	Nonwhite--M--	15	2	2	1	-	1	-	-	1	-	2	1	1	1	-	-	-	-	1	1	-	-	1	-	-	-	-
	F--	12	3	-	-	1	-	-	-	-	-	1	3	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	92	9	7	5	6	1	9	7	5	3	3	2	4	2	4	5	6	2	5	3	2	1	1	-	-	-	-
	White-----M--	47	5	5	3	1	1	3	4	-	2	3	2	3	-	4	2	2	1	2	3	1	-	-	-	-	-	-
	F--	35	4	1	2	4	-	6	3	2	1	-	-	-	2	-	2	2	1	3	-	1	-	1	-	-	-	-
	Nonwhite--M--	6	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	277	-	-	-	-	-	5	10	8	15	6	7	10	11	13	15	14	22	30	41	29	18	17	5	-	1	-
	White-----M--	127	-	-	-	-	-	2	4	5	5	2	2	5	5	3	5	9	5	14	24	15	12	8	2	-	-	-
	F--	97	-	-	-	-	-	3	5	2	9	3	3	3	5	7	5	2	8	8	12	9	3	8	2	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	1	1	1	-	1	-	-	1	2	-	6	7	5	5	3	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	3	3	1	-	-	-	1	1	-	1	-
94	Diseases of coronary arteries, angina pectoris	1,336	1	-	-	-	-	1	-	-	1	8	8	28	45	82	97	157	195	209	218	132	99	44	9	2	-	-
	White-----M--	939	-	-	-	-	-	1	-	-	-	7	5	15	36	62	79	127	153	157	139	80	58	18	1	1	-	-
	F--	333	-	-	-	-	-	-	-	-	1	1	2	7	7	14	12	25	33	46	72	45	37	23	7	1	-	-
	Nonwhite--M--	42	1	-	-	-	-	-	-	-	-	-	-	2	2	3	3	5	4	6	5	5	4	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	4	-	3	3	-	5	-	2	2	-	1	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,528	8	2	1	1	-	4	6	16	18	18	22	36	53	87	136	203	248	372	418	365	303	160	42	6	2	1
	White-----M--	1,368	5	1	1	1	-	3	4	9	6	6	11	9	18	42	80	116	140	197	242	204	162	87	20	3	-	1
	F--	875	3	1	-	-	-	1	2	4	8	8	7	13	22	25	31	57	73	131	136	143	124	66	18	2	-	-
	Nonwhite--M--	157	-	-	-	-	-	-	-	1	1	1	1	6	6	10	11	15	25	32	22	8	11	5	1	-	1	-
	F--	128	-	-	-	-	-	-	-	2	3	3	3	8	7	10	14	15	10	12	18	10	6	2	3	1	1	-
107-109	Pneumonia (all forms)	1,003	270	46	22	12	9	15	11	13	17	13	20	21	20	26	40	38	42	47	72	78	85	58	20	5	2	1
	White-----M--	474	116	25	7	7	4	9	5	8	7	1	11	11	11	15	15	23	20	26	36	30	42	28	11	3	1	1
	F--	335	80	15	8	5	1	2	5	4	6	10	3	6	6	2	13	9	18	14	25	39	37	21	6	-	-	-
	Nonwhite--M--	107	41	4	5	-	1	1	-	1	1	1	3	2	2	6	3	4	1	5	6	5	3	7	2	2	1	-
	F--	87	33	2	2	-	3	3	1	-	3	1	3	2	1	3	8	2	3	2	5	4	3	2	1	-	-	-
117	Ulcer of stomach or duodenum	131	-	-	-	-	-	-	-	-	3	1	5	11	6	17	12	19	15	10	10	13	4	4	-	-	-	1
	White-----M--	99	-	-	-	-	-	-	-	-	3	-	5	9	5	10	12	17	13	5	8	7	2	2	-	-	-	1
	F--	25	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	2	2	4	2	6	2	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	179	98	22	9	2	3	6	-	1	1	-	1	2	-	1	-	4	4	3	10	3	5	3	1	-	-	-
	White-----M	70	42	7	2	1	2	4	-	1	-	-	-	-	-	-	-	2	3	1	2	1	1	1	-	-	-	-
	F	71	35	9	1	1	1	1	-	-	1	-	1	2	-	1	-	1	-	1	8	1	4	2	1	-	-	-
	Nonwhite--M	19	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	19	8	4	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
121	Appendicitis	197	-	2	-	4	1	18	26	15	15	7	5	14	16	16	13	6	13	11	10	3	-	2	-	-	-	-
	White-----M	105	-	2	-	3	-	8	12	10	9	1	4	3	5	7	9	5	8	9	7	2	-	1	-	-	-	-
	F	67	-	-	-	1	1	8	12	5	3	4	-	7	7	7	4	-	1	2	3	1	-	1	-	-	-	-
	Nonwhite--M	13	-	-	-	-	-	1	1	-	1	2	-	2	2	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	1	-	2	-	1	2	2	1	-	-	2	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	169	13	3	1	3	-	3	1	3	2	6	5	5	9	14	14	10	19	15	13	15	11	3	-	1	-	-
	White-----M	66	6	1	-	3	-	1	-	2	-	2	1	1	3	5	3	3	9	5	6	6	7	1	-	1	-	-
	F	71	7	1	-	-	-	1	1	1	1	3	4	4	3	4	7	5	5	7	6	8	2	1	-	-	-	-
	Nonwhite--M	19	-	-	1	-	-	1	-	-	1	1	-	-	3	2	-	1	3	1	1	1	2	1	-	-	-	-
	F	13	-	1	-	-	-	-	-	-	-	-	-	-	-	3	4	1	2	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	107	-	-	-	-	-	-	-	-	-	3	2	5	4	7	10	17	22	10	8	10	7	1	1	-	-	-
	White-----M	66	-	-	-	-	-	-	-	-	-	-	2	4	1	4	7	14	12	4	4	6	6	1	1	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	2	-	-	1	2	2	2	7	4	4	2	1	-	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	-	2	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	103	-	-	-	-	-	-	-	-	2	1	4	4	7	6	8	9	14	17	14	5	6	5	-	1	-	-
	White-----M	47	-	-	-	-	-	-	-	-	-	-	3	-	3	-	4	6	5	9	9	2	3	2	-	1	-	-
	F	44	-	-	-	-	-	-	-	-	1	1	1	2	3	4	4	3	9	4	4	3	2	3	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	2	1	-	1	-	-	-	-	-
130-132	Nephritis	1,212	1	2	-	4	2	4	5	5	7	10	19	23	28	49	53	82	109	170	201	188	146	79	21	3	1	-
	White-----M	584	-	1	-	3	2	2	1	1	4	4	6	5	10	20	22	40	51	81	108	89	80	46	8	-	-	-
	F	416	-	1	-	1	-	1	3	3	1	5	10	12	11	16	18	25	30	55	61	70	54	28	11	-	-	-
	Nonwhite--M	135	-	-	-	-	-	1	-	-	-	-	2	4	4	7	11	12	15	23	20	19	10	5	-	2	-	-
	F	77	1	-	-	-	-	-	1	1	2	1	1	2	3	6	2	5	13	11	12	10	2	-	2	1	1	-
137	Diseases of the prostate	111	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	8	17	32	24	19	6	1	1	-	-
	White-----M	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	13	28	23	19	6	1	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	4	4	1	-	-	-	1	-	-
140, 142a, 145a,147	Puerperal septicemia	52	-	-	-	-	-	-	-	10	8	12	9	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	39	-	-	-	-	-	-	-	8	2	11	7	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	13	-	-	-	-	-	-	-	2	6	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	42	-	-	-	-	-	-	-	8	14	5	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	33	-	-	-	-	-	-	-	6	13	2	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	-	-	-	-	-	-	-	2	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	48	-	-	-	-	-	-	-	1	10	9	10	8	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	39	-	-	-	-	-	-	-	1	7	9	7	6	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	-	-	-	-	-	-	-	-	3	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	222	204	4	-	-	1	4	2	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	94	89	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	106	97	4	-	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	11	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	571	571	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M	291	291	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	231	231	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	174	-	-	-	-	-	-	1	7	16	15	15	17	17	14	11	19	11	10	13	5	3	-	-	-	-	-
	White-----M	123	-	-	-	-	-	-	1	2	9	10	9	10	11	10	10	15	9	9	10	5	3	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	4	3	4	3	5	6	4	1	4	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	136	1	-	-	-	1	-	-	9	17	12	19	18	13	14	12	7	6	3	1	1	1	-	1	-	-	-
	White-----M	56	1	-	-	-	1	-	-	3	5	4	6	7	5	9	5	2	3	2	1	1	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	4	1	2	2	3	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	44	-	-	-	-	-	-	-	1	5	4	9	6	4	1	5	5	2	1	-	-	-	-	1	-	-	-
	F	18	-	-	-	-	-	-	-	1	6	2	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	410	3	8	8	1	4	18	7	59	34	41	22	34	19	28	23	24	22	23	13	4	7	6	-	-	-	2
	White-----M	289	3	1	4	1	2	13	1	41	29	28	18	25	14	17	14	19	16	19	11	3	5	4	-	-	-	1
	F	88	-	6	3	-	2	5	4	16	2	10	3	4	3	6	7	5	4	3	2	-	2	-	-	-	-	1
	Nonwhite--M	30	-	1	1	-	-	-	1	2	3	2	1	4	2	5	2	-	2	1	-	1	-	2	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,109	72	33	28	22	15	58	68	72	91	67	61	57	46	41	41	38	33	31	46	57	75	39	15	3	-	-
	White-----M	652	29	18	16	5	3	26	45	50	72	50	41	45	29	32	28	28	20	18	21	30	28	14	3	-	-	-
	F	318	23	11	4	11	10	24	13	12	10	11	11	7	9	5	10	7	9	9	20	24	43	22	11	2	-	-
	Nonwhite--M	95	12	1	7	5	2	5	7	8	7	5	7	3	5	2	3	2	1	3	5	2	3	-	-	-	-	-
	F	44	8	3	1	1	-	3	2	2	2	1	2	2	3	2	-	1	3	1	-	1	1	3	1	1	-	-
	All other causes*	2,564	454	28	15	12	5	27	24	21	41	35	51	56	81	77	99	127	159	192	243	244	274	214	130	39	16	-
	White-----M	1,280	233	12	8	8	-	17	13	9	17	10	21	18	31	38	52	61	70	101	126	118	134	108	58	14	3	-
	F	981	141	9	3	2	4	5	6	7	15	21	23	29	31	22	30	42	64	57	84	97	118	91	59	18	3	-
	Nonwhite--M	200	40	5	2	1	-	-	2	3	5	3	3	3	7	7	10	9	14	20	16	18	9	9	5	5	4	-
	F	203	40	2	2	1	1	5	3	2	4	1	4	6	12	10	7	15	11	14	17	11	13	6	8	2	6	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																											
	All causes	12,865	687	53	40	20	16	68	57	150	188	212	267	307	427	578	848	977	1,229	1,498	1,542	1,477	1,251	677	221	48	5	22
	White—M	7,840	385	28	27	12	10	32	42	92	119	137	173	188	266	365	567	659	814	960	928	836	718	348	100	18	-	16
	F	4,807	289	23	11	8	6	30	12	48	61	68	83	109	150	201	255	307	402	517	598	625	519	323	117	30	3	4
	Nonwhite—M	151	9	-	2	-	-	4	1	4	4	6	2	8	10	11	10	8	11	20	12	10	12	4	3	-	-	-
	F	67	4	2	-	-	-	2	2	6	4	1	9	2	1	1	6	3	2	1	6	6	2	2	1	-	2	2
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	2	-	-	1	-	1	3	2	1	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	10	1	-	-	-	-	-	3	2	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	12	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	2	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	269	1	-	1	-	-	-	2	5	19	27	34	17	31	14	23	28	22	16	17	6	4	2	-	-	-	-
	White—M	156	1	-	1	-	-	-	-	2	4	13	18	7	19	9	21	20	16	11	9	2	2	1	-	-	-	-
	F	88	-	-	-	-	-	-	1	-	10	12	13	8	7	4	2	7	6	5	6	4	2	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	3	1	1	2	5	1	-	1	-	-	2	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	30	-	2	-	1	1	1	1	1	3	3	2	3	3	3	2	1	2	-	1	-	-	-	-	-	-	-
	White—M	15	-	2	-	1	1	-	-	-	2	1	1	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	1	2	1	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
	White—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	127	-	1	-	-	-	-	-	2	-	1	6	5	10	8	17	23	23	10	10	5	3	2	1	-	-	-
	White—M	92	-	-	-	-	-	-	-	-	-	-	4	3	5	6	13	17	20	7	10	2	3	1	1	-	-	-
	F	27	-	1	-	-	-	-	-	2	-	-	-	2	3	1	4	5	3	2	-	3	-	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	91	8	3	2	2	-	-	2	1	-	2	3	1	4	2	6	6	3	9	6	6	12	7	5	1	-	-
	White—M	57	6	2	1	1	-	-	1	1	-	2	2	1	4	-	6	3	2	8	4	3	6	1	2	1	-	-
	F	34	2	1	1	1	-	-	1	-	-	-	1	-	-	2	-	3	1	1	2	3	6	6	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	7	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	695	-	-	-	-	-	-	-	-	-	-	4	7	19	36	61	57	101	129	100	91	59	24	5	-	-	2
	White—M	383	-	-	-	-	-	-	-	-	-	-	3	4	6	23	36	29	53	75	58	47	36	10	1	-	-	2
	F	308	-	-	-	-	-	-	-	-	-	-	1	3	13	13	24	28	48	51	42	44	23	14	4	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	158	-	-	-	-	-	-	-	-	1	1	7	7	14	15	17	23	21	20	15	8	5	3	1	-	-	-
	White—F	157	-	-	-	-	-	-	-	-	1	1	7	7	14	15	17	22	21	20	15	8	5	3	1	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
50	Cancer of breast	150	-	-	-	-	-	-	-	-	-	1	-	4	7	18	26	19	14	19	16	15	7	1	2	-	-	1
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F	146	-	-	-	-	-	-	-	-	-	1	-	4	7	18	26	19	14	18	15	14	7	1	2	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	511	-	1	-	-	-	3	4	4	5	4	10	13	17	34	35	59	63	72	76	51	39	19	2	-	-	-
	White-----M	389	-	1	-	-	-	2	1	2	3	3	7	8	12	29	21	45	45	53	66	42	30	17	2	-	-	-
	F	115	-	-	-	-	-	1	3	2	2	1	3	5	5	4	13	13	17	18	9	9	8	2	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	-	4	-	1	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	291	2	-	1	-	-	-	-	5	3	4	3	1	3	4	18	19	36	49	53	52	22	13	3	-	-	-
	White-----M	126	2	-	-	-	-	-	-	3	1	3	2	-	1	2	7	10	17	17	19	25	9	6	2	-	-	-
	F	162	-	-	1	-	-	-	-	2	2	1	1	1	2	2	11	9	19	31	33	26	13	7	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	40	-	-	-	-	-	-	-	-	1	-	1	3	3	3	4	2	9	4	8	1	1	-	-	-	-	-
	White-----M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	3	-	3	-	1	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	2	6	4	5	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	30	-	-	-	-	-	-	-	-	-	-	3	2	5	4	6	3	3	1	2	1	-	-	-	-	-	-
	White-----M	26	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	3	2	1	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,267	1	-	-	-	-	1	-	1	1	2	4	7	12	27	68	77	117	194	201	235	198	90	27	3	-	1
	White-----M	653	-	-	-	-	-	1	-	-	1	1	2	4	3	10	25	51	66	113	102	120	104	38	10	1	-	1
	F	596	1	-	-	-	-	-	-	1	-	1	2	3	9	17	40	26	48	76	97	113	91	52	17	2	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	5	-	1	3	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	147	8	2	2	-	-	9	3	8	6	3	7	9	8	10	8	11	11	16	5	9	3	3	-	-	-	1
	White-----M	76	4	1	1	-	-	3	3	4	2	1	1	5	5	9	4	7	6	9	3	4	3	1	-	-	-	-
	F	65	4	1	-	-	-	5	-	3	4	1	5	4	3	1	4	4	5	6	2	5	5	2	-	-	-	1
	Nonwhite--M	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	27	2	1	1	-	1	1	1	2	2	1	2	1	3	-	2	2	3	1	-	-	-	-	-	1	-	-
	White-----M	16	2	1	1	-	-	1	-	1	1	1	1	1	2	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	1	-	1	1	1	-	1	-	1	-	1	1	2	-	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	254	-	-	-	-	-	-	3	1	8	6	7	8	10	22	21	19	24	25	28	28	25	12	5	1	-	1
	White-----M	140	-	-	-	-	-	-	2	-	3	4	4	6	3	10	13	10	10	17	16	16	15	7	3	-	-	1
	F	110	-	-	-	-	-	-	1	1	5	2	3	2	7	11	7	9	13	8	12	12	10	4	2	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,492	1	-	-	-	-	2	-	1	-	4	4	18	42	78	135	190	225	246	222	170	95	51	14	3	-	1
	White-----M	1,143	1	-	-	-	-	1	-	-	-	3	2	17	40	63	121	158	180	175	153	117	68	34	10	-	-	-
	F	342	-	-	-	-	-	1	-	1	-	1	2	1	2	12	14	22	45	70	67	53	27	17	4	3	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,788	3	1	1	-	-	1	-	2	6	4	9	15	34	41	77	123	189	239	276	276	271	156	49	10	2	3
	White-----M	1,068	3	-	-	-	-	-	-	1	2	2	5	5	21	26	48	86	135	157	162	157	145	80	26	5	-	2
	F	701	-	1	-	-	-	1	-	1	3	2	4	9	13	15	28	36	54	79	112	115	123	74	23	5	2	1
	Nonwhite--M	13	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	-	-
107-109	Pneumonia (all forms)	612	72	3	2	2	3	4	-	7	5	8	15	15	22	31	38	40	46	55	56	74	63	34	14	2	-	1
	White-----M	427	42	2	2	2	2	-	-	2	4	5	13	9	18	20	32	28	36	45	40	44	49	21	10	-	-	1
	F	169	27	1	-	-	1	4	-	3	1	3	2	6	3	10	5	10	10	10	14	28	13	12	4	2	-	-
	Nonwhite--M	10	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	2	2	1	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	116	-	-	-	-	-	-	-	1	1	1	1	4	5	11	14	13	19	13	13	13	5	2	-	-	-	-
	White-----M	100	-	-	-	-	-	-	-	1	1	-	1	1	5	8	12	13	17	11	12	12	4	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	2	2	1	1	1	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
119,120	Diarrhea, enteritis, etc.*-----	32	13	2	1	-	-	-	-	-	1	-	2	-	-	3	-	1	3	-	2	1	2	-	1	-	-	-
	White-----M--	17	5	-	1	-	-	-	-	-	1	-	2	-	-	1	-	-	2	-	1	1	2	-	1	-	-	-
	F--	12	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	62	-	1	1	1	-	4	3	5	6	1	3	4	5	3	-	4	7	1	5	5	1	2	-	-	-	-
	White-----M--	43	-	1	1	1	-	1	3	3	4	-	2	3	4	3	-	2	5	1	4	4	1	-	-	-	-	-
	F--	17	-	-	-	-	-	2	-	2	1	1	1	1	1	-	-	2	2	-	1	1	-	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	85	-	1	2	-	1	1	-	1	1	-	4	-	5	5	3	8	13	13	9	4	6	6	2	-	-	-
	White-----M--	54	-	1	2	-	1	1	-	1	1	-	3	-	2	3	1	5	5	10	6	4	3	4	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	8	3	3	-	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	81	-	-	-	-	-	-	1	-	-	1	3	7	5	11	9	9	9	9	9	4	3	-	1	-	-	-
	White-----M--	54	-	-	-	-	-	-	1	-	-	1	-	6	4	7	8	5	8	8	3	1	2	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	3	1	1	4	1	4	1	1	6	3	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*----------	52	-	-	-	-	-	-	-	-	2	-	1	-	1	4	7	4	5	8	7	6	5	2	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	5	1	2	2	1	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	2	-	1	-	1	3	4	2	3	3	6	4	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,208	-	-	-	-	-	2	-	5	11	10	10	12	27	42	71	83	109	142	195	197	179	89	16	5	-	3
	White-----M--	708	-	-	-	-	-	1	-	-	9	5	5	7	14	22	45	48	69	89	120	111	98	53	7	2	-	3
	F--	480	-	-	-	-	-	1	-	5	2	5	5	4	13	20	23	34	36	51	71	83	79	36	9	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	1	2	-	-	-	-	-
137	Diseases of the prostate-------	82	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	18	12	13	18	8	5	1	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	18	12	12	17	8	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia----------	12	-	-	-	-	-	-	-	-	1	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	-	1	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias----------	9	-	-	-	-	-	-	-	1	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	1	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,f, 142b,143, 145b,146, 149,150	Other puerperal causes---------	17	-	-	-	-	-	-	-	1	2	6	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	1	2	6	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations-----	129	106	2	2	2	-	2	-	4	1	1	2	4	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	75	61	1	2	2	-	1	-	2	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	54	45	1	-	-	-	1	-	2	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth--	205	205	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	230	-	-	-	-	-	-	-	6	6	16	17	23	18	21	27	31	20	20	11	8	6	-	-	-	-	-
	White-----M--	182	-	-	-	-	-	-	-	3	3	11	14	14	15	16	21	27	17	18	10	7	6	-	-	-	-	-
	F--	42	-	-	-	-	-	-	-	2	3	4	2	9	3	4	5	4	2	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	33	1	-	-	-	-	-	-	1	1	2	2	8	3	8	3	2	1	-	-	-	1	-	-	-	-	-
	White-----M--	23	1	-	-	-	-	-	-	-	-	2	1	5	3	7	2	1	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents------	300	1	3	4	1	2	6	5	28	29	28	17	18	19	29	17	8	20	22	21	7	9	3	2	1	-	-
	White-----M--	233	-	3	3	1	1	4	3	22	25	23	13	16	15	22	14	7	14	14	15	4	9	2	2	1	-	-
	F--	60	1	-	1	-	1	2	2	6	3	3	4	2	2	7	3	1	5	7	6	3	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	907	47	18	14	7	3	21	20	43	47	57	52	47	52	38	83	56	33	43	54	51	55	38	21	4	-	3
	White-----M--	660	25	11	8	3	3	14	19	35	43	51	49	45	44	32	74	46	28	29	38	20	23	10	4	1	-	3
	F--	235	22	6	6	4	-	5	1	6	2	6	2	2	7	5	8	9	5	14	16	30	32	27	17	3	-	-
	Nonwhite--M--	9	-	-	-	-	-	2	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-
	F--	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other causes*	1,251	199	7	5	2	3	4	4	11	14	12	21	34	31	50	48	60	74	101	111	135	148	109	45	16	2	5
	White-----M--	660	114	1	4	-	1	1	2	6	6	3	13	12	11	27	29	32	50	65	58	74	79	50	13	6	-	3
	F--	560	81	6	1	2	2	3	1	5	8	8	7	20	20	23	17	26	22	34	51	59	66	59	28	10	-	1
	Nonwhite--M--	20	2	-	-	-	-	-	1	-	-	1	-	2	-	-	1	2	1	2	1	1	3	-	3	-	-	-
	F--	11	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	1	-	2	1

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																											
	All causes	110,174	7,527	550	319	222	195	615	707	1,310	1,671	1,872	2,173	2,854	3,953	5,614	7,873	9,424	11,093	12,740	13,016	11,586	8,642	4,435	1,405	315	41	22
	White—M	57,173	3,969	266	160	120	98	351	402	714	800	868	1,059	1,370	1,953	3,039	4,438	5,435	6,210	7,005	6,716	5,645	4,042	1,864	522	104	11	12
	F	45,830	2,883	235	133	84	77	211	242	437	632	750	782	1,034	1,356	1,897	2,697	3,325	4,281	5,215	5,890	5,690	4,438	2,470	844	195	23	9
	Nonwhite—M	3,937	372	33	14	7	9	27	35	67	116	130	168	244	332	394	426	373	346	296	246	135	96	41	21	7	1	1
	F	3,234	303	16	12	11	11	26	28	92	123	124	164	206	312	284	312	291	256	224	164	116	66	60	18	9	6	-
1,2	Typhoid, paratyphoid fever	44	-	-	-	2	-	2	5	3	-	6	6	2	3	2	6	1	3	-	1	1	1	-	-	-	-	-
	White—M	22	-	-	-	-	-	2	-	3	-	3	3	-	1	-	6	1	2	-	-	1	-	-	-	-	-	-
	F	16	-	-	-	1	-	-	4	-	-	2	3	2	-	1	-	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	88	16	5	2	4	1	7	3	8	4	4	6	6	1	6	5	3	5	1	-	1	-	-	-	-	-	-
	White—M	54	12	1	1	3	-	7	-	4	3	3	3	4	1	3	3	1	4	-	-	1	-	-	-	-	-	-
	F	25	2	1	1	1	1	-	2	4	1	1	2	2	-	2	2	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	6	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	41	2	6	5	2	6	8	2	1	3	1	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	28	2	4	3	2	2	7	2	-	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	2	2	-	4	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	161	117	27	10	3	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	71	53	12	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	74	53	12	4	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	21	-	3	2	-	3	6	-	2	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	10	-	2	-	-	-	4	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	11	-	1	2	-	3	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,881	28	16	11	7	6	20	31	193	348	373	344	346	363	376	397	355	255	187	131	71	14	8	-	1	-	-
	White—M	2,051	11	7	6	3	-	3	8	53	100	123	136	163	197	245	277	255	186	137	86	42	9	4	-	-	-	-
	F	1,043	6	4	2	3	3	5	10	67	144	160	113	101	70	71	61	60	45	44	39	26	5	3	-	1	-	-
	Nonwhite—M	441	4	4	3	-	2	3	5	18	34	46	55	58	62	42	38	36	18	3	6	3	-	1	-	-	-	-
	F	346	7	1	-	1	1	9	8	55	70	44	40	24	34	18	21	4	6	3	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	306	10	15	10	5	3	6	11	21	15	23	17	20	26	17	21	21	17	23	11	7	5	2	-	-	-	-
	White—M	129	4	6	1	3	1	4	5	6	3	11	4	7	11	6	11	14	9	12	7	2	1	1	-	-	-	-
	F	100	3	7	6	2	1	1	2	4	4	6	6	5	4	10	7	6	4	9	4	4	4	1	-	-	-	-
	Nonwhite—M	38	2	2	2	-	1	-	2	5	2	3	6	3	3	-	2	1	2	1	-	1	-	-	-	-	-	-
	F	39	1	-	1	-	-	1	2	6	6	3	1	5	8	1	1	-	2	1	-	-	-	-	-	-	-	-
27	Dysentery	24	7	2	2	3	-	1	-	-	-	-	-	-	-	1	-	3	1	1	-	1	2	-	-	-	-	-
	White—M	8	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
	F	11	4	1	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
28	Malaria	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,222	44	-	-	1	-	1	6	12	12	25	52	87	147	148	168	181	137	93	62	34	8	1	1	2	-	-
	White—M	579	8	-	-	-	-	1	3	6	-	3	17	31	59	65	87	98	78	57	37	21	5	1	-	2	-	-
	F	218	14	-	-	1	-	-	2	2	3	7	10	11	15	23	27	38	22	18	14	8	3	-	-	-	-	-
	Nonwhite—M	285	10	-	-	-	-	-	-	3	2	8	16	33	50	42	42	29	23	14	7	5	-	-	1	-	-	-
	F	140	12	-	-	-	-	-	1	1	7	7	9	12	23	18	12	16	14	4	4	-	-	-	-	-	-	-
33	Influenza	664	94	20	9	8	5	7	9	15	6	16	17	19	20	20	31	36	34	61	49	60	53	56	14	5	-	-
	White—M	324	38	13	7	5	2	3	4	9	2	8	8	10	9	15	18	21	12	34	25	27	22	23	7	2	-	-
	F	295	45	7	2	3	3	4	4	5	3	3	8	7	8	1	12	12	19	23	23	32	30	31	7	3	-	-
	Nonwhite—M	21	3	-	-	-	-	-	-	-	-	2	-	1	2	3	1	2	3	2	-	-	-	2	-	-	-	-
	F	24	8	-	-	-	-	-	1	1	1	3	1	1	1	1	-	1	-	2	1	1	1	-	-	-	-	-
35	Measles	48	18	5	7	-	1	9	2	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	29	10	3	5	-	-	5	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	8	2	2	-	1	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	24	-	2	2	-	1	5	4	3	3	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	-	2	1	-	-	4	3	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	1	-	1	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	6,529	2	2	-	2	4	1	4	10	13	21	64	125	177	362	560	790	1,015	1,114	950	749	388	149	24	2	-	-
	White—M	3,403	1	1	-	1	3	1	4	9	10	10	31	51	61	166	311	442	562	644	486	381	170	52	5	1	-	-
	F	2,849	1	1	-	1	-	-	-	1	3	8	23	62	93	160	220	314	411	436	439	357	208	92	18	1	-	-
	Nonwhite—M	160	-	-	-	-	-	-	-	-	-	3	5	4	7	22	17	23	27	21	17	4	7	2	1	-	-	-
	F	117	-	-	-	-	1	-	-	-	-	-	5	8	16	15	12	11	15	13	8	7	3	3	-	-	-	-
48,49	Cancer of female genital organs	1,726	-	-	-	-	-	-	4	3	5	20	50	92	132	166	247	241	245	194	151	111	45	18	2	-	-	-
	White—F	1,606	-	-	-	-	-	-	4	3	4	19	45	75	114	150	224	227	234	188	145	111	43	18	2	-	-	-
	Nonwhite—F	120	-	-	-	-	-	-	-	-	1	1	5	17	18	16	23	14	11	6	6	-	2	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
50	Cancer of breast	1,305	-	-	-	-	-	-	-	2	1	11	27	60	96	126	162	186	180	141	123	99	55	23	7	4	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	1	5	2	-	-	-	-	-	-	-
	F--	1,230	-	-	-	-	-	-	-	2	1	10	24	57	80	120	149	178	175	130	119	99	54	21	7	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	1	3	2	15	5	10	7	4	6	2	-	1	2	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,952	2	6	11	8	4	19	27	33	32	41	52	74	148	233	394	459	536	548	512	418	259	99	24	10	1	2
	White-----M--	2,763	1	4	2	4	3	8	10	19	18	24	31	46	88	148	273	326	404	388	376	311	192	66	15	4	1	1
	F--	1,004	1	2	8	4	1	11	16	9	9	15	19	22	42	67	93	104	111	140	121	100	63	31	9	5	-	1
	Nonwhite--M--	141	-	-	-	-	-	-	-	4	5	1	-	5	12	14	23	18	18	16	14	6	4	-	-	1	-	-
	F--	44	-	-	1	-	-	-	1	1	-	1	2	1	6	4	5	11	3	4	1	1	-	2	-	-	-	-
58	Acute rheumatic fever	146	-	1	2	-	3	17	26	19	16	8	7	13	8	5	5	2	4	5	-	-	4	1	-	-	-	-
	White-----M--	60	-	1	-	-	2	9	10	9	7	1	1	3	2	2	4	1	2	4	-	-	2	-	-	-	-	-
	F--	73	-	-	2	-	1	7	14	10	4	7	6	8	4	2	1	1	2	1	-	-	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	1	2	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,398	2	2	1	1	1	9	11	19	21	21	33	29	65	131	281	423	505	633	598	385	184	33	9	1	-	-
	White-----M--	1,065	1	1	-	1	-	6	5	5	8	6	12	20	23	41	64	128	152	203	188	120	65	12	4	-	-	-
	F--	2,189	1	1	1	-	1	3	4	13	11	15	17	7	29	74	186	282	333	407	401	259	118	21	5	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	1	1	1	-	1	-	1	5	5	3	9	7	4	-	1	-	-	-	-	-
	F--	105	-	-	-	-	-	-	1	-	1	-	3	2	12	11	26	10	11	16	5	6	-	-	-	1	-	-
63b	Exophthalmic goiter	272	-	1	-	-	-	-	1	1	6	6	8	13	15	24	34	34	49	41	27	5	6	1	-	-	-	-
	White-----M--	47	-	-	-	-	-	-	-	1	2	3	1	1	4	6	8	3	9	5	3	1	-	-	-	-	-	-
	F--	215	-	1	-	-	-	-	1	-	4	3	5	10	10	17	26	30	38	35	24	4	6	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	4	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	203	-	-	-	-	-	-	-	1	2	5	14	23	24	26	39	22	19	11	14	2	1	-	-	-	-	-
	White-----M--	165	-	-	-	-	-	-	-	-	2	2	9	14	17	24	35	21	15	10	13	2	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	2	2	3	6	-	2	1	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	1	-	1	3	5	-	2	2	-	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,902	17	3	4	2	1	4	3	18	22	32	45	98	187	318	515	706	997	1,298	1,441	1,440	1,085	482	157	21	3	3
	White-----M--	3,967	12	-	4	2	1	1	1	12	11	17	14	28	64	127	214	318	473	613	700	637	459	189	61	7	-	2
	F--	4,469	3	3	-	-	-	3	2	6	11	13	21	47	80	153	241	322	461	630	698	774	611	282	91	14	2	1
	Nonwhite--M--	212	1	-	-	-	-	-	-	-	-	1	4	10	21	15	33	31	24	23	26	11	8	3	1	-	-	-
	F--	254	1	-	-	-	-	-	-	-	-	1	6	13	22	23	27	35	39	32	17	18	7	8	4	-	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	1,130	83	24	16	7	10	29	34	47	43	53	46	57	57	52	92	79	95	88	87	79	36	9	6	1	-	-
	White-----M--	608	46	8	7	3	6	21	16	28	26	28	28	26	25	30	53	41	53	45	52	40	18	4	3	1	-	-
	F--	456	28	13	8	3	4	7	16	17	11	24	16	27	26	18	34	31	38	38	35	38	17	5	2	-	-	-
	Nonwhite--M--	35	7	3	-	-	-	-	2	1	4	-	-	3	3	2	3	2	-	2	-	1	1	-	1	-	-	-
	F--	31	2	-	1	1	-	1	-	1	2	1	2	1	3	2	2	5	4	3	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	290	31	11	4	6	6	16	14	19	15	13	15	18	26	14	26	11	9	12	7	7	4	4	2	-	-	-
	White-----M--	156	17	6	3	5	-	8	9	6	8	9	10	13	12	7	17	8	4	6	1	3	2	2	-	-	-	-
	F--	110	12	5	1	-	6	8	5	11	3	2	4	4	8	3	9	2	5	6	6	4	2	2	2	-	-	-
	Nonwhite--M--	19	2	-	-	1	-	-	-	1	4	1	-	1	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	2,264	-	-	1	4	1	27	57	83	87	110	98	133	153	182	183	180	186	197	197	175	128	57	21	4	-	
	White-----M--	1,063	-	-	1	2	1	10	23	46	41	49	46	60	67	94	76	91	91	104	95	72	64	18	11	1	-	-
	F--	1,079	-	-	-	1	-	12	27	32	45	56	44	65	74	74	90	81	84	85	98	98	63	38	10	2	-	-
	Nonwhite--M--	60	-	-	-	-	-	1	3	3	1	3	2	5	5	10	7	3	6	4	3	-	1	1	-	-	-	-
	F--	62	-	-	-	1	-	4	4	2	-	2	6	3	7	4	10	5	3	4	1	5	-	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	9,845	-	-	-	-	-	1	-	3	6	34	76	175	360	673	1,081	1,220	1,432	1,530	1,415	978	579	221	53	7	-	1
	White-----M--	6,749	-	-	-	-	-	-	-	2	2	21	53	134	276	519	830	929	986	1,039	907	571	329	122	27	2	-	-
	F--	2,786	-	-	-	-	-	-	-	1	4	6	20	27	52	109	202	239	406	462	487	395	248	96	26	5	-	1
	Nonwhite--M--	190	-	-	-	-	-	1	-	-	-	1	2	7	19	33	31	32	26	19	10	5	2	2	-	-	-	-
	F--	120	-	-	-	-	-	-	-	-	-	6	1	7	13	12	18	20	14	10	11	7	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	23,152	5	5	4	5	3	8	26	60	78	89	121	210	384	754	1,296	1,824	2,459	3,237	3,739	3,597	2,950	1,644	501	129	20	4
	White-----M--	11,453	4	1	1	1	1	4	14	24	33	43	62	93	169	362	690	1,084	1,992	1,741	1,846	1,694	1,333	658	160	38	4	1
	F--	10,422	1	4	2	4	1	4	9	30	35	38	40	77	152	260	442	584	902	1,347	1,755	1,817	1,544	947	327	86	11	3
	Nonwhite--M--	698	-	-	1	-	1	-	2	5	3	3	9	21	31	70	86	87	94	88	78	49	46	16	6	2	-	-
	F--	579	-	-	-	-	-	-	1	1	7	5	10	19	32	62	78	69	71	61	60	37	27	23	8	3	5	-
107-109	Pneumonia (all forms)	4,805	978	143	54	25	19	28	29	44	58	55	105	134	197	224	298	329	357	383	401	394	321	161	48	17	2	1
	White-----M--	2,557	476	62	26	10	9	8	14	25	29	30	50	68	108	137	189	212	239	230	207	187	152	78	16	4	1	-
	F--	1,760	399	60	23	8	5	15	12	16	20	15	38	34	46	49	68	76	97	133	173	191	163	79	28	11	1	-
	Nonwhite--M--	286	59	11	3	3	2	4	-	2	8	6	12	20	24	23	29	28	11	11	12	9	8	1	4	-	-	1
	F--	192	44	10	2	4	3	1	3	1	1	4	5	12	19	15	12	13	10	9	9	7	8	3	-	2	-	-
117	Ulcer of stomach or duodenum	587	-	1	-	-	-	-	-	6	5	9	21	32	50	76	76	82	67	66	38	38	16	4	-	-	-	-
	White-----M--	466	-	-	-	-	-	-	-	5	4	5	18	27	38	63	63	70	55	58	27	26	5	2	-	-	-	-
	F--	83	-	1	-	-	-	-	-	1	1	2	-	3	4	5	8	6	10	7	11	11	11	2	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	-	2	8	5	5	4	2	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	3	-	-	3	-	2	-	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
119,120	Diarrhea, enteritis, etc.*	558	344	40	8	4	6	9	1	4	6	7	5	13	9	6	12	14	18	10	6	11	13	8	3	1	-	-
	White—M	286	174	19	6	4	3	3	1	3	3	5	3	4	3	6	8	10	4	3	4	9	7	3	1	-	-	-
	F	232	143	19	2	-	3	5	-	1	3	2	1	5	5	-	3	4	11	7	2	2	6	5	2	1	-	-
	Nonwhite—M	20	15	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	20	12	1	-	-	-	-	-	-	-	-	1	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-
121	Appendicitis	624	4	5	10	11	11	35	35	42	26	27	36	33	38	54	54	45	53	50	29	18	6	1	1	-	-	-
	White—M	334	3	5	6	7	7	12	20	28	11	13	24	17	21	29	27	24	32	27	14	5	2	-	-	-	-	-
	F	250	1	-	4	4	4	19	13	11	14	14	10	13	12	17	21	20	18	23	14	12	4	1	1	-	-	-
	Nonwhite—M	22	-	-	-	-	-	4	1	1	1	-	1	2	1	2	6	1	1	-	-	1	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	1	2	-	-	1	1	4	6	-	-	2	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	882	50	5	4	2	1	8	6	9	8	14	19	24	37	45	73	73	106	87	106	100	56	34	13	2	-	-
	White—M	406	22	2	3	2	1	8	4	4	4	6	7	3	15	18	35	30	53	46	48	47	30	12	5	1	-	-
	F	425	25	1	1	-	-	-	2	5	4	5	8	14	15	21	31	38	50	39	56	53	26	22	8	1	-	-
	Nonwhite—M	23	1	2	-	-	-	-	-	-	-	-	3	2	3	1	3	2	2	2	2	-	-	-	-	-	-	-
	F	28	2	-	-	-	-	-	-	-	-	3	1	5	4	5	4	3	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	1,077	1	1	1	-	2	-	3	3	5	13	17	47	70	129	128	127	148	148	110	55	51	15	2	1	-	-
	White—M	691	-	1	1	-	1	-	1	2	2	5	9	34	49	76	95	75	99	102	69	32	31	6	1	-	-	-
	F	355	1	-	-	-	1	-	2	1	3	8	7	11	17	46	27	46	47	45	39	23	20	9	1	1	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	4	2	1	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	2	-	-	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	588	1	-	-	-	-	-	-	-	3	5	16	26	31	64	63	77	68	79	67	50	27	6	2	2	-	1
	White—M	198	1	-	-	-	-	-	-	-	2	3	7	7	8	16	22	28	19	31	22	19	7	-	1	-	-	-
	F	384	-	-	-	-	-	-	-	-	1	2	7	18	21	45	41	47	49	48	45	30	20	6	1	2	-	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	8,689	20	3	3	4	5	14	28	39	60	62	104	140	230	378	511	694	836	1,165	1,283	1,315	1,003	529	187	22	3	1
	White—M	4,132	14	-	2	3	4	9	15	16	25	28	46	61	109	168	246	354	418	593	627	627	448	236	72	10	-	1
	F	3,992	4	2	-	1	1	5	11	18	31	28	41	59	112	152	208	281	367	494	597	654	528	279	105	12	2	-
	Nonwhite—M	266	1	-	-	-	-	-	1	2	3	-	7	7	19	24	28	27	31	42	32	22	10	3	6	-	1	-
	F	299	1	1	1	-	-	-	1	3	1	6	10	13	40	34	29	32	20	36	27	12	17	11	4	-	-	-
137	Diseases of the prostate	587	-	-	-	-	-	-	-	-	-	-	-	1	-	3	11	20	47	95	144	118	103	33	9	3	-	-
	White—M	559	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	17	43	91	137	114	101	32	9	3	-	-
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	4	7	4	2	1	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	236	-	-	-	-	-	-	-	28	51	51	46	42	14	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	213	-	-	-	-	-	-	-	23	46	46	43	38	13	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	23	-	-	-	-	-	-	-	5	5	5	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	110	-	-	-	-	-	-	-	13	26	28	21	15	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	105	-	-	-	-	-	-	-	13	25	27	18	15	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	184	-	-	-	-	-	-	-	9	35	47	40	40	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	170	-	-	-	-	-	-	-	6	34	45	37	35	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	14	-	-	-	-	-	-	-	3	1	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,277	1,124	33	21	9	9	20	10	7	13	9	3	6	3	4	3	2	-	1	-	-	-	-	-	-	-	-
	White—M	688	609	16	11	5	7	10	3	4	8	5	1	4	2	2	-	-	-	1	-	-	-	-	-	-	-	-
	F	529	466	16	9	2	2	9	7	2	3	4	1	2	1	2	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	33	29	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	27	20	-	1	1	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,443	2,443	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,287	1,287	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	892	892	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	124	124	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,198	-	-	-	-	-	1	1	32	55	79	105	99	105	138	119	131	111	76	81	46	12	6	1	-	-	-
	White—M	909	-	-	-	-	-	1	-	19	37	54	71	75	75	109	92	113	88	60	68	34	8	4	1	-	-	-
	F	263	-	-	-	-	-	-	1	11	15	21	28	23	29	29	24	15	21	15	13	12	4	2	-	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	3	3	6	1	1	-	1	3	2	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	260	8	2	1	-	2	1	1	7	29	36	30	33	29	17	21	12	11	9	5	2	3	1	-	-	-	-
	White—M	97	4	1	1	-	1	-	-	3	5	4	9	8	15	9	10	6	8	7	2	2	2	-	-	-	-	-
	F	40	2	1	-	-	1	1	-	1	4	4	3	5	4	1	4	3	2	1	1	-	1	1	-	-	-	-
	Nonwhite—M	104	1	-	-	-	-	-	1	3	17	23	12	17	10	7	7	2	1	1	2	-	-	-	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	3	5	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,922	5	17	17	24	22	89	67	177	197	126	112	100	93	114	136	139	147	127	89	68	33	17	4	-	-	-
	White—M	1,507	4	10	12	14	10	61	57	136	152	100	89	80	75	88	111	114	118	105	67	58	29	13	4	-	-	-
	F	329	1	7	5	9	6	24	7	36	40	19	12	11	14	16	18	23	23	19	21	10	4	4	-	-	-	-
	Nonwhite—M	60	-	-	-	-	3	1	3	4	4	4	8	7	3	8	7	1	3	3	1	-	-	-	-	-	-	-
	F	26	-	-	-	1	3	3	-	1	1	5	3	2	1	2	-	1	3	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	5,075	143	74	43	54	27	118	153	197	233	211	213	212	252	337	344	358	338	344	366	367	367	233	69	15	5	2
	White—M	3,326	73	37	22	27	12	78	119	157	187	175	174	173	203	272	279	283	246	219	184	150	143	86	20	2	3	2
	F	1,507	56	33	17	25	12	31	24	29	28	24	27	17	33	38	45	61	81	116	175	207	221	144	48	13	2	-
	Nonwhite—M	187	9	3	1	2	-	6	10	9	15	12	9	17	18	24	18	11	8	8	4	5	2	1	-	-	-	-
	F	55	5	1	3	-	3	3	-	2	3	-	3	5	3	3	2	3	3	1	3	5	1	2	1	-	-	-
	All other causes*	9,419	1,928	70	54	19	32	89	91	113	122	176	178	251	330	381	479	543	601	682	770	784	823	579	245	65	7	7
	White—M	4,878	1,080	40	24	12	21	52	48	65	51	68	80	99	143	181	271	314	351	383	412	409	402	240	99	26	2	5
	F	3,957	711	28	26	7	11	29	39	41	57	86	72	111	142	154	169	189	211	267	331	358	408	326	144	33	5	2
	Nonwhite—M	313	81	1	3	-	-	5	1	4	5	7	6	11	22	29	25	19	22	21	21	8	9	8	1	4	-	-
	F	271	56	1	1	-	-	3	3	3	9	15	20	30	23	17	14	21	17	11	6	9	4	5	1	2	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																											
	All causes	8,166	560	24	18	11	4	41	32	62	90	106	123	150	248	357	534	717	911	1,053	1,148	848	665	346	90	22	3	3
	White—M	4,169	287	10	13	7	2	23	19	35	51	48	62	83	143	201	312	379	505	535	589	402	285	138	31	6	1	2
	F	3,800	248	11	5	4	2	16	12	24	32	50	57	59	97	144	204	323	388	498	543	432	371	204	58	15	2	1
	Nonwhite—M	104	13	1	-	-	-	2	-	2	4	3	3	4	4	11	9	9	10	7	10	6	4	1	-	1	-	-
	F	93	12	2	-	-	-	-	1	1	3	5	1	4	4	1	9	6	8	13	6	8	5	3	1	-	-	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	258	-	-	1	-	-	2	2	11	18	29	26	19	20	20	22	27	24	20	8	5	4	-	-	-	-	-
	White—M	159	-	-	1	-	-	1	1	3	6	8	18	12	16	15	15	19	19	12	4	5	4	-	-	-	-	-
	F	84	-	-	-	-	-	1	1	7	9	17	7	5	4	3	6	7	5	8	4	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	2	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	22	1	1	3	-	-	-	1	2	1	3	-	1	3	-	2	-	1	1	1	1	-	-	-	-	-	-
	White—M	10	-	-	1	-	-	-	1	2	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	9	1	1	2	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	76	2	-	-	-	-	-	-	-	-	-	1	4	6	6	13	17	10	7	6	1	1	2	-	-	-	-
	White—M	44	1	-	-	-	-	-	-	-	-	-	-	3	4	1	7	11	6	5	3	1	1	1	-	-	-	-
	F	23	1	-	-	-	-	-	-	-	-	-	1	-	1	3	3	5	3	2	3	-	-	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
33	Influenza	21	3	2	-	-	-	-	-	-	-	-	1	-	1	1	-	2	5	2	1	1	1	1	-	-	-	-
	White—M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	F	12	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	1	1	-	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	541	-	-	-	-	-	-	-	-	-	-	3	16	16	21	42	77	89	86	92	56	31	11	-	-	-	1
	White—M	277	-	-	-	-	-	-	-	-	-	-	1	7	8	16	26	32	45	52	51	22	10	6	-	-	-	1
	F	254	-	-	-	-	-	-	-	-	-	-	2	9	7	5	16	44	42	32	40	33	20	4	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	115	-	-	-	-	-	1	-	-	-	1	2	4	6	12	8	23	15	15	9	8	8	3	-	-	-	-
	White—F	113	-	-	-	-	-	1	-	-	-	1	2	3	6	12	8	23	15	15	9	7	8	3	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
50	Cancer of breast	118	-	-	-	-	-	-	-	-	-	-	2	7	6	5	10	19	18	14	22	7	5	3	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	116	-	-	-	-	-	-	-	-	-	-	2	7	6	5	10	19	17	14	21	7	5	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	337	-	-	-	-	-	1	1	-	2	8	2	10	9	15	25	43	49	48	66	29	16	11	1	-	1	-
	White—M	237	-	-	-	-	-	-	-	-	2	7	2	8	6	7	15	24	35	39	50	24	9	8	-	-	1	-
	F	96	-	-	-	-	-	1	1	-	-	1	-	2	2	7	10	18	14	9	16	4	7	3	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	284	-	-	-	-	-	-	1	3	1	-	1	-	1	10	20	29	42	62	55	37	17	4	1	-	-	-
	White—M	88	-	-	-	-	-	-	-	1	-	-	1	-	1	3	4	11	15	19	15	9	8	1	-	-	-	-
	F	192	-	-	-	-	-	-	1	2	-	-	-	-	-	7	15	18	27	42	40	27	9	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	15	-	-	1	1	-	-	-	-	-	1	4	2	2	2	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	11	-	-	1	1	-	-	-	-	-	-	2	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	740	-	-	-	-	-	2	-	-	2	2	2	6	19	25	38	66	95	136	136	104	67	32	7	1	-	-
	White—M	320	-	-	-	-	-	1	-	-	1	1	1	2	5	13	13	34	43	71	62	38	23	8	3	1	-	-
	F	402	-	-	-	-	-	1	-	-	1	1	1	3	13	12	23	28	49	62	73	66	41	24	4	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	1	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	-	-	2	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	60	2	1	1	-	-	1	3	-	4	2	5	4	3	6	4	5	7	5	5	1	1	-	-	-	-	-
	White—M	33	2	-	1	-	-	1	2	-	3	1	2	3	1	2	2	3	3	4	2	1	-	-	-	-	-	-
	F	25	-	1	-	-	-	-	1	-	1	1	2	-	2	4	2	2	4	1	3	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	23	1	-	-	1	-	4	-	3	2	1	1	1	3	-	2	2	-	2	-	-	-	-	-	-	-	-
	White—M	16	1	-	-	1	-	2	-	2	2	1	-	1	2	-	1	2	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	2	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	134	-	-	-	-	-	4	5	6	9	6	4	3	7	12	13	8	10	11	15	5	9	7	-	-	-	-
	White—M	57	-	-	-	-	-	1	2	2	4	2	-	1	1	6	7	5	5	5	8	3	3	2	-	-	-	-
	F	75	-	-	-	-	-	3	3	3	5	4	4	2	6	6	5	3	5	6	7	2	6	5	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	949	-	-	-	-	-	-	-	-	-	1	5	8	32	66	101	113	159	133	154	88	53	30	5	-	-	1
	White—M	636	-	-	-	-	-	-	-	-	-	-	5	7	28	51	82	83	111	86	101	48	20	14	-	-	-	-
	F	298	-	-	-	-	-	-	-	-	-	-	-	1	4	12	17	29	45	45	51	40	32	16	5	-	-	1
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	1	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,710	1	-	-	-	-	-	-	-	2	6	6	11	19	38	66	125	190	254	306	265	245	132	34	9	1	-
	White—M	835	-	-	-	-	-	-	-	-	1	2	4	7	12	17	40	61	110	118	152	127	114	56	13	1	-	-
	F	843	1	-	-	-	-	-	-	-	1	4	2	4	6	21	24	61	78	125	149	133	130	74	21	8	1	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	3	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	7	3	2	-	2	-	-	-	-
107-109	Pneumonia (all forms)	368	58	10	4	1	1	1	1	3	4	10	6	1	17	10	29	20	29	33	45	35	32	8	6	3	1	-
	White—M	186	31	3	3	1	-	1	-	2	3	7	4	1	8	5	19	13	14	14	18	18	14	4	1	2	-	-
	F	166	22	5	1	-	1	-	-	1	1	3	2	-	8	5	8	7	14	18	26	15	18	4	5	1	1	-
	Nonwhite—M	9	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	-	-	-	-	-	-
	F	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	49	-	-	-	-	-	-	-	-	-	-	2	2	4	6	6	4	9	6	4	3	3	-	-	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	3	8	4	4	2	2	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
119,120	Diarrhea, enteritis, etc.*	79	70	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-
	White—M	46	42	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	32	27	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	32	-	-	-	-	-	2	2	1	2	2	2	2	2	3	4	1	1	3	3	1	1	-	-	-	-	-
	White—M	13	-	-	-	-	-	1	1	1	-	-	1	1	2	2	1	-	-	1	1	1	-	-	-	-	-	-
	F	17	-	-	-	-	-	1	1	-	1	2	1	1	-	1	2	1	1	2	2	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	59	1	-	-	-	-	1	-	-	2	-	1	2	2	3	2	4	7	8	10	7	5	2	1	1	-	-
	White—M	35	1	-	-	-	-	-	-	-	2	-	-	1	1	1	-	3	4	5	7	3	3	2	1	1	-	-
	F	24	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	1	3	3	3	4	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	85	-	-	-	-	-	1	-	-	-	-	-	2	4	14	14	10	9	14	6	7	2	2	-	-	-	-
	White—M	52	-	-	-	-	-	1	-	-	-	-	-	2	4	10	9	5	5	6	3	5	1	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	5	4	8	3	2	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	-	1	1	2	2	1	4	6	6	7	7	2	1	-	1	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	1	3	1	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	3	4	6	4	1	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	611	-	-	-	-	-	1	1	3	2	3	6	5	17	23	41	49	57	90	94	88	76	34	17	4	-	-
	White—M	288	-	-	-	-	-	1	-	1	1	1	1	1	10	15	22	27	30	42	41	43	34	12	5	1	-	-
	F	306	-	-	-	-	-	-	1	2	1	2	5	4	6	6	18	20	25	48	48	45	40	22	11	2	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	-	1	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	-	2	-	1	-	-	-
137	Diseases of the prostate	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	8	4	6	-	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	8	4	6	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	6	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143 145b,146, 149,150	Other puerperal causes	11	-	-	-	-	-	-	-	-	-	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	-	-	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	138	129	1	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	61	57	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	76	71	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	51	-	-	-	-	-	-	1	3	4	3	2	3	4	10	4	5	5	2	3	1	1	-	-	-	-	-
	White—M	41	-	-	-	-	-	-	1	2	3	2	2	3	4	6	3	4	4	2	3	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	1	1	-	-	-	4	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	2	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	5	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	78	-	-	1	3	-	2	2	8	3	4	5	2	3	3	3	6	12	8	7	3	2	1	-	-	-	-
	White—M	64	-	-	1	2	-	2	1	5	2	3	4	2	3	2	3	6	11	7	6	2	1	1	-	-	-	-
	F	13	-	-	-	1	-	-	1	2	1	1	1	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	315	11	3	2	1	-	5	9	10	16	11	9	7	10	16	22	18	15	37	25	27	33	21	6	1	-	-
	White—M	179	3	3	2	1	-	3	8	10	13	10	7	6	8	13	15	10	10	14	12	8	14	5	4	-	-	-
	F	126	4	-	-	-	-	1	1	-	3	1	1	-	1	2	7	8	4	23	13	18	19	16	2	1	-	-
	Nonwhite—M	7	2	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other causes*	599	121	2	3	1	2	7	1	4	9	4	11	18	24	26	37	33	41	43	58	56	47	36	11	3	-	1
	White—M	296	73	1	2	-	2	4	1	2	5	2	3	8	11	8	18	18	19	22	32	31	18	11	4	-	-	1
	F	287	45	1	1	1	-	2	-	2	3	2	8	9	13	18	18	14	21	21	25	23	28	24	7	3	-	-
	Nonwhite—M	5	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	11	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	2	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	All causes	18,306	2,866	279	150	97	73	244	208	434	737	725	753	773	1,015	1,088	1,316	1,467	1,448	1,381	1,171	805	636	333	151	50	36	70
	White—M	5,012	641	55	39	20	19	50	49	96	216	166	156	158	216	252	322	432	482	494	457	284	250	101	30	10	1	16
	F	3,506	491	42	26	15	14	35	25	52	77	83	103	127	119	160	178	225	318	352	333	283	237	137	52	12	5	5
	Nonwhite—M	5,139	984	89	51	35	14	70	78	125	207	248	285	257	301	348	437	416	344	293	215	139	75	50	29	10	9	30
	F	4,649	750	93	34	27	26	89	56	161	237	228	209	231	379	328	379	394	304	242	166	99	74	45	40	18	21	19
1,2	Typhoid, paratyphoid fever	45	-	1	-	-	-	4	4	14	2	4	3	2	4	1	2	1	1	-	-	1	-	-	1	-	-	-
	White—M	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	16	-	-	-	-	-	1	-	6	2	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	3	3	6	-	3	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	21	1	2	2	1	-	-	3	1	3	2	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	1	-	1	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	1	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	77	53	16	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	28	19	7	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	16	6	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	66	6	6	18	11	8	12	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	24	3	3	6	4	3	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	1	6	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	16	1	-	4	5	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	2	2	2	1	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	753	3	1	2	1	1	3	10	63	130	113	88	75	69	62	31	29	23	17	14	8	5	1	-	-	-	4
	White—M	129	-	-	-	-	-	-	-	2	9	16	11	14	21	10	9	11	9	5	6	4	1	1	-	-	-	-
	F	86	-	-	-	-	-	-	-	1	9	10	9	9	5	11	6	2	5	6	6	4	3	-	-	-	-	-
	Nonwhite—M	257	2	-	1	1	1	2	4	19	48	38	35	28	20	27	6	13	2	4	2	-	1	-	-	-	-	3
	F	281	1	1	1	-	-	1	6	41	64	49	33	24	23	14	10	3	7	2	-	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	52	7	4	1	-	1	3	2	5	11	4	6	1	-	1	3	-	1	-	2	-	-	-	-	-	-	-
	White—M	7	2	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	20	1	2	1	-	-	3	2	1	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	3	1	-	-	-	-	-	4	8	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	35	15	6	1	-	-	-	-	-	-	1	-	1	2	1	-	-	3	1	1	-	1	1	1	-	-	-
	White—M	6	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
	Nonwhite—M	15	7	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	9	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
28	Malaria	104	9	3	3	2	5	9	3	6	4	5	5	5	8	8	9	5	7	2	2	1	1	2	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	1	-	-	-	1	3	-	2	2	1	-	-	-	-	1	-	-	-	-
	F	9	-	-	-	1	1	1	1	-	-	2	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	45	4	1	2	1	1	5	2	3	1	2	3	3	-	5	3	1	4	2	1	1	-	-	-	-	-	-
	F	39	5	2	1	-	3	3	-	2	3	1	2	1	4	3	4	2	2	-	-	-	-	1	-	-	-	-
30	Syphilis	278	39	3	-	1	-	-	2	9	19	23	31	29	35	22	33	13	4	11	4	-	-	-	-	-	-	-
	White—M	32	3	-	-	-	-	-	-	-	-	-	1	5	5	2	6	3	1	5	1	-	-	-	-	-	-	-
	F	8	2	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	162	18	1	-	-	-	-	2	4	8	17	20	18	19	16	22	7	3	4	3	-	-	-	-	-	-	-
	F	76	16	2	-	1	-	-	-	4	11	6	7	6	11	3	5	3	-	1	-	-	-	-	-	-	-	-
33	Influenza	281	78	11	4	2	2	6	2	7	8	8	18	11	10	8	22	18	17	13	9	11	6	3	2	2	1	2
	White—M	57	16	3	2	-	1	-	-	1	3	2	5	1	2	1	1	2	2	3	5	4	2	-	-	1	-	-
	F	46	11	2	-	-	-	1	2	1	-	1	3	-	-	-	3	2	6	3	1	5	2	1	1	1	-	-
	Nonwhite—M	86	28	3	-	1	-	3	-	2	3	3	5	6	3	4	7	4	6	2	2	-	-	1	1	-	-	2
	F	92	23	3	2	1	1	2	-	3	2	2	5	4	5	3	11	10	3	5	1	2	2	1	-	-	1	-
35	Measles	33	10	5	6	1	5	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	2	1	3	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	4	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	11	1	-	-	1	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	452	-	-	-	-	-	1	-	-	4	4	11	13	33	41	58	63	68	40	52	32	19	6	2	2	-	3
	White—M	139	-	-	-	-	-	-	-	-	1	-	2	3	8	8	14	14	25	20	23	14	3	2	1	1	-	-
	F	139	-	-	-	-	-	-	-	-	1	2	4	4	2	12	14	18	25	11	13	13	15	3	1	1	-	-
	Nonwhite—M	93	-	-	-	-	-	-	-	-	2	1	4	1	12	13	16	14	9	5	11	4	-	-	-	-	-	1
	F	81	-	-	-	-	-	1	-	-	-	1	1	5	11	8	14	17	9	4	5	1	1	1	-	-	-	2
48,49	Cancer of female genital organs	243	-	-	-	-	-	-	-	-	2	8	14	21	36	30	31	39	25	17	8	8	3	-	1	-	-	-
	White—F	143	-	-	-	-	-	-	-	-	1	3	10	15	18	15	16	20	17	12	5	8	3	-	-	-	-	-
	Nonwhite—F	100	-	-	-	-	-	-	-	-	1	5	4	6	18	15	15	19	8	5	3	-	-	-	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
50	Cancer of breast	115	-	1	-	-	-	-	-	-	1	2	3	7	16	14	15	14	16	8	6	8	1	1	-	1	-	1
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	67	-	1	-	-	-	-	-	-	-	-	1	4	6	9	8	11	12	4	2	7	-	1	-	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	47	-	-	-	-	-	-	-	-	1	2	2	3	10	5	7	3	4	3	4	1	1	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	369	-	-	4	2	1	1	2	10	13	10	12	15	22	31	33	51	40	34	34	23	15	8	2	2	2	2
	White—M	176	-	-	1	1	-	1	2	7	10	4	6	7	5	14	11	19	25	20	18	10	7	4	1	1	1	1
	F	87	-	-	2	-	1	-	-	1	2	2	-	2	6	8	7	12	8	8	10	7	5	3	1	1	1	-
	Nonwhite—M	71	-	-	-	1	-	-	-	1	-	3	4	3	4	6	10	16	7	2	5	6	1	1	-	-	-	1
	F	35	-	-	1	-	-	-	-	1	1	1	2	3	7	3	5	4	-	4	1	-	2	-	-	-	-	-
58	Acute rheumatic fever	30	-	-	-	-	1	5	3	6	2	2	2	1	3	1	-	-	2	1	-	-	-	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	1	1	1	-	-	1	1	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-
61	Diabetes mellitus	249	1	-	-	-	-	-	1	3	4	4	2	5	12	17	21	35	33	54	26	22	6	2	-	-	-	1
	White—M	63	1	-	-	-	-	-	-	-	-	1	-	-	3	3	6	6	9	16	8	7	2	-	-	-	-	1
	F	94	-	-	-	-	-	-	-	2	-	-	-	1	2	4	4	10	13	26	14	14	2	2	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	3	1	1	1	1	3	5	2	3	4	1	-	1	-	-	-	-	-
	F	66	-	-	-	-	-	-	1	1	1	2	1	3	6	7	6	17	8	8	3	1	1	-	-	-	-	-
63b	Exophthalmic goiter	11	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	4	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	95	-	-	-	-	-	-	-	-	5	2	4	6	5	6	6	9	14	7	15	4	7	3	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	5	1	2	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	3	6	1	8	3	4	1	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	4	1	1	-	1	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	5	1	2	4	4	3	3	5	3	1	1	-	-	1	-	-	-	-
77	Alcoholism (ethylism)	25	-	-	-	-	-	-	-	-	-	2	4	7	4	2	3	2	-	1	-	-	-	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	2	3	4	2	3	2	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,873	6	-	-	1	-	4	3	10	7	24	30	55	124	138	228	241	239	244	210	125	105	51	16	3	3	6
	White—M	482	3	-	-	-	-	1	3	3	-	4	4	6	21	27	38	60	67	78	74	38	36	13	4	-	-	2
	F	396	1	-	-	-	-	-	-	-	-	1	4	9	11	17	29	40	49	62	57	44	42	22	7	1	-	-
	Nonwhite—M	483	1	-	-	-	-	-	-	4	3	7	11	16	39	39	90	77	57	54	43	23	11	5	2	-	1	-
	F	512	1	-	-	1	-	3	-	3	4	12	11	24	53	55	71	64	66	50	36	20	16	11	3	2	2	4
80-82, 84-86	Other diseases of nervous system, etc.*	214	36	10	5	6	3	8	7	7	7	19	18	15	20	18	5	8	7	6	5	1	-	1	1	1	-	-
	White—M	55	6	2	1	-	1	1	3	2	1	2	5	6	6	4	-	3	4	3	3	1	-	-	1	-	-	-
	F	42	4	2	2	2	-	-	1	1	1	5	2	2	3	7	3	2	1	-	2	-	-	1	-	1	-	-
	Nonwhite—M	68	13	4	2	1	1	7	1	3	1	7	9	5	7	3	-	2	2	-	-	-	-	-	-	-	-	-
	F	49	13	2	-	3	1	-	2	1	4	5	2	2	4	4	2	1	-	3	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	107	35	3	2	1	3	18	5	4	4	4	6	5	1	7	1	3	2	1	1	-	-	-	1	-	-	-
	White—M	24	3	1	2	1	-	7	-	2	1	1	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	13	2	1	-	-	1	2	-	1	1	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	34	17	-	-	-	-	4	2	-	1	1	1	3	1	1	-	1	1	-	-	-	-	-	1	-	-	-
	F	36	15	1	-	-	2	5	3	1	1	1	3	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	250	-	-	3	-	-	11	7	10	4	7	12	12	19	19	18	22	25	18	23	18	12	8	2	-	-	-
	White—M	46	-	-	-	-	-	2	-	3	1	-	2	1	5	1	3	3	5	6	5	5	3	1	-	-	-	-
	F	42	-	-	-	-	-	3	-	2	1	1	1	3	2	-	1	-	7	2	5	3	6	4	1	-	-	-
	Nonwhite—M	90	-	-	2	-	-	2	5	3	2	3	6	4	8	9	7	9	10	4	10	5	1	-	-	-	-	-
	F	72	-	-	1	-	-	4	2	2	-	3	3	4	4	9	7	10	3	6	3	5	2	3	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	873	-	-	-	-	-	1	-	-	5	5	28	37	53	76	99	122	127	117	88	50	43	16	4	-	-	2
	White—M	503	-	-	-	-	-	-	-	-	1	2	9	19	27	48	63	83	79	61	52	25	23	8	2	-	-	1
	F	180	-	-	-	-	-	-	-	-	-	2	2	5	3	9	9	15	23	35	32	21	15	6	2	-	-	1
	Nonwhite—M	105	-	-	-	-	-	-	-	-	3	1	13	6	13	7	11	10	17	16	2	4	2	-	-	-	-	-
	F	85	-	-	-	-	-	1	-	-	1	-	4	7	10	12	16	14	8	5	2	-	3	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,385	3	-	2	-	1	5	6	20	24	50	64	78	137	201	235	267	294	280	253	186	152	66	24	16	10	11
	White—M	687	-	-	1	-	-	2	1	4	5	7	6	11	22	29	50	67	116	109	94	69	66	20	5	1	-	2
	F	461	1	-	-	-	-	-	2	2	3	7	5	9	11	20	22	31	47	62	82	65	52	28	6	4	2	-
	Nonwhite—M	632	2	-	1	-	1	2	-	5	9	20	28	31	45	83	85	79	65	56	39	32	20	9	6	5	4	5
	F	605	-	-	-	-	-	1	3	9	7	16	25	27	59	69	78	90	66	53	38	20	14	9	7	6	4	4
107-109	Pneumonia (all forms)	1,102	424	69	27	10	5	21	16	30	38	38	24	22	45	36	46	32	45	48	30	36	41	13	9	3	3	1
	White—M	244	73	8	6	1	1	1	2	5	6	7	6	4	6	11	11	10	18	20	14	10	15	5	3	1	-	-
	F	194	69	6	5	-	1	3	2	7	6	2	-	2	8	1	4	4	9	13	9	17	19	3	4	-	-	-
	Nonwhite—M	355	154	21	11	6	1	6	6	6	12	19	11	13	17	13	13	9	9	9	4	6	4	2	1	-	1	1
	F	309	128	24	5	3	2	11	6	12	14	10	7	3	14	11	18	9	9	6	3	3	3	3	1	2	2	-
117	Ulcer of stomach or duodenum	95	-	-	-	-	-	-	-	-	6	8	6	7	7	12	10	12	12	7	3	3	2	-	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	3	3	2	3	-	8	6	7	7	5	1	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	2	2	-	2	1	-	-	-	-	-
	Nonwhite—M	27	-	-	-	-	-	-	-	-	2	4	3	2	5	4	1	3	1	-	2	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	-	2	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATHS, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
119,120	Diarrhea, enteritis, etc.*	361	247	52	12	6	3	11	1	-	3	1	1	2	4	2	1	1	1	2	1	3	3	2	-	1	-	1
	White—M	70	51	8	-	1	1	2	-	-	-	-	-	-	1	1	1	1	-	1	1	1	-	-	-	-	-	-
	F	47	27	7	3	1	-	1	-	-	1	-	-	1	1	-	-	-	-	1	-	1	1	2	-	-	-	-
	Nonwhite—M	127	90	17	5	2	-	7	-	-	-	1	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	1
	F	117	79	20	4	2	2	1	1	-	2	-	1	-	-	1	-	-	1	-	-	1	1	-	-	1	-	-
121	Appendicitis	28	-	1	-	2	1	6	12	7	10	6	8	2	10	5	7	8	3	6	2	-	2	-	-	-	-	-
	White—M	39	-	1	-	1	-	1	2	-	6	2	1	1	5	2	4	5	3	2	1	-	2	-	-	-	-	-
	F	18	-	-	-	1	-	3	2	3	1	2	1	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite—M	24	-	-	-	-	-	2	4	3	1	2	4	-	1	2	3	-	-	2	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	1	-	4	1	2	-	2	1	4	-	-	2	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	107	9	2	2	3	-	3	2	3	6	2	8	12	5	5	5	10	9	7	2	5	5	1	1	-	-	-
	White—M	23	4	1	-	-	-	-	-	-	3	-	-	-	-	-	1	2	2	1	1	4	3	1	-	-	-	-
	F	22	1	-	-	-	-	-	-	-	-	1	-	2	2	-	-	3	5	4	1	-	2	-	1	-	-	-
	Nonwhite—M	31	3	1	1	-	-	1	1	3	2	-	2	4	-	4	3	3	1	1	-	1	-	-	-	-	-	-
	F	31	1	-	1	3	-	2	1	-	1	1	6	6	3	1	1	2	1	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	69	-	-	-	-	-	-	-	1	1	3	2	9	5	4	14	11	6	8	2	1	2	-	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	1	2	3	3	2	7	9	4	4	-	-	1	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	1	-	1	-	2	1	-	4	1	2	3	2	1	1	-	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	1	-	3	-	1	3	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	42	-	-	-	-	1	-	-	-	2	-	1	1	3	2	8	4	6	4	3	4	1	1	1	-	-	-
	White—M	9	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	-	1	1	2	1	3	2	4	3	2	4	1	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,926	3	6	6	3	3	4	6	14	17	38	54	66	122	122	170	239	233	245	218	135	104	71	31	7	4	5
	White—M	489	1	1	2	-	-	-	-	3	1	1	6	4	20	17	27	57	58	72	85	52	48	25	8	-	-	1
	F	321	-	1	1	1	-	1	1	-	-	2	4	7	7	15	15	22	42	48	49	38	28	27	9	2	1	-
	Nonwhite—M	599	1	2	2	1	1	1	3	1	6	17	28	24	41	43	67	81	81	77	51	28	17	17	6	2	1	-
	F	517	1	2	1	1	2	2	2	10	10	18	16	31	54	47	61	79	52	48	33	17	11	2	8	3	2	4
137	Diseases of the prostate	55	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	5	5	6	12	9	5	-	2	-	1	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	2	8	7	4	-	-	-	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	5	4	4	2	1	-	2	-	1	-
140, 142a, 145a,147	Puerperal septicemia	86	-	-	-	-	-	-	1	14	30	14	11	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	-	5	11	10	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	47	-	-	-	-	-	-	1	9	19	4	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	90	-	-	-	-	-	-	-	17	25	20	14	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	2	10	4	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	61	-	-	-	-	-	-	-	15	15	16	7	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	84	-	-	-	-	-	-	-	6	19	29	17	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	29	-	-	-	-	-	-	-	-	6	9	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F	55	-	-	-	-	-	-	-	6	13	20	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	168	140	7	3	1	1	2	3	1	1	2	2	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	63	55	3	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	49	41	2	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	32	25	2	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	19	-	-	-	-	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	743	743	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	239	239	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	196	196	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	175	175	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	133	133	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	93	-	-	-	-	-	-	-	6	12	12	12	12	6	1	11	7	3	4	6	-	1	-	-	-	-	-
	White—M	62	-	-	-	-	-	-	-	2	8	9	6	10	4	-	7	5	3	2	5	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	3	1	-	1	1	-	-	4	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	1	3	2	3	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	208	-	1	-	-	-	1	4	18	50	36	30	28	11	12	7	5	1	2	1	-	-	1	-	-	-	-
	White—M	42	-	-	-	-	-	1	1	3	5	6	6	6	2	4	2	4	-	1	-	-	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	3	-	3	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	121	-	-	-	-	-	-	2	12	33	24	16	18	3	6	5	1	-	1	-	-	-	-	-	-	-	-
	F	33	-	1	-	-	-	-	1	3	9	6	5	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle-accidents	393	-	2	2	5	3	21	20	40	68	50	39	25	20	27	16	18	13	10	3	3	1	-	-	-	-	7
	White—M	183	-	-	1	2	1	10	8	17	43	25	18	10	11	12	6	8	3	3	2	1	-	-	-	-	-	2
	F	45	-	1	1	1	1	2	1	5	4	3	5	2	1	4	3	4	1	3	1	1	1	-	-	-	-	-
	Nonwhite—M	139	-	-	-	2	-	5	9	14	18	19	15	13	7	8	7	6	8	3	-	1	-	-	-	-	-	4
	F	26	-	1	-	-	1	4	2	4	3	3	1	-	1	3	-	-	1	1	-	-	-	-	-	-	-	1
169, 171-195	Other accidents	917	64	31	21	24	15	38	51	58	130	99	68	51	39	30	28	32	21	18	20	15	29	12	7	1	2	13
	White—M	411	16	10	7	6	4	7	19	30	91	57	33	27	15	16	8	12	7	8	11	6	9	5	-	1	-	6
	F	125	21	6	2	4	4	8	2	3	5	3	5	3	3	2	3	2	6	4	5	6	17	6	5	-	-	-
	Nonwhite—M	263	14	7	5	7	-	4	24	21	29	32	27	19	16	11	16	11	2	3	3	2	1	1	1	-	-	7
	F	118	13	8	7	7	7	19	6	4	5	7	3	2	5	1	1	7	6	3	1	1	2	-	1	-	2	-
	All other causes*	2,622	933	46	22	12	7	36	27	39	59	63	91	100	112	120	132	139	140	138	115	91	64	62	43	11	10	10
	White—M	513	153	10	7	2	2	8	2	6	15	9	18	12	14	26	30	33	31	40	30	23	20	14	4	4	-	-
	F	398	104	4	-	1	-	6	5	6	8	6	15	21	17	19	19	14	22	32	24	17	16	25	13	1	1	2
	Nonwhite—M	896	403	16	9	7	4	5	11	10	8	20	24	27	31	35	48	61	45	35	29	24	13	13	9	3	1	5
	F	815	273	16	6	2	1	17	9	17	28	28	34	40	50	40	35	31	42	31	32	27	15	10	17	3	8	3

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 22

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	All causes	5,432	474	60	32	24	21	56	63	89	92	76	82	111	140	212	302	366	447	527	642	594	589	304	92	24	1	12
	White—M	2,990	234	23	17	8	10	28	32	38	42	34	36	52	86	120	177	226	284	314	367	319	334	144	44	12	1	8
	F	2,058	165	12	5	9	8	21	25	26	33	25	31	45	45	83	117	128	147	192	243	246	238	152	47	12	-	3
	Nonwhite—M	197	35	11	6	2	-	1	6	13	9	9	4	7	4	6	4	10	6	12	19	17	9	5	1	-	-	1
	F	187	40	14	4	5	3	6	-	12	8	8	11	7	5	3	4	2	10	9	13	12	8	3	-	-	-	-
1, 2	Typhoid, paratyphoid fever	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	25	18	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	-	2	3	4	2	4	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	-	2	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	156	1	1	2	-	-	1	1	18	19	15	15	12	8	13	9	13	7	6	7	4	2	2	-	-	-	-
	White—M	47	-	-	-	-	-	-	-	1	4	2	4	1	3	7	8	4	5	4	1	2	-	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	1	3	2	3	6	2	4	1	6	1	-	1	2	1	-	-	-	-	-
	Nonwhite—M	36	-	1	2	-	-	-	1	7	6	3	1	3	1	2	-	2	-	1	4	-	1	1	-	-	-	-
	F	40	1	-	-	-	-	1	-	9	6	8	7	2	2	-	-	1	1	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	29	-	1	-	2	1	-	2	2	1	2	1	3	2	-	3	2	1	4	2	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	1	-	3	1	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	8	-	1	-	-	-	-	2	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	34	5	-	-	-	-	-	1	1	1	1	1	2	2	2	2	7	1	5	1	-	1	1	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	5	1	4	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	6	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
33	Influenza	52	9	1	-	-	-	2	2	3	1	2	1	1	1	2	2	-	2	3	4	3	10	1	1	-	1	-
	White—M	27	2	-	-	-	-	2	-	2	-	2	1	-	1	1	-	-	2	2	2	2	7	-	-	-	1	-
	F	22	5	1	-	-	-	-	2	1	1	-	-	1	-	1	1	-	-	1	2	1	3	1	1	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	343	-	-	-	-	-	-	-	2	1	-	1	5	8	12	23	32	52	56	51	52	32	14	2	-	-	-
	White—M	186	-	-	-	-	-	-	-	2	1	-	1	3	5	6	8	15	28	33	24	29	24	7	-	-	-	-
	F	151	-	-	-	-	-	-	-	-	-	-	-	2	2	6	15	17	23	22	26	22	8	7	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	69	-	-	-	-	-	-	-	-	-	-	4	3	3	6	11	7	8	10	4	4	8	1	-	-	-	-
	White—F	69	-	-	-	-	-	-	-	-	-	-	4	3	3	6	11	7	8	10	4	4	8	1	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Contd.																											
50	Cancer of breast	66	-	-	-	-	-	-	-	-	-	1	2	2	3	5	7	10	11	8	8	5	3	1	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	1	2	2	3	5	7	10	11	8	7	5	3	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	208	2	-	-	1	1	1	1	-	1	1	7	-	4	14	13	19	19	32	36	26	21	9	-	-	-	-
	White—M	165	-	-	-	-	-	1	1	-	1	1	7	-	4	11	9	14	14	26	31	22	14	7	-	-	-	-
	F	43	2	-	-	1	1	-	-	-	-	-	-	-	-	3	4	5	5	5	5	4	6	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	1	-	2	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	150	-	-	-	-	-	-	2	3	2	-	1	-	2	3	1	10	22	19	25	23	14	3	-	-	-	-
	White—M	59	-	-	-	-	-	-	1	1	2	-	1	-	1	-	1	3	10	9	14	9	7	-	-	-	-	-
	F	82	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	7	9	10	10	12	7	3	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
65b	Exophthalmic goiter	13	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	3	1	2	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	2	1	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	1	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	510	1	-	-	-	-	-	-	-	1	-	1	2	4	17	32	42	47	68	83	78	84	43	6	-	-	1
	White—M	260	1	-	-	-	-	-	-	-	-	-	1	2	2	7	14	21	30	40	43	29	45	21	3	-	-	1
	F	245	-	-	-	-	-	-	-	-	1	-	-	-	2	10	18	20	16	27	40	47	39	22	3	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	76	9	3	1	1	-	1	5	4	2	1	-	2	7	6	3	8	3	10	3	3	2	2	-	-	-	-
	White—M	41	3	2	-	-	-	-	3	2	-	1	-	1	6	3	1	4	2	6	1	2	2	2	-	-	-	-
	F	28	4	1	-	1	-	1	2	-	2	-	-	1	1	3	1	3	1	4	2	1	-	-	-	-	-	-
	Nonwhite—M	5	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	17	1	1	-	2	-	5	-	-	1	-	-	-	-	1	2	-	-	3	-	-	1	-	-	-	-	-
	White—M	11	-	-	-	2	-	3	-	-	-	-	-	-	-	-	2	-	-	3	-	-	1	-	-	-	-	-
	F	5	-	1	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	73	-	1	-	-	-	-	-	6	2	4	-	2	2	4	2	8	9	7	8	8	5	3	2	-	-	-
	White—M	36	-	1	-	-	-	-	-	1	-	-	-	2	2	1	2	8	6	4	3	2	2	1	1	-	-	-
	F	35	-	-	-	-	-	-	-	5	2	4	-	-	-	3	-	-	3	3	3	6	3	2	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	429	1	-	-	-	1	1	-	-	-	-	2	4	10	18	42	47	55	50	78	54	48	14	3	1	-	-
	White—M	327	1	-	-	-	1	-	-	-	-	-	2	2	8	13	38	38	45	39	57	31	40	9	2	1	-	-
	F	97	-	-	-	-	-	1	-	-	-	-	-	2	1	4	4	9	9	11	20	22	8	5	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95 a,c	Diseases of heart (other forms)	849	1	-	-	-	-	4	4	2	8	5	4	14	10	23	42	64	75	91	143	136	128	69	24	1	-	1
	White—M	457	-	-	-	-	-	2	3	2	2	3	1	8	2	15	23	44	47	52	79	74	62	27	9	1	-	1
	F	370	-	-	-	-	-	2	1	-	6	2	3	6	8	7	17	17	25	39	61	57	63	41	15	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	3	2	2	1	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	1	-	-	-	-	-
107-109	Pneumonia (all forms)	257	58	6	8	3	3	5	-	4	4	1	-	3	7	6	13	9	8	17	20	22	29	19	6	5	-	1
	White—M	118	19	2	5	1	-	3	-	3	2	1	-	2	3	4	8	5	4	6	12	11	15	8	2	2	-	-
	F	91	18	-	1	1	1	-	-	1	-	-	-	1	3	2	4	3	3	8	5	10	13	10	4	3	-	-
	Nonwhite—M	19	9	-	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-	1
	F	29	12	4	-	-	2	2	-	-	2	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	33	-	-	-	-	-	-	-	-	-	-	-	2	2	3	9	4	3	4	1	3	1	1	-	-	-	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	4	3	4	1	2	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	41	16	7	1	1	1	1	2	-	-	-	-	-	1	1	-	-	-	1	1	1	4	3	-	-	-	-
	White—M	17	8	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-
	F	16	5	2	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	-	-	-	-
	Nonwhite—M	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	46	-	1	1	-	2	1	7	4	4	2	1	4	4	6	1	-	3	1	2	2	-	-	-	-	-	-
	White—M	29	-	1	1	-	1	-	1	3	4	-	-	2	4	5	1	-	3	-	2	1	-	-	-	-	-	-
	F	14	-	-	-	-	1	1	5	-	-	2	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	44	3	1	-	-	-	-	-	1	1	3	-	-	1	2	3	3	7	6	6	3	2	1	-	-	-	1
	White—M	27	2	1	-	-	-	-	-	-	1	1	-	-	-	1	2	1	6	3	5	1	1	1	-	-	-	1
	F	17	1	-	-	-	-	-	-	1	-	2	-	-	1	1	1	2	1	3	1	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	24	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	1	4	5	2	2	2	1	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	4	2	-	1	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	47	-	-	-	-	-	-	-	-	1	-	1	3	2	4	4	4	8	9	3	3	4	-	1	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	5	5	-	2	1	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	1	2	3	2	1	3	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	301	-	1	-	-	-	1	2	2	2	1	9	4	6	14	20	22	19	31	47	45	43	24	7	1	-	-
	White—M	177	-	-	-	-	-	1	1	1	-	-	5	2	4	7	13	12	12	17	30	29	24	15	4	-	-	-
	F	116	-	1	-	-	-	-	1	1	1	1	4	2	2	5	7	10	7	13	16	15	17	9	3	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-
137	Diseases of the prostate	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	10	12	1	-	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	10	12	1	-	-	-	-
	Nonwhite—M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	7	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	10	-	-	-	-	-	-	-	-	3	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	3	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	8	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	80	70	3	1	-	1	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	53	46	3	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	23	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	145	145	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	81	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	43	-	-	-	-	-	-	-	2	2	3	3	2	5	6	4	6	3	2	3	1	-	1	-	-	-	-
	White—M	38	-	-	-	-	-	-	-	1	2	3	2	2	5	6	2	6	3	2	2	1	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	5	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	88	-	2	-	1	1	3	5	6	10	7	11	6	3	5	6	4	5	3	3	3	4	-	-	-	-	-
	White—M	62	-	1	-	-	-	2	4	3	9	6	6	5	2	5	4	2	4	3	1	2	3	-	-	-	-	-
	F	21	-	1	-	-	1	1	1	3	1	1	3	-	-	-	2	2	1	-	2	1	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	306	9	7	5	2	5	18	18	12	11	11	6	11	11	16	15	11	17	31	24	20	21	19	2	1	-	3
	White—M	198	5	4	3	1	4	10	11	10	8	10	3	9	9	12	12	10	15	18	14	10	8	7	2	-	-	3
	F	96	3	2	2	1	1	7	7	2	2	-	2	1	2	3	2	1	2	12	10	10	12	11	-	1	-	-
	Nonwhite—M	7	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	787	124	15	7	7	2	5	7	7	9	10	8	13	20	17	27	30	49	41	71	81	108	71	38	15	-	5
	White—M	414	60	5	4	2	2	2	3	4	4	2	1	6	12	7	13	23	28	25	38	45	63	34	21	8	-	2
	F	276	44	2	1	3	-	1	4	2	5	5	4	5	8	10	14	6	17	8	19	20	37	34	17	7	-	3
	Nonwhite—M	46	12	3	1	-	-	1	-	1	-	3	-	1	-	-	-	1	-	4	6	9	2	2	-	-	-	-
	F	51	8	5	1	2	-	1	-	-	-	-	3	1	-	-	-	-	4	4	8	7	6	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																											
	All causes	27,017	3020	298	158	96	90	265	246	535	752	757	840	1,059	1,083	1,392	1,656	1,855	2,127	2,744	2,745	2,161	1,749	944	283	77	31	54
	White—M	11,221	1,348	95	62	46	42	116	101	202	255	246	309	358	398	508	664	765	926	1,245	1,220	986	773	419	94	27	1	15
	F	8,854	1,054	123	61	33	24	91	76	137	209	202	205	298	266	341	394	495	663	887	1,035	875	795	405	135	32	5	13
	Nonwhite—M	3,671	352	38	21	8	13	30	37	96	157	167	162	191	208	289	327	326	286	314	272	155	94	68	29	6	13	12
	F	3,271	266	42	14	9	11	28	32	100	131	142	164	212	211	254	271	269	252	298	218	145	87	52	25	12	12	14
1,2	Typhoid, paratyphoid fever	22	-	-	1	-	-	2	2	1	-	3	3	1	1	-	3	2	1	1	1	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	2	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	4	1	-	-	1	-	1	2	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	4	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	-	1	2	1	-	4	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	-	1	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	70	47	18	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	21	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	21	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	6	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0	Diphtheria	42	1	6	10	6	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	24	-	2	8	3	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	1	3	2	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,892	7	15	6	3	3	9	16	95	195	220	174	168	137	148	156	80	123	117	101	65	35	13	1	-	-	5
	White—M	597	2	4	3	1	-	1	2	7	31	50	53	42	57	54	65	28	62	55	40	22	14	3	1	-	-	-
	F	650	3	3	2	1	-	1	3	23	66	70	47	62	39	43	47	31	44	45	53	37	20	8	-	-	-	2
	Nonwhite—M	359	1	4	1	1	3	3	4	26	52	47	45	35	28	39	28	13	9	10	3	4	1	1	-	-	-	1
	F	286	1	4	-	-	-	4	7	39	46	53	29	29	13	12	16	8	8	7	5	2	-	1	-	-	-	2
14-22	Tuberculosis (other forms)	190	14	11	11	3	5	5	7	17	15	17	14	7	11	7	5	6	12	9	6	4	3	-	1	-	-	-
	White—M	62	12	1	3	3	1	2	1	2	2	3	4	1	3	1	-	4	4	4	5	3	2	-	1	-	-	-
	F	50	-	5	3	-	-	-	4	5	6	3	3	3	4	2	3	1	4	3	-	-	1	-	-	-	-	-
	Nonwhite—M	41	2	2	4	-	-	2	1	5	1	6	3	1	4	2	2	1	3	1	-	1	-	-	-	-	-	-
	F	37	-	3	1	-	4	1	1	5	6	5	4	2	-	2	-	-	1	1	1	-	-	-	-	-	-	-
27	Dysentery	77	32	14	2	-	1	-	2	-	1	1	1	-	2	2	1	-	2	5	3	2	3	1	1	-	1	-
	White—M	28	13	6	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	2	-	1	2	-	-	-	-	-
	F	33	15	5	2	-	-	-	1	-	-	1	-	-	-	-	-	-	1	3	2	1	1	-	1	-	-	-
	Nonwhite—M	12	3	2	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	1	-
	F	4	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	31	2	1	-	-	2	-	2	1	-	2	1	1	-	1	3	1	2	1	7	-	3	-	1	-	-	-
	White—M	12	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	1	4	-	2	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-
30	Syphilis	381	36	1	1	-	-	1	1	8	7	14	23	39	52	50	33	33	30	22	12	13	3	1	-	-	-	1
	White—M	125	15	1	1	-	-	-	-	-	2	2	4	15	16	14	12	12	13	8	5	4	1	-	-	-	-	-
	F	51	10	-	-	-	-	-	-	2	1	5	4	4	2	5	4	2	2	4	1	4	-	1	-	-	-	-
	Nonwhite—M	127	9	-	-	-	-	-	1	4	2	3	8	10	22	21	13	11	9	6	4	2	2	-	-	-	-	-
	F	78	2	-	-	-	-	1	-	2	2	4	7	10	12	10	4	8	6	4	2	3	-	-	-	-	-	1
33	Influenza	492	74	19	9	4	2	4	5	10	10	7	5	15	18	23	14	21	28	45	40	49	45	29	10	4	-	2
	White—M	177	33	7	4	-	1	2	1	3	1	3	-	7	4	5	5	5	14	15	18	20	15	8	5	1	-	-
	F	187	29	6	3	3	-	2	2	4	5	2	-	5	4	5	1	7	8	13	15	20	25	20	5	2	-	1
	Nonwhite—M	60	6	3	-	-	1	-	1	-	-	1	1	2	8	4	4	6	3	8	5	3	3	1	-	-	-	-
	F	68	6	3	2	1	-	-	1	3	4	1	4	1	2	9	4	3	3	9	2	6	2	-	-	1	-	1
35	Measles	36	11	5	2	-	-	7	-	-	1	-	1	3	1	-	1	-	1	-	1	1	-	1	-	-	-	-
	White—M	15	8	-	1	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	17	2	4	1	-	-	4	-	-	-	-	-	2	1	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	28	2	4	2	2	2	5	4	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	1	2	-	1	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	1	2	-	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	969	1	-	-	-	-	1	2	2	1	7	13	28	36	44	92	123	124	159	137	95	79	23	2	-	-	-
	White—M	406	-	-	-	-	-	-	1	-	-	4	7	6	13	19	39	51	50	52	58	43	41	11	1	-	-	-
	F	424	1	-	-	-	-	-	-	2	1	3	4	16	17	18	36	50	52	70	66	42	34	11	1	-	-	-
	Nonwhite—M	76	-	-	-	-	-	1	-	-	-	-	1	1	2	2	5	15	14	18	9	4	3	1	-	-	-	-
	F	63	-	-	-	-	-	-	1	-	-	-	1	5	4	5	12	7	8	9	4	6	1	-	-	-	-	-
48,49	Cancer of female genital organs	414	-	-	-	-	-	2	-	-	3	5	24	30	50	44	61	58	44	38	23	18	6	5	1	-	-	2
	White—F	303	-	-	-	-	-	1	-	-	2	3	16	23	36	31	46	42	34	28	17	15	4	4	1	-	-	-
	Nonwhite—F	111	-	-	-	-	-	1	-	-	1	2	8	7	14	13	15	16	10	10	6	3	2	1	-	-	-	2

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
50	Cancer of breast	199	-	-	-	-	-	-	-	-	-	5	-	7	8	27	30	36	16	30	20	14	4	1	-	-	-	1
	White-----M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
	F--	162	-	-	-	-	-	-	-	-	-	4	-	7	6	20	21	32	15	25	17	10	3	1	-	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	2	6	9	3	1	4	2	3	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	733	1	4	4	2	3	7	7	15	11	9	17	19	27	43	67	64	95	96	89	70	49	28	4	-	-	2
	White-----M--	438	1	2	2	2	2	5	2	9	5	6	10	11	13	26	39	35	55	60	53	45	32	20	2	-	-	1
	F--	189	-	1	1	-	1	1	5	3	3	1	4	6	9	8	16	18	25	16	24	21	17	7	2	-	-	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	3	1	1	2	3	3	8	6	10	15	10	3	-	1	-	-	-	1
	F--	39	-	1	1	-	-	1	-	3	-	1	2	-	2	6	4	5	5	5	2	1	-	-	-	-	-	-
58	Acute rheumatic fever	56	-	-	1	-	2	11	5	6	2	5	3	3	4	3	3	3	1	1	-	-	1	1	-	-	1	-
	White-----M--	23	-	-	1	-	1	7	3	3	-	2	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	1	3	-	1	1	3	1	2	2	-	-	1	-	1	-	-	-	-	-	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	1	1	-	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	2	-	-	-	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-
61	Diabetes mellitus	385	-	-	-	-	1	5	4	6	3	7	5	8	10	18	27	32	45	63	68	40	27	11	4	-	-	1
	White-----M--	154	-	-	-	-	1	1	-	2	1	4	3	2	5	3	7	12	20	27	27	20	12	6	1	-	-	-
	F--	154	-	-	-	-	-	3	3	4	-	-	-	3	3	9	7	9	17	31	38	16	11	4	-	-	-	1
	Nonwhite--M--	32	-	-	-	-	-	-	1	-	1	3	-	-	-	-	7	6	3	2	5	1	2	-	1	-	-	-
	F--	45	-	-	-	-	-	1	-	-	1	-	2	3	2	6	6	5	5	3	3	3	2	1	2	-	-	-
63b	Exophthalmic goiter	34	-	-	-	-	-	-	-	-	-	1	2	1	1	4	2	3	3	10	2	2	3	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	2	8	1	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	108	-	-	-	-	-	-	-	1	-	1	-	3	4	7	7	9	11	18	15	15	14	2	1	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	6	5	6	7	6	1	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	6	4	12	9	8	7	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	1	1	-	-	-	1	1	-	-	-	-
77	Alcoholism (ethylism)	40	-	-	-	-	-	-	-	-	-	4	7	3	12	6	1	6	1	-	-	-	-	-	-	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	2	6	2	12	6	1	5	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,589	11	-	1	2	1	1	-	4	12	16	11	38	65	120	212	259	310	410	411	323	241	102	28	5	2	4
	White-----M--	948	4	-	1	2	1	1	-	1	3	4	-	6	10	27	65	94	101	164	168	132	115	40	5	3	-	1
	F--	901	4	-	-	-	-	-	-	1	2	5	2	7	17	35	44	66	112	145	155	138	104	45	17	1	-	1
	Nonwhite--M--	320	3	-	-	-	-	-	-	-	3	3	3	10	18	22	47	46	42	35	36	25	13	8	3	-	1	2
	F--	420	-	-	-	-	-	-	-	2	4	4	6	15	20	36	56	53	55	66	52	28	9	9	3	1	1	-
80-82, 84-88	Other diseases of nervous system, etc.*	371	36	12	5	-	4	10	6	15	16	15	19	28	14	24	27	16	23	28	28	18	14	9	2	-	-	2
	White-----M--	159	19	4	2	-	2	2	3	10	7	7	11	8	5	11	6	7	11	17	13	7	2	4	1	-	-	-
	F--	111	6	3	3	-	1	5	1	4	1	5	6	7	3	4	15	5	5	9	8	7	10	2	-	-	-	1
	Nonwhite--M--	51	8	1	-	-	-	-	2	1	4	2	2	6	2	4	4	2	3	-	1	3	1	3	1	-	-	1
	F--	50	3	4	-	-	1	3	-	-	4	1	-	7	4	5	2	2	4	2	6	1	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	124	23	5	-	4	3	14	6	6	6	5	10	10	6	1	7	2	1	6	3	3	2	1	-	-	-	-
	White-----M--	46	11	2	-	1	1	6	2	3	-	2	3	5	3	-	4	1	-	-	1	1	-	-	-	-	-	-
	F--	44	6	2	-	2	2	6	3	-	1	1	-	5	2	-	1	1	-	5	2	2	2	1	-	-	-	-
	Nonwhite--M--	17	2	1	-	1	-	2	-	2	2	1	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	17	4	-	-	-	-	-	1	1	3	1	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	536	-	-	-	2	-	2	10	12	18	14	17	17	16	38	19	36	56	73	62	69	38	27	5	3	-	2
	White-----M--	217	-	-	-	-	-	1	3	4	5	6	5	7	9	12	5	11	21	35	31	29	15	15	2	-	-	1
	F--	173	-	-	-	2	-	1	5	5	8	4	10	2	1	11	5	12	11	13	19	31	19	10	3	1	-	-
	Nonwhite--M--	83	-	-	-	-	-	-	1	-	4	3	2	3	4	7	7	10	8	17	6	6	3	1	-	1	-	-
	F--	63	-	-	-	-	-	-	1	3	1	1	-	5	2	8	2	3	16	8	6	3	1	1	-	1	-	1
94	Diseases of coronary arteries, angina pectoris	1,391	2	-	-	-	-	-	-	-	3	4	21	35	54	95	156	157	180	201	200	148	89	35	9	1	-	1
	White-----M--	903	1	-	-	-	-	-	-	-	-	1	12	28	32	70	112	114	122	136	116	92	43	22	1	-	-	1
	F--	343	1	-	-	-	-	-	-	-	3	1	5	2	9	8	22	21	47	50	70	47	38	13	5	1	-	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	2	1	2	5	10	12	14	8	8	10	5	4	-	1	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	3	3	8	7	10	8	3	7	4	4	4	-	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,509	3	3	-	1	2	7	6	14	17	23	37	80	99	159	235	305	367	500	601	415	368	188	52	13	8	6
	White-----M--	1,423	1	-	-	-	2	-	2	5	6	5	8	23	30	55	79	115	147	224	253	194	161	84	18	8	1	2
	F--	1,096	-	2	-	1	-	6	3	1	6	3	11	17	17	27	37	56	99	148	221	163	167	82	22	4	2	1
	Nonwhite--M--	524	1	1	-	-	-	-	-	4	2	9	7	17	22	40	72	66	69	69	73	32	23	10	6	-	1	-
	F--	466	1	-	-	-	-	1	1	4	3	6	11	23	30	37	47	68	52	59	54	26	17	12	6	1	4	3
107-109	Pneumonia (all forms)	1,633	430	52	22	13	6	17	19	21	31	29	44	33	35	59	59	77	82	127	128	118	124	80	19	6	1	1
	White-----M--	583	164	15	4	7	3	6	7	7	13	7	6	6	6	14	16	23	32	56	47	52	52	30	8	1	-	1
	F--	560	144	19	13	4	1	3	3	9	2	5	13	7	7	9	13	15	23	41	58	54	63	39	10	4	1	-
	Nonwhite--M--	260	61	7	3	1	1	3	2	3	7	12	15	9	13	24	16	24	16	10	13	8	6	5	1	-	-	-
	F--	230	61	11	2	1	1	5	7	2	9	5	10	11	9	12	14	15	11	20	10	4	3	6	-	1	-	-
117	Ulcer of stomach or duodenum	149	-	-	-	-	-	-	-	-	4	6	9	17	14	12	16	13	19	14	12	6	6	-	1	-	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	1	2	4	9	9	8	6	8	16	8	8	4	1	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	2	2	1	2	1	1	-	1	2	3	1	1	5	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	1	2	3	4	1	5	2	1	2	3	1	-	-	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	1	2	3	-	2	5	2	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
119,120	Diarrhea, enteritis, etc.*	329	216	35	21	1	5	1	1	-	3	-	2	-	2	3	1	7	1	2	6	10	5	3	3	-	-	1
	White—M	133	90	11	9	-	3	-	1	-	1	-	-	-	1	-	-	3	-	1	3	4	3	1	2	-	-	-
	F	120	72	20	8	-	2	1	-	-	1	-	-	-	-	-	-	3	-	1	2	6	2	1	1	-	-	-
	Nonwhite—M	32	27	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
	F	44	27	3	4	-	-	-	-	-	1	-	2	-	1	2	-	1	1	-	1	-	-	1	-	-	-	-
121	Appendicitis	184	-	-	-	4	2	12	20	15	10	12	12	15	14	19	12	12	5	10	7	-	-	2	1	-	-	-
	White—M	74	-	-	-	1	1	7	5	6	4	5	3	3	6	6	8	6	1	7	4	-	-	1	-	-	-	-
	F	50	-	-	-	2	1	3	6	4	4	3	1	5	3	3	1	5	4	2	3	-	-	-	-	-	-	-
	Nonwhite—M	36	-	-	-	1	-	1	4	3	1	3	3	4	3	7	3	1	-	1	-	-	-	1	-	-	-	-
	F	24	-	-	-	-	-	1	5	2	1	1	5	3	2	3	-	-	-	-	-	-	-	-	1	-	-	-
122	Hernia, intestinal obstruction	221	10	2	2	3	1	5	1	3	2	7	4	9	15	14	18	22	26	24	18	13	14	5	3	-	-	-
	White—M	80	3	1	2	2	1	3	1	2	-	1	1	3	1	2	4	7	13	13	9	3	7	-	1	-	-	-
	F	73	3	1	-	-	-	2	-	-	2	3	2	3	4	3	4	6	10	7	7	5	6	3	2	-	-	-
	Nonwhite—M	39	2	-	-	1	-	-	-	1	-	2	1	1	5	3	7	7	2	2	1	4	-	-	-	-	-	-
	F	29	2	-	-	-	-	-	-	-	-	1	-	2	5	6	3	2	1	2	1	1	1	2	-	-	-	-
124	Cirrhosis of the liver	143	1	-	-	-	-	-	-	2	-	2	9	5	7	21	16	16	18	18	9	9	8	1	-	1	-	-
	White—M	88	1	-	-	-	-	-	-	-	-	2	6	4	5	8	10	9	13	12	7	5	6	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	1	-	-	-	1	-	6	1	5	4	3	1	3	2	1	-	1	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	3	-	-	7	4	2	-	3	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	98	-	-	-	-	-	-	1	1	-	2	2	3	1	6	6	22	14	14	9	5	7	3	1	-	-	1
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	3	3	2	3	2	1	-	-	-	-
	F	65	-	-	-	-	-	-	1	1	-	2	2	3	1	2	4	13	9	9	7	2	5	2	1	-	-	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,794	4	1	1	1	1	8	3	8	21	16	33	51	60	96	92	137	166	263	273	224	175	111	31	9	4	5
	White—M	693	1	1	-	1	1	2	2	2	6	3	5	7	13	29	39	46	64	102	106	100	87	63	9	4	-	-
	F	573	3	-	1	-	-	3	-	1	8	8	9	13	17	22	19	29	53	76	108	82	65	33	18	4	1	-
	Nonwhite—M	288	-	-	-	-	-	3	1	4	3	1	6	13	11	20	14	37	31	48	38	22	16	11	3	1	2	3
	F	240	-	-	-	-	-	-	-	1	4	4	13	18	19	25	20	25	18	37	21	20	7	4	1	-	1	2
137	Diseases of the prostate	179	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	5	21	28	35	38	28	14	3	2	-	-
	White—M	146	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	15	21	28	36	26	11	2	2	-	-
	Nonwhite—M	33	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	6	7	7	2	2	3	1	-	-	-
140, 142a, 145a,147	Puerperal septicemia	78	-	-	-	-	-	-	-	16	21	11	11	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	52	-	-	-	-	-	-	-	11	16	6	8	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	26	-	-	-	-	-	-	-	5	5	5	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	62	-	-	-	-	-	-	1	10	9	14	9	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	51	-	-	-	-	-	-	1	10	6	12	8	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	11	-	-	-	-	-	-	-	-	3	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	57	-	-	-	-	-	-	-	6	7	11	12	12	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	41	-	-	-	-	-	-	-	3	4	9	10	9	5	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F	16	-	-	-	-	-	-	-	3	3	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	276	235	9	3	2	3	9	5	2	2	-	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	147	121	4	1	2	2	5	4	2	2	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	103	90	5	2	-	1	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	17	16	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	822	822	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	382	382	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	282	282	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	258	-	-	-	-	-	-	1	12	18	23	26	29	35	18	16	21	19	18	14	5	1	1	1	-	-	-
	White—M	184	-	-	-	-	-	-	-	6	13	16	19	21	21	12	11	16	16	15	11	4	1	1	1	-	-	-
	F	57	-	-	-	-	-	-	1	5	5	3	5	6	9	5	5	4	3	3	3	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	1	-	3	2	1	3	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	356	-	-	-	-	-	2	5	29	53	65	54	46	28	25	20	7	10	5	3	2	2	-	-	-	-	-
	White—M	117	-	-	-	-	-	-	-	11	9	15	16	13	13	10	11	3	8	5	1	1	1	-	-	-	-	-
	F	16	-	-	-	-	-	-	1	3	-	2	1	1	2	3	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	180	-	-	-	-	-	2	2	9	35	39	31	26	12	12	6	3	1	-	2	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	2	6	9	9	6	6	1	-	1	1	1	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents	527	2	8	1	3	4	13	12	64	97	42	41	50	38	32	28	22	15	26	15	11	2	-	-	-	-	1
	White—M	384	-	2	-	3	2	10	4	45	70	32	35	36	26	26	20	18	11	21	12	9	2	-	-	-	-	-
	F	84	2	4	-	-	1	2	5	14	19	5	4	5	4	3	3	3	1	5	2	2	-	-	-	-	-	-
	Nonwhite—M	48	-	2	1	-	-	1	2	5	7	5	2	6	6	2	4	1	3	-	-	-	-	-	-	-	-	1
	F	11	-	-	-	-	1	-	1	-	1	-	-	3	2	1	1	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,189	61	37	25	21	13	50	55	81	73	63	65	76	49	55	39	44	52	55	62	71	68	48	19	4	-	3
	White—M	611	23	14	8	8	2	25	38	50	48	40	50	48	34	31	24	24	29	25	28	17	21	16	5	1	-	2
	F	318	24	14	8	8	5	14	10	10	5	6	3	6	8	6	3	4	11	17	27	45	41	30	11	1	-	1
	Nonwhite—M	160	7	7	6	1	4	6	7	18	16	10	8	16	3	13	6	13	5	4	3	-	2	1	3	1	-	-
	F	100	7	2	3	4	2	5	-	3	4	7	4	6	4	5	6	3	7	9	4	9	4	1	-	1	-	-
	All other causes*	3,914	932	34	24	16	12	43	33	45	76	66	96	136	139	166	168	196	203	306	324	285	282	198	79	29	14	12
	White—M	1,596	423	12	9	8	7	20	14	17	23	18	30	41	50	48	66	90	76	141	154	127	101	80	28	7	-	6
	F	1,283	332	16	9	5	3	20	10	7	27	15	22	41	24	44	29	45	59	89	102	109	140	87	33	13	-	2
	Nonwhite—M	536	101	4	5	1	2	3	6	9	12	10	11	22	28	41	45	34	36	44	41	27	13	20	8	3	8	2
	F	499	76	2	1	2	-	-	3	12	14	23	33	32	37	33	28	27	32	32	27	22	28	11	10	6	6	2

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																											
	All causes	59,315	7,760	876	371	244	192	655	616	1,241	1,820	1,751	1,893	2,232	2,545	3,004	3,725	4,017	4,498	5,230	5,349	4,185	3,758	2,144	763	205	85	156
	White—M	26,516	3,658	393	158	106	77	317	304	557	864	763	749	917	1,027	1,322	1,785	2,095	2,433	2,731	2,733	2,136	1,874	995	343	85	22	72
	F	19,727	2,885	361	151	79	80	214	175	377	541	541	583	646	672	767	926	1,098	1,327	1,642	1,861	1,640	1,672	1,003	345	83	32	26
	Nonwhite—M	6,071	686	59	30	30	19	72	76	146	196	228	282	337	404	508	585	461	422	510	461	241	132	83	42	15	13	33
	F	5,001	531	63	32	29	16	52	61	161	219	219	279	332	442	407	429	363	316	347	294	168	80	63	33	22	18	25
1,2	Typhoid, paratyphoid fever	93	1	1	-	1	1	7	12	15	8	9	7	2	5	4	1	6	5	3	4	-	-	1	-	-	-	-
	White—M	42	-	1	-	1	1	3	1	4	3	6	5	-	3	1	-	4	2	2	4	-	-	1	-	-	-	-
	F	28	1	-	-	-	-	4	5	3	3	2	1	2	-	3	1	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	2	5	-	1	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	4	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	35	13	3	-	-	-	3	2	4	2	1	-	1	1	1	2	1	-	-	1	-	-	-	-	-	-	-
	White—M	22	7	2	-	-	-	2	2	2	2	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	11	5	1	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	19	2	1	1	3	1	2	2	2	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	12	1	1	1	2	-	1	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	188	147	25	6	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	65	52	8	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	89	69	15	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	22	18	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	8	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	150	13	23	26	30	13	35	5	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	70	9	14	6	16	4	17	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	56	1	7	14	10	6	14	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	2	1	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	1	1	4	2	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,358	25	17	6	5	4	15	50	277	416	374	387	332	256	251	283	185	151	116	105	54	33	12	-	3	-	1
	White—M	1,447	10	6	4	1	-	5	10	81	125	105	149	143	121	139	180	114	78	67	57	27	17	6	-	1	-	1
	F	1,229	12	8	1	3	2	6	28	133	182	167	150	123	77	63	52	53	47	40	39	23	14	4	-	2	-	-
	Nonwhite—M	356	3	-	-	-	1	1	6	24	51	43	40	39	27	35	34	14	17	8	7	3	2	1	-	-	-	-
	F	326	-	3	1	1	1	3	6	39	58	59	48	27	31	14	17	4	9	1	2	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	253	28	17	15	3	4	18	9	17	27	17	16	14	16	13	11	11	8	3	3	1	2	-	-	-	-	-
	White—M	101	10	7	8	1	1	7	5	3	6	7	8	3	5	8	2	6	6	2	3	1	2	-	-	-	-	-
	F	88	13	7	6	1	2	5	4	7	12	5	4	5	5	2	5	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	33	2	1	1	1	1	4	-	3	3	1	-	2	5	2	4	2	1	-	-	-	-	-	-	-	-	-
	F	31	3	2	-	-	-	2	-	4	6	4	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	361	211	49	10	2	3	5	1	2	2	2	4	4	6	1	9	5	7	9	11	4	8	1	3	-	-	2
	White—M	187	123	21	5	1	-	4	-	1	-	1	2	1	1	1	3	3	4	2	5	2	3	-	2	-	-	2
	F	129	72	18	4	-	3	1	1	1	1	-	2	3	2	-	3	2	3	3	4	1	3	1	1	-	-	-
	Nonwhite—M	27	12	6	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	2	-	-	-	-	-	-	-
	F	18	4	4	-	1	-	-	-	-	1	1	-	-	2	-	-	-	-	2	-	1	2	-	-	-	-	-
28	Malaria	97	7	3	1	3	1	8	5	1	6	10	3	5	5	5	7	3	8	3	5	4	4	-	-	-	-	-
	White—M	37	3	2	1	-	1	1	2	-	2	2	-	1	1	5	4	1	3	1	2	3	2	-	-	-	-	-
	F	22	3	1	-	-	-	2	1	1	1	3	1	1		-	1	1	1	2	-	1	2	-	-	-	-	-
	Nonwhite—M	17	1	-	-	-	-	4	1	-	1	-	1	1	2	-	1	-	2	-	3	-	-	-	-	-	-	-
	F	21	-	-	-	3	-	1	1	-	2	5	1	2	2	-	1	1	2	-	-	-	-	-	-	-	-	-
30	Syphilis	779	79	7	1	1	-	2	5	9	17	21	56	75	99	111	77	70	42	49	35	8	6	1	-	1	-	5
	White—M	318	28	5	-	-	-	1	-	4	3	8	10	24	29	37	41	41	22	29	25	5	4	1	-	1	-	-
	F	94	23	2	1	1	-	-	1	-	5	1	12	4	6	8	3	7	4	7	5	1	2	-	-	-	-	1
	Nonwhite—M	261	12	-	-	-	-	1	2	3	4	7	19	32	52	54	25	16	12	13	5	2	1	-	-	-	-	1
	F	106	16	-	-	-	-	-	2	2	5	5	15	15	12	12	8	6	4	-	-	-	1	-	-	-	-	3
33	Influenza	831	133	22	11	7	8	24	16	20	20	6	16	31	27	34	29	50	40	59	71	54	70	53	15	11	2	2
	White—M	316	52	12	4	1	4	14	5	7	2	1	6	12	7	7	8	19	15	20	29	24	28	25	7	6	1	-
	F	318	54	8	5	1	4	7	6	5	13	2	3	9	6	11	5	15	13	27	30	25	35	24	5	3	-	2
	Nonwhite—M	105	11	-	1	2	-	1	2	7	-	-	5	3	8	10	13	12	6	10	4	4	2	1	1	2	-	-
	F	92	16	2	1	3	-	2	3	1	5	3	2	7	6	6	3	4	6	2	8	1	5	3	2	-	1	-
35	Measles	109	27	24	10	8	2	16	4	4	2	1	2	2	1	-	1	-	2	-	2	1	-	-	-	-	-	-
	White—M	46	11	12	5	6	-	5	1	2	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	44	11	8	4	2	2	10	1	1	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite—M	7	2	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	3	3	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	50	6	-	1	3	1	13	5	8	3	1	3	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	White—M	31	4	-	1	2	1	6	4	6	1	1	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	15	1	-	-	-	-	6	1	1	2	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,137	-	-	-	1	-	1	1	3	4	12	19	65	75	140	206	279	299	308	302	219	144	57	10	-	-	2
	White—M	988	-	-	-	-	-	-	1	-	3	5	10	17	19	51	95	133	144	161	149	100	71	18	9	-	-	2
	F	901	-	-	-	1	-	-	-	2	1	4	7	24	34	61	79	112	124	112	125	110	68	37	-	-	-	-
	Nonwhite—M	143	-	-	-	-	-	1	-	-	-	1	1	7	10	16	19	24	20	24	15	1	2	1	1	-	-	-
	F	105	-	-	-	-	-	-	-	1	-	2	1	7	12	12	13	10	11	11	13	8	3	1	-	-	-	-
48,49	Cancer of female genital organs	786	-	-	-	-	-	-	-	1	4	14	49	56	80	105	119	78	79	82	67	28	14	7	2	-	-	1
	White—F	623	-	-	-	-	-	-	-	-	3	10	36	38	57	82	98	62	67	61	61	27	13	6	2	-	-	-
	Nonwhite—F	163	-	-	-	-	-	-	-	1	1	4	13	18	23	23	21	16	12	21	6	1	1	1	-	-	-	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
50	Cancer of breast	409	-	-	-	-	-	-	-	-	3	2	11	26	40	58	65	50	46	38	30	18	13	4	3	1	-	1
	White-----M--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-
	F--	343	-	-	-	-	-	-	-	-	1	2	6	22	33	49	50	41	42	34	26	15	13	4	3	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	1	-	5	4	7	9	14	9	2	3	4	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,105	3	4	4	2	4	10	12	20	16	44	43	56	105	131	171	223	244	292	253	198	170	80	15	3	-	2
	White-----M--	1,305	2	2	2	1	1	4	8	9	8	28	20	33	51	70	91	130	167	196	164	135	121	50	10	1	-	1
	F--	600	1	2	1	-	3	4	2	8	7	10	14	18	38	36	50	67	59	78	69	58	42	26	5	1	-	1
	Nonwhite--M--	118	-	-	-	-	-	2	1	1	-	6	5	1	5	12	17	15	18	12	16	3	5	3	-	1	-	-
	F--	82	-	-	1	1	-	-	1	2	1	-	4	4	11	13	13	11	5	6	4	2	2	1	-	-	-	-
58	Acute rheumatic fever	63	-	-	-	1	2	7	12	3	3	2	3	3	3	3	7	-	-	2	3	2	4	3	-	-	-	-
	White-----M--	17	-	-	-	-	1	3	3	-	1	-	-	-	1	1	2	-	-	-	-	1	3	1	-	-	-	-
	F--	18	-	-	-	-	1	2	5	2	1	-	-	-	-	1	2	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	1	-	1	-	1	-	-	-	-
	F--	19	-	-	-	1	-	2	3	1	-	2	3	1	2	-	2	-	-	-	2	-	-	-	-	-	-	-
61	Diabetes mellitus	858	1	-	-	1	-	8	7	13	14	11	16	20	41	41	50	84	121	124	129	92	60	23	5	1	-	1
	White-----M--	327	1	-	-	-	-	1	2	3	7	2	6	6	9	14	16	30	45	53	50	36	31	10	5	-	-	-
	F--	403	-	-	-	1	-	2	4	8	6	5	3	6	10	14	20	40	64	62	66	51	29	11	-	-	-	1
	Nonwhite--M--	44	-	-	-	-	-	-	1	2	-	-	5	2	7	3	5	2	5	5	4	2	-	1	-	-	-	-
	F--	84	-	-	-	-	-	-	-	-	1	4	2	6	15	10	9	12	7	4	9	3	-	1	-	1	-	-
63b	Exophthalmic goiter	81	-	-	-	-	-	-	-	5	1	6	3	11	12	5	9	7	6	8	3	5	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	3	-	-	-	-	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	1	-	5	3	6	7	1	6	5	3	8	3	4	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	3	1	1	-	2	4	1	3	2	-	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	251	-	-	-	-	1	-	-	2	5	7	2	5	7	13	21	22	25	31	42	34	17	13	2	1	-	1
	White-----M--	56	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	3	6	9	12	7	5	6	-	1	-	-
	F--	124	-	-	-	-	1	-	-	-	2	3	1	3	5	4	6	10	13	12	24	23	9	6	1	-	-	1
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	-	1	-	-	-	1	6	2	2	2	1	3	-	-	1	-	-	-
	F--	51	-	-	-	-	-	-	-	1	3	2	1	1	2	8	4	7	4	8	5	1	3	1	-	-	-	-
77	Alcoholism (ethylism)	52	-	-	-	-	-	-	-	-	-	-	9	7	6	5	9	6	5	2	2	-	1	-	-	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	6	6	5	4	9	5	5	2	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,728	17	3	5	1	3	12	8	13	23	23	47	91	146	244	325	407	497	670	725	582	522	260	67	17	4	16
	White-----M--	1,982	9	1	2	-	1	6	4	3	12	10	11	31	38	64	105	156	224	315	316	269	251	123	20	6	2	3
	F--	1,722	6	2	3	-	1	3	4	4	10	4	14	21	45	60	88	124	160	223	279	254	247	119	40	7	1	3
	Nonwhite--M--	474	1	-	-	1	-	-	-	2	-	6	6	18	23	56	64	49	57	71	66	26	12	11	2	-	-	3
	F--	550	1	-	-	-	1	3	-	4	1	3	16	21	40	64	68	78	56	61	64	33	12	7	5	4	1	7
80-82, 84-88	Other diseases of nervous system, etc.*	741	121	33	22	14	5	34	21	28	43	24	34	41	43	40	29	42	36	41	36	26	18	7	2	1	-	-
	White-----M--	347	58	15	10	7	4	12	12	12	16	13	15	18	22	12	11	18	22	23	22	14	8	2	-	1	-	-
	F--	248	32	12	7	6	1	17	5	6	13	7	8	15	10	18	10	17	11	15	13	11	9	3	2	-	-	-
	Nonwhite--M--	74	18	1	3	1	-	4	1	3	9	1	4	1	7	4	5	6	3	3	-	-	-	-	-	-	-	-
	F--	72	13	5	2	-	-	1	3	7	5	3	7	7	4	6	3	1	-	-	1	1	1	2	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	324	57	16	3	5	7	21	18	21	16	15	15	18	14	12	13	12	12	16	13	6	7	3	3	-	-	1
	White-----M--	160	25	4	1	1	1	15	11	10	9	10	3	12	6	8	5	7	7	9	4	4	5	1	2	-	-	-
	F--	101	21	9	1	4	4	4	3	8	3	1	9	2	3	1	5	3	4	4	6	2	2	1	-	-	-	1
	Nonwhite--M--	32	3	1	1	-	-	-	3	1	1	3	2	2	4	3	1	2	1	2	1	-	-	1	-	-	-	-
	F--	31	8	2	-	-	2	2	1	2	3	1	1	2	1	-	2	-	-	1	2	-	-	-	1	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	518	-	-	-	1	1	13	16	20	10	17	26	23	19	26	41	28	59	59	57	35	40	19	6	1	-	1
	White-----M--	220	-	-	-	-	-	1	7	8	2	6	10	10	6	13	17	11	27	22	31	19	16	7	5	1	-	1
	F--	182	-	-	-	-	1	8	3	9	5	8	11	9	5	7	12	8	19	22	16	10	21	7	1	-	-	-
	Nonwhite--M--	63	-	-	-	-	-	3	4	1	-	-	2	2	4	4	3	6	9	12	5	4	2	2	-	-	-	-
	F--	53	-	-	-	1	-	1	2	2	3	3	3	2	4	2	9	3	4	3	5	2	1	3	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,486	5	1	1	-	-	3	3	15	17	30	47	105	199	314	431	541	606	653	616	417	305	128	31	11	1	6
	White-----M--	2,917	-	1	1	-	-	1	2	4	5	14	27	66	115	231	310	386	453	430	384	251	159	58	11	5	-	3
	F--	1,165	2	-	-	-	-	2	-	8	4	10	11	14	32	44	61	99	118	178	202	151	142	64	17	4	-	2
	Nonwhite--M--	220	2	-	-	-	-	-	-	-	4	2	3	11	31	20	30	33	17	27	17	12	4	4	2	1	-	-
	F--	184	1	-	-	-	-	-	1	3	4	4	6	14	21	19	30	23	18	18	13	3		2	1	1	1	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,450	8	13	5	4	1	12	20	31	43	42	82	131	239	347	563	652	805	988	1,115	870	830	438	156	29	14	22
	White-----M--	3,631	2	6	2	3	1	8	11	12	10	8	21	45	72	127	259	327	441	507	589	452	428	206	72	15	3	4
	F--	2,305	5	5	3	1	-	3	4	9	19	19	23	26	54	64	101	129	210	286	363	330	352	210	65	12	4	8
	Nonwhite--M--	864	-	-	-	-	-	1	2	3	9	6	21	25	45	77	117	121	87	118	106	56	36	12	11	1	2	8
	F--	660	1	2	-	-	-	-	3	7	5	9	17	35	68	79	86	75	67	77	57	32	14	10	8	1	5	2
107-109	Pneumonia (all forms)	2,982	1,019	175	53	23	28	38	33	41	50	54	65	84	81	80	107	106	124	151	163	157	146	122	39	16	3	4
	White-----M--	1,272	449	75	21	7	14	22	9	17	15	17	22	22	32	26	48	52	58	73	85	65	62	52	16	8	1	4
	F--	1,082	381	73	22	7	8	8	16	10	14	23	18	24	14	17	25	31	35	43	73	72	72	66	23	6	1	-
	Nonwhite--M--	341	105	14	4	5	3	3	5	4	10	6	15	16	14	22	21	14	20	16	20	9	7	4	-	1	1	-
	F--	287	84	13	6	4	3	5	3	10	11	8	10	22	21	15	13	9	11	17	5	11	5	-	-	1	-	-
117	Ulcer of stomach or duodenum	310	2	-	-	-	-	-	1	1	6	14	8	22	24	47	35	32	37	30	23	12	13	2	1	-	-	-
	White-----M--	227	1	-	-	-	-	-	-	1	3	8	5	20	18	34	23	21	28	24	18	10	10	2	1	-	-	-
	F--	31	1	-	-	-	-	-	1	-	1	1	1	-	3	3	3	2	4	4	4	1	2	-	-	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	1	5	2	2	2	5	5	7	4	-	1	1	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	-	-	1	5	4	2	1	2	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
119,120	Diarrhea, enteritis, etc.*	1,441	1,008	179	38	16	6	13	3	3	1	12	3	5	11	8	8	9	19	16	23	12	21	21	5	-	1	-
	White—M	684	505	86	14	4	3	7	1	2	-	1	1	2	2	3	3	5	4	9	11	3	9	9	-	-	-	-
	F	612	422	77	14	8	1	3	1	1	1	9	1	1	6	3	3	3	14	2	7	6	12	12	4	-	1	-
	Nonwhite—M	73	41	10	5	2	2	1	-	-	-	1	-	-	1	-	-	1	1	3	3	2	-	-	-	-	-	-
	F	72	40	6	5	2	-	2	1	-	-	1	1	2	2	2	2	-	-	2	2	1	-	-	1	-	-	-
121	Appendicitis	444	1	1	4	9	8	25	44	30	33	28	31	25	41	32	37	28	21	16	10	10	7	3	-	-	-	-
	White—M	213	1	-	3	6	3	10	20	17	15	13	13	6	20	15	23	14	11	11	6	4	1	1	-	-	-	-
	F	142	-	1	-	3	4	6	17	8	11	9	12	12	9	10	7	11	5	4	2	6	5	-	-	-	-	-
	Nonwhite—M	48	-	-	1	-	-	6	4	4	3	3	2	1	2	5	6	2	4	1	2	-	-	2	-	-	-	-
	F	41	-	-	-	-	1	3	3	1	4	3	4	6	10	2	1	1	1	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	510	39	9	5	1	2	5	2	5	8	25	23	31	29	34	36	36	57	40	46	28	27	13	5	1	-	3
	White—M	205	21	5	2	-	-	4	1	2	3	7	2	9	10	6	11	17	28	18	24	12	14	7	2	-	-	-
	F	187	12	2	2	1	1	1	1	1	2	12	6	15	9	16	13	11	20	15	14	13	12	5	1	1	-	1
	Nonwhite—M	61	3	1	1	-	1	-	-	-	-	1	7	4	5	7	6	5	4	3	6	3	-	1	2	-	-	1
	F	57	3	1	-	-	-	-	-	2	3	5	8	3	5	5	6	3	5	4	2	-	1	-	-	-	-	1
124	Cirrhosis of the liver	308	-	-	1	-	-	2	1	4	2	2	6	12	18	36	39	37	47	39	22	17	15	7	-	1	-	-
	White—M	200	-	-	-	-	-	1	-	1	-	1	2	9	13	20	29	27	31	29	14	12	7	4	-	-	-	-
	F	73	-	-	-	-	-	1	-	3	2	1	3	2	5	8	5	5	14	6	5	3	7	3	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	3	2	2	1	1	1	-	-	-	-	-
	F	15	-	-	1	-	-	-	1	-	-	-	-	-	-	3	2	2	-	2	2	1	-	-	-	1	-	-
126,127	Biliary calculi, etc.*	256	-	-	-	-	1	-	-	1	-	5	5	9	21	14	19	22	24	42	40	23	21	6	3	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	1	1	1	2	4	6	8	8	22	13	9	9	-	-	-	-	-
	F	141	-	-	-	-	1	-	-	-	-	3	4	3	11	7	11	11	13	18	25	13	12	6	3	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	1	-	4	1	1	1	-	-	-	1	1	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	-	1	7	2	1	3	3	2	1	-	-	-	-	-	-	-
130-132	Nephritis	3,942	18	8	3	6	4	11	11	20	31	44	79	112	158	189	275	344	373	502	540	470	408	231	77	13	6	9
	White—M	1,787	9	2	-	2	2	3	4	12	7	12	23	24	46	62	105	155	190	235	265	246	211	122	43	5	1	1
	F	1,207	7	5	2	1	2	4	5	5	15	12	29	37	36	40	63	94	95	142	174	160	164	86	24	3	2	-
	Nonwhite—M	527	2	-	1	2	-	4	-	2	4	6	13	24	29	46	66	48	48	84	57	41	19	13	8	3	1	6
	F	421	-	1	-	1	-	-	2	1	5	14	14	27	47	41	41	47	40	41	44	23	14	10	2	2	2	2
137	Diseases of the prostate	373	-	-	-	-	-	-	-	-	-	-	-	1	1	7	10	17	41	53	69	76	46	31	18	3	-	-
	White—M	300	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	8	27	41	51	73	43	29	18	3	-	-
	Nonwhite—M	73	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	9	14	12	18	3	3	2	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	163	-	-	-	-	-	-	2	23	48	28	31	22	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	105	-	-	-	-	-	-	-	12	33	20	18	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	58	-	-	-	-	-	-	2	11	15	8	13	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	140	-	-	-	-	-	-	3	25	36	22	29	18	6	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	111	-	-	-	-	-	-	2	18	29	21	20	14	6	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F	29	-	-	-	-	-	-	1	7	7	1	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	137	-	-	-	-	-	-	-	10	26	28	32	31	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	103	-	-	-	-	-	-	-	8	23	19	26	20	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	34	-	-	-	-	-	-	-	2	3	9	6	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	664	576	31	15	3	1	5	1	8	9	4	2	4	2	1	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	352	309	12	9	2	-	2	1	6	3	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	251	214	15	5	1	1	2	-	1	6	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	28	25	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	28	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	2,099	2,099	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,008	1,008	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	757	757	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	191	191	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	143	143	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	641	-	-	-	-	-	-	5	18	29	58	52	68	77	60	58	58	35	40	30	22	13	5	2	-	-	1
	White—M	495	-	-	-	-	-	-	4	12	19	43	42	49	59	46	45	50	23	32	30	21	12	5	2	-	-	1
	F	124	-	-	-	-	-	-	1	5	6	11	18	18	15	10	13	8	9	6	-	1	1	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	3	4	1	-	2	4	-	-	3	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	659	3	1	-	-	-	2	1	50	85	111	117	101	58	43	31	24	12	9	3	2	-	1	-	-	-	5
	White—M	241	1	-	-	-	-	-	1	17	26	40	41	35	19	18	12	11	8	7	1	1	-	-	-	-	-	3
	F	38	-	1	-	-	-	1	-	6	5	5	7	5	1	3	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	315	2	-	-	-	-	1	-	17	34	57	56	53	33	22	18	12	3	2	2	1	-	-	-	-	-	2
	F	65	-	-	-	-	-	-	-	10	20	9	13	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	1,447	6	12	15	16	10	50	46	151	201	144	131	130	81	87	90	70	73	51	40	26	6	5	1	-	-	5
	White—M	1,055	3	7	5	8	7	27	30	105	161	102	99	103	61	61	59	55	60	40	33	19	3	3	-	-	-	4
	F	240	3	5	9	6	2	16	9	32	26	21	20	17	11	12	13	9	10	7	3	4	3	1	1	-	-	-
	Nonwhite—M	128	-	-	1	1	1	4	6	12	13	17	10	10	6	12	17	6	2	4	3	1	-	1	-	-	-	1
	F	24	-	-	-	1	-	3	1	2	1	4	2	-	3	2	1	-	1	-	1	2	-	-	-	-	-	-
169, 171-195	Other accidents	3,343	150	93	54	34	38	128	149	213	410	268	174	185	155	149	140	113	108	131	133	138	160	119	47	10	8	36
	White—M	2,052	64	38	22	17	13	62	104	143	350	208	129	125	113	104	93	76	65	71	57	57	53	37	18	2	3	28
	F	753	45	38	21	8	17	34	17	22	20	27	15	17	14	18	17	20	20	38	57	68	105	78	26	6	3	2
	Nonwhite—M	388	20	8	5	5	4	21	21	41	29	30	25	42	21	22	25	12	15	11	12	7	2	1	2	-	2	5
	F	150	21	9	6	4	4	11	7	7	11	3	5	1	7	5	5	5	8	11	7	6	-	3	1	2	-	1
	All other causes*	8,134	1,935	105	55	34	31	109	80	104	138	208	194	257	319	311	359	357	423	553	555	534	605	468	245	81	46	28
	White—M	3,638	880	48	27	15	14	61	34	49	44	76	56	77	115	125	156	200	215	268	277	253	285	209	100	29	11	14
	F	2,852	711	39	22	12	11	36	24	27	52	75	63	89	93	88	92	90	121	178	161	195	273	221	121	37	20	1
	Nonwhite—M	892	207	12	2	5	5	6	12	8	15	19	34	30	54	52	64	38	48	60	82	54	33	21	12	6	7	6
	F	752	137	6	4	2	1	6	10	20	27	38	41	61	57	46	47	29	39	47	35	32	14	17	12	9	8	7

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																											
	All causes	4,849	522	52	33	29	18	67	57	84	117	99	116	135	184	183	263	359	395	425	512	484	411	217	62	21	2	2
	White—M	2,793	301	31	18	15	13	39	37	54	77	63	74	76	109	118	157	225	238	250	288	259	218	89	31	12	-	1
	F	1,951	206	21	11	13	4	24	17	26	38	31	38	55	73	62	95	126	149	166	222	217	191	127	28	8	2	1
	Nonwhite—M	76	5	-	2	1	1	4	1	4	-	4	4	3	1	2	8	8	6	8	2	6	2	-	3	1	-	-
	F	29	10	-	2	-	-	-	2	-	2	1	-	1	1	1	3	-	2	1	-	2	-	1	-	-	-	-
1,2	Typhoid, paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	67	1	1	-	-	-	-	-	4	2	-	5	2	7	8	8	11	6	3	4	3	2	-	-	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	1	-	4	-	4	8	6	9	6	3	4	3	2	-	-	-	-	-
	F	10	1	1	-	-	-	-	-	1	1	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	3	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	15	1	-	1	-	-	2	2	-	2	-	2	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	30	-	-	-	-	-	-	-	-	-	3	1	2	2	3	5	3	6	3	2	-	-	-	-	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	1	1	1	1	2	5	-	6	1	2	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	48	11	1	-	2	-	-	-	1	-	-	-	1	3	1	3	2	3	4	7	3	4	2	-	-	-	-
	White—M	25	6	-	-	2	-	-	-	-	-	-	-	1	2	-	2	2	2	2	3	1	2	-	-	-	-	-
	F	23	5	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	2	4	2	2	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	15	1	3	-	1	1	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	1	3	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	227	1	-	-	-	-	1	-	-	-	-	-	2	9	9	12	22	32	30	51	26	19	11	2	-	-	-
	White—M	121	-	-	-	-	-	-	-	-	-	-	-	1	4	6	7	16	13	18	28	12	12	3	1	-	-	-
	F	103	1	-	-	-	-	1	-	-	-	-	-	1	4	3	5	6	18	12	22	14	7	8	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	61	-	-	-	-	-	-	-	-	-	1	1	2	4	5	8	11	4	9	7	5	4	-	-	-	-	-
	White—F	61	-	-	-	-	-	-	-	-	-	1	1	2	4	5	8	11	4	9	7	5	4	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
50	Cancer of breast	53	-	-	-	-	-	-	1	-	-	1	-	4	5	7	8	4	8	8	2	4	-	-	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	1	-	-	1	-	4	5	7	7	4	7	8	2	4	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	167	1	-	1	-	1	3	1	-	2	2	5	3	8	11	15	15	12	16	31	16	19	5	-	-	-	-
	White—M	116	-	-	-	-	1	3	-	-	-	2	5	2	3	6	11	13	10	12	21	14	11	2	-	-	-	-
	F	50	1	-	-	-	-	-	1	-	2	-	-	1	5	5	4	2	2	4	10	2	8	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	9	-	1	1	-	-	1	1	-	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	77	-	-	-	-	-	2	-	5	1	1	1	3	1	1	7	1	8	12	16	12	4	2	-	-	-	-
	White—M	33	-	-	-	-	-	-	-	3	1	-	1	1	1	-	2	-	4	7	4	6	2	1	-	-	-	-
	F	43	-	-	-	-	-	2	-	2	-	1	-	2	-	1	4	1	4	5	12	6	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	20	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	3	5	2	4	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	3	3	2	4	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	362	-	1	1	-	-	-	1	1	1	2	4	8	4	6	20	31	36	46	62	56	52	22	7	1	-	-
	White—M	166	-	-	1	-	-	-	-	-	1	2	2	5	1	3	4	17	16	25	30	29	20	8	1	1	-	-
	F	191	-	1	-	-	-	-	1	1	-	-	2	3	3	3	15	13	20	19	32	26	32	14	6	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	66	8	2	1	2	2	2	1	3	4	3	-	3	5	2	7	5	2	2	5	4	2	-	1	-	-	-
	White—M	38	7	1	-	1	1	2	1	3	2	2	-	1	3	2	5	1	-	2	1	1	1	-	1	-	-	-
	F	27	1	1	1	1	1	-	-	-	2	1	-	1	2	-	2	4	2	-	4	3	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	35	6	2	1	-	-	4	2	4	-	3	2	1	2	3	1	1	-	-	1	1	1	-	-	-	-	-
	White—M	26	3	2	-	-	-	4	1	2	-	3	2	1	1	3	1	1	-	-	1	-	1	-	-	-	-	-
	F	8	3	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	113	-	-	-	-	-	1	8	4	5	8	9	15	13	11	8	6	10	4	3	2	4	2	-	-	-	-
	White—M	59	-	-	-	-	-	1	6	4	3	5	5	6	8	6	2	2	7	2	1	-	1	-	-	-	-	-
	F	54	-	-	-	-	-	-	2	-	2	3	4	9	5	5	6	4	3	2	2	2	3	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	440	-	-	-	-	-	-	-	-	-	1	2	10	17	26	30	55	74	65	57	46	39	15	1	1	-	1
	White—M	317	-	-	-	-	-	-	-	-	-	1	2	8	14	24	27	42	53	46	38	31	22	8	-	1	-	-
	F	118	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	13	20	16	19	15	17	7	1	-	-	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	856	1	2	-	1	1	2	3	5	7	7	8	14	18	24	29	66	65	83	156	145	123	70	16	8	2	-
	White—M	465	-	1	-	-	1	-	2	2	5	4	4	6	7	15	17	37	40	49	92	78	63	29	7	6	-	-
	F	381	1	1	-	1	-	1	1	3	2	3	4	8	11	7	12	28	24	34	64	65	59	41	7	2	2	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-	2	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	181	54	7	2	6	-	2	2	4	3	1	7	4	6	3	4	9	10	13	11	12	12	7	1	1	-	-
	White—M	105	32	4	2	2	-	1	1	1	2	-	4	3	4	3	2	5	7	8	6	7	7	4	-	-	-	-
	F	72	20	3	-	4	-	-	1	3	1	1	3	1	2	-	2	3	3	5	5	5	5	3	1	1	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	52	-	-	-	-	-	-	-	-	-	1	2	3	4	1	9	9	9	9	4	1	-	-	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	1	2	4	1	7	9	6	7	4	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	2	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
119,120	Diarrhea, enteritis, etc.*	28	11	3	2	1	-	2	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	1	1	-	-	-
	White—M	16	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-
	F	12	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	46	-	1	1	1	3	1	5	7	1	1	1	2	4	3	-	7	1	2	1	1	2	-	1	-	-	-
	White—M	25	-	1	-	1	2	-	3	5	1	-	1	1	2	2	-	2	-	-	-	1	2	-	1	-	-	-
	F	21	-	-	1	-	1	1	2	2	-	1	-	1	2	1	-	5	1	2	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	34	3	1	2	1	-	-	-	-	1	1	1	-	1	1	2	6	5	2	1	3	2	1	-	-	-	-
	White—M	22	2	1	2	1	-	-	-	-	1	-	-	-	-	-	1	5	4	1	1	-	2	1	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	-	3	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	24	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	6	2	5	3	2	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	1	4	1	2	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	31	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	3	3	5	2	2	3	3	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	1	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	2	1	4	2	1	2	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	294	3	-	-	-	1	-	2	1	6	5	8	8	12	12	17	13	39	29	33	52	32	15	4	2	-	-
	White—M	157	2	-	-	-	1	-	-	1	2	2	4	4	6	6	9	7	24	9	20	30	18	10	2	-	-	-
	F	137	1	-	-	-	-	-	2	-	4	3	4	4	6	6	8	6	15	20	13	22	14	5	2	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	7	6	8	5	1	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	7	6	8	5	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	7	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	9	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	11	-	-	-	-	-	-	-	1	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	1	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	76	63	4	1	-	1	1	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	37	32	1	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	29	3	1	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	196	196	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	45	-	-	-	-	-	-	-	2	1	4	6	3	4	6	7	5	2	4	1	-	1	-	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	1	-	2	6	3	4	6	4	3	2	3	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	-	-	-	-	-	-	-	-	1	3	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	155	-	-	2	3	2	16	3	21	20	11	6	11	6	7	12	4	8	12	3	6	1	-	-	-	-	1
	White—M	123	-	-	2	1	2	11	3	16	16	10	5	11	4	7	9	4	5	9	2	4	1	-	-	-	-	1
	F	30	-	-	-	2	-	5	-	5	3	-	1	-	2	-	3	-	3	3	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	332	17	12	9	4	6	12	16	9	36	21	22	11	25	11	18	16	11	10	7	17	20	13	7	2	-	-
	White—M	251	10	7	6	3	4	10	14	8	32	20	19	11	24	10	15	15	10	8	4	4	10	4	3	-	-	-
	F	76	7	5	3	1	1	2	2	1	4	1	3	-	1	1	-	1	1	2	2	13	10	9	4	2	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	587	138	10	6	4	-	8	3	9	11	10	9	12	16	15	23	36	30	37	30	58	54	43	19	6	-	-
	White—M	330	87	7	3	3	-	3	2	6	7	6	4	5	7	5	16	24	15	24	17	28	31	13	13	4	-	-
	F	228	42	3	2	-	-	5	-	3	4	3	5	7	9	10	7	10	12	11	13	25	22	29	5	1	-	-
	Nonwhite—M	16	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	3	1	-	1	1	-	-
	F	13	6	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes	4,250	299	22	14	5	6	28	29	36	40	41	65	79	97	139	206	256	382	474	610	561	437	284	111	19	4	6
	White—M	2,309	174	10	7	2	4	14	19	25	21	24	33	41	57	85	131	159	227	264	334	274	225	124	42	8	1	4
	F	1,940	125	12	7	3	2	14	10	11	19	17	32	38	40	54	75	97	155	210	275	287	212	160	69	11	3	2
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	6	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	105	-	-	-	-	-	-	1	4	5	5	3	13	9	6	19	7	12	6	7	6	2	-	-	-	-	-
	White—M	75	-	-	-	-	-	-	-	1	2	3	1	8	7	3	18	6	12	5	5	2	2	-	-	-	-	-
	F	30	-	-	-	-	-	-	1	3	3	2	2	5	2	3	1	1	-	1	2	4	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	7	-	2	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	3	-	1	1	2	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	-	-	1	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	28	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	4	2	2	4	4	-	3	2	1	-
	White—M	19	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	3	2	-	3	-	-	-
	F	9	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	234	-	-	-	-	-	-	-	-	-	1	2	6	5	7	17	20	26	39	36	43	21	7	2	1	-	1
	White—M	118	-	-	-	-	-	-	-	-	-	-	1	1	2	6	13	11	15	17	20	19	10	3	-	-	-	-
	F	116	-	-	-	-	-	-	-	-	-	1	1	5	3	1	4	9	11	22	16	24	11	4	2	1	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	73	-	-	-	-	-	1	-	-	-	1	2	2	7	7	6	9	11	8	7	4	3	4	1	-	-	-
	White—F	73	-	-	-	-	-	1	-	-	-	1	2	2	7	7	6	9	11	8	7	4	3	4	1	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
50	Cancer of breast	49	-	-	-	-	-	-	-	-	-	-	2	-	1	6	3	6	5	8	7	6	3	2	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	2	-	1	6	3	6	5	8	7	6	3	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	173	-	-	2	-	-	2	1	1	1	2	3	2	5	6	7	19	16	29	33	21	12	7	4	-	-	-
	White—M	119	-	-	1	-	-	1	-	1	-	1	2	2	3	4	3	14	11	17	26	15	10	5	3	-	-	-
	F	54	-	-	1	-	-	1	1	-	1	1	1	-	2	2	4	5	5	12	7	6	2	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	100	-	-	-	-	-	2	-	2	1	1	2	-	-	2	5	6	18	19	22	12	6	2	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	2	-	-	-	-	-	1	2	2	4	7	7	3	2	-	-	-	-	-
	F	70	-	-	-	-	-	2	-	-	1	1	2	-	-	1	3	4	14	12	15	9	4	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	4	2	1	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	443	1	1	-	-	-	-	-	1	-	1	1	3	4	1	15	20	43	64	90	96	58	31	11	1	-	1
	White—M	205	1	1	-	-	-	-	-	-	-	1	-	2	2	1	7	7	16	33	47	45	31	8	2	1	-	-
	F	238	-	-	-	-	-	-	-	1	-	-	1	1	2	-	8	13	27	31	43	51	27	23	9	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	49	1	-	1	-	-	3	2	3	3	2	2	3	-	1	1	4	4	4	6	2	6	1	-	-	-	-
	White—M	25	1	-	-	-	-	1	-	1	1	1	2	1	-	-	1	3	1	2	5	-	4	1	-	-	-	-
	F	24	-	-	1	-	-	2	2	2	2	1	-	2	-	1	-	1	3	2	1	2	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	14	-	-	-	-	-	1	2	-	-	2	-	2	-	2	-	1	3	-	1	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	1	1	-	-	2	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a;92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	83	-	-	-	-	-	-	-	3	-	2	2	1	3	6	6	4	6	14	11	10	4	10	1	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	1	2	-	1	3	4	2	4	10	4	4	2	2	-	-	-	-
	F	44	-	-	-	-	-	-	-	3	-	1	-	1	2	3	2	2	2	4	7	6	2	8	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	401	-	-	-	-	-	-	-	-	-	-	2	2	12	20	37	50	55	51	77	44	34	15	2	-	-	-
	White—M	286	-	-	-	-	-	-	-	-	-	-	1	1	12	18	29	40	40	30	52	26	24	11	2	-	-	-
	F	115	-	-	-	-	-	-	-	-	-	-	1	1	-	2	8	10	15	21	25	18	10	4	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	804	-	-	1	-	-	-	-	-	-	-	5	8	7	11	25	38	66	89	158	140	122	93	34	5	2	-
	White—M	420	-	-	1	-	-	-	-	-	-	-	1	5	4	8	17	25	40	57	81	67	53	44	14	2	1	-
	F	383	-	-	-	-	-	-	-	-	-	-	4	3	3	3	8	13	26	32	76	73	69	49	20	3	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109	Pneumonia (all forms)	179	30	2	3	-	-	2	-	3	-	-	3	5	7	7	4	8	10	15	26	21	14	14	3	1	1	-
	White—M	93	15	-	2	-	-	-	-	2	-	-	2	2	3	5	2	3	6	8	15	11	9	6	2	-	-	-
	F	86	15	2	1	-	-	2	-	1	-	-	1	3	4	2	2	5	4	7	11	10	5	8	1	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	30	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	2	5	3	3	2	4	1	-	1	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	4	3	2	1	3	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
119,120	Diarrhea, enteritis, etc.*	16	9	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	White—M	10	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	31	-	2	-	-	1	3	-	1	3	-	-	-	1	1	4	-	4	6	2	2	1	-	-	-	-	-
	White—M	22	-	-	-	-	1	2	-	1	2	-	-	-	1	1	3	-	4	4	1	1	1	-	-	-	-	-
	F	9	-	2	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	-	1	1	-	-	-	1	-	-	-	1	1	1	1	2	3	8	3	7	10	2	4	1	-	-	-
	White—M	31	-	1	1	-	-	-	1	-	-	-	-	-	-	1	1	3	7	1	5	7	1	2	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	2	2	3	1	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	32	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	5	1	9	1	5	1	2	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	5	1	6	1	3	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	2	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	27	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	7	4	3	3	4	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	5	2	1	2	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	279	1	-	-	-	-	-	-	1	-	1	1	5	8	12	14	19	27	29	37	53	43	22	6	-	-	-
	White—M	151	1	-	-	-	-	-	-	1	-	-	1	1	3	6	6	11	16	21	20	26	25	12	1	-	-	-
	F	128	-	-	-	-	-	-	-	-	-	1	-	4	5	6	8	8	11	8	17	27	18	10	5	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	4	5	6	2	2	-	-	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	4	5	6	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	7	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	56	51	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	29	27	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	24	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	65	-	-	-	-	-	-	-	1	2	3	4	7	3	9	7	3	8	6	7	3	2	-	-	-	-	-
	White—M	53	-	-	-	-	-	-	-	1	2	2	4	7	3	6	6	3	7	4	5	2	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	2	2	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	49	-	1	-	-	1	4	2	3	4	5	5	3	1	1	2	5	3	6	3	-	-	1	-	-	-	-
	White—M	38	-	-	-	-	-	3	-	3	3	5	3	3	1	1	1	5	2	4	3	-	-	1	-	-	-	-
	F	11	-	1	-	-	1	1	2	-	1	-	2	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	178	7	6	1	1	2	4	13	8	10	3	8	2	7	11	4	7	10	9	9	14	14	17	7	2	-	2
	White—M	114	5	4	-	-	1	3	12	8	9	3	7	2	5	9	3	5	9	4	3	7	6	4	1	2	-	2
	F	64	2	2	1	1	1	1	1	-	1	-	1	-	2	2	1	2	1	5	6	7	8	13	6	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	486	88	1	2	1	-	1	1	2	3	7	8	3	4	16	18	12	22	41	47	53	67	48	34	6	-	1
	White—M	237	52	1	1	-	-	1	-	1	1	2	3	1	2	8	10	8	14	19	24	25	28	20	12	3	-	1
	F	249	36	-	1	1	-	-	1	1	2	5	5	2	2	9	9	4	8	22	23	28	39	28	22	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																											
	All causes	29,197	3,565	273	121	101	93	248	283	559	918	822	883	1,053	1,223	1,544	1,945	2,157	2,483	2,782	2,734	2,114	1,741	962	349	103	29	112
	White—M	11,083	1,299	77	46	35	26	96	99	184	340	306	293	374	389	557	658	820	952	1,108	1,167	911	773	377	112	23	2	59
	F	8,110	946	84	37	29	29	70	53	110	164	153	165	202	234	286	375	465	646	860	966	835	725	455	168	44	6	3
	Nonwhite—M	5,355	706	67	22	16	15	48	73	150	214	193	243	253	307	364	487	457	462	453	324	199	143	63	36	19	8	33
	F	4,649	614	45	16	21	23	34	58	115	200	170	182	224	293	337	425	415	423	361	277	169	100	67	33	17	13	17
1,2	Typhoid, paratyphoid fever	25	-	-	1	1	-	-	4	4	2	5	-	2	1	1	1	1	-	-	2	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	1	1	1	1	-	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	46	11	5	4	1	-	3	3	5	4	3	2	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	White—M	22	3	2	2	-	-	1	3	2	3	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	13	6	2	-	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	1	1	1	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	2	1	-	-	1	3	1	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	102	78	15	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	21	20	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	19	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	28	17	4	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	22	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	44	6	6	5	8	7	8	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	16	3	2	1	3	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	1	3	2	3	3	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,495	5	11	1	1	3	4	20	99	201	143	149	143	130	114	92	78	92	86	65	36	11	7	1	-	-	3
	White—M	382	3	2	-	-	-	1	1	5	19	17	37	39	46	50	55	50	42	31	27	12	4	1	1	-	-	1
	F	307	-	1	-	-	2	-	3	17	31	30	24	28	19	19	18	10	23	27	28	18	5	6	-	-	-	-
	Nonwhite—M	388	-	6	-	-	1	2	7	32	61	40	44	38	34	36	23	21	17	15	6	4	1	-	-	-	-	-
	F	418	2	2	1	1	-	1	9	45	90	56	44	38	31	29	18	17	10	13	6	2	1	-	-	-	-	2
14-22	Tuberculosis (other forms)	137	11	6	7	4	6	6	6	5	11	10	8	7	7	6	13	8	6	4	2	1	2	1	-	-	-	-
	White—M	39	3	1	2	-	1	2	2	1	1	3	2	1	2	5	3	4	2	2	-	-	2	-	-	-	-	-
	F	39	3	3	2	2	4	2	1	-	2	-	1	-	2	1	7	3	3	-	1	1	-	1	-	-	-	-
	Nonwhite—M	34	3	1	-	1	-	2	2	1	4	5	3	5	1	-	3	-	-	2	1	-	-	-	-	-	-	-
	F	25	2	1	3	1	1	-	1	3	4	2	2	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	98	61	5	1	-	2	-	-	1	-	-	-	1	-	-	1	2	2	6	6	2	4	3	1	-	-	-
	White—M	25	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-
	F	29	16	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1	4	-	1	2	1	-	-	-
	Nonwhite—M	30	22	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F	16	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
30	Syphilis	432	43	3	-	-	-	-	-	4	7	16	36	41	55	59	54	30	35	28	6	8	6	-	-	-	-	1
	White—M	91	5	-	-	-	-	-	-	1	2	2	2	9	8	7	14	9	13	8	4	4	3	-	-	-	-	-
	F	33	7	-	-	-	-	-	-	1	-	-	4	2	3	2	3	4	3	1	-	1	2	-	-	-	-	-
	Nonwhite—M	218	15	-	-	-	-	-	-	1	3	7	24	19	28	36	32	13	17	17	2	3	1	-	-	-	-	-
	F	90	16	3	-	-	-	-	-	1	2	7	6	11	16	14	5	4	2	2	-	-	-	-	-	-	-	1
33	Influenza	335	75	11	3	1	2	5	8	6	6	9	8	7	10	9	18	19	25	20	20	25	26	13	5	1	1	2
	White—M	100	20	4	1	-	1	-	2	1	2	3	3	3	2	4	3	5	4	9	9	8	7	6	2	-	-	1
	F	96	22	2	2	-	-	3	1	-	1	-	3	2	-	1	1	2	6	7	6	13	14	7	2	1	-	-
	Nonwhite—M	79	17	2	-	1	-	1	5	1	2	5	2	-	5	1	10	6	6	4	3	2	4	-	1	-	-	1
	F	60	16	3	-	-	1	1	-	4	1	1	-	2	3	3	4	6	9	-	2	2	1	-	-	-	1	-
35	Measles	16	6	2	2	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	1	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	-	1	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,005	-	-	-	-	-	4	-	2	2	4	7	23	29	56	105	118	146	174	134	97	64	28	10	1	-	1
	White—M	396	-	-	-	-	-	2	-	-	-	2	3	11	8	25	36	48	57	65	60	42	24	10	3	-	-	-
	F	405	-	-	-	-	-	2	-	1	1	1	2	8	13	12	32	42	53	79	56	46	35	16	5	1	-	-
	Nonwhite—M	107	-	-	-	-	-	-	-	1	-	-	-	2	2	3	21	20	19	18	9	7	3	2	-	-	-	-
	F	97	-	-	-	-	-	-	-	-	1	1	2	2	6	16	16	8	17	12	9	2	2	-	2	-	-	1
48,49	Cancer of female-genital organs	356	-	-	1	-	-	-	-	2	2	8	10	29	27	37	51	43	41	43	36	17	4	4	-	-	-	1
	White—F	241	-	-	1	-	-	-	-	2	2	5	9	16	14	26	29	26	32	31	29	14	2	3	-	-	-	-
	Nonwhite—F	115	-	-	-	-	-	-	-	-	-	3	1	13	13	11	22	17	9	12	7	3	2	1	-	-	-	1

*Refer to complete International List titles, table VII, Part 1.

594337 O - 44 - 23

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Contd.																											
50	Cancer of breast	245	-	-	-	-	-	-	-	-	-	1	12	11	25	32	27	31	28	30	23	15	4	3	1	3	-	1
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-
	F	180	-	-	-	-	-	-	-	-	-	1	8	6	18	20	17	23	20	27	18	12	4	3	1	1	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	-	4	5	7	11	9	8	6	2	3	3	-	-	-	2	-	-
45,47, 51-55	Cancer (other sites)	794	-	2	1	1	2	6	8	8	7	14	12	23	37	50	55	83	90	110	109	75	65	23	8	4	-	1
	White—M	469	-	-	1	-	-	4	2	3	3	10	6	11	16	25	24	41	53	76	70	51	48	17	4	3	-	1
	F	191	-	-	-	1	1	-	3	4	4	2	2	8	11	16	14	21	27	19	24	19	9	3	3	-	-	-
	Nonwhite—M	90	-	2	-	-	1	1	2	1	-	2	1	2	6	5	12	14	5	10	11	5	7	1	1	1	-	-
	F	44	-	-	-	-	-	1	1	-	-	-	3	2	4	4	5	7	5	5	4	-	1	2	-	-	-	-
58	Acute rheumatic fever	49	1	-	-	1	-	7	12	5	2	2	3	-	2	3	1	2	-	2	-	3	2	1	-	-	-	-
	White—M	13	-	-	-	-	-	2	3	1	1	1	2	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	12	1	-	-	-	-	1	2	1	-	1	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	1	3	3	1	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-
	F	11	-	-	-	1	-	2	4	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
61	Diabetes mellitus	532	-	-	-	-	-	3	4	10	4	8	12	7	19	23	58	63	72	103	60	57	21	7	1	-	-	-
	White—M	139	-	-	-	-	-	1	1	2	-	-	4	4	2	9	13	17	20	21	17	18	9	1	-	-	-	-
	F	232	-	-	-	-	-	-	-	3	2	4	4	-	5	3	15	24	30	59	36	32	12	2	1	-	-	-
	Nonwhite—M	52	-	-	-	-	-	-	-	2	1	2	2	1	2	5	8	5	6	9	5	3	-	1	-	-	-	-
	F	109	-	-	-	-	-	2	3	3	1	2	2	2	10	6	22	17	16	14	2	4	-	3	-	-	-	-
63b	Exophthalmic goiter	45	-	1	-	-	-	-	-	-	5	1	1	5	3	5	6	6	5	4	1	1	-	-	-	-	-	1
	White—M	6	-	1	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	30	-	-	-	-	-	-	-	-	5	-	-	1	2	3	5	5	4	3	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	1	-	-	-	-	-	-	-	1
69	Pellagra (except alcoholic)	58	-	-	-	-	-	-	1	-	-	-	2	2	2	4	6	4	7	10	6	7	5	1	1	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	3	2	5	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	2	1	5	2	2	2	1	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	-	-	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	1	1	2	-	-	-	1	-	-	-
77	Alcoholism (ethylism)	81	-	-	-	-	-	-	-	3	3	3	9	11	12	13	9	7	3	5	-	1	1	-	-	-	-	1
	White—M	50	-	-	-	-	-	-	-	-	-	2	5	7	9	8	7	6	2	2	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	2	2	1	3	4	2	4	2	1	1	3	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,878	12	1	2	-	-	5	-	2	7	13	29	36	86	170	245	309	364	431	438	288	255	126	37	12	2	8
	White—M	947	3	1	-	-	-	3	-	1	2	6	6	9	14	46	51	80	102	156	183	123	106	43	10	1	-	1
	F	822	4	-	1	-	-	1	-	-	-	-	8	8	13	32	35	58	91	118	143	106	117	60	20	6	-	1
	Nonwhite—M	539	3	-	-	-	-	-	-	1	2	4	7	11	24	45	67	85	90	85	54	26	17	10	2	2	-	4
	F	570	2	-	1	-	-	1	-	-	3	3	8	8	35	47	92	86	81	72	58	33	15	13	5	3	2	2
80-82, 84-88	Other diseases of nervous system, etc.*	402	55	12	12	10	4	12	18	25	35	22	22	17	23	21	14	27	19	23	16	8	1	3	1	-	-	2
	White—M	157	17	2	4	5	1	4	7	13	17	5	9	6	10	6	4	10	10	13	8	4	-	1	1	-	-	-
	F	94	14	5	3	2	1	5	3	-	4	5	5	3	3	6	3	8	4	8	6	3	1	2	-	-	-	-
	Nonwhite—M	91	12	2	3	2	1	2	4	7	9	8	7	4	6	5	6	6	3	2	1	-	-	-	-	-	-	1
	F	60	12	3	2	1	1	1	4	5	5	4	1	4	4	4	1	3	2	-	1	1	-	-	-	-	-	1
89,104, 115	Diseases of ear, nose, and throat	143	30	7	2	-	4	11	11	8	7	7	5	6	2	8	7	7	4	3	3	2	4	2	2	1	-	-
	White—M	54	7	3	2	-	3	5	4	4	4	3	3	2	1	2	2	3	1	-	-	1	2	1	1	-	-	-
	F	45	9	3	-	-	-	5	2	3	2	1	-	1	-	4	2	3	2	1	1	1	2	1	1	1	-	-
	Nonwhite—M	27	9	1	-	-	-	1	3	1	1	-	1	2	1	-	2	1	1	1	2	-	-	-	-	-	-	-
	F	17	5	-	-	-	1	-	2	-	-	3	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	521	1	-	1	2	-	7	15	18	7	15	23	26	22	27	33	48	47	49	56	54	34	22	9	1	1	3
	White—M	190	-	-	-	-	-	1	2	5	2	8	11	6	6	10	11	17	15	23	22	27	18	5	1	-	-	-
	F	181	1	-	-	1	-	1	7	6	4	4	5	14	7	7	9	18	13	11	21	18	14	13	5	1	1	-
	Nonwhite—M	77	-	-	-	-	-	2	3	4	-	2	3	3	6	4	6	8	8	11	9	3	1	-	2	-	-	2
	F	73	-	-	1	1	-	3	3	3	1	1	4	3	3	6	7	5	11	4	4	6	1	4	1	-	-	1
94	Diseases of coronary arteries, angina pectoris	1,719	-	-	-	-	-	-	-	3	3	11	21	53	90	144	179	211	253	273	218	149	76	25	6	2	-	2
	White—M	1,045	-	-	-	-	-	-	-	-	2	5	10	33	58	101	111	142	157	156	130	81	45	13	1	-	-	-
	F	409	-	-	-	-	-	-	-	-	-	3	4	7	7	10	26	37	56	84	76	55	28	11	4	1	-	-
	Nonwhite—M	143	-	-	-	-	-	-	-	-	1	3	3	5	16	23	22	14	19	18	5	9	1	1	1	-	-	2
	F	122	-	-	-	-	-	-	-	3	-	-	4	8	9	10	20	18	21	15	7	4	2	-	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,451	6	4	-	2	3	8	9	16	18	30	39	88	124	187	337	387	495	605	642	566	475	268	98	21	8	15
	White—M	1,585	2	2	-	-	1	3	2	6	5	10	9	21	26	45	93	137	162	231	241	233	206	105	31	7	-	7
	F	1,293	2	1	-	1	1	2	3	6	6	5	8	11	14	32	50	56	122	164	225	213	195	120	45	8	2	1
	Nonwhite—M	832	2	1	-	1	1	-	2	1	2	8	13	24	39	55	107	101	112	110	95	66	47	24	10	3	2	6
	F	741	-	-	-	-	-	3	2	3	5	7	9	32	45	55	87	93	99	100	81	54	27	19	12	3	4	1
107-109	Pneumonia (all forms)	1,619	498	64	18	12	4	15	14	24	32	45	36	40	57	66	74	77	93	84	101	73	96	62	22	8	2	2
	White—M	554	159	19	6	3	1	7	2	7	9	10	9	12	13	25	29	27	38	32	49	25	36	26	6	4	-	-
	F	425	114	17	6	3	-	3	5	6	2	6	2	7	8	10	6	11	15	29	36	40	50	35	11	2	1	-
	Nonwhite—M	349	122	16	5	4	-	3	3	7	9	14	13	13	24	20	24	22	21	8	7	3	4	1	4	1	-	1
	F	291	103	12	1	2	3	2	4	4	12	15	12	8	12	11	15	17	19	15	9	5	6	-	1	1	1	1
117	Ulcer of stomach or duodenum	171	-	-	-	-	-	-	1	-	4	8	12	13	15	20	27	20	16	14	10	3	5	3	-	-	-	-
	White—M	92	-	-	-	-	-	-	-	-	1	3	8	8	9	11	13	15	7	7	6	1	2	1	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	5	4	2	2	3	2	-	-	-	-
	Nonwhite—M	40	-	-	-	-	-	-	1	-	2	4	3	3	2	5	9	3	4	2	2	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	2	-	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Contd.																											
119,120	Diarrhea, enteritis, etc.*	384	286	40	7	3	2	1	-	-	1	-	1	5	2	5	3	1	2	5	4	8	5	2	1	-	-	-
	White—M	134	102	12	1	3	-	1	-	-	1	-	1	1	-	1	-	-	-	1	1	6	2	1	-	-	-	-
	F	91	64	14	3	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	1	3	-	1	-	-	-
	Nonwhite—M	83	62	8	1	-	1	-	-	-	-	-	-	-	-	3	3	1	-	3	-	-	-	1	-	-	-	-
	F	76	58	6	2	-	1	-	-	-	-	-	-	2	1	1	-	-	1	-	3	1	-	-	-	-	-	-
121	Appendicitis	148	-	2	-	4	2	10	13	10	16	8	6	3	9	15	8	14	13	5	8	2	-	-	-	-	-	-
	White—M	61	-	1	-	3	1	5	5	5	6	5	1	2	2	5	4	8	4	1	3	-	-	-	-	-	-	-
	F	36	-	-	-	-	1	-	3	3	5	3	-	-	2	3	1	2	4	3	4	2	-	-	-	-	-	-
	Nonwhite—M	32	-	1	-	-	-	4	3	2	4	-	3	-	4	4	1	2	2	1	1	-	-	-	-	-	-	-
	F	19	-	-	-	1	-	1	2	-	1	-	2	1	1	3	2	2	3	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	228	13	2	3	2	1	3	1	2	6	5	15	8	14	19	19	25	17	15	25	14	10	6	-	-	-	-
	White—M	75	7	-	1	2	-	1	-	-	3	1	1	1	2	4	6	8	6	7	12	5	7	1	-	-	-	-
	F	73	5	-	1	-	-	2	-	-	1	2	4	1	4	4	4	8	5	5	10	7	5	5	-	-	-	-
	Nonwhite—M	35	1	2	1	-	-	-	-	-	1	1	2	1	4	5	5	3	4	2	-	2	1	-	-	-	-	-
	F	45	-	-	-	-	1	-	1	2	1	1	8	5	4	6	4	6	2	1	3	-	-	-	-	-	-	-
124	Cirrhosis of the liver	154	1	-	-	-	-	-	-	-	1	-	4	15	11	13	24	17	18	12	16	12	4	4	-	-	-	2
	White—M	93	1	-	-	-	-	-	-	-	1	-	2	10	8	7	13	7	11	9	11	7	3	2	-	-	-	1
	F	31	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	4	6	2	4	4	1	2	-	-	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	2	-	4	7	3	1	-	1	1	-	-	-	-	-	1
	F	10	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	101	-	-	-	-	-	-	-	1	3	1	5	6	3	7	9	14	13	11	9	12	2	4	1	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	1	3	1	3	6	5	1	4	1	3	-	2	1	-	-	-
	F	57	-	-	-	-	-	-	-	1	-	1	2	3	2	2	3	8	10	7	5	9	2	2	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	2	-	3	-	-	-	-	-	-	-
130-132	Nephritis	2,458	5	3	2	1	4	9	4	11	20	31	41	65	101	139	179	208	267	295	369	289	231	133	32	11	5	3
	White—M	843	4	-	1	-	1	1	2	2	7	9	8	20	26	35	41	71	84	100	142	121	99	56	9	2	2	-
	F	697	-	1	-	-	-	5	1	5	8	9	7	12	16	21	39	38	48	79	124	102	98	61	17	5	1	-
	Nonwhite—M	457	1	1	1	-	2	3	-	1	1	6	11	20	25	30	43	46	65	62	62	39	18	11	3	4	2	-
	F	461	-	1	-	1	1	-	1	3	4	7	15	13	34	53	56	53	70	54	41	27	16	5	3	-	-	3
137	Diseases of the prostate	155	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	19	26	25	33	21	6	8	1	-	-
	White—M	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	19	17	30	14	6	5	-	-	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	11	7	8	3	7	-	3	1	-	-
140, 142a, 145a,147	Puerperal septicemia	86	-	-	-	-	-	-	-	12	22	18	19	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	49	-	-	-	-	-	-	-	5	13	10	13	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	37	-	-	-	-	-	-	-	7	9	8	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	64	-	-	-	-	-	-	-	12	21	9	10	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	28	-	-	-	-	-	-	-	6	8	3	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	36	-	-	-	-	-	-	-	6	13	6	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141bd,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	70	-	-	-	-	-	-	-	5	13	16	16	9	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	40	-	-	-	-	-	-	-	2	7	9	9	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	30	-	-	-	-	-	-	-	3	6	7	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	352	321	8	1	1	1	3	4	3	1	3	-	1	1	3	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	150	135	3	-	1	1	3	2	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	124	112	4	1	-	-	-	1	1	-	1	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	40	39	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	35	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,021	1,021	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	394	394	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	296	296	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	313	-	-	-	-	-	-	1	15	33	41	30	34	24	23	27	25	26	19	8	2	4	-	-	-	-	1
	White—M	217	-	-	-	-	-	-	-	7	25	22	24	22	13	18	19	20	20	17	4	2	3	-	-	-	-	1
	F	71	-	-	-	-	-	-	-	6	6	15	3	8	8	4	8	1	6	1	4	-	1	-	-	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	1	2	2	2	4	3	-	-	4	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	332	4	1	-	1	-	1	1	29	62	48	58	58	35	17	13	5	6	9	2	-	-	-	-	-	-	2
	White—M	92	3	-	-	-	-	-	-	5	14	13	11	8	13	6	3	2	6	6	2	-	-	-	-	-	-	-
	F	18	-	1	-	1	-	-	1	2	3	-	-	3	3	1	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	187	1	-	-	-	-	1	-	18	40	26	42	24	15	9	5	3	-	1	-	-	-	-	-	-	-	2
	F	35	-	-	-	-	-	-	-	4	5	9	5	3	4	1	4	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	702	4	1	3	5	9	29	20	70	132	83	59	47	44	43	34	33	32	20	15	9	5	1	1	-	-	3
	White—M	413	3	-	3	2	2	12	10	45	86	49	37	22	23	25	22	20	20	11	10	5	4	1	1	-	-	-
	F	90	1	1	-	2	5	8	4	9	16	10	2	9	2	5	2	3	4	4	2	1	-	-	-	-	-	-
	Nonwhite—M	161	-	-	-	-	1	5	4	15	22	20	20	9	15	12	8	9	7	5	2	3	1	-	-	-	-	3
	F	38	-	-	-	1	1	4	2	1	8	4	-	7	4	1	2	1	1	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,471	78	32	19	20	24	48	65	99	138	117	90	99	79	63	59	56	56	56	62	54	72	41	22	6	1	15
	White—M	763	26	10	10	7	7	21	28	53	97	88	54	63	44	37	39	31	25	24	23	16	33	14	4	1	-	8
	F	267	17	11	3	6	8	9	6	8	10	4	7	2	6	3	5	7	11	16	20	33	32	25	15	3	-	-
	Nonwhite—M	329	16	6	5	4	3	11	22	33	27	21	24	31	25	22	11	15	14	8	15	3	4	-	1	1	1	6
	F	112	19	5	1	3	6	7	9	5	4	4	5	3	4	1	4	3	6	8	4	2	3	2	2	1	-	1
	All other causes*	5,334	931	27	23	16	9	32	36	37	77	63	70	111	102	140	146	166	173	201	235	190	223	163	81	31	9	42
	White—M	1,276	364	9	9	4	2	12	17	11	24	22	22	35	26	50	52	55	80	71	107	77	91	62	31	5	-	38
	F	954	228	7	10	5	2	11	6	10	20	16	21	22	30	32	29	38	40	62	79	77	86	72	36	14	1	-
	Nonwhite—M	567	188	8	2	1	1	5	7	10	14	10	10	24	17	25	44	38	26	43	23	17	23	11	8	6	3	3
	F	537	151	3	2	6	4	4	6	6	19	15	17	30	29	33	21	35	27	25	26	19	23	18	6	6	5	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	All causes	20,552	1,292	100	59	40	32	116	106	227	392	324	376	494	627	958	1,241	1,631	1,896	2,316	2,456	2,462	2,025	1,001	298	44	8	31
	White—M	12,325	694	54	30	24	15	65	65	142	242	194	228	288	394	576	819	1,067	1,189	1,475	1,438	1,454	1,143	548	137	20	1	23
	F	7,694	515	39	25	13	15	49	34	72	129	109	137	173	210	355	383	519	668	786	983	988	864	445	157	24	3	5
	Nonwhite—M	348	48	4	3	1	1	4	1	6	16	10	9	22	17	14	25	37	30	40	28	15	10	4	-	-	2	1
	F	185	35	3	1	2	1	4	6	7	5	11	2	11	6	13	14	8	9	15	7	5	8	4	4	-	2	2
1,2	Typhoid, paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	-	1	1	-	-	2	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	1	1	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	2	-	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	25	19	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	7	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	19	-	1	1	2	1	2	1	1	-	-	-	2	-	3	1	1	2	-	1	-	-	-	-	-	-	-
	White—M	12	-	1	-	1	-	1	1	-	-	-	-	2	-	2	1	-	2	-	1	-	-	-	-	-	-	-
	F	7	-	-	1	1	1	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	608	3	2	3	2	-	4	2	26	49	56	47	63	39	62	64	51	49	30	28	20	7	1	-	-	-	-
	White—M	365	1	1	1	1	-	-	-	10	18	15	19	36	29	44	53	34	40	21	23	15	3	1	-	-	-	-
	F	177	1	-	1	-	-	-	1	10	21	31	24	20	8	14	8	12	7	6	4	5	4	-	-	-	-	-
	Nonwhite—M	41	1	1	1	-	-	1	-	1	7	5	3	4	2	2	3	5	2	2	1	-	-	-	-	-	-	-
	F	25	-	-	-	1	-	3	1	5	3	5	1	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	68	2	4	4	1	-	3	2	5	5	2	5	4	5	6	8	2	2	3	3	1	1	-	-	-	-	-
	White—M	31	-	1	1	-	-	-	-	2	3	1	3	2	4	3	4	1	1	2	2	1	-	-	-	-	-	-
	F	27	2	3	2	-	-	2	1	2	1	1	1	1	1	2	3	1	1	1	1	-	1	-	-	-	-	-
	Nonwhite—M	7	-	-	1	1	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	216	5	-	-	-	-	-	-	1	1	-	5	6	12	23	26	39	33	30	16	9	5	1	2	-	-	2
	White—M	150	1	-	-	-	-	-	-	-	-	-	3	2	8	16	22	28	25	23	10	8	3	-	1	-	-	-
	F	44	2	-	-	-	-	-	-	1	1	-	2	3	3	4	3	7	6	4	4	1	1	1	1	-	-	-
	Nonwhite—M	17	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	3	2	-	1	-	-	-	-	1
	F	5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1
33	Influenza	152	15	6	2	1	1	-	2	2	5	4	1	6	4	6	3	5	11	14	11	17	20	10	5	-	-	-
	White—M	83	8	3	2	-	-	-	2	1	3	3	1	6	3	5	2	1	6	11	4	8	7	4	3	-	-	-
	F	65	6	3	-	1	-	-	-	1	2	1	-	-	1	1	1	4	5	3	7	9	12	6	2	-	-	-
	Nonwhite—M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles	11	4	1	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	7	-	-	-	-	-	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	1,205	-	-	1	-	-	-	-	2	4	3	6	15	24	52	87	136	172	177	201	163	121	35	5	-	-	1
	White—M	694	-	-	-	-	-	-	-	-	2	3	-	6	16	27	49	87	94	105	113	95	77	16	3	-	-	-
	F	481	-	-	1	-	-	-	-	2	2	-	6	7	7	24	35	42	74	66	85	64	44	19	2	-	-	1
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	6	4	4	3	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	2	-	2	-	-	-	-	-	-
48,49	Cancer of female genital organs	271	-	-	-	-	-	-	-	-	1	1	7	12	21	37	28	34	36	38	27	16	9	2	2	-	-	-
	White—F	267	-	-	-	-	-	-	-	-	1	1	7	12	21	36	28	34	36	36	26	16	9	2	2	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Continued																											
50	Cancer of breast	251	-	-	-	-	-	-	-	-	-	2	4	8	11	21	38	41	32	31	27	13	13	8	2	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
	F	245	-	-	-	-	-	-	-	-	-	2	4	8	10	20	36	41	31	31	27	13	13	7	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	796	2	1	2	-	1	3	2	6	8	9	9	14	30	42	61	84	92	109	111	103	72	24	9	2	-	-
	White----M	577	-	-	-	-	1	1	2	1	4	8	5	10	19	31	44	56	60	83	89	78	59	19	7	-	-	-
	F	213	2	1	2	-	-	2	-	5	4	1	4	4	11	10	17	27	31	25	21	24	13	5	2	2	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	1	-	-	-	1	-	1	2	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	White----M	5	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	480	-	-	-	-	-	-	4	5	4	2	5	5	12	14	30	37	68	80	85	71	41	17	-	-	-	-
	White----M	206	-	-	-	-	-	-	3	1	2	-	1	4	5	4	11	16	30	33	32	39	17	8	-	-	-	-
	F	267	-	-	-	-	-	-	1	3	2	2	4	1	6	9	19	21	36	47	52	32	24	8	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-
63b	Exophthalmic goiter	53	-	-	-	-	-	-	-	-	-	1	-	2	-	3	7	7	4	9	9	7	4	-	-	-	-	-
	White----M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	1	1	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	4	8	8	7	4	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	80	-	-	-	-	-	-	-	-	-	1	4	5	12	15	10	10	9	4	4	1	-	1	-	-	-	4
	White----M	69	-	-	-	-	-	-	-	-	-	-	4	4	10	11	9	10	8	4	4	1	-	1	-	-	-	3
	F	7	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,096	3	1	-	-	-	1	3	1	3	3	8	16	35	56	77	157	222	275	353	412	283	153	30	2	-	2
	White----M	1,093	2	-	-	-	-	1	2	-	2	2	4	5	16	18	34	76	129	162	183	217	148	75	14	1	-	2
	F	970	1	1	-	-	-	-	1	1	1	-	4	9	18	38	38	77	89	107	165	193	134	76	16	1	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	3	4	1	1	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	2	-	3	1	1	-	1	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	216	14	5	2	3	1	6	2	6	10	7	9	10	6	16	15	12	13	28	24	16	9	2	-	-	-	-
	White----M	118	6	2	1	1	1	1	1	3	5	6	5	9	4	7	9	10	9	14	13	6	5	1	-	-	-	-
	F	90	7	3	-	1	-	4	1	3	5	1	4	1	2	9	4	2	4	14	11	10	3	1	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	60	10	5	3	1	-	2	4	-	8	4	1	1	2	1	2	4	3	2	-	4	1	2	-	-	-	-
	White----M	37	6	4	2	-	-	1	2	-	7	2	1	1	1	1	-	3	2	2	-	2	-	-	-	-	-	-
	F	21	3	1	1	1	-	1	1	-	1	2	-	-	1	-	2	1	1	-	-	2	1	2	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	439	-	-	-	-	-	4	4	11	8	5	14	21	23	36	27	37	33	47	59	41	45	22	2	-	-	-
	White----M	241	-	-	-	-	-	1	1	6	3	2	8	13	14	19	18	20	22	28	36	18	21	9	2	-	-	-
	F	189	-	-	-	-	-	3	2	5	5	3	6	7	9	16	9	15	10	18	23	22	23	13	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,281	-	-	-	1	-	-	-	-	2	3	10	31	74	133	194	380	317	352	340	259	172	77	12	2	1	1
	White----M	1,737	-	-	-	1	-	-	-	-	2	2	7	25	60	112	168	248	248	254	243	178	111	56	9	1	-	1
	F	521	-	-	-	-	-	-	-	-	-	1	3	4	10	20	24	49	64	85	95	80	61	20	3	1	1	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	2	4	3	2	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,473	1	3	-	-	-	6	2	4	10	8	17	20	59	83	153	214	299	492	570	604	546	279	85	10	1	7
	White----M	2,046	-	2	-	-	-	4	1	1	7	3	9	10	36	51	107	142	171	311	330	354	291	165	39	7	-	5
	F	1,357	1	1	-	-	-	2	-	2	3	5	7	9	20	27	41	67	119	168	233	243	248	113	44	3	-	1
	Nonwhite--M	46	-	-	-	-	-	-	-	1	-	-	-	1	1	2	3	4	7	9	5	7	4	1	-	-	1	-
	F	24	-	-	-	-	-	-	1	-	-	-	1	-	2	3	2	1	2	4	2	-	3	-	2	-	-	1
107-109	Pneumonia (all forms)	898	133	16	10	4	5	10	1	4	12	15	19	24	20	30	49	54	60	68	79	106	98	60	17	2	2	-
	White----M	517	54	8	4	3	2	5	1	3	5	9	17	16	13	22	31	39	36	42	47	65	57	34	3	-	1	-
	F	341	57	6	5	1	3	5	-	1	7	5	2	7	7	8	13	14	23	22	31	41	40	26	14	2	1	-
	Nonwhite--M	25	13	1	1	-	-	-	-	-	-	-	-	1	-	-	3	1	1	3	1	-	-	-	-	-	-	-
	F	15	9	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	184	-	-	-	-	-	-	-	-	-	3	4	7	9	19	13	27	25	27	14	16	15	5	-	-	-	-
	White----M	165	-	-	-	-	-	-	-	-	-	3	3	6	5	18	12	24	23	26	12	15	14	4	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	2	2	1	2	-	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Continued																											
119,120	Diarrhea, enteritis, etc.*------	76	52	2	1	-	1	1	2	-	2	-	1	-	-	1	-	2	1	4	3	3	-	-	-	-	-	-
	White-----M--	36	26	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	2	2	-	-	-	-	-	-
	F--	30	18	1	-	-	-	-	2	-	2	-	1	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis------	87	-	1	1	-	1	5	7	5	4	2	2	6	8	7	4	7	7	3	9	3	2	2	1	-	-	-
	White-----M--	57	-	1	1	-	1	3	3	5	2	2	2	5	6	5	3	2	6	3	4	2	1	-	-	-	-	-
	F--	28	-	-	-	-	-	2	3	-	1	-	-	1	2	2	1	5	1	-	5	1	1	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	159	6	-	-	-	-	2	-	3	-	5	4	1	5	11	13	12	13	19	16	25	14	7	2	-	-	1
	White-----M--	84	3	-	-	-	-	1	-	2	-	1	4	1	2	3	8	7	4	13	10	13	8	4	-	-	-	-
	F--	75	3	-	-	-	-	1	-	1	-	4	-	-	3	8	5	5	9	6	6	12	6	3	2	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	148	1	-	-	-	-	1	-	-	1	-	5	6	9	12	26	17	30	17	10	3	7	1	1	-	-	1
	White-----M--	95	1	-	-	-	-	1	-	-	1	-	1	1	5	5	16	15	23	11	7	3	5	-	-	-	-	-
	F--	53	-	-	-	-	-	-	-	-	-	-	4	5	4	7	10	2	7	6	3	-	2	1	1	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.* ---------	96	-	-	-	-	-	-	-	-	1	-	-	6	1	11	5	12	12	10	12	15	8	3	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	8	6	3	3	5	1	2	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	1	-	-	5	-	8	1	4	6	7	9	10	7	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,186	2	2	-	-	1	2	5	7	13	10	12	23	30	53	76	72	106	168	150	170	169	82	26	7	-	-
	White-----M--	668	1	1	-	-	1	1	1	4	6	4	5	8	14	24	47	43	62	113	79	92	106	38	13	5	-	-
	F--	489	1	1	-	-	-	1	4	2	7	6	6	12	13	25	25	26	41	52	69	77	62	44	13	2	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	-	-	1	3	2	2	2	3	2	3	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	1	-	-	-	-	-
137	Diseases of the prostate----------	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	12	27	24	25	11	5	-	-	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	11	27	24	25	11	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia----------	25	-	-	-	-	-	-	-	3	5	5	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	-	-	-	-	-	-	-	3	5	5	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias----------	20	-	-	-	-	-	-	-	-	9	3	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	-	9	3	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes---------	23	-	-	-	-	-	-	-	2	4	2	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	-	-	-	-	-	-	-	2	4	1	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations-----	227	188	11	2	1	3	5	3	3	4	1	-	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	122	104	6	1	1	-	2	1	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	80	4	1	-	3	3	2	2	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth--	382	382	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	220	220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	150	150	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide----------	363	-	-	-	-	-	-	-	5	22	20	24	35	30	39	35	43	33	29	14	18	10	1	1	-	-	4
	White-----M--	283	-	-	-	-	-	-	-	4	15	13	22	22	22	24	28	37	26	27	13	15	8	1	1	-	-	4
	F--	71	-	-	-	-	-	-	-	1	7	6	2	11	7	15	7	4	7	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide----------	54	1	-	-	-	-	-	-	1	6	5	6	6	10	5	3	3	1	2	1	1	3	-	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	1	2	2	2	3	9	2	2	1	-	2	1	1	2	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	1	2	3	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	3	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents------	479	4	2	3	4	2	15	12	59	52	25	27	24	20	25	31	35	33	32	22	32	14	5	1	-	-	-
	White-----M--	370	1	1	-	4	2	12	8	41	38	20	25	19	16	21	23	27	26	27	16	26	13	3	1	-	-	-
	F--	97	3	1	3	-	-	3	4	18	12	3	1	4	3	4	6	8	7	2	6	6	1	2	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	2	1	1	1	-	2	-	-	3	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,213	43	18	16	12	8	26	37	49	107	83	62	62	58	63	74	70	63	55	70	80	74	47	25	4	1	6
	White-----M--	911	29	11	11	8	4	24	27	44	97	77	56	52	52	58	64	58	53	39	38	43	33	18	8	1	-	6
	F--	271	11	7	5	4	4	1	9	2	7	5	4	6	4	5	9	6	9	14	32	37	41	29	17	3	-	-
	Nonwhite--M--	28	2	-	-	-	-	1	1	3	3	1	2	4	2	-	1	5	1	2	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	All other causes*	1,971	398	10	5	8	6	11	7	10	28	30	35	39	50	70	77	100	108	148	158	209	236	143	65	15	3	2
	White-----M--	1,108	222	9	4	4	2	4	6	8	14	13	17	16	23	35	43	64	71	92	96	126	127	77	28	5	-	2
	F--	810	158	1	1	4	4	6	1	2	13	15	18	19	26	34	32	36	36	53	56	80	106	63	35	10	1	-
	Nonwhite--M--	27	9	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	2	5	2	2	1	-	-	1	-
	F--	26	9	-	-	-	-	1	-	-	1	2	-	3	-	-	-	-	1	1	1	1	1	2	2	-	1	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	All causes	16,975	2,329	227	111	72	51	173	159	336	401	460	541	592	683	773	927	1,076	1,318	1,521	1,592	1,424	1,151	659	263	53	16	67
	White—M	8,948	1,340	122	54	36	28	94	89	187	209	225	295	285	327	384	502	601	738	844	877	751	587	298	117	21	4	33
	F	6,434	928	89	53	33	18	66	56	103	139	168	170	203	229	236	274	351	467	547	628	621	535	333	134	28	6	17
	Nonwhite—M	931	89	10	2	2	2	5	8	21	28	39	41	55	71	97	90	80	67	91	52	29	16	15	6	1	4	10
	F	662	72	6	2	1	3	8	6	25	25	28	35	49	56	54	61	44	46	39	35	23	13	13	6	3	2	7
1,2	Typhoid, paratyphoid fever	19	1	-	-	-	-	-	2	4	1	1	-	1	2	1	2	1	1	1	-	-	-	-	1	-	-	-
	White—M	10	-	-	-	-	-	-	1	3	-	1	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	5	1	1	1	1	1	1	2	1	1	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	7	2	-	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	1	-	-	1	1	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	52	36	11	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	25	18	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	16	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	25	3	2	8	7	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	2	1	5	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	1	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	691	2	2	3	2	2	3	6	38	73	87	72	69	60	54	44	52	47	24	22	16	8	1	-	-	-	4
	White—M	286	1	1	1	1	1	2	2	9	22	28	30	26	26	24	26	27	26	13	5	9	5	-	-	-	-	1
	F	274	1	1	2	-	-	-	1	13	35	40	28	32	24	16	9	17	17	10	16	6	3	1	-	-	-	2
	Nonwhite—M	75	-	-	-	1	1	-	1	5	6	9	8	7	8	8	7	6	4	1	1	1	-	-	-	-	-	1
	F	56	-	-	-	-	-	1	2	11	10	10	6	4	2	6	2	2	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	74	6	6	2	1	2	3	2	5	9	6	4	5	6	4	2	1	4	3	2	1	-	-	-	-	-	-
	White—M	32	2	5	-	-	2	2	-	1	2	2	-	4	3	3	-	1	1	2	1	1	-	-	-	-	-	-
	F	25	1	-	2	1	-	1	2	4	4	2	2	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	10	1	1	-	-	-	-	-	-	2	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F	7	2	-		-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	52	23	9	1	1	1	2	-	-	-	-	-	-	-	1	-	1	2	1	5	-	1	4	-	-	-	-
	White—M	32	12	5	1	1	1	2	-	-	-	-	-	-	-	1	-	1	2	1	3	-	-	2	-	-	-	-
	F	18	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	238	16	1	-	-	-	1	-	1	5	7	19	33	36	21	24	25	18	14	7	5	3	1	-	-	-	1
	White—M	122	3	1	-	-	-	-	-	-	-	1	7	18	19	10	15	15	13	10	5	1	2	1	-	-	-	1
	F	63	9	-	-	-	-	-	-	1	3	3	7	8	13	4	1	4	3	2	2	2	1	-	-	-	-	-
	Nonwhite—M	30	1	-	-	-	-	-	-	-	2	2	2	3	3	2	5	5	2	1	-	2	-	-	-	-	-	-
	F	23	3	-	-	-	-	1	-	-	-	1	3	4	1	5	3	1	-	1	-	-	-	-	-	-	-	-
33	Influenza	181	33	4	4	-	-	2	-	3	7	3	4	4	6	9	5	7	8	19	23	9	13	13	3	-	2	-
	White—M	86	20	1	2	-	-	-	-	1	2	-	1	-	3	4	4	5	3	11	11	4	7	4	2	-	1	-
	F	85	12	3	2	-	-	2	-	2	4	1	2	2	2	5	1	2	4	8	12	5	5	9	1	-	1	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
35	Measles	63	19	16	6	4	2	9	1	-	1	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	White—M	31	13	9	-	4	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	6	6	5	-	2	5	-	-	1	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	11	1	2	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	1	2	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	692	-	-	-	-	-	1	-	-	3	6	9	8	19	34	39	84	110	108	129	65	56	13	6	-	-	2
	White—M	364	-	-	-	-	-	-	-	-	3	3	5	3	7	14	16	44	65	64	71	31	26	8	2	-	-	2
	F	294	-	-	-	-	-	1	-	-	-	3	3	5	8	15	20	35	42	37	55	32	29	5	4	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	3	1	4	2	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	3	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	222	-	-	-	-	-	-	-	-	-	2	13	23	21	27	22	28	34	25	12	8	4	3	-	-	-	-
	White—F	196	-	-	-	-	-	-	-	-	-	1	12	20	16	24	19	24	31	24	10	8	4	3	-	-	-	-
	Nonwhite—F	26	-	-	-	-	-	-	-	-	-	1	1	3	5	3	3	4	3	1	2	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Con.																											
50	Cancer of breast	122	-	-	-	-	-	-	-	-	-	-	3	6	16	14	12	16	9	18	11	9	5	1	1	-	-	1
	White-----M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	110	-	-	-	-	-	-	-	-	-	-	3	5	14	12	11	14	9	15	10	9	5	1	1	-	-	1
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	506	1	3	3	1	-	1	4	9	6	12	11	11	24	29	49	44	59	62	66	51	36	16	6	-	-	2
	White-----M	309	-	2	3	-	-	1	1	6	3	4	2	7	12	13	30	22	39	43	46	36	25	11	2	-	-	1
	F	168	1	-	-	1	-	-	3	3	3	6	9	4	10	10	15	20	16	13	19	15	10	5	4	-	-	1
	Nonwhite--M	23	-	1	-	-	-	-	-	-	-	2	-	-	1	5	2	2	4	5	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	21	-	-	1	-	1	2	4	2	4	1	-	-	3	-	-	2	-	-	-	1	-	-	-	-	-	-
	White-----M	7	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	2	2	4	1	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	357	1	-	-	-	1	1	3	7	5	11	6	8	9	12	22	36	49	63	58	39	19	5	2	-	-	-
	White-----M	139	1	-	-	-	-	1	1	4	2	5	5	3	2	4	9	11	21	24	19	14	8	4	1	-	-	-
	F	197	-	-	-	-	1	-	1	2	3	5	1	3	6	6	10	21	28	35	39	23	11	1	1	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	2	-	2	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	2	-	2	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	36	-	-	-	-	-	-	-	-	-	1	-	2	5	7	4	4	7	3	2	-	1	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	-	2	5	6	3	3	6	2	2	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	11	-	-	-	-	-	-	1	-	-	1	-	2	-	2	-	-	1	-	2	1	-	1	-	-	-	-
	White-----M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	39	-	-	-	-	-	-	-	-	1	2	7	3	7	3	3	4	3	3	2	-	-	-	-	-	-	1
	White-----M	33	-	-	-	-	-	-	-	-	-	2	6	3	7	2	3	4	3	-	2	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,427	7	2	-	1	-	2	-	4	4	7	12	27	30	54	72	96	152	219	237	200	173	87	26	9	1	5
	White-----M	711	4	1	-	1	-	2	-	2	-	1	6	13	8	21	30	58	81	118	137	101	77	33	10	5	-	2
	F	585	3	1	-	-	-	-	-	1	4	5	4	7	13	17	28	29	58	83	83	91	92	47	14	3	1	1
	Nonwhite--M	54	-	-	-	-	-	-	-	-	-	-	1	2	6	10	3	5	2	7	6	6	-	4	1	-	-	1
	F	77	-	-	-	-	-	-	-	1	-	1	1	5	3	6	11	4	11	11	11	2	4	3	1	1	-	1
80-82, 84-88	Other diseases of nervous system, etc.*	193	32	7	4	1	-	8	6	9	4	11	9	11	9	8	8	14	16	12	11	6	3	2	1	-	-	1
	White-----M	104	12	5	2	1	-	7	1	5	1	4	5	6	7	4	6	10	8	5	10	3	1	-	1	-	-	-
	F	67	15	1	2	-	-	-	3	3	3	5	2	2	2	4	2	2	6	6	1	3	2	2	-	-	-	1
	Nonwhite--M	15	3	1	-	-	-	1	2	-	-	1	1	1	-	-	-	2	2	1	-	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	65	16	5	5	1	2	6	2	4	2	4	2	2	1	2	1	3	2	2	1	-	-	2	-	-	-	-
	White-----M	32	5	3	4	-	1	4	2	2	2	2	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-
	F	25	10	1	1	1	1	2	-	1	-	1	2	-	1	-	1	-	1	-	-	-	-	2	-	-	-	-
	Nonwhite--M	6	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	282	-	1	-	-	1	1	11	15	8	10	11	13	17	21	19	15	27	22	32	25	17	12	3	1	-	-
	White-----M	150	-	-	-	-	1	-	5	6	4	5	5	6	8	11	7	8	14	17	20	17	7	8	1	-	-	-
	F	113	-	1	-	-	-	1	6	7	3	5	6	6	6	8	7	5	11	5	11	8	10	4	2	1	-	-
	Nonwhite--M	13	-	-	-	-	-	-	-	1	-	-	-	-	2	2	3	2	2	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	983	-	-	-	-	-	-	-	3	2	-	11	15	38	65	105	115	134	152	123	114	67	29	7	-	-	3
	White-----M	666	-	-	-	-	-	-	-	1	2	-	7	10	27	46	83	85	95	105	84	60	41	14	4	-	-	2
	F	269	-	-	-	-	-	-	-	2	-	-	4	3	6	10	16	27	34	41	34	51	23	14	3	-	-	1
	Nonwhite--M	30	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	3	4	6	3	1	2	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	-	1	-	2	2	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,442	3	1	-	3	1	3	11	8	8	13	28	35	52	81	131	171	252	316	375	371	315	168	67	13	2	14
	White-----M	1,223	1	1	-	-	1	-	2	6	1	10	13	17	25	33	62	95	142	178	187	195	143	72	29	6	-	4
	F	974	1	-	-	3	-	1	8	2	6	3	10	9	15	22	45	51	78	104	161	162	160	89	32	5	1	6
	Nonwhite--M	142	-	-	-	-	-	-	-	-	-	-	2	4	6	15	14	14	20	25	20	6	8	4	2	1	-	1
	F	103	1	-	-	-	-	2	1	-	1	-	3	5	6	11	10	11	12	9	7	8	4	3	4	1	1	3
107-109	Pneumonia (all forms)	1,010	352	52	21	7	3	11	5	11	6	9	17	18	29	19	34	41	42	61	67	62	57	42	15	4	2	3
	White-----M	519	180	25	13	3	1	5	2	6	2	3	10	9	15	11	18	21	24	39	31	46	32	15	8	-	-	-
	F	399	146	23	6	4	-	6	3	3	3	5	4	6	10	3	9	11	12	20	30	32	24	26	6	3	1	1
	Nonwhite--M	64	19	1	-	-	-	-	-	1	-	1	2	1	4	3	6	9	5	2	4	2	-	-	1	-	1	2
	F	28	7	3	-	-	2	-	-	1	1	-	1	2	-	2	1	-	1	-	2	2	1	1	-	1	-	-
117	Ulcer of stomach or duodenum	106	-	-	-	-	-	-	-	-	1	2	4	8	10	20	15	8	13	13	5	2	3	1	-	-	-	1
	White-----M	77	-	-	-	-	-	-	-	-	1	1	2	4	8	14	14	7	11	9	1	2	2	-	-	-	-	1
	F	19	-	-	-	-	-	-	-	-	-	1	1	2	-	5	1	-	2	3	2	-	1	1	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Con.																											
119,120	Diarrhea, enteritis, etc.*	233	161	32	7	2	-	4	-	-	-	2	-	1	3	-	4	-	2	2	3	3	4	2	-	-	-	1
	White--M--	116	81	18	4	1	-	1	-	-	-	-	-	-	2	-	3	-	2	1	-	2	1	-	-	-	-	-
	F--	104	70	13	2	1	-	3	-	-	-	2	-	1	1	-	-	-	-	1	3	1	3	2	-	-	-	1
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	98	-	-	2	2	4	5	12	15	5	3	3	4	5	9	8	9	4	4	1	1	2	-	-	-	-	-
	White--M--	50	-	-	1	-	2	5	5	10	1	1	-	2	1	6	3	6	3	1	1	-	2	-	-	-	-	-
	F--	33	-	-	1	2	2	-	7	3	2	-	2	2	1	-	5	3	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	1	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	139	4	1	1	1	-	1	3	2	3	3	9	10	11	12	6	12	7	11	11	12	10	3	4	-	-	2
	White--M--	66	3	-	-	-	-	1	2	-	3	1	1	4	1	5	-	3	5	7	8	8	8	2	2	-	-	2
	F--	56	1	1	1	1	-	-	1	-	-	1	7	5	7	6	2	6	2	3	3	4	2	1	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	1	-	3	-	3	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	110	1	-	2	1	-	-	1	-	1	1	9	6	10	12	8	12	11	13	8	9	3	2	-	-	-	-
	White--M--	71	1	-	-	1	-	-	-	-	-	1	5	4	7	9	4	7	7	9	6	7	3	-	-	-	-	-
	F--	29	-	-	2	-	-	-	1	-	1	-	3	2	2	1	1	5	2	4	1	2	-	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	58	1	-	-	-	-	-	-	-	2	2	-	5	3	8	7	5	5	8	5	3	2	1	1	-	-	-
	White--M--	17	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	1	2	1	1	1	-	1	-	-	-
	F--	37	-	-	-	-	-	-	-	-	2	1	-	3	2	5	5	2	4	6	4	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	1,066	5	-	3	2	1	9	4	7	10	9	14	22	43	51	62	85	96	133	141	160	105	74	20	3	3	4
	White--M--	519	-	-	-	2	1	5	1	2	6	2	3	6	15	18	24	42	53	57	73	89	65	39	13	1	-	2
	F--	412	4	-	2	-	-	3	3	5	4	6	7	10	16	23	16	26	34	58	59	62	38	26	7	2	-	1
	Nonwhite--M--	72	-	-	1	-	-	-	-	-	-	-	1	1	5	6	11	9	4	15	4	5	2	6	-	-	2	-
	F--	63	1	-	-	-	-	1	-	-	-	1	3	5	7	4	11	8	5	3	5	4	-	3	-	-	1	1
137	Diseases of the prostate	92	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	7	16	23	13	11	11	3	-	-	1
	White--M--	90	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	7	16	22	13	11	11	3	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	36	-	-	-	-	-	-	-	3	10	6	6	6	4	-	-	-	-	-	-	-	-	-	-	-	-	1
	White--F--	29	-	-	-	-	-	-	-	-	9	5	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--F--	7	-	-	-	-	-	-	-	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	24	-	-	-	-	-	-	-	6	5	3	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	22	-	-	-	-	-	-	-	6	5	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	43	-	-	-	-	-	-	-	3	4	11	7	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	41	-	-	-	-	-	-	-	3	4	11	7	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	282	254	10	2	3	-	1	2	7	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	156	138	6	-	1	-	1	2	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	105	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	708	708	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	390	390	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	272	272	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	193	-	-	-	-	-	-	1	11	23	19	21	13	21	16	18	20	7	10	7	2	3	1	-	-	-	-
	White--M--	145	-	-	-	-	-	-	-	4	19	11	16	10	16	14	15	14	7	7	6	2	3	1	-	-	-	-
	F--	42	-	-	-	-	-	-	-	7	2	8	5	3	3	2	3	5	-	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	127	1	-	-	-	-	1	4	6	16	15	26	17	13	12	7	2	2	2	-	-	1	-	-	-	-	2
	White--M--	49	1	-	-	-	-	1	1	3	5	4	10	3	6	7	3	1	2	1	-	-	1	-	-	-	-	-
	F--	23	-	-	-	-	-	-	2	1	4	4	3	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	1	1	5	5	10	8	4	5	3	1	-	1	-	-	-	-	-	-	-	1
	F--	10	-	-	-	-	-	-	-	1	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
170	Motor-vehicle accidents	354	-	3	3	5	1	22	8	54	51	31	36	26	11	14	12	16	15	19	14	8	-	1	-	-	-	4
	White--M--	274	-	1	1	3	1	13	6	42	39	21	32	23	10	11	9	14	12	17	10	6	-	-	-	-	-	3
	F--	62	-	2	2	2	-	7	2	11	7	10	2	1	1	3	1	-	3	2	4	1	-	1	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	2	-	1	3	-	1	-	-	-	2	2	-	-	-	1	-	-	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,296	66	21	19	15	11	32	43	65	97	112	118	98	70	82	93	52	60	35	48	48	58	23	15	5	1	9
	White--M--	882	32	13	7	9	5	16	35	51	82	87	106	72	54	59	73	42	35	17	28	19	21	7	4	1	1	6
	F--	268	29	7	12	5	6	15	4	5	8	8	3	5	4	6	6	5	16	12	18	27	36	16	11	4	-	-
	Nonwhite--M--	126	2	1	-	-	-	-	3	6	6	13	9	21	11	17	12	5	8	5	2	1	1	-	-	-	-	3
	F--	20	3	-	-	1	-	1	1	3	1	4	-	-	1	-	2	-	1	1	-	1	-	-	-	-	-	-
	All other causes*	2,168	570	35	10	8	13	34	20	30	23	43	45	63	76	65	85	92	112	126	138	160	170	140	82	18	5	5
	White--M--	1,120	315	17	6	4	7	16	13	15	6	23	18	29	31	32	40	47	55	68	87	83	95	65	34	8	2	4
	F--	876	213	15	3	4	5	14	6	14	14	19	20	30	23	21	32	32	45	46	43	75	72	72	46	10	2	-
	Nonwhite--M--	89	24	2	-	-	-	2	-	1	1	-	-	2	9	7	12	5	5	8	4	2	2	1	1	-	1	-
	F--	83	18	1	1	-	1	2	1	-	2	1	7	2	13	5	1	8	7	4	4	-	1	2	1	-	-	1

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																											
	All causes	31,004	2,050	136	76	72	51	179	184	317	407	444	485	673	881	1,342	1,695	2,334	2,829	3,297	3,827	3,926	3,345	1,764	554	114	14	8
	White—M	17,259	1,159	71	36	39	27	97	114	214	227	241	266	390	494	763	1,006	1,442	1,610	1,866	2,184	2,124	1,714	868	248	48	5	6
	F	13,385	839	61	37	30	23	73	67	95	166	191	208	263	389	559	662	868	1,193	1,397	1,617	1,786	1,615	887	304	64	9	2
	Nonwhite—M	205	27	2	3	2	-	3	2	4	7	6	6	9	12	12	17	17	15	20	17	11	5	6	-	2	-	-
	F	155	25	2	-	1	1	6	1	4	7	6	5	11	6	8	10	7	11	14	9	5	11	3	2	-	-	-
1,2	Typhoid, paratyphoid fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	3	-	-	-	1	-	-	1	2	-	1	1	-	2	1	-	1	-	-	-	1	-	-	-	-	1
	White—M	10	2	-	-	-	1	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	1
	F	5	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	26	1	3	1	3	3	7	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	-	1	1	2	2	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	2	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	44	36	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	22	20	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	15	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	5	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	708	2	-	2	1	-	2	8	28	65	67	61	50	44	70	70	71	53	52	27	26	7	2	-	-	-	-
	White—M	414	2	-	1	-	-	-	4	6	23	23	28	28	29	50	55	51	38	38	20	14	4	-	-	-	-	-
	F	250	-	-	1	-	-	1	4	17	35	41	29	16	14	18	13	17	14	11	5	11	2	1	-	-	-	-
	Nonwhite—M	19	-	-	-	1	-	-	-	2	2	-	1	2	-	1	2	3	1	2	1	-	-	1	-	-	-	-
	F	25	-	-	-	-	-	1	-	3	5	3	3	4	1	1	-	-	-	1	1	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	51	2	2	1	-	1	-	2	-	7	5	2	4	5	6	1	1	4	3	2	2	1	-	-	-	-	-
	White—M	25	1	-	-	-	-	-	1	-	5	4	1	2	2	2	1	1	2	1	1	-	1	-	-	-	-	-
	F	23	1	1	1	-	1	-	1	-	2	-	1	2	2	4	-	-	2	2	1	2	-	-	-	-	-	-
	Nonwhite—M	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	184	-	-	-	-	-	1	-	2	2	2	6	16	11	19	25	21	29	19	17	5	6	1	-	-	-	-
	White—M	131	-	-	-	-	-	-	-	2	1	2	3	13	6	9	18	15	24	13	16	4	5	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	1	-	1	3	4	8	4	5	1	4	1	1	1	1	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	1	-	-	-	-	1	2	-	2	1	-	3	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	2	-	-	-	-	-	-	-	-
33	Influenza	197	29	9	4	1	4	3	3	5	6	1	7	4	6	6	8	9	9	13	15	25	18	10	2	-	-	-
	White—M	111	17	3	3	1	2	3	3	3	3	-	6	3	4	3	6	4	7	9	9	10	8	3	1	-	-	-
	F	82	10	6	1	-	2	-	-	1	3	1	1	1	2	3	2	5	2	4	6	15	9	7	1	-	-	-
	Nonwhite—M	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles	8	-	-	-	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	9	-	-	-	-	-	4	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,258	-	-	-	-	-	-	-	-	2	6	11	28	61	102	149	236	292	377	386	343	187	58	17	2	-	1
	White—M	1,299	-	-	-	-	-	-	-	-	1	5	3	16	33	46	88	151	169	217	239	190	100	33	7	-	-	1
	F	944	-	-	-	-	-	-	-	-	1	1	8	12	27	55	59	83	121	155	147	153	85	25	10	2	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
48,49	Cancer of female genital organs	467	-	-	-	-	-	-	-	1	-	4	10	25	41	49	57	53	75	52	37	33	23	4	3	-	-	-
	White—F	462	-	-	-	-	-	-	-	1	-	4	10	25	39	49	56	53	74	52	37	33	22	4	3	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Contd.																											
50	Cancer of breast	385	-	-	-	-	-	-	-	-	-	2	3	15	20	46	48	48	54	35	43	34	23	6	4	2	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	379	-	-	-	-	-	-	-	-	-	2	3	15	20	46	46	48	54	34	43	34	22	6	4	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,337	4	2	3	2	3	5	9	14	14	18	13	26	40	71	96	138	161	170	178	174	112	71	11	2	-	-
	White—M	975	3	1	1	2	2	3	8	9	11	14	7	13	26	46	64	97	123	128	136	139	88	48	5	1	-	-
	F	355	1	1	2	-	1	2	1	5	3	4	6	12	14	25	32	40	34	41	42	35	24	23	6	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	41	-	-	-	1	-	4	3	7	3	3	1	3	2	1	3	1	2	2	1	2	1	-	1	-	-	-
	White—M	23	-	-	-	-	-	2	-	5	2	1	-	2	2	1	2	1	2	-	-	1	1	-	1	-	-	-
	F	18	-	-	-	1	-	2	3	2	1	2	1	1	-	-	1	-	7	2	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	898	-	-	-	-	1	3	4	10	2	9	13	11	11	34	50	101	126	149	158	107	86	20	1	2	-	-
	White—M	358	-	-	-	-	1	-	2	4	1	1	10	7	6	15	18	35	49	51	60	47	39	10	-	2	-	-
	F	531	-	-	-	-	-	3	2	6	1	8	3	4	5	17	30	65	75	96	98	60	47	10	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	141	-	-	-	-	-	-	1	-	1	1	3	2	7	11	12	16	34	21	18	7	5	1	1	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	-	1	1	-	-	-	-	-	-
	F	130	-	-	-	-	-	-	1	-	1	1	3	2	7	10	8	15	31	21	17	6	5	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	52	-	-	-	-	-	-	-	-	-	2	4	7	13	7	2	12	3	1	-	1	-	-	-	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	1	3	6	10	5	2	11	3	1	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,161	1	1	-	2	-	1	1	-	6	6	10	21	45	87	141	249	284	428	548	551	479	239	53	8	-	-
	White—M	1,543	-	-	-	1	-	-	1	-	3	5	6	13	24	34	66	112	123	214	284	278	243	110	23	3	-	-
	F	1,596	1	1	-	1	-	1	-	-	2	1	4	7	21	51	74	134	159	211	261	271	235	128	29	4	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	2	3	1	-	1	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	-	1	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	342	28	9	1	5	2	6	9	11	9	17	22	17	21	20	16	29	18	20	34	29	14	5	-	-	-	-
	White—M	182	11	5	-	1	1	3	6	7	5	10	13	8	10	9	9	17	10	8	23	18	7	1	-	-	-	-
	F	155	14	4	1	4	1	3	3	4	4	7	8	9	10	11	7	12	8	12	11	11	7	4	-	-	-	-
	Nonwhite—M	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	95	11	3	2	2	-	8	3	4	9	5	7	4	2	7	3	5	7	4	4	3	1	1	-	-	-	-
	White—M	51	8	2	1	1	-	3	3	3	5	4	5	1	-	5	-	3	1	1	3	-	1	1	-	-	-	-
	F	41	3	1	1	1	-	5	-	1	3	1	2	3	2	2	3	1	5	3	1	3	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	598	-	-	-	-	-	9	11	10	12	23	20	30	29	49	36	41	60	63	57	67	46	27	7	-	1	-
	White—M	328	-	-	-	-	-	6	5	7	6	12	5	19	13	21	24	28	36	38	27	42	27	11	-	-	1	-
	F	261	-	-	-	-	-	3	5	3	6	11	15	10	15	27	11	13	23	25	29	25	19	14	7	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	2	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,669	1	-	-	-	-	1	-	1	-	5	5	39	69	142	206	316	386	410	387	377	212	82	25	3	-	2
	White—M	1,839	-	-	-	-	-	1	-	1	-	5	4	35	56	125	165	250	274	287	249	221	107	45	12	1	-	1
	F	827	1	-	-	-	-	-	-	-	-	-	1	4	13	17	41	65	111	123	138	156	105	36	13	2	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	6,342	6	2	-	-	2	6	5	7	12	18	24	34	78	137	243	386	547	704	980	1,166	1,105	632	193	48	6	1
	White—M	3,443	5	1	-	-	-	4	5	4	6	8	12	19	55	80	151	259	309	391	553	601	553	306	97	23	1	-
	F	2,843	1	1	-	-	2	2	-	3	6	10	11	15	21	53	86	125	234	305	414	558	546	324	96	24	5	1
	Nonwhite—M	35	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	3	7	5	6	3	-	-	1	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	8	1	3	2	-	-	-	-
107-109	Pneumonia (all forms)	1,224	251	31	11	4	2	7	12	9	16	16	26	34	28	44	53	57	65	89	111	124	117	80	30	6	1	-
	White—M	687	132	16	5	1	-	3	6	5	13	10	14	21	14	34	30	44	45	55	62	66	58	35	15	3	-	-
	F	509	105	14	5	3	2	3	6	4	3	6	11	13	13	10	21	12	20	32	47	58	58	44	15	3	1	-
	Nonwhite—M	14	5	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	2	-	-	1	-	-	-	-
	F	14	9	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	199	1	-	-	-	-	-	-	-	2	4	4	12	11	17	25	28	21	24	20	15	8	5	2	-	-	-
	White—M	166	1	-	-	-	-	-	-	-	2	3	4	11	10	17	17	23	18	21	16	14	4	3	2	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	-	1	1	-	7	4	3	3	4	1	4	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Contd.																											
119,120	Diarrhea, enteritis, etc.*	122	66	7	4	1	2	-	-	2	4	3	1	-	3	1	4	3	4	2	-	4	5	3	3	-	-	-
	White—M	58	37	5	1	-	-	-	-	1	2	-	-	-	2	1	1	-	3	1	-	1	2	-	1	-	-	-
	F	61	27	2	2	1	2	-	-	1	2	3	1	-	1	-	3	3	1	1	-	3	3	3	2	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	208	1	-	5	4	2	10	17	13	15	8	11	16	8	16	16	9	19	16	8	10	3	1	-	-	-	-
	White—M	123	1	-	4	4	2	6	11	11	9	5	8	9	4	10	9	4	6	7	7	6	-	-	-	-	-	-
	F	79	-	-	1	-	-	4	5	2	6	2	3	7	4	5	6	5	11	9	1	4	3	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	262	16	2	1	1	1	4	4	1	1	2	4	7	6	17	17	14	30	24	28	32	37	11	1	-	1	-
	White—M	152	10	1	-	-	1	1	1	1	-	2	3	5	3	4	11	9	21	14	17	17	21	9	1	-	-	-
	F	106	6	1	1	1	-	3	3	-	1	-	1	-	3	13	6	5	9	10	10	14	16	2	-	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	308	1	-	-	-	-	-	1	1	1	6	9	11	21	39	33	35	39	34	33	20	18	6	-	-	-	-
	White—M	201	-	-	-	-	-	-	-	1	-	3	5	7	13	25	21	25	31	22	25	13	8	2	-	-	-	-
	F	103	1	-	-	-	-	-	1	-	1	3	4	4	7	12	12	10	8	12	8	6	10	4	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	216	-	-	-	-	-	-	-	-	-	4	2	8	15	18	20	23	27	34	25	16	18	5	1	-	-	-
	White—M	75	-	-	-	-	-	-	-	-	-	-	1	1	4	10	9	8	10	7	10	5	8	1	1	-	-	-
	F	138	-	-	-	-	-	-	-	-	-	4	1	7	11	8	11	15	17	26	15	9	10	4	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
130-132	Nephritis	1,653	4	-	2	1	-	2	6	6	14	13	21	24	43	61	99	125	150	198	250	250	232	116	32	4	-	-
	White—M	871	2	-	1	1	-	1	2	4	8	7	10	12	14	33	52	65	76	108	128	144	124	61	16	2	-	-
	F	772	2	-	1	-	-	1	4	2	6	6	11	12	29	28	46	58	74	88	119	105	108	54	16	2	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	185	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	8	12	27	36	43	38	17	2	-	-	-
	White—M	184	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	8	12	26	36	43	38	17	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	55	-	-	-	-	-	-	-	6	12	13	9	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	6	12	13	9	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	24	-	-	-	-	-	-	-	-	5	7	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	-	5	6	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	35	-	-	-	-	-	-	-	-	9	4	10	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	-	9	3	10	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	410	355	13	6	6	-	4	6	5	4	3	1	2	1	-	2	-	1	-	-	-	1	-	-	-	-	-
	White—M	205	175	6	2	5	-	2	4	3	2	1	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-
	F	198	173	7	4	1	-	2	2	2	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	651	651	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide	502	-	-	-	-	-	-	-	7	20	22	26	48	61	64	37	63	53	33	33	22	13	-	-	-	-	-
	White—M	384	-	-	-	-	-	-	-	7	12	14	17	37	44	47	29	55	37	31	29	16	9	-	-	-	-	-
	F	116	-	-	-	-	-	-	-	-	8	8	9	11	16	16	8	8	16	2	4	6	4	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	51	4	-	1	1	1	3	3	1	1	5	9	3	3	6	2	2	2	2	1	1	-	-	-	-	-	-
	White—M	27	1	-	1	-	1	1	2	1	1	1	4	2	1	4	1	2	1	2	-	1	-	-	-	-	-	-
	F	22	2	-	-	1	-	2	1	-	-	4	4	1	2	2	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	590	4	3	6	6	6	24	13	58	52	43	36	40	38	28	48	34	42	36	44	15	10	3	-	-	-	1
	White—M	450	3	1	1	4	4	14	9	45	40	36	32	30	31	19	35	28	34	29	34	11	6	3	-	-	-	1
	F	129	1	2	5	1	2	8	4	12	11	6	3	8	6	8	13	6	8	7	10	4	4	-	-	-	-	-
	Nonwhite—M	8	-	-	-	1	-	2	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,452	52	36	11	17	8	40	44	72	63	51	46	48	46	55	65	76	62	80	115	147	166	107	36	6	1	2
	White—M	940	27	21	7	9	5	23	33	64	55	39	40	44	41	51	55	59	47	57	67	74	58	45	15	2	-	2
	F	487	22	14	3	7	2	14	10	7	5	10	6	3	5	4	9	15	15	21	47	73	107	62	21	4	1	-
	Nonwhite—M	16	2	-	1	-	-	-	1	-	3	2	-	1	-	-	1	2	-	1	1	-	1	-	-	-	-	-
	F	9	1	1	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	All other causes*	2,815	517	11	13	12	9	16	13	32	34	42	42	55	85	107	108	124	156	174	229	275	351	250	127	31	4	-
	White—M	1,501	303	7	6	7	4	10	6	19	9	23	22	25	35	54	59	76	95	87	131	146	192	123	48	11	3	-
	F	1,285	206	3	7	5	5	6	7	13	24	19	20	26	47	52	45	45	60	85	98	128	158	127	78	20	1	-
	Nonwhite—M	14	4	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	1	-	1	1	-	-	-	-	-
	F	15	4	1	-	-	-	-	-	-	1	-	-	3	2	1	-	1	-	1	-	-	-	-	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	All causes	2,126	251	30	13	7	8	32	28	41	54	55	54	56	82	128	148	151	163	181	215	178	139	81	20	7	2	2
	White—M	1,297	138	12	8	1	5	19	18	25	34	33	30	22	46	91	107	111	110	109	132	95	90	45	11	3	-	2
	F	743	95	16	5	6	3	12	9	14	13	18	23	30	31	36	37	35	47	66	79	79	47	34	8	3	2	-
	Nonwhite—M	46	8	2	-	-	-	-	1	1	3	3	1	3	4	1	3	1	3	4	2	2	1	1	1	1	-	-
	F	35	10	-	-	-	-	1	-	1	4	1	-	1	1	-	1	4	3	2	2	2	1	1	-	-	-	-
1,2	Typhoid, paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	29	2	-	1	-	-	-	-	-	4	3	2	-	4	4	2	1	2	1	1	2	-	-	-	-	-	-
	White—M	15	-	-	1	-	-	-	-	-	-	1	1	-	2	3	2	1	1	1	1	1	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	8	-	-	-	-	-	1	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	29	-	-	-	-	-	-	-	-	-	1	-	1	1	5	4	6	2	3	4	1	1	-	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	2	3	3	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	24	6	-	1	-	-	1	-	2	2	-	1	1	-	1	-	-	-	3	2	-	3	1	-	-	-	-
	White—M	10	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-
	F	12	2	-	1	-	-	1	-	1	1	-	1	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	97	-	-	-	-	-	1	1	-	-	-	-	-	3	6	7	8	16	18	18	8	7	4	-	-	-	-
	White—M	59	-	-	-	-	-	1	1	-	-	-	-	-	-	3	4	6	13	8	14	4	3	2	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	3	8	4	4	4	2	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	24	-	-	-	-	-	-	-	-	-	1	-	2	-	-	6	2	6	3	1	2	-	1	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	-	-	1	-	2	-	-	5	2	6	3	1	2	-	1	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
50	Cancer of breast	20	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	2	4	3	-	2	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	3	2	4	3	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	65	-	-	-	-	1	1	2	1	1	1	2	2	3	4	4	6	7	5	8	8	5	4	-	-	-	-
	White—M	49	-	-	-	-	1	-	1	1	-	1	2	1	2	4	2	6	4	3	8	6	4	3	-	-	-	-
	F	15	-	-	-	-	-	1	1	-	1	-	-	1	1	-	2	-	2	2	-	2	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	39	-	-	-	-	-	-	2	-	1	2	1	1	1	-	2	2	6	6	10	3	2	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	1	3	5	1	2	-	-	-	-	-
	F	21	-	-	-	-	-	-	1	-	1	1	1	-	1	-	1	1	5	3	4	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
68b	Exophthalmic goiter	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	9	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	136	-	-	-	-	-	-	-	1	1	-	3	1	2	5	9	9	9	18	27	22	16	10	3	-	-	-
	White—M	75	-	-	-	-	-	-	-	-	1	-	-	-	1	2	6	8	3	10	15	11	10	7	1	-	-	-
	F	58	-	-	-	-	-	-	-	1	-	-	3	-	1	3	3	1	6	8	11	10	6	3	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
80-82, 84-88	Other diseases of nervous system, etc.*	29	1	1	1	-	-	3	1	3	-	2	1	3	-	3	2	2	1	2	2	-	-	1	-	-	-	-
	White—M	18	1	1	1	-	-	2	1	2	-	1	1	-	-	1	1	2	1	1	1	-	-	1	-	-	-	-
	F	11	-	-	-	-	-	1	-	1	-	1	-	3	-	2	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89,104, 115	Diseases of ear, nose, and throat	10	-	-	-	-	1	-	-	-	-	2	2	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	68	-	-	-	-	-	-	2	-	3	1	4	4	5	8	7	6	2	5	9	4	6	1	1	-	-	-
	White—M	41	-	-	-	-	-	-	1	-	2	1	2	-	1	6	7	2	2	3	7	1	5	-	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	-	2	4	4	2	-	4	-	2	2	3	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	181	-	-	-	-	-	-	-	-	1	1	-	2	6	17	24	33	18	25	18	19	10	6	1	-	-	-
	White—M	145	-	-	-	-	-	-	-	-	1	1	-	2	3	14	21	26	14	21	15	12	10	4	1	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	7	4	4	3	7	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	309	-	1	-	-	-	-	2	1	-	4	-	-	7	8	16	17	24	36	51	56	49	23	9	4	1	-
	White—M	185	-	-	-	-	-	-	-	1	-	1	-	-	3	5	10	14	17	23	30	35	30	11	4	1	-	-
	F	113	-	1	-	-	-	-	2	-	-	3	-	-	4	3	5	3	5	12	20	20	17	11	4	2	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
107-109	Pneumonia (all forms)	91	26	6	2	1	-	1	-	1	3	1	2	3	2	7	3	3	5	6	8	5	3	2	1	-	-	-
	White—M	49	17	1	-	-	-	1	-	-	2	1	1	-	1	6	2	3	3	4	4	1	1	1	-	-	-	-
	F	40	7	5	2	1	-	-	-	1	1	-	1	3	1	1	1	-	2	2	4	4	2	1	1	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	22	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	5	-	2	2	-	-	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	5	-	2	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1942—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
119,120	Diarrhea, enteritis, etc.*	16	8	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
	White—M	6	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	26	-	1	-	-	1	2	2	1	2	-	2	-	1	5	4	1	1	-	2	-	1	-	-	-	-	-
	White—M	17	-	-	-	-	1	1	2	-	1	-	2	-	1	3	4	1	-	-	-	-	1	-	-	-	-	-
	F	9	-	1	-	-	-	1	-	1	1	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	17	-	-	-	-	-	-	-	-	3	-	-	1	2	2	3	-	2	1	1	-	-	2	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	2	-	-	-	2	1	2	-	1	-	1	-	-	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	17	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	3	3	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	2	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	15	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	2	3	-	2	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	3	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	145	1	-	-	-	-	-	1	2	1	-	1	1	5	6	12	12	14	16	23	16	22	8	2	1	-	1
	White—M	77	1	-	-	-	-	-	-	-	1	-	-	-	2	3	6	6	8	10	8	6	17	5	2	1	-	1
	F	65	-	-	-	-	-	-	1	2	-	-	1	1	3	3	6	5	5	6	15	9	5	3	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a,147	Puerperal septicemia	5	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemias	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145b,146, 149,150	Other puerperal causes	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	45	39	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	28	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	11	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	36	-	-	-	-	-	-	-	2	1	3	6	5	6	3	1	3	4	1	-	1	-	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	-	2	-	1	5	4	3	3	1	3	4	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	11	-	-	-	1	-	1	-	-	2	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	59	-	2	-	1	1	2	4	5	10	4	5	5	3	1	7	-	2	4	1	2	-	-	-	-	-	-
	White—M	43	-	-	-	-	-	2	3	5	10	4	2	2	2	-	5	-	2	3	1	2	-	-	-	-	-	-
	F	14	-	2	-	1	1	-	1	-	-	-	3	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	189	8	6	5	1	2	10	8	18	9	17	8	10	9	13	17	8	12	5	5	10	2	3	1	1	-	1
	White—M	143	5	4	4	-	1	6	6	12	8	14	5	8	9	12	17	7	12	5	2	2	1	-	1	1	-	1
	F	43	3	2	1	1	1	4	2	4	1	2	3	2	-	1	-	1	-	-	3	8	1	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes*	221	57	5	1	1	1	6	2	1	3	6	8	4	10	15	7	20	16	7	14	11	9	13	2	1	1	-
	White—M	127	30	2	-	-	1	4	1	-	3	3	6	-	4	11	5	13	11	4	11	7	3	7	1	-	-	-
	F	80	20	2	1	1	-	2	1	1	-	3	2	4	5	4	2	5	5	1	3	3	6	6	1	1	1	-
	Nonwhite—M	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part 1.

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(Exclusive of stillbirths. Numbers under causes of death are

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
UNITED STATES	1,385,187	750	981	447	2,536	1,273	52,980	4,710	861	16,345	561	163,400	1,527	33,971	2,934	1,513	120,652
Both sexes—White	1,209,944	504	837	418	1,800	1,102	38,113	3,193	395	10,370	500	152,357	1,216	31,624	2,704	982	105,510
Both sexes—Nonwhite	175,243	246	144	29	736	171	14,867	1,517	466	5,975	61	11,043	309	2,347	230	531	15,142
Male—White	685,468	313	569	232	840	628	24,085	1,814	231	7,775	306	73,315	599	11,966	443	367	52,152
Male—Nonwhite	94,986	137	85	15	360	84	8,062	840	229	4,066	30	4,618	146	807	38	164	7,129
Female—White	524,476	191	268	186	960	474	14,028	1,379	164	2,595	194	79,042	619	19,658	2,261	615	53,358
Female—Nonwhite	80,257	109	59	14	376	87	6,805	677	237	1,909	31	6,425	163	1,540	192	367	8,013
Urban—White	751,661	196	542	182	806	466	23,443	1,902	114	6,381	235	101,596	712	21,526	1,695	331	61,977
Urban—Nonwhite	98,720	83	87	18	263	58	9,250	1,023	120	3,435	24	7,083	182	1,592	155	194	8,375
Male—White	417,260	128	363	93	378	273	15,422	1,052	73	4,763	138	47,976	348	7,744	279	114	29,137
Male—Nonwhite	52,889	48	53	8	132	29	5,219	556	54	2,324	14	2,992	86	490	24	55	3,848
Female—White	334,401	68	179	89	428	193	8,021	850	41	1,618	97	53,620	364	13,782	1,416	217	32,840
Female—Nonwhite	45,831	35	34	10	131	29	4,031	467	66	1,111	10	4,091	96	1,102	131	139	4,527
Places of 100,000 or more—White	375,639	60	291	76	289	188	12,853	959	22	3,285	93	54,058	370	11,581	841	93	27,228
Places of 100,000 or more—Nonwhite	54,136	27	50	12	120	17	5,955	730	20	1,917	7	4,282	103	964	99	56	4,139
Male—White	209,468	42	197	39	132	117	8,845	534	16	2,502	49	26,151	178	4,074	138	34	12,596
Male—Nonwhite	29,173	12	31	6	54	8	3,500	395	8	1,324	5	1,851	52	274	19	17	1,891
Female—White	166,171	18	94	37	157	71	4,008	425	6	783	44	27,907	192	7,507	703	59	14,632
Female—Nonwhite	24,963	15	19	6	66	9	2,455	335	12	593	2	2,431	51	690	80	39	2,248
Places of 25,000 to 100,000—White	150,966	45	103	44	159	83	4,316	392	15	1,382	48	19,543	142	4,120	380	70	13,520
Places of 25,000 to 100,000—Nonwhite	18,819	18	17	4	49	22	1,460	135	30	651	3	1,166	35	276	32	51	1,744
Male—White	82,377	32	71	24	72	45	2,699	207	9	997	29	8,886	74	1,497	62	19	6,212
Male—Nonwhite	9,959	14	11	2	32	11	789	76	13	421	2	477	14	93	4	14	793
Female—White	68,589	13	32	20	87	38	1,617	185	6	385	19	10,657	68	2,623	268	51	7,308
Female—Nonwhite	8,860	4	6	2	17	11	671	59	17	230	1	689	21	183	28	37	951
Places of 10,000 to 25,000—White	99,854	26	71	27	131	76	2,664	227	21	714	40	12,798	88	2,669	231	52	9,186
Places of 10,000 to 25,000—Nonwhite	11,294	18	7	1	27	12	803	60	24	303	7	741	18	176	12	36	1,098
Male—White	55,272	20	45	15	63	40	1,707	126	16	529	25	5,863	38	962	37	22	4,386
Male—Nonwhite	5,913	10	2	-	15	5	405	31	8	196	3	296	9	56	-	9	502
Female—White	44,582	6	26	12	68	36	957	101	5	185	15	6,935	50	1,707	194	30	4,800
Female—Nonwhite	5,381	8	5	1	12	7	398	29	16	107	4	445	9	120	12	27	596
Places of 2,500 to 10,000—White	125,202	65	77	35	227	119	3,610	324	56	1,000	54	15,197	112	3,156	293	116	12,043
Places of 2,500 to 10,000—Nonwhite	14,471	20	13	1	67	7	1,032	98	46	564	7	894	26	176	12	51	1,394
Male—White	70,143	34	50	15	111	71	2,171	185	32	735	35	7,076	58	1,211	42	39	5,943
Male—Nonwhite	7,844	12	9	-	31	5	525	54	25	383	4	368	11	67	1	15	662
Female—White	55,059	31	27	20	116	48	1,439	139	24	265	19	8,121	54	1,945	251	77	6,100
Female—Nonwhite	6,627	8	4	1	36	2	507	44	21	181	3	526	15	109	11	36	732
Rural—White	458,283	308	295	236	994	636	14,670	1,291	281	3,989	265	50,761	506	10,098	1,009	651	43,533
Rural—Nonwhite	76,523	163	57	11	473	113	5,617	494	346	2,540	37	3,960	127	755	75	337	6,767
Male—White	268,208	185	206	139	462	355	8,663	762	158	3,012	168	25,339	251	4,222	164	253	23,015
Male—Nonwhite	42,097	89	32	7	228	55	2,843	284	175	1,742	16	1,626	60	317	14	109	3,281
Female—White	190,075	123	89	97	532	281	6,007	529	123	977	97	25,422	255	5,876	845	398	20,518
Female—Nonwhite	34,426	74	25	4	245	58	2,774	210	171	798	21	2,334	67	438	61	228	3,486
ALABAMA	26,084	7	23	4	79	41	1,200	85	90	805	18	1,806	40	327	29	157	2,391
Both sexes—White	14,401	3	14	3	28	32	477	31	42	54	11	1,275	19	207	21	80	1,327
Both sexes—Nonwhite	11,683	4	9	1	51	9	723	54	48	751	7	531	21	120	8	77	1,064
Male—White	8,314	1	10	2	11	19	270	19	21	41	5	553	8	89	-	28	725
Male—Nonwhite	6,167	2	5	1	24	5	359	34	19	165	1	192	7	36	3	23	473
Female—White	6,087	2	4	1	17	13	207	12	21	13	6	722	11	118	21	52	602
Female—Nonwhite	5,516	2	4	-	27	4	364	20	29	86	6	339	14	84	5	54	591
Urban—White	5,531	1	7	1	6	11	187	13	5	37	5	553	6	89	7	26	498
Urban—Nonwhite	4,796	2	5	-	14	2	338	36	19	104	-	225	8	50	3	17	483
Male—White	3,133	-	6	1	2	6	116	9	4	26	3	229	3	39	-	8	259
Male—Nonwhite	2,501	1	3	-	7	2	164	24	6	77	-	86	1	14	2	3	209
Female—White	2,398	1	1	-	4	5	71	4	1	11	2	324	3	50	7	18	239
Female—Nonwhite	2,295	1	2	-	7	-	174	12	13	27	-	139	7	36	1	14	274
Places of 100,000 or more—White	1,473	-	1	-	2	-	37	4	-	7	1	174	2	23	2	6	140
Places of 100,000 or more—Nonwhite	1,641	2	2	-	6	-	128	25	2	38	-	79	2	18	1	3	155
Male—White	833	-	1	-	-	-	17	3	-	5	-	68	1	10	-	-	78
Male—Nonwhite	878	1	1	-	3	-	68	19	-	27	-	39	-	3	-	-	77
Female—White	640	-	-	-	2	-	20	1	-	2	1	106	1	13	2	6	62
Female—Nonwhite	763	1	1	-	3	-	60	6	2	11	-	40	2	15	1	3	78
Places of 25,000 to 100,000—White	1,924	-	3	-	1	3	77	4	-	17	3	156	2	30	3	4	162
Places of 25,000 to 100,000—Nonwhite	1,525	-	2	-	2	1	100	7	11	31	-	70	3	17	1	8	174
Male—White	1,066	-	3	-	1	2	52	3	-	12	2	67	1	12	-	3	73
Male—Nonwhite	765	-	2	-	1	1	49	3	4	24	-	30	-	5	1	1	68
Female—White	858	-	-	-	-	1	25	1	-	5	1	89	1	18	3	1	89
Female—Nonwhite	760	-	-	-	1	-	51	4	7	7	-	40	3	12	-	7	106
Places of 10,000 to 25,000—White	756	-	-	-	-	4	29	1	2	3	-	98	-	10	2	3	66
Places of 10,000 to 25,000—Nonwhite	735	-	-	-	2	1	59	2	3	9	-	39	1	7	-	3	78
Male—White	425	-	-	-	-	1	17	1	2	1	-	41	-	4	-	1	32
Male—Nonwhite	382	-	-	-	2	1	28	1	1	7	-	9	1	3	-	1	30
Female—White	331	-	-	-	-	3	12	-	-	2	-	57	-	6	2	2	34
Female—Nonwhite	353	-	-	-	-	-	31	1	2	2	-	30	-	4	-	2	48
Places of 2,500 to 10,000—White	1,378	1	3	1	3	4	44	4	3	10	1	125	2	26	-	13	130
Places of 2,500 to 10,000—Nonwhite	895	-	1	-	4	-	51	2	3	26	-	37	2	8	1	3	76
Male—White	809	-	2	1	1	3	30	2	2	8	1	53	1	13	-	4	76
Male—Nonwhite	476	-	-	-	1	-	19	1	1	19	-	8	-	3	1	1	34
Female—White	569	1	1	-	2	1	14	2	1	2	-	72	1	13	-	9	54
Female—Nonwhite	419	-	1	-	3	-	32	1	2	7	-	29	2	5	-	2	42

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942

those of the 1938 revision of the detailed International List)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
5,024	25,296	113,636	255,983	74,532	9,259	11,774	8,868	11,483	12,553	6,882	96,907	2,808	4,459	15,867	34,504	16,117	7,743	28,309	67,580	170,662
4,207	22,448	108,613	230,433	61,051	8,395	9,103	7,306	9,986	11,792	6,593	81,475	2,162	3,353	14,823	29,360	15,572	3,341	25,516	60,197	142,591
817	2,848	5,023	25,550	13,481	864	2,671	1,062	1,497	761	289	15,432	646	1,106	1,044	5,144	545	4,402	2,993	7,383	28,071
2,442	11,505	76,792	125,990	34,705	7,062	4,951	4,442	5,220	7,815	2,271	43,756	...	...	8,155	16,921	11,783	2,572	20,[illegible]	[illegible]	22,545
424	1,441	2,983	13,661	7,462	637	1,389	611	766	489	101	8,097	...	...	574	2,807	406	3,548	2,276	5,292	15,212
1,765	10,943	31,821	104,443	26,346	1,333	4,152	2,864	4,766	3,977	4,322	37,719	2,162	3,353	6,668	12,439	3,789	769	5,294	19,513	60,046
393	1,407	2,040	11,889	6,019	227	1,282	451	731	272	188	7,335	646	1,106	470	2,337	139	854	517	2,091	12,859
2,396	14,169	73,786	150,416	34,694	5,625	4,679	4,412	6,214	8,925	4,298	48,320	1,276	1,793	9,244	18,266	9,410	1,945	14,369	34,278	81,042
423	1,593	3,361	16,294	7,406	555	1,171	618	949	549	158	8,580	363	477	589	3,132	337	2,864	1,435	3,748	12,176
1,414	6,929	51,796	79,971	19,885	4,764	2,538	2,615	3,162	5,879	1,515	25,050	...	...	5,004	10,490	6,798	1,469	11,158	22,356	46,184
209	758	2,014	8,492	4,097	394	618	347	457	344	55	4,339	...	...	321	1,716	243	2,280	1,131	2,679	6,463
982	7,240	21,988	70,445	14,809	861	2,141	1,797	3,052	3,046	2,783	23,270	1,276	1,793	4,240	7,776	2,612	476	3,211	11,922	34,858
214	835	1,347	7,802	3,309	161	553	271	492	205	103	4,241	363	477	268	1,416	94	584	304	1,069	5,713
1,055	7,852	36,461	82,219	17,039	2,948	1,767	2,030	3,084	5,411	2,087	22,319	577	786	4,213	7,913	4,907	1,046	6,647	16,193	36,798
207	999	1,894	9,838	3,846	320	481	309	485	349	78	3,905	187	199	338	1,747	220	1,668	737	1,921	5,910
651	3,797	25,753	43,817	10,037	2,500	988	1,163	1,550	3,524	746	11,170	...	...	2,264	4,567	3,506	791	5,107	10,616	21,277
101	452	1,160	5,068	2,199	238	267	177	235	213	29	1,863	...	...	177	947	159	1,356	572	1,375	3,143
404	4,055	10,708	38,402	7,002	448	779	867	1,534	1,887	1,341	11,149	577	786	1,949	3,346	1,401	255	1,540	5,577	15,521
106	547	734	4,770	1,647	87	214	132	250	136	49	2,042	187	199	161	800	61	312	165	546	2,767
490	2,533	15,172	28,653	7,030	1,112	1,077	887	1,215	1,548	888	9,844	276	359	1,932	4,074	1,878	334	2,960	7,073	17,319
79	257	682	2,902	1,539	99	245	111	198	90	25	1,976	66	107	112	643	49	533	288	741	2,384
282	1,212	10,519	14,982	3,961	940	562	548	608	1,048	317	5,117	...	...	1,034	2,351	1,331	236	2,280	4,514	9,600
41	128	401	1,541	824	66	122	63	97	58	7	983	...	...	63	367	37	414	228	539	1,214
208	1,821	4,653	13,671	3,069	172	515	339	607	500	571	4,727	276	359	898	1,723	547	98	680	2,559	7,719
38	129	281	1,361	715	33	123	48	101	32	18	993	66	107	49	276	12	119	60	202	1,170
354	1,676	10,455	17,936	4,535	725	736	607	842	937	601	7,082	175	275	1,351	2,718	1,193	197	2,002	4,820	11,616
59	157	360	1,599	927	55	196	82	132	61	29	1,230	45	64	51	333	27	295	180	450	1,619
201	851	7,292	9,467	2,488	611	412	374	421	630	208	3,826	...	...	746	1,584	865	146	1,559	3,148	6,549
30	86	205	834	499	36	107	55	62	42	9	664	...	...	28	175	18	220	146	308	842
153	825	3,163	8,469	2,047	114	324	233	421	307	393	3,256	175	275	605	1,134	328	51	443	1,672	5,067
29	71	155	765	428	19	89	27	70	19	20	566	45	64	23	158	9	75	34	142	777
497	2,108	11,698	21,608	6,090	840	1,099	888	1,073	1,029	722	9,075	248	373	1,748	3,561	1,432	368	2,760	6,192	15,309
78	180	425	1,955	1,094	81	249	116	134	49	26	1,469	65	107	88	409	41	368	230	636	2,263
280	1,069	8,234	11,705	3,399	713	576	530	583	677	244	4,937	...	...	960	1,988	1,096	296	2,212	4,078	8,758
37	92	248	1,049	575	59	122	52	53	31	10	829	...	...	53	227	29	290	185	457	1,264
217	1,039	3,464	9,903	2,691	127	523	358	490	352	478	4,138	248	373	788	1,573	336	72	548	2,114	6,551
41	88	177	906	519	22	127	64	71	18	16	640	65	107	35	182	12	76	45	179	999
1,811	8,279	34,827	80,017	26,357	2,770	4,424	2,894	3,772	2,867	2,295	33,155	886	1,560	5,579	11,094	6,162	1,396	11,147	25,919	61,549
394	1,255	1,662	9,256	6,075	309	1,500	444	548	212	131	6,852	283	629	455	2,012	208	1,536	1,358	3,635	15,895
1,028	4,576	24,994	46,019	14,820	2,298	2,413	1,827	2,058	1,936	756	18,706	...	...	3,151	6,431	4,985	1,103	9,064	18,328	36,361
215	683	969	5,169	3,365	243	771	264	309	145	46	3,758	...	...	253	1,091	163	1,268	1,145	2,613	8,749
783	3,703	9,833	33,998	11,537	472	2,011	1,067	1,714	931	1,539	14,449	886	1,560	2,428	4,663	1,177	293	2,083	7,591	25,188
179	572	693	4,087	2,710	66	729	180	239	67	85	3,094	283	629	202	921	45	270	213	1,022	7,146
107	303	1,170	3,265	1,982	117	341	139	194	109	61	2,060	70	165	222	962	167	381	530	1,461	5,676
64	172	887	1,833	1,093	73	173	79	104	77	49	1,096	25	69	176	635	156	89	390	925	2,612
43	131	283	1,432	889	44	168	60	90	32	12	964	45	96	46	327	11	292	140	536	3,064
31	93	647	1,041	612	56	97	47	53	55	22	613	...	...	109	348	129	83	329	669	1,478
26	64	157	768	461	35	80	41	43	21	5	535	...	...	23	174	8	226	114	400	1,637
33	79	240	792	481	17	76	32	51	22	27	483	25	69	67	287	27	6	61	256	1,134
17	67	126	664	428	9	88	19	47	11	7	429	45	96	23	153	3	66	26	136	1,427
26	45	493	742	359	27	58	30	39	38	24	388	13	18	61	240	66	29	124	308	951
18	44	162	702	387	21	64	30	49	14	4	409	21	37	17	163	3	160	46	203	936
6	27	352	434	205	20	38	15	23	27	9	206	...	...	40	131	49	25	105	202	508
11	19	95	357	197	16	34	21	23	9	4	235	...	...	9	90	2	119	37	141	483
20	18	141	308	154	7	20	15	16	11	15	182	13	18	21	109	17	4	19	106	443
7	25	67	345	190	5	30	9	26	5	-	174	21	37	8	73	1	41	9	62	453
4	19	154	202	86	5	10	5	9	21	9	99	2	3	19	56	14	6	22	91	238
6	19	31	230	115	8	13	6	13	4	2	82	7	9	8	77	-	54	17	60	419
-	12	108	123	35	4	8	-	6	11	1	48	...	...	12	35	11	5	20	64	147
2	8	17	114	58	6	8	4	4	4	2	56	...	...	2	47	-	42	12	40	214
4	7	46	79	51	1	2	5	3	10	8	51	2	3	7	21	3	1	2	27	91
4	11	14	116	57	2	5	2	9	-	-	26	7	9	6	30	-	12	5	20	205
13	8	170	259	133	8	29	7	18	7	8	124	5	5	20	74	27	11	38	102	393
4	17	89	239	133	6	21	8	18	4	2	154	3	10	4	37	1	57	15	68	208
4	7	121	148	78	7	17	4	9	7	5	65	...	...	13	38	16	9	32	67	188
2	6	51	104	63	5	9	6	12	3	2	77	...	...	3	18	1	43	12	53	106
9	1	49	111	55	1	12	3	9	-	3	59	5	5	7	36	11	2	6	35	205
2	11	38	135	70	1	12	2	6	1	-	77	3	10	1	19	-	14	3	15	102
4	4	67	93	42	6	9	8	3	5	2	55	3	1	7	29	9	5	30	49	107
5	-	17	110	65	2	13	9	5	3	-	79	4	7	1	20	1	25	5	33	127
-	1	53	51	27	3	5	6	2	4	1	31	...	...	5	11	8	5	23	30	59
4	-	10	64	31	2	9	7	1	1	-	42	...	...	1	9	-	18	5	21	73
4	3	14	42	15	3	4	2	1	1	1	24	3	1	2	18	1	-	7	19	48
1	-	7	46	34	-	4	2	4	2	-	37	4	7	-	11	1	7	-	12	54
5	14	102	188	98	8	10	10	9	5	5	110	3	9	15	81	16	7	34	66	213
3	8	25	123	74	5	17	7	13	3	-	94	7	11	4	29	1	24	9	42	182
2	7	70	112	65	6	8	5	6	5	2	62	...	...	10	47	14	6	30	41	114
3	5	17	75	45	3	8	4	6	1	-	60	...	...	3	16	1	16	8	27	90
3	7	32	76	33	2	2	5	3	-	3	48	3	9	5	34	2	1	4	25	99
-	3	8	48	29	2	9	3	7	2	-	34	7	11	1	13	-	8	1	15	92

594337 O - 44 - 24

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
ALABAMA—Continued																	
Rural—White	8,870	2	7	2	22	21	290	18	37	17	6	722	13	118	14	54	829
Nonwhite	6,887	2	4	1	37	7	385	18	29	147	7	306	13	70	5	60	581
Male—White	5,181	1	4	1	9	13	154	10	17	15	2	324	5	50	-	20	466
Nonwhite	3,666	1	2	1	17	3	195	10	13	88	1	106	6	22	1	20	264
Female—White	3,689	1	3	1	13	8	136	8	20	2	4	398	8	68	14	34	363
Nonwhite	3,221	1	2	-	20	4	190	8	16	59	6	200	7	48	4	40	317
ARIZONA	5,586	10	4	2	39	8	632	43	-	66	5	413	5	68	4	1	286
Both sexes—White	4,547	5	3	2	26	6	458	21	-	54	5	388	3	62	4	1	258
Nonwhite	1,039	5	1	-	13	2	174	22	-	12	-	25	2	6	-	-	28
Male—White	2,926	3	2	1	11	4	330	10	-	34	3	205	2	31	-	-	146
Nonwhite	589	4	1	-	8	-	87	12	-	9	-	12	2	1	-	-	13
Female—White	1,621	2	1	1	15	2	128	11	-	20	2	183	1	31	4	1	112
Nonwhite	450	1	-	-	5	2	87	10	-	3	-	13	-	5	-	-	15
Urban—White	2,960	3	3	1	16	5	330	13	-	39	1	259	1	48	2	-	174
Nonwhite	229	-	-	-	-	1	31	2	-	6	-	8	-	1	-	-	17
Male—White	1,850	1	2	1	6	3	234	7	-	27	-	131	-	23	-	-	95
Nonwhite	132	-	-	-	-	-	22	1	-	5	-	3	-	-	-	-	8
Female—White	1,110	2	1	-	10	2	96	6	-	12	1	128	1	25	2	-	79
Nonwhite	97	-	-	-	-	1	9	1	-	1	-	5	-	1	-	-	9
Places of 25,000 to 100,000—White	1,846	-	-	-	5	3	255	8	-	26	1	177	1	33	2	-	117
Nonwhite	171	-	-	-	-	1	30	1	-	5	-	5	-	1	-	-	15
Male—White	1,156	-	-	-	1	1	188	5	-	18	-	82	-	17	-	-	64
Nonwhite	98	-	-	-	-	-	21	-	-	4	-	2	-	-	-	-	6
Female—White	690	-	-	-	4	2	67	3	-	8	1	95	1	16	2	-	53
Nonwhite	73	-	-	-	-	1	9	1	-	1	-	3	-	1	-	-	9
Places of 2,500 to 10,000—White	1,114	3	3	1	11	2	75	5	-	13	-	82	-	15	-	-	57
Nonwhite	58	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	2
Male—White	694	1	2	1	5	2	46	2	-	9	-	49	-	6	-	-	31
Nonwhite	34	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	2
Female—White	420	2	1	-	6	-	29	3	-	4	-	33	-	9	-	-	26
Nonwhite	24	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Rural—White	1,587	2	-	1	10	1	128	8	-	15	4	129	2	14	2	1	84
Nonwhite	810	5	1	-	13	1	143	20	-	6	-	17	2	5	-	-	11
Male—White	1,076	2	-	-	5	1	96	3	-	7	3	74	2	8	-	-	51
Nonwhite	457	4	1	-	8	-	65	11	-	4	-	9	2	1	-	-	5
Female—White	511	-	-	1	5	-	32	5	-	8	1	55	-	6	2	1	33
Nonwhite	353	1	-	-	5	1	78	9	-	2	-	8	-	4	-	-	6
ARKANSAS	15,764	52	14	1	47	56	985	44	118	215	12	1,308	12	189	8	56	1,389
Both sexes—White	10,719	30	10	1	29	52	531	24	56	75	9	1,015	9	147	6	32	959
Nonwhite	5,045	22	4	-	18	4	454	20	62	140	3	293	3	42	2	24	430
Male—White	6,203	21	9	1	15	27	292	15	27	56	7	452	6	61	1	11	497
Nonwhite	2,679	13	3	-	11	3	212	14	32	88	1	113	2	19	1	4	190
Female—White	4,516	9	1	-	14	25	239	9	29	19	2	563	3	86	5	21	462
Nonwhite	2,366	9	1	-	7	1	242	6	30	52	2	180	1	23	1	20	240
Urban—White	3,826	4	2	-	9	13	137	9	10	43	5	392	2	56	4	11	372
Nonwhite	1,918	5	1	-	3	2	145	8	14	93	-	124	1	21	-	8	175
Male—White	2,212	2	2	-	6	7	79	8	5	30	4	151	1	24	1	5	198
Nonwhite	982	3	1	-	1	1	67	6	5	55	-	44	-	10	-	1	80
Female—White	1,614	2	-	-	3	6	58	1	5	13	1	241	1	32	3	6	174
Nonwhite	936	2	-	-	2	1	78	2	9	38	-	80	1	11	-	7	95
Places of 25,000 to 100,000—White	1,214	1	-	-	1	1	33	3	2	28	1	115	2	22	1	4	108
Nonwhite	620	-	-	-	-	-	52	-	3	59	-	31	-	9	-	5	49
Male—White	690	1	-	-	1	1	21	2	-	21	-	37	1	8	-	2	62
Nonwhite	329	-	-	-	-	-	25	-	2	34	-	12	-	5	-	1	24
Female—White	524	-	-	-	-	-	12	1	2	7	1	78	1	14	1	2	46
Nonwhite	291	-	-	-	-	-	27	-	1	25	-	19	-	4	-	4	25
Places of 10,000 to 25,000—White	1,032	2	-	-	3	2	46	1	3	4	1	101	-	13	2	2	97
Nonwhite	573	-	1	-	2	1	42	1	6	20	-	43	1	7	-	1	49
Male—White	616	1	-	-	2	1	26	1	2	2	1	46	-	7	1	1	45
Nonwhite	288	-	1	-	1	-	19	1	1	11	-	12	-	1	-	-	22
Female—White	416	1	-	-	1	1	20	-	1	2	-	55	-	6	1	1	52
Nonwhite	285	-	-	-	1	1	23	-	5	9	-	31	1	6	-	1	27
Places of 2,500 to 10,000—White	1,580	1	2	-	5	10	58	5	5	11	3	176	-	21	1	5	167
Nonwhite	725	5	-	-	1	1	51	7	5	14	-	50	-	5	-	2	77
Male—White	906	-	2	-	3	5	32	5	3	7	3	68	-	9	-	2	91
Nonwhite	365	3	-	-	-	1	23	5	2	10	-	20	-	4	-	-	34
Female—White	674	1	-	-	2	5	26	-	2	4	-	108	-	12	1	3	76
Nonwhite	360	2	-	-	1	-	28	2	3	4	-	30	-	1	-	2	43
Rural—White	6,893	26	8	1	20	39	394	15	46	32	4	623	7	91	2	21	587
Nonwhite	3,127	17	3	-	15	2	309	12	48	47	3	169	2	21	2	16	255
Male—White	3,991	19	7	1	9	20	213	7	22	26	3	301	5	37	-	6	299
Nonwhite	1,698	10	2	-	10	2	145	8	27	33	1	69	2	9	1	3	110
Female—White	2,902	7	1	-	11	19	181	8	24	6	1	322	2	54	2	15	288
Nonwhite	1,430	7	1	-	5	-	164	4	21	14	2	100	-	12	1	13	145

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
38	127	394	1,091	734	46	115	49	65	39	25	708	12	51	115	395	90	60	266	617	1,661
25	87	121	730	502	23	104	30	41	18	8	555	24	59	29	164	8	132	94	333	2,128
25	66	295	607	407	36	59	32	30	28	13	407	...	...	69	217	80	58	224	457	970
15	45	62	411	264	19	46	20	20	12	1	300	...	...	14	84	6	107	[illegible]	[illegible]	1,154
13	61	99	494	327	10	56	17	35	11	12	301	12	51	46	178	10	2	42	[illegible]	691
10	42	59	319	238	4	58	10	21	6	7	255	24	59	15	80	2	25	17	74	974
39	62	247	639	506	31	254	20	35	34	24	218	20	29	73	198	75	40	186	369	901
28	57	236	583	389	30	170	18	28	34	21	201	14	15	65	169	72	27	155	310	629
11	5	11	56	117	1	84	2	7	-	3	17	6	14	8	29	3	13	31	59	272
12	30	188	381	234	29	85	13	19	21	8	126	...	...	24	106	55	22	129	242	420
5	3	10	35	69	-	39	-	4	-	1	10	...	...	5	16	2	12	28	43	158
16	27	48	202	155	1	85	5	9	13	13	75	14	15	41	63	17	5	26	68	209
6	2	1	21	48	1	45	2	3	-	2	7	6	14	3	13	1	1	3	16	114
20	44	150	433	245	17	100	11	18	26	10	135	12	8	39	102	44	15	80	168	388
1	1	5	33	22	-	9	2	5	-	-	7	-	2	2	14	2	5	7	12	34
7	23	119	281	141	16	54	7	12	13	1	86	...	...	11	62	29	12	65	124	257
-	-	4	21	14	-	2	-	2	-	-	4	...	...	2	7	1	5	4	11	16
13	21	31	152	104	1	46	4	6	13	9	49	12	8	28	40	15	3	15	44	131
1	1	1	12	8	-	7	2	3	-	-	3	-	2	-	7	1	-	3	1	18
10	25	84	268	144	8	48	9	10	22	6	81	3	4	18	54	35	7	46	106	230
1	1	2	24	13	-	5	2	5	-	-	5	-	1	2	9	1	4	4	9	25
4	15	65	165	78	8	26	6	6	11	1	54	...	...	4	35	24	5	38	77	158
-	-	1	16	9	-	2	-	2	-	-	2	...	...	2	5	1	4	3	8	10
6	10	19	103	66	-	22	3	4	11	5	27	3	4	14	19	11	2	8	29	72
1	1	1	8	4	-	3	2	3	-	-	3	-	1	-	4	-	-	1	1	15
10	19	66	165	101	9	52	2	8	4	4	54	9	4	21	48	9	8	34	62	158
-	-	3	9	9	-	4	-	-	-	-	2	-	1	-	5	1	1	3	3	9
3	8	54	116	63	8	28	1	6	2	-	32	...	...	7	27	5	7	27	47	99
-	-	3	5	5	-	-	-	-	-	-	2	...	...	-	2	-	1	1	3	6
7	11	12	49	38	1	24	1	2	2	4	22	9	4	14	21	4	1	7	15	59
-	-	-	4	4	-	4	-	-	-	-	-	-	1	-	3	1	-	2	-	3
8	13	86	150	142	13	70	7	10	8	11	66	2	7	26	67	28	12	75	142	241
10	4	6	23	95	1	75	-	2	-	3	10	6	12	6	15	1	8	24	47	238
5	7	69	100	93	13	31	6	7	8	7	40	...	...	13	44	26	10	64	118	163
5	3	6	14	55	-	37	-	2	-	1	6	...	...	3	9	1	7	24	32	142
3	6	17	50	51	-	39	1	3	-	4	26	2	7	13	23	2	2	11	24	78
5	1	-	9	40	1	38	-	-	-	2	4	6	12	3	6	-	1	-	15	96
76	236	717	1,913	1,334	103	282	135	165	89	52	1,340	55	103	150	423	123	178	301	857	2,626
54	174	613	1,296	864	77	176	99	106	69	39	872	24	65	133	347	113	51	232	637	1,693
22	62	104	617	470	26	106	36	59	20	13	468	31	38	17	76	10	127	69	220	933
30	97	474	781	477	62	96	68	59	50	17	510	...	...	69	183	88	44	197	458	945
12	31	54	345	241	20	67	20	31	14	4	273	...	...	8	40	7	99	59	161	487
24	77	139	515	387	15	80	31	47	19	22	362	24	65	64	164	25	7	35	179	748
10	31	50	272	229	6	39	16	28	6	9	195	31	38	9	36	3	28	10	59	446
18	36	321	548	218	27	42	36	35	35	16	292	6	15	45	132	45	22	76	210	582
11	20	52	277	155	13	37	18	26	5	7	176	11	9	7	35	2	56	35	70	296
8	21	243	319	114	25	15	24	17	27	8	182	...	...	25	70	35	20	60	152	324
7	11	27	156	70	9	19	6	14	3	2	97	...	...	3	17	1	43	30	43	150
10	15	78	229	104	2	27	12	18	8	8	110	6	15	20	62	10	2	16	58	258
4	9	25	121	85	4	18	12	12	2	5	79	11	9	4	18	1	13	5	27	146
7	6	103	209	71	5	11	9	9	10	5	78	1	1	20	37	15	6	18	56	215
1	4	19	108	35	4	7	6	5	1	-	45	3	2	2	11	1	21	8	22	107
2	3	74	126	39	5	4	6	3	9	2	45	...	...	8	18	11	6	14	36	122
1	2	11	62	19	3	4	4	1	-	-	29	...	...	-	6	-	13	7	15	49
5	3	29	83	32	-	7	3	6	1	3	33	1	1	12	19	4	-	4	20	93
-	2	8	46	16	1	3	2	4	1	-	16	3	2	2	5	1	8	1	7	58
5	11	106	131	46	9	13	2	11	14	4	82	2	3	6	46	14	13	25	67	145
3	5	15	67	64	1	20	2	12	4	4	63	1	4	-	13	-	13	10	21	77
4	7	83	74	21	9	4	2	6	10	3	49	...	...	3	28	10	11	21	54	81
2	3	8	35	29	-	11	-	7	3	1	35	...	...	-	5	-	11	9	16	44
1	4	23	57	25	-	9	-	5	4	1	33	2	3	3	18	4	2	4	13	64
1	2	7	32	35	1	9	2	5	1	3	28	1	4	-	8	-	2	1	5	33
6	19	112	208	101	13	18	25	15	11	7	132	3	11	19	49	16	3	33	67	222
7	11	18	102	56	8	10	10	9	-	3	68	7	3	5	11	1	22	17	27	112
2	11	86	119	54	11	7	16	8	8	3	88	...	...	14	24	14	3	25	62	121
4	6	8	59	22	6	4	2	6	-	1	33	...	...	3	6	1	19	14	12	57
4	8	26	89	47	2	11	9	7	3	4	44	3	11	5	25	2	-	8	25	101
3	5	10	43	34	2	6	8	3	-	2	35	7	3	2	5	-	3	3	15	55
36	138	292	748	646	50	134	63	71	34	23	580	18	50	88	215	68	29	156	427	1,111
11	42	52	340	315	13	69	18	33	15	6	292	20	29	10	41	8	71	34	150	637
22	76	231	462	363	37	81	44	42	23	9	328	...	...	44	113	53	24	137	306	621
5	20	27	189	171	11	48	14	17	11	2	176	...	...	5	23	6	56	29	118	337
14	62	61	286	283	13	53	19	29	11	14	252	18	50	44	102	15	5	19	121	490
6	22	25	151	144	2	21	4	16	4	4	116	20	29	5	18	2	15	5	32	300

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
CALIFORNIA	84,851	21	69	12	107	83	3,539	337	2	1,210	27	10,576	49	1,747	122	23	6,651
Both sexes--White	81,183	18	65	11	98	79	3,094	285	2	1,039	26	10,193	44	1,683	116	22	6,391
Nonwhite	3,668	3	4	1	9	4	445	52	-	171	1	383	5	64	6	1	260
Male--White	47,991	13	41	3	37	49	2,096	164	1	814	16	4,853	26	722	24	12	3,054
Nonwhite	2,495	2	2	-	7	2	325	35	-	137	-	239	3	29	2	1	164
Female--White	33,192	5	24	8	61	30	998	121	1	225	10	5,340	18	961	92	10	3,337
Nonwhite	1,173	1	2	1	2	2	120	17	-	34	1	144	2	35	4	-	96
Urban--White	59,556	13	56	5	48	59	2,155	200	1	606	17	7,899	31	1,294	89	15	4,799
Nonwhite	2,583	1	3	-	3	3	318	35	-	109	1	290	3	51	6	1	188
Male--White	34,134	11	32	2	16	42	1,472	117	1	458	9	3,652	20	529	19	9	2,187
Nonwhite	1,734	-	2	-	2	1	241	27	-	88	-	175	2	22	2	1	110
Female--White	25,422	2	24	3	32	17	683	83	-	148	8	4,247	11	765	70	6	2,612
Nonwhite	849	1	1	-	1	2	77	8	-	21	1	115	1	29	4	-	78
Places of 100,000 or more--White	35,138	10	33	2	17	36	1,330	118	-	383	10	4,765	18	759	49	10	2,688
Nonwhite	1,760	1	3	-	2	2	213	25	-	74	1	198	1	41	5	1	128
Male--White	20,177	8	20	1	6	29	937	68	-	285	5	2,219	12	304	12	4	1,195
Nonwhite	1,155	-	2	-	1	1	167	18	-	60	-	112	-	18	2	1	74
Female--White	14,961	2	13	1	11	7	393	50	-	98	5	2,546	6	455	37	6	1,493
Nonwhite	605	1	1	-	1	1	46	7	-	14	1	86	1	23	3	-	54
Places of 25,000 to 100,000--White	10,952	1	10	2	9	6	346	27	-	96	2	1,477	6	219	16	3	968
Nonwhite	387	-	-	-	-	-	51	1	-	21	-	43	1	4	1	-	27
Male--White	6,054	1	5	1	2	4	211	16	-	81	1	635	3	100	2	3	445
Nonwhite	276	-	-	-	-	-	38	1	-	18	-	28	1	-	-	-	13
Female--White	4,898	-	5	1	7	2	135	11	-	15	1	842	3	119	14	-	523
Nonwhite	111	-	-	-	-	-	13	-	-	3	-	15	-	4	1	-	14
Places of 10,000 to 25,000--White	5,978	1	7	1	9	9	193	19	1	47	3	758	5	123	12	1	496
Nonwhite	182	-	-	-	-	1	20	2	-	9	-	20	1	3	-	-	13
Male--White	3,495	1	3	-	3	5	134	11	1	34	2	345	3	53	3	1	241
Nonwhite	122	-	-	-	-	-	9	2	-	6	-	14	1	2	-	-	9
Female--White	2,483	-	4	1	6	4	59	8	-	13	1	413	2	70	9	-	255
Nonwhite	60	-	-	-	-	1	11	-	-	3	-	6	-	1	-	-	4
Places of 2,500 to 10,000--White	7,488	1	6	-	13	8	286	36	-	80	2	899	2	193	12	1	647
Nonwhite	254	-	-	-	1	-	34	7	-	5	-	29	-	3	-	-	20
Male--White	4,408	1	4	-	5	4	190	22	-	58	1	453	2	72	2	1	306
Nonwhite	181	-	-	-	1	-	27	6	-	4	-	21	-	2	-	-	14
Female--White	3,080	-	2	-	8	4	96	14	-	22	1	446	-	121	10	-	341
Nonwhite	73	-	-	-	-	-	7	1	-	1	-	8	-	1	-	-	6
Rural--White	21,627	5	9	6	50	20	939	85	1	433	9	2,294	13	389	27	7	1,592
Nonwhite	1,085	2	1	1	6	1	127	17	-	62	-	93	2	13	-	-	72
Male--White	13,857	2	9	1	21	7	624	47	-	356	7	1,201	6	193	5	3	867
Nonwhite	761	2	-	-	5	1	84	8	-	49	-	64	1	7	-	-	54
Female--White	7,770	3	-	5	29	13	315	38	1	77	2	1,093	7	196	22	4	725
Nonwhite	324	-	1	1	1	-	43	9	-	13	-	29	1	6	-	-	18
COLORADO	12,532	9	16	12	26	24	444	51	2	140	6	1,421	29	197	26	1	985
Both sexes--White	12,242	9	16	12	26	24	419	49	2	130	6	1,403	27	192	25	-	966
Nonwhite	290	-	-	-	-	-	25	2	-	10	-	18	2	5	1	1	19
Male--White	7,070	4	13	5	8	11	257	22	2	102	4	648	15	86	3	-	466
Nonwhite	164	-	-	-	-	-	14	1	-	8	-	10	-	3	1	-	9
Female--White	5,172	5	3	7	18	13	162	27	-	28	2	755	12	106	22	-	500
Nonwhite	126	-	-	-	-	-	11	1	-	2	-	8	2	2	-	1	10
Urban--White	7,839	5	11	5	11	17	273	35	1	78	2	983	21	117	20	-	629
Nonwhite	216	-	-	-	-	-	14	1	-	6	-	15	1	5	1	-	16
Male--White	4,449	2	9	1	5	6	167	16	1	58	2	444	12	54	3	-	283
Nonwhite	119	-	-	-	-	-	6	1	-	4	-	9	-	3	1	-	7
Female--White	3,390	3	2	4	6	11	106	19	-	20	-	539	9	63	17	-	346
Nonwhite	97	-	-	-	-	-	8	-	-	2	-	6	1	2	-	-	9
Places of 100,000 or more--White	4,172	5	8	1	2	11	147	11	-	48	1	559	17	54	11	-	298
Nonwhite	154	-	-	-	-	-	8	1	-	4	-	11	1	4	1	-	11
Male--White	2,324	2	8	-	2	4	92	5	-	35	1	259	10	22	-	-	120
Nonwhite	75	-	-	-	-	-	2	1	-	3	-	5	-	2	1	-	3
Female--White	1,848	3	-	1	-	7	55	6	-	13	-	300	7	32	11	-	178
Nonwhite	79	-	-	-	-	-	6	-	-	1	-	6	1	2	-	-	8
Places of 25,000 to 100,000--White	1,275	-	-	2	-	-	60	6	-	8	-	176	1	17	5	-	89
Nonwhite	39	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	4
Male--White	744	-	-	-	-	-	41	5	-	5	-	89	1	9	2	-	36
Nonwhite	25	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	3
Female--White	531	-	-	2	-	-	19	1	-	3	-	87	-	8	3	-	53
Nonwhite	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Places of 10,000 to 25,000--White	852	-	1	1	5	3	20	6	-	3	-	110	1	18	2	-	91
Nonwhite	6	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Male--White	474	-	1	1	3	1	10	1	-	3	-	47	-	9	-	-	49
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Female--White	378	-	-	-	2	2	10	5	-	-	-	63	1	9	2	-	42
Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000--White	1,540	-	2	1	4	3	46	12	1	19	1	138	2	28	2	-	151
Nonwhite	17	-	-	-	-	-	3	-	-	1	-	1	-	-	-	-	1
Male--White	907	-	-	-	-	1	24	5	1	15	1	49	1	14	1	-	78
Nonwhite	15	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	1
Female--White	633	-	2	1	4	2	22	7	-	4	-	69	1	14	1	-	73
Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Rural--White	4,403	4	5	7	15	7	146	14	1	52	4	420	6	75	5	-	337
Nonwhite	74	-	-	-	-	-	11	1	-	4	-	3	1	-	-	1	3
Male--White	2,621	2	4	4	3	5	90	6	1	44	2	204	3	32	-	-	183
Nonwhite	45	-	-	-	-	-	8	-	-	4	-	1	-	-	-	-	2
Female--White	1,782	2	1	3	12	2	56	8	-	8	2	216	3	43	5	-	154
Nonwhite	29	-	-	-	-	-	3	1	-	-	-	2	1	-	-	1	1

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
277	1,422	7,955	16,925	4,027	800	483	417	623	1,670	363	4,499	115	191	928	1,740	1,492	352	2,579	3,947	9,471
265	1,356	7,813	16,390	3,829	766	462	399	594	1,596	353	4,308	106	180	910	1,643	1,433	274	2,455	3,816	9,067
12	64	142	535	198	34	21	18	29	74	10	191	9	11	18	97	59	78	124	131	404
159	738	5,564	9,407	2,445	632	265	250	308	1,044	121	2,360	...	...	516	950	1,073	194	1,920	2,749	5,371
5	40	107	344	133	29	12	14	17	61	8	120	...	...	13	60	51	67	112	93	261
106	620	2,249	6,983	1,384	134	197	149	286	552	232	1,948	106	180	394	693	360	80	535	1,067	3,696
7	24	35	191	65	5	9	4	12	13	2	71	9	11	5	37	8	11	12	38	143
187	1,051	5,953	12,010	2,738	582	265	291	438	1,346	278	3,289	75	128	654	1,227	1,010	197	1,617	2,470	6,468
9	41	104	405	113	22	15	8	24	59	5	153	9	7	15	71	32	52	80	60	267
108	551	4,154	6,643	1,749	476	145	178	215	868	90	1,757	...	...	375	711	728	135	1,233	1,695	3,747
3	24	80	252	79	18	7	6	14	47	3	96	...	...	11	48	29	46	74	56	168
79	500	1,799	5,367	989	106	120	113	223	478	188	1,532	75	128	279	516	282	62	384	775	2,721
6	17	24	153	34	4	8	2	10	12	2	57	9	7	4	23	3	6	6	24	99
100	622	3,349	7,251	1,636	358	109	166	250	939	155	1,905	45	64	362	666	612	135	889	1,415	3,882
6	29	65	265	84	16	9	6	18	49	3	123	6	4	8	40	22	44	48	39	181
59	314	2,351	4,015	1,092	295	59	99	122	610	52	1,006	...	...	199	375	434	95	663	981	2,251
2	16	50	158	58	15	6	4	10	37	2	76	...	...	8	23	20	39	43	22	110
41	308	998	3,236	544	63	50	67	128	329	103	899	45	64	163	291	178	40	226	434	1,631
4	13	15	107	26	1	3	2	8	12	1	47	6	4	-	17	2	5	5	17	71
37	194	1,198	2,214	463	105	51	48	74	169	60	642	12	22	126	227	181	31	300	447	1,163
1	5	18	72	8	3	3	1	2	6	-	15	2	1	5	14	5	6	18	19	34
22	95	812	1,174	277	86	27	34	38	104	20	348	...	...	76	120	140	13	229	282	647
1	5	13	47	8	2	-	1	1	6	-	12	...	...	2	11	5	5	17	15	26
15	99	386	1,040	186	19	24	14	36	65	40	294	12	22	50	107	41	18	71	165	516
-	-	5	25	-	1	3	-	1	-	-	3	2	1	3	3	-	1	1	4	8
18	114	657	1,122	259	50	41	42	58	104	23	316	7	21	72	163	105	9	193	252	667
1	4	8	32	11	1	1	-	3	3	1	4	1	-	1	7	2	1	7	8	17
10	63	452	634	162	41	23	24	30	72	6	159	...	...	52	109	74	8	151	182	403
-	2	8	19	6	-	-	-	3	3	1	2	...	...	1	6	1	1	7	8	11
8	51	205	488	97	9	18	18	28	32	17	157	7	21	20	54	31	1	42	70	264
1	2	-	13	5	1	1	-	-	-	-	2	1	-	-	1	1	-	-	-	6
32	121	749	1,423	380	69	64	35	56	134	40	426	11	16	94	171	112	22	235	356	756
1	3	13	36	10	2	2	1	1	1	1	11	-	2	1	10	3	1	7	14	35
17	79	539	820	218	54	36	21	25	82	12	244	...	...	48	107	80	19	190	250	446
-	1	9	28	7	1	1	1	-	1	-	6	...	...	-	8	3	1	7	11	21
15	42	210	603	162	15	28	14	31	52	28	182	11	16	46	64	32	3	45	105	310
1	2	4	8	3	1	1	-	1	-	1	5	-	2	1	2	-	-	-	3	14
78	307	1,860	4,380	1,091	184	197	108	156	250	75	1,019	31	57	256	416	423	77	838	1,346	2,599
3	23	38	130	85	12	6	10	5	15	5	38	-	4	3	26	27	26	44	51	137
51	187	1,410	2,764	696	156	120	72	93	176	31	603	...	...	141	239	345	59	687	1,054	1,624
2	16	27	92	54	11	5	8	3	14	5	24	...	...	2	12	22	21	38	37	93
27	120	450	1,616	395	28	77	36	63	74	44	416	31	57	115	177	78	18	151	292	975
1	7	11	38	31	1	1	2	2	1	-	14	-	4	1	14	5	5	6	14	44
54	282	888	1,942	874	105	207	101	130	93	98	917	18	26	139	315	214	40	276	739	1,685
52	280	872	1,900	852	103	201	100	125	91	96	902	18	25	137	309	211	38	265	733	1,626
2	2	16	42	22	2	6	1	5	2	2	15	-	1	2	6	3	2	11	6	59
33	153	623	1,139	495	79	105	60	69	53	35	491	...	...	98	174	158	23	208	516	912
1	1	6	25	16	1	6	1	4	-	1	6	...	...	2	2	3	1	7	5	30
19	127	249	761	357	24	96	40	56	38	61	411	18	25	39	135	53	15	57	217	714
1	1	10	17	6	1	-	-	1	2	1	9	-	1	-	4	-	1	4	1	29
29	182	603	1,243	484	66	115	57	80	71	65	604	10	15	78	186	135	23	158	388	1,039
1	2	12	37	14	1	5	1	5	2	2	12	-	1	1	4	3	2	5	5	42
19	101	432	727	293	55	60	33	41	42	24	325	...	...	59	96	99	13	128	253	586
1	1	3	22	9	-	5	1	4	-	1	4	...	...	1	2	3	1	3	4	23
10	81	171	516	191	11	55	24	39	29	41	279	10	15	19	90	36	10	30	135	453
-	1	9	15	5	1	-	-	1	2	1	8	-	1	-	2	-	1	2	1	19
19	91	334	678	229	40	30	28	46	43	29	334	5	6	44	94	80	11	85	199	574
-	1	11	27	7	1	2	1	4	1	2	8	-	-	1	4	2	2	5	2	32
12	53	237	386	140	32	17	12	22	24	15	176	...	...	32	37	58	3	69	127	312
-	-	2	16	4	-	2	1	3	-	1	1	...	...	1	2	2	1	3	2	17
7	38	97	292	89	8	13	16	24	19	14	158	5	6	12	57	22	8	16	72	262
-	1	9	11	3	1	-	-	1	1	1	7	-	-	-	2	-	1	2	-	15
1	27	79	217	70	8	27	8	8	12	12	90	4	2	12	34	26	6	23	71	174
1	1	-	6	7	-	2	-	1	1	-	2	-	1	-	-	1	-	-	1	6
-	11	55	138	43	5	11	6	4	7	5	51	...	...	11	23	18	4	17	46	101
1	1	-	3	5	-	2	-	1	-	-	1	...	...	-	-	1	-	-	-	3
1	16	24	79	27	3	16	2	4	5	7	39	4	2	1	11	8	2	6	25	73
-	-	-	3	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	3
3	22	83	104	82	5	9	8	8	6	10	56	-	1	7	15	12	-	16	40	104
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
3	10	57	56	50	5	6	7	3	4	1	24	...	...	5	5	11	-	13	25	64
-	-	-	-	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	1	-
-	12	26	48	32	-	3	1	5	2	9	32	-	1	2	10	1	-	3	15	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
6	42	107	244	103	13	49	13	18	10	14	124	1	6	15	43	17	6	34	78	187
-	-	1	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	3
4	27	83	147	60	13	26	8	12	7	3	74	...	...	11	31	12	6	29	55	109
-	-	1	3	-	-	1	-	-	-	-	1	...	...	-	-	-	-	-	1	3
2	15	24	97	43	-	23	5	6	3	11	50	1	6	4	12	5	-	5	23	78
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	98	269	657	368	37	86	43	45	20	31	298	8	10	59	123	76	15	107	345	587
1	-	4	5	8	1	1	-	-	-	-	3	-	-	1	2	-	-	6	1	17
14	52	191	412	202	24	45	27	28	11	11	166	...	...	39	78	59	10	80	263	326
-	-	3	3	7	1	1	-	-	-	-	2	...	...	1	-	-	-	4	1	7
9	46	78	245	166	13	41	16	17	9	20	132	8	10	20	45	17	5	27	82	261
1	-	1	2	1	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-	10

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
CONNECTICUT	18,456	2	15	-	9	-	571	62	-	150	3	2,727	24	587	25	3	1,581
Both sexes--White	17,959	2	15	-	9	-	517	47	-	124	3	2,686	23	575	25	3	1,544
Nonwhite	497	-	-	-	-	-	54	15	-	26	-	41	1	12	-	-	37
Male--White	9,758	2	11	-	4	-	346	33	-	85	1	1,286	11	198	4	2	708
Nonwhite	265	-	-	-	-	-	26	9	-	13	-	22	1	3	-	-	18
Female--White	8,201	-	4	-	5	-	171	14	-	39	2	1,400	12	377	21	1	836
Nonwhite	232	-	-	-	-	-	28	6	-	13	-	19	-	9	-	-	19
Urban--White	12,345	2	13	-	7	-	358	32	-	87	2	1,847	16	411	17	2	1,045
Nonwhite	415	-	-	-	-	-	43	13	-	21	-	33	1	10	-	-	28
Male--White	6,681	2	9	-	2	-	237	24	-	61	1	867	8	143	3	1	471
Nonwhite	221	-	-	-	-	-	21	8	-	11	-	17	1	1	-	-	14
Female--White	5,664	-	4	-	5	-	121	8	-	26	1	980	8	268	14	1	574
Nonwhite	194	-	-	-	-	-	22	5	-	10	-	16	-	9	-	-	14
Places of 100,000 or more--White	4,854	1	8	-	2	-	131	9	-	40	2	766	7	178	8	1	353
Nonwhite	277	-	-	-	-	-	24	10	-	13	-	23	1	8	-	-	18
Male--White	2,649	1	5	-	1	-	96	7	-	30	1	361	3	61	2	-	143
Nonwhite	152	-	-	-	-	-	11	7	-	8	-	11	1	1	-	-	9
Female--White	2,205	-	3	-	1	-	35	2	-	10	1	405	4	117	6	1	210
Nonwhite	125	-	-	-	-	-	13	3	-	5	-	12	-	7	-	-	9
Places of 25,000 to 100,000--White	4,920	1	4	-	4	-	142	13	-	37	-	736	7	161	8	-	446
Nonwhite	106	-	-	-	-	-	16	2	-	8	-	6	-	2	-	-	6
Male--White	2,631	1	3	-	1	-	83	9	-	25	-	338	4	57	1	-	215
Nonwhite	53	-	-	-	-	-	8	1	-	3	-	4	-	-	-	-	2
Female--White	2,289	-	1	-	3	-	59	4	-	12	-	398	3	104	7	-	231
Nonwhite	53	-	-	-	-	-	8	1	-	5	-	2	-	2	-	-	4
Places of 10,000 to 25,000--White	1,947	-	1	-	-	-	80	6	-	5	-	264	2	54	1	1	165
Nonwhite	29	-	-	-	-	-	3	-	-	-	-	4	-	-	-	-	3
Male--White	1,074	-	1	-	-	-	54	4	-	2	-	131	1	20	-	1	89
Nonwhite	14	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2
Female--White	873	-	-	-	-	-	26	2	-	3	-	133	1	34	1	-	96
Nonwhite	15	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1
Places of 2,500 to 10,000--White	624	-	-	-	1	-	5	4	-	5	-	81	-	18	-	-	61
Nonwhite	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Male--White	327	-	-	-	-	-	4	4	-	4	-	37	-	5	-	-	24
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female--White	297	-	-	-	1	-	1	-	-	1	-	44	-	13	-	-	37
Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rural--White	5,614	-	2	-	2	-	159	15	-	37	1	839	7	164	8	1	499
Nonwhite	82	-	-	-	-	-	11	2	-	5	-	8	-	2	-	-	9
Male--White	3,077	-	2	-	2	-	109	9	-	24	-	419	3	55	1	1	237
Nonwhite	44	-	-	-	-	-	5	1	-	2	-	5	-	2	-	-	4
Female--White	2,537	-	-	-	-	-	50	6	-	13	1	420	4	109	7	-	262
Nonwhite	38	-	-	-	-	-	6	1	-	3	-	3	-	-	-	-	5
DELAWARE	3,331	2	2	4	5	-	134	12	-	45	1	341	3	91	8	-	292
Both sexes--White	2,697	1	2	4	3	-	80	8	-	21	1	296	1	77	6	-	237
Nonwhite	634	1	-	-	2	-	54	4	-	24	-	45	2	14	2	-	55
Male--White	1,483	-	2	3	3	-	52	3	-	14	-	132	1	33	-	-	117
Nonwhite	367	-	-	-	-	-	36	3	-	19	-	21	-	5	-	-	24
Female--White	1,214	1	-	1	-	-	28	5	-	7	1	164	-	44	6	-	120
Nonwhite	267	1	-	-	2	-	18	1	-	5	-	24	2	9	2	-	31
Urban--White	1,482	-	2	3	2	-	40	3	-	6	-	182	1	48	4	-	126
Nonwhite	356	-	-	-	1	-	28	2	-	16	-	27	2	8	2	-	32
Male--White	786	-	2	2	2	-	26	1	-	4	-	79	1	28	-	-	57
Nonwhite	196	-	-	-	-	-	20	1	-	11	-	14	-	1	-	-	14
Female--White	696	-	-	1	-	-	14	2	-	2	-	103	-	30	4	-	69
Nonwhite	160	-	-	-	1	-	8	1	-	5	-	13	2	7	2	-	18
Places of 100,000 or more--White	1,178	-	2	3	2	-	29	1	-	6	-	141	-	38	3	-	107
Nonwhite	273	-	-	-	-	-	21	2	-	12	-	20	2	8	2	-	23
Male--White	633	-	2	2	2	-	19	1	-	4	-	66	-	13	-	-	48
Nonwhite	156	-	-	-	-	-	15	1	-	9	-	11	-	1	-	-	10
Female--White	545	-	-	1	-	-	10	-	-	2	-	75	-	25	3	-	59
Nonwhite	117	-	-	-	-	-	6	1	-	3	-	9	2	7	2	-	13
Places of 2,500 to 10,000--White	304	-	-	-	-	-	11	2	-	-	-	41	1	10	1	-	19
Nonwhite	83	-	-	-	1	-	7	-	-	4	-	7	-	-	-	-	9
Male--White	153	-	-	-	-	-	7	-	-	-	-	13	1	5	-	-	9
Nonwhite	40	-	-	-	-	-	5	-	-	2	-	3	-	-	-	-	4
Female--White	151	-	-	-	-	-	4	2	-	-	-	28	-	5	1	-	10
Nonwhite	43	-	-	-	1	-	2	-	-	2	-	4	-	-	-	-	5
Rural--White	1,215	1	-	1	1	-	40	5	-	15	1	114	-	29	2	-	111
Nonwhite	278	1	-	-	1	-	26	2	-	8	-	18	-	6	-	-	23
Male--White	697	-	-	1	1	-	26	2	-	10	-	53	-	15	-	-	60
Nonwhite	171	-	-	-	-	-	16	2	-	8	-	7	-	4	-	-	10
Female--White	518	1	-	-	-	-	14	3	-	5	1	61	-	14	2	-	51
Nonwhite	107	1	-	-	1	-	10	-	-	-	-	11	-	2	-	-	13
DISTRICT OF COLUMBIA	8,417	3	11	2	17	2	497	54	-	152	1	1,038	10	223	17	3	531
Both sexes--White	5,288	-	4	-	5	1	162	15	-	51	1	763	2	160	12	1	342
Nonwhite	3,129	3	7	2	12	1	335	39	-	101	-	275	8	63	5	2	189
Male--White	2,934	-	2	-	4	1	114	9	-	42	1	343	1	67	1	1	159
Nonwhite	1,659	1	4	1	3	1	201	20	-	69	-	124	5	14	-	1	85
Female--White	2,354	-	2	-	1	-	48	6	-	9	-	420	1	93	11	-	183
Nonwhite	1,470	2	3	1	9	-	134	19	-	32	-	151	3	49	5	1	104

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
46	352	1,999	3,877	641	143	68	89	134	225	109	1,190	24	43	267	356	233	44	291	781	1,785
46	347	1,973	3,806	613	138	66	86	132	225	108	1,153	23	41	261	334	232	37	279	756	1,730
-	5	26	71	28	5	2	3	2	-	1	37	1	2	6	22	1	7	12	25	55
26	186	1,371	1,926	346	114	42	51	61	136	43	615	...	...	136	188	166	26	223	467	944
-	1	12	34	17	5	1	2	2	-	-	14	...	...	3	12	-	4	11	21	34
20	161	602	1,880	267	24	24	35	71	89	65	538	23	41	125	146	66	11	56	289	786
-	4	14	37	11	-	1	1	-	-	1	23	1	2	3	10	1	3	1	4	21
32	241	1,352	2,564	425	99	48	61	99	168	79	830	20	30	181	238	150	32	194	495	1,168
-	5	22	58	26	5	2	2	2	-	1	31	1	2	5	22	1	6	9	22	44
20	133	935	1,272	247	81	28	35	48	105	33	444	...	...	90	133	105	23	152	318	650
-	1	11	29	16	5	1	1	2	-	-	12	...	...	3	12	-	3	8	18	26
12	108	417	1,292	178	18	20	26	51	63	46	386	20	30	91	105	45	9	42	177	518
-	4	11	29	10	-	1	1	-	-	1	19	1	2	2	10	1	3	1	4	18
13	109	524	1,021	175	30	23	21	37	69	39	287	6	17	69	107	54	17	86	190	454
-	2	14	41	20	3	1	2	1	-	-	23	1	-	2	18	1	5	5	10	31
8	61	374	503	98	23	15	11	18	41	19	160	...	...	37	57	39	12	71	126	265
-	1	7	23	13	3	1	1	1	-	-	10	...	...	2	8	-	2	4	8	20
5	48	150	518	77	7	8	10	19	28	20	127	6	17	32	50	15	5	15	64	189
-	1	7	18	7	-	-	1	-	-	-	13	1	-	-	10	1	3	1	2	11
14	98	550	980	178	53	16	27	37	69	34	316	9	11	72	90	66	10	69	203	459
-	2	5	13	5	2	-	-	-	-	1	5	-	2	3	4	-	1	3	8	12
9	52	371	490	104	45	9	14	17	47	12	160	...	...	36	50	42	6	52	126	252
-	-	4	5	2	2	-	-	-	-	-	1	...	...	1	4	-	1	3	6	6
5	46	179	490	74	8	7	13	20	22	22	156	9	11	36	40	24	4	17	77	207
-	2	1	8	3	-	-	-	-	-	1	4	-	2	2	-	-	-	-	2	6
4	24	213	420	57	10	9	11	21	24	5	176	3	2	27	29	26	3	27	73	184
-	1	3	4	1	-	1	-	1	-	-	2	-	-	-	-	-	-	1	4	1
2	16	152	207	37	8	4	9	10	13	2	89	...	...	10	18	20	3	19	51	101
-	-	-	1	1	-	-	-	1	-	-	-	...	...	-	-	-	-	1	4	-
2	8	61	213	20	2	5	2	11	11	3	87	3	2	17	11	6	-	8	22	83
-	1	3	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1
1	10	65	143	15	6	-	2	4	6	1	51	2	-	13	12	4	2	12	29	71
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	4	38	72	8	5	-	1	3	4	-	35	...	...	7	8	4	2	10	15	32
-	-	-	-	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	-	-
-	6	27	71	7	1	-	1	1	2	1	16	2	-	6	4	-	-	2	14	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	106	621	1,242	188	39	18	25	33	57	29	323	3	11	80	96	82	5	85	261	562
-	-	4	13	2	-	-	1	-	-	-	6	-	-	1	-	-	1	3	3	11
6	53	436	654	99	33	14	16	13	31	10	171	...	...	46	55	61	3	71	149	294
-	-	1	5	1	-	-	1	-	-	-	2	...	...	-	-	-	1	3	3	8
8	53	185	588	89	6	4	9	20	26	19	152	3	11	34	41	21	2	14	112	268
-	-	3	8	1	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	3
7	45	285	669	174	20	48	11	26	25	18	350	3	6	32	74	26	16	65	182	309
5	34	264	578	120	17	29	9	21	24	17	286	3	3	29	50	22	3	55	150	241
2	11	21	91	54	3	19	2	5	1	1	64	-	3	3	24	4	13	10	32	68
3	11	182	298	75	13	16	5	12	14	2	149	...	...	12	29	19	1	44	96	142
1	8	12	45	31	3	9	2	2	-	-	37	...	...	3	16	2	11	9	26	42
2	23	82	280	45	4	13	4	9	10	15	137	3	3	17	21	3	2	11	54	99
1	3	9	46	23	-	10	-	3	1	1	27	-	3	-	8	2	2	1	6	26
3	22	151	286	77	15	18	5	13	16	12	168	2	-	19	29	8	-	31	73	117
2	10	12	39	32	3	11	2	3	1	-	37	-	2	3	15	4	6	5	15	36
1	8	96	142	47	11	9	2	10	11	2	85	...	...	8	14	7	-	25	46	70
1	8	8	14	18	3	6	2	1	-	-	20	...	...	3	8	2	4	4	12	21
2	14	55	144	30	4	9	3	3	5	10	83	2	-	11	15	1	-	6	27	47
1	2	4	25	14	-	5	-	2	1	-	17	-	2	-	7	2	2	1	3	15
1	21	119	224	66	13	13	4	11	16	8	132	1	-	13	24	6	-	20	61	93
2	9	9	30	25	2	8	2	2	1	-	28	-	2	3	9	4	5	4	10	28
-	8	75	111	40	10	7	2	8	11	2	67	...	...	5	13	6	-	19	40	52
1	8	7	14	13	2	4	2	-	-	-	15	...	...	3	5	2	3	4	8	18
1	13	44	113	26	3	6	2	3	5	6	65	1	-	8	11	-	-	1	21	41
1	1	2	16	12	-	4	-	2	1	-	13	-	2	-	4	2	2	-	2	10
2	1	32	62	11	2	5	1	2	-	4	36	1	-	6	5	2	-	11	12	24
-	1	3	9	7	1	3	-	1	-	-	9	-	-	-	6	-	1	1	5	8
1	-	21	31	7	1	2	-	2	-	-	18	...	...	3	1	1	-	6	6	18
-	-	1	-	5	1	2	-	1	-	-	5	...	...	-	3	-	1	-	4	3
1	1	11	31	4	1	3	1	-	-	4	18	1	-	3	4	1	-	5	6	6
-	1	2	9	2	-	1	-	-	-	-	4	-	-	-	3	-	-	1	1	5
2	12	113	292	43	2	11	4	8	8	5	118	1	3	10	21	14	3	24	77	124
-	1	9	52	22	-	8	-	2	-	1	27	-	1	-	9	-	7	5	17	32
2	3	86	156	28	2	7	3	2	3	-	64	...	...	4	15	12	1	19	50	72
-	-	4	31	13	-	3	-	1	-	-	17	...	...	-	8	-	7	5	14	21
-	9	27	136	15	-	4	1	6	5	5	54	1	3	6	6	2	2	5	27	52
-	1	5	21	9	-	5	-	1	-	1	10	-	1	-	1	-	-	-	3	11
28	134	612	1,467	481	49	152	42	74	112	28	724	15	26	62	242	110	83	117	389	909
13	92	518	907	269	38	53	25	44	90	27	466	7	17	47	132	96	18	77	270	563
15	42	94	560	212	11	99	17	30	22	1	258	8	9	15	110	14	65	40	119	345
3	47	366	470	163	33	29	17	22	65	12	251	...	...	26	77	61	15	48	172	312
6	15	61	271	117	8	46	13	12	13	-	128	...	...	10	62	11	53	32	79	193
10	45	152	437	106	5	24	8	22	25	15	215	7	17	21	55	35	3	29	98	251
9	27	33	289	95	3	53	4	18	9	1	130	8	9	5	48	3	12	8	40	153

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
FLORIDA	21,207	30	15	2	48	29	828	42	50	385	4	1,897	19	342	24	51	2,077
Both sexes—White	13,962	21	10	1	25	22	349	19	19	116	2	1,577	5	275	20	26	1,277
Nonwhite	7,245	9	5	1	23	7	479	23	31	269	2	320	14	67	4	25	800
Male—White	8,464	16	7	1	16	14	238	12	11	90	-	795	2	135	6	12	698
Nonwhite	4,060	5	1	1	13	4	248	14	11	182	-	132	6	20	-	5	407
Female—White	5,498	3	3	-	9	8	111	7	8	26	2	782	3	140	14	14	579
Nonwhite	3,185	4	4	-	10	3	231	9	20	87	2	188	8	47	4	20	393
Urban—White	8,540	15	6	1	12	11	220	15	7	88	1	1,091	3	171	15	11	788
Nonwhite	4,438	5	4	-	8	5	335	14	14	189	1	202	12	49	3	17	483
Male—White	5,084	12	5	1	7	7	162	10	4	67	-	537	1	82	4	6	422
Nonwhite	2,379	2	1	-	4	3	171	9	6	123	-	78	5	13	-	3	222
Female—White	3,456	3	1	-	5	4	58	5	3	21	1	554	2	89	11	5	366
Nonwhite	2,059	3	3	-	4	2	164	5	8	66	1	124	7	36	3	14	261
Places of 100,000 or more—White	3,327	6	2	-	4	1	113	6	-	32	1	428	1	67	5	-	269
Nonwhite	1,880	2	1	-	4	1	195	10	4	56	-	89	7	29	2	4	229
Male—White	1,985	5	1	-	1	1	86	2	-	24	-	216	-	32	1	-	142
Nonwhite	979	-	-	-	2	1	93	5	2	38	-	33	1	6	-	1	97
Female—White	1,342	1	1	-	3	-	27	4	-	8	1	212	1	35	4	-	127
Nonwhite	901	2	1	-	2	-	102	5	2	18	-	56	6	23	2	3	132
Places of 25,000 to 100,000—White	1,864	3	-	-	5	1	34	3	1	13	-	255	-	36	3	3	187
Nonwhite	667	2	1	-	1	2	45	2	1	14	1	31	3	6	-	3	68
Male—White	1,109	3	-	-	5	1	26	2	1	9	-	118	-	22	-	2	100
Nonwhite	347	1	-	-	-	1	23	2	1	11	-	11	2	1	-	1	27
Female—White	755	-	-	-	-	-	8	1	-	4	-	137	-	14	3	1	87
Nonwhite	320	1	1	-	1	1	22	-	-	3	1	20	1	5	-	2	41
Places of 10,000 to 25,000—White	1,407	3	2	1	1	4	30	3	-	12	-	170	1	29	4	4	146
Nonwhite	739	1	-	-	2	2	34	-	4	20	-	25	-	7	1	5	81
Male—White	829	2	2	1	-	1	20	3	-	11	-	91	-	14	2	1	72
Nonwhite	386	1	-	-	1	1	18	-	2	8	-	11	-	2	-	1	40
Female—White	578	1	-	-	1	3	10	-	-	1	-	79	1	15	2	3	74
Nonwhite	353	-	-	-	1	1	16	-	2	12	-	14	-	5	1	4	41
Places of 2,500 to 10,000—White	1,942	3	2	-	2	5	43	3	6	31	-	238	1	39	3	4	186
Nonwhite	1,152	-	2	-	1	-	61	2	5	99	-	57	2	7	-	5	105
Male—White	1,161	2	2	-	1	4	30	3	3	23	-	112	1	14	1	3	108
Nonwhite	667	-	1	-	1	-	37	2	1	66	-	23	2	4	-	-	58
Female—White	781	1	-	-	1	1	13	-	3	8	-	126	-	25	2	1	78
Nonwhite	485	-	1	-	-	-	24	-	4	33	-	34	-	3	-	5	47
Rural—White	5,422	6	4	-	13	11	129	4	12	28	1	486	2	104	5	15	489
Nonwhite	2,807	4	1	1	15	2	144	9	17	80	1	118	2	18	1	8	317
Male—White	3,380	6	2	-	9	7	76	2	7	23	-	258	1	53	2	6	276
Nonwhite	1,681	3	-	1	9	1	77	5	5	59	-	54	1	7	-	2	185
Female—White	2,042	-	2	-	4	4	53	2	5	5	1	228	1	51	3	9	213
Nonwhite	1,126	1	1	-	6	1	67	4	12	21	1	64	1	11	1	6	132
GEORGIA	29,083	24	23	2	102	57	1,180	115	79	508	13	2,133	35	367	31	178	3,060
Both sexes—White	16,014	6	15	2	36	43	438	42	25	125	6	1,511	19	274	17	102	1,620
Nonwhite	13,069	18	8	-	66	14	742	73	54	383	7	622	16	93	14	76	1,440
Male—White	9,291	5	12	1	16	22	258	25	15	89	3	683	9	136	4	35	846
Nonwhite	6,955	10	5	-	36	4	354	36	32	257	3	222	5	40	3	23	694
Female—White	6,723	1	3	1	20	21	180	17	10	36	3	828	10	138	13	67	774
Nonwhite	6,114	8	3	-	30	10	388	37	22	126	4	400	11	53	11	53	746
Urban—White	6,676	1	2	1	11	11	193	16	5	61	2	743	5	135	6	29	619
Nonwhite	6,375	9	5	-	28	3	417	50	16	165	3	344	9	47	9	31	730
Male—White	3,856	1	2	1	5	5	120	10	4	48	1	316	2	64	1	8	315
Nonwhite	3,299	5	4	-	17	2	194	26	10	114	2	110	2	17	2	9	350
Female—White	2,820	-	-	-	6	6	73	6	1	13	1	427	3	71	5	21	304
Nonwhite	3,075	4	1	-	11	1	223	24	6	51	1	234	7	30	7	22	380
Places of 100,000 or more—White	1,874	-	-	1	2	3	61	8	1	20	-	268	2	28	1	10	156
Nonwhite	1,730	3	3	-	7	1	151	23	-	67	-	111	1	15	4	5	186
Male—White	1,095	-	-	1	1	2	39	3	1	15	-	117	1	13	-	2	84
Nonwhite	887	-	2	-	4	1	80	13	-	53	-	34	1	5	2	-	100
Female—White	779	-	-	-	1	1	22	5	-	5	-	151	1	15	1	8	72
Nonwhite	843	3	1	-	3	-	71	10	-	14	-	77	-	10	2	5	86
Places of 25,000 to 100,000—White	1,937	1	2	-	3	3	67	6	-	29	-	192	2	46	1	5	176
Nonwhite	2,208	2	2	-	12	1	156	17	1	62	-	101	6	15	2	8	263
Male—White	1,137	1	2	-	2	2	45	6	-	26	-	83	1	21	1	1	86
Nonwhite	1,127	2	2	-	9	1	70	10	-	36	-	31	-	6	-	4	125
Female—White	800	-	-	-	1	1	22	-	-	3	-	109	1	25	-	4	90
Nonwhite	1,081	-	-	-	3	-	86	7	1	26	-	70	6	9	2	4	138
Places of 10,000 to 25,000—White	1,147	-	-	-	2	1	25	1	1	8	1	114	-	23	-	2	108
Nonwhite	997	2	-	-	3	-	52	2	3	14	-	62	-	6	-	8	112
Male—White	659	-	-	-	-	-	8	1	1	6	-	50	-	14	-	1	50
Nonwhite	507	2	-	-	2	-	18	1	1	8	-	17	-	2	-	1	52
Female—White	488	-	-	-	2	1	17	-	-	2	1	64	-	9	-	1	58
Nonwhite	490	-	-	-	1	-	34	1	2	6	-	45	-	4	-	7	60
Places of 2,500 to 10,000—White	1,718	-	-	-	4	4	40	1	3	4	1	169	1	38	4	12	179
Nonwhite	1,440	2	-	-	6	1	58	8	12	22	3	70	2	11	3	10	169
Male—White	965	-	-	-	2	1	28	-	2	1	1	66	-	16	-	4	95
Nonwhite	778	1	-	-	2	-	26	2	9	17	2	28	1	4	-	4	73
Female—White	753	-	-	-	2	3	12	1	1	3	-	103	1	22	4	8	84
Nonwhite	662	1	-	-	4	1	32	6	3	5	1	42	1	7	3	6	96
Rural—White	9,338	5	13	1	25	32	245	26	20	64	4	768	14	139	11	73	1,001
Nonwhite	6,694	9	3	-	38	11	325	23	38	218	4	278	7	46	5	45	710
Male—White	5,435	4	10	-	11	17	138	15	11	41	2	367	7	72	3	27	531
Nonwhite	3,656	5	1	-	19	2	160	10	22	143	1	112	3	23	1	14	344
Female—White	3,903	1	3	1	14	15	107	11	9	23	2	401	7	67	8	46	470
Nonwhite	3,038	4	2	-	19	9	165	13	16	75	3	166	4	23	4	31	366

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
96	286	1,532	2,896	1,221	146	236	128	189	190	56	1,594	55	111	219	586	242	367	531	1,330	3,353
48	196	1,355	2,054	608	85	104	71	124	154	50	1,031	23	52	181	387	228	85	375	985	2,002
48	90	177	842	613	61	132	57	65	36	6	563	32	59	38	199	14	282	156	345	1,351
29	110	956	1,201	325	71	59	49	66	111	18	565	...	...	97	226	151	70	301	768	1,236
19	48	98	484	346	45	75	23	35	25	2	317	...	...	21	109	10	230	127	258	739
19	86	399	853	283	14	45	22	58	43	32	466	23	52	84	161	77	15	74	217	766
29	42	79	358	267	16	57	34	30	11	4	246	32	59	17	90	4	52	29	87	612
25	137	945	1,362	349	47	57	37	80	98	34	589	9	19	114	236	146	45	181	413	1,162
23	56	123	530	391	36	70	38	46	23	3	337	20	29	24	123	10	172	85	189	764
17	78	660	789	186	37	29	27	40	71	10	333	...	...	57	139	88	37	141	284	734
10	25	68	296	207	26	35	15	23	14	1	186	...	...	11	63	6	141	67	143	402
8	59	285	573	163	10	28	10	40	27	24	256	9	19	57	97	58	8	40	129	428
18	31	55	234	184	10	35	23	23	9	2	151	20	29	13	60	4	31	18	46	362
8	44	349	515	135	14	24	15	32	43	11	239	6	8	54	103	56	20	88	129	499
14	24	61	216	150	16	18	18	14	10	1	96	11	7	11	60	4	74	43	66	333
5	23	242	302	75	11	13	9	19	27	6	124	...	...	29	62	34	16	61	90	325
4	11	33	112	80	11	7	7	6	6	1	59	...	...	1	30	3	65	35	54	175
3	21	107	213	59	3	11	6	13	16	5	115	6	8	25	41	22	4	27	39	174
10	13	28	104	70	5	11	11	8	4	-	37	11	7	10	30	1	9	8	12	158
6	44	234	337	66	9	12	1	21	23	6	98	1	4	10	46	36	5	29	105	227
1	8	13	84	62	5	8	5	11	7	1	62	2	4	3	23	2	25	9	29	103
5	24	166	199	33	8	4	1	6	17	1	62	...	...	6	29	23	4	25	73	134
1	2	7	52	37	4	3	2	9	5	-	27	...	...	3	12	1	16	8	20	57
1	20	68	138	33	1	8	-	15	6	5	36	1	4	4	17	13	1	4	32	93
-	6	6	32	45	1	5	3	2	2	1	35	2	4	-	11	1	9	1	9	46
6	17	150	213	59	9	4	12	11	12	7	119	-	4	22	30	26	4	27	65	200
6	15	22	86	77	8	18	5	14	3	-	79	1	8	2	12	-	25	11	37	128
4	10	105	109	30	8	1	11	4	10	1	75	...	...	9	16	14	1	23	46	132
3	7	14	47	46	6	11	2	4	2	-	40	...	...	2	9	-	17	6	22	63
2	7	45	104	29	1	3	1	7	2	6	44	-	4	13	14	12	3	4	19	68
3	8	8	39	31	2	7	3	10	1	-	39	1	8	-	3	-	8	5	15	65
5	32	212	297	89	15	17	9	16	20	10	133	2	3	28	57	28	16	37	114	236
7	9	27	144	82	7	26	10	7	3	1	100	6	10	8	28	4	48	22	57	200
3	21	147	179	47	10	11	6	11	17	2	72	...	...	13	32	17	16	32	75	143
2	5	14	85	44	5	14	4	4	1	-	60	...	...	5	12	2	43	18	47	107
2	11	65	118	42	5	6	3	5	3	8	61	2	3	15	25	11	-	5	39	93
5	4	13	59	38	2	12	6	3	2	1	40	6	10	3	16	2	5	4	10	93
23	59	410	692	259	38	47	34	44	56	16	442	14	33	67	151	82	40	194	572	840
20	34	54	312	222	25	62	19	19	13	3	226	12	30	14	76	4	110	71	156	587
12	32	296	412	139	34	30	22	26	40	8	232	...	...	40	87	63	33	160	484	502
9	23	30	188	139	19	40	8	12	11	1	131	...	...	10	46	4	89	60	115	337
11	27	114	280	120	4	17	12	18	16	8	210	14	33	27	64	19	7	34	88	338
11	11	24	124	83	6	22	11	7	2	2	95	12	30	4	30	-	21	11	41	250
153	325	1,337	3,594	2,064	197	391	180	206	157	75	3,171	87	213	246	1,052	225	521	696	1,438	4,848
76	147	1,063	1,960	921	118	187	107	121	126	61	1,758	43	101	186	619	207	108	487	904	2,433
77	178	274	1,634	1,143	79	204	73	85	31	14	1,413	44	112	60	433	18	413	209	534	2,415
40	82	771	1,107	508	98	92	77	61	89	26	980	...	...	102	377	163	91	408	653	1,407
44	86	138	885	570	53	117	35	39	24	6	780	...	...	34	232	12	320	179	357	1,320
36	65	292	853	413	20	95	30	60	37	35	778	43	101	84	242	44	17	79	251	1,026
33	92	136	749	573	26	87	38	46	7	8	633	44	112	26	201	6	93	30	177	1,095
40	43	575	855	295	59	58	50	58	70	35	723	20	35	82	283	86	41	191	337	900
31	84	160	945	574	47	97	46	49	21	8	702	19	35	29	229	10	242	90	216	875
22	21	436	479	163	48	30	35	30	50	13	423	...	...	43	184	68	31	147	211	519
17	41	83	505	278	30	56	20	19	15	5	383	...	...	14	125	6	176	75	136	451
18	22	139	376	132	11	28	15	23	20	22	300	20	35	39	99	18	10	44	126	381
14	43	77	440	296	17	41	26	30	6	3	319	19	35	15	104	4	66	15	80	424
8	20	168	256	66	12	7	14	13	29	11	226	3	4	20	66	37	10	40	89	214
5	14	31	310	136	17	14	11	9	6	3	207	4	3	10	60	2	84	7	55	165
4	10	127	147	32	9	5	11	8	18	2	133	...	...	7	41	28	5	32	57	140
2	5	19	160	62	12	7	3	3	4	2	92	...	...	5	29	2	64	4	30	87
4	10	41	109	34	3	2	3	5	11	9	93	3	4	13	25	9	5	8	32	74
3	9	12	150	74	5	7	8	6	2	1	115	4	3	5	31	-	20	3	25	78
9	7	170	287	85	17	21	14	16	18	14	170	6	10	26	82	21	8	58	93	272
12	43	60	345	213	17	35	16	20	10	-	189	4	16	9	85	4	77	41	84	280
4	6	129	155	44	14	10	8	8	14	7	99	...	...	16	59	17	6	45	67	152
5	18	28	188	100	10	22	10	8	8	-	105	...	...	2	46	2	56	31	57	135
5	1	41	132	41	3	11	6	8	4	7	71	6	10	10	23	4	2	13	26	120
7	25	32	157	113	7	13	6	12	2	-	84	4	16	7	39	2	21	10	27	145
12	8	102	135	56	12	15	7	14	6	4	133	4	8	13	63	8	8	30	61	162
6	13	22	114	102	8	21	6	12	2	3	144	5	5	5	38	1	27	16	27	156
6	1	74	81	36	10	7	4	8	4	2	81	...	...	7	45	7	7	24	38	86
5	7	13	62	55	6	13	3	4	1	1	87	...	...	3	24	-	17	15	14	73
6	7	28	54	20	2	8	3	6	2	2	52	4	8	6	18	1	1	6	23	76
1	6	9	52	47	2	8	3	8	1	2	57	5	5	2	14	1	10	1	13	83
11	8	135	177	88	18	15	15	15	17	6	194	7	13	23	72	20	15	63	94	252
8	14	47	176	123	5	27	13	8	3	2	162	6	11	5	46	3	54	26	50	274
8	4	106	96	51	15	8	12	6	14	2	110	...	...	13	39	16	13	46	49	141
5	11	23	95	61	2	14	4	4	2	2	99	...	...	4	26	2	39	25	35	156
3	4	29	81	37	3	7	3	9	3	4	84	7	13	10	33	4	2	17	45	111
3	3	24	81	62	3	13	9	4	1	-	63	6	11	1	20	1	15	1	15	118
36	104	488	1,105	626	59	129	57	63	56	26	1,035	23	66	104	336	121	67	296	567	1,533
46	94	114	689	569	32	107	27	36	10	6	711	25	77	31	204	8	171	119	318	1,540
18	61	335	628	345	50	62	42	31	39	13	557	...	...	59	193	95	60	261	442	888
27	45	55	380	292	23	61	15	20	9	1	397	...	...	20	107	6	144	104	221	869
18	43	153	477	281	9	67	15	32	17	13	478	23	66	45	143	26	7	35	125	645
19	49	59	309	277	9	46	12	16	1	5	314	25	77	11	97	2	27	15	97	671

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
IDAHO	4,648	3	4	1	5	5	77	9	-	28	-	481	9	106	12	-	400
Both sexes—White	4,577	3	4	1	5	5	68	8	-	25	-	477	9	105	12	-	400
Nonwhite	71	-	-	-	-	-	9	1	-	3	-	4	-	1	-	-	-
Male—White	2,861	1	3	1	1	3	47	5	-	20	-	260	2	49	-	-	224
Nonwhite	39	-	-	-	-	-	4	-	-	3	-	3	-	1	-	-	-
Female—White	1,716	2	1	-	4	2	21	3	-	5	-	217	7	56	12	-	176
Nonwhite	32	-	-	-	-	-	5	1	-	-	-	1	-	-	-	-	-
Urban—White	1,937	3	2	-	1	1	23	3	-	6	-	199	1	51	6	-	162
Nonwhite	11	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
Male—White	1,173	1	2	-	-	1	17	2	-	3	-	95	-	24	-	-	89
Nonwhite	9	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Female—White	764	2	-	-	1	-	6	1	-	3	-	104	1	27	6	-	73
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000—White	302	1	1	-	-	-	2	-	-	1	-	32	-	8	-	-	28
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male—White	190	-	1	-	-	-	2	-	-	-	-	17	-	4	-	-	13
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	112	1	-	-	-	-	-	-	-	1	-	15	-	4	-	-	15
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000—White	851	1	1	-	1	1	9	2	-	1	-	86	1	20	2	-	74
Nonwhite	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Male—White	501	1	1	-	-	1	8	1	-	-	-	43	-	7	-	-	39
Nonwhite	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Female—White	350	-	-	-	1	-	1	1	-	1	-	43	1	13	2	-	35
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	784	1	-	-	-	-	12	1	-	4	-	81	-	23	4	-	60
Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male—White	482	-	-	-	-	-	7	1	-	3	-	35	-	13	-	-	37
Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female—White	302	1	-	-	-	-	5	-	-	1	-	46	-	10	4	-	23
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	2,640	-	2	1	4	4	45	5	-	19	-	278	8	54	6	-	238
Nonwhite	60	-	-	-	-	-	7	1	-	2	-	3	-	1	-	-	-
Male—White	1,688	-	1	1	1	2	30	3	-	17	-	165	2	25	-	-	135
Nonwhite	30	-	-	-	-	-	2	-	-	2	-	3	-	1	-	-	-
Female—White	952	-	1	-	3	2	15	2	-	2	-	113	6	29	6	-	103
Nonwhite	30	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-	-
ILLINOIS	87,777	17	28	37	97	64	3,087	251	14	874	43	11,802	71	2,506	266	5	6,757
Both sexes—White	81,441	14	27	35	82	62	2,890	166	11	669	41	11,206	60	2,411	254	5	6,347
Nonwhite	6,336	3	1	2	15	2	697	85	3	205	2	596	11	95	12	-	410
Male—White	45,746	9	19	22	40	35	1,560	101	9	493	21	5,511	28	867	40	1	3,164
Nonwhite	3,410	1	-	2	4	1	430	39	2	144	1	250	4	31	4	-	186
Female—White	35,695	5	8	13	42	27	830	65	2	176	20	5,695	32	1,544	214	4	3,183
Nonwhite	2,926	2	1	-	11	1	267	46	1	61	1	346	7	64	8	-	224
Urban—White	59,366	6	20	19	42	51	1,747	124	5	395	25	8,562	42	1,859	188	3	4,330
Nonwhite	5,593	3	1	2	12	1	625	79	2	114	2	548	11	85	11	-	351
Male—White	32,966	5	15	10	19	29	1,160	71	4	295	14	4,198	18	644	29	-	2,050
Nonwhite	2,971	1	-	2	4	-	383	38	2	81	1	231	4	26	4	-	152
Female—White	26,400	1	5	9	23	22	587	53	1	100	11	4,364	24	1,215	159	3	2,280
Nonwhite	2,622	2	1	-	8	1	242	41	-	33	1	317	7	59	7	-	199
Places of 100,000 or more—White	34,275	1	8	9	21	42	1,240	81	1	179	11	5,191	22	1,129	102	1	2,063
Nonwhite	4,449	1	-	1	10	1	548	71	1	64	1	433	9	68	7	-	259
Male—White	19,364	1	6	4	11	22	852	46	1	139	6	2,587	9	379	13	-	997
Nonwhite	2,374	-	-	1	4	-	328	32	1	48	1	180	4	22	3	-	113
Female—White	14,911	-	2	5	10	20	388	35	-	40	5	2,604	13	750	89	1	1,066
Nonwhite	2,075	1	-	-	6	1	215	39	-	16	-	253	5	46	4	-	146
Places of 25,000 to 100,000—White	10,868	3	4	5	7	3	205	25	-	108	3	1,468	12	310	35	1	916
Nonwhite	689	-	1	1	1	-	50	7	1	29	-	69	2	13	4	-	56
Male—White	5,823	3	2	2	-	3	127	13	-	73	2	693	5	121	5	-	416
Nonwhite	351	-	-	1	-	-	33	5	1	20	-	24	-	4	1	-	26
Female—White	5,045	-	2	3	7	-	78	12	-	30	1	775	7	189	30	1	500
Nonwhite	338	-	1	-	1	-	17	2	-	9	-	45	2	9	3	-	30
Places of 10,000 to 25,000—White	5,835	1	-	2	8	3	139	5	-	74	5	741	1	165	24	-	499
Nonwhite	274	2	-	-	-	-	24	-	-	14	-	24	-	3	-	-	22
Male—White	3,235	1	-	1	5	1	87	2	-	59	2	375	-	51	7	-	239
Nonwhite	142	1	-	-	-	-	14	-	-	10	-	13	-	-	-	-	9
Female—White	2,600	-	-	1	3	2	52	3	-	15	3	366	1	114	17	-	260
Nonwhite	132	1	-	-	-	-	10	-	-	4	-	11	-	3	-	-	13
Places of 2,500 to 10,000—White	8,388	1	8	3	6	3	163	13	4	39	6	1,162	7	255	27	1	852
Nonwhite	181	-	-	-	1	-	8	1	-	7	1	22	-	1	-	-	14
Male—White	4,544	-	7	3	3	3	94	10	3	24	4	543	4	93	4	-	398
Nonwhite	104	-	-	-	-	-	8	1	-	3	-	14	-	-	-	-	4
Female—White	3,844	1	1	-	3	-	69	3	1	15	2	619	3	162	23	1	454
Nonwhite	77	-	-	-	1	-	-	-	-	4	1	8	-	1	-	-	10
Rural—White	22,075	8	7	16	40	11	643	42	6	274	16	2,644	18	552	66	2	2,017
Nonwhite	743	-	-	-	3	1	72	6	1	91	-	48	-	10	1	-	59
Male—White	12,760	4	4	12	21	6	400	30	5	198	7	1,313	10	223	11	1	1,114
Nonwhite	439	-	-	-	-	1	47	1	-	63	-	19	-	5	-	-	34
Female—White	9,295	4	3	4	19	5	243	12	1	76	9	1,331	8	329	55	1	903
Nonwhite	304	-	-	-	3	-	25	5	1	28	-	29	-	5	1	-	25

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
27	88	416	782	234	47	16	35	39	21	34	362	10	20	68	134	53	14	103	352	653
26	88	413	779	226	47	15	35	39	20	33	360	9	20	68	129	50	13	96	345	644
1	-	3	3	8	-	1	-	-	1	1	2	1	-	-	5	3	1	7	7	9
11	46	319	478	143	40	6	26	19	12	9	215	...	...	38	75	41	8	77	268	414
-	-	3	2	-	-	1	-	-	1	-	1	...	...	-	3	2	1	5	4	5
15	42	94	301	83	7	9	9	20	8	24	145	9	20	30	54	9	5	19	77	230
1	-	-	1	8	-	-	-	-	-	1	1	1	-	-	2	1	-	2	3	4
11	36	177	329	94	22	5	15	17	9	11	163	1	6	32	82	27	2	37	119	284
-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-
5	14	134	187	66	20	2	11	9	7	3	99	...	...	14	52	23	1	30	85	177
-	-	-	2	-	-	-	-	-	1	-	-	...	...	-	1	-	-	1	1	-
6	22	43	142	28	2	3	4	8	2	8	64	1	6	18	30	4	1	7	34	107
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	4	38	55	11	6	1	-	6	3	3	17	-	2	3	4	5	-	3	13	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	3	27	32	9	5	-	-	4	2	-	11	...	...	3	3	5	-	3	12	34
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	1	-	-
1	1	11	23	2	1	1	-	2	1	3	6	-	2	-	1	-	-	-	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	22	77	137	42	8	1	7	8	4	3	79	1	3	16	32	12	1	20	51	125
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
2	8	62	72	29	7	1	4	3	3	2	48	...	...	8	16	8	1	14	33	79
-	-	-	-	-	-	-	-	-	1	-	-	...	...	-	-	-	-	-	1	-
1	14	15	65	13	1	-	3	5	1	1	31	1	3	8	16	4	-	6	18	46
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	10	62	137	41	8	3	8	3	2	5	67	-	1	13	46	10	1	14	55	105
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	3	45	83	28	8	1	7	2	2	1	40	...	...	3	33	10	-	13	40	64
-	-	-	2	-	-	-	-	-	-	-	-	...	...	-	1	-	-	-	-	-
4	7	17	54	13	-	2	1	1	-	4	27	-	1	10	13	-	1	1	15	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	52	236	450	132	25	10	20	22	11	22	197	8	14	36	47	23	11	59	226	360
1	-	3	1	7	-	1	-	-	-	1	2	1	-	-	4	3	1	6	6	9
6	32	185	291	77	20	4	15	10	5	6	116	...	...	24	23	18	7	47	183	237
-	-	3	-	-	-	1	-	-	-	-	1	...	...	-	2	2	1	4	3	5
9	20	51	159	55	5	6	5	12	6	16	81	8	14	12	24	5	4	12	43	123
1	-	-	1	7	-	-	-	-	-	1	1	1	-	-	2	1	-	2	3	4
285	1,730	5,877	21,742	3,580	586	347	567	785	942	550	6,619	132	194	1,044	1,727	966	365	1,713	3,680	8,427
265	1,601	5,733	20,098	3,216	561	317	525	739	895	540	6,177	118	179	1,012	1,585	948	177	1,618	3,455	7,902
20	129	144	1,644	364	25	30	42	46	47	10	442	14	15	32	142	18	188	95	225	525
157	821	3,988	11,183	1,865	470	180	312	364	599	163	3,104	...	...	567	918	726	141	1,244	2,349	4,675
9	66	82	861	202	18	13	24	21	30	2	198	...	...	17	71	10	163	74	162	288
108	780	1,745	8,915	1,351	91	137	213	375	296	377	3,073	118	179	445	667	222	36	374	1,106	3,227
11	63	62	783	162	7	17	18	25	17	8	244	14	15	15	71	8	25	21	63	237
182	1,131	4,234	15,255	2,248	438	194	390	516	743	392	4,532	85	137	774	1,163	676	148	1,137	2,375	5,198
17	124	130	1,490	313	25	22	41	42	44	8	396	13	14	28	132	16	177	94	200	420
107	554	2,929	8,490	1,302	368	112	229	253	493	118	2,223	...	...	430	676	505	119	864	1,600	3,033
7	62	74	767	181	18	9	24	17	28	-	173	...	...	16	67	9	154	73	144	219
75	577	1,305	6,765	946	70	82	161	263	250	274	2,309	85	137	344	487	171	29	273	775	2,165
10	62	56	723	132	7	13	17	25	16	8	223	13	14	12	65	7	23	21	56	201
90	734	2,126	9,871	1,280	264	52	221	275	523	206	2,526	53	83	420	526	383	106	608	1,279	2,548
7	106	92	1,282	235	21	4	30	34	30	6	277	9	11	24	100	13	153	75	157	314
60	361	1,446	5,705	794	221	30	125	132	349	62	1,190	...	...	236	311	295	87	464	895	1,528
3	51	54	668	137	15	3	17	15	17	-	116	...	...	13	51	7	135	56	113	166
30	373	680	4,166	486	43	22	96	143	174	144	1,336	53	83	184	215	88	19	144	384	1,020
4	55	38	614	98	6	1	13	19	13	6	161	9	11	11	49	6	18	19	44	148
35	166	901	2,387	424	84	52	84	110	116	87	869	15	24	131	285	139	22	229	457	1,151
7	13	19	121	40	2	10	4	7	6	1	84	1	2	2	18	2	17	9	26	64
14	75	639	1,196	229	69	30	54	51	72	31	435	...	...	70	169	103	17	175	291	638
3	8	11	54	18	2	2	2	2	6	-	38	...	...	2	10	1	13	8	19	37
21	91	262	1,191	195	15	22	30	59	44	56	434	15	24	61	116	36	5	54	166	513
4	5	8	67	22	-	8	2	5	-	1	46	1	2	-	8	1	4	1	7	27
24	85	500	1,296	255	43	40	37	48	36	38	442	6	7	105	146	63	9	121	244	623
2	1	13	49	26	1	6	3	1	7	1	19	2	1	2	10	-	6	4	9	22
14	42	353	691	125	34	24	22	28	30	7	228	...	...	56	86	46	6	90	155	368
1	1	6	20	17	-	2	2	-	4	-	12	...	...	1	5	-	6	4	5	9
10	43	147	605	130	9	16	15	20	6	31	214	6	7	49	60	17	3	31	89	255
1	-	7	29	9	1	4	1	1	3	1	7	2	1	1	5	-	-	-	4	13
33	146	707	1,701	289	47	50	48	83	68	61	695	11	23	118	206	91	11	179	395	876
1	4	6	38	12	1	2	4	-	1	-	16	1	-	-	4	1	1	6	8	20
19	76	491	898	154	44	28	28	42	42	18	370	...	...	68	110	61	9	135	259	499
-	2	3	25	9	1	2	3	-	1	-	7	...	...	-	1	1	-	5	7	7
14	70	216	803	135	3	22	20	41	26	43	325	11	23	50	96	30	2	44	136	377
1	2	3	13	3	-	-	1	-	-	-	9	1	-	-	3	-	1	1	1	13
83	470	1,499	4,843	968	123	123	135	223	152	148	1,545	33	42	238	422	272	29	481	1,080	2,704
3	5	14	154	51	-	8	1	4	3	2	46	1	1	4	10	2	11	1	25	105
50	267	1,059	2,693	563	102	68	83	111	106	45	881	...	...	137	242	221	22	380	749	1,642
2	4	8	94	21	-	4	-	4	2	2	25	...	...	1	4	1	9	1	18	69
33	203	440	2,150	405	21	55	52	112	46	103	764	33	42	101	180	51	7	101	331	1,062
1	1	6	60	30	-	4	1	-	1	-	21	1	1	3	6	1	2	-	7	36

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
INDIANA	39,308	12	13	14	63	18	1,148	133	6	407	18	4,501	32	960	132	4	3,990
Both sexes White	37,273	11	13	14	60	17	953	101	5	344	17	4,331	30	928	127	3	3,796
Nonwhite	2,035	1	-	-	3	1	195	32	1	63	1	170	2	32	5	1	194
Male White	20,906	8	10	6	29	9	571	61	3	249	12	1,992	11	392	11	1	1,872
Nonwhite	1,111	1	-	-	3	1	117	16	-	45	1	72	-	6	-	-	100
Female White	16,367	3	3	8	31	8	382	40	2	95	5	2,339	19	536	116	2	1,924
Nonwhite	924	-	-	-	-	-	78	16	1	18	-	98	2	26	5	1	94
Urban White	20,564	3	6	5	28	10	507	54	3	187	9	2,480	21	504	68	2	1,975
Nonwhite	1,852	1	-	-	3	1	173	29	1	49	1	158	2	31	3	1	176
Male White	11,382	3	4	2	14	6	311	32	1	121	4	1,123	6	205	5	1	919
Nonwhite	996	1	-	-	3	1	108	14	-	33	1	66	-	6	-	-	90
Female White	9,182	-	2	3	14	4	196	22	2	66	5	1,357	15	299	63	1	1,056
Nonwhite	856	-	-	-	-	-	65	15	1	16	-	92	2	25	3	1	86
Places of 100,000 or more White	7,057	-	3	4	7	5	198	21	-	69	6	870	3	181	24	1	616
Nonwhite	1,274	-	-	-	1	1	128	25	1	35	1	104	2	26	3	1	131
Male White	3,931	-	3	2	5	3	127	11	-	39	3	409	1	72	1	1	290
Nonwhite	673	-	-	-	1	1	76	11	-	23	1	41	-	5	-	-	70
Female White	3,126	-	-	2	2	2	71	10	-	30	3	461	2	109	23	-	326
Nonwhite	601	-	-	-	-	-	52	14	1	12	-	63	2	21	3	1	61
Places of 25,000 to 100,000 White	6,500	2	-	-	9	2	150	13	3	70	1	778	9	159	19	-	600
Nonwhite	468	1	-	-	2	-	41	4	-	14	-	43	-	4	-	-	28
Male White	3,637	2	-	-	4	1	93	6	1	51	-	350	2	66	3	-	279
Nonwhite	269	1	-	-	2	-	28	3	-	10	-	19	-	1	-	-	12
Female White	2,863	-	-	-	5	1	57	7	2	19	1	428	7	93	16	-	321
Nonwhite	199	-	-	-	-	-	13	1	-	4	-	24	-	3	-	-	16
Places of 10,000 to 25,000 White	2,902	-	2	-	4	3	64	12	-	17	1	341	8	69	10	-	296
Nonwhite	66	-	-	-	-	-	3	-	-	-	-	6	-	1	-	-	9
Male White	1,571	-	-	-	3	2	41	9	-	10	1	145	3	30	-	-	130
Nonwhite	31	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	5
Female White	1,331	-	2	-	1	1	23	3	-	7	-	196	5	39	10	-	166
Nonwhite	35	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	4
Places of 2,500 to 10,000 White	4,105	1	1	1	8	-	95	8	-	31	1	491	1	95	15	1	468
Nonwhite	44	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	8
Male White	2,243	1	1	-	2	-	50	6	-	21	-	219	-	37	1	-	220
Nonwhite	23	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	3
Female White	1,862	-	-	1	6	-	45	2	-	10	1	272	1	58	14	1	243
Nonwhite	21	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	5
Rural White	16,709	8	7	9	32	7	446	47	2	157	8	1,851	9	424	59	1	1,821
Nonwhite	183	-	-	-	-	-	22	3	-	14	-	12	-	1	2	-	18
Male White	9,524	5	6	4	15	3	260	29	2	128	8	869	5	187	6	-	953
Nonwhite	115	-	-	-	-	-	9	2	-	12	-	6	-	-	-	-	10
Female White	7,185	3	1	5	17	4	186	18	-	29	-	982	4	237	53	1	868
Nonwhite	68	-	-	-	-	-	13	1	-	2	-	6	-	1	2	-	8
IOWA	25,001	-	3	9	29	9	379	48	-	194	8	3,599	14	632	61	2	2,794
Both sexes White	24,723	-	3	9	27	9	365	46	-	175	8	3,573	14	624	60	2	2,769
Nonwhite	278	-	-	-	2	-	14	2	-	19	-	26	-	8	1	-	25
Male White	13,831	-	3	5	11	6	219	26	-	120	6	1,753	5	275	9	1	1,356
Nonwhite	168	-	-	-	2	-	7	1	-	11	-	15	-	2	-	-	12
Female White	10,892	-	-	4	16	3	146	20	-	55	2	1,820	9	349	51	1	1,413
Nonwhite	110	-	-	-	-	-	7	1	-	8	-	11	-	6	1	-	13
Urban White	12,002	-	2	2	13	7	200	21	-	115	1	1,745	6	278	21	2	1,256
Nonwhite	241	-	-	-	2	-	9	2	-	15	-	23	-	8	1	-	21
Male White	6,607	-	2	2	5	4	115	12	-	81	1	841	3	115	2	1	585
Nonwhite	145	-	-	-	2	-	6	1	-	9	-	13	-	2	-	-	8
Female White	5,395	-	-	-	8	3	85	9	-	34	-	904	3	163	19	1	671
Nonwhite	96	-	-	-	-	-	3	1	-	6	-	10	-	6	1	-	13
Places of 100,000 or more White	1,461	-	1	-	3	-	21	1	-	13	-	205	-	21	4	-	144
Nonwhite	102	-	-	-	2	-	4	-	-	3	-	9	-	4	-	-	9
Male White	828	-	1	-	1	-	13	-	-	6	-	96	-	9	-	-	70
Nonwhite	57	-	-	-	2	-	2	-	-	1	-	4	-	-	-	-	3
Female White	633	-	-	-	2	-	8	1	-	7	-	109	-	12	4	-	74
Nonwhite	45	-	-	-	-	-	2	-	-	2	-	5	-	4	-	-	6
Places of 25,000 to 100,000 White	4,833	-	-	1	7	5	86	14	-	32	-	724	4	123	5	-	479
Nonwhite	73	-	-	-	-	-	3	-	-	5	-	6	-	2	1	-	6
Male White	2,681	-	-	1	1	3	48	9	-	20	-	362	2	54	-	-	223
Nonwhite	44	-	-	-	-	-	2	-	-	3	-	3	-	2	-	-	2
Female White	2,152	-	-	-	6	2	38	5	-	12	-	362	2	69	5	-	256
Nonwhite	29	-	-	-	-	-	1	-	-	2	-	3	-	-	1	-	4
Places of 10,000 to 25,000 White	1,662	-	-	-	-	1	26	2	-	12	-	248	-	36	3	-	178
Nonwhite	35	-	-	-	-	-	2	2	-	4	-	4	-	1	-	-	4
Male White	855	-	-	-	-	1	21	2	-	8	-	106	-	15	1	-	78
Nonwhite	23	-	-	-	-	-	2	1	-	2	-	3	-	-	-	-	2
Female White	807	-	-	-	-	-	5	-	-	4	-	142	-	21	2	-	100
Nonwhite	12	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	2
Places of 2,500 to 10,000 White	4,046	-	1	1	3	1	67	4	-	58	1	568	2	98	9	2	455
Nonwhite	31	-	-	-	-	-	-	-	-	3	-	4	-	1	-	-	2
Male White	2,243	-	1	1	3	-	33	1	-	47	1	277	1	37	1	1	214
Nonwhite	21	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	1
Female White	1,803	-	-	-	-	1	34	3	-	11	-	291	1	61	8	1	241
Nonwhite	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1
Rural White	12,721	-	1	7	14	2	165	25	-	60	7	1,828	8	346	39	-	1,513
Nonwhite	37	-	-	-	-	-	5	-	-	4	-	3	-	-	-	-	4
Male White	7,224	-	1	3	6	2	104	14	-	39	5	912	2	160	7	-	771
Nonwhite	23	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	4
Female White	5,497	-	-	4	8	-	61	11	-	21	2	916	6	186	32	-	742
Nonwhite	14	-	-	-	-	-	4	-	-	2	-	1	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
146	678	3,450	6,742	2,107	213	282	255	338	264	229	3,545	82	96	435	838	453	112	959	1,912	4,721
135	630	3,384	6,419	1,944	201	269	240	314	253	226	3,341	77	92	424	786	447	61	913	1,840	4,527
11	48	66	323	163	12	13	15	24	11	3	204	5	4	11	52	6	51	46	72	194
80	355	2,424	3,524	1,064	169	149	150	160	162	62	1,830	...	...	239	471	325	43	711	1,160	2,591
4	19	44	160	102	6	7	7	13	8	1	101	...	...	5	28	3	44	36	50	111
55	275	960	2,895	880	32	120	90	154	91	164	1,511	77	92	185	315	122	18	202	680	1,936
7	29	22	163	61	6	6	8	11	3	2	103	5	4	6	24	3	7	10	22	83
72	342	2,000	3,491	1,059	118	151	150	188	158	128	1,773	41	43	269	484	251	39	491	1,022	2,432
10	46	54	288	157	12	13	15	24	8	3	191	5	4	11	50	6	48	43	67	168
45	192	1,426	1,853	595	96	82	93	105	104	36	956	...	...	151	284	179	25	386	656	1,361
4	17	36	138	98	6	7	7	13	5	1	93	...	...	5	26	3	41	33	46	94
27	150	574	1,638	464	22	69	57	83	54	92	817	41	43	118	200	72	14	105	366	1,071
6	29	18	150	59	6	6	8	11	3	2	98	5	4	6	24	3	7	10	21	74
23	117	676	1,177	339	46	57	40	67	59	38	631	15	12	87	167	98	16	165	328	891
6	32	28	190	103	6	6	12	18	6	2	113	3	3	8	37	5	34	37	51	115
14	68	508	621	190	39	33	30	38	41	11	318	...	...	50	99	65	12	121	209	497
3	15	16	86	67	2	2	7	11	4	1	47	...	...	4	19	2	28	29	32	69
9	49	168	556	149	7	24	10	29	18	27	313	15	12	37	68	33	4	44	119	394
3	17	12	104	36	4	4	5	7	2	1	66	3	3	4	18	3	6	8	19	46
19	113	628	1,123	376	31	39	53	61	60	50	465	15	19	89	177	79	11	163	344	770
4	11	20	77	47	5	4	3	6	2	1	63	2	-	3	12	1	14	5	13	38
13	56	435	608	214	24	19	34	29	39	14	259	...	...	48	103	57	6	134	241	446
1	2	17	42	26	4	3	-	2	1	-	39	...	...	1	6	1	13	3	11	21
6	57	193	515	162	7	20	19	32	21	36	206	15	19	41	74	22	5	29	103	324
3	9	3	35	21	1	1	3	4	1	1	24	2	-	2	6	-	1	2	2	17
12	54	287	492	136	23	25	22	21	13	16	263	6	5	42	58	35	6	65	154	340
-	-	1	11	6	1	2	-	-	-	-	9	-	1	-	1	-	-	1	3	11
6	33	189	259	79	19	14	13	12	6	3	149	...	...	24	35	24	6	50	91	185
-	-	-	4	4	-	1	-	-	-	-	4	...	...	-	1	-	-	1	3	2
6	21	98	233	57	4	11	9	9	7	13	114	6	5	18	23	11	-	15	63	155
-	-	1	7	2	1	1	-	-	-	-	5	-	1	-	-	-	-	-	-	9
18	58	409	699	208	18	30	35	39	26	24	414	5	7	51	82	39	6	98	196	431
-	3	5	10	1	-	1	-	-	-	-	6	-	-	-	-	-	-	-	-	4
12	35	294	365	112	14	16	16	26	18	8	230	...	...	29	47	33	1	81	115	233
-	-	3	6	1	-	1	-	-	-	-	3	...	...	-	-	-	-	-	-	2
6	23	115	334	96	4	14	19	13	8	16	184	5	7	22	35	6	5	17	81	198
-	3	2	4	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2
63	288	1,384	2,928	885	83	118	90	126	95	98	1,568	36	49	155	302	196	22	422	818	2,095
1	2	12	35	6	-	-	-	-	3	-	13	-	-	-	2	-	3	3	5	26
35	163	998	1,671	469	73	67	57	55	58	26	874	...	...	88	187	146	18	325	504	1,230
-	2	8	22	4	-	-	-	-	3	-	8	...	...	-	2	-	3	3	4	17
28	125	386	1,257	416	10	51	33	71	37	72	694	36	49	67	115	50	4	97	314	865
1	-	4	13	2	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	9
91	500	2,758	3,935	1,163	172	107	174	215	135	143	1,601	42	52	293	558	307	30	447	1,259	3,238
90	496	2,739	3,883	1,149	172	105	173	212	133	143	1,581	42	51	292	553	304	26	444	1,251	3,200
1	4	19	52	14	-	2	1	3	2	-	20	-	1	1	5	3	4	3	8	38
43	257	1,903	2,122	627	150	52	106	112	93	51	881	...	...	148	324	243	12	333	770	1,809
-	2	12	32	11	-	1	1	3	1	-	11	...	...	1	2	3	3	3	6	26
47	239	836	1,761	522	22	53	67	100	40	92	700	42	51	144	229	61	14	111	481	1,391
1	2	7	20	3	-	1	-	-	1	-	9	-	1	-	3	-	1	-	2	12
38	239	1,435	1,929	527	96	56	84	100	70	66	750	14	19	146	290	123	17	209	629	1,496
-	4	15	47	12	-	2	1	2	2	-	18	-	1	1	5	2	4	3	7	34
24	108	997	1,033	288	86	27	53	50	52	25	410	...	...	66	170	90	7	160	367	825
-	2	10	30	9	-	1	1	2	1	-	10	...	...	1	2	2	3	3	5	22
14	131	438	896	239	10	29	31	50	18	41	340	14	19	80	120	33	10	49	262	671
-	2	5	17	3	-	1	-	-	1	-	8	-	1	-	3	-	1	-	2	12
5	36	205	239	67	10	6	12	14	16	9	63	-	2	20	35	14	3	44	75	173
-	1	6	24	6	-	1	-	1	2	-	3	-	1	1	1	1	2	2	3	16
3	14	158	147	24	10	4	7	9	12	-	39	...	...	11	19	11	-	32	40	92
-	-	3	15	5	-	1	-	1	1	-	2	...	...	1	1	1	1	2	2	9
2	22	47	92	43	-	2	5	5	4	9	24	-	2	9	16	3	3	12	35	81
-	1	3	9	1	-	-	-	-	1	-	1	-	1	-	-	-	1	-	1	7
13	94	579	817	212	37	33	37	34	23	22	328	9	13	69	129	45	4	75	249	531
-	1	5	15	4	-	1	1	1	-	-	8	-	-	-	3	1	1	1	1	7
13	51	405	432	128	32	15	24	15	16	7	170	...	...	29	77	31	2	59	159	293
-	1	3	10	2	-	-	1	1	-	-	5	...	...	-	-	1	1	1	1	5
-	43	174	385	84	5	18	13	19	7	15	158	9	13	40	52	14	2	16	90	238
-	-	2	5	2	-	1	-	-	-	-	3	-	-	-	3	-	-	-	-	2
9	30	211	270	59	14	5	12	19	6	10	115	1	1	7	38	21	5	29	97	197
-	-	3	5	1	-	-	-	-	-	-	4	-	-	-	-	-	1	-	2	2
4	8	136	134	24	13	4	6	9	4	4	64	...	...	5	22	13	2	20	50	101
-	-	3	3	1	-	-	-	-	-	-	2	...	...	-	-	-	1	-	1	2
5	22	75	136	35	1	1	6	10	2	6	51	1	1	2	16	8	3	9	47	96
-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
11	79	440	603	189	35	12	23	33	25	25	244	4	3	50	88	43	5	61	208	595
-	2	1	3	1	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	9
4	35	298	320	112	31	4	16	17	20	14	137	...	...	21	52	35	3	49	118	339
-	1	1	2	1	-	-	-	-	-	-	1	...	...	-	1	-	-	-	1	6
7	44	142	283	77	4	8	7	16	5	11	107	4	3	29	36	8	2	12	90	256
-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	3
52	257	1,304	1,954	622	76	49	89	112	63	77	831	28	32	146	263	181	9	235	622	1,704
1	-	4	5	2	-	-	-	1	-	-	2	-	-	-	-	1	-	-	1	4
19	149	906	1,089	339	64	25	53	62	41	26	471	...	...	82	154	153	5	173	403	984
-	-	2	2	2	-	-	-	1	-	-	1	...	...	-	-	1	-	-	1	4
33	108	398	865	283	12	24	36	50	22	51	360	28	32	64	109	28	4	62	219	720
1	-	2	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respirstory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
KANSAS	18,149	5	8	7	15	10	399	39	-	189	19	2,234	18	441	69	8	2,002
Both sexes—White	17,123	5	7	7	15	9	338	29	-	156	18	2,135	17	420	68	7	1,893
Nonwhite	1,026	-	1	-	-	1	61	10	-	33	1	99	1	21	1	1	109
Male—White	9,734	2	6	4	6	9	212	21	-	122	12	1,019	7	207	11	2	985
Nonwhite	561	-	1	-	-	-	35	7	-	24	-	40	-	8	-	-	51
Female—White	7,389	3	1	3	9	-	126	8	-	34	6	1,116	10	213	57	5	908
Nonwhite	465	-	-	-	-	1	26	3	-	9	1	59	1	13	1	1	58
Urban—White	7,879	4	3	1	7	3	177	16	-	73	6	987	9	195	29	4	806
Nonwhite	805	-	1	-	-	1	41	7	-	17	1	79	1	19	1	1	63
Male—White	4,383	1	2	1	2	3	118	11	-	60	4	467	3	91	5	2	412
Nonwhite	421	-	1	-	-	-	25	6	-	11	-	28	-	7	-	-	37
Female—White	3,496	3	1	-	5	-	59	5	-	13	2	520	6	104	24	2	394
Nonwhite	384	-	-	-	-	1	16	1	-	6	1	51	1	12	1	1	46
Places of 100,000 or more—White	2,229	2	-	-	2	2	55	7	-	25	2	268	6	65	5	1	189
Nonwhite	380	-	-	-	-	1	21	4	-	9	-	35	-	11	1	1	31
Male—White	1,288	1	-	-	-	2	37	6	-	21	1	125	3	26	3	-	93
Nonwhite	209	-	-	-	-	-	15	4	-	5	-	13	-	4	-	-	12
Female—White	941	1	-	-	2	-	18	1	-	4	1	143	3	39	2	1	96
Nonwhite	171	-	-	-	-	1	6	-	-	4	-	22	-	7	1	1	19
Places of 25,000 to 100,000—White	1,059	-	1	-	2	-	28	2	-	8	-	160	1	31	2	1	100
Nonwhite	94	-	-	-	-	-	3	1	-	2	-	9	-	4	-	-	15
Male—White	583	-	1	-	1	-	15	1	-	5	-	78	-	16	1	1	51
Nonwhite	47	-	-	-	-	-	2	-	-	2	-	1	-	1	-	-	7
Female—White	476	-	-	-	1	-	13	1	-	3	-	82	1	15	1	-	49
Nonwhite	47	-	-	-	-	-	1	1	-	-	-	8	-	3	-	-	8
Places of 10,000 to 25,000—White	2,285	1	-	-	1	1	49	3	-	22	-	287	1	50	11	1	264
Nonwhite	251	-	-	-	-	-	11	2	-	4	-	24	1	4	-	-	28
Male—White	1,239	-	-	-	-	1	31	2	-	16	-	133	-	23	-	-	140
Nonwhite	128	-	-	-	-	-	5	2	-	2	-	9	-	2	-	-	12
Female—White	1,046	1	-	-	1	-	18	1	-	6	-	154	1	27	11	1	124
Nonwhite	123	-	-	-	-	-	6	-	-	2	-	15	1	2	-	-	16
Places of 2,500 to 10,000—White	2,306	1	2	1	2	-	45	4	-	18	4	272	1	49	11	1	253
Nonwhite	80	-	1	-	-	-	6	-	-	2	1	11	-	-	-	-	9
Male—White	1,273	-	1	1	1	-	35	2	-	18	3	131	-	26	1	1	128
Nonwhite	37	-	1	-	-	-	3	-	-	2	-	5	-	-	-	-	6
Female—White	1,033	1	1	-	1	-	10	2	-	-	1	141	1	23	10	-	125
Nonwhite	43	-	-	-	-	-	3	-	-	-	1	6	-	-	-	-	3
Rural—White	9,244	1	4	6	8	6	161	13	-	83	12	1,148	8	225	39	3	1,087
Nonwhite	221	-	-	-	-	-	20	3	-	16	-	20	-	2	-	-	26
Male—White	5,351	1	4	3	4	6	94	10	-	62	8	552	4	116	6	-	573
Nonwhite	140	-	-	-	-	-	10	1	-	13	-	12	-	1	-	-	14
Female—White	3,893	-	-	3	4	-	67	3	-	21	4	596	4	109	33	3	514
Nonwhite	81	-	-	-	-	-	10	2	-	3	-	8	-	1	-	-	12
KENTUCKY	28,279	45	32	26	120	64	1,634	207	13	296	26	2,573	25	443	42	48	2,580
Both sexes—White	24,546	40	30	26	104	61	1,352	166	13	198	25	2,354	21	393	35	47	2,237
Nonwhite	3,733	5	2	-	16	3	282	41	-	98	1	219	4	50	7	1	343
Male—White	13,843	21	20	15	68	34	710	98	7	139	17	1,047	11	180	4	19	1,175
Nonwhite	2,029	2	2	-	6	1	146	18	-	72	1	90	2	19	1	1	157
Female—White	10,703	19	10	11	36	27	642	68	6	59	8	1,307	10	213	31	28	1,062
Nonwhite	1,704	3	-	-	10	2	136	23	-	26	-	129	2	31	6	-	186
Urban—White	9,287	8	10	7	26	11	389	47	3	89	8	1,042	6	179	15	7	815
Nonwhite	2,351	4	1	-	8	2	184	27	-	47	1	143	2	40	4	1	210
Male—White	5,124	4	4	2	17	5	226	28	1	69	4	467	2	70	2	2	409
Nonwhite	1,259	2	1	-	2	1	97	10	-	34	1	56	1	13	1	1	97
Female—White	4,163	4	6	5	9	6	163	19	2	20	4	575	4	109	13	5	406
Nonwhite	1,092	2	-	-	6	1	87	17	-	13	-	87	1	27	3	-	113
Places of 100,000 or more—White	3,399	-	7	3	4	1	111	19	2	21	1	400	3	67	5	2	237
Nonwhite	915	1	-	-	2	-	71	11	-	12	-	51	1	15	1	-	73
Male—White	1,919	-	4	1	3	-	75	12	1	13	1	193	1	26	-	1	112
Nonwhite	488	1	-	-	-	-	40	3	-	12	-	20	1	6	1	-	31
Female—White	1,480	-	3	2	1	1	36	7	1	8	-	207	2	41	5	1	125
Nonwhite	427	-	-	-	2	-	31	8	-	-	-	31	-	9	-	-	42
Places of 25,000 to 100,000—White	2,654	-	1	1	3	6	125	16	-	49	2	303	1	45	5	2	247
Nonwhite	561	1	1	-	-	1	43	7	-	15	-	50	-	5	1	-	50
Male—White	1,442	-	-	1	2	3	72	10	-	40	1	137	-	19	1	-	127
Nonwhite	306	-	1	-	-	-	23	3	-	11	-	17	-	1	-	-	22
Female—White	1,212	-	1	-	1	3	53	6	-	9	1	166	1	26	4	2	120
Nonwhite	255	1	-	-	-	1	20	4	-	4	-	33	-	4	1	-	28
Places of 10,000 to 25,000—White	777	1	1	-	3	1	30	3	-	4	1	76	-	13	-	1	88
Nonwhite	253	1	-	-	1	-	16	3	-	7	1	7	-	7	1	-	24
Male—White	424	-	-	-	2	1	12	1	-	4	-	27	-	6	-	-	49
Nonwhite	139	1	-	-	-	-	7	1	-	5	1	3	-	3	-	-	13
Female—White	353	1	1	-	1	-	18	2	-	-	1	49	-	7	-	1	39
Nonwhite	114	-	-	-	1	-	9	2	-	2	-	4	-	4	1	-	11
Places of 2,500 to 10,000—White	2,457	7	1	3	16	3	123	9	1	15	4	263	2	54	5	2	243
Nonwhite	622	1	-	-	5	1	54	6	-	13	-	35	1	13	1	1	63
Male—White	1,339	4	-	-	10	1	67	5	-	12	2	110	1	19	1	1	121
Nonwhite	326	-	-	-	2	1	27	3	-	6	-	16	-	3	-	1	31
Female—White	1,118	3	1	3	6	2	56	4	1	3	2	153	1	35	4	1	122
Nonwhite	296	1	-	-	3	-	27	3	-	7	-	19	1	10	1	-	32
Rural—White	15,259	32	20	19	78	50	963	119	10	109	17	1,312	15	214	20	40	1,422
Nonwhite	1,382	1	1	-	8	1	98	14	-	51	-	76	2	10	3	-	133
Male—White	8,719	17	16	13	51	29	484	70	6	70	13	580	9	110	2	17	766
Nonwhite	770	-	1	-	4	-	49	8	-	38	-	34	1	6	-	-	60
Female—White	6,540	15	4	6	27	21	479	49	4	39	4	732	6	104	18	23	656
Nonwhite	612	1	-	-	4	1	49	6	-	13	-	42	1	4	3	-	73

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
80	336	1,737	2,960	773	134	96	132	171	93	122	1,487	49	39	234	395	215	54	361	982	2,236
77	305	1,691	2,793	690	132	83	128	162	88	119	1,381	46	37	232	385	212	35	341	930	2,132
3	31	46	167	83	2	13	4	9	5	3	106	3	2	2	10	3	19	20	52	104
38	169	1,178	1,580	380	109	43	78	83	54	36	777	...	...	124	233	162	25	256	570	1,214
1	21	31	80	49	1	12	2	5	5	1	55	...	...	-	6	3	17	15	36	55
39	136	513	1,213	310	23	40	50	79	34	83	604	46	37	108	152	50	10	85	360	918
2	10	15	87	34	1	1	2	4	-	2	51	3	2	2	4	-	2	5	16	49
36	135	846	1,262	322	66	45	54	80	46	56	608	21	19	118	231	84	21	152	376	981
3	26	41	138	65	2	9	3	8	4	2	88	2	1	1	9	3	16	13	43	76
19	76	578	685	187	53	19	31	44	28	15	325	...	...	61	136	60	17	116	224	527
1	17	26	62	37	1	8	2	5	4	1	48	...	...	-	5	3	14	9	28	35
17	59	268	577	135	13	26	23	36	18	41	283	21	19	57	95	24	4	36	152	454
2	9	15	76	28	1	1	1	3	-	1	40	2	1	1	4	-	2	4	15	41
12	41	266	346	107	19	14	13	18	14	11	152	6	6	40	90	33	13	48	107	244
1	15	16	71	35	2	4	1	5	3	-	36	-	1	-	5	1	12	9	26	23
8	23	189	195	60	15	6	7	10	10	5	86	...	...	20	52	21	11	39	74	139
1	10	12	32	22	1	4	1	3	3	-	20	...	...	-	2	1	10	6	16	12
4	18	77	151	47	4	8	6	8	4	6	66	6	6	20	38	12	2	9	33	105
-	5	4	39	13	1	-	-	2	-	-	16	-	1	-	3	-	2	3	10	11
2	8	113	164	42	7	3	7	8	9	8	79	4	1	10	35	18	1	26	50	128
-	2	6	20	5	-	-	1	-	-	-	16	1	-	-	1	-	-	2	3	3
1	7	72	92	22	5	-	4	4	5	3	39	...	...	5	26	15	-	19	27	67
-	1	4	10	3	-	-	1	-	-	-	8	...	...	-	1	-	-	2	3	1
1	1	41	72	20	2	3	3	4	4	5	40	4	1	5	9	3	1	7	23	61
-	1	2	10	2	-	-	-	-	-	-	8	1	-	-	-	-	-	-	-	2
10	42	245	366	87	22	17	12	28	8	16	193	5	3	31	43	17	4	31	97	317
2	7	16	33	20	-	5	-	2	1	2	31	1	-	-	2	2	3	2	12	36
3	22	157	200	55	17	6	6	16	5	3	108	...	...	19	23	12	4	23	55	159
-	6	8	13	11	-	4	-	2	1	1	17	...	...	-	2	2	3	1	8	17
7	20	88	166	32	5	11	6	12	3	13	85	5	3	12	20	5	-	8	42	156
2	1	8	20	9	-	1	-	-	-	1	14	1	-	-	-	-	-	1	4	19
12	44	222	386	86	18	11	22	26	15	21	184	6	9	37	63	16	3	47	122	292
-	2	3	14	5	-	-	1	1	-	-	5	-	-	1	1	-	1	-	2	14
7	24	160	198	50	16	7	14	14	8	4	92	...	...	17	35	12	2	35	68	162
-	-	2	7	1	-	-	-	-	-	-	3	...	...	-	-	-	1	-	1	5
5	20	62	188	36	2	4	8	12	7	17	92	6	9	20	28	4	1	12	54	130
-	2	1	7	4	-	-	1	1	-	-	2	-	-	1	1	-	-	-	1	9
41	170	845	1,531	368	66	38	74	82	42	63	773	25	18	114	154	128	14	189	554	1,151
-	5	5	29	18	-	4	1	1	1	1	18	1	1	1	1	-	3	7	9	28
19	93	600	895	193	56	24	47	39	26	21	452	...	...	63	97	102	8	140	346	687
-	4	5	18	12	-	4	-	-	1	-	7	...	...	-	1	-	3	6	8	20
22	77	245	636	175	10	14	27	43	16	42	321	25	18	51	57	26	6	49	208	464
-	1	-	11	6	-	-	1	1	-	1	11	1	1	1	-	-	-	1	1	8
118	454	1,729	4,572	2,215	182	449	204	183	142	119	2,120	60	118	354	902	299	303	565	1,547	3,470
103	408	1,520	3,877	1,912	168	404	183	150	131	113	1,717	47	103	337	830	284	182	517	1,401	3,057
15	46	209	695	303	14	45	21	33	11	6	403	13	15	17	72	15	121	48	146	413
60	222	1,042	2,158	1,005	125	210	104	92	94	32	975	...	...	189	487	222	162	424	942	1,733
8	26	121	377	180	10	24	13	18	6	2	228	...	...	7	39	10	92	36	100	214
43	186	478	1,719	907	43	194	79	58	37	81	742	47	103	148	343	62	20	93	459	1,324
7	20	88	318	123	4	21	8	15	5	4	175	13	15	10	33	5	29	12	46	199
35	149	882	1,499	544	83	100	79	56	73	55	677	22	29	131	329	102	55	189	504	1,032
8	27	160	449	186	10	22	12	24	9	3	276	5	8	8	44	11	84	26	82	223
20	72	603	747	283	66	50	42	32	56	18	357	...	...	74	203	77	49	155	320	588
5	14	89	240	110	7	12	8	13	5	1	155	...	...	3	22	8	64	20	51	115
15	77	279	752	261	17	50	37	24	17	37	320	22	29	57	126	25	6	34	184	444
3	13	71	209	76	3	10	4	11	4	2	121	5	8	5	22	3	20	6	31	108
15	59	434	569	185	29	22	35	21	30	20	236	6	7	50	136	36	14	70	159	383
3	15	115	174	68	5	5	5	10	3	1	92	2	2	2	16	4	44	12	26	73
9	34	299	267	99	27	10	18	11	26	7	136	...	...	29	85	24	13	57	105	220
1	6	62	93	38	4	2	4	5	3	1	50	...	...	-	7	3	32	9	17	36
6	25	135	302	86	2	12	17	10	4	13	100	6	7	21	51	12	1	13	54	163
2	9	53	81	30	1	3	1	5	-	-	42	2	2	2	9	1	12	3	9	37
9	45	202	481	161	25	28	18	14	19	21	172	5	10	40	82	27	20	50	167	252
2	6	23	138	40	2	5	4	6	4	1	57	1	1	3	12	2	14	4	20	42
5	17	140	227	84	18	14	11	9	15	7	84	...	...	24	52	21	18	39	103	141
2	4	14	78	26	2	3	2	5	-	-	28	...	...	1	5	1	11	3	13	30
4	28	62	254	77	7	14	7	5	4	14	88	5	10	16	30	6	2	11	64	111
-	2	9	60	14	-	2	2	1	4	1	29	1	1	2	7	1	3	1	7	12
4	11	52	112	46	13	16	6	4	8	4	59	4	1	10	28	7	6	12	46	106
1	3	4	32	20	1	2	1	5	1	-	49	1	1	2	3	2	8	2	11	36
3	5	38	62	26	9	11	1	2	5	-	30	...	...	6	22	5	5	10	27	55
1	2	2	14	11	-	2	-	2	1	-	32	...	...	2	3	2	7	2	7	15
1	6	14	50	20	4	5	5	2	3	4	29	4	1	4	6	2	1	2	19	51
-	1	2	18	9	1	-	1	3	-	-	17	1	1	-	-	-	1	-	4	21
7	34	194	337	152	16	34	20	17	16	10	210	7	11	31	83	32	15	57	132	291
2	3	18	105	58	2	10	2	3	1	1	78	1	4	1	13	3	18	8	25	72
3	16	126	191	74	12	15	12	10	10	4	107	...	...	15	44	27	13	49	85	172
1	2	11	55	35	1	5	2	1	1	-	45	...	...	-	7	2	14	6	14	34
4	18	68	146	78	4	19	8	7	6	6	103	7	11	16	39	5	2	8	47	119
1	1	7	50	23	1	5	-	2	-	1	33	1	4	1	6	1	4	2	11	38
68	259	638	2,378	1,368	85	304	104	94	58	58	1,040	25	74	206	501	182	127	328	897	2,025
7	19	49	246	117	4	23	9	9	2	3	127	8	7	9	28	4	37	22	64	190
40	150	439	1,411	722	59	160	62	60	38	14	618	...	...	115	284	145	113	269	622	1,145
3	12	32	137	70	3	12	5	5	1	1	73	...	...	4	17	2	28	16	49	99
28	109	199	967	646	26	144	42	34	20	44	422	25	74	91	217	37	14	59	275	880
4	7	17	109	47	1	11	4	4	1	2	54	8	7	5	11	2	9	6	15	91

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
LOUISIANA	23,010	40	13	2	69	42	1,125	86	57	533	8	2,104	29	383	37	58	1,708
Both sexes—White	12,568	15	11	2	23	27	433	26	18	104	4	1,371	9	258	22	19	875
Nonwhite	10,442	25	2	-	46	15	692	60	39	429	4	733	20	125	15	39	833
Male—White	7,435	10	6	2	7	19	290	14	9	76	3	721	4	94	3	7	470
Nonwhite	5,538	14	2	-	20	8	383	38	19	268	2	313	11	41	1	9	387
Female—White	5,133	5	5	-	16	8	143	12	9	28	1	650	5	164	19	12	405
Nonwhite	4,904	11	-	-	25	7	309	22	20	161	2	420	9	84	14	30	446
Urban—White	7,150	4	5	1	10	6	275	13	7	79	1	836	3	165	14	6	486
Nonwhite	4,996	5	2	-	16	3	367	27	11	240	1	364	6	64	11	11	406
Male—White	4,115	2	5	1	3	3	185	8	3	63	1	427	2	52	2	2	250
Nonwhite	2,618	5	2	-	5	3	210	17	6	161	1	167	5	17	1	3	182
Female—White	3,035	2	-	-	7	3	90	5	4	16	-	409	1	113	12	4	236
Nonwhite	2,378	-	-	-	11	-	177	10	5	79	-	197	1	47	10	8	224
Places of 100,000 or more—White	3,907	-	3	-	4	1	152	7	-	43	-	510	-	98	4	3	282
Nonwhite	2,168	-	1	-	7	-	187	7	-	96	-	168	2	27	7	3	202
Male—White	2,197	-	3	-	1	-	117	3	-	37	-	252	-	30	-	1	143
Nonwhite	1,136	-	1	-	2	-	112	6	-	66	-	83	2	4	1	1	87
Female—White	1,710	-	-	-	3	1	35	4	-	6	-	258	-	68	4	2	139
Nonwhite	1,032	-	-	-	5	-	75	1	-	30	-	85	-	23	6	2	115
Places of 25,000 to 100,000—White	1,150	1	1	-	-	-	37	2	1	11	1	119	-	27	1	1	72
Nonwhite	1,170	3	-	-	3	2	72	7	4	47	1	81	2	18	3	4	88
Male—White	697	-	1	-	-	-	19	1	1	7	1	58	-	13	-	-	39
Nonwhite	617	3	-	-	1	2	40	3	2	29	1	39	2	5	-	1	42
Female—White	453	1	-	-	-	-	18	1	-	4	-	61	-	14	1	1	33
Nonwhite	553	-	-	-	2	-	32	4	2	18	-	42	-	13	3	3	46
Places of 10,000 to 25,000—White	464	-	-	-	2	1	17	2	-	1	-	53	1	12	3	-	35
Nonwhite	361	1	-	-	1	-	36	3	-	11	-	27	-	7	-	-	24
Male—White	270	-	-	-	1	-	8	2	-	1	-	33	1	4	-	-	15
Nonwhite	185	1	-	-	-	-	20	1	-	8	-	12	-	2	-	-	6
Female—White	194	-	-	-	1	1	9	-	-	-	-	20	-	8	3	-	20
Nonwhite	176	-	-	-	1	-	16	2	-	3	-	15	-	5	-	-	18
Places of 2,500 to 10,000—White	1,629	3	1	1	4	4	69	2	6	24	-	154	2	28	6	2	97
Nonwhite	1,297	1	1	-	5	1	92	10	7	86	-	88	2	12	1	4	92
Male—White	951	2	1	1	1	3	41	2	2	18	-	84	1	5	2	1	53
Nonwhite	680	1	1	-	2	1	38	7	4	58	-	33	1	6	-	1	47
Female—White	678	1	-	-	3	1	28	-	4	6	-	70	1	23	4	1	44
Nonwhite	617	-	-	-	3	-	54	3	3	28	-	55	1	6	1	3	45
Rural—White	5,418	11	6	1	13	21	158	13	11	25	3	535	6	93	8	13	389
Nonwhite	5,446	20	-	-	30	12	305	33	28	189	3	369	14	61	4	28	427
Male—White	3,320	8	1	1	4	16	105	6	6	13	2	294	2	42	1	5	220
Nonwhite	2,920	9	-	-	15	5	173	21	13	107	1	146	6	24	-	6	205
Female—White	2,098	3	5	-	9	5	53	7	5	12	1	241	4	51	7	8	169
Nonwhite	2,526	11	-	-	15	7	132	12	15	82	2	223	8	37	4	22	222
MAINE	10,446	4	24	6	25	3	237	21	1	52	4	1,310	9	252	6	4	1,054
Both sexes—White	10,399	4	24	6	25	3	234	21	1	52	4	1,307	9	250	6	4	1,054
Nonwhite	47	-	-	-	-	-	3	-	-	-	-	3	-	2	-	-	-
Male—White	5,754	1	17	5	15	2	127	14	1	35	4	601	3	105	1	4	489
Nonwhite	32	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Female—White	4,645	3	7	1	10	1	107	7	-	17	-	706	6	145	5	-	565
Nonwhite	15	-	-	-	-	-	1	-	-	-	-	3	-	2	-	-	-
Urban—White	4,271	1	12	1	11	1	118	9	1	28	1	514	4	105	6	-	423
Nonwhite	20	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-
Male—White	2,253	-	7	-	4	-	63	5	1	17	1	222	2	37	1	-	177
Nonwhite	13	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Female—White	2,018	1	5	1	7	1	55	4	-	11	-	292	2	68	5	-	246
Nonwhite	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000—White	1,907	-	6	-	4	1	52	5	-	15	-	227	2	53	3	-	169
Nonwhite	15	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Male—White	1,026	-	4	-	1	-	28	3	-	9	-	103	-	19	1	-	65
Nonwhite	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	881	-	2	-	3	1	24	2	-	6	-	124	2	34	2	-	104
Nonwhite	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000—White	1,293	-	2	-	2	-	31	2	-	12	1	158	1	23	1	-	138
Nonwhite	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male—White	665	-	-	-	1	-	14	1	-	7	1	63	1	9	-	-	61
Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female—White	628	-	2	-	1	-	17	1	-	5	-	95	-	14	1	-	77
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	1,071	1	4	1	5	-	35	2	1	1	-	129	1	29	2	-	116
Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male—White	562	-	3	-	2	-	21	1	1	1	-	56	1	9	-	-	51
Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female—White	509	1	1	1	3	-	14	1	-	-	-	73	-	20	2	-	65
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	6,128	3	12	5	14	2	116	12	-	24	3	793	5	145	-	4	631
Nonwhite	27	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Male—White	3,501	1	10	5	11	2	64	9	-	18	3	379	1	68	-	4	312
Nonwhite	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	2,627	2	2	-	3	-	52	3	-	6	-	414	4	77	-	-	319
Nonwhite	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
79	353	1,172	4,306	1,689	141	268	156	203	187	61	1,867	73	128	252	780	179	268	457	1,211	2,885
46	160	882	2,474	803	82	102	94	115	137	47	915	38	66	165	415	159	55	309	773	1,514
33	193	290	1,832	886	59	166	62	88	50	14	952	35	62	87	365	20	213	148	438	1,372
28	86	645	1,433	442	71	50	57	66	92	18	496	...	...	98	231	121	42	243	589	892
12	82	165	945	492	44	93	33	48	30	8	442	...	...	56	204	12	167	117	320	752
18	74	237	1,041	361	11	52	37	49	45	29	419	38	66	67	184	38	13	66	184	622
21	111	125	887	394	15	73	29	40	20	6	510	35	62	31	161	8	46	31	118	620
22	76	512	1,584	384	47	38	48	67	98	27	536	24	26	94	257	92	23	154	383	747
19	74	120	940	410	35	63	31	39	27	8	459	14	22	32	225	7	124	61	178	554
12	39	379	908	215	41	17	31	38	64	10	275	...	...	58	132	66	17	116	274	414
6	25	67	481	213	25	36	15	18	16	5	205	...	...	21	120	4	97	50	128	301
10	37	133	676	169	6	21	17	29	34	17	261	24	26	36	125	26	6	38	109	333
13	49	53	459	197	10	27	16	21	11	3	254	14	22	11	105	3	27	11	50	253
8	45	235	1,047	200	27	14	18	34	67	14	320	11	9	31	103	50	9	73	195	290
9	41	32	518	188	18	21	15	13	13	3	142	4	7	10	93	3	65	32	77	157
6	22	167	589	112	22	5	12	15	43	5	155	...	...	19	48	39	7	53	135	156
1	12	19	267	99	12	14	7	5	8	2	59	...	...	7	43	1	51	27	56	81
2	23	68	458	88	5	9	6	19	24	9	165	11	9	12	55	11	2	20	60	134
8	29	13	251	89	6	7	8	8	5	1	83	4	7	3	50	2	14	5	21	76
5	8	121	151	58	7	6	5	7	13	8	70	6	7	24	74	26	7	30	74	169
3	9	50	178	87	8	12	6	6	10	3	158	4	5	5	67	-	25	14	45	140
3	6	97	98	32	7	3	4	3	11	3	37	...	...	16	41	14	6	22	54	100
1	4	32	97	50	5	3	2	4	6	2	70	...	...	3	39	-	19	10	29	71
2	2	24	53	26	-	3	1	4	2	5	33	6	7	8	33	12	1	8	20	69
2	5	18	81	37	3	9	4	2	4	1	88	4	5	2	28	-	6	4	16	69
1	3	36	74	24	2	2	5	6	8	-	33	1	4	4	25	3	2	6	27	71
1	2	9	65	30	-	6	3	-	1	-	33	2	2	4	22	2	6	3	11	49
-	2	31	41	9	1	1	4	5	5	-	24	...	...	4	15	3	2	3	22	33
1	-	5	38	15	-	5	3	-	-	-	11	...	...	1	12	1	5	3	9	26
1	1	5	33	15	1	1	1	1	3	-	9	1	4	-	10	-	-	3	5	38
-	2	4	27	15	-	1	-	-	1	-	22	2	2	3	10	1	1	-	2	23
8	20	120	312	102	11	16	20	20	10	5	113	6	6	35	55	13	5	45	87	217
6	22	29	179	105	9	24	7	20	3	2	126	4	8	13	43	2	28	12	45	208
3	9	84	180	62	11	8	11	15	5	2	59	...	...	19	28	10	2	38	63	125
3	9	11	79	49	8	14	3	9	2	1	65	...	...	10	26	2	22	10	34	123
5	11	36	132	40	-	8	9	5	5	3	54	6	6	16	27	3	3	7	24	92
3	13	18	100	56	1	10	4	11	1	1	61	4	8	3	17	-	6	2	11	85
24	84	370	890	419	35	64	46	48	39	20	379	14	40	71	158	67	32	155	390	767
14	119	170	892	476	24	103	31	49	23	6	493	21	40	55	140	13	89	87	260	818
16	47	266	525	227	30	33	26	28	28	8	221	...	...	40	99	55	25	127	315	478
6	57	98	464	279	19	57	18	30	14	3	237	...	...	35	84	8	70	67	192	451
8	37	104	365	192	5	31	20	20	11	12	158	14	40	31	59	12	7	28	75	289
8	62	72	428	197	5	46	13	19	9	3	256	21	40	20	56	5	19	20	68	367
43	170	1,145	1,788	568	57	78	57	74	49	57	710	19	19	124	210	133	14	164	526	1,429
43	170	1,144	1,783	562	57	77	56	74	49	56	706	19	19	124	210	132	13	159	521	1,421
-	-	1	5	6	-	1	1	-	-	1	4	-	-	-	-	1	1	5	5	8
28	79	779	955	331	44	46	35	40	35	13	380	...	...	61	132	111	7	123	336	795
-	-	1	3	6	-	-	1	-	-	1	1	...	...	-	-	1	1	5	5	5
15	91	365	828	231	13	31	21	34	14	43	326	19	19	63	78	21	6	36	185	626
-	-	-	2	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	3
18	73	475	745	229	29	27	19	31	23	16	285	7	7	58	97	42	6	56	219	574
-	-	1	2	2	-	1	1	-	-	-	2	-	-	-	-	-	1	2	1	3
14	31	323	378	134	20	16	11	17	13	3	142	...	...	29	54	32	2	46	136	315
-	-	1	1	2	-	-	1	-	-	-	1	...	...	-	-	-	1	2	1	1
4	42	152	367	95	9	11	8	14	10	13	143	7	7	29	43	10	4	10	83	259
-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2
8	28	215	350	99	11	7	10	12	12	2	118	4	2	34	40	16	1	15	97	289
-	-	1	2	2	-	-	1	-	-	-	1	-	-	-	-	-	1	1	1	3
6	14	158	175	62	7	4	7	8	7	-	53	...	...	19	29	12	1	14	54	168
-	-	1	1	2	-	-	1	-	-	-	1	...	...	-	-	-	1	1	1	1
2	14	62	175	37	4	3	3	4	5	2	65	4	2	15	11	4	-	1	43	121
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
4	19	156	212	88	10	12	5	11	8	11	96	1	3	10	28	11	2	19	56	160
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
3	8	106	114	46	7	6	3	5	4	2	46	...	...	5	13	8	1	17	31	82
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	1	-	-
1	11	50	98	42	3	6	2	6	4	9	50	1	3	5	15	3	1	2	25	78
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6	26	104	183	42	8	8	4	8	3	3	71	2	2	14	29	15	3	22	66	125
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9	64	89	26	6	6	1	4	2	1	43	...	...	5	12	12	-	15	51	65
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
1	17	40	94	16	2	2	3	4	1	2	28	2	2	9	17	3	3	7	15	60
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	97	669	1,038	333	28	50	37	43	26	40	421	12	12	66	113	90	7	103	302	847
-	-	-	3	4	-	-	-	-	-	1	2	-	-	-	-	1	-	3	4	5
14	48	456	577	197	24	30	24	23	22	10	238	...	...	32	78	79	5	77	200	480
-	-	-	2	4	-	-	-	-	-	1	-	...	...	-	-	1	-	3	4	4
11	49	213	461	136	4	20	13	20	4	30	183	12	12	34	35	11	2	26	102	367
-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
MARYLAND	22,168	7	46	3	31	7	1,209	102	1	379	1	2,424	19	567	32	3	1,786
Both sexes—White	17,136	4	35	3	16	6	633	45	1	181	1	2,126	12	498	28	2	1,357
Nonwhite	5,032	3	11	-	15	1	576	57	-	198	-	298	7	69	4	1	429
Male—White	9,467	4	19	1	6	5	419	25	-	135	1	1,014	9	153	3	1	638
Nonwhite	2,805	3	5	-	9	1	353	35	-	133	-	142	5	25	2	-	194
Female—White	7,669	-	16	2	10	1	214	20	1	46	-	1,112	3	345	25	1	719
Nonwhite	2,227	-	6	-	6	-	223	22	-	65	-	156	2	44	2	1	235
Urban—White	10,364	2	27	2	8	3	371	28	1	93	-	1,333	5	318	15	2	755
Nonwhite	3,232	2	8	-	6	1	406	38	-	93	-	201	4	52	2	1	270
Male—White	5,692	2	16	1	2	3	263	13	-	66	-	643	4	85	2	1	346
Nonwhite	1,777	2	3	-	3	1	254	27	-	56	-	96	3	18	1	-	127
Female—White	4,672	-	11	1	6	-	108	15	1	27	-	690	1	233	13	1	409
Nonwhite	1,455	-	5	-	3	-	152	11	-	37	-	105	1	34	1	1	143
Places of 100,000 or more—White	8,190	1	23	-	4	2	320	21	1	73	-	1,065	4	249	9	1	579
Nonwhite	2,828	2	8	-	5	1	372	34	-	83	-	184	4	42	2	1	231
Male—White	4,513	1	14	-	1	2	229	10	-	53	-	524	3	60	2	-	262
Nonwhite	1,561	2	3	-	2	1	238	24	-	50	-	88	3	14	1	-	107
Female—White	3,677	-	9	-	3	-	91	11	1	20	-	541	1	189	7	1	317
Nonwhite	1,267	-	5	-	3	-	134	10	-	33	-	96	1	28	1	1	124
Places of 25,000 to 100,000—White	726	-	3	-	3	-	18	4	-	8	-	76	1	18	3	-	57
Nonwhite	43	-	-	-	-	-	4	-	-	-	-	5	-	-	-	-	3
Male—White	412	-	1	-	1	-	12	-	-	6	-	37	1	4	-	-	28
Nonwhite	22	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	1
Female—White	314	-	2	-	2	-	6	4	-	2	-	39	-	14	3	-	29
Nonwhite	21	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	2
Places of 10,000 to 25,000—White	691	-	1	1	1	-	19	2	-	5	-	87	-	34	2	-	56
Nonwhite	229	-	-	-	-	-	20	4	-	9	-	6	-	7	-	-	22
Male—White	366	-	1	1	-	-	12	2	-	3	-	43	-	14	-	-	28
Nonwhite	126	-	-	-	-	-	10	3	-	6	-	4	-	3	-	-	12
Female—White	325	-	-	-	1	-	7	-	-	2	-	44	-	20	2	-	28
Nonwhite	103	-	-	-	-	-	10	1	-	3	-	2	-	4	-	-	10
Places of 2,500 to 10,000—White	757	1	-	1	-	1	14	1	-	7	-	105	-	17	1	1	63
Nonwhite	132	-	-	-	1	-	10	-	-	1	-	6	-	3	-	-	14
Male—White	401	1	-	-	-	1	10	1	-	4	-	39	-	7	-	1	28
Nonwhite	68	-	-	-	1	-	4	-	-	-	-	2	-	1	-	-	7
Female—White	356	-	-	1	-	-	4	-	-	3	-	66	-	10	1	-	35
Nonwhite	64	-	-	-	-	-	6	-	-	1	-	4	-	2	-	-	7
Rural—White	6,772	2	8	1	8	3	262	17	-	88	1	793	7	180	13	-	602
Nonwhite	1,800	1	3	-	9	-	170	19	-	105	-	97	3	17	2	-	159
Male—White	3,775	2	3	-	4	2	156	12	-	69	1	371	5	68	1	-	292
Nonwhite	1,028	1	2	-	6	-	99	8	-	77	-	46	2	7	1	-	67
Female—White	2,997	-	5	1	4	1	106	5	-	19	-	422	2	112	12	-	310
Nonwhite	772	-	1	-	3	-	71	11	-	28	-	51	1	10	1	-	92
MASSACHUSETTS	51,036	3	35	14	27	7	1,501	129	3	328	4	7,377	29	1,553	40	5	4,691
Both sexes—White	50,101	3	35	14	27	7	1,408	119	3	294	4	7,276	29	1,529	40	5	4,600
Nonwhite	935	-	-	-	-	-	93	10	-	34	-	101	-	24	-	-	91
Male—White	26,421	-	20	9	11	5	974	60	2	222	2	3,409	14	501	11	3	1,972
Nonwhite	545	-	-	-	-	-	67	8	-	23	-	56	-	10	-	-	40
Female—White	23,680	3	15	5	16	2	434	59	1	72	2	3,867	15	1,028	29	2	2,628
Nonwhite	390	-	-	-	-	-	26	2	-	11	-	45	-	14	-	-	51
Urban—White	43,906	3	32	12	23	6	1,189	99	3	235	4	6,446	27	1,360	34	4	4,034
Nonwhite	816	-	-	-	-	-	78	10	-	28	-	86	-	21	-	-	80
Male—White	23,003	-	18	7	11	4	836	50	2	174	2	3,020	13	436	10	2	1,687
Nonwhite	463	-	-	-	-	-	55	8	-	18	-	48	-	8	-	-	35
Female—White	20,903	3	14	5	12	2	353	49	1	59	2	3,426	14	924	24	2	2,347
Nonwhite	353	-	-	-	-	-	23	2	-	10	-	38	-	13	-	-	45
Places of 100,000 or more—White	19,626	1	19	6	14	5	680	40	2	101	1	2,885	9	615	10	1	1,613
Nonwhite	670	-	-	-	-	-	69	9	-	18	-	71	-	15	-	-	57
Male—White	10,394	-	12	2	5	3	485	20	2	83	-	1,396	2	206	3	-	683
Nonwhite	377	-	-	-	-	-	48	7	-	13	-	40	-	5	-	-	26
Female—White	9,232	1	7	4	9	2	195	20	-	18	1	1,489	7	409	7	1	930
Nonwhite	293	-	-	-	-	-	21	2	-	5	-	31	-	10	-	-	31
Places of 25,000 to 100,000—White	13,029	1	5	2	6	1	272	29	1	63	1	1,950	8	421	18	1	1,310
Nonwhite	91	-	-	-	-	-	6	-	-	6	-	11	-	5	-	-	17
Male—White	6,623	-	4	1	5	1	182	16	-	48	-	887	5	125	7	-	538
Nonwhite	55	-	-	-	-	-	4	-	-	4	-	4	-	3	-	-	7
Female—White	6,406	1	1	1	1	-	90	13	1	15	1	1,063	3	296	11	1	772
Nonwhite	36	-	-	-	-	-	2	-	-	2	-	7	-	2	-	-	10
Places of 10,000 to 25,000—White	8,164	1	7	4	2	-	180	19	-	56	1	1,178	8	223	2	1	797
Nonwhite	31	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	6
Male—White	4,285	-	1	4	1	-	132	11	-	35	1	520	4	73	-	1	319
Nonwhite	13	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	2
Female—White	3,879	1	6	-	1	-	48	8	-	21	-	658	4	150	2	-	478
Nonwhite	18	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4
Places of 2,500 to 10,000—White	3,087	-	1	-	1	-	57	11	-	15	1	433	2	101	4	1	314
Nonwhite	24	-	-	-	-	-	1	1	-	1	-	4	-	1	-	-	-
Male—White	1,701	-	1	-	-	-	37	3	-	10	1	217	2	32	-	1	147
Nonwhite	18	-	-	-	-	-	1	1	-	-	-	4	-	-	-	-	-
Female—White	1,386	-	-	-	1	-	20	8	-	5	-	216	-	69	4	-	167
Nonwhite	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Rural—White	6,195	-	3	2	4	1	219	20	-	59	-	830	2	169	6	1	566
Nonwhite	119	-	-	-	-	-	15	-	-	6	-	15	-	3	-	-	11
Male—White	3,418	-	2	2	-	1	138	10	-	46	-	389	1	65	1	1	285
Nonwhite	82	-	-	-	-	-	12	-	-	5	-	8	-	2	-	-	5
Female—White	2,777	-	1	-	4	-	81	10	-	13	-	441	1	104	5	-	281
Nonwhite	37	-	-	-	-	-	3	-	-	1	-	7	-	1	-	-	6

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 384)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90b, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 146, 148a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
69	383	1,726	4,408	1,236	107	299	96	175	177	68	2,955	39	49	264	572	221	173	437	980	2,029
50	299	1,562	8,681	806	91	176	71	186	159	58	1,589	26	30	216	412	211	34	356	802	1,534
19	84	164	782	430	16	123	15	48	18	5	616	14	19	48	160	10	139	81	178	495
27	168	1,137	1,656	439	77	104	86	66	109	18	776	...	...	129	239	158	25	281	530	861
8	37	104	398	284	14	69	14	18	16	1	257	...	...	24	97	9	119	66	139	285
23	136	455	1,765	367	14	72	82	78	56	40	738	25	30	87	173	53	9	75	272	673
11	47	60	889	196	2	54	5	25	8	4	259	14	19	24	68	1	20	15	39	210
25	198	1,649	2,275	508	57	97	87	88	119	89	864	18	16	130	253	130	20	183	455	850
13	59	104	915	315	18	58	18	28	18	4	355	6	8	26	89	6	105	45	110	268
17	106	774	1,150	279	48	68	20	42	85	12	402	...	...	82	144	91	15	141	304	471
4	24	70	240	172	11	32	10	11	8	1	171	...	...	13	54	6	91	38	83	147
8	52	275	1,125	229	9	35	17	41	34	27	452	13	16	48	109	39	5	42	151	379
9	35	84	275	148	1	31	2	17	5	8	184	8	8	13	35	-	14	7	27	121
18	165	830	1,869	485	47	75	28	67	104	27	668	11	8	98	150	104	17	141	350	626
10	52	85	454	285	10	35	11	24	18	3	302	8	8	22	71	5	100	41	92	224
13	64	616	944	240	41	50	15	34	75	9	309	...	...	62	92	73	13	108	226	348
3	20	59	211	157	9	24	9	16	7	1	148	...	...	11	46	5	86	35	69	124
5	81	214	925	195	6	25	13	83	28	18	359	11	8	36	58	31	4	33	124	278
7	32	27	243	128	1	15	2	14	5	2	160	8	8	11	25	-	14	6	28	100
2	11	77	187	29	3	6	-	6	5	1	69	-	2	12	35	6	2	14	41	77
-	1	2	10	2	1	2	-	1	-	-	4	-	-	-	2	-	-	-	1	5
2	5	58	73	18	2	2	-	4	3	-	86	...	...	11	18	4	1	12	26	47
-	1	1	5	2	1	1	-	-	-	-	1	...	...	-	1	-	-	-	1	3
-	6	19	64	11	1	4	-	2	2	1	88	-	2	1	17	2	1	2	15	30
-	-	1	5	-	-	1	-	1	-	-	8	-	-	-	1	-	-	-	-	2
1	11	74	142	23	2	6	8	4	4	5	58	2	2	9	30	9	-	14	31	59
-	2	11	40	19	1	6	1	8	-	1	81	-	-	3	11	1	3	3	8	17
1	8	54	67	10	1	5	2	2	2	2	20	...	...	3	14	6	-	10	26	29
-	1	6	19	10	1	4	1	1	-	-	18	...	...	2	4	1	3	2	7	8
-	3	20	75	13	1	1	1	2	8	3	32	2	2	6	16	3	-	4	5	30
-	1	5	21	9	-	2	-	2	-	1	13	-	-	1	7	-	-	1	1	9
4	11	68	127	21	5	10	6	6	6	6	75	-	4	11	38	11	1	14	33	88
3	4	5	11	9	-	6	-	-	1	-	18	-	-	1	5	-	2	1	9	22
1	9	46	66	11	4	5	8	2	5	1	27	...	...	6	20	8	1	11	26	47
1	2	4	5	3	-	3	-	-	1	-	10	...	...	-	3	-	2	1	6	12
3	2	22	61	10	1	5	8	4	1	8	38	-	4	5	18	3	-	3	7	41
2	2	1	6	6	-	3	-	-	-	-	8	-	-	1	2	-	-	-	3	10
25	101	513	1,346	298	34	79	84	53	40	19	675	12	14	86	159	81	14	173	347	684
6	25	60	267	115	4	70	7	15	5	1	161	6	11	22	71	4	34	36	68	227
10	57	363	706	160	29	42	19	24	24	6	374	...	...	47	95	67	10	140	226	390
4	13	34	153	62	3	37	4	7	8	-	86	...	...	11	43	3	28	28	56	138
15	44	150	640	138	5	37	15	29	16	13	301	12	14	39	64	14	4	33	121	294
2	12	26	114	53	1	33	3	8	5	1	75	6	11	11	28	1	6	8	12	69
128	1,016	5,382	11,222	2,387	416	171	226	423	573	267	2,759	75	99	552	941	501	55	578	2,585	4,934
125	995	5,336	11,030	2,335	412	164	221	416	565	265	2,713	73	98	541	921	498	50	566	2,553	4,831
3	21	46	192	52	4	7	5	7	8	2	46	2	1	11	20	3	5	12	32	103
67	466	3,605	5,428	1,252	357	92	127	222	344	87	1,327	...	...	263	508	362	32	453	1,528	2,686
3	11	28	103	30	4	5	4	3	3	1	26	...	...	5	12	3	2	12	22	64
58	529	1,731	5,602	1,083	55	72	94	194	221	178	1,386	73	98	278	413	136	18	113	1,025	2,145
-	10	18	89	22	-	2	1	4	5	1	20	2	1	6	8	-	3	-	10	39
109	880	4,648	9,703	2,045	354	142	203	351	513	230	2,381	64	86	470	830	419	45	475	2,227	4,210
3	19	42	169	48	3	5	4	5	7	2	41	2	1	10	19	1	4	7	29	92
60	409	3,128	4,751	1,093	318	80	114	188	311	77	1,155	...	...	226	461	304	28	385	1,332	2,309
3	9	24	86	27	3	4	4	3	3	1	23	...	...	5	11	1	1	7	20	56
49	471	1,520	4,952	952	46	52	89	163	202	153	1,226	64	86	244	369	115	17	90	895	1,901
-	10	18	83	21	-	1	-	2	4	1	18	2	1	5	8	-	3	-	9	36
41	414	1,777	4,628	988	173	78	90	163	261	103	989	31	41	207	364	180	25	192	1,076	1,853
2	19	32	139	43	2	5	3	4	7	2	31	2	1	6	16	-	3	6	24	84
25	204	1,183	2,315	545	149	38	45	83	151	34	429	...	...	105	196	126	14	154	655	1,041
2	9	16	69	25	2	4	3	3	3	1	16	...	...	3	8	-	-	6	19	49
16	210	594	2,313	443	24	40	45	80	110	69	510	31	41	102	168	54	11	38	421	812
-	10	16	70	18	-	1	-	1	4	1	15	2	1	3	8	-	3	-	5	35
35	264	1,519	2,700	578	102	38	56	102	154	78	742	14	24	134	255	121	7	138	638	1,241
-	-	8	16	1	-	-	-	-	-	-	9	-	-	1	2	1	-	1	2	5
19	123	1,005	1,268	299	92	23	32	62	102	24	363	...	...	60	141	83	6	104	362	636
-	-	6	12	-	-	-	-	-	-	-	6	...	...	1	2	1	-	1	-	4
16	141	514	1,432	279	10	15	24	40	52	54	379	14	24	74	114	38	1	34	276	605
-	-	2	4	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1
23	132	987	1,772	348	64	18	39	61	69	35	500	12	15	94	142	77	7	84	387	819
-	-	1	11	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	2
12	50	686	865	182	56	13	25	30	40	14	262	...	...	44	81	64	4	73	231	451
-	-	1	4	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	2
11	82	301	907	166	8	5	14	31	29	21	238	12	15	50	61	13	3	11	156	368
-	-	-	7	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-
10	70	365	603	131	25	8	18	25	29	14	200	7	6	35	69	41	6	61	126	297
1	-	1	3	1	1	-	1	-	-	-	1	-	-	2	1	-	1	-	2	1
4	32	254	303	67	21	6	12	13	18	5	101	...	...	17	43	31	4	54	84	181
1	-	1	1	1	1	-	1	-	-	-	1	...	...	1	1	-	1	-	1	1
6	38	111	300	64	4	2	6	12	11	9	99	7	6	18	26	10	2	7	42	116
-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
16	115	688	1,327	290	48	22	18	65	52	35	332	9	12	71	91	79	5	91	326	621
-	2	4	23	4	1	2	1	2	1	-	5	-	-	1	1	2	1	5	3	11
7	57	477	677	159	39	12	13	34	33	10	172	...	...	37	47	58	4	68	196	377
-	2	4	17	3	1	1	-	-	-	-	3	...	...	-	1	2	1	5	2	8
9	58	211	650	131	9	10	5	31	19	25	160	9	12	34	44	21	1	28	130	244
-	-	-	6	1	-	1	1	2	1	-	2	-	-	1	-	-	-	-	1	3

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
MICHIGAN	52,827	9	23	24	71	22	1,684	207	4	594	10	6,423	48	1,447	187	5	4,816
Both sexes—White	49,880	9	20	22	58	21	1,272	153	3	466	10	6,217	42	1,379	177	5	4,624
Both sexes—Nonwhite	2,947	-	3	2	13	1	412	54	1	128	-	206	6	68	10	-	192
Male—White	28,681	5	17	8	34	9	863	89	2	355	5	3,000	19	477	41	3	2,322
Male—Nonwhite	1,617	-	1	1	7	1	244	31	-	85	-	85	3	13	1	-	90
Female—White	21,199	4	3	14	24	12	409	64	1	111	5	3,217	23	902	136	2	2,302
Female—Nonwhite	1,330	-	2	1	6	-	168	23	1	43	-	121	3	55	9	-	102
Urban—White	30,179	3	11	15	38	16	849	104	2	256	8	3,852	26	877	109	3	2,615
Urban—Nonwhite	2,432	-	3	2	11	1	361	44	1	85	-	138	6	58	10	-	155
Male—White	16,905	2	10	6	25	7	590	56	1	168	5	1,751	12	287	27	2	1,214
Male—Nonwhite	1,296	-	1	1	7	1	214	23	-	53	-	54	3	9	1	-	72
Female—White	13,274	1	1	9	13	9	259	48	1	68	3	2,101	14	590	82	1	1,401
Female—Nonwhite	1,136	-	2	1	4	-	147	21	1	32	-	84	3	49	9	-	83
Places of 100,000 or more—White	15,180	1	6	7	21	8	571	53	-	126	7	2,039	17	424	55	2	1,188
Places of 100,000 or more—Nonwhite	1,966	-	2	2	7	1	314	34	-	61	-	117	4	49	9	-	116
Male—White	8,632	1	5	5	12	3	411	30	-	99	4	946	7	144	14	1	527
Male—Nonwhite	1,047	-	1	1	4	1	193	15	-	44	-	46	2	5	1	-	55
Female—White	6,548	-	1	2	9	5	160	23	-	27	3	1,093	10	280	41	1	661
Female—Nonwhite	919	-	1	1	3	-	121	19	-	17	-	71	2	44	8	-	61
Places of 25,000 to 100,000—White	7,434	-	3	3	10	3	132	29	1	82	1	871	4	229	25	-	682
Places of 25,000 to 100,000—Nonwhite	276	-	1	-	1	-	25	5	1	14	-	9	-	2	1	-	26
Male—White	4,145	-	3	-	8	1	75	15	-	53	1	407	1	69	4	-	331
Male—Nonwhite	144	-	-	-	-	-	13	3	-	4	-	5	-	1	-	-	12
Female—White	3,289	-	-	3	2	2	57	14	1	29	-	464	3	160	21	-	351
Female—Nonwhite	132	-	1	-	1	-	12	2	1	10	-	4	-	1	1	-	14
Places of 10,000 to 25,000—White	3,126	-	1	4	3	4	76	9	-	23	-	379	1	97	11	-	292
Places of 10,000 to 25,000—Nonwhite	125	-	-	-	3	-	9	4	-	4	-	8	2	6	-	-	7
Male—White	1,732	-	1	1	3	3	52	5	-	17	-	151	1	29	2	-	138
Male—Nonwhite	72	-	-	-	3	-	5	4	-	1	-	3	1	2	-	-	2
Female—White	1,394	-	-	3	-	1	24	4	-	6	-	228	-	68	9	-	154
Female—Nonwhite	53	-	-	-	-	-	4	-	-	3	-	5	1	4	-	-	5
Places of 2,500 to 10,000—White	4,439	2	1	1	4	1	70	13	1	25	-	563	4	127	18	1	453
Places of 2,500 to 10,000—Nonwhite	65	-	-	-	-	-	13	1	-	6	-	4	-	1	-	-	6
Male—White	2,396	1	1	-	2	-	52	6	1	19	-	247	3	45	7	1	218
Male—Nonwhite	33	-	-	-	-	-	3	1	-	4	-	-	-	1	-	-	3
Female—White	2,043	1	-	1	2	1	18	7	-	6	-	316	1	82	11	-	295
Female—Nonwhite	32	-	-	-	-	-	10	-	-	2	-	4	-	-	-	-	3
Rural—White	19,701	6	9	7	20	5	423	49	1	210	2	2,365	16	502	68	2	2,009
Rural—Nonwhite	515	-	-	-	2	-	51	10	-	43	-	68	-	10	-	-	37
Male—White	11,775	3	7	2	9	2	273	33	1	167	-	1,249	7	190	14	1	1,108
Male—Nonwhite	321	-	-	-	-	-	30	8	-	32	-	31	-	4	-	-	18
Female—White	7,925	3	2	5	11	3	150	16	-	43	2	1,116	9	312	54	1	901
Female—Nonwhite	194	-	-	-	2	-	21	2	-	11	-	37	-	6	-	-	19
MINNESOTA	25,851	6	12	9	21	10	626	67	4	208	6	3,771	36	717	75	-	2,559
Both sexes—White	25,515	5	12	9	16	10	586	64	3	198	6	3,742	36	712	73	-	2,544
Both sexes—Nonwhite	336	1	-	-	5	-	40	3	1	10	-	29	-	5	2	-	15
Male—White	14,651	5	9	4	8	7	355	38	3	135	4	1,894	14	271	10	-	1,303
Male—Nonwhite	186	1	-	-	1	-	17	2	1	9	-	15	-	2	1	-	9
Female—White	10,864	-	3	5	8	3	231	26	-	63	2	1,848	22	441	63	-	1,241
Female—Nonwhite	150	-	-	-	4	-	23	1	-	1	-	14	-	3	1	-	6
Urban—White	14,017	3	8	2	6	3	338	30	1	153	2	2,166	16	383	46	-	1,328
Urban—Nonwhite	166	1	-	-	-	-	12	1	1	9	-	22	-	4	1	-	11
Male—White	7,880	3	7	-	2	3	210	16	1	101	2	1,064	6	148	7	-	655
Male—Nonwhite	91	1	-	-	-	-	7	-	1	8	-	12	-	2	-	-	7
Female—White	6,137	-	1	2	4	-	128	14	-	52	-	1,102	10	235	39	-	673
Female—Nonwhite	75	-	-	-	-	-	5	1	-	1	-	10	-	2	1	-	4
Places of 100,000 or more—White	8,436	-	7	2	2	2	181	15	-	78	-	1,388	8	226	34	-	781
Places of 100,000 or more—Nonwhite	144	1	-	-	-	-	12	-	-	6	-	19	-	3	1	-	10
Male—White	4,694	-	6	-	-	2	121	9	-	54	-	661	3	80	3	-	361
Male—Nonwhite	77	1	-	-	-	-	7	-	-	5	-	10	-	2	-	-	6
Female—White	3,742	-	1	2	2	-	60	6	-	24	-	727	5	146	31	-	420
Female—Nonwhite	67	-	-	-	-	-	5	-	-	1	-	9	-	1	1	-	4
Places of 25,000 to 100,000—White	470	-	1	-	-	-	7	-	-	26	-	55	-	9	-	-	24
Places of 25,000 to 100,000—Nonwhite	6	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Male—White	264	-	1	-	-	-	3	-	-	15	-	31	-	3	-	-	8
Male—Nonwhite	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Female—White	206	-	-	-	-	-	4	-	-	11	-	24	-	6	-	-	16
Female—Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000—White	1,733	2	-	-	-	-	45	4	-	13	1	242	2	50	7	-	167
Places of 10,000 to 25,000—Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Male—White	1,002	2	-	-	-	-	36	1	-	7	1	126	1	19	2	-	97
Male—Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female—White	731	-	-	-	-	-	9	3	-	6	-	116	1	31	5	-	70
Female—Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	3,378	1	-	-	4	1	105	11	1	36	1	481	6	98	5	-	356
Places of 2,500 to 10,000—Nonwhite	12	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-
Male—White	1,920	1	-	-	2	1	50	6	1	25	1	246	2	46	2	-	189
Male—Nonwhite	8	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Female—White	1,458	-	-	-	2	-	55	5	-	11	-	235	4	52	3	-	167
Female—Nonwhite	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Rural—White	11,498	2	4	7	10	7	248	34	2	45	4	1,576	20	329	27	-	1,216
Rural—Nonwhite	170	-	-	-	5	-	28	2	-	1	-	7	-	1	1	-	4
Male—White	6,771	2	2	4	6	4	145	22	2	34	2	830	8	123	3	-	648
Male—Nonwhite	95	-	-	-	1	-	10	2	-	1	-	3	-	-	1	-	2
Female—White	4,727	-	2	3	4	3	103	12	-	11	2	746	12	206	24	-	568
Female—Nonwhite	75	-	-	-	4	-	18	-	-	-	-	4	-	1	-	-	2

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
202	1,017	5,154	9,798	2,576	348	317	317	464	523	287	2,708	91	166	854	1,540	636	176	1,409	2,337	6,333
189	963	5,043	9,262	2,389	325	294	298	428	507	283	2,570	82	142	823	1,442	625	106	1,343	2,247	6,041
13	54	111	536	187	23	23	19	36	16	4	138	9	24	31	98	11	70	66	90	292
111	505	3,580	5,256	1,432	274	165	190	229	339	102	1,404	...	...	452	812	464	78	1,039	1,445	3,555
8	27	75	289	129	13	13	9	8	11	-	60	...	...	15	53	8	58	49	67	163
78	458	1,463	4,006	957	51	129	108	199	168	181	1,166	82	142	371	630	161	28	304	802	2,486
5	27	36	247	58	10	10	10	28	5	4	78	9	24	16	45	3	12	17	23	129
114	594	3,238	5,447	1,369	231	175	196	255	380	176	1,555	56	99	549	1,030	376	74	775	1,260	3,446
12	46	97	441	154	19	18	18	33	15	4	118	9	24	28	89	8	66	51	67	240
66	291	2,272	3,012	825	194	103	126	130	253	69	829	...	...	294	587	269	53	590	803	1,956
8	21	64	230	108	11	12	8	8	10	-	47	...	...	13	47	6	54	34	49	127
48	303	966	2,435	544	37	72	70	125	127	107	726	56	99	255	443	107	21	185	457	1,490
4	25	33	211	46	8	6	10	25	5	4	71	9	24	15	42	2	12	17	18	113
57	338	1,595	2,840	701	136	75	97	131	253	78	772	30	54	264	525	192	49	366	569	1,533
10	43	76	374	128	16	16	15	30	12	3	95	8	19	24	62	7	55	32	49	176
32	171	1,123	1,599	445	114	48	59	68	169	29	406	...	...	137	303	138	35	286	387	874
7	19	50	196	92	8	10	7	7	7	-	41	...	...	9	30	5	43	22	35	91
25	167	472	1,241	256	22	27	38	63	84	49	366	30	54	127	222	54	14	80	182	659
3	24	26	178	36	8	6	8	23	5	3	54	8	19	15	32	2	12	10	14	85
25	120	830	1,316	333	43	53	54	61	67	47	384	11	18	139	251	80	6	207	312	1,002
2	-	12	42	14	2	2	2	3	2	1	18	1	2	1	13	-	7	14	11	42
15	52	591	725	193	37	30	38	31	45	22	215	...	...	70	143	53	5	153	187	572
1	-	8	21	9	2	2	1	1	2	-	5	...	...	1	8	-	7	9	8	21
10	68	239	591	140	6	23	16	30	22	25	169	11	18	69	108	27	1	54	125	430
1	-	4	21	5	-	-	1	2	-	1	13	1	2	-	5	-	-	5	3	21
16	53	354	517	148	24	25	15	23	31	19	159	8	10	61	116	50	5	77	149	356
-	2	6	17	10	1	-	-	-	1	-	5	-	3	3	9	1	2	4	4	14
12	32	245	280	90	18	9	9	11	20	8	85	...	...	37	63	38	2	60	99	211
-	2	4	10	5	1	-	-	-	1	-	1	...	...	3	6	1	2	2	3	10
4	21	109	237	58	6	16	6	12	11	11	74	8	10	24	53	12	3	17	50	155
-	-	2	7	5	-	-	-	-	-	-	4	-	3	-	3	-	-	2	1	4
16	83	459	774	187	28	22	30	40	29	32	240	7	17	85	138	54	14	125	230	545
-	1	3	8	2	-	-	1	-	-	-	-	-	-	-	5	-	2	1	3	8
7	36	313	408	97	25	16	20	20	19	10	123	...	...	50	78	40	11	91	130	299
-	-	2	3	2	-	-	-	-	-	-	-	...	...	-	3	-	2	1	3	5
9	47	146	366	90	3	6	10	20	10	22	117	7	17	35	60	14	3	34	100	246
-	1	1	5	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	3
75	369	1,805	3,815	1,020	94	119	102	173	127	107	1,015	26	43	274	412	249	32	368	987	2,595
1	8	14	95	33	4	5	1	3	1	-	20	-	-	3	9	3	4	15	23	52
45	214	1,308	2,244	607	80	62	64	99	86	33	575	...	...	158	225	195	25	449	642	1,599
-	6	11	59	21	2	1	1	-	1	-	13	...	...	2	6	2	4	15	18	36
30	155	497	1,571	413	14	57	38	74	41	74	440	26	43	116	187	54	7	19	345	996
1	2	3	36	12	2	4	-	3	-	-	7	-	-	1	3	1	-	-	5	16
75	506	3,048	3,983	1,514	180	102	156	227	199	175	1,099	40	56	390	644	332	45	479	1,332	3,142
74	501	3,026	3,944	1,481	179	100	153	227	195	172	1,082	40	54	385	637	326	36	476	1,310	3,101
1	5	22	39	33	1	2	3	-	4	3	17	-	2	5	7	6	9	3	22	41
48	250	2,088	2,203	902	149	59	87	119	132	60	617	...	...	213	358	266	26	372	863	1,779
1	2	14	22	20	1	1	1	-	2	1	9	...	...	2	2	5	6	3	14	22
26	251	938	1,741	579	30	41	66	108	63	112	465	40	54	172	279	60	10	104	447	1,322
-	3	8	17	13	-	1	2	-	2	2	8	-	2	3	5	1	3	-	8	19
37	255	1,820	2,141	841	113	38	61	122	126	93	503	17	23	211	384	167	21	209	702	1,648
-	3	16	21	10	1	-	-	-	2	2	11	-	-	3	2	5	1	-	9	18
28	115	1,244	1,150	512	92	21	32	61	83	34	284	...	...	117	214	129	15	165	449	910
-	2	11	10	6	1	-	-	-	-	-	6	...	...	-	-	4	-	-	6	7
9	140	576	991	329	21	17	29	61	43	59	219	17	23	94	170	38	6	44	253	738
-	1	5	11	4	-	-	-	-	2	2	5	-	-	3	2	1	1	-	3	11
19	193	1,232	1,296	454	75	15	35	69	93	63	264	9	13	111	204	99	16	137	458	847
-	3	16	19	8	1	-	-	-	2	1	11	-	-	3	2	3	1	-	9	13
15	83	842	690	273	55	8	16	38	64	24	146	...	...	65	117	79	11	107	287	474
-	2	11	8	5	1	-	-	-	-	-	6	...	...	-	-	2	-	-	6	5
4	110	390	606	191	20	7	19	31	29	39	116	9	13	46	87	20	5	30	171	373
-	1	5	11	3	-	-	-	-	2	1	5	-	-	3	2	1	1	-	3	8
1	6	39	60	48	4	1	-	3	2	1	11	-	-	2	5	7	-	3	23	132
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	1	29	39	35	4	1	-	1	2	-	5	...	...	2	1	6	-	3	10	63
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	5	10	21	13	-	-	-	2	-	1	6	-	-	-	4	1	-	-	13	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
8	19	190	235	149	12	12	9	19	10	10	70	1	3	38	57	27	2	23	64	242
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
5	10	124	127	94	11	6	8	9	5	3	42	...	...	20	31	19	2	19	42	133
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	1	-	-	-	-
3	9	66	108	55	1	6	1	10	5	7	28	1	3	18	26	8	-	4	22	109
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	37	359	550	180	22	10	17	31	21	19	158	7	7	60	118	34	3	46	157	427
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2
7	21	249	294	110	22	6	8	13	12	7	91	...	...	30	65	25	2	36	110	240
-	-	-	1	1	-	-	-	-	-	-	-	...	...	-	-	1	-	-	-	2
2	16	110	256	70	-	4	9	18	9	12	67	7	7	30	53	9	1	10	47	187
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
37	246	1,206	1,803	640	66	62	92	105	69	79	579	23	31	174	253	159	15	267	608	1,453
1	2	6	18	23	-	2	3	-	2	1	6	-	2	2	5	1	8	3	13	23
20	135	844	1,053	390	57	38	55	58	49	26	333	...	...	96	144	137	11	207	414	869
1	-	3	12	14	-	1	1	-	2	1	3	...	...	2	2	1	6	3	8	15
17	111	362	750	250	9	24	37	47	20	53	246	23	31	78	109	22	4	60	194	584
-	2	3	6	9	-	1	2	-	-	-	3	-	2	-	3	-	2	-	5	8

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE.

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 18	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyeloencephalitis (acute) 35	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
MISSISSIPPI	20,794	21	16	6	100	42	1,050	68	79	435	8	1,524	31	285	27	117	1,646
Both sexes—White	8,827	2	7	3	19	25	274	18	18	51	6	877	15	163	11	41	794
Nonwhite	11,967	19	9	3	81	17	776	45	61	384	2	647	16	122	16	76	852
Male—White	5,186	1	5	3	9	18	160	8	10	39	5	444	8	74	2	13	417
Nonwhite	6,234	13	6	2	42	10	368	24	29	250	1	229	7	57	3	31	400
Female—White	3,641	1	2	-	10	7	114	10	8	12	1	433	7	89	9	28	377
Nonwhite	5,733	6	3	1	39	7	418	21	32	134	1	418	9	65	13	45	452
Urban—White	2,545	-	3	-	6	7	60	4	8	22	-	288	5	56	5	6	190
Nonwhite	2,681	4	3	-	9	2	165	12	11	86	-	164	3	38	4	12	288
Male—White	1,517	-	2	-	3	6	88	1	8	18	-	136	3	27	-	-	102
Nonwhite	1,403	2	2	-	5	2	97	4	8	51	-	68	2	14	-	5	116
Female—White	1,028	-	1	-	3	1	28	3	1	4	-	152	2	29	5	6	88
Nonwhite	1,278	2	1	-	4	-	68	8	8	35	-	96	1	24	4	7	117
Places of 25,000 to 100,000—White	567	-	1	-	-	-	12	3	-	4	-	61	-	14	3	2	43
Nonwhite	577	1	1	-	1	1	35	1	2	20	-	30	-	9	4	2	42
Male—White	333	-	-	-	-	-	10	1	-	1	-	25	-	6	-	-	21
Nonwhite	299	1	-	-	1	1	26	-	-	12	-	16	-	4	-	-	24
Female—White	234	-	1	-	-	-	2	2	-	3	-	36	-	8	3	2	22
Nonwhite	278	-	1	-	-	-	9	1	2	8	-	14	-	5	4	2	18
Places of 10,000 to 25,000—White	1,027	-	1	-	4	5	86	1	3	17	-	189	2	25	1	3	78
Nonwhite	1,122	3	-	-	3	1	66	5	3	34	-	95	2	15	-	5	108
Male—White	632	-	1	-	1	4	16	-	2	16	-	62	1	13	-	-	42
Nonwhite	577	1	-	-	1	1	34	1	-	28	-	28	1	4	-	2	48
Female—White	395	-	-	-	3	1	11	1	1	1	-	61	1	12	1	3	36
Nonwhite	545	2	-	-	2	-	32	4	3	11	-	42	1	11	-	3	60
Places of 2,500 to 10,000—White	951	-	1	-	2	2	22	-	-	1	-	104	3	17	1	1	69
Nonwhite	982	-	2	-	5	-	64	6	6	32	-	69	1	14	-	5	83
Male—White	552	-	1	-	2	2	13	-	-	1	-	49	2	8	-	-	39
Nonwhite	527	-	2	-	3	-	37	3	3	16	-	29	1	5	-	3	44
Female—White	399	-	-	-	-	-	9	-	-	-	-	55	1	9	1	1	30
Nonwhite	455	-	-	-	2	-	27	3	3	16	-	40	-	8	-	2	39
Rural—White	6,282	2	4	3	13	18	214	14	15	29	6	589	10	107	6	35	604
Nonwhite	9,286	15	6	3	72	15	611	33	50	298	2	483	13	84	12	64	619
Male—White	3,669	1	3	3	6	12	122	7	8	21	5	308	6	47	2	13	315
Nonwhite	4,831	11	4	2	37	8	256	20	26	199	1	161	5	43	3	26	284
Female—White	2,613	1	1	-	7	6	92	7	7	8	1	281	5	60	4	22	289
Nonwhite	4,455	4	2	1	35	7	345	13	24	99	1	322	8	41	9	38	335
MISSOURI	41,888	29	21	12	33	42	1,461	118	22	520	15	5,157	35	873	107	18	3,666
Both sexes—White	37,713	24	17	11	25	40	1,119	86	20	386	14	4,840	32	818	87	16	3,348
Nonwhite	4,175	5	4	1	8	2	342	27	2	144	1	317	3	60	10	2	318
Male—White	21,242	9	9	6	10	17	709	50	12	306	7	2,194	19	328	16	4	1,721
Nonwhite	2,288	2	4	-	3	2	212	14	1	106	1	127	2	17	-	1	149
Female—White	16,471	15	8	5	15	23	410	36	8	80	7	2,646	13	490	81	12	1,627
Nonwhite	1,887	3	-	1	5	-	130	13	1	38	-	190	1	43	10	1	175
Urban—White	20,820	7	6	4	10	12	587	40	9	272	7	2,865	17	490	57	6	1,685
Nonwhite	3,400	3	3	-	5	1	265	22	1	129	1	272	3	51	8	2	244
Male—White	11,497	4	2	1	4	8	380	22	7	212	5	1,263	8	198	7	1	811
Nonwhite	1,851	2	3	-	1	1	170	11	-	94	1	112	2	14	-	1	102
Female—White	9,323	3	4	3	6	4	207	18	2	69	2	1,602	9	297	50	5	874
Nonwhite	1,549	1	-	-	4	-	95	11	1	85	-	160	1	37	8	1	142
Places of 100,000 or more—White	12,466	-	4	2	4	7	365	24	2	183	-	1,818	18	307	34	5	933
Nonwhite	2,638	-	3	-	3	-	232	16	-	96	1	212	1	38	6	2	176
Male—White	6,924	-	2	1	2	5	249	13	1	138	-	811	5	122	4	1	446
Nonwhite	1,429	-	3	-	1	-	151	7	-	68	1	90	-	7	-	1	75
Female—White	5,542	-	2	1	2	2	116	11	1	45	-	1,007	8	185	30	4	487
Nonwhite	1,209	-	-	-	2	-	81	9	-	28	-	122	1	31	6	1	101
Places of 25,000 to 100,000—White	2,358	2	1	-	1	1	69	3	-	37	2	299	-	42	8	-	222
Nonwhite	120	1	-	-	-	1	1	1	-	11	-	7	1	1	-	-	7
Male—White	1,265	1	-	-	-	1	43	1	-	31	1	122	-	14	1	-	109
Nonwhite	65	1	-	-	-	1	1	1	-	9	-	3	1	-	-	-	-
Female—White	1,093	1	1	-	1	-	26	2	-	6	1	177	-	28	7	-	113
Nonwhite	55	-	-	-	-	-	-	-	-	2	-	4	-	1	-	-	7
Places of 10,000 to 25,000—White	2,413	1	-	1	-	1	51	2	2	10	3	309	1	71	9	1	202
Nonwhite	294	-	-	-	-	-	14	2	-	4	-	24	1	7	1	-	29
Male—White	1,334	1	-	-	-	1	35	1	2	10	2	132	-	27	1	-	94
Nonwhite	145	-	-	-	-	-	6	2	-	4	-	8	1	3	-	-	13
Female—White	1,079	-	-	1	-	-	16	1	-	-	1	177	1	44	8	1	108
Nonwhite	149	-	-	-	-	-	8	-	-	-	-	16	-	4	1	-	16
Places of 2,500 to 10,000—White	3,583	4	1	1	5	3	102	11	5	42	2	439	3	70	6	-	328
Nonwhite	348	2	-	-	2	-	18	3	1	18	-	29	-	5	1	-	32
Male—White	1,974	2	-	-	2	1	53	7	4	33	2	198	3	30	1	-	162
Nonwhite	212	1	-	-	-	-	12	1	-	13	-	11	-	4	-	-	14
Female—White	1,609	2	1	1	3	2	49	4	1	9	-	241	-	40	5	-	166
Nonwhite	136	1	-	-	2	-	6	2	1	5	-	18	-	1	1	-	18
Rural—White	16,893	17	11	7	15	28	532	46	11	114	7	1,975	15	323	40	10	1,663
Nonwhite	775	2	1	1	3	1	77	5	1	15	-	45	-	9	2	-	74
Male—White	9,745	5	7	5	6	9	329	28	5	94	2	931	11	130	9	3	910
Nonwhite	437	-	1	-	2	1	42	3	1	12	-	15	-	3	-	-	41
Female—White	7,148	12	4	2	9	19	203	18	6	20	5	1,044	4	193	31	7	753
Nonwhite	338	2	-	1	1	-	35	2	-	3	-	30	-	6	2	-	33

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
96	458	599	2,103	1,325	110	310	155	211	92	47	2,075	87	162	135	605	126	391	399	1,019	4,839
36	210	459	1,100	588	60	99	74	82	53	28	800	29	49	94	317	104	67	239	513	1,502
60	248	140	1,003	737	50	211	81	129	39	19	1,275	58	113	41	288	22	324	160	506	3,337
23	111	343	659	313	56	49	44	45	43	14	431	...	...	59	181	85	61	195	379	879
33	124	70	516	413	40	99	50	72	24	7	667	...	...	27	146	13	261	130	326	1,749
13	99	116	441	275	4	50	30	37	10	14	369	29	49	35	136	19	6	44	134	623
27	124	70	487	324	10	112	31	57	15	12	608	58	113	14	142	9	63	30	180	1,588
6	40	193	369	139	18	25	27	20	18	6	227	10	11	23	111	30	19	65	123	410
10	40	41	286	171	13	37	21	34	11	4	351	20	25	9	62	8	97	43	99	553
4	18	147	221	85	18	13	17	8	14	3	115	...	...	16	68	25	17	47	91	252
6	21	23	140	93	11	16	12	18	6	1	174	...	...	6	32	3	73	32	70	295
2	22	46	148	54	-	12	10	12	4	3	112	10	11	7	43	5	2	18	32	158
4	11	18	146	78	2	21	9	16	5	3	177	20	25	3	30	5	24	11	29	258
3	7	36	99	32	4	4	3	7	2	1	41	3	4	4	24	10	3	10	24	103
3	8	6	56	43	1	4	4	6	3	1	86	4	9	1	8	1	17	9	22	136
3	2	27	61	22	4	1	2	3	1	1	26	...	...	1	15	7	3	7	17	66
2	6	4	24	18	-	2	2	2	2	-	36	...	...	1	5	-	16	7	15	72
-	5	9	38	10	-	3	1	4	1	-	15	3	4	3	9	3	-	3	7	37
1	2	2	32	25	1	2	2	4	1	1	50	4	9	-	3	1	1	2	7	64
1	15	83	142	53	8	10	9	5	10	2	91	2	3	13	44	15	10	22	49	151
3	17	14	125	67	6	20	7	14	5	3	157	12	5	1	21	3	46	16	33	237
-	9	65	87	30	8	6	5	3	9	1	50	...	...	10	25	13	8	15	38	93
2	8	9	70	38	5	7	5	7	3	1	85	...	...	1	10	1	30	12	22	122
1	6	18	55	23	-	4	4	2	1	1	41	2	3	3	19	2	2	7	11	58
1	9	5	55	29	1	13	2	7	2	2	72	12	5	-	11	2	16	4	11	115
2	18	74	128	54	6	11	15	8	6	3	95	5	4	6	43	5	6	33	50	156
4	15	21	105	61	6	13	10	14	3	-	108	4	11	7	33	4	34	18	44	180
1	7	55	73	33	6	6	10	2	4	1	39	...	...	5	28	5	6	25	36	93
2	7	10	46	37	6	7	5	9	1	-	53	...	...	4	17	2	27	13	33	101
1	11	19	55	21	-	5	5	6	2	2	56	5	4	1	15	-	-	8	14	63
2	8	11	59	24	-	6	5	5	2	-	55	4	11	3	16	2	7	5	11	79
30	170	266	731	449	42	74	47	62	35	22	573	19	38	71	206	74	48	174	390	1,092
50	208	99	717	566	37	174	60	95	28	15	924	38	88	32	226	14	227	117	407	2,784
19	93	196	438	228	38	36	27	37	29	11	316	...	...	43	113	60	44	148	288	627
27	103	47	376	320	29	83	38	54	18	6	493	...	...	21	114	10	188	98	256	1,454
11	77	70	293	221	4	38	20	25	6	11	257	19	38	28	93	14	4	26	102	465
23	105	52	341	246	8	91	22	41	10	9	431	38	88	11	112	4	39	19	151	1,330
136	1,052	3,039	7,715	2,723	308	302	275	372	388	239	3,975	76	106	436	881	430	214	755	1,928	4,404
123	919	2,888	7,000	2,367	286	268	242	330	358	229	3,515	68	91	416	776	414	108	702	1,772	3,953
13	133	151	715	356	22	34	33	42	30	10	460	8	15	20	105	16	106	53	156	451
73	480	2,027	3,952	1,292	234	158	151	167	248	82	1,940	...	...	235	438	310	81	536	1,123	2,303
4	70	89	397	197	14	21	19	27	14	6	227	...	...	10	51	8	89	47	110	253
50	439	861	3,048	1,075	52	110	91	163	110	147	1,575	68	91	181	338	104	27	166	649	1,650
9	63	62	318	159	8	13	14	15	16	4	233	8	15	10	54	8	17	6	46	198
55	449	1,789	4,147	1,097	172	107	112	185	234	132	1,853	36	45	217	433	215	66	396	967	2,039
10	99	129	614	289	18	14	28	35	25	7	396	4	10	9	83	12	85	44	110	369
35	221	1,248	2,294	591	143	59	68	92	155	50	990	...	...	116	242	159	52	293	602	1,159
1	53	75	347	163	10	8	17	21	11	4	188	...	...	9	39	5	70	38	73	205
20	228	541	1,853	506	29	48	44	93	79	82	863	36	45	101	191	56	14	103	365	880
9	46	54	267	126	8	6	11	14	14	3	208	4	10	-	44	7	15	6	37	164
29	288	1,079	2,590	576	106	42	60	112	172	65	1,093	22	28	124	225	133	43	237	593	1,148
9	66	97	495	225	14	8	22	26	19	5	300	4	8	7	68	11	70	28	79	291
18	149	778	1,397	323	90	23	35	57	119	19	584	...	...	63	126	97	33	174	380	659
1	29	59	272	131	9	4	12	18	8	4	132	...	...	7	35	5	60	25	54	160
11	139	301	1,193	253	16	19	25	55	53	46	509	22	28	61	99	36	10	63	213	489
8	37	38	223	94	5	4	10	8	11	1	168	4	8	-	33	6	10	3	25	131
6	53	211	439	164	15	14	7	24	14	17	213	4	4	18	38	19	8	48	110	245
-	11	6	18	13	2	-	-	1	-	-	15	-	-	-	1	-	1	1	7	13
3	23	141	251	82	12	10	2	11	8	8	107	...	...	10	25	12	7	33	61	135
-	7	2	10	8	-	-	-	-	-	-	10	...	...	-	-	-	-	1	2	8
3	30	70	188	82	3	4	5	13	6	9	106	4	4	8	13	7	1	15	49	110
-	4	4	8	5	2	-	-	1	-	-	5	-	-	-	1	-	1	-	5	5
4	36	210	469	114	18	13	16	19	17	19	252	1	3	22	70	29	5	49	102	281
1	10	15	48	25	-	4	3	5	2	1	41	-	2	-	8	-	10	5	11	21
4	19	131	276	57	14	9	14	7	12	9	140	...	...	17	38	24	4	35	57	161
-	7	7	30	9	-	2	3	2	1	-	22	...	...	-	1	-	6	3	6	9
-	17	79	193	57	4	4	2	12	5	10	112	1	3	5	32	5	1	14	45	120
1	3	8	18	16	-	2	-	3	1	1	19	-	2	-	7	-	4	2	5	12
16	72	289	649	243	33	38	29	30	31	31	295	9	10	53	100	34	10	62	162	365
-	12	11	53	26	2	2	3	3	4	1	40	-	-	2	6	1	4	10	13	44
10	30	198	370	129	27	17	17	17	16	14	159	...	...	26	53	26	8	51	104	204
-	10	7	35	15	1	2	2	1	2	-	24	...	...	2	3	-	4	9	11	28
6	42	91	279	114	6	21	12	13	15	17	136	9	10	27	47	8	2	11	58	161
-	2	4	18	11	1	-	1	2	2	1	16	-	-	-	3	1	-	1	2	16
68	470	1,099	2,853	1,270	114	161	130	145	124	97	1,662	32	46	199	343	199	42	306	805	1,914
3	34	22	101	67	4	20	5	7	5	3	64	4	5	11	22	4	21	9	46	82
38	259	779	1,658	701	91	99	83	75	93	32	950	...	...	119	196	151	29	243	521	1,144
3	17	14	50	34	4	13	2	6	3	2	39	...	...	1	12	3	19	9	37	48
30	211	320	1,195	569	23	62	47	70	31	65	712	32	46	80	147	48	13	63	284	770
-	17	8	51	33	-	7	3	1	2	1	25	4	5	10	10	1	2	-	9	34

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
MONTANA	5,516	1	7	3	12	5	185	16	-	59	-	643	8	108	7	-	477
Both sexes--White	5,230	1	5	3	8	4	128	8	-	57	-	629	8	108	6	-	469
Nonwhite	286	-	2	-	4	1	57	8	-	2	-	14	-	-	1	-	8
Male--White	3,443	1	2	3	2	-	106	6	-	41	-	337	7	56	1	-	280
Nonwhite	161	-	2	-	1	1	30	6	-	1	-	4	-	-	-	-	6
Female--White	1,787	-	3	-	6	4	22	2	-	16	-	292	1	52	5	-	189
Nonwhite	125	-	-	-	3	-	27	2	-	1	-	10	-	-	1	-	2
Urban--White	2,454	1	1	1	2	-	72	4	-	18	-	301	2	50	4	-	220
Nonwhite	31	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	2
Male--White	1,551	1	1	1	1	-	60	3	-	12	-	146	2	28	1	-	115
Nonwhite	18	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1
Female--White	903	-	-	-	1	-	12	1	-	6	-	155	-	22	3	-	105
Nonwhite	13	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Places of 25,000 to 100,000--White	927	1	-	-	-	-	49	2	-	12	-	91	2	19	2	-	64
Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male--White	603	1	-	-	-	-	43	1	-	8	-	43	2	10	-	-	37
Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--White	324	-	-	-	-	-	6	1	-	4	-	48	-	9	2	-	27
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000--White	697	-	1	1	-	-	11	1	-	3	-	113	-	16	1	-	65
Nonwhite	13	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1
Male--White	441	-	1	1	-	-	9	1	-	2	-	54	-	9	-	-	34
Nonwhite	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Female--White	256	-	-	-	-	-	2	-	-	1	-	59	-	7	1	-	31
Nonwhite	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Places of 2,500 to 10,000--White	830	-	-	-	2	-	12	1	-	3	-	97	-	15	1	-	91
Nonwhite	9	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1
Male--White	507	-	-	-	1	-	8	1	-	2	-	49	-	9	1	-	44
Nonwhite	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Female--White	323	-	-	-	1	-	4	-	-	1	-	48	-	6	-	-	47
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Rural--White	2,776	-	4	2	6	4	56	4	-	39	-	328	6	58	2	-	249
Nonwhite	255	-	2	-	4	1	55	8	-	2	-	11	-	-	1	-	6
Male--White	1,892	-	1	2	1	-	46	3	-	29	-	191	5	28	-	-	165
Nonwhite	143	-	2	-	1	1	28	6	-	1	-	3	-	-	-	-	5
Female--White	884	-	3	-	5	4	10	1	-	10	-	137	1	30	2	-	84
Nonwhite	112	-	-	-	3	-	27	2	-	1	-	8	-	-	1	-	1
NEBRASKA	12,359	3	-	4	13	8	157	23	-	112	24	1,714	19	352	27	5	1,286
Both sexes--White	12,085	3	-	4	13	8	136	18	-	98	24	1,691	18	342	27	5	1,258
Nonwhite	274	-	-	-	-	-	21	5	-	14	-	23	1	10	-	-	28
Male--White	6,924	2	-	1	6	5	87	10	-	74	12	861	10	147	6	2	656
Nonwhite	165	-	-	-	-	-	10	3	-	11	-	16	1	6	-	-	15
Female--White	5,161	1	-	3	7	3	49	8	-	24	12	830	8	195	21	3	602
Nonwhite	109	-	-	-	-	-	11	2	-	3	-	7	-	4	-	-	13
Urban--White	5,456	2	-	-	1	2	84	12	-	52	7	776	8	154	11	1	556
Nonwhite	194	-	-	-	-	-	9	3	-	12	-	18	1	6	-	-	22
Male--White	3,047	1	-	-	-	1	62	6	-	38	2	370	5	64	2	1	278
Nonwhite	119	-	-	-	-	-	5	2	-	9	-	12	1	2	-	-	11
Female--White	2,409	1	-	-	1	1	22	6	-	14	5	406	3	90	9	-	278
Nonwhite	75	-	-	-	-	-	4	1	-	3	-	6	-	4	-	-	11
Places of 100,000 or more--White	2,282	1	-	-	-	1	46	6	-	32	-	323	4	61	2	-	234
Nonwhite	177	-	-	-	-	-	9	2	-	10	-	18	1	6	-	-	20
Male--White	1,268	1	-	-	-	1	36	3	-	25	-	159	4	25	1	-	112
Nonwhite	112	-	-	-	-	-	5	2	-	8	-	12	1	2	-	-	11
Female--White	1,014	-	-	-	-	-	10	3	-	7	-	164	-	36	1	-	122
Nonwhite	65	-	-	-	-	-	4	-	-	2	-	6	-	4	-	-	9
Places of 25,000 to 100,000--White	822	-	-	-	-	1	12	2	-	8	1	131	-	25	2	-	75
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male--White	456	-	-	-	-	-	10	-	-	7	-	60	-	8	-	-	33
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--White	366	-	-	-	-	1	2	2	-	1	1	71	-	17	2	-	42
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000--White	1,002	1	-	-	1	-	9	1	-	7	4	147	1	21	1	-	107
Nonwhite	7	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1
Male--White	582	-	-	-	-	-	5	-	-	4	2	75	-	8	-	-	60
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female--White	420	1	-	-	1	-	4	1	-	3	2	72	1	13	1	-	47
Nonwhite	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1
Places of 2,500 to 10,000--White	1,350	-	-	-	-	-	17	3	-	5	2	175	3	47	6	1	140
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Male--White	741	-	-	-	-	-	11	3	-	2	-	76	1	23	1	1	73
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--White	609	-	-	-	-	-	6	-	-	3	2	99	2	24	5	-	67
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rural--White	6,629	1	-	4	12	6	52	6	-	46	17	915	10	188	16	4	702
Nonwhite	80	-	-	-	-	-	12	2	-	2	-	5	-	4	-	-	6
Male--White	3,877	1	-	1	6	4	25	4	-	36	10	491	5	83	4	1	378
Nonwhite	46	-	-	-	-	-	5	1	-	2	-	4	-	4	-	-	4
Female--White	2,752	-	-	3	6	2	27	2	-	10	7	424	5	105	12	3	324
Nonwhite	34	-	-	-	-	-	7	1	-	-		1	-	-	-	-	2

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
24	104	470	1,003	261	48	33	36	59	56	30	284	9	17	66	127	98	17	105	363	775
24	101	461	975	218	48	25	36	58	55	28	276	9	14	61	117	95	14	102	351	728
-	3	9	28	43	-	8	-	1	1	2	8	-	3	5	10	3	3	3	12	47
16	62	354	657	145	43	17	25	31	34	7	191	...	...	37	67	80	8	73	276	478
-	1	8	16	21	-	7	-	1	-	-	3	...	...	3	5	3	-	2	11	29
8	39	107	318	73	5	8	11	27	21	21	85	9	14	24	50	15	6	29	75	250
-	2	1	12	22	-	1	-	-	1	2	5	-	3	2	5	-	3	1	1	18
7	60	225	472	82	25	12	19	22	31	9	143	5	9	33	57	42	8	50	156	311
-	-	2	11	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	6
5	31	162	308	51	22	10	11	10	22	2	97	...	...	22	30	34	5	37	123	198
-	-	1	6	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	1	5
2	29	63	164	31	3	2	8	12	9	7	46	5	9	11	27	8	3	13	33	113
-	-	1	5	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
3	20	69	204	31	15	4	10	5	16	2	51	3	2	10	17	18	3	13	69	120
-	-	1	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2
2	7	49	140	21	13	4	6	3	12	-	33	...	...	7	7	13	1	11	55	74
-	-	-	3	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	1	2
1	13	20	64	10	2	-	4	2	4	2	18	3	2	3	10	5	2	2	14	46
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
3	22	65	126	15	7	5	4	5	8	2	36	-	5	12	16	17	2	16	41	78
-	-	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	16	50	81	4	7	4	3	2	7	1	27	...	...	6	10	15	2	11	33	49
-	-	1	3	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	1
1	6	15	45	11	-	1	1	3	1	1	9	-	5	6	6	2	-	5	8	29
-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	18	91	142	36	3	3	5	12	7	5	56	2	2	11	24	7	3	21	46	113
-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3
1	8	63	87	26	2	2	2	5	3	1	37	...	...	9	13	6	2	15	35	75
-	-	-	-	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	-	2
-	10	28	55	10	1	1	3	7	4	4	19	2	2	2	11	1	1	6	11	38
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
17	41	236	503	136	23	13	17	36	24	19	133	4	5	28	60	53	6	52	195	417
-	3	7	17	42	-	8	-	1	1	2	6	-	3	5	9	3	3	3	11	41
11	31	192	349	94	21	7	14	21	12	5	94	...	...	15	37	46	3	36	153	260
-	1	7	10	21	-	7	-	1	-	-	2	...	...	3	5	3	-	2	10	24
6	10	44	154	42	2	6	3	15	12	14	39	4	5	13	23	7	3	16	42	137
-	2	-	7	21	-	1	-	-	1	2	4	-	3	2	4	-	3	1	1	17
52	263	1,166	2,046	609	69	48	78	137	83	93	844	20	25	139	261	186	22	219	669	1,583
51	261	1,153	2,005	572	68	45	78	134	81	93	830	20	22	137	256	186	17	217	657	1,557
1	2	13	41	37	1	3	-	3	2	-	14	-	3	2	5	-	5	2	12	26
33	134	840	1,107	313	58	21	49	67	52	32	467	...	...	84	142	141	13	160	431	901
-	-	10	26	18	1	1	-	2	2	-	11	...	...	1	2	-	4	2	7	16
18	127	313	898	259	10	24	29	67	29	61	363	20	22	53	114	45	4	57	226	656
1	2	3	15	19	-	2	-	1	-	-	3	-	3	1	3	-	1	-	5	10
21	115	633	882	235	22	19	30	54	45	32	347	9	8	73	148	76	13	84	285	659
1	-	12	34	15	1	2	-	2	1	-	12	-	3	2	5	-	5	2	11	15
15	54	464	458	117	21	11	18	23	30	12	184	...	...	39	77	55	10	66	173	390
-	-	9	21	8	1	1	-	1	1	-	9	...	...	1	2	-	4	2	6	11
6	61	169	424	118	1	8	12	31	15	20	163	9	8	34	71	21	3	18	112	269
1	-	3	13	7	-	1	-	1	-	-	3	-	3	1	3	-	1	-	5	4
8	53	302	336	87	13	9	16	27	20	17	118	5	2	32	64	42	9	41	109	262
1	-	11	30	13	1	2	-	2	1	-	10	-	3	2	3	-	5	2	11	14
8	26	220	158	42	12	6	10	11	12	6	60	...	...	15	36	30	8	30	71	140
-	-	8	20	6	1	1	-	1	1	-	8	...	...	1	2	-	4	2	6	10
-	27	82	178	45	1	3	6	16	8	11	58	5	2	17	28	12	1	11	38	122
1	-	3	10	7	-	1	-	1	-	-	2	-	3	1	1	-	1	-	5	4
5	17	100	152	27	2	-	2	5	6	3	63	1	-	12	16	5	-	7	37	105
-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
3	7	75	88	12	2	-	1	3	4	1	37	...	...	6	7	3	-	6	21	62
-	-	-	1	-	-	-	-	-	-	-	1	...	...	-	-	-	-	-	-	1
2	10	25	64	15	-	-	1	2	2	2	26	1	-	6	9	2	-	1	16	43
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	26	104	153	49	3	4	4	7	6	4	81	2	3	19	34	17	1	13	58	111
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
2	13	76	84	29	3	2	2	5	5	1	49	...	...	13	18	12	-	10	33	71
-	-	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
1	13	28	69	20	-	2	2	2	1	3	32	2	3	6	16	5	1	3	25	40
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
5	19	127	241	72	4	6	8	15	13	8	85	1	3	10	34	12	3	23	81	181
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	8	93	128	34	4	3	5	4	9	4	38	...	...	5	16	10	2	20	48	117
-	-	1	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
3	11	34	113	38	-	3	3	11	4	4	47	1	3	5	18	2	1	3	33	64
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
30	146	520	1,123	337	46	26	48	80	36	61	483	11	14	64	108	110	4	133	372	898
-	2	1	7	22	-	1	-	1	1	-	2	-	-	-	-	-	-	-	1	11
18	80	376	649	196	37	10	31	44	22	20	283	...	...	45	65	86	3	94	258	511
-	-	1	5	10	-	-	-	1	1	-	2	...	...	-	-	-	-	-	1	5
12	66	144	474	141	9	16	17	36	14	41	200	11	14	19	43	24	1	39	114	387
-	2	-	2	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEVADA	1,634	1	3	2	8	-	69	11	-	19	1	143	2	22	2	1	120
Both sexes White	1,482	1	3	2	5	-	50	3	-	16	1	138	2	20	1	1	111
Nonwhite	152	-	-	-	3	-	19	8	-	3	-	5	-	2	1	-	9
Male White	1,096	1	2	1	1	-	45	2	-	15	1	85	1	11	-	-	73
Nonwhite	79	-	-	-	-	-	8	6	-	2	-	2	-	1	1	-	5
Female White	386	-	1	1	4	-	4	1	-	1	-	53	1	9	1	1	38
Nonwhite	73	-	-	-	3	-	11	2	-	1	-	3	-	1	-	-	4
Urban White	696	1	2	1	4	-	26	-	-	7	1	67	1	10	1	-	54
Nonwhite	36	-	-	-	1	-	3	1	-	2	-	3	-	-	-	-	2
Male White	505	1	2	1	1	-	26	-	-	6	1	37	-	6	-	-	34
Nonwhite	22	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	2
Female White	191	-	-	-	3	-	-	-	-	1	-	30	1	4	1	-	20
Nonwhite	14	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000 White	321	1	2	1	-	-	17	-	-	3	-	37	-	6	1	-	20
Nonwhite	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male White	226	1	2	1	-	-	17	-	-	2	-	20	-	3	-	-	13
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female White	95	-	-	-	-	-	-	-	-	1	-	17	-	3	1	-	7
Nonwhite	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000 White	375	-	-	-	4	-	9	-	-	4	1	30	1	4	-	-	34
Nonwhite	29	-	-	-	1	-	3	-	-	2	-	3	-	-	-	-	2
Male White	279	-	-	-	1	-	9	-	-	4	1	17	-	3	-	-	21
Nonwhite	21	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	2
Female White	96	-	-	-	3	-	-	-	-	-	-	13	1	1	-	-	13
Nonwhite	8	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
Rural White	786	-	1	1	1	-	24	3	-	9	-	71	1	10	-	1	57
Nonwhite	116	-	-	-	2	-	16	7	-	1	-	2	-	2	1	-	7
Male White	591	-	-	-	-	-	20	2	-	9	-	48	1	5	-	-	39
Nonwhite	57	-	-	-	-	-	6	6	-	-	-	-	-	1	1	-	3
Female White	195	-	1	1	1	-	4	1	-	-	-	23	-	5	-	1	18
Nonwhite	59	-	-	-	2	-	10	1	-	1	-	2	-	1	-	-	4
NEW HAMPSHIRE	5,662	1	4	4	10	-	94	8	-	37	3	782	-	142	8	-	600
Both sexes White	5,652	1	4	4	10	-	94	8	-	35	3	780	-	142	8	-	599
Nonwhite	10	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	1
Male White	3,036	1	4	2	5	-	60	5	-	25	3	355	-	53	3	-	276
Nonwhite	7	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1
Female White	2,616	-	-	2	5	-	34	3	-	10	-	425	-	89	5	-	323
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Urban White	3,232	1	4	3	5	-	59	5	-	29	2	435	-	94	4	-	328
Nonwhite	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Male White	1,692	1	4	2	3	-	38	2	-	21	2	185	-	35	1	-	161
Nonwhite	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Female White	1,540	-	-	1	2	-	21	3	-	8	-	250	-	59	3	-	167
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000 White	1,706	-	1	3	2	-	36	2	-	25	1	225	-	52	1	-	168
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male White	871	-	1	2	2	-	21	1	-	20	1	95	-	15	1	-	74
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female White	835	-	-	1	-	-	15	1	-	5	-	130	-	37	-	-	94
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000 White	1,103	-	2	-	2	-	17	2	-	2	1	144	-	33	1	-	111
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male White	604	-	2	-	1	-	12	1	-	1	1	63	-	16	-	-	67
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female White	499	-	-	-	1	-	5	1	-	1	-	81	-	17	1	-	44
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000 White	423	1	1	-	1	-	6	1	-	2	-	66	-	9	2	-	49
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male White	217	1	1	-	-	-	5	-	-	-	-	27	-	4	-	-	20
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female White	206	-	-	-	1	-	1	1	-	2	-	39	-	5	2	-	29
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural White	2,420	-	-	1	5	-	35	3	-	6	1	345	-	48	4	-	271
Nonwhite	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
Male White	1,344	-	-	-	2	-	22	3	-	4	1	170	-	18	2	-	115
Nonwhite	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Female White	1,076	-	-	1	3	-	13	-	-	2	-	175	-	30	2	-	156
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY	46,716	6	33	9	47	6	1,754	128	3	470	25	6,425	64	1,463	94	2	3,945
Both sexes White	43,116	4	30	8	28	6	1,360	84	2	318	21	6,169	55	1,385	90	1	3,680
Nonwhite	3,600	2	3	1	19	-	394	44	1	152	4	256	9	78	4	1	265
Male White	23,620	2	20	2	11	4	867	44	2	245	12	3,028	25	452	22	1	1,691
Nonwhite	1,959	2	3	-	8	-	223	24	1	101	2	129	5	23	-	1	122
Female White	19,496	2	10	6	17	2	473	40	-	73	9	3,141	30	933	68	-	1,989
Nonwhite	1,641	-	-	1	11	-	171	20	-	51	2	127	4	55	4	-	143
Urban White	33,580	4	25	6	15	4	1,012	59	1	197	15	4,994	49	1,128	79	1	2,857
Nonwhite	2,910	1	3	1	15	-	336	38	1	109	4	206	9	65	3	1	217
Male White	18,270	2	16	2	7	3	674	30	1	147	6	2,463	23	367	20	1	1,296
Nonwhite	1,564	1	3	-	7	-	188	21	1	72	2	101	5	20	-	1	101
Female White	15,310	2	9	4	8	1	338	29	-	50	9	2,531	26	761	59	-	1,561
Nonwhite	1,346	-	-	1	8	-	148	17	-	37	2	105	4	45	3	-	116

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,93	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
6	24	199	249	88	17	24	15	21	18	7	76	-	2	15	37	34	14	74	127	243
5	24	135	226	72	17	20	13	21	17	7	72	-	1	15	36	31	11	72	120	213
1	-	4	23	16	-	4	2	-	1	-	4	-	1	-	1	3	3	2	7	30
2	16	113	158	53	15	17	8	12	12	3	49	...	...	9	24	28	10	65	104	159
1	-	2	13	7	-	3	1	-	1	-	1	...	...	-	-	3	3	2	4	13
3	8	22	68	19	2	3	5	9	5	4	23	-	1	6	12	3	1	7	16	54
-	-	2	10	9	-	1	1	-	-	-	3	-	1	-	1	-	-	-	3	17
2	9	70	119	30	9	7	5	11	7	6	39	-	-	10	16	14	5	22	47	93
-	-	2	6	1	-	1	1	-	1	-	2	-	-	-	-	-	1	-	2	7
1	6	60	80	20	9	5	2	5	6	3	28	...	...	5	11	14	4	19	37	75
-	-	1	4	1	-	1	-	-	1	-	-	...	...	-	-	-	1	-	1	4
1	3	10	39	10	-	2	3	6	1	3	11	-	-	5	5	-	1	3	10	18
-	-	1	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	3
-	5	48	61	14	4	2	3	7	6	1	14	-	-	5	2	3	1	2	22	33
-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
-	2	42	38	11	4	1	1	2	5	1	10	...	...	2	2	3	1	1	17	24
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	3	5	23	3	-	1	2	5	1	-	4	-	-	3	-	-	-	1	5	9
-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
2	4	22	58	16	5	5	2	4	1	5	25	-	-	5	14	11	4	20	25	60
-	-	2	3	1	-	1	1	-	1	-	1	-	-	-	-	-	1	-	1	6
1	4	18	42	9	5	4	1	3	1	2	18	...	...	3	9	11	3	18	20	51
-	-	1	3	1	-	1	-	-	1	-	-	...	...	-	-	-	1	-	1	4
1	-	4	16	7	-	1	1	1	-	3	7	-	-	2	5	-	1	2	5	9
-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2
3	15	65	107	42	8	13	8	10	10	1	33	-	1	5	20	17	6	50	73	120
1	-	2	17	15	-	3	1	-	-	-	2	-	1	-	1	3	2	2	5	23
1	10	58	78	33	6	12	6	7	6	-	21	...	...	4	13	14	6	46	67	84
1	-	1	9	6	-	2	1	-	-	-	1	...	...	-	-	3	2	2	3	9
2	5	12	29	9	2	1	2	3	4	1	12	-	1	1	7	3	-	4	6	36
-	-	1	8	9	-	1	-	-	-	-	1	-	1	-	1	-	-	-	2	14
20	99	697	1,080	270	40	21	24	51	35	30	336	5	6	66	111	68	1	57	262	690
20	99	696	1,078	270	40	21	24	51	35	30	336	5	6	66	111	67	1	57	261	690
-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
13	47	471	529	141	30	13	17	26	25	12	195	...	...	38	66	53	1	46	166	355
-	-	1	-	-	-	-	-	-	-	-	-	...	...	-	-	1	-	-	1	-
7	52	225	549	129	10	8	7	25	10	18	141	5	6	28	45	14	-	11	95	335
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	41	382	681	152	23	12	16	30	22	20	195	3	4	45	73	34	-	38	134	397
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
9	18	257	394	74	16	8	12	16	16	6	107	...	...	25	42	24	-	30	80	193
-	-	1	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	1	-
2	23	125	327	78	7	4	4	14	6	14	88	3	4	20	31	10	-	8	54	204
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	23	189	360	74	16	7	7	14	12	11	110	2	1	22	32	15	-	16	64	210
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5	8	127	177	38	12	4	5	9	9	4	55	...	...	11	18	10	-	13	33	100
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	1	-
-	15	62	183	36	4	3	2	5	3	7	55	2	1	11	14	5	-	3	31	110
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	13	133	202	56	4	3	6	13	9	7	68	-	2	17	33	14	-	16	51	136
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	8	89	93	25	2	2	5	5	6	2	43	...	...	9	20	10	-	13	35	69
-	-	1	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
1	5	44	109	31	2	1	1	8	3	5	25	-	2	8	13	4	-	3	16	67
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	5	60	69	22	3	2	3	3	1	2	17	1	1	6	8	5	-	6	19	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	41	34	11	2	2	2	2	1	-	9	...	...	5	4	4	-	4	12	24
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
1	3	19	35	11	1	-	1	1	-	2	8	1	1	1	4	1	-	2	7	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	58	314	447	118	17	9	8	21	13	10	141	2	2	21	38	33	1	19	127	293
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4	29	214	225	67	14	5	5	10	9	6	88	...	...	13	24	29	1	16	86	162
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	1	-	-	-	-
5	29	100	222	51	3	4	3	11	4	4	53	2	2	8	14	4	-	3	41	131
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	653	4,203	10,650	1,920	314	172	292	399	564	282	3,068	71	91	486	865	552	105	783	1,922	4,533
108	795	4,071	9,938	1,668	297	147	276	367	543	277	2,764	63	79	465	760	539	58	728	1,766	4,166
9	58	132	712	252	17	25	16	32	21	5	304	8	12	21	105	13	47	55	156	367
64	373	2,807	5,295	947	264	75	161	175	359	88	1,405	...	...	256	431	388	43	580	1,127	2,334
3	23	85	382	151	14	12	10	15	10	-	151	...	...	10	58	9	38	49	117	178
44	422	1,264	4,643	721	33	72	115	192	184	189	1,359	63	79	209	329	151	15	148	639	1,832
6	35	47	330	101	3	13	6	17	11	5	153	8	12	11	47	4	9	6	39	189
92	639	3,229	7,672	1,285	249	115	221	299	462	227	2,020	50	62	373	630	399	50	528	1,360	3,172
9	46	97	580	208	11	22	15	26	21	4	243	6	8	19	87	10	40	37	113	299
53	296	2,224	4,086	713	221	61	127	145	316	79	999	...	...	202	348	279	38	414	855	1,756
3	16	63	308	129	9	11	9	13	10	-	120	...	...	8	46	6	32	33	86	139
39	343	1,005	3,586	572	28	54	94	154	146	148	1,021	50	62	171	282	120	12	114	505	1,416
6	30	34	272	79	2	11	6	13	11	4	123	6	8	11	41	4	8	4	27	160

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEW JERSEY—Continued																	
Places of 100,000 or more-----White-----	12,212	2	11	2	4	3	441	23	-	85	7	1,756	18	450	26	1	928
Nonwhite--	1,450	-	2	-	6	-	192	27	-	58	2	89	9	24	1	-	83
Male----------White-----	6,857	1	5	1	1	3	304	15	-	65	4	933	10	156	7	1	445
Nonwhite--	815	-	2	-	5	-	107	16	-	37	1	45	5	8	-	-	39
Female----------White-----	5,355	1	6	1	3	-	137	8	-	20	3	823	8	294	19	-	483
Nonwhite--	635	-	-	-	1	-	85	11	-	21	1	44	4	16	1	-	44
Places of 25,000 to 100,000---White-----	9,289	1	7	2	7	1	264	16	1	37	4	1,398	19	312	26	-	813
Nonwhite--	712	-	1	-	5	-	75	7	1	22	-	51	-	23	2	-	66
Male----------White-----	4,979	-	5	1	4	-	176	8	1	24	1	668	10	96	9	-	357
Nonwhite--	359	-	1	-	2	-	43	4	1	14	-	23	-	8	-	-	35
Female----------White-----	4,310	1	2	1	3	1	88	8	-	13	3	730	9	216	17	-	456
Nonwhite--	353	-	-	-	3	-	32	3	-	8	-	28	-	15	2	-	31
Places of 10,000 to 25,000----White-----	5,831	-	4	-	1	-	128	5	-	18	1	934	8	182	16	-	546
Nonwhite--	433	-	-	-	2	-	33	2	-	10	1	47	-	11	-	-	36
Male----------White-----	3,039	-	4	-	-	-	81	-	-	15	-	418	2	55	2	-	231
Nonwhite--	203	-	-	-	-	-	19	-	-	9	-	23	-	1	-	-	14
Female----------White-----	2,792	-	-	-	1	-	47	5	-	3	1	516	6	127	14	-	315
Nonwhite--	230	-	-	-	2	-	14	2	-	1	1	24	-	10	-	-	22
Places of 2,500 to 10,000-----White-----	6,248	1	3	2	3	-	179	15	-	57	3	906	4	184	11	-	570
Nonwhite--	315	1	-	1	2	-	36	2	-	19	1	19	-	7	-	1	32
Male----------White-----	3,395	1	2	-	2	-	113	7	-	43	1	444	1	60	2	-	263
Nonwhite--	187	1	-	-	-	-	19	1	-	12	1	10	-	3	-	1	13
Female----------White-----	2,853	-	1	2	1	-	66	8	-	14	2	462	3	124	9	-	307
Nonwhite--	128	-	-	1	2	-	17	1	-	7	-	9	-	4	-	-	19
Rural----------White-----	9,536	-	5	2	13	2	348	25	1	121	6	1,175	6	257	11	-	823
Nonwhite--	690	1	-	-	4	-	58	6	-	43	-	50	-	13	1	-	48
Male----------White-----	5,350	-	4	-	4	1	213	14	1	98	6	565	2	85	2	-	395
Nonwhite--	395	1	-	-	1	-	35	3	-	29	-	28	-	3	-	-	21
Female----------White-----	4,186	-	1	2	9	1	135	11	-	23	-	610	4	172	9	-	428
Nonwhite--	295	-	-	-	3	-	23	3	-	14	-	22	-	10	1	-	27
NEW MEXICO----------	5,203	9	5	1	37	17	272	31	-	54	7	288	10	50	7	3	209
Both sexes--------White-----	4,866	8	5	1	36	16	218	21	-	49	7	276	9	49	7	3	199
Nonwhite--	337	1	-	-	1	1	54	10	-	5	-	12	1	1	-	-	10
Male---------White-----	2,779	5	4	1	17	7	142	10	-	28	4	135	5	24	3	3	105
Nonwhite--	180	-	-	-	1	-	24	5	-	4	-	5	-	1	-	-	8
Female--------White-----	2,087	3	1	-	19	9	75	11	-	21	3	141	4	25	4	-	94
Nonwhite--	157	1	-	-	-	1	30	5	-	1	-	7	1	-	-	-	2
Urban----------White-----	1,958	1	2	-	11	7	115	11	-	38	3	150	4	20	3	1	96
Nonwhite--	51	-	-	-	-	-	5	1	-	2	-	4	-	-	-	-	4
Male----------White-----	1,147	1	2	-	4	1	75	6	-	20	3	72	3	10	2	1	49
Nonwhite--	36	-	-	-	-	-	3	1	-	1	-	2	-	-	-	-	3
Female----------White-----	811	-	-	-	7	6	40	5	-	18	-	78	1	10	1	-	47
Nonwhite--	15	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	1
Places of 25,000 to 100,000---White-----	386	-	-	-	2	-	48	4	-	4	1	43	1	5	1	-	21
Nonwhite--	12	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Male----------White-----	224	-	-	-	-	-	36	3	-	1	1	21	1	2	1	-	10
Nonwhite--	10	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Female----------White-----	162	-	-	-	2	-	12	1	-	3	-	22	-	3	-	-	11
Nonwhite--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000----White-----	509	-	-	-	1	3	20	1	-	7	2	30	2	6	2	1	24
Nonwhite--	16	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Male----------White-----	302	-	-	-	-	-	12	-	-	4	2	13	1	1	1	1	14
Nonwhite--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female----------White-----	207	-	-	-	1	3	8	1	-	3	-	17	1	5	1	-	10
Nonwhite--	9	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000-----White-----	1,063	1	2	-	8	4	47	6	-	27	-	77	1	9	-	-	51
Nonwhite--	23	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	4
Male----------White-----	621	1	2	-	4	1	27	3	-	15	-	38	1	7	-	-	25
Nonwhite--	19	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	3
Female----------White-----	442	-	-	-	4	3	20	3	-	12	-	39	-	2	-	-	26
Nonwhite--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rural----------White-----	2,908	7	3	1	25	9	103	10	-	11	4	126	5	29	4	2	103
Nonwhite--	286	1	-	-	1	1	49	9	-	3	-	8	1	1	-	-	6
Male----------White-----	1,632	4	2	1	13	6	67	4	-	8	1	63	2	14	1	2	56
Nonwhite--	144	-	-	-	1	-	21	4	-	3	-	3	-	1	-	-	5
Female----------White-----	1,276	3	1	-	12	3	36	6	-	3	3	63	3	15	3	-	47
Nonwhite--	142	1	-	-	-	1	28	5	-	-	-	5	1	-	-	-	1
NEW YORK----------	149,820	22	123	24	145	17	5,622	451	7	1,896	29	22,036	176	5,352	303	12	10,033
Both sexes--------White-----	142,276	21	112	20	128	14	4,569	313	5	1,405	29	21,305	161	5,180	288	11	9,706
Nonwhite--	7,544	1	11	4	17	3	1,053	138	2	491	-	731	15	172	15	1	327
Male---------White-----	77,845	17	82	10	64	9	3,194	174	5	1,087	20	10,376	81	1,759	47	7	4,375
Nonwhite--	4,010	1	7	1	9	1	609	72	1	342	-	298	11	51	2	-	128
Female--------White-----	64,431	4	30	10	64	5	1,375	139	-	318	9	10,929	80	3,421	241	4	5,331
Nonwhite--	3,534	-	4	3	8	2	444	66	1	149	-	433	4	121	13	1	199
Urban----------White-----	111,895	14	102	10	88	12	3,510	251	5	960	21	17,561	138	4,319	225	8	6,993
Nonwhite--	6,763	-	10	4	10	3	953	126	2	356	-	681	14	160	15	1	291
Male----------White-----	60,723	12	73	3	47	7	2,489	137	5	756	13	8,580	71	1,457	36	4	3,107
Nonwhite--	3,530	-	7	1	4	1	547	64	1	246	-	274	10	47	2	-	109
Female----------White-----	51,172	2	29	7	41	5	1,021	114	-	204	8	8,981	67	2,862	189	4	3,886
Nonwhite--	3,233	-	3	3	6	2	406	62	1	110	-	407	4	113	13	1	182

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
39	263	1,065	2,928	506	92	49	78	112	179	75	682	20	19	125	229	130	22	182	527	1,133
5	22	38	292	115	7	13	9	16	12	2	88	4	3	3	49	7	26	20	56	170
26	118	739	1,611	289	82	28	44	59	126	25	329	...	...	76	121	97	19	138	338	641
3	6	24	163	74	7	8	5	10	6	-	48	...	...	-	24	4	21	17	45	85
13	145	326	1,317	217	10	21	34	53	53	50	353	20	19	49	108	33	3	44	189	492
2	16	14	129	41	-	5	4	6	6	2	40	4	3	3	25	3	5	3	11	85
24	180	875	2,163	345	83	30	61	80	136	66	523	16	15	95	188	121	7	149	363	861
3	12	28	121	56	3	4	5	7	7	1	77	1	3	5	18	2	7	6	26	67
12	84	592	1,164	191	75	12	32	32	95	21	254	...	...	44	103	80	5	119	238	466
-	5	19	59	32	1	2	4	1	4	-	33	...	...	3	13	2	6	5	15	24
12	96	283	999	154	8	18	29	48	41	45	269	16	15	51	85	41	2	30	125	395
3	7	9	62	24	2	2	1	6	3	1	44	1	3	2	5	-	1	1	11	43
11	100	621	1,221	225	35	20	38	47	84	41	388	3	13	75	102	64	6	104	226	564
1	7	22	106	21	1	5	-	3	1	-	44	-	1	3	9	1	4	7	17	38
7	52	420	615	123	31	12	25	23	50	18	196	...	...	40	56	39	5	86	128	305
-	3	14	49	9	1	1	-	2	-	-	16	...	...	-	3	-	3	7	13	16
4	48	201	606	102	4	8	13	24	34	23	192	3	13	35	46	25	1	18	98	259
1	4	8	57	12	-	4	-	1	1	-	28	-	1	3	6	1	1	-	4	22
18	96	668	1,360	209	39	16	44	60	63	45	427	11	15	78	111	84	15	93	244	614
-	5	9	61	16	-	-	1	-	1	1	34	1	1	8	11	-	3	4	14	24
8	42	473	696	110	33	9	26	31	45	15	220	...	...	42	73	63	9	71	151	344
-	2	6	37	14	-	-	-	-	-	-	23	...	...	5	6	-	2	4	13	14
10	54	195	664	99	6	7	18	29	18	30	207	11	15	36	43	21	6	22	93	270
-	3	3	24	2	-	-	1	-	1	1	11	1	1	3	5	-	1	-	1	10
16	156	842	2,266	383	48	32	55	68	81	50	744	13	17	92	130	140	8	200	406	994
-	12	35	132	44	6	3	1	6	-	1	61	2	4	2	18	3	7	18	43	68
11	77	583	1,209	234	43	14	34	30	43	9	406	...	...	54	83	109	5	166	272	578
-	7	22	74	22	5	1	1	2	-	-	31	...	...	2	12	3	6	16	31	39
5	79	259	1,057	149	5	18	21	38	38	41	338	13	17	38	47	31	3	34	134	416
-	5	13	58	22	1	2	-	4	-	1	30	2	4	-	6	-	1	2	12	29
27	74	152	441	422	26	224	36	46	27	20	234	25	43	67	222	55	33	129	288	1,612
27	72	147	420	387	26	213	33	44	26	18	230	24	36	61	217	51	27	122	269	1,512
-	2	5	21	35	-	11	3	2	1	2	4	1	7	6	5	4	6	7	19	100
12	36	97	247	212	21	107	21	22	17	8	122	...	...	34	128	33	25	104	210	830
-	1	5	10	19	-	6	3	2	1	2	4	...	...	2	3	4	5	3	15	47
15	36	50	173	175	5	106	12	22	9	10	108	24	36	27	89	18	2	18	59	682
-	1	-	11	16	-	5	-	-	-	-	-	1	7	4	2	-	1	4	4	53
6	38	92	209	159	11	84	17	18	12	10	112	13	7	32	89	19	10	54	116	388
-	1	3	3	3	-	-	-	2	-	-	2	-	1	-	2	2	2	-	5	9
3	18	58	113	90	8	39	11	12	8	4	57	...	...	18	53	9	9	46	98	244
-	1	3	2	1	-	-	-	2	-	-	2	...	...	-	1	2	2	-	4	6
3	20	34	96	69	3	45	6	6	4	6	55	13	7	14	36	10	1	8	18	144
-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	3
-	8	19	39	27	1	11	4	5	2	1	21	3	1	7	16	1	3	7	23	57
-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2
-	5	12	18	13	-	8	3	2	1	-	10	...	...	2	11	-	3	6	21	33
-	-	3	1	-	-	-	-	-	-	-	-	...	...	-	1	1	-	-	-	2
-	3	7	21	14	1	3	1	3	1	1	11	3	1	5	5	1	-	1	2	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
1	8	27	62	25	2	23	4	5	1	4	29	4	4	9	38	8	1	16	43	96
-	-	-	2	3	-	-	-	2	-	-	-	-	-	-	1	-	1	-	1	2
-	3	17	34	15	2	12	3	5	1	2	16	...	...	4	22	2	1	14	40	60
-	-	-	1	1	-	-	-	2	-	-	-	...	...	-	-	-	1	-	1	1
1	5	10	28	10	-	11	1	-	-	2	13	4	4	5	16	6	-	2	3	36
-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
5	22	46	108	107	8	50	9	8	9	5	62	6	2	16	35	10	6	31	50	235
-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	3	5
3	10	29	61	62	6	19	5	5	6	2	31	...	...	12	20	7	5	26	37	151
-	1	-	-	-	-	-	-	-	-	-	2	...	...	-	-	1	1	-	3	3
2	12	17	47	45	2	31	4	3	3	3	31	6	2	4	15	3	1	5	13	84
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2
21	34	55	211	228	15	129	16	26	14	8	118	11	29	29	128	32	17	68	153	1,124
-	1	2	18	32	-	11	3	-	1	2	2	1	6	6	3	2	4	7	14	91
9	18	39	134	122	13	68	10	10	9	4	65	...	...	16	75	24	16	58	112	586
-	-	2	8	18	-	6	3	-	1	2	2	...	...	2	2	2	3	3	11	41
12	16	16	77	106	2	61	6	16	5	4	53	11	29	13	53	8	1	10	41	538
-	1	-	10	14	-	5	-	-	-	-	-	1	6	4	1	-	1	4	3	50
413	3,212	14,485	36,461	5,798	1,155	602	818	1,245	1,726	815	7,605	238	307	1,529	2,635	1,878	369	2,225	6,120	13,936
382	3,053	14,152	35,101	5,407	1,116	573	778	1,194	1,673	801	7,203	199	282	1,469	2,388	1,832	236	2,123	5,821	13,226
31	159	333	1,360	391	39	29	40	51	53	14	402	39	25	60	247	45	133	102	299	710
223	1,417	9,933	18,145	3,063	960	322	458	623	1,066	289	3,568	...	...	767	1,356	1,268	171	1,673	3,592	7,644
23	56	216	654	240	33	17	21	26	29	3	175	...	...	30	144	35	101	75	223	366
159	1,636	4,219	16,956	2,344	156	251	320	571	607	512	3,635	199	282	702	1,032	564	65	450	2,229	5,582
8	93	117	706	151	6	12	19	25	24	11	227	39	25	30	103	11	32	27	76	344
300	2,515	11,464	27,650	4,327	898	464	633	937	1,451	677	5,405	163	224	1,189	1,964	1,427	199	1,532	4,450	9,809
31	149	302	1,224	352	34	25	34	49	51	13	363	39	24	53	235	46	129	85	273	626
177	1,123	8,024	14,058	2,441	772	253	365	467	921	248	2,604	...	...	625	1,111	946	147	1,186	2,746	5,712
23	60	197	575	215	28	16	18	25	29	3	152	...	...	28	133	35	98	59	202	321
123	1,392	3,440	13,592	1,886	126	211	268	470	530	429	2,801	163	224	564	853	481	52	346	1,704	4,097
8	89	105	649	137	6	9	16	24	22	10	211	39	24	25	102	11	31	26	71	305

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEW YORK—Continued																	
Places of 100,000 or more—White	86,403	10	86	4	59	10	2,948	195	4	774	13	14,132	115	3,529	175	6	4,579
Nonwhite	6,135	-	10	4	10	3	898	119	2	320	-	635	14	142	13	-	259
Male—White	47,186	8	61	3	29	6	2,110	103	4	614	7	7,002	59	1,181	31	3	2,034
Nonwhite	3,199	-	7	1	4	1	510	60	1	216	-	256	10	44	2	-	98
Female—White	39,217	2	25	1	30	4	838	92	-	160	6	7,130	56	2,348	144	3	2,545
Nonwhite	2,936	-	3	3	6	2	388	59	1	104	-	379	4	98	11	-	161
Places of 25,000 to 100,000—White	9,182	2	12	2	7	2	212	17	-	73	5	1,194	13	289	17	-	828
Nonwhite	307	-	-	-	-	-	30	4	-	13	-	25	-	9	1	1	17
Male—White	4,821	2	8	-	3	1	147	11	-	51	4	526	7	104	3	-	364
Nonwhite	167	-	-	-	-	-	22	2	-	11	-	10	-	3	-	-	6
Female—White	4,361	-	4	2	4	1	65	6	-	22	1	668	6	185	14	-	464
Nonwhite	140	-	-	-	-	-	8	2	-	2	-	15	-	6	1	1	11
Places of 10,000 to 25,000—White	8,844	-	3	3	11	-	178	21	-	69	3	1,208	2	273	15	1	812
Nonwhite	217	-	-	-	-	-	15	2	-	19	-	15	-	3	-	-	7
Male—White	4,729	-	3	-	8	-	112	11	-	57	2	579	-	97	2	1	370
Nonwhite	115	-	-	-	-	-	6	2	-	15	-	5	-	-	-	-	3
Female—White	4,115	-	-	3	3	-	66	10	-	12	1	629	2	176	13	-	442
Nonwhite	102	-	-	-	-	-	9	-	-	4	-	10	-	3	-	-	4
Places of 2,500 to 10,000—White	7,466	2	1	1	11	-	172	18	1	44	-	1,027	8	228	18	1	774
Nonwhite	104	-	-	-	-	-	10	1	-	4	-	6	-	6	1	-	8
Male—White	3,987	2	1	-	7	-	120	12	1	34	-	473	5	75	-	-	339
Nonwhite	49	-	-	-	-	-	9	-	-	4	-	3	-	-	-	-	2
Female—White	3,479	-	-	1	4	-	52	6	-	10	-	554	3	153	18	1	435
Nonwhite	55	-	-	-	-	-	1	1	-	-	-	3	-	6	1	-	6
Rural—White	30,381	7	10	10	40	2	1,059	62	-	445	8	3,744	23	861	63	3	2,713
Nonwhite	781	1	1	-	7	-	100	12	-	135	-	50	1	12	-	-	36
Male—White	17,122	5	9	7	17	2	705	37	-	331	7	1,796	10	302	11	3	1,268
Nonwhite	480	1	-	-	5	-	62	8	-	96	-	24	1	4	-	-	19
Female—White	13,259	2	1	3	23	-	354	25	-	114	1	1,948	13	559	52	-	1,445
Nonwhite	301	-	1	-	2	-	38	4	-	39	-	26	-	8	-	-	17
NORTH CAROLINA	29,414	19	32	8	104	76	1,326	135	33	328	12	2,249	60	455	30	116	3,055
Both sexes—White	18,615	6	17	7	55	55	506	42	17	96	7	1,665	39	317	18	84	1,972
Nonwhite	10,799	13	15	1	49	11	820	93	16	232	5	584	21	138	12	32	1,083
Male—White	10,713	4	12	5	19	39	277	24	9	65	2	724	20	157	5	30	1,060
Nonwhite	5,722	9	2	-	20	6	386	60	10	158	3	212	11	58	2	11	518
Female—White	7,902	2	5	2	36	26	229	18	8	31	5	941	19	160	13	54	912
Nonwhite	5,077	4	13	1	29	5	434	33	6	74	2	372	10	80	10	21	565
Urban—White	5,615	2	1	2	9	15	144	13	1	37	1	581	10	125	8	10	525
Nonwhite	3,954	1	8	1	9	2	302	38	3	79	3	250	10	67	5	12	387
Male—White	3,206	2	1	2	2	9	77	7	1	28	-	244	5	60	2	3	271
Nonwhite	2,049	1	2	-	7	1	145	24	2	50	1	95	6	24	-	2	188
Female—White	2,409	-	-	-	7	6	67	6	-	9	1	337	5	65	6	7	254
Nonwhite	1,905	-	6	1	2	1	157	14	1	29	2	155	4	43	5	10	199
Places of 100,000 or more—White	530	-	-	1	1	2	17	1	-	2	-	56	1	12	-	3	53
Nonwhite	360	-	-	-	-	-	18	2	-	4	-	19	1	3	-	1	47
Male—White	330	-	-	1	-	2	11	1	-	2	-	27	1	5	-	1	31
Nonwhite	200	-	-	-	-	-	9	2	-	4	-	2	1	1	-	1	23
Female—White	200	-	-	-	1	-	6	-	-	-	-	29	-	7	-	2	22
Nonwhite	160	-	-	-	-	-	9	-	-	-	-	17	-	2	-	-	24
Places of 25,000 to 100,000—White	2,187	1	1	1	3	1	64	6	1	22	-	259	4	47	3	6	191
Nonwhite	1,763	1	4	-	5	2	137	19	-	41	1	128	5	42	4	4	157
Male—White	1,210	1	1	1	1	1	32	3	1	17	-	107	3	21	-	2	98
Nonwhite	906	1	2	-	5	1	65	14	-	25	1	52	3	14	-	1	71
Female—White	977	-	-	-	2	-	32	3	-	5	-	152	1	26	3	4	93
Nonwhite	857	-	2	-	-	1	72	5	-	16	-	76	2	28	4	3	86
Places of 10,000 to 25,000—White	1,464	1	-	-	2	6	29	3	-	5	1	144	1	39	3	-	131
Nonwhite	1,063	-	3	1	3	-	99	9	3	19	2	62	3	14	1	2	103
Male—White	845	1	-	-	1	3	15	2	-	4	-	56	-	17	1	-	66
Nonwhite	546	-	-	-	1	-	46	4	2	12	-	23	2	5	-	-	54
Female—White	619	-	-	-	1	3	14	1	-	1	1	88	1	22	2	-	65
Nonwhite	517	-	3	1	2	-	53	5	1	7	2	39	1	9	1	2	49
Places of 2,500 to 10,000—White	1,434	-	-	-	3	6	34	3	-	8	-	122	4	27	2	1	150
Nonwhite	768	-	1	-	1	-	48	8	-	15	-	41	1	8	-	5	80
Male—White	821	-	-	-	-	3	19	1	-	5	-	54	1	17	1	-	76
Nonwhite	397	-	-	-	1	-	25	4	-	9	-	18	-	4	-	-	40
Female—White	613	-	-	-	3	3	15	2	-	3	-	68	3	10	1	1	74
Nonwhite	371	-	1	-	-	-	23	4	-	6	-	23	1	4	-	5	40
Rural—White	13,000	4	16	5	46	50	362	29	16	59	6	1,084	29	192	10	74	1,447
Nonwhite	6,845	12	7	-	40	9	518	55	13	153	2	334	11	71	7	20	696
Male—White	7,507	2	11	3	17	30	200	17	8	37	2	480	15	97	3	27	789
Nonwhite	3,673	8	-	-	13	5	241	36	8	108	2	117	5	34	2	9	330
Female—White	5,493	2	5	2	29	20	162	12	8	22	4	604	14	95	7	47	658
Nonwhite	3,172	4	7	-	27	4	277	19	5	45	-	217	6	37	5	11	366
NORTH DAKOTA	4,818	2	3	2	10	6	105	16	-	24	4	621	5	134	7	-	475
Both sexes—White	4,665	2	3	2	7	6	72	16	-	22	4	613	5	134	7	-	473
Nonwhite	153	-	-	-	3	-	33	-	-	2	-	8	-	-	-	-	2
Male—White	2,806	2	2	1	1	2	39	11	-	15	2	346	3	56	1	-	257
Nonwhite	72	-	-	-	-	-	16	-	-	-	-	6	-	-	-	-	1
Female—White	1,859	-	1	1	6	4	33	5	-	7	2	257	2	78	6	-	216
Nonwhite	81	-	-	-	3	-	17	-	-	2	-	2	-	-	-	-	1

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
243	2,026	8,598	22,095	3,461	687	330	499	714	1,209	505	3,718	121	171	881	1,447	1,119	175	1,109	3,392	7,264
29	140	274	1,105	308	28	24	29	42	48	12	303	29	20	49	212	42	127	71	255	559
144	899	6,070	11,292	1,976	587	189	291	360	760	196	1,752	...	...	449	819	739	133	863	2,123	4,289
21	58	181	516	185	24	15	17	22	27	3	124	...	...	26	121	32	97	48	193	279
99	1,127	2,528	10,803	1,485	100	141	208	354	449	309	1,966	121	171	432	628	380	42	246	1,269	2,975
8	82	93	589	123	4	9	12	20	21	9	179	29	20	23	91	10	30	23	62	280
17	175	1,035	2,021	344	70	41	46	86	78	57	621	15	24	117	192	109	12	133	402	914
-	5	9	52	24	3	-	4	3	-	1	37	8	3	3	12	2	1	8	7	25
9	72	701	994	183	60	18	26	40	53	25	298	...	...	76	104	63	8	101	236	523
-	1	6	27	17	2	-	1	1	-	-	20	...	...	2	7	2	-	7	7	13
8	103	334	1,027	161	10	23	20	46	25	32	323	15	24	41	88	46	4	32	166	391
-	4	3	25	7	1	-	3	2	-	1	17	8	3	1	5	-	1	1	-	12
26	170	1,020	1,957	273	79	55	41	71	83	67	543	17	15	102	189	107	9	158	370	893
2	4	15	46	13	2	-	1	3	3	-	15	1	1	-	7	2	-	5	6	30
13	78	714	974	148	68	30	22	32	54	14	279	...	...	45	107	75	4	117	221	492
2	1	8	23	9	2	-	-	2	2	-	4	...	...	-	4	1	-	4	1	21
13	92	306	983	125	11	25	19	39	29	53	264	17	15	57	82	32	5	41	149	401
-	3	7	23	4	-	-	1	1	1	-	11	1	1	-	3	1	-	1	5	9
14	144	811	1,577	249	62	38	47	66	81	48	523	10	14	89	136	92	3	132	286	738
-	-	4	21	7	1	1	-	1	-	-	8	1	-	1	4	-	1	1	5	12
11	74	339	798	134	57	16	26	35	54	13	275	...	...	55	81	69	2	105	166	408
-	-	2	9	4	-	1	-	-	-	-	4	...	...	-	1	-	1	-	1	8
3	70	272	779	115	5	22	21	31	27	35	248	10	14	14	55	23	1	27	120	330
-	-	2	12	3	1	-	-	1	-	-	4	1	-	1	3	-	-	1	4	4
82	538	2,688	7,451	1,080	218	109	145	257	222	124	1,798	36	58	280	424	405	37	591	1,371	3,417
-	10	31	136	39	5	4	6	2	2	1	39	-	1	7	12	-	4	17	26	84
46	294	1,909	4,087	622	188	69	93	156	145	41	964	...	...	142	245	322	24	487	846	1,932
-	6	19	79	25	5	1	3	1	-	-	23	...	...	2	11	-	3	16	21	45
36	244	779	3,364	458	30	40	52	101	77	83	834	36	58	138	179	83	13	104	525	1,485
-	4	12	57	14	-	3	3	1	2	1	16	-	1	5	1	-	1	1	5	39
180	414	1,526	3,890	1,916	153	522	212	205	130	85	2,983	95	212	377	1,285	245	362	827	1,345	4,412
116	250	1,307	2,606	1,041	115	240	139	116	101	70	1,761	63	112	316	860	221	114	601	889	2,654
64	154	219	1,284	875	38	282	73	89	29	15	1,222	32	100	61	425	24	248	226	456	1,758
71	129	913	1,533	557	103	120	87	58	70	22	970	...	...	170	548	165	87	496	612	1,550
32	84	135	680	495	30	133	45	48	16	5	650	...	...	39	215	17	195	185	315	937
45	131	394	1,073	484	12	120	52	58	31	48	791	63	112	146	312	56	27	105	277	1,104
32	70	84	604	380	8	149	28	41	13	10	572	32	100	22	210	7	53	41	141	821
32	63	567	755	265	40	58	49	35	47	29	492	19	34	101	287	89	32	186	252	699
26	53	100	530	327	22	77	26	54	18	4	458	11	37	18	159	7	117	60	148	525
20	27	407	438	148	35	29	29	15	36	11	258	...	...	49	160	57	24	149	178	402
10	30	58	275	193	16	39	15	28	10	1	234	...	...	12	81	4	87	51	105	252
12	36	160	317	117	5	29	20	20	11	18	234	19	34	52	107	32	8	37	74	297
16	23	42	255	134	6	38	11	26	8	3	224	11	37	6	78	3	30	9	43	273
2	7	97	42	22	10	5	2	1	5	1	26	4	1	13	30	9	4	15	32	53
-	12	15	48	37	4	6	1	10	2	-	41	1	5	-	17	2	19	3	12	30
2	2	76	23	13	9	3	1	1	2	-	12	...	...	9	19	4	-	13	27	32
-	5	13	29	22	3	2	1	5	2	-	21	...	...	-	13	-	15	2	9	15
-	5	21	19	9	1	2	1	-	3	1	14	4	1	4	11	5	4	2	5	21
-	7	2	19	15	1	4	-	5	-	-	20	1	5	-	4	2	4	1	3	15
13	20	204	338	95	15	23	18	19	20	7	188	1	5	37	92	32	10	71	80	289
8	18	45	252	146	10	21	10	23	8	3	207	4	10	9	74	4	51	16	56	238
8	9	143	195	47	13	11	11	4	14	2	99	...	...	12	54	22	8	53	59	157
4	11	24	130	86	8	9	4	12	4	1	105	...	...	5	41	3	40	14	39	111
5	11	61	143	48	2	12	7	15	6	5	89	1	5	25	38	10	2	18	21	132
4	7	21	122	60	2	12	6	11	4	2	102	4	10	4	33	1	11	2	17	127
6	13	148	177	80	8	17	15	8	12	13	147	7	19	21	91	24	6	46	63	178
10	15	20	131	84	7	27	11	8	6	-	120	4	13	3	43	1	27	22	53	134
4	7	107	109	48	6	9	8	4	11	5	82	...	...	13	60	15	5	38	43	105
3	9	10	65	53	5	17	9	5	3	-	60	...	...	2	14	1	18	20	40	63
2	6	41	68	32	2	8	7	4	1	8	65	7	19	8	31	9	1	8	20	73
7	6	10	66	31	2	10	2	3	3	-	60	4	13	1	29	-	9	2	13	71
11	23	118	198	68	7	13	14	7	10	8	131	7	9	30	74	24	12	54	77	179
8	8	20	99	60	1	23	4	13	2	1	90	2	9	6	25	-	20	19	27	123
6	9	81	111	40	7	6	9	6	9	4	65	...	...	15	47	16	11	45	49	108
3	5	11	51	32	-	11	1	6	1	-	48	...	...	5	13	-	14	15	17	63
5	14	37	87	28	-	7	5	1	1	4	66	7	9	15	27	8	1	9	28	71
5	3	9	48	28	1	12	3	7	1	1	42	2	9	1	12	-	6	4	10	60
84	197	740	1,851	776	75	182	90	81	54	41	1,269	44	78	215	573	132	82	415	637	1,955
38	101	119	754	548	16	205	47	35	11	11	764	21	53	43	266	17	131	166	308	1,233
51	102	506	1,095	409	68	91	58	43	34	11	712	...	...	121	368	108	63	347	434	1,148
22	54	77	405	302	14	94	30	20	6	4	416	...	...	27	134	13	108	134	210	685
33	95	234	756	367	7	91	32	38	20	30	557	44	78	94	205	24	19	68	203	807
16	47	42	349	246	2	111	17	15	5	7	348	21	63	16	132	4	23	32	98	548
28	90	341	760	263	29	36	38	52	24	31	275	13	16	61	173	66	8	99	251	750
26	90	340	735	240	29	35	35	51	23	28	269	13	15	60	173	65	8	97	250	717
2	-	1	25	23	-	1	3	1	1	3	6	-	1	1	-	1	-	2	1	33
15	45	246	448	147	24	17	24	31	16	8	152	...	...	31	98	55	5	78	175	453
1	-	1	11	11	-	1	2	-	-	1	1	...	...	-	-	1	-	1	1	17
11	45	94	287	93	5	18	11	20	7	20	117	13	15	29	75	10	3	19	75	264
1	-	-	14	12	-	-	1	1	1	2	5	-	1	1	-	-	-	1	-	16

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NORTH DAKOTA—Continued																	
Urban—White	1,113	-	2	1	-	-	16	3	-	9	-	135	-	28	2	-	118
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Male—White	658	-	1	-	-	-	8	3	-	5	-	78	-	11	-	-	67
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Female—White	455	-	1	1	-	-	8	-	-	4	-	57	-	17	2	-	51
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000—White	261	-	-	1	-	-	2	-	-	3	-	38	-	5	-	-	29
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male—White	139	-	-	-	-	-	1	-	-	1	-	12	-	4	-	-	13
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female—White	122	-	-	1	-	-	1	-	-	2	-	26	-	1	-	-	16
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000—White	377	-	-	-	-	-	4	2	-	4	-	47	-	8	1	-	25
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Male—White	231	-	-	-	-	-	3	2	-	3	-	30	-	3	-	-	14
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Female—White	146	-	-	-	-	-	1	-	-	1	-	17	-	5	1	-	11
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	475	-	2	-	-	-	10	1	-	2	-	50	-	15	1	-	64
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	288	-	1	-	-	-	4	1	-	1	-	36	-	4	-	-	40
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	187	-	1	-	-	-	6	-	-	1	-	14	-	11	1	-	24
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	3,552	2	1	1	7	6	56	13	-	13	4	478	5	106	5	-	355
Nonwhite	146	-	-	-	3	-	33	-	-	2	-	6	-	-	-	-	1
Male—White	2,148	2	1	1	1	2	31	8	-	10	2	268	3	45	1	-	190
Nonwhite	67	-	-	-	-	-	16	-	-	-	-	4	-	-	-	-	-
Female—White	1,404	-	-	-	6	4	25	5	-	3	2	210	2	61	4	-	165
Nonwhite	79	-	-	-	3	-	17	-	-	2	-	2	-	-	-	-	1
OHIO	78,000	22	17	35	123	29	2,580	266	4	894	18	9,657	73	2,170	264	15	7,713
Both sexes—White	72,700	19	16	31	105	28	1,986	186	4	690	18	9,254	65	2,089	253	14	7,229
Nonwhite	5,300	3	1	4	18	1	594	80	-	204	-	403	8	81	11	1	484
Male—White	40,334	14	10	17	45	18	1,246	104	4	523	13	4,388	30	796	34	6	3,604
Nonwhite	2,973	2	-	2	7	-	354	36	-	147	-	177	3	33	3	-	219
Female—White	32,366	5	6	14	60	10	740	82	-	167	5	4,866	35	1,293	219	8	3,625
Nonwhite	2,327	1	1	2	11	1	240	44	-	57	-	226	5	48	8	1	265
Urban—White	48,372	10	12	20	62	13	1,432	130	2	480	11	6,449	35	1,463	165	8	4,644
Nonwhite	4,660	2	-	4	18	-	538	75	-	167	-	347	8	68	11	1	413
Male—White	26,381	8	7	12	29	8	924	71	2	361	8	2,977	14	539	22	5	2,249
Nonwhite	2,571	1	-	2	7	-	314	34	-	119	-	144	3	25	3	-	181
Female—White	21,991	2	5	8	33	5	508	59	-	119	3	3,472	21	924	143	3	2,395
Nonwhite	2,089	1	-	2	11	-	224	41	-	48	-	203	5	43	8	1	232
Places of 100,000 or more—White	26,963	3	9	9	25	6	944	74	-	341	6	3,667	18	825	90	5	2,396
Nonwhite	3,750	2	-	3	15	-	468	68	-	141	-	292	7	53	8	1	311
Male—White	14,946	3	5	5	13	5	618	46	-	263	5	1,769	7	307	14	4	1,182
Nonwhite	2,071	1	-	2	5	-	280	31	-	102	-	114	3	23	3	-	133
Female—White	12,017	-	4	4	12	1	326	28	-	78	1	1,898	11	518	76	1	1,214
Nonwhite	1,679	1	-	1	10	-	188	37	-	39	-	178	4	30	5	1	178
Places of 25,000 to 100,000—White	7,701	3	1	6	8	4	182	27	-	60	-	1,005	5	217	28	1	764
Nonwhite	430	-	-	1	1	-	36	3	-	8	-	31	1	10	1	-	44
Male—White	4,155	2	1	4	3	1	101	12	-	44	-	444	3	69	5	-	366
Nonwhite	227	-	-	-	1	-	20	1	-	5	-	15	-	1	-	-	20
Female—White	3,546	1	-	2	5	3	81	15	-	16	-	561	2	148	23	1	398
Nonwhite	203	-	-	1	-	-	16	2	-	3	-	16	1	9	1	-	24
Places of 10,000 to 25,000—White	5,916	2	-	2	15	1	147	10	2	40	1	804	5	194	23	-	620
Nonwhite	236	-	-	-	1	-	15	-	-	10	-	9	-	2	1	-	28
Male—White	3,145	2	-	2	6	-	104	5	2	26	1	345	1	67	1	-	272
Nonwhite	131	-	-	-	-	-	5	-	-	6	-	6	-	-	-	-	14
Female—White	2,771	-	-	-	9	1	43	5	-	14	-	459	4	127	22	-	348
Nonwhite	105	-	-	-	1	-	10	-	-	4	-	3	-	2	1	-	14
Places of 2,500 to 10,000—White	7,792	2	2	3	14	2	159	19	-	39	4	973	7	227	24	2	864
Nonwhite	244	-	-	-	1	-	19	4	-	8	-	15	-	3	1	-	30
Male—White	4,135	1	1	1	7	2	101	8	-	28	2	419	3	96	2	1	429
Nonwhite	142	-	-	-	1	-	9	2	-	6	-	9	-	1	-	-	14
Female—White	3,657	1	1	2	7	-	58	11	-	11	2	554	4	131	22	1	435
Nonwhite	102	-	-	-	-	-	10	2	-	2	-	6	-	2	1	-	16
Rural—White	24,328	9	4	11	43	15	554	56	2	210	7	2,805	30	626	88	6	2,585
Nonwhite	640	1	1	-	-	1	56	5	-	37	-	56	-	13	-	-	71
Male—White	13,953	6	3	5	16	10	322	33	2	162	5	1,411	16	257	12	1	1,355
Nonwhite	402	1	-	-	-	-	40	2	-	28	-	33	-	8	-	-	38
Female—White	10,375	3	1	6	27	5	232	23	-	48	2	1,394	14	369	76	5	1,230
Nonwhite	238	-	1	-	-	1	16	3	-	9	-	23	-	5	-	-	33
OKLAHOMA	19,324	41	9	3	50	55	919	63	25	188	15	1,995	24	342	28	62	1,935
Both sexes—White	16,644	30	8	3	40	52	605	36	20	125	12	1,850	16	302	22	48	1,712
Nonwhite	2,680	11	1	-	10	3	314	27	5	63	3	145	8	40	6	14	223
Male—White	9,745	17	4	2	23	27	359	24	10	86	7	905	8	125	2	18	899
Nonwhite	1,463	5	-	-	5	2	153	18	2	47	2	53	3	17	2	5	108
Female—White	6,899	13	4	1	17	25	246	12	10	39	5	945	8	177	20	30	813
Nonwhite	1,217	6	1	-	5	1	161	9	3	16	1	92	5	23	4	9	115

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
8	26	94	155	61	10	5	8	17	9	9	60	4	4	21	46	14	-	23	57	168
-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
5	13	64	96	35	8	2	6	9	8	4	34	...	...	9	22	10	-	19	35	106
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	1
3	13	30	59	26	2	3	2	8	1	5	26	4	4	12	24	4	-	4	22	62
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
4	2	28	37	18	3	-	3	2	5	2	13	1	-	3	12	5	-	4	10	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	20	21	9	3	-	2	1	5	1	8	...	...	-	4	5	-	3	4	18
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
2	-	8	16	9	-	-	1	1	-	1	5	1	-	3	8	-	-	1	6	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	11	26	53	28	1	3	2	7	2	3	20	1	2	7	12	4	-	9	27	69
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	6	18	29	14	1	1	1	4	2	2	10	...	...	2	9	3	-	7	17	48
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	1
-	5	8	24	9	-	2	1	3	-	3	10	1	2	5	3	1	-	2	10	21
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	13	40	65	20	6	2	3	8	2	2	27	2	2	11	22	5	-	10	20	68
-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1	5	26	46	12	4	1	3	4	1	1	16	...	...	7	9	2	-	9	14	40
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
1	8	14	19	8	2	1	-	4	1	1	11	2	2	4	13	3	-	1	6	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
18	64	246	580	179	19	30	27	34	14	19	209	9	11	39	127	51	8	74	198	549
2	-	1	24	22	-	1	3	1	1	3	6	-	1	-	-	1	-	2	1	32
10	32	182	352	112	16	15	18	22	8	4	118	...	...	22	76	45	5	59	140	347
1	-	1	10	11	-	1	2	-	-	1	1	...	...	-	-	1	-	1	1	16
8	32	64	228	67	3	15	9	12	6	15	91	9	11	17	51	6	3	15	53	202
1	-	-	14	11	-	-	1	1	1	2	5	-	1	-	-	-	-	1	-	16
273	1,565	7,008	14,107	3,983	462	591	427	645	714	441	5,393	135	165	886	1,780	971	318	1,840	3,798	8,618
249	1,476	6,748	13,273	3,629	436	535	418	598	691	432	5,009	120	146	849	1,622	945	151	1,747	3,568	8,076
24	89	280	884	354	26	56	14	47	23	9	384	15	19	37	158	26	167	93	230	542
140	735	4,666	7,044	2,037	359	294	244	324	456	155	2,680	...	...	462	913	734	106	1,365	2,256	4,512
10	44	174	464	205	22	24	6	28	17	2	200	...	...	15	91	20	135	69	172	292
109	741	2,082	6,229	1,592	77	241	169	274	235	277	2,329	120	146	387	709	211	45	382	1,312	3,564
14	45	86	370	149	4	32	8	19	6	7	184	15	19	22	67	6	32	24	58	250
160	1,002	4,647	8,733	2,362	309	327	278	389	526	315	3,115	90	96	583	1,156	570	115	1,122	2,275	5,266
21	81	280	720	309	23	50	13	40	21	6	329	14	16	34	149	24	160	82	200	486
89	479	3,130	4,533	1,362	264	175	156	214	348	119	1,634	...	...	308	654	424	82	855	1,406	2,868
10	40	156	389	179	20	22	5	21	16	2	169	...	...	12	85	18	130	59	148	257
71	523	1,467	4,200	1,000	45	152	122	175	178	196	1,481	90	96	275	502	146	33	267	869	2,403
11	41	74	331	130	3	26	8	19	5	4	160	14	16	22	64	6	30	23	52	229
85	584	2,431	5,080	1,354	182	195	156	219	337	176	1,627	45	54	303	648	342	71	596	1,187	2,873
17	66	169	573	243	20	41	10	34	17	3	246	14	14	27	114	19	141	61	153	399
52	284	1,693	2,666	788	160	105	86	118	220	64	853	...	...	138	366	250	51	456	787	1,611
8	34	118	319	144	18	18	4	19	13	1	114	...	...	9	63	13	114	42	113	210
33	300	738	2,414	566	22	90	70	101	117	112	774	45	54	165	280	92	20	140	450	1,252
9	32	51	254	99	2	23	6	15	4	2	132	14	14	18	51	6	27	19	40	189
34	179	829	1,335	378	48	56	44	67	69	48	516	19	14	114	180	93	20	187	354	806
1	9	30	67	41	2	3	-	1	1	2	35	-	1	3	15	3	13	2	23	42
22	92	562	666	225	41	29	27	39	54	16	280	...	...	71	106	67	14	137	218	434
-	3	18	30	20	1	1	-	-	1	-	22	...	...	2	9	3	10	2	19	23
12	87	267	669	153	7	27	17	28	15	32	236	19	14	43	74	26	6	50	136	372
1	6	12	37	21	1	2	-	1	-	2	13	-	1	1	6	-	3	-	4	19
16	94	341	947	269	30	32	31	53	53	44	402	9	11	65	155	58	12	140	323	665
1	3	20	42	13	-	2	1	3	1	1	20	-	1	3	11	1	5	12	10	20
6	38	418	499	143	24	22	15	33	40	21	200	...	...	39	89	47	9	106	202	360
1	3	14	19	8	-	1	-	2	1	1	12	...	...	-	8	1	5	9	4	11
10	56	223	448	126	6	10	16	20	13	23	202	9	11	26	66	11	3	34	121	305
-	-	6	23	5	-	1	1	1	-	-	8	-	1	3	3	-	-	3	6	9
25	145	746	1,371	361	49	44	47	50	67	47	570	17	17	101	173	77	12	199	411	922
2	3	11	38	12	1	4	2	2	2	-	28	-	-	1	9	1	1	7	14	25
9	65	507	702	206	39	19	28	24	34	18	301	...	...	60	91	60	8	156	249	458
1	-	6	21	7	1	2	1	-	1	-	21	...	...	1	5	1	1	6	12	13
16	80	239	669	155	10	25	19	26	33	29	269	17	17	41	82	17	4	43	152	464
1	3	5	17	5	-	2	1	2	1	-	7	-	-	-	4	-	-	1	2	12
89	474	2,101	4,540	1,267	127	208	135	209	165	117	1,894	30	50	266	466	375	36	625	1,293	2,810
3	8	30	114	45	3	6	1	7	2	3	55	1	3	3	9	2	7	11	30	56
51	256	1,486	2,511	675	95	119	88	110	108	36	1,046	...	...	154	259	310	24	510	850	1,649
-	4	18	75	26	2	2	1	7	1	-	31	...	...	3	6	2	5	10	24	35
38	218	615	2,029	592	32	89	47	99	57	81	848	30	50	112	207	65	12	115	443	1,161
3	4	12	39	19	1	4	-	-	1	3	24	1	3	-	3	-	2	1	6	21
92	277	1,336	2,528	1,250	131	179	197	169	107	103	1,212	52	90	222	571	174	136	410	1,109	3,225
82	224	1,272	2,243	1,022	124	141	172	137	93	91	1,000	39	72	200	522	161	74	377	970	2,747
10	53	64	285	228	7	38	25	32	14	12	212	13	18	22	49	13	62	33	139	478
47	127	939	1,368	604	99	70	105	66	66	47	584	...	...	94	291	123	56	289	652	1,602
6	33	42	157	129	3	19	13	19	9	4	135	...	...	13	28	11	44	30	95	251
35	97	333	875	418	25	71	67	71	27	44	416	39	72	106	231	38	18	88	318	1,145
4	20	22	128	99	4	19	12	13	5	8	77	13	18	9	21	2	18	3	44	227

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
OKLAHOMA—Continued																	
Urban—White	8,387	15	4	-	16	27	343	17	3	86	5	938	8	147	11	15	831
Nonwhite	1,274	5	1	-	1	1	128	13	1	28	2	74	2	24	3	5	120
Male—White	4,882	9	2	-	9	16	210	12	-	63	4	426	5	62	-	8	423
Nonwhite	688	2	-	-	-	-	67	9	1	20	1	25	2	9	1	1	61
Female—White	3,505	6	2	-	7	11	133	5	3	23	1	512	3	85	11	7	408
Nonwhite	586	3	1	-	1	1	61	4	-	8	1	49	-	15	2	4	59
Places of 100,000 or more—White	2,739	1	1	-	3	5	87	7	-	18	1	330	3	54	6	1	251
Nonwhite	433	-	-	-	-	-	44	6	1	10	-	22	1	9	2	1	44
Male—White	1,579	-	-	-	1	4	57	6	-	13	1	143	2	21	-	1	115
Nonwhite	235	-	-	-	-	-	22	5	1	8	-	10	1	3	1	1	25
Female—White	1,160	1	1	-	2	1	30	1	-	5	-	187	1	33	6	-	136
Nonwhite	198	-	-	-	-	-	22	1	-	2	-	12	-	6	1	-	19
Places of 25,000 to 100,000—White	555	-	-	-	2	4	31	1	-	5	1	71	-	9	-	-	47
Nonwhite	159	1	-	-	-	-	10	3	-	4	-	9	-	1	-	-	13
Male—White	337	-	-	-	-	2	15	1	-	2	1	39	-	7	-	-	26
Nonwhite	85	-	-	-	-	-	5	2	-	3	-	1	-	-	-	-	6
Female—White	218	-	-	-	2	2	16	-	-	3	-	32	-	2	-	-	21
Nonwhite	74	1	-	-	-	-	5	1	-	1	-	8	-	1	-	-	7
Places of 10,000 to 25,000—White	2,244	5	2	-	4	5	90	3	2	26	1	226	3	41	1	7	225
Nonwhite	336	2	-	-	-	1	31	-	-	5	2	21	1	8	1	2	26
Male—White	1,312	5	1	-	2	3	50	1	-	18	1	99	3	16	-	3	120
Nonwhite	193	1	-	-	-	-	19	-	-	5	1	8	1	4	-	-	15
Female—White	932	-	1	-	2	2	40	2	2	8	-	127	-	25	1	4	105
Nonwhite	143	1	-	-	-	1	12	-	-	-	1	13	-	4	1	2	11
Places of 2,500 to 10,000—White	2,849	9	1	-	7	13	135	6	1	37	2	311	2	43	4	7	308
Nonwhite	346	2	1	-	1	-	43	4	-	9	-	22	-	6	-	2	37
Male—White	1,654	4	1	-	6	7	88	4	-	30	1	145	-	18	-	4	162
Nonwhite	175	1	-	-	-	-	21	2	-	4	-	6	-	2	-	-	15
Female—White	1,195	5	-	-	1	6	47	2	1	7	1	166	2	25	4	3	146
Nonwhite	171	1	1	-	1	-	22	2	-	5	-	16	-	4	-	2	22
Rural—White	8,257	15	4	3	24	25	262	19	17	39	7	912	8	155	11	33	881
Nonwhite	1,406	6	-	-	9	2	186	14	4	35	1	71	6	16	3	9	103
Male—White	4,863	8	2	2	14	11	149	12	10	23	3	479	3	63	2	10	476
Nonwhite	775	3	-	-	5	2	86	9	1	27	1	28	1	8	1	4	47
Female—White	3,394	7	2	1	10	14	113	7	7	16	4	433	5	92	9	23	405
Nonwhite	631	3	-	-	4	-	100	5	3	8	-	43	5	8	2	5	56
OREGON	12,865	3	15	3	16	6	269	30	1	127	4	1,514	10	291	40	5	1,267
Both sexes—White	12,647	3	15	3	15	6	244	28	1	119	4	1,501	10	288	39	5	1,249
Nonwhite	218	-	-	-	1	-	25	2	-	8	-	13	-	3	1	-	18
Male—White	7,840	2	10	1	7	5	156	15	-	92	2	775	5	126	12	4	653
Nonwhite	151	-	-	-	-	-	17	-	-	5	-	11	-	2	-	-	15
Female—White	4,807	1	5	2	8	1	88	13	1	27	2	726	5	162	27	1	596
Nonwhite	67	-	-	-	1	-	8	2	-	3	-	2	-	1	1	-	3
Urban—White	7,742	1	7	1	9	3	179	19	1	95	2	974	4	181	21	3	756
Nonwhite	116	-	-	-	-	-	11	-	-	5	-	11	-	2	-	-	9
Male—White	4,723	-	5	-	4	3	114	11	-	75	-	489	2	77	5	3	382
Nonwhite	87	-	-	-	-	-	10	-	-	4	-	11	-	1	-	-	8
Female—White	3,019	1	2	1	5	-	65	8	1	20	2	485	2	104	16	-	374
Nonwhite	29	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	1
Places of 100,000 or more—White	4,202	-	4	-	3	1	94	12	-	40	1	565	1	122	14	1	415
Nonwhite	76	-	-	-	-	-	7	-	-	1	-	9	-	2	-	-	7
Male—White	2,515	-	4	-	2	1	54	8	-	30	-	275	-	43	3	1	202
Nonwhite	57	-	-	-	-	-	6	-	-	-	-	9	-	1	-	-	6
Female—White	1,687	-	-	-	1	-	40	4	-	10	1	290	1	69	11	-	213
Nonwhite	19	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1
Places of 25,000 to 100,000—White	769	-	1	-	-	-	39	-	-	23	-	67	1	27	2	2	60
Nonwhite	10	-	-	-	-	-	3	-	-	1	-	-	-	-	2	-	-
Male—White	466	-	-	-	-	-	27	-	-	17	-	31	1	22	1	1	32
Nonwhite	8	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-
Female—White	303	-	1	-	-	-	12	-	-	6	-	36	-	5	1	-	28
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000—White	823	-	2	-	-	-	14	4	-	16	1	105	-	142	13	-	81
Nonwhite	8	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1
Male—White	511	-	1	-	-	-	9	2	-	25	-	54	-	88	8	-	40
Nonwhite	7	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	1
Female—White	312	-	1	-	-	-	5	2	-	1	1	51	-	6	1	-	41
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	1,948	1	-	1	6	2	32	3	1	26	-	237	1	48	3	1	200
Nonwhite	22	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1
Male—White	1,231	-	-	-	2	2	24	1	-	23	-	129	1	24	1	1	108
Nonwhite	15	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1
Female—White	717	1	-	1	4	-	8	2	1	3	-	108	1	24	3	-	92
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	4,905	2	8	2	6	3	65	9	-	24	2	527	6	107	18	2	493
Nonwhite	102	-	-	-	1	-	14	2	-	3	-	2	-	1	1	-	9
Male—White	3,117	2	5	1	3	2	42	4	-	17	2	286	3	49	7	1	271
Nonwhite	64	-	-	-	-	-	7	-	-	1	-	-	-	1	-	-	7
Female—White	1,788	-	3	1	3	1	23	5	-	7	-	241	3	58	11	1	222
Nonwhite	38	-	-	-	1	-	7	2	-	2	-	2	-	-	1	-	2

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
38	106	770	1,158	442	60	73	76	65	60	40	448	12	26	97	303	70	43	185	517	1,332
5	21	36	150	100	5	16	7	14	10	9	98	7	8	15	35	7	34	14	68	207
27	58	567	701	258	46	42	48	27	40	20	254	...	...	46	175	51	34	135	349	760
2	12	19	78	56	3	12	4	7	6	3	61	...	...	10	21	5	20	12	47	111
11	48	203	457	189	14	31	28	38	20	20	194	12	26	51	128	19	9	50	168	572
3	9	17	72	44	2	4	3	7	4	6	37	7	8	5	14	2	14	2	21	96
11	45	261	415	132	18	32	26	23	29	14	121	3	9	33	108	23	17	72	196	388
2	5	11	60	29	2	7	-	6	7	1	38	2	4	6	17	4	10	3	22	57
7	23	198	246	81	14	19	17	5	20	5	66	...	...	16	65	17	12	54	130	220
1	1	5	31	16	1	5	-	2	3	-	24	...	...	5	5	3	6	2	18	30
4	22	63	169	51	4	13	9	18	9	9	55	3	9	17	38	6	5	18	66	168
1	4	6	29	13	1	2	-	4	4	1	14	2	4	1	12	1	4	1	4	27
2	6	60	79	26	5	1	4	2	4	1	31	1	2	9	20	7	2	13	29	80
1	8	4	23	16	-	2	1	2	-	2	10	1	-	1	3	-	3	-	9	32
1	4	49	50	13	4	1	1	-	2	1	15	...	...	4	14	5	1	10	20	48
-	5	1	15	10	-	2	1	2	-	1	7	...	...	1	3	-	2	-	4	14
1	2	11	29	13	1	-	3	2	1	-	16	1	2	5	6	2	1	3	9	32
1	3	3	8	6	-	-	-	-	-	1	3	1	-	-	-	-	1	-	5	18
12	30	220	286	113	18	18	20	19	14	12	151	4	9	22	80	14	9	49	110	393
1	6	11	41	27	3	2	4	5	1	3	23	2	1	4	5	2	11	7	19	58
8	17	159	174	64	16	12	11	9	10	7	92	...	...	11	44	9	8	34	78	227
-	5	7	22	13	2	1	3	3	1	1	15	...	...	2	5	1	5	6	15	32
4	13	61	112	49	2	6	9	10	4	5	59	4	9	11	36	5	1	15	32	166
1	1	4	19	14	1	1	1	2	-	2	8	2	1	2	-	1	6	1	4	26
13	25	229	378	171	19	22	26	21	13	13	145	4	6	33	100	26	15	51	182	471
1	2	10	26	28	-	5	2	1	2	3	27	2	3	4	10	1	10	4	18	60
11	14	161	231	95	12	10	19	13	7	7	81	...	...	15	52	20	13	37	121	265
1	1	6	10	17	-	4	-	-	2	1	15	...	...	2	8	1	7	4	10	35
2	11	68	147	76	7	12	7	8	6	6	64	4	6	18	48	6	2	14	61	206
-	1	4	16	11	-	1	2	1	-	2	12	2	3	2	2	-	3	-	8	25
44	118	502	1,085	580	64	68	96	72	38	51	552	27	46	103	219	91	31	192	458	1,415
5	32	28	135	128	2	22	18	18	4	3	114	6	10	7	14	6	28	19	71	271
20	69	372	667	351	53	28	57	39	26	27	330	...	...	48	116	72	22	154	303	842
4	21	23	79	73	-	7	9	12	3	1	74	...	...	3	7	6	24	18	48	140
24	49	130	418	229	11	40	39	33	7	24	222	27	46	55	103	19	9	38	150	573
1	11	5	56	55	2	15	9	6	1	2	40	6	10	4	7	-	4	1	23	131
27	254	1,492	1,788	703	116	32	62	85	81	52	1,208	12	26	129	205	230	33	300	907	1,522
27	250	1,485	1,769	687	113	29	60	85	81	52	1,188	11	26	129	203	224	29	293	895	1,481
-	4	7	19	16	3	3	2	-	-	-	20	1	-	-	2	6	4	7	12	41
16	140	1,143	1,068	484	100	17	43	54	54	19	708	...	...	75	109	182	23	233	660	847
-	3	4	13	10	3	3	2	-	-	-	12	...	...	-	2	5	3	6	9	26
11	110	342	701	203	13	12	17	31	27	33	480	11	26	54	94	42	6	60	235	634
-	1	3	6	6	-	-	-	-	-	-	8	1	-	-	-	1	1	1	3	15
11	155	951	1,066	454	73	16	30	50	59	29	664	4	13	77	125	143	17	154	478	917
-	1	7	14	5	2	-	-	-	-	-	10	1	-	-	2	3	1	4	4	24
7	82	741	632	333	64	9	22	32	37	12	372	...	...	44	68	113	13	117	336	519
-	1	4	8	2	2	-	-	-	-	-	6	...	...	-	2	3	1	3	3	18
4	73	210	434	121	9	7	8	18	22	17	292	4	13	33	57	30	4	37	142	398
-	-	3	6	3	-	-	-	-	-	-	4	1	-	-	-	-	-	1	1	6
7	89	582	610	211	45	8	10	24	39	19	360	-	2	37	46	84	12	77	230	447
-	1	5	7	2	2	-	-	-	-	-	9	-	-	-	2	2	1	2	2	15
5	42	459	345	161	41	5	9	15	19	12	201	...	...	21	24	65	9	54	150	255
-	1	3	2	-	2	-	-	-	-	-	5	...	...	-	2	2	1	2	2	13
2	47	123	265	50	4	3	1	9	20	7	159	-	2	16	22	19	3	23	80	192
-	-	2	5	2	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2
1	10	59	98	108	5	1	2	5	4	2	56	-	-	2	8	9	-	13	71	114
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
-	5	44	54	84	3	1	1	2	3	-	23	...	...	-	6	7	-	10	57	54
-	-	1	1	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	1
1	5	15	44	24	2	-	1	3	1	2	33	-	-	2	2	2	-	3	14	60
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	15	95	107	43	8	2	3	9	8	3	73	-	2	19	21	18	3	17	58	91
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
-	8	71	76	28	5	1	2	6	7	-	45	...	...	8	13	13	2	12	43	52
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	1	1	2
-	7	24	31	15	3	1	1	3	1	3	28	-	2	11	8	5	1	5	15	39
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	41	215	251	92	15	5	15	12	8	5	175	4	9	19	50	32	2	47	119	265
-	-	-	5	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	6
2	27	167	157	60	15	2	10	9	8	-	103	...	...	15	25	28	2	41	86	158
-	-	-	5	1	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	2
1	14	48	94	32	-	3	5	3	-	5	72	4	9	4	25	4	-	6	33	107
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4
16	95	534	703	233	40	13	30	35	22	23	524	7	13	52	78	81	12	139	417	564
-	3	-	5	11	1	3	2	-	-	-	10	-	-	-	-	3	3	3	8	17
9	58	402	436	151	36	8	21	22	17	7	336	...	...	31	41	69	10	116	324	328
-	2	-	5	8	1	3	2	-	-	-	6	...	...	-	-	2	2	3	6	8
7	37	132	267	82	4	5	9	13	5	16	188	7	13	21	37	12	2	23	93	236
-	1	-	-	3	-	-	-	-	-	-	4	-	-	-	-	1	1	-	2	9

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	23	30	36	45-55	58	61	63b	69	83
PENNSYLVANIA	110,174	44	88	41	161	21	3,881	306	5	1,222	24	13,512	146	3,398	272	10	8,902
Both sexes—White	103,003	38	79	41	145	21	3,094	229	5	797	24	12,872	133	3,254	262	9	8,436
Nonwhite	7,171	6	9	-	16	-	787	77	-	425	-	640	13	144	10	1	466
Male—White	57,173	22	54	28	71	10	2,051	129	4	579	16	6,183	60	1,065	47	6	3,957
Nonwhite	3,937	3	6	-	9	-	441	38	-	285	-	301	7	39	1	-	212
Female—White	45,830	16	25	13	74	11	1,043	100	1	218	8	6,689	73	2,189	215	3	4,469
Nonwhite	3,234	3	3	-	7	-	346	39	-	140	-	339	6	105	9	1	254
Urban—White	68,888	15	63	21	68	14	2,086	154	3	459	13	9,046	95	2,266	162	7	5,399
Nonwhite	6,334	4	9	-	14	-	705	71	-	359	-	578	11	135	8	1	400
Male—White	37,617	11	43	12	33	7	1,407	85	2	330	7	4,285	43	718	31	5	2,432
Nonwhite	3,397	3	6	-	9	-	395	37	-	232	-	259	5	36	1	-	177
Female—White	31,271	4	20	9	35	7	679	69	1	129	6	4,761	52	1,548	131	2	2,967
Nonwhite	2,937	1	3	-	5	-	310	34	-	127	-	319	6	99	7	1	223
Places of 100,000 or more—White	31,601	9	23	11	26	8	990	62	3	222	3	4,312	47	999	65	3	2,210
Nonwhite	4,872	3	7	-	10	-	569	60	-	301	-	453	7	109	5	1	292
Male—White	17,329	6	15	6	10	3	702	35	2	162	1	2,122	23	323	12	3	998
Nonwhite	2,586	3	4	-	6	-	315	32	-	197	-	204	2	31	1	-	131
Female—White	14,272	3	8	5	16	5	288	27	1	60	2	2,190	24	676	53	-	1,212
Nonwhite	2,286	-	3	-	4	-	254	28	-	104	-	249	5	78	4	1	161
Places of 25,000 to 100,000—White	12,990	2	11	3	10	2	386	26	-	113	3	1,659	13	465	32	-	1,119
Nonwhite	682	-	2	-	1	-	75	7	-	33	-	60	1	7	-	-	47
Male—White	6,931	2	9	2	3	1	242	14	-	77	2	736	6	155	6	-	461
Nonwhite	373	-	2	-	1	-	45	4	-	19	-	25	1	1	-	-	16
Female—White	6,059	-	2	1	7	1	144	12	-	36	1	923	7	310	26	-	658
Nonwhite	309	-	-	-	-	-	30	3	-	14	-	35	-	6	-	-	31
Places of 10,000 to 25,000—White	11,199	1	17	1	15	3	329	33	-	56	4	1,411	17	385	25	2	928
Nonwhite	519	1	-	-	1	-	43	3	-	16	-	41	2	12	3	-	40
Male—White	6,205	1	12	-	9	3	221	19	-	42	2	664	8	122	7	2	443
Nonwhite	292	-	-	-	1	-	26	1	-	10	-	19	1	2	-	-	19
Female—White	4,994	-	5	1	6	-	108	14	-	14	2	747	9	263	18	-	485
Nonwhite	227	1	-	-	-	-	17	2	-	6	-	22	1	10	3	-	21
Places of 2,500 to 10,000—White	13,098	3	12	6	17	1	381	33	-	68	3	1,664	18	417	40	2	1,142
Nonwhite	261	-	-	-	2	-	18	1	-	9	-	24	1	7	-	-	21
Male—White	7,152	2	7	4	11	-	242	17	-	49	2	763	6	118	6	-	530
Nonwhite	146	-	-	-	1	-	9	-	-	6	-	11	1	2	-	-	11
Female—White	5,946	1	5	2	6	1	139	16	-	19	1	901	12	299	34	2	612
Nonwhite	115	-	-	-	1	-	9	1	-	3	-	13	-	5	-	-	10
Rural—White	34,115	23	16	20	77	7	1,008	75	2	338	11	3,826	38	988	100	2	3,087
Nonwhite	837	2	-	-	2	-	82	6	-	66	-	62	2	9	2	-	66
Male—White	19,556	11	11	16	38	3	644	44	2	249	9	1,898	17	347	16	1	1,535
Nonwhite	540	-	-	-	-	-	46	1	-	53	-	42	2	3	-	-	35
Female—White	14,559	12	5	4	39	4	364	31	-	89	2	1,928	21	641	84	1	1,508
Nonwhite	297	2	-	-	2	-	36	5	-	13	-	20	-	6	2	-	31
RHODE ISLAND	8,166	1	4	2	9	5	258	22	-	76	1	1,111	6	284	8	1	740
Both sexes—White	7,969	1	4	2	7	5	243	19	-	67	1	1,095	6	280	8	1	722
Nonwhite	197	-	-	-	2	-	15	3	-	9	-	16	-	4	-	-	18
Male—White	4,169	-	3	1	3	2	159	10	-	44	1	516	3	88	2	-	320
Nonwhite	104	-	-	-	2	-	6	1	-	5	-	11	-	1	-	-	9
Female—White	3,800	1	1	1	4	3	84	9	-	23	-	579	3	192	6	1	402
Nonwhite	93	-	-	-	-	-	9	2	-	4	-	5	-	3	-	-	9
Urban—White	7,198	1	4	2	7	5	226	15	-	61	1	989	6	255	8	1	659
Nonwhite	189	-	-	-	1	-	15	3	-	9	-	15	-	4	-	-	15
Male—White	3,730	-	3	1	3	2	149	7	-	41	1	466	3	83	2	-	286
Nonwhite	98	-	-	-	1	-	6	1	-	5	-	11	-	1	-	-	7
Female—White	3,466	1	1	1	4	3	77	8	-	20	-	523	3	172	6	1	373
Nonwhite	91	-	-	-	-	-	9	2	-	4	-	4	-	3	-	-	9
Places of 100,000 or more—White	2,796	1	2	2	3	-	96	2	-	18	-	407	1	109	3	1	257
Nonwhite	119	-	-	-	-	-	7	3	-	7	-	10	-	3	-	-	12
Male—White	1,401	-	2	1	-	-	65	1	-	10	-	182	-	36	-	-	105
Nonwhite	68	-	-	-	-	-	3	1	-	4	-	9	-	1	-	-	6
Female—White	1,395	1	-	1	3	-	31	1	-	8	-	225	1	73	3	1	152
Nonwhite	51	-	-	-	-	-	4	2	-	3	-	1	-	2	-	-	6
Places of 25,000 to 100,000—White	3,265	-	2	-	2	2	94	7	-	36	1	445	4	103	3	-	286
Nonwhite	68	-	-	-	1	-	8	-	-	2	-	5	-	1	-	-	4
Male—White	1,729	-	1	-	2	-	67	3	-	26	1	217	3	33	1	-	130
Nonwhite	28	-	-	-	1	-	3	-	-	1	-	2	-	-	-	-	1
Female—White	1,536	-	1	-	-	2	27	4	-	10	-	228	1	70	2	-	156
Nonwhite	40	-	-	-	-	-	5	-	-	1	-	3	-	1	-	-	3
Places of 10,000 to 25,000—White	843	-	-	-	1	3	23	5	-	3	-	100	1	33	2	-	75
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	443	-	-	-	-	2	10	2	-	2	-	48	-	9	1	-	36
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	400	-	-	-	1	1	13	3	-	1	-	52	1	24	1	-	39
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	292	-	-	-	1	-	13	1	-	4	-	37	-	10	-	-	31
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	157	-	-	-	1	-	7	1	-	3	-	19	-	5	-	-	15
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	135	-	-	-	-	-	6	-	-	1	-	18	-	5	-	-	16
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	773	-	-	-	-	-	17	4	-	6	-	106	-	25	-	-	63
Nonwhite	8	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2
Male—White	439	-	-	-	-	-	10	3	-	3	-	50	-	5	-	-	34
Nonwhite	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Female—White	334	-	-	-	-	-	7	1	-	3	-	56	-	20	-	-	29
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b, 91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109, 33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
290	2,264	9,845	23,152	5,469	587	558	624	882	1,077	568	8,689	236	294	1,277	2,443	1,198	260	1,922	5,075	11,411
266	2,142	9,535	21,875	4,946	549	518	584	831	1,046	577	8,124	213	275	1,217	2,179	1,172	137	1,836	4,833	10,709
24	122	310	1,277	523	38	40	40	51	31	11	565	23	19	60	264	26	123	86	242	702
156	1,063	6,749	11,453	2,891	466	286	334	406	691	193	4,132	...	...	688	1,287	909	97	1,507	3,326	6,247
19	60	190	698	307	28	20	22	23	18	4	266	...	...	33	140	21	104	60	187	395
110	1,079	2,786	10,422	2,055	83	232	250	425	355	384	3,992	213	275	529	892	263	40	329	1,507	4,462
5	62	120	579	216	10	20	18	28	13	7	299	23	19	27	124	5	19	26	55	307
166	1,458	6,910	14,814	3,139	399	293	388	546	795	409	5,340	130	171	785	1,431	753	94	1,109	3,031	6,856
22	105	260	1,145	472	34	36	36	45	29	10	492	22	16	54	248	20	110	72	209	607
92	698	4,903	7,546	1,861	341	170	216	249	523	148	2,612	...	...	440	844	570	65	903	2,066	3,919
17	48	153	606	270	24	18	19	20	16	4	226	...	...	29	128	18	93	48	164	336
74	760	2,007	7,268	1,278	58	123	172	297	272	261	2,728	130	171	345	587	183	29	206	965	2,937
5	57	107	539	202	10	18	17	25	13	6	266	22	16	25	115	2	17	24	45	271
54	743	3,224	7,327	1,523	188	117	142	271	389	171	2,339	48	67	311	545	344	53	434	1,242	3,076
14	81	185	908	347	31	30	23	33	21	8	340	21	14	45	198	17	93	44	149	453
35	353	2,274	3,709	926	164	69	81	122	257	62	1,094	...	...	170	344	259	41	342	836	1,768
10	35	104	465	209	22	16	10	14	10	4	139	...	...	25	104	15	80	30	117	251
19	390	950	3,618	597	24	48	61	149	132	109	1,245	48	67	141	201	85	12	92	406	1,308
4	46	61	443	138	9	14	13	19	11	4	201	21	14	20	94	2	13	14	32	202
40	240	1,296	2,658	567	76	69	87	97	143	77	985	30	31	131	299	149	16	225	571	1,357
6	7	34	109	57	1	3	5	4	2	-	80	-	2	3	23	1	9	11	27	65
23	115	928	1,355	333	63	38	46	47	93	29	468	...	...	78	182	111	10	181	362	753
5	5	19	71	23	1	1	4	-	2	-	40	...	...	1	13	1	7	6	22	33
17	125	368	1,309	234	13	31	41	50	50	48	517	30	31	53	117	38	8	44	209	604
1	2	15	38	29	-	2	1	4	-	-	40	-	2	2	10	-	2	5	5	32
34	211	1,155	2,134	483	67	54	72	82	141	83	923	24	43	171	273	112	10	208	584	1,108
1	10	29	87	48	-	2	4	5	4	2	50	-	-	3	17	-	8	10	19	58
13	107	817	1,109	264	58	34	41	31	93	34	486	...	...	97	154	83	6	173	411	639
1	5	21	51	23	-	1	3	3	3	-	32	...	...	1	10	-	6	8	14	31
21	104	338	1,025	219	9	20	31	51	48	49	437	24	43	74	119	29	4	35	173	469
-	5	8	36	25	-	1	1	2	1	2	18	-	-	2	7	-	2	2	5	27
38	264	1,235	2,695	566	68	53	87	96	122	78	1,093	28	30	172	314	148	13	242	634	1,315
1	7	12	41	20	2	1	4	3	2	-	22	1	-	3	5	2	-	7	14	31
21	123	884	1,373	338	56	29	48	49	80	23	564	...	...	95	164	117	8	207	457	759
1	3	9	19	10	1	-	2	3	1	-	15	...	...	2	1	2	-	4	11	21
17	141	351	1,322	228	12	24	39	47	42	55	529	28	30	77	150	31	5	35	177	556
-	4	3	22	10	1	1	2	-	1	-	7	1	-	1	4	-	-	3	3	10
100	684	2,625	7,061	1,807	150	225	196	285	251	168	2,784	83	104	432	748	419	43	727	1,802	3,853
2	17	50	132	51	4	4	4	6	2	1	73	1	3	6	21	6	13	14	33	95
64	355	1,846	3,907	1,030	125	116	118	157	168	45	1,520	...	...	248	443	339	32	604	1,260	2,328
2	12	37	92	37	4	2	3	3	2	-	40	...	...	4	12	3	11	12	23	59
36	319	779	3,154	777	25	109	78	128	83	123	1,264	83	104	184	305	80	11	123	542	1,525
-	5	13	40	14	-	2	1	3	-	1	33	1	3	2	9	3	2	2	10	36
23	134	949	1,710	389	49	79	32	59	85	41	611	6	20	138	151	51	9	78	315	709
23	132	934	1,678	370	49	78	30	59	85	41	594	6	20	137	143	51	8	77	304	689
-	2	15	32	19	-	1	2	-	-	-	17	-	-	1	8	-	1	1	11	20
16	57	636	835	192	39	46	13	35	52	15	288	...	...	61	70	41	5	64	179	373
-	1	8	15	12	-	1	2	-	-	-	7	...	...	1	4	-	1	1	7	9
7	75	298	843	178	10	32	17	24	33	26	306	6	20	76	73	10	3	13	125	316
-	1	7	17	7	-	-	-	-	-	-	10	-	-	-	4	-	-	-	4	11
20	121	847	1,518	333	44	69	27	55	79	36	537	6	18	120	132	45	7	68	270	504
-	2	14	31	19	-	1	1	-	-	-	17	-	-	1	8	-	-	1	11	20
13	51	572	737	174	36	40	12	32	48	14	257	...	...	51	63	36	4	57	156	330
-	1	8	14	12	-	1	1	-	-	-	7	...	...	1	4	-	-	1	7	9
7	70	275	781	159	8	29	15	23	31	22	280	6	18	69	69	9	3	11	114	274
-	1	6	17	7	-	-	-	-	-	-	10	-	-	-	4	-	-	-	4	11
6	48	351	561	134	16	29	8	21	34	16	202	2	5	41	51	19	-	31	98	211
-	1	9	19	10	-	1	-	-	-	-	10	-	-	-	8	-	-	1	7	11
3	17	232	251	78	12	19	3	11	19	8	79	...	...	20	26	15	-	25	57	124
-	-	5	11	8	-	1	-	-	-	-	6	...	...	-	4	-	-	1	4	4
3	31	119	310	56	4	10	5	10	15	8	123	2	5	21	25	4	-	6	41	87
-	1	4	8	2	-	-	-	-	-	-	4	-	-	-	4	-	-	-	3	7
8	53	355	766	148	21	25	11	22	30	15	234	3	5	54	65	17	5	24	132	277
-	1	5	12	8	-	-	1	-	-	-	7	-	-	1	-	-	-	-	3	9
6	23	249	389	69	18	15	6	14	20	5	122	...	...	21	27	17	2	21	74	147
-	1	3	3	3	-	-	1	-	-	-	1	...	...	1	-	-	-	-	2	5
2	30	116	377	79	3	10	5	8	10	10	112	3	5	33	38	-	3	3	58	130
-	-	2	9	5	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	4
4	17	93	147	38	4	12	7	8	13	5	81	1	7	21	14	8	-	12	31	74
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9	64	77	19	3	4	3	5	8	1	48	...	...	9	8	3	-	10	22	36
-	-	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	8	29	70	19	1	8	4	3	5	4	33	1	7	12	6	5	-	2	9	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	3	38	44	13	3	3	1	4	2	-	20	-	1	4	2	1	2	1	9	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	2	27	20	8	3	2	-	2	1	-	8	...	...	1	2	1	2	1	3	23
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	1	-
2	1	11	24	5	-	1	1	2	1	-	12	-	1	3	-	-	-	-	6	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	11	87	160	37	5	9	3	4	6	5	57	-	2	17	11	6	1	9	34	85
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
3	6	64	98	18	3	6	1	3	4	1	31	...	...	10	7	5	1	7	23	43
-	-	-	1	-	-	-	1	-	-	-	-	...	...	-	-	-	1	-	-	-
-	5	23	62	19	2	3	2	1	2	4	26	-	2	7	4	1	-	2	11	42
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
SOUTH CAROLINA	18,306	45	21	-	77	66	753	52	104	278	11	1,179	30	249	11	95	1,873
Both sexes--White	8,518	9	13	-	21	37	215	11	20	40	5	751	12	157	7	47	878
Nonwhite	9,788	36	8	-	56	29	538	41	84	238	6	428	18	92	4	48	995
Male--White	5,012	3	8	-	9	24	129	7	11	32	4	315	6	63	-	15	482
Nonwhite	5,139	16	6	-	28	16	257	20	45	162	3	165	8	26	-	15	483
Female--White	3,506	6	5	-	12	13	86	4	9	8	1	436	6	94	7	32	396
Nonwhite	4,649	20	2	-	28	13	281	21	39	76	3	263	10	66	4	33	512
Urban--White	3,855	3	3	-	3	15	90	7	2	29	3	308	3	69	4	21	316
Nonwhite	2,936	9	1	-	13	8	235	17	7	84	2	159	5	37	1	13	301
Male--White	1,899	2	2	-	1	9	54	5	1	24	3	123	3	22	-	5	156
Nonwhite	1,516	5	1	-	9	3	119	6	5	57	2	58	-	9	-	4	142
Female--White	1,456	1	1	-	2	6	36	2	1	5	-	185	-	47	4	16	160
Nonwhite	1,420	4	-	-	4	5	116	11	2	27	-	101	5	28	1	9	159
Places of 25,000 to 100,000--White	1,525	2	1	-	1	5	41	4	1	22	-	138	2	34	1	8	123
Nonwhite	1,363	2	1	-	4	5	110	9	4	47	-	67	1	17	1	7	112
Male--White	844	2	1	-	-	3	22	2	1	20	-	62	2	9	-	1	59
Nonwhite	711	2	1	-	3	1	51	2	2	33	-	28	-	5	-	3	53
Female--White	681	-	-	-	1	2	19	2	-	2	-	76	-	25	1	7	64
Nonwhite	652	-	-	-	1	4	59	7	2	14	-	39	1	12	1	4	59
Places of 10,000 to 25,000--White	667	-	1	-	1	3	14	2	-	1	-	59	-	9	3	4	68
Nonwhite	572	3	-	-	-	2	40	4	1	15	1	35	1	12	-	3	77
Male--White	387	-	-	-	-	3	12	2	-	-	-	17	-	3	-	2	32
Nonwhite	300	1	-	-	-	1	25	2	1	9	1	11	-	3	-	1	34
Female--White	280	-	1	-	1	-	2	-	-	1	-	42	-	6	3	2	36
Nonwhite	272	2	-	-	-	1	15	2	-	6	-	24	1	9	-	2	43
Places of 2,500 to 10,000--White	1,163	1	1	-	1	7	35	1	1	6	3	111	1	26	-	9	125
Nonwhite	1,001	4	-	-	9	1	85	4	2	22	1	57	3	8	-	3	112
Male--White	668	-	1	-	1	3	20	1	-	4	3	44	1	10	-	2	65
Nonwhite	505	2	-	-	6	1	43	2	2	15	1	19	-	1	-	-	55
Female--White	495	1	-	-	-	4	15	-	1	2	-	67	-	16	-	7	60
Nonwhite	496	2	-	-	3	-	42	2	-	7	-	38	3	7	-	3	57
Rural--White	5,163	6	10	-	18	22	125	4	18	11	2	443	9	88	3	26	562
Nonwhite	6,852	27	7	-	43	21	303	24	77	154	4	269	13	55	3	35	694
Male--White	3,113	1	6	-	8	15	75	2	10	8	1	192	3	41	-	10	326
Nonwhite	3,623	11	5	-	19	13	138	14	40	105	1	107	8	17	-	11	341
Female--White	2,050	5	4	-	10	7	50	2	8	3	1	251	6	47	3	16	235
Nonwhite	3,229	16	2	-	24	8	165	10	37	49	3	162	5	38	3	24	353
SOUTH DAKOTA	5,432	3	3	1	25	20	156	29	-	34	2	686	8	130	13	-	510
Both sexes--White	5,048	2	2	1	9	17	80	18	-	23	2	678	8	121	13	-	505
Nonwhite	384	1	1	-	16	3	76	11	-	11	-	8	-	9	-	-	5
Male--White	2,990	2	1	-	5	11	47	12	-	17	-	350	4	59	2	-	260
Nonwhite	197	-	1	-	8	-	36	8	-	6	-	6	-	5	-	-	5
Female--White	2,058	-	1	1	4	6	33	6	-	6	2	328	4	62	11	-	245
Nonwhite	187	1	-	-	8	3	40	3	-	5	-	2	-	4	-	-	-
Urban--White	1,769	-	1	-	4	1	37	9	-	16	-	238	1	38	5	-	178
Nonwhite	25	-	-	-	2	-	4	1	-	-	-	-	-	-	-	-	1
Male--White	1,025	-	-	-	2	1	20	5	-	13	-	118	1	19	-	-	92
Nonwhite	13	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	1
Female--White	744	-	1	-	2	-	17	4	-	3	-	120	-	19	5	-	86
Nonwhite	12	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000--White	341	-	1	-	-	-	4	-	-	3	-	53	-	6	1	-	42
Nonwhite	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male--White	197	-	-	-	-	-	2	-	-	3	-	27	-	4	-	-	20
Nonwhite	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female--White	144	-	1	-	-	-	2	-	-	-	-	26	-	2	1	-	22
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000--White	650	-	-	-	1	-	10	2	-	2	-	90	-	18	-	-	65
Nonwhite	6	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Male--White	359	-	-	-	1	-	5	-	-	1	-	40	-	10	-	-	32
Nonwhite	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Female--White	291	-	-	-	-	-	5	2	-	1	-	50	-	8	-	-	33
Nonwhite	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000--White	778	-	-	-	3	1	23	7	-	11	-	95	1	14	4	-	71
Nonwhite	15	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Male--White	469	-	-	-	1	1	13	5	-	9	-	51	1	5	-	-	40
Nonwhite	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Female--White	309	-	-	-	2	-	10	2	-	2	-	44	-	9	4	-	31
Nonwhite	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Rural--White	3,279	2	1	1	5	16	43	9	-	7	2	440	7	83	8	-	327
Nonwhite	359	1	1	-	14	3	72	10	-	11	-	8	-	9	-	-	4
Male--White	1,965	2	1	-	3	10	27	7	-	4	-	232	3	40	2	-	168
Nonwhite	184	-	1	-	7	-	34	7	-	6	-	6	-	5	-	-	4
Female--White	1,314	-	-	1	2	6	16	2	-	3	2	208	4	43	6	-	159
Nonwhite	175	1	-	-	7	3	38	3	-	5	-	2	-	4	-	-	-
TENNESSEE	27,017	22	16	13	70	42	1,892	190	31	381	28	2,815	56	385	34	108	2,589
Both sexes--White	20,075	16	13	13	51	40	1,247	112	18	176	24	1,927	40	308	28	96	1,849
Nonwhite	6,942	6	3	-	19	2	645	78	13	205	4	388	16	77	6	12	740
Male--White	11,221	9	9	5	21	24	597	62	12	125	11	849	23	154	7	36	948
Nonwhite	3,671	3	1	-	7	1	359	41	5	127	1	144	8	32	-	3	320
Female--White	8,854	7	4	8	30	16	650	50	6	51	13	1,078	17	154	21	60	901
Nonwhite	3,271	3	2	-	12	1	286	37	8	78	3	244	8	45	6	9	420

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
107	250	873	2,385	1,383	95	361	98	107	69	42	1,926	86	174	168	743	93	208	393	917	2,984
37	88	683	1,148	541	59	117	57	45	55	35	810	39	58	112	435	75	54	228	536	1,083
70	162	190	1,237	842	36	244	41	62	14	7	1,116	47	116	56	308	18	154	165	381	1,901
24	46	503	687	301	47	70	39	23	36	9	489	...	...	63	239	62	42	183	411	630
34	90	105	632	441	27	127	24	31	10	3	599	...	...	32	175	14	121	139	263	1,022
13	42	180	461	240	12	47	18	22	19	26	321	39	58	49	196	13	12	45	125	453
36	72	85	605	401	9	117	17	31	4	4	517	47	116	24	133	4	33	26	118	879
14	35	317	407	187	23	45	22	16	31	14	276	21	22	56	190	20	24	105	172	482
15	46	79	381	252	16	75	12	27	5	4	336	13	29	20	115	7	68	45	107	392
10	15	238	231	99	17	27	17	7	20	3	161	...	...	28	111	16	20	81	115	273
5	22	43	181	126	12	37	9	11	4	2	184	...	...	10	70	4	51	37	77	211
4	20	79	176	88	6	18	5	9	11	11	115	21	22	28	79	4	4	24	57	209
10	24	36	200	126	4	38	3	16	1	2	152	13	29	10	45	3	17	8	30	181
3	11	140	205	78	11	20	11	4	16	5	101	12	9	19	91	12	9	49	78	258
6	17	36	175	117	6	34	1	12	-	1	177	9	11	11	67	4	40	23	42	187
1	6	98	126	38	7	13	9	-	10	1	54	...	...	9	52	9	7	33	50	137
3	11	19	84	59	4	19	-	6	-	1	97	...	...	5	37	3	31	22	29	97
2	5	42	79	40	4	7	2	4	6	4	47	12	9	10	39	3	2	16	28	121
3	6	17	91	58	2	15	1	6	-	-	80	9	11	6	30	1	9	1	13	90
5	7	76	75	34	5	9	6	6	5	1	75	6	4	14	44	4	2	18	34	72
3	11	7	67	52	1	15	3	6	1	1	55	2	4	5	16	1	10	10	23	85
4	2	61	37	19	5	5	5	2	4	-	43	...	...	7	28	3	2	16	27	46
1	6	4	30	30	1	7	3	1	1	-	32	...	...	4	10	1	9	8	14	49
1	5	15	38	15	-	4	1	4	1	1	32	6	4	7	16	1	-	2	7	26
2	5	3	37	22	-	8	-	5	-	1	23	2	4	1	6	-	1	2	9	36
6	17	101	127	75	7	16	5	6	10	8	100	3	9	23	55	4	13	38	60	152
6	18	36	139	63	9	26	8	9	4	2	104	2	14	4	32	2	18	12	42	120
5	7	79	68	42	5	9	3	5	6	2	64	...	...	12	31	4	11	32	38	90
1	5	20	67	37	7	11	6	4	3	1	55	...	...	1	23	-	11	7	34	65
1	10	22	59	33	2	7	2	1	4	6	36	3	9	11	24	-	2	6	22	62
5	13	16	72	46	2	15	2	5	1	1	49	2	14	3	9	2	7	5	8	55
23	53	366	741	354	36	72	35	29	24	21	534	18	36	56	245	55	30	123	364	601
55	116	111	856	590	20	169	29	35	9	3	780	34	87	36	193	11	86	120	274	1,509
14	31	265	456	202	30	43	22	16	16	6	328	...	...	35	128	46	22	102	296	357
29	68	62	451	315	15	90	15	20	6	1	415	...	...	22	105	10	70	102	186	811
9	22	101	285	152	6	29	13	13	8	15	206	18	36	21	117	9	8	21	68	244
26	48	49	405	275	5	79	14	15	3	2	365	34	87	14	88	1	16	18	88	698
17	73	429	849	309	33	41	46	44	24	47	301	7	18	80	145	43	5	88	306	307
16	71	424	827	258	32	33	43	44	22	42	293	6	17	79	138	42	3	83	294	802
1	2	5	22	51	1	8	3	-	2	5	8	1	1	1	7	1	2	5	12	105
11	36	327	457	145	27	17	29	27	16	21	177	...	...	53	81	38	1	62	198	497
-	2	3	14	20	-	4	3	-	2	2	4	...	...	1	3	1	2	3	7	51
5	35	97	370	113	5	16	14	17	6	21	116	6	17	26	57	4	2	21	96	305
1	-	2	8	31	1	4	-	-	-	3	4	1	1	-	4	-	-	2	5	54
5	18	170	259	84	15	8	18	16	7	12	93	1	5	33	61	16	1	36	93	295
1	-	2	1	7	1	-	-	-	1	-	1	-	-	-	1	-	-	-	1	1
3	8	124	136	37	11	4	10	10	6	4	61	...	...	23	39	12	-	24	66	176
-	-	1	1	4	-	-	-	-	1	-	-	...	...	-	-	-	-	-	-	1
2	10	46	123	47	4	4	3	6	1	8	32	1	5	10	22	4	1	12	27	119
1	-	1	-	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
-	-	45	45	24	1	2	2	1	1	4	12	-	-	7	14	2	-	13	15	43
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	30	27	10	1	2	2	-	1	3	7	...	...	5	9	1	-	8	10	25
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	-	15	18	14	-	-	-	1	-	1	5	-	-	2	5	1	-	5	5	18
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	8	64	98	28	6	3	5	6	1	4	38	1	1	13	23	7	1	13	49	90
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	4	46	51	11	4	1	3	2	1	-	27	...	...	9	15	5	-	8	32	50
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
2	4	18	47	17	2	2	2	4	-	4	11	1	1	4	8	2	1	5	17	40
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	10	61	116	32	8	3	6	9	5	4	43	-	4	13	24	7	-	10	29	162
-	-	1	-	6	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
2	4	48	58	16	6	1	5	8	4	1	27	...	...	9	15	6	-	8	24	101
-	-	1	-	4	-	-	-	-	1	-	-	...	...	-	-	-	-	-	-	-
-	6	13	58	16	2	2	1	1	1	3	16	-	4	4	9	1	-	2	5	61
-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
11	53	254	568	174	17	25	30	28	15	30	200	5	12	46	77	26	2	47	201	507
-	2	3	21	44	-	8	3	-	1	5	7	1	1	1	6	1	2	5	11	104
8	28	203	321	108	16	13	19	17	10	17	116	...	...	30	42	26	1	38	132	321
-	2	2	13	16	-	4	3	-	1	2	4	...	...	1	3	1	2	3	7	50
3	25	51	247	66	1	12	11	11	5	13	84	5	12	16	35	-	1	9	69	186
-	-	1	8	28	-	4	-	-	-	3	3	1	1	-	3	-	-	2	4	54
124	536	1,391	3,509	2,125	149	329	184	221	143	98	1,794	78	119	276	822	258	356	527	1,189	4,617
90	390	1,246	2,519	1,507	106	253	124	153	117	90	1,266	52	92	250	664	241	133	468	929	3,427
34	146	145	990	618	43	76	60	68	26	8	528	26	27	26	158	17	223	59	260	1,190
46	217	903	1,423	760	84	133	74	80	88	25	693	...	...	147	382	184	117	384	611	1,978
17	83	82	524	320	26	32	36	39	20	3	268	...	...	17	97	13	180	48	160	634
44	173	343	1,096	747	22	120	50	73	29	65	573	52	92	103	282	57	16	84	318	1,449
17	63	63	466	298	17	44	24	29	6	5	240	26	27	9	61	4	43	11	100	556

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyeloencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 88
TENNESSEE—Continued																	
Urban—White	7,200	-	7	3	7	4	307	32	6	66	7	799	13	143	10	13	704
Nonwhite	4,312	1	-	-	8	-	402	59	9	91	-	253	11	56	4	8	450
Male—White	4,024	-	3	1	4	2	153	15	5	49	2	318	4	61	4	2	343
Nonwhite	2,209	-	-	-	3	-	220	29	3	55	-	81	4	20	-	3	188
Female—White	3,176	-	4	2	3	2	154	17	1	17	5	481	9	82	6	11	361
Nonwhite	2,103	1	-	-	5	-	182	30	6	36	-	172	7	36	4	5	262
Places of 100,000 or more—White	4,691	-	5	3	4	3	169	26	1	44	5	544	7	104	7	5	456
Nonwhite	3,345	1	-	-	5	-	318	51	7	77	-	191	9	41	3	6	349
Male—White	2,646	-	2	1	2	1	86	13	1	35	2	208	3	40	3	1	217
Nonwhite	1,710	-	-	-	2	-	177	26	2	49	-	61	4	13	-	2	144
Female—White	2,045	-	3	2	2	2	83	13	-	9	3	336	4	64	4	4	239
Nonwhite	1,635	1	-	-	3	-	136	25	5	28	-	130	5	28	3	4	205
Places of 25,000 to 100,000—White	153	-	-	-	-	-	7	-	-	1	-	12	1	3	1	-	21
Nonwhite	33	-	-	-	-	-	6	2	-	1	-	1	-	-	-	-	2
Male—White	95	-	-	-	-	-	5	-	-	1	-	4	-	3	1	-	13
Nonwhite	19	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	2
Female—White	58	-	-	-	-	-	2	-	-	-	-	8	1	-	-	-	8
Nonwhite	14	-	-	-	-	-	4	1	-	1	-	1	-	-	-	-	-
Places of 10,000 to 25,000—White	718	-	1	-	-	-	38	1	2	8	-	66	1	12	-	3	73
Nonwhite	369	-	-	-	-	-	30	2	-	8	-	24	-	6	-	2	41
Male—White	411	-	1	-	-	-	20	-	2	6	-	30	-	4	-	1	43
Nonwhite	192	-	-	-	-	-	14	-	-	4	-	9	-	2	-	1	20
Female—White	307	-	-	-	-	-	18	1	-	2	-	36	1	8	-	2	30
Nonwhite	177	-	-	-	-	-	16	2	-	4	-	15	-	4	-	1	21
Places of 2,500 to 10,000—White	1,638	-	1	-	3	1	93	5	3	13	2	177	4	24	2	5	154
Nonwhite	565	-	-	-	3	-	53	4	2	5	-	37	2	9	1	-	58
Male—White	872	-	-	-	2	1	42	2	2	7	-	76	1	14	-	-	70
Nonwhite	288	-	-	-	1	-	27	2	1	2	-	11	-	5	-	-	22
Female—White	766	-	1	-	1	-	51	3	1	6	2	101	3	10	2	5	84
Nonwhite	277	-	-	-	2	-	26	2	1	3	-	26	2	4	1	-	36
Rural—White	12,875	16	6	10	44	36	940	80	12	110	17	1,128	27	165	18	83	1,145
Nonwhite	2,630	5	3	-	11	2	243	19	4	114	4	135	5	21	2	4	290
Male—White	7,197	9	6	4	17	22	444	47	7	76	9	531	19	93	3	34	605
Nonwhite	1,462	3	1	-	4	1	139	12	2	72	1	63	4	12	-	-	132
Female—White	5,678	7	-	6	27	14	496	33	5	34	8	597	8	72	15	49	540
Nonwhite	1,168	[illegible]	2	-	7	1	104	7	2	42	3	72	1	9	2	4	158
TEXAS	59,315	93	35	19	188	150	3,358	253	97	779	50	5,437	63	858	81	251	4,728
Both sexes—White	48,243	70	33	16	154	126	2,676	189	59	412	46	4,766	35	730	61	180	3,704
Nonwhite	11,072	23	2	3	34	24	682	64	38	367	4	671	28	128	20	71	1,024
Male—White	28,516	42	22	12	65	70	1,447	101	37	318	31	2,299	17	327	9	56	1,982
Nonwhite	6,071	13	1	3	22	10	356	33	17	261	4	261	9	44	2	20	474
Female—White	19,727	28	11	4	89	56	1,229	88	22	94	15	2,467	18	403	52	124	1,722
Nonwhite	5,001	10	1	-	12	14	326	31	21	106	-	410	19	84	18	51	550
Urban—White	26,826	26	19	5	88	59	1,546	107	22	252	25	2,702	14	425	43	80	2,005
Nonwhite	6,452	6	1	1	14	10	444	51	5	266	-	408	12	84	15	34	607
Male—White	15,482	13	12	3	39	35	837	53	13	188	17	1,211	7	178	5	19	1,034
Nonwhite	3,492	3	-	1	8	3	232	28	1	188	-	164	4	28	1	9	288
Female—White	11,344	13	7	2	49	24	709	54	9	64	8	1,491	7	247	38	61	971
Nonwhite	2,960	3	1	-	6	7	212	23	4	78	-	244	8	56	14	25	319
Places of 100,000 or more—White	9,777	4	4	2	27	12	627	57	5	77	10	1,077	7	168	23	17	746
Nonwhite	2,741	2	-	-	1	2	198	29	1	84	-	193	3	42	7	18	233
Male—White	5,640	2	3	1	11	6	345	27	3	55	4	486	1	65	3	5	376
Nonwhite	1,478	-	-	-	1	-	119	16	-	59	-	76	1	13	-	4	115
Female—White	4,137	2	1	1	16	6	282	30	2	22	6	591	6	103	20	12	370
Nonwhite	1,263	2	-	-	-	2	79	13	1	25	-	117	2	29	7	14	118
Places of 25,000 to 100,000—White	6,297	11	5	2	18	16	345	24	2	82	6	620	2	105	7	21	440
Nonwhite	1,382	-	-	1	2	4	94	12	1	59	-	71	1	13	3	5	121
Male—White	3,623	5	4	2	9	9	190	10	2	59	7	281	2	41	-	3	223
Nonwhite	765	-	-	1	1	2	50	8	-	39	-	32	-	6	1	1	60
Female—White	2,674	6	1	-	9	7	155	14	-	23	1	339	-	64	7	18	217
Nonwhite	617	-	-	-	1	2	44	4	1	20	-	39	1	7	2	4	61
Places of 10,000 to 25,000—White	3,403	1	3	-	16	7	173	9	3	39	2	320	2	44	4	10	247
Nonwhite	751	2	1	-	2	3	37	2	1	22	-	59	2	12	3	2	85
Male—White	1,959	1	2	-	7	2	96	6	2	32	2	140	1	21	1	3	141
Nonwhite	396	1	-	-	2	1	13	1	-	17	-	24	-	6	-	-	36
Female—White	1,444	-	1	-	9	5	77	3	1	7	-	180	1	23	3	7	106
Nonwhite	355	1	1	-	-	2	24	1	1	5	-	35	2	6	3	2	49
Places of 2,500 to 10,000—White	7,349	10	7	1	27	24	401	17	12	54	5	685	3	108	9	32	572
Nonwhite	1,578	2	-	-	9	1	115	8	2	101	-	85	6	17	2	9	168
Male—White	4,260	5	3	-	12	18	206	10	6	42	4	304	3	51	1	8	294
Nonwhite	853	2	-	-	4	-	50	3	1	73	-	32	3	3	-	4	77
Female—White	3,089	5	4	1	15	6	195	7	6	12	1	381	-	57	8	24	278
Nonwhite	725	-	-	-	5	1	65	5	1	28	-	53	3	14	2	5	91
Rural—White	21,417	44	14	11	66	67	1,130	82	37	160	21	2,064	21	305	18	100	1,699
Nonwhite	4,620	17	1	2	20	14	238	13	33	101	4	263	16	44	5	37	417
Male—White	13,034	29	10	9	26	35	610	48	24	130	14	1,088	10	149	4	37	948
Nonwhite	2,579	10	1	2	14	7	124	5	16	73	4	97	5	16	1	11	186
Female—White	8,383	15	4	2	40	32	520	34	13	30	7	976	11	156	14	63	751
Nonwhite	2,041	7	-	-	6	7	114	8	17	28	-	166	11	28	4	26	231

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
26	117	649	917	420	45	52	48	64	64	27	451	12	20	93	306	102	45	181	344	1,096
16	95	85	635	393	31	45	39	40	20	6	324	14	17	15	115	8	154	30	158	720
15	65	490	498	208	32	25	31	36	47	4	259	...	...	54	178	80	37	145	219	645
5	59	45	318	197	16	22	24	25	15	2	172	...	...	9	73	5	121	22	92	381
11	52	169	419	212	13	27	17	28	17	23	192	12	20	39	128	22	8	36	125	451
11	36	40	317	196	15	23	15	15	5	4	152	14	17	6	42	3	33	8	66	339
13	67	444	614	268	31	33	34	42	50	20	270	5	8	55	202	65	31	106	219	731
13	73	64	491	294	26	29	27	33	14	5	222	11	14	13	98	7	130	24	122	582
9	40	330	337	130	21	16	22	21	39	2	159	...	...	36	126	51	25	61	140	446
5	46	30	245	150	14	17	18	21	9	1	113	...	...	8	61	4	102	19	71	296
4	27	114	277	138	10	17	12	21	11	18	111	5	8	19	76	14	6	25	79	285
8	27	34	246	144	12	12	9	12	5	4	109	11	14	5	37	3	28	5	51	286
-	3	19	17	8	2	-	-	1	-	-	5	1	-	2	11	2	-	8	4	24
-	3	-	4	1	-	1	-	-	-	-	3	-	-	-	1	-	-	-	1	7
-	1	13	7	7	1	-	-	1	-	-	3	...	...	1	5	2	-	8	2	17
-	2	-	3	1	-	-	-	-	-	-	2	...	...	-	1	-	-	-	1	4
-	2	6	10	1	1	-	-	-	-	-	2	1	-	1	6	-	-	-	2	7
-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3
3	16	65	81	46	4	8	3	5	9	2	49	2	4	8	32	8	3	24	38	103
1	11	8	47	35	3	5	6	2	5	-	36	-	-	1	4	-	16	5	11	60
2	11	46	43	25	4	2	2	3	5	-	27	...	...	4	20	6	2	21	23	58
-	5	2	24	20	-	2	4	1	5	-	25	...	...	-	2	-	11	3	6	32
1	5	19	38	21	-	6	1	2	4	2	22	2	4	4	12	2	1	3	15	45
1	6	6	23	15	3	3	2	1	-	-	11	-	-	1	2	-	5	2	5	28
10	31	121	205	98	8	11	11	16	5	5	127	4	8	28	61	27	11	43	83	238
2	8	13	93	53	2	10	6	5	1	1	63	3	3	1	12	1	8	1	24	71
4	13	91	111	46	6	7	7	11	3	2	70	...	...	13	27	21	10	35	54	124
-	5	13	46	26	2	3	2	3	1	1	32	...	...	1	9	1	8	-	14	49
6	18	30	94	52	2	4	4	5	2	3	57	4	8	15	34	6	1	8	29	114
2	2	-	47	37	-	7	4	2	-	-	31	3	3	-	3	-	-	1	10	22
64	273	597	1,602	1,087	61	201	76	89	53	53	815	40	72	157	358	139	88	287	585	2,331
18	51	60	355	225	12	31	21	28	6	2	204	12	10	11	43	9	69	29	102	470
31	152	423	925	552	52	108	43	44	41	21	434	...	...	93	204	104	80	239	392	1,333
12	24	37	206	123	10	10	12	14	5	1	116	...	...	8	24	8	59	26	68	253
33	121	174	677	535	9	93	33	45	12	42	381	40	72	64	154	35	8	48	193	998
6	27	23	149	102	2	21	9	14	1	1	88	12	10	3	19	1	10	3	34	217
324	518	4,486	7,460	3,813	310	1,441	444	510	308	256	3,942	163	277	664	2,099	641	659	1,447	3,343	9,770
281	402	4,082	5,936	2,988	258	1,296	355	392	273	225	2,994	105	214	603	1,765	619	279	1,295	2,805	7,839
63	116	404	1,524	825	52	145	89	118	35	31	948	58	63	61	334	22	380	152	538	1,931
160	220	2,917	3,631	1,588	227	684	213	205	200	84	1,787	...	...	352	1,008	495	241	1,055	2,052	4,562
32	63	220	864	446	36	73	48	61	20	10	527	...	...	28	191	17	315	128	388	1,074
101	182	1,165	2,305	1,400	31	612	142	187	73	141	1,207	105	214	251	757	124	38	240	753	3,277
31	53	184	660	379	16	72	41	57	15	21	421	58	63	33	143	5	65	24	150	857
163	209	2,523	3,313	1,605	142	758	179	233	185	128	1,600	66	106	360	1,098	309	175	699	1,387	4,169
32	46	254	952	457	33	75	51	84	25	16	547	42	33	31	210	16	283	77	244	986
100	124	1,779	1,986	848	126	104	108	116	131	49	930	...	...	212	630	233	153	555	974	2,360
17	20	137	528	239	21	37	27	39	13	6	284	...	...	17	123	12	234	63	188	529
63	85	744	1,327	758	16	354	71	117	54	79	670	66	106	148	468	76	22	144	413	1,809
15	26	117	424	218	12	38	24	45	12	10	263	42	33	14	87	4	49	14	56	457
45	80	1,139	1,316	538	44	186	49	74	78	44	525	25	32	117	376	130	70	244	454	1,348
9	20	142	440	194	17	29	19	37	14	7	197	19	14	14	115	6	158	29	92	356
31	48	787	803	296	37	94	25	32	52	15	290	...	...	68	230	98	61	194	331	755
5	7	73	238	100	11	18	10	17	7	2	104	...	...	7	68	4	130	26	69	178
14	32	352	513	242	7	92	24	42	26	29	235	25	32	49	146	32	9	50	123	593
4	13	69	202	94	6	11	9	20	7	5	93	19	14	7	47	2	28	3	23	178
36	49	479	760	386	49	207	41	58	49	28	373	15	29	98	303	72	37	169	353	998
7	13	52	224	98	6	12	11	24	5	1	121	8	8	9	37	4	58	17	47	283
19	25	353	434	213	42	105	31	30	36	9	216	...	...	56	172	54	29	125	254	563
5	7	34	133	52	3	6	6	12	2	-	53	...	...	6	26	3	46	13	40	117
17	24	116	326	173	7	102	10	28	13	19	157	15	29	42	131	18	8	44	99	433
2	6	18	91	46	3	6	5	12	3	1	68	8	8	3	11	1	12	4	7	116
20	27	345	424	205	20	123	21	27	23	20	235	11	10	32	113	32	7	95	195	538
4	4	27	101	57	2	13	7	11	2	5	71	4	2	2	25	2	23	6	29	121
9	18	240	260	100	20	74	12	13	17	11	124	...	...	21	62	22	5	75	133	286
1	1	10	59	33	1	6	3	6	2	2	38	...	...	1	14	2	22	2	20	72
11	9	105	164	105	-	49	9	14	6	9	111	11	10	11	51	10	2	20	62	252
3	3	17	42	24	1	7	4	5	-	3	33	4	2	1	11	-	1	4	9	49
62	53	560	813	477	29	242	68	74	35	36	467	15	35	113	306	75	61	191	385	1,285
12	9	33	187	108	8	21	14	12	4	3	158	11	9	6	33	4	44	25	76	276
41	33	389	489	239	27	131	40	41	26	14	300	...	...	67	166	59	58	161	256	756
6	5	20	98	54	6	7	8	4	2	2	89	...	...	3	15	3	36	22	59	162
21	20	171	324	238	2	111	28	33	9	22	167	15	35	46	140	16	3	30	129	529
6	4	13	89	54	2	14	6	8	2	1	69	11	9	3	18	1	8	3	17	114
98	193	1,559	2,623	1,382	116	538	176	159	88	97	1,394	39	108	243	667	310	104	596	1,418	3,670
31	70	150	572	368	19	70	38	34	10	15	401	16	30	30	124	6	97	75	294	945
60	96	1,138	1,645	740	101	280	105	89	69	35	857	...	...	140	378	262	88	500	1,078	2,202
15	43	83	336	207	15	36	21	22	7	4	243	...	...	11	68	5	81	65	200	545
38	97	421	978	642	15	258	71	70	19	62	537	39	108	103	289	48	16	95	340	1,468
16	27	67	236	161	4	34	17	12	3	11	158	16	30	19	56	1	16	10	94	400

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
UTAH	4,449	2	1	4	4	3	67	15	-	30	2	508	9	77	20	1	362
Both sexes—White	4,744	2	1	4	3	3	60	9	-	26	1	502	8	76	18	1	357
Nonwhite	105	-	-	-	1	-	7	6	-	4	1	6	1	1	2	-	5
Male—White	2,793	1	1	1	-	-	50	7	-	20	1	237	4	33	1	-	166
Nonwhite	76	-	-	-	-	-	6	4	-	3	1	3	1	-	-	-	5
Female—White	1,951	1	-	3	3	3	10	2	-	6	-	265	4	43	17	1	191
Nonwhite	29	-	-	-	1	-	1	2	-	1	-	3	-	1	2	-	-
Urban—White	2,953	1	1	-	-	3	43	7	-	22	-	326	5	48	12	1	214
Nonwhite	42	-	-	-	-	-	3	-	-	2	-	5	1	1	1	-	2
Male—White	1,700	1	1	-	-	-	34	5	-	19	-	147	3	24	1	-	93
Nonwhite	31	-	-	-	-	-	3	-	-	1	-	3	1	-	-	-	2
Female—White	1,253	-	-	-	-	3	9	2	-	3	-	179	2	24	11	1	121
Nonwhite	11	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-
Places of 100,000 or more—White	1,511	-	1	-	-	2	18	4	-	13	-	177	2	25	9	1	116
Nonwhite	23	-	-	-	-	-	1	-	-	1	-	2	-	-	1	-	1
Male—White	841	-	1	-	-	-	14	3	-	12	-	80	2	14	-	-	44
Nonwhite	19	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1
Female—White	670	-	-	-	-	2	4	1	-	1	-	97	-	11	9	1	72
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Places of 25,000 to 100,000—White	380	-	-	-	-	-	9	1	-	1	-	45	1	8	-	-	26
Nonwhite	9	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Male—White	210	-	-	-	-	-	8	-	-	-	-	18	-	3	-	-	10
Nonwhite	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Female—White	170	-	-	-	-	-	1	1	-	1	-	27	1	5	-	-	16
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000—White	293	-	-	-	-	1	5	-	-	6	-	29	1	3	-	-	13
Nonwhite	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Male—White	160	-	-	-	-	-	3	-	-	6	-	12	-	-	-	-	7
Nonwhite	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female—White	133	-	-	-	-	1	2	-	-	-	-	17	1	3	-	-	6
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	769	1	-	-	-	-	11	2	-	2	-	75	1	12	3	-	57
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1
Male—White	489	1	-	-	-	-	9	2	-	1	-	37	1	7	1	-	32
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Female—White	280	-	-	-	-	-	2	-	-	1	-	38	-	5	2	-	25
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Rural—White	1,791	1	-	4	3	-	17	2	-	4	1	176	3	28	6	-	143
Nonwhite	63	-	-	-	1	-	4	6	-	2	1	1	-	-	1	-	3
Male—White	1,093	-	-	1	-	-	16	2	-	1	1	90	1	9	-	-	73
Nonwhite	45	-	-	-	-	-	3	4	-	2	1	-	-	-	-	-	3
Female—White	698	1	-	3	3	-	1	-	-	3	-	86	2	19	6	-	70
Nonwhite	18	-	-	-	1	-	1	2	-	-	-	1	-	-	1	-	-
VERMONT	4,250	1	1	1	13	2	105	7	-	15	5	529	4	100	12	-	443
Both sexes—White	4,249	1	1	1	13	2	105	7	-	15	5	529	4	100	12	-	443
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	2,309	1	1	1	8	1	75	3	-	12	1	237	3	30	3	-	205
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	1,940	-	-	-	5	1	30	4	-	3	4	292	1	70	9	-	238
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban—White	1,622	-	1	-	4	-	55	2	-	5	1	185	3	43	8	-	157
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	846	-	1	-	2	-	38	1	-	5	-	72	3	14	2	-	76
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	776	-	-	-	2	-	17	1	-	-	1	113	-	29	6	-	81
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000—White	274	-	-	-	-	-	4	-	-	-	-	38	-	7	2	-	19
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	139	-	-	-	-	-	2	-	-	-	-	11	-	3	-	-	8
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	135	-	-	-	-	-	2	-	-	-	-	27	-	4	2	-	11
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000—White	377	-	1	-	-	-	19	-	-	-	-	46	1	11	4	-	29
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	192	-	1	-	-	-	16	-	-	-	-	20	1	2	2	-	10
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	185	-	-	-	-	-	3	-	-	-	-	26	-	9	2	-	19
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000—White	971	-	-	-	4	-	32	2	-	5	1	101	2	25	2	-	109
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	515	-	-	-	2	-	20	1	-	5	-	41	2	9	-	-	58
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	456	-	-	-	2	-	12	1	-	-	1	60	-	16	2	-	51
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural—White	2,627	1	-	1	9	2	50	5	-	10	4	344	1	57	4	-	286
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male—White	1,463	1	-	1	6	1	37	2	-	7	1	165	-	16	1	-	129
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female—White	1,164	-	-	-	3	1	13	3	-	3	3	179	1	41	3	-	157
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364).

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gall-bladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
35	113	440	856	229	52	28	46	34	24	31	294	7	20	76	196	46	14	155	332	716
34	113	435	846	225	51	28	46	34	23	31	294	7	20	74	195	41	11	153	327	685
1	-	5	10	4	1	-	-	-	1	-	-	-	-	2	1	5	3	2	5	31
26	59	317	465	130	42	16	25	22	18	8	157	...	...	37	111	35	7	123	251	422
1	-	5	9	2	1	-	-	-	1	-	-	...	...	1	1	5	3	1	5	18
8	54	118	381	95	9	12	21	12	5	23	137	7	20	37	84	6	4	30	76	263
-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	13
16	70	315	541	140	39	20	27	17	14	17	171	6	9	36	129	24	7	85	181	406
-	-	4	9	2	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	8
13	35	232	294	79	34	12	13	10	10	7	85	...	...	16	70	20	6	61	131	244
-	-	4	8	1	-	-	-	-	1	-	-	...	...	-	1	-	1	-	-	5
3	35	83	247	61	5	8	14	7	4	10	86	6	9	20	59	4	1	24	50	162
-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3
8	34	178	296	64	19	6	11	9	5	9	82	6	4	17	59	10	7	50	77	192
-	-	3	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
6	17	137	154	34	16	2	6	4	4	4	39	...	...	11	34	6	6	36	52	103
-	-	3	7	-	-	-	-	-	1	-	-	...	...	-	-	-	-	-	-	4
2	17	41	142	30	3	4	5	5	1	5	43	6	4	6	25	4	1	14	25	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	16	49	82	21	5	1	4	-	1	1	27	-	-	4	24	3	-	8	21	50
-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1
1	7	28	28	12	5	1	1	-	1	-	15	...	...	1	11	3	-	5	16	36
-	-	1	1	-	-	-	-	-	-	-	-	...	...	-	1	-	1	-	-	1
1	9	21	24	9	-	-	3	-	-	1	12	-	-	3	13	-	-	3	5	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
3	7	24	68	15	2	3	-	2	2	2	15	-	1	6	9	3	-	6	15	50
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	16	39	7	2	2	-	-	1	-	10	...	...	2	5	3	-	4	8	29
-	-	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	6	8	29	8	-	1	-	2	1	2	5	-	1	4	4	-	-	2	7	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	13	64	125	40	13	10	12	6	6	5	47	-	4	9	37	8	-	21	68	114
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
3	10	51	73	25	11	7	6	6	4	3	21	...	...	2	20	8	-	16	55	76
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	3	13	52	14	2	3	6	-	2	2	26	-	4	7	17	-	-	5	13	38
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
18	43	120	305	85	12	8	19	17	9	14	123	1	11	38	66	17	4	68	146	279
1	-	1	1	2	1	-	-	-	-	-	-	-	-	1	-	5	2	2	5	23
13	24	85	171	51	8	4	12	12	8	1	72	...	...	21	41	15	1	62	120	178
1	-	1	1	1	1	-	-	-	-	-	-	...	...	1	-	5	2	1	5	13
5	19	35	134	34	4	4	7	5	1	13	51	1	11	17	25	2	3	6	26	101
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10
14	83	401	804	207	30	16	31	47	32	27	279	6	9	56	100	65	3	49	178	575
14	83	401	803	207	30	16	31	47	32	27	279	6	9	56	100	65	3	49	178	575
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	39	286	420	112	24	10	22	31	23	10	151	...	...	29	58	53	2	38	114	297
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
5	44	115	383	95	6	6	9	16	9	17	128	6	9	27	42	12	1	11	64	278
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	30	158	332	77	14	3	9	20	16	7	99	3	4	29	46	25	-	12	58	211
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9	119	158	39	14	1	3	12	12	2	46	...	...	16	27	20	-	10	34	105
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	21	39	174	38	-	2	6	8	4	5	53	3	4	13	19	5	-	2	24	106
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	6	17	61	16	4	-	1	2	3	1	5	1	-	3	21	5	-	1	7	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	14	33	8	4	-	-	2	3	-	1	...	...	2	14	3	-	1	5	21
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	3	3	28	8	-	-	1	-	-	1	4	1	-	1	7	2	-	-	2	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	8	38	86	10	1	3	2	3	5	2	23	2	1	7	10	5	-	4	10	45
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	32	35	5	1	1	-	2	3	-	12	...	...	5	5	5	-	4	5	23
-	-	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	7	6	51	5	-	2	2	1	2	2	11	2	1	2	5	-	-	-	5	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	16	103	185	51	9	-	6	15	8	4	71	-	3	19	15	15	-	7	41	117
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	5	73	90	26	9	-	3	8	6	2	33	...	...	9	8	12	-	5	24	61
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
-	11	30	95	25	-	-	3	7	2	2	38	-	3	10	7	3	-	2	17	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	53	243	471	130	16	13	22	27	16	20	180	3	5	27	54	40	3	37	120	364
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	30	167	262	73	10	9	19	19	11	8	105	...	...	13	31	33	2	28	80	192
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-
5	23	76	209	57	6	4	3	8	5	12	75	3	5	14	23	7	1	9	40	172
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE

(See headnote)

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
VIRGINIA	29,197	25	46	12	102	44	1,495	137	6	432	7	2,400	49	532	45	58	2,878
Both sexes—White	19,193	13	35	9	47	35	689	78	2	124	6	1,886	25	371	36	38	1,769
Both sexes—Nonwhite	10,004	12	11	3	55	9	806	59	4	308	1	514	24	161	9	20	1,109
Male—White	11,083	10	22	3	21	16	382	39	2	91	5	869	13	139	6	17	947
Male—Nonwhite	5,355	7	8	1	28	3	388	34	2	218	1	198	13	52	1	9	539
Female—White	8,110	3	13	6	26	19	307	39	-	33	1	1,017	12	232	30	21	822
Female—Nonwhite	4,649	5	3	2	27	6	418	25	2	90	-	316	11	109	8	11	570
Urban—White	7,679	4	11	2	9	4	246	22	1	65	3	798	8	176	13	15	693
Urban—Nonwhite	4,317	5	4	1	14	4	339	24	1	102	1	234	14	83	3	12	464
Male—White	4,347	3	7	-	6	2	143	9	1	44	2	335	6	59	4	3	366
Male—Nonwhite	2,255	3	3	-	8	1	157	15	1	71	1	81	8	29	-	7	212
Female—White	3,331	1	4	2	3	2	103	13	-	21	1	463	2	117	9	12	327
Female—Nonwhite	2,061	2	1	1	6	3	182	9	-	31	-	153	6	54	3	5	252
Places of 100,000 or more—White	2,723	-	3	1	4	1	78	9	-	17	-	308	2	59	4	3	254
Places of 100,000 or more—Nonwhite	1,932	3	1	-	4	2	160	15	1	38	1	104	5	39	2	5	219
Male—White	1,583	-	2	-	3	-	51	5	-	10	-	142	-	22	2	1	125
Male—Nonwhite	1,018	2	1	-	1	-	72	10	1	28	1	41	4	9	-	4	100
Female—White	1,140	-	1	1	1	1	27	4	-	7	-	166	2	37	2	2	129
Female—Nonwhite	914	1	-	-	3	2	88	5	-	10	-	63	1	30	2	1	119
Places of 25,000 to 100,000—White	2,516	3	6	-	2	3	66	8	1	14	2	270	2	69	5	2	233
Places of 25,000 to 100,000—Nonwhite	1,644	2	-	1	7	1	111	4	-	44	-	83	5	28	1	4	185
Male—White	1,430	3	5	-	2	2	35	2	1	11	1	108	2	25	1	-	122
Male—Nonwhite	852	1	-	-	4	-	51	2	-	28	-	23	2	14	-	1	85
Female—White	1,086	-	1	-	-	1	31	6	-	3	1	162	-	44	4	2	111
Female—Nonwhite	792	1	-	1	3	1	60	2	-	16	-	60	4	14	1	3	100
Places of 10,000 to 25,000—White	811	-	-	-	2	-	48	1	-	11	1	81	2	14	1	3	69
Places of 10,000 to 25,000—Nonwhite	248	-	1	-	1	-	24	2	-	5	-	14	-	4	-	3	20
Male—White	421	-	-	-	-	-	27	1	-	9	1	28	2	5	-	1	38
Male—Nonwhite	116	-	-	-	1	-	13	1	-	3	-	8	-	1	-	2	7
Female—White	390	-	-	-	2	-	21	-	-	2	-	53	-	9	1	2	31
Female—Nonwhite	132	-	1	-	-	-	11	1	-	2	-	6	-	3	-	1	13
Places of 2,500 to 10,000—White	1,628	1	2	1	1	-	54	4	-	23	-	139	2	34	3	7	137
Places of 2,500 to 10,000—Nonwhite	493	-	2	-	2	1	44	3	-	15	-	33	3	12	-	-	40
Male—White	913	-	-	-	1	-	30	1	-	14	-	57	2	7	1	1	81
Male—Nonwhite	270	-	2	-	2	1	21	2	-	12	-	9	2	5	-	-	20
Female—White	715	1	2	1	-	-	24	3	-	9	-	82	-	27	2	6	56
Female—Nonwhite	223	-	-	-	-	-	23	1	-	3	-	24	1	7	-	-	20
Rural—White	11,515	9	24	7	38	31	443	56	1	59	3	1,088	17	195	23	23	1,076
Rural—Nonwhite	5,687	7	7	2	41	5	467	35	3	206	-	280	10	78	6	8	645
Male—White	6,736	7	15	3	15	14	239	30	1	47	3	534	7	80	2	14	581
Male—Nonwhite	3,099	4	5	1	20	2	281	19	1	147	-	117	5	23	1	2	327
Female—White	4,779	2	9	4	23	17	204	26	-	12	-	554	10	115	21	9	495
Female—Nonwhite	2,588	3	2	1	21	3	236	16	2	59	-	163	5	55	5	6	318
WASHINGTON	20,552	3	9	8	25	19	608	68	-	216	7	2,523	10	480	53	2	2,096
Both sexes—White	20,019	3	9	8	17	19	542	58	-	194	7	2,480	9	473	52	2	2,063
Both sexes—Nonwhite	533	-	-	-	8	-	66	10	-	22	-	43	1	7	1	-	33
Male—White	12,325	2	6	4	6	12	365	31	-	150	4	1,274	5	206	9	1	1,093
Male—Nonwhite	348	-	-	-	3	-	41	7	-	17	-	26	-	2	-	-	19
Female—White	7,694	1	3	4	11	7	177	27	-	44	3	1,206	4	267	43	1	970
Female—Nonwhite	185	-	-	-	5	-	25	3	-	5	-	17	1	5	1	-	14
Urban—White	11,916	1	5	3	7	9	299	24	-	104	2	1,554	5	287	26	2	1,228
Urban—Nonwhite	258	-	-	-	-	-	29	1	-	10	-	29	-	4	-	-	25
Male—White	7,264	1	4	2	3	7	208	10	-	81	2	785	3	127	5	1	635
Male—Nonwhite	183	-	-	-	-	-	18	-	-	8	-	18	-	2	-	-	14
Female—White	4,652	-	1	1	4	2	91	14	-	23	-	769	2	160	23	1	593
Female—Nonwhite	75	-	-	-	-	-	11	1	-	2	-	11	-	2	-	-	11
Places of 100,000 or more—White	7,855	1	3	1	4	7	196	15	-	66	2	1,006	3	188	13	1	796
Places of 100,000 or more—Nonwhite	212	-	-	-	-	-	23	1	-	8	-	22	-	3	-	-	22
Male—White	4,766	1	2	1	2	6	134	7	-	51	2	502	1	80	1	1	406
Male—Nonwhite	152	-	-	-	-	-	14	-	-	6	-	13	-	1	-	-	14
Female—White	3,089	-	1	-	2	1	62	8	-	15	-	504	2	108	12	-	390
Female—Nonwhite	60	-	-	-	-	-	9	1	-	2	-	9	-	2	-	-	8
Places of 25,000 to 100,000—White	1,123	-	-	-	1	-	18	4	-	6	-	166	1	31	7	1	147
Places of 25,000 to 100,000—Nonwhite	10	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Male—White	661	-	-	-	-	-	14	1	-	5	-	82	1	17	3	-	71
Male—Nonwhite	6	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Female—White	462	-	-	-	1	-	4	3	-	1	-	84	-	14	4	1	76
Female—Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000—White	1,493	-	2	1	2	-	54	1	-	23	-	189	1	37	3	-	144
Places of 10,000 to 25,000—Nonwhite	15	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	2
Male—White	949	-	2	-	1	-	44	-	-	20	-	97	1	16	-	-	82
Male—Nonwhite	11	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
Female—White	544	-	-	1	1	-	10	1	-	3	-	92	-	21	3	-	62
Female—Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Places of 2,500 to 10,000—White	1,445	-	-	1	-	2	31	4	-	9	-	193	-	31	5	-	141
Places of 2,500 to 10,000—Nonwhite	21	-	-	-	-	-	3	-	-	1	-	4	-	1	-	-	1
Male—White	888	-	-	1	-	1	16	2	-	5	-	104	-	14	1	-	76
Male—Nonwhite	14	-	-	-	-	-	2	-	-	1	-	2	-	1	-	-	-
Female—White	557	-	-	-	-	1	15	2	-	4	-	89	-	17	4	-	65
Female—Nonwhite	7	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1
Rural—White	8,103	2	4	5	10	10	243	34	-	90	5	926	4	186	24	-	835
Rural—Nonwhite	275	-	-	-	8	-	37	9	-	12	-	14	1	3	1	-	8
Male—White	5,061	1	2	2	3	5	157	21	-	69	2	489	2	79	4	-	458
Male—Nonwhite	165	-	-	-	3	-	23	7	-	9	-	8	-	-	-	-	5
Female—White	3,042	1	2	3	7	5	86	13	-	21	3	437	2	107	20	-	377
Female—Nonwhite	110	-	-	-	5	-	14	2	-	3	-	6	1	3	1	-	3

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

(p. 384)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
143	521	1,719	4,451	1,954	171	384	148	228	154	101	2,458	86	134	352	1,021	313	332	702	1,471	4,086
99	371	1,454	2,878	1,175	118	225	97	148	124	88	1,540	49	68	274	690	288	110	503	1,080	2,701
44	150	265	1,373	779	53	159	51	80	30	13	918	37	66	78	331	25	222	199	441	1,385
54	190	1,045	1,585	654	92	134	61	75	93	31	843	....	....	150	394	217	92	413	763	1,615
27	77	143	832	428	40	83	32	35	20	3	457	....	....	40	173	19	187	161	329	767
45	181	409	1,293	521	26	91	36	73	31	57	697	49	68	124	296	71	18	90	267	1,086
17	73	122	741	351	13	76	19	45	10	10	461	37	66	38	158	6	35	38	112	618
37	188	768	1,205	397	54	67	40	71	66	36	611	25	22	105	295	120	49	150	382	980
15	59	134	700	350	25	77	22	43	20	6	434	20	30	32	145	8	147	76	199	460
21	70	541	639	224	46	34	25	32	50	14	314	....	....	54	173	76	42	121	275	606
11	27	69	362	198	18	45	14	18	14	1	205	....	....	19	78	6	122	57	149	246
16	58	227	566	173	8	33	15	39	16	22	297	25	22	51	122	44	7	29	107	374
4	38	65	338	162	7	32	8	25	6	5	229	20	30	13	67	2	25	19	50	214
11	42	289	446	116	28	12	11	25	29	14	203	11	8	34	69	41	23	45	156	367
9	37	38	379	163	12	26	11	15	7	2	153	9	12	9	60	4	78	30	74	205
6	25	200	243	56	25	4	7	11	23	7	102	....	....	15	47	27	19	36	126	241
8	17	21	199	87	9	17	7	6	7	-	74	....	....	5	31	3	63	23	54	113
5	17	89	203	60	3	8	4	14	6	7	101	11	8	19	22	14	4	9	30	126
1	20	17	180	76	3	9	4	9	-	2	79	9	12	4	29	1	15	7	20	92
12	40	273	343	108	18	28	19	25	24	14	203	6	8	33	113	44	13	59	130	317
2	16	61	209	156	6	44	5	20	9	1	194	6	12	19	60	3	55	40	87	162
6	20	188	181	67	15	18	11	15	19	5	106	....	....	16	71	30	11	44	93	194
-	7	30	105	90	3	24	4	10	4	-	91	....	....	13	33	2	47	29	65	84
6	20	85	162	41	3	10	8	10	5	9	97	6	8	17	42	14	2	15	37	123
2	9	31	104	66	3	20	1	10	5	1	103	6	12	6	27	1	8	11	22	78
8	5	57	174	64	4	7	3	5	2	4	58	1	1	5	28	11	5	13	33	90
2	2	11	41	12	3	-	4	4	-	1	29	2	2	1	12	-	6	1	11	30
6	3	41	84	34	3	2	2	-	2	-	30	....	....	4	15	6	5	12	13	47
2	1	5	16	5	2	-	3	1	-	-	10	....	....	-	7	-	6	1	10	11
2	2	16	90	30	1	5	1	5	-	4	28	1	1	1	13	5	-	1	20	43
-	1	5	25	7	1	-	1	3	-	1	19	2	2	1	5	-	-	-	1	19
6	41	149	242	109	4	20	7	16	11	4	147	7	5	33	85	24	8	33	63	206
2	4	24	71	29	4	7	2	4	4	2	58	3	4	3	13	1	8	5	27	63
3	22	112	131	57	3	10	5	6	6	2	75	....	....	19	40	13	7	29	43	124
1	2	13	42	16	4	4	-	1	3	1	30	....	....	1	7	1	6	4	20	38
3	19	37	111	42	1	10	2	10	5	2	71	7	5	14	45	11	1	4	20	82
1	2	11	29	13	-	3	2	3	1	1	28	3	4	2	6	-	2	1	7	25
62	243	686	1,673	778	64	158	57	77	58	52	929	24	46	159	395	168	61	353	648	1,721
29	91	131	873	419	28	82	29	37	10	7	484	17	36	46	185	17	75	123	242	925
33	120	504	946	430	46	100	36	43	43	17	529	....	....	96	281	141	50	292	488	1,009
16	50	74	470	230	22	38	18	17	6	2	252	....	....	21	95	13	65	104	180	521
29	123	182	727	348	18	58	21	34	15	35	400	24	46	73	174	27	11	61	160	712
13	41	57	403	189	6	44	11	20	4	5	232	17	36	25	91	4	10	19	62	404
60	439	2,281	3,473	1,050	184	76	87	159	148	96	1,186	25	43	227	382	363	54	479	1,213	2,400
58	430	2,258	3,403	1,005	182	66	85	159	148	96	1,157	25	42	222	370	354	42	467	1,182	2,331
2	9	23	70	44	2	10	2	-	-	-	29	-	1	5	12	9	12	12	31	69
37	241	1,727	2,046	600	165	36	57	84	95	37	668	....	....	122	220	283	30	370	911	1,418
1	5	20	46	27	1	7	1	-	-	-	22	....	....	5	5	7	11	12	28	35
21	189	521	1,357	406	17	30	28	75	53	59	489	25	42	100	150	71	12	97	271	913
1	4	3	24	17	1	3	1	-	-	-	7	-	1	-	7	2	1	-	3	34
33	292	1,456	2,003	547	119	40	47	91	110	59	580	13	22	122	289	225	23	248	621	1,378
1	3	19	38	12	-	1	1	-	-	-	20	-	-	2	4	9	9	5	10	26
22	162	1,106	1,198	324	110	23	30	49	73	21	401	....	....	65	137	174	19	197	460	819
1	2	17	27	11	-	-	1	-	-	-	15	....	....	2	1	7	9	5	9	16
11	130	350	805	223	9	17	17	42	37	38	279	13	22	57	98	51	4	51	161	559
-	1	2	11	1	-	1	-	-	-	-	5	-	-	-	3	2	-	-	1	10
23	193	999	1,351	377	85	26	26	60	77	34	438	7	12	75	142	163	17	157	415	855
1	3	17	35	10	-	-	1	-	-	-	18	-	-	2	3	7	6	4	8	18
14	97	754	801	223	79	16	15	32	49	10	254	....	....	42	82	188	14	127	305	517
1	2	15	24	10	-	-	1	-	-	-	13	....	....	2	1	5	6	4	8	11
9	95	235	560	154	6	10	11	28	28	24	184	7	12	33	60	35	3	30	110	349
-	1	2	11	-	-	-	-	-	-	-	5	-	-	-	2	1	-	-	-	7
1	24	110	203	39	8	5	2	8	7	7	70	3	3	8	18	17	1	23	51	183
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2
1	14	78	127	24	7	4	-	4	6	2	39	....	....	3	13	12	1	20	43	69
-	-	-	1	-	-	-	-	-	-	-	-	....	....	-	-	1	-	1	-	1
-	10	32	76	15	1	1	2	4	1	5	31	3	3	5	5	5	-	3	18	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
6	39	175	195	70	17	6	11	10	16	9	86	2	2	23	41	28	2	35	69	194
-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	2
6	30	136	115	43	17	2	8	6	10	6	50	....	....	11	26	24	1	26	53	116
-	-	1	1	-	-	-	-	-	-	-	1	....	....	-	-	-	2	-	1	1
-	9	39	80	27	-	4	3	4	6	3	36	2	2	12	15	4	1	9	16	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3	36	172	244	61	9	3	8	13	10	9	86	1	5	16	28	17	3	33	76	195
-	-	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	4
1	21	128	155	34	7	1	7	7	8	3	58	....	....	9	16	10	3	24	59	117
-	-	1	1	1	-	-	-	-	-	-	1	....	....	-	-	-	1	-	-	3
2	15	44	89	27	2	2	1	6	2	6	28	1	5	7	12	7	-	9	17	78
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
25	138	802	1,400	459	63	26	38	68	38	37	477	12	20	100	141	129	19	219	561	953
1	6	4	32	32	2	9	1	-	-	-	9	-	1	3	8	-	3	7	21	43
15	79	691	848	276	55	13	27	35	22	16	267	....	....	57	82	109	11	173	451	599
-	3	3	19	16	1	7	-	-	-	-	7	....	....	3	4	-	2	7	19	19
10	59	171	552	183	8	13	11	33	16	21	210	12	20	43	58	20	8	46	110	354
1	3	1	13	16	1	2	1	-	-	-	2	-	1	-	4	-	1	-	2	24

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
WEST VIRGINIA	16,975	19	20	8	52	25	691	74	-	238	11	1,542	21	357	36	11	1,427
Both sexes—White	15,382	16	14	8	48	25	560	57	-	185	11	1,445	20	336	34	8	1,296
Both sexes—Nonwhite	1,593	3	6	-	4	-	131	17	-	53	-	97	1	21	2	3	131
Male—White	8,948	10	7	5	25	14	286	32	-	122	9	677	7	139	3	3	711
Male—Nonwhite	931	1	6	-	1	-	75	10	-	30	-	46	1	10	1	1	54
Female—White	6,434	6	7	3	23	11	274	25	-	63	2	768	13	197	31	5	585
Female—Nonwhite	662	2	-	-	3	-	56	7	-	23	-	51	-	11	1	2	77
Urban—White	5,756	2	4	1	9	3	212	27	-	97	2	604	7	154	9	2	490
Urban—Nonwhite	597	-	3	-	1	-	51	2	-	14	-	40	1	12	1	1	48
Male—White	3,204	1	1	1	3	1	113	17	-	64	1	252	1	54	-	-	252
Male—Nonwhite	341	-	3	-	1	-	33	1	-	8	-	20	1	5	1	-	20
Female—White	2,552	1	3	-	6	2	99	10	-	33	1	352	6	100	9	2	238
Female—Nonwhite	256	-	-	-	-	-	18	1	-	6	-	20	-	7	-	1	28
Places of 25,000 to 100,000—White	2,796	2	3	1	4	2	97	12	-	40	2	300	4	72	4	2	224
Places of 25,000 to 100,000—Nonwhite	271	-	-	-	-	-	23	1	-	4	-	20	1	5	1	-	30
Male—White	1,514	1	1	1	2	1	51	6	-	25	1	135	1	27	-	-	105
Male—Nonwhite	149	-	-	-	-	-	14	-	-	1	-	10	1	2	1	-	15
Female—White	1,282	1	2	-	2	1	46	6	-	15	1	165	3	45	4	2	119
Female—Nonwhite	122	-	-	-	-	-	9	1	-	3	-	10	-	3	-	-	15
Places of 10,000 to 25,000—White	1,145	-	1	-	2	-	43	9	-	11	-	128	2	32	2	-	108
Places of 10,000 to 25,000—Nonwhite	135	-	1	-	-	-	10	-	-	3	-	12	-	3	-	-	6
Male—White	629	-	-	-	-	-	21	6	-	6	-	41	-	3	-	-	56
Male—Nonwhite	81	-	1	-	-	-	9	-	-	1	-	5	-	2	-	-	2
Female—White	516	-	1	-	2	-	22	3	-	5	-	87	2	29	2	-	52
Female—Nonwhite	54	-	-	-	-	-	1	-	-	2	-	7	-	1	-	-	4
Places of 2,500 to 10,000—White	1,815	-	-	-	3	1	72	6	-	46	-	176	1	50	3	-	158
Places of 2,500 to 10,000—Nonwhite	191	-	2	-	1	-	18	1	-	7	-	8	-	4	-	1	12
Male—White	1,061	-	-	-	1	-	41	5	-	33	-	76	-	24	-	-	91
Male—Nonwhite	111	-	2	-	1	-	10	1	-	6	-	5	-	1	-	-	3
Female—White	754	-	-	-	2	1	31	1	-	13	-	100	1	26	3	-	67
Female—Nonwhite	80	-	-	-	-	-	8	-	-	1	-	3	-	3	-	1	9
Rural—White	9,626	14	10	7	39	22	348	30	-	88	9	841	13	182	25	6	806
Rural—Nonwhite	996	3	3	-	3	-	80	15	-	39	-	57	-	9	1	2	83
Male—White	5,744	9	6	4	22	13	173	15	-	58	8	425	6	85	3	3	459
Male—Nonwhite	590	1	3	-	-	-	42	9	-	22	-	26	-	5	-	1	34
Female—White	3,882	5	4	3	17	9	175	15	-	30	1	416	7	97	22	3	347
Female—Nonwhite	406	2	-	-	3	-	38	6	-	17	-	31	-	4	1	1	49
WISCONSIN	31,004	1	15	26	44	5	708	51	-	184	9	4,445	41	898	141	4	3,161
Both sexes—White	30,644	-	15	26	43	5	664	48	-	166	9	4,416	41	889	141	4	3,139
Both sexes—Nonwhite	360	1	-	-	1	-	44	3	-	18	-	29	-	9	-	-	22
Male—White	17,259	-	10	15	22	2	414	25	-	131	5	2,276	23	358	11	2	1,543
Male—Nonwhite	205	1	-	-	1	-	19	3	-	10	-	16	-	2	-	-	15
Female—White	13,385	-	5	11	21	3	250	23	-	35	4	2,140	18	531	130	2	1,596
Female—Nonwhite	155	-	-	-	-	-	25	-	-	8	-	13	-	7	-	-	7
Urban—White	16,713	-	8	10	20	1	411	28	-	83	2	2,558	17	539	68	2	1,650
Urban—Nonwhite	185	1	-	-	1	-	21	1	-	13	-	16	-	7	-	-	10
Male—White	9,131	-	5	6	8	-	264	14	-	68	-	1,277	10	207	3	1	757
Male—Nonwhite	114	1	-	-	1	-	14	1	-	7	-	14	-	1	-	-	6
Female—White	7,582	-	3	4	12	1	147	14	-	15	2	1,281	7	332	65	1	893
Female—Nonwhite	71	-	-	-	-	-	7	-	-	6	-	2	-	6	-	-	4
Places of 100,000 or more—White	5,824	-	-	-	4	-	198	5	-	38	1	895	7	197	27	-	549
Places of 100,000 or more—Nonwhite	133	-	-	-	1	-	20	1	-	9	-	14	-	4	-	-	6
Male—White	3,267	-	-	-	-	-	142	3	-	33	-	472	3	80	2	-	251
Male—Nonwhite	84	-	-	-	1	-	13	1	-	3	-	14	-	-	-	-	5
Female—White	2,557	-	-	-	4	-	56	2	-	5	1	423	4	117	25	-	298
Female—Nonwhite	49	-	-	-	-	-	7	-	-	6	-	-	-	4	-	-	1
Places of 25,000 to 100,000—White	5,732	-	4	7	10	1	97	14	-	29	1	868	4	177	19	1	578
Places of 25,000 to 100,000—Nonwhite	35	1	-	-	-	-	1	-	-	4	-	1	-	2	-	-	2
Male—White	3,035	-	3	5	5	-	56	5	-	22	-	403	3	60	1	-	251
Male—Nonwhite	20	1	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-
Female—White	2,697	-	1	2	5	1	41	9	-	7	1	465	1	117	18	1	327
Female—Nonwhite	15	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2
Places of 10,000 to 25,000—White	2,217	-	2	1	2	-	51	5	-	10	-	355	2	69	11	1	215
Places of 10,000 to 25,000—Nonwhite	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Male—White	1,169	-	1	-	1	-	24	3	-	7	-	180	2	21	-	1	100
Male—Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female—White	1,048	-	1	1	1	-	27	2	-	3	-	175	-	48	11	-	115
Female—Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Places of 2,500 to 10,000—White	2,940	-	2	2	4	-	65	4	-	6	-	440	4	96	11	-	308
Places of 2,500 to 10,000—Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Male—White	1,660	-	1	1	2	-	42	3	-	6	-	222	2	46	-	-	155
Male—Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Female—White	1,280	-	1	1	2	-	23	1	-	-	-	218	2	50	11	-	153
Female—Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rural—White	13,931	-	7	16	23	4	253	20	-	83	7	1,858	24	350	73	2	1,489
Rural—Nonwhite	175	-	-	-	-	-	23	2	-	5	-	13	-	2	-	-	12
Male—White	8,128	-	5	9	14	2	150	11	-	63	5	999	13	151	8	1	786
Male—Nonwhite	91	-	-	-	-	-	5	2	-	3	-	2	-	1	-	-	9
Female—White	5,803	-	2	7	9	2	103	9	-	20	2	859	11	199	65	1	703
Female—Nonwhite	84	-	-	-	-	-	18	-	-	2	-	11	-	1	-	-	3

* Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 384)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
65	282	983	2,442	1,191	106	233	98	139	110	58	1,066	36	67	282	708	193	127	354	1,296	2,607
57	263	935	2,197	1,089	96	220	83	122	100	54	931	29	63	269	662	187	72	336	1,150	2,404
8	19	48	245	102	10	13	15	17	10	4	135	7	4	13	46	6	55	18	146	203
32	150	666	1,223	605	77	116	50	66	71	17	519	...	...	156	390	145	49	274	882	1,410
6	13	30	142	68	6	4	7	8	7	-	72	...	...	7	26	2	45	13	126	113
25	113	269	974	484	19	104	33	56	29	37	412	29	63	113	272	42	23	62	268	994
2	6	18	103	34	4	9	8	9	3	4	63	7	4	6	20	4	10	5	20	90
19	89	462	895	330	42	61	31	49	48	18	345	6	24	82	243	80	27	125	343	794
4	7	20	102	40	7	-	6	7	5	1	62	3	2	4	14	2	22	7	37	71
11	45	337	475	178	35	29	20	26	35	8	189	...	...	49	144	61	15	101	254	430
3	3	15	61	24	4	-	4	3	5	-	30	...	...	2	5	1	18	4	31	35
8	44	145	420	152	6	32	11	23	13	10	156	6	24	33	99	19	12	24	89	364
1	4	5	41	16	3	-	2	4	-	1	32	3	2	2	9	1	4	3	6	35
5	33	245	503	165	17	26	15	19	25	9	156	3	10	45	110	42	12	64	153	369
2	4	7	52	22	2	-	3	2	2	-	30	1	1	3	6	-	7	1	13	28
2	16	168	259	95	13	8	10	9	18	6	79	...	...	28	59	32	7	53	106	189
2	1	5	27	17	1	-	2	2	2	-	10	...	...	1	3	-	5	1	13	13
3	17	78	244	70	4	18	5	10	7	3	77	3	10	17	51	10	5	11	47	180
-	3	2	25	5	1	-	1	-	-	-	20	1	1	2	3	-	2	-	-	15
5	20	102	151	58	11	11	3	12	8	4	78	1	2	16	48	16	7	21	80	153
1	2	5	25	7	2	-	1	2	2	-	11	-	-	1	4	-	5	2	8	22
3	8	70	80	31	10	7	3	7	5	-	49	...	...	11	32	11	4	18	62	85
-	1	3	15	2	1	-	1	-	2	-	7	...	...	1	1	-	5	2	8	12
2	12	32	71	27	1	4	-	5	3	4	29	1	2	5	16	5	3	3	18	68
1	1	2	10	5	1	-	-	2	-	-	4	-	-	-	3	-	-	-	-	10
9	36	134	241	107	14	24	13	18	15	5	111	2	12	21	85	22	8	40	110	272
1	1	8	25	11	3	-	2	3	1	1	21	2	1	-	4	2	10	4	16	21
6	21	99	136	52	13	14	7	10	12	2	61	...	...	10	53	18	4	30	86	155
1	1	7	19	5	2	-	1	1	1	-	13	...	...	-	1	1	8	1	10	10
3	15	35	105	55	1	10	6	8	3	3	50	2	12	11	32	4	4	10	24	116
-	-	1	6	6	1	-	1	2	-	1	8	2	1	-	3	1	2	3	6	11
38	174	453	1,302	759	54	159	52	73	52	36	586	23	39	187	419	107	45	211	807	1,610
4	12	28	143	62	3	13	9	10	5	3	73	4	2	9	32	4	33	11	109	132
21	105	329	748	427	41	87	30	40	36	9	330	...	...	107	246	84	34	173	628	980
3	10	15	81	44	2	4	3	5	2	-	42	...	...	5	21	1	27	9	95	78
17	69	124	554	332	13	72	22	33	16	27	256	23	39	80	173	23	11	38	179	630
1	2	13	62	18	1	9	6	5	3	3	31	4	2	4	11	3	6	2	14	54
95	598	2,669	6,342	1,421	199	122	208	262	308	216	1,653	55	59	410	651	502	51	590	1,452	3,408
92	589	2,666	6,286	1,389	197	119	202	258	304	213	1,643	55	57	403	641	500	49	579	1,427	3,369
3	9	3	56	32	2	3	6	4	4	3	10	-	2	7	10	2	2	11	25	39
51	328	1,839	3,443	798	166	58	123	152	201	75	871	...	...	205	396	384	27	450	940	1,915
1	7	-	35	17	2	1	4	2	2	1	8	...	...	5	4	2	2	8	16	21
41	261	827	2,843	591	31	61	79	106	103	138	772	55	57	198	245	116	22	129	487	1,454
2	2	3	21	15	-	2	2	2	2	2	2	-	2	2	6	-	-	3	9	18
49	318	1,618	3,423	662	118	52	111	129	202	117	827	26	34	220	386	261	17	296	699	1,756
3	6	1	34	10	1	-	3	2	3	1	3	-	2	3	3	2	2	2	12	22
29	170	1,111	1,751	392	102	23	67	77	132	43	421	...	...	118	238	195	13	218	429	982
1	4	-	20	6	1	-	3	1	2	-	2	...	...	2	1	2	2	-	10	12
20	143	507	1,672	270	16	29	44	52	70	74	406	26	34	102	148	66	4	78	270	774
2	2	1	14	4	-	-	-	1	1	1	1	-	2	1	2	-	-	2	2	10
17	130	531	1,266	242	48	11	35	49	89	49	256	6	10	59	129	109	7	100	226	534
2	5	1	25	8	1	-	2	1	3	-	3	-	1	3	2	1	2	-	4	14
9	65	385	652	163	41	5	16	28	56	16	117	...	...	34	81	81	6	80	143	303
-	3	-	14	5	1	-	2	1	2	-	2	...	...	2	-	1	2	-	4	8
8	65	146	614	79	7	6	19	21	33	33	139	6	10	25	48	28	1	20	83	231
2	2	1	11	3	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	6
13	82	569	1,164	220	45	20	36	40	68	36	303	9	11	87	154	93	6	112	264	590
1	1	-	6	2	-	-	1	1	-	1	-	-	-	-	-	-	-	2	5	4
10	39	376	577	124	42	10	26	25	44	13	171	...	...	43	87	68	4	83	159	320
1	1	-	4	1	-	-	1	-	-	-	-	...	...	-	-	-	-	-	4	2
3	43	193	587	96	3	10	10	15	24	23	132	9	11	44	67	25	2	29	105	270
-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	2
4	51	213	418	93	13	7	13	20	18	13	97	4	10	31	46	28	1	37	89	287
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
2	35	141	194	46	11	3	11	13	12	6	51	...	...	15	31	18	1	22	58	159
-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	1	-	-	2	-
2	16	72	224	47	2	4	2	7	6	7	46	4	10	16	15	10	-	15	31	128
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	50	305	575	107	12	14	27	20	27	19	171	7	3	43	57	31	3	47	120	345
-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	4
8	31	209	328	59	8	5	14	11	20	8	82	...	...	26	39	28	2	33	69	200
-	-	-	2	-	-	-	-	-	-	-	-	...	...	-	1	-	-	-	-	2
7	19	96	247	48	4	9	13	9	7	11	89	7	3	17	18	3	1	14	51	145
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2
43	276	1,048	2,863	727	79	67	91	129	102	96	816	29	23	183	255	239	32	283	728	1,613
-	3	2	22	22	1	3	3	2	1	2	7	-	-	4	7	-	-	9	13	17
22	153	728	1,692	406	64	35	56	75	69	32	450	...	...	87	158	189	14	232	511	933
-	3	-	15	11	1	1	1	1	-	1	6	...	...	3	3	-	-	8	6	9
21	118	320	1,171	321	15	32	35	54	33	64	366	29	23	96	97	50	18	51	217	680
-	-	2	7	11	-	2	2	1	1	1	1	-	-	1	4	-	-	1	7	8

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliomyelitis, encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
WYOMING	2,126	-	1	3	6	1	29	8	-	29	2	206	2	39	4	1	136
Both sexes—White	2,045	-	1	3	5	1	20	6	-	27	1	200	2	38	4	1	133
Both sexes—Nonwhite	81	-	-	-	1	-	9	2	-	2	1	6	-	1	-	-	3
Male—White	1,297	-	1	3	3	1	15	5	-	25	1	109	1	17	2	-	75
Male—Nonwhite	46	-	-	-	1	-	6	-	-	2	1	3	-	-	-	-	2
Female—White	748	-	-	-	2	-	5	1	-	2	-	91	1	21	2	1	58
Female—Nonwhite	35	-	-	-	-	-	3	2	-	-	-	3	-	1	-	-	1
Urban—White	959	-	-	2	2	-	8	1	-	15	-	101	-	15	2	-	54
Urban—Nonwhite	20	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	2
Urban—Male—White	590	-	-	2	1	-	6	-	-	14	-	54	-	5	-	-	31
Urban—Male—Nonwhite	10	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1
Urban—Female—White	369	-	-	-	1	-	2	1	-	1	-	47	-	10	2	-	23
Urban—Female—Nonwhite	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1
Places of 10,000 to 25,000—White	565	-	-	2	1	-	8	1	-	5	-	62	-	11	1	-	30
Places of 10,000 to 25,000—Nonwhite	11	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1
Places of 10,000 to 25,000—Male—White	338	-	-	2	1	-	6	-	-	5	-	30	-	5	-	-	18
Places of 10,000 to 25,000—Male—Nonwhite	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Places of 10,000 to 25,000—Female—White	227	-	-	-	-	-	2	1	-	-	-	32	-	6	1	-	12
Places of 10,000 to 25,000—Female—Nonwhite	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000—White	394	-	-	-	1	-	-	-	-	10	-	39	-	4	1	-	24
Places of 2,500 to 10,000—Nonwhite	9	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1
Places of 2,500 to 10,000—Male—White	252	-	-	-	-	-	-	-	-	9	-	24	-	-	-	-	13
Places of 2,500 to 10,000—Male—Nonwhite	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000—Female—White	142	-	-	-	1	-	-	-	-	1	-	15	-	4	1	-	11
Places of 2,500 to 10,000—Female—Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Rural—White	1,086	-	1	1	3	1	12	5	-	12	1	99	2	23	2	1	79
Rural—Nonwhite	51	-	-	-	1	-	9	2	-	1	1	3	-	-	-	-	1
Rural—Male—White	707	-	1	1	2	1	9	5	-	11	1	55	1	12	2	-	44
Rural—Male—Nonwhite	36	-	-	-	1	-	6	-	-	1	1	1	-	-	-	-	1
Rural—Female—White	379	-	-	-	1	-	3	-	-	1	-	44	1	11	-	1	35
Rural—Female—Nonwhite	25	-	-	-	-	-	3	2	-	-	-	2	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1942—Continued

on p. 364)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
10	68	181	309	115	22	16	26	17	17	15	145	5	8	45	95	36	11	59	189	269
10	67	179	298	111	21	16	26	15	15	14	142	5	8	45	90	36	7	57	186	255
-	1	2	11	4	1	-	-	2	2	1	3	-	-	-	6	-	4	2	3	14
8	41	145	185	59	18	6	17	11	10	5	77	...	...	31	47	28	2	43	143	163
-	1	-	7	2	-	-	-	1	1	-	1	...	...	-	3	-	3	2	2	8
2	26	34	113	52	3	10	9	4	5	9	65	5	8	14	43	8	5	14	43	92
-	-	2	4	2	1	-	-	1	1	1	2	-	-	-	3	-	1	-	1	6
2	30	90	161	53	11	5	10	5	9	8	59	4	3	27	47	13	6	20	77	119
-	-	1	3	1	-	-	-	1	2	-	1	-	-	-	2	-	1	1	-	-
2	16	73	100	22	8	2	5	4	7	3	32	...	...	18	25	11	1	14	61	73
-	-	-	1	1	-	-	-	-	1	-	1	...	...	-	1	-	-	1	-	-
-	14	17	61	31	3	3	5	1	2	5	27	4	3	9	22	2	5	6	16	46
-	-	1	2	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-
1	21	60	79	33	8	4	3	3	5	6	31	3	1	15	32	7	3	10	40	79
-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-
1	10	48	50	13	5	2	1	2	4	2	16	...	...	10	17	6	1	8	28	47
-	-	-	-	-	-	-	-	-	-	-	1	...	...	-	-	-	-	1	-	-
-	11	12	29	20	3	2	2	1	1	4	15	3	1	5	15	1	2	2	12	32
-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
1	9	30	82	20	3	1	7	2	4	2	28	1	2	12	15	6	3	10	37	40
-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
1	6	25	50	9	3	-	4	2	3	1	16	...	...	8	8	5	-	6	33	26
-	-	-	1	1	-	-	-	-	1	-	-	...	...	-	1	-	-	-	-	-
-	3	5	32	11	-	1	3	-	1	1	12	1	2	4	7	1	3	4	4	14
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	37	89	137	58	10	11	16	10	6	6	83	1	5	18	43	23	1	37	109	136
-	1	1	8	3	1	-	-	1	-	1	2	-	-	-	4	-	3	1	3	14
6	25	72	85	37	10	4	12	7	3	2	45	...	...	13	22	17	1	29	82	90
-	1	-	6	1	-	-	-	1	-	-	-	...	...	-	2	-	3	1	2	8
2	12	17	52	21	-	7	4	3	3	4	38	1	5	5	21	6	-	8	27	46
-	-	1	2	2	1	-	-	-	-	1	2	-	-	-	2	-	-	-	1	6

594337 O - 44 - 27

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(Exclusive of stillbirths. White and nonwhite are shown separately for those places in which the 1940 populations for nonwhite races formed 10 percent

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
ALABAMA																	
Birmingham—White	1,473	-	1	-	2	-	37	4	-	7	1	174	2	23	2	6	140
Nonwhite	1,641	2	2	-	6	-	128	25	2	38	-	79	2	18	1	3	155
Anniston—White	167	-	-	-	-	1	7	-	-	-	1	14	-	4	-	-	12
Nonwhite	110	-	-	-	-	-	8	-	-	2	-	4	-	1	-	1	16
Gadsden—White	232	-	2	-	-	-	20	2	-	-	1	16	2	2	-	2	19
Nonwhite	111	-	-	-	-	-	10	1	-	-	-	4	-	1	-	1	9
Mobile—White	628	-	1	-	1	1	13	-	-	-	1	63	-	9	3	-	43
Nonwhite	579	-	-	-	-	1	36	4	2	19	-	21	1	6	-	2	43
Montgomery—White	429	-	-	-	-	1	17	2	-	3	-	39	-	9	-	1	61
Nonwhite	571	-	2	-	2	-	36	2	6	9	-	33	1	7	1	2	93
Tuscaloosa—White	468	-	-	-	-	-	20	-	-	14	-	24	-	6	-	1	27
Nonwhite	154	-	-	-	-	-	10	-	3	1	-	8	1	2	-	2	13
Bessemer—White	95	-	-	-	-	-	4	-	-	1	-	20	-	1	-	1	3
Nonwhite	178	-	-	-	1	-	16	-	-	4	-	11	-	4	-	1	19
Decatur—White	101	-	-	-	-	1	3	-	-	-	-	13	-	2	1	-	9
Nonwhite	40	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2
Dothan—White	80	-	-	-	-	-	1	-	-	-	-	7	-	2	-	1	3
Nonwhite	67	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	7
Fairfield—White	24	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-
Nonwhite	73	-	-	-	1	-	6	-	-	-	-	3	-	1	-	-	6
Florence—White	116	-	-	-	-	-	5	1	1	1	-	13	-	-	1	-	11
Nonwhite	55	-	-	-	-	1	6	-	1	1	-	1	-	1	-	-	2
Huntsville—White	121	-	-	-	-	-	8	-	-	1	-	11	-	1	-	-	11
Nonwhite	87	-	-	-	-	-	13	1	-	1	-	5	1	1	-	1	8
Phenix City—White	115	-	-	-	-	1	4	-	-	-	-	12	-	3	-	-	12
Nonwhite	52	-	-	-	-	-	2	-	2	2	-	2	-	-	-	1	2
Selma—White	104	-	-	-	-	2	4	-	1	-	-	17	-	1	-	-	17
Nonwhite	185	-	-	-	-	-	13	1	-	1	-	10	-	-	-	-	32
ARIZONA																	
Phoenix	1,543	-	-	-	5	3	160	4	-	22	1	123	1	22	1	-	91
Tucson	674	-	-	-	-	1	125	5	-	9	-	59	-	12	1	-	41
ARKANSAS																	
Fort Smith—White	328	1	-	-	-	1	10	-	-	1	1	33	2	2	1	-	35
Nonwhite	70	-	-	-	-	-	-	-	1	1	-	4	-	3	-	-	4
Little Rock—White	886	-	-	-	1	-	23	3	2	27	-	82	-	20	-	4	73
Nonwhite	550	-	-	-	-	-	52	-	2	58	-	27	-	6	-	5	45
Blytheville—White	89	-	-	-	-	2	8	-	1	-	-	6	-	-	-	-	7
Nonwhite	59	-	-	-	1	-	3	-	1	2	-	6	-	2	-	-	2
El Dorado—White	97	-	-	-	-	-	5	-	1	-	-	11	-	2	-	-	5
Nonwhite	50	-	-	-	-	1	4	-	-	3	-	1	-	1	-	-	3
Hot Springs—White	247	1	-	-	1	-	13	1	-	2	-	27	-	1	-	1	24
Nonwhite	82	-	-	-	-	-	3	-	-	3	-	12	1	1	-	-	7
Jonesboro—White	102	-	-	-	-	-	5	-	1	1	-	10	-	3	-	-	13
Nonwhite	31	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	4
North Little Rock—White	171	1	-	-	2	-	3	-	-	-	1	15	-	2	-	1	10
Nonwhite	118	-	-	-	-	-	19	-	-	4	-	11	-	1	-	-	16
Pine Bluff—White	223	-	-	-	-	-	9	-	-	1	-	22	-	5	2	-	28
Nonwhite	172	-	-	-	1	-	8	-	2	5	-	5	-	1	-	1	12
Texarkana [1]—White	103	-	-	-	-	-	3	-	-	-	-	10	-	-	-	-	10
Nonwhite	61	-	1	-	-	-	3	1	3	3	-	6	-	1	-	-	5
CALIFORNIA																	
Long Beach	2,159	1	1	-	-	3	40	2	-	18	1	289	1	43	3	1	203
Los Angeles—White	16,822	7	17	1	8	19	705	62	-	198	5	2,330	11	364	32	8	1,271
Nonwhite	1,011	1	2	-	2	2	112	14	-	47	1	123	-	24	5	1	71
Oakland—White	3,784	-	4	1	4	3	109	14	-	36	-	465	1	91	3	-	341
Nonwhite	242	-	1	-	-	-	22	4	-	5	-	23	1	6	-	-	14
Sacramento	1,505	-	2	-	1	4	109	7	-	18	1	162	-	36	2	-	102
San Diego	2,864	1	3	-	1	2	82	11	-	22	3	320	1	50	1	-	201
San Francisco—White	8,377	1	6	-	3	5	314	24	-	96	-	1,209	4	176	8	1	590
Nonwhite	336	-	-	-	-	-	50	5	-	17	-	42	-	10	-	-	23
Alameda	491	-	-	-	1	-	8	1	-	3	-	76	-	11	-	-	43
Alhambra	383	-	1	-	-	-	3	-	-	4	-	66	-	4	2	-	38
Bakersfield	509	-	-	1	3	1	18	3	-	4	-	41	1	10	2	-	30
Belvedere (twp.) [2]	263	-	1	-	1	-	34	2	-	4	-	23	-	2	-	-	18
Berkeley	991	-	-	-	-	-	28	2	-	8	-	140	-	21	1	-	91
Beverly Hills	223	-	-	-	-	-	4	-	-	1	-	47	-	6	-	-	13
Burbank	299	-	-	-	1	-	7	2	-	2	-	36	-	5	-	-	16
Fresno	822	-	-	-	1	-	42	1	-	17	-	124	1	20	1	1	70
Glendale	939	-	2	-	1	-	17	1	-	5	-	140	-	19	2	-	84
Huntington Park	265	-	1	-	-	1	9	1	-	2	1	31	-	9	-	-	30
Inglewood	329	-	-	-	-	-	6	-	-	2	-	35	-	11	-	1	27
Pasadena	1,119	-	2	-	-	-	29	1	-	7	-	156	1	15	1	-	141
Riverside	480	-	-	-	-	-	14	1	-	5	-	68	-	5	1	-	39
San Bernardino	630	1	-	-	-	-	41	1	-	5	-	74	1	12	1	-	27
San Jose	935	-	-	1	-	1	25	4	-	17	-	130	-	27	2	-	99
Santa Ana	454	-	-	-	-	2	11	3	-	5	1	57	1	12	2	-	47
Santa Barbara	398	-	-	-	-	-	12	-	-	5	-	62	1	5	1	-	34
Santa Monica	650	-	-	-	-	-	11	-	-	11	-	81	-	12	1	1	67
South Gate	232	-	1	-	-	-	8	2	-	3	-	37	-	7	-	-	14
Stockton	927	-	2	-	1	1	70	3	-	7	-	96	1	10	-	-	67

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942

or more of the total, or numbered 10,000 or more. Numbers under causes of death are those of the 1938 revision of the detailed International List)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
4	19	154	202	86	5	10	5	9	21	9	99	2	3	19	56	14	6	22	91	238
6	19	31	230	115	8	15	6	13	4	2	82	7	9	8	77	-	54	17	60	419
2	2	8	19	14	-	3	-	2	-	1	16	2	1	2	10	2	2	3	15	24
2	2	2	10	8	-	2	2	2	-	-	6	1	1	-	3	-	5	-	5	27
6	2	14	15	18	1	1	-	1	-	-	18	1	-	7	16	3	2	5	10	46
-	2	-	18	8	-	1	-	-	-	1	8	-	-	-	1	-	10	1	5	30
4	2	62	94	38	6	7	3	9	3	3	55	-	4	5	30	8	2	15	45	98
1	6	62	84	42	3	6	2	6	3	1	84	1	6	2	19	-	18	8	26	64
-	2	61	55	32	1	4	4	4	2	2	16	2	-	3	12	9	3	14	16	52
1	6	23	99	55	3	11	2	8	1	-	40	1	2	1	5	-	21	6	23	69
1	-	25	76	31	-	14	-	2	2	2	19	-	-	3	6	5	2	1	14	173
-	1	2	28	20	-	1	2	2	-	-	16	-	1	1	9	1	3	-	9	18
-	1	9	9	7	-	1	-	1	-	-	8	-	-	-	6	3	-	4	5	11
2	-	7	23	12	1	3	2	-	2	-	21	-	-	1	2	1	9	2	10	24
-	1	9	17	4	2	2	-	1	1	-	6	-	-	2	2	1	1	4	9	10
-	-	1	10	5	-	-	2	-	-	-	2	-	1	-	-	-	2	-	3	8
1	-	6	16	5	1	-	-	-	-	-	6	1	-	-	1	-	-	-	9	20
3	-	1	5	4	1	-	1	2	-	-	12	-	1	-	1	-	3	-	7	13
-	-	4	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	2	1	5
-	-	3	11	4	-	1	-	-	1	-	8	1	-	-	4	-	1	-	2	20
-	1	8	12	14	-	2	2	-	-	2	4	-	1	2	4	1	1	7	8	14
-	-	1	7	8	-	-	1	-	-	-	7	-	1	-	1	-	2	-	5	7
2	-	15	9	5	1	3	3	-	1	-	8	2	-	-	6	1	1	6	7	19
-	-	2	9	9	-	1	1	-	-	-	7	-	1	-	1	-	2	2	3	18
-	1	5	14	5	2	1	2	1	2	-	16	-	-	2	7	3	2	4	4	12
-	-	1	7	5	-	3	1	1	-	-	7	1	1	-	2	-	4	-	1	7
1	-	11	13	2	-	-	1	-	1	-	5	-	-	1	2	-	-	3	6	16
-	-	1	38	18	-	5	1	2	-	-	15	2	2	-	9	-	2	1	2	30
6	18	57	212	95	7	28	6	9	14	2	61	1	3	10	38	29	9	38	76	191
5	8	29	80	62	1	25	5	6	8	4	25	2	2	10	25	7	2	12	39	64
2	3	31	33	19	2	5	4	1	2	-	33	1	-	7	11	6	4	5	22	50
-	3	6	8	5	-	4	2	1	-	-	5	2	-	-	-	-	8	3	5	5
5	3	72	176	52	3	6	5	8	8	5	45	-	1	13	26	9	2	13	34	165
1	1	13	100	30	4	3	4	4	1	-	40	1	2	2	11	1	13	5	17	102
-	-	6	9	5	1	2	-	1	1	-	5	1	-	-	2	1	3	2	5	21
-	4	1	2	10	1	2	-	2	1	-	5	-	1	-	1	-	3	-	2	7
-	-	10	13	5	1	2	-	3	1	-	8	-	-	-	8	1	-	5	7	9
-	-	2	7	7	-	-	-	-	-	-	9	-	1	-	1	-	-	-	3	7
2	1	25	31	10	3	2	-	1	6	2	28	-	2	1	4	3	3	2	20	30
-	1	3	13	12	-	1	-	-	-	2	11	1	1	-	1	-	1	4	1	3
-	-	6	21	3	-	2	-	1	1	1	9	-	-	-	6	1	-	1	3	14
-	-	1	2	4	-	3	1	-	-	-	3	-	-	-	2	-	-	-	4	3
2	5	21	18	10	2	-	1	-	5	1	12	1	-	3	14	5	3	4	12	17
1	-	4	13	7	-	5	1	4	1	-	10	-	-	-	4	-	4	-	1	12
1	3	30	26	5	1	2	1	4	-	-	14	-	1	2	8	2	2	5	12	37
2	-	3	21	17	-	8	-	4	2	2	20	-	1	-	3	-	5	4	9	36
-	2	8	13	8	1	3	-	1	-	-	6	-	-	-	4	1	2	6	8	17
-	-	1	9	7	-	1	-	2	-	-	5	-	-	-	1	-	-	2	1	9
6	36	248	455	89	17	6	9	18	31	9	118	2	3	28	60	29	10	80	85	214
56	295	1,514	3,275	666	194	52	88	111	378	82	938	22	36	191	323	317	58	409	617	2,162
3	13	33	146	39	4	7	3	12	23	1	72	6	2	2	27	12	25	28	23	125
16	53	392	870	225	34	13	20	32	91	16	191	6	3	31	56	44	7	122	146	344
2	9	7	42	15	4	2	2	2	5	1	20	-	2	3	6	3	6	9	6	20
1	21	115	368	99	16	7	6	12	33	6	70	1	2	16	15	30	15	49	48	129
11	47	280	516	118	13	10	10	26	52	9	167	5	7	31	79	38	21	101	142	303
11	170	825	1,797	453	86	21	33	52	359	33	431	9	13	65	134	155	32	134	379	746
-	7	20	47	16	6	-	1	3	16	1	21	-	-	3	6	6	5	5	8	18
-	7	51	121	21	5	4	1	4	6	1	21	-	2	7	12	7	1	8	26	43
1	7	51	87	17	1	-	2	1	1	1	20	-	1	7	6	7	1	10	13	31
2	4	54	103	24	4	7	2	1	8	4	15	1	-	10	28	13	3	18	31	63
2	5	18	46	20	-	2	1	-	5	2	16	1	2	2	8	2	-	8	6	32
5	23	108	214	49	3	2	7	10	14	7	73	1	1	7	9	16	3	31	37	80
-	4	30	41	5	3	-	1	-	4	2	15	-	-	2	3	6	-	5	9	22
2	6	30	54	14	2	-	3	3	5	-	14	1	1	10	14	5	-	13	17	36
6	14	70	149	33	11	4	5	4	14	4	49	1	2	5	14	16	2	22	31	88
5	13	123	186	35	11	1	5	6	8	6	63	1	1	11	18	12	3	20	46	94
-	7	31	56	11	3	1	-	-	5	-	13	-	-	3	7	4	-	8	13	18
1	3	28	61	11	3	2	1	2	4	1	24	1	1	5	14	7	-	12	6	38
1	27	154	221	35	11	2	1	16	7	8	83	-	2	4	12	15	-	18	34	115
2	10	42	95	24	3	5	3	4	4	1	39	1	1	6	8	13	-	15	25	46
-	9	45	137	38	10	3	4	5	10	4	24	2	1	12	21	7	3	24	22	86
3	19	91	174	29	10	5	5	4	19	6	63	-	-	8	13	10	3	23	39	105
1	8	58	81	23	3	3	1	2	7	3	22	-	1	8	12	9	-	13	15	43
-	7	53	70	15	7	4	1	2	7	3	14	1	1	4	3	7	3	12	14	50
2	12	104	117	23	6	4	-	1	9	-	32	1	4	8	12	14	6	22	24	65
1	4	25	41	2	1	-	1	1	7	4	12	-	-	4	5	7	3	10	5	27
4	10	50	212	42	11	5	5	10	31	3	45	2	2	8	22	9	6	26	51	115

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
CALIFORNIA—Continued																	
Albany	89	-	-	-	-	-	1	-	-	2	-	18	-	1	-	-	7
Anaheim	130	-	-	-	1	-	4	1	-	-	-	17	-	4	-	-	6
Bell	101	-	-	-	-	1	1	-	-	-	-	15	-	4	1	-	7
Brawley	138	-	-	-	1	1	10	1	1	2	-	9	-	1	1	-	6
Burlingame	187	-	-	-	-	-	3	-	-	-	-	32	-	4	-	-	13
Compton	204	-	-	-	1	-	5	1	-	-	-	16	-	2	-	-	12
El Centro—White	70	-	1	-	-	-	6	-	-	1	-	4	-	-	-	-	5
Nonwhite	23	-	-	-	-	1	3	-	-	2	-	2	-	1	-	-	1
Eureka	236	-	-	-	-	-	10	-	-	2	-	28	-	5	-	-	25
Fullerton	120	-	-	-	-	-	1	1	-	3	1	19	-	1	2	-	6
Lodi	135	-	-	-	-	-	3	1	-	-	-	21	-	6	-	-	5
Lynwood	125	-	-	-	-	-	1	-	-	1	-	18	-	-	-	-	5
Maywood	87	-	-	-	1	-	2	-	-	-	-	19	-	1	-	-	3
Merced	124	-	-	-	-	-	5	-	-	1	-	12	-	3	-	-	11
Modesto	290	1	-	-	-	-	13	-	-	2	-	38	-	5	1	-	22
Monrovia	217	-	-	-	-	-	26	-	-	3	-	31	-	1	-	-	18
Monterey	107	-	-	-	1	-	7	1	-	1	-	10	-	1	-	-	13
National City	144	-	1	-	-	1	7	-	-	2	1	19	1	1	-	-	14
Ontario	196	-	-	-	1	-	8	2	-	2	-	18	1	4	-	-	12
Palo Alto	187	-	-	-	-	-	6	1	-	2	-	27	-	8	-	-	18
Pomona	324	-	1	-	-	-	2	-	-	2	1	46	1	5	-	-	31
Redlands	212	-	-	-	-	1	6	1	-	2	-	20	-	3	2	-	29
Redondo Beach	168	-	-	-	1	-	3	1	-	4	-	18	-	3	-	-	16
Redwood City	148	-	-	-	-	-	4	1	-	4	-	11	-	5	-	-	10
Richmond	324	-	-	1	2	-	7	2	-	2	-	27	1	6	-	1	20
Salinas—White	117	-	-	-	-	-	10	-	-	2	-	14	-	1	-	-	14
Nonwhite	23	-	-	-	-	-	5	1	-	-	-	2	-	1	-	-	3
San Buenaventura	135	-	1	-	-	-	8	1	-	2	-	26	-	4	-	-	6
San Gabriel	164	-	-	-	-	3	6	1	-	2	-	18	1	5	-	-	10
San Leandro	209	-	2	-	-	2	8	-	-	-	-	26	-	6	-	-	19
San Mateo	221	-	-	-	-	-	5	1	-	1	-	38	-	2	1	-	20
Santa Cruz	292	-	-	-	-	-	2	-	-	6	-	40	-	9	-	-	35
Santa Rosa	224	-	-	-	-	-	8	-	-	-	-	38	-	10	1	-	18
South Pasadena	187	-	-	-	-	-	2	1	-	1	-	22	-	2	2	-	25
Vallejo	344	-	1	-	-	-	10	2	-	-	-	38	-	7	1	-	23
Whittier	200	-	-	-	-	-	5	-	-	2	-	23	1	6	-	-	23
COLORADO																	
Denver	4,328	5	8	1	2	11	155	12	-	52	1	570	18	58	12	-	309
Colorado Springs	697	-	-	1	-	-	52	4	-	4	-	104	1	10	5	-	59
Pueblo	617	-	-	1	-	-	10	2	-	5	-	74	-	7	-	-	34
Boulder	171	-	-	-	-	-	5	1	-	1	-	21	-	3	-	-	7
Fort Collins	148	-	-	-	-	1	-	2	-	1	-	20	-	1	2	-	21
Grand Junction	135	-	-	1	-	-	2	-	-	-	-	22	-	2	-	-	17
Greeley	193	-	-	-	-	2	6	-	-	1	-	32	-	7	-	-	27
Trinidad	211	-	1	-	5	-	8	3	-	-	-	16	1	6	-	-	19
CONNECTICUT																	
Bridgeport	1,852	-	3	-	-	-	51	5	-	15	-	234	1	42	4	-	122
Hartford	1,713	1	5	-	2	-	55	9	-	22	2	281	1	64	2	-	110
New Haven	1,788	-	-	-	-	-	49	5	-	16	-	284	6	80	2	1	139
Bristol	257	-	-	-	1	-	6	-	-	2	-	40	1	3	-	-	28
Meriden	453	-	-	-	1	-	28	1	-	2	-	83	1	9	1	-	47
Middletown	481	-	-	-	-	-	27	2	-	18	-	45	1	10	-	-	35
New Britain	634	-	2	-	1	-	18	1	-	8	-	69	-	23	1	-	59
New London	277	-	1	-	-	-	11	-	-	1	-	34	-	11	-	-	27
Norwalk	471	-	1	-	1	-	8	3	-	2	-	70	-	17	1	-	53
Stamford	628	-	-	-	-	-	17	3	-	4	-	101	1	18	2	-	55
Torrington	226	-	-	-	-	-	2	1	-	-	-	28	2	9	-	-	16
Waterbury	976	1	-	-	-	-	36	3	-	9	-	153	1	42	1	-	76
West Hartford (town)	335	-	-	-	-	-	3	-	-	1	-	63	-	7	2	-	29
West Haven (town)	288	-	-	-	-	-	4	1	-	-	-	36	-	14	-	-	30
Ansonia	206	-	-	-	-	-	4	-	-	-	-	36	-	5	-	-	23
Danbury	339	-	-	-	-	-	8	-	-	-	-	38	1	12	-	1	27
Derby	95	-	-	-	-	-	1	1	-	-	-	19	-	2	1	-	14
East Hartford (town)	183	-	1	-	-	-	4	-	-	-	-	22	-	6	-	-	20
Naugatuck	124	-	-	-	-	-	6	-	-	-	-	20	-	3	-	-	11
Norwich	388	-	-	-	-	-	30	3	-	3	-	54	1	8	-	-	27
Shelton	114	-	-	-	-	-	19	2	-	1	-	12	-	3	-	-	7
Stratford (town)	215	-	-	-	-	-	3	-	-	-	-	26	-	4	-	-	27
Wallingford	185	-	-	-	-	-	7	-	-	1	-	28	-	8	-	-	18
Willimantic	147	-	-	-	-	-	1	-	-	-	-	13	-	3	-	-	14
DELAWARE																	
Wilmington—White	1,178	-	2	3	2	-	29	1	-	6	-	141	-	38	3	-	107
Nonwhite	273	-	-	-	-	-	21	2	-	12	-	20	2	8	2	-	23
DISTRICT OF COLUMBIA																	
Washington—White	5,288	-	4	-	5	1	162	15	-	51	1	763	2	160	12	1	342
Nonwhite	3,129	3	7	2	12	1	335	39	-	101	-	275	8	63	5	2	189

See footnote at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 128, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
-	3	10	15	4	-	-	1	1	-	1	4	1	-	1	5	-	-	2	-	12
-	2	13	28	4	1	4	1	-	1	-	7	1	1	2	4	3	1	4	2	18
1	2	12	16	3	-	1	-	-	3	-	4	-	1	2	6	2	-	3	4	12
2	1	4	16	17	1	8	1	1	-	1	-	-	4	2	6	1	2	5	8	23
-	2	21	25	5	1	2	1	4	4	-	4	-	-	2	3	6	1	6	10	18
-	7	16	37	5	2	3	2	-	3	-	29	-	1	6	8	9	1	8	11	19
-	1	6	12	8	-	1	-	1	2	-	3	1	-	1	3	1	-	1	5	7
-	-	-	3	2	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	3
-	6	38	38	6	4	-	1	1	2	1	12	-	1	2	-	3	-	7	16	28
1	2	12	23	2	3	2	-	-	1	-	13	-	-	2	5	1	1	3	4	11
-	-	12	30	9	2	1	2	1	5	2	7	-	-	1	3	2	-	5	6	11
2	1	10	27	6	1	-	2	2	1	2	10	-	1	3	6	-	-	11	6	9
-	2	10	19	2	-	-	-	1	3	1	2	-	1	1	4	3	-	2	3	7
-	-	19	15	9	3	3	1	3	1	-	3	-	-	3	4	3	-	6	4	15
2	6	27	71	9	3	5	4	1	3	1	12	-	-	5	10	-	-	8	8	35
-	3	25	52	4	3	-	1	3	3	-	7	1	-	-	-	6	-	3	5	24
-	1	9	14	7	1	-	1	-	4	-	10	-	-	2	6	4	-	-	5	9
-	4	9	24	12	-	-	-	1	1	-	6	-	-	-	4	3	1	4	5	23
2	3	16	40	10	-	-	2	1	1	-	16	1	-	3	7	5	-	5	10	28
1	6	29	32	9	2	-	1	4	1	-	5	-	1	4	-	3	-	7	6	16
-	10	50	52	15	1	1	1	7	5	6	11	-	1	2	6	4	-	10	11	42
-	1	20	42	7	3	2	3	-	4	2	10	-	-	2	3	5	-	7	10	29
1	2	15	41	11	-	-	1	2	4	-	14	1	-	1	6	1	-	5	5	14
-	3	22	26	3	1	-	1	3	7	-	8	1	-	-	3	3	-	6	10	16
-	3	35	51	28	3	3	1	2	3	2	20	-	-	6	19	8	1	19	25	28
-	1	11	19	6	1	1	-	-	3	-	4	-	-	2	5	2	-	8	6	9
-	-	1	3	1	-	-	-	1	1	-	-	-	-	-	2	-	-	-	1	1
-	2	15	22	6	-	1	-	1	2	-	6	-	-	1	5	2	-	5	5	14
-	5	15	24	8	-	1	1	4	7	3	6	-	1	1	6	3	-	5	9	19
1	4	27	41	12	3	-	3	3	5	-	10	-	3	2	3	3	-	4	8	14
2	8	34	27	6	-	-	2	1	7	1	8	-	-	2	7	4	-	6	13	25
2	8	33	75	3	3	-	-	3	4	1	18	-	-	-	4	4	-	2	10	30
-	5	23	51	9	-	-	3	2	4	-	13	-	2	1	3	-	-	2	6	25
-	3	18	34	5	1	-	1	3	1	-	14	-	-	-	2	3	-	5	1	21
-	8	28	82	14	7	1	3	3	7	-	16	1	3	8	12	9	2	20	16	42
2	3	20	47	5	1	1	1	1	3	-	6	-	-	3	-	3	-	8	5	31
19	92	345	705	236	41	32	29	50	44	31	342	5	6	45	98	82	13	90	201	606
-	10	38	96	35	6	11	4	5	6	7	50	-	2	6	17	15	1	11	33	104
2	18	41	127	42	2	18	4	4	7	5	42	4	1	6	17	12	5	12	39	78
-	10	18	23	13	2	1	1	1	-	3	11	-	-	3	-	5	-	6	12	24
2	4	23	19	8	1	-	1	-	-	-	7	-	-	2	2	1	-	2	7	21
-	3	11	17	11	1	-	2	2	2	2	13	-	-	-	2	1	-	1	5	18
-	3	24	16	12	1	-	3	2	1	3	10	-	1	1	6	3	-	5	10	17
1	2	7	29	38	-	8	1	3	3	2	16	-	-	1	5	2	-	2	7	25
4	39	183	348	85	10	4	10	10	23	14	75	1	7	23	53	21	7	35	76	149
6	37	221	355	65	14	12	9	16	25	9	68	3	6	28	44	16	12	29	56	148
3	35	134	361	45	9	8	4	12	21	16	167	3	4	20	28	18	3	27	68	188
2	1	21	37	19	3	-	-	4	3	3	24	-	-	6	2	5	-	3	8	37
1	8	64	72	10	4	1	2	5	3	-	26	-	-	5	3	6	-	14	18	38
-	6	52	139	17	4	-	3	1	4	5	42	-	-	4	5	4	2	3	16	36
3	8	84	108	16	7	4	6	5	16	5	42	1	2	6	17	10	3	8	28	59
1	6	13	83	18	3	1	-	2	3	1	10	1	1	4	5	6	1	3	11	21
1	8	70	77	22	8	-	4	5	6	1	24	-	1	5	10	5	-	4	26	38
4	16	68	101	25	8	-	5	5	12	8	36	1	2	6	16	10	1	7	37	59
-	3	21	38	7	2	1	2	3	6	1	20	3	1	1	8	5	-	3	7	35
2	28	82	183	37	10	3	4	4	9	8	55	2	6	31	16	7	3	17	43	107
-	8	53	73	9	1	4	-	2	6	1	19	-	-	3	9	4	-	7	7	24
-	12	27	82	5	5	2	1	1	1	2	23	1	-	4	2	4	1	3	10	17
-	3	17	45	6	-	-	-	2	2	1	20	-	-	2	2	6	-	2	7	23
2	4	42	88	12	2	-	1	4	6	2	31	1	-	2	6	8	1	1	8	33
-	-	7	13	2	-	-	2	-	-	1	7	-	-	2	1	-	1	2	6	13
-	2	20	24	4	-	2	2	-	1	-	10	-	-	6	6	-	1	6	6	20
1	1	17	21	7	-	-	1	-	1	-	9	1	-	3	2	3	-	-	8	9
1	4	23	93	11	3	4	1	4	6	-	45	-	-	6	5	1	-	8	13	34
-	3	15	21	3	-	2	-	-	4	-	7	1	-	1	-	1	-	2	5	5
-	3	31	54	6	2	1	2	8	1	-	8	-	1	1	1	3	-	2	8	25
-	4	23	34	3	-	1	-	2	2	1	20	-	1	2	4	3	-	3	11	9
-	1	21	31	4	3	-	2	2	1	-	21	-	-	2	2	3	-	2	5	16
1	21	119	224	68	13	13	4	11	16	8	132	1	-	13	24	6	-	20	61	93
2	9	9	30	25	2	8	2	2	1	-	28	-	2	3	9	4	5	4	10	28
13	92	518	907	289	38	55	25	44	90	27	488	7	17	47	132	96	18	77	270	563
15	42	94	560	212	11	99	17	30	22	1	258	8	9	15	110	14	65	40	119	346

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA		Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
			1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
FLORIDA																		
Jacksonville	White	1,168	1	-	-	1	1	32	4	-	6	-	131	1	32	1	-	102
	Nonwhite	1,053	-	1	-	1	-	113	8	3	22	-	50	6	13	-	3	145
Miami	White	1,215	1	1	-	1	-	40	2	-	15	-	158	-	18	2	-	102
	Nonwhite	432	2	-	-	-	1	51	1	1	20	-	20	1	10	-	-	35
Tampa	White	944	4	1	-	2	-	41	-	-	11	1	139	-	17	2	-	65
	Nonwhite	395	-	-	-	3	-	31	1	-	14	-	19	-	6	2	1	49
Miami Beach		194	-	-	-	-	-	4	-	-	-	-	23	-	3	1	-	14
Orlando	White	307	-	-	-	-	-	4	-	-	2	-	48	-	5	-	-	38
	Nonwhite	144	-	-	-	-	-	17	-	-	7	-	7	1	-	-	1	14
Pensacola	White	318	2	-	-	4	-	11	-	1	3	-	25	-	2	-	1	16
	Nonwhite	237	2	-	-	1	-	10	-	1	1	-	9	-	4	-	2	18
St. Petersburg	White	818	-	-	-	1	1	12	3	-	6	-	131	-	23	2	1	100
	Nonwhite	140	-	1	-	-	2	3	2	-	3	-	6	-	2	-	-	25
West Palm Beach	White	228	1	-	-	-	-	3	-	-	2	-	28	-	3	-	1	19
	Nonwhite	145	-	-	-	-	-	15	-	-	3	1	9	2	-	-	-	13
Clearwater	White	81	-	-	-	1	-	-	1	-	-	-	15	-	1	-	-	12
	Nonwhite	31	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	5
Daytona Beach	White	211	-	-	-	-	-	8	-	-	2	-	28	1	8	-	1	16
	Nonwhite	88	-	-	-	-	1	-	-	-	6	-	4	-	2	-	-	16
Fort Lauderdale	White	142	-	-	-	-	-	2	1	-	1	-	20	-	1	1	-	18
	Nonwhite	54	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	4
Fort Myers	White	93	-	-	-	-	-	3	-	-	1	-	6	-	4	-	-	8
	Nonwhite	64	-	-	-	-	-	5	-	-	3	-	2	-	1	-	-	8
Gainesville	White	94	-	-	-	-	-	2	1	-	1	-	12	-	2	-	-	6
	Nonwhite	93	1	-	-	-	1	6	-	-	-	-	1	-	2	-	1	12
Key West	White	158	-	-	1	-	1	8	-	-	2	-	11	-	1	1	-	16
	Nonwhite	47	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3
Lakeland	White	182	1	1	-	-	1	2	-	-	3	-	26	-	6	1	-	18
	Nonwhite	64	-	-	-	-	-	3	-	1	2	-	3	-	-	-	2	1
Panama City	White	54	-	-	-	-	1	2	-	-	1	-	5	-	-	-	-	8
	Nonwhite	53	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	4
St. Augustine	White	122	-	1	-	-	-	-	-	-	-	-	19	-	3	1	-	11
	Nonwhite	52	-	-	-	1	-	3	-	-	1	-	2	-	1	1	1	10
Sanford	White	54	-	-	-	-	-	2	-	-	-	-	5	-	-	-	-	12
	Nonwhite	56	-	-	-	-	-	7	-	1	4	-	2	-	-	-	-	6
Sarasota	White	123	-	-	-	-	1	-	-	-	1	-	15	-	1	-	3	18
	Nonwhite	42	-	-	-	-	-	5	-	-	2	-	3	-	-	-	-	5
Tallahassee	White	83	2	-	-	-	-	1	-	-	-	-	8	-	2	-	-	3
	Nonwhite	95	-	-	-	1	-	2	-	1	1	-	2	-	-	-	1	7
GEORGIA																		
Atlanta	White	1,874	-	-	1	2	3	61	8	1	20	-	268	2	28	1	10	156
	Nonwhite	1,730	3	3	-	7	1	151	23	-	67	-	111	1	15	4	5	188
Augusta	White	445	-	1	-	-	2	24	3	-	19	-	44	-	6	1	1	49
	Nonwhite	471	-	-	-	2	1	32	7	1	11	-	35	3	3	-	2	47
Columbus	White	333	1	1	-	-	-	9	2	-	3	-	33	-	9	-	1	28
	Nonwhite	299	-	-	-	1	-	15	1	-	10	-	10	2	3	1	-	27
Macon	White	353	-	-	-	-	1	6	-	-	3	-	23	1	6	-	2	26
	Nonwhite	507	1	1	-	1	-	37	5	-	14	-	22	1	4	-	2	42
Rome	White	179	-	-	-	3	-	9	-	-	-	-	20	-	7	-	-	16
	Nonwhite	80	-	-	-	-	-	7	1	-	1	-	1	-	1	-	-	10
Savannah	White	627	-	-	-	-	-	19	1	-	4	-	72	1	18	-	1	57
	Nonwhite	851	1	1	-	8	-	65	3	-	26	-	33	-	4	1	4	157
Albany	White	88	-	-	-	-	-	1	1	-	2	-	8	-	-	-	1	8
	Nonwhite	160	1	-	-	-	-	10	1	1	5	-	16	-	-	-	3	17
Athens	White	119	-	-	-	-	1	2	-	-	-	-	8	-	5	-	-	9
	Nonwhite	118	-	-	-	-	-	3	-	-	1	-	8	-	-	-	1	17
Brunswick	White	77	-	-	-	-	-	-	-	-	-	-	7	-	1	-	-	7
	Nonwhite	93	-	-	-	-	-	3	-	-	-	-	4	-	-	-	-	8
Dalton	White	63	-	-	-	-	-	7	-	-	-	-	6	-	-	-	-	4
	Nonwhite	14	-	-	-	1	-	2	-	-	-	-	2	-	-	-	-	2
Decatur	White	94	-	-	-	-	-	3	-	-	1	1	11	-	2	-	-	11
	Nonwhite	40	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5
District 1511 (Fulton Co.)	White	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East Point	White	87	-	-	-	-	-	3	-	-	-	-	8	-	1	-	-	12
	Nonwhite	28	-	-	-	-	-	2	-	-	-	-	2	-	1	-	-	2
Gainesville	White	88	-	-	-	-	-	2	-	-	-	-	8	-	1	-	-	10
	Nonwhite	31	-	-	-	-	-	3	-	-	1	-	1	-	-	-	-	3
Griffin	White	97	-	-	-	1	-	1	-	-	1	-	17	-	4	-	-	8
	Nonwhite	81	-	-	-	-	-	3	-	-	2	-	4	-	-	-	1	10
La Grange	White	105	-	-	-	1	-	1	-	-	2	-	12	-	5	-	-	3
	Nonwhite	106	1	-	-	2	-	9	-	-	2	-	2	-	1	-	-	2
Moultrie	White	73	-	-	-	-	-	4	-	1	-	-	6	-	1	-	-	8
	Nonwhite	42	-	-	-	-	-	-	-	1	1	-	5	-	1	-	-	6
Thomasville	White	76	-	-	-	-	-	1	-	-	-	-	5	-	1	-	-	7
	Nonwhite	94	-	-	-	-	-	6	-	-	1	-	9	-	-	-	1	16
Valdosta	White	85	-	-	-	-	-	-	-	-	-	-	14	-	2	-	-	7
	Nonwhite	98	-	-	-	-	-	3	-	1	-	-	3	-	2	-	1	9
Waycross	White	95	-	-	-	-	-	-	-	-	2	-	4	-	-	-	1	14
	Nonwhite	94	-	-	-	-	-	7	-	-	1	-	6	-	1	-	1	15

See footnote at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
4	6	108	159	52	4	13	7	12	14	4	92	2	5	25	51	15	7	40	49	187
11	7	34	114	96	13	13	12	6	5	1	51	7	2	8	23	1	30	18	30	206
2	26	182	232	39	6	6	4	10	21	3	61	1	1	16	26	19	10	25	50	155
1	4	16	63	30	2	2	2	3	4	-	17	4	1	3	27	1	29	19	14	48
2	12	79	124	44	4	5	4	10	8	4	86	3	2	13	26	22	3	23	30	157
2	13	11	39	24	1	3	4	5	1	-	28	-	4	-	10	2	15	6	22	79
-	9	40	32	7	2	1	-	-	5	1	5	-	-	3	1	6	-	4	10	23
2	2	29	55	14	-	1	-	7	4	2	16	-	-	4	11	4	2	4	23	30
-	-	1	12	17	-	1	-	4	-	-	17	-	-	1	3	1	3	1	9	27
2	15	31	43	17	-	7	1	4	7	-	21	1	4	1	19	3	1	10	24	42
-	3	7	41	36	4	4	2	4	3	-	15	2	3	1	13	-	9	2	10	30
2	16	113	157	20	6	2	-	9	5	3	42	-	-	-	6	17	-	8	33	99
-	1	2	16	15	1	1	1	2	2	-	16	-	-	1	2	1	5	4	4	24
-	2	21	50	8	1	1	-	1	2	-	14	-	-	2	9	6	2	3	16	33
1	4	3	15	14	-	2	2	1	2	1	14	-	1	-	5	-	8	2	5	22
-	1	12	7	3	-	-	-	1	-	-	4	-	-	1	1	3	-	3	2	13
-	-	1	6	1	-	-	-	-	1	-	3	-	1	-	1	-	3	-	2	5
-	1	25	43	10	1	-	1	3	1	3	17	-	1	1	1	2	-	2	11	24
1	6	-	6	8	2	2	1	2	-	-	8	-	-	-	-	-	2	2	5	14
-	2	21	19	4	-	-	1	1	2	-	11	-	-	2	4	4	-	2	15	10
-	1	4	5	6	-	-	2	1	-	-	8	-	1	1	2	-	2	1	1	10
-	4	8	8	7	-	1	1	2	-	-	10	-	1	4	4	1	-	1	4	15
1	-	2	5	10	-	-	-	1	-	-	5	-	1	-	1	-	4	1	4	10
2	-	15	15	2	2	-	2	-	-	1	10	-	-	1	3	1	1	1	3	11
1	1	3	17	9	2	2	1	2	1	-	5	-	-	-	1	-	5	1	9	9
-	1	5	33	8	1	1	-	1	3	-	12	-	-	5	4	3	1	4	10	35
-	-	3	12	3	1	2	1	-	1	-	4	-	-	-	1	-	1	1	3	9
1	1	22	24	13	1	-	3	-	-	2	10	-	-	2	6	5	2	3	3	25
-	-	2	8	5	3	2	-	2	-	-	8	-	2	-	-	-	-	-	2	18
2	3	3	9	3	-	2	-	-	-	-	3	-	-	-	1	1	-	-	2	8
2	1	-	8	16	-	1	-	-	-	-	1	1	1	-	1	-	2	2	-	10
-	-	8	23	4	1	-	-	1	1	-	21	-	-	-	1	2	-	1	3	21
-	4	-	9	4	-	-	-	-	-	-	4	-	-	-	-	-	-	1	3	7
-	-	4	6	1	1	-	-	-	1	-	9	-	-	1	2	1	-	1	1	7
-	-	1	4	1	-	3	-	1	-	-	12	-	-	-	1	-	2	-	4	7
-	3	21	13	2	2	-	1	1	2	-	6	-	1	2	1	2	-	4	2	21
-	1	4	2	1	-	2	-	2	-	-	1	-	1	-	2	-	2	-	-	9
1	1	6	15	2	-	-	3	1	2	1	6	-	1	3	2	1	-	5	9	10
1	1	2	4	13	-	4	-	3	-	-	20	-	1	1	2	-	2	2	4	20
8	20	168	256	66	12	7	14	13	29	11	226	3	4	20	66	37	10	40	89	214
5	14	31	310	136	17	14	11	9	6	3	207	4	3	10	60	2	84	7	55	165
2	-	43	72	17	5	4	7	4	1	1	22	-	2	5	20	5	2	16	30	37
4	17	13	109	52	2	7	3	-	-	-	25	1	4	4	11	-	7	5	22	41
2	-	24	45	16	6	4	2	1	3	3	35	3	1	5	12	3	1	12	11	57
2	3	10	42	27	-	4	2	3	2	-	28	1	3	1	22	2	18	9	10	40
2	1	29	51	18	1	5	2	1	6	3	43	2	3	7	16	5	1	13	13	63
-	9	13	73	31	4	5	1	5	5	-	69	2	1	1	10	2	21	8	17	100
2	1	11	20	9	2	3	-	-	1	3	17	-	1	2	7	2	1	3	3	36
1	3	-	8	12	2	4	2	1	2	-	6	-	1	-	3	-	-	1	5	8
1	5	63	99	25	3	5	3	10	7	4	53	1	3	7	27	6	3	14	36	79
5	11	24	113	91	9	15	8	11	1	-	61	-	7	3	39	-	31	18	30	91
1	2	12	12	1	1	2	-	2	2	-	12	-	1	-	4	-	1	1	3	10
-	-	10	12	13	2	4	2	3	2	-	20	-	-	1	4	-	4	2	4	23
1	-	10	10	5	-	1	1	-	-	-	19	-	2	3	4	3	-	5	5	25
1	4	1	14	17	-	2	2	1	-	-	13	-	1	-	1	-	1	2	4	22
-	-	12	9	3	-	1	1	2	1	-	6	1	-	1	3	-	-	1	5	16
-	1	-	21	11	-	3	-	1	-	-	8	1	2	-	3	-	4	3	2	18
2	-	2	8	2	-	3	-	1	-	1	3	-	-	1	6	-	1	-	4	12
-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1
1	-	13	11	5	1	1	-	-	-	-	10	-	-	1	6	1	-	1	6	8
1	1	2	4	3	-	2	-	-	-	-	6	1	-	-	3	-	1	1	1	7
1	-	7	18	5	1	1	-	2	-	1	5	-	-	1	10	-	-	1	3	7
-	-	-	3	4	-	2	-	1	-	-	4	-	-	-	1	-	3	-	-	3
-	2	6	19	2	1	2	-	2	-	-	10	-	3	-	1	-	1	3	4	11
1	1	-	1	4	-	-	1	1	-	1	7	-	-	-	1	-	-	-	2	3
1	1	3	8	8	1	-	-	-	-	1	9	1	-	-	5	-	2	-	8	17
-	1	2	11	10	-	2	-	-	-	-	9	1	-	1	4	-	3	2	-	15
3	1	10	3	7	-	2	2	1	1	-	31	-	-	1	2	1	1	3	4	6
-	1	4	7	12	2	4	-	3	-	1	29	1	-	3	3	-	4	1	3	9
-	1	3	10	4	2	1	1	-	-	-	4	-	-	-	6	-	-	4	4	13
1	1	-	4	7	-	-	-	-	-	-	2	-	1	-	5	-	1	-	2	4
1	-	10	6	2	1	1	1	2	1	1	6	1	-	2	7	1	1	2	5	11
-	2	1	9	6	-	-	-	1	-	-	17	-	1	-	5	-	2	-	4	13
1	1	6	6	4	1	-	1	1	1	-	10	-	2	-	6	2	1	3	3	13
2	1	2	9	10	1	1	-	1	-	1	12	-	-	-	1	1	3	4	3	27
-	-	8	15	8	3	-	-	1	-	-	8	1	-	3	3	-	-	6	7	11
-	-	-	16	5	3	1	1	-	-	-	16	1	-	-	5	-	1	1	2	11

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	85
IDAHO																	
Boise City	304	1	1	-	-	-	2	-	-	1	-	33	-	8	-	-	28
Coeur d'Alene	151	-	1	-	-	-	1	-	-	1	-	11	-	8	-	-	14
Idaho Falls	134	1	-	-	-	-	1	-	-	-	-	21	1	1	-	-	9
Lewiston	115	-	-	-	1	-	1	-	-	-	-	18	-	2	-	-	14
Nampa	132	-	-	-	-	1	1	-	-	-	-	8	-	4	-	-	12
Pocatello	210	-	-	-	-	-	4	2	-	1	-	18	-	4	2	-	13
Twin Falls	114	-	-	-	-	-	2	-	-	-	-	10	-	1	-	-	12
ILLINOIS																	
Chicago—White	33,174	1	8	5	21	42	1,218	80	1	181	11	5,037	20	1,105	98	1	1,979
Nonwhite	4,402	1	-	1	10	1	540	71	1	64	1	428	9	85	6	-	255
Peoria	1,148	-	-	4	-	-	27	1	-	18	-	159	2	28	5	-	88
Alton	409	1	1	1	2	-	18	2	-	6	-	29	1	4	2	-	34
Aurora	530	-	-	1	-	-	2	1	-	5	-	78	-	15	-	-	67
Belleville	357	-	-	-	-	-	4	1	-	-	-	48	-	12	2	-	29
Berwyn	413	-	-	-	-	-	8	2	-	1	-	70	-	21	2	-	23
Bloomington	410	-	-	-	1	-	4	-	-	8	-	46	1	9	1	-	40
Cicero	501	-	-	-	-	-	11	2	-	1	-	84	-	28	1	-	39
Danville	474	-	1	-	1	-	8	1	1	1	1	82	-	17	1	-	42
Decatur	628	1	-	-	1	-	10	-	-	7	-	85	2	21	7	1	48
East St. Louis—White	642	-	-	-	1	-	19	2	-	9	-	77	-	12	1	-	74
Nonwhite	238	-	-	-	1	-	18	1	-	4	-	24	1	2	2	-	15
Elgin	842	-	-	-	-	2	31	3	-	65	-	70	-	20	1	-	56
Evanston	621	-	-	-	-	-	14	5	-	2	-	100	2	20	2	-	48
Galesburg	403	-	-	1	-	-	2	3	-	-	-	50	-	5	-	-	40
Joliet	648	-	1	1	-	-	14	-	-	5	-	89	-	18	4	-	46
Maywood	246	-	-	-	-	-	5	1	-	2	-	28	-	10	-	-	23
Moline	360	-	-	-	-	1	1	-	-	-	-	47	-	9	2	-	33
Oak Park	666	-	-	-	-	-	13	-	-	4	-	98	1	20	2	-	54
Quincy	532	-	-	-	-	-	9	2	-	4	-	87	-	15	1	-	46
Rockford	920	-	-	-	-	-	15	4	-	5	2	117	2	20	6	-	82
Rock Island	454	-	1	1	-	-	10	2	-	2	-	59	1	12	1	-	34
Springfield	940	1	1	1	1	-	23	1	-	7	-	147	1	25	-	-	77
Waukegan	325	-	-	-	-	-	20	1	-	1	-	42	2	10	1	-	24
Blue Island	151	-	-	-	1	-	4	-	-	1	-	16	-	6	1	-	9
Brookfield	65	-	-	1	-	-	1	-	-	-	-	8	-	2	-	-	5
Cairo—White	110	-	-	-	-	-	7	-	-	2	-	14	-	4	-	-	11
Nonwhite	84	-	-	-	-	-	11	-	-	1	-	4	-	-	-	-	6
Calumet City	125	-	-	-	-	-	6	-	-	1	-	10	-	2	1	-	7
Canton	111	-	-	-	2	-	-	-	-	-	1	9	-	4	-	-	11
Centralia	180	-	-	-	1	-	8	-	-	-	-	21	-	4	1	-	21
Champaign	240	-	-	-	-	-	3	-	-	4	-	50	-	5	2	-	25
Chicago Heights	190	-	-	1	-	-	5	-	-	-	-	26	-	7	2	-	12
Dixon	130	-	-	-	-	-	-	-	-	-	-	22	-	1	1	-	6
East Moline	326	-	-	-	-	-	17	2	-	22	1	26	1	9	2	-	19
Elmhurst	141	-	-	-	-	-	1	-	-	3	-	22	-	3	-	-	12
Elmwood Park	93	-	-	-	-	-	1	-	-	1	-	18	-	2	-	-	8
Forest Park	157	-	-	-	-	-	4	1	-	-	-	28	-	7	-	-	8
Freeport	298	-	-	-	-	-	4	-	-	1	2	37	-	17	2	-	28
Granite City	214	-	-	-	-	-	8	1	-	1	-	27	-	7	-	-	10
Harrisburg	128	-	-	-	1	-	4	-	-	-	-	29	-	3	-	-	11
Harvey	154	-	-	-	-	-	4	-	-	1	-	20	-	5	-	-	14
Highland Park	101	-	-	-	-	-	1	-	-	-	-	11	-	3	-	-	7
Jacksonville	516	2	-	-	1	-	25	-	-	32	-	41	-	8	1	-	47
Kankakee	259	-	-	-	-	-	4	-	-	2	-	43	-	10	-	-	32
Kewanee	179	-	-	-	-	-	1	-	-	1	-	29	-	6	-	-	15
La Grange	119	-	-	-	-	-	1	-	-	1	-	18	-	2	1	-	11
La Salle	142	-	-	-	1	-	1	-	-	-	-	21	-	1	-	-	13
Lincoln	219	-	-	-	-	-	14	-	-	3	1	13	-	5	-	-	15
Mattoon	220	-	-	-	-	-	3	-	-	2	-	23	-	10	2	-	20
Melrose Park	88	-	-	-	-	-	3	-	-	-	-	12	-	2	1	-	7
Mount Vernon	174	-	-	-	-	-	3	-	-	2	-	21	-	3	1	-	15
Ottawa	172	1	-	-	-	-	2	-	-	2	-	21	-	10	1	-	22
Park Ridge	93	-	-	-	-	-	-	-	-	-	-	12	-	1	1	-	10
Pekin	158	-	-	-	1	-	2	-	-	2	-	26	-	4	-	-	12
Sterling	142	-	-	-	-	2	3	-	-	-	-	22	-	5	2	-	11
Streator	152	-	-	-	-	-	2	-	-	1	-	23	-	3	-	-	11
Urbana	168	-	-	-	-	1	2	-	-	1	-	20	-	3	1	-	20
West Frankfort	103	-	-	-	-	-	3	-	-	-	-	10	-	2	-	-	11
Wilmette	127	-	-	-	-	-	2	-	-	-	-	27	-	2	-	-	14
Winnetka	104	-	-	-	-	-	3	1	-	1	-	18	-	-	1	-	9
INDIANA																	
Fort Wayne	1,359	-	1	-	3	-	46	8	1	11	1	178	1	40	7	-	120
Gary—White	727	-	2	-	-	-	29	4	-	5	1	97	-	20	3	-	57
Nonwhite	302	-	-	-	1	1	32	4	-	9	-	34	1	6	-	-	25
Indianapolis—White	4,111	-	-	3	4	3	108	8	-	45	5	486	2	100	8	1	373
Nonwhite	870	-	-	-	-	-	81	20	-	24	-	64	1	19	3	1	101
South Bend	982	-	-	1	-	2	30	4	-	10	-	135	-	22	6	-	71
Anderson	460	-	-	-	-	-	18	-	-	5	-	44	1	3	-	-	45
East Chicago [3]	475	-	-	-	1	-	27	1	-	3	-	48	2	11	-	-	20
Elkhart	350	-	-	-	1	-	3	-	-	3	-	44	-	9	1	-	36

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 80a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 80b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 118, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 148, 148-150	Congenital malformations 157	Premature birth 158	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	4	38	55	11	6	1	-	6	3	3	17	-	2	3	4	5	-	4	13	54
-	4	14	40	12	-	-	2	1	2	1	4	-	-	1	1	2	1	1	5	24
3	-	7	25	3	1	-	-	1	2	-	6	1	-	4	7	3	-	11	6	22
-	3	15	12	4	1	1	-	1	-	-	6	-	2	-	2	1	-	3	8	20
-	8	6	23	7	3	-	1	1	-	1	25	-	-	4	3	1	-	-	7	18
-	5	22	27	12	2	-	4	3	1	1	25	-	1	4	10	5	-	3	19	22
-	2	13	12	5	1	-	-	1	-	-	13	-	-	3	9	-	-	2	7	21
84	688	2,033	9,643	1,258	256	45	214	233	508	202	2,453	51	79	407	504	377	101	570	1,224	2,439
6	105	92	1,273	231	21	4	30	33	28	6	274	9	10	24	96	13	151	75	154	313
7	36	93	237	46	8	7	7	13	19	4	76	2	5	13	26	6	7	38	58	110
2	11	15	65	21	2	10	2	3	4	2	38	-	-	6	23	5	3	15	28	55
3	10	56	81	22	5	2	6	9	3	3	35	2	1	8	18	6	1	10	23	59
1	3	50	85	7	2	5	2	4	4	2	25	-	1	6	9	4	-	9	18	44
-	8	19	97	16	2	3	2	4	6	3	38	1	2	3	11	8	1	14	8	42
2	7	39	103	8	3	1	2	4	-	4	26	2	-	4	7	5	3	11	17	57
-	11	17	132	8	6	-	5	8	8	7	45	-	-	5	11	11	-	7	17	41
-	6	34	115	15	4	1	3	6	4	4	56	-	2	1	11	2	1	6	25	42
3	6	59	99	52	3	4	3	4	2	7	52	2	3	6	18	9	3	13	18	91
2	12	44	111	34	6	6	7	5	12	3	50	1	1	10	27	11	2	24	24	55
5	4	4	30	16	2	8	2	4	2	-	34	-	2	1	8	-	15	2	10	21
4	8	51	211	91	3	2	4	8	2	6	43	3	-	4	5	11	4	4	44	86
3	10	48	154	15	5	1	5	8	6	5	55	-	2	4	12	9	1	12	27	48
1	5	49	84	18	4	2	3	1	6	1	28	-	-	12	12	4	-	11	18	45
2	8	35	145	23	5	1	9	8	8	5	52	-	3	11	20	8	1	19	32	67
1	3	19	67	5	3	1	2	-	5	2	16	-	1	3	7	-	-	8	7	27
3	4	35	82	12	1	1	5	5	1	8	22	-	1	5	10	4	1	11	20	38
4	5	58	200	21	4	1	2	5	8	6	69	1	1	5	3	5	1	2	12	63
-	5	59	143	18	4	2	4	10	5	5	60	1	-	2	9	5	1	3	12	40
3	23	101	161	33	8	4	9	3	9	11	66	-	2	10	42	13	2	25	41	101
2	6	56	95	12	2	1	4	6	8	2	21	-	2	8	14	6	-	7	18	63
-	19	57	191	32	11	2	5	12	13	3	98	2	-	13	19	8	-	18	44	98
1	5	27	57	7	1	4	2	4	6	1	24	1	2	6	7	7	1	7	22	32
1	1	18	34	4	2	-	1	3	1	2	16	1	-	2	3	2	1	6	4	13
-	-	6	22	3	-	-	-	1	1	-	7	1	1	2	-	-	-	1	1	4
-	-	8	20	5	-	2	3	2	-	-	2	-	-	1	3	3	-	1	7	15
2	-	3	8	11	1	4	-	-	1	-	8	1	1	-	6	-	2	3	3	8
1	1	12	26	6	-	3	2	1	-	1	11	1	-	4	5	1	-	8	3	12
-	2	17	22	4	1	-	-	3	1	-	8	-	-	1	7	-	1	2	4	13
-	1	11	27	8	1	-	2	-	2	1	13	2	-	4	8	2	2	2	7	11
2	6	31	58	6	3	6	2	3	-	1	14	-	-	1	8	4	2	4	10	32
1	3	12	35	14	1	-	3	1	8	1	21	-	-	5	6	2	-	5	4	19
-	2	13	28	7	1	-	-	2	-	2	9	-	-	-	7	1	-	4	8	18
2	1	18	78	33	5	-	-	3	1	2	14	-	-	2	1	1	-	2	9	55
1	3	18	26	8	1	-	1	2	-	2	9	-	-	3	1	-	-	3	8	14
1	3	5	31	2	-	-	1	1	-	1	3	-	1	4	3	-	-	-	8	3
-	1	10	35	7	1	-	-	2	1	3	25	-	-	5	1	3	-	2	3	18
2	5	29	64	8	3	-	1	5	1	2	24	1	-	4	3	2	-	6	11	36
-	2	7	35	10	5	3	2	-	2	-	18	-	1	5	16	3	-	14	11	27
-	-	3	17	2	-	4	-	-	3	3	25	-	-	1	7	-	-	8	4	10
1	-	13	45	7	-	1	1	3	2	-	6	-	-	1	4	-	1	6	6	13
-	3	16	21	1	2	-	-	1	-	1	10	-	-	2	2	4	1	-	5	10
-	3	30	168	28	2	-	1	5	1	-	33	-	1	2	5	8	-	4	28	44
-	3	30	55	11	1	2	2	-	2	2	14	-	-	2	10	2	-	4	17	11
1	5	15	39	8	1	-	5	-	-	4	11	-	-	2	8	2	-	4	10	14
-	4	11	40	1	-	-	2	1	-	-	5	-	-	3	-	1	-	1	4	12
1	1	18	40	5	-	-	1	-	1	1	9	-	-	-	1	2	-	2	10	13
1	8	17	40	18	2	4	-	-	-	2	14	-	1	25	2	2	-	5	4	25
-	-	23	54	4	2	4	4	3	2	1	21	1	-	-	3	2	1	2	9	25
1	1	5	18	5	1	-	1	-	-	-	5	-	-	4	4	-	1	3	4	8
2	7	6	20	5	2	2	2	2	5	1	9	-	-	1	6	5	2	3	15	36
-	2	11	48	2	-	-	-	1	2	-	18	-	1	3	3	2	-	2	7	13
-	1	7	29	4	1	1	-	-	1	-	10	-	-	1	1	1	-	2	2	8
1	-	17	28	7	1	-	1	-	1	2	14	-	-	1	8	-	-	3	5	24
-	4	11	30	9	1	1	-	-	2	1	15	-	1	2	3	-	-	2	6	11
1	3	16	30	14	1	2	-	-	1	1	11	-	-	7	-	3	-	2	3	17
1	2	23	26	8	-	5	1	1	-	-	16	-	-	3	7	3	1	1	5	17
1	5	7	16	3	-	2	-	-	1	-	7	-	-	1	3	2	-	4	8	17
-	4	8	35	3	-	-	-	2	1	1	4	-	-	1	3	3	-	2	2	13
2	1	10	24	-	2	-	1	1	1	1	10	-	-	2	2	1	-	2	1	10
5	27	113	265	58	7	2	11	16	8	8	133	1	2	13	34	16	-	23	52	152
3	10	58	134	36	4	3	4	8	13	6	30	1	3	12	28	14	-	27	41	78
1	13	2	42	39	-	3	8	3	2	-	11	-	1	1	10	2	10	6	13	24
12	82	444	816	197	26	50	21	34	30	16	401	12	8	53	95	49	13	95	198	557
4	13	24	135	58	5	2	4	13	4	2	89	3	2	6	22	3	21	30	35	81
4	24	63	175	56	10	3	8	11	8	8	80	1	1	10	17	19	6	21	42	116
-	10	42	72	27	5	4	3	3	1	3	28	1	2	4	24	8	1	13	25	70
4	7	26	94	59	1	1	4	3	8	-	17	5	1	12	13	4	11	11	34	47
2	4	49	50	12	-	-	5	3	3	1	18	2	3	7	8	8	1	9	19	49

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
INDIANA—Continued																	
Evansville	1,318	-	-	-	-	-	44	5	-	15	-	152	1	23	3	-	111
Hammond	552	-	-	-	-	-	16	1	-	4	-	78	1	13	2	-	42
Kokomo	341	-	-	-	-	-	15	4	-	3	-	34	1	18	1	-	35
Lafayette	385	-	-	-	-	-	3	1	-	3	-	43	1	6	3	-	35
Marion	312	-	-	-	-	-	3	1	1	7	1	43	2	7	2	-	32
Michigan City	306	-	-	-	1	-	14	-	-	12	-	44	-	9	3	-	20
Mishawaka	261	-	-	-	-	-	5	1	-	1	-	32	-	10	-	-	23
Muncie	527	-	-	-	2	-	15	-	-	13	-	56	-	10	3	-	68
New Albany	351	-	-	-	-	1	8	2	-	5	-	41	-	4	-	-	27
Richmond	412	2	-	-	2	-	9	-	-	3	-	55	-	10	1	-	50
Terre Haute	918	1	-	-	4	1	13	1	2	7	-	107	-	30	-	-	86
Bedford	161	-	-	-	-	-	4	-	-	3	-	22	-	4	-	-	10
Bloomington	194	-	1	-	1	-	7	2	-	1	-	18	1	3	-	-	22
Columbus	142	-	-	-	-	-	3	1	-	-	-	14	-	-	-	-	20
Connersville	137	-	-	-	1	-	6	1	-	1	-	13	1	6	-	-	12
Crawfordsville	147	-	-	-	1	-	3	1	-	1	-	18	-	-	1	-	23
Elwood	150	-	-	-	-	-	4	-	-	3	-	17	-	3	-	-	12
Frankfort	187	-	-	-	-	1	4	-	-	-	-	23	1	3	1	-	27
Goshen	147	-	-	-	-	-	-	-	-	-	-	15	-	4	-	-	19
Huntington	210	-	-	-	1	-	4	3	-	1	-	23	1	9	-	-	22
Jeffersonville [3]	167	-	-	-	-	-	5	-	-	3	1	13	-	-	1	-	6
La Porte	210	-	-	-	-	1	1	-	-	-	-	37	-	7	1	-	18
Logansport	278	-	-	-	-	-	2	2	-	1	-	37	3	3	3	-	32
New Castle	161	-	-	-	-	1	6	1	-	-	-	20	-	1	1	-	11
Peru	192	-	-	-	-	-	6	-	-	1	-	27	-	5	-	-	26
Shelbyville	152	-	-	-	-	-	2	1	-	1	-	10	1	6	-	-	18
Vincennes	247	-	1	-	-	-	7	-	-	-	-	32	-	11	-	-	22
Whiting	86	-	-	-	-	-	3	-	-	1	-	8	-	5	2	-	5
IOWA																	
Des Moines	1,563	-	1	-	5	-	25	1	-	16	-	214	-	25	4	-	153
Burlington	351	-	-	-	1	-	8	-	-	4	-	36	1	6	-	-	34
Cedar Rapids	618	-	-	-	1	-	9	1	-	5	-	98	-	20	-	-	70
Clinton	324	-	-	-	1	1	3	1	-	4	-	38	-	6	-	-	45
Council Bluffs	488	-	-	-	1	-	5	2	-	2	-	69	-	12	1	-	53
Davenport	707	-	-	1	1	2	22	5	-	4	-	107	-	25	1	-	49
Dubuque	609	-	-	-	-	-	9	-	-	4	-	103	1	17	-	-	57
Mason City	279	-	-	-	1	-	3	1	-	3	-	42	1	6	1	-	35
Ottumwa	325	-	-	-	1	1	6	-	-	2	-	53	-	7	-	-	34
Sioux City	746	-	-	-	-	1	18	2	-	7	-	104	-	13	2	-	67
Waterloo	459	-	-	-	-	-	6	2	-	2	-	80	1	13	1	-	43
Ames	99	-	-	-	-	-	-	-	-	1	-	12	-	4	-	-	11
Boone	177	-	-	-	-	-	1	-	-	3	-	26	-	5	-	-	27
Fort Dodge	230	-	-	-	-	-	3	-	-	1	-	41	-	4	-	-	24
Fort Madison	160	-	-	-	-	-	4	1	-	3	-	20	-	2	-	-	18
Iowa City	172	-	-	-	-	1	2	-	-	2	-	34	-	4	-	-	17
Keokuk	189	-	-	-	-	-	4	1	-	1	-	25	-	5	-	-	19
Marshalltown	196	-	-	-	-	-	6	2	-	3	-	32	-	4	-	-	19
Muscatine	232	-	-	-	-	-	2	-	-	1	-	37	-	3	2	-	23
Newton	98	-	-	-	-	-	5	-	-	-	-	12	-	2	-	-	7
Oskaloosa	144	-	-	-	-	-	1	-	-	1	-	13	-	4	1	-	19
KANSAS																	
Kansas City—White	1,042	1	-	-	2	1	32	4	-	16	1	127	-	36	3	1	77
Nonwhite	298	-	-	-	-	1	14	3	-	7	-	29	-	9	1	-	26
Wichita	1,289	1	-	-	-	1	30	4	-	11	1	147	6	31	2	1	117
Hutchinson	305	-	-	-	-	-	8	-	-	1	-	53	1	8	-	-	57
Topeka	848	-	1	-	2	-	23	3	-	9	-	116	-	27	2	1	78
Arkansas City	121	-	-	-	-	-	3	-	-	1	-	15	1	2	1	-	14
Atchison [3]	174	1	-	-	-	-	5	-	-	1	-	20	-	-	1	1	21
Chanute	125	-	-	-	-	-	2	-	-	-	-	14	-	1	2	-	17
Coffeyville [3]	178	-	-	-	1	-	4	-	-	3	-	22	-	5	-	-	15
El Dorado	113	-	-	-	-	-	3	-	-	2	-	13	-	2	-	-	12
Emporia	158	-	-	-	-	-	2	1	-	1	-	23	-	5	-	-	18
Fort Scott	139	-	-	-	-	-	2	-	-	2	-	14	-	7	1	-	9
Independence [3]	133	-	-	-	-	-	3	-	-	1	-	13	-	1	-	-	13
Lawrence	162	-	-	-	-	-	4	1	-	1	-	23	-	4	-	-	20
Leavenworth [3]	283	-	-	-	-	1	8	1	-	6	-	43	-	8	-	-	22
Manhattan	123	-	-	-	-	-	3	-	-	2	-	22	-	1	2	-	13
Newton	109	-	-	-	-	-	1	-	-	-	-	11	-	4	1	-	20
Ottawa	115	-	-	-	-	-	1	-	-	-	-	13	-	1	-	-	20
Parsons	205	-	-	-	-	-	4	-	-	2	-	17	1	5	-	-	20
Pittsburg	207	-	-	-	-	-	7	-	-	3	-	22	-	7	2	-	30
Salina	193	-	-	-	-	-	8	2	-	1	-	26	-	1	1	-	28
KENTUCKY																	
Louisville—White	3,399	-	7	3	4	1	111	19	2	21	1	400	3	67	5	2	237
Nonwhite	915	1	-	-	2	-	71	11	-	12	-	51	1	15	1	-	73
Ashland	263	-	-	-	-	2	10	1	-	1	-	29	-	4	-	-	30
Covington	835	-	-	-	1	-	35	8	-	12	-	93	-	19	2	1	79
Lexington—White	688	-	-	1	1	-	48	4	-	31	2	81	-	7	2	1	61
Nonwhite	270	1	1	-	-	-	21	4	-	9	-	28	-	1	-	-	26
Newport	366	-	-	-	1	-	14	-	-	4	-	42	1	8	2	-	30
Owensboro	376	-	-	-	-	-	15	3	-	3	-	46	-	3	-	-	32

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
5	20	121	209	82	10	15	9	14	11	12	138	1	2	11	40	13	3	25	69	156
2	8	65	80	47	4	-	7	6	8	2	29	-	1	11	18	5	-	21	29	52
1	14	26	55	26	1	1	4	1	2	4	21	1	1	4	8	5	-	7	18	30
1	5	36	112	15	1	4	5	-	1	5	10	1	1	5	10	1	-	12	16	51
-	7	40	36	12	2	4	4	5	1	5	27	-	2	3	5	-	-	5	12	43
-	12	25	35	10	1	1	1	5	4	2	24	-	-	6	4	4	1	7	19	42
-	4	24	45	18	1	3	-	1	1	1	21	2	1	9	6	5	-	10	14	23
2	13	60	66	29	3	4	1	5	2	4	31	2	-	5	18	6	2	13	29	67
1	5	26	93	17	2	2	3	4	1	5	35	-	-	4	7	2	2	4	16	34
1	4	28	76	24	-	2	7	5	3	2	46	-	-	6	6	6	2	10	11	41
4	13	80	177	45	5	4	3	12	16	5	93	2	5	5	22	13	2	21	46	103
-	5	17	31	10	2	2	-	-	-	1	7	1	-	1	4	3	1	2	6	25
1	3	21	39	12	1	3	3	2	-	-	11	-	2	3	4	2	1	-	8	22
2	4	19	23	7	4	1	1	2	-	-	4	-	1	-	1	2	-	4	7	22
-	4	9	22	7	1	3	1	2	-	2	14	-	-	1	2	3	-	4	6	15
-	4	9	19	5	1	-	2	-	-	2	23	-	-	1	4	1	-	2	8	20
3	-	11	28	6	-	1	-	1	-	1	15	1	1	-	2	4	-	6	15	16
-	2	24	25	6		1	1	-	1	-	21	1	-	2	1	1	-	8	7	24
-	4	18	27	5	1	3	-	1	2	1	14	-	-	1	1	2	-	2	6	21
2	1	12	58	11	-	-	1	2	-	-	4	-	1	3	1	1	-	4	12	33
1	3	13	21	13	2	1	1	1	2	-	28	-	1	3	5	1	-	6	10	26
1	3	21	29	11	-	2	3	1	1	1	17	-	-	6	9	3	-	3	18	16
-	3	19	52	12	3	1	3	2	1	1	26	-	-	4	6	4	-	10	19	29
-	1	16	16	11	1	4	1	1	2	2	21	-	-	5	2	1	2	4	7	23
1	5	32	25	11	3	1	-	1	1	1	19	-	-	5	1	1	-	3	7	10
-	5	17	30	4	5	-	2	1	-	1	20	-	-	-	2	2	1	2	3	18
-	6	25	45	7	-	4	3	4	2	3	22	2	-	5	12	2	-	4	9	19
1	1	5	13	4	-	-	-	-	1	-	6	1	-	2	2	2	1	2	9	12
5	37	211	263	73	10	7	12	15	18	9	66	-	3	21	36	15	5	46	78	189
1	7	33	48	15	1	-	4	5	5	-	49	1	1	5	6	1	-	9	24	46
3	11	78	95	29	6	9	-	4	2	2	36	1	1	15	18	5	-	9	17	73
1	5	54	49	9	4	1	2	1	-	2	22	2	1	6	11	2	1	3	17	34
1	6	50	93	18	4	3	4	2	-	-	48	1	3	6	9	1	-	5	26	65
1	10	91	137	30	5	1	8	5	3	5	46	-	2	10	17	11	1	11	39	57
1	11	86	117	23	3	7	9	3	1	5	27	1	1	6	13	2	-	6	37	59
2	4	25	63	7	1	1	-	6	1	2	9	-	-	3	14	2	1	7	20	18
1	9	22	49	26	-	7	-	2	1	2	25	-	1	1	13	3	-	4	13	42
1	24	71	122	41	10	4	8	4	6	3	44	2	3	15	21	11	2	18	41	83
1	8	74	59	18	3	1	3	3	4	1	32	1	-	4	10	8	-	4	16	61
-	1	23	15	3	2	-	-	1	1	-	3	-	1	1	2	-	-	3	5	10
-	2	23	26	9	2	-	1	1	-	3	15	-	-	-	2	-	-	2	10	19
2	6	29	18	3	1	1	2	5	2	-	30	-	-	4	7	5	2	5	13	22
-	-	19	30	5	-	2	2	-	1	2	8	-	-	-	7	4	-	3	11	20
-	2	19	28	7	-	-	2	1	-	-	7	-	-	1	3	5	-	3	12	22
3	3	25	28	10	2	-	2	6	-	-	13	1	-	1	6	1	-	5	8	22
-	3	28	35	8	4	-	-	2	1	1	10	-	-	-	1	1	1	2	12	23
3	4	21	50	6	2	1	3	1	1	3	18	-	-	-	3	1	1	5	13	28
1	3	12	14	3	-	-	-	2	-	1	8	-	-	-	3	3	1	-	7	14
-	6	19	31	6	1	1	-	-	-	-	7	-	-	-	4	1	1	1	8	19
6	25	96	196	55	9	5	3	11	10	4	91	3	3	23	30	15	6	14	52	104
-	14	11	55	25	2	3	1	5	3	-	32	-	-	-	3	1	9	8	18	18
7	17	175	166	82	10	10	10	7	4	7	65	3	4	17	62	18	10	35	63	145
1	1	44	33	12	3	1	2	2	3	-	18	2	1	2	13	4	1	12	8	34
1	9	75	151	35	4	2	6	6	6	8	77	3	-	8	23	14	-	16	45	97
-	1	14	21	6	1	2	1	4	-	3	10	-	-	-	-	-	-	-	8	13
2	4	16	33	6	-	1	1	2	-	2	17	1	-	1	4	-	1	2	9	22
1	3	15	16	6	2	2	-	1	-	-	3	-	1	3	4	2	2	-	3	25
-	2	21	22	6	2	2	2	2	1	-	15	-	-	3	4	2	2	5	12	25
1	-	12	14	3	1	-	-	1	-	1	12	-	-	2	1	3	-	-	7	23
-	3	12	28	9	2	1	1	2	1	-	19	-	1	1	3	1	-	-	2	22
-	6	17	27	3	3	1	-	1	-	2	22	2	-	6	-	1	-	1	2	10
1	3	20	19	12	2	2	1	2	-	-	8	-	-	1	4	-	-	1	8	18
-	5	11	30	4	1	2	1	1	-	2	21	1	-	-	3	-	-	1	5	21
1	3	25	60	13	-	1	2	4	2	-	27	-	1	1	3	2	-	9	8	34
-	2	13	10	5	1	2	1	3	-	1	10	-	-	3	2	2	-	-	9	16
-	-	18	13	2	2	2	-	-	1	1	9	1	-	-	2	1	-	2	4	14
-	3	12	23	3	2	1	-	4	-	1	4	-	-	1	1	-	-	3	8	14
4	3	21	30	9	1	-	-	2	-	3	13	1	-	1	7	1	1	3	11	45
1	4	23	32	14	2	1	2	1	3	2	14	-	-	2	4	4	-	1	7	19
1	7	13	23	6	-	2	-	-	1	-	20	-	-	6	3	-	1	5	6	32
15	59	434	569	185	29	22	35	21	30	20	236	6	7	50	136	36	14	70	159	383
3	15	115	174	68	5	5	5	10	3	1	92	2	2	2	18	4	44	12	26	73
1	6	26	40	16	1	3	1	-	-	4	20	1	1	10	11	1	2	5	15	22
-	14	51	168	43	7	13	7	4	6	8	59	2	6	13	34	11	4	23	50	62
2	10	55	102	52	7	2	4	5	8	3	38	1	1	8	11	10	8	14	34	74
2	4	13	73	20	-	2	2	2	-	1	25	-	-	1	1	1	8	1	6	17
-	4	39	75	20	7	4	3	1	2	2	23	1	1	5	10	3	5	2	25	32
3	5	22	62	24	4	7	2	5	2	3	34	1	1	4	12	-	-	3	31	49

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
KENTUCKY—Continued																	
Paducah—White	296	-	1	-	-	4	15	2	-	1	-	31	-	5	-	-	32
Nonwhite	121	-	-	-	-	1	10	1	-	3	-	3	-	3	-	-	7
Bowling Green—White	167	-	-	-	-	-	10	1	-	1	1	11	-	1	-	1	19
Nonwhite	59	-	-	-	-	-	3	1	-	1	1	3	-	-	-	-	5
Fort Thomas	108	-	-	-	-	-	2	-	-	1	-	10	-	2	-	-	9
Frankfort—White	138	-	-	-	-	-	5	-	-	1	-	14	-	4	-	-	15
Nonwhite	28	-	-	-	-	-	3	-	-	-	-	2	-	-	-	-	3
Henderson—White	137	-	-	-	2	-	4	-	-	1	-	11	-	2	-	-	25
Nonwhite	63	1	-	-	1	-	2	-	-	5	-	1	-	3	-	-	6
Hopkinsville—White	103	-	-	-	1	-	6	-	-	-	-	10	-	1	-	-	18
Nonwhite	81	-	-	-	-	-	4	1	-	1	-	1	-	4	1	-	8
Middlesborough	146	1	1	-	-	1	7	3	-	-	-	20	-	3	-	-	8
LOUISIANA																	
New Orleans—White	3,907	-	3	-	4	1	152	7	-	43	-	510	-	98	4	3	282
Nonwhite	2,188	-	1	-	7	-	187	7	-	96	-	168	2	27	7	3	202
Alexandria—White	167	-	-	-	-	-	8	-	-	1	-	13	-	3	-	-	4
Nonwhite	208	1	-	-	2	1	10	1	-	12	-	12	-	4	-	1	12
Baton Rouge—White	273	-	1	-	-	-	4	-	-	3	-	28	-	10	1	-	19
Nonwhite	213	-	-	-	-	-	12	-	-	8	-	22	-	5	-	1	22
Monroe—White	181	1	-	-	-	-	5	1	-	3	-	16	-	7	-	-	13
Nonwhite	202	1	-	-	-	-	20	2	-	2	-	15	-	3	-	-	24
Shreveport—White	549	-	-	-	-	-	22	1	1	4	1	64	-	7	-	1	36
Nonwhite	547	1	-	-	1	1	30	4	4	25	1	32	2	8	3	2	30
Bogalusa—White	66	-	-	-	-	-	1	-	-	1	-	11	1	2	-	-	5
Nonwhite	73	-	-	-	1	-	8	-	-	1	-	5	-	2	-	-	5
Gretna—White	67	-	-	-	2	-	5	-	-	-	-	1	-	1	-	-	5
Nonwhite	32	1	-	-	-	-	2	-	-	-	-	3	-	-	-	-	4
Lafayette—White	89	-	-	-	-	-	1	-	-	-	-	11	-	3	-	-	9
Nonwhite	72	-	-	-	-	-	7	-	-	-	-	8	-	5	-	-	3
Lake Charles—White	144	-	-	-	-	1	3	1	-	-	-	14	-	5	2	-	9
Nonwhite	125	-	-	-	-	-	10	3	-	6	-	9	-	-	-	-	7
New Iberia—White	98	-	-	-	-	-	7	1	-	-	-	16	-	1	1	-	7
Nonwhite	61	-	-	-	-	-	9	-	-	4	-	2	-	-	-	-	5
MAINE																	
Bangor	474	-	-	-	-	-	28	3	-	9	-	42	-	11	1	-	36
Lewiston	421	-	-	-	-	-	9	2	-	-	-	53	-	11	-	-	45
Portland	1,027	-	6	-	4	1	16	-	-	6	-	153	2	31	2	-	88
Auburn	223	-	-	-	-	-	1	-	-	1	-	28	-	1	-	-	23
Augusta	261	-	-	-	-	-	18	-	-	9	-	28	-	2	-	-	33
Bath	143	-	-	-	1	-	1	-	-	1	-	23	-	3	-	-	15
Biddeford	193	-	1	-	1	-	3	-	-	-	-	17	-	3	1	-	18
South Portland	194	-	-	-	-	-	4	1	-	-	-	22	-	8	-	-	18
Waterville	176	-	1	-	-	-	5	1	-	-	-	28	-	2	-	-	18
Westbrook	106	-	-	-	-	-	2	-	-	1	1	16	1	4	-	-	13
MARYLAND																	
Baltimore—White	8,190	1	23	-	4	2	320	21	1	73	-	1,085	4	249	9	1	579
Nonwhite	2,828	2	8	-	5	1	372	34	-	83	-	184	4	42	2	1	231
Cumberland	389	-	2	-	2	-	14	1	-	5	-	41	-	10	2	-	34
Hagerstown	380	-	1	-	1	-	8	3	-	3	-	40	1	8	1	-	26
Annapolis—White	84	-	-	-	-	-	1	-	-	-	-	11	-	3	-	-	4
Nonwhite	81	-	-	-	-	-	6	-	-	2	-	6	-	-	-	-	9
Cambridge—White	74	-	-	1	-	-	2	-	-	-	-	10	-	3	-	-	11
Nonwhite	67	-	-	-	-	-	6	2	-	4	-	-	-	2	-	-	6
District 12 (Baltimore Co.)[2]	116	-	1	-	-	-	3	-	-	4	-	16	-	8	1	-	5
District 13 (Baltimore Co.)[2]	115	-	-	-	1	-	5	-	-	1	-	15	-	4	-	-	6
Frederick—White	187	-	-	-	-	-	2	2	-	-	-	18	-	9	1	-	20
Nonwhite	29	-	-	-	-	-	2	1	-	2	-	-	-	1	-	-	2
Salisbury—White	141	-	-	-	-	-	8	-	-	-	-	17	-	9	-	-	10
Nonwhite	46	-	-	-	-	-	6	1	-	1	-	-	-	2	-	-	5
MASSACHUSETTS																	
Boston—White	9,308	1	13	5	6	1	409	20	2	60	1	1,280	2	270	3	1	715
Nonwhite	447	-	-	-	-	-	50	7	-	15	-	43	-	10	-	-	39
Cambridge	1,345	-	-	-	2	1	46	6	-	10	-	222	-	46	-	-	128
Fall River	1,518	-	1	-	-	2	49	3	-	2	-	355	2	54	3	-	91
Lowell	1,224	-	1	1	1	1	28	1	-	5	-	180	3	44	1	-	122
New Bedford	1,279	-	2	-	-	-	41	2	-	3	-	183	1	44	-	-	129
Somerville	1,026	-	-	-	-	-	22	3	-	5	-	151	-	25	-	-	94
Springfield	1,674	-	-	-	3	-	40	2	-	3	-	221	-	51	2	-	155
Worcester	2,477	-	2	-	2	-	64	5	-	16	-	341	1	86	1	-	197
Arlington (town)	410	-	-	-	-	-	7	-	-	1	-	55	1	17	-	-	35
Belmont (town)	221	-	-	-	-	-	4	1	-	-	-	31	-	11	-	-	25
Beverly	278	-	-	-	-	-	2	1	-	2	-	52	-	4	-	-	26
Brockton	809	-	2	-	-	-	11	2	-	3	-	114	-	28	1	-	85
Brookline (town)	699	-	-	-	-	-	8	1	-	1	-	123	-	18	-	-	77
Chelsea	540	-	1	-	-	-	17	1	-	8	-	87	1	19	2	-	28
Chicopee	348	-	-	-	-	-	10	1	-	1	-	51	-	6	-	-	37
Everett	443	-	-	-	-	-	8	3	-	4	-	60	1	17	1	-	59
Fitchburg	424	-	-	-	1	-	12	-	-	2	-	81	1	9	-	-	37
Haverhill	545	-	-	1	1	-	11	1	-	5	-	74	-	17	1	-	65
Holyoke	655	-	-	-	-	-	14	3	-	2	-	94	-	29	-	-	48

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
3	6	15	71	17	-	2	2	1	3	1	12	-	1	2	11	3	3	5	20	27
-	2	4	28	9	1	-	1	2	2	-	18	-	-	-	4	-	4	1	6	11
1	1	8	30	8	3	4	1	2	2	2	18	2	-	1	5	1	1	2	11	21
-	-	-	7	7	-	-	-	-	-	-	16	-	-	-	1	-	4	-	2	8
-	2	18	23	5	1	3	-	1	1	1	7	-	-	3	-	3	-	2	2	12
1	1	8	18	10	4	2	2	1	5	1	15	1	-	-	5	1	1	1	4	20
1	-	2	7	3	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	4
2	3	11	17	8	3	2	2	-	1	-	7	1	-	2	8	1	1	3	8	14
-	-	1	4	4	-	1	-	3	-	-	16	-	-	-	1	-	1	1	4	8
-	-	5	15	4	2	2	1	-	-	-	11	-	-	-	1	1	-	-	7	20
-	-	1	8	4	1	1	1	1	-	-	16	1	1	1	1	2	3	-	5	14
-	7	2	17	13	-	3	-	-	-	-	4	-	1	4	9	-	3	4	14	21
8	45	235	1,047	200	27	14	18	34	67	14	320	11	9	31	103	50	9	73	195	290
9	41	32	518	188	18	21	15	13	13	3	142	4	7	10	93	3	65	32	77	157
3	-	24	24	5	-	1	1	2	3	1	10	1	-	7	13	6	1	2	8	28
-	-	15	37	21	-	3	-	2	2	1	17	1	1	-	8	-	3	2	7	32
-	3	24	51	7	1	-	1	2	3	1	14	1	2	2	12	5	2	13	22	43
2	4	3	39	16	2	2	2	-	1	-	22	1	2	-	6	-	2	3	6	30
-	1	6	20	11	1	2	1	1	1	2	15	1	-	2	11	2	1	4	9	24
-	1	5	39	13	-	-	3	1	2	2	21	1	-	3	9	-	4	1	13	17
2	4	67	56	35	5	3	2	2	6	4	31	3	5	13	38	13	3	11	35	74
1	4	27	63	37	6	7	1	3	5	-	98	1	2	2	44	-	16	8	19	61
-	2	7	8	3	-	-	-	1	-	-	1	-	-	1	5	1	1	1	3	11
1	-	3	13	7	-	3	-	-	-	-	8	-	1	1	3	-	3	1	3	4
1	-	6	17	3	-	-	-	1	3	-	7	-	1	-	1	-	-	-	5	8
-	-	1	9	3	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	4
-	1	6	16	7	-	1	3	1	1	-	8	-	-	-	6	1	1	-	3	10
-	2	1	7	10	-	2	1	-	-	-	4	-	-	-	6	1	-	-	-	15
-	-	10	18	6	2	-	1	1	4	-	11	1	2	3	9	1	-	5	12	23
-	-	2	24	9	-	-	2	-	-	-	13	1	1	1	8	1	2	1	4	19
-	-	7	15	5	-	1	1	2	-	-	6	-	1	-	4	-	-	-	4	19
-	-	2	12	1	-	1	-	-	1	-	7	1	-	2	3	-	-	1	3	7
1	4	54	84	25	4	1	3	2	1	-	21	-	2	3	8	4	-	2	28	99
1	7	48	58	21	2	3	3	5	2	1	49	-	-	18	5	3	-	2	18	57
6	17	118	210	55	5	3	5	5	9	1	49	4	-	13	27	9	2	12	54	136
1	2	54	34	15	3	1	-	1	1	2	27	-	-	2	-	3	1	6	10	28
-	9	26	48	18	3	4	-	4	1	2	15	-	-	1	5	2	-	-	8	29
-	1	14	22	10	-	1	-	-	3	2	23	-	-	-	2	-	-	1	8	12
1	2	25	30	18	1	-	2	1	-	2	9	-	2	3	7	3	-	4	9	30
2	3	20	39	11	-	-	-	3	2	1	8	-	-	2	7	2	1	4	12	26
-	2	26	26	6	2	6	2	1	-	1	10	1	1	-	3	1	-	3	7	25
-	-	11	13	10	1	-	1	1	1	1	7	-	-	2	4	-	-	2	2	12
18	165	830	1,869	455	47	75	28	67	104	27	668	11	8	98	150	104	17	141	350	626
10	52	66	454	285	10	39	11	24	12	3	302	8	8	22	71	5	100	41	92	224
1	5	45	50	18	1	6	-	2	4	-	45	-	1	8	14	1	-	9	23	47
1	7	34	97	13	3	2	-	5	1	1	30	-	1	4	23	5	2	5	19	35
-	2	16	21	1	-	-	1	-	1	4	4	1	-	-	2	-	-	1	3	8
-	1	1	16	8	1	-	1	-	-	1	13	-	-	-	4	1	1	-	1	9
-	-	5	11	3	-	-	1	-	-	-	4	1	-	1	2	2	-	3	4	10
-	-	3	15	5	-	3	-	1	-	-	7	-	-	1	4	-	1	-	4	3
-	3	9	11	7	1	1	-	1	-	-	7	-	1	4	10	3	-	2	9	9
1	3	12	32	3	1	-	1	2	1	1	9	-	-	1	2	2	-	2	6	6
-	2	20	39	3	-	2	-	1	1	-	11	-	1	1	9	2	-	3	4	16
-	-	4	2	3	-	1	-	1	-	-	5	-	-	-	2	-	-	1	-	2
-	1	12	29	7	-	3	-	-	1	-	17	-	-	2	6	-	-	3	5	11
-	1	3	6	2	-	2	-	1	-	-	6	-	-	2	-	-	1	2	3	2
25	213	818	2,184	516	89	36	38	80	158	50	349	16	17	100	187	79	15	99	582	908
1	12	15	94	27	2	3	3	2	5	2	15	1	-	6	9	-	3	4	19	62
2	31	104	258	54	14	4	3	15	12	5	82	1	3	13	31	14	2	12	89	155
-	20	50	444	59	15	14	7	10	18	9	86	1	2	22	23	12	-	13	46	103
4	20	109	310	67	6	6	7	14	10	4	80	4	4	13	20	6	2	12	48	110
1	27	165	219	68	11	6	6	9	16	6	64	1	2	12	31	14	1	10	54	151
3	32	78	252	38	11	3	9	9	7	8	67	4	4	9	18	7	-	10	46	113
2	35	255	513	69	15	5	9	10	22	11	116	4	6	18	30	26	1	19	64	187
7	43	217	713	133	12	6	11	18	20	10	133	1	4	20	51	22	4	19	150	168
-	12	40	94	22	1	1	2	5	6	3	22	-	1	6	1	2	-	4	19	53
1	2	27	53	8	3	-	1	2	1	-	15	-	-	-	2	2	-	-	9	23
1	4	25	61	17	3	1	-	-	3	2	19	-	1	3	7	3	1	2	10	28
1	12	134	161	27	2	8	2	3	5	9	28	1	-	3	25	11	-	11	42	78
1	14	105	157	27	7	1	1	7	5	3	34	-	-	6	8	9	-	8	40	58
1	18	52	124	21	7	-	1	4	8	5	32	-	2	5	9	3	-	7	28	55
-	7	39	71	18	1	1	2	-	4	1	19	2	-	3	10	3	-	5	19	37
-	12	49	74	16	1	1	3	4	5	3	27	-	1	6	15	6	-	6	26	35
1	9	71	62	23	3	-	4	3	5	3	25	1	-	3	11	4	1	5	18	31
1	15	66	129	23	4	-	4	8	8	2	22	1	2	2	9	2	-	5	18	50
6	11	93	123	31	6	1	5	8	9	4	48	2	1	5	8	4	1	7	37	55

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83
MASSACHUSETTS—Continued																	
Lawrence	895	-	-	-	-	-	15	2	-	6	-	127	-	33	1	-	109
Lynn	1,142	-	-	-	3	-	23	-	-	2	1	187	-	28	2	-	124
Malden	631	-	-	-	-	-	11	1	-	2	-	98	-	32	1	-	61
Medford	603	-	-	-	-	-	14	2	-	1	-	88	-	9	1	-	56
Melrose	308	-	-	-	-	-	3	-	-	1	-	56	-	6	-	-	20
Newton	639	-	-	-	-	-	3	2	-	2	-	100	-	29	1	-	76
Pittsfield	579	-	-	-	-	-	6	-	-	4	-	100	-	15	1	-	54
Quincy	759	1	-	-	-	-	15	2	1	3	-	108	2	13	3	-	71
Revere	327	-	-	-	-	-	5	-	-	1	-	44	1	17	1	-	33
Salem	510	-	1	-	-	1	4	-	-	3	-	62	-	23	1	-	65
Taunton	613	-	1	-	-	-	27	3	-	13	-	69	1	15	-	1	49
Waltham	434	-	-	1	-	-	43	2	-	2	-	56	-	18	1	-	47
Watertown (town)	308	-	-	-	1	-	5	1	-	-	-	44	-	13	-	-	40
Adams (town)	145	-	-	-	-	-	4	1	-	2	-	14	-	6	-	-	13
Amesbury (town)	102	-	-	-	-	-	-	-	-	-	-	8	-	5	-	-	24
Andover (town)	127	-	-	-	-	-	2	-	-	1	-	27	-	1	-	-	13
Athol (town)	141	1	-	1	-	-	1	-	-	-	-	27	-	4	-	-	8
Attleboro	243	-	-	-	-	-	11	-	-	-	-	39	-	6	1	-	24
Braintree (town)	188	-	-	-	-	-	17	-	-	2	-	27	-	5	-	-	17
Clinton (town)	162	-	1	-	-	-	-	-	-	-	-	10	-	4	-	-	19
Danvers (town)	396	-	-	-	-	-	12	-	-	14	-	32	-	13	-	-	13
Dedham (town)	135	-	-	-	-	-	3	-	-	-	-	27	-	4	-	-	15
Easthampton (town)	83	-	-	-	-	-	1	-	-	-	-	14	-	2	-	-	5
Fairhaven (town)	114	-	-	-	-	-	4	-	-	1	-	14	-	4	-	-	15
Framingham (town)	242	-	-	1	-	-	2	-	-	1	-	41	1	4	-	-	20
Gardner	267	-	-	-	-	-	12	-	-	1	-	38	1	5	-	-	22
Gloucester	298	-	-	-	-	-	9	1	-	4	-	43	1	10	-	-	28
Greenfield (town)	165	-	-	-	-	-	5	3	-	-	-	22	-	4	-	-	17
Leominster	237	-	2	-	-	-	4	-	-	3	-	44	-	4	1	-	24
Lexington (town)	155	-	-	-	-	-	11	-	-	1	-	26	-	5	-	-	12
Marblehead (town)	135	-	-	-	-	-	2	-	-	2	-	26	-	2	-	-	14
Marlborough	185	-	1	-	-	-	2	1	-	1	-	21	-	7	-	-	14
Methuen (town)	228	-	-	-	-	-	3	-	-	-	-	36	-	5	-	-	30
Milford (town)	175	-	-	-	-	-	2	1	-	2	-	21	-	5	-	-	26
Milton (town)	197	-	-	-	-	-	2	-	-	1	-	28	-	4	-	-	22
Natick (town)	136	-	-	-	-	-	-	-	-	-	-	18	-	5	-	-	14
Needham (town)	110	-	-	-	-	-	3	-	-	-	-	19	-	2	-	-	9
Newburyport	201	-	-	-	1	-	-	-	-	2	-	25	-	5	-	-	30
North Adams	260	-	-	-	-	-	5	1	-	2	-	45	-	8	-	-	23
Northampton	464	-	-	-	1	-	16	1	-	7	-	38	1	11	-	-	44
North Attleborough (town)	110	-	-	-	-	-	2	-	-	1	-	15	-	6	-	-	12
Northbridge (town)	81	-	-	-	-	-	1	-	-	-	-	7	-	2	-	-	13
Norwood (town)	153	-	-	-	-	-	1	2	-	-	-	23	-	1	-	-	20
Peabody	235	-	1	1	-	-	5	-	-	-	-	29	-	6	-	-	23
Plymouth (town)	160	-	1	-	-	-	-	3	-	1	-	32	-	5	-	-	17
Reading (town)	111	-	-	-	-	-	2	-	-	-	-	21	-	5	-	-	11
Saugus (town)	130	-	-	-	-	-	-	-	-	-	-	14	-	6	-	-	15
Southbridge (town)	140	-	-	-	-	-	3	-	-	-	-	22	2	4	-	-	17
Stoneham (town)	105	-	-	-	-	-	2	-	-	1	-	23	-	4	-	-	7
Swampscott (town)	121	-	-	-	-	-	-	-	-	2	-	24	1	2	-	-	9
Wakefield (town)	175	-	-	-	-	-	3	1	-	-	-	33	-	2	-	-	14
Webster (town)	125	-	-	-	-	-	1	1	-	-	-	20	-	9	-	-	15
Wellesley (town)	118	-	-	-	-	-	1	-	-	1	-	17	1	4	-	-	10
Westfield	219	-	-	-	-	-	14	2	-	-	-	31	-	3	-	-	23
West Springfield (town)	148	-	-	-	-	-	3	-	-	1	-	24	-	6	-	-	12
Weymouth (town)	260	-	1	-	-	-	1	-	-	2	1	35	-	4	-	1	19
Winchester (town)	131	-	-	-	-	-	2	-	-	1	-	21	-	6	-	-	9
Winthrop (town)	185	-	-	1	-	-	2	1	-	1	-	30	-	6	-	-	21
Woburn	197	-	-	-	-	-	6	-	-	1	-	27	-	2	-	-	21
MICHIGAN																	
Detroit—White	12,401	1	4	6	17	7	519	48	-	109	7	1,632	14	349	47	2	918
Nonwhite	1,871	-	2	2	7	1	308	30	-	57	-	108	4	49	8	-	102
Flint	1,209	-	2	1	2	1	27	5	-	14	-	161	2	20	4	-	115
Grand Rapids	1,665	-	-	-	2	-	31	4	-	7	-	255	1	55	5	-	171
Ann Arbor	313	-	-	-	-	-	6	-	-	-	-	32	-	5	-	-	31
Battle Creek	555	-	1	1	1	-	5	1	-	3	-	60	-	19	2	-	63
Bay City	522	-	-	-	1	-	12	5	-	1	-	75	-	22	1	-	48
Dearborn	427	-	-	-	1	-	9	4	-	2	-	52	-	12	1	-	23
Hamtramck	350	-	-	-	-	-	24	4	-	5	-	31	-	12	1	-	15
Highland Park	429	-	1	-	-	-	9	2	-	5	-	54	1	11	3	-	35
Jackson	618	-	-	-	3	-	11	3	-	10	1	76	-	19	5	-	64
Kalamazoo	812	-	-	-	-	-	23	2	-	26	-	76	-	18	3	-	90
Lansing	705	-	-	1	1	-	7	2	-	5	-	82	-	22	3	-	87
Muskegon	577	-	-	-	1	1	9	2	-	9	-	79	-	22	2	-	53
Pontiac	713	-	1	1	1	1	17	2	2	17	-	67	1	10	1	-	44
Port Huron	395	-	1	-	1	-	9	3	-	-	-	44	1	15	-	-	39
Royal Oak	246	-	-	-	-	1	2	-	-	2	-	35	1	5	-	-	16
Saginaw	819	-	-	-	1	-	11	3	-	8	-	90	-	30	2	-	86
Wyandotte	229	-	-	-	-	-	3	1	-	3	-	27	-	9	2	-	14
Adrian	174	-	-	-	-	-	2	2	-	-	-	16	-	9	-	-	20
Alpena	129	-	-	-	-	-	2	1	-	1	-	11	-	2	-	-	13
Benton Harbor	164	-	-	-	-	-	5	1	-	2	-	18	-	3	-	-	11
Birmingham	83	-	-	-	-	-	1	-	-	-	-	11	-	4	-	-	5

See footnote at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
4	28	87	164	30	11	2	4	9	12	9	58	1	1	13	18	13	2	11	38	87
1	27	151	176	39	9	3	2	8	19	3	77	1	4	10	32	15	2	9	60	124
1	17	65	152	25	8	3	4	3	10	6	32	-	2	10	9	3	-	2	19	54
2	14	62	142	28	3	-	3	4	7	3	41	-	-	8	14	4	-	10	32	55
2	3	38	60	21	4	1	-	1	2	-	26	-	-	5	5	3	-	1	17	33
-	9	83	133	29	4	1	1	5	10	6	46	-	1	5	7	3	-	9	37	37
2	16	51	133	19	6	-	5	5	6	4	42	2	1	8	9	6	-	11	20	53
4	1	97	164	41	5	-	3	3	9	5	40	3	3	7	16	8	-	9	58	64
-	8	43	59	12	-	3	-	4	7	2	19	-	-	2	5	4	-	1	19	37
1	9	33	149	28	4	4	1	2	3	1	15	-	-	6	14	5	-	5	20	50
2	3	32	162	51	6	2	5	6	5	3	22	-	2	4	7	4	-	5	21	92
1	7	37	74	17	3	3	3	3	4	1	25	-	1	7	10	3	-	4	23	38
2	8	47	59	6	1	2	-	5	3	2	19	-	1	8	6	2	-	2	12	19
-	5	20	16	5	-	-	-	1	-	1	19	-	1	4	5	2	-	4	9	13
-	3	9	13	4	1	1	-	2	-	-	11	-	-	3	2	3	-	1	2	10
-	1	15	31	8	3	-	-	1	3	-	3	-	1	-	1	2	1	1	5	7
2	1	4	31	10	-	-	2	1	-	-	10	2	-	4	4	1	-	1	9	17
2	1	40	43	9	1	-	1	-	2	1	17	-	2	3	1	2	-	3	12	22
-	2	23	36	6	2	-	-	2	1	-	10	1	-	1	6	-	-	1	10	19
-	2	24	40	6	2	-	-	4	-	-	4	1	-	2	2	1	-	2	10	28
1	3	19	171	27	2	3	-	4	3	2	14	3	-	1	4	2	-	1	16	36
-	4	16	22	7	1	1	-	-	1	-	6	-	-	-	1	2	-	4	3	18
-	-	5	25	6	1	-	-	1	1	-	4	-	-	1	1	-	-	4	4	8
-	3	12	24	5	-	-	-	2	1	1	6	-	-	1	-	1	-	1	3	16
3	10	28	47	11	4	-	1	1	-	3	11	-	1	5	4	1	-	4	15	23
-	2	23	71	12	2	-	1	1	-	3	23	-	1	-	2	2	-	2	16	27
1	6	25	61	7	-	1	-	2	2	-	29	-	-	2	9	8	-	-	15	34
-	2	27	25	5	2	-	3	1	1	-	13	-	-	4	5	4	-	-	7	17
-	2	23	51	10	2	-	2	4	2	3	9	1	-	7	4	1	-	1	10	23
-	3	16	35	7	2	-	2	4	1	1	8	-	1	1	-	2	-	3	6	8
-	3	17	36	5	-	1	2	-	-	-	7	-	-	2	2	1	-	1	3	9
1	4	43	40	7	1	-	1	-	1	2	10	-	-	1	5	-	-	1	5	16
-	3	23	52	6	1	1	1	3	1	-	14	-	1	4	6	8	-	3	3	24
1	2	17	17	18	2	-	1	5	3	3	19	-	-	4	3	2	-	2	4	15
1	4	17	44	10	3	-	1	2	3	3	8	1	-	3	2	4	-	2	14	18
-	3	18	25	6	3	1	-	3	2	-	9	-	-	3	5	-	-	1	7	13
-	7	15	22	4	1	-	1	-	1	-	4	-	-	1	3	1	-	-	1	16
2	-	37	28	9	2	-	1	2	3	-	10	1	1	1	3	1	-	5	13	19
-	3	48	39	10	1	1	2	-	5	-	18	-	-	3	5	1	-	5	10	25
-	4	30	168	29	1	1	1	1	6	-	30	-	-	2	2	8	2	-	14	46
-	3	15	21	2	1	-	1	1	1	2	8	-	-	2	3	-	-	2	4	8
-	1	11	19	1	-	1	3	-	-	-	1	-	-	2	1	-	-	-	7	11
-	3	26	20	5	2	-	-	1	2	-	11	-	-	4	9	-	1	4	12	6
-	6	37	42	10	-	1	1	-	3	1	10	1	-	3	3	2	-	4	12	34
1	3	5	44	7	3	-	1	1	-	1	10	-	-	2	3	1	-	-	7	12
-	-	15	26	1	-	-	1	2	1	1	3	-	1	-	2	-	-	-	8	11
1	1	30	23	3	1	-	-	1	-	1	8	-	-	-	4	1	-	1	10	10
1	1	21	23	9	1	-	2	-	-	1	9	-	1	2	2	2	-	-	8	9
-	1	7	26	4	4	-	-	-	-	1	3	-	1	-	2	-	-	1	4	14
1	2	26	18	6	1	1	-	-	1	-	5	-	1	-	2	1	1	-	6	11
-	2	14	38	8	-	-	2	2	3	-	20	-	-	3	1	-	-	3	8	18
-	6	20	19	4	2	-	-	1	1	-	6	-	-	-	2	1	-	1	3	13
1	3	21	17	3	-	2	-	-	2	2	7	-	-	2	-	-	-	1	6	17
3	1	15	58	6	3	1	1	1	-	-	10	-	2	1	6	-	-	6	4	28
-	1	28	17	9	1	-	1	1	3	1	5	-	-	-	2	3	-	2	11	17
-	5	37	61	8	-	-	-	1	5	-	26	1	-	5	5	3	-	2	17	20
-	5	16	24	2	1	1	1	1	2	-	12	-	-	2	1	-	-	-	10	14
-	4	23	37	5	-	-	2	1	1	-	10	-	-	2	1	-	1	2	15	19
1	1	27	39	9	4	-	-	1	1	1	10	-	-	2	6	3	1	2	10	22
49	289	1,301	2,286	583	114	63	78	114	222	66	626	24	44	224	438	156	44	307	456	1,239
10	43	73	360	121	15	15	15	29	11	3	90	8	19	22	60	7	55	30	40	167
5	23	117	206	69	12	9	10	11	13	7	70	3	6	17	50	20	2	32	37	136
3	26	180	362	56	11	4	9	7	19	5	81	3	4	25	39	16	3	29	85	167
-	1	52	56	10	1	-	-	1	4	1	15	-	-	8	11	4	-	8	10	57
1	6	51	122	28	3	5	3	5	3	2	25	1	2	6	23	8	2	8	24	71
1	4	49	85	22	3	1	7	5	3	3	43	-	-	6	13	3	1	14	24	70
2	13	47	70	20	2	1	5	5	8	3	18	1	1	9	23	7	-	20	16	52
-	6	28	62	21	1	1	6	4	9	5	14	-	1	2	19	3	2	14	11	49
3	11	61	76	16	4	2	4	2	4	2	29	1	2	3	9	9	1	15	11	45
2	13	77	87	20	5	2	3	8	5	5	20	1	1	16	14	7	1	15	24	100
-	15	58	201	42	5	4	4	7	5	5	43	1	3	10	16	4	3	12	39	97
7	14	83	112	22	3	10	4	7	4	3	42	-	1	16	26	9	1	16	25	90
2	7	82	94	26	1	8	6	4	-	2	22	1	1	19	25	2	-	19	23	75
2	6	78	82	46	3	10	4	8	6	5	42	-	3	11	27	10	2	28	47	128
-	7	47	67	21	4	2	2	2	7	2	31	-	-	7	10	4	-	9	21	39
2	5	41	41	9	2	1	2	1	1	1	9	-	2	5	7	1	-	8	9	37
4	9	91	152	35	6	8	5	4	6	6	40	5	1	12	28	7	-	24	31	114
1	3	17	51	9	2	-	1	1	4	3	9	1	2	10	13	2	-	11	8	22
2	-	14	25	12	1	2	2	-	1	2	10	-	1	1	5	7	-	2	7	31
-	2	13	40	5	-	1	-	1	1	-	7	1	-	2	-	2	-	2	7	15
-	2	25	28	5	2	1	-	1	1	3	3	-	-	4	11	3	-	8	6	21
1	4	8	15	2	-	-	-	2	-	1	6	-	-	1	5	1	-	-	2	14

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis encephalitis (acute) 38	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b	Pellagra (exclusive of alcoholic) 69	Intracranial lesions of vascular origin 83
MICHIGAN—Continued																	
Ecorse [3]	74	-	-	-	1	-	2	-	-	1	-	4	-	2	-	-	2
Escanaba	168	-	-	2	-	-	4	-	-	-	-	24	-	5	-	-	25
Ferndale	154	-	-	-	-	-	6	1	-	-	-	18	-	2	1	-	8
Grosse Pointe Park	68	-	-	-	-	-	-	-	-	-	-	8	-	2	1	-	10
Holland	150	-	-	-	-	-	1	1	-	-	-	18	-	8	-	-	14
Iron Mountain	110	-	-	-	-	-	5	-	-	-	-	14	-	3	1	-	18
Ironwood	115	-	1	-	1	-	6	1	-	-	-	18	-	2	-	-	10
Lincoln Park	91	-	-	-	-	-	4	-	-	1	-	9	-	4	-	-	8
Marquette	154	-	-	-	1	-	3	2	-	2	-	30	-	5	1	-	18
Menominee	108	-	-	-	-	-	-	-	-	1	-	15	-	4	-	-	7
Midland	77	-	-	-	-	-	-	-	-	-	-	11	-	2	1	-	9
Monroe	187	-	-	-	-	3	3	1	-	1	-	17	-	7	2	-	18
Mount Clemens	184	-	-	1	-	-	6	-	-	1	-	20	-	4	2	-	9
Muskegon Heights	114	-	-	-	-	-	6	-	-	1	-	9	1	2	-	-	9
Niles	118	-	-	-	-	-	6	-	-	2	-	12	-	4	1	-	12
Owosso	155	-	-	-	-	-	2	-	-	2	-	21	-	7	1	-	17
River Rouge [3]	102	-	-	-	1	1	4	3	-	3	-	9	2	4	-	-	6
St. Clair Shores	83	-	-	1	-	-	3	-	-	-	-	10	-	6	-	-	8
Sault Ste. Marie	181	-	-	-	2	-	2	-	-	5	-	21	-	3	-	-	15
Traverse City	172	-	-	-	-	-	6	-	-	6	-	20	-	3	-	-	20
Ypsilanti [3]	156	-	-	-	-	-	6	-	-	-	-	27	-	8	-	-	13
MINNESOTA																	
Duluth	1,101	-	1	-	-	-	21	2	-	20	-	178	1	30	5	-	87
Minneapolis	4,572	-	6	2	1	-	84	7	-	40	-	722	3	125	18	-	448
St. Paul	2,907	1	-	-	1	2	88	6	-	24	-	507	4	76	14	-	258
Rochester	476	-	1	-	-	-	7	-	-	28	-	56	-	9	-	-	24
Albert Lea	107	-	-	-	-	-	2	-	-	-	-	20	-	2	-	-	8
Austin	144	-	-	-	-	-	5	-	-	-	-	23	-	5	1	-	15
Brainerd	120	-	-	-	-	-	1	-	-	-	-	19	-	5	-	-	18
Faribault	173	-	-	-	-	-	5	-	-	3	-	22	-	5	-	-	18
Fergus Falls	301	2	-	-	-	-	24	1	-	4	-	23	-	8	1	-	36
Hibbing	119	-	-	-	-	-	3	1	-	1	-	19	-	4	1	-	10
Mankato	144	-	-	-	-	-	-	-	-	-	1	30	-	4	-	-	8
St. Cloud	199	-	-	-	-	-	7	1	-	-	-	22	-	7	2	-	18
South St. Paul	83	-	-	-	-	-	-	-	-	2	-	10	1	1	-	-	3
Virginia	102	-	-	-	-	-	1	1	-	2	-	15	-	5	1	-	11
Winona	245	-	-	-	-	-	1	-	-	1	-	41	1	6	1	-	30
MISSISSIPPI																	
Jackson—White	283	-	1	-	-	-	6	2	-	2	-	32	-	4	1	-	21
Jackson—Nonwhite	349	1	-	-	1	1	15	1	1	15	-	17	-	7	2	1	18
Meridian—White	284	-	-	-	-	-	6	1	-	2	-	29	-	10	2	2	22
Meridian—Nonwhite	228	-	1	-	-	-	20	-	1	5	-	13	-	2	2	1	24
Biloxi—White	149	-	-	-	2	-	-	-	-	3	-	22	2	2	-	-	13
Biloxi—Nonwhite	44	-	-	-	-	-	1	2	-	2	-	2	-	1	-	-	5
Clarksdale—White	46	-	-	-	-	-	2	-	-	-	-	5	-	-	1	-	2
Clarksdale—Nonwhite	77	1	-	-	-	-	-	-	-	1	-	6	-	3	-	-	10
Columbus—White	70	-	-	-	-	1	3	-	1	1	-	5	-	1	-	-	8
Columbus—Nonwhite	109	-	-	-	-	-	6	-	-	3	-	7	1	1	-	-	2
Greenville—White	89	-	-	-	1	-	-	-	-	1	-	16	-	1	-	-	4
Greenville—Nonwhite	185	-	-	-	-	-	12	-	1	4	-	14	-	1	-	1	24
Greenwood—White	64	-	-	-	1	1	4	-	-	1	-	9	-	2	-	1	3
Greenwood—Nonwhite	108	2	-	-	-	1	9	-	-	1	-	5	-	2	-	1	8
Gulfport—White	141	-	-	-	-	-	4	-	1	7	-	9	-	4	-	-	10
Gulfport—Nonwhite	47	-	-	-	1	-	1	-	-	2	-	2	-	2	-	-	3
Hattiesburg—White	129	-	1	-	-	1	4	-	1	-	-	12	-	6	-	-	13
Hattiesburg—Nonwhite	104	-	-	-	-	-	7	-	-	2	-	4	-	1	-	1	18
Laurel—White	127	-	-	-	-	2	4	1	-	2	-	14	-	3	-	1	11
Laurel—Nonwhite	117	-	-	-	1	-	13	-	1	6	-	4	-	2	-	1	14
Natchez—White	93	-	-	-	-	-	4	-	-	-	-	19	-	5	-	-	7
Natchez—Nonwhite	117	-	-	-	-	-	6	1	-	2	-	8	1	-	-	1	6
Vicksburg—White	119	-	-	-	-	-	1	-	-	2	-	12	-	1	-	1	7
Vicksburg—Nonwhite	216	-	-	-	1	-	11	2	1	11	-	13	-	2	-	-	20
MISSOURI																	
Kansas City—White	4,021	-	-	2	3	2	102	8	1	48	-	554	3	103	14	2	324
Kansas City—Nonwhite	741	-	2	-	1	-	61	8	-	28	-	57	1	10	2	2	37
St. Louis—White	8,445	-	4	-	1	5	263	16	1	135	-	1,284	10	204	20	3	609
St. Louis—Nonwhite	1,897	-	1	-	2	-	171	8	-	70	1	155	-	28	4	-	139
Joplin	545	-	1	-	-	-	30	2	-	8	-	53	-	8	2	-	38
St. Joseph	1,040	-	-	-	-	1	28	1	-	30	1	119	-	19	4	-	114
Springfield	629	3	-	-	1	1	10	1	-	8	-	87	1	9	2	-	58
University City	264	-	-	-	-	-	2	-	-	2	1	47	-	7	-	-	21
Cape Girardeau	168	-	-	-	-	-	3	1	-	1	-	21	-	2	-	-	19
Carthage	121	-	-	-	-	-	5	1	-	-	1	12	-	4	2	-	5
Clayton	128	-	-	-	-	-	1	-	-	-	-	27	-	6	1	-	7
Columbia [3]	211	-	-	-	-	-	5	-	-	-	-	24	1	4	-	-	30
Hannibal	225	-	-	-	-	-	12	1	-	-	-	19	-	4	1	-	13
Independence	196	-	-	-	-	-	4	-	-	2	-	25	-	5	1	-	12
Jefferson City	182	-	-	-	-	-	7	1	-	4	-	23	-	8	1	-	12
Kirksville	122	-	-	-	-		-	-	1	-	-	18	-	-	1	-	15
Kirkwood	159	-	-	-	-	-	5	-	-	-	1	20	1	6	1	1	11

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 95a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
-	3	4	18	5	2	1	1	-	2	-	2	-	1	3	3	-	-	3	4	10
1	3	12	26	10	1	2	-	1	3	-	7	-	2	3	6	2	-	6	6	17
1	3	15	24	5	1	-	2	-	3	-	10	1	1	4	5	4	2	5	7	25
-	1	5	13	1	-	-	-	-	5	-	7	-	-	-	1	2	-	1	4	7
-	3	18	20	8	2	1	-	-	2	-	2	2	-	3	6	1	-	5	6	13
-	3	11	26	1	-	1	1	2	2	-	1	-	-	1	4	-	-	2	4	12
-	1	10	18	3	1	-	-	1	1	2	17	-	-	1	2	1	-	3	8	9
-	2	12	9	6	1	1	1	1	2	-	2	-	1	5	5	1	2	2	2	10
1	2	21	22	6	1	1	-	-	2	3	11	-	-	2	-	3	-	3	6	10
-	2	15	23	4	-	-	-	1	-	-	7	-	1	1	3	-	-	1	11	14
-	2	4	6	4	-	1	1	2	-	-	9	1	2	2	6	2	1	1	2	8
1	3	16	32	11	-	2	-	1	-	2	12	2	-	3	6	4	1	10	8	21
-	1	32	28	15	-	-	2	1	1	1	8	-	-	5	9	1	-	4	10	21
2	2	11	15	6	1	-	1	-	1	-	5	1	2	6	6	2	-	1	3	21
-	2	21	19	7	2	-	2	-	1	-	7	-	-	2	1	2	-	4	3	8
2	2	23	16	4	1	2	-	3	-	1	5	-	-	2	9	4	-	1	15	15
-	4	11	13	12	1	2	-	-	-	1	5	-	-	-	6	1	-	4	4	5
1	2	12	11	3	-	1	-	2	2	1	3	-	-	2	1	3	-	4	2	7
3	1	14	34	8	1	1	-	3	-	1	7	-	2	4	11	4	1	5	9	26
-	4	16	31	10	3	2	1	-	-	-	5	-	-	4	6	1	-	-	11	23
1	1	19	22	5	2	3	1	1	2	1	6	-	-	3	8	-	-	4	6	17
4	20	128	198	57	8	2	3	10	12	8	36	2	3	22	17	22	3	11	58	132
10	104	746	637	274	45	6	17	31	51	30	155	2	5	51	127	49	9	73	260	440
5	72	374	480	141	23	7	15	28	32	26	84	5	5	41	62	31	5	53	149	288
1	6	39	60	48	4	1	-	3	2	1	11	-	-	2	5	7	-	3	23	135
-	3	11	12	5	2	1	-	3	1	-	8	-	-	2	8	4	-	1	5	11
-	3	16	18	8	-	1	-	-	-	1	6	-	-	2	8	5	-	1	6	22
3	1	13	16	5	1	1	1	1	1	2	4	-	-	2	4	1	-	4	6	14
-	5	10	20	10	2	6	-	4	-	2	12	-	-	13	2	-	1	2	6	27
-	4	8	48	72	1	1	1	1	-	1	6	-	1	2	5	2	1	2	5	41
-	-	15	17	5	-	1	1	-	2	-	4	-	-	3	5	3	-	3	-	17
2	-	21	16	5	-	-	-	1	1	1	6	-	-	4	6	1	-	3	-	26
1	2	21	21	15	2	1	1	3	2	1	13	-	-	3	7	3	-	3	7	38
1	-	22	7	8	-	-	2	1	1	2	-	1	1	4	2	2	-	3	5	6
-	-	12	28	5	1	-	-	-	1	-	1	-	-	2	2	2	-	1	4	11
1	1	41	33	14	3	-	3	5	1	-	10	-	1	1	8	5	-	-	8	29
3	3	25	36	10	2	4	3	5	2	1	20	1	2	1	16	5	2	4	17	52
1	6	5	32	31	1	2	4	4	3	1	56	3	4	1	4	-	8	5	15	83
-	4	11	63	22	2	-	-	2	-	-	21	2	2	3	8	5	1	6	7	51
2	2	1	24	12	-	2	-	2	-	-	30	1	5	-	4	1	9	4	7	53
-	1	6	23	9	2	1	1	-	3	-	12	1	-	2	7	2	1	3	6	25
1	-	1	6	1	-	3	-	-	-	-	3	-	-	-	-	-	3	2	1	10
-	1	8	8	1	-	-	-	-	-	-	4	-	-	-	1	2	-	1	3	7
-	4	1	6	4	-	-	-	-	-	2	14	1	1	-	-	-	3	1	4	15
-	1	5	7	4	-	1	1	1	1	-	4	-	-	3	4	3	-	-	6	9
-	-	1	22	4	-	5	-	2	1	-	13	2	1	-	2	-	3	1	3	30
-	1	4	19	2	1	1	1	2	-	1	5	-	-	2	3	3	1	2	5	13
1	-	-	13	11	-	3	3	3	2	-	26	2	-	1	8	1	7	1	4	42
-	1	8	6	1	-	-	-	-	-	-	14	-	-	-	1	-	1	1	1	8
-	6	-	6	4	-	1	1	1	-	-	13	2	1	-	-	1	3	-	4	34
-	1	15	21	6	2	2	3	-	2	-	12	-	-	2	11	1	-	3	5	20
-	-	-	6	5	1	2	-	-	-	-	10	-	-	-	3	-	1	1	4	3
-	1	14	15	11	-	2	-	-	1	1	8	-	2	2	2	-	1	7	3	21
-	-	3	16	13	-	3	-	1	1	-	5	1	-	-	-	1	7	3	2	17
-	4	4	21	14	1	1	2	1	2	-	5	-	1	1	8	2	3	1	4	14
1	-	2	10	7	2	2	-	1	1	-	15	1	-	-	6	-	12	2	3	10
1	-	8	10	1	1	1	1	-	-	-	11	-	-	1	1	1	-	4	7	10
-	3	3	21	3	1	-	3	1	-	-	25	2	1	-	1	-	-	1	3	24
-	4	11	12	4	1	1	-	1	1	-	16	1	-	-	6	1	3	-	9	24
-	4	3	19	15	2	1	-	5	1	1	33	1	1	-	1	-	7	4	5	52
10	87	443	799	197	34	7	17	37	44	21	289	8	9	42	73	44	18	75	193	408
2	25	17	175	55	5	4	8	7	4	1	79	-	4	1	15	5	22	8	22	75
19	201	636	1,791	379	72	35	43	75	128	44	804	14	19	82	152	89	25	162	400	740
7	41	80	320	170	9	4	14	19	15	4	221	4	4	6	53	6	48	20	57	216
2	5	50	102	39	3	7	6	3	2	4	52	2	1	6	15	2	2	18	25	59
2	39	76	202	88	8	-	-	13	7	3	87	1	1	6	9	8	5	13	45	110
1	9	56	102	37	2	6	1	7	2	8	61	1	-	6	11	7	2	17	38	74
1	11	35	51	13	4	1	-	2	3	2	28	-	2	-	4	2	-	1	9	15
1	2	12	28	5	-	2	2	1	2	3	14	-	-	3	4	2	1	7	9	23
-	4	9	23	5	1	1	1	2	-	3	13	-	-	-	3	1	-	3	5	17
-	2	15	26	6	-	-	-	2	1	-	13	-	-	1	1	2	3	2	4	10
1	7	14	38	19	2	1	-	4	2	-	20	-	-	1	3	1	2	5	4	23
-	4	20	53	4	-	1	1	-	-	2	33	-	1	-	7	3	-	4	16	26
-	5	17	27	11	2	-	3	1	1	1	25	-	1	4	7	1	-	7	7	27
1	1	20	28	14	2	2	3	2	1	-	13	-	1	-	6	3	3	3	4	19
-	1	10	19	9	-	-	1	1	1	-	15	-	-	2	3	1	-	-	5	19
-	-	11	49	7	2	2	-	1	2	2	14	-	-	1	2	1	-	2	1	16

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	85
MISSOURI—Continued																	
Maplewood	161	-	-	-	-	-	4	-	-	-	-	18	-	4	1	-	18
Moberly	148	-	-	-	-	-	5	-	-	-	-	19	-	3	1	-	20
Poplar Bluff	144	1	-	-	-	1	3	-	1	2	1	13	-	-	-	-	11
Richmond Heights	105	-	-	-	-	-	2	-	-	-	-	14	-	4	-	-	5
St. Charles	153	-	-	-	-	-	-	-	-	1	-	17	-	6	-	-	8
Sedalia	293	-	-	1	-	-	5	-	-	2	-	38	-	12	-	-	29
Webster Groves	191	-	-	-	-	-	4	-	-	2	-	25	-	10	-	-	16
MONTANA																	
Butte	601	1	-	-	-	-	45	2	-	6	-	53	1	11	2	-	42
Great Falls	335	-	-	-	-	-	4	-	-	6	-	38	1	8	-	-	22
Anaconda	152	-	-	1	-	-	5	-	-	-	-	22	-	6	1	-	24
Billings	211	-	-	-	-	-	2	-	-	1	-	24	-	3	-	-	16
Helena	149	-	-	-	-	-	3	-	-	1	-	26	-	4	-	-	7
Missoula	198	-	1	-	-	-	2	1	-	1	-	43	-	3	-	-	19
NEBRASKA																	
Omaha[3]	2,459	1	-	-	-	1	55	8	-	42	-	341	5	67	2	-	254
Lincoln	827	-	-	-	-	1	12	2	-	8	1	131	-	25	2	-	75
Beatrice	128	1	-	-	-	-	-	-	-	2	-	20	-	2	-	-	15
Fremont	152	-	-	-	1	-	2	-	-	-	-	24	1	2	-	-	20
Grand Island	254	-	-	-	-	-	2	-	-	2	2	41	-	3	-	-	18
Hastings	149	-	-	-	-	-	1	-	-	-	-	13	-	5	-	-	26
Norfolk	97	-	-	-	-	-	1	-	-	-	-	17	-	3	1	-	9
North Platte	131	-	-	-	-	-	1	1	-	2	2	19	-	5	-	-	13
Scottsbluff	88	-	-	-	-	-	2	1	-	3	-	13	-	1	-	-	7
NEVADA																	
Reno	328	1	2	1	-	-	17	1	-	3	-	37	-	6	1	-	20
NEW HAMPSHIRE																	
Concord	543	-	-	-	-	-	13	-	-	13	1	51	-	12	1	-	55
Manchester	816	-	1	3	2	-	17	2	-	12	-	118	-	29	-	-	83
Nashua	349	-	-	-	-	-	6	-	-	1	-	56	-	11	-	-	30
Berlin	149	-	-	-	-	-	3	-	-	1	-	24	-	7	-	-	11
Claremont (town)	116	-	-	-	-	-	2	-	-	-	1	10	-	3	-	-	12
Dover	189	-	-	-	1	-	3	-	-	1	-	17	-	6	-	-	30
Keene	173	-	1	-	-	-	2	-	-	-	-	28	-	5	1	-	22
Laconia	149	-	-	-	-	-	1	-	-	-	-	18	-	2	-	-	13
Portsmouth	188	-	-	-	-	-	5	1	-	-	-	27	-	4	-	-	7
Rochester	142	-	1	-	1	-	1	1	-	-	-	21	-	6	-	-	16
NEW JERSEY																	
Camden—White	1,163	-	-	1	-	2	28	1	-	6	-	171	2	44	1	-	74
Nonwhite	192	-	-	-	1	-	18	2	-	5	-	15	3	2	-	-	10
Elizabeth	1,124	-	1	-	-	-	34	4	-	10	7	160	3	38	5	-	85
Jersey City—White	3,044	1	5	-	2	1	137	5	-	15	-	460	3	83	6	-	255
Nonwhite	215	-	-	-	2	-	35	4	-	9	-	18	1	3	1	-	18
Newark—White	4,105	-	5	1	-	-	138	11	-	22	2	572	10	169	11	1	275
Nonwhite	738	-	2	-	2	-	109	14	-	24	-	42	4	13	-	-	35
Paterson	1,517	1	-	-	1	-	59	5	-	19	-	217	-	57	-	-	142
Trenton	1,564	-	-	-	2	-	75	4	-	33	-	192	1	55	3	-	117
Atlantic City—White	636	-	-	-	-	-	17	1	-	5	-	76	-	20	3	-	64
Nonwhite	273	-	-	-	-	-	31	1	-	7	-	17	-	8	-	-	34
Bayonne	721	-	1	-	-	-	39	1	-	1	-	105	2	25	1	-	83
Belleville	248	-	-	-	1	-	6	-	-	1	-	31	-	11	1	-	19
Bloomfield	408	-	1	-	-	-	8	2	-	1	-	89	-	12	1	-	42
Clifton	400	-	-	-	-	-	10	-	-	4	-	76	2	16	2	-	31
East Orange	792	-	-	-	-	-	20	2	1	8	-	118	1	18	-	-	65
Garfield	184	-	-	-	-	-	5	1	-	-	-	22	-	7	1	-	19
Hackensack—White	237	-	-	-	-	-	4	-	-	1	-	38	-	17	-	-	15
Nonwhite	30	-	-	-	3	-	2	2	-	1	-	3	-	1	-	-	-
Hoboken	634	-	-	-	1	-	31	1	1	2	1	74	1	20	1	-	52
Irvington	504	-	-	-	-	-	11	1	-	2	1	81	4	17	2	-	29
Kearny	363	-	-	1	-	-	12	-	-	1	2	59	2	7	1	-	24
Montclair—White	399	-	-	-	-	-	6	1	-	1	-	60	1	8	-	-	46
Nonwhite	79	-	-	-	-	-	7	1	-	1	-	8	-	6	1	-	4
New Brunswick	381	-	-	-	-	-	16	-	-	1	-	67	1	11	2	-	32
North Bergen (twp.)[2]	382	-	-	-	-	-	14	-	-	1	-	63	1	13	1	-	24
Orange—White	305	-	-	-	1	1	3	1	-	-	-	50	1	11	1	-	24
Nonwhite	83	-	-	-	1	-	7	-	-	3	-	5	-	-	1	-	6
Passaic	524	-	-	1	-	-	20	3	-	3	-	85	-	21	2	-	48
Perth Amboy	377	-	1	-	-	-	21	-	-	5	-	43	1	12	1	-	33
Plainfield—White	320	-	-	-	1	-	5	-	-	1	-	46	-	12	6	-	32
Nonwhite	65	-	1	-	1	-	6	-	-	2	-	5	-	2	-	-	2
Teaneck (twp.)[2]	193	-	-	-	-	-	1	1	-	-	-	33	-	-	-	-	20
Union City	612	-	1	-	2	-	16	1	-	2	-	93	-	27	-	-	63
West New York	371	-	2	-	1	-	15	2	-	1	-	52	2	15	-	-	24
West Orange	252	1	1	-	-	-	3	1	-	3	-	39	-	11	-	-	21
Woodbridge (twp.)[2]	228	-	-	-	-	-	5	-	-	1	-	31	-	7	-	-	23
Asbury Park—White	153	-	-	-	-	-	4	-	-	-	-	24	-	10	1	-	12
Nonwhite	50	-	-	-	-	-	3	2	-	3	-	3	-	3	-	-	6
Bergenfield	85	-	-	-	-	-	3	-	-	-	-	22	-	2	-	-	4

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 95c, 95b	Diseases of coronary arteries; angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 95a,b; d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,53	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
-	-	11	41	8	2	1	2	1	-	1	21	-	-	1	1	3	-	3	6	16
1	6	13	21	6	2	2	1	3	1	1	8	-	2	-	3	1	1	4	6	18
-	5	8	23	15	-	2	3	3	1	2	10	-	-	3	7	2	1	-	11	15
-	3	7	23	7	1	-	-	-	-	2	8	-	-	2	10	1	-	-	6	10
-	2	16	31	8	2	1	-	1	4	-	19	-	-	2	10	3	-	3	4	16
1	3	34	43	11	1	2	1	2	-	1	42	-	-	1	6	3	3	7	21	24
-	1	11	44	8	1	-	1	-	3	2	25	1	-	1	5	1	1	4	4	23
2	12	43	149	20	10	-	8	2	10	-	31	2	2	6	6	9	2	8	44	72
1	8	27	58	11	5	4	2	3	6	2	21	1	-	4	12	9	1	5	26	50
1	7	16	20	2	1	1	1	-	2	1	4	-	1	3	3	2	-	1	8	19
1	9	17	37	7	5	2	1	3	3	-	8	-	3	4	7	6	2	5	14	31
1	1	7	40	3	-	-	1	1	1	1	16	-	-	1	4	5	-	6	8	12
-	5	26	35	4	1	2	1	1	2	-	8	-	1	4	2	4	-	4	11	17
9	53	313	386	100	14	11	16	29	21	17	128	5	5	34	67	42	14	43	120	276
5	17	100	155	27	2	-	2	5	6	3	64	1	-	12	16	5	-	7	37	106
-	6	11	19	8	1	2	-	-	2	-	8	1	-	1	3	2	-	-	15	9
-	4	18	22	6	-	-	-	-	-	-	28	-	-	3	9	-	-	5	6	11
1	6	35	39	14	2	-	1	3	1	1	13	1	1	8	5	8	-	4	11	32
-	2	20	27	6	-	1	2	2	2	1	13	-	-	1	5	2	-	2	6	12
-	7	8	9	3	-	-	-	1	1	1	12	-	-	2	4	2	-	-	4	14
1	-	8	21	7	-	-	1	-	-	-	6	-	2	4	6	1	-	2	13	18
1	1	8	18	6	-	1	-	1	-	1	2	-	-	-	3	2	1	-	3	15
-	5	48	64	14	4	2	3	7	6	1	15	-	-	5	2	3	1	2	23	34
-	10	58	141	30	5	1	1	4	1	8	28	-	-	6	5	5	-	5	18	75
2	11	105	150	28	9	6	4	7	10	5	47	-	-	12	17	9	-	7	35	85
3	2	28	69	18	2	-	2	3	1	-	35	2	1	4	10	1	-	4	12	50
-	1	15	26	7	-	1	1	2	-	2	15	-	-	3	2	1	-	6	6	15
-	-	12	19	10	-	-	-	-	-	1	4	-	-	1	12	1	-	2	5	21
-	1	22	37	11	2	2	1	2	1	1	10	-	-	1	4	2	-	1	9	24
-	3	19	20	9	-	-	1	4	1	-	8	-	-	4	9	4	-	2	11	19
-	1	18	35	6	1	-	1	1	2	-	5	-	-	4	4	1	-	-	6	30
3	4	36	40	5	-	-	1	1	3	1	18	-	2	1	1	-	-	2	10	16
2	3	12	28	8	1	-	1	3	2	2	8	-	-	3	1	5	-	3	4	11
3	21	121	282	44	7	10	15	7	16	4	85	2	4	22	29	4	5	24	51	99
2	3	7	43	24	1	1	-	-	2	1	19	1	1	-	1	-	3	1	7	19
5	25	114	220	54	6	4	11	17	11	15	50	3	3	13	21	8	2	15	45	135
5	74	186	856	138	22	14	11	25	55	14	138	4	1	19	46	26	5	41	142	281
-	4	5	43	20	-	3	1	3	1	-	10	-	1	-	7	-	3	3	6	16
18	87	331	1,070	143	33	14	28	37	49	27	233	6	6	37	85	69	7	68	184	356
3	13	8	161	50	5	5	7	10	7	-	43	2	-	2	27	4	16	12	31	87
3	32	175	274	66	13	3	7	14	31	10	100	2	5	20	29	14	6	22	53	137
5	26	176	311	82	12	8	9	15	19	6	94	4	1	15	33	12	1	16	64	173
1	9	101	142	13	6	1	4	9	6	5	42	1	-	1	9	5	-	7	28	60
2	2	11	41	26	2	2	2	5	4	1	44	-	-	1	2	1	1	-	10	18
-	13	107	114	44	4	-	5	3	8	5	26	-	1	6	17	7	1	9	37	56
2	8	13	61	9	-	3	3	2	4	1	23	1	-	2	5	4	-	6	10	21
1	6	36	78	17	8	2	4	6	5	4	42	-	-	5	6	5	-	1	16	32
-	10	40	66	10	4	1	2	2	2	2	27	2	-	11	4	6	-	7	19	44
1	8	87	213	29	2	3	4	7	9	4	47	1	1	5	15	9	-	12	28	74
-	3	24	36	6	2	1	1	2	6	4	10	-	-	2	3	2	-	3	11	13
1	2	26	48	10	-	-	1	4	3	2	18	-	-	1	4	-	2	8	11	21
-	1	3	2	1	-	1	-	-	1	-	2	-	-	-	1	-	1	1	1	3
-	14	25	199	25	7	3	6	13	13	3	23	1	2	3	8	9	1	11	30	53
-	6	44	123	17	5	-	2	1	7	7	27	4	1	9	15	10	-	6	13	59
1	12	18	103	10	2	-	9	2	3	1	12	-	-	4	7	5	-	7	13	45
2	7	45	86	12	5	-	1	6	3	3	28	2	-	4	7	6	-	4	11	44
-	3	3	18	6	-	-	-	1	-	-	10	-	-	-	2	-	2	1	1	4
1	5	21	73	17	5	1	3	6	6	1	31	-	-	5	10	5	1	8	13	39
-	14	31	110	16	2	2	3	-	6	2	13	1	3	5	6	2	-	9	11	29
3	7	22	66	7	5	1	-	4	4	4	20	-	2	3	10	2	-	7	11	34
1	1	3	18	7	1	-	-	-	1	-	5	1	1	1	5	1	1	1	2	10
3	11	42	82	24	10	2	6	3	14	5	33	-	2	3	11	6	1	4	24	55
-	4	36	85	8	-	3	4	1	6	-	26	-	-	4	12	4	-	11	25	31
1	7	38	69	10	5	-	-	-	3	1	20	1	-	5	7	4	1	5	12	28
-	4	3	10	5	-	-	-	-	-	-	6	-	2	-	4	-	-	2	2	8
-	-	21	44	6	3	1	2	2	3	-	8	-	-	3	6	10	1	5	4	19
4	10	29	182	28	3	4	2	4	14	7	27	-	-	9	13	5	-	7	15	44
2	16	26	100	13	2	2	2	3	3	4	13	1	2	3	7	4	-	4	11	39
-	5	21	65	14	1	-	-	-	5	1	13	-	-	4	4	5	-	5	8	21
1	4	27	50	11	2	1	-	1	4	-	4	1	1	1	6	6	1	4	12	24
-	3	20	43	5	1	-	1	-	1	-	4	-	-	-	1	1	-	1	3	18
-	1	3	10	2	-	1	-	-	-	-	3	-	-	-	-	-	1	2	2	5
-	-	12	17	1	-	-	-	1	1	1	4	-	-	3	-	-	3	1	6	4

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliomyelitis encephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
NEW JERSEY—Continued																	
Bridgeton—White	200	-	-	-	-	-	1	-	-	-	-	27	-	10	1	-	28
Nonwhite	27	-	-	-	-	-	3	-	-	2	-	2	-	3	-	-	1
Burlington—White	138	-	-	-	-	-	5	-	-	-	-	19	-	4	-	-	13
Nonwhite	18	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Carteret	90	-	-	-	-	-	4	-	-	-	-	10	-	4	1	-	7
Cliffside Park	128	-	2	-	-	-	3	-	-	-	-	16	-	6	-	-	9
Collingswood	186	-	-	-	-	-	6	-	-	-	-	29	-	3	2	-	11
Cranford (twp.)[2]	142	-	-	-	-	-	3	-	-	-	-	23	1	5	-	-	14
Dover	122	-	-	-	-	-	1	-	-	-	-	22	-	4	-	-	13
Englewood—White	153	-	-	-	-	-	5	-	-	-	-	30	-	3	-	-	16
Nonwhite	39	-	-	-	-	-	4	-	-	-	-	5	-	-	-	-	5
Gloucester City	151	-	-	-	-	-	2	1	-	1	-	25	1	5	-	-	14
Harrison	139	-	-	-	-	-	7	-	-	-	-	21	-	2	-	-	7
Hawthorne	89	-	-	-	-	-	1	-	-	-	-	17	-	1	3	-	10
Hillside (twp.)[2]	143	-	-	-	-	-	3	-	-	2	-	31	1	5	-	-	15
Linden	171	-	-	-	-	-	4	-	-	1	1	23	1	6	-	-	17
Lodi	82	-	-	-	-	-	3	-	-	1	-	7	-	4	-	-	7
Long Branch	225	-	-	-	-	-	7	-	-	1	-	24	-	7	1	-	21
Lyndhurst (twp.)[2]	146	-	-	-	-	-	2	-	-	-	-	25	2	7	-	-	11
Maplewood (twp.)[2]	213	-	-	-	-	-	3	-	-	-	-	42	-	10	-	-	16
Millburn (twp.)[2]	84	-	-	-	-	-	1	-	-	-	-	14	-	1	-	-	6
Millville	178	-	1	-	-	-	8	-	-	3	1	22	-	4	-	-	17
Morristown	223	-	1	-	-	-	5	-	-	1	-	29	-	4	-	-	27
Neptune (twp.)[2]—White	158	-	-	-	-	-	2	-	-	1	-	19	-	5	-	-	32
Nonwhite	20	-	-	-	-	-	2	-	-	-	-	3	-	1	-	-	1
North Plainfield	115	-	-	-	-	-	1	-	-	1	-	19	-	6	-	-	11
Nutley	196	-	-	-	-	-	3	-	-	-	-	37	1	5	1	-	20
Pennsauken (twp.)[2]	190	-	-	-	-	-	4	1	-	2	-	31	-	3	-	-	16
Phillipsburg	202	-	-	-	1	-	3	-	-	1	-	34	-	10	-	-	20
Pleasantville—White	104	-	-	-	-	-	4	-	-	-	-	15	-	3	-	-	11
Nonwhite	35	-	-	-	-	-	1	-	-	-	-	4	-	1	-	-	3
Rahway	192	-	-	-	-	-	8	-	-	3	-	20	-	5	3	-	24
Red Bank—White	120	-	-	-	-	-	4	1	-	1	-	21	-	2	-	-	9
Nonwhite	33	-	-	-	-	-	3	-	-	-	-	8	-	-	-	-	7
Ridgefield Park	124	-	-	-	-	-	3	1	-	-	-	18	-	2	-	-	13
Ridgewood	159	-	-	-	-	-	2	-	-	1	-	38	-	1	-	-	9
Roselle—White	100	-	-	-	-	-	-	-	-	-	-	22	-	1	1	-	8
Nonwhite	18	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	2
Rutherford	188	-	-	-	-	-	2	-	-	-	-	27	-	6	-	-	25
South Orange	140	-	-	-	-	-	3	-	-	-	-	24	-	3	-	-	13
South River	83	-	-	-	-	-	4	-	-	-	-	13	-	2	1	-	7
Summit	181	-	-	-	-	-	-	-	-	1	-	27	-	5	-	-	12
Union (twp.)[2]	182	-	-	-	1	-	7	1	-	1	-	29	-	7	-	-	7
Weehawken (twp.)[2]	175	-	-	-	-	-	7	-	-	-	-	32	1	6	1	-	14
Westfield	164	-	-	-	1	-	2	-	-	1	-	25	-	6	-	-	11
NEW MEXICO																	
Albuquerque	398	-	-	-	2	-	50	4	-	5	1	43	1	5	1	-	21
Clovis	96	-	-	-	-	1	5	-	-	-	-	6	-	-	1	-	10
Hobbs	51	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Roswell	178	-	-	-	1	1	8	-	-	1	1	7	2	2	1	-	7
Santa Fe	200	-	-	-	-	1	8	1	-	6	1	17	-	4	-	1	7
NEW YORK																	
Albany	1,634	-	-	-	1	-	51	-	-	16	-	233	1	49	-	-	128
Buffalo[3]	6,700	3	4	-	5	2	270	30	-	60	-	891	4	226	22	-	503
New York City[4]—White	70,103	5	77	3	50	10	2,467	157	4	626	8	11,877	103	2,964	130	6	3,311
Nonwhite	5,695	-	10	4	8	1	845	106	2	299	-	596	14	138	12	-	238
Rochester	3,345	-	-	1	-	-	84	8	-	34	2	496	2	103	13	-	263
Syracuse	2,362	2	1	-	2	-	56	7	-	20	3	334	2	85	5	-	206
Utica	1,415	-	-	-	1	-	21	3	-	35	-	155	1	63	4	-	88
Yonkers	1,284	-	4	-	2	-	52	3	-	4	-	185	2	43	2	-	101
Amsterdam	399	-	1	-	-	-	4	-	-	2	-	58	-	9	-	-	33
Auburn	401	-	-	-	-	-	6	1	-	-	-	41	-	14	2	-	42
Binghamton	1,071	-	-	1	3	-	25	2	-	24	-	124	2	29	4	-	104
Elmira	621	1	1	-	-	1	7	3	-	14	1	62	-	18	1	-	62
Jamestown	454	-	-	-	-	-	12	2	-	2	-	69	1	12	1	-	47
Kingston	378	-	-	-	-	-	12	-	-	2	-	55	-	11	-	-	38
Mount Vernon	630	-	-	-	-	-	15	3	-	4	1	111	-	26	2	-	49
Newburgh	404	-	-	-	-	1	12	-	-	1	1	55	1	7	-	-	42
New Rochelle[3]	541	-	2	-	-	-	18	3	-	2	-	76	2	10	-	-	45
Niagara Falls	757	-	4	-	1	-	14	3	-	6	-	88	1	26	1	1	46
Poughkeepsie	526	-	-	-	1	-	17	2	-	4	-	66	-	14	3	-	57
Rome	423	-	-	-	-	-	32	-	-	6	-	44	2	20	1	-	24
Schenectady	960	-	1	-	1	-	16	-	-	7	-	128	-	40	2	-	83
Troy	1,087	1	3	-	1	-	28	1	-	1	-	134	4	32	1	-	110
Watertown	419	-	-	1	-	-	8	1	-	7	-	57	-	18	-	-	37
White Plains	418	-	-	-	-	-	16	-	-	4	2	51	-	12	-	-	26
Batavia	184	-	-	-	-	-	1	-	-	-	-	34	-	4	-	-	23
Beacon	189	-	-	1	-	-	13	-	-	3	-	18	-	7	-	-	17
Cohoes	279	-	-	-	1	-	8	-	-	-	-	29	-	11	-	-	22
Corning	187	-	-	-	-	-	3	-	-	-	-	22	-	8	-	-	15
Cortland	179	-	-	-	-	-	1	-	-	2	-	23	-	3	-	-	15

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	-	15	38	16	2	1	2	1	4	2	15	-	-	2	2	2	-	3	11	16
-	-	1	7	1	-	-	-	-	-	-	4	-	-	-	-	-	1	-	1	1
-	1	10	40	6	1	-	1	1	1	-	14	-	-	1	3	2	-	1	5	10
-	1	1	5	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	3	1
-	1	16	16	5	-	1	1	3	2	1	4	-	-	3	1	-	1	2	1	6
1	3	10	33	6	1	-	1	-	7	2	5	-	-	3	1	3	-	2	3	11
1	4	28	32	4	1	1	2	2	1	1	22	1	1	1	4	5	-	4	8	12
1	3	12	35	3	5	-	1	3	1	1	11	-	-	4	1	1	-	2	2	12
-	2	12	27	3	-	-	2	-	2	1	6	-	-	1	2	-	-	6	6	12
-	4	20	39	3	1	1	-	1	2	1	4	-	-	1	-	4	-	1	8	19
-	2	1	9	1	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	6
1	1	20	27	9	-	-	1	1	1	1	12	-	2	3	2	2	-	-	9	10
-	6	8	40	6	2	1	1	3	1	-	4	-	2	2	4	-	1	2	6	13
-	1	6	9	6	1	-	-	-	-	-	12	-	-	3	-	2	-	-	4	13
-	4	24	20	7	2	-	-	2	-	1	2	-	1	1	1	-	-	4	5	12
-	1	18	20	8	1	-	1	4	5	2	5	-	1	2	10	2	-	8	10	20
-	1	8	20	7	-	-	-	-	2	2	3	-	-	3	3	-	-	3	3	5
1	3	17	63	5	-	1	1	-	1	3	19	-	-	4	7	2	-	1	9	27
1	4	20	25	6	-	-	1	1	-	2	8	-	-	3	2	2	-	2	5	17
-	3	22	44	9	2	1	1	1	4	1	26	-	-	2	3	1	-	3	6	13
-	2	10	18	2	-	-	1	-	-	-	4	-	-	1	6	1	-	3	2	12
1	12	12	35	6	2	4	2	-	2	-	13	1	1	2	2	2	-	5	11	9
1	3	24	51	3	1	-	1	6	4	1	18	-	1	5	4	2	-	3	4	24
1	1	14	38	4	-	1	-	1	-	-	13	-	-	3	1	2	-	4	3	13
-	1	1	5	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	2	1
-	1	12	20	4	-	1	1	1	4	-	11	-	-	-	2	1	-	1	4	14
-	2	13	43	5	2	1	1	1	3	4	7	-	-	3	4	1	-	5	4	30
-	2	25	38	12	-	3	-	-	-	1	19	-	-	1	4	1	1	6	2	18
-	1	13	39	7	1	-	2	3	2	1	22	-	1	1	3	4	-	3	8	22
-	1	9	19	3	-	-	1	-	1	1	17	-	-	1	2	2	-	2	5	7
-	-	2	15	2	-	1	-	-	-	-	1	-	-	-	-	-	-	2	2	1
-	2	16	37	14	1	-	2	-	2	2	6	-	1	3	3	2	-	4	12	22
-	3	10	28	4	-	1	-	1	2	-	9	-	-	2	2	1	-	-	8	11
-	-	1	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3
-	1	15	25	4	-	-	1	2	1	1	10	-	-	1	2	-	-	2	7	15
-	1	17	36	3	1	1	1	-	4	1	13	-	-	3	2	4	-	3	5	15
-	1	14	18	5	1	-	2	2	-	-	4	-	1	1	1	2	-	3	3	10
-	1	1	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	4
-	3	26	36	7	-	-	1	2	4	-	7	-	-	1	-	2	-	3	10	26
-	2	17	32	7	1	1	-	1	3	1	6	-	-	-	4	4	-	1	3	14
-	2	7	18	4	1	-	-	1	2	-	2	-	-	1	1	1	-	1	2	13
-	2	22	34	7	1	-	1	2	4	-	22	-	-	4	7	1	-	3	11	15
1	5	17	41	9	1	1	1	1	5	1	14	1	1	2	5	-	-	6	4	13
-	5	17	40	10	1	1	2	-	2	3	6	-	-	-	4	1	-	2	7	13
1	4	24	36	3	1	-	1	-	4	2	13	-	-	1	4	1	-	-	7	16
-	8	22	40	27	1	11	4	5	2	1	21	3	1	7	17	2	3	7	24	39
-	3	1	8	4	-	3	2	4	-	2	4	1	2	1	11	4	-	2	9	12
-	-	4	1	4	-	3	-	1	-	-	2	-	1	1	5	-	1	2	10	13
1	1	17	38	9	2	12	1	1	1	-	9	-	-	1	8	1	1	4	21	19
-	4	5	17	11	-	5	1	1	-	2	14	3	1	6	15	3	-	8	4	54
3	40	137	437	66	9	9	8	15	18	8	110	1	-	17	33	12	2	23	65	144
22	141	604	1,535	316	61	64	39	50	78	39	385	10	14	79	132	50	14	93	248	706
206	1,682	7,024	18,024	2,797	557	220	411	587	1,011	420	2,832	93	144	686	1,160	960	146	880	2,796	5,669
27	156	255	1,021	277	24	21	27	40	47	11	278	32	17	47	200	40	121	65	231	505
4	75	387	868	99	23	14	9	30	39	20	153	4	6	40	47	44	7	43	123	304
6	54	251	537	95	23	12	17	16	29	6	113	4	4	31	48	25	4	39	81	246
2	9	92	446	66	9	7	6	9	11	8	99	4	4	14	17	9	2	29	56	145
2	29	122	332	55	9	7	11	11	24	5	51	2	2	16	22	21	6	8	47	104
1	2	48	90	15	4	-	1	3	4	2	33	2	1	2	5	2	2	3	20	52
1	2	53	98	12	3	2	-	8	2	3	27	-	-	1	3	5	-	5	17	53
2	17	114	222	43	5	1	4	10	5	2	70	3	-	11	23	13	-	11	56	141
-	10	67	142	19	3	1	4	4	6	3	39	-	2	5	18	4	-	15	38	70
-	11	61	79	15	3	3	2	5	3	3	18	4	-	6	9	6	-	11	20	47
-	3	59	70	11	1	1	4	4	1	5	24	-	-	4	3	6	-	8	13	43
-	20	66	134	24	3	4	3	3	6	6	39	5	1	6	14	13	1	3	17	51
-	12	46	90	11	5	-	1	5	2	4	31	1	1	1	5	7	3	11	21	27
1	12	62	122	19	11	2	1	4	7	3	39	1	2	12	8	6	1	12	21	37
3	18	67	136	50	5	9	5	9	11	4	66	1	6	12	36	11	-	12	40	65
1	11	76	106	14	1	-	3	6	3	5	47	-	2	6	5	6	1	5	18	46
-	-	30	109	14	-	6	5	5	2	4	33	3	3	7	7	-	-	5	16	45
2	14	124	196	39	9	4	8	6	10	7	68	1	4	19	17	14	2	14	28	96
4	36	97	293	47	15	4	3	8	8	5	67	1	1	16	21	2	-	13	44	88
1	6	38	86	19	2	4	4	3	2	1	25	1	1	4	19	7	1	7	26	33
1	6	36	100	18	3	-	2	6	6	1	32	-	3	8	11	9	2	6	14	45
-	4	17	36	6	3	-	1	2	-	-	11	-	1	2	6	2	-	3	8	20
-	1	21	41	2	5	-	1	-	1	2	12	-	-	3	2	3	-	3	5	28
1	4	31	91	9	1	2	2	2	2	-	10	-	1	1	12	2	-	6	7	24
1	4	22	32	5	5	5	4	2	-	4	15	1	-	3	4	2	-	4	8	18
1	3	17	52	2	2	1	-	4	3	-	16	-	1	-	5	4	-	2	6	16

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 85
NEW YORK—Continued																	
Dunkirk	216	-	-	-	-	-	3	-	-	-	-	25	-	6	-	-	22
Endicott	162	-	-	-	-	-	4	-	-	-	-	30	-	5	-	-	24
Floral Park	104	-	-	-	-	-	3	-	-	-	-	21	-	2	-	-	7
Freeport	215	-	-	-	-	-	3	1	-	2	-	27	-	5	-	-	12
Fulton	185	-	-	-	-	-	-	2	-	-	-	20	-	5	-	-	16
Garden City	80	-	-	-	-	-	3	-	-	-	-	18	-	3	1	-	6
Geneva	175	-	-	-	-	-	-	2	-	1	-	21	-	3	-	-	25
Glen Cove	107	-	-	-	1	-	-	1	-	2	-	20	-	3	-	-	7
Glens Falls	252	-	-	-	-	-	2	-	-	1	-	31	-	9	-	-	18
Gloversville	270	-	-	-	-	-	1	1	-	3	-	27	-	13	1	-	31
Hempstead	269	-	-	-	-	-	8	-	-	3	-	50	1	10	-	-	24
Hornell	184	-	-	-	-	-	-	-	-	-	-	29	-	6	-	-	23
Hudson	170	-	-	-	-	-	1	2	-	2	-	23	-	4	1	-	19
Irondequoit (town)	147	-	-	-	-	-	2	-	-	1	-	23	-	8	-	-	13
Ithaca	277	-	-	1	-	-	5	-	-	2	-	30	-	5	1	-	29
Johnson City	148	-	-	-	-	-	-	-	-	-	-	32	-	3	1	-	21
Johnstown	177	-	-	-	2	-	3	-	-	-	-	20	-	2	1	-	19
Kenmore	184	-	-	-	-	-	2	-	-	-	-	18	-	6	1	-	18
Lackawanna	229	-	-	-	1	-	12	1	-	1	-	26	-	9	1	1	16
Little Falls	100	-	-	-	-	-	5	2	-	1	-	18	-	2	-	-	9
Lockport	302	-	1	-	-	-	2	1	-	1	-	34	-	6	1	-	27
Lynbrook	137	-	-	-	-	-	2	-	-	-	-	21	-	6	-	-	14
Mamaroneck	118	-	-	-	-	-	4	1	-	1	-	14	-	3	-	-	8
Massena	86	-	-	-	-	-	-	1	-	1	-	6	-	3	-	-	5
Middletown	449	-	-	-	-	-	23	2	-	21	-	49	-	15	-	-	32
Mineola	97	-	-	-	-	-	2	-	-	1	-	20	-	3	-	-	3
North Tonawanda	195	-	1	-	-	-	3	-	-	1	-	28	-	9	1	-	14
Ogdensburg	359	-	-	-	1	-	22	-	-	10	-	27	-	8	-	-	34
Olean	266	-	-	-	-	-	2	2	-	3	-	35	-	8	1	-	22
Oneida	139	-	-	-	-	-	-	-	-	3	1	19	-	-	1	-	10
Oneonta	158	-	-	-	-	-	2	-	-	1	-	18	-	6	-	-	19
Ossining [3]	174	-	-	-	-	-	5	-	-	1	1	26	-	4	-	-	15
Oswego	260	-	1	-	1	-	3	1	-	3	1	40	-	16	1	-	23
Peekskill	155	-	-	-	-	-	6	-	-	1	-	30	1	2	-	-	11
Plattsburgh	129	-	-	-	-	-	7	-	-	1	-	15	-	5	-	-	12
Port Chester	193	-	-	-	1	-	6	-	-	5	-	28	-	6	-	-	23
Rensselaer	131	-	-	-	1	-	5	-	-	2	-	18	-	7	-	-	12
Rockville Centre	193	-	-	-	-	-	1	1	-	3	-	38	-	2	-	-	15
Saratoga Springs	226	-	-	-	1	-	2	1	-	3	-	36	-	5	1	-	15
Scarsdale	106	-	-	-	-	-	2	-	-	-	-	26	-	-	1	-	10
Tonawanda	134	-	-	-	-	-	4	1	-	-	-	9	-	4	-	-	12
Valley Stream	191	-	-	-	-	-	5	-	-	-	-	33	-	7	-	-	17
Watervliet	214	-	-	1	1	-	2	-	-	2	-	24	-	9	-	-	15
NORTH CAROLINA																	
Charlotte—White	530	-	-	1	1	2	17	1	-	2	-	56	1	12	-	3	53
Nonwhite	360	-	-	-	-	-	18	2	-	4	-	19	1	3	-	1	47
Asheville—White	318	-	-	1	-	-	18	1	-	3	-	40	-	6	-	2	30
Nonwhite	157	-	-	-	1	-	15	1	-	4	-	19	-	4	-	-	19
Durham—White	259	-	-	-	-	1	8	1	-	3	-	34	-	8	-	2	19
Nonwhite	271	-	-	-	1	-	26	3	-	8	-	20	1	7	1	-	15
Greensboro—White	291	-	-	-	-	-	3	-	-	2	-	38	2	4	1	-	28
Nonwhite	202	-	1	-	-	1	9	1	-	7	-	16	1	5	-	1	15
High Point—White	196	-	-	-	1	-	2	-	-	1	-	34	-	7	1	1	11
Nonwhite	92	-	-	-	-	-	7	-	-	3	-	6	1	1	-	1	6
Raleigh—White	446	-	-	-	-	-	21	2	-	9	-	35	-	6	-	1	45
Nonwhite	227	-	1	-	-	1	19	4	-	11	1	19	-	6	1	2	24
Rocky Mount—White	114	-	-	-	1	-	3	1	-	3	-	15	1	4	-	-	9
Nonwhite	122	-	-	-	1	-	9	2	-	1	-	7	-	7	-	-	10
Wilmington—White	274	1	1	-	1	-	1	1	-	1	-	28	-	5	-	-	18
Nonwhite	294	-	2	-	1	-	15	-	-	3	-	10	1	7	-	-	31
Winston-Salem—White	287	-	-	-	-	-	8	-	1	-	-	37	1	7	1	-	31
Nonwhite	398	1	-	-	1	-	37	8	-	4	-	31	1	5	2	-	37
Burlington	85	-	-	-	1	-	5	-	-	1	-	6	-	4	-	-	7
Concord—White	105	-	-	-	-	-	2	-	-	1	-	14	-	3	1	-	7
Nonwhite	32	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1
Elizabeth City—White	73	-	-	-	-	-	1	-	-	1	-	5	-	5	-	-	1
Nonwhite	74	-	-	-	-	-	8	-	-	3	-	5	-	4	-	-	8
Fayetteville—White	142	-	-	-	-	-	6	1	-	1	-	17	-	-	-	-	17
Nonwhite	122	-	-	1	1	-	6	-	-	2	-	10	-	-	1	-	15
Gastonia—White	148	-	-	-	-	3	4	-	-	-	-	10	1	6	1	-	11
Nonwhite	54	-	-	-	-	-	1	-	-	1	-	3	-	1	-	1	8
Goldsboro—White	80	-	-	-	-	-	-	1	-	-	-	7	-	4	-	-	12
Nonwhite	110	-	-	-	-	-	11	-	-	3	2	6	1	1	-	1	9
Greenville—White	68	-	-	-	-	-	1	-	-	-	-	9	-	1	-	-	4
Nonwhite	98	-	-	-	-	-	13	2	1	1	-	4	-	1	-	-	20
Hickory—White	80	1	-	-	-	-	1	1	-	-	-	6	-	1	-	-	9
Nonwhite	21	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	5
Kinston—White	80	-	-	-	-	-	1	-	-	1	-	6	-	2	-	-	9
Nonwhite	99	-	2	-	-	-	12	3	-	1	-	3	-	-	-	-	10
Lexington—White	52	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	7
Nonwhite	28	-	-	-	-	-	3	-	-	-	-	2	-	-	-	-	4
New Bern—White	74	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	2
Nonwhite	116	-	-	-	2	-	17	2	2	2	-	8	-	-	-	-	4

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 148, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1	2	24	32	18	4	5	2	2	1	2	12	1	-	5	5	1	-	4	9	32
-	2	19	19	6	-	2	2	1	2	1	8	-	1	4	8	2	-	5	6	11
1	1	8	29	3	1	-	2	1	1	-	6	1	-	-	1	3	-	-	4	9
1	11	9	66	9	1	-	-	1	2	1	12	-	-	4	2	4	1	10	12	19
-	2	25	35	6	4	2	1	1	1	1	9	1	-	3	5	1	-	9	3	13
-	3	10	12	3	-	-	-	1	3	-	4	1	1	1	-	1	-	1	5	3
1	7	15	25	6	2	-	-	4	4	2	11	-	-	2	2	1	-	3	9	29
-	3	11	15	3	2	1	-	-	1	3	15	-	-	1	1	2	-	2	5	10
-	6	28	72	5	3	-	4	2	-	1	23	-	-	1	6	4	1	2	13	20
1	5	34	75	6	3	2	-	-	4	1	18	1	-	3	6	2	-	3	9	20
-	7	25	58	11	2	1	-	-	-	2	17	-	1	4	4	7	-	6	12	16
-	3	24	42	5	3	2	1	-	2	-	12	-	1	1	2	2	1	3	8	14
1	1	14	42	3	1	1	-	4	2	3	14	1	-	-	6	2	-	-	7	16
-	3	19	29	3	1	3	-	1	2	-	6	1	-	3	6	3	-	-	6	14
-	1	38	52	10	2	-	-	4	-	4	24	-	1	-	7	3	-	6	17	37
3	2	22	23	3	-	-	1	2	2	-	8	-	-	2	6	1	-	1	3	12
-	4	29	43	4	2	2	2	1	-	1	8	-	-	1	1	6	-	-	5	21
1	7	25	38	5	1	1	2	2	1	5	11	1	1	2	2	2	-	1	8	25
5	3	22	26	13	1	6	2	-	5	2	11	2	-	4	13	1	1	7	10	27
-	-	17	17	4	-	2	-	1	1	1	2	-	-	1	1	-	-	2	4	12
-	11	35	89	5	3	-	3	4	4	2	16	-	1	3	1	2	-	5	15	30
1	4	14	37	4	-	-	-	2	3	1	9	-	-	2	-	2	-	2	3	10
-	4	10	26	5	2	1	-	-	1	3	7	-	-	1	4	1	-	2	4	16
-	-	12	14	3	-	2	1	-	1	1	5	-	-	10	3	-	-	3	7	8
-	6	60	82	11	1	2	2	2	4	1	54	1	-	3	8	3	1	9	16	41
1	2	5	25	4	2	-	-	-	-	1	3	-	-	1	2	2	-	1	10	9
1	10	22	37	6	2	-	1	-	4	1	9	-	-	2	4	-	-	4	11	24
-	3	49	122	7	2	-	1	2	1	4	12	2	-	1	6	2	-	4	9	30
1	6	30	63	8	5	2	-	2	3	-	9	-	-	1	8	1	-	7	12	35
1	4	18	29	1	1	-	-	2	1	-	12	-	-	1	7	2	-	4	12	12
1	4	33	24	4	1	1	-	1	1	-	13	1	-	-	-	5	1	3	7	14
-	4	18	25	7	1	-	-	2	-	1	14	-	1	3	3	5	-	1	8	29
-	1	24	53	11	2	1	1	1	3	1	17	2	2	4	5	4	-	9	7	22
-	3	16	30	5	-	-	1	2	-	-	11	-	-	1	3	2	-	6	7	17
-	2	14	25	4	-	2	1	2	3	3	6	-	-	2	1	1	2	1	7	13
-	2	18	38	6	2	-	1	2	4	2	6	-	-	2	4	3	-	3	11	20
-	-	14	23	8	-	1	-	-	-	1	9	-	-	4	1	1	-	5	4	15
1	2	18	50	6	1	-	-	3	3	-	9	-	2	-	3	1	-	4	9	22
3	6	24	60	11	1	1	1	3	-	2	10	1	-	3	3	2	-	1	7	24
-	-	15	18	3	-	-	-	1	1	1	2	-	-	1	3	2	-	1	3	20
-	1	18	34	5	2	2	-	1	2	2	7	-	-	2	8	2	-	1	4	13
-	4	21	45	9	2	1	1	1	2	2	8	-	-	2	5	3	-	1	6	16
-	7	27	54	8	2	1	1	3	5	2	17	-	1	2	1	2	1	3	8	17
2	7	97	42	22	10	5	2	1	5	1	26	4	1	13	30	9	4	15	32	53
-	12	15	48	37	4	6	1	10	2	-	41	1	5	-	17	2	19	3	12	30
3	3	39	50	13	4	3	2	3	3	1	18	-	-	6	7	3	-	9	9	41
3	1	7	14	13	-	1	-	-	-	-	11	-	-	2	5	-	3	2	5	27
1	2	29	35	9	-	3	2	-	3	-	27	-	-	4	19	4	3	10	5	27
-	1	9	42	17	2	1	3	4	2	1	33	2	1	2	8	2	12	2	7	38
2	5	33	41	15	-	-	2	4	4	1	20	-	1	5	7	6	1	8	18	40
1	1	2	30	20	3	1	3	2	1	-	24	-	-	1	8	-	7	1	8	32
1	7	19	30	14	2	1	2	3	-	4	7	-	1	3	12	4	-	6	7	15
-	1	3	7	7	-	-	2	1	-	-	25	1	-	1	1	1	2	-	1	16
2	-	33	84	18	2	-	1	4	5	1	66	1	3	7	4	7	3	13	16	79
1	1	6	41	14	-	4	-	1	1	-	17	-	2	1	5	-	6	-	12	26
3	-	15	16	3	2	1	1	1	1	-	5	-	-	1	4	4	-	5	3	14
-	1	3	18	5	-	2	-	2	1	-	21	1	-	1	9	-	3	-	2	18
1	-	19	48	14	1	15	3	2	3	-	17	-	-	5	26	2	2	10	11	38
-	6	5	40	37	1	4	1	3	1	-	31	-	3	-	22	1	11	8	8	42
-	3	17	54	9	4	-	5	2	1	-	28	-	-	6	13	2	1	10	11	35
3	6	10	62	33	4	8	1	10	2	2	47	-	4	1	16	-	7	3	15	39
-	-	8	12	5	-	-	-	-	-	1	8	-	1	3	4	1	1	4	2	11
-	-	12	10	8	-	3	-	-	-	1	15	-	-	3	5	2	1	2	4	9
-	3	-	7	4	-	1	1	-	-	-	3	-	-	-	-	-	1	-	1	4
-	1	9	13	2	1	-	-	-	1	-	8	-	1	2	5	2	1	6	-	8
-	3	-	3	3	1	3	4	-	-	-	8	-	-	-	2	-	-	3	1	15
-	-	16	14	9	-	-	1	1	3	-	4	2	2	1	7	1	-	4	5	30
3	1	1	14	6	-	4	-	-	-	-	11	1	1	2	2	-	4	4	12	20
2	2	12	14	12	1	5	5	1	-	-	9	1	3	2	12	2	1	4	4	20
-	-	-	10	4	1	1	2	1	-	-	5	-	3	-	-	-	1	1	6	4
-	1	6	17	3	1	-	1	1	1	-	5	-	1	1	4	-	-	3	2	9
1	-	1	19	6	1	1	1	1	-	-	17	-	-	-	7	1	3	2	5	10
-	1	8	8	8	1	-	-	1	-	1	4	1	2	1	3	1	-	1	1	11
2	-	1	11	7	1	1	1	-	-	-	3	-	2	-	3	-	4	1	1	18
-	-	11	12	2	1	-	1	-	-	1	6	1	2	-	6	2	1	2	2	11
-	1	-	5	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	1
-	-	8	11	1	-	-	1	-	1	2	12	-	1	1	4	3	-	-	2	14
-	-	6	9	11	2	3	-	-	-	-	11	1	4	-	2	-	4	-	3	12
-	-	2	12	1	-	3	1	-	-	-	7	-	-	2	4	-	-	-	-	6
1	3	1	2	3	-	-	-	1	1	-	-	-	-	-	4	-	-	-	2	1
-	-	7	8	4	-	1	2	-	1	-	13	1	1	2	6	2	-	4	8	6
1	-	2	17	16	-	1	1	1	-	-	21	-	-	-	4	-	2	1	4	8

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	65b	69	85
NORTH CAROLINA—Continued																	
Reidsville—White	63	-	-	-	1	1	-	-	-	-	-	7	-	2	-	-	6
Nonwhite	44	-	-	-	-	-	4	2	-	-	-	2	-	3	-	-	7
Salisbury—White	121	-	-	-	-	-	3	-	-	-	-	25	-	4	-	-	8
Nonwhite	63	-	1	-	-	-	2	-	-	2	-	2	1	-	-	-	6
Shelby—White	83	-	-	-	-	-	-	-	-	-	-	6	-	1	-	-	14
Nonwhite	18	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Statesville—White	74	-	-	-	-	-	1	-	-	-	1	8	-	2	-	-	4
Nonwhite	18	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	3
Thomasville—White	59	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	8
Nonwhite	26	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	1
Wilson—White	88	-	-	-	-	-	3	-	-	-	-	10	-	1	1	-	5
Nonwhite	131	-	-	-	-	-	17	-	-	2	-	5	-	-	-	-	4
NORTH DAKOTA																	
Fargo	262	-	-	1	-	-	2	-	-	3	-	39	-	5	-	-	29
Bismarck	90	-	-	-	-	-	-	-	-	-	-	10	-	1	1	-	7
Grand Forks	165	-	-	-	-	-	2	2	-	2	-	19	-	7	-	-	12
Minot	126	-	-	-	-	-	2	-	-	2	-	19	-	-	-	-	7
OHIO																	
Akron [3]	2,159	-	2	-	1	1	74	8	-	26	1	297	1	63	10	-	173
Canton	1,082	-	-	-	-	-	34	5	-	4	-	131	1	36	3	-	97
Cincinnati—White	5,078	1	4	-	8	3	174	23	-	50	-	710	1	150	13	2	423
Nonwhite	946	-	-	1	3	-	153	18	-	30	-	71	1	10	2	-	83
Cleveland—White	8,552	-	2	6	-	1	316	20	-	104	-	1,222	10	305	39	2	783
Nonwhite	1,231	2	-	1	8	-	159	26	-	58	-	102	3	18	2	-	84
Columbus—White	3,235	1	-	2	5	1	107	5	-	56	1	434	1	79	5	-	300
Nonwhite	542	-	-	-	1	-	49	6	-	19	-	51	1	9	1	1	58
Dayton—White	2,329	-	-	-	6	-	85	4	-	43	3	263	-	66	7	1	218
Nonwhite	343	-	-	-	1	-	35	6	-	13	-	21	1	2	1	-	28
Toledo [3]	3,520	1	-	2	5	-	171	13	-	61	1	452	2	90	10	-	305
Youngstown [3]	1,696	-	1	-	2	-	75	8	-	18	-	205	3	50	5	-	155
Cleveland Heights	387	-	-	1	-	-	3	-	-	3	-	78	-	8	-	-	38
East Cleveland	414	-	-	-	-	-	3	-	-	2	-	71	1	8	3	-	30
Elyria	285	-	-	-	-	-	9	1	-	3	-	36	-	8	-	-	28
Hamilton	611	-	-	-	2	1	27	1	-	4	-	72	-	14	3	-	41
Lakewood	616	-	-	-	-	1	9	-	-	4	-	98	-	14	1	-	62
Lima	528	-	-	-	-	-	6	1	-	5	-	61	2	15	3	-	43
Lorain	432	1	-	-	-	-	8	2	-	4	-	52	1	13	1	-	30
Mansfield	425	-	-	-	-	-	17	-	-	3	-	63	-	12	2	-	42
Marion	400	-	-	1	2	1	16	1	-	5	-	38	-	10	2	-	54
Massillon	347	-	-	1	-	-	9	1	-	5	-	43	1	9	1	-	35
Middletown	351	-	-	-	-	1	11	4	-	5	-	33	1	7	2	-	39
Newark	439	-	-	2	1	-	7	3	-	3	-	49	-	7	4	-	38
Norwood	290	-	-	-	1	-	8	1	-	1	-	43	-	15	1	-	31
Portsmouth	455	1	1	1	2	-	16	4	-	6	-	65	-	13	2	-	38
Springfield [3]	902	-	-	-	-	-	32	5	-	5	-	103	-	26	1	1	122
Steubenville	393	-	-	-	-	-	7	2	-	6	-	40	-	22	-	-	44
Warren	423	-	-	-	-	-	13	2	-	-	-	47	-	11	-	-	37
Zanesville	453	1	-	1	1	-	17	2	-	4	-	44	-	15	3	-	56
Alliance	287	-	-	-	1	-	5	1	-	8	-	37	-	12	3	-	25
Ashland	150	-	-	-	-	-	7	-	-	1	-	20	-	6	-	-	21
Ashtabula	258	-	-	-	1	-	5	-	-	2	-	32	-	13	1	-	34
Barberton	247	-	-	-	-	-	7	-	-	-	-	29	1	7	3	-	19
Bellaire	163	-	-	-	1	-	7	-	-	-	-	14	-	5	1	-	13
Cambridge	189	-	-	-	-	-	3	-	-	-	-	24	-	10	-	-	18
Campbell [3]	95	-	-	-	-	-	6	1	-	2	-	12	-	3	-	-	12
Chillicothe	228	-	-	-	-	-	5	-	-	1	-	30	-	5	2	-	22
Coshocton	154	-	-	-	1	-	2	-	-	-	-	19	-	5	1	-	18
Cuyahoga Falls	173	-	-	-	-	-	1	-	-	1	-	26	-	8	-	-	24
East Liverpool	296	-	-	1	-	-	16	1	-	3	-	32	-	7	-	-	22
Euclid	179	-	-	-	-	-	2	1	-	4	-	30	-	5	-	-	13
Findlay	247	-	-	-	1	-	4	-	1	1	-	23	-	3	1	-	25
Fostoria	154	-	-	-	-	-	3	2	-	2	-	18	1	5	-	-	15
Fremont	150	-	-	-	-	-	1	-	-	1	-	21	-	4	-	-	15
Garfield Heights	113	-	-	-	1	-	3	-	-	-	-	27	-	4	1	-	8
Ironton	199	-	-	-	-	-	11	-	1	3	-	31	-	5	2	-	20
Lancaster	282	-	-	-	4	1	9	-	-	2	-	31	-	10	1	-	39
Marietta	233	-	-	-	-	-	10	-	-	2	-	31	-	9	-	-	26
Martins Ferry	174	-	-	-	-	-	4	-	-	3	-	21	1	5	-	-	16
Mount Vernon	148	2	-	-	-	-	3	-	-	-	-	16	1	5	-	-	14
New Philadelphia	173	-	-	-	-	-	6	-	-	1	-	27	-	4	2	-	19
Niles	170	-	-	-	1	-	7	1	-	3	-	25	-	3	-	-	12
Painesville	145	-	-	-	1	-	1	-	-	2	-	17	-	8	1	-	15
Parma	133	-	-	-	-	-	2	-	-	1	-	34	-	1	-	-	18
Piqua	211	-	-	-	2	-	5	1	-	2	-	29	-	4	1	-	32
Salem	143	-	-	-	1	-	6	1	-	1	-	17	1	7	-	-	11
Sandusky	349	-	-	-	-	-	6	-	-	2	-	41	-	15	2	-	42
Shaker Heights	134	-	-	-	-	-	3	-	-	-	-	27	-	4	-	-	18
Struthers	88	-	-	1	1	-	2	-	-	-	-	8	-	4	-	-	10
Tiffin	195	-	-	-	-	-	7	1	-	1	-	22	-	3	1	-	18
Wooster	142	-	-	-	-	-	2	-	-	-	1	24	-	4	1	-	16
Xenia [3]	150	-	-	-	-	-	1	-	-	1	-	18	-	3	-	-	18

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
-	2	12	2	3	1	-	-	1	-	-	4	-	-	2	5	2	1	2	4	5
-	1	-	5	6	-	2	-	1	-	-	3	1	-	-	1	-	1	-	6	1
-	3	12	14	6	-	-	2	1	3	3	10	1	1	1	4	-	-	4	9	9
-	2	5	6	5	1	2	1	2	-	-	3	1	1	-	4	-	1	2	2	11
-	-	6	12	5	-	1	-	-	-	-	9	-	-	-	9	1	-	3	7	9
-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	3
-	1	9	8	2	1	-	-	-	-	4	9	-	2	-	4	2	-	2	6	8
-	-	1	3	3	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-
2	1	4	3	5	1	3	1	1	-	-	9	-	1	-	3	1	1	7	2	1
-	-	2	4	3	-	-	-	-	1	-	6	-	-	1	1	-	-	-	2	-
2	1	6	8	4	-	1	-	1	2	-	15	-	1	-	6	2	-	1	5	13
2	-	-	15	4	-	7	-	-	4	-	26	-	1	-	10	-	3	3	4	24
4	2	28	37	18	3	-	3	2	5	2	13	1	-	3	12	5	-	4	10	31
1	3	5	18	6	-	2	-	2	-	-	2	1	-	2	4	1	-	-	7	17
1	5	11	23	7	1	-	2	3	2	4	13	-	2	2	2	1	-	4	9	29
-	3	10	12	11	-	1	-	2	-	1	5	-	-	3	6	2	-	5	11	24
13	39	119	422	124	9	10	8	18	27	21	169	4	10	28	57	31	10	77	100	206
6	22	165	161	66	11	6	6	9	11	4	40	5	6	15	27	17	6	28	52	108
8	117	480	1,054	238	42	34	32	41	73	29	312	3	10	41	98	63	11	90	219	521
4	21	85	135	57	6	11	3	4	4	-	39	4	1	4	25	5	33	17	40	96
27	238	730	1,524	445	56	47	50	72	121	57	458	12	20	96	214	104	23	163	349	936
6	21	31	172	66	4	11	3	10	6	3	97	4	7	9	45	7	56	14	43	153
15	69	330	558	192	25	21	11	22	27	24	221	11	3	31	70	43	6	59	148	361
1	8	35	82	26	5	3	-	8	5	-	47	1	1	7	13	3	13	9	22	57
10	42	208	404	75	9	43	11	17	23	9	162	4	2	45	84	30	10	75	120	250
2	7	4	77	22	4	10	1	4	1	-	20	1	1	2	10	2	15	11	8	33
5	46	276	788	177	23	29	29	32	38	23	207	5	5	40	73	41	13	61	140	376
5	29	137	296	109	8	11	12	16	18	9	101	5	2	12	46	15	16	53	99	175
-	17	57	71	10	4	1	-	1	3	1	24	-	-	2	1	6	-	3	10	45
-	17	57	62	21	8	1	2	5	2	5	20	2	1	13	10	3	-	4	20	43
1	5	32	49	15	-	2	4	1	2	-	20	-	-	7	8	4	4	5	11	30
5	21	47	143	41	3	6	-	6	3	4	26	4	2	12	20	7	3	16	20	57
-	19	100	104	25	1	1	5	5	8	2	32	-	-	6	9	6	1	11	20	72
-	5	69	96	25	4	6	2	3	4	2	38	-	-	8	15	4	-	13	32	66
3	9	51	68	23	1	3	3	3	5	3	34	-	1	6	20	7	3	12	25	40
3	5	45	69	14	3	3	2	6	2	2	37	-	1	4	7	8	4	5	17	49
8	3	57	62	28	2	2	5	5	2	1	26	2	-	6	14	2	-	10	18	37
-	4	31	66	17	2	-	2	3	4	1	29	-	-	7	10	3	2	12	14	35
1	6	14	64	37	3	2	1	1	3	3	16	1	1	3	7	2	3	14	10	36
4	4	36	77	19	2	4	1	6	8	7	40	1	1	4	11	4	1	13	32	50
1	12	36	54	6	1	3	1	4	1	2	12	-	-	4	5	3	1	5	10	28
3	17	35	70	18	4	5	5	3	2	3	27	3	-	10	7	9	1	5	30	49
1	25	77	148	53	3	9	5	6	10	6	76	-	3	6	15	6	2	32	40	84
1	6	42	64	16	2	7	3	6	4	2	31	2	1	7	8	7	1	8	18	36
1	4	50	57	34	3	-	2	3	6	4	25	2	3	9	20	11	6	20	19	34
3	9	43	78	17	4	4	1	1	1	2	38	2	1	3	8	4	1	1	31	57
2	3	26	46	11	4	3	2	5	5	-	24	-	-	2	8	3	1	5	16	29
1	1	19	16	5	2	1	-	-	2	1	3	-	2	2	1	-	-	5	10	24
1	6	35	35	10	3	1	4	2	2	1	20	-	-	3	7	-	-	4	11	25
1	5	18	51	8	1	2	2	2	1	5	20	-	1	6	8	3	1	9	13	24
-	-	16	28	14	-	-	-	-	-	-	25	-	1	-	4	1	1	3	10	19
-	1	21	34	10	1	3	2	4	-	-	14	-	-	2	3	2	-	3	14	20
-	2	8	13	5	1	1	-	1	2	1	3	-	-	-	6	1	-	-	7	8
-	5	27	29	11	-	2	2	2	2	1	10	-	-	4	9	2	-	6	19	32
-	-	20	23	9	-	1	1	2	1	2	8	-	-	1	5	2	-	4	12	17
-	-	21	30	10	1	-	-	2	2	-	9	-	-	4	4	2	-	8	5	15
2	3	35	47	21	1	3	-	2	2	3	25	3	-	1	10	3	1	6	10	36
1	6	22	24	7	-	2	-	-	2	-	13	-	1	4	3	1	2	5	11	20
2	3	41	45	10	1	-	1	4	3	-	19	-	-	2	9	1	-	7	9	31
-	1	22	22	9	-	-	1	1	2	1	9	-	1	2	5	2	-	3	6	21
1	2	18	30	2	-	1	3	-	2	2	10	-	1	-	3	1	-	7	11	14
1	-	9	18	5	1	1	-	1	1	-	7	-	-	-	1	2	-	3	6	13
-	3	11	27	4	-	3	3	2	5	2	12	-	2	2	2	1	3	5	17	22
-	1	18	47	10	1	1	2	4	1	5	27	-	1	5	13	3	2	2	12	30
-	3	20	45	13	-	1	1	-	-	1	13	2	-	2	6	-	-	7	11	30
-	7	18	27	6	2	-	1	1	5	1	19	1	-	2	4	1	1	2	9	17
1	5	21	13	5	-	-	1	1	1	-	9	-	1	2	3	5	-	4	8	27
-	2	21	33	2	-	2	1	-	-	3	6	-	-	1	4	-	-	5	6	28
3	5	25	24	10	1	-	1	2	2	1	10	-	1	4	4	1	1	3	9	11
-	3	7	26	9	1	1	-	1	1	1	5	-	-	4	7	2	-	6	14	12
-	4	8	20	6	-	-	-	1	-	-	8	-	-	1	4	3	-	1	7	14
-	3	29	18	12	1	2	-	3	3	2	13	-	-	1	5	1	1	5	13	23
-	4	18	17	10	2	1	-	2	-	2	6	1	-	1	3	2	1	3	3	22
-	4	41	68	11	3	-	-	5	-	2	29	-	-	3	8	5	1	7	18	36
-	4	14	22	3	1	-	-	1	4	1	10	-	-	1	1	2	-	2	5	11
-	2	6	8	5	1	-	1	1	1	3	10	2	-	-	2	4	-	1	5	10
1	4	17	42	11	-	1	2	2	-	2	16	-	-	2	5	1	-	10	10	16
-	2	14	25	7	-	-	-	1	1	1	6	-	-	3	5	-	-	5	9	15
-	3	15	36	11	1	1	1	1	1	1	4	-	-	1	4	2	1	6	7	13

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote.

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	85
OKLAHOMA																	
Oklahoma City—White	1,544	-	1	-	3	1	45	4	-	8	-	177	2	30	2	1	149
Nonwhite	205	-	-	-	-	-	24	2	-	2	-	12	-	2	-	-	24
Tulsa—White	1,195	1	-	-	-	4	44	3	-	10	1	153	1	24	4	-	102
Nonwhite	228	-	-	-	-	-	20	4	1	8	-	10	1	7	2	1	20
Enid	309	-	-	-	2	1	20	-	-	4	1	42	-	3	-	-	30
Muskogee—White	284	-	-	-	-	3	12	1	-	1	-	30	-	7	-	-	19
Nonwhite	141	1	-	-	-	-	9	3	-	4	-	8	-	-	-	-	11
Ada	132	1	-	-	-	-	7	-	-	1	-	10	-	1	-	1	11
Ardmore—White	169	-	1	-	1	-	6	-	-	2	-	20	-	4	-	-	8
Nonwhite	42	1	-	-	-	-	2	-	-	2	-	3	-	2	-	1	3
Bartlesville	135	1	-	-	1	1	4	-	-	1	-	15	-	2	1	-	18
Chickasha—White	139	-	-	-	-	-	2	-	-	-	-	13	-	2	-	-	9
Nonwhite	21	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1
Durant	89	-	-	-	-	-	3	-	-	1	-	6	-	-	-	1	7
El Reno	119	-	-	-	-	-	2	-	-	2	-	9	-	4	-	-	7
Guthrie—White	85	-	-	-	-	-	1	-	-	-	-	13	-	4	-	-	11
Nonwhite	30	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	2
Lawton	216	-	-	-	1	-	11	-	-	-	-	27	1	3	-	-	15
McAlester—White	157	-	1	-	-	-	10	-	-	1	-	13	-	8	-	-	13
Nonwhite	35	-	-	-	-	-	5	-	-	-	-	2	1	-	-	1	2
Norman	296	2	-	-	1	-	21	3	1	13	-	18	-	5	-	2	47
Okmulgee—White	125	-	-	-	-	-	8	-	-	-	-	18	-	1	-	1	9
Nonwhite	40	-	-	-	-	1	3	-	-	3	1	3	-	1	-	-	2
Ponca City	139	-	-	-	-	-	4	-	-	-	1	18	2	1	-	-	18
Sapulpa—White	110	1	-	-	-	2	8	-	-	3	-	10	-	3	-	-	9
Nonwhite	33	-	-	-	-	-	2	-	-	-	-	3	-	2	-	-	2
Seminole	101	-	-	-	-	1	3	-	-	2	-	9	-	-	-	1	10
Shawnee	225	1	-	-	-	1	10	-	1	-	-	21	-	3	-	-	31
Stillwater	86	-	-	-	-	-	2	-	-	-	-	7	-	1	-	1	9
Wewoka—White	42	-	-	-	-	-	3	-	-	-	-	5	-	-	-	-	5
Nonwhite	16	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2
OREGON																	
Portland	4,278	-	4	-	3	1	101	12	-	41	1	574	1	114	14	1	422
Salem	779	-	1	-	-	-	42	-	-	24	-	67	1	7	2	1	60
Astoria	136	-	-	-	-	-	3	1	-	2	-	26	-	1	-	-	19
Bend	102	-	-	-	-	-	1	1	-	-	-	14	-	2	-	-	7
Eugene	288	-	1	-	-	-	5	1	-	1	1	37	-	4	-	-	38
Klamath Falls	159	-	1	-	-	-	4	1	-	2	-	13	-	4	1	-	8
Medford	146	-	-	-	-	-	2	-	-	1	-	16	-	3	-	-	10
PENNSYLVANIA																	
Erie	1,225	-	-	-	3	-	35	2	-	7	1	172	-	37	2	-	123
Philadelphia—White	20,665	9	19	11	18	3	656	41	3	157	-	2,856	39	683	44	3	1,280
Nonwhite	3,847	3	5	-	7	-	454	51	-	252	-	368	5	86	5	-	211
Pittsburgh—White	6,852	-	4	-	3	3	205	15	-	39	1	882	4	174	6	-	577
Nonwhite	955	-	2	-	2	-	108	9	-	43	-	78	2	22	-	1	76
Reading	1,311	-	-	-	1	1	45	3	-	12	1	179	5	63	9	-	113
Scranton	1,618	-	-	-	2	1	56	1	-	13	-	230	1	43	4	-	122
Aliquippa—White	175	-	1	1	-	-	13	-	-	2	-	34	-	5	2	-	14
Nonwhite	38	-	-	-	-	-	7	-	-	2	-	4	-	-	-	-	4
Allentown	1,225	-	-	-	1	-	30	3	-	27	-	150	-	55	1	-	124
Altoona	862	-	1	-	3	-	20	2	-	9	-	105	4	30	2	-	82
Bethlehem	579	1	-	-	-	-	17	1	-	6	-	93	-	28	1	-	45
Chester—White	583	-	-	1	-	-	27	2	-	2	-	63	-	17	2	-	49
Nonwhite	197	-	-	-	1	-	19	3	-	6	-	16	1	2	-	-	16
Easton	494	-	-	-	-	-	11	2	-	-	-	69	-	16	1	-	63
Harrisburg	1,041	-	2	-	1	1	32	-	-	6	-	149	1	54	5	-	71
Haverford (twp.)[2]	302	-	-	-	-	-	6	1	-	1	-	50	-	10	1	-	29
Hazleton	387	-	1	-	-	-	17	3	-	2	-	50	-	20	1	-	22
Johnstown	825	-	1	-	-	-	31	-	-	10	-	103	4	31	1	-	72
Lancaster	802	-	-	-	-	-	22	1	-	7	-	86	1	28	1	-	84
Lebanon	357	-	-	-	-	-	8	-	-	3	-	46	-	9	-	-	31
Lower Merion (twp.)[2]	333	-	-	-	-	-	10	-	-	1	-	40	-	14	-	-	28
McKeesport	616	-	5	-	1	-	29	5	-	2	-	73	-	15	-	-	47
New Castle	332	-	1	-	-	-	19	-	-	3	-	65	1	18	2	-	44
Norristown	783	-	-	-	-	-	49	2	-	31	-	62	-	24	1	-	45
Sharon	266	-	-	-	-	-	11	2	-	4	-	28	-	13	1	-	23
Upper Darby (twp.)[2]	274	1	-	-	-	-	1	-	-	1	-	45	-	6	1	-	19
Washington	323	-	-	1	-	-	7	-	-	2	-	35	-	10	1	-	42
Wilkes-Barre	1,018	-	-	-	3	1	46	1	-	5	1	127	-	36	2	-	58
Wilkinsburg	319	-	-	-	-	-	10	1	-	3	-	39	-	7	2	-	24
Williamsport	571	-	-	-	-	-	5	1	-	2	2	71	-	21	1	-	56
York	772	-	1	-	1	-	14	3	-	9	-	116	2	25	3	-	74
Abington (twp.)[2]	148	-	-	-	-	-	3	2	-	-	-	29	-	8	1	-	6
Ambridge	144	-	-	-	-	-	6	-	-	-	-	21	1	1	1	-	10
Arnold	54	-	-	-	-	-	2	-	-	1	-	8	-	1	-	-	6
Beaver Falls	191	-	-	-	-	-	8	-	-	2	-	28	-	8	-	-	16
Bellevue	124	1	-	-	-	-	2	-	-	-	-	21	1	1	-	-	10
Berwick	149	-	-	-	-	-	4	-	-	1	-	19	1	2	-	-	15
Braddock—White	168	-	-	-	1	1	5	-	-	1	-	20	-	4	1	-	3
Nonwhite	33	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	3
Bradford	195	-	-	-	-	-	2	-	-	3	-	28	-	8	-	-	27
Bristol	116	-	-	-	2	-	4	1	-	-	-	9	-	3	1	-	8
Butler	235	-	-	-	-	-	9	1	-	-	-	30	-	5	1	-	27

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 95c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 95a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
6	19	153	241	81	9	10	13	15	17	9	62	1	6	14	55	10	9	42	128	223
1	1	6	41	13	1	2	-	-	6	-	7	1	3	6	10	3	3	3	7	25
5	26	108	174	51	9	27	13	8	12	5	59	2	3	19	48	13	8	30	68	165
1	4	5	19	16	1	5	-	6	1	1	31	1	1	-	7	1	7	-	15	32
2	3	29	37	17	3	-	2	2	-	2	15	1	1	8	7	2	1	6	23	45
-	3	31	43	10	2	1	2	1	4	-	17	1	1	2	14	5	2	7	6	39
1	8	4	22	15	-	2	1	1	-	1	9	-	-	-	2	-	2	-	9	28
3	1	18	14	8	2	2	-	1	2	-	7	1	-	-	6	3	2	5	5	22
-	9	19	17	12	-	3	2	-	2	1	13	-	1	6	5	1	2	4	10	20
-	1	1	1	7	1	-	1	-	-	-	2	-	-	1	1	-	-	1	3	8
-	-	11	21	5	1	-	1	1	-	1	16	1	1	-	5	-	1	1	7	18
1	1	14	13	11	2	2	-	2	1	1	8	-	1	2	6	1	1	10	10	26
-	-	-	3	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	3	6
-	1	11	21	7	-	-	1	-	-	1	7	-	-	3	2	-	-	1	3	13
1	1	10	28	9	2	1	1	1	-	-	6	1	1	-	4	1	1	3	6	18
-	-	18	9	4	1	-	-	2	-	-	7	-	-	-	1	1	-	-	4	9
-	2	2	6	3	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	6
2	3	14	28	14	1	-	2	2	1	-	10	1	3	3	17	2	3	6	8	38
1	3	17	25	6	2	3	2	1	2	-	12	-	1	-	4	2	1	-	5	24
-	-	-	3	2	-	-	-	-	-	1	6	-	-	1	-	-	1	-	1	9
-	1	12	19	8	2	-	2	1	1	2	12	-	1	1	5	2	-	2	12	100
1	-	12	16	4	2	-	2	1	2	1	13	-	1	-	2	-	-	3	8	20
-	3	-	4	1	-	1	1	1	-	-	2	-	-	1	-	-	1	1	1	9
2	1	7	28	8	1	3	1	1	-	2	11	-	-	1	5	3	1	2	9	11
-	1	16	18	5	1	-	-	1	1	-	6	-	-	1	5	-	2	1	5	11
-	-	1	5	1	-	-	-	2	-	2	1	-	-	-	-	-	-	1	3	8
1	2	5	4	7	-	1	2	4	2	1	7	-	-	1	4	-	1	4	10	21
-	4	33	32	10	-	3	2	2	1	1	13	1	-	3	4	-	1	4	9	32
-	1	12	11	2	-	1	1	-	-	1	9	1	-	1	5	-	-	2	4	15
1	1	2	3	3	3	-	2	-	-	-	3	-	-	-	3	-	-	1	1	6
-	-	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	1	1	2	1
7	90	587	617	213	47	8	10	24	39	19	369	-	2	37	48	86	15	79	232	462
1	10	60	100	109	5	1	2	5	4	2	56	-	-	2	8	9	-	14	71	115
-	2	19	14	6	1	-	1	1	2	1	8	-	-	2	-	4	-	3	10	10
-	-	7	19	4	-	1	-	2	2	1	9	-	-	5	4	1	1	1	7	13
-	6	32	27	12	4	-	1	1	2	1	32	-	1	7	5	9	1	5	19	35
-	5	18	23	15	1	-	1	1	1	-	7	-	1	4	5	2	1	7	13	20
-	2	20	24	6	2	1	-	4	1	-	17	-	-	1	7	2	-	2	10	15
2	14	142	246	61	4	6	7	9	7	6	74	2	2	17	33	15	4	30	53	109
28	509	1,925	5,174	943	121	79	95	180	267	104	1,598	27	47	193	318	228	37	265	727	1,978
8	67	128	751	256	27	29	14	24	17	5	259	15	13	38	157	13	72	34	113	360
17	157	823	1,304	405	47	22	31	58	84	45	459	13	14	71	155	73	12	107	342	700
6	13	52	150	86	4	1	7	9	4	3	78	6	1	7	39	3	19	9	31	84
4	32	172	252	39	4	3	5	10	14	9	92	4	1	16	18	15	2	12	47	130
3	32	167	358	80	12	7	6	14	17	7	119	2	5	14	23	14	-	21	78	168
3	1	12	31	5	1	-	1	-	3	-	5	1	-	1	1	2	-	3	13	20
-	-	-	4	5	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	5
4	20	80	292	47	8	1	5	5	17	5	63	4	-	13	22	19	2	12	46	189
2	16	77	198	32	5	3	3	7	12	7	67	2	-	8	25	5	1	17	35	82
1	16	62	108	27	5	5	3	4	7	4	40	1	3	5	21	12	-	7	17	41
2	12	42	110	30	3	3	5	3	9	2	57	1	4	5	13	7	1	15	23	73
2	2	6	38	17	-	2	-	2	-	-	20	-	-	-	12	1	2	6	6	17
1	11	66	87	18	-	3	7	3	4	2	33	-	-	7	8	8	-	7	20	49
4	14	120	224	41	4	3	12	8	4	4	135	1	2	5	14	5	4	16	34	85
1	9	30	65	11	1	1	4	2	1	2	30	-	1	3	4	3	-	6	11	19
-	15	33	76	12	3	-	4	7	2	3	21	2	2	5	14	4	-	5	20	45
6	22	85	115	55	5	5	5	3	12	5	63	3	2	16	28	7	5	16	32	84
1	9	108	164	27	4	5	5	7	2	6	61	1	2	6	18	14	-	18	33	81
-	5	39	64	18	2	4	3	3	6	1	31	-	1	3	10	3	-	14	18	35
1	2	46	88	6	3	-	-	-	8	1	25	1	-	3	4	2	-	-	7	43
1	9	55	104	37	5	5	3	8	11	3	53	1	4	8	22	10	3	10	28	59
5	16	64	91	28	-	-	2	2	5	4	24	3	1	6	16	4	-	18	25	65
1	8	54	207	61	4	7	2	3	6	5	52	1	1	3	11	7	1	6	45	84
1	7	17	58	9	1	-	1	6	3	2	11	1	-	4	7	1	2	8	18	27
2	9	26	56	12	-	2	1	2	3	1	33	-	2	1	5	3	1	3	11	27
3	8	31	42	28	-	-	1	4	3	-	25	-	1	1	4	-	1	5	20	48
1	13	85	212	38	12	5	8	7	10	13	93	4	4	15	26	9	1	14	64	104
1	5	33	65	14	1	2	2	3	4	-	34	1	1	-	10	5	-	6	16	30
2	12	69	126	24	5	4	8	9	7	5	28	1	-	4	8	4	-	9	26	61
1	8	92	142	24	5	12	6	3	6	2	58	1	2	12	19	15	2	15	30	69
-	6	6	45	1	1	-	1	-	2	1	4	-	-	8	1	3	1	4	6	11
-	4	19	20	5	2	1	-	1	4	2	6	-	-	3	4	2	-	5	14	12
-	2	5	7	2	1	-	1	-	1	1	1	-	-	1	-	1	1	2	2	8
-	5	15	26	10	-	-	-	4	-	2	17	2	1	4	5	3	1	2	7	25
1	4	13	24	7	1	-	-	1	1	-	12	-	-	1	-	2	-	1	4	16
-	2	11	37	10	-	4	1	-	2	1	7	-	-	4	2	1	-	2	8	15
1	2	21	22	12	-	3	1	1	8	-	14	1	2	2	7	1	1	5	12	16
-	-	2	6	4	-	-	-	-	-	-	4	-	-	-	3	-	-	2	2	2
1	5	20	30	8	1	-	3	3	2	1	12	-	-	2	4	-	1	4	5	25
-	3	7	24	2	-	-	-	1	-	1	10	1	-	1	1	1	-	2	8	26
-	5	32	34	11	3	3	-	-	2	5	17	1	1	3	6	3	-	4	6	26

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
PENNSYLVANIA—Continued																	
Canonsburg	106	-	1	-	-	-	3	-	-	1	-	18	-	3	-	-	9
Carbondale	238	-	1	-	-	-	5	1	-	-	-	22	2	9	1	-	12
Carlisle	174	-	1	-	1	-	7	-	-	1	-	21	1	5	-	-	19
Carnegie	138	-	-	-	-	-	5	1	-	-	-	13	-	7	-	-	7
Chambersburg	184	-	-	-	1	-	4	1	-	-	-	18	1	5	-	-	20
Charleroi	102	-	-	-	-	-	4	-	-	1	-	16	-	6	1	-	2
Cheltenham (twp.)[2]	162	-	-	-	-	-	4	-	-	-	-	23	-	7	1	-	10
Clairton—White	108	-	1	-	-	-	4	-	-	-	-	18	1	2	-	-	14
Nonwhite	28	-	-	-	-	-	2	-	-	3	-	1	1	-	-	-	2
Coatesville—White	140	-	-	-	-	-	4	-	-	-	1	24	-	4	1	-	12
Nonwhite	29	-	-	-	1	-	4	-	-	-	-	1	-	1	-	-	-
Columbia	151	-	-	-	-	-	1	-	-	1	-	18	-	3	-	-	17
Connellsville	154	-	-	-	-	-	6	-	-	3	-	15	-	3	-	-	16
Conshohocken	115	-	-	-	-	-	5	-	-	-	-	11	-	2	-	-	8
Coraopoli	98	-	-	-	-	-	5	-	-	1	-	17	1	1	-	-	8
Darby—White	106	-	-	-	-	-	1	-	-	-	-	10	-	4	-	-	9
Nonwhite	18	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	1
Dickson City	77	-	-	-	-	-	3	-	-	-	-	5	1	2	-	-	6
Donora	135	-	-	-	-	1	7	-	-	1	-	22	-	6	-	-	7
Dormont	109	-	-	-	-	-	-	-	-	-	-	19	-	3	-	-	12
Du Bois	150	-	-	-	-	-	3	-	-	1	-	17	-	5	1	-	11
Dunmore	240	-	-	-	-	-	7	3	-	1	-	25	1	6	-	-	23
Duquesne	174	-	3	-	-	-	6	-	-	1	-	28	-	7	-	-	15
Ellwood City	93	-	-	-	-	-	6	1	-	3	-	11	-	4	-	-	9
Farrell—White	96	-	1	-	-	-	5	1	-	-	-	9	-	6	-	-	7
Nonwhite	23	-	-	-	-	-	6	2	-	1	-	3	-	1	-	-	-
Greensburg	239	-	-	-	-	-	7	2	-	-	-	21	-	5	1	-	17
Hanover	192	-	-	-	-	-	4	-	-	-	-	25	-	7	1	-	22
Hanover (twp.)[2]	47	-	-	-	-	-	3	-	-	1	-	2	-	3	1	-	2
Harrison (twp.)[2]	74	-	-	-	-	-	2	-	-	2	-	9	-	3	-	-	5
Homestead—White	114	-	-	-	-	1	3	1	-	1	-	15	-	3	-	-	9
Nonwhite	31	-	-	-	-	-	3	-	-	-	-	3	-	1	-	-	3
Indiana	123	-	-	-	1	-	2	1	-	-	-	13	-	4	-	-	10
Jeannette	148	-	-	-	-	-	2	-	-	2	-	21	-	4	-	-	13
Kingston	226	-	1	-	-	-	8	-	-	3	-	33	-	7	-	-	14
Lansdowne	94	-	-	-	-	-	1	-	-	2	-	20	-	5	1	-	9
Latrobe	126	-	-	-	-	-	4	-	-	-	-	9	1	4	-	-	16
Lewistown	174	-	-	-	-	-	5	1	-	3	-	13	-	7	-	-	12
Lock Haven	161	-	-	-	-	-	2	-	-	-	-	18	-	4	-	-	18
McKees Rocks	192	-	1	-	-	-	7	1	-	3	-	27	-	5	-	-	13
Mahanoy City	150	-	-	-	-	-	2	1	-	-	-	18	1	12	-	-	5
Meadville	225	-	-	-	2	-	5	1	-	1	-	35	-	7	-	-	20
Monessen	173	-	-	-	-	-	4	1	-	2	-	24	-	8	1	-	14
Mount Carmel	157	-	-	-	-	-	11	1	-	2	1	15	-	3	-	-	11
Mount Lebanon (twp.)[2]	130	-	-	-	-	-	3	1	-	-	-	16	-	5	1	-	6
Munhall	105	-	-	-	-	-	1	-	-	1	-	12	-	1	1	-	10
Nanticoke	265	-	-	-	1	-	11	2	-	-	-	32	-	7	2	-	19
New Kensington	230	-	-	-	-	-	9	-	-	2	1	25	-	7	1	-	23
North Braddock	127	-	-	-	1	-	4	-	-	2	-	13	-	7	1	-	13
Oil City	229	-	-	-	2	-	3	-	-	-	-	29	-	16	-	-	24
Old Forge	89	-	-	-	-	-	3	-	-	-	-	10	-	2	-	-	7
Phoenixville	163	-	-	-	1	-	2	-	-	2	-	26	-	9	-	1	15
Pittston	209	-	-	-	-	-	9	-	-	2	-	17	-	5	-	-	16
Plains (twp.)[2]	86	-	3	-	1	-	2	1	-	-	-	13	-	1	-	-	7
Plymouth	167	-	1	-	-	-	14	1	-	-	-	17	-	3	-	-	7
Pottstown	216	1	-	-	-	-	6	-	-	-	-	22	-	10	-	-	22
Pottsville	341	-	1	-	-	-	7	2	-	5	1	38	3	13	4	-	23
Shaler (twp.)[2]	32	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	5
Shamokin	250	-	-	-	-	-	15	-	-	1	-	33	1	9	-	-	15
Shenandoah	236	-	-	-	-	-	17	1	-	-	-	25	-	9	-	-	17
Steelton—White	105	-	-	-	-	-	4	-	-	-	-	14	1	3	-	-	12
Nonwhite	34	-	-	-	-	-	2	-	-	1	-	4	-	-	-	-	2
Stowe (twp.)[2]	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Sunbury	195	-	-	-	-	-	5	-	-	3	-	34	-	9	-	-	14
Swissvale	153	-	1	-	-	-	1	-	-	1	-	15	-	2	-	-	13
Tamaqua	166	-	-	-	-	-	4	1	-	-	-	24	-	15	-	-	12
Uniontown	247	-	-	-	-	-	6	1	-	1	-	33	-	10	1	-	25
Vandergrift	87	-	-	-	-	-	5	-	-	-	-	11	-	3	-	-	11
Warren	163	-	1	-	-	-	3	1	-	-	-	28	-	2	-	1	15
Waynesboro	114	-	-	-	-	-	3	-	-	-	-	13	-	3	-	-	18
West Chester—White	183	-	-	1	1	-	1	-	-	-	-	21	-	7	1	-	12
Nonwhite	39	-	-	-	-	-	-	-	-	1	-	4	-	1	-	-	4
RHODE ISLAND																	
Providence	2,915	1	2	2	3	-	103	5	-	25	-	417	1	112	3	1	279
Central Falls	222	-	-	-	-	-	7	-	-	2	-	25	-	7	-	-	18
Cranston	779	-	1	-	1	-	31	-	-	20	1	81	-	14	-	-	69
East Providence (town)	329	-	-	-	-	-	8	2	-	1	-	49	-	18	-	-	29
Newport	383	-	-	-	1	-	18	-	-	3	-	58	1	8	-	-	34
Pawtucket	833	-	-	-	1	2	18	1	-	7	-	121	2	27	1	-	73
Warwick	327	-	1	-	-	-	7	2	-	2	-	54	-	10	1	-	28
Woonsocket	460	-	-	-	-	-	13	2	-	3	-	62	1	20	1	-	39
Bristol (town)	100	-	-	-	1	-	7	2	-	-	-	16	-	6	-	-	9
Cumberland (town)	109	-	-	-	-	2	5	-	-	-	-	18	-	5	-	-	9
Johnston (town)	86	-	-	-	-	1	1	-	-	1	-	6	-	3	-	-	2
Lincoln (town)	109	-	-	-	-	-	3	-	-	-	-	14	-	6	1	-	7

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,35	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
-	7	5	12	9	1	-	-	-	1	1	6	-	-	1	4	1	-	4	9	10
2	3	11	54	12	1	-	-	2	3	1	38	-	1	4	7	2	-	2	20	22
2	3	12	24	10	-	3	1	-	1	1	23	-	-	4	6	1	-	2	12	13
-	3	26	29	4	-	1	1	2	2	1	12	-	-	2	2	1	1	-	6	12
1	6	23	32	4	-	2	1	-	-	-	27	-	-	-	6	2	-	7	3	20
-	1	7	14	2	2	1	-	1	3	-	14	2	-	1	3	2	-	1	6	12
-	5	21	45	7	2	-	1	-	1	-	19	-	-	1	1	1	1	-	4	8
-	3	10	16	5	1	1	-	2	1	1	4	-	-	2	6	1	-	2	4	9
-	1	1	4	4	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	5
2	1	18	22	6	1	-	2	3	2	1	13	-	2	2	1	-	-	2	5	11
-	-	2	2	4	-	1	-	2	-	-	3	-	-	1	-	-	-	1	1	5
-	3	18	33	6	1	-	3	1	3	1	6	-	1	1	3	1	-	1	5	24
-	2	21	28	5	-	2	-	2	5	-	14	-	-	2	2	1	-	6	6	15
1	-	20	22	9	2	-	-	-	2	2	8	-	-	2	2	1	-	2	7	9
-	2	4	14	4	1	-	-	-	1	1	11	-	-	2	1	1	1	2	9	11
-	1	4	35	6	-	-	1	-	1	-	9	1	-	2	9	-	-	1	5	7
-	1	-	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2
1	1	4	13	8	-	-	3	-	1	-	7	-	-	1	2	-	-	2	8	9
-	4	7	17	5	-	1	1	-	3	2	14	-	1	3	4	2	2	6	5	14
1	2	15	18	5	-	-	1	-	1	1	8	-	-	5	2	-	-	1	3	12
1	-	26	28	9	2	-	3	1	1	-	10	-	-	3	4	1	-	2	9	12
1	4	29	46	11	1	-	-	1	4	1	28	1	2	4	-	-	-	3	8	30
-	3	23	21	8	2	-	1	1	1	3	11	-	1	6	4	3	-	3	13	10
-	2	14	12	4	-	-	-	-	-	-	4	-	1	2	5	1	-	-	2	12
-	3	11	21	5	-	-	-	-	1	1	4	-	-	1	-	2	-	3	6	9
-	-	-	4	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2
2	2	27	56	3	2	2	2	2	3	2	11	-	3	2	12	2	-	8	15	30
1	3	23	33	6	-	3	2	2	1	1	15	-	-	2	8	-	-	9	11	13
-	1	3	14	1	-	-	-	1	-	-	4	-	-	-	-	1	-	1	3	6
1	1	5	14	2	1	4	-	-	-	-	6	-	-	1	1	-	-	4	2	11
1	1	11	19	6	-	-	1	2	-	-	8	1	-	3	4	1	-	1	10	12
-	-	1	6	2	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	7
-	4	15	15	6	2	-	1	2	-	-	5	-	1	2	1	1	-	5	12	20
1	2	15	26	11	1	1	1	-	3	2	13	-	-	4	4	3	-	-	8	11
1	4	17	47	7	1	-	1	-	1	3	18	1	-	3	-	3	-	6	18	29
1	2	11	23	1	-	-	-	-	2	-	6	-	-	1	-	1	-	-	3	5
-	2	18	21	9	1	-	-	3	5	-	5	-	2	-	2	-	-	3	6	15
-	3	22	32	9	-	2	4	-	2	-	17	-	3	3	8	1	-	2	8	17
-	2	17	41	8	-	-	1	2	1	-	9	1	-	3	4	1	-	7	3	19
1	5	26	24	11	3	1	1	2	3	3	10	1	1	3	6	6	2	3	11	12
-	3	7	31	5	-	1	-	-	2	1	26	2	-	-	2	1	-	5	4	21
-	3	19	40	5	5	-	3	2	4	3	7	-	-	9	10	2	-	1	12	29
-	1	22	22	10	2	2	3	3	6	-	10	1	2	-	7	3	-	3	8	14
-	1	16	34	5	-	1	-	1	4	-	18	-	-	2	-	1	-	1	17	12
-	5	18	31	4	-	-	-	1	1	2	17	-	-	3	4	1	-	-	3	10
-	1	13	16	4	-	-	3	-	3	2	17	-	-	3	1	2	-	3	3	8
-	5	17	54	11	3	1	-	4	6	3	19	1	-	3	6	3	-	1	18	36
2	6	22	29	10	-	-	8	2	2	4	18	3	3	4	7	5	-	4	10	23
-	2	11	23	6	1	-	-	1	4	1	19	1	1	2	1	1	-	2	4	6
-	3	30	41	8	2	1	1	3	1	2	16	1	-	2	9	-	-	5	11	19
2	3	5	20	5	-	-	1	1	2	1	5	-	1	1	2	1	-	1	9	7
1	2	13	25	7	-	-	-	-	2	1	24	-	1	2	4	-	-	2	4	19
-	5	23	53	13	2	-	4	2	2	1	17	-	2	2	4	2	-	-	16	12
-	-	4	8	8	1	-	2	3	3	2	7	-	-	1	2	2	-	-	11	4
1	3	7	49	9	2	1	2	-	1	3	13	-	-	1	2	3	-	2	7	18
-	6	26	39	8	1	1	-	4	2	2	28	1	-	5	9	1	-	6	4	12
1	7	34	88	12	2	-	1	2	2	2	22	-	2	3	7	4	-	5	16	34
-	-	4	4	1	1	-	-	-	-	-	1	-	-	1	2	1	-	-	1	6
2	4	26	53	8	1	-	-	1	3	-	17	-	-	7	6	3	-	4	13	28
-	4	9	50	14	1	2	1	1	3	1	21	1	1	2	2	4	-	8	23	19
-	3	5	20	3	1	1	-	1	1	1	13	-	-	2	4	1	-	5	3	7
-	-	4	6	3	-	-	-	1	-	-	5	-	-	-	2	-	3	-	1	-
-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
-	6	18	49	3	2	-	1	1	1	1	19	-	3	-	3	-	-	3	5	15
-	2	17	27	8	-	4	1	1	3	1	22	-	1	2	4	1	2	4	6	14
-	2	30	24	7	-	1	1	-	1	2	13	-	-	-	1	2	-	3	8	15
-	4	32	43	13	-	1	-	-	1	2	13	-	-	3	6	3	-	8	12	29
1	-	10	18	3	2	1	-	-	-	-	5	-	1	1	1	1	-	1	7	5
-	-	12	44	9	-	-	1	-	2	3	8	-	1	1	5	-	-	3	9	14
-	4	11	18	8	-	-	-	3	-	-	11	-	-	-	4	2	-	-	6	10
1	4	22	41	8	1	1	2	3	2	-	9	-	-	2	12	1	-	3	8	19
-	2	2	8	2	-	1	-	-	-	-	5	-	-	-	2	-	-	-	-	7
6	49	360	580	144	16	30	8	21	34	16	212	2	5	41	59	19	-	32	105	222
-	5	28	53	9	1	4	2	-	3	2	13	1	-	7	5	-	-	-	3	27
3	10	59	223	49	4	5	5	10	8	1	53	1	1	2	10	4	3	6	51	53
-	4	38	66	11	1	6	-	1	3	3	28	-	-	9	4	3	1	2	9	33
1	7	44	78	18	2	2	2	1	5	2	23	-	-	6	9	2	-	1	17	40
1	13	104	208	21	7	5	-	5	6	4	59	-	2	16	19	4	-	10	28	68
-	9	37	64	16	4	3	2	-	4	-	20	-	1	5	8	1	1	3	11	33
3	6	60	86	32	2	-	1	5	1	3	45	1	1	10	10	3	-	2	16	32
-	-	6	13	4	-	1	-	-	2	1	15	-	-	3	-	1	-	-	5	8
3	-	14	14	2	-	1	2	1	-	-	14	-	2	4	3	1	-	1	3	5
-	2	13	16	2	-	3	2	2	3	1	11	-	1	2	1	1	-	-	5	7
-	6	12	23	5	-	1	1	1	-	-	12	-	-	3	1	-	-	2	2	9

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin
		1,2	6	8	9	10	15	14-22	28	30	36	45-55	58	61	63b	69	85
RHODE ISLAND—Continued																	
North Providence (town)	114	-	-	-	-	-	3	-	-	2	-	10	-	2	1	-	13
Westerly (town)	121	-	-	-	-	-	1	-	-	-	-	17	1	3	-	-	12
West Warwick (town)	205	-	-	-	-	-	3	3	-	-	-	19	-	8	-	-	23
SOUTH CAROLINA																	
Charleston—White	428	1	-	-	-	-	4	-	-	5	-	40	1	15	1	-	44
Nonwhite	594	-	-	-	2	1	48	5	2	25	-	33	1	11	-	3	53
Columbia—White	583	1	1	-	-	-	24	2	1	12	-	49	1	12	-	3	33
Nonwhite	355	-	-	-	2	2	25	3	2	11	-	18	-	4	-	2	34
Greenville—White	286	-	-	-	-	5	11	1	-	2	-	27	-	3	-	3	26
Nonwhite	203	1	1	-	-	2	21	1	-	5	-	6	-	2	-	1	18
Spartanburg—White	248	-	-	-	1	-	2	1	-	3	-	22	-	4	-	2	20
Nonwhite	211	1	-	-	-	-	16	-	-	6	-	10	-	-	1	1	7
Anderson—White	170	-	-	-	-	2	4	1	-	-	-	16	-	3	1	3	21
Nonwhite	81	-	-	-	-	1	7	1	-	2	-	7	-	-	-	1	9
Florence—White	135	-	-	-	1	1	3	-	-	-	-	11	-	2	-	-	20
Nonwhite	145	1	-	-	-	-	8	-	-	7	-	11	-	1	-	-	19
Greenwood—White	102	-	-	-	-	-	2	-	-	-	-	8	-	1	2	1	7
Nonwhite	65	-	-	-	-	-	2	-	-	2	-	4	-	2	-	1	16
Orangeburg—White	59	-	1	-	-	-	2	1	-	-	-	4	-	2	-	-	2
Nonwhite	103	1	-	-	-	1	13	1	-	1	1	5	1	4	-	-	10
Rock Hill—White	103	-	-	-	-	-	3	-	-	1	-	11	-	-	-	-	8
Nonwhite	62	1	-	-	-	-	5	1	-	2	-	2	-	-	-	-	13
Sumter—White	98	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	10
Nonwhite	116	-	-	-	-	-	5	1	1	1	-	6	-	5	-	1	10
SOUTH DAKOTA																	
Sioux Falls	345	-	1	-	-	-	4	1	-	3	-	53	-	6	1	-	42
Aberdeen	150	-	-	-	-	-	1	-	-	1	-	25	-	5	-	-	16
Huron	119	-	-	-	-	-	1	1	-	-	-	20	-	5	-	-	8
Mitchell	139	-	-	-	1	-	6	1	-	-	-	15	-	5	-	-	12
Rapid City	143	-	-	-	-	-	4	-	-	-	-	13	-	1	-	-	13
Watertown	105	-	-	-	-	-	2	-	-	1	-	17	-	2	-	-	16
TENNESSEE																	
Chattanooga—White	898	-	1	-	-	-	37	6	-	10	1	107	-	15	2	-	90
Nonwhite	682	-	-	-	1	-	82	10	1	9	-	25	-	4	-	1	96
Knoxville—White	891	-	-	-	-	1	33	4	-	5	-	92	3	18	2	2	101
Nonwhite	228	1	-	-	-	-	15	5	-	4	-	12	1	3	-	1	26
Memphis—White	1,569	-	3	1	2	1	53	5	1	19	2	195	2	39	1	1	139
Nonwhite	1,620	-	-	-	4	-	151	20	6	39	-	110	6	17	-	-	148
Nashville—White	1,333	-	1	2	2	1	46	11	-	10	2	150	2	32	2	2	126
Nonwhite	815	-	-	-	-	-	65	16	-	25	-	44	2	17	3	4	79
Johnson City—White	153	-	-	-	-	-	7	-	-	1	-	12	1	3	1	-	21
Nonwhite	33	-	-	-	-	-	6	2	-	1	-	1	-	-	-	-	2
Bristol [5]	130	-	-	-	-	-	8	-	-	4	-	18	-	1	-	1	12
Clarksville—White	70	-	-	-	-	-	2	-	-	-	-	5	-	1	-	-	10
Nonwhite	87	-	-	-	-	-	6	1	-	1	-	8	-	1	-	1	10
Cleveland—White	99	-	-	-	-	-	5	-	-	1	-	8	-	2	-	-	10
Nonwhite	18	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Columbia—White	89	-	-	-	-	-	7	-	-	1	-	5	-	1	-	-	12
Nonwhite	55	-	-	-	-	-	4	-	-	2	-	2	-	1	-	-	7
Dyersburg—White	73	-	-	-	-	-	3	-	1	1	-	8	1	-	-	1	2
Nonwhite	36	-	-	-	-	-	4	-	-	-	-	2	-	1	-	-	7
Jackson—White	173	-	-	-	-	-	8	-	1	1	-	18	-	4	-	1	18
Nonwhite	147	-	-	-	-	-	13	-	-	4	-	6	-	3	-	1	16
Kingsport	110	-	1	-	-	-	6	2	-	1	-	11	-	3	-	-	10
TEXAS																	
Dallas—White	2,237	1	-	-	2	2	84	5	1	18	-	266	2	50	6	3	189
Nonwhite	747	-	-	-	-	1	61	9	-	27	-	45	2	10	1	5	72
Fort Worth—White	1,520	-	-	1	4	1	69	4	-	9	-	188	1	22	1	7	143
Nonwhite	368	1	-	-	-	-	18	3	1	6	-	26	-	2	1	1	37
Houston—White	2,923	1	2	-	11	4	153	13	2	28	4	331	-	59	12	2	218
Nonwhite	1,271	1	-	-	1	1	102	13	-	38	-	104	-	24	4	12	100
San Antonio—White	3,097	2	2	1	10	5	321	35	2	22	6	292	4	37	4	5	196
Nonwhite	355	-	-	-	-	-	17	4	-	13	-	18	1	6	1	-	24
Abilene	282	-	-	-	1	-	7	-	-	7	-	20	-	4	-	1	30
Amarillo	402	-	2	-	-	1	14	1	-	7	2	48	1	6	1	1	31
Austin—White	780	-	-	-	-	2	53	6	-	18	1	77	1	13	2	4	56
Nonwhite	221	-	-	-	-	1	23	1	-	15	-	14	-	1	2	-	18
Beaumont—White	397	-	-	-	1	2	14	-	-	6	-	40	-	11	-	1	32
Nonwhite	257	-	-	-	-	1	18	2	-	5	-	7	-	3	-	1	24
Corpus Christi	751	2	1	-	6	1	42	5	-	4	3	51	-	10	-	2	44
El Paso	1,160	4	-	1	3	7	77	10	-	12	-	124	-	18	-	-	63
Galveston—White	492	-	-	-	-	-	26	2	1	8	-	53	-	14	-	-	44
Nonwhite	233	-	-	-	1	-	13	6	-	12	-	13	1	3	-	1	24
Laredo	507	4	-	-	3	1	54	-	-	7	1	31	-	14	1	7	18
Lubbock	248	-	-	1	1	-	3	-	-	2	-	12	-	-	-	1	20
Port Arthur—White	284	-	-	-	-	-	11	-	-	4	-	34	-	2	1	-	20
Nonwhite	98	-	-	-	-	-	8	-	-	3	-	7	-	1	-	-	8
San Angelo	279	-	-	1	-	1	21	-	-	-	-	28	-	1	1	1	15
Tyler—White	151	1	-	-	1	-	3	-	-	2	-	19	-	4	-	-	16
Nonwhite	92	-	-	-	1	-	7	-	1	-	-	7	-	2	-	-	6
Waco—White	453	-	2	-	2	1	24	1	-	6	1	55	-	7	1	2	33
Nonwhite	209	-	-	-	-	2	8	1	-	8	-	8	-	2	-	2	27

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 434)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145a, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
-	2	14	28	6	1	2	-	-	1	-	8	-	-	3	5	-	-	1	2	10
-	-	14	28	7	-	2	1	2	-	1	5	-	1	2	1	3	-	2	8	12
1	7	20	27	13	3	2	1	2	7	2	16	1	3	4	3	2	-	6	6	23
-	2	57	56	28	5	2	3	1	4	1	22	1	1	6	13	5	2	18	19	71
1	4	16	75	41	3	9	1	3	-	1	54	3	5	5	36	1	16	7	17	112
1	5	43	87	22	4	12	3	2	5	2	41	5	6	6	39	4	3	13	34	107
3	9	12	19	33	1	20	-	3	-	-	59	2	1	4	18	2	7	7	15	37
1	3	19	33	12	1	2	1	1	6	2	14	2	1	6	22	3	2	11	12	34
2	3	6	38	27	1	1	-	2	-	-	22	1	2	-	6	-	10	4	3	17
1	1	21	29	16	1	4	4	-	1	-	24	4	1	1	17	-	2	7	13	46
-	1	2	43	16	1	4	-	4	-	-	42	3	3	2	7	1	7	5	7	21
1	-	15	14	14	3	1	1	-	1	-	25	1	1	-	8	1	1	5	6	21
-	-	1	15	5	-	1	-	1	-	-	10	1	3	-	1	-	-	-	1	14
-	2	19	11	7	-	2	2	2	2	-	9	1	2	4	11	1	1	4	4	13
-	5	3	11	14	-	8	-	-	1	1	5	-	-	1	6	1	3	1	6	32
-	2	13	14	2	2	2	-	-	1	-	14	1	-	-	7	-	-	2	11	10
-	1	2	10	1	-	1	-	1	-	-	10	-	-	-	2	-	2	2	3	3
-	-	8	12	4	-	-	-	2	-	-	6	1	-	4	2	1	-	2	2	3
2	-	-	10	13	1	1	1	2	-	-	9	-	1	2	1	-	1	2	7	12
3	1	13	8	2	-	4	2	1	1	1	8	1	1	4	9	1	-	1	7	12
1	-	-	10	5	-	1	2	1	-	-	5	-	-	1	2	-	1	3	1	5
1	2	8	16	5	-	-	1	1	-	-	13	1	-	2	7	-	-	4	4	13
-	5	1	11	14	-	3	-	1	-	-	16	1	-	1	4	-	3	2	5	19
-	-	48	48	24	1	2	2	1	1	4	12	-	-	7	15	2	-	13	15	43
-	4	13	22	5	1	-	2	1	-	1	9	1	-	3	4	2	1	3	9	21
-	2	13	14	7	1	-	-	2	1	1	7	-	-	2	6	3	-	1	13	11
1	-	12	24	4	1	1	1	2	-	1	10	-	1	3	5	1	-	4	9	19
2	1	18	20	5	2	-	1	1	-	-	6	-	-	3	8	1	-	5	12	27
1	1	8	18	8	1	2	1	-	-	1	6	-	-	2	-	-	-	-	6	12
3	9	100	99	51	3	2	7	6	5	2	54	1	1	12	41	13	8	18	53	141
3	10	6	56	90	8	5	1	6	1	-	37	5	6	1	20	1	38	2	26	131
4	14	62	112	55	6	11	4	11	12	2	57	2	2	14	47	15	6	20	39	135
-	4	5	38	19	1	4	3	-	2	-	15	-	1	-	4	-	12	8	10	34
2	25	180	216	87	11	7	11	12	12	9	85	-	2	18	60	17	6	33	69	245
9	44	27	262	127	10	10	14	19	7	3	87	4	7	8	63	3	40	9	59	307
4	21	102	187	75	11	13	12	13	21	7	74	2	3	11	54	20	11	35	58	210
1	15	26	135	58	7	10	9	8	4	2	83	2	-	4	11	3	40	5	27	110
-	3	19	17	8	2	-	-	1	-	-	5	1	-	2	11	2	-	8	4	24
-	3	-	4	1	-	1	-	-	-	-	3	-	-	-	1	-	-	-	1	7
-	2	5	19	8	1	3	1	1	3	-	10	-	2	1	4	-	1	1	5	21
-	3	5	12	5	-	1	-	-	2	-	3	-	-	-	5	3	-	1	6	6
-	8	1	14	5	1	3	1	1	-	-	2	-	-	1	1	-	5	1	3	12
-	2	13	6	7	-	1	-	-	1	-	6	-	-	-	7	1	1	5	9	14
-	1	-	1	5	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	2
-	3	10	9	5	1	1	-	1	1	-	8	-	1	-	3	2	-	2	2	14
-	1	3	8	1	-	-	1	-	2	-	12	-	-	-	1	-	2	1	3	4
1	1	9	6	9	2	-	-	-	-	1	4	1	-	-	1	-	-	3	4	14
-	-	1	1	4	-	1	-	1	2	-	4	-	-	-	-	-	-	-	1	7
1	2	19	25	9	-	3	1	1	1	-	18	-	-	3	6	1	1	6	5	26
1	1	3	17	18	2	-	2	-	1	-	14	-	-	-	-	-	8	3	3	31
1	3	4	10	5	-	-	1	2	1	1	8	1	1	4	6	1	1	6	8	12
10	20	451	238	88	9	9	10	15	16	16	126	5	3	30	83	40	15	57	105	282
3	11	78	77	64	9	8	2	8	1	3	48	3	3	3	33	-	49	8	23	82
3	8	197	248	52	8	18	8	14	11	3	74	3	2	16	60	20	8	39	85	193
1	3	25	84	25	1	3	1	3	1	1	13	1	4	4	20	1	34	3	11	33
15	27	248	507	139	14	26	14	23	28	16	155	6	8	38	111	36	23	79	137	433
3	3	28	219	81	5	13	9	22	9	1	93	12	2	3	53	4	62	13	50	186
17	25	283	325	259	13	133	17	22	23	9	170	11	19	33	122	34	24	69	127	440
2	3	13	60	24	2	5	7	4	3	2	43	3	5	4	9	1	13	5	8	55
-	2	24	34	14	2	3	3	1	1	1	16	-	2	7	17	4	8	13	13	47
6	4	33	49	12	3	3	4	6	3	3	13	2	1	6	12	4	5	12	30	76
1	5	51	100	46	5	12	5	7	4	4	45	-	-	12	24	8	8	13	45	152
1	4	2	29	13	1	2	3	6	1	-	25	-	-	2	8	-	7	1	2	39
2	5	47	43	26	3	2	1	2	2	4	37	1	1	9	20	8	4	6	20	47
4	2	12	49	14	2	1	2	9	-	-	28	2	1	1	8	2	13	5	7	38
9	7	45	71	59	6	34	7	7	5	1	38	4	15	20	45	11	8	30	50	108
4	10	51	157	83	11	62	8	13	17	5	80	3	4	15	58	10	7	34	50	181
2	2	72	78	20	7	9	2	2	5	2	20	-	1	6	17	5	4	6	21	63
-	1	21	45	13	2	4	-	1	2	-	21	2	-	1	4	-	2	-	5	35
4	2	12	41	49	2	55	4	6	3	1	19	2	1	2	26	-	1	7	24	107
2	3	22	37	11	-	10	4	2	-	1	19	1	2	6	18	2	4	4	21	39
2	3	10	34	23	1	2	-	2	2	1	24	-	2	3	22	3	1	7	15	55
1	-	1	17	2	-	-	1	4	-	-	14	-	-	1	1	1	2	3	5	18
-	-	16	28	26	2	10	1	1	2	1	22	2	3	3	16	1	4	15	23	34
-	2	15	14	7	-	1	1	2	-	1	10	-	-	1	3	6	-	7	6	29
1	2	2	4	18	-	2	-	-	-	-	11	-	-	-	3	-	5	-	4	18
1	2	35	87	9	4	2	2	7	3	3	28	1	1	5	16	4	3	10	30	65
-	3	8	39	15	-	2	2	3	1	-	7	3	3	4	2	-	6	3	8	41

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
TEXAS—Continued																	
Wichita Falls	384	-	-	-	-	-	13	1	1	15	-	43	-	4	1	2	34
Big Spring	128	-	-	-	-	2	5	-	-	8	-	5	-	-	-	-	9
Borger	78	-	-	-	-	-	1	-	-	-	-	6	-	2	-	-	9
Brownsville	292	-	1	-	2	1	30	4	3	1	-	17	1	2	-	1	11
Brownwood	164	-	-	-	1	-	7	1	-	1	-	15	-	3	1	1	10
Bryan—White	67	-	-	-	-	-	2	-	-	-	-	6	-	3	-	-	2
Nonwhite	50	-	-	-	-	-	2	-	-	4	-	5	-	3	-	-	3
Cleburne	129	-	-	-	-	-	4	-	-	2	1	10	-	1	-	-	19
Corsicana—White	139	-	-	-	1	-	8	-	-	-	1	8	-	2	-	-	12
Nonwhite	69	-	-	-	-	-	4	-	-	2	-	4	-	2	-	-	11
Del Rio	202	-	-	-	1	1	14	-	-	1	-	15	-	2	-	-	15
Denison—White	154	-	-	-	-	-	3	1	-	1	-	22	-	1	-	1	13
Nonwhite	45	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	7
Denton—White	94	-	-	-	1	-	-	1	-	-	-	12	-	1	-	-	10
Nonwhite	13	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Greenville—White	122	-	-	-	-	-	6	-	-	1	-	11	-	2	-	-	8
Nonwhite	26	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2
Harlingen	146	-	-	-	2	-	13	1	-	1	-	18	-	-	-	-	5
Highland Park—White	76	-	-	-	-	-	1	-	-	-	-	10	-	1	-	-	5
Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Longview—White	87	-	-	-	-	-	6	-	-	2	-	10	-	3	1	1	4
Nonwhite	62	-	-	-	-	2	5	-	-	2	-	5	-	-	-	-	6
McAllen	162	-	-	-	3	-	23	-	-	2	-	14	1	1	1	-	5
Marshall—White	94	-	-	-	1	-	-	-	-	-	-	14	-	4	-	-	6
Nonwhite	94	-	-	-	-	-	5	-	-	6	-	10	1	1	-	1	13
Palestine—White	87	-	-	-	-	-	5	-	-	3	-	12	-	-	-	-	9
Nonwhite	46	-	-	-	1	-	2	-	-	-	-	6	1	-	1	1	1
Pampa	105	-	-	-	-	-	2	-	-	1	-	11	-	-	-	-	5
Paris—White	191	-	1	-	1	1	6	1	-	1	-	20	-	-	-	-	23
Nonwhite	67	-	-	-	1	-	1	-	-	1	-	4	-	1	-	-	9
Sherman—White	162	1	-	-	-	-	4	-	-	2	-	7	-	7	-	2	20
Nonwhite	19	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3
Sweetwater	85	-	1	-	-	-	1	-	-	-	-	8	-	-	-	1	4
Temple—White	123	-	1	-	-	-	5	-	-	2	-	14	-	1	1	2	7
Nonwhite	46	-	-	-	-	-	2	-	-	1	-	6	-	-	-	-	4
Terrell—White	170	-	-	-	-	-	11	-	-	10	-	16	-	2	-	1	6
Nonwhite	35	-	-	-	-	-	3	-	-	1	-	3	-	-	-	-	5
Texarkana[6]—White	157	-	-	-	-	1	10	-	-	2	-	19	-	2	-	-	14
Nonwhite	91	2	-	-	-	1	11	-	1	1	-	9	-	2	-	-	11
University Park	89	-	-	-	-	-	1	-	-	-	-	10	-	3	-	-	9
Victoria—White	149	-	-	-	3	1	6	-	-	-	-	12	-	2	-	-	12
Nonwhite	35	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	5
UTAH																	
Salt Lake City	1,534	-	1	-	-	2	19	4	-	14	-	179	2	25	10	1	117
Ogden	389	-	-	-	-	-	10	1	-	1	-	45	2	9	-	-	26
Logan	82	-	-	-	-	-	-	-	-	-	-	7	1	-	-	-	1
Provo	214	-	-	-	-	1	6	-	-	7	-	22	-	3	-	-	14
VERMONT																	
Burlington	274	-	-	-	-	-	4	-	-	-	-	38	-	7	2	-	19
Barre	110	-	-	-	-	-	15	-	-	-	-	15	-	1	-	-	7
Rutland	268	-	1	-	-	-	4	-	-	-	-	31	1	10	4	-	22
VIRGINIA																	
Norfolk—White	1,232	-	1	1	1	1	18	2	-	10	-	116	1	23	1	2	90
Nonwhite	950	1	-	-	1	2	83	7	1	14	1	39	2	21	-	3	119
Richmond—White	1,491	-	2	-	3	-	60	7	-	7	-	192	1	36	3	1	164
Nonwhite	982	2	1	-	3	-	77	8	-	24	-	65	3	18	2	2	100
Alexandria—White	321	1	1	-	-	1	8	1	-	3	-	43	1	11	-	-	25
Nonwhite	128	-	-	-	-	-	6	1	-	5	-	5	1	6	-	-	6
Arlington (county)[7]	460	-	1	1	-	-	19	1	-	1	1	48	-	9	-	-	42
Danville—White	221	1	1	-	-	1	9	2	-	1	1	17	-	11	1	1	16
Nonwhite	157	-	-	-	1	-	8	-	-	7	-	6	-	2	-	2	32
Lynchburg—White	281	-	-	-	-	-	5	-	-	2	-	33	-	7	1	-	31
Nonwhite	139	-	-	-	1	1	11	1	-	1	-	9	-	3	-	-	16
Newport News—White	236	1	-	-	1	1	3	1	-	2	-	21	-	8	-	-	23
Nonwhite	313	2	-	-	4	-	28	1	-	5	-	9	1	3	-	-	32
Petersburg—White	236	-	2	-	-	-	8	-	1	1	-	28	-	4	-	1	17
Nonwhite	223	-	-	-	1	-	16	-	-	7	-	14	1	4	-	1	25
Portsmouth—White	354	-	1	-	1	-	4	2	-	2	-	31	1	10	1	-	32
Nonwhite	455	-	-	-	-	-	28	-	-	12	-	20	3	8	1	-	56
Roanoke—White	478	-	-	-	-	-	16	1	-	3	-	57	-	10	2	-	56
Nonwhite	158	-	-	-	-	-	8	1	-	6	-	12	-	1	-	1	9
Charlottesville—White	158	-	-	-	2	-	6	1	-	-	-	19	-	3	1	-	20
Nonwhite	69	-	-	-	-	-	2	2	-	3	-	8	-	2	-	-	9
Fredericksburg—White	72	-	-	-	-	-	-	-	-	-	-	12	1	1	-	-	2
Nonwhite	26	-	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-
Martinsville—White	52	-	-	-	-	-	4	-	-	1	-	3	-	2	-	-	3
Nonwhite	37	-	-	-	1	-	2	-	-	-	-	2	-	-	-	1	4
Staunton—White	321	-	-	-	-	-	29	-	-	8	-	23	-	6	-	3	22
Nonwhite	26	-	-	-	-	-	3	-	-	1	-	1	-	1	-	-	3
Suffolk—White	77	-	-	-	-	-	2	-	-	-	1	7	-	1	-	-	7
Nonwhite	71	-	-	-	-	-	12	-	-	1	-	-	-	-	-	2	4
Winchester	150	-	-	-	-	-	10	-	-	2	-	19	1	1	-	-	15

See footnotes at end of table.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
3	3	52	48	26	4	3	2	1	3	1	19	-	-	3	20	7	3	10	21	41
1	1	12	13	12	2	8	1	-	-	-	6	-	-	1	6	1	1	6	7	21
-	-	9	15	3	-	1	-	1	1	-	1	-	-	-	5	-	-	1	8	15
1	-	11	29	25	2	37	1	-	2	-	14	-	-	3	5	1	-	3	12	72
1	2	9	8	10	-	2	1	1	1	3	11	-	-	2	17	-	1	8	15	32
-	1	7	10	3	1	-	1	-	-	1	9	-	2	2	1	1	-	1	2	12
-	-	2	11	4	-	-	-	-	-	-	4	-	-	-	2	-	-	-	2	8
1	4	19	12	6	-	-	2	1	1	-	13	1	-	1	2	2	1	8	4	14
1	1	23	8	7	1	3	1	1	1	-	7	-	2	1	5	1	-	5	7	32
-	-	7	8	4	-	-	1	2	-	1	3	1	-	1	2	-	2	-	3	11
4	-	12	21	20	-	31	3	1	2	1	9	1	-	2	9	3	1	2	2	29
1	2	20	18	9	-	1	4	2	-	-	14	-	-	3	3	-	1	8	11	15
-	-	2	8	3	1	-	-	1	-	1	9	-	-	-	-	-	1	-	1	9
-	3	14	13	2	2	1	-	-	1	1	4	-	1	-	4	1	-	-	10	12
-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	5
-	-	17	18	8	3	-	1	2	2	-	10	-	-	1	3	-	-	2	8	19
-	-	2	4	4	-	2	-	-	-	-	2	-	-	-	-	-	2	-	1	5
-	-	6	17	11	-	11	-	1	-	-	5	1	-	2	5	3	-	1	8	35
-	2	20	9	3	-	-	-	-	-	-	5	-	-	1	1	-	-	4	3	11
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
1	-	10	10	3	1	-	-	1	2	-	6	-	-	1	3	3	-	3	5	11
-	-	1	3	6	-	2	3	1	1	-	6	-	1	-	1	-	1	1	2	13
-	-	6	15	13	1	19	-	3	-	1	5	1	-	3	5	-	-	7	4	29
-	2	14	20	4	1	-	1	-	-	-	6	-	-	-	3	2	-	1	2	13
1	-	-	11	7	-	1	1	-	-	-	3	1	-	-	2	-	1	2	6	21
-	1	11	13	4	-	-	1	-	1	-	4	-	1	-	2	-	-	3	5	12
-	-	2	9	2	-	2	1	1	-	1	6	-	-	-	-	-	2	-	1	6
3	1	17	8	4	-	2	-	2	1	2	9	-	1	1	5	1	-	6	8	15
1	1	16	19	12	1	-	1	3	2	3	39	1	1	-	4	1	-	2	11	19
-	1	1	8	7	-	3	-	3	-	-	13	-	-	-	3	-	4	1	2	4
2	1	17	26	5	1	1	-	5	2	3	17	-	-	-	4	3	-	2	10	20
-	-	-	2	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	3
-	3	6	16	7	-	-	-	1	-	1	6	-	-	2	10	1	-	4	2	11
-	1	20	22	5	2	1	-	-	2	1	3	-	-	1	5	1	-	4	5	17
-	-	1	11	5	-	1	-	-	-	-	1	-	1	-	1	-	-	1	2	9
1	-	18	31	10	1	1	1	1	1	1	18	2	-	1	2	1	-	5	8	21
-	-	3	6	1	-	-	-	-	-	-	4	-	-	1	4	-	-	-	-	4
3	-	15	24	15	-	1	2	-	1	-	5	-	1	2	2	2	1	6	10	21
-	-	2	6	5	-	-	1	3	1	1	8	2	-	-	3	1	4	-	4	12
1	1	17	12	4	-	-	-	1	-	-	6	1	-	2	1	-	3	3	1	13
-	-	4	23	3	1	5	-	-	-	2	10	3	1	-	4	4	1	1	28	23
1	2	-	8	2	1	-	-	-	-	-	3	-	-	-	2	1	1	-	-	5
8	34	181	303	64	19	6	11	9	6	9	82	6	4	17	59	10	7	50	77	198
2	16	50	53	21	5	1	4	-	1	1	27	-	-	5	25	3	1	8	21	51
2	1	6	23	3	1	-	-	2	-	-	5	-	-	2	7	-	-	3	4	14
1	6	18	45	13	1	3	-	-	2	2	10	-	1	4	2	3	-	3	11	36
1	6	17	61	16	4	-	1	2	3	1	5	1	-	3	21	5	-	1	7	49
-	1	9	21	2	-	1	1	-	2	-	5	1	1	3	6	2	-	1	3	13
1	7	29	66	8	1	2	1	3	3	2	18	1	-	4	4	3	-	3	7	32
5	16	135	209	54	16	4	5	12	20	7	54	10	4	13	46	21	14	25	120	175
5	27	17	192	95	9	13	8	9	4	1	53	5	8	3	26	2	39	15	45	80
6	26	154	237	62	12	8	6	13	9	7	149	1	4	21	23	20	9	20	36	192
4	10	21	187	68	3	13	3	6	3	1	100	4	4	6	34	2	39	15	29	125
-	5	37	36	16	2	5	3	2	4	-	21	1	2	1	19	7	2	9	20	34
1	1	5	20	6	1	3	-	1	1	-	12	1	1	-	3	-	11	3	10	18
-	10	52	67	22	4	7	3	9	6	3	35	1	3	4	12	10	4	8	27	50
1	2	17	33	11	2	4	1	3	3	1	17	1	-	1	11	4	-	8	7	32
-	-	1	11	14	-	3	1	1	1	-	26	1	4	-	6	1	3	1	8	17
1	5	42	48	5	1	2	-	-	1	-	23	1	-	3	7	5	3	4	14	41
-	3	6	27	12	-	-	-	1	1	-	16	2	-	1	8	1	2	3	3	10
4	2	24	29	9	-	3	1	-	-	3	20	-	-	5	20	4	-	6	16	29
-	-	12	51	40	-	5	1	4	3	-	28	2	1	3	8	-	12	3	26	29
-	3	28	27	10	1	4	4	3	1	1	26	1	2	2	8	6	1	5	13	32
-	2	8	33	19	-	13	-	1	-	1	28	-	1	-	8	-	4	1	9	26
2	5	42	45	17	2	4	4	4	5	2	30	1	-	8	15	5	3	15	19	41
-	3	24	38	50	3	15	-	7	2	-	54	-	2	12	20	-	21	23	19	34
4	9	38	75	22	6	1	3	6	4	4	35	-	3	9	23	5	1	5	20	64
1	6	2	16	11	2	3	3	3	1	-	26	-	3	3	5	1	1	5	6	22
3	1	14	24	10	1	2	-	2	-	-	5	1	-	2	14	3	-	1	5	18
-	2	-	12	1	1	-	-	1	-	-	9	1	-	1	6	-	-	-	2	7
1	-	11	12	5	-	-	-	-	-	-	4	-	-	1	3	2	1	4	-	12
-	-	5	1	5	-	-	1	1	-	1	2	-	-	-	1	-	-	-	2	2
2	1	5	6	4	-	1	-	-	-	-	3	-	-	1	2	1	2	-	3	8
1	-	2	5	2	-	-	2	1	-	-	3	1	1	-	-	-	1	-	2	6
1	2	11	111	35	-	1	-	1	-	3	22	-	-	1	1	2	2	4	12	21
-	-	-	8	1	-	-	-	-	-	-	4	-	-	-	1	-	-	-	1	2
1	1	7	11	3	-	1	1	1	2	1	6	-	1	-	2	1	-	1	9	10
1	-	3	13	2	2	-	-	1	-	-	7	-	1	-	3	-	5	1	3	10
-	-	10	12	8	3	2	3	1	-	-	22	-	-	-	7	2	-	3	5	24

TABLE 23.—DEATHS FROM SELECTED CAUSES,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
WASHINGTON																	
Seattle[3]	5,085	-	1	-	2	4	160	10	-	48	1	653	2	108	6	-	477
Spokane	1,592	1	2	-	2	2	23	3	-	15	1	196	-	49	2	-	182
Tacoma	1,590	-	-	1	-	1	38	3	-	11	-	179	1	36	5	1	159
Bellingham	411	-	-	-	1	-	10	1	-	-	-	61	-	14	1	-	59
Everett	366	-	-	-	-	-	3	1	-	3	-	54	1	13	4	1	47
Yakima	354	-	-	-	-	-	7	2	-	3	-	52	-	4	2	-	41
Aberdeen	237	-	-	-	-	-	11	-	-	5	-	38	1	4	-	-	25
Bremerton	188	-	-	-	-	-	3	-	-	3	-	21	-	2	-	-	15
Hoquiam	96	-	-	-	-	-	3	-	-	1	-	11	-	1	1	-	9
Longview	89	-	-	1	1	-	2	1	-	-	-	6	-	4	1	-	8
Olympia	178	-	1	-	-	-	3	-	-	2	-	20	-	5	1	-	23
Vancouver	314	-	1	-	1	-	6	-	-	7	-	41	-	9	-	-	33
Walla Walla	263	-	-	-	-	-	23	-	-	6	-	32	-	8	-	-	22
Wenatchee	143	-	-	-	-	-	4	-	-	-	-	22	-	4	-	-	11
WEST VIRGINIA																	
Charleston—White	618	-	2	-	1	-	21	4	-	3	-	63	2	18	-	-	47
Charleston—Nonwhite	130	-	-	-	-	-	11	-	-	2	-	9	-	1	-	-	14
Clarksburg	322	-	-	1	-	-	8	-	-	1	-	30	2	5	-	1	27
Huntington	852	-	-	-	3	2	44	4	-	27	1	85	1	20	4	1	62
Parkersburg	385	1	1	-	-	-	10	2	-	4	-	44	-	7	1	-	45
Wheeling	760	1	-	-	-	-	26	3	-	7	1	89	-	26	-	-	59
Beckley—White	125	-	-	-	-	-	16	2	-	1	-	8	1	3	-	-	7
Beckley—Nonwhite	31	-	-	-	-	-	3	-	-	-	-	2	-	1	-	-	2
Bluefield[8]—White	150	-	-	-	-	-	4	1	-	5	-	22	-	3	-	-	9
Bluefield[8]—Nonwhite	57	-	1	-	-	-	5	-	-	1	-	5	-	1	-	-	4
Fairmont	270	-	1	-	1	-	7	1	-	2	-	32	-	11	1	-	23
Martinsburg	180	-	-	-	-	-	3	1	-	2	-	25	-	7	-	-	11
Morgantown	214	-	-	-	-	-	4	2	-	1	-	17	1	4	-	-	29
Moundsville	165	-	-	-	-	-	10	2	-	1	-	20	-	3	1	-	21
South Charleston	88	-	-	-	1	-	1	-	-	1	-	9	-	2	-	-	8
WISCONSIN																	
Milwaukee	5,957	-	-	-	5	-	218	6	-	47	1	909	7	201	27	-	555
Appleton	285	-	1	-	1	-	4	-	-	-	-	48	1	9	2	-	27
Beloit	258	-	-	-	1	-	4	2	-	6	-	39	-	2	2	-	38
Eau Claire	266	-	-	-	-	-	6	-	-	1	-	36	-	7	-	-	27
Fond du Lac	364	-	-	-	-	-	3	2	-	3	-	57	-	12	1	-	46
Green Bay	468	1	1	1	-	-	6	2	-	3	-	66	-	20	-	1	42
Kenosha	471	-	-	1	-	-	12	2	-	2	-	87	-	18	1	-	33
La Crosse	421	-	-	-	-	-	7	-	-	2	-	60	1	13	1	-	43
Madison	584	-	1	-	1	-	6	1	-	1	1	96	-	12	2	-	62
Oshkosh	442	-	-	1	2	-	2	1	-	2	-	63	-	17	1	-	62
Racine	643	-	1	2	3	-	10	1	-	5	-	102	1	27	3	-	52
Sheboygan	374	-	-	-	-	-	11	1	-	1	-	54	-	10	4	-	37
Superior	408	-	-	-	1	-	9	2	-	2	-	48	-	8	1	-	43
Wausau	316	-	-	1	-	-	7	-	-	2	-	36	-	10	-	-	36
Wauwatosa	222	-	-	-	-	1	5	-	-	1	-	45	-	5	-	-	17
West Allis	245	-	-	1	1	-	6	-	-	2	-	32	1	9	1	-	15
Ashland	131	-	-	-	-	-	9	-	-	2	-	18	1	2	1	-	21
Beaver Dam	129	-	-	-	-	-	-	-	-	-	-	29	-	5	2	-	7
Chippewa Falls	115	-	-	-	-	-	3	-	-	-	-	16	1	5	-	-	11
Cudahy	66	-	-	-	-	-	-	-	-	-	-	11	-	4	-	-	6
Janesville	255	-	-	1	-	-	4	-	-	2	-	39	-	7	1	-	19
Manitowoc	264	-	-	-	-	-	3	-	-	2	-	42	-	10	2	-	34
Marinette	153	-	-	-	-	-	4	2	-	1	-	23	-	4	1	-	17
Marshfield	101	-	-	-	-	-	2	-	-	-	-	14	-	1	-	-	13
Menasha	85	-	-	-	-	-	1	-	-	1	-	9	-	1	-	-	6
Neenah	102	-	-	-	-	-	2	-	-	-	-	16	-	1	-	-	12
Shorewood	112	-	1	-	-	-	1	-	-	-	-	17	-	-	-	-	13
South Milwaukee	82	-	-	-	-	-	2	-	-	-	-	18	-	3	1	-	7
Stevens Point	128	-	-	-	-	-	4	-	-	1	-	22	-	6	1	-	6
Two Rivers	85	-	-	-	1	-	5	1	-	-	-	13	-	7	-	-	7
Watertown	133	-	-	-	-	-	2	1	-	-	-	28	-	6	1	-	13
Waukesha	181	-	1	-	1	-	8	-	-	1	-	23	-	3	-	1	15
Wisconsin Rapids	101	-	-	-	-	-	1	1	-	-	-	18	-	4	1	-	10
WYOMING																	
Casper	168	-	-	-	-	-	2	-	-	2	-	21	-	4	1	-	9
Cheyenne	205	-	-	1	1	-	3	-	-	1	-	29	-	3	-	-	8
Laramie	85	-	-	-	-	-	-	-	-	1	-	6	-	3	-	-	3
Sheridan	118	-	-	1	-	-	3	1	-	1	-	9	-	1	-	-	11

* Refer to complete International List titles, table VII, Part I.
[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.
[3] Figures by race not available for selected causes of death.
[4] Includes figures for Bronx, Brooklyn, Manhattan, Queens, and Richmond Boroughs, which are not tabulated separately.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.
[7] Classified as urban under a special rule in the 1940 census.
[8] Includes data for Bluefield, W. Va., only.

BY URBAN PLACES OF 10,000 OR MORE: 1942—Continued

on p. 414)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b,c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, other diseases of gallbladder 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 145A, 147	Other puerperal causes 141, 142b-144, 145B, 146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes *
16	99	615	1,001	233	53	13	14	37	51	22	224	2	5	53	103	116	14	105	265	574
4	59	219	189	95	19	9	7	11	12	5	138	5	5	14	25	30	4	32	78	154
4	38	182	206	59	13	4	6	12	14	7	94	-	2	10	17	24	5	24	80	156
1	8	35	75	16	2	-	-	3	2	2	24	2	2	4	2	7	-	7	18	54
-	4	41	63	9	2	1	1	2	3	2	22	1	1	2	7	3	1	8	27	41
-	12	34	66	14	4	4	1	3	2	3	24	-	-	2	10	9	-	9	16	30
1	6	23	30	3	4	-	1	2	3	2	8	-	-	3	9	8	1	4	14	31
2	1	25	19	8	2	-	5	3	4	1	11	-	2	5	8	4	-	4	14	26
-	4	8	13	8	-	1	-	-	2	-	6	-	-	2	2	3	-	1	5	15
-	2	10	12	5	1	2	-	1	-	-	5	-	-	1	4	1	2	2	6	11
-	5	31	28	7	-	2	2	1	3	1	2	1	-	2	2	2	-	10	1	23
1	13	36	40	24	5	-	-	1	2	-	20	1	-	4	8	5	1	7	11	37
1	5	27	34	9	3	1	3	1	1	5	32	-	-	4	3	4	-	4	14	21
1	3	16	20	6	2	-	-	1	1	-	3	-	-	2	5	1	-	3	6	32
1	5	51	99	47	2	12	4	5	7	2	23	1	2	9	26	16	7	13	33	92
1	3	3	29	12	-	-	1	-	-	-	16	1	1	1	1	-	5	-	5	14
1	-	39	61	28	2	1	1	2	2	2	17	-	1	5	14	2	3	5	22	41
3	13	57	151	46	7	8	6	6	9	2	33	2	1	15	39	12	2	22	52	112
-	9	33	65	14	6	3	2	4	2	1	22	-	-	6	13	3	-	8	21	58
1	7	70	150	42	2	2	4	4	7	2	75	-	6	12	23	9	2	17	33	80
-	4	5	13	6	2	2	1	-	1	-	5	-	-	1	10	2	1	5	11	18
-	-	1	4	2	-	-	-	-	-	-	4	-	-	-	1	-	3	-	5	3
1	2	14	16	7	1	2	-	3	1	-	10	1	-	4	8	3	3	2	7	21
1	2	3	10	2	1	-	1	1	1	-	2	-	-	-	3	-	2	-	2	9
1	5	28	41	14	1	-	1	4	1	-	24	-	1	3	10	4	1	7	16	29
-	2	13	56	8	3	3	-	3	2	1	24	-	-	3	4	-	-	4	10	15
1	3	30	25	14	2	-	-	1	1	-	7	-	-	5	8	3	-	1	28	29
2	2	9	18	5	3	2	1	2	2	2	7	-	-	-	5	4	1	3	7	32
-	2	4	13	7	-	2	-	-	1	1	6	-	1	1	3	-	1	1	4	19
19	155	552	1,291	250	49	11	37	50	92	49	259	6	11	62	131	110	9	100	230	548
-	2	20	60	9	3	-	3	1	2	1	27	-	1	4	9	7	-	3	9	31
3	6	20	54	12	5	-	1	2	2	1	10	1	2	1	4	3	-	9	7	21
1	7	50	49	10	2	1	-	3	3	1	14	-	1	6	8	2	1	2	9	19
1	4	35	69	8	1	2	3	4	6	2	31	-	-	7	3	2	1	6	19	36
1	6	42	82	16	3	1	6	3	2	7	24	-	1	4	20	6	1	18	32	50
3	15	38	101	15	4	1	1	5	6	1	26	-	2	4	17	8	1	9	20	38
-	3	43	85	16	5	4	3	4	5	1	31	1	1	5	9	8	-	9	18	43
2	9	50	132	41	7	3	2	2	5	2	18	1	1	6	10	16	1	13	35	45
1	4	39	90	18	1	2	3	4	6	5	15	-	-	11	9	5	-	4	20	54
-	4	50	130	21	6	2	5	5	11	4	37	3	1	10	13	9	-	17	30	78
-	4	43	72	10	1	2	1	3	2	5	10	-	1	6	15	9	1	8	11	52
2	2	44	87	15	3	-	4	-	7	2	15	2	-	8	13	6	-	10	33	41
-	7	43	64	9	1	-	3	2	4	4	17	-	-	8	8	4	-	2	10	38
-	5	31	39	8	-	-	2	-	4	-	14	1	-	3	1	3	-	2	8	27
-	5	21	56	14	3	2	-	3	3	1	14	-	-	4	15	5	-	2	8	21
1	4	10	21	3	1	-	-	1	-	1	6	-	-	-	3	4	-	2	7	13
-	5	7	24	5	1	1	1	2	1	1	11	-	2	2	-	2	-	3	5	13
-	-	12	24	6	-	-	-	-	-	1	7	1	-	2	-	2	-	1	3	20
1	1	9	8	4	1	-	3	-	1	-	3	1	-	2	3	2	-	2	2	2
1	9	22	49	14	6	-	-	2	1	2	5	-	1	-	7	5	-	7	13	38
1	1	27	61	7	1	-	-	3	6	2	12	-	-	5	5	4	-	3	12	21
-	5	17	35	6	1	-	-	1	3	-	2	-	-	2	-	-	-	-	11	18
-	2	12	16	11	-	-	1	1	-	-	5	1	-	1	-	2	-	-	3	16
-	2	10	15	7	-	1	-	2	-	-	4	1	1	-	3	2	-	4	6	9
-	2	8	17	4	-	-	2	1	2	1	4	-	1	3	6	-	-	1	2	17
-	2	18	21	4	-	-	2	-	-	-	9	-	-	1	2	-	1	3	3	14
-	4	5	10	1	-	1	1	1	1	1	4	-	-	2	1	1	-	5	2	11
-	2	8	35	1	1	-	-	1	2	-	1	-	2	2	3	-	-	4	5	21
-	1	8	9	1	-	2	1	-	-	2	6	-	1	2	1	-	-	-	3	14
-	5	14	28	5	1	1	-	1	-	-	11	-	-	1	1	1	-	-	2	11
-	5	19	33	9	-	-	1	2	1	2	4	-	1	3	6	4	-	2	3	33
-	1	7	12	5	-	1	1	2	-	-	3	-	1	3	5	-	-	-	9	16
-	10	28	25	5	1	1	1	1	3	2	7	-	1	3	6	3	2	2	16	14
1	7	15	26	16	4	2	2	-	1	-	9	1	-	9	18	1	2	7	12	26
-	3	7	7	6	1	-	-	1	1	2	9	1	-	1	5	2	-	-	5	21
-	1	13	22	6	2	1	-	1	1	2	7	1	-	2	4	1	-	2	7	18

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	All causes	1,385,187	685,468	524,476	94,986	80,257	26,084	8,314	6,087	6,167	5,516
	I.—Infectious and parasitic diseases	102,596	46,095	28,008	16,092	12,401	2,497	605	459	742	691
1	Typhoid fever	706	291	176	138	106	7	1	2	2	2
2	Paratyphoid fever	44	22	15	4	3	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	76	45	23	4	4	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	981	569	268	85	59	23	10	4	5	4
7	Anthrax (infection by Bacillus anthracis)	14	11	1	2	-	-	-	-	-	-
8	Scarlet fever	447	232	186	15	14	4	2	1	1	-
9	Whooping cough	2,536	840	960	360	376	79	11	17	24	27
10	Diphtheria (infection by C. diphtheriae)	1,273	628	474	84	87	41	19	13	5	4
11	Erysipelas	261	135	117	5	4	7	4	2	-	1
12	Tetanus	698	363	134	141	60	28	8	7	9	4
13-22	Tuberculosis (all forms)	57,690	25,899	15,407	8,902	7,482	1,285	289	219	393	384
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	671	634	4	33	-	3	2	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	52,309	23,451	14,024	8,029	6,805	1,197	268	207	358	364
14	Tuberculosis of meninges and central nervous system	1,211	461	389	205	156	23	8	1	12	2
15	Tuberculosis of intestines and peritoneum	845	247	278	144	176	16	2	3	4	7
16	Tuberculosis of vertebral column	567	227	165	118	57	8	1	1	5	1
17a	Tuberculosis of bones (except vertebral column)	83	40	12	17	14	2	1	-	-	1
17b	Tuberculosis of joints (except vertebral column)	117	62	35	10	10	1	-	-	-	1
18	Tuberculosis of skin, etc.*	24	10	9	3	2	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	89	27	36	12	14	1	-	-	1	-
20	Tuberculosis of genito-urinary system	449	273	125	29	22	2	1	1	-	-
21	Tuberculosis of other organs	105	54	27	18	6	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	1,126	386	270	263	207	27	5	4	10	8
22b	Disseminated tuberculosis (other and unspecified)	94	27	33	21	13	5	1	2	2	-
23	Leprosy	25	12	10	1	2	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,389	669	472	131	117	72	20	27	10	15
25	Gonococcus infection	298	40	77	45	136	4	-	2	-	2
26	Other diseases due to bacteria (except dysentery)	105	50	27	18	10	1	-	-	1	-
27	Dysentery	1,877	787	634	261	195	43	10	9	15	9
28	Malaria	861	231	164	229	237	90	21	21	19	29
29	Other diseases due to parasitic protozoa (except spirochetes)	10	6	2	2	-	-	-	-	-	-
30	Syphilis (all forms)	16,345	7,775	2,595	4,066	1,909	305	41	13	165	86
30a	Locomotor ataxia (tabes dorsalis)	588	413	100	59	16	2	2	-	-	-
30b	General paralysis of insane	4,507	2,336	691	1,105	375	27	11	3	10	3
30c	Other syphilis of central nervous system	1,675	827	289	380	179	57	2	1	42	12
30d	Aneurysm of aorta	3,135	1,802	427	691	215	32	5	-	21	6
30e	Other syphilis of circulatory system	1,293	540	132	459	162	21	2	1	11	7
30f,g	Congenital, other and unspecified forms of syphilis	5,147	1,857	956	1,372	962	166	19	8	81	58
31	Relapsing fever	2	-	1	1	-	-	-	-	-	-
32	Other diseases due to spirochetes	223	97	75	22	29	7	2	1	2	2
33a	Influenza, with respiratory complications specified	6,626	2,636	2,415	798	777	218	67	53	48	50
33b	Influenza, without respiratory complications specified	4,276	1,784	1,684	387	421	165	53	35	30	47
34	Smallpox	2	1	1	-	-	-	-	-	-	-
35	Measles	1,302	513	516	126	147	25	7	9	3	6
36	Acute poliomyelitis and acute polioencephalitis	561	306	194	30	31	18	5	6	1	6
37a,c	Infectious encephalitis lethargica (acute and unqualified)	511	256	215	19	21	6	1	2	1	2
37b	Sequelae of encephalitis lethargica	275	154	107	6	8	-	-	-	-	-
38	Other diseases due to filtrable viruses	183	106	57	11	9	3	3	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	322	194	81	28	19	27	13	7	2	5
40	Ankylostomiasis	10	3	6	-	1	1	-	1	-	-
41	Hydatid disease	20	14	6	-	-	-	-	-	-	-
42	Other diseases caused by helminths	74	19	24	12	19	1	-	-	-	1
43	Mycoses	359	201	105	35	18	2	1	-	1	-
44	Other infectious and parasitic (communicable) diseases	2,214	1,206	779	129	100	35	17	8	5	5
	II.—Cancer and other tumors	169,484	75,062	82,428	4,777	7,217	1,922	584	761	202	375
45-55	Cancer and other malignant tumors	168,400	73,315	79,042	4,618	6,425	1,806	553	722	192	339
45	Cancer of buccal cavity and pharynx	5,104	3,860	966	192	86	63	29	23	8	3
45a-e	Cancer of buccal cavity	3,484	2,674	621	132	57	46	19	18	6	3
45f	Cancer of pharynx	1,620	1,186	345	60	29	17	10	5	2	-
46	Cancer of digestive organs and peritoneum	74,785	38,111	32,229	2,535	1,910	665	257	241	87	80
46a	Cancer of esophagus	2,847	2,083	549	170	45	14	8	3	3	-
46b,c	Cancer of stomach and duodenum	26,675	15,008	9,682	1,238	747	273	111	79	51	32
46f	Cancer of liver and biliary passages	10,204	4,080	5,528	330	266	137	49	60	14	14
46g	Cancer of pancreas	5,762	3,098	2,398	159	107	38	17	11	5	5
46d,e,h,m,	Cancer of other digestive organs and peritoneum	29,297	13,842	14,072	638	745	203	72	88	14	29
47	Cancer of respiratory system	10,947	7,970	2,395	445	137	113	59	31	19	4
48	Cancer of uterus	16,393	...	14,014	...	2,379	345	...	178	...	167
49	Cancer of other female genital organs	4,638	...	4,420	...	218	32	...	23	...	9
50	Cancer of breast	15,954	198	14,756	21	979	139	1	106	1	31
51	Cancer of male genital organs	9,706	9,022	...	684	...	95	62	...	33	...
52	Cancer of urinary organs (male and female)	7,607	4,689	2,543	224	151	58	24	23	8	3
53	Cancer of skin (except vulva and scrotum)	3,338	2,058	1,172	49	59	64	36	22	-	6
54	Cancer of central nervous system*	2,629	1,524	1,019	44	42	20	12	7	1	-
55	Cancer of other and unspecified organs	12,299	5,883	5,528	424	464	212	73	68	35	36
56a	Nonmalignant tumors of ovary	676	...	601	...	75	3	...	2	...	1
56b	Nonmalignant tumors of uterus	1,713	...	1,200	...	513	23	...	3	...	20
56c	Nonmalignant tumors of other female genital organs	42	...	37	...	5	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	1,309	682	576	50	51	6	3	1	-	2

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,586	2,926	1,621	589	450	15,764	6,203	4,516	2,679	2,366	84,851	47,991	33,192	2,495	1,173	12,532	7,070	5,172	164	126	
1,019	468	241	164	146	2,062	665	516	444	437	6,239	3,685	1,817	540	197	928	541	346	24	17	
16	3	2	4	1	51	20	9	13	9	17	9	5	2	1	7	3	4	-	-	1
-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	2	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	5
4	2	1	1	-	14	9	1	3	1	69	41	24	2	2	16	13	3	-	-	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7
2	1	1	-	-	1	1	-	-	-	12	3	8	-	1	12	5	7	-	-	8
39	11	15	8	5	47	15	14	11	7	107	37	61	7	2	26	8	18	-	-	9
8	4	2	-	2	56	27	25	3	1	83	49	30	2	2	24	11	13	-	-	10
2	-	2	-	-	3	1	1	1	-	10	7	3	-	-	4	2	2	-	-	11
3	3	-	-	-	11	2	4	3	2	30	24	5	-	1	1	1	-	-	-	12
675	340	139	99	97	1,029	307	248	226	248	3,876	2,260	1,119	360	137	495	279	189	15	12	13-22
13	13	-	-	-	-	-	-	-	-	62	61	-	1	-	16	16	-	-	-	13a
619	317	128	87	87	985	292	239	212	242	3,477	2,035	998	324	120	428	241	162	14	11	13b,c
18	2	4	6	6	14	4	4	5	1	100	41	43	11	5	8	2	6	-	-	14
8	1	1	1	-	10	3	2	3	2	36	16	14	3	3	3	1	2	-	-	15
2	1	-	1	-	6	3	1	2	-	34	19	12	2	1	9	6	1	1	1	16
-	-	-	-	-	3	1	1	1	-	4	1	2	-	1	2	1	1	-	-	17a
2	1	1	-	-	-	-	-	-	-	2	2	-	-	-	4	1	3	-	-	17b
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	18
2	1	1	-	-	-	-	-	-	-	3	1	1	-	1	2	1	1	-	-	19
4	3	-	1	-	-	-	-	-	-	41	24	12	3	2	8	7	1	-	-	20
-	-	-	-	-	-	-	-	-	-	9	7	1	1	-	-	-	-	-	-	21
12	1	4	3	4	10	4	1	2	3	101	49	34	14	4	14	3	11	-	-	22a
-	-	-	-	-	1	-	-	1	-	5	2	2	1	-	1	-	1	-	-	22b
-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	23
11	2	4	1	4	34	16	8	3	7	53	33	18	1	1	19	9	10	-	-	24
3	-	2	1	-	3	-	-	1	2	13	2	8	1	2	-	-	-	-	-	25
-	-	-	-	-	6	5	1	-	-	1	-	1	-	-	-	-	-	-	-	26
28	12	9	5	2	66	27	24	6	9	86	48	38	-	-	16	8	8	-	-	27
-	-	-	-	-	118	27	29	32	30	2	1	1	-	-	2	2	-	-	-	28
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	29
66	34	20	9	3	215	56	19	88	52	1,210	814	225	137	34	140	102	28	8	2	30
3	2	-	1	-	5	3	1	1	-	51	40	6	3	2	8	5	3	-	-	30a
7	5	2	-	-	71	27	4	26	14	242	176	35	27	4	34	25	6	3	-	30b
8	2	3	3	-	22	3	3	8	8	145	90	34	15	6	14	9	5	-	-	30c
8	4	3	1	-	17	7	3	4	3	373	256	62	50	5	41	31	7	2	1	30d
6	4	1	-	1	9	-	1	7	1	80	58	9	11	2	5	4	1	-	-	30e
34	17	11	4	2	91	16	7	42	26	319	194	79	31	15	38	28	6	3	1	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	-	1	-	-	8	2	4	-	2	8	4	3	1	-	-	-	-	-	-	32
50	18	23	4	5	162	60	48	25	29	203	114	84	3	2	64	39	23	1	1	33a
24	12	8	2	2	141	45	48	19	29	79	34	39	5	1	41	27	13	-	1	33b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	34
70	10	6	29	25	53	19	21	8	5	102	46	48	1	7	17	7	10	-	-	35
5	3	2	-	-	12	7	2	1	2	27	16	10	-	1	6	4	2	-	-	36
5	4	-	1	-	2	1	1	-	-	31	16	14	1	-	9	6	2	-	1	37a,c
-	-	-	-	-	-	-	-	-	-	19	10	9	-	-	1	1	-	-	-	37b
-	-	-	-	-	1	-	1	-	-	11	6	5	-	-	1	-	1	-	-	38
-	-	-	-	-	1	1	-	-	-	3	2	-	1	-	8	6	2	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	41
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	42
3	1	2	-	-	4	3	1	-	-	45	26	6	11	2	3	2	1	-	-	43
10	8	2	-	-	21	12	6	1	2	122	72	46	3	1	13	5	8	-	-	44
434	212	192	14	16	1,389	468	592	117	212	10,915	4,953	5,549	243	160	1,488	673	797	10	8	
413	205	183	12	13	1,308	452	563	113	180	10,576	4,853	5,340	239	144	1,421	648	755	10	8	45-55
9	8	-	1	-	48	26	17	3	2	343	256	72	13	2	33	27	6	-	-	45
8	7	-	1	-	32	15	13	2	2	236	184	45	6	1	27	24	3	-	-	45a-e
1	1	-	-	-	16	11	4	1	-	107	72	27	7	1	6	3	3	-	-	45f
188	110	63	8	7	551	236	202	69	44	4,613	2,440	1,976	148	49	673	348	317	7	1	46
1	1	-	-	-	6	3	-	1	2	160	107	42	9	2	21	17	3	1	-	46a
80	48	25	5	2	230	96	85	31	18	1,662	983	584	68	27	259	145	110	3	1	46b,c
26	14	10	-	2	119	55	43	13	8	529	200	301	23	5	90	35	55	-	-	46f
17	10	4	2	1	27	16	7	3	1	449	270	158	15	6	67	35	32	-	-	46g
64	37	24	1	2	169	66	67	21	15	1,813	880	891	33	9	236	116	117	3	-	46d,e,h,m
24	18	6	-	-	59	35	17	3	4	784	563	180	35	6	69	46	23	-	-	47
47	...	43	...	4	221	...	136	...	85	965	...	931	...	34	120	...	117	...	3	48
15	...	15	...	1	26	...	23	...	3	358	...	343	...	15	33	...	32	...	1	49
35	-	34	-	1	90	1	70	1	18	1,144	11	1,113	-	20	159	-	156	-	3	50
30	29	...	1	...	80	60	...	20	...	620	603	...	17	...	108	106	...	2	...	51
15	10	5	-	-	43	18	13	5	7	522	335	174	8	5	53	33	19	1	-	52
9	7	2	-	-	50	23	22	3	2	215	144	68	2	1	31	18	13	-	-	53
3	1	2	-	-	22	12	10	-	-	209	110	96	-	3	14	10	4	-	-	54
37	22	13	2	-	118	41	58	9	15	803	391	387	16	9	128	60	68	-	-	55
2	...	2	...	-	5	...	1	...	4	46	...	44	...	2	5	...	5	...	-	56a
2	...	-	...	2	29	...	9	...	20	89	...	79	...	10	15	...	15	...	-	56b
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	56c
6	-	4	2	-	7	2	3	-	2	118	60	54	2	2	19	8	11	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	22	...	17	...	5	1	...	1	...	-
57b	Tumors of utérus (nature unspecified)	26	...	24	...	2	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	18	...	9	...	9	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	2,278	1,115	922	109	132	88	28	32	10	18
	III.—Rheumatism, diseases of nutrition, etc.*	45,040	15,391	25,732	1,401	2,516	650	152	234	89	175
58a-d	Acute rheumatic heart diseases	1,035	407	443	90	95	18	4	4	3	7
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	492	192	176	56	68	22	4	7	4	7
59	Chronic rheumatism and other rheumatic diseases	1,832	594	1,101	55	82	31	10	12	4	5
60	Gout	8	4	3	1	-	-	-	-	-	-
61	Diabetes mellitus	33,971	11,966	19,658	807	1,540	327	89	118	36	84
62	Diseases of pituitary gland	150	49	91	7	3	1	-	-	1	-
63a	Simple goiter	197	47	126	4	20	2	-	1	-	1
63b	Exophthalmic goiter	2,934	443	2,261	38	192	29	-	21	3	5
63c-e	Other diseases of thyroid and parathyroid glands	401	98	283	5	15	1	-	1	-	-
64	Diseases of thymus gland	1,286	707	456	76	47	18	5	6	4	3
65	Diseases of adrenal glands (not specified as tuberculous)	448	194	230	14	10	3	1	2	-	-
66	Other general diseases	444	180	181	38	45	27	7	8	7	5
67	Scurvy	31	11	13	5	2	1	-	-	1	-
68	Beriberi	40	26	7	4	3	2	1	-	1	-
69	Pellagra (except alcoholic)	1,513	367	615	164	367	157	28	52	23	54
70	Rickets	122	50	35	22	15	6	1	1	2	2
71	Other avitaminoses	136	56	53	15	12	5	2	1	-	2
	IV.—Diseases of the blood and blood-forming organs	9,976	5,039	4,318	328	291	122	47	41	14	20
72	Hemorrhagic conditions	560	276	245	34	25	14	5	5	-	4
73a	Pernicious anemia	2,141	992	1,038	45	66	25	10	8	4	3
73b-d	Other anemias (except splenic)	1,112	485	487	60	80	24	5	8	3	8
74a	Leukemias	5,189	2,838	2,109	145	97	50	24	16	6	4
74b	Aleukemias	257	126	118	7	6	1	-	1	-	-
75	Diseases of spleen	461	221	203	26	11	7	2	3	1	1
76	Other diseases of the blood and blood-forming organs	236	101	118	11	6	1	1	-	-	-
	V.—Chronic poisoning and intoxication	2,681	2,091	269	244	77	38	28	2	7	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	61	45	10	5	1	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	2,480	1,957	224	229	70	38	28	2	7	1
78	Lead poisoning	71	57	4	6	4	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	69	32	31	4	2	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	136,924	60,149	59,450	8,359	8,966	2,802	866	734	553	649
80	Encephalitis (nonepidemic)	1,462	764	519	99	80	40	18	12	7	3
81	Meningitis (not due to meningococcus)	2,254	1,127	660	279	188	92	32	18	22	20
82	Diseases of spinal cord (see exceptions)*	2,693	1,443	1,049	96	105	22	10	8	1	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	105,391	45,187	46,591	6,385	7,228	2,174	652	541	438	543
83b	Cerebral embolism and thrombosis	10,461	5,020	4,875	283	283	51	21	19	6	5
83c	Cerebral softening	763	368	337	30	28	9	3	5	1	-
83d	Hemiplegia and other paralysis of unspecified origin	4,037	1,577	1,555	431	474	157	49	37	28	43
84	Mental diseases and deficiency (see exception)*	1,552	539	696	173	144	95	17	50	21	7
85	Epilepsy	2,485	1,234	794	288	169	75	24	20	13	18
86	Convulsions (under 5 years)	538	210	158	88	82	30	12	4	8	6
87	Other diseases of nervous system	3,758	1,858	1,685	105	110	36	17	13	5	1
88	Diseases of organs of vision	41	17	12	7	5	1	-	-	1	-
89a	Otitis and other diseases of the ear	1,060	560	385	61	54	16	10	6	-	-
89b	Diseases of mastoid process	429	245	134	34	16	4	1	1	2	-
	VII.—Diseases of the circulatory system	426,084	229,779	160,170	19,567	16,568	5,224	1,944	1,246	1,087	947
90-95	Diseases of the heart (all forms)	394,915	214,287	147,207	18,085	15,336	4,738	1,781	1,111	989	857
90	Pericarditis (except acute rheumatic)	606	316	169	60	61	11	6	-	2	3
91a,b	Bacterial and other acute or subacute endocarditis	2,338	1,144	896	160	138	39	19	7	8	5
91c	Endocarditis (unspecified, under 45 years)	283	93	105	42	43	16	1	3	7	5
92a-d	Chronic endocarditis and diseases of the valves*	38,058	17,670	15,757	2,469	2,162	738	195	161	214	168
92e	Endocarditis (unspecified, 45 years and over)	2,652	1,227	1,050	190	185	41	12	11	9	9
93a	Acute myocarditis (except rheumatic)	4,069	1,876	1,492	369	332	112	24	31	32	25
93b	Myocarditis (unspecified, under 45 years)	689	238	191	116	144	34	5	2	12	15
93c,d	Chronic myocarditis and myocardial degeneration	179,131	87,841	76,710	7,677	6,903	1,594	517	439	335	303
93e	Other myocarditis (unspecified)	18,056	9,074	6,805	1,173	1,004	364	137	70	77	80
94a	Diseases of coronary arteries	107,273	72,634	30,071	2,721	1,847	1,016	558	199	143	116
94b	Angina pectoris	6,363	4,158	1,750	262	193	154	89	41	14	10
95a	Functional diseases of heart, etc.*	1,131	583	468	41	39	13	8	3	1	1
95b,c	Other and unspecified diseases of heart	34,266	17,433	11,743	2,805	2,285	606	210	144	135	117
96	Aneurysm (except of heart and aorta)	1,382	821	408	94	59	14	3	1	7	3
97	Arteriosclerosis (except coronary or renal sclerosis)	24,342	12,197	10,444	964	737	290	111	90	50	39
98	Gangrene	554	253	168	58	75	27	4	6	8	9
99	Other diseases of arteries	1,910	1,022	767	66	55	26	9	6	3	8
100	Diseases of veins	967	415	478	35	39	11	3	5	1	2
101	Diseases of lymphatic system	101	41	39	13	8	3	-	1	2	-
102	High blood pressure (idiopathic)	1,691	646	611	207	227	82	28	17	19	23
103	Other diseases of circulatory system	222	97	48	45	32	33	10	9	8	6
	VIII.—Diseases of the respiratory system	78,041	37,855	27,341	7,301	5,544	1,885	581	485	445	374
104a	Diseases of nasal fossae	276	89	83	60	44	14	1	5	6	2
104b	Diseases of accessory sinuses	605	349	184	37	35	6	2	3	-	1
105	Diseases of larynx	380	187	132	33	28	11	5	2	2	2
106a	Acute bronchitis	965	449	388	73	55	7	2	1	2	2

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	57c
11	7	3	-	1	37	14	15	4	4	81	50	27	2	2	28	17	11	-	-	57d,e
113	48	50	9	6	317	94	142	31	50	2,255	920	1,247	43	45	298	119	166	7	6	
4	2	1	1	-	4	2	1	-	1	36	18	14	2	2	16	10	5	-	1	58a-d
1	-	-	1	-	8	4	2	2	-	13	8	4	1	-	13	5	7	-	1	58e,f
5	1	3	1	-	28	8	15	4	1	101	26	74	-	1	17	5	10	1	1	59
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	60
68	31	31	1	5	189	61	86	19	23	1,747	722	961	29	35	197	86	106	3	2	61
-	-	-	-	-	3	2	1	-	-	14	10	3	1	-	1	-	1	-	-	62
2	1	1	-	-	2	-	1	-	1	3	2	1	-	-	3	2	1	-	-	63a
4	-	4	-	-	8	1	5	1	1	122	24	92	2	4	26	3	22	1	-	63b
1	1	-	-	-	2	-	1	-	1	21	6	15	-	-	3	1	2	-	-	63c-e
14	6	4	3	1	5	-	4	-	1	106	57	45	4	-	8	5	2	1	-	64
4	1	2	1	-	3	1	2	-	-	39	21	15	2	1	5	1	4	-	-	65
8	4	3	1	-	7	4	2	-	1	10	3	5	1	1	6	1	5	-	-	66
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	68
1	-	1	-	-	56	11	21	4	20	23	12	10	1	-	1	-	-	-	1	69
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	-	-	-	-	-	70
1	1	-	-	-	-	-	-	-	-	12	5	6	-	1	2	-	1	1	-	71
22	11	8	-	3	88	45	32	3	8	602	323	259	15	5	74	42	31	1	-	
1	1	-	-	-	9	4	3	-	2	28	14	13	1	-	10	4	6	-	-	72
4	3	1	-	-	14	7	4	2	1	103	53	48	1	1	18	9	9	-	-	73a
2	1	1	-	-	9	6	2	1	-	53	27	22	3	1	10	7	2	1	-	73b-d
10	3	4	-	3	50	25	20	-	5	366	200	157	8	1	29	18	11	-	-	74a
3	2	1	-	-	4	2	2	-	-	28	23	4	1	-	-	-	-	-	-	74b
2	1	1	-	-	2	1	1	-	-	15	2	11	-	2	3	1	2	-	-	75
-	-	-	-	-	-	-	-	-	-	9	4	4	1	-	4	3	1	-	-	76
16	12	3	1	-	26	21	2	3	-	232	197	27	5	3	30	28	2	-	-	
1	-	1	-	-	1	1	-	-	-	13	10	3	-	-	-	-	-	-	-	77a,b
15	12	2	1	-	25	20	2	3	-	212	180	24	5	3	30	28	2	-	-	77c-e
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	79
357	177	143	18	19	1,599	570	536	222	271	7,459	3,492	3,673	190	104	1,141	543	573	12	13	
10	6	3	-	1	26	8	10	4	4	72	42	28	1	1	17	10	7	-	-	80
11	5	3	1	2	32	12	12	6	2	92	66	22	2	2	19	10	9	-	-	81
11	6	5	-	-	15	9	5	-	1	159	84	73	2	-	26	12	12	1	1	82
252	132	94	13	13	1,213	427	405	169	212	5,644	2,551	2,865	144	84	854	408	428	9	9	83a
22	12	10	-	-	41	22	16	1	2	815	409	385	13	8	88	41	46	-	1	83b
-	-	-	-	-	3	2	1	-	-	117	60	48	7	2	4	2	2	-	-	83c
12	2	8	-	2	132	46	40	20	26	75	34	39	-	2	39	15	24	-	-	83d
2	-	1	-	1	37	9	12	4	12	82	40	35	5	2	15	8	7	-	-	84
10	3	7	-	-	29	10	10	6	3	90	48	37	5	-	23	7	15	-	1	85
3	1	1	1	-	20	4	6	5	5	5	3	1	1	-	1	1	-	-	-	86
11	5	5	1	-	30	11	12	3	4	206	98	101	5	2	36	19	16	1	-	87
1	-	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	88
9	3	4	2	-	18	8	6	4	-	74	42	29	2	1	17	9	6	1	1	89a
3	2	1	-	-	3	2	1	-	-	26	15	9	2	-	2	1	1	-	-	89b
997	631	288	51	27	3,113	1,447	806	471	389	29,238	17,316	11,084	557	281	3,402	2,062	1,268	38	34	
948	599	277	48	24	2,866	1,352	731	430	353	26,302	15,709	9,852	491	250	3,112	1,915	1,137	32	28	90-95
1	-	1	-	-	16	4	5	4	3	56	40	13	2	1	9	6	3	-	-	90
12	4	8	-	-	32	5	13	6	8	129	84	38	5	2	43	21	22	-	-	91a,b
1	-	1	-	-	10	2	4	3	1	4	2	2	-	-	3	2	-	-	1	91c
101	55	35	7	4	467	177	131	79	80	2,098	1,107	902	56	33	402	216	177	7	2	92a-d
3	2	1	-	-	33	9	11	8	5	97	51	44	1	1	28	15	13	-	-	92e
28	17	4	4	3	62	25	16	14	7	152	86	61	1	4	32	20	11	1	-	93a
3	3	-	-	-	9	1	1	4	3	21	11	7	2	1	9	7	2	-	-	93b
367	219	121	17	10	837	345	239	146	107	13,978	7,782	5,789	271	136	1,147	671	453	12	11	93c,d
52	30	22	-	-	121	47	37	21	16	706	397	285	10	14	297	171	118	4	4	93e
238	180	47	10	1	621	411	122	46	42	7,779	5,446	2,195	104	34	839	587	236	6	10	94a
9	8	1	-	-	96	63	17	8	8	176	118	54	3	1	49	36	13	-	-	94b
5	4	1	-	-	19	10	7	-	2	34	22	11	1	-	12	7	5	-	-	95a
128	77	35	10	6	543	253	128	91	71	1,072	563	451	35	23	242	156	84	2	-	95b,c
3	3	-	-	-	3	-	2	1	-	237	158	63	10	6	13	9	2	2	-	96
30	21	6	1	2	158	62	48	26	22	2,475	1,333	1,067	52	23	222	108	106	4	4	97
-	-	-	-	-	5	1	1	1	2	13	7	5	-	1	8	5	2	-	1	98
5	2	3	-	-	22	13	5	3	1	97	55	41	1	-	21	11	9	-	1	99
1	1	-	-	-	3	1	1	1	-	49	26	22	-	1	14	8	6	-	-	100
2	1	1	-	-	4	1	2	1	-	2	-	2	-	-	-	-	-	-	-	101
5	4	1	-	-	47	16	13	8	10	58	23	32	3	-	9	4	5	-	-	102
3	-	-	2	1	5	1	3	-	1	5	5	-	-	-	3	2	1	-	-	103
528	263	143	74	48	1,183	425	338	225	195	4,553	2,777	1,553	153	70	980	556	399	18	7	
7	-	2	2	3	2	1	-	1	-	4	3	1	-	-	1	1	-	-	-	104a
5	3	2	-	-	8	1	5	-	2	37	29	7	-	1	9	5	4	-	-	104b
1	-	-	1	-	6	3	1	2	-	18	9	8	1	-	6	4	2	-	-	105
6	2	2	2	-	10	3	3	2	2	55	30	24	1	-	5	2	3	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	1,849	1,052	688	68	41	13	2	7	2	2
106c	Bronchitis (unspecified)	721	316	304	48	53	13	4	3	3	3
107	Bronchopneumonia (including capillary bronchitis)	30,636	14,301	11,749	2,519	2,067	661	210	201	129	121
108	Lobar pneumonia	27,469	13,669	8,746	2,948	2,106	637	194	128	171	144
109	Pneumonia (unspecified)	5,525	2,315	1,752	810	648	301	88	64	83	66
110	Pleurisy (not specified as tuberculous)	1,714	993	464	169	88	21	9	-	8	4
111a	Hemorrhagic infarction and thrombosis of lungs	1,272	627	514	70	61	33	12	11	4	6
111b,c	Acute edema, chronic and unspecified congestion of lungs	2,300	989	1,082	131	98	73	20	34	12	7
112	Asthma	2,297	1,154	871	130	142	46	17	15	7	7
113	Pulmonary emphysema	182	133	38	6	5	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	1,850	1,232	346	199	73	48	14	11	16	7
	IX.—Diseases of the digestive system	70,467	36,415	24,993	4,876	4,183	1,258	414	287	283	274
115a,b,d	Diseases of buccal cavity and adnexa	1,493	661	565	126	141	36	10	9	10	7
115c	Diseases of pharynx and tonsils	1,161	538	414	106	103	31	7	9	8	7
116	Diseases of esophagus	193	109	61	12	11	2	-	-	-	2
117a	Ulcer of stomach	6,387	4,779	904	512	192	86	42	10	26	8
117b	Ulcer of duodenum	2,872	2,283	429	125	35	31	14	7	9	1
118	Other diseases of stomach (except cancer)	1,952	811	537	283	331	91	25	17	17	32
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	8,951	3,804	3,038	1,123	986	242	71	41	65	65
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	2,823	1,147	1,114	266	296	99	26	35	15	23
121	Appendicitis	8,368	4,442	2,864	611	451	139	47	32	41	19
122a	Hernia	4,646	2,502	1,762	283	99	36	12	7	11	6
122b	Intestinal obstruction	6,837	2,718	3,004	483	632	158	41	44	32	41
123	Other diseases of intestines	1,670	873	595	84	113	22	10	3	4	5
124a	Cirrhosis of liver (with mention of alcoholism)	1,644	1,178	372	65	29	14	10	-	3	1
124b	Cirrhosis of liver (without mention of alcoholism)	10,909	6,637	3,605	424	243	95	45	22	18	10
125a	Acute yellow atrophy of liver (nonpuerperal)	602	279	249	30	44	12	4	2	2	4
125b	Other diseases of liver	1,072	496	354	111	111	29	9	7	5	8
126	Biliary calculi	3,887	1,194	2,597	28	68	21	5	15	-	1
127	Other diseases of gallbladder and biliary ducts	2,995	1,077	1,725	73	120	40	17	12	5	6
128	Diseases of pancreas (except diabetes mellitus)	831	426	349	32	24	9	4	2	-	3
129	Peritonitis (cause not stated)	1,164	456	455	99	154	65	15	13	12	25
	X.—Diseases of the genito-urinary system	113,099	54,201	41,296	9,468	8,134	2,311	686	537	617	471
130	Acute nephritis	3,026	1,144	994	439	449	146	35	27	45	39
131a	Arteriosclerotic kidney	63,776	28,953	25,637	4,728	4,458	1,107	351	250	286	220
131b	Other chronic nephritis	25,286	11,522	9,479	2,336	1,949	564	153	148	140	123
132	Nephritis unspecified (10 years and over)	4,819	2,137	1,609	594	479	243	74	58	64	47
133	Other diseases of kidneys and ureters, etc.*	3,536	1,568	1,450	282	236	66	17	24	17	8
134	Calculi of urinary passages	1,642	1,018	536	52	36	22	11	9	2	-
135	Diseases of urinary bladder	668	338	200	101	29	12	4	-	7	1
136	Diseases of urethra (except calculus)	436	244	23	167	2	17	4	-	13	-
137	Diseases of prostate	7,995	7,241	...	754	...	78	36	...	42	...
138	Diseases of other male genital organs (except venereal)	51	36	...	15	...	2	1	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	1,220	...	819	...	401	38	...	13	...	25
139b	Diseases of uterus	600	...	522	...	78	11	...	5	...	6
139c	Diseases of other and unspecified female genital organs	44	...	27	...	17	5	...	3	...	2
	XI.—Diseases of pregnancy, childbirth, and the puerperium	7,267	...	5,515	...	1,752	235	...	94	...	141
140	Abortion with mention of infection	929	...	694	...	235	21	...	8	...	13
140a,b	Abortion (septic), spontaneous or therapeutic*	725	...	520	...	205	19	...	6	...	13
140c,d	Abortion (septic), self-induced or nontherapeutic*	204	...	174	...	30	2	...	2	...	-
141	Abortion without mention of infection	302	...	223	...	79	10	...	6	...	4
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	79	...	55	...	24	4	...	3	...	1
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	204	...	151	...	53	6	...	3	...	3
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	19	...	17	...	2	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	76	...	53	...	23	1	...	-	...	1
142b	Ectopic gestation, without mention of infection	270	...	195	...	75	6	...	3	...	3
143a	Placenta praevia (death before delivery)	14	...	11	...	3	1	...	-	...	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	47	...	34	...	13	5	...	3	...	2
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	568	...	388	...	180	44	...	15	...	29
144c,d	Other toxemias of pregnancy (death before delivery)*	209	...	149	...	60	8	...	6	...	2
145	Other diseases and accidents of pregnancy (death before delivery)	272	...	207	...	65	11	...	6	...	5
	A. With mention of infection	190	...	148	...	42	7	...	4	...	3
	B. Without mention of infection	82	...	59	...	23	4	...	2	...	2
146a	Placenta praevia (with childbirth)	221	...	179	...	42	6	...	3	...	3
146b,c	Other hemorrhages of childbirth and puerperium	841	...	674	...	167	28	...	12	...	16
147a,b	Puerperal pyelitis, other general or local puerperal infection*	896	...	619	...	277	31	...	7	...	24
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	717	...	648	...	69	10	...	6	...	4
148a,b	Puerperal eclampsia and nephritis*	838	...	614	...	224	27	...	11	...	16
148c,d	Other puerperal toxemias	172	...	133	...	39	2	...	1	...	1
149	Other accidents and specified conditions of childbirth	514	...	432	...	82	11	...	5	...	6
150	Other and unspecified conditions of childbirth and puerperium	381	...	262	...	119	13	...	2	...	11
	XII.—Diseases of the skin and cellular tissue	1,245	529	507	96	113	40	5	7	12	16
151	Carbuncle and furuncle	249	134	80	10	25	11	2	2	3	4
152	Phlegmon and acute abscess	316	141	97	42	36	12	1	2	4	5
153	Other diseases of skin and cellular tissue	680	254	330	44	52	17	2	3	5	7
	XIII.—Diseases of the bones, etc.*	932	523	292	72	45	22	10	3	6	3
154	Osteomyelitis and periostitis	483	301	113	49	20	15	6	1	5	3
155	Other diseases of bones (except tuberculosis)	137	64	65	4	4	2	1	1	-	-
156	Diseases of joints and other organs of movement	312	158	114	19	21	5	3	1	1	-
157	XIV.—Congenital malformations	15,867	8,155	6,668	574	470	222	109	67	23	23

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
13	11	2	-	-	12	5	2	3	2	126	80	43	3	-	22	14	7	-	1	106b
1	1	-	-	-	14	4	5	1	4	15	5	10	-	-	15	7	8	-	-	106c
235	111	77	27	20	420	167	116	76	61	2,280	1,296	888	64	37	399	219	174	6	-	107
149	78	40	21	10	473	163	137	86	87	1,366	942	350	54	20	313	180	120	9	4	108
48	15	7	15	11	138	42	38	35	23	99	59	28	7	5	57	30	27	-	-	109
10	5	3	1	1	18	6	7	3	2	127	87	32	6	2	28	17	9	-	2	110
5	4	1	-	-	9	5	3	1	-	51	30	20	1	-	26	12	13	1	-	111a
10	4	1	3	2	28	13	8	2	5	136	49	76	8	3	26	10	15	1	-	111b,c
22	16	5	-	1	26	5	7	8	6	122	65	52	3	2	35	23	11	1	-	112
2	2	-	-	-	2	1	1	-	-	18	14	3	1	-	4	3	1	-	-	113
14	11	1	2	-	17	6	5	5	1	99	79	16	4	-	34	29	5	-	-	114
453	202	140	50	61	1,021	421	256	189	155	4,954	2,973	1,773	158	55	858	474	363	14	7	
10	2	4	1	3	28	11	7	5	5	72	36	35	1	-	12	8	4	-	-	115a,b,d
5	2	3	-	-	17	7	5	2	3	64	34	25	-	5	18	9	4	-	-	115c
-	-	-	-	-	-	-	-	-	-	17	13	4	-	-	5	2	3	-	-	116
25	23	1	-	1	84	48	11	20	5	499	394	80	23	2	70	55	14	-	1	117a
6	6	-	-	-	19	14	4	-	1	301	238	54	6	3	35	24	10	1	-	117b
15	10	2	1	2	80	24	14	15	27	52	35	14	2	1	17	14	3	-	-	118
231	78	77	36	40	195	67	58	44	26	382	219	148	8	7	165	83	76	6	-	119
23	7	8	3	5	87	29	22	23	13	101	46	49	4	2	42	22	20	-	-	120
20	13	5	-	2	135	68	31	20	16	417	250	149	14	4	101	60	40	1	-	121
8	5	-	3	-	42	14	10	11	7	264	162	93	7	2	51	32	16	2	1	122a
27	14	9	1	3	123	45	37	20	21	359	146	198	10	10	79	37	40	2	-	122b
11	6	2	2	1	14	7	2	2	3	122	67	52	1	2	29	14	14	1	-	123
6	4	2	-	-	4	3	-	1	-	383	260	100	16	7	8	7	1	-	-	124a
28	17	11	-	-	85	47	19	13	6	1,287	784	452	45	6	85	46	37	-	2	124b
1	-	1	-	-	5	2	-	1	2	61	40	21	-	-	11	10	1	-	-	125a
3	1	-	1	1	19	8	5	3	3	104	67	31	6	-	9	3	6	-	-	125b
10	3	6	1	-	17	4	8	2	3	231	72	153	5	1	44	14	29	1	-	126
14	5	7	-	2	35	13	14	2	6	132	49	79	3	1	54	21	32	-	1	127
2	2	-	-	-	1	1	-	-	-	69	36	32	1	-	15	9	6	-	-	128
8	4	2	1	1	31	9	9	5	8	37	25	9	1	2	13	4	7	-	2	129
264	152	91	12	9	1,523	588	401	324	210	5,461	3,064	2,172	143	82	1,100	618	461	9	12	
21	9	7	3	2	93	30	23	21	19	92	56	31	4	1	28	12	16	-	-	130
119	76	39	2	2	552	225	143	104	80	3,198	1,670	1,405	76	47	597	325	260	4	8	131a
71	37	26	5	3	546	201	149	124	72	1,080	569	464	30	17	230	121	106	2	1	131b
7	4	3	-	-	149	54	47	24	24	129	65	48	10	6	62	33	29	-	-	132
13	3	8	-	2	48	17	15	10	6	240	137	95	4	4	35	14	17	2	2	133
4	3	1	-	-	11	4	6	1	-	137	91	40	5	1	14	7	6	1	-	134
3	1	1	1	-	16	3	4	7	2	27	14	11	1	1	3	2	1	-	-	135
-	-	-	-	-	3	-	-	3	-	19	15	2	2	-	6	5	1	-	-	136
20	19	...	1	...	82	52	...	30	...	457	446	...	11	...	99	99	...	-	...	137
-	-	...	-	...	2	2	...	-	...	1	1	...	-	...	-	-	...	-	...	138
6	...	6	...	-	14	...	8	...	6	60	...	55	...	5	17	...	16	...	1	139a
-	...	-	...	-	7	...	6	...	1	20	...	20	...	-	9	...	9	...	-	139b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	139c
49	...	29	...	20	158	...	89	...	69	306	...	286	...	20	44	...	43	...	1	
5	...	5	...	-	17	...	10	...	7	50	...	45	...	5	5	...	5	...	-	140
2	...	2	...	-	15	...	8	...	7	35	...	31	...	4	4	...	4	...	-	140a,b
3	...	3	...	-	2	...	2	...	-	15	...	14	...	1	1	...	1	...	-	140c,d
1	...	1	...	-	3	...	3	...	-	27	...	27	...	-	1	...	1	...	-	141
-	...	-	...	-	2	...	2	...	-	8	...	8	...	-	-	...	-	...	-	141a,c
1	...	1	...	-	1	...	1	...	-	15	...	15	...	-	1	...	1	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	142a
-	...	-	...	-	5	...	3	...	2	13	...	12	...	1	4	...	4	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	143b,c
5	...	2	...	3	17	...	10	...	7	9	...	9	...	-	4	...	4	...	-	144a,b
2	...	1	...	1	7	...	6	...	1	5	...	5	...	-	1	...	1	...	-	144c,d
3	...	2	...	1	8	...	3	...	5	8	...	8	...	-	4	...	4	...	-	145
3	...	2	...	1	5	...	1	...	4	4	...	4	...	-	3	...	3	...	-	
-	...	-	...	-	3	...	2	...	1	4	...	4	...	-	1	...	1	...	-	
1	...	1	...	-	7	...	6	...	1	8	...	7	...	1	1	...	1	...	-	146a
3	...	3	...	-	16	...	10	...	6	38	...	37	...	1	5	...	4	...	1	146b,c
8	...	3	...	5	23	...	6	...	17	26	...	24	...	2	5	...	5	...	-	147a,b
4	...	4	...	-	10	...	7	...	3	34	...	32	...	2	4	...	4	...	-	147c,d
7	...	3	...	4	25	...	15	...	10	34	...	30	...	4	8	...	8	...	-	148a,b
3	...	1	...	2	4	...	2	...	2	9	...	7	...	2	-	...	-	...	-	148c,d
4	...	3	...	1	7	...	4	...	3	29	...	29	...	-	1	...	1	...	-	149
3	...	-	...	3	9	...	4	...	5	12	...	11	...	1	-	...	-	...	-	150
6	2	2	2	-	20	5	7	2	6	50	25	18	5	2	3	2	1	-	-	
-	-	-	-	-	7	-	3	2	2	13	10	2	-	1	-	-	-	-	-	151
1	-	-	1	-	3	2	-	-	1	11	4	3	3	1	-	-	-	-	-	152
5	2	2	1	-	10	3	4	-	3	26	11	13	2	-	3	2	1	-	-	153
4	2	2	-	-	14	4	4	4	2	41	27	12	1	1	9	6	3	-	-	
2	1	1	-	-	8	2	3	3	-	23	16	6	1	-	7	5	2	-	-	154
2	1	1	-	-	2	1	-	-	1	5	3	2	-	-	1	-	1	-	-	155
-	-	-	-	-	4	1	1	1	1	13	8	4	-	1	1	1	-	-	-	156
73	24	41	5	3	150	69	64	8	9	928	516	394	13	5	139	98	39	2	-	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	XV.—Diseases peculiar to the first year of life	55,401	27,925	19,486	4,485	3,505	1,467	561	399	285	222
158	Congenital debility (cause not stated)	2,738	1,086	782	494	376	98	27	18	35	18
159	Premature birth (cause not stated)	34,504	16,921	12,439	2,807	2,337	962	348	287	174	153
160a	Intracranial or spinal hemorrhage	5,178	2,959	1,740	282	197	116	62	35	12	7
160b,c	Other injuries at birth	6,277	3,455	2,241	355	226	128	55	24	30	19
161	Other diseases peculiar to the first year of life	6,704	3,504	2,284	547	369	163	69	35	34	25
162	XVI.—Senility	10,619	3,978	4,706	978	957	365	77	102	98	88
	XVII.—Violent or accidental deaths	120,207	75,610	29,367	11,628	3,602	2,550	1,216	350	753	231
163,164	Suicide	16,117	11,783	3,789	406	139	167	129	27	8	3
163	Suicide by poisoning	4,136	2,317	1,700	60	59	25	13	9	1	2
	Suicide by solid or liquid poisons	1,922	894	938	40	50	22	11	8	1	2
	Suicide by poisonous gases	2,214	1,423	762	20	9	3	2	1	-	-
164a	Suicide by hanging or strangulation	3,433	2,643	705	73	11	15	8	6	1	-
164b	Suicide by drowning	714	407	271	24	12	2	2	-	-	-
164c	Suicide by firearms and explosives	6,117	5,241	667	174	35	106	91	10	5	-
164d	Suicide by cutting or piercing instruments	713	558	118	31	6	3	2	-	1	-
164e	Suicide by jumping from high places	640	386	221	24	9	4	4	-	-	-
164f	Suicide by crushing	160	120	29	9	2	-	-	-	-	-
164g	Suicide by other or unspecified means	204	111	77	11	5	12	9	2	-	1
165-168	Homicide [1]	7,743	2,572	769	3,548	854	381	83	6	225	66
166	Homicide by firearms	4,204	1,451	433	1,960	360	194	55	3	117	19
167	Homicide by cutting or piercing instruments	2,120	396	84	1,255	385	132	15	-	79	38
168	Homicide by other means	1,419	725	252	333	109	55	13	3	30	9
169-195	Accidental deaths	95,889	60,906	24,807	7,568	2,608	1,991	998	317	514	162
169	Railway accidents (except collisions with motor vehicles)	3,700	2,863	287	491	59	94	60	6	24	4
170a	Collisions between automobiles and trains	1,754	1,224	394	100	36	21	14	2	3	2
170b	Collisions between automobiles and streetcars	124	93	23	7	1	2	2	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	26,043	18,556	4,845	2,163	479	496	302	59	111	24
170d	Motorcycle accidents (except collisions with automobiles)	388	349	32	6	1	11	11	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	532	352	128	40	12	3	-	-	2	1
171b	Other and unspecified road-transport accidents	304	197	52	48	7	16	8	1	7	-
172	Water-transport accidents	995	799	82	108	6	7	3	-	4	-
173	Air-transport accidents	2,981	2,927	32	21	1	105	104	-	1	-
174	Accidents in mines and quarries	1,912	1,759	11	141	1	44	21	-	23	-
175a	Accidents involving agricultural machinery and vehicles	906	798	49	56	3	5	2	2	1	-
175b,c	Other agricultural accidents, including injury by animals	996	847	72	76	1	1	-	-	1	-
175d	Accidents involving forestry machinery and vehicles	45	43	-	2	-	-	-	-	-	-
175e	Other forestry accidents	294	258	2	34	-	-	-	-	-	-
176	Other accidents involving machinery	1,471	1,248	45	175	3	20	13	-	7	-
177	Food poisoning	463	167	149	79	68	25	7	8	6	4
178	Accidental absorption of poisonous gas	1,694	1,122	481	60	31	11	7	2	1	1
179	Acute accidental poisoning by solids or liquids	1,193	575	412	117	89	28	7	5	9	7
180	Conflagration	2,761	1,309	894	319	239	28	10	3	6	9
181	Accidental burns (except conflagration)	5,159	2,115	1,916	526	602	198	52	55	36	55
182	Accidental mechanical suffocation	1,581	815	485	162	119	46	13	9	16	8
183	Accidental drowning	5,805	4,187	706	838	74	126	55	15	53	3
184	Accidental injury by firearms	2,741	1,957	210	465	109	130	53	9	56	12
185	Accidental injury by cutting or piercing instruments	337	166	51	91	29	18	1	-	10	7
186a	Accidental injury by fall	22,224	10,127	11,223	549	325	114	45	50	16	3
186b	Accidental injury by crushing	664	540	41	83	-	39	18	2	19	-
187	Cataclysm, etc.*	514	216	200	51	47	6	2	1	-	3
188	Injury by animals (except in agriculture and forestry)	191	133	35	19	4	7	3	3	1	-
189	Hunger or thirst	42	26	9	4	3	2	-	1	-	1
190	Excessive cold	310	214	34	44	18	7	3	-	4	-
191	Excessive heat	448	297	67	64	20	9	5	2	2	-
192	Lightning	372	239	42	64	27	14	8	1	4	1
193	Accidents due to electric currents (except lightning)	813	720	52	35	6	25	18	1	6	-
194	Poisoning by venomous animals (except in agriculture and forestry)	98	57	18	6	7	4	2	-	1	1
195a,b	Accidents due to medical or surgical intervention	64	28	24	3	9	2	-	-	-	2
195d	Obstruction, suffocation, or puncture by ingested objects	927	509	290	83	45	16	7	4	2	3
195c,e	Other and unspecified accidents	5,043	3,064	1,414	438	127	311	142	76	82	11
196	Deaths of military personnel during operations of war	75	75	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	236	208	1	26	1	2	2	-	-	-
198	Legal executions	147	66	1	80	-	9	4	-	5	-
	XVIII.—Ill-defined and unknown causes	19,257	6,671	3,930	4,740	3,916	2,474	429	279	951	815
199	Sudden death	1,258	574	223	276	185	70	24	10	15	21
200a	Ill-defined	6,419	2,982	1,483	1,098	856	468	115	59	157	137
200b	Found dead (cause unknown)	860	441	191	154	74	66	21	14	16	15
200c	Unknown or unspecified	10,720	2,674	2,033	3,212	2,801	1,870	269	196	763	642

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
360	191	104	36	29	619	273	234	57	55	2,855	1,591	1,112	88	64	534	292	229	6	7	
45	20	9	10	6	49	21	13	8	7	46	25	16	3	2	31	17	12	1	1	158
198	106	63	16	13	423	183	164	40	36	1,740	950	693	60	37	315	174	135	2	4	159
20	11	5	2	2	37	18	14	1	4	191	104	76	3	8	54	28	23	2	1	160a
43	28	10	2	3	60	30	24	5	1	440	254	170	9	7	76	41	34	1	-	160b,c
54	26	17	6	5	50	21	19	3	7	438	258	157	13	10	58	32	25	-	1	161
56	27	7	15	7	326	101	106	70	49	251	100	137	10	4	177	74	93	5	5	162
670	448	116	85	21	1,464	788	246	330	100	8,382	5,945	2,042	326	69	1,272	908	342	16	6	
75	55	17	2	1	123	88	25	7	3	1,492	1,073	360	51	8	214	158	53	3	-	163,164
22	13	8	1	-	23	11	12	-	-	406	219	175	8	4	66	39	25	2	-	163
18	10	7	1	-	23	11	12	-	-	254	103	139	8	4	41	20	20	1	-	
4	3	1	-	-	-	-	-	-	-	152	116	36	-	-	25	19	5	1	-	
9	6	3	-	-	13	11	1	-	1	249	185	46	16	2	22	16	6	-	-	164a
-	-	-	-	-	4	4	-	-	-	51	26	22	3	-	3	1	2	-	-	164b
36	30	4	1	1	67	49	10	6	2	583	501	69	11	2	104	89	15	-	-	164c
3	3	-	-	-	13	12	-	1	-	90	66	16	8	-	11	9	2	-	-	164d
2	2	-	-	-	1	1	-	-	-	78	51	25	2	-	5	3	2	-	-	164e
-	-	-	-	-	1	-	1	-	-	17	14	1	2	-	1	1	-	-	-	164f
3	1	2	-	-	1	-	1	-	-	18	11	6	1	-	2	-	1	1	-	164g
40	22	5	12	1	178	44	7	99	28	352	194	80	67	11	40	23	15	1	1	165-168
15	9	3	3	-	113	35	2	62	13	178	87	48	38	5	19	12	6	1	-	166
11	5	1	4	1	40	2	-	26	12	74	40	9	23	2	6	3	2	-	1	167
14	8	1	5	-	25	6	5	11	3	100	67	23	6	4	15	8	7	-	-	168
555	371	94	71	19	1,158	655	214	220	69	6,526	4,669	1,602	205	50	1,015	724	274	12	5	169-195
21	19	-	2	-	72	52	2	18	-	204	185	12	6	1	37	32	5	-	-	169
11	7	3	1	-	16	10	1	3	2	149	101	32	16	-	33	25	3	3	2	170a
-	-	-	-	-	-	-	-	-	-	25	18	5	2	-	2	1	-	-	1	170b
174	121	23	27	3	284	186	34	56	8	2,381	1,779	496	94	12	241	182	54	4	1	170c
1	1	-	-	-	1	1	-	-	-	24	22	2	-	-	-	-	-	-	-	170d
-	-	-	-	-	1	-	1	-	-	62	41	17	3	1	4	3	1	-	-	171a
3	1	-	2	-	14	6	2	4	2	15	12	3	-	-	-	-	-	-	-	171b
3	3	-	-	-	9	8	1	-	-	71	70	1	-	-	1	1	-	-	-	172
47	45	-	2	-	32	31	-	1	-	384	376	8	-	-	36	34	2	-	-	173
20	20	-	-	-	18	18	-	-	-	30	30	-	-	-	99	99	-	-	-	174
4	4	-	-	-	16	8	-	8	-	23	20	2	1	-	13	12	1	-	-	175a
4	3	-	1	-	13	7	1	5	-	26	23	2	1	-	19	18	1	-	-	175b,c
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	4	3	-	1	-	19	17	-	2	-	2	2	-	-	-	175e
5	5	-	-	-	22	18	-	4	-	87	83	3	1	-	11	10	-	1	-	176
2	-	1	-	1	15	5	4	5	1	15	8	6	-	1	9	5	4	-	-	177
3	3	-	-	-	9	5	3	-	1	100	73	23	3	1	11	8	2	-	1	178
6	3	2	1	-	21	11	3	5	2	72	37	31	2	2	13	9	4	-	-	179
8	5	-	3	-	37	10	10	11	6	169	116	43	7	3	5	3	2	-	-	180
33	17	11	1	4	84	24	26	15	19	256	156	86	7	7	40	18	22	-	-	181
8	2	5	1	-	19	6	4	6	3	90	59	28	2	1	15	8	6	1	-	182
37	26	8	3	-	84	49	13	20	2	320	244	54	17	5	54	45	9	-	-	183
25	13	5	7	-	63	33	3	23	4	128	111	8	7	2	37	34	3	-	-	184
2	-	-	2	-	11	3	1	6	1	13	7	3	2	1	4	4	-	-	-	185
57	27	18	8	4	140	65	65	5	5	1,416	711	676	23	6	244	108	135	1	-	186a
2	2	-	-	-	11	7	-	4	-	44	44	-	-	-	5	5	-	-	-	186b
-	-	-	-	-	33	17	16	-	-	4	1	3	-	-	6	4	2	-	-	187
4	1	1	1	1	1	1	-	-	-	4	4	-	-	-	1	1	-	-	-	188
3	1	-	1	1	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	189
1	-	-	1	-	4	2	-	2	-	3	3	-	-	-	5	5	-	-	-	190
17	13	2	2	-	10	7	-	3	-	49	37	7	4	1	1	1	-	-	-	191
5	3	1	1	-	14	6	3	1	4	-	-	-	-	-	4	3	1	-	-	192
9	8	-	1	-	13	11	1	-	1	45	44	1	-	-	9	9	-	-	-	193
5	3	-	1	1	-	-	-	-	-	4	2	2	-	-	3	2	1	-	-	194
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	195a,b
9	3	4	-	2	11	7	1	1	2	68	37	23	2	6	14	8	5	1	-	195d
26	12	10	2	2	74	36	19	13	6	217	190	24	3	-	37	25	11	1	-	195c,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	197
-	-	-	-	-	5	1	-	4	-	9	6	-	3	-	2	2	-	-	-	198
165	56	21	53	35	692	219	145	179	149	130	77	37	10	6	55	34	16	2	3	
4	2	-	1	1	22	8	5	7	2	2	2	-	-	-	3	3	-	-	-	199
71	39	16	11	5	210	89	45	41	35	83	54	22	5	2	24	14	9	1	-	200a
4	4	-	-	-	31	16	6	7	2	1	1	-	-	-	5	5	-	-	-	200b
86	11	5	41	29	429	106	89	124	110	44	20	15	5	4	23	12	7	1	3	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	18,456	9,758	8,201	265	232	3,331	1,483	1,214	367	267
	I.—Infectious and parasitic diseases	934	553	279	53	49	241	93	57	62	33
1	Typhoid fever	1	1	-	-	-	2	-	1	-	1
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	11	4	-	-	2	2	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	4	3	1	-	-
9	Whooping cough	9	4	5	-	-	5	3	-	-	2
10	Diphtheria (infection by C. diphtheriae)	-	-	-	-	-	-	-	-	-	-
11	Erysipelas	-	-	-	-	-	1	-	-	1	-
12	Tetanus	6	5	-	1	-	1	1	-	-	-
13-22	Tuberculosis (all forms)	633	379	185	35	34	146	55	33	39	19
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	13	13	-	-	-	2	2	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	558	333	171	26	28	132	50	28	36	18
14	Tuberculosis of meninges and central nervous system	11	3	3	2	3	1	-	-	1	-
15	Tuberculosis of intestines and peritoneum	12	3	5	3	1	2	1	1	-	-
16	Tuberculosis of vertebral column	10	7	-	2	1	1	-	1	-	-
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	1	1	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	9	5	4	-	-	1	-	1	-	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	18	13	2	2	1	6	1	2	2	1
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	14	9	5	-	-	2	1	1	-	-
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	1	-	-	1	-	-	-	1
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	150	85	39	13	13	45	14	7	19	5
30a	Locomotor ataxia (tabes dorsalis)	7	5	1	1	-	2	-	2	-	-
30b	General paralysis of insane	26	14	9	2	1	13	8	2	3	-
30c	Other syphilis of central nervous system	16	8	4	2	2	4	3	-	1	-
30d	Aneurysm of aorta	46	26	14	5	1	6	1	1	4	-
30e	Other syphilis of circulatory system	15	10	1	2	2	10	-	1	8	1
30f,g	Congenital, other and unspecified forms of syphilis	40	22	10	1	7	10	2	1	3	4
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	1	-	-	-	1
33a	Influenza, with respiratory complications specified	28	14	10	2	2	13	3	7	1	2
33b	Influenza, without respiratory complications specified	16	7	9	-	-	13	6	4	1	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	5	2	2	1	-	-	-	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	3	1	2	-	-	1	-	1	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	3	-	2	1	-	5	2	2	1	-
37b	Sequelae of encephalitis lethargica	6	3	3	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	2	1	1	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	8	6	2	-	-	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	32	23	9	-	-	3	3	-	-	-
	II.—Cancer and other tumors	2,806	1,313	1,447	22	24	354	134	173	21	26
45-55	Cancer and other malignant tumors	2,727	1,286	1,400	22	19	341	132	164	21	24
45	Cancer of buccal cavity and pharynx	83	68	15	-	-	11	8	2	1	-
45a-e	Cancer of buccal cavity	54	44	10	-	-	7	6	-	1	-
45f	Cancer of pharynx	29	24	5	-	-	4	2	2	-	-
46	Cancer of digestive organs and peritoneum	1,290	698	572	16	4	164	75	72	11	6
46a	Cancer of esophagus	59	47	10	2	-	11	9	1	1	-
46b,c	Cancer of stomach and duodenum	451	253	186	10	2	56	25	21	6	4
46f	Cancer of liver and biliary passages	125	53	72	-	-	35	13	20	1	1
46g	Cancer of pancreas	107	61	44	1	1	10	7	3	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	548	284	260	3	1	52	21	27	3	1
47	Cancer of respiratory system	176	135	39	-	2	24	15	4	3	2
48	Cancer of uterus	187	...	183	...	4	40	...	31	...	9
49	Cancer of other female genital organs	112	...	109	...	3	10	...	10	...	-
50	Cancer of breast	314	7	302	-	5	30	-	25	-	5
51	Cancer of male genital organs	159	156	...	3	...	11	9	...	2	...
52	Cancer of urinary organs (male and female)	132	91	40	1	-	19	9	6	3	1
53	Cancer of skin (except vulva and scrotum)	47	23	24	-	-	4	3	1	-	-
54	Cancer of central nervous system*	34	18	16	-	-	4	3	1	-	-
55	Cancer of other and unspecified organs	193	90	100	2	1	24	10	12	1	1
56a	Nonmalignant tumors of ovary	9	...	9	...	-	1	...	1	...	-
56b	Nonmalignant tumors of uterus	20	...	15	...	5	7	...	5	...	2
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	17	11	6	-	-	3	-	3	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8,417	2,934	2,854	1,659	1,470	21,207	8,464	5,498	4,060	3,185	29,083	9,291	6,723	6,955	6,114	4,648	2,861	1,716	39	32	
791	190	81	310	210	1,987	542	299	631	515	2,972	671	472	968	861	216	136	65	7	8	
2	-	-	-	2	28	17	3	5	3	23	5	1	10	7	2	1	1	-	-	1
1	-	-	1	-	2	1	-	-	1	1	-	-	-	1	1	-	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	5
11	2	2	4	3	15	7	3	1	4	23	12	3	5	3	4	3	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	-	-	1	1	2	1	-	1	-	2	1	1	-	-	1	1	-	-	-	8
17	4	1	3	9	48	16	9	13	10	102	16	20	36	30	5	1	4	-	-	9
2	1	-	1	-	29	14	8	4	3	57	22	21	4	10	5	3	2	-	-	10
1	1	-	-	-	2	1	1	-	-	6	3	3	-	-	2	2	-	-	-	11
3	-	1	1	1	28	8	2	15	3	35	9	4	18	4	1	1	-	-	-	12
551	123	54	221	153	870	250	118	262	240	1,295	283	197	390	425	86	52	24	4	6	13-22
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	13a
496	113	48	201	134	828	238	111	248	231	1,180	258	180	354	388	73	43	21	4	5	13b,c
13	2	1	5	5	11	4	2	4	1	16	8	2	3	3	3	1	1	-	1	14
9	2	2	4	1	7	2	-	2	3	26	2	6	7	11	1	1	-	-	-	15
7	-	1	4	2	4	-	1	1	2	10	1	1	4	4	-	-	-	-	-	16
1	-	4	-	1	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	17b
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	18
-	-	-	-	-	2	-	1	1	-	4	1	1	-	2	-	-	-	-	-	19
4	2	-	1	1	3	2	-	1	-	6	4	1	1	-	-	-	-	-	-	20
1	-	-	1	-	1	-	1	-	-	3	-	1	2	-	-	-	-	-	-	21
16	3	1	4	8	12	3	2	5	2	45	8	4	16	17	5	3	2	-	-	22a
2	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
11	5	2	3	1	41	9	12	8	12	51	17	14	13	7	9	8	1	-	-	24
-	-	-	-	-	18	1	-	3	14	9	-	1	2	6	-	-	-	-	-	25
1	-	-	1	-	-	-	-	-	-	5	2	-	3	-	1	-	1	-	-	26
3	1	1	1	-	38	8	7	9	14	65	21	21	23	20	-	-	-	-	-	27
-	-	-	-	-	50	11	8	11	20	79	15	10	32	22	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
152	42	9	69	32	385	90	26	182	87	508	89	36	257	126	28	20	5	3	-	30
3	2	-	-	1	12	9	1	1	1	9	6	-	2	1	-	-	-	-	-	30a
28	7	1	13	7	64	16	2	34	12	127	34	10	59	24	5	4	1	-	-	30b
16	5	-	9	2	44	11	7	18	8	37	7	2	21	7	3	2	1	-	-	30c
49	17	6	22	4	58	27	5	23	3	83	17	7	45	14	8	6	1	1	-	30d
18	1	-	11	6	39	6	2	27	4	41	4	1	29	7	-	-	-	-	-	30e
38	10	2	14	12	168	21	9	79	59	211	21	16	101	73	12	8	2	2	-	30f,g
-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	31
1	-	-	1	-	8	4	3	-	1	5		-	2	1	-	-	-	-	-	32
11	4	4	1	2	178	34	35	57	52	301	73	48	80	100	24	16	6	-	2	33a
7	-	2	2	3	108	16	29	33	30	176	35	47	48	46	23	14	9	-	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	57	16	18	10	13	60	8	16	15	21	3	1	2	-	-	35
1	1	-	-	-	4	-	2	-	2	13	3	3	3	4	-	-	-	-	-	36
1	-	1	-	-	1	1	-	-	-	6	2	1	2	1	1	-	1	-	-	37a,c
3	1	1	-	1	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	37b
-	-	-	-	-	3	-	1	1	1	9	4	2	2	1	1	1	-	-	-	38
-	-	-	-	-	25	11	7	5	2	54	30	12	8	4	5	4	1	-	-	39
-	-	-	-	-	2	1	1	-	-	3	-	3	-	-	-	-	-	-	-	40
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	4	2	-	2	-	3	1	-	2	2	-	-	-	-	-	42
1	1	-	-	-	4	2	1	1	-	12	4	2	4	2	6	2	4	-	-	43
8	3	3	-	2	34	18	5	8	3	46	13	6	9	18	6	5	1	-	-	44
1,084	354	433	127	170	1,993	809	822	136	226	2,251	699	871	227	454	505	266	235	3	1	
1,038	343	420	124	151	1,897	795	782	132	188	2,133	683	828	222	400	481	260	217	3	1	45-55
34	20	5	8	1	90	61	20	6	3	78	39	19	13	7	17	14	3	-	-	45
24	15	1	7	-	54	34	13	5	2	51	21	16	8	6	11	10	1	-	-	45a-e
10	4	4	1	1	36	27	7	1	1	27	18	3	5	1	6	4	2	-	-	45f
440	163	167	66	44	694	329	251	72	42	770	298	259	108	105	224	131	90	3	-	46
21	12	1	7	1	21	13	5	2	1	24	7	10	4	3	5	5	-	-	-	46a
146	59	40	34	13	258	125	75	37	21	295	113	85	58	39	94	66	27	1	-	46b,c
47	15	20	7	5	105	43	49	12	2	129	42	55	16	16	27	11	16	-	-	46f
34	11	16	4	3	59	34	20	4	1	63	34	20	4	5	18	10	8	-	-	46g
192	66	90	14	22	250	114	102	17	17	259	102	89	26	42	80	39	39	2	-	46d,e,hm
87	55	11	16	4	146	105	33	6	2	119	75	26	13	5	21	17	4	-	-	47
108	...	73	...	35	280	...	192	...	88	372	...	212	...	160	31	...	30	...	1	48
30	...	20	...	10	40	...	35	...	5	42	...	30	...	12	12	...	12	...	-	49
123	2	88	1	32	170	4	142	-	24	218	1	146	-	71	43	1	42	-	-	50
56	42	...	14	...	146	124	...	22	...	144	98	...	46	...	47	47	...	-	...	51
49	27	14	5	3	90	51	21	10	8	70	37	13	15	5	15	12	3	-	-	52
11	4	2	2	3	61	38	18	2	3	63	34	24	2	3	12	9	3	-	-	53
7	3	3	1	-	24	12	11	1	-	39	23	14	1	1	10	6	4	-	-	54
93	26	37	11	19	156	71	59	13	13	218	78	85	24	31	49	23	26	-	-	55
3	...	3	...	-	10	...	7	...	3	10	...	5	...	5	2	...	2	...	-	56a
13	...	2	...	11	42	...	13	...	29	50	...	17	...	33	5	...	5	...	-	56b
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	56c
7	4	2	-	1	16	4	7	2	3	20	5	8	2	5	5	3	2	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	33	16	17	-	-	2	2	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	700	236	449	6	9	116	38	59	6	13
58a-d	Acute rheumatic heart diseases	21	8	12	1	-	3	1	-	-	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	3	3	-	-	-	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	15	4	11	-	-	2	-	2	-	-
60	Gout	-	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	587	198	377	3	9	91	33	44	5	9
62	Diseases of pituitary gland	3	1	2	-	-	-	-	-	-	-
63a	Simple goiter	2	-	2	-	-	2	-	2	-	-
63b	Exophthalmic goiter	25	4	21	-	-	8	-	6	-	2
63c-e	Other diseases of thyroid and parathyroid glands	11	2	9	-	-	3	-	3	-	-
64	Diseases of thymus gland	19	10	7	2	-	3	2	1	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	5	3	2	-	-	1	1	-	-	-
66	Other general diseases	3	1	2	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	2	1	-	-	-	-	-	-	-
70	Rickets	1	-	1	-	-	2	-	1	1	-
71	Other avitaminoses	2	-	2	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	136	59	74	2	1	18	5	7	3	3
72	Hemorrhagic conditions	6	1	5	-	-	2	-	-	-	2
73a	Pernicious anemia	24	8	16	-	-	3	-	1	1	1
73b-d	Other anemias (except splenic)	15	7	8	-	-	1	-	1	-	-
74a	Leukemias	72	36	34	1	1	9	4	3	2	-
74b	Aleukemias	9	4	5	-	-	1	-	1	-	-
75	Diseases of spleen	9	3	5	1	-	2	1	1	-	-
76	Other diseases of the blood and blood-forming organs	1	-	1	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	67	58	3	6	-	3	3	-	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	66	57	3	6	-	3	3	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,769	805	919	23	22	322	129	134	28	31
80	Encephalitis (nonepidemic)	14	9	5	-	-	4	4	-	-	-
81	Meningitis (not due to meningococcus)	35	19	13	3	-	5	1	3	1	-
82	Diseases of spinal cord (see exceptions)*	36	17	18	-	1	5	1	4	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,322	586	702	18	16	238	93	96	21	28
83b	Cerebral embolism and thrombosis	228	109	117	-	2	37	22	14	1	-
83c	Cerebral softening	4	2	2	-	-	4	-	1	2	1
83d	Hemiplegia and other paralysis of unspecified origin	27	11	15	-	1	13	2	9	-	2
84	Mental diseases and deficiency (see exception)*	8	1	7	-	-	1	-	1	-	-
85	Epilepsy	21	11	8	1	1	4	1	-	3	-
86	Convulsions (under 5 years)	5	2	3	-	-	-	-	-	-	-
87	Other diseases of nervous system	51	25	24	1	1	8	3	5	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	12	7	5	-	-	3	2	1	-	-
89b	Diseases of mastoid process	6	6	-	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	6,632	3,665	2,857	49	61	1,059	517	411	70	61
90-95	Diseases of the heart (all forms)	6,228	3,483	2,643	47	55	999	491	385	65	58
90	Pericarditis (except acute rheumatic)	4	4	-	-	-	-	-	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	34	19	15	-	-	7	1	5	1	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	1	-	-	-	1
92a-d	Chronic endocarditis and diseases of the valves*	375	184	185	1	5	76	23	34	12	7
92e	Endocarditis (unspecified, 45 years and over)	15	5	10	-	-	5	2	2	1	-
93a	Acute myocarditis (except rheumatic)	86	43	43	-	-	6	4	1	-	1
93b	Myocarditis (unspecified, under 45 years)	5	3	2	-	-	4	3	-	1	-
93c,d	Chronic myocarditis and myocardial degeneration	3,191	1,568	1,566	29	28	495	220	228	24	23
93e	Other myocarditis (unspecified)	156	82	71	1	2	38	20	11	5	2
94a	Diseases of coronary arteries	1,973	1,353	594	12	14	276	177	79	12	8
94b	Angina pectoris	26	18	8	-	-	9	5	3	-	1
95a	Functional diseases of heart, etc.*	8	4	4	-	-	1	1	-	-	-
95b,c	Other and unspecified diseases of heart	355	200	145	4	6	81	35	22	9	15
96	Aneurysm (except of heart and aorta)	22	18	4	-	-	4	2	-	2	-
97	Arteriosclerosis (except coronary or renal sclerosis)	315	133	175	2	5	45	16	23	3	3
98	Gangrene	2	2	-	-	-	3	2	1	-	-
99	Other diseases of arteries	30	12	17	-	1	3	3	-	-	-
100	Diseases of veins	24	12	12	-	-	-	-	-	-	-
101	Diseases of lymphatic system	2	-	2	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	8	4	4	-	-	4	2	2	-	-
103	Other diseases of circulatory system	1	1	-	-	-	1	1	-	-	-
	VIII.—Diseases of the respiratory system	757	417	313	17	10	200	92	44	39	25
104a	Diseases of nasal fossae	2	-	2	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	4	2	2	-	-	-	-	-	-	-
105	Diseases of larynx	4	4	-	-	-	-	-	-	-	-
106a	Acute bronchitis	10	6	3	-	1	9	2	2	1	4

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	57a
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	57c
21	7	5	3	6	26	10	12	2	2	33	11	10	3	9	12	3	9	-	-	57d,e
275	75	114	24	62	513	185	199	36	93	709	220	258	84	147	146	62	83	1	-	
6	1	1	4	-	9	1	1	2	5	17	5	5	3	4	3	-	3	-	-	58a-d
4	-	-	1	3	10	1	2	4	3	18	4	5	2	7	6	2	4	-	-	58e,f
9	-	5	-	4	29	13	11	-	5	33	13	10	3	7	4	-	4	-	-	59
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
223	67	93	14	49	342	135	140	20	47	367	136	138	40	53	106	49	56	1	-	61
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
1	-	-	1	-	1	-	-	-	1	4	-	3	-	1	-	-	-	-	-	63a
17	1	11	-	5	24	6	14	-	4	31	4	13	3	11	12	-	12	-	-	63b
4	1	2	1	-	5	-	4	1	-	3	-	2	-	1	5	3	2	-	-	63c-e
1	1	-	-	-	19	12	4	3	-	29	14	7	5	3	6	5	1	-	-	64
2	2	-	-	-	5	1	4	-	-	3	1	2	-	-	2	2	-	-	-	65
2	1	-	1	-	9	1	3	1	4	12	4	2	3	3	2	1	1	-	-	66
-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	68
3	1	-	1	1	51	12	14	5	20	178	35	67	23	53	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	7	2	2	1	2	-	-	-	-	-	70
1	-	-	1	-	7	2	2	-	3	5	2	2	-	1	-	-	-	-	-	71
53	18	26	5	4	131	60	46	9	16	169	69	62	22	16	35	16	19	-	-	
6	1	1	2	2	11	6	3	2	-	14	4	5	3	2	3	2	1	-	-	72
8	-	8	-	-	33	11	12	2	8	27	6	13	3	5	7	2	5	-	-	73a
8	3	3	1	1	19	6	7	2	4	20	6	5	7	2	5	2	3	-	-	73b-d
25	11	12	1	1	56	29	20	3	4	89	47	29	8	5	17	10	7	-	-	74a
-	-	-	-	-	-	-	-	-	-	4	3	-	-	1	1	-	1	-	-	74b
3	2	-	1	-	6	5	1	-	-	9	2	6	1	-	1	-	1	-	-	75
3	1	2	-	-	6	3	3	-	-	6	1	4	-	1	1	-	1	-	-	76
29	14	3	9	3	40	19	5	9	7	64	45	2	10	7	12	10	2	-	-	
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
29	14	3	9	3	34	17	3	8	6	64	45	2	10	7	12	10	2	-	-	77c-e
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	79
615	178	211	111	115	2,314	794	654	441	425	3,446	971	872	788	815	452	255	197	-	-	
2	-	2	-	-	37	14	12	2	9	39	15	12	8	4	4	-	4	-	-	80
21	6	3	10	2	29	15	4	6	4	64	20	15	18	11	6	5	1	-	-	81
9	2	3	3	1	49	26	17	1	5	37	17	9	7	4	10	6	4	-	-	82
451	137	149	73	92	1,839	603	498	375	363	2,758	755	706	627	670	367	208	159	-	-	83a
60	18	28	7	7	148	71	62	10	5	96	36	29	15	16	23	11	12	-	-	83b
2	-	2	-	-	10	4	4	-	2	12	7	3	-	2	-	-	-	-	-	83c
18	4	4	5	5	80	20	15	22	23	194	48	36	52	58	10	5	5	-	-	83d
6	1	2	3	-	22	6	11	2	3	39	2	10	14	13	-	-	-	-	-	84
18	3	1	9	5	27	8	8	7	4	82	25	14	30	13	7	7	-	-	-	85
1	-	1	-	-	11	2	3	3	3	26	9	3	6	8	2	1	1	-	-	86
22	5	15	1	1	47	18	17	9	3	68	23	26	7	12	15	7	8	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
2	1	-	-	1	14	7	3	3	1	19	7	6	3	3	5	3	2	-	-	89a
3	1	1	-	1	1	-	-	1	-	12	7	3	1	1	3	2	1	-	-	89b
2,359	927	689	372	371	5,059	2,414	1,455	671	519	5,647	2,088	1,329	1,194	1,036	1,364	898	460	5	1	
2,813	883	634	347	349	4,714	2,267	1,338	630	479	5,256	1,960	1,210	1,109	977	1,286	843	437	5	1	90-95
10	3	-	6	1	14	4	2	4	4	11	6	3	1	1	1	-	1	-	-	90
27	11	6	4	6	28	14	10	2	2	40	9	6	16	9	8	3	5	-	-	91a,b
-	-	-	-	-	7	1	1	3	2	19	2	6	7	4	-	-	-	-	-	91c
172	56	62	14	40	511	185	154	89	83	640	153	138	184	165	133	73	60	-	-	92a-d
5	3	1	-	1	61	27	17	9	8	59	13	15	15	16	13	6	7	-	-	92e
17	4	2	3	8	99	27	18	30	24	105	28	14	35	28	20	12	8	-	-	93a
8	3	1	2	2	30	4	-	9	17	45	2	6	15	22	2	1	1	-	-	93b
927	301	322	144	160	1,529	691	488	196	154	1,602	525	389	380	308	455	274	180	1	-	93c,d
285	91	58	76	60	321	132	91	64	34	434	139	116	85	94	99	68	30	1	-	93e
606	363	150	61	32	1,386	881	361	81	63	1,181	689	255	119	118	389	297	89	3	-	94a
6	3	2	-	1	146	75	38	17	16	156	82	37	19	18	27	22	5	-	-	94b
5	1	2	1	1	26	11	13	1	1	25	7	12	2	4	2	1	1	-	-	95a
145	44	28	36	37	556	215	145	125	71	939	305	213	231	190	137	86	50	-	1	95b,c
12	4	3	3	2	11	6	4	1	-	23	8	2	7	6	-	-	-	-	-	96
99	31	42	13	13	231	94	94	19	24	234	87	74	45	28	57	39	18	-	-	97
8	1	1	3	3	11	3	2	3	3	12	1	3	3	5	2	2	-	-	-	98
12	3	7	2	-	33	21	4	4	4	23	6	13	3	1	7	6	1	-	-	99
8	4	1	1	2	9	4	2	3	-	17	6	4	5	2	1	1	-	-	-	100
4	1	-	3	-	1	-	1	-	-	4	2	-	2	-	2	1	1	-	-	101
2	-	1	-	1	42	16	10	8	8	68	14	22	16	16	7	4	3	-	-	102
1	-	-	-	1	7	3	-	3	1	10	4	1	4	1	2	2	-	-	-	103
575	191	123	151	110	1,168	373	279	302	214	1,879	488	395	513	483	240	148	86	-	6	
1	-	-	-	1	8	-	2	3	3	19	3	-	11	5	-	-	-	-	-	104a
4	1	1	2	-	12	7	1	2	2	14	4	5	2	3	-	-	-	-	-	104b
3	-	1	2	-	8	4	-	4	-	8	1	-	3	4	-	-	-	-	-	105
7	1	-	4	2	9	1	1	6	1	16	5	-	6	5	3	3	-	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	21	14	7	-	-	5	3	2	-	-
106c	Bronchitis (unspecified)	7	2	5	-	-	2	1	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	252	137	115	7	3	77	27	21	15	14
108	Lobar pneumonia	304	166	127	6	5	63	35	12	11	5
109	Pneumonia (unspecified)	31	22	6	2	1	8	4	1	3	-
110	Pleurisy (not specified as tuberculous)	21	15	6	-	-	9	4	1	3	1
111a	Hemorrhagic infarction and thrombosis of lungs	24	14	10	-	-	6	4	2	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	18	8	10	-	-	5	3	-	1	1
112	Asthma	21	6	12	1	-	10	6	2	2	-
113	Pulmonary emphysema	1	1	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	27	18	8	1	-	6	3	-	3	-
	IX.—Diseases of the digestive system	868	504	350	10	4	165	70	59	18	18
115a,b,d	Diseases of buccal cavity and adnexa	11	4	7	-	-	-	-	-	-	-
115c	Diseases of pharynx and tonsils	11	7	4	-	-	4	1	1	1	1
116	Diseases of esophagus	4	2	2	-	-	-	-	-	-	-
117a	Ulcer of stomach	92	74	14	4	-	12	7	2	3	-
117b	Ulcer of duodenum	51	40	10	1	-	8	6	2	-	-
118	Other diseases of stomach (except cancer)	9	5	4	-	-	3	1	1	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	47	28	18	-	1	41	12	12	8	9
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	21	14	6	1	-	7	4	1	1	1
121	Appendicitis	89	51	35	2	1	11	5	4	2	-
122a	Hernia	66	32	33	1	-	11	7	3	1	-
122b	Intestinal obstruction	68	29	38	1	-	15	5	6	1	3
123	Other diseases of intestines	26	20	6	-	-	4	3	1	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	33	24	9	-	-	3	3	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	192	112	80	-	-	22	11	10	-	1
125a	Acute yellow atrophy of liver (nonpuerperal)	4	2	2	-	-	1	-	-	-	1
125b	Other diseases of liver	8	4	4	-	-	1	-	-	-	1
126	Biliary calculi	70	29	41	-	-	12	1	10	-	1
127	Other diseases of gallbladder and biliary ducts	39	14	24	-	1	6	1	5	-	-
128	Diseases of pancreas (except diabetes mellitus)	14	6	7	-	1	2	1	1	-	-
129	Peritonitis (cause not stated)	13	7	6	-	-	2	2	-	-	-
	X.—Diseases of the genito-urinary system	1,356	726	587	17	26	385	172	140	43	30
130	Acute nephritis	20	9	11	-	-	2	-	-	1	1
131a	Arteriosclerotic kidney	915	461	427	11	16	254	108	109	22	15
131b	Other chronic nephritis	226	129	88	3	6	78	34	23	11	10
132	Nephritis unspecified (10 years and over)	29	16	12	-	1	16	7	5	3	1
133	Other diseases of kidneys and ureters, etc.*	32	15	16	1	-	3	2	1	-	-
134	Calculi of urinary passages	23	11	12	-	-	8	5	1	1	1
135	Diseases of urinary bladder	7	5	2	-	-	4	4	-	-	-
136	Diseases of urethra (except calculus)	5	4	1	-	-	1	-	-	1	-
137	Diseases of prostate	78	76	...	2	...	16	12	...	4	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	9	...	6	...	3	3	...	1	...	2
139b	Diseases of uterus	12	...	12	...	-	-	...	-	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	67	...	64	...	3	9	...	6	...	3
140	Abortion with mention of infection	6	...	6	...	-	-	...	-	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	4	...	4	...	-	-	...	-	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	2	...	2	...	-	-	...	-	...	-
141	Abortion without mention of infection	3	...	3	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	4	...	4	...	-	-	...	-	...	-
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	2	...	2	...	-	1	...	-	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	2	...	2	...	-	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	6	...	6	...	-	-	...	-	...	-
	A. With mention of infection	5	...	5	...	-	-	...	-	...	-
	B. Without mention of infection	1	...	1	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	1	...	-	...	1	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	13	...	13	...	-	2	...	1	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	6	...	6	...	-	2	...	2	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	7	...	6	...	1	1	...	1	...	-
148a,b	Puerperal eclampsia and nephritis*	5	...	5	...	-	-	...	-	...	-
148c,d	Other puerperal toxemias	2	...	2	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	6	...	5	...	1	2	...	1	...	1
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	14	5	9	-	-	-	-	-	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	5	2	3	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	9	3	6	-	-	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	12	8	4	-	-	1	1	-	-	-
154	Osteomyelitis and periostitis	3	3	-	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	4	2	2	-	-	-	-	-	-	-
156	Diseases of joints and other organs of movement	5	3	2	-	-	1	1	-	-	-
157	XIV.—Congenital malformations	267	136	125	3	3	32	12	17	3	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

District of Columbia					Florida					Georgia					Idaho					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
10	7	8	-	-	34	18	11	5	8	81	10	11	7	3	6	5	1	-	-	106b
5	1	1	2	1	10	3	3	2	2	23	5	8	4	6	3	3	-	-	-	106c
199	67	45	44	43	427	128	188	102	69	683	193	169	161	160	91	56	30	-	5	107
232	83	44	65	40	445	126	88	182	104	707	175	125	219	188	69	44	25	-	-	108
32	9	11	5	7	63	21	8	22	12	197	32	24	62	79	27	13	13	-	1	109
15	5	-	9	1	32	15	4	9	4	89	17	4	11	7	4	4	-	-	-	110
21	4	8	4	5	20	10	5	1	4	11	2	2	5	2	9	6	3	-	-	111a
14	3	5	3	3	28	7	14	4	3	57	17	22	11	7	8	4	4	-	-	111b,c
16	8	4	2	2	48	19	15	11	3	40	10	16	7	7	12	4	8	-	-	112
2	-	-	1	1	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	113
14	2	-	8	4	22	12	4	2	4	88	18	9	4	7	8	6	2	-	-	114
527	193	118	108	108	1,211	451	263	259	238	1,499	524	336	339	300	241	134	103	2	2	
8	-	6	1	1	27	6	8	4	9	56	11	11	19	15	9	2	6	-	1	115a,b,d
10	-	2	3	5	34	9	5	6	14	38	8	11	8	6	10	4	6	-	-	115c
2	-	-	1	1	5	3	-	1	1	8	8	1	1	3	-	-	-	-	-	116
31	19	2	7	3	112	48	10	41	13	154	71	15	45	23	35	31	4	-	-	117a
18	14	3	1	-	34	23	4	4	3	43	27	5	8	3	12	9	3	-	-	117b
4	2	1	-	1	89	15	7	25	42	61	15	6	17	23	13	7	6	-	-	118
142	27	22	43	50	163	38	36	59	30	285	70	71	88	56	7	4	2	1	-	119
10	2	2	8	3	73	21	9	16	27	106	22	24	29	31	9	2	7	-	-	120
42	17	8	13	4	128	49	22	23	34	180	77	30	35	38	35	26	9	-	-	121
29	12	7	6	4	63	26	17	16	4	58	24	13	16	5	14	7	7	-	-	122a
45	10	15	6	14	126	40	41	19	26	148	37	47	23	41	25	12	13	-	-	122b
11	4	3	-	4	35	21	6	5	3	38	17	9	4	8	3	2	1	-	-	123
10	8	2	-	-	11	4	2	5	-	41	31	5	4	1	2	2	-	-	-	124a
102	57	23	18	9	179	107	41	20	11	116	56	32	20	6	19	10	8	1	-	124b
6	1	-	2	3	19	7	7	2	3	15	6	5	1	3	4	3	1	-	-	125a
9	3	1	2	3	27	7	5	8	7	41	11	9	7	14	3	2	1	-	-	125b
16	8	8	-	-	20	5	13	1	1	26	8	15	1	2	20	4	15	-	1	126
12	4	7	-	1	36	13	19	1	3	49	18	20	5	6	14	5	9	-	-	127
12	3	3	5	1	9	3	3	1	2	7	3	3	1	-	4	2	2	-	-	128
8	2	3	2	1	21	6	8	2	5	34	7	4	7	16	3	-	3	-	-	129
837	304	230	154	149	1,969	735	523	410	301	3,551	1,121	835	892	703	416	260	154	1	1	
10	2	1	2	5	115	26	27	31	31	192	37	31	58	66	12	5	7	-	-	130
522	221	169	102	110	988	372	296	189	131	1,854	629	488	421	316	227	137	89	-	1	131a
62	19	20	16	7	415	156	127	78	54	1,027	289	240	278	220	102	62	39	1	-	131b
30	9	5	8	8	76	11	16	19	30	98	25	19	23	31	21	11	10	-	-	132
28	8	7	9	4	81	22	25	19	15	99	27	23	25	24	4	3	1	-	-	133
15	7	5	2	1	39	21	11	3	4	45	24	16	3	2	7	6	1	-	-	134
5	3	-	-	2	24	11	3	9	1	19	4	1	11	3	2	2	-	-	-	135
3	-	-	3	-	27	5	-	22	-	17	1	1	13	2	3	2	1	-	-	136
46	35	...	11	...	149	111	...	38	...	143	84	...	59	...	32	32	...	-	...	137
1	-	...	1	...	2	-	...	2	...	2	1	...	1	...	-	-	...	-	...	138
13	...	2	...	11	36	...	9	...	27	38	...	9	...	29	5	...	5	...	-	139a
2	...	1	...	1	17	...	9	...	8	12	...	7	...	5	1	...	1	...	-	139b
-	...	-	...	-	-	...	-	...	-	5	...	-	...	5	-	...	-	...	-	139c
41	...	24	...	17	166	...	75	...	91	300	...	144	...	156	30	...	29	...	1	
8	...	5	...	3	18	...	6	...	12	37	...	19	...	18	1	...	1	...	-	140
6	...	3	...	3	13	...	3	...	10	33	...	16	...	17	1	...	1	...	-	140a,b
2	...	2	...	-	5	...	3	...	2	4	...	3	...	1	-	...	-	...	-	140c,d
1	...	1	...	-	15	...	7	...	8	11	...	3	...	8	1	...	1	...	-	141
-	...	-	...	-	4	...	2	...	2	9	...	3	...	6	-	...	-	...	-	141a,c
-	...	-	...	-	11	...	5	...	6	2	...	-	...	2	1	...	1	...	-	141b,d
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
2	...	1	...	1	1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	142a
3	...	2	...	1	4	...	2	...	2	4	...	2	...	2	1	...	1	...	-	142b
1	...	1	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	2	...	1	...	1	4	...	3	...	1	-	...	-	...	-	143b,c
4	...	2	...	2	8	...	3	...	5	28	...	12	...	16	3	...	3	...	-	144a,b
2	...	2	...	-	5	...	2	...	3	5	...	4	...	1	2	...	2	...	-	144c,d
1	...	-	...	1	8	...	3	...	5	7	...	4	...	3	-	...	-	...	-	145
1	...	-	...	1	3	...	1	...	2	4	...	2	...	2	-	...	-	...	-	
-	...	-	...	-	5	...	2	...	3	3	...	2	...	1	-	...	-	...	-	
-	...	-	...	-	3	...	1	...	2	12	...	6	...	6	-	...	-	...	-	146a
5	...	3	...	2	17	...	8	...	9	34	...	19	...	15	5	...	5	...	-	146b,c
2	...	-	...	2	24	...	10	...	14	33	...	14	...	19	1	...	-	...	1	147a,b
2	...	1	...	1	9	...	5	...	4	12	...	8	...	4	8	...	8	...	-	147c,d
2	...	2	...	-	24	...	11	...	13	57	...	27	...	30	1	...	1	...	-	148a,b
1	...	-	...	1	5	...	4	...	1	12	...	6	...	6	2	...	2	...	-	148c,d
2	...	-	...	2	9	...	4	...	5	18	...	9	...	9	3	...	3	...	-	149
5	...	4	...	1	12	...	6	...	6	25	...	8	...	17	2	...	2	...	-	150
12	4	3	3	2	30	10	8	5	7	44	11	5	10	18	2	-	2	-	-	
1	1	-	-	-	6	2	2	-	2	7	3	-	1	3	-	-	-	-	-	151
5	-	1	3	1	14	4	4	5	1	14	2	2	3	7	1	-	1	-	-	152
6	3	2	-	1	10	4	2	-	4	23	6	3	6	8	1	-	1	-	-	153
9	5	3	1	-	12	4	1	6	1	12	3	1	3	5	8	4	4	-	-	
5	4	-	1	-	8	4	-	4	-	7	2	1	2	2	4	2	2	-	-	154
2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	155
2	-	2	-	-	4	-	1	2	1	4	1	-	-	3	2	1	1	-	-	156
62	26	21	10	5	219	97	84	21	17	246	102	84	34	26	68	38	30	-	-	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	629	349	255	15	10	111	45	31	24	11
158	Congenital debility (cause not stated)	11	6	5	-	-	8	4	2	-	2
159	Premature birth (cause not stated)	356	188	146	12	10	74	29	21	16	8
160a	Intracranial or spinal hemorrhage	67	43	24	-	-	6	5	-	1	-
160b,c	Other injuries at birth	95	53	41	1	-	11	6	-	5	-
161	Other diseases peculiar to the first year of life	100	59	39	2	-	12	1	8	2	1
162	XVI.—Senility	37	11	24	1	1	6	3	3	-	-
	XVII.—Violent or accidental deaths	1,350	883	422	36	9	292	162	71	48	11
163,164	Suicide	233	166	66	-	1	26	19	3	2	2
163	Suicide by poisoning	74	42	31	-	1	9	6	2	-	1
	Suicide by solid or liquid poisons	20	9	10	-	1	2	1	-	-	1
	Suicide by poisonous gases	54	33	21	-	-	7	5	2	-	-
164a	Suicide by hanging or strangulation	69	50	19	-	-	3	3	-	-	-
164b	Suicide by drowning	14	6	8	-	-	3	2	-	-	1
164c	Suicide by firearms and explosives	51	48	3	-	-	7	7	-	-	-
164d	Suicide by cutting or piercing instruments	10	8	2	-	-	2	1	-	1	-
164e	Suicide by jumping from high places	9	7	2	-	-	1	-	-	1	-
164f	Suicide by crushing	6	5	1	-	-	1	-	1	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	-	-	-	-	-
165-168	Homicide [1]	44	26	11	4	3	16	1	2	11	2
166	Homicide by firearms	9	2	5	1	1	7	1	2	3	1
167	Homicide by cutting or piercing instruments	8	6	-	1	1	5	-	-	5	-
168	Homicide by other means	27	18	6	2	1	4	-	-	3	1
169-195	Accidental deaths	1,072	690	345	32	5	247	140	65	35	7
169	Railway accidents (except collisions with motor vehicles)	28	27	1	-	-	6	4	2	-	-
170a	Collisions between automobiles and trains	4	3	-	1	-	1	1	-	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	278	212	56	9	1	61	41	10	9	1
170d	Motorcycle accidents (except collisions with automobiles)	9	8	-	1	-	3	2	1	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	1	-	-	-	2	1	1	-	-
171b	Other and unspecified road-transport accidents	1	-	-	1	-	1	1	-	-	-
172	Water-transport accidents	13	13	-	-	-	8	7	-	1	-
173	Air-transport accidents	14	14	-	-	-	2	2	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	4	4	-	-	-	1	1	-	-	-
175b,c	Other agricultural accidents, including injury by animals	12	12	-	-	-	-	-	-	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	17	13	1	3	-	3	3	-	-	-
177	Food poisoning	2	-	2	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	27	16	9	2	-	2	1	1	-	-
179	Acute accidental poisoning by solids or liquids	13	10	3	-	-	1	-	-	1	-
180	Conflagration	33	19	14	-	-	7	1	1	4	1
181	Accidental burns (except conflagration)	52	31	18	1	2	15	6	2	5	2
182	Accidental mechanical suffocation	14	9	5	-	-	2	1	1	-	-
183	Accidental drowning	87	69	13	5	-	25	16	2	7	-
184	Accidental injury by firearms	13	13	-	-	-	7	4	1	2	-
185	Accidental injury by cutting or piercing instruments	2	1	1	-	-	1	1	-	-	-
186a	Accidental injury by fall	366	155	202	7	2	57	27	25	2	3
186b	Accidental injury by crushing	3	3	-	-	-	2	1	-	1	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	10	6	3	1	-	1	-	-	1	-
191	Excessive heat	2	2	-	-	-	1	-	1	-	-
192	Lightning	-	-	-	-	-	4	4	-	-	-
193	Accidents due to electric currents (except lightning)	4	4	-	-	-	5	5	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	13	11	2	-	-	4	2	2	-	-
195c,e	Other and unspecified accidents	49	34	14	1	-	24	7	15	2	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	1	1	-	-	-	2	1	1	-	-
198	Legal executions	-	-	-	-	-	1	1	-	-	-
	XVIII.—Ill-defined and unknown causes	55	30	20	5	-	13	7	2	2	2
199	Sudden death	5	4	1	-	-	-	-	-	-	-
200a	Ill-defined	38	22	12	4	-	8	4	2	1	1
200b	Found dead (cause unknown)	2	1	1	-	-	1	1	-	-	-
200c	Unknown or unspecified	10	3	6	1	-	4	2	-	1	1

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
412	144	100	92	76	946	371	251	181	143	1,794	592	377	461	364	228	134	89	3	2	
11	3	3	1	4	71	18	16	15	22	355	46	38	152	119	9	7	2	-	-	158
242	77	55	62	48	586	226	161	109	90	1,052	377	242	232	201	134	75	54	3	2	159
60	24	18	10	8	70	38	21	8	3	110	56	27	16	11	18	14	4	-	-	160a
33	20	10	3	-	107	50	27	23	7	132	58	39	22	13	42	29	13	-	-	160b,c
66	20	14	16	16	112	39	26	26	21	145	55	31	39	20	25	9	16	-	-	161
16	3	8	2	3	242	79	67	54	42	514	103	129	145	137	78	44	33	1	-	162
709	304	165	177	63	2,509	1,323	383	631	172	2,911	1,333	391	881	306	522	394	110	12	6	
110	61	35	11	3	242	151	77	10	4	225	163	44	12	6	53	41	9	2	1	163;164
49	20	25	2	2	84	35	44	1	4	31	15	15	-	1	8	4	3	-	1	163
11	2	6	1	2	53	20	28	1	4	27	12	14	-	1	6	2	3	-	1	
38	18	19	1	-	31	15	16	-	-	4	3	1	-	-	2	2	-	-	-	
13	4	6	3	-	28	17	10	1	-	25	15	6	3	1	7	5	2	-	-	164a
5	2	-	2	1	5	4	1	-	-	3	1	1	-	1	3	1	2	-	-	164b
23	18	1	4	-	98	79	14	5	-	151	124	18	7	2	31	29	-	2	-	164c
7	7	-	-	-	12	10	2	-	-	4	2	2	-	-	3	2	1	-	-	164d
12	9	3	-	-	7	5	2	-	-	6	4	-	1	1	1	-	1	-	-	164e
1	1	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	164f
-	-	-	-	-	6	1	4	1	-	4	1	2	1	-	-	-	-	-	-	164g
83	15	3	53	12	367	70	15	230	52	521	91	17	320	93	14	8	5	1	-	165-168
37	4	1	27	5	189	46	12	110	21	283	57	12	175	39	10	5	4	1	-	166
31	2	1	21	7	140	12	1	100	27	180	15	2	117	46	1	1	-	-	-	167
15	9	1	5	-	38	12	2	20	4	58	19	3	28	8	3	2	1	-	-	168
506	220	127	111	48	1,861	1,069	291	385	116	2,134	1,061	330	536	207	455	345	96	9	5	169-195
8	6	-	2	-	58	29	4	23	2	97	47	2	36	12	10	10	-	-	-	169
-	-	-	-	-	40	28	3	5	4	51	29	11	9	2	14	6	7	1	-	170a
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
115	46	29	32	8	480	254	70	121	25	635	371	67	169	28	88	71	11	4	2	170c
1	1	-	-	-	10	8	1	1	-	10	8	1	1	-	1	-	1	-	-	170d
20	10	3	6	1	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	171a
1	-	1	-	-	7	2	2	3	-	11	6	-	4	1	2	2	-	-	-	171b
6	4	-	2	-	43	31	-	12	-	23	16	-	6	1	5	4	1	-	-	172
8	8	-	-	-	348	341	1	5	1	148	144	2	2	-	25	23	-	2	-	173
-	-	-	-	-	9	2	-	7	-	3	1	-	2	-	15	15	-	-	-	174
-	-	-	-	-	9	4	2	3	-	9	6	-	3	-	12	11	1	-	-	175a
2	1	-	1	-	7	4	-	3	-	19	13	-	6	-	13	12	-	1	-	175b,c
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	2	-	-	-	175d
-	-	-	-	-	5	1	-	4	-	7	2	-	5	-	9	9	-	-	-	175e
9	7	-	2	-	20	11	1	7	1	24	13	-	11	-	6	6	-	-	-	176
1	-	-	1	-	29	5	8	8	8	27	1	6	8	12	-	-	-	-	-	177
10	6	4	-	-	12	6	4	1	1	7	3	3	1	-	4	3	1	-	-	178
7	4	1	1	1	26	9	5	10	2	34	12	4	10	8	9	3	5	-	1	179
21	4	1	9	7	31	8	3	10	10	49	12	10	18	9	9	4	5	-	-	180
33	11	9	7	6	87	15	23	23	26	211	52	41	52	66	21	16	5	-	-	181
17	5	2	6	4	20	5	8	2	5	43	11	8	13	11	11	4	7	-	-	182
34	17	-	16	1	122	54	16	43	9	117	57	9	47	4	43	36	6	1	-	183
7	5	-	2	-	79	44	-	27	8	127	67	7	46	7	31	29	2	-	-	184
3	1	1	1	-	7	3	-	4	-	7	2	-	4	1	1	1	-	-	-	185
153	57	60	19	17	247	98	113	28	8	262	87	137	22	16	61	37	24	-	-	186a
-	-	-	-	-	8	4	-	4	-	12	5	-	7	-	4	4	-	-	-	186b
-	-	-	-	-	-	-	-	-	-	19	2	3	8	6	-	-	-	-	-	187
1	1	-	-	-	3	3	-	-	-	3	1	-	2	-	4	1	3	-	-	188
-	-	-	-	-	2	2	-	-	-	3	1	1	1	-	1	1	-	-	-	189
3	3	-	-	-	-	-	-	-	-	5	2	-	2	1	4	4	-	-	-	190
4	2	1	1	-	8	5	1	2	-	41	22	1	13	5	1	1	-	-	-	191
-	-	-	-	-	10	8	-	2	-	15	6	3	3	3	4	3	1	-	-	192
1	1	-	-	-	31	23	5	3	-	13	13	-	-	-	8	8	-	-	-	193
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	194
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
8	5	3	-	-	10	3	2	5	-	17	6	3	6	2	7	3	4	-	-	195d
32	14	12	3	3	89	47	17	19	6	79	38	11	18	12	30	16	12	-	2	195c,e
-	-	-	-	-	2	2	-	-	-	6	6	-	-	-	-	-	-	-	-	196
2	2	-	-	-	26	26	-	-	-	14	9	-	5	-	-	-	-	-	-	197
8	6	-	2	-	11	5	-	6	-	11	3	-	8	-	-	-	-	-	-	198
11	4	2	3	2	698	198	84	258	158	1,075	251	160	384	280	85	62	15	4	4	
-	-	-	-	-	108	42	11	34	21	171	55	28	45	43	18	14	4	-	-	199
8	3	1	2	2	297	98	40	106	53	290	73	42	102	73	42	31	10	1	-	200a
-	-	-	-	-	35	14	4	12	5	89	29	21	29	10	7	6	-	1	-	200b
3	1	1	1	-	258	44	29	106	79	525	94	69	208	154	18	11	1	2	4	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	87,777	45,746	35,695	3,410	2,926	39,308	20,906	16,867	1,111	924
	I.—Infectious and parasitic diseases	5,845	2,737	1,534	656	418	2,473	1,264	883	199	127
1	Typhoid fever	17	9	5	1	2	12	8	3	1	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	5	2	2	1	-	2	2	-	-	-
6	Cerebrospinal (meningococcus) meningitis	28	19	8	-	1	13	10	3	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	1	1	-	-	-
8	Scarlet fever	37	22	13	2	-	14	6	8	-	-
9	Whooping cough	97	40	42	4	11	63	29	31	3	-
10	Diphtheria (infection by C. diphtheriae)	64	35	27	1	1	18	9	8	1	-
11	Erysipelas	9	4	5	-	-	14	8	6	-	-
12	Tetanus	24	18	2	4	-	19	10	9	-	-
13-22	Tuberculosis (all forms)	3,338	1,661	895	469	313	1,281	632	422	133	94
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	16	15	-	1	-	7	3	-	4	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,071	1,545	880	429	267	1,141	568	382	113	78
14	Tuberculosis of meninges and central nervous system	52	20	15	8	9	39	18	17	1	3
15	Tuberculosis of intestines and peritoneum	36	15	8	3	10	27	10	8	4	5
16	Tuberculosis of vertebral column	26	12	5	6	3	15	5	6	4	-
17a	Tuberculosis of bones (except vertebral column)	1	-	1	-	-	2	1	-	-	1
17b	Tuberculosis of joints (except vertebral column)	6	2	2	1	1	8	5	3	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	5	1	3	-	1	1	1	-	-	-
20	Tuberculosis of genito-urinary system	23	16	3	3	1	8	7	1	-	-
21	Tuberculosis of other organs	4	1	2	-	1	1	-	-	1	-
22a	Disseminated tuberculosis (acute miliary)	94	33	23	18	20	27	13	4	5	5
22b	Disseminated tuberculosis (other and unspecified)	4	1	3	-	-	5	1	1	1	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	53	28	20	4	1	36	19	16	1	-
25	Gonococcus infection	10	2	1	1	6	1	-	1	-	-
26	Other diseases due to bacteria (except dysentery)	1	1	-	-	-	1	-	1	-	-
27	Dysentery	57	33	21	2	1	29	15	14	-	-
28	Malaria	14	9	2	2	1	6	3	2	-	1
29	Other diseases due to parasitic protozoa (except spirochetes)	2	1	1	-	-	3	3	-	-	-
30	Syphilis (all forms)	874	493	176	144	61	407	249	95	45	18
30a	Locomotor ataxia (tabes dorsalis)	37	28	5	3	1	20	17	3	-	-
30b	General paralysis of insane	352	186	67	74	25	167	104	28	27	8
30c	Other syphilis of central nervous system	75	48	16	5	6	37	20	14	2	1
30d	Aneurysm of aorta	174	118	27	18	11	50	37	9	2	2
30e	Other syphilis of circulatory system	65	34	8	17	6	18	8	3	6	1
30f,g	Congenital, other and unspecified forms of syphilis	171	79	53	27	12	115	63	38	8	6
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	13	5	8	-	-	8	4	3	-	1
33a	Influenza, with respiratory complications specified	214	101	98	6	9	234	101	116	9	8
33b	Influenza, without respiratory complications specified	183	84	92	3	4	188	89	93	2	4
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	37	17	20	-	-	13	4	9	-	-
36	Acute poliomyelitis and acute polioencephalitis	43	21	20	1	1	18	12	5	1	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	19	9	8	2	-	11	5	6	-	-
37b	Sequelae of encephalitis lethargica	18	15	3	-	-	7	3	3	-	1
38	Other diseases due to filtrable viruses	8	6	2	-	-	8	5	3	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	1	1	-	-	2	-	2	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	-	-	-	-	-
43	Mycoses	10	4	5	1	-	5	4	1	-	-
44	Other infectious and parasitic (communicable) diseases	166	96	56	8	6	59	33	23	3	-
	II.—Cancer and other tumors	12,205	5,618	5,954	257	376	4,701	2,070	2,449	72	110
45-55	Cancer and other malignant tumors	11,802	5,511	5,695	250	346	4,501	1,992	2,339	72	98
45	Cancer of buccal cavity and pharynx	366	293	56	12	5	147	116	26	4	1
45a-e	Cancer of buccal cavity	233	186	39	8	-	100	82	14	3	1
45f	Cancer of pharynx	133	107	17	4	5	47	34	12	1	-
46	Cancer of digestive organs and peritoneum	5,643	2,990	2,402	136	115	1,998	1,017	921	35	25
46a	Cancer of esophagus	273	213	49	10	1	43	36	6	1	-
46b,c	Cancer of stomach and duodenum	1,980	1,177	703	57	43	676	405	248	14	9
46f	Cancer of liver and biliary passages	772	303	445	9	15	372	135	229	4	4
46g	Cancer of pancreas	416	227	171	13	5	149	84	58	7	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,202	1,070	1,034	47	51	758	357	380	9	12
47	Cancer of respiratory system	862	637	174	39	12	262	175	76	11	-
48	Cancer of uterus	1,110	...	994	...	116	513	...	471	...	42
49	Cancer of other female genital organs	335	...	321	...	14	94	...	92	...	2
50	Cancer of breast	1,139	13	1,068	-	58	419	6	392	1	20
51	Cancer of male genital organs	647	618	...	29	...	284	275	...	9	...
52	Cancer of urinary organs (male and female)	593	381	188	13	11	197	118	77	1	1
53	Cancer of skin (except vulva and scrotum)	191	106	82	1	2	101	68	33	-	-
54	Cancer of central nervous system*	185	99	80	2	4	38	23	14	-	1
55	Cancer of other and unspecified organs	731	374	330	18	9	448	194	237	11	6
56a	Nonmalignant tumors of ovary	50	...	46	...	4	21	...	20	...	1
56b	Nonmalignant tumors of uterus	132	...	108	...	24	43	...	34	...	9
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	69	37	29	2	1	20	11	9	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
25,001	13,831	10,892	168	110	18,149	9,734	7,389	561	465	28,279	13,843	10,703	2,029	1,704	23,010	7,435	5,133	5,538	4,904	
1,044	585	418	24	17	1,006	545	338	77	46	3,159	1,442	1,182	296	239	2,552	584	338	910	720	
-	-	-	-	-	5	2	3	-	-	44	20	19	2	3	39	10	4	14	11	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	1	-	1	-	2	2	-	-	-	4	3	1	-	-	3	-	1	1	1	5
3	3	-	-	-	8	6	1	1	-	32	20	10	2	-	13	6	5	2	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	7
9	5	4	-	-	7	4	3	-	-	26	15	11	-	-	2	2	-	-	-	8
29	11	16	2	-	15	6	9	-	-	120	68	36	6	10	69	7	16	20	26	9
9	6	3	-	-	10	9	-	-	1	64	34	27	1	2	42	19	8	8	7	10
9	4	5	-	-	3	2	1	-	-	10	7	3	-	-	2	1	-	-	1	11
11	9	2	-	-	8	5	3	-	-	19	12	1	4	2	40	10	6	16	8	12
427	245	166	8	8	438	233	134	42	29	1,841	808	710	164	159	1,211	304	155	421	331	13-22
1	1	-	-	-	7	7	-	-	-	3	3	-	-	-	1	1	-	-	-	13a
378	218	146	7	7	392	205	126	35	26	1,631	707	642	146	136	1,124	289	143	383	309	13b,c
12	6	6	-	-	7	5	-	2	-	74	35	29	6	4	12	1	2	4	5	14
8	3	4	-	1	8	4	4	-	-	46	19	16	6	5	14	1	3	5	5	15
9	5	3	1	-	4	1	2	1	-	19	6	8	2	3	15	3	1	8	3	16
1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	3	-	-	1	2	17a
1	1	-	-	-	4	1	2	1	-	1	1	-	-	-	5	-	2	2	1	17b
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	1	-	-	-	1	18
-	-	-	-	-	-	-	-	-	-	4	1	2	-	1	1	-	-	1	-	19
8	3	5	-	-	1	1	-	-	-	11	8	2	-	1	5	2	1	2	-	20
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	8	4	2	2	-	21
8	6	2	-	-	11	5	-	3	3	38	18	7	4	9	21	2	1	13	5	22a
1	1	-	-	-	-	-	-	-	-	6	3	3	-	-	1	1	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	8	5	-	1	23
26	19	7	-	-	23	14	9	-	-	30	15	13	1	1	28	5	10	6	7	24
3	-	3	-	-	3	-	3	-	-	2	-	-	-	2	2	-	-	1	1	25
2	1	1	-	-	2	2	-	-	-	7	2	3	-	2	8	-	1	5	2	26
9	4	5	-	-	10	2	8	-	-	132	73	52	3	4	63	16	11	23	13	27
-	-	-	-	-	-	-	-	-	-	13	7	6	-	-	57	9	9	19	20	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	29
194	120	55	11	8	189	122	34	24	9	296	139	59	72	26	533	76	28	268	161	30
12	7	5	-	-	7	5	2	-	-	11	8	1	2	-	6	1	2	2	1	30a
61	40	17	3	1	56	34	9	10	3	101	40	21	30	10	96	11	5	57	23	30b
17	9	8	-	-	20	16	2	1	1	49	23	10	12	4	42	4	6	16	16	30c
34	27	4	2	1	53	37	10	5	1	30	21	4	4	1	87	26	3	40	18	30d
12	8	2	1	1	9	7	1	-	1	17	7	2	6	2	93	10	1	54	28	30e
58	29	19	5	5	44	23	10	8	3	88	40	21	18	9	209	24	11	99	75	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	2	2	-	-	6	2	3	1	-	5	3	2	-	-	9	6	1	1	1	32
104	47	56	-	1	97	41	48	5	3	258	100	111	26	21	214	42	35	63	74	33a
113	50	63	-	-	88	43	40	3	2	144	51	72	14	7	98	8	23	21	26	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
17	9	8	-	-	21	8	13	-	-	26	11	15	-	-	31	9	8	6	8	35
8	6	2	-	-	19	12	6	-	1	26	17	8	1	-	8	3	1	2	2	36
6	5	1	-	-	14	4	9	-	1	8	6	2	-	-	3	3	-	-	-	37a,c
2	1	-	1	-	2	2	-	-	-	1	1	-	-	-	1	-	-	-	1	37b
3	3	-	-	-	3	1	2	-	-	10	8	2	-	-	4	1	1	-	2	38
1	-	1	-	-	-	-	-	-	-	3	-	3	-	-	7	6	-	-	1	39
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	41
-	-	-	-	-	-	-	-	-	-	5	-	5	-	-	8	2	1	1	4	42
5	4	1	-	-	4	4	-	-	-	3	2	1	-	-	8	1	2	3	2	43
48	30	17	1	-	29	19	9	1	-	28	18	10	-	-	30	8	6	7	9	44
3,702	1,781	1,891	16	14	2,330	1,046	1,178	41	65	2,684	1,082	1,368	92	142	2,220	754	697	322	447	
3,599	1,753	1,820	15	11	2,234	1,019	1,116	40	59	2,573	1,047	1,307	90	129	2,104	721	650	313	420	45-55
113	91	22	-	-	65	54	8	3	-	86	62	18	5	1	82	52	12	12	6	45
77	61	16	-	-	53	49	3	1	-	64	40	18	5	1	55	34	7	10	4	45a-e
36	30	6	-	-	12	5	5	2	-	22	22	-	-	-	27	18	5	2	2	45f
1,703	912	778	11	2	1,023	514	473	15	21	1,180	539	542	48	51	848	299	238	181	130	46
49	38	11	-	-	17	12	5	-	-	28	16	9	3	-	33	17	6	10	-	46a
609	363	242	2	2	340	207	121	4	8	411	203	168	15	25	345	107	74	104	60	46b,c
249	100	145	4	-	193	70	119	1	3	264	110	137	13	4	121	42	34	28	17	46f
138	77	60	1	-	93	57	34	1	1	86	41	42	1	2	87	42	24	13	8	46g
658	334	320	4	-	380	168	194	9	9	391	169	186	16	20	262	91	100	26	45	46d,e,h,m
163	125	36	2	-	128	75	46	7	-	124	77	43	3	1	174	111	23	28	12	47
292	...	286	...	6	194	...	171	...	23	382	...	332	...	50	321	...	154	...	167	48
116	...	116	...	-	55	...	54	...	1	56	...	54	...	2	37	...	32	...	5	49
346	3	341	-	2	226	3	214	-	9	199	4	176	1	18	152	-	93	2	57	50
268	267	...	1	...	168	161	...	7	...	160	140	...	20	...	131	90	...	41	...	51
188	125	62	1	-	94	58	31	3	2	98	64	29	5	-	85	39	29	10	7	52
72	45	27	-	-	61	38	22	-	1	94	64	29	-	1	55	33	15	4	3	53
78	45	33	-	-	35	20	13	1	1	35	23	11	1	-	26	13	7	2	4	54
260	140	119	-	1	185	96	84	4	1	159	74	73	7	5	193	84	47	33	29	55
10	...	9	...	1	13	...	13	...	-	10	...	10	...	-	12	...	9	...	3	56a
34	...	32	...	2	28	...	22	...	6	28	...	19	...	9	26	...	10	...	16	56b
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	56c
26	16	10	-	-	23	11	12	-	-	45	21	19	2	3	18	5	8	1	4	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	2	...	2	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	148	70	72	5	1	114	67	45	-	2
	III.—Rheumatism, diseases of nutrition, etc.*	3,081	1,044	1,911	42	84	1,270	465	760	8	37
58a-d	Acute rheumatic heart diseases	58	20	28	4	6	21	6	13	-	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	13	8	4	-	1	11	5	6	-	-
59	Chronic rheumatism and other rheumatic diseases	69	27	41	-	1	69	18	49	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,506	867	1,544	31	64	960	392	536	6	26
62	Diseases of pituitary gland	9	2	7	-	-	3	-	3	-	-
63a	Simple goiter	13	4	9	-	-	5	3	2	-	-
63b	Exophthalmic goiter	266	40	214	4	8	132	11	116	-	5
63c-e	Other diseases of thyroid and parathyroid glands	19	5	12	1	1	13	4	9	-	-
64	Diseases of thymus gland	72	48	21	1	2	25	16	8	1	-
65	Diseases of adrenal glands (not specified as tuberculous)	24	10	13	1	-	12	4	8	-	-
66	Other general diseases	19	8	11	-	-	12	4	6	-	2
67	Scurvy	1	-	1	-	-	2	1	1	-	-
68	Beriberi	1	-	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	5	1	4	-	-	4	1	2	-	1
70	Rickets	1	1	-	-	-	-	-	-	-	-
71	Other avitaminoses	5	3	2	-	-	1	-	1	-	-
	IV.—Diseases of the blood and blood-forming organs	716	343	344	14	15	340	183	145	8	4
72	Hemorrhagic conditions	44	22	20	2	-	14	7	7	-	-
73a	Pernicious anemia	176	72	99	-	5	108	56	47	-	-
73b-d	Other anemias (except splenic)	63	31	28	1	3	31	14	14	1	2
74a	Leukemias	377	191	169	11	6	168	96	66	4	2
74b	Aleukemias	14	8	6	-	-	3	-	2	1	-
75	Diseases of spleen	27	14	13	-	-	15	5	9	1	-
76	Other diseases of the blood and blood-forming organs	15	5	9	-	1	6	5	-	1	-
	V.—Chronic poisoning and intoxication	69	62	1	5	1	61	55	4	2	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	2	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	61	55	1	4	1	57	53	2	2	-
78	Lead poisoning	3	2	-	1	-	2	2	-	-	-
79	Chronic poisoning by other mineral or organic substances	3	3	-	-	-	2	-	2	-	-
	VI.—Diseases of the nervous system, etc.*	7,663	3,649	3,550	214	250	4,462	2,129	2,118	114	101
80	Encephalitis (nonepidemic)	60	37	19	4	-	65	41	24	-	-
81	Meningitis (not due to meningococcus)	99	56	29	7	7	67	42	22	1	2
82	Diseases of spinal cord (see exceptions)*	196	104	77	9	6	81	44	33	4	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	5,890	2,740	2,778	166	206	3,646	1,714	1,756	91	85
83b	Cerebral embolism and thrombosis	544	281	248	10	5	195	97	92	3	3
83c	Cerebral softening	59	24	27	3	5	18	6	10	1	1
83d	Hemiplegia and other paralysis of unspecified origin	264	119	130	7	8	131	55	66	5	5
84	Mental diseases and deficiency (see exception)*	53	20	31	-	2	40	16	18	2	4
85	Epilepsy	119	65	47	4	3	56	34	19	3	-
86	Convulsions (under 5 years)	10	4	6	-	-	7	1	6	-	-
87	Other diseases of nervous system	288	145	136	3	4	117	57	58	2	-
88	Diseases of organs of vision	2	2	-	-	-	1	1	-	-	-
89a	Otitis and other diseases of the ear	61	40	17	1	3	27	16	8	2	1
89b	Diseases of mastoid process	18	12	5	-	1	11	5	6	-	-
	VII.—Diseases of the circulatory system	31,015	16,905	12,084	1,074	952	12,025	6,936	4,615	244	230
90-95	Diseases of the heart (all forms)	29,349	15,992	11,440	1,009	908	10,870	6,303	4,130	223	214
90	Pericarditis (except acute rheumatic)	39	22	12	3	2	23	11	11	1	-
91a,b	Bacterial and other acute or subacute endocarditis	161	81	71	6	3	69	30	37	2	-
91c	Endocarditis (unspecified, under 45 years)	12	6	6	-	-	8	3	4	1	-
92a-d	Chronic endocarditis and diseases of the valves*	2,258	1,121	1,048	46	43	1,103	610	424	30	39
92e	Endocarditis (unspecified, 45 years and over)	171	89	76	4	2	82	38	35	4	5
93a	Acute myocarditis (except rheumatic)	259	112	135	7	5	217	115	83	8	11
93b	Myocarditis (unspecified, under 45 years)	43	20	16	2	5	27	6	17	4	-
93c,d	Chronic myocarditis and myocardial degeneration	15,885	7,904	6,790	616	575	4,115	2,111	1,813	90	101
93e	Other myocarditis (unspecified)	1,353	713	571	26	43	637	327	284	13	13
94a	Diseases of coronary arteries	5,631	3,742	1,652	79	58	3,157	2,219	874	42	22
94b	Angina pectoris	346	246	93	3	4	293	205	86	2	-
95a	Functional diseases of heart, etc.*	36	20	16	-	-	29	15	14	-	-
95b,c	Other and unspecified diseases of heart	3,255	1,916	954	217	168	1,110	613	448	26	23
96	Aneurysm (except of heart and aorta)	51	33	15	1	2	15	9	5	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,344	740	520	50	34	985	546	411	19	9
98	Gangrene	22	14	5	1	2	20	11	9	-	-
99	Other diseases of arteries	102	60	40	2	-	61	34	26	-	1
100	Diseases of veins	71	34	34	1	2	25	11	14	-	-
101	Diseases of lymphatic system	5	3	2	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	67	26	27	10	4	42	16	20	1	5
103	Other diseases of circulatory system	4	3	1	-	-	7	6	-	-	1
	VIII.—Diseases of the respiratory system	3,992	2,147	1,463	210	172	2,138	1,111	867	104	56
104a	Diseases of nasal fossae	5	3	2	-	-	4	1	3	-	-
104b	Diseases of accessory sinuses	37	23	12	-	2	15	10	4	1	-
105	Diseases of larynx	19	14	4	1	-	5	1	4	-	-
106a	Acute bronchitis	61	30	29	1	1	23	12	8	2	1

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57a
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57c
29	12	16	1	-	31	16	14	1	-	25	14	10	-	1	57	28	18	8	3	57d,e
797	321	467	2	7	613	257	329	8	19	665	252	339	31	43	585	131	222	81	151	
11	3	8	-	-	10	3	7	-	-	16	5	8	2	1	15	1	4	7	3	58a-d
3	2	1	-	-	8	4	3	-	1	9	6	2	-	1	14	3	1	4	6	58e,f
40	11	29	-	-	23	12	11	-	-	56	21	31	3	1	19	7	10	1	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
632	275	349	2	6	441	207	213	8	13	443	180	213	19	31	383	94	164	41	84	61
2	-	2	-	-	4	1	2	-	1	1	-	-	1	-	3	1	1	1	-	62
3	-	3	-	-	4	-	4	-	-	5	1	3	-	1	3	-	-	1	2	63a
61	9	51	-	1	69	11	57	-	1	42	4	31	1	6	37	3	19	1	14	63b
5	-	5	-	-	10	1	8	-	1	3	-	3	-	-	3	-	3	-	-	63c-e
25	13	12	-	-	26	13	12	-	1	20	10	6	3	1	16	5	3	3	5	64
8	4	4	-	-	5	1	4	-	-	7	2	5	-	-	4	1	2	1	-	65
4	3	1	-	-	4	2	2	-	-	4	-	4	-	-	13	3	3	5	2	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	67
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	4	3	-	1	-	68
2	1	1	-	-	8	2	5	-	1	48	19	28	1	-	58	7	12	9	30	69
1	-	1	-	-	-	-	-	-	-	7	2	3	1	1	4	-	-	1	3	70
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	7	3	-	4	-	71
234	133	98	2	1	175	90	81	1	3	174	88	71	8	9	104	37	34	19	14	
8	4	4	-	-	3	1	2	-	-	8	2	6	-	-	11	4	4	2	1	72
69	33	36	-	-	61	30	27	1	3	57	22	28	2	5	11	3	6	-	2	73a
33	20	13	-	-	14	8	6	-	-	17	8	8	-	1	19	4	3	5	7	73b-d
109	65	41	2	1	84	40	44	-	-	75	47	23	3	2	51	24	17	7	3	74a
4	4	-	-	-	1	1	-	-	-	5	-	4	-	1	3	-	1	1	1	74b
4	3	1	-	-	8	6	2	-	-	6	4	1	1	-	8	2	2	4	-	75
7	4	3	-	-	4	4	-	-	-	6	3	1	2	-	1	-	1	-	-	76
25	22	2	1	-	14	12	1	1	-	30	24	3	3	-	20	11	1	7	1	
3	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	77a,b
21	18	2	1	-	12	11	-	1	-	28	22	3	3	-	19	10	1	7	1	77c-e
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	79
3,185	1,536	1,570	15	14	2,285	1,136	1,027	55	67	2,943	1,356	1,202	188	197	1,975	556	459	451	509	
25	9	16	-	-	24	10	14	-	-	44	24	15	4	1	31	12	3	6	10	80
31	13	18	-	-	15	9	5	-	1	72	32	24	11	5	58	22	10	15	11	81
67	39	26	1	1	56	39	15	1	1	47	26	20	1	-	28	14	6	6	2	82
2,551	1,235	1,292	12	12	1,805	882	820	48	55	2,222	1,028	897	133	164	1,586	437	367	362	420	83a
195	94	100	-	1	145	71	70	2	2	112	48	51	9	4	45	19	18	4	4	83b
19	12	7	-	-	17	11	5	1	-	17	8	6	1	2	9	2	3	2	2	83c
29	15	14	-	-	35	21	13	-	1	229	91	108	14	16	68	12	17	19	20	83d
48	22	26	-	-	40	17	20	1	2	47	20	24	3	-	29	4	9	9	7	84
43	28	13	2	-	48	27	16	2	3	45	21	14	6	4	46	13	11	11	11	85
8	4	4	-	-	4	2	2	-	-	15	8	5	1	1	11	1	-	5	5	86
98	52	46	-	-	68	34	32	-	2	48	23	22	3	-	35	12	10	7	6	87
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	1	88
12	7	5	-	-	21	11	10	-	-	30	17	12	1	-	23	7	5	4	7	89a
9	6	3	-	-	6	1	5	-	-	14	9	4	1	-	5	1	-	1	3	89b
7,919	4,663	3,173	51	32	5,486	3,171	2,054	142	119	7,306	3,682	2,582	570	472	6,155	2,248	1,446	1,275	1,186	
7,193	4,282	2,886	46	29	5,033	2,927	1,862	132	112	6,755	3,422	2,383	524	426	5,831	2,164	1,352	1,192	1,123	90-95
3	2	1	-	-	23	17	4	-	2	17	10	2	2	3	10	1	1	5	3	90
38	15	23	-	-	20	11	6	1	2	24	16	7	-	1	44	13	8	10	13	91a,b
4	2	2	-	-	6	4	2	-	-	6	3	2	-	1	5	-	1	2	2	91c
781	414	361	4	2	684	369	267	32	16	817	395	321	60	41	668	156	144	186	182	92a-d
71	42	29	-	-	36	24	12	-	-	65	32	25	4	4	43	14	15	7	7	92e
41	16	23	2	-	68	32	30	4	2	119	59	31	14	15	80	13	15	22	30	93a
10	5	4	-	1	4	-	4	-	-	16	3	6	4	3	11	5	1	1	4	93b
2,411	1,283	1,092	24	12	1,876	971	803	45	57	2,444	1,093	944	216	191	2,917	1,027	727	588	575	93c,d
441	232	206	2	1	215	118	82	9	6	154	64	65	10	15	285	99	95	50	41	93e
2,577	1,785	774	11	7	1,616	1,100	475	29	12	1,561	938	429	114	80	1,032	574	213	136	109	94a
181	118	62	1	-	121	78	38	2	3	168	104	49	7	8	140	71	24	29	16	94b
45	26	19	-	-	47	23	22	-	2	22	12	6	1	3	22	6	7	8	1	95a
590	342	240	2	6	317	180	117	10	10	1,342	693	496	92	61	574	185	101	148	140	95b,c
20	12	8	-	-	8	2	3	1	2	4	2	2	-	-	15	6	5	3	1	96
583	304	271	5	3	374	209	153	8	4	455	221	157	40	37	205	52	64	51	38	97
13	9	4	-	-	5	3	2	-	-	11	5	1	2	3	7	2	2	1	2	98
64	37	27	-	-	31	16	15	-	-	28	13	14	-	1	16	7	4	3	2	99
26	11	15	-	-	15	5	10	-	-	18	6	9	1	2	12	1	7	2	2	100
2	2	-	-	-	1	-	1	-	-	1	-	-	-	1	2	1	-	1	-	101
18	6	12	-	-	15	6	8	1	-	30	12	13	3	2	63	13	12	21	17	102
-	-	-	-	-	4	3	-	-	1	4	1	3	-	-	4	2	-	1	1	103
1,226	661	551	12	2	793	404	308	46	35	2,139	1,010	853	157	119	1,593	450	355	464	324	
8	1	7	-	-	3	1	2	-	-	3	1	2	-	-	3	2	-	-	1	104a
13	6	7	-	-	9	4	4	1	-	9	4	4	-	1	12	5	6	1	-	104b
3	2	1	-	-	9	5	3	-	1	15	7	7	-	1	6	4	-	-	2	105
7	3	4	-	-	13	4	8	-	1	16	9	6	1	-	14	3	2	7	2	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	115	64	48	2	1	68	31	37	-	-
106c	Bronchitis (unspecified)	40	18	21	1	-	17	7	10	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,648	827	645	87	89	744	371	314	37	22
108	Lobar pneumonia	1,275	718	413	94	51	715	395	247	46	27
109	Pneumonia (unspecified)	259	135	103	12	9	226	108	110	8	-
110	Pleurisy (not specified as tuberculous)	111	76	26	4	5	50	30	13	4	3
111a	Hemorrhagic infarction and thrombosis of lungs	68	32	25	1	4	35	18	14	1	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	138	65	63	-	4	123	58	61	4	-
112	Asthma	119	63	51	1	4	81	46	33	1	1
113	Pulmonary emphysema	14	12	2	-	-	3	1	2	-	-
114	Other diseases of respiratory system (except tuberculosis)	94	67	19	6	2	29	22	7	-	-
	IX.—Diseases of the digestive system	4,327	2,370	1,703	139	115	1,886	1,005	786	47	48
115a,b,d	Diseases of buccal cavity and adnexa	85	44	33	4	4	61	32	26	-	3
115c	Diseases of pharynx and tonsils	79	35	39	4	1	28	16	8	1	3
116	Diseases of esophagus	15	11	4	-	-	7	5	2	-	-
117a	Ulcer of stomach	411	328	64	14	5	147	112	25	4	6
117b	Ulcer of duodenum	175	142	27	4	2	66	57	7	2	-
118	Other diseases of stomach (except cancer)	74	37	24	6	7	53	29	23	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	236	124	91	8	13	205	107	91	6	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	111	56	46	5	4	77	42	29	1	5
121	Appendicitis	567	312	213	24	18	255	150	90	7	8
122a	Hernia	286	175	141	6	4	124	70	47	5	2
122b	Intestinal obstruction	459	189	234	15	21	214	90	107	8	9
123	Other diseases of intestines	94	53	32	5	4	44	25	16	-	3
124a	Cirrhosis of liver (with mention of alcoholism)	79	61	16	1	1	22	18	3	-	1
124b	Cirrhosis of liver (without mention of alcoholism)	868	598	230	29	16	242	144	88	8	2
125a	Acute yellow atrophy of liver (nonpuerperal)	33	20	11	1	1	18	9	9	-	-
125b	Other diseases of liver	58	33	18	5	2	34	17	16	1	-
126	Biliary calculi	318	94	214	-	5	110	33	76	1	-
127	Other diseases of gallbladder and biliary ducts	237	69	163	2	3	119	29	88	-	2
128	Diseases of pancreas (except diabetes mellitus)	50	24	24	-	2	22	9	13	-	-
129	Peritonitis (cause not stated)	62	25	29	6	2	38	11	22	2	3
	X.—Diseases of the genito-urinary system	7,821	3,985	3,325	246	265	3,998	2,115	1,657	116	110
130	Acute nephritis	118	55	50	6	7	73	43	26	3	1
131a	Arteriosclerotic kidney	4,148	1,932	1,967	110	139	2,504	1,254	1,109	64	77
131b	Other chronic nephritis	2,089	984	950	70	85	784	429	309	27	19
132	Nephritis unspecified (10 years and over)	264	133	106	12	13	184	104	67	7	6
133	Other diseases of kidneys and ureters, etc.*	212	96	90	14	12	97	50	44	1	2
134	Calculi of urinary passages	95	50	43	2	-	52	38	13	1	-
135	Diseases of urinary bladder	45	22	22	1	-	19	12	7	-	-
136	Diseases of urethra (except calculus)	38	27	2	9	-	5	2	1	2	-
137	Diseases of prostate	705	684	...	21	...	192	182	...	10	...
138	Diseases of other male genital organs (except venereal)	3	2	...	1	...	2	1	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	58	...	50	...	8	54	...	51	...	3
139b	Diseases of uterus	45	...	44	...	1	31	...	29	...	2
139c	Diseases of other and unspecified female genital organs	1	...	1	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	326	...	297	...	29	178	...	169	...	9
140	Abortion with mention of infection	39	...	33	...	6	20	...	20	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	30	...	25	...	5	13	...	13	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	9	...	8	...	1	7	...	7	...	-
141	Abortion without mention of infection	14	...	12	...	2	6	...	6	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	5	...	4	...	1	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	8	...	7	...	1	6	...	6	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	4	...	3	...	1	6	...	5	...	1
142b	Ectopic gestation, without mention of infection	20	...	16	...	4	13	...	11	...	2
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	5	...	5	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	5	...	4	...	1	19	...	18	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	4	...	4	...	-	6	...	6	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	11	...	11	...	-	8	...	8	...	-
	A. With mention of infection	8	...	8	...	-	7	...	7	...	-
	B. Without mention of infection	3	...	3	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	14	...	14	...	-	4	...	4	...	-
146b,c	Other hemorrhages of childbirth and puerperium	44	...	42	...	2	13	...	13	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	38	...	33	...	5	22	...	19	...	3
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	43	...	41	...	2	27	...	26	...	1
148a,b	Puerperal eclampsia and nephritis*	31	...	30	...	1	8	...	8	...	-
148c,d	Other puerperal toxemias	4	...	3	...	1	3	...	3	...	-
149	Other accidents and specified conditions of childbirth	38	...	36	...	2	14	...	13	...	1
150	Other and unspecified conditions of childbirth and puerperium	15	...	13	...	2	4	...	4	...	-
	XII.—Diseases of the skin and cellular tissue	60	30	23	2	5	35	18	16	-	1
151	Carbuncle and furuncle	9	8	1	-	-	12	9	3	-	-
152	Phlegmon and acute abscess	15	4	7	1	3	5	3	2	-	-
153	Other diseases of skin and cellular tissue	36	18	15	1	2	18	6	11	-	1
	XIII.—Diseases of the bones, etc.*	53	31	16	5	1	39	21	15	1	2
154	Osteomyelitis and periostitis	29	20	5	4	-	21	14	5	1	1
155	Other diseases of bones (except tuberculosis)	4	1	2	-	1	4	1	3	-	-
156	Diseases of joints and other organs of movement	20	10	9	1	-	14	6	7	-	1
157	XIV.—Congenital malformations	1,044	567	445	17	15	435	239	185	5	6

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
46	34	22	-	-	34	20	14	-	-	40	19	19	1	1	28	12	9	5	2	106b
14	7	7	-	-	9	5	4	-	-	32	15	11	1	5	12	4	3	4	1	106c
446	234	208	3	1	313	154	132	14	13	840	404	337	62	37	729	174	175	216	164	107
467	276	182	8	1	248	129	79	24	16	677	328	248	56	45	479	142	97	141	99	108
33	20	13	-	-	27	13	11	3	-	296	122	139	22	13	169	56	31	51	31	109
24	15	9	-	-	15	8	6	1	-	28	16	6	3	3	39	13	8	13	5	110
23	8	15	-	-	23	15	6	1	1	15	11	3	1	-	17	9	2	2	4	111a
78	30	47	1	-	42	24	17	1	-	70	25	38	1	6	36	9	14	10	3	111b,c
43	21	22	-	-	34	15	15	1	3	64	29	24	6	5	24	8	6	6	4	112
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	113
19	13	6	-	-	14	7	7	-	-	33	20	8	3	2	25	9	2	8	6	114
1,118	658	449	7	4	866	462	362	28	14	1,478	743	567	89	79	1,214	429	249	302	234	
30	15	14	-	1	25	13	10	-	2	38	18	15	2	3	21	9	3	3	6	115a,b,d
19	8	11	-	-	16	8	8	-	-	24	11	6	4	3	15	4	4	3	4	115c
5	4	1	-	-	1	1	-	-	-	2	-	1	1	-	1	-	1	-	-	116
118	104	14	-	-	96	81	14	-	1	136	90	33	9	4	108	53	7	35	13	117a
54	46	8	-	-	38	28	9	1	-	46	35	10	1	-	33	18	4	9	2	117b
27	16	10	-	1	19	11	7	1	-	61	30	23	5	3	47	19	4	12	12	118
61	34	26	-	1	61	28	27	6	-	354	164	156	16	18	200	38	32	77	53	119
46	18	27	1	-	35	15	13	6	1	95	46	38	8	3	68	12	20	16	20	120
174	106	67	1	-	132	78	50	2	2	204	104	79	13	8	156	57	37	33	29	121
83	47	33	3	-	79	40	34	4	1	53	37	9	7	-	75	34	20	17	4	122a
132	65	67	-	-	92	43	45	1	3	130	55	49	11	15	128	32	29	31	36	122b
36	22	13	1	-	17	10	6	1	-	21	8	8	-	5	31	10	6	5	10	123
13	11	1	1	-	5	5	-	-	-	12	11	1	-	-	14	11	2	1	-	124a
122	82	39	-	1	88	49	34	5	-	130	83	36	6	5	173	81	43	29	20	124b
4	1	3	-	-	4	2	1	-	1	10	4	4	1	1	19	10	1	4	4	125a
14	10	4	-	-	12	8	3	-	1	12	2	7	1	2	37	13	1	16	7	125b
88	28	60	-	-	73	21	51	-	1	94	21	69	1	3	21	6	11	2	2	126
55	23	32	-	-	49	15	32	1	1	25	11	12	1	1	40	12	18	6	4	127
13	6	7	-	-	13	4	9	-	-	10	6	3	1	-	8	4	3	1	-	128
24	12	12	-	-	11	2	9	-	-	21	7	8	1	5	19	6	3	2	8	129
1,952	1,172	764	16	10	1,731	961	651	65	54	2,404	1,155	803	252	194	2,142	586	472	524	560	
37	13	23	1	-	36	20	13	2	1	91	36	38	7	10	75	18	17	12	28	130
1,112	603	496	8	5	946	476	403	37	30	1,127	508	403	120	96	1,267	336	302	289	340	131a
347	203	138	2	4	451	256	161	15	19	721	336	251	86	48	417	116	80	106	115	131b
105	62	43	-	-	54	25	27	1	1	181	95	50	15	21	108	26	20	35	27	132
54	32	20	2	-	43	24	19	-	-	62	25	31	4	2	79	19	28	13	19	133
28	14	14	-	-	27	20	7	-	-	20	17	3	-	-	18	8	6	-	4	134
19	11	8	-	-	12	8	2	1	1	24	15	4	2	3	11	2	-	8	1	135
5	5	-	-	-	1	-	-	1	-	5	4	-	1	-	14	3	-	11	-	136
231	228	...	3	...	140	132	...	8	...	135	118	...	17	...	107	58	...	49	...	137
1	1	...	-	...	-	-	...	-	...	1	1	...	-	...	1	-	...	1	...	138
13	...	12	...	1	13	...	11	...	2	35	...	22	...	13	33	...	11	...	22	139a
9	...	9	...	-	8	...	8	...	-	1	...	1	...	-	11	...	8	...	3	139b
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	139c
94	...	93	...	1	88	...	83	...	5	178	...	150	...	28	201	...	104	...	97	
12	...	12	...	-	21	...	20	...	1	14	...	12	...	2	29	...	18	...	11	140
8	...	8	...	-	12	...	11	...	1	11	...	9	...	2	22	...	13	...	9	140a,b
4	...	4	...	-	9	...	9	...	-	3	...	3	...	-	7	...	5	...	2	140c,d
9	...	9	...	-	6	...	6	...	-	7	...	7	...	-	4	...	1	...	3	141
2	...	2	...	-	1	...	1	...	-	1	...	1	...	-	2	...	-	...	2	141a,c
7	...	7	...	-	4	...	4	...	-	6	...	6	...	-	2	...	1	...	1	141b,d
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	1	...	-	...	1	142a
5	...	5	...	-	1	...	1	...	-	2	...	-	...	2	12	...	5	...	7	142b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
1	...	1	...	-	9	...	9	...	-	21	...	18	...	3	24	...	10	...	14	144a,b
1	...	1	...	-	2	...	2	...	-	8	...	7	...	1	11	...	7	...	4	144c,d
2	...	2	...	-	-	...	-	...	-	8	...	6	...	2	5	...	3	...	2	145
1	...	1	...	-	-	...	-	...	-	4	...	3	...	1	4	...	2	...	2	
1	...	1	...	-	-	...	-	...	-	4	...	3	...	1	1	...	1	...	-	
4	...	4	...	-	3	...	3	...	-	6	...	5	...	1	6	...	4	...	2	146a
11	...	11	...	-	6	...	5	...	1	21	...	17	...	4	28	...	14	...	14	146b,c
9	...	9	...	-	12	...	11	...	1	29	...	20	...	9	34	...	15	...	19	147a,b
20	...	20	...	-	16	...	15	...	1	11	...	11	...	-	5	...	3	...	2	147c,d
9	...	8	...	1	5	...	5	...	-	21	...	18	...	3	19	...	10	...	9	148a,b
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	2	...	-	...	2	148c,d
8	...	8	...	-	4	...	3	...	1	11	...	11	...	-	8	...	6	...	2	149
3	...	3	...	-	2	...	2	...	-	13	...	13	...	-	13	...	8	...	5	150
25	14	11	-	-	10	8	2	-	-	38	21	13	2	2	24	9	8	5	2	
9	7	2	-	-	-	-	-	-	-	7	4	2	-	1	4	3	1	-	-	151
4	3	1	-	-	2	2	-	-	-	11	8	1	2	-	5	2	2	1	-	152
12	4	8	-	-	8	6	2	-	-	20	9	10	-	1	15	4	5	4	2	153
23	17	6	-	-	15	8	7	-	-	27	15	6	4	2	15	8	2	5	-	
9	9	-	-	-	6	4	2	-	-	21	12	4	3	2	10	7	1	2	-	154
3	1	2	-	-	2	1	1	-	-	1	-	1	-	-	2	1	1	-	-	155
11	7	4	-	-	7	3	4	-	-	5	3	1	1	-	3	-	-	3	-	156
293	148	144	1	-	234	124	108	-	2	354	189	148	7	10	252	98	67	56	31	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	2,841	1,550	1,080	115	96	1,368	795	493	43	37
158	Congenital debility (cause not stated)	55	25	21	5	4	54	33	19	1	1
159	Premature birth (cause not stated)	1,727	918	667	71	71	838	471	315	28	24
160a	Intracranial or spinal hemorrhage	399	233	135	17	14	110	70	32	6	2
160b,c	Other injuries at birth	325	191	125	7	2	149	89	53	2	5
161	Other diseases peculiar to the first year of life	335	183	132	15	5	217	132	74	6	5
162	XVI.—Senility	246	90	152	1	3	211	104	105	1	1
	XVII.—Violent or accidental deaths	6,730	4,465	1,738	410	117	3,437	2,240	1,022	133	42
163,164	Suicide	966	726	222	10	8	453	325	122	3	3
163	Suicide by poisoning	223	123	92	4	4	121	70	50	1	-
	Suicide by solid or liquid poisons	126	48	70	4	4	79	47	32	-	-
	Suicide by poisonous gases	97	75	22	-	-	42	23	18	1	-
164a	Suicide by hanging or strangulation	254	207	44	3	-	103	76	26	1	-
164b	Suicide by drowning	53	35	18	-	-	20	8	11	-	1
164c	Suicide by firearms and explosives	329	291	35	2	1	175	150	23	1	1
164d	Suicide by cutting or piercing instruments	40	36	4	-	-	19	13	6	-	-
164e	Suicide by jumping from high places	51	24	23	1	3	5	2	3	-	-
164f	Suicide by crushing	9	6	3	-	-	7	4	2	-	1
164g	Suicide by other or unspecified means	7	4	3	-	-	3	2	1	-	-
165-168	Homicide [1]	365	141	36	163	25	112	43	18	44	7
166	Homicide by firearms	213	89	23	91	10	71	26	13	28	4
167	Homicide by cutting or piercing instruments	87	19	2	59	7	22	5	-	15	2
168	Homicide by other means	65	33	11	13	8	19	12	5	1	1
169-195	Accidental deaths	5,393	3,593	1,480	236	84	2,871	1,871	882	86	32
169	Railway accidents (except collisions with motor vehicles)	288	225	45	15	3	174	149	20	5	-
170a	Collisions between automobiles and trains	172	129	41	2	-	139	105	28	4	2
170b	Collisions between automobiles and streetcars	20	16	4	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,502	1,082	327	72	21	794	584	171	32	7
170d	Motorcycle accidents (except collisions with automobiles)	19	17	2	-	-	26	22	3	-	1
171a	Streetcar accidents (except collisions with trains or motor vehicles)	55	34	14	5	2	2	2	-	-	-
171b	Other and unspecified road-transport accidents	16	11	4	1	-	6	6	-	-	-
172	Water-transport accidents	59	50	7	2	-	8	7	1	-	-
173	Air-transport accidents	65	64	1	-	-	33	33	-	-	-
174	Accidents in mines and quarries	106	105	-	1	-	30	29	-	1	-
175a	Accidents involving agricultural machinery and vehicles	62	59	2	1	-	28	28	-	-	-
175b,c	Other agricultural accidents, including injury by animals	34	33	1	-	-	30	28	2	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	4	3	1	-	-	-	-	-	-	-
176	Other accidents involving machinery	94	89	-	5	-	38	32	-	6	-
177	Food poisoning	5	4	1	-	-	14	6	8	-	-
178	Accidental absorption of poisonous gas	92	70	21	1	-	48	40	6	1	1
179	Acute accidental poisoning by solids or liquids	57	37	19	1	-	29	17	10	-	2
180	Conflagration	86	44	20	11	11	41	22	17	1	1
181	Accidental burns (except conflagration)	228	114	84	13	17	155	68	71	9	7
182	Accidental mechanical suffocation	75	45	20	8	2	39	23	12	4	-
183	Accidental drowning	247	183	42	22	-	121	98	20	3	-
184	Accidental injury by firearms	100	71	13	11	5	67	56	6	4	1
185	Accidental injury by cutting or piercing instruments	13	8	2	2	1	8	7	1	-	-
186a	Accidental injury by fall	1,504	736	708	42	18	626	280	331	7	8
186b	Accidental injury by crushing	39	34	4	1	-	28	25	1	2	-
187	Cataclysm, etc.*	23	12	11	-	-	6	3	3	-	-
188	Injury by animals (except in agriculture and forestry)	11	8	3	-	-	6	5	1	-	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	12	10	1	1	-	5	5	-	-	-
191	Excessive heat	14	10	3	1	-	7	4	3	-	-
192	Lightning	15	13	1	-	1	7	5	2	-	-
193	Accidents due to electric currents (except lightning)	48	43	4	1	-	26	24	-	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	5	4	1	-	-	4	1	2	-	1
195d	Obstruction, suffocation, or puncture by ingested objects	40	26	12	1	1	22	16	5	-	1
195c,e	Other and unspecified accidents	282	203	61	16	2	304	141	158	5	-
196	Deaths of military personnel during operations of war	1	1	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	1	1	-	-	-	-	-	-	-	-
198	Legal executions	4	3	-	1	-	1	1	-	-	-
	XVIII.—Ill-defined and unknown causes	243	153	75	3	12	251	156	78	14	3
199	Sudden death	5	5	-	-	-	1	1	-	-	-
200a	Ill-defined	177	115	51	1	10	214	135	65	12	2
200b	Found dead (cause unknown)	10	6	3	-	1	-	-	-	-	-
200c	Unknown or unspecified	51	27	21	2	1	36	20	13	2	1

*Refer to complete International List titles, table VII, Part I.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
911	538	367	2	4	624	365	237	13	9	1,445	799	536	61	49	1,277	397	288	339	253	
21	13	8	-	-	32	17	11	2	2	157	76	65	9	7	63	6	10	31	16	158
558	324	229	2	3	395	233	152	6	4	902	487	343	39	33	780	231	184	204	161	159
125	75	49	-	1	49	28	20	1	-	102	70	27	5	-	125	55	24	28	18	160a
94	54	40	-	-	80	47	29	2	2	134	79	49	2	4	153	55	38	32	28	160b,c
113	72	41	-	-	68	40	25	2	1	150	87	52	6	5	156	50	32	44	30	161
322	138	181	2	1	163	69	83	8	3	379	154	187	18	20	213	45	52	42	74	162
2,043	1,358	667	15	3	1,612	1,013	505	71	23	2,720	1,750	634	244	92	2,153	1,027	302	621	203	
307	243	61	3	-	215	162	50	3	-	299	222	62	10	5	179	121	38	12	8	163,164
48	34	14	-	-	35	22	13	-	-	55	32	18	2	3	29	14	13	-	2	163
32	27	5	-	-	22	13	9	-	-	44	24	15	2	3	26	11	13	-	2	
16	7	9	-	-	13	9	4	-	-	11	8	3	-	-	3	3	-	-	-	
107	86	21	-	-	45	36	8	1	-	44	34	10	-	-	23	20	2	1	-	164a
12	5	7	-	-	11	6	5	-	-	15	9	5	1	-	12	6	3	2	1	164b
128	111	14	3	-	105	88	16	1	-	162	133	22	6	1	91	69	13	6	3	164c
7	5	2	-	-	8	6	1	1	-	9	7	2	-	-	8	4	1	2	1	164d
3	1	2	-	-	6	3	3	-	-	7	3	4	-	-	8	5	3	-	-	164e
1	1	-	-	-	2	-	2	-	-	1	-	-	1	-	4	3	-	-	1	164f
1	-	1	-	-	3	1	2	-	-	6	4	1	-	1	4	-	3	1	-	164g
30	12	14	3	1	54	25	10	17	2	303	162	20	92	29	268	42	13	167	46	165-168
14	5	7	1	1	42	20	9	12	1	206	120	12	60	14	143	27	7	86	23	166
3	1	1	1	-	4	-	-	3	1	57	16	2	27	12	98	6	5	68	19	167
13	6	6	1	-	8	5	1	2	-	40	26	6	5	3	27	9	1	13	4	168
1,706	1,103	592	9	2	1,343	826	445	51	21	2,112	1,366	552	136	58	1,668	832	250	437	149	169-195
45	35	10	-	-	54	46	1	6	1	110	85	14	9	2	83	43	2	34	4	169
49	37	12	-	-	43	33	8	1	1	29	22	6	1	-	26	9	7	5	5	170a
2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	170b
393	292	98	3	-	311	218	76	13	4	528	395	86	35	12	419	222	59	112	26	170c
3	3	-	-	-	6	5	1	-	-	8	7	1	-	-	12	12	-	-	-	170d
4	4	-	-	-	2	2	-	-	-	2	1	1	-	-	2	2	-	-	-	171a
2	2	-	-	-	3	2	1	-	-	7	4	3	-	-	6	2	1	3	-	171b
16	14	2	-	-	3	2	1	-	-	11	8	1	2	-	40	24	3	13	-	172
22	21	1	-	-	43	43	-	-	-	22	22	-	-	-	73	73	-	-	-	173
16	15	-	1	-	6	6	-	-	-	176	161	-	15	-	2	1	-	1	-	174
59	55	4	-	-	35	35	-	-	-	7	7	-	-	-	11	5	-	6	-	175a
50	47	3	-	-	22	20	2	-	-	35	28	3	3	1	10	6	1	3	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	4	1	-	3	-	175e
13	12	1	-	-	21	20	1	-	-	25	21	-	4	-	37	28	1	8	-	176
2	2	-	-	-	10	4	1	3	2	14	6	6	-	2	23	5	4	7	7	177
17	12	5	-	-	26	15	9	2	-	21	13	6	2	-	7	5	1	-	1	178
14	7	7	-	-	22	11	8	2	1	18	9	6	1	2	31	13	3	7	8	179
30	19	11	-	-	32	17	12	2	1	57	21	24	8	4	31	5	7	10	9	180
74	38	33	2	1	71	25	38	3	5	165	60	79	13	13	128	35	28	36	29	181
27	19	8	-	-	18	13	4	1	-	64	36	22	2	4	32	4	7	9	12	182
99	77	21	1	-	71	55	12	4	-	114	92	11	9	2	169	92	6	66	5	183
38	34	4	-	-	46	36	7	3	-	79	63	8	6	2	99	44	13	33	9	184
6	3	2	1	-	2	1	-	1	-	4	2	-	2	-	10	5	-	5	-	185
590	257	332	-	1	351	123	218	5	5	447	183	239	16	9	181	78	72	13	18	186a
12	12	-	-	-	13	11	1	1	-	13	13	-	-	-	20	11	1	8	-	186b
-	-	-	-	-	26	10	15	-	1	24	11	13	-	-	3	-	2	1	-	187
3	2	1	-	-	3	3	-	-	-	8	7	1	-	-	4	2	-	1	1	188
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	2	1	-	1	-	189
11	7	3	1	-	4	2	1	1	-	9	6	1	1	1	7	1	-	3	3	190
5	5	-	-	-	6	4	1	1	-	10	7	2	1	-	5	3	1	1	-	191
8	7	1	-	-	14	12	2	-	-	10	6	3	1	-	16	5	-	8	3	192
10	9	1	-	-	11	11	-	-	-	18	17	1	-	-	20	11	4	5	-	193
3	2	1	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	194
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	195a,b
14	9	5	-	-	4	3	1	-	-	12	3	7	-	2	11	5	3	3	-	195d
69	44	25	-	-	62	37	24	1	-	57	44	7	5	1	141	77	23	32	9	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	197
-	-	-	-	-	-	-	-	-	-	6	-	-	6	-	6	-	1	5	-	198
128	86	40	2	-	104	63	35	5	1	156	83	59	7	7	315	65	37	115	98	
2	1	1	-	-	12	7	3	2	-	4	2	2	-	-	34	8	-	14	12	199
63	41	20	2	-	64	40	21	2	1	24	12	11	1	-	106	36	17	27	26	200a
4	3	1	-	-	8	5	2	1	-	12	6	3	3	-	8	2	2	-	4	200b
59	41	18	-	-	20	11	9	-	-	116	63	43	3	7	167	19	18	74	56	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	10,446	5,754	4,645	32	15	22,168	9,467	7,669	2,805	2,227
	I.—Infectious and parasitic diseases	520	306	210	3	1	2,003	696	369	576	362
1	Typhoid fever	2	1	1	-	-	6	4	-	2	-
2	Paratyphoid fever	2	-	2	-	-	1	-	-	1	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	24	17	7	-	-	46	19	16	5	6
7	Anthrax (infection by Bacillus anthracis)	1	1	-	-	-	-	-	-	-	-
8	Scarlet fever	6	5	1	-	-	3	1	2	-	-
9	Whooping cough	25	15	10	-	-	31	6	10	9	6
10	Diphtheria (infection by C. diphtheriae)	3	2	1	-	-	7	5	1	1	-
11	Erysipelas	2	-	2	-	-	3	-	3	-	-
12	Tetanus	1	1	-	-	-	7	3	-	4	-
13-22	Tuberculosis (all forms)	258	141	114	2	1	1,311	444	234	388	245
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	2	2	-	-	-	2	1	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	235	125	107	2	1	1,207	418	214	352	223
14	Tuberculosis of meninges and central nervous system	9	5	4	-	-	33	7	6	13	7
15	Tuberculosis of intestines and peritoneum	7	5	2	-	-	21	1	8	5	7
16	Tuberculosis of vertebral column	-	-	-	-	-	14	6	2	4	2
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	3	-	-	1	2
17b	Tuberculosis of joints (except vertebral column)	1	-	1	-	-	4	4	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	1	-	-	-	2	1	-	1	-
20	Tuberculosis of genito-urinary system	1	1	-	-	-	7	3	2	1	1
21	Tuberculosis of other organs	-	-	-	-	-	3	-	-	2	1
22a	Disseminated tuberculosis (acute miliary)	2	2	-	-	-	14	3	1	8	2
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	1	-	1	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	11	6	5	-	-	19	9	6	3	1
25	Gonococcus infection	-	-	-	-	-	10	-	1	4	5
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	2	1	-	1	-
27	Dysentery	3	2	-	1	-	24	5	7	5	7
28	Malaria	1	1	-	-	-	1	-	1	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	52	35	17	-	-	379	135	46	133	65
30a	Locomotor ataxia (tabes dorsalis)	3	2	1	-	-	12	6	3	3	-
30b	General paralysis of insane	17	11	6	-	-	110	39	12	48	11
30c	Other syphilis of central nervous system	6	6	-	-	-	22	7	3	7	5
30d	Aneurysm of aorta	6	5	1	-	-	83	37	12	22	12
30e	Other syphilis of circulatory system	2	1	1	-	-	31	9	3	15	4
30f,g	Congenital, other and unspecified forms of syphilis	18	10	8	-	-	121	37	13	38	33
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	-	2	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	39	22	17	-	-	52	20	11	10	11
33b	Influenza, without respiratory complications specified	44	25	19	-	-	32	12	8	3	9
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	10	6	4	-	-	12	4	5	-	3
36	Acute poliomyelitis and acute polioencephalitis	4	4	-	-	-	1	1	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	1	1	-	-	-	5	2	1	-	2
37b	Sequelae of encephalitis lethargica	5	3	2	-	-	6	6	-	-	-
38	Other diseases due to filtrable viruses	3	3	-	-	-	2	2	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	12	8	1	3	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	2	2	-	-	-	7	4	2	1	-
44	Other infectious and parasitic (communicable) diseases	19	13	6	-	-	24	5	14	3	2
	II.—Cancer and other tumors	1,359	608	748	-	3	2,528	1,037	1,165	150	176
45-55	Cancer and other malignant tumors	1,310	601	706	-	3	2,424	1,014	1,112	142	156
45	Cancer of buccal cavity and pharynx	41	32	9	-	-	69	49	11	6	3
45a-e	Cancer of buccal cavity	28	24	4	-	-	41	30	4	5	2
45f	Cancer of pharynx	13	8	5	-	-	28	19	7	1	1
46	Cancer of digestive organs and peritoneum	667	347	319	-	1	1,077	498	436	80	63
46a	Cancer of esophagus	14	7	7	-	-	49	25	9	10	5
46b,c	Cancer of stomach and duodenum	211	119	91	-	1	408	201	141	44	22
46f	Cancer of liver and biliary passages	100	42	58	-	-	138	53	72	11	2
46g	Cancer of pancreas	45	21	24	-	-	84	45	31	3	5
46d,e,h,m	Cancer of other digestive organs and peritoneum	297	158	139	-	-	398	174	183	12	29
47	Cancer of respiratory system	58	37	21	-	-	211	159	34	12	6
48	Cancer of uterus	148	...	147	...	1	241	...	204	...	37
49	Cancer of other female genital organs	24	...	24	...	-	67	...	60	...	7
50	Cancer of breast	111	-	110	-	1	246	2	223	-	21
51	Cancer of male genital organs	81	81	...	-	...	131	114	...	17	...
52	Cancer of urinary organs (male and female)	50	29	21	-	-	127	68	40	10	9
53	Cancer of skin (except vulva and scrotum)	33	22	11	-	-	40	23	16	1	-
54	Cancer of central nervous system*	13	8	5	-	-	46	31	10	1	4
55	Cancer of other and unspecified organs	84	45	39	-	-	169	70	78	15	6
56a	Nonmalignant tumors of ovary	8	...	8	...	-	14	...	10	...	4
56b	Nonmalignant tumors of uterus	22	...	22	...	-	28	...	18	...	10
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	2	...	1	...	1
56d,e	Nonmalignant tumors of other and unspecified organs	4	2	2	-	-	27	15	7	3	2

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
51,036	26,421	23,660	545	390	52,827	28,681	21,199	1,617	1,330	25,851	14,651	10,864	186	150	20,794	5,186	3,641	6,234	5,733	
2,377	1,486	749	101	41	3,129	1,661	833	379	256	1,293	743	485	35	30	2,579	408	330	965	876	
1	-	1	-	-	6	3	3	-	-	5	4	-	1	-	20	1	1	12	6	1
2	-	2	-	-	3	2	1	-	-	1	1	-	-	-	1	-	-	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	4	1	2	-	1	2	2	-	-	-	1	1	-	-	-	5
35	20	15	-	-	23	17	3	1	2	12	9	3	-	-	16	5	2	6	3	6
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
14	9	5	-	-	24	8	14	1	1	9	4	5	-	-	6	3	-	2	1	8
27	11	16	-	-	71	34	24	7	6	21	8	8	1	4	100	9	10	42	39	9
7	5	2	-	-	22	9	12	1	-	10	7	3	-	-	42	18	7	10	7	10
10	5	5	-	-	4	2	2	-	-	6	4	2	-	-	5	1	4	-	-	11
4	4	-	-	-	15	10	3	1	1	11	7	4	-	-	19	1	1	10	7	12
1,630	1,034	493	75	28	1,891	952	473	275	191	693	393	257	19	24	1,113	168	124	387	434	13-22
14	14	-	-	-	23	21	-	2	-	7	7	-	-	-	-	-	-	-	-	13a
1,487	960	434	67	26	1,661	842	409	242	168	619	348	231	17	23	1,050	160	114	363	413	13b,c
29	14	13	1	1	46	20	17	5	4	11	7	3	1	-	9	2	3	2	2	14
25	7	15	3	-	25	5	11	4	5	17	5	12	-	-	16	-	3	7	6	15
16	9	7	-	-	30	16	9	4	1	10	5	4	1	-	5	3	-	1	1	16
2	1	-	1	-	4	1	-	3	-	3	3	-	-	-	3	-	-	2	1	17a
5	4	1	-	-	8	4	3	1	-	3	3	-	-	-	4	1	-	1	2	17b
8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
8	3	5	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	19
21	11	10	-	-	18	12	4	1	1	10	7	3	-	-	2	1	-	1	-	20
1	-	1	-	-	5	3	1	1	-	3	3	-	-	-	-	-	-	-	-	21
18	9	5	3	1	66	26	17	12	11	10	5	4	-	1	21	1	4	7	9	22a
2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	3	-	-	3	-	22b
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
39	24	15	-	-	46	31	13	1	1	23	14	9	-	-	25	4	8	6	7	24
3	1	2	-	-	4	2	1	-	1	1	1	-	-	-	32	-	-	3	29	25
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	4	-	-	2	2	26
3	2	1	-	-	36	21	13	1	1	6	2	3	1	-	111	23	21	39	28	27
3	2	1	-	-	4	2	1	-	1	4	3	-	1	-	79	10	8	29	32	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
328	222	72	23	11	594	355	111	85	43	208	135	63	9	1	435	39	12	250	134	30
19	17	1	1	-	22	13	5	4	-	12	5	5	2	-	6	2	-	4	-	30a
83	60	15	6	2	161	101	27	22	11	66	46	17	3	-	90	16	3	55	16	30b
29	21	4	2	2	61	39	15	4	3	26	19	6	1	-	47	6	2	25	14	30c
109	73	27	7	2	167	114	24	20	9	48	35	10	2	1	41	3	3	28	7	30d
28	20	5	2	1	44	19	8	12	5	5	5	-	-	-	55	2	-	34	19	30e
60	31	20	5	4	139	69	32	23	15	51	25	25	1	-	196	10	4	104	78	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
7	6	1	-	-	10	7	2	1	-	2	-	2	-	-	4	-	-	3	1	32
82	44	37	1	-	115	56	53	3	3	100	61	35	3	1	336	65	75	106	90	33a
22	11	10	-	1	113	70	42	1	-	66	31	35	-	-	112	29	28	28	27	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
15	7	7	1	-	8	4	4	-	-	12	7	5	-	-	56	15	10	16	15	35
4	2	2	-	-	10	5	5	-	-	6	4	2	-	-	8	5	1	1	1	36
10	6	4	-	-	11	7	4	-	-	9	4	5	-	-	14	2	7	4	1	37a,c
5	4	1	-	-	10	6	2	1	1	11	4	7	-	-	-	-	-	-	-	37b
5	-	4	-	1	13	7	6	-	-	1	-	1	-	-	2	-	1	-	1	38
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	4	-	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	10	-	1	4	5	42
3	2	3	-	-	13	8	5	-	-	6	4	2	-	-	2	-	-	-	2	43
111	61	49	1	-	76	42	31	-	3	66	33	33	-	-	21	5	9	3	4	44
7,569	3,467	3,995	58	49	6,719	3,089	3,389	92	149	3,870	1,936	1,905	15	14	1,622	456	458	239	469	
7,377	3,409	3,867	56	45	6,423	3,000	3,217	85	121	3,771	1,894	1,848	15	14	1,524	444	433	229	418	45-55
249	209	37	1	2	172	139	31	1	1	88	66	22	-	-	63	35	15	9	4	45
160	133	25	-	2	114	94	18	1	1	60	47	13	-	-	43	25	10	6	2	45a-e
89	76	12	1	-	58	45	13	-	-	28	19	9	-	-	20	10	5	3	2	45f
3,584	1,852	1,686	32	14	3,058	1,651	1,319	49	39	1,914	1,079	817	10	8	605	199	150	132	124	46
158	130	27	1	-	112	86	19	5	2	70	57	12	1	-	17	7	6	4	-	46a
1,098	623	459	13	3	1,159	689	431	28	11	840	522	314	3	1	270	85	53	74	58	46b,c
302	128	170	4	-	406	162	234	4	6	202	85	114	1	2	110	36	25	24	25	46f
286	145	135	3	3	217	119	92	2	4	171	104	65	1	1	39	16	13	4	6	46g
1,740	826	895	11	8	1,164	595	543	10	16	631	311	312	4	4	169	55	53	26	35	46d,e,h,m
487	363	117	6	1	414	327	77	10	-	167	122	42	3	-	80	43	12	19	6	47
577	...	566	...	11	638	...	590	...	48	259	...	257	...	2	301	...	113	...	188	48
223	...	216	...	7	186	...	183	...	3	116	...	116	...	-	21	...	16	...	5	49
816	9	799	1	7	616	9	584	1	22	363	3	358	-	2	117	-	67	1	49	50
399	390	...	9	...	314	305	...	9	...	313	311	...	2	...	100	59	...	41	...	51
350	218	130	2	-	315	192	118	3	2	185	123	62	-	-	47	21	7	9	10	52
96	59	37	-	-	100	72	23	4	1	42	18	24	-	-	51	33	11	2	5	53
125	74	49	1	1	74	53	21	-	-	81	45	36	-	-	26	12	10	2	2	54
471	235	230	4	2	536	252	271	8	5	243	127	114	-	2	113	42	32	14	25	55
20	...	20	...	-	36	...	34	...	2	11	...	11	...	-	7	...	4	...	3	56a
48	...	47	...	1	68	...	47	...	21	19	...	19	...	-	53	...	13	...	40	56b
1	...	1	...	-	4	...	4	...	-	3	...	3	...	-	-	...	-	...	-	56c
44	19	24	-	1	77	39	36	2	-	29	21	8	-	-	12	5	1	4	2	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	15	5	10	-	-	33	8	17	5	3
	III.—Rheumatism, diseases of nutrition, etc.*	321	134	183	1	3	706	202	409	41	54
58a-d	Acute rheumatic heart diseases	7	2	5	-	-	12	8	1	2	1
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	2	1	1	-	-	7	1	2	3	1
59	Chronic rheumatism and other rheumatic diseases	17	3	13	-	1	31	13	15	1	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	252	105	145	-	2	567	153	345	25	44
62	Diseases of pituitary gland	-	-	-	-	-	2	2	-	-	-
63a	Simple goiter	3	1	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	6	1	5	-	-	32	3	25	2	2
63c-e	Other diseases of thyroid and parathyroid glands	4	2	2	-	-	6	-	6	-	-
64	Diseases of thymus gland	16	9	7	-	-	20	8	4	6	2
65	Diseases of adrenal glands (not specified as tuberculous)	1	-	1	-	-	12	6	5	-	1
66	Other general diseases	-	-	-	-	-	4	2	1	1	-
67	Scurvy	2	1	1	-	-	5	1	3	1	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	4	-	-	-	3	1	1	-	1
70	Rickets	6	4	1	1	-	4	4	-	-	-
71	Other avitaminoses	1	1	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	76	45	30	-	1	126	46	66	11	3
72	Hemorrhagic conditions	7	5	2	-	-	12	5	4	2	1
73a	Pernicious anemia	17	11	6	-	-	15	5	7	2	1
73b-d	Other anemias (except splenic)	13	4	8	-	1	12	5	6	-	1
74a	Leukemias	32	22	10	-	-	74	27	42	5	-
74b	Aleukemias	2	-	2	-	-	6	1	4	1	-
75	Diseases of spleen	1	-	1	-	-	3	3	-	-	-
76	Other diseases of the blood and blood-forming organs	4	3	1	-	-	4	-	3	1	-
	V.—Chronic poisoning and intoxication	26	21	5	-	-	70	45	3	14	8
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	25	20	5	-	-	64	45	3	12	4
78	Lead poisoning	-	-	-	-	-	6	-	-	2	4
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,173	551	622	-	-	2,001	718	797	230	256
80	Encephalitis (nonepidemic)	7	5	2	-	-	15	5	7	2	1
81	Meningitis (not due to meningococcus)	19	11	8	-	-	35	10	11	8	6
82	Diseases of spinal cord (see exceptions)*	11	3	8	-	-	45	20	17	5	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	953	439	514	-	-	1,567	545	637	173	212
83b	Cerebral embolism and thrombosis	85	40	45	-	-	149	67	56	12	14
83c	Cerebral softening	3	-	3	-	-	5	2	3	-	-
83d	Hemiplegia and other paralysis of unspecified origin	13	10	3	-	-	65	24	23	9	9
84	Mental diseases and deficiency (see exception)*	11	3	8	-	-	17	3	4	9	1
85	Epilepsy	15	10	5	-	-	28	9	8	7	4
86	Convulsions (under 5 years)	5	2	3	-	-	4	-	3	1	-
87	Other diseases of nervous system	36	17	19	-	-	52	23	23	1	5
88	Diseases of organs of vision	1	1	-	-	-	1	-	1	-	-
89a	Otitis and other diseases of the ear	12	9	3	-	-	12	6	4	1	1
89b	Diseases of mastoid process	2	1	1	-	-	6	4	-	2	-
	VII.—Diseases of the circulatory system	3,468	2,009	1,451	5	3	6,887	3,306	2,480	568	533
90-95	Diseases of the heart (all forms)	3,103	1,813	1,284	4	2	6,512	3,156	2,326	534	496
90	Pericarditis (except acute rheumatic)	2	-	2	-	-	7	4	1	1	1
91a,b	Bacterial and other acute or subacute endocarditis	13	4	9	-	-	40	18	15	4	3
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	1	1	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	358	194	163	1	-	620	234	223	81	82
92e	Endocarditis (unspecified, 45 years and over)	28	19	9	-	-	25	9	11	-	5
93a	Acute myocarditis (except rheumatic)	27	16	11	-	-	82	27	25	13	17
93b	Myocarditis (unspecified, under 45 years)	3	1	2	-	-	2	1	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	1,207	623	581	1	2	3,588	1,550	1,478	276	284
93e	Other myocarditis (unspecified)	114	57	57	-	-	124	48	49	14	13
94a	Diseases of coronary arteries	1,032	707	324	1	-	1,646	1,087	402	101	56
94b	Angina pectoris	113	72	41	-	-	80	50	23	3	4
95a	Functional diseases of heart, etc.*	11	5	6	-	-	10	5	5	-	-
95b,c	Other and unspecified diseases of heart	195	115	79	1	-	287	122	93	41	31
96	Aneurysm (except of heart and aorta)	5	4	1	-	-	23	9	7	5	2
97	Arteriosclerosis (except coronary or renal sclerosis)	320	170	149	1	-	288	117	123	24	24
98	Gangrene	3	2	1	-	-	14	3	6	2	3
99	Other diseases of arteries	18	11	7	-	-	23	12	9	1	1
100	Diseases of veins	8	3	4	-	1	17	6	7		4
101	Diseases of lymphatic system	1	1	-	-	-	1	-	-		-
102	High blood pressure (idiopathic)	8	4	4	-	-	7	2	2	1	2
103	Other diseases of circulatory system	2	1	1	-	-	2	1	-	-	1
	VIII.—Diseases of the respiratory system	615	359	250	6	-	1,326	486	400	244	196
104a	Diseases of nasal fossae	-	-	-	-	-	4	3	1	-	-
104b	Diseases of accessory sinuses	3	3	-	-	-	6	4	1	1	-
105	Diseases of larynx	3	3	-	-	-	3	1	-	2	-
106a	Acute bronchitis	24	9	15	-	-	25	9	8	5	3

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	57a
2	...	2	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57c
77	39	34	2	2	108	50	48	5	5	35	21	14	-	-	25	7	7	6	5	57d,e
1,755	579	1,152	10	14	1,958	658	1,201	25	74	919	331	579	4	5	516	113	152	105	146	
22	12	10	-	-	38	16	17	2	3	28	10	18	-	-	17	3	7	1	6	58a-d
7	2	5	-	-	10	3	6	1	-	8	4	4	-	-	14	5	-	6	3	58e,f
45	13	32	-	-	77	22	53	1	1	46	15	30	-	1	23	8	10	3	2	59
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	60
1,553	501	1,028	10	14	1,447	477	902	13	55	717	271	441	2	3	285	74	89	57	65	61
7	2	5	-	-	4	1	2	-	1	3	1	2	-	-	1	-	1	-	-	62
5	2	3	-	-	10	-	10	-	-	6	3	3	-	-	2	-	-	-	2	63a
40	11	29	-	-	187	41	136	1	9	75	10	63	1	1	27	2	9	3	13	63b
24	4	20	-	-	17	4	13	-	-	6	2	4	-	-	7	1	2	-	4	63c-e
18	13	5	-	-	116	72	37	4	3	9	4	5	-	-	3	2	1	-	-	64
16	7	9	-	-	28	10	14	3	1	14	6	7	1	-	1	1	-	-	-	65
6	3	3	-	-	13	4	9	-	-	4	4	-	-	-	12	3	1	4	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	68
5	3	2	-	-	5	3	2	-	-	-	-	-	-	-	117	13	28	31	45	69
2	1	1	-	-	1	1	-	-	-	1	-	1	-	-	4	-	2	-	2	70
2	2	-	-	-	4	3	-	-	1	1	1	-	-	-	2	-	2	-	-	71
363	164	194	2	3	430	228	190	9	3	242	127	115	-	-	105	41	35	19	10	
21	8	13	-	-	29	15	13	-	1	6	2	4	-	-	14	3	4	6	1	72
61	20	41	-	-	111	57	53	1	-	62	30	32	-	-	21	9	6	2	4	73a
26	12	13	-	1	48	21	25	1	1	14	8	6	-	-	11	1	4	2	4	73b-d
221	109	110	1	1	202	115	81	5	1	140	80	60	-	-	50	25	17	7	1	74a
12	7	4	1	-	13	7	6	-	-	3	1	2	-	-	-	-	-	-	-	74b
16	5	10	-	1	15	8	6	1	-	11	5	6	-	-	7	3	3	1	-	75
6	3	3	-	-	12	5	6	1	-	6	1	5	-	-	2	-	1	1	-	76
193	155	26	10	2	56	49	5	1	1	48	38	7	2	1	26	10	1	9	6	
3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
184	150	23	10	1	54	48	4	1	1	47	37	7	2	1	22	8	-	8	6	77c-e
4	2	2	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	78
2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	2	1	1	-	-	79
5,185	2,253	2,837	43	52	5,448	2,686	2,548	105	109	2,882	1,477	1,384	12	9	1,865	477	419	469	500	
38	27	11	-	-	57	30	25	2	-	20	13	7	-	-	14	8	2	1	3	80
65	46	19	-	-	90	55	26	5	4	29	19	9	1	-	36	10	2	14	10	81
88	44	43	1	-	100	62	38	-	-	51	26	25	-	-	27	7	12	3	5	82
3,936	1,634	2,230	32	40	4,256	2,052	2,031	79	94	2,232	1,136	1,083	8	5	1,557	383	356	377	441	83a
672	297	362	5	8	412	199	202	7	4	260	135	123	1	1	34	17	10	6	1	83b
25	11	13	-	1	22	11	10	-	1	37	18	19	-	-	4	3	-	1	-	83c
58	30	23	3	2	126	60	59	4	3	30	14	16	-	-	51	14	11	16	10	83d
19	10	9	-	-	42	18	22	2	-	20	4	16	-	-	21	3	4	6	8	84
91	56	34	1	-	88	60	28	-	-	53	33	18	1	1	57	11	10	29	7	85
9	6	3	-	-	13	9	4	-	-	7	1	5	1	-	19	7	-	5	7	86
141	70	70	-	1	174	91	77	3	3	115	58	55	-	2	26	9	9	5	3	87
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	1	1	88
29	13	15	1	-	48	27	19	2	-	19	12	7	-	-	12	3	1	5	3	89a
13	9	4	-	-	20	12	7	1	-	7	7	-	-	-	5	2	2	-	1	89b
18,945	10,099	8,561	153	132	17,295	10,093	6,459	415	328	8,313	4,957	3,281	43	32	3,488	1,209	732	804	743	
17,620	9,499	7,862	142	117	15,969	9,341	5,927	391	310	7,537	4,541	2,930	38	28	3,160	1,113	656	710	681	90-95
14	7	6	1	-	18	10	5	2	1	9	5	4	-	-	13	-	-	7	6	90
86	46	35	5	-	98	52	41	4	1	54	31	23	-	-	19	6	3	2	8	91a,b
2	-	2	-	-	7	3	3	1	-	4	3	1	-	-	2	-	-	1	1	91c
1,270	563	687	8	12	1,652	866	737	23	26	828	431	390	4	3	727	188	152	199	188	92a-d
50	29	20	-	1	123	69	51	2	1	35	19	16	-	-	6	-	3	2	1	92e
87	45	42	-	-	172	79	85	4	4	37	22	15	-	-	44	6	8	19	11	93a
5	1	4	-	-	21	9	9	3	-	8	4	4	-	-	5	-	2	1	2	93b
9,018	4,299	4,563	85	71	6,557	3,470	2,662	235	190	2,668	1,479	1,164	14	11	1,275	414	290	272	299	93c,d
409	199	206	2	2	842	461	356	9	16	248	127	119	2	-	65	19	13	15	18	93e
5,207	3,499	1,664	27	17	4,926	3,415	1,400	75	36	3,011	2,069	921	14	7	504	290	102	53	59	94a
175	106	67	1	1	228	165	63	-	-	37	19	17	-	1	95	53	14	17	11	94b
10	8	2	-	-	39	17	22	-	-	38	18	19	1	-	22	14	4	3	1	95a
1,287	697	564	13	13	1,286	725	493	33	35	560	314	237	3	6	383	123	65	119	76	95b,c
42	23	19	-	-	65	41	20	3	1	37	25	11	1	-	7	4	1	2	-	96
1,114	492	598	9	15	1,026	588	412	17	9	621	332	282	3	4	238	76	55	72	35	97
16	8	8	-	-	34	23	9	1	1	10	5	5	-	-	10	1	-	5	4	98
62	33	29	-	-	87	48	36	1	2	46	23	22	1	-	14	3	6	5	-	99
66	30	35	1	-	34	18	16	-	-	24	9	15	-	-	8	5	2	-	1	100
1	-	1	-	-	5	4	1	-	-	1	1	-	-	-	1	-	-	-	1	101
22	12	9	1	-	69	27	35	2	5	35	21	14	-	-	41	7	10	8	16	102
2	2	-	-	-	6	3	3	-	-	2	-	2	-	-	9	-	2	2	5	103
2,734	1,454	1,220	36	24	2,911	1,646	1,053	146	66	1,642	980	631	18	13	1,008	266	200	307	235	
8	2	6	-	-	7	2	3	-	2	4	3	1	-	-	6	1	2	2	1	104a
20	10	9	1	-	27	16	9	2	-	11	7	4	-	-	7	2	1	3	1	104b
11	7	4	-	-	16	7	9	-	-	7	3	3	1	-	6	2	1	1	2	105
43	23	19	1	-	49	29	17	1	2	14	8	5	-	1	11	1	1	5	4	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	14	9	5	-	-	24	11	11	-	2
106c	Bronchitis (unspecified)	5	3	2	-	-	10	5	4	1	-
107	Bronchopneumonia (including capillary bronchitis)	262	151	108	3	-	564	191	192	94	87
108	Lobar pneumonia	200	122	75	3	-	551	200	146	120	85
109	Pneumonia (unspecified)	23	11	12	-	-	37	16	10	7	4
110	Pleurisy (not specified as tuberculous)	10	8	2	-	-	22	9	7	3	3
111a	Hemorrhagic infarction and thrombosis of lungs	24	16	8	-	-	13	8	3	1	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	19	6	13	-	-	21	8	4	3	6
112	Asthma	13	8	5	-	-	18	8	7	1	2
113	Pulmonary emphysema	2	2	-	-	-	2	1	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	13	8	5	-	-	26	12	5	6	3
	IX.—Diseases of the digestive system	441	249	189	2	1	1,059	471	329	142	117
115a,b,d	Diseases of buccal cavity and adnexa	15	7	8	-	-	26	5	11	2	8
115c	Diseases of pharynx and tonsils	11	8	3	-	-	15	5	6	2	2
116	Diseases of esophagus	1	1	-	-	-	1	-	1	-	-
117a	Ulcer of stomach	41	32	9	-	-	75	54	8	13	-
117b	Ulcer of duodenum	16	12	4	-	-	32	23	6	1	2
118	Other diseases of stomach (except cancer)	12	6	6	-	-	21	9	3	5	4
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	63	34	28	-	1	264	91	63	62	48
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	15	12	3	-	-	35	13	9	7	6
121	Appendicitis	57	35	21	1	-	90	39	32	14	5
122a	Hernia	30	19	11	-	-	65	31	25	6	3
122b	Intestinal obstruction	44	21	23	-	-	114	35	45	12	22
123	Other diseases of intestines	12	6	6	-	-	28	19	5	3	1
124a	Cirrhosis of liver (with mention of alcoholism)	3	2	1	-	-	49	35	8	4	2
124b	Cirrhosis of liver (without mention of alcoholism)	46	33	13	-	-	128	74	42	6	6
125a	Acute yellow atrophy of liver (nonpuerperal)	1	-	1	-	-	2	-	2	-	-
125b	Other diseases of liver	5	1	4	-	-	17	5	9	-	3
126	Biliary calculi	35	7	28	-	-	32	11	19	-	2
127	Other diseases of gallbladder and biliary ducts	22	6	15	1	-	31	7	21	1	2
128	Diseases of pancreas (except diabetes mellitus)	7	6	1	-	-	19	6	10	3	-
129	Peritonitis (cause not stated)	5	1	4	-	-	15	9	4	1	1
	X.—Diseases of the genito-urinary system	801	451	346	1	3	2,247	892	798	288	269
130	Acute nephritis	13	6	6	-	1	58	17	17	10	14
131a	Arteriosclerotic kidney	439	235	202	-	2	1,545	591	571	191	192
131b	Other chronic nephritis	220	117	102	1	-	412	153	160	50	49
132	Nephritis unspecified (10 years and over)	38	22	16	-	-	40	15	15	6	4
133	Other diseases of kidneys and ureters, etc.*	20	8	12	-	-	40	14	18	3	5
134	Calculi of urinary passages	10	8	2	-	-	23	14	6	2	1
135	Diseases of urinary bladder	4	1	3	-	-	6	5	-	1	-
136	Diseases of urethra (except calculus)	3	3	-	-	-	12	4	1	7	-
137	Diseases of prostate	51	51	...	-	...	97	79	...	18	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	1	...	1	...	-	8	...	5	...	3
139b	Diseases of uterus	2	...	2	...	-	5	...	4	...	1
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	38	...	38	...	-	88	...	55	...	33
140	Abortion with mention of infection	4	...	4	...	-	16	...	8	...	8
140a,b	Abortion (septic), spontaneous or therapeutic*	3	...	3	...	-	12	...	7	...	5
140c,d	Abortion (septic), self-induced or nontherapeutic*	1	...	1	...	-	4	...	1	...	3
141	Abortion without mention of infection	1	...	1	...	-	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	2	...	-	...	2
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	1	...	-	...	1
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	1	...	1	...	-	3	...	2	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	2	...	2	...	-	2	...	-	...	2
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	3	...	1	...	2
	A. With mention of infection	3	...	3	...	-	3	...	1	...	2
	B. Without mention of infection	-	...	-	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	1	...	1	...	-	1	...	1	...	-
146b,c	Other hemorrhages of childbirth and puerperium	3	...	3	...	-	12	...	9	...	3
147a,b	Puerperal pyelitis, other general or local puerperal infection*	5	...	5	...	-	11	...	9	...	2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	6	...	6	...	-	7	...	7	...	-
148a,b	Puerperal eclampsia and nephritis*	3	...	3	...	-	9	...	4	...	5
148c,d	Other puerperal toxemias	-	...	-	...	-	1	...	-	...	1
149	Other accidents and specified conditions of childbirth	3	...	3	...	-	9	...	6	...	3
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	10	...	7	...	3
	XII.—Diseases of the skin and cellular tissue	8	2	6	-	-	21	9	6	5	1
151	Carbuncle and furuncle	1	1	-	-	-	3	2	1	-	-
152	Phlegmon and acute abscess	4	-	4	-	-	8	4	1	2	1
153	Other diseases of skin and cellular tissue	3	1	2	-	-	10	3	4	3	-
	XIII.—Diseases of the bones, etc.*	10	4	6	-	-	22	9	5	3	5
154	Osteomyelitis and periostitis	2	2	-	-	-	8	2	1	2	3
155	Other diseases of bones (except tuberculosis)	5	2	3	-	-	5	3	2	-	-
156	Diseases of joints and other organs of movement	3	-	3	-	-	9	4	2	1	2
157	XIV.—Congenital malformations	124	61	63	-	-	264	129	87	24	24

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
68	39	24	-	-	58	44	14	-	-	50	32	18	-	-	17	5	7	3	2	106b
26	18	18	-	-	22	12	9	1	-	17	10	7	-	-	4	3	-	-	1	106c
1,470	724	711	21	14	1,016	588	422	81	85	718	428	276	4	5	309	83	76	82	68	107
751	448	289	8	6	1,072	624	386	85	27	547	328	202	11	6	500	122	85	170	123	108
62	25	36	-	1	250	144	104	9	3	68	34	31	2	1	68	14	11	27	16	109
56	39	15	1	1	64	42	17	4	1	36	23	13	-	-	10	5	4	1	-	110
62	27	32	2	1	69	44	24	-	1	33	14	18	-	-	9	2	2	1	4	111a
41	20	20	-	1	93	45	48	4	2	45	19	26	-	-	15	11	2	2	-	111b,c
62	34	28	-	-	74	42	27	2	3	58	36	22	-	-	30	10	5	5	10	112
10	9	1	-	-	5	5	-	-	-	4	4	-	-	-	2	2	-	-	-	113
49	34	13	2	-	74	58	15	7	-	16	11	5	-	-	14	3	3	5	3	114
2,369	1,388	950	22	14	2,651	1,513	996	68	74	1,168	685	466	8	9	1,117	298	165	352	302	
31	15	16	-	-	58	34	22	-	2	21	13	8	-	-	45	8	6	16	15	115a,b,d
27	18	6	1	-	42	20	16	3	1	13	6	6	1	-	21	7	1	7	6	115c
6	3	3	-	-	8	6	2	-	-	4	3	1	-	-	5	1	1	1	2	116
250	218	29	3	-	238	186	35	7	10	105	83	21	1	-	85	41	3	31	10	117a
166	139	26	1	-	110	88	16	6	-	79	66	9	-	-	25	15	1	9	-	117b
21	14	6	1	-	50	30	20	-	-	9	7	2	-	-	55	11	5	20	19	118
112	59	46	5	2	237	127	93	9	8	64	40	22	1	1	231	36	31	78	86	119
59	33	26	-	-	80	38	36	4	2	38	19	19	-	-	79	13	19	21	26	120
226	127	94	4	1	317	190	108	9	10	156	87	66	1	2	155	44	30	50	31	121
204	124	80	-	-	193	119	64	3	7	108	63	45	-	-	48	14	6	24	4	122a
219	98	114	3	4	271	110	135	5	21	119	56	63	-	-	163	31	31	48	53	122b
70	31	38	-	1	56	31	23	1	1	33	18	14	-	1	29	8	1	8	12	123
127	77	48	-	2	32	27	3	2	-	20	17	2	1	-	8	5	-	3	-	124a
446	267	173	3	3	491	312	165	9	5	179	115	61	1	2	84	38	10	21	15	124b
18	12	6	-	-	22	7	13	2	-	11	7	2	1	1	4	-	2	2	-	125a
24	11	13	-	-	58	34	16	7	1	18	8	10	-	-	12	5	1	1	5	125b
137	34	103	-	-	161	54	104	-	3	121	38	80	1	2	16	6	5	2	3	126
130	53	75	1	1	126	48	77	-	1	54	22	32	-	-	31	8	9	5	9	127
48	22	26	-	-	38	24	13	-	1	23	9	14	-	-	7	4	1	1	1	128
48	28	20	-	-	63	29	32	1	1	17	8	9	-	-	14	3	2	4	5	129
3,346	1,755	1,531	38	22	3,369	1,849	1,338	83	99	1,465	904	539	12	10	2,309	496	393	753	667	
52	32	18	2	-	78	43	29	2	4	27	17	10	-	-	97	16	12	39	30	130
2,056	987	1,029	20	20	1,688	853	744	38	53	743	410	323	6	4	1,154	260	213	348	333	131a
582	269	309	4	-	756	409	314	15	18	289	165	119	3	2	785	148	134	264	239	131b
69	39	30	-	-	186	99	79	5	3	40	25	13	-	2	39	7	10	16	6	132
155	77	75	2	1	156	74	66	15	1	77	45	31	1	-	47	11	10	11	15	133
62	44	17	1	-	62	42	20	-	-	30	20	10	-	-	17	10	3	4	-	134
15	6	9	-	-	25	15	9	-	1	11	7	4	-	-	9	1	2	6	-	135
5	3	1	1	-	17	14	1	2	-	6	6	-	-	-	16	6	-	10	-	136
303	296	...	7	...	304	298	...	6	...	210	208	...	2	...	91	36	...	55	...	137
3	2	...	1	...	2	2	...	-	...	1	1	...	-	...	1	1	...	-	...	138
20	...	19	...	1	63	...	45	...	18	17	...	16	...	1	45	...	5	...	40	139a
24	...	24	...	-	27	...	26	...	1	14	...	13	...	1	7	...	4	...	3	139b
-	...	-	...	-	5	...	5	...	-	-	...	-	...	-	1	...	-	...	1	139c
174	...	171	...	3	257	...	224	...	33	96	...	94	...	2	249	...	78	...	171	
15	...	13	...	2	24	...	22	...	2	17	...	17	...	-	26	...	8	...	18	140
12	...	10	...	2	20	...	18	...	2	16	...	16	...	-	23	...	8	...	15	140a,b
3	...	3	...	-	4	...	4	...	-	1	...	1	...	-	3	...	-	...	3	140c,d
5	...	5	...	-	9	...	8	...	1	2	...	2	...	-	13	...	3	...	10	141
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	4	...	2	...	2	141a,c
4	...	4	...	-	7	...	6	...	1	2	...	2	...	-	9	...	1	...	8	141b,d
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
2	...	2	...	-	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	142a
8	...	8	...	-	20	...	16	...	4	5	...	5	...	-	11	...	3	...	8	142b
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
12	...	12	...	-	11	...	9	...	2	1	...	1	...	-	17	...	3	...	14	144a,b
2	...	2	...	-	4	...	3	...	1	2	...	1	...	1	7	...	2	...	5	144c,d
12	...	12	...	-	9	...	9	...	-	3	...	3	...	-	9	...	2	...	7	145
10	...	10	...	-	7	...	7	...	-	3	...	3	...	-	6	...	1	...	5	
2	...	2	...	-	2	...	2	...	-	-	...	-	...	-	3	...	1	...	2	
9	...	9	...	-	8	...	7	...	1	4	...	4	...	-	5	...	1	...	4	146a
24	...	23	...	1	35	...	29	...	6	15	...	15	...	-	21	...	8	...	13	146b,c
16	...	16	...	-	31	...	25	...	6	7	...	7	...	-	41	...	11	...	30	147a,b
32	...	32	...	-	26	...	25	...	1	13	...	13	...	-	14	...	9	...	5	147c,d
10	...	10	...	-	22	...	19	...	3	13	...	13	...	-	59	...	19	...	40	148a,b
3	...	3	...	-	16	...	15	...	1	3	...	3	...	-	5	...	1	...	4	148c,d
13	...	13	...	-	26	...	23	...	3	5	...	5	...	-	7	...	4	...	3	149
8	...	8	...	-	13	...	11	...	2	5	...	4	...	1	14	...	4	...	10	150
32	17	14	1	-	35	16	15	3	1	32	15	16	1	-	20	3	10	2	5	
9	6	3	-	-	3	2	1	-	-	6	3	3	-	-	8	1	4	-	3	151
10	5	5	-	-	11	5	4	1	1	7	4	2	1	-	4	1	-	1	2	152
13	6	6	1	-	21	9	10	2	-	19	8	11	-	-	8	1	6	1	-	153
36	23	13	-	-	28	21	7	-	-	15	11	4	-	-	12	6	1	3	2	
14	11	3	-	-	15	10	5	-	-	6	5	1	-	-	5	2	-	3	-	154
11	6	5	-	-	4	3	1	-	-	2	2	-	-	-	2	1	-	-	1	155
11	6	5	-	-	9	8	1	-	-	7	4	3	-	-	5	3	1	-	1	156
552	263	278	5	6	854	452	371	15	16	390	213	172	2	3	135	59	35	27	14	157

594337 O - 44 - 31

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	380	242	138	-	-	918	393	264	156	105
158	Congenital debility (cause not stated)	21	13	8	-	-	47	16	6	14	11
159	Premature birth (cause not stated)	210	132	78	-	-	572	239	173	97	63
160a	Intracranial or spinal hemorrhage	34	21	13	-	-	101	46	35	11	9
160b,c	Other injuries at birth	74	51	23	-	-	68	39	16	8	5
161	Other diseases peculiar to the first year of life	41	25	16	-	-	130	53	34	26	17
162	XVI.—Senility	143	61	82	-	-	38	9	19	4	6
	XVII.—Violent or accidental deaths	840	580	248	12	-	1,819	995	409	340	75
163,164	Suicide	133	111	21	1	-	221	158	53	9	1
163	Suicide by poisoning	15	9	6	-	-	74	41	33	-	-
	Suicide by solid or liquid poisons	5	3	2	-	-	22	9	13	-	-
	Suicide by poisonous gases	10	6	4	-	-	52	32	20	-	-
164a	Suicide by hanging or strangulation	24	18	6	-	-	43	35	6	2	-
164b	Suicide by drowning	7	5	2	-	-	11	8	1	2	-
164c	Suicide by firearms and explosives	75	69	6	-	-	76	63	9	3	1
164d	Suicide by cutting or piercing instruments	7	6	-	1	-	6	5	1	-	-
164e	Suicide by jumping from high places	2	2	-	-	-	11	6	3	2	-
164f	Suicide by crushing	2	2	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	1	-	1	-	-	-	-	-	-	-
165-168	Homicide [1]	14	7	6	1	-	173	25	9	119	20
166	Homicide by firearms	8	5	2	1	-	91	10	4	70	7
167	Homicide by cutting or piercing instruments	3	-	3	-	-	55	3	2	39	11
168	Homicide by other means	3	2	1	-	-	27	12	3	10	2
169-195	Accidental deaths	690	459	221	10	-	1,417	811	347	205	54
169	Railway accidents (except collisions with motor vehicles)	16	11	4	1	-	66	44	7	14	1
170a	Collisions between automobiles and trains	7	4	3	-	-	9	8	1	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	5	2	1	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	157	119	33	5	-	414	265	70	64	15
170d	Motorcycle accidents (except collisions with automobiles)	-	-	-	-	-	9	6	3	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	1	-	-	-	24	15	6	3	-
171b	Other and unspecified road-transport accidents	-	-	-	-	-	5	5	-	-	-
172	Water-transport accidents	11	7	2	2	-	19	15	1	3	-
173	Air-transport accidents	22	22	-	-	-	17	17	-	-	-
174	Accidents in mines and quarries	3	3	-	-	-	6	5	-	1	-
175a	Accidents involving agricultural machinery and vehicles	2	2	-	-	-	7	5	1	1	-
175b,c	Other agricultural accidents, including injury by animals	9	9	-	-	-	11	8	-	3	-
175d	Accidents involving forestry machinery and vehicles	3	3	-	-	-	-	-	-	-	-
175e	Other forestry accidents	2	2	-	-	-	2	1	-	1	-
176	Other accidents involving machinery	13	12	1	-	-	28	19	-	9	-
177	Food poisoning	1	-	1	-	-	5	3	1	1	-
178	Accidental absorption of poisonous gas	13	10	3	-	-	26	15	10	1	-
179	Acute accidental poisoning by solids or liquids	7	5	2	-	-	18	7	9	1	1
180	Conflagration	25	19	6	-	-	49	16	17	9	7
181	Accidental burns (except conflagration)	33	17	16	-	-	66	23	22	10	11
182	Accidental mechanical suffocation	13	11	2	-	-	26	16	8	1	1
183	Accidental drowning	73	57	15	1	-	148	87	14	45	2
184	Accidental injury by firearms	16	13	2	1	-	33	26	-	6	1
185	Accidental injury by cutting or piercing instruments	4	4	-	-	-	4	1	2	-	1
186a	Accidental injury by fall	199	85	114	-	-	259	114	122	16	7
186b	Accidental injury by crushing	4	4	-	-	-	7	7	-	-	-
187	Cataclysm, etc. *	-	-	-	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	2	2	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	-	-	-	1
190	Excessive cold	6	6	-	-	-	6	4	-	2	-
191	Excessive heat	2	2	-	-	-	7	5	1	1	-
192	Lightning	6	6	-	-	-	3	1	2	-	-
193	Accidents due to electric currents (except lightning)	4	4	-	-	-	15	13	1	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	20	20	-	-	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	2	1	-	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	4	-	4	-	-	29	12	13	1	3
195c,e	Other and unspecified accidents	13	-	13	-	-	87	42	34	8	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	3	3	-	-	-	3	1	-	2	-
198	Legal executions	-	-	-	-	-	5	-	-	5	-
	XVIII.—Ill-defined and unknown causes	103	71	30	2	-	45	24	8	9	4
199	Sudden death	27	24	3	-	-	7	4	-	3	-
200a	Ill-defined	56	35	20	1	-	19	10	5	2	2
200b	Found dead (cause unknown)	12	9	3	-	-	2	1	-	1	-
200c	Unknown or unspecified	8	3	4	1	-	17	9	3	3	2

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,528	859	635	19	15	2,415	1,305	972	82	56	1,007	565	433	4	5	943	298	206	246	193	
21	12	8	-	1	80	45	35	-	-	17	9	7	1	-	38	7	7	14	10	158
941	508	413	12	8	1,540	812	630	53	45	644	358	279	2	5	605	181	136	146	142	159
191	119	68	2	2	247	140	88	12	7	98	59	39	-	-	86	41	17	21	7	160a
143	84	53	2	4	229	128	99	2	-	142	81	60	1	-	120	44	23	34	19	160b,c
232	136	93	3	-	319	180	120	15	4	106	58	48	-	-	94	25	23	31	15	161
46	14	32	-	-	385	176	204	2	4	156	70	85	-	1	380	65	81	117	117	162
3,745	2,394	1,292	46	13	4,558	3,026	1,295	182	55	2,189	1,528	621	28	12	1,943	723	203	734	283	
501	362	136	3	-	636	464	161	8	3	332	266	60	5	1	126	85	19	13	9	163,164
181	109	72	-	-	156	87	66	1	2	73	48	23	2	-	15	7	4	1	3	163
50	19	31	-	-	66	27	36	1	2	33	19	13	1	-	14	6	4	1	3	
131	90	41	-	-	90	60	30	-	-	40	29	10	1	-	1	1	-	-	-	
132	106	25	1	-	175	131	38	5	1	121	101	19	1	-	10	6	3	1	-	164a
45	31	13	1	-	32	18	14	-	-	17	13	4	-	-	4	1	2	1	-	164b
88	76	11	1	-	206	185	20	1	-	103	91	9	2	1	83	61	10	7	5	164c
26	24	2	-	-	27	18	9	-	-	11	9	2	-	-	8	6	-	2	-	164d
17	11	6	-	-	18	9	8	1	-	6	4	2	-	-	4	3	-	1	-	164e
6	3	3	-	-	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	164f
6	2	4	-	-	13	9	4	-	-	1	-	1	-	-	2	1	-	-	1	164g
55	32	18	2	3	176	78	28	58	12	45	26	10	6	3	391	61	6	261	63	165-168
17	9	7	1	-	79	39	13	24	3	22	12	5	3	2	246	44	4	169	29	166
13	6	5	-	2	48	12	-	31	5	4	2	2	-	-	111	9	-	72	30	167
25	17	6	1	1	49	27	15	3	4	19	12	3	3	1	34	8	2	20	4	168
3,163	1,981	1,138	34	10	3,746	2,484	1,106	116	40	1,811	1,235	551	17	8	1,418	574	178	456	210	169-195
50	43	6	1	-	63	57	5	1	-	44	42	2	-	-	60	28	-	30	2	169
9	3	6	-	-	84	54	23	3	4	40	24	16	-	-	24	14	7	3	-	170a
1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	170b
559	442	105	12	-	1,308	969	280	46	13	434	343	88	3	-	368	174	37	127	30	170c
9	7	2	-	-	15	14	1	-	-	3	3	-	-	-	7	7	-	-	-	170d
17	14	2	1	-	16	12	4	-	-	3	2	1	-	-	1	1	-	-	-	171a
11	10	1	-	-	12	9	2	1	-	6	5	1	-	-	7	1	-	4	2	171b
39	36	-	3	-	39	29	10	-	-	57	42	8	5	2	17	6	-	11	-	172
35	35	-	-	-	42	41	1	-	-	34	33	1	-	-	85	85	-	-	-	173
6	6	-	-	-	26	24	-	2	-	20	20	-	-	-	3	3	-	-	-	174
7	7	-	-	-	28	28	-	-	-	34	31	3	-	-	10	6	-	4	-	175a
5	5	-	-	-	33	29	3	1	-	49	42	7	-	-	34	15	1	18	-	175b,c
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
1	1	-	-	-	7	7	-	-	-	2	2	-	-	-	8	4	-	4	-	175e
65	58	6	1	-	47	43	1	3	-	27	27	-	-	-	25	10	-	15	-	176
2	2	-	-	-	8	2	6	-	-	3	2	1	-	-	16	3	4	7	2	177
67	43	23	-	1	66	47	16	2	1	47	34	12	1	-	2	1	1	-	-	178
30	17	13	-	-	32	15	14	3	-	21	11	10	-	-	29	9	4	10	6	179
478	234	243	1	-	128	79	37	7	5	43	25	16	-	2	56	3	6	23	24	180
123	72	50	-	1	150	68	71	4	7	65	29	34	-	2	148	28	24	33	63	181
41	25	16	-	-	72	46	21	3	2	20	11	5	4	-	20	7	1	6	6	182
201	164	28	7	2	249	200	39	10	-	111	95	16	-	-	78	26	6	43	3	183
34	30	3	1	-	79	67	7	4	1	51	47	4	-	-	78	31	-	33	14	184
2	1	1	-	-	6	4	-	2	-	5	3	2	-	-	12	1	3	7	1	185
1,120	542	571	4	3	963	436	509	15	3	558	255	299	3	1	131	46	52	12	21	186a
16	15	1	-	-	26	25	-	1	-	11	9	2	-	-	10	2	-	8	-	186b
-	-	-	-	-	8	6	2	-	-	7	5	2	-	-	82	15	24	20	23	187
-	-	-	-	-	10	10	-	-	-	4	3	1	-	-	3	1	-	2	-	188
1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	189
9	7	1	-	1	12	7	4	1	-	14	11	2	-	1	3	1	-	2	-	190
4	4	-	-	-	10	7	3	-	-	5	4	1	-	-	9	7	-	2	-	191
1	1	-	-	-	10	8	2	-	-	6	6	-	-	-	18	4	-	9	5	192
9	8	1	-	-	23	20	3	-	-	12	12	-	-	-	8	7	-	1	-	193
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	3	2	-	-	1	194
6	1	4	-	1	2	1	1	-	-	1	-	1	-	-	1	-	-	-	1	195a,b
30	20	10	-	-	42	24	16	1	1	23	18	4	1	-	8	4	-	2	2	195d
175	126	45	3	1	123	92	22	6	3	48	37	11	-	-	54	22	8	20	4	195c,e
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
23	16	-	7	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	197
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	4	-	198
87	56	30	1	-	328	213	99	10	6	104	71	27	2	4	2,477	258	142	1,083	994	
11	9	2	-	-	31	21	10	-	-	13	10	3	-	-	157	36	23	65	33	199
64	38	25	1	-	207	139	60	6	2	54	36	17	1	-	225	71	23	69	62	200a
2	2	-	-	-	13	8	5	-	-	9	8	1	-	-	60	16	7	28	9	200b
10	7	3	-	-	77	45	24	4	4	28	17	6	1	4	2,035	135	89	921	890	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	41,888	21,242	16,471	2,288	1,887	5,516	3,443	1,787	161	125	12,359	6,924	5,161	165	109
	I.—Infectious and parasitic diseases	3,050	1,506	938	386	220	361	207	73	44	37	544	300	202	24	18
1	Typhoid fever	29	9	15	2	3	1	1	-	-	-	3	2	1	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	2	1	-	1	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	21	9	8	4	-	7	2	3	2	-	-	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
8	Scarlet fever	12	6	5	-	1	3	3	-	-	-	4	1	3	-	-
9	Whooping cough	33	10	15	3	5	12	2	6	1	3	13	6	7	-	-
10	Diphtheria (infection by C. diphtheriae)	42	17	23	2	-	5	-	4	1	-	8	5	3	-	-
11	Erysipelas	6	4	2	-	-	1	1	-	-	-	2	2	-	-	-
12	Tetanus	14	9	4	-	1	-	-	-	-	-	6	5	1	-	-
13-22	Tuberculosis (all forms)	1,574	759	446	226	143	201	112	24	36	29	180	97	57	13	13
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	20	19	-	1	-	32	32	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	1,441	690	410	211	130	153	74	22	30	27	157	87	49	10	11
14	Tuberculosis of meninges and central nervous system	23	16	3	2	2	4	-	-	4	-	4	2	1	1	-
15	Tuberculosis of intestines and peritoneum	30	6	15	3	6	1	-	-	1	-	4	-	2	1	1
16	Tuberculosis of vertebral column	19	9	6	3	1	2	1	-	-	1	3	1	1	1	-
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1
17b	Tuberculosis of joints (except vertebral column)	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	9	5	4	-	-	1	1	-	-	-	4	4	-	-	-
21	Tuberculosis of other organs	2	1	1	-	-	-	-	-	-	-	1	-	1	-	-
22a	Disseminated tuberculosis (acute miliary)	24	9	6	6	3	7	4	1	1	1	4	2	2	-	-
22b	Disseminated tuberculosis (other and unspecified)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	52	29	17	5	1	5	3	2	-	-	11	9	2	-	-
25	Gonococcus infection	9	2	3	4	-	1	-	-	1	-	1	1	-	-	-
26	Other diseases due to bacteria (except dysentery)	14	9	5	-	-	3	3	-	-	-	-	-	-	-	-
27	Dysentery	42	20	19	1	2	4	1	1	-	2	4	-	4	-	-
28	Malaria	22	12	8	1	1	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	530	306	80	106	38	59	41	16	1	1	112	74	24	11	3
30a	Locomotor ataxia (tabes dorsalis)	34	25	5	4	-	3	3	-	-	-	6	4	2	-	-
30b	General paralysis of insane	137	79	23	30	5	24	18	6	-	-	36	26	6	3	1
30c	Other syphilis of central nervous system	55	35	7	7	6	3	2	1	-	-	6	4	1	1	-
30d	Aneurysm of aorta	119	77	12	25	5	13	9	4	-	-	23	15	5	3	-
30e	Other syphilis of circulatory system	40	16	5	16	3	3	3	-	-	-	9	6	1	1	1
30f,g	Congenital, other and unspecified forms of syphilis	145	74	28	24	19	13	6	5	1	1	32	19	9	3	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	9	4	4	-	1	-	-	-	-	-	2	2	-	-	-
33a	Influenza, with respiratory complications specified	287	133	129	18	7	15	8	7	-	-	64	33	30	-	1
33b	Influenza, without respiratory complications specified	175	85	75	5	10	11	6	1	2	2	66	30	35	-	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	40	19	20	-	1	-	-	-	-	-	8	4	4	-	-
36	Acute poliomyelitis and acute polioencephalitis	15	7	7	1	-	-	-	-	-	-	24	12	12	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	18	4	14	-	-	5	1	4	-	-	5	2	3	-	-
37b	Sequelae of encephalitis lethargica	6	3	3	-	-	4	2	2	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	8	2	2	3	1	-	-	-	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	9	6	3	-	-	11	10	1	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses	4	2	2	-	-	2	1	1	-	-	3	2	1	-	-
44	Other infectious and parasitic (communicable) diseases	72	36	27	5	4	10	9	1	-	-	27	13	14	-	-
	II.—Cancer and other tumors	5,311	2,232	2,734	131	214	672	350	308	4	10	1,763	873	867	16	7
45-55	Cancer and other malignant tumors	5,157	2,194	2,646	127	190	643	337	292	4	10	1,714	861	830	16	7
45	Cancer of buccal cavity and pharynx	186	146	33	5	4	15	9	5	1	-	47	39	7	1	-
45a-e	Cancer of buccal cavity	131	105	19	5	2	12	8	3	1	-	36	28	7	1	-
45f	Cancer of pharynx	57	41	14	-	2	3	1	2	-	-	11	11	-	-	-
46	Cancer of digestive organs and peritoneum	2,322	1,108	1,091	64	59	302	177	119	2	4	855	472	374	8	1
46a	Cancer of esophagus	94	69	13	8	4	13	7	6	-	-	30	24	5	1	-
46b,c	Cancer of stomach and duodenum	777	410	322	28	17	117	74	38	2	3	290	198	87	5	-
46f	Cancer of liver and biliary passages	424	190	220	5	9	42	23	18	-	1	139	59	78	1	1
46g	Cancer of pancreas	151	55	88	5	3	24	15	9	-	-	59	36	23	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	876	384	448	18	26	106	58	48	-	-	337	155	181	1	-
47	Cancer of respiratory system	299	213	69	14	3	43	35	8	-	-	89	61	23	4	1
48	Cancer of uterus	555	...	494	...	61	46	...	42	...	4	123	...	120	...	3
49	Cancer of other female genital organs	163	...	152	...	11	12	...	12	...	-	55	...	55	...	-
50	Cancer of breast	507	6	467	1	33	70	1	69	-	-	159	1	156	-	2
51	Cancer of male genital organs	317	296	...	21	...	54	54	...	-	...	140	138	...	2	...
52	Cancer of urinary organs (male and female)	215	120	81	11	3	31	20	10	1	-	92	58	34	-	-
53	Cancer of skin (except vulva and scrotum)	117	73	42	1	1	14	8	6	-	-	37	26	11	-	-
54	Cancer of central nervous system*	89	50	36	2	1	7	5	2	-	-	28	17	11	-	-
55	Cancer of other and unspecified organs	385	182	181	8	14	49	28	19	-	2	89	49	39	1	-
56a	Nonmalignant tumors of ovary	20	...	17	...	3	3	...	3	...	-	5	...	5	...	-
56b	Nonmalignant tumors of uterus	50	...	34	...	16	8	...	8	...	-	17	...	17	...	-
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	40	17	17	3	3	5	2	3	-	-	13	6	7	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,634	1,096	386	79	73	5,662	3,036	2,616	7	3	46,716	23,620	19,496	1,959	1,641	5,203	2,779	2,087	180	157	
141	85	21	17	18	237	145	90	2	-	2,841	1,408	767	380	286	633	321	211	49	52	
1	1	-	-	-	1	1	-	-	-	5	2	1	2	-	9	5	3	-	1	1
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
3	2	1	-	-	4	4	-	-	-	33	20	10	3	-	5	4	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	1	1	-	-	4	2	2	-	-	9	2	6	-	1	1	1	-	-	-	8
8	1	4	-	3	10	5	5	-	-	47	11	17	8	11	37	17	19	1	-	9
-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	17	7	9	-	1	10
-	-	-	-	-	1	-	1	-	-	7	4	3	-	-	3	3	-	-	-	11
-	-	-	-	-	3	2	1	-	-	7	5	-	2	-	-	-	-	-	-	12
80	48	5	14	13	102	65	37	-	-	1,882	931	513	247	191	303	152	87	29	35	13-22
12	11	-	1	-	2	2	-	-	-	11	9	1	1	-	3	3	-	-	-	13a
57	35	4	7	11	92	58	34	-	-	1,743	878	472	222	171	269	139	76	24	30	13b,c
6	1	1	2	2	3	1	2	-	-	24	7	9	4	4	10	3	3	2	2	14
-	-	-	-	-	-	-	-	-	-	20	4	6	5	5	4	1	2	-	1	15
2	-	-	2	-	-	-	-	-	-	23	7	9	5	2	1	-	1	-	-	16
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	3	3	-	-	-	16	14	1	1	-	8	5	2	-	1	20
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	21
3	1	-	2	-	1	1	-	-	-	35	10	11	6	8	7	1	3	2	1	22a
-	-	-	-	-	1	-	1	-	-	4	-	1	2	1	1	-	-	1	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
4	3	1	-	-	9	5	4	-	-	38	21	16	-	1	8	4	2	2	-	24
-	-	-	-	-	1	-	1	-	-	16	2	4	1	9	1	1	-	-	-	25
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	26
10	4	5	-	1	-	-	-	-	-	14	9	2	2	1	64	30	16	9	9	27
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
19	15	1	2	1	37	25	10	2	-	470	245	73	101	51	54	28	21	4	1	30
-	-	-	-	-	1	1	-	-	-	20	17	1	2	-	-	-	-	-	-	30a
3	2	-	1	-	13	8	4	1	-	133	82	16	23	12	6	3	3	-	-	30b
5	3	-	1	1	4	1	3	-	-	60	25	12	15	8	9	5	2	1	1	30c
7	6	1	-	-	5	4	1	-	-	104	58	16	25	5	5	4	1	-	-	30d
-	-	-	-	-	4	4	-	-	-	41	20	6	12	3	3	2	-	1	-	30e
4	4	-	-	-	10	7	2	1	-	112	43	22	24	23	31	14	15	2	-	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	5	3	1	-	1	1	-	-	1	-	32
2	2	-	-	-	26	12	14	-	-	101	48	38	7	8	49	27	22	-	-	33a
1	1	-	-	-	17	9	8	-	-	52	23	23	1	5	23	9	10	1	3	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
2	1	-	1	-	5	2	3	-	-	7	3	2	1	1	35	19	13	1	2	35
1	1	-	-	-	3	3	-	-	-	25	12	9	2	2	7	4	3	-	-	36
1	1	-	-	-	1	1	-	-	-	18	7	9	-	2	6	2	4	-	-	37a,c
1	-	1	-	-	4	3	1	-	-	12	7	5	-	-	1	1	-	-	-	37b
-	-	-	-	-	1	1	-	-	-	5	3	2	-	-	1	1	-	-	-	38
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	42
1	1	-	-	-	2	2	-	-	-	8	7	1	-	-	1	-	-	1	-	43
4	3	1	-	-	6	3	3	-	-	66	34	28	2	2	2	2	-	-	-	44
146	86	55	2	3	795	360	433	1	1	6,641	3,085	3,268	132	156	304	140	152	5	7	
143	85	53	2	3	782	355	425	1	1	6,425	3,028	3,141	129	127	288	135	141	5	7	45-55
7	7	-	-	-	26	22	4	-	-	189	153	30	5	1	4	3	1	-	-	45
5	5	-	-	-	21	18	3	-	-	123	105	14	3	1	1	1	-	-	-	45a-e
2	2	-	-	-	5	4	1	-	-	66	48	16	2	-	3	2	1	-	-	45f
63	38	20	2	3	356	185	170	1	-	3,141	1,605	1,413	81	42	126	69	48	5	4	46
2	1	-	-	1	8	5	3	-	-	157	128	20	9	-	2	1	-	1	-	46a
29	20	8	1	-	102	68	34	-	-	1,062	609	405	37	11	59	41	14	2	2	46b,c
5	4	1	-	-	37	7	30	-	-	324	131	184	5	4	28	12	14	1	1	46f
4	3	1	-	-	29	14	15	-	-	239	120	113	5	1	11	3	7	1	-	46g
23	10	10	1	2	180	91	88	1	-	1,359	617	691	25	26	26	12	13	-	1	46d,e,h,m
13	10	3	-	-	33	20	12	-	1	547	425	102	14	6	12	9	3	-	-	47
6	...	6	...	-	75	...	75	...	-	500	...	461	...	39	30	...	29	...	1	48
-	...	-	...	-	21	...	21	...	-	191	...	184	...	7	4	...	4	...	-	49
18	-	18	-	-	78	-	78	-	-	632	13	603	-	16	31	1	29	-	1	50
12	12	...	-	...	55	55	...	-	...	299	288	...	11	...	21	21	...	-	...	51
6	4	2	-	-	40	21	19	-	-	321	220	96	3	2	13	8	5	-	-	52
6	5	1	-	-	16	7	9	-	-	112	73	39	-	-	16	11	4	-	1	53
1	1	-	-	-	9	4	5	-	-	97	51	43	2	1	-	-	-	-	-	54
11	8	3	-	-	73	41	32	-	-	396	200	170	13	13	31	13	18	-	-	55
-	...	-	...	-	2	...	2	...	-	27	...	24	...	3	-	...	-	...	-	56a
2	...	2	...	-	1	...	1	...	-	71	...	49	...	22	3	...	3	...	-	56b
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	56c
-	-	-	-	-	4	2	2	-	-	46	21	23	-	2	3	1	2	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	40	21	16	1	2	13	11	2	-	-	13	6	7	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,196	433	676	29	58	152	77	73	-	2	460	190	258	7	5
58a-d	Acute rheumatic heart diseases	26	12	11	2	1	7	6	1	-	-	14	6	7	1	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	9	7	2	-	-	1	1	-	-	-	5	4	1	-	-
59	Chronic rheumatism and other rheumatic diseases	55	19	32	4	-	11	3	7	-	1	24	8	15	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	873	323	490	17	43	108	56	52	-	-	352	147	195	6	4
62	Diseases of pituitary gland	7	2	5	-	-	2	1	1	-	-	-	-	-	-	-
63a	Simple goiter	8	1	6	-	1	4	2	2	-	-	3	-	3	-	-
63b	Exophthalmic goiter	107	16	81	-	10	7	1	5	-	1	27	6	21	-	-
63c-e	Other diseases of thyroid and parathyroid glands	10	4	6	-	-	2	1	1	-	-	8	1	7	-	-
64	Diseases of thymus gland	46	27	15	3	1	3	1	2	-	-	11	8	3	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	17	10	5	1	1	3	1	2	-	-	5	4	1	-	-
66	Other general diseases	11	5	5	1	-	3	3	-	-	-	5	4	1	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
69	Pellagra (except alcoholic)	18	4	12	1	1	-	-	-	-	-	5	2	3	-	-
70	Rickets	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
71	Other avitaminoses	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	292	157	121	7	7	43	23	19	-	1	141	74	66	1	-
72	Hemorrhagic conditions	17	10	7	-	-	1	-	1	-	-	10	4	6	-	-
73a	Pernicious anemia	83	40	40	2	1	10	7	2	-	1	37	22	15	-	-
73b-d	Other anemias (except splenic)	29	13	12	2	2	3	-	3	-	-	15	9	5	1	-
74a	Leukemias	131	81	45	2	3	24	13	11	-	-	63	35	28	-	-
74b	Aleukemias	7	4	3	-	-	-	-	-	-	-	7	2	5	-	-
75	Diseases of spleen	14	6	7	1	-	4	2	2	-	-	4	1	3	-	-
76	Other diseases of the blood and blood-forming organs	11	3	7	-	1	1	1	-	-	-	5	1	4	-	-
	V.—Chronic poisoning and intoxication	48	35	3	9	1	17	15	-	2	-	13	9	3	1	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	45	33	3	8	1	16	14	-	2	-	7	6	-	1	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
79	Chronic poisoning by other mineral or organic substances	2	1	-	1	-	1	1	-	-	-	4	1	3	-	-
	VI.—Diseases of the nervous system, etc.*	4,107	1,940	1,795	176	196	559	320	229	8	2	1,469	764	673	18	14
80	Encephalitis (nonepidemic)	42	22	16	3	1	8	2	6	-	-	19	12	6	1	-
81	Meningitis (not due to meningococcus)	62	33	14	8	7	11	6	4	1	-	8	5	2	1	-
82	Diseases of spinal cord (see exceptions)*	96	56	33	4	3	14	7	7	-	-	40	25	15	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,251	1,531	1,443	125	152	418	246	164	6	2	1,104	556	527	11	10
83b	Cerebral embolism and thrombosis	267	124	113	14	16	38	24	14	-	-	123	67	53	1	2
83c	Cerebral softening	43	20	21	-	2	-	-	-	-	-	9	2	6	-	1
83d	Hemiplegia and other paralysis of unspecified origin	105	46	50	4	5	21	10	11	-	-	50	31	16	3	-
84	Mental diseases and deficiency (see exception)*	26	12	10	2	2	9	3	6	-	-	17	8	8	1	-
85	Epilepsy	52	22	22	5	3	14	9	5	-	-	33	19	13	-	1
86	Convulsions (under 5 years)	9	3	3	1	2	6	4	1	1	-	3	1	2	-	-
87	Other diseases of nervous system	117	54	53	8	2	14	6	8	-	-	51	28	23	-	-
88	Diseases of organs of vision	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	23	10	10	2	1	6	3	3	-	-	5	4	1	-	-
89b	Diseases of mastoid process	13	7	6	-	-	-	-	-	-	-	7	6	1	-	-
	VII.—Diseases of the circulatory system	12,742	6,963	4,697	604	478	1,712	1,156	514	26	16	3,712	2,212	1,442	38	20
90-95	Diseases of the heart (all forms)	11,806	6,459	4,348	556	443	1,577	1,073	464	25	15	3,475	2,081	1,338	36	20
90	Pericarditis (except acute rheumatic)	29	14	10	1	4	2	2	-	-	-	3	3	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	78	44	26	6	2	13	7	5	1	-	33	20	11	2	-
91c	Endocarditis (unspecified, under 45 years)	5	2	2	-	1	-	-	-	-	-	6	1	5	-	-
92a-d	Chronic endocarditis and diseases of the valves*	1,600	786	659	85	70	158	103	51	1	3	405	210	189	3	3
92e	Endocarditis (unspecified, 45 years and over)	81	50	26	2	3	16	10	6	-	-	21	9	12	-	-
93a	Acute myocarditis (except rheumatic)	161	94	45	12	10	57	48	8	1	-	29	18	11	-	-
93b	Myocarditis (unspecified, under 45 years)	11	7	3	1	-	8	6	2	-	-	5	3	2	-	-
93c,d	Chronic myocarditis and myocardial degeneration	5,571	2,782	2,249	297	243	535	342	186	4	3	1,152	605	528	13	6
93e	Other myocarditis (unspecified)	456	236	194	15	11	145	93	47	3	2	221	116	100	3	2
94a	Diseases of coronary arteries	2,802	1,862	799	84	57	443	339	99	6	1	1,067	762	293	10	2
94b	Angina pectoris	237	165	62	5	5	25	15	8	2	-	99	78	20	-	1
95a	Functional diseases of heart, etc.*	44	22	20	1	1	3	3	-	-	-	30	12	18	-	-
95b,c	Other and unspecified diseases of heart	731	395	253	47	36	170	105	52	7	6	404	244	149	5	6
96	Aneurysm (except of heart and aorta)	68	45	14	5	3	3	3	-	-	-	8	3	4	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	717	386	285	31	15	101	59	41	-	1	162	96	65	1	-
98	Gangrene	12	6	2	1	3	3	3	-	-	-	3	2	1	-	-
99	Other diseases of arteries	56	30	20	2	4	17	12	4	1	-	30	14	16	-	-
100	Diseases of veins	32	17	11	2	2	2	1	1	-	-	17	6	11	-	-
101	Diseases of lymphatic system	6	3	3	-	-	1	1	-	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	42	15	14	5	8	7	3	4	-	-	12	8	4	-	-
103	Other diseases of circulatory system	3	1	-	2	-	1	1	-	-	-	4	2	2	-	-
	VIII.—Diseases of the respiratory system	2,648	1,264	1,021	202	161	327	202	85	20	20	663	351	273	19	20
104a	Diseases of nasal fossae	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	14	10	3	-	1	4	2	2	-	-	12	7	5	-	-
105	Diseases of larynx	11	2	7	1	1	2	1	1	-	-	6	3	3	-	-
106a	Acute bronchitis	31	16	14	-	1	6	3	3	-	-	7	2	2	1	2

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
1	1	-	-	-	5	3	2	-	-	69	36	28	3	2	10	4	6	-	-	57d,e
31	13	14	3	1	169	66	103	-	-	1,782	566	1,109	38	69	97	48	44	2	3	
2	1	1	-	-	-	-	-	-	-	49	19	24	3	3	8	4	3	-	1	58a-d
-	-	-	-	-	-	-	-	-	-	15	6	6	2	1	2	1	1	-	-	58e,f
2	1	1	-	-	9	5	4	-	-	57	15	39	2	1	4	1	3	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
22	11	9	1	1	142	53	89	-	-	1,463	452	933	23	55	50	24	25	1	-	61
-	-	-	-	-	-	-	-	-	-	8	2	6	-	-	1	-	-	1	-	62
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	63a
2	-	1	1	-	8	3	5	-	-	94	22	68	-	4	7	3	4	-	-	63b
-	-	-	-	-	2	-	2	-	-	9	2	5	-	2	2	1	-	-	1	63c-e
1	-	-	1	-	2	1	1	-	-	37	20	14	1	2	11	8	2	-	1	64
-	-	-	-	-	3	2	1	-	-	17	9	6	2	-	2	-	2	-	-	65
-	-	-	-	-	2	1	1	-	-	13	8	5	-	-	6	3	3	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	67
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	68
1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	3	3	-	-	-	69
-	-	-	-	-	1	1	-	-	-	6	2	-	4	-	-	-	-	-	-	70
1	-	1	-	-	-	-	-	-	-	6	5	-	-	1	-	-	-	-	-	71
6	3	3	-	-	33	17	16	-	-	340	168	158	8	6	24	18	6	-	-	
-	-	-	-	-	1	1	-	-	-	19	9	9	1	-	3	2	1	-	-	72
2	1	1	-	-	14	7	7	-	-	48	18	28	2	-	3	2	1	-	-	73a
1	-	1	-	-	5	3	2	-	-	34	15	19	-	-	5	3	2	-	-	73b-d
1	-	1	-	-	10	6	4	-	-	197	108	81	4	4	13	11	2	-	-	74a
1	1	-	-	-	1	-	1	-	-	11	6	4	-	1	-	-	-	-	-	74b
1	1	-	-	-	1	-	1	-	-	22	8	12	1	1	-	-	-	-	-	75
-	-	-	-	-	1	-	1	-	-	9	4	5	-	-	-	-	-	-	-	76
23	19	3	1	-	8	8	-	-	-	112	85	12	9	6	11	7	1	3	-	
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	77a,b
22	19	2	1	-	8	8	-	-	-	105	80	11	8	6	11	7	1	3	-	77c-e
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	78
1	-	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	79
131	83	38	5	5	664	307	356	1	-	4,431	1,936	2,176	147	172	266	132	122	9	3	
2	2	-	-	-	7	2	5	-	-	47	25	14	4	4	7	4	3	-	-	80
2	1	-	-	1	9	4	5	-	-	70	36	19	6	9	12	7	5	-	-	81
2	2	-	-	-	9	7	2	-	-	90	50	36	2	2	6	3	3	-	-	82
101	58	35	4	4	490	231	259	-	-	3,324	1,413	1,682	104	125	188	92	91	3	2	83a
15	12	3	-	-	94	41	53	-	-	503	231	247	13	12	8	5	2	1	-	83b
-	-	-	-	-	3	-	2	1	-	18	10	7	1	-	2	2	-	-	-	83c
4	3	-	1	-	13	4	9	-	-	100	37	53	4	6	11	6	1	4	-	83d
-	-	-	-	-	3	1	2	-	-	36	12	20	2	2	4	1	3	-	-	84
3	3	-	-	-	12	6	6	-	-	54	26	18	7	3	5	1	3	1	-	85
-	-	-	-	-	3	2	1	-	-	9	5	3	-	1	2	1	1	-	-	86
1	1	-	-	-	15	6	9	-	-	132	61	63	3	5	11	6	4	-	1	87
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	-	-	-	-	-	88
1	1	-	-	-	3	1	2	-	-	32	20	10	-	2	7	4	3	-	-	89a
-	-	-	-	-	2	2	-	-	-	13	8	3	1	1	3	-	3	-	-	89b
441	308	103	16	14	2,104	1,151	950	1	2	16,798	9,004	6,836	520	438	714	407	277	17	13	
412	287	98	15	12	1,876	1,047	826	1	2	15,706	8,475	6,329	490	412	667	380	259	16	12	90-95
-	-	-	-	-	3	1	2	-	-	13	9	3	-	1	3	3	-	-	-	90
1	1	-	-	-	6	4	2	-	-	98	51	35	7	5	6	3	3	-	-	91a,b
1	1	-	-	-	-	-	-	-	-	12	8	3	1	-	1	-	1	-	-	91c
39	28	10	1	-	184	92	90	-	2	1,111	505	517	43	46	118	64	50	2	2	92a-d
1	-	1	-	-	22	9	13	-	-	115	50	59	5	1	8	2	6	-	-	92e
13	12	-	1	-	15	9	6	-	-	111	53	49	3	6	11	10	1	-	-	93a
1	1	-	-	-	1	1	-	-	-	13	6	4	2	1	4	1	3	-	-	93b
148	83	51	7	7	702	329	373	-	-	7,548	3,628	3,454	245	221	247	136	105	4	2	93c,d
17	12	-	2	3	52	23	29	-	-	1,210	691	447	45	27	37	19	17	-	1	93e
129	105	20	2	2	647	441	205	1	-	4,116	2,749	1,237	84	46	134	85	44	5	-	94a
10	8	2	-	-	50	30	20	-	-	87	58	27	1	1	18	12	6	-	-	94b
-	-	-	-	-	5	2	3	-	-	37	20	17	-	-	4	3	-	1	-	95a
52	36	14	2	-	189	106	83	-	-	1,235	647	477	54	57	76	42	23	4	7	95b,c
-	-	-	-	-	2	1	1	-	-	44	29	12	3	-	1	-	-	1	-	96
25	18	5	1	1	193	84	109	-	-	851	402	410	19	20	35	20	14	-	1	97
1	-	-	-	1	3	2	1	-	-	13	5	6	1	1	3	3	-	-	-	98
1	1	-	-	-	20	13	7	-	-	77	37	36	2	2	5	2	3	-	-	99
1	1	-	-	-	7	2	5	-	-	28	12	16	-	-	2	2	-	-	-	100
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	101
-	-	-	-	-	3	2	1	-	-	75	41	26	5	3	1	-	1	-	-	102
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	103
105	62	26	7	10	276	141	135	-	-	2,193	1,126	803	167	97	402	199	166	22	15	
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	104a
-	-	-	-	-	3	2	1	-	-	15	11	4	-	-	1	1	-	-	-	104b
-	-	-	-	-	1	-	1	-	-	16	9	6	1	-	-	-	-	-	-	105
2	1	1	-	-	5	2	3	-	-	33	15	17	1	-	3	-	3	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Con.															
106b	Chronic bronchitis	76	38	33	3	2	8	5	3	-	-	15	6	9	-	-
106c	Bronchitis (unspecified)	20	6	10	1	3	2	2	-	-	-	4	2	2	-	-
107	Bronchopneumonia (including capillary bronchitis)	967	433	385	81	68	100	54	26	11	9	218	112	99	2	5
108	Lobar pneumonia	1,227	610	462	87	68	95	56	27	5	7	177	96	60	13	8
109	Pneumonia (unspecified)	67	31	24	6	6	40	21	12	3	4	84	42	35	3	4
110	Pleurisy (not specified as tuberculous)	41	20	12	7	2	8	7	1	-	-	15	9	6	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	31	14	12	4	1	9	4	5	-	-	34	19	15	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	46	20	19	4	3	7	4	2	1	-	44	25	19	-	-
112	Asthma	51	20	26	3	2	11	10	1	-	-	31	19	12	-	-
113	Pulmonary emphysema	8	6	2	-	-	-	-	-	-	-	7	3	3	-	1
114	Other diseases of respiratory system (except tuberculosis)	53	35	10	5	3	35	33	2	-	-	9	6	3	-	-
	IX.—Diseases of the digestive system	2,212	1,208	797	115	92	300	181	106	9	4	592	327	255	6	4
115a,b,d	Diseases of buccal cavity and adnexa	52	26	19	2	5	10	9	1	-	-	17	10	7	-	-
115c	Diseases of pharynx and tonsils	29	17	10	-	2	4	2	2	-	-	11	6	4	-	1
116	Diseases of esophagus	3	3	-	-	-	-	-	-	-	-	1	1	-	-	-
117a	Ulcer of stomach	216	161	38	13	6	32	28	4	-	-	46	37	8	1	-
117b	Ulcer of duodenum	90	73	14	1	2	16	15	1	-	-	23	21	2	-	-
118	Other diseases of stomach (except cancer)	68	37	25	5	1	12	6	5	1	-	13	9	4	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	226	122	77	19	8	21	10	4	6	1	27	13	13	-	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	76	36	33	2	5	12	7	4	1	-	21	8	11	1	1
121	Appendicitis	275	151	91	19	14	36	25	11	-	-	78	49	29	-	-
122a	Hernia	158	82	62	10	4	23	13	9	1	-	57	32	23	1	1
122b	Intestinal obstruction	214	85	101	17	11	36	18	18	-	-	80	35	44	1	-
123	Other diseases of intestines	49	25	19	-	5	5	3	2	-	-	12	4	8	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	24	18	5	1	-	7	3	4	-	-	6	6	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	364	230	105	13	16	49	31	17	-	1	77	46	29	2	-
125a	Acute yellow atrophy of liver (nonpuerperal)	25	11	12	-	2	1	1	-	-	-	6	3	3	-	-
125b	Other diseases of liver	37	20	12	2	3	3	2	1	-	-	9	4	5	-	-
126	Biliary calculi	124	41	80	1	2	17	5	12	-	-	63	22	41	-	-
127	Other diseases of gallbladder and biliary ducts	115	41	67	5	2	13	2	9	-	2	30	10	20	-	-
128	Diseases of pancreas (except diabetes mellitus)	28	15	11	1	1	1	-	1	-	-	6	6	-	-	-
129	Peritonitis (cause not stated)	37	14	16	4	3	2	1	1	-	-	9	5	4	-	-
	X.—Diseases of the genito-urinary system	4,463	2,265	1,678	258	262	342	231	101	5	5	1,012	599	394	15	4
130	Acute nephritis	65	21	33	5	6	12	9	2	-	1	18	8	8	1	1
131a	Arteriosclerotic kidney	2,563	1,242	1,040	145	136	145	92	49	2	2	543	293	241	8	1
131b	Other chronic nephritis	1,275	639	477	73	87	97	71	24	1	1	228	139	88	1	-
132	Nephritis unspecified (10 years and over)	71	38	25	4	4	30	19	10	-	1	55	27	26	1	1
133	Other diseases of kidneys and ureters, etc.*	107	54	43	2	8	5	2	3	-	-	35	16	18	-	1
134	Calculi of urinary passages	49	33	10	2	4	3	2	1	-	-	14	11	3	-	-
135	Diseases of urinary bladder	12	6	5	1	-	3	3	-	-	-	6	5	-	1	-
136	Diseases of urethra (except calculus)	13	10	-	3	-	2	1	1	-	-	5	5	-	-	-
137	Diseases of prostate	243	220	...	23	...	34	32	...	2	...	98	95	...	3	...
138	Diseases of other male genital organs (except venereal)	2	2	...	-	...	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	45	...	30	...	15	8	...	8	...	-	8	...	8	...	-
139b	Diseases of uterus	16	...	15	...	1	3	...	3	...	-	2	...	2	...	-
139c	Diseases of other and unspecified female genital organs	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	182	...	159	...	23	26	...	23	...	3	45	...	42	...	3
140	Abortion with mention of infection	25	...	20	...	5	2	...	2	...	-	6	...	6	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	19	...	17	...	2	2	...	2	...	-	3	...	3	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	6	...	3	...	3	-	...	-	...	-	3	...	3	...	-
141	Abortion without mention of infection	12	...	9	...	3	2	...	1	...	1	1	...	-	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	1	...	1	...	-	1	...	-	...	1
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	10	...	8	...	2	1	...	-	...	1	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	4	...	3	...	1	1	...	1	...	-	2	...	2	...	-
142b	Ectopic gestation, without mention of infection	7	...	4	...	3	1	...	1	...	-	2	...	2	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	15	...	14	...	1	3	...	3	...	-	4	...	3	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	5	...	5	...	-	-	...	-	...	-	1	...	-	...	1
145	Other diseases and accidents of pregnancy (death before delivery)	6	...	6	...	-	-	...	-	...	-	3	...	3	...	-
	A. With mention of infection	4	...	4	...	-	-	...	-	...	-	2	...	2	...	-
	B. Without mention of infection	2	...	2	...	-	-	...	-	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	5	...	5	...	-	1	...	1	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	17	...	14	...	3	5	...	4	...	1	4	...	4	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	19	...	19	...	-	4	...	4	...	-	3	...	3	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	24	...	22	...	2	2	...	2	...	-	7	...	7	...	-
148a,b	Puerperal eclampsia and nephritis*	26	...	23	...	3	4	...	3	...	1	6	...	6	...	-
148c,d	Other puerperal toxemias	1	...	1	...	-	1	...	1	...	-	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	8	...	6	...	2	-	...	-	...	-	2	...	2	...	-
150	Other and unspecified conditions of childbirth and puerperium	8	...	8	...	-	-	...	-	...	-	3	...	3	...	-
	XII.—Diseases of the skin and cellular tissue	36	14	18	1	3	8	4	2	2	-	9	4	5	-	-
151	Carbuncle and furuncle	9	4	4	-	1	-	-	-	-	-	4	-	4	-	-
152	Phlegmon and acute abscess	11	4	6	-	1	6	2	2	2	-	2	1	1	-	-
153	Other diseases of skin and cellular tissue	16	6	8	1	1	2	2	-	-	-	3	3	-	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	-	-	-	1	12	4	8	-	-	55	34	19	2	-	4	1	3	-	-	106b
1	1	-	-	-	3	2	1	-	-	19	12	7	-	-	2	-	2	-	-	106c
31	15	11	-	5	117	57	60	-	-	793	377	328	54	34	173	85	81	2	5	107
40	27	6	5	2	90	51	39	-	-	916	465	316	83	52	137	83	48	4	2	108
14	8	2	2	2	20	12	8	-	-	58	34	16	6	2	40	8	14	12	6	109
4	3	1	-	-	4	2	2	-	-	64	39	11	11	3	5	1	1	2	1	110
-	-	-	-	-	8	4	4	-	-	39	20	17	-	2	5	2	2	1	-	111a
4	1	3	-	-	6	1	5	-	-	61	28	32	-	1	11	6	5	-	-	111b,c
4	2	2	-	-	2	-	2	-	-	57	36	18	1	2	12	8	4	-	-	112
-	-	-	-	-	1	1	-	-	-	8	7	1	-	-	-	-	-	-	-	113
4	4	-	-	-	4	3	1	-	-	57	37	11	8	1	8	4	2	1	1	114
120	79	31	8	2	240	142	98	-	-	2,271	1,232	900	72	67	426	222	182	15	7	
3	1	2	-	-	6	3	3	-	-	26	8	17	-	1	10	4	6	-	-	115a,b,d
2	-	1	1	-	6	5	1	-	-	29	15	10	2	2	5	3	2	-	-	115c
-	-	-	-	-	1	1	-	-	-	5	4	-	1	-	1	1	-	-	-	116
10	9	1	-	-	23	16	7	-	-	208	178	20	9	1	19	15	4	-	-	117a
7	6	1	-	-	17	14	3	-	-	106	86	13	5	2	7	6	1	-	-	117b
6	5	-	1	-	4	1	3	-	-	26	12	13	-	1	16	9	5	-	2	118
19	13	3	2	1	13	7	6	-	-	96	47	31	11	7	203	95	99	4	4	119
5	4	-	1	-	8	6	2	-	-	76	28	41	1	6	21	11	7	2	1	120
15	8	5	1	1	24	17	7	-	-	292	161	115	10	6	36	21	12	3	-	121
7	6	1	-	-	21	10	11	-	-	176	91	78	4	3	15	7	6	2	-	122a
14	6	8	-	-	30	16	14	-	-	223	84	114	11	14	31	15	16	-	-	122b
3	2	-	1	-	3	-	3	-	-	47	26	18	1	2	3	3	-	-	-	123
4	2	2	-	-	2	2	-	-	-	58	42	13	2	1	2	-	2	-	-	124a
14	10	3	1	-	33	23	10	-	-	505	317	171	8	10	25	17	7	1	-	124b
-	-	-	-	-	9	5	4	-	-	14	5	9	-	-	2	1	-	1	-	125a
2	2	-	-	-	2	-	2	-	-	32	14	13	5	-	3	2	1	-	-	125b
6	2	4	-	-	18	7	11	-	-	163	49	113	-	1	10	3	7	-	-	126
1	1	-	-	-	12	5	7	-	-	119	39	76	-	4	10	5	3	2	-	127
-	-	-	-	-	2	1	1	-	-	30	11	16	-	3	3	2	1	-	-	128
2	2	-	-	-	6	3	3	-	-	39	15	19	2	3	4	1	3	-	-	129
93	62	25	1	5	400	237	163	-	-	3,517	1.720	1,455	171	171	284	150	125	7	2	
2	1	1	-	-	4	2	2	-	-	63	33	18	2	10	11	7	4	-	-	130
51	32	16	1	2	201	119	82	-	-	2,182	996	978	110	98	122	60	61	1	-	131a
16	12	4	-	-	120	68	52	-	-	696	323	308	30	35	87	48	37	2	-	131b
7	4	2	-	1	11	6	5	-	-	127	53	55	9	10	14	7	6	1	-	132
6	5	-	-	1	11	4	7	-	-	78	38	29	6	5	9	3	5	-	1	133
1	1	-	-	-	8	4	4	-	-	60	39	19	2	-	5	2	2	1	-	134
-	-	-	-	-	4	2	2	-	-	28	11	16	1	-	2	-	1	1	-	135
-	-	-	-	-	2	1	1	-	-	9	8	-	1	-	1	-	1	-	-	136
7	7	...	-	...	31	31	...	-	...	227	217	...	10	...	24	23	...	1	...	137
-	-	...	-	...	-	-	...	-	...	2	2	...	-	...	-	-	...	-	...	138
3	...	2	...	1	5	...	5	...	-	32	...	20	...	12	4	...	4	...	-	139a
-	...	-	...	-	3	...	3	...	-	13	...	12	...	1	4	...	4	...	-	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	139c
2	...	1	...	1	11	...	11	...	-	162	...	142	...	20	68	...	60	...	8	
-	...	-	...	-	-	...	-	...	-	21	...	17	...	4	4	...	4	...	-	140
-	...	-	...	-	-	...	-	...	-	17	...	13	...	4	-	...	-	...	-	140a,b
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	4	...	4	...	-	140c,d
-	...	-	...	-	2	...	2	...	-	3	...	3	...	-	5	...	4	...	1	141
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	141a,c
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	4	...	3	...	1	141b,d
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	142a
1	...	1	...	-	-	...	-	...	-	6	...	4	...	2	2	...	2	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
-	...	-	...	-	1	...	1	...	-	10	...	9	...	1	6	...	6	...	-	144a,b
-	...	-	...	-	-	...	-	...	-	6	...	5	...	1	-	...	-	...	-	144c,d
-	...	-	...	-	1	...	1	...	-	11	...	8	...	3	2	...	2	...	-	145
-	...	-	...	-	-	...	-	...	-	7	...	6	...	1	2	...	2	...	-	
-	...	-	...	-	1	...	1	...	-	4	...	2	...	2	-	...	-	...	-	
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	146a
-	...	-	...	-	2	...	2	...	-	21	...	19	...	2	9	...	7	...	2	146b,c
-	...	-	...	-	4	...	4	...	-	22	...	20	...	2	14	...	13	...	1	147a,b
-	...	-	...	-	-	...	-	...	-	19	...	18	...	1	4	...	4	...	-	147c,d
-	...	-	...	-	-	...	-	...	-	12	...	9	...	3	9	...	8	...	1	148a,b
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	2	...	2	...	-	148c,d
-	...	-	...	-	-	...	-	...	-	15	...	14	...	1	3	...	2	...	1	149
1	...	-	...	1	-	...	-	...	-	7	...	7	...	-	7	...	5	...	2	150
-	-	-	-	-	5	-	5	-	-	38	15	18	1	4	8	6	2	-	-	
-	-	-	-	-	2	-	2	-	-	12	9	3	-	-	-	-	-	-	-	151
-	-	-	-	-	-	-	-	-	-	5	2	-	-	3	4	3	1	-	-	152
-	-	-	-	-	3	-	3	-	-	21	4	15	1	1	4	3	1	-	-	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	24	14	7	2	1	2	1	1	-	-	12	6	6	-	-
154	Osteomyelitis and periostitis	18	13	4	1	-	1	-	1	-	-	6	3	3	-	-
155	Other diseases of bones (except tuberculosis)	2	1	1	-	-	-	-	-	-	-	1	-	1	-	-
156	Diseases of joints and other organs of movement	4	-	2	1	1	1	1	-	-	-	5	3	2	-	-
157	XIV.—Congenital malformations	436	235	181	10	10	66	37	24	3	2	139	84	53	1	1
	XV.—Diseases peculiar to the first year of life	1,403	722	523	86	72	199	111	77	5	6	430	254	167	4	5
158	Congenital debility (cause not stated)	59	30	16	11	2	7	5	2	-	-	16	13	2	-	1
159	Premature birth (cause not stated)	881	438	338	51	54	127	67	50	5	5	261	142	114	2	3
160a	Intracranial or spinal hemorrhage	120	64	51	4	1	14	9	5	-	-	48	37	9	1	1
160b,c	Other injuries at birth	180	105	67	3	5	31	21	10	-	-	57	33	23	1	-
161	Other diseases peculiar to the first year of life	163	85	51	17	10	20	9	10	-	1	48	29	19	-	-
162	XVI.—Senility	274	128	130	8	8	57	38	14	4	1	186	85	98	2	1
	XVII.—Violent or accidental deaths	3,328	2,050	946	255	77	583	437	125	16	5	1,097	746	332	13	6
163,164	Suicide	430	310	104	8	8	98	80	15	3	-	186	141	45	-	-
163	Suicide by poisoning	93	50	36	2	5	13	7	5	1	-	42	22	20	-	-
	Suicide by solid or liquid poisons	67	27	33	2	5	8	3	5	-	-	21	8	13	-	-
	Suicide by poisonous gases	26	23	3	-	-	5	4	-	1	-	21	14	7	-	-
164a	Suicide by hanging or strangulation	91	62	28	1	-	15	13	1	1	-	58	46	12	-	-
164b	Suicide by drowning	13	4	9	-	-	1	1	-	-	-	7	1	6	-	-
164c	Suicide by firearms and explosives	186	166	17	3	-	58	49	8	1	-	67	61	6	-	-
164d	Suicide by cutting or piercing instruments	26	20	4	1	1	9	8	1	-	-	6	5	1	-	-
164e	Suicide by jumping from high places	11	4	5	1	1	2	2	-	-	-	3	3	-	-	-
164f	Suicide by crushing	4	3	1	-	-	-	-	-	-	-	3	3	-	-	-
164g	Suicide by other or unspecified means	6	1	4	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide [1]	214	81	27	89	17	17	8	6	-	3	22	13	4	4	1
166	Homicide by firearms	128	45	15	55	13	9	3	5	-	1	10	7	3	-	-
167	Homicide by cutting or piercing instruments	41	9	3	27	2	2	-	-	-	2	7	1	1	4	1
168	Homicide by other means	45	27	9	7	2	6	5	1	-	-	5	5	-	-	-
169-195	Accidental deaths	2,683	1,659	815	157	52	468	349	104	13	2	888	591	283	9	5
169	Railway accidents (except collisions with motor vehicles)	125	92	9	23	1	19	18	-	1	-	27	25	2	-	-
170a	Collisions between automobiles and trains	48	34	12	2	-	4	4	-	-	-	40	23	17	-	-
170b	Collisions between automobiles and streetcars	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	696	493	152	45	6	100	68	29	2	1	176	134	40	2	-
170d	Motorcycle accidents (except collisions with automobiles)	6	5	1	-	-	1	1	-	-	-	3	3	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	25	16	5	4	-	-	-	-	-	-	1	1	-	-	-
171b	Other and unspecified road-transport accidents	11	9	2	-	-	3	3	-	-	-	1	1	-	-	-
172	Water-transport accidents	17	17	-	-	-	10	5	5	-	-	2	1	-	1	-
173	Air-transport accidents	45	44	-	1	-	7	7	-	-	-	15	15	-	-	-
174	Accidents in mines and quarries	13	12	1	-	-	36	36	-	-	-	9	9	-	-	-
175a	Accidents involving agricultural machinery and vehicles	33	31	1	1	-	14	12	1	1	-	33	32	1	-	-
175b,c	Other agricultural accidents, including injury by animals	52	44	7	1	-	16	16	-	-	-	34	32	2	-	-
175d	Accidents involving forestry machinery and vehicles	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	1	1	-	-	-	5	5	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	29	23	3	3	-	7	7	-	-	-	8	8	-	-	-
177	Food poisoning	9	3	5	-	1	3	1	1	1	-	1	1	-	-	-
178	Accidental absorption of poisonous gas	22	15	4	2	1	12	10	2	-	-	24	17	5	1	1
179	Acute accidental poisoning by solids or liquids	18	8	9	1	-	1	-	1	-	-	4	2	2	-	-
180	Conflagration	92	40	35	14	3	10	7	3	-	-	6	4	2	-	-
181	Accidental burns (except conflagration)	140	65	54	11	10	18	8	9	1	-	54	29	24	-	1
182	Accidental mechanical suffocation	25	17	5	1	2	5	4	1	-	-	20	15	5	-	-
183	Accidental drowning	143	115	15	13	-	37	27	7	3	-	45	38	6	1	-
184	Accidental injury by firearms	69	57	6	4	2	19	16	1	2	-	28	25	3	-	-
185	Accidental injury by cutting or piercing instruments	8	5	2	1	-	3	2	1	-	-	-	-	-	-	-
186a	Accidental injury by fall	823	346	443	13	21	69	35	33	1	-	277	116	156	4	1
186b	Accidental injury by crushing	9	7	1	1	-	7	7	-	-	-	5	5	-	-	-
187	Cataclysm, etc.*	6	4	2	-	-	-	-	-	-	-	7	3	4	-	-
188	Injury by animals (except in agriculture and forestry)	2	-	2	-	-	1	-	1	-	-	1	1	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	9	6	-	1	2	7	6	-	1	-	5	4	1	-	-
191	Excessive heat	26	17	7	-	2	-	-	-	-	-	8	6	1	-	1
192	Lightning	21	18	-	3	-	5	5	-	-	-	2	2	-	-	-
193	Accidents due to electric currents (except lightning)	18	14	3	1	-	6	6	-	-	-	13	12	1	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	13	9	4	-	-	8	7	1	-	-	7	3	3	-	1
195c,e	Other and unspecified accidents	118	83	24	11	-	32	24	8	-	-	31	23	8	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	136	76	47	9	4	90	53	13	13	11	72	46	25	-	1
199	Sudden death	7	5	1	1	-	6	6	-	-	-	6	4	2	-	-
200a	Ill-defined	68	36	27	4	1	47	34	9	2	2	47	31	16	-	-
200b	Found dead (cause unknown)	5	4	1	-	-	6	4	2	-	-	8	4	3	-	1
200c	Unknown or unspecified	56	31	18	4	3	31	9	2	11	9	11	7	4	-	-

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	1	-	-	-	6	1	5	-	-	32	21	10	1	-	3	2	1	-	-	
1	1	-	-	-	2	1	1	-	-	15	9	5	1	-	1	1	-	-	-	154
-	-	-	-	-	1	-	1	-	-	8	6	2	-	-	1	-	1	-	-	155
-	-	-	-	-	3	-	3	-	-	9	6	3	-	-	1	1	-	-	-	156
15	9	6	-	-	66	38	28	-	-	486	256	209	10	11	67	34	27	2	4	157
69	42	24	-	3	183	117	66	-	-	1,422	737	538	84	63	330	185	131	7	7	
2	1	1	-	-	12	7	5	-	-	34	15	14	5	-	26	13	10	-	3	158
37	24	12	-	1	111	66	45	-	-	865	431	329	58	47	222	128	89	3	2	159
3	1	2	-	-	14	12	2	-	-	165	102	60	2	1	17	9	6	1	1	160a
11	8	2	-	1	28	19	9	-	-	152	81	61	5	5	33	19	12	1	1	160b,c
16	8	7	-	1	18	13	5	-	-	205	108	74	14	10	32	16	14	2	-	161
27	14	5	2	6	19	4	15	-	-	195	70	116	-	9	62	33	23	1	5	162
250	208	27	12	3	388	266	120	2	-	3,368	2,143	953	214	58	505	372	97	27	9	
34	28	3	3	-	68	53	14	1	-	552	388	151	9	4	55	33	18	4	-	163,164
4	3	1	-	-	18	9	9	-	-	235	137	92	4	2	12	4	8	-	-	163
3	2	1	-	-	4	1	3	-	-	34	19	13	2	-	9	4	5	-	-	
1	1	-	-	-	14	8	6	-	-	201	118	79	2	2	3	-	3	-	-	
3	2	-	1	-	19	17	1	1	-	134	104	28	1	1	1	1	-	-	-	164a
2	1	1	-	-	5	2	3	-	-	19	12	7	-	-	1	1	-	-	-	164b
19	16	1	2	-	21	20	1	-	-	93	86	5	1	1	35	23	9	3	-	164c
4	4	-	-	-	2	2	-	-	-	22	17	4	1	-	4	3	-	1	-	164d
-	-	-	-	-	3	3	-	-	-	38	25	11	2	-	-	-	-	-	-	164e
-	-	-	-	-	-	-	-	-	-	8	6	2	-	-	1	1	-	-	-	164f
2	2	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	164g
14	10	1	3	-	1	1	-	-	-	105	43	15	38	9	33	25	2	5	1	165-168
7	5	-	2	-	-	-	-	-	-	37	15	4	16	2	23	17	1	4	1	166
4	2	1	1	-	1	1	-	-	-	33	8	1	19	5	2	2	-	-	-	167
3	3	-	-	-	-	-	-	-	-	35	20	10	3	2	8	6	1	1	-	168
201	169	23	6	3	319	212	106	1	-	2,705	1,707	787	166	45	417	314	77	18	8	169-195
15	15	-	-	-	4	4	-	-	-	94	79	6	9	-	15	12	1	2	-	169
-	-	-	-	-	5	5	-	-	-	19	15	4	-	-	4	4	-	-	-	170a
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	170b
73	65	6	2	-	52	41	11	-	-	748	550	143	49	6	123	98	18	3	4	170c
1	-	1	-	-	-	-	-	-	-	15	14	1	-	-	2	2	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	171a
1	1	-	-	-	2	2	-	-	-	10	8	2	-	-	-	-	-	-	-	171b
-	-	-	-	-	8	7	1	-	-	30	25	3	2	-	-	-	-	-	-	172
6	4	2	-	-	6	5	1	-	-	41	40	1	-	-	47	47	-	-	-	173
17	17	-	-	-	-	-	-	-	-	9	8	-	1	-	13	12	-	1	-	174
1	1	-	-	-	-	-	-	-	-	6	4	1	1	-	10	8	2	-	-	175a
1	1	-	-	-	3	3	-	-	-	6	5	-	1	-	10	9	1	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	6	6	-	-	-	2	1	-	1	-	1	1	-	-	-	175e
6	5	-	1	-	4	3	1	-	-	45	39	3	3	-	3	3	-	-	-	176
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	6	3	1	2	-	177
2	2	-	-	-	9	6	3	-	-	101	63	35	3	-	6	5	1	-	-	178
1	-	1	-	-	10	5	5	-	-	21	11	6	3	1	9	5	3	-	1	179
5	4	-	-	1	13	10	3	-	-	70	36	17	10	7	8	5	3	-	-	180
11	9	1	-	1	21	11	10	-	-	116	63	35	13	5	18	9	7	1	1	181
3	2	1	-	-	4	3	1	-	-	45	25	14	2	4	3	1	2	-	-	182
9	8	1	-	-	22	20	1	1	-	191	147	15	29	-	34	22	8	2	2	183
6	5	-	1	-	6	6	-	-	-	35	25	3	7	-	25	19	3	3	-	184
-	-	-	-	-	2	2	-	-	-	10	7	3	-	-	3	1	2	-	-	185
22	15	5	2	-	77	34	43	-	-	859	386	439	19	15	35	17	18	-	-	186a
2	2	-	-	-	-	-	-	-	-	11	11	-	-	-	3	1	2	-	-	186b
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	187
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	2	1	1	-	-	188
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	189
1	1	-	-	-	2	2	-	-	-	14	10	2	2	-	2	1	-	1	-	190
-	-	-	-	-	1	1	-	-	-	11	8	2	1	-	1	1	-	-	-	191
-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	10	7	1	2	-	192
2	2	-	-	-	1	1	-	-	-	22	21	-	-	1	2	2	-	-	-	193
9	9	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	194
-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	1	1	-	-	-	195a,b
1	-	1	-	-	4	1	3	-	-	27	14	7	4	2	2	2	-	-	-	195d
5	-	4	-	1	54	32	22	-	-	122	77	37	5	3	19	15	3	1	-	195c,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	198
33	22	4	5	2	58	36	22	-	-	87	48	26	5	8	999	503	460	14	22	
-	-	-	-	-	1	-	1	-	-	6	5	-	-	1	6	5	-	-	1	199
22	16	2	3	1	41	28	13	-	-	66	33	23	5	5	72	42	25	2	3	200a
2	2	-	-	-	3	2	1	-	-	2	1	1	-	-	10	8	2	-	-	200b
9	4	2	2	1	13	6	7	-	-	13	9	2	-	2	911	448	433	12	18	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	149,820	77,845	64,431	4,010	3,534	29,414	10,713	7,902	5,722	5,077
	I.—Infectious and parasitic diseases	9,322	5,182	2,354	1,080	706	2,652	653	509	771	719
1	Typhoid fever	17	12	4	1	-	19	4	2	9	4
2	Paratyphoid fever	5	5	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	6	4	2	-	-	2	1	-	-	1
6	Cerebrospinal (meningococcus) meningitis	123	82	30	7	4	32	12	5	2	13
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	24	10	10	1	3	8	5	2	-	1
9	Whooping cough	145	64	64	9	8	104	19	36	20	29
10	Diphtheria (infection by C. diphtheriae)	17	9	5	1	2	76	39	26	6	5
11	Erysipelas	19	8	10	1	-	8	6	2	-	-
12	Tetanus	26	15	5	2	4	15	3	3	5	4
13-22	Tuberculosis (all forms)	6,073	3,368	1,514	681	510	1,461	301	247	446	467
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	39	38	-	1	-	1	1	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	5,583	3,156	1,375	608	444	1,325	276	229	386	434
14	Tuberculosis of meninges and central nervous system	118	42	34	20	22	36	10	6	13	7
15	Tuberculosis of intestines and peritoneum	53	17	11	7	18	34	5	4	14	11
16	Tuberculosis of vertebral column	65	25	19	16	5	11	1	1	5	4
17a	Tuberculosis of bones (except vertebral column)	4	1	2	1	-	3	2	-	1	-
17b	Tuberculosis of joints (except vertebral column)	9	2	4	2	1	1	-	-	-	1
18	Tuberculosis of skin, etc.*	2	2	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	13	5	3	2	3	4	-	2	1	1
20	Tuberculosis of genito-urinary system	51	28	21	2	-	6	2	-	2	2
21	Tuberculosis of other organs	15	8	5	2	-	1	-	-	1	-
22a	Disseminated tuberculosis (acute miliary)	116	43	38	20	15	32	4	3	20	5
22b	Disseminated tuberculosis (other and unspecified)	5	1	2	-	2	7	-	2	3	2
23	Leprosy	1	-	1	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	91	50	30	8	3	42	17	12	8	5
25	Gonococcus infection	25	9	5	5	6	2	-	-	2	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	4	1	-	1	2
27	Dysentery	45	16	24	2	3	53	21	11	10	11
28	Malaria	7	5	-	1	1	33	9	8	10	6
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,896	1,087	318	342	149	328	65	31	158	74
30a	Locomotor ataxia (tabes dorsalis)	73	49	14	7	3	7	5	-	2	-
30b	General paralysis of insane	543	322	93	93	35	78	20	12	39	7
30c	Other syphilis of central nervous system	228	132	43	41	12	31	6	2	14	9
30d	Aneurysm of aorta	361	221	46	72	22	37	20	1	8	8
30e	Other syphilis of circulatory system	148	84	18	34	12	17	-	2	14	1
30f,g	Congenital, other and unspecified forms of syphilis	543	279	104	95	65	158	14	14	81	49
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	8	4	4	-	-	13	2	1	3	7
33a	Influenza, with respiratory complications specified	173	83	83	6	1	196	54	49	46	47
33b	Influenza, without respiratory complications specified	132	63	64	4	1	103	31	31	19	22
34	Smallpox	1	1	-	-	-	-	-	-	-	-
35	Measles	13	6	7	-	-	55	18	21	9	7
36	Acute poliomyelitis and acute polioencephalitis	29	20	9	-	-	12	2	5	3	2
37a,c	Infectious encephalitis lethargica (acute and unqualified)	70	45	24	-	1	4	-	2	-	2
37b	Sequelae of encephalitis lethargica	53	26	25	1	1	2	1	1	-	-
38	Other diseases due to filtrable viruses	9	7	2	-	-	6	3	-	1	2
39	Typhus fever and typhus-like diseases (due to Rickettsia)	4	3	1	-	-	16	10	4	1	1
40	Ankylostomiasis	-	-	-	-	-	1	1	-	-	-
41	Hydatid disease	5	4	1	-	-	-	-	-	-	-
42	Other diseases caused by helminths	9	6	3	-	-	5	-	-	1	4
43	Mycoses	49	29	15	1	4	9	5	3	-	1
44	Other infectious and parasitic (communicable) diseases	247	141	94	7	5	43	23	7	11	2
	II.—Cancer and other tumors	22,667	10,569	11,315	310	473	2,369	743	980	224	422
45-55	Cancer and other malignant tumors	22,036	10,376	10,929	298	433	2,249	724	941	212	372
45	Cancer of buccal cavity and pharynx	689	545	124	16	4	78	47	19	7	5
45a-e	Cancer of buccal cavity	474	388	74	9	3	54	35	14	4	1
45f	Cancer of pharynx	215	157	50	7	1	24	12	5	3	4
46	Cancer of digestive organs and peritoneum	10,241	5,382	4,573	162	124	829	313	314	109	93
46a	Cancer of esophagus	541	416	102	18	3	24	12	3	8	1
46b,c	Cancer of stomach and duodenum	3,290	1,900	1,265	74	51	343	134	118	51	40
46f	Cancer of liver and biliary passages	1,034	418	599	7	10	157	49	73	17	18
46g	Cancer of pancreas	756	397	343	8	8	71	34	25	6	6
46d,e,h,m	Cancer of other digestive organs and peritoneum	4,620	2,251	2,264	55	50	234	84	95	27	28
47	Cancer of respiratory system	2,011	1,566	394	40	11	114	59	30	15	10
48	Cancer of uterus	1,720	...	1,584	...	136	366	...	223	...	143
49	Cancer of other female genital organs	741	...	715	...	26	58	...	48	...	10
50	Cancer of breast	2,367	24	2,264	1	78	205	6	138	3	58
51	Cancer of male genital organs	990	957	...	33	...	124	84	...	40	...
52	Cancer of urinary organs (male and female)	1,151	738	387	12	14	90	47	27	12	4
53	Cancer of skin (except vulva and scrotum)	327	195	126	1	5	74	41	27	3	3
54	Cancer of central nervous system*	423	237	172	5	9	56	36	13	2	5
55	Cancer of other and unspecified organs	1,376	732	590	28	26	255	91	102	21	41
56a	Nonmalignant tumors of ovary	73	...	67	...	6	12	...	9	...	3
56b	Nonmalignant tumors of uterus	177	...	149	...	28	46	...	15	...	31
56c	Nonmalignant tumors of other female genital organs	5	...	5	...	-	1	...	-	...	1
56d,e	Nonmalignant tumors of other and unspecified organs	157	72	78	6	1	24	9	5	7	3

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4,818	2,806	1,859	72	81	78,000	40,334	32,366	2,973	2,327	19,324	9,745	6,899	1,463	1,217	12,865	7,840	4,807	151	67	
253	117	95	16	25	5,037	2,503	1,552	584	398	1,904	832	557	283	232	632	384	207	26	15	
2	2	-	-	-	22	14	5	2	1	40	17	12	5	6	3	2	1	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	1	-	-	5	4	1	-	-	1	1	-	-	-	5
3	2	1	-	-	17	10	6	-	1	9	4	4	-	1	15	10	5	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	1	1	-	-	35	17	14	2	2	3	2	1	-	-	3	1	2	-	-	8
10	1	6	-	3	123	45	60	7	11	50	23	17	5	5	16	7	8	-	1	9
6	2	4	-	-	29	18	10	-	1	55	27	25	2	1	6	5	1	-	-	10
4	-	4	-	-	20	12	7	1	-	3	1	2	-	-	-	-	-	-	-	11
4	3	1	-	-	19	17	1	1	-	12	9	3	-	-	3	1	1	1	-	12
121	50	38	16	17	2,846	1,350	822	390	284	982	383	258	171	170	299	171	101	17	10	13-22
-	-	-	-	-	75	66	-	9	-	3	3	-	-	-	2	2	-	-	-	13a
105	39	33	16	17	2,505	1,180	740	345	240	916	356	246	153	161	267	154	88	17	8	13b,c
4	3	1	-	-	78	31	26	6	15	15	4	5	5	1	7	5	1	-	1	14
2	-	2	-	-	49	16	14	5	14	17	8	4	3	2	6	1	5	-	-	15
3	2	1	-	-	33	12	11	7	3	4	1	1	2	-	2	-	2	-	-	16
-	-	-	-	-	7	1	3	1	2	1	-	-	1	-	1	-	-	-	1	17a
-	-	-	-	-	8	5	2	-	1	1	1	-	-	-	2	2	-	-	-	17b
-	-	-	-	-	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	18
-	-	-	-	-	6	1	1	3	1	-	-	-	-	-	-	-	-	-	-	19
3	3	-	-	-	33	18	11	2	2	7	6	-	-	1	3	3	-	-	-	20
-	-	-	-	-	2	1	1	-	-	3	-	-	2	1	-	-	-	-	-	21
4	3	1	-	-	40	15	8	11	6	14	4	2	5	3	9	4	5	-	-	22a
-	-	-	-	-	8	3	4	1	-	-	-	-	-	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
6	4	2	-	-	69	38	27	-	4	21	8	5	6	2	8	4	4	-	-	24
-	-	-	-	-	27	7	6	5	9	4	-	3	-	1	3	1	2	-	-	25
-	-	-	-	-	6	3	3	-	-	5	4	1	-	-	-	-	-	-	-	26
3	1	2	-	-	26	11	14	1	-	88	42	29	11	6	5	3	1	-	1	27
-	-	-	-	-	4	4	-	-	-	25	10	10	2	3	1	-	1	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
24	15	7	-	2	894	523	167	147	57	188	86	39	47	16	127	92	27	5	3	30
2	2	-	-	-	46	39	3	3	1	1	1	-	-	-	4	4	-	-	-	30a
4	1	3	-	-	261	160	46	44	11	57	32	15	8	2	42	28	10	4	-	30b
2	2	-	-	-	88	41	21	15	11	18	11	2	5	-	8	7	1	-	-	30c
7	5	2	-	-	191	118	27	34	12	24	17	3	4	-	33	25	7	-	1	30d
-	-	-	-	-	70	42	9	15	4	13	6	3	3	1	9	8	1	-	-	30e
9	5	2	-	2	238	123	61	36	18	75	19	16	27	13	31	20	8	1	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	16	9	5	1	1	2	1	1	-	-	2	1	1	-	-	32
17	12	4	-	1	345	162	155	15	13	128	67	43	14	4	60	44	16	-	-	33a
18	7	11	-	-	292	140	140	5	7	119	63	40	8	8	31	13	18	-	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	3	4	-	-	30	15	14	-	1	92	44	38	4	6	7	2	4	1	-	35
4	2	2	-	-	18	13	5	-	-	15	7	5	2	1	4	2	2	-	-	36
6	1	3	-	2	28	15	11	1	1	8	6	1	-	1	3	3	-	-	-	37a,c
2	1	1	-	-	11	6	5	-	-	4	1	3	-	-	4	-	4	-	-	37b
-	-	-	-	-	17	9	8	-	-	3	2	-	1	-	-	-	-	-	-	38
2	2	-	-	-	3	1	2	-	-	4	2	1	1	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	41
-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	42
3	2	1	-	-	12	3	3	1	-	7	2	5	-	-	3	2	1	-	-	43
9	6	3	-	-	123	56	57	5	5	31	17	9	4	1	27	19	6	2	-	44
639	353	277	6	3	8,980	4,460	5,076	183	261	2,119	954	1,007	55	103	1,555	787	755	11	2	
621	346	267	6	2	9,657	4,388	4,866	177	226	1,995	905	945	53	92	1,514	775	726	11	2	45-55
10	8	2	-	-	294	239	44	8	3	71	54	13	4	-	25	22	3	-	-	45
6	5	1	-	-	205	167	33	3	2	48	34	10	4	-	21	19	2	-	-	45a-e
4	3	1	-	-	89	72	11	5	1	23	20	3	-	-	4	3	1	-	-	45f
382	208	119	3	2	4,324	2,261	1,910	88	65	938	478	384	32	44	695	383	308	4	-	46
11	10	1	-	-	124	101	17	6	-	13	5	7	-	1	11	8	3	-	-	46a
168	123	42	3	-	1,510	883	572	36	19	358	200	123	17	18	274	175	95	4	-	46b,c
43	15	28	-	-	654	264	370	13	7	203	103	83	5	12	103	46	57	-	-	46f
28	17	11	-	-	310	174	125	7	4	81	40	37	2	2	52	29	23	-	-	46g
82	43	37	-	2	1,726	839	826	26	35	283	130	134	8	11	255	125	130	-	-	46d,e,h,m
24	15	8	1	-	583	412	144	22	5	93	61	27	3	2	103	83	17	3	-	47
34	...	34	...	-	1,061	...	982	...	79	232	...	201	...	31	115	...	114	...	1	48
15	...	15	...	-	269	...	260	...	9	36	...	33	...	3	43	...	43	...	-	49
55	-	55	-	-	978	14	925	-	39	154	4	143	2	5	150	3	146	-	1	50
51	50	...	1	...	652	625	...	27	...	133	126	...	7	...	121	120	...	1	...	51
32	24	8	-	-	420	269	138	8	5	76	46	25	2	3	69	52	16	1	-	52
11	9	2	-	-	184	122	56	4	2	78	45	32	-	1	25	21	4	-	-	53
13	10	2	1	-	135	82	51	2	-	22	12	10	-	-	31	21	10	-	-	54
44	22	22	-	-	757	364	356	18	19	162	79	77	3	3	137	70	65	2	-	55
-	...	-	...	-	44	...	38	...	6	9	...	8	...	1	6	...	6	...	-	56a
4	...	4	...	-	108	...	84	...	24	25	...	20	...	5	11	...	11	...	-	56b
-	...	-	...	-	5	...	3	...	2	-	...	-	...	-	-	...	-	...	-	56c
2	1	1	-	-	88	39	47	2	-	10	6	3	1	-	16	8	8	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	1	...	-	...	1
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	1	...	-	...	1
57d,e	Tumors of other and unspecified organs (nature unspecified)	216	121	84	6	5	35	10	10	[illegible]	10
	III.—Rheumatism, diseases of nutrition, etc.*	6,308	2,090	4,000	68	150	789	255	293	102	139
58a-d	Acute rheumatic heart diseases	156	71	71	11	3	35	13	10	7	5
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	20	10	9	-	1	25	7	9	4	5
59	Chronic rheumatism and other rheumatic diseases	162	61	97	-	4	42	13	19	3	7
60	Gout	2	1	1	-	-	-	-	-	-	-
61	Diabetes mellitus	5,352	1,759	3,421	51	121	455	157	160	58	80
62	Diseases of pituitary gland	16	6	10	-	-	3	1	2	-	-
63a	Simple goiter	21	8	12	1	-	4	-	2	-	2
63b	Exophthalmic goiter	303	47	241	2	13	30	5	13	2	10
63c-e	Other diseases of thyroid and parathyroid glands	45	8	36	1	-	11	4	6	-	1
64	Diseases of thymus gland	109	57	47	2	3	26	11	8	5	2
65	Diseases of adrenal glands (not specified as tuberculous)	71	31	38	-	2	2	2	-	-	-
66	Other general diseases	16	9	5	-	2	22	9	5	2	6
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	4	4	-	-	-	1	-	-	1	-
69	Pellagra (except alcoholic)	12	7	4	-	1	116	30	54	11	21
70	Rickets	6	3	3	-	-	7	2	2	3	-
71	Other avitaminoses	12	7	5	-	-	10	1	3	6	-
	IV.—Diseases of the blood and blood-forming organs	1,094	582	470	21	21	174	68	72	20	14
72	Hemorrhagic conditions	41	22	16	2	1	14	5	5	4	-
73a	Pernicious anemia	165	69	94	2	-	40	17	13	5	5
73b-d	Other anemias (except splenic)	95	47	39	2	7	29	10	9	5	5
74a	Leukemias	694	389	278	14	13	81	31	41	5	4
74b	Aleukemias	23	14	9	-	-	1	1	-	-	-
75	Diseases of spleen	51	28	22	1	-	3	2	1	-	-
76	Other diseases of the blood and blood-forming organs	25	13	12	-	-	6	2	3	1	-
	V.—Chronic poisoning and intoxication	367	273	59	25	10	66	38	5	17	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	13	8	2	3	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	329	248	50	22	9	61	35	3	17	6
78	Lead poisoning	10	9	1	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	15	8	6	-	1	4	2	2	-	-
	VI.—Diseases of the nervous system, etc.*	11,529	5,187	5,930	174	238	3,518	1,205	1,012	628	673
80	Encephalitis (nonepidemic)	101	64	28	7	2	54	18	15	9	12
81	Meningitis (not due to meningococcus)	183	106	56	9	12	73	19	20	22	12
82	Diseases of spinal cord (see exceptions)*	294	168	117	6	3	37	17	10	3	7
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	8,336	3,581	4,467	111	177	2,817	973	829	487	528
83b	Cerebral embolism and thrombosis	1,536	722	781	13	20	120	43	50	11	16
83c	Cerebral softening	54	24	25	4	1	10	3	5	1	1
83d	Hemiplegia and other paralysis of unspecified origin	107	48	58	-	1	108	41	28	19	20
84	Mental diseases and deficiency (see exception)*	125	56	61	3	5	78	15	9	24	30
85	Epilepsy	245	139	91	12	3	105	30	15	33	27
86	Convulsions (under 5 years)	12	9	3	-	-	24	8	6	6	4
87	Other diseases of nervous system	390	190	188	2	10	41	14	14	6	7
88	Diseases of organs of vision	3	2	-	1	-	1	-	-	1	-
89a	Otitis and other diseases of the ear	90	51	33	3	3	38	18	8	5	7
89b	Diseases of mastoid process	53	27	22	3	1	12	6	3	1	2
	VII.—Diseases of the circulatory system	57,744	31,265	24,501	997	981	6,262	2,730	1,709	991	832
90-95	Diseases of the heart (all forms)	54,158	29,495	22,811	936	916	5,830	2,575	1,598	899	758
90	Pericarditis (except acute rheumatic)	42	22	16	1	3	9	5	2	1	1
91a,b	Bacterial and other acute or subacute endocarditis	220	125	83	7	5	51	19	15	7	10
91c	Endocarditis (unspecified, under 45 years)	14	7	6	1	-	13	5	2	3	3
92a-d	Chronic endocarditis and diseases of the valves*	3,877	1,792	1,991	45	49	660	209	189	144	118
92e	Endocarditis (unspecified, 45 years and over)	138	73	65	-	-	45	16	8	8	13
93a	Acute myocarditis (except rheumatic)	265	133	123	6	3	72	21	18	18	15
93b	Myocarditis (unspecified, under 45 years)	27	13	11	1	2	25	3	5	5	12
93c,d	Chronic myocarditis and myocardial degeneration	31,522	15,612	14,699	569	642	1,880	777	592	262	249
93e	Other myocarditis (unspecified)	910	505	375	19	11	391	145	103	83	60
94a	Diseases of coronary arteries	14,238	9,764	4,146	212	116	1,317	797	333	120	67
94b	Angina pectoris	247	169	73	4	1	209	116	61	15	17
95a	Functional diseases of heart, etc.*	35	14	21	-	-	15	7	4	-	4
95b,c	Other and unspecified diseases of heart	2,628	1,266	1,202	71	84	1,143	455	266	233	189
96	Aneurysm (except of heart and aorta)	213	124	78	4	7	14	5	4	3	2
97	Arteriosclerosis (except coronary or renal sclerosis)	2,955	1,440	1,430	43	42	296	103	78	63	52
98	Gangrene	21	14	6	1	-	12	2	3	4	3
99	Other diseases of arteries	180	97	71	6	6	30	17	6	3	4
100	Diseases of veins	118	51	61	3	3	11	4	5	2	-
101	Diseases of lymphatic system	8	4	3	-	1	3	1	1	-	1
102	High blood pressure (idiopathic)	89	38	41	4	6	58	23	12	14	9
103	Other diseases of circulatory system	2	2	-	-	-	8	-	2	3	3
	VIII.—Diseases of the respiratory system	6,673	3,611	2,613	277	172	1,930	581	507	491	351
104a	Diseases of nasal fossae	23	12	9	2	-	21	4	5	7	5
104b	Diseases of accessory sinuses	59	39	19	1	-	18	8	3	2	5
105	Diseases of larynx	35	21	13	1	-	19	10	7	-	2
106a	Acute bronchitis	124	64	51	7	2	12	4	4	2	2

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
11	6	4	-	1	77	33	37	4	3	79	43	30	1	5	8	4	4	-	-	57d,e
172	73	99	-	-	2,805	958	1,738	42	67	531	182	262	39	48	404	169	231	2	2	
4	2	2	-	-	47	18	23	2	4	12	4	5	1	2	5	3	2	-	-	58a-d
1	1	-	-	-	26	12	12	1	1	12	4	3	2	3	5	2	3	-	-	58e,f
15	6	9	-	-	123	27	95	-	1	27	8	9	6	4	26	9	17	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
134	56	78	-	-	2,170	796	1,293	33	48	342	125	177	17	23	291	126	162	2	1	61
1	-	1	-	-	7	1	6	-	-	1	-	1	-	-	1	-	1	-	-	62
-	-	-	-	-	9	2	5	-	2	3	1	2	-	-	2	-	2	-	-	63a
7	1	6	-	-	264	34	219	3	8	28	2	20	2	4	40	12	27	-	1	63b
1	-	1	-	-	20	7	13	-	-	-	-	-	-	-	5	3	2	-	-	63c-e
6	5	1	-	-	71	34	33	3	1	24	14	8	1	1	14	7	7	-	-	64
2	1	1	-	-	28	8	20	-	-	3	2	1	-	-	3	-	3	-	-	65
-	-	-	-	-	12	5	7	-	-	10	3	4	1	2	4	1	3	-	-	66
-	-	-	-	-	2	2	-	-	-	2	-	2	-	-	1	-	1	-	-	67
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	15	6	8	-	1	62	18	30	5	9	5	4	1	-	-	69
1	1	-	-	-	4	2	1	-	1	5	1	-	4	-	1	1	-	-	-	70
-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	71
50	31	17	2	-	592	310	261	9	12	131	73	47	4	7	96	45	49	1	1	
1	-	1	-	-	35	13	21	-	1	10	9	-	1	-	3	1	1	-	1	72
10	4	6	-	-	145	71	72	1	1	30	15	13	-	2	29	13	16	-	-	73a
5	2	3	-	-	71	39	28	2	2	18	7	8	-	3	10	4	6	-	-	73b-d
31	23	6	2	-	287	160	113	6	8	55	31	21	2	1	46	22	23	1	-	74a
-	-	-	-	-	13	5	8	-	-	1	1	-	-	-	5	2	3	-	-	74b
1	-	1	-	-	34	20	14	-	-	10	7	3	-	-	2	2	-	-	-	75
2	2	-	-	-	7	2	5	-	-	7	3	2	1	1	1	1	-	-	-	76
9	9	-	-	-	105	92	7	4	2	25	17	3	5	-	32	27	5	-	-	
-	-	-	-	-	3	3	-	-	-	2	-	1	1	-	1	-	1	-	-	77a,b
9	9	-	-	-	92	81	5	4	2	18	14	-	4	-	29	26	3	-	-	77c-e
-	-	-	-	-	7	7	-	-	-	3	3	-	-	-	-	-	-	-	-	78
-	-	-	-	-	3	1	2	-	-	2	-	2	-	-	2	1	1	-	-	79
547	305	240	1	1	8,656	4,109	4,009	246	292	2,211	1,042	917	124	128	1,426	739	663	18	6	
8	4	4	-	-	78	48	27	3	-	25	10	11	3	1	12	8	2	-	2	80
8	5	3	-	-	106	50	38	10	8	32	23	7	2	-	14	10	3	1	-	81
13	10	3	-	-	179	90	79	3	7	28	13	10	4	1	23	12	10	1	-	82
432	237	194	-	1	7,001	3,262	3,296	197	246	1,667	776	710	89	92	1,102	565	521	14	2	83a
27	12	15	-	-	539	260	247	16	16	43	26	16	-	1	115	62	51	1	1	83b
1	1	-	-	-	61	32	27	1	1	4	2	2	-	-	9	5	4	-	-	83c
15	7	7	1	-	112	50	55	5	2	221	95	85	19	22	41	21	20	-	-	83d
6	4	2	-	-	71	32	35	1	3	47	17	23	3	4	25	5	18	1	1	84
5	3	2	-	-	142	84	51	6	1	44	26	15	2	1	26	16	10	-	-	85
10	8	2	-	-	12	4	8	-	-	11	3	4	1	3	2	-	2	-	-	86
12	9	3	-	-	278	155	117	4	2	61	33	26	-	2	45	25	20	-	-	87
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	88
6	3	3	-	-	52	31	17	-	4	18	10	7	-	1	9	7	2	-	-	89a
3	1	2	-	-	25	11	12	-	2	8	6	1	1	-	3	3	-	-	-	89b
1,303	813	463	13	14	24,562	13,411	9,879	733	539	4,503	2,628	1,442	244	189	3,878	2,547	1,294	26	11	
1,191	739	426	12	14	22,680	12,445	9,052	682	501	4,141	2,434	1,305	232	170	3,534	2,351	1,153	20	10	90-95
1	1	-	-	-	27	10	13	2	2	12	8	2	1	1	4	3	1	-	-	90
14	6	8	-	-	107	56	44	4	3	36	17	16	2	1	17	9	7	-	1	91a,b
-	-	-	-	-	25	10	11	1	3	8	5	2	-	1	1	-	1	-	-	91c
157	83	69	2	3	2,397	1,161	1,093	75	68	424	204	152	42	26	410	236	169	4	1	92a-d
13	11	2	-	-	227	107	102	12	6	60	35	20	3	2	18	10	8	-	-	92e
13	7	6	-	-	262	127	112	10	13	45	25	16	3	1	17	11	6	-	-	93a
1	1	-	-	-	37	20	13	4	-	14	6	8	-	-	-	-	-	-	-	93b
452	265	173	6	8	9,156	4,462	4,205	266	223	1,104	611	404	51	38	1,188	704	472	7	5	93c,d
73	46	26	1	-	1,219	602	528	45	44	330	178	116	23	13	128	84	43	1	-	93e
321	231	89	1	-	6,542	4,352	1,938	168	84	1,172	833	283	37	19	1,399	1,080	313	3	3	94a
20	15	5	-	-	466	314	144	6	2	164	106	50	5	3	93	63	29	1	-	94b
12	7	5	-	-	83	42	38	1	2	54	32	18	4	-	9	7	2	-	-	95a
114	66	43	2	3	2,132	1,182	911	88	51	718	374	218	61	65	250	144	102	4	-	95b,c
2	1	1	-	-	86	50	22	9	5	8	5	3	-	-	18	9	9	-	-	96
72	51	21	-	-	1,534	792	683	34	25	247	141	95	6	5	264	151	109	4	-	97
5	3	2	-	-	44	25	17	1	1	18	5	6	3	4	7	4	3	-	-	98
15	8	7	-	-	117	64	49	1	3	39	24	12	1	2	19	11	8	-	-	99
5	2	3	-	-	47	13	29	2	3	4	-	3	-	1	15	12	3	-	-	100
-	-	-	-	-	6	2	3	1	-	-	-	-	-	-	4	1	2	-	1	101
12	9	2	1	-	42	15	23	3	1	42	18	17	1	6	15	8	6	1	-	102
1	-	1	-	-	6	5	1	-	-	4	1	1	1	1	2	-	1	1	-	103
303	159	117	15	12	4,135	2,172	1,588	226	149	1,256	593	440	128	100	758	519	219	14	6	
4	3	-	1	-	7	5	2	-	-	2	-	2	-	-	-	-	-	-	-	104a
2	-	1	-	1	32	16	10	3	3	13	9	3	1	-	3	2	1	-	-	104b
-	-	-	-	-	16	10	6	-	-	13	3	7	1	2	5	3	2	-	-	105
-	-	-	-	-	68	30	33	2	3	11	6	3	2	-	5	5	-	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	175	118	50	4	3	32	10	18	1	3
106c	Bronchitis (unspecified)	59	29	27	2	1	20	10	3	6	1
107	Bronchopneumonia (including capillary bronchitis)	2,570	1,284	1,123	90	73	788	237	207	192	152
108	Lobar pneumonia	2,797	1,559	1,025	137	76	589	181	157	151	100
109	Pneumonia (unspecified)	126	74	49	3	-	240	54	40	87	59
110	Pleurisy (not specified as tuberculous)	173	103	55	10	5	28	5	12	8	3
111a	Hemorrhagic infarction and thrombosis of lungs	98	46	48	3	1	10	3	3	3	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	80	32	45	1	2	51	20	19	6	6
112	Asthma	160	97	55	3	5	53	13	21	9	10
113	Pulmonary emphysema	23	16	6	-	1	4	2	1	1	-
114	Other diseases of respiratory system (except tuberculosis)	171	117	38	13	3	45	20	7	16	2
	IX.—Diseases of the digestive system	7,163	4,134	2,760	151	118	1,566	537	390	341	298
115a,b,d	Diseases of buccal cavity and adnexa	81	40	34	5	2	55	21	15	10	9
115c	Diseases of pharynx and tonsils	107	54	42	9	2	36	14	11	7	4
116	Diseases of esophagus	21	12	9	-	-	3	2	1	-	-
117a	Ulcer of stomach	789	653	109	25	2	118	76	7	28	7
117b	Ulcer of duodenum	366	307	47	8	4	35	27	5	2	1
118	Other diseases of stomach (except cancer)	65	34	31	-	-	53	8	14	19	12
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	415	227	162	15	11	446	103	96	115	132
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	187	95	89	2	1	76	17	24	18	17
121	Appendicitis	818	458	320	21	19	212	87	52	45	28
122a	Hernia	646	352	277	14	3	49	20	12	15	2
122b	Intestinal obstruction	599	271	294	12	22	156	38	46	33	39
123	Other diseases of intestines	203	119	81	-	3	29	13	4	7	5
124a	Cirrhosis of liver (with mention of alcoholism)	297	201	81	9	6	4	3	1	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	1,429	865	526	20	18	126	67	30	16	13
125a	Acute yellow atrophy of liver (nonpuerperal)	55	22	28	1	4	11	2	4	2	3
125b	Other diseases of liver	69	32	30	2	5	27	5	8	7	7
126	Biliary calculi	535	175	352	3	5	39	10	24	3	2
127	Other diseases of gallbladder and biliary ducts	280	114	160	-	6	46	12	24	2	8
128	Diseases of pancreas (except diabetes mellitus)	104	59	41	3	1	16	8	5	3	-
129	Peritonitis (cause not stated)	97	44	47	2	4	29	4	7	9	9
	X.—Diseases of the genito-urinary system	9,214	4,750	3,983	217	264	3,265	1,087	844	710	624
130	Acute nephritis	86	41	35	4	6	134	28	39	44	23
131a	Arteriosclerotic kidney	5,550	2,566	2,689	121	174	2,025	677	564	389	395
131b	Other chronic nephritis	1,814	882	845	45	42	661	211	159	166	125
132	Nephritis unspecified (10 years and over)	155	79	66	5	5	163	54	29	51	29
133	Other diseases of kidneys and ureters, etc.*	331	166	152	7	6	70	20	24	10	16
134	Calculi of urinary passages	212	126	78	4	4	29	16	10	-	3
135	Diseases of urinary bladder	54	28	23	3	-	9	7	1	1	-
136	Diseases of urethra (except calculus)	24	19	1	4	-	10	4	-	6	-
137	Diseases of prostate	864	841	...	23	...	112	69	...	43	...
138	Diseases of other male genital organs (except venereal)	3	2	...	1	...	1	1	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	85	...	61	...	24	31	...	6	...	25
139b	Diseases of uterus	33	...	31	...	2	19	...	12	...	7
139c	Diseases of other and unspecified female genital organs	3	...	2	...	1	1	...	-	...	1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	545	...	481	...	64	307	...	175	...	132
140	Abortion with mention of infection	90	...	61	...	29	27	...	19	...	8
140a,b	Abortion (septic), spontaneous or therapeutic *	73	...	48	...	25	25	...	18	...	7
140c,d	Abortion (septic), self-induced or nontherapeutic *	17	...	13	...	4	2	...	1	...	1
141	Abortion without mention of infection	18	...	13	...	5	13	...	7	...	6
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	2	...	1	...	1	3	...	-	...	3
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	14	...	11	...	3	10	...	7	...	3
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	2	...	1	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	5	...	3	...	2	4	...	2	...	2
142b	Ectopic gestation, without mention of infection	24	...	21	...	3	6	...	1	...	5
143a	Placenta praevia (death before delivery)	1	...	1	...	-	1	...	1	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	6	...	4	...	2	4	...	1	...	3
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	12	...	11	...	1	50	...	29	...	21
144c,d	Other toxemias of pregnancy (death before delivery) *	8	...	7	...	1	16	...	10	...	6
145	Other diseases and accidents of pregnancy (death before delivery)	19	...	16	...	3	13	...	8	...	5
	A. With mention of infection	14	...	12	...	2	7	...	6	...	1
	B. Without mention of infection	5	...	4	...	1	6	...	2	...	4
146a	Placenta praevia (with childbirth)	15	...	15	...	-	10	...	9	...	1
146b,c	Other hemorrhages of childbirth and puerperium	70	...	66	...	4	35	...	19	...	16
147a,b	Puerperal pyelitis, other general or local puerperal infection *	65	...	61	...	4	32	...	15	...	17
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	64	...	62	...	2	25	...	21	...	4
148a,b	Puerperal eclampsia and nephritis *	48	...	47	...	1	34	...	17	...	17
148c,d	Other puerperal toxemias	14	...	14	...	-	8	...	3	...	5
149	Other accidents and specified conditions of childbirth	68	...	63	...	5	10	...	5	...	5
150	Other and unspecified conditions of childbirth and puerperium	18	...	16	...	2	19	...	8	...	11
	XII.—Diseases of the skin and cellular tissue	127	56	68	-	3	65	28	15	8	14
151	Carbuncle and furuncle	12	10	2	-	-	13	6	1	1	5
152	Phlegmon and acute abscess	29	22	7	-	-	16	8	4	2	2
153	Other diseases of skin and cellular tissue	86	24	59	-	3	36	14	10	5	7
	XIII.—Diseases of the bones, etc. *	85	46	36	1	2	22	10	2	9	1
154	Osteomyelitis and periostitis	34	20	12	1	1	12	6	1	5	-
155	Other diseases of bones (except tuberculosis)	17	10	7	-	-	2	-	1	1	-
156	Diseases of joints and other organs of movement	34	16	17	-	1	8	4	-	3	1
157	XIV.—Congenital malformations	1,529	767	702	30	30	377	170	146	39	22

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
13	4	8	1	-	103	59	38	5	1	35	16	16	2	2	12	6	6	-	-	106b
4	1	2	1	-	41	19	19	1	2	13	6	6	-	1	4	1	3	-	-	106c
102	55	37	4	6	1,714	861	707	90	56	361	183	121	30	27	327	223	98	3	3	107
103	61	32	6	4	1,535	826	550	92	67	335	152	107	44	32	244	176	62	5	1	108
23	12	9	1	1	97	48	40	3	6	307	139	107	33	28	41	28	9	2	2	109
6	3	3	-	-	120	76	34	7	3	18	9	5	2	2	21	13	7	1	-	110
13	5	8	-	-	66	34	25	5	2	14	6	7	1	-	12	9	3	-	-	111a
15	4	11	-	-	95	40	51	4	-	61	28	29	3	1	33	18	13	2	-	111b,c
13	8	5	-	-	134	68	57	5	4	43	19	20	1	3	36	24	11	1	-	112
1	1	-	-	-	15	9	5	1	-	2	1	-	-	1	1	1	-	-	-	113
4	2	1	1	-	92	71	11	8	2	28	16	8	3	1	14	10	4	-	-	114
249	143	97	4	5	3,777	2,083	1,471	124	99	1,082	533	387	79	63	500	325	167	8	-	
4	3	1	-	-	86	40	41	2	3	25	9	12	2	2	6	2	4	-	-	115a,b,d
9	5	4	-	-	71	37	27	5	2	26	13	10	2	1	6	2	4	-	-	115c
-	-	-	-	-	12	5	6	1	-	2	-	2	-	-	2	2	-	-	-	116
19	16	3	-	-	323	250	57	12	4	100	75	20	2	3	73	61	9	3	-	117a
10	8	2	-	-	139	109	20	10	-	31	24	5	1	1	48	39	4	-	-	117b
3	2	1	-	-	51	27	16	5	3	79	34	30	5	10	13	9	4	-	-	118
30	14	15	1	-	437	222	170	20	25	120	49	44	15	12	15	5	7	3	-	119
6	3	3	-	-	154	72	71	4	7	59	21	27	4	7	17	12	5	-	-	120
38	24	11	2	1	427	244	169	6	8	197	105	67	13	12	62	43	17	2	-	121
22	12	10	-	-	278	153	104	17	4	39	19	14	6	-	40	24	16	-	-	122a
30	19	10	-	1	367	171	170	11	15	130	47	57	13	13	45	30	15	-	-	122b
6	5	1	-	-	98	57	32	5	4	28	12	14	-	2	13	6	7	-	-	123
1	1	-	-	-	67	53	12	-	2	5	4	-	1	-	14	12	2	-	-	124a
23	15	7	-	1	647	403	223	17	4	102	62	27	8	5	67	42	25	-	-	124b
3	3	-	-	-	35	16	15	2	2	2	1	1	-	-	5	1	4	-	-	125a
3	3	-	-	-	53	24	24	2	3	16	5	3	2	6	5	3	2	-	-	125b
19	4	14	-	1	253	75	175	-	3	39	16	21	1	1	26	10	16	-	-	126
12	4	6	1	1	188	80	102	2	4	64	31	23	3	7	26	9	17	-	-	127
4	1	3	-	-	35	21	12	1	1	2	1	1	-	-	12	7	5	-	-	128
7	1	6	-	-	56	24	25	2	5	16	5	9	1	1	10	6	4	-	-	129
338	204	125	1	8	6,357	3,330	2,587	235	205	1,465	728	483	163	91	1,367	817	524	16	10	
8	3	5	-	-	152	71	63	11	7	52	24	19	4	5	20	11	9	-	-	130
169	88	78	-	3	3,750	1,817	1,672	135	136	624	322	203	63	36	978	575	385	11	7	131a
69	42	24	1	2	1,332	715	538	43	36	343	157	116	43	27	178	100	77	-	1	131b
29	19	10	-	-	149	77	56	11	5	193	81	78	25	9	32	22	9	1	-	132
13	7	5	-	1	187	74	96	8	9	54	17	28	4	5	43	16	24	2	1	133
9	8	1	-	-	98	64	30	3	1	24	16	5	2	1	13	9	4	-	-	134
2	2	-	-	-	42	27	15	-	-	23	11	5	5	2	4	1	2	-	1	135
1	-	1	-	-	24	18	1	5	-	6	5	-	1	-	2	2	-	-	-	136
35	35	...	-	...	484	466	...	18	...	111	95	...	16	...	82	80	...	2	...	137
-	-	...	-	...	2	1	...	1	...	-	-	...	-	...	1	1	...	-	...	138
3	...	1	...	2	76	...	67	...	9	22	...	19	...	3	7	...	7	...	-	139a
-	...	-	...	-	48	...	46	...	2	12	...	10	...	2	6	...	6	...	-	139b
-	...	-	...	-	3	...	3	...	-	1	...	-	...	1	1	...	1	...	-	139c
29	...	28	...	1	300	...	266	...	34	142	...	111	...	31	38	...	37	...	1	
3	...	3	...	-	54	...	50	...	4	18	...	16	...	2	2	...	2	...	-	140
2	...	2	...	-	40	...	37	...	3	17	...	15	...	2	1	...	1	...	-	140a,b
1	...	1	...	-	14	...	13	...	1	1	...	1	...	-	1	...	1	...	-	140c,d
-	...	-	...	-	7	...	6	...	1	6	...	5	...	1	5	...	5	...	-	141
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	1	...	1	...	-	141a,c
-	...	-	...	-	4	...	3	...	1	5	...	4	...	1	3	...	3	...	-	141b,d
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	141e,f
1	...	1	...	-	7	...	5	...	2	-	...	-	...	-	-	...	-	...	-	142a
-	...	-	...	-	15	...	12	...	3	5	...	5	...	-	2	...	2	...	-	142b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	143a
-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	143b,c
4	...	4	...	-	9	...	7	...	2	8	...	8	...	-	3	...	3	...	-	144a,b
-	...	-	...	-	4	...	4	...	-	5	...	2	...	3	1	...	1	...	-	144c,d
3	...	3	...	-	10	...	9	...	1	6	...	4	...	2	3	...	3	...	-	145
2	...	2	...	-	7	...	6	...	1	5	...	3	...	2	3	...	3	...	-	
1	...	1	...	-	3	...	3	...	-	1	...	1	...	-	-	...	-	...	-	
1	...	1	...	-	12	...	11	...	1	6	...	5	...	1	1	...	1	...	-	146a
5	...	4	...	1	26	...	25	...	1	11	...	9	...	2	7	...	7	...	-	146b,c
2	...	2	...	-	32	...	27	...	5	16	...	8	...	8	4	...	3	...	1	147a,b
5	...	5	...	-	35	...	32	...	3	13	...	12	...	1	3	...	3	...	-	147c,d
1	...	1	...	-	33	...	31	...	2	25	...	20	...	5	3	...	3	...	-	148a,b
-	...	-	...	-	9	...	8	...	1	3	...	2	...	1	1	...	1	...	-	148c,d
3	...	3	...	-	33	...	28	...	5	9	...	8	...	1	3	...	3	...	-	149
1	...	1	...	-	13	...	11	...	2	9	...	7	...	2	-	...	-	...	-	150
4	2	2	-	-	68	35	29	2	2	16	6	6	4	-	9	6	3	-	-	
1	-	1	-	-	10	5	5	-	-	5	3	2	-	-	-	-	-	-	-	151
-	-	-	-	-	10	7	3	-	-	2	-	-	2	-	3	3	-	-	-	152
3	2	1	-	-	48	23	21	2	2	9	3	4	2	-	6	3	3	-	-	153
4	2	2	-	-	46	26	16	3	1	22	13	9	-	-	5	1	4	-	-	
1	1	-	-	-	28	17	8	2	1	11	7	4	-	-	1	-	1	-	-	154
1	-	1	-	-	6	1	4	1	-	2	1	1	-	-	3	-	3	-	-	155
2	1	1	-	-	12	8	4	-	-	9	5	4	-	-	1	1	-	-	-	156
61	31	29	-	1	886	462	387	15	22	222	94	106	13	9	129	75	54	-	-	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	4,427	2,402	1,672	205	148	1,890	819	452	325	294
158	Congenital debility (cause not stated)	50	28	18	2	2	128	36	24	39	29
159	Premature birth (cause not stated)	2,635	1,356	1,032	144	103	1,285	548	312	215	210
160a	Intracranial or spinal hemorrhage	549	309	209	20	11	147	87	31	15	14
160b,c	Other injuries at birth	595	355	206	19	15	134	67	34	24	9
161	Other diseases peculiar to the first year of life	598	354	207	20	17	196	81	51	32	32
162	XVI.—Senility	191	72	118	1	-	300	70	111	52	67
	XVII.—Violent or accidental deaths	10,646	6,749	3,308	443	146	2,812	1,388	465	717	242
163,164	Suicide	1,878	1,268	564	35	11	245	165	56	17	7
163	Suicide by poisoning	700	378	302	12	8	36	13	20	1	2
	Suicide by solid or liquid poisons	177	93	80	2	2	26	9	14	1	2
	Suicide by poisonous gases	523	285	222	10	6	10	4	6	-	-
164a	Suicide by hanging or strangulation	498	395	99	3	1	21	16	5	-	-
164b	Suicide by drowning	92	48	44	-	-	13	6	6	1	-
164c	Suicide by firearms and explosives	327	292	30	5	-	152	115	20	13	4
164d	Suicide by cutting or piercing instruments	74	58	12	4	-	12	8	2	1	1
164e	Suicide by jumping from high places	158	79	69	8	2	4	3	1	-	-
164f	Suicide by crushing	20	15	4	1	-	2	2	-	-	-
164g	Suicide by other or unspecified means	9	3	4	2	-	5	2	2	1	-
165-168	Homicide [1]	369	171	65	101	32	362	87	27	195	53
166	Homicide by firearms	117	67	18	28	4	233	53	21	129	30
167	Homicide by cutting or piercing instruments	103	26	9	51	17	91	15	1	54	21
168	Homicide by other means	149	78	38	22	11	38	19	5	12	2
169-195	Accidental deaths	8,345	5,265	2,679	298	103	2,172	1,108	382	500	182
169	Railway accidents (except collisions with motor vehicles)	212	187	19	5	1	96	43	4	42	7
170a	Collisions between automobiles and trains	76	57	18	1	-	29	17	-	9	3
170b	Collisions between automobiles and streetcars	3	3	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,120	1,592	428	73	27	785	466	105	176	38
170d	Motorcycle accidents (except collisions with automobiles)	26	21	4	1	-	13	13	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	140	103	30	7	-	1	1	-	-	-
171b	Other and unspecified road-transport accidents	20	16	4	-	-	10	5	1	4	-
172	Water-transport accidents	91	80	7	4	-	37	26	4	7	-
173	Air-transport accidents	125	121	2	2	-	35	35	-	-	-
174	Accidents in mines and quarries	22	21	-	1	-	3	2	-	1	-
175a	Accidents involving agricultural machinery and vehicles	56	51	5	-	-	13	8	-	3	2
175b,c	Other agricultural accidents, including injury by animals	58	55	2	1	-	13	5	1	7	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	2	1	-	1	-
175e	Other forestry accidents	5	4	1	-	-	10	4	-	6	-
176	Other accidents involving machinery	93	77	8	7	1	28	23	-	5	-
177	Food poisoning	8	6	2	-	-	19	4	3	7	5
178	Accidental absorption of poisonous gas	345	210	118	8	9	8	4	2	1	1
179	Acute accidental poisoning by solids or liquids	89	43	40	3	3	40	12	9	10	9
180	Conflagration	200	91	81	13	15	63	25	11	18	9
181	Accidental burns (except conflagration)	332	160	153	10	9	171	45	45	42	39
182	Accidental mechanical suffocation	123	69	41	8	5	80	26	22	16	16
183	Accidental drowning	536	432	52	50	2	131	68	16	44	3
184	Accidental injury by firearms	64	57	4	3	-	90	48	7	26	9
185	Accidental injury by cutting or piercing instruments	15	7	4	3	1	12	1	1	6	4
186a	Accidental injury by fall	2,881	1,293	1,505	61	22	268	115	121	18	14
186b	Accidental injury by crushing	39	36	3	-	-	13	8	1	4	-
187	Cataclysm, etc.*	6	5	1	-	-	16	12	-	4	-
188	Injury by animals (except in agriculture and forestry)	13	9	4	-	-	7	1	3	3	-
189	Hunger or thirst	-	-	-	-	-	2	2	-	-	-
190	Excessive cold	19	16	2	1	-	8	6	-	1	1
191	Excessive heat	13	12	-	1	-	17	9	-	3	5
192	Lightning	9	8	1	-	-	17	6	3	5	3
193	Accidents due to electric currents (except lightning)	54	50	2	1	1	25	21	1	2	1
194	Poisoning by venomous animals (except in agriculture and forestry)	5	3	2	-	-	2	-	-	1	1
195a,b	Accidents due to medical or surgical intervention	1	1	-	-	-	2	-	-	-	2
195d	Obstruction, suffocation, or puncture by ingested objects	80	41	33	5	1	22	10	5	3	4
195c,e	Other and unspecified accidents	465	327	103	29	6	84	36	17	25	6
196	Deaths of military personnel during operations of war	4	4	-	-	-	4	4	-	-	-
197	Deaths of civilians due to operations of war	32	29	-	3	-	22	21	-	1	-
198	Legal executions	18	12	-	6	-	7	3	-	4	-
	XVIII.—Ill-defined and unknown causes	189	110	61	10	8	1,050	331	215	277	227
199	Sudden death	6	5	1	-	-	167	67	39	37	24
200a	Ill-defined	110	58	40	7	5	280	100	56	60	64
200b	Found dead (cause unknown)	13	9	4	-	-	90	39	19	23	9
200c	Unknown or unspecified	60	38	16	3	3	513	125	101	157	130

* Refer to complete International List titles, table VII, Part I.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
264	158	101	4	1	2,748	1,450	1,086	125	67	885	457	334	48	46	371	205	161	4	1	
5	3	-	2	-	88	42	39	5	2	81	42	22	9	8	8	4	4	-	-	158
173	98	75	-	-	1,780	913	709	91	67	571	291	231	28	21	205	109	94	2	-	159
19	12	6	1	-	247	138	95	7	7	49	28	14	2	5	36	26	10	-	-	160a
33	22	10	1	-	322	173	136	8	5	75	38	26	7	4	54	33	21	-	-	160b,c
34	23	10	-	1	311	184	107	14	6	109	58	41	2	8	68	33	32	2	1	161
88	43	40	4	1	569	218	331	9	11	564	254	225	49	36	117	46	66	1	4	162
424	313	107	3	1	6,930	4,464	1,950	396	120	1,830	1,121	462	180	67	1,472	1,100	343	23	6	
66	55	10	1	-	971	734	211	20	6	174	123	38	11	2	230	182	42	5	1	163,164
8	5	3	-	-	206	121	80	3	2	34	17	14	1	2	57	37	19	1	-	163
4	3	1	-	-	127	55	68	2	2	30	15	12	1	2	25	12	12	1	-	
4	2	2	-	-	79	66	12	1	-	4	2	2	-	-	32	25	7	-	-	
22	18	3	1	-	208	157	49	1	1	22	13	7	2	-	31	23	7	1	-	164a
5	3	2	-	-	54	31	19	3	1	2	1	1	-	-	17	12	5	-	-	164b
28	26	2	-	-	414	359	45	10	-	103	82	15	6	-	102	94	5	3	-	164c
1	1	-	-	-	35	26	8	-	1	8	6	1	1	-	14	12	2	-	-	164d
-	-	-	-	-	39	29	7	2	1	3	2	-	1	-	6	3	2	-	1	164e
-	-	-	-	-	9	7	1	1	-	2	2	-	-	-	-	-	-	-	-	164f
2	2	-	-	-	6	4	2	-	-	-	-	-	-	-	3	1	2	-	-	164g
8	5	3	-	-	318	106	45	135	32	136	56	18	44	18	33	23	6	3	1	165-168
3	2	1	-	-	178	58	26	79	15	90	34	16	32	8	16	12	4	-	-	165
-	-	-	-	-	72	12	4	43	13	33	12	1	10	10	4	1	1	2	-	167
5	3	2	-	-	68	36	15	13	4	13	10	1	2	-	13	10	1	1	1	168
350	253	94	2	1	5,638	3,621	1,694	241	82	1,519	941	406	125	47	1,207	893	295	15	4	169-195
14	14	-	-	-	223	188	19	12	4	53	40	1	9	3	25	22	1	2	-	169
3	3	-	-	-	174	128	41	3	2	38	28	8	2	-	20	18	2	-	-	170a
-	-	-	-	-	11	8	2	1	-	-	-	-	-	-	2	-	2	-	-	170b
96	75	19	1	1	1,623	1,198	338	65	22	369	258	80	28	3	276	213	56	6	1	170c
-	-	-	-	-	32	31	1	-	-	3	3	-	-	-	2	2	-	-	-	170d
-	-	-	-	-	15	10	4	-	1	2	2	-	-	-	3	2	1	-	-	171a
3	3	-	-	-	14	11	1	2	-	5	2	3	-	-	1	-	1	-	-	171b
1	1	-	-	-	42	31	9	2	-	1	1	-	-	-	13	13	-	-	-	172
3	3	-	-	-	69	65	4	-	-	75	74	-	1	-	30	30	-	-	-	173
3	3	-	-	-	99	91	5	2	1	15	15	-	-	-	11	11	-	-	-	174
27	24	3	-	-	55	53	1	1	-	27	23	2	1	1	13	12	-	1	-	175a
13	13	-	-	-	36	35	1	-	-	27	22	3	2	-	25	22	3	-	-	175b,c
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	11	11	-	-	-	175d
-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	85	85	-	-	-	175e
4	4	-	-	-	94	83	3	8	-	22	21	-	1	-	30	30	-	-	-	176
1	1	-	-	-	21	11	8	-	2	26	12	10	3	1	4	2	2	-	-	177
5	3	2	-	-	93	71	16	4	2	31	14	12	3	2	17	16	1	-	-	178
11	4	6	1	-	64	31	27	3	3	23	10	10	3	-	59	47	11	-	1	179
5	3	2	-	-	144	73	47	17	7	36	16	8	7	5	49	31	18	-	-	180
22	12	10	-	-	241	106	106	15	14	119	41	54	10	14	50	18	32	-	-	181
3	2	1	-	-	88	40	37	6	5	27	12	11	4	-	28	19	8	1	-	182
23	21	2	-	-	272	216	27	28	1	83	57	14	12	-	82	72	6	4	-	183
12	11	1	-	-	108	90	10	8	-	79	62	3	13	1	28	24	3	1	-	184
1	-	1	-	-	17	11	3	2	1	2	2	-	-	-	6	6	-	-	-	185
62	27	35	-	-	1,662	745	867	37	13	220	100	112	5	3	207	97	108	-	2	186a
2	2	-	-	-	34	31	-	3	-	7	4	2	1	-	11	11	-	-	-	186b
-	-	-	-	-	5	5	-	-	-	113	46	51	8	8	-	-	-	-	-	187
4	2	2	-	-	12	11	-	1	-	4	4	-	-	-	2	2	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
4	4	-	-	-	14	9	3	1	1	3	-	-	2	1	1	-	1	-	-	190
-	-	-	-	-	15	7	6	2	-	6	4	-	2	-	20	16	4	-	-	191
7	7	-	-	-	9	6	2	1	-	10	6	3	-	1	1	-	1	-	-	192
1	1	-	-	-	51	49	2	-	-	19	16	2	1	-	14	12	2	-	-	193
-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	-	-	-	-	-	194
-	-	-	-	-	3	3	-	-	-	2	1	1	-	-	-	-	-	-	-	195a,b
3	2	1	-	-	37	23	13	1	-	12	4	5	-	3	22	11	11	-	-	195d
17	8	9	-	-	255	145	91	16	3	56	39	10	6	1	59	38	21	-	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	197
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	198
81	50	20	3	8	447	251	133	37	26	416	218	101	50	47	76	48	25	1	2	
8	7	1	-	-	27	17	9	-	1	6	4	-	1	1	-	-	-	-	-	199
54	38	15	-	1	291	172	75	31	13	230	131	59	19	21	49	33	16	-	-	200a
3	3	-	-	-	11	9	2	-	-	28	20	4	3	1	7	7	-	-	-	200b
16	2	4	3	7	118	53	47	6	12	152	63	38	27	24	20	8	9	1	2	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	110,174	57,173	45,830	3,937	3,234	8,166	4,169	3,800	104	93
	I.—Infectious and parasitic diseases	7,011	3,593	2,014	816	588	430	249	149	17	15
1	Typhoid fever	40	19	15	3	3	-	-	-	-	-
2	Paratyphoid fever	4	3	1	-	-	1	-	1	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	-	3	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	88	54	25	6	3	4	3	1	-	-
7	Anthrax (infection by Bacillus anthracis)	5	5	-	-	-	-	-	-	-	-
8	Scarlet fever	41	28	13	-	-	2	1	1	-	-
9	Whooping cough	161	71	74	9	7	9	3	4	2	-
10	Diphtheria (infection by C. diphtheriae)	21	10	11	-	-	5	2	3	-	-
11	Erysipelas	14	7	7	-	-	-	-	-	-	-
12	Tetanus	32	24	6	2	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	4,187	2,180	1,143	479	385	280	169	93	7	11
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	190	186	-	4	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,691	1,865	1,043	437	346	258	159	84	6	9
14	Tuberculosis of meninges and central nervous system	82	32	26	12	12	6	4	2	-	-
15	Tuberculosis of intestines and peritoneum	73	27	26	6	14	5	1	2	1	1
16	Tuberculosis of vertebral column	54	20	17	12	5	1	1	-	-	-
17a	Tuberculosis of bones (except vertebral column)	2	2	-	-	-	2	2	-	-	-
17b	Tuberculosis of joints (except vertebral column)	10	6	4	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	3	1	1	1	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	12	2	10	-	-	1	-	1	-	-
20	Tuberculosis of genito-urinary system	34	23	8	1	2	2	-	2	-	-
21	Tuberculosis of other organs	17	12	4	1	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	14	3	3	4	4	5	2	2	-	1
22b	Disseminated tuberculosis (other and unspecified)	5	1	1	1	2	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	86	49	32	4	1	1	1	-	-	-
25	Gonococcus infection	28	4	13	1	10	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	24	8	11	2	3	-	-	-	-	-
28	Malaria	5	4	1	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,222	579	218	285	140	76	44	23	5	4
30a	Locomotor ataxia (tabes dorsalis)	56	37	13	3	3	3	2	1	-	-
30b	General paralysis of insane	402	215	54	97	36	16	12	4	-	-
30c	Other syphilis of central nervous system	105	56	20	22	7	3	3	-	-	-
30d	Aneurysm of aorta	191	90	16	59	26	7	4	2	1	-
30e	Other syphilis of circulatory system	117	47	18	39	13	12	10	2	-	-
30f,g	Congenital, other and unspecified forms of syphilis	351	134	97	65	55	35	13	14	4	4
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	16	8	5	1	2	1	1	-	-	-
33a	Influenza, with respiratory complications specified	425	196	195	17	17	14	5	7	2	-
33b	Influenza, without respiratory complications specified	239	128	100	4	7	7	1	5	1	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	48	29	19	-	-	3	1	2	-	-
36	Acute poliomyelitis and acute policencephalitis	24	16	8	-	-	1	1	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	74	42	30	-	2	2	2	-	-	-
37b	Sequelae of encephalitis lethargica	40	20	17	-	3	3	2	1	-	-
38	Other diseases due to filtrable viruses	9	4	5	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	3	2	1	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	-	-	-	-	-
43	Mycoses	11	6	5	-	-	2	2	-	-	-
44	Other infectious and parasitic (communicable) diseases	160	97	55	3	5	19	11	8	-	-
	II.—Cancer and other tumors	13,972	6,385	6,964	307	366	1,144	524	603	11	6
45-55	Cancer and other malignant tumors	13,512	6,183	6,689	301	339	1,111	516	579	11	5
45	Cancer of buccal cavity and pharynx	377	297	71	6	3	37	29	8	-	-
45a-e	Cancer of buccal cavity	275	219	50	3	3	28	22	6	-	-
45f	Cancer of pharynx	102	78	21	3	-	9	7	2	-	-
46	Cancer of digestive organs and peritoneum	6,529	3,403	2,849	160	117	541	277	254	7	3
46a	Cancer of esophagus	274	203	51	13	7	18	13	4	1	-
46b,c	Cancer of stomach and duodenum	2,246	1,319	820	74	33	159	93	65	1	-
46f	Cancer of liver and biliary passages	856	333	499	13	11	53	23	29	1	-
46g	Cancer of pancreas	459	247	191	11	10	41	16	23	1	1
46d,e,h,n	Cancer of other digestive organs and peritoneum	2,694	1,301	1,288	49	56	270	132	133	3	2
47	Cancer of respiratory system	897	691	167	34	5	76	58	17	1	-
48	Cancer of uterus	1,326	...	1,221	...	105	87	...	85	...	2
49	Cancer of other female genital organs	400	...	385	...	15	28	...	28	...	-
50	Cancer of breast	1,305	17	1,230	-	58	118	2	116	-	-
51	Cancer of male genital organs	753	708	...	45	...	63	62	...	1	...
52	Cancer of urinary organs (male and female)	692	424	233	24	11	48	23	25	-	-
53	Cancer of skin (except vulva and scrotum)	220	134	81	3	2	20	11	9	-	-
54	Cancer of central nervous system*	156	88	61	6	1	17	13	4	-	-
55	Cancer of other and unspecified organs	857	421	391	23	22	76	41	33	2	-
56a	Nonmalignant tumors of ovary	73	...	67	...	6	7	...	7	...	-
56b	Nonmalignant tumors of uterus	115	...	97	...	18	15	...	14	...	1
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	111	62	46	2	1	5	2	3	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
18,306	5,012	3,506	5,189	4,649	5,432	2,990	2,058	197	187	27,017	11,221	8,854	3,671	3,271	59,315	28,516	19,727	6,071	5,001	
1,852	336	219	684	613	367	145	99	60	63	3,486	1,176	1,135	645	530	6,848	2,958	2,277	922	691	
44	3	6	16	19	3	2	-	-	1	22	9	7	3	3	88	40	26	12	10	1
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	5	2	2	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	1	-	1	-	1	-	-	4	4	-	-	-	8	6	2	-	-	5
21	8	5	6	2	3	1	1	1	-	16	9	4	1	2	35	22	11	1	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	7
-	-	-	-	-	1	-	1	-	-	13	5	8	-	-	19	12	4	3	-	8
77	9	12	28	28	25	5	4	8	8	70	21	30	7	12	188	65	89	22	12	9
66	24	13	16	13	20	11	6	-	3	42	24	16	1	1	150	70	56	10	14	10
5	3	1	-	1	2	1	1	-	-	8	6	2	-	-	17	5	11	1	-	11
8	2	-	5	1	6	3	3	-	-	23	9	7	7	-	155	84	37	23	11	12
805	136	90	277	302	185	59	39	44	43	2,082	659	700	400	323	3,611	1,548	1,317	389	357	13-22
-	-	-	-	-	3	2	1	-	-	3	3	-	-	-	7	6	-	1	-	13a
753	129	86	257	281	153	45	32	36	40	1,889	594	650	359	286	3,351	1,441	1,229	355	326	13b,c
8	1	-	5	2	7	2	1	2	2	58	23	14	10	11	74	26	35	7	6	14
9	1	-	5	3	6	1	1	3	1	35	6	14	5	10	59	25	21	6	7	15
6	1	-	1	4	2	1	1	-	-	16	8	4	1	3	17	6	6	2	3	16
1	-	-	1	-	1	-	-	1	-	5	3	-	2	-	1	1	-	-	-	17a
2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	17b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	7	3	1	1	2	19
1	-	1	-	-	5	4	1	-	-	11	7	3	-	1	16	10	3	2	1	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	7	3	2	-	2	21
24	3	3	7	11	5	3	1	1	-	62	15	14	22	11	57	20	15	13	9	22a
1	-	-	-	1	1	1	-	-	-	1	-	-	1	-	12	4	5	2	1	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	23
16	7	1	3	5	7	4	3	-	-	33	10	14	6	3	107	42	32	13	20	24
6	1	1	1	3	-	-	-	-	-	24	3	9	-	12	6	-	1	3	2	25
1	-	-	-	1	-	-	-	-	-	7	2	2	2	1	5	4	-	1	-	26
35	6	5	15	9	1	1	-	-	-	77	28	33	12	4	361	187	129	27	18	27
104	11	9	45	39	-	-	-	-	-	31	12	6	5	8	97	37	22	17	21	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
278	32	8	162	76	34	17	6	6	5	381	125	51	127	78	779	318	94	261	106	30
1	1	-	-	-	2	2	-	-	-	6	3	1	2	-	15	9	3	3	-	30a
66	13	2	42	9	6	3	3	-	-	136	43	20	42	31	211	95	20	75	21	30b
27	3	-	19	5	4	3	1	-	-	30	15	3	7	5	71	40	6	20	5	30c
41	7	1	27	6	3	2	1	-	-	37	13	3	16	5	115	55	7	43	10	30d
17	2	-	10	5	2	2	-	-	-	17	4	2	6	5	68	18	4	35	11	30e
126	6	5	64	51	17	5	1	6	5	155	47	22	54	32	299	101	54	85	59	30f,g
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	31
5	3	1	-	1	1	-	1	-	-	10	2	3	2	3	8	4	1	2	1	32
203	38	35	67	63	20	11	7	-	2	317	113	121	38	45	488	188	189	58	53	33a
78	19	11	19	29	32	16	15	1	-	175	64	66	22	23	343	128	129	47	39	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
33	13	6	8	6	2	-	1	-	1	36	15	17	1	3	109	46	44	7	12	35
11	4	1	3	3	2	-	2	-	-	28	11	13	1	3	50	31	15	4	-	36
3	-	3	-	-	4	2	2	-	-	13	6	7	-	-	16	7	7	1	1	37a,c
1	-	1	-	-	1	1	-	-	-	4	2	1	1	-	1	1	-	-	-	37b
1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	10	6	3	1	-	38
14	7	5	1	1	1	1	-	-	-	11	6	3	2	-	59	39	14	1	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
3	-	1	-	2	-	-	-	-	-	2	-	2	-	-	5	1	2	2	-	42
8	2	1	2	3	1	1	-	-	-	11	6	3	1	1	23	15	5	3	-	43
24	7	3	9	5	14	9	5	-	-	41	20	10	6	5	98	48	33	11	6	44
1,241	322	456	168	295	706	356	342	6	2	2,424	880	1,113	147	284	5,755	2,410	2,615	276	454	
1,179	315	436	165	263	686	350	328	6	2	2,315	849	1,078	144	244	5,437	2,299	2,467	261	410	45-55
42	18	8	10	6	14	13	1	-	-	90	56	26	4	4	203	140	51	5	7	45
29	13	5	8	3	11	11	-	-	-	64	38	20	2	4	123	90	28	2	3	45a-e
13	5	3	2	3	3	2	1	-	-	26	18	6	2	-	80	50	23	3	4	45f
452	139	139	93	81	343	186	151	4	2	969	406	424	76	63	2,137	988	901	143	105	46
21	8	5	5	3	5	4	1	-	-	27	14	9	4	-	66	37	15	12	2	46a
184	60	33	52	39	145	84	58	3	-	377	157	163	37	20	767	383	277	65	42	46b,c
63	17	24	11	11	51	19	32	-	-	187	72	89	12	14	420	185	195	23	17	46f
46	19	17	6	4	22	14	7	-	1	61	36	20	4	1	191	99	82	7	3	46g
138	35	60	19	24	120	65	53	1	1	317	127	143	19	28	693	284	332	36	41	46d,e,h,m
61	31	9	16	5	34	23	10	1	-	108	72	25	10	1	362	249	89	15	9	47
222	...	126	...	96	47	...	47	...	-	360	...	257	...	103	658	...	508	...	150	48
21	...	17	...	4	22	...	22	...	-	54	...	46	...	8	128	...	115	...	13	49
115	-	67	1	47	66	1	65	-	-	199	5	162	1	31	409	6	343	-	60	50
54	28	...	26	...	55	55	...	-	...	154	118	...	36	...	341	297	...	44	...	51
48	19	19	5	5	26	16	10	-	-	77	35	29	5	8	218	124	70	11	13	52
38	21	9	5	3	20	17	3	-	-	68	37	28	-	3	198	133	59	5	1	53
25	15	7	2	1	16	12	4	-	-	47	30	15	1	1	84	48	32	3	1	54
101	44	35	7	15	43	27	15	1	-	189	90	66	11	22	699	314	299	35	51	55
7	...	4	...	3	6	...	6	...	-	7	...	2	...	5	18	...	16	...	2	56a
24	...	8	...	16	1	...	1	...	-	35	...	11	...	24	47	...	28	...	19	56b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	56c
13	2	6	-	5	7	2	5	-	-	21	8	8	1	4	29	14	12	2	1	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	158	90	62	4	2	6	6	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	4,282	1,378	2,706	63	135	326	103	217	2	4
58a-d	Acute rheumatic heart diseases	110	44	55	5	6	5	2	3	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	36	16	18	2	-	1	1	-	-	-
59	Chronic rheumatism and other rheumatic diseases	147	49	90	4	4	9	5	3	1	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,398	1,065	2,189	39	105	284	88	192	1	3
62	Diseases of pituitary gland	14	5	8	1	-	1	-	1	-	-
63a	Simple goiter	21	7	14	-	-	2	-	2	-	-
63b	Exophthalmic goiter	272	47	215	1	9	8	2	6	-	-
63c-e	Other diseases of thyroid and parathyroid glands	41	16	25	-	-	2	-	2	-	-
64	Diseases of thymus gland	144	76	52	10	6	5	2	2	-	1
65	Diseases of adrenal glands (not specified as tuberculous)	25	11	13	-	1	4	1	3	-	-
66	Other general diseases	38	20	15	1	2	1	-	1	-	-
67	Scurvy	3	2	1	-	-	-	-	-	-	-
68	Beriberi	2	2	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	10	6	3	-	1	1	-	1	-	-
70	Rickets	11	6	4	-	1	1	1	-	-	-
71	Other avitaminoses	10	6	4	-	-	1	-	1	-	-
	IV.—Diseases of the blood and blood-forming organs	767	391	339	17	20	54	22	31	1	-
72	Hemorrhagic conditions	41	24	14	2	1	2	-	2	-	-
73a	Pernicious anemia	156	77	75	-	4	12	2	10	-	-
73b-d	Other anemias (except splenic)	91	37	49	3	2	6	2	4	-	-
74a	Leukemias	382	207	160	5	10	31	18	13	-	-
74b	Aleukemias	24	10	10	2	2	-	-	-	-	-
75	Diseases of spleen	52	27	19	5	1	1	-	-	1	-
76	Other diseases of the blood and blood-forming organs	21	9	12	-	-	2	-	2	-	-
	V.—Chronic poisoning and intoxication	214	172	22	18	2	16	11	3	2	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	5	3	1	1	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	198	162	18	16	2	15	11	2	2	-
78	Lead poisoning	7	6	-	1	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	4	1	3	-	-	1	-	1	-	-
	VI.—Diseases of the nervous system, etc.*	10,129	4,624	4,965	254	286	808	356	432	11	9
80	Encephalitis (nonepidemic)	88	50	33	4	1	6	2	3	1	-
81	Meningitis (not due to meningococcus)	164	95	52	10	7	5	1	4	-	-
82	Diseases of spinal cord (see exceptions)*	250	131	105	3	11	15	9	6	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	7,340	3,253	3,723	162	202	619	264	340	8	7
83b	Cerebral embolism and thrombosis	1,260	577	599	44	40	113	54	56	1	2
83c	Cerebral softening	39	25	14	-	-	2	1	1	-	-
83d	Hemiplegia and other paralysis of unspecified origin	263	112	133	6	12	6	1	5	-	-
84	Mental diseases and deficiency (see exception)*	89	43	41	2	3	2	2	-	-	-
85	Epilepsy	201	106	81	10	4	9	7	1	1	-
86	Convulsions (under 5 years)	30	18	10	2	-	2	2	-	-	-
87	Other diseases of nervous system	305	164	132	4	5	20	9	11	-	-
88	Diseases of organs of vision	3	1	2	-	-	1	1	-	-	-
89a	Otitis and other diseases of the ear	66	31	30	4	1	5	1	4	-	-
89b	Diseases of mastoid process	31	18	10	3	-	3	2	1	-	-
	VII.—Diseases of the circulatory system	37,989	20,582	15,497	1,007	803	2,962	1,608	1,300	25	29
90-95	Diseases of the heart (all forms)	35,261	19,265	14,287	948	761	2,793	1,528	1,216	24	25
90	Pericarditis (except acute rheumatic)	36	24	11	-	1	2	1	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	250	115	118	13	9	9	6	3	-	-
91c	Endocarditis (unspecified, under 45 years)	19	5	10	2	2	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	3,233	1,580	1,494	89	70	177	80	94	2	1
92e	Endocarditis (unspecified, 45 years and over)	219	104	106	5	4	10	3	7	-	-
93a	Acute myocarditis (except rheumatic)	434	222	185	14	13	14	6	8	-	-
93b	Myocarditis (unspecified, under 45 years)	44	22	13	6	3	5	3	2	-	-
93c,d	Chronic myocarditis and myocardial degeneration	17,299	8,363	7,998	517	421	1,378	636	706	14	17
93e	Other myocarditis (unspecified)	1,534	847	606	37	44	140	106	34	-	-
94a	Diseases of coronary arteries	9,471	6,494	2,674	186	117	921	617	292	6	6
94b	Angina pectoris	374	255	112	4	3	28	19	6	2	1
95a	Functional diseases of heart, etc.*	78	39	36	2	1	4	2	2	-	-
95b,c	Other and unspecified diseases of heart	2,270	1,195	929	73	73	110	49	61	-	-
96	Aneurysm (except of heart and aorta)	143	80	46	9	8	7	4	2	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	2,105	1,068	976	39	22	144	68	73	1	2
98	Gangrene	45	22	19	2	2	4	2	1	-	1
99	Other diseases of arteries	164	86	71	4	3	9	4	5	-	-
100	Diseases of veins	76	18	55	2	1	5	2	3	-	-
101	Diseases of lymphatic system	8	3	5	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	82	36	37	3	6	-	-	-	-	-
103	Other diseases of circulatory system	5	4	1	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	6,133	3,402	2,149	353	229	432	221	194	10	7
104a	Diseases of nasal fossae	7	5	2	-	-	2	2	-	-	-
104b	Diseases of accessory sinuses	42	30	8	4	-	2	2	-	-	-
105	Diseases of larynx	13	6	5	1	1	-	-	-	-	-
106a	Acute bronchitis	89	45	41	-	3	5	2	3	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	57b
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	2	...	1	...	1	57c
18	5	2	3	8	6	4	2	-	-	42	28	12	2	5	217	97	88	13	19	57d,e
438	114	161	58	125	175	78	85	6	6	702	248	326	48	80	1,449	485	693	89	182	
18	4	3	5	6	5	4	1	-	-	33	13	11	5	4	20	3	5	3	9	58a-d
12	2	3	3	4	3	-	3	-	-	23	10	6	3	4	43	14	13	6	10	58e,f
23	7	9	3	4	12	3	6	1	2	52	15	32	-	5	67	22	37	3	5	59
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	60
249	63	94	26	66	130	59	62	5	4	385	154	154	32	45	858	327	403	44	84	61
1	-	-	-	1	1	1	-	-	-	4	1	3	-	-	4	1	2	1	-	62
-	-	-	-	-	-	-	-	-	-	5	-	4	1	-	6	-	4	-	2	63a
11	-	7	-	4	13	2	11	-	-	34	7	21	-	6	81	9	52	2	18	63b
9	2	6	-	1	2	-	2	-	-	8	2	6	-	-	11	3	7	-	1	63c-e
22	15	5	1	1	6	6	-	-	-	4	-	4	-	-	42	20	17	4	1	64
3	1	1	-	1	1	1	-	-	-	2	2	-	-	-	15	10	5	-	-	65
10	4	1	3	2	1	1	-	-	-	31	7	17	2	5	31	12	15	3	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	67
2	-	-	1	1	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	68
95	15	32	15	33	-	-	-	-	-	108	36	60	3	9	251	56	124	20	51	69
2	1	-	1	-	-	-	-	-	-	8	-	3	1	1	7	3	3	1	-	70
1	-	-	-	1	1	1	-	-	-	5	-	4	-	1	11	5	4	2	-	71
83	32	26	16	9	60	31	27	2	-	186	90	69	8	19	423	206	177	23	17	
10	5	4	1	-	4	3	1	-	-	9	3	4	-	2	33	17	13	2	1	72
10	4	2	1	3	11	6	5	-	-	48	24	19	1	4	65	30	29	4	2	73a
16	3	3	5	5	6	3	3	-	-	30	11	14	2	3	75	29	30	5	11	73b-d
37	16	14	6	1	32	16	14	2	-	78	45	22	4	6	224	117	94	10	3	74a
1	-	1	-	-	3	1	2	-	-	6	2	4	-	-	1	-	1	-	-	74b
7	3	1	3	-	3	1	2	-	-	12	4	4	-	4	13	7	5	1	-	75
2	1	1	-	-	1	1	-	-	-	3	-	2	1	-	12	6	5	1	-	76
25	17	2	6	-	8	8	-	-	-	41	34	6	1	-	59	49	5	2	3	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	77a,b
25	17	2	6	-	8	8	-	-	-	39	33	5	1	-	51	43	4	1	3	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	78
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	-	1	-	79
2,101	541	442	555	563	588	302	273	10	3	2,989	1,121	1,020	375	473	5,581	2,389	2,007	556	629	
17	7	5	4	1	13	7	4	1	1	21	7	8	3	3	108	54	43	2	9	80
55	16	9	20	10	11	3	7	-	1	61	28	17	9	7	157	71	48	24	14	81
17	8	3	2	4	18	12	5	1	-	68	35	14	6	13	96	45	35	6	10	82
1,629	421	338	411	459	465	234	226	5	-	2,410	866	851	295	398	4,102	1,739	1,502	407	454	83a
119	39	37	20	23	34	19	15	-	-	79	43	25	6	5	177	82	72	11	12	83b
3	-	2	-	1	2	1	1	-	-	18	8	8	1	1	23	6	14	2	1	83c
122	22	19	52	29	9	6	3	-	-	82	31	17	18	16	426	155	134	54	83	83d
33	7	7	10	9	12	3	8	1	-	74	22	26	15	11	81	29	36	8	8	84
46	9	9	18	10	3	2	1	-	-	54	32	9	8	5	121	58	34	16	13	85
28	2	5	12	9	3	1	1	1	-	18	4	4	6	4	68	31	16	12	9	86
16	6	4	2	4	16	13	2	1	-	74	30	33	4	7	108	59	36	5	8	87
2	-	-	-	2	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	88
12	3	3	4	2	1	1	-	-	-	19	8	6	2	3	81	40	31	4	6	89a
2	1	1	-	-	1	-	-	-	1	10	6	2	2	-	31	20	6	4	1	89b
3,603	1,336	740	904	823	1,469	899	538	19	13	5,890	2,724	1,762	757	647	13,356	7,193	3,961	1,225	977	
3,508	1,236	683	827	762	1,351	820	502	19	10	5,436	2,543	1,612	689	592	12,464	6,768	3,652	1,147	897	90-95
7	2	1	3	1	2	1	-	-	1	24	11	5	1	7	30	14	9	3	4	90
31	6	8	7	10	12	8	4	-	-	34	11	11	5	7	88	28	29	15	16	91a,b
10	-	1	3	6	1	1	-	-	-	4	2	1	-	1	22	6	9	5	2	91c
483	114	80	151	138	153	77	74	2	-	781	310	236	124	111	838	381	277	108	72	92a-d
62	14	14	17	17	20	12	8	-	-	70	21	14	19	16	165	68	49	23	25	92e
55	11	8	16	21	20	10	10	-	-	82	33	12	24	13	165	62	48	26	29	93a
39	7	5	13	14	3	3	-	-	-	26	2	7	6	11	53	17	16	8	12	93b
1,122	357	239	270	256	431	216	203	7	5	1,597	663	550	195	189	3,603	1,740	1,249	338	276	93c,d
283	80	58	80	65	135	80	52	2	1	472	167	152	81	72	1,077	538	322	136	81	93e
703	408	151	80	64	406	306	95	3	2	1,185	774	289	68	54	4,052	2,630	1,064	189	169	94a
170	95	29	25	21	23	21	2	-	-	206	129	54	14	9	434	287	101	31	15	94b
10	2	2	1	5	3	1	2	-	-	25	12	12	1	-	110	65	28	9	8	95a
532	140	87	161	144	142	84	52	5	1	930	408	269	151	102	1,827	932	451	256	188	95b,c
5	1	1	2	1	3	2	1	-	-	11	5	4	-	2	28	17	8	2	1	96
213	82	43	50	38	82	53	27	-	2	279	124	94	35	26	528	258	200	39	31	97
9	3	1	4	1	3	2	1	-	-	17	4	6	1	6	36	15	9	6	6	98
12	5	4	2	1	7	6	1	-	-	22	10	5	6	1	72	37	31	1	3	99
4	1	1	1	1	5	5	-	-	-	14	7	4	1	2	33	15	9	4	5	100
-	-	-	-	-	3	1	1	-	1	3	1	1	1	-	4	2	2	-	-	101
51	8	7	17	19	15	10	5	-	-	96	29	34	17	16	161	66	44	20	31	102
1	-	-	1	-	-	-	-	-	-	12	1	2	7	2	30	15	6	6	3	103
1,274	290	228	406	350	335	163	116	23	33	1,941	689	673	304	275	3,783	1,661	1,370	409	343	
28	-	-	15	13	1	1	-	-	-	10	5	3	1	1	16	6	5	3	2	104a
10	4	1	2	3	1	-	1	-	-	17	4	7	2	4	36	17	12	5	2	104b
6	3	1	1	1	3	1	1	1	-	13	3	2	5	3	24	12	9	-	3	105
7	4	3	-	-	4	3	-	1	-	12	4	4	1	3	40	17	15	4	4	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	161	108	43	11	2	9	5	4	-	-
106c	Bronchitis (unspecified)	50	26	18	3	3	6	4	2	-	-
107	Bronchopneumonia (including capillary bronchitis)	2,265	1,140	907	129	89	181	86	85	5	5
108	Lobar pneumonia	2,434	1,361	814	156	103	184	99	79	4	2
109	Pneumonia (unspecified)	106	66	39	1	-	3	1	2	-	-
110	Pleurisy (not specified as tuberculous)	168	95	54	10	3	18	9	9	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	130	56	62	5	5	8	4	3	1	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	165	89	62	9	5	1	-	1	-	-
112	Asthma	194	110	69	4	11	6	3	3	-	-
113	Pulmonary emphysema	15	12	1	2	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	300	256	22	18	4	7	4	3	-	-
	IX.—Diseases of the digestive system	4,928	2,680	1,991	138	119	397	232	162	3	-
115a,b,d	Diseases of buccal cavity and adnexa	82	40	33	6	3	9	7	2	-	-
115c	Diseases of pharynx and tonsils	62	32	27	2	1	2	2	-	-	-
116	Diseases of esophagus	17	11	5	1	-	2	1	1	-	-
117a	Ulcer of stomach	409	320	59	22	8	30	24	6	-	-
117b	Ulcer of duodenum	178	146	24	6	2	19	15	4	-	-
118	Other diseases of stomach (except cancer)	78	42	31	1	4	5	3	2	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	384	193	162	16	13	71	43	27	1	-
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	174	93	70	4	7	8	3	5	-	-
121	Appendicitis	624	354	250	22	18	32	13	17	2	-
122a	Hernia	437	209	214	8	6	31	22	9	-	-
122b	Intestinal obstruction	445	197	211	15	22	28	13	15	-	-
123	Other diseases of intestines	137	67	63	3	4	12	7	5	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	100	76	17	3	4	13	10	3	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	977	615	338	15	9	72	42	30	-	-
125a	Acute yellow atrophy of liver (nonpuerperal)	47	15	27	1	4	7	1	6	-	-
125b	Other diseases of liver	68	40	25	3	-	9	6	3	-	-
126	Biliary calculi	367	114	249	-	4	24	9	15	-	-
127	Other diseases of gallbladder and biliary ducts	221	79	135	4	3	17	6	11	-	-
128	Diseases of pancreas (except diabetes mellitus)	61	30	26	2	3	4	3	1	-	-
129	Peritonitis (cause not stated)	60	27	25	4	4	2	2	-	-	-
	X.—Diseases of the genito-urinary system	9,805	4,981	4,229	322	323	692	342	331	8	11
130	Acute nephritis	246	116	111	7	12	8	5	3	-	-
131a	Arteriosclerotic kidney	6,198	2,929	2,905	178	186	442	206	224	5	7
131b	Other chronic nephritis	1,932	941	848	64	84	158	75	78	2	3
132	Nephritis unspecified (10 years and over)	313	146	133	17	17	3	2	1	-	-
133	Other diseases of kidneys and ureters, etc.*	232	118	98	15	6	29	17	11	1	-
134	Calculi of urinary passages	119	78	38	1	2	6	3	3	-	-
135	Diseases of urinary bladder	35	18	13	4	-	1	-	1	-	-
136	Diseases of urethra (except calculus)	31	23	1	7	-	2	2	-	-	-
137	Diseases of prostate	587	559	...	28	...	32	32	...	-	...
138	Diseases of other male genital organs (except venereal)	4	3	...	1	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	67	...	54	...	13	6	...	5	...	1
139b	Diseases of uterus	38	...	35	...	3	5	...	5	...	-
139c	Diseases of other and unspecified female genital organs	3	...	3	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	530	...	488	...	42	26	...	26	...	-
140	Abortion with mention of infection	70	...	61	...	9	3	...	3	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	41	...	33	...	8	2	...	2	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	29	...	28	...	1	1	...	1	...	-
141	Abortion without mention of infection	25	...	22	...	3	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	5	...	5	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	17	...	14	...	3	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	3	...	3	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	7	...	7	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	16	...	13	...	3	1	...	1	...	-
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	20	...	19	...	1	3	...	3	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	4	...	4	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	11	...	10	...	1	1	...	1	...	-
	A. With mention of infection	8	...	7	...	1	1	...	1	...	-
	B. Without mention of infection	3	...	3	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	15	...	15	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	58	...	52	...	6	6	...	6	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	87	...	76	...	11	1	...	1	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	64	...	62	...	2	1	...	1	...	-
148a,b	Puerperal eclampsia and nephritis*	63	...	60	...	3	5	...	5	...	-
148c,d	Other puerperal toxemias	18	...	17	...	1	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	40	...	39	...	1	3	...	3	...	-
150	Other and unspecified conditions of childbirth and puerperium	29	...	28	...	1	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	86	37	43	2	4	2	-	2	-	-
151	Carbuncle and furuncle	20	12	7	1	-	1	-	1	-	-
152	Phlegmon and acute abscess	27	11	13	-	3	-	-	-	-	-
153	Other diseases of skin and cellular tissue	39	14	23	1	1	1	-	1	-	-
	XIII.—Diseases of the bones, etc.*	72	44	23	1	4	5	2	3	-	-
154	Osteomyelitis and periostitis	39	25	10	1	3	3	2	1	-	-
155	Other diseases of bones (except tuberculosis)	12	8	4	-	-	2	-	2	-	-
156	Diseases of joints and other organs of movement	21	11	9	-	1	-	-	-	-	-
157	XIV.—Congenital malformations	1,277	688	529	33	27	138	61	76	1	-

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8	3	1	4	-	7	6	1	-	-	37	12	18	3	4	80	52	28	-	-	106b
17	3	2	6	6	6	3	2	-	1	19	4	8	2	5	47	20	23	1	3	106c
461	100	91	143	127	107	49	39	9	10	760	274	290	101	95	1,204	551	472	111	70	107
465	121	86	138	120	125	61	45	6	13	734	263	236	123	112	979	384	347	133	115	108
176	23	17	74	62	25	8	7	4	6	139	46	34	36	23	799	337	263	97	102	109
20	8	2	3	7	5	4	-	-	1	34	16	10	6	2	67	32	15	13	7	110
8	2	4	2	-	13	7	6	-	-	20	6	7	4	3	54	24	16	8	6	111a
21	6	8	2	5	11	8	1	-	2	37	10	19	3	5	203	87	93	14	9	111b,c
23	6	5	9	3	18	8	9	1	-	62	21	23	7	11	147	69	50	12	16	112
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	5	4	1	-	-	113
24	7	7	7	3	9	4	4	1	-	43	19	10	10	4	82	49	21	8	4	114
931	264	170	264	233	273	160	92	12	9	1,392	578	427	206	181	4,031	1,917	1,405	361	348	
33	11	4	8	10	5	4	1	-	-	35	10	14	6	5	89	44	28	8	9	115a,b,d
22	5	4	5	8	8	5	3	-	-	33	13	12	4	4	71	33	19	8	11	115c
1	-	-	1	-	-	-	-	-	-	5	2	1	1	1	11	4	4	2	1	116
68	28	9	23	8	24	20	4	-	-	117	61	19	21	16	241	175	20	31	15	117a
27	19	3	4	1	9	7	1	-	1	32	23	3	5	1	69	52	11	5	1	117b
44	5	2	19	18	7	4	3	-	-	96	25	20	26	25	308	112	74	60	62	118
299	59	34	107	99	23	9	7	3	4	251	101	92	28	30	1,187	591	499	51	46	119
62	11	13	20	18	18	8	9	1	-	78	32	28	4	14	254	93	113	22	26	120
98	39	18	24	17	46	29	14	3	-	184	74	50	36	24	444	213	142	48	41	121
24	8	5	6	5	13	10	3	-	-	70	32	21	14	3	150	79	45	19	7	122a
83	15	17	25	26	31	17	14	-	-	151	48	52	25	26	360	126	142	42	50	122b
17	9	2	3	3	3	2	1	-	-	27	13	5	3	6	58	26	24	8	10	123
21	16	2	3	-	2	2	-	-	-	9	7	1	1	-	16	12	2	1	1	124a
48	20	17	7	4	22	14	6	2	-	134	81	28	19	6	292	188	71	19	14	124b
4	3	-	-	1	1	1	-	-	-	10	3	6	-	1	28	12	12	2	2	125a
13	4	2	1	6	5	-	3	1	1	24	10	5	4	5	63	27	17	11	8	125b
18	4	14	-	-	24	11	10	1	2	48	11	33	1	3	77	24	48	-	5	126
24	5	12	3	4	23	10	11	1	1	50	14	32	3	2	179	60	93	10	16	127
8	3	5	-	-	6	4	2	-	-	11	7	1	1	2	26	15	7	3	1	128
17	-	7	5	5	3	3	-	-	-	27	11	4	5	7	98	31	34	11	22	129
2,131	540	365	663	563	371	226	133	6	6	2,129	895	621	350	263	4,779	2,237	1,389	662	491	
66	14	4	24	24	16	10	6	-	-	66	17	20	14	15	280	87	95	47	51	130
1,341	351	228	412	350	166	99	65	-	2	1,014	412	324	140	138	1,956	934	620	219	183	131a
378	86	70	118	104	100	57	38	3	2	501	182	166	95	58	1,147	517	336	171	123	131b
141	38	19	45	39	19	11	7	1	-	213	82	63	39	29	559	249	156	90	64	132
68	11	15	24	18	15	8	4	2	1	79	35	26	13	5	199	80	77	24	18	133
27	11	10	3	3	13	7	6	-	-	16	8	6	1	1	57	34	21	2	-	134
9	1	-	5	3	-	-	-	-	-	19	7	-	9	3	48	24	10	12	2	135
6	2	1	3	-	1	1	-	-	-	12	5	1	6	-	30	8	-	22	-	136
55	26	...	29	...	33	33	...	-	...	179	146	...	33	...	373	300	...	73	...	137
-	-	...	-	...	-	-	...	-	...	1	1	...	-	...	6	4	...	2	...	138
26	...	10	...	16	5	...	5	...	-	18	...	8	...	10	75	...	41	...	34	139a
13	...	7	...	6	3	...	2	...	1	9	...	6	...	3	48	...	33	...	15	139b
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	1	...	-	...	1	139c
260	...	97	...	163	25	...	23	...	2	197	...	144	...	53	440	...	319	...	121	
30	...	13	...	17	3	...	3	...	-	28	...	19	...	9	66	...	43	...	23	140
29	...	13	...	16	3	...	3	...	-	23	...	16	...	7	60	...	39	...	21	140a,b
1	...	-	...	1	-	...	-	...	-	5	...	3	...	2	6	...	4	...	2	140c,d
9	...	2	...	7	1	...	1	...	-	8	...	6	...	2	7	...	5	...	2	141
3	...	2	...	1	1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	141a,c
6	...	-	...	6	-	...	-	...	-	7	...	6	...	1	6	...	4	...	2	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
4	...	-	...	4	-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	142a
9	...	1	...	8	-	...	-	...	-	4	...	3	...	1	14	...	7	...	7	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	143b,c
28	...	9	...	19	4	...	4	...	-	22	...	18	...	4	72	...	56	...	16	144a,b
17	...	4	...	13	1	...	1	...	-	12	...	8	...	4	18	...	15	...	3	144c,d
7	...	3	...	4	1	...	1	...	-	5	...	4	...	1	17	...	11	...	6	145
5	...	3	...	2	1	...	1	...	-	5	...	4	...	1	13	...	8	...	5	
2	...	-	...	2	-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	
11	...	2	...	9	-	...	-	...	-	3	...	2	...	1	14	...	12	...	2	146a
28	...	16	...	12	7	...	6	...	1	16	...	13	...	3	44	...	38	...	6	146b,c
25	...	8	...	17	2	...	1	...	1	29	...	16	...	13	52	...	30	...	22	147a,b
22	...	15	...	7	1	...	1	...	-	15	...	13	...	2	30	...	23	...	7	147c,d
36	...	13	...	23	4	...	4	...	-	24	...	22	...	2	46	...	37	...	9	148a,b
6	...	1	...	5	-	...	-	...	-	3	...	3	...	-	3	...	2	...	1	148c,d
12	...	7	...	5	1	...	1	...	-	12	...	9	...	3	21	...	16	...	5	149
16	...	3	...	13	-	...	-	...	-	15	...	8	...	7	32	...	22	...	10	150
15	4	5	2	4	9	3	3	1	2	27	11	9	4	3	57	24	23	6	4	
4	-	3	-	1	2	-	2	-	-	7	3	1	2	1	12	8	4	-	-	151
6	2	2	2	-	3	-	1	1	1	7	6	1	-	-	14	6	3	3	2	152
5	2	-	-	3	4	3	-	-	1	13	2	7	2	2	31	10	16	3	2	153
9	3	3	1	2	5	5	-	-	-	32	16	9	4	3	37	21	11	1	4	
5	3	1	-	1	3	3	-	-	-	14	8	3	2	1	22	15	6	-	1	154
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	155
4	-	2	1	1	2	2	-	-	-	16	7	5	2	2	13	4	5	1	3	156
168	63	49	32	24	80	53	26	1	-	276	147	103	17	9	664	352	251	28	33	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	3,995	2,179	1,457	199	160	253	134	108	4	7
158	Congenital debility (cause not stated)	132	64	47	15	6	10	6	2	-	2
159	Premature birth (cause not stated)	2,443	1,287	892	140	124	151	70	73	4	4
160a	Intracranial or spinal hemorrhage	410	243	144	13	10	35	27	8	-	-
160b,c	Other injuries at birth	479	276	189	8	6	32	19	13	-	-
161	Other diseases peculiar to the first year of life	531	309	185	28	14	25	12	12	-	1
162	XVI.—Senility	347	130	200	7	10	12	3	9	-	-
	XVII.—Violent or accidental deaths	8,477	5,859	2,139	374	105	457	293	151	9	4
163,164	Suicide	1,198	909	263	21	5	51	41	10	-	-
163	Suicide by poisoning	274	165	105	3	1	17	14	3	-	-
	Suicide by solid or liquid poisons	77	33	42	2	-	6	5	1	-	-
	Suicide by poisonous gases	197	132	63	1	1	11	9	2	-	-
164a	Suicide by hanging or strangulation	335	259	68	8	-	14	11	3	-	-
164b	Suicide by drowning	49	32	16	1	-	4	2	2	-	-
164c	Suicide by firearms and explosives	416	366	41	6	3	10	10	-	-	-
164d	Suicide by cutting or piercing instruments	51	36	12	2	1	4	4	-	-	-
164e	Suicide by jumping from high places	50	38	12	-	-	1	-	1	-	-
164f	Suicide by crushing	10	8	1	1	-	1	-	1	-	-
164g	Suicide by other or unspecified means	13	5	8	-	-	-	-	-	-	-
165-168	Homicide [1]	260	97	40	104	19	9	5	3	1	-
166	Homicide by firearms	104	40	17	39	8	2	1	1	-	-
167	Homicide by cutting or piercing instruments	72	13	6	46	7	2	2	-	-	-
168	Homicide by other means	84	44	17	19	4	5	2	2	1	-
169-195	Accidental deaths	6,997	4,833	1,836	247	81	393	243	138	8	4
169	Railway accidents (except collisions with motor vehicles)	346	300	27	18	1	9	9	-	-	-
170a	Collisions between automobiles and trains	63	44	17	2	-	-	-	-	-	-
170b	Collisions between automobiles and streetcars	29	22	6	1	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,804	1,416	305	57	26	76	63	12	1	-
170d	Motorcycle accidents (except collisions with automobiles)	26	25	1	-	-	2	1	1	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	84	47	29	3	5	1	1	-	-	-
171b	Other and unspecified road-transport accidents	20	10	8	2	-	1	1	-	-	-
172	Water-transport accidents	46	42	3	1	-	3	3	-	-	-
173	Air-transport accidents	68	68	-	-	-	4	4	-	-	-
174	Accidents in mines and quarries	530	519	5	6	-	2	2	-	-	-
175a	Accidents involving agricultural machinery and vehicles	51	48	2	1	-	-	-	-	-	-
175b,c	Other agricultural accidents, including injury by animals	66	58	7	1	-	-	-	-	-	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	3	3	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	135	122	6	7	-	12	10	-	2	-
177	Food poisoning	13	7	5	1	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	174	105	59	7	3	14	8	6	-	-
179	Acute accidental poisoning by solids or liquids	70	38	29	2	1	4	-	4	-	-
180	Conflagration	146	81	58	8	4	12	9	3	-	-
181	Accidental burns (except conflagration)	333	171	125	22	15	17	12	4	1	-
182	Accidental mechanical suffocation	86	43	34	7	2	6	4	2	-	-
183	Accidental drowning	283	213	38	29	3	25	22	2	1	-
184	Accidental injury by firearms	99	80	10	9	-	9	7	1	1	-
185	Accidental injury by cutting or piercing instruments	18	11	5	1	1	1	1	-	-	-
186a	Accidental injury by fall	1,978	979	948	34	17	174	74	98	-	2
186b	Accidental injury by crushing	49	39	9	1	-	3	3	-	-	-
187	Cataclysm, etc.*	35	15	19	1	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	9	7	2	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	15	14	1	-	-	2	2	-	-	-
191	Excessive heat	13	8	4	-	1	-	-	-	-	-
192	Lightning	7	5	2	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	51	48	2	1	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	6	2	4	-	-	1	-	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	72	44	22	5	1	8	-	4	2	2
195c,e	Other and unspecified accidents	267	197	49	20	1	7	7	-	-	-
196	Deaths of military personnel during operations of war	6	6	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	15	14	-	1	-	4	4	-	-	-
198	Legal executions	1	-	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	260	148	75	26	11	12	8	3	-	1
199	Sudden death	5	5	-	-	-	-	-	-	-	-
200a	Ill-defined	156	90	48	14	4	9	7	1	-	1
200b	Found dead (cause unknown)	14	11	-	2	1	2	-	2	-	-
200c	Unknown or unspecified	85	42	27	10	6	1	1	-	-	-

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,034	337	249	263	185	240	129	97	7	7	1,304	619	465	132	88	3,259	1,587	1,173	289	210	
63	14	6	21	22	9	4	4	1	-	91	47	35	4	5	290	136	109	22	23	158
743	239	196	175	133	145	81	57	3	4	822	382	282	97	61	2,099	1,008	757	191	143	159
77	30	22	16	9	25	16	7	1	1	135	78	44	6	7	257	132	99	17	9	160a
59	26	8	17	8	33	17	15	-	1	136	61	54	14	7	295	152	109	20	14	160b,c
92	28	17	34	13	28	11	14	2	1	120	51	50	11	8	318	159	99	39	21	161
106	20	23	21	42	176	96	72	5	3	392	132	150	58	52	1,116	449	472	114	81	162
1,623	704	195	543	181	442	299	123	13	7	2,337	1,302	475	402	158	6,119	3,861	1,155	859	244	
93	62	13	14	4	43	38	4	1	-	258	184	57	13	4	641	495	124	17	5	163,164
9	4	4	-	1	4	3	1	-	-	45	18	26	-	1	128	71	52	2	3	163
8	3	4	-	1	-	-	-	-	-	42	18	23	-	1	106	59	42	2	3	
1	1	-	-	-	4	3	1	-	-	3	-	3	-	-	22	12	10	-	-	
6	4	1	1	-	11	10	-	1	-	36	26	9	1	-	78	62	13	2	1	164a
2	1	-	-	1	2	1	1	-	-	12	6	4	2	-	15	5	9	-	1	164b
66	45	7	13	1	23	21	2	-	-	142	117	14	8	3	353	305	38	10	-	164c
3	3	-	-	-	2	2	-	-	-	12	10	1	1	-	23	19	3	1	-	164d
4	3	1	-	-	-	-	-	-	-	2	-	2	-	-	10	8	2	-	-	164e
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	7	5	2	-	-	164f
3	2	-	-	1	-	-	-	-	-	7	6	1	-	-	27	20	5	2	-	164g
208	42	12	121	33	5	1	2	2	-	356	117	16	180	43	659	241	38	315	65	165-168
120	30	7	67	16	2	-	1	1	-	216	76	7	114	19	370	143	26	175	26	166
62	4	2	44	12	1	-	1	-	-	91	16	1	55	19	221	63	8	116	34	167
26	8	3	10	5	2	1	-	1	-	49	25	8	11	5	68	35	4	24	5	168
1,310	594	170	402	144	394	260	117	10	7	1,716	995	402	208	111	4,790	3,107	993	516	174	169-195
49	22	-	27	-	13	9	2	2	-	110	79	4	22	5	191	139	12	40	-	169
28	10	3	10	5	6	6	-	-	-	38	24	14	-	-	67	49	13	4	1	170a
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	170b
363	171	42	129	21	82	56	21	3	2	479	351	69	48	11	1,365	992	226	124	23	170c
2	2	-	-	-	-	-	-	-	-	9	8	1	-	-	14	14	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	10	3	4	2	1	171a
6	4	-	1	1	3	2	-	1	-	7	3	2	2	-	16	10	3	3	-	171b
17	9	1	7	-	2	2	-	-	-	34	26	2	4	2	19	17	1	1	-	172
114	114	-	-	-	8	8	-	-	-	19	19	-	-	-	402	398	2	2	-	173
5	1	-	4	-	8	8	-	-	-	20	20	-	-	-	1	1	-	-	-	174
6	3	-	3	-	23	22	1	-	-	15	12	-	3	-	16	12	2	2	-	175a
5	3	-	2	-	17	15	2	-	-	24	17	-	7	-	7	7	-	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	175d
3	2	-	1	-	2	2	-	-	-	4	4	-	-	-	1	1	-	-	-	175e
29	13	1	15	-	7	7	-	-	-	28	20	-	8	-	74	58	3	13	-	176
8	1	2	2	3	5	3	2	-	-	17	4	5	2	6	64	26	21	10	7	177
8	5	2	1	-	7	3	4	-	-	7	5	1	1	-	45	28	13	3	1	178
22	5	2	10	5	4	1	3	-	-	33	13	8	7	5	84	32	36	5	11	179
54	15	7	19	13	4	2	1	-	1	68	20	19	13	16	110	41	22	26	21	180
143	31	22	37	53	26	12	12	-	2	137	37	51	23	26	348	127	143	39	39	181
37	9	13	7	8	8	6	1	1	-	24	11	10	3	-	70	36	11	13	10	182
74	32	4	35	3	23	13	9	1	-	83	59	11	12	1	355	243	39	66	7	183
69	28	3	30	8	18	17	1	-	-	72	47	5	13	7	250	178	16	42	14	184
9	-	-	6	3	-	-	-	-	-	12	5	3	-	4	44	21	4	18	1	185
111	51	47	8	5	85	33	51	-	1	310	116	161	17	16	413	213	165	19	16	186a
8	2	2	4	-	1	1	-	-	-	13	7	2	4	-	38	33	3	2	-	186b
3	1	1	-	1	8	5	3	-	-	27	14	12	-	1	25	10	3	8	4	187
6	3	-	1	2	3	3	-	-	-	3	2	-	1	-	23	14	4	5	-	188
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7	4	2	1	-	189
2	1	-	1	-	4	4	-	-	-	15	8	1	3	3	2	1	-	1	-	190
9	5	-	3	1	-	-	-	-	-	7	2	1	3	1	37	22	7	6	2	191
17	5	-	7	5	3	3	-	-	-	8	5	1	2	-	29	19	-	9	1	192
7	6	-	-	1	7	6	1	-	-	25	21	1	3	-	43	36	5	2	-	193
3	2	-	1	-	1	-	-	1	-	-	-	-	-	-	16	9	6	-	1	194
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	5	1	2	1	1	195a,b
68	32	5	30	1	1	1	-	-	-	13	6	5	2	-	25	15	9	1	-	195d
23	6	11	1	5	15	10	3	1	1	50	27	12	4	7	573	297	215	48	13	195c,e
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	196
3	3	-	-	-	-	-	-	-	-	2	2	-	-	-	14	11	-	3	-	197
7	1	-	6	-	-	-	-	-	-	5	4	-	1	-	11	3	-	8	-	198
1,192	89	76	553	474	103	37	9	26	31	1,272	559	347	213	153	1,559	717	424	249	169	
41	9	4	16	12	11	9	1	1	-	97	55	27	10	5	2	1	1	-	-	199
320	37	33	128	122	32	20	6	3	3	222	95	47	44	36	1,043	505	251	175	112	200a
5	-	1	2	2	3	3	-	-	-	120	65	34	17	4	4	3	1	-	-	200b
826	43	38	407	338	57	5	2	22	28	833	344	239	142	108	510	208	171	74	57	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	4,849	2,798	1,951	76	29	4,250	2,309	1,940	1	-	29,197	11,083	8,110	5,355	4,649
	I.—Infectious and parasitic diseases	220	132	67	15	6	201	134	67	-	-	2,940	789	620	842	689
1	Typhoid fever	2	1	1	-	-	1	1	-	-	-	24	10	2	7	5
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis	1	1	-	-	-	1	1	-	-	-	46	22	13	8	3
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	1	3	-	-	1	1	-	-	-	12	3	6	1	2
9	Whooping cough	4	-	3	-	1	13	8	5	-	-	102	21	26	28	27
10	Diphtheria (infection by C. diphtheriae)	3	-	3	-	-	2	1	1	-	-	44	16	19	3	6
11	Erysipelas	-	-	-	-	-	1	-	1	-	-	5	1	3	-	1
12	Tetanus	1	1	-	-	-	-	-	-	-	-	17	4	2	6	5
13-22	Tuberculosis (all forms)	82	57	12	10	3	112	78	34	-	-	1,632	421	346	422	443
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	22	22	-	-	-	14	14	-	-	-	4	4	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	45	28	10	6	1	91	61	30	-	-	1,491	378	307	388	418
14	Tuberculosis of meninges and central nervous system	7	3	1	2	1	2	1	1	-	-	39	11	14	10	4
15	Tuberculosis of intestines and peritoneum	4	2	-	2	-	1	-	1	-	-	25	7	3	8	7
16	Tuberculosis of vertebral column	1	1	-	-	-	1	1	-	-	-	16	5	5	6	-
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-	5	2	2	-	1
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
20	Tuberculosis of genito-urinary system	2	-	1	-	1	-	-	-	-	-	14	4	5	3	2
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
22a	Disseminated tuberculosis (acute miliary)	1	1	-	-	-	2	-	2	-	-	34	8	9	7	10
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	7	3	4	-	-	2	2	-	-	-	36	11	7	11	7
25	Gonococcus infection	1	-	1	-	-	1	-	1	-	-	18	-	1	4	13
26	Other diseases due to bacteria (except dysentery)	2	2	-	-	-	-	-	-	-	-	6	3	2	1	-
27	Dysentery	5	1	3	1	-	3	2	1	-	-	98	23	29	30	16
28	Malaria	-	-	-	-	-	-	-	-	-	-	6	2	-	2	2
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	30	20	6	3	1	15	12	3	-	-	432	91	33	218	90
30a	Locomotor ataxia (tabes dorsalis)	1	-	1	-	-	-	-	-	-	-	10	6	-	2	2
30b	General paralysis of insane	9	7	1	-	1	7	6	1	-	-	129	22	5	79	23
30c	Other syphilis of central nervous system	5	3	2	-	-	2	2	-	-	-	34	9	4	16	5
30d	Aneurysm of aorta	8	6	1	1	-	4	3	1	-	-	65	20	5	31	9
30e	Other syphilis of circulatory system	1	1	-	-	-	1	1	-	-	-	25	5	1	17	2
30f,g	Congenital, other and unspecified forms of syphilis	6	3	1	2	-	1	-	1	-	-	169	29	18	73	49
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	-	1	-	1	-	-	-	-	-	4	2	1	-	1
33a	Influenza, with respiratory complications specified	25	11	14	-	-	14	10	4	-	-	224	68	61	31	44
33b	Influenza, without respiratory complications specified	23	14	9	-	-	14	9	5	-	-	111	32	35	28	16
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	15	10	5	-	-	4	1	3	-	-	16	6	8	1	1
36	Acute poliomyelitis and acute poliocencephalitis	2	1	-	1	-	5	1	4	-	-	7	5	1	1	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	1	1	-	-	-	1	-	1	-	-	10	3	3	3	1
37b	Sequelae of encephalitis lethargica	1	1	-	-	-	2	2	-	-	-	5	3	-	2	-
38	Other diseases due to filtrable viruses	1	1	-	-	-	1	1	-	-	-	5	2	1	2	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	3	2	1	-	-	-	-	-	-	-	11	6	3	2	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-	4	1	2	-	1
43	Mycoses	-	-	-	-	-	-	-	-	-	-	15	8	4	3	-
44	Other infectious and parasitic (communicable) diseases	5	4	1	-	-	7	4	3	-	-	47	24	10	8	5
	II.—Cancer and other tumors	533	244	283	3	3	539	239	300	-	-	2,536	900	1,065	211	360
45-55	Cancer and other malignant tumors	508	237	265	3	3	529	237	292	-	-	2,400	869	1,017	198	316
45	Cancer of buccal cavity and pharynx	6	6	-	-	-	17	15	2	-	-	89	58	15	10	6
45a-e	Cancer of buccal cavity	5	5	-	-	-	11	9	2	-	-	64	38	11	9	6
45f	Cancer of pharynx	1	1	-	-	-	6	6	-	-	-	25	20	4	1	-
46	Cancer of digestive organs and peritoneum	227	121	103	3	-	234	118	116	-	-	1,005	396	405	107	97
46a	Cancer of esophagus	5	4	-	1	-	2	2	-	-	-	32	20	6	3	3
46b,c	Cancer of stomach and duodenum	112	68	44	-	-	72	45	27	-	-	345	137	117	53	38
46f	Cancer of liver and biliary passages	28	12	16	-	-	33	12	21	-	-	184	53	95	20	16
46g	Cancer of pancreas	21	8	13	-	-	17	7	10	-	-	70	35	27	6	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	61	29	30	2	-	110	52	58	-	-	374	151	160	25	38
47	Cancer of respiratory system	35	25	10	-	-	32	22	10	-	-	146	100	25	12	9
48	Cancer of uterus	45	...	45	...	-	55	...	55	...	-	292	...	183	...	109
49	Cancer of other female genital organs	16	...	16	...	-	18	...	18	...	-	64	...	58	...	6
50	Cancer of breast	53	-	51	-	2	49	-	49	-	-	245	4	180	1	60
51	Cancer of male genital organs	34	34	...	-	...	46	46	...	-	...	151	116	...	35	...
52	Cancer of urinary organs (male and female)	26	14	12	-	-	30	16	14	-	-	97	50	31	10	6
53	Cancer of skin (except vulva and scrotum)	15	8	7	-	-	9	6	3	-	-	72	38	25	3	6
54	Cancer of central nervous system*	10	6	4		-	7	4	3	-	-	43	23	16	3	1
55	Cancer of other and unspecified organs	41	23	17	-	1	32	10	22	-	-	196	84	79	17	16
56a	Nonmalignant tumors of ovary	3	...	3	...	-	-	...	-	...	-	11	...	7	...	4
56b	Nonmalignant tumors of uterus	6	...	6	...	-	3	...	3	...	-	43	...	16	...	27
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-	1	...	-	...	
56d,e	Nonmalignant tumors of other and unspecified organs	4	2	2	-	-	3	-	3	-	-	21	8	6	4	3

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
20,552	12,325	7,694	348	185	16,975	8,948	6,434	931	662	31,004	17,259	13,385	205	155	2,126	1,297	748	46	35	
1,230	728	386	73	43	1,513	697	577	140	99	1,393	827	492	39	35	128	82	29	11	6	
3	2	1	-	-	19	10	6	1	2	1	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	2	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	5
9	6	3	-	-	20	7	7	6	-	15	10	5	-	-	1	1	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
8	4	4	-	-	8	5	3	-	-	26	15	11	-	-	3	3	-	-	-	8
25	6	11	3	5	52	25	23	1	3	44	22	21	1	-	6	3	2	1	-	9
19	12	7	-	-	25	14	11	-	-	5	2	3	-	-	1	1	-	-	-	10
4	2	2	-	-	3	1	2	-	-	12	9	3	-	-	1	-	1	-	-	11
7	5	2	-	-	8	5	1	1	1	6	4	2	-	-	1	1	-	-	-	12
676	396	204	48	28	765	318	299	85	63	759	439	273	22	25	37	20	6	6	5	13-22
8	7	1	-	-	10	5	1	4	-	13	12	-	1	-	-	-	-	-	-	13a
600	358	176	41	25	681	281	273	71	56	695	402	250	18	25	29	15	5	6	3	13b,c
13	3	7	3	-	19	11	6	2	-	13	4	8	1	-	-	-	-	-	-	14
11	3	6	2	-	13	4	5	2	2	7	2	4	1	-	2	1	-	-	1	15
8	4	3	1	-	12	5	6	-	1	10	5	5	-	-	1	1	-	-	-	16
2	2	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	17a
3	3	-	-	-	1	1	-	-	-	3	2	1	-	-	1	1	-	-	-	17b
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	19
11	6	4	-	1	6	3	3	-	-	7	3	3	1	-	3	1	1	-	1	20
2	1	-	1	-	2	1	1	-	-	6	5	1	-	-	-	-	-	-	-	21
11	7	3	-	1	17	5	3	5	4	2	2	-	-	-	-	-	-	-	-	22a
4	1	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22b
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
15	9	6	-	-	26	12	10	4	-	12	7	5	-	-	1	-	1	-	-	24
1	-	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	25
1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	2	2	-	-	-	26
5	2	2	1	-	52	32	18	2	-	6	4	1	1	-	1	1	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
216	150	44	17	5	238	122	63	30	23	184	131	35	10	8	29	25	2	2	-	30
11	6	5	-	-	6	5	-	1	-	11	7	4	-	-	-	-	-	-	-	30a
45	32	11	2	-	76	45	20	6	5	49	35	10	3	1	14	12	1	1	-	30b
25	18	4	2	1	27	17	6	-	4	26	22	2	-	2	2	2	-	-	-	30c
52	38	8	5	1	27	14	5	7	1	46	35	8	1	2	7	6	-	1	-	30d
17	12	3	1	1	12	10	-	2	-	24	18	5	-	1	-	-	-	-	-	30e
66	44	13	7	2	90	31	32	14	13	28	14	6	6	2	6	5	1	-	-	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	2	-	-	3	-	3	-	-	3	2	1	-	-	1	-	1	-	-	32
91	52	37	2	-	111	48	58	3	2	120	64	56	-	-	14	5	8	-	1	33a
61	31	28	-	2	70	38	27	1	4	77	47	26	3	1	10	5	4	1	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
11	5	4	-	2	63	31	30	2	-	8	1	6	-	1	3	2	1	-	-	35
7	4	3	-	-	11	9	2	-	-	9	5	4	-	-	2	1	-	1	-	36
17	11	6	-	-	7	2	4	1	-	8	4	4	-	-	1	1	-	-	-	37a,c
3	2	1	-	-	-	-	-	-	-	10	6	4	-	-	-	-	-	-	-	37b
3	2	1	-	-	4	4	-	-	-	1	1	-	-	-	1	1	-	-	-	38
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	9	8	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	-	4	-	-	3	1	1	-	1	18	10	7	1	-	1	-	1	-	-	43
38	24	13	1	-	19	10	7	2	-	65	42	23	-	-	3	2	1	-	-	44
2,615	1,313	1,258	26	18	1,608	694	806	47	61	4,585	2,322	2,230	16	17	215	112	97	3	3	
2,523	1,274	1,206	26	17	1,542	677	768	46	51	4,445	2,276	2,140	16	13	206	109	91	3	3	45-55
57	41	14	2	-	43	25	15	2	1	128	107	21	-	-	8	7	-	-	1	45
41	30	9	2	-	30	19	9	1	1	81	71	10	-	-	7	6	-	-	1	45a-e
16	11	5	-	-	13	6	6	1	-	47	36	11	-	-	1	1	-	-	-	45f
1,205	694	481	21	9	692	354	294	22	12	2,258	1,299	944	11	4	97	59	34	3	1	46
35	26	7	2	-	15	10	2	2	1	106	79	27	-	-	5	3	1	1	-	46a
515	334	168	10	3	282	161	102	13	6	900	580	312	6	2	41	27	11	2	1	46b,c
126	55	68	3	-	131	58	67	4	2	264	118	145	-	1	16	6	10	-	-	46f
103	61	39	2	1	49	29	17	1	2	158	99	59	-	-	9	8	1	-	-	46g
426	218	199	4	5	215	106	106	2	1	830	423	401	5	1	26	15	11	-	-	46d,e,h,m
160	128	31	-	1	80	56	19	4	1	230	162	67	1	-	10	9	1	-	-	47
209	...	205	...	4	201	...	176	...	25	319	...	314	...	5	17	...	16	...	1	48
62	...	62	...	-	21	...	20	...	1	148	...	148	...	-	7	...	7	...	-	49
251	3	245	-	3	122	4	110	1	7	383	2	379	-	2	20	1	19	-	-	50
181	180	...	1	...	92	86	...	6	...	308	306	...	2	...	13	13	...	-	...	51
122	78	43	1	-	57	34	17	5	1	203	140	61	-	2	12	6	6	-	-	52
32	26	6	-	-	45	27	17	1	-	78	42	36	-	-	3	2	1	-	-	53
55	33	22	-	-	13	9	4	-	-	92	58	33	1	-	5	3	2	-	-	54
189	91	97	1	-	176	72	96	5	3	298	160	137	1	-	14	9	5	-	-	55
9	...	9	...	-	6	...	6	...	-	17	...	17	...	-	3	...	3	...	-	56a
21	...	21	...	-	21	...	13	...	8	34	...	30	...	4	1	...	1	...	-	56b
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	56c
24	19	5	-	-	4	2	2	-	-	39	24	15	-	-	2	1	1	-	-	56d,

TABLE 24. -DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1
57d,e	Tumors of other and unspecified organs (nature unspecified)	10	5	5	-	-	3	2	1	-	-	57	23	17	9	8
	III.—Rheumatism, diseases of nutrition, etc.*	132	48	80	1	3	129	42	87	-	-	807	212	345	88	162
58a-d	Acute rheumatic heart diseases	6	2	3	1	-	4	3	1	-	-	29	7	6	9	7
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	3	2	1	-	-	-	-	-	-	-	20	6	6	4	4
59	Chronic rheumatism and other rheumatic diseases	8	2	6	-	-	11	5	6	-	-	60	20	28	5	7
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	77	33	43	-	1	100	30	70	-	-	532	139	232	52	109
62	Diseases of pituitary gland	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
63a	Simple goiter	1	-	1	-	-	-	-	-	-	-	8	1	4	-	3
63b	Exophthalmic goiter	20	1	17	-	2	12	3	9	-	-	45	6	30	1	8
63c-e	Other diseases of thyroid and parathyroid glands	1	-	1	-	-	-	-	-	-	-	7	1	5	-	1
64	Diseases of thymus gland	8	5	3	-	-	-	-	-	-	-	19	5	6	3	5
65	Diseases of adrenal glands (not specified as tuberculous)	4	1	3	-	-	1	-	1	-	-	8	2	2	2	2
66	Other general diseases	1	1	-	-	-	1	1	-	-	-	11	4	4	1	2
67	Scurvy	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	-	-	-	-	-	58	17	21	9	11
70	Rickets	2	1	1	-	-	-	-	-	-	-	4	1	-	1	2
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1
	IV.—Diseases of the blood and blood-forming organs	48	30	17	-	1	39	22	17	-	-	173	86	63	15	9
72	Hemorrhagic conditions	7	6	-	-	1	2	2	-	-	-	9	6	3	-	-
73a	Pernicious anemia	9	5	4	-	-	12	6	6	-	-	28	15	7	4	2
73b-d	Other anemias (except splenic)	7	5	2	-	-	3	2	1	-	-	30	7	17	4	2
74a	Leukemias	22	13	9	-	-	18	11	7	-	-	83	46	27	7	3
74b	Aleukemias	-	-	-	-	-	1	-	1	-	-	10	5	5	-	-
75	Diseases of spleen	2	-	2	-	-	3	1	2	-	-	12	7	4	-	1
76	Other diseases of the blood and blood-forming organs	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1
	V.—Chronic poisoning and intoxication	7	7	-	-	-	6	5	1	-	-	83	52	1	26	4
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	7	7	-	-	-	6	5	1	-	-	79	48	1	26	4
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	434	209	219	6	-	496	233	263	-	-	3,320	1,120	928	641	631
80	Encephalitis (nonepidemic)	12	9	2	1	-	4	2	2	-	-	48	19	14	11	4
81	Meningitis (not due to meningococcus)	8	5	3	-	-	6	3	3	-	-	67	28	17	14	8
82	Diseases of spinal cord (see exceptions)*	9	3	6	-	-	11	8	3	-	-	44	20	8	7	9
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	315	145	166	4	-	389	180	209	-	-	2,534	804	721	493	516
83b	Cerebral embolism and thrombosis	39	19	20	-	-	47	22	25	-	-	153	71	47	15	20
83c	Cerebral softening	2	1	1	-	-	1	1	-	-	-	20	13	7	-	-
83d	Hemiplegia and other paralysis of unspecified origin	6	1	4	1	-	6	2	4	-	-	171	59	47	31	34
84	Mental diseases and deficiency (see exception)*	6	4	2	-	-	5	1	4	-	-	43	15	6	18	4
85	Epilepsy	5	3	2	-	-	7	4	3	-	-	90	34	14	25	17
86	Convulsions (under 5 years)	3	2	1	-	-	-	-	-	-	-	41	11	9	8	13
87	Other diseases of nervous system	23	12	11	-	-	16	7	9	-	-	68	30	26	7	5
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
89a	Otitis and other diseases of the ear	6	5	1	-	-	4	3	1	-	-	25	11	9	4	1
89b	Diseases of mastoid process	-	-	-	-	-	-	-	-	-	-	15	5	3	7	-
	VII.—Diseases of the circulatory system	1,499	888	595	15	1	1,484	834	649	1	-	7,269	3,032	2,048	1,153	1,036
90-95	Diseases of the heart (all forms)	1,409	841	553	14	1	1,288	745	542	1	-	6,691	2,820	1,883	1,052	936
90	Pericarditis (except acute rheumatic)	3	1	2	-	-	-	-	-	-	-	21	5	7	6	3
91a,b	Bacterial and other acute or subacute endocarditis	13	7	6	-	-	11	7	4	-	-	36	15	8	7	6
91c	Endocarditis (unspecified, under 45 years)	3	2	1	-	-	1	1	-	-	-	9	1	2	1	5
92a-d	Chronic endocarditis and diseases of the valves*	155	72	81	2	-	161	78	83	-	-	851	281	266	167	137
92e	Endocarditis (unspecified, 45 years and over)	2	1	1	-	-	5	4	1	-	-	88	20	17	27	24
93a	Acute myocarditis (except rheumatic)	32	19	13	-	-	9	6	3	-	-	52	16	8	16	12
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-	27	5	2	8	12
93c,d	Chronic myocarditis and myocardial degeneration	626	342	276	7	1	574	286	287	1	-	2,649	950	848	456	395
93e	Other myocarditis (unspecified)	21	9	12	-	-	43	23	20	-	-	430	161	123	69	77
94a	Diseases of coronary arteries	415	303	107	5	-	342	240	102	-	-	1,570	956	378	124	112
94b	Angina pectoris	25	14	11	-	-	59	46	13	-	-	149	89	31	19	10
95a	Functional diseases of heart, etc.*	9	4	5	-	-	4	2	2	-	-	21	11	6	2	2
95b,c	Other and unspecified diseases of heart	105	67	38	-	-	79	52	27	-	-	788	310	187	150	141
96	Aneurysm (except of heart and aorta)	1	1	-	-	-	5	2	3	-	-	31	18	7	2	4
97	Arteriosclerosis (except coronary or renal sclerosis)	66	36	31	1	-	172	77	95	-	-	421	150	124	73	74
98	Gangrene	3	3	-	-	-	2	1	1	-	-	15	5	2	3	5
99	Other diseases of arteries	9	3	6	-	-	8	6	2	-	-	36	14	13	7	2
100	Diseases of veins	2	-	2	-	-	4	2	2	-	-	21	12	7	1	1
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1
102	High blood pressure (idiopathic)	6	3	3	-	-	5	1	4	-	-	44	10	12	11	11
103	Other diseases of circulatory system	1	1	-	-	-	-	-	-	-	-	7	2	-	3	2
	VIII.—Diseases of the respiratory system	252	153	95	2	2	232	123	109	-	-	1,940	694	509	403	334
104a	Diseases of nasal fossae	4	2	2	-	-	-	-	-	-	-	19	3	5	6	5
104b	Diseases of accessory sinuses	5	4	1	-	-	1	1	-	-	-	17	11	4	-	2
105	Diseases of larynx	3	3	-	-	-	-	-	-	-	-	10	4	2	1	3
106a	Acute bronchitis	2	1	1	-	-	6	-	6	-	-	12	5	4	3	-

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	57c
37	20	16	-	1	34	15	16	1	2	46	22	24	-	-	3	2	1	-	-	57d,e
662	267	382	5	8	491	184	279	13	15	1,202	452	740	2	8	51	24	26	-	1	
4	2	2	-	-	11	4	6	1	-	32	18	14	-	-	1	1	-	-	-	58a-d
6	3	2	-	1	10	3	7	-	-	9	5	4	-	-	1	-	1	-	-	58e,f
33	11	21	-	1	15	6	9	-	-	49	23	26	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
480	206	267	2	5	357	139	197	10	11	898	358	531	2	7	39	17	21	-	1	61
4	1	3	-	-	1	1	-	-	-	9	1	8	-	-	-	-	-	-	-	62
7	1	6	-	-	5	1	3	-	1	2	2	-	-	-	-	-	-	-	-	63a
53	9	43	-	1	36	3	31	1	1	141	11	130	-	-	4	2	2	-	-	63b
14	3	10	1	-	6	1	5	-	-	8	2	6	-	-	1	-	1	-	-	63c-e
36	22	12	2	-	14	9	5	-	-	28	21	7	-	-	3	3	-	-	-	64
14	4	10	-	-	3	1	2	-	-	8	3	5	-	-	-	-	-	-	-	65
6	2	4	-	-	18	11	7	-	-	9	2	6	-	1	1	1	-	-	-	66
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	68
2	1	1	-	-	11	3	5	1	2	4	2	2	-	-	1	-	1	-	-	69
1	1	-	-	-	2	1	1	-	-	3	2	1	-	-	-	-	-	-	-	70
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	71
155	92	60	3	-	127	68	52	3	4	293	172	120	-	1	17	10	7	-	-	
6	4	2	-	-	10	7	1	1	1	11	3	8	-	-	-	-	-	-	-	72
33	16	15	2	-	29	14	14	-	1	77	47	29	-	1	5	3	2	-	-	73a
17	5	11	1	-	13	4	8	-	1	28	18	10	-	-	3	1	2	-	-	73b-d
81	56	25	-	-	56	36	19	1	-	148	92	56	-	-	8	6	2	-	-	74a
9	6	3	-	-	3	-	3	-	-	11	3	8	-	-	1	-	1	-	-	74b
7	4	3	-	-	9	4	4	1	-	13	8	5	-	-	-	-	-	-	-	75
2	1	1	-	-	7	3	3	-	1	5	1	4	-	-	-	-	-	-	-	76
84	73	7	3	1	42	36	3	3	-	55	44	8	2	1	10	10	-	-	-	
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	77a,b
79	68	7	3	1	39	33	3	3	-	51	42	7	1	1	9	9	-	-	-	77c-e
4	4	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	78
-	-	-	-	-	3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	79
2,329	1,219	1,069	22	19	1,643	829	658	70	86	3,530	1,736	1,766	20	8	169	97	69	2	1	
17	12	4	-	1	21	13	6	1	1	26	10	16	-	-	6	4	2	-	-	80
25	14	9	2	-	43	20	13	7	3	33	15	16	2	-	7	7	-	-	-	81
52	33	18	-	1	36	26	8	2	-	68	33	35	-	-	2	2	-	-	-	82
1,822	927	866	16	13	1,236	615	505	50	66	2,861	1,373	1,468	18	7	125	68	54	2	1	83a
203	126	73	3	1	85	48	34	-	3	261	150	110	1	-	6	4	2	-	-	83b
15	9	6	-	-	7	3	4	-	-	16	10	6	-	-	1	1	-	-	-	83c
56	31	25	-	-	99	45	42	4	8	23	10	12	1	-	4	2	2	-	-	83d
15	5	10	-	-	25	9	15	1	-	25	9	16	-	-	1	-	1	-	-	84
27	15	9	1	2	32	19	10	2	1	69	44	24	1	-	6	3	3	-	-	85
6	2	4	-	-	10	5	4	-	1	10	4	4	1	1	-	-	-	-	-	86
74	37	36	-	1	25	12	10	2	1	110	67	43	-	-	7	2	5	-	-	87
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	88
14	6	8	-	-	16	9	5	1	1	22	8	14	-	-	4	4	-	-	-	89a
3	2	1	-	-	7	5	1	-	1	5	3	1	1	-	-	-	-	-	-	89b
6,656	4,300	2,248	76	32	4,003	2,211	1,456	198	138	10,348	5,999	4,278	44	27	585	391	180	8	6	
6,193	4,024	2,067	71	31	3,707	2,039	1,356	185	127	9,609	5,610	3,931	42	26	558	371	173	8	6	90-95
7	4	3	-	-	6	4	1	-	1	6	6	-	-	-	3	-	3	-	-	90
29	20	8	1	-	25	12	13	-	-	52	31	21	-	-	3	3	-	-	-	91a,b
3	-	3	-	-	5	-	4	-	1	2	1	1	-	-	-	-	-	-	-	91c
763	453	298	7	5	443	238	168	23	14	931	523	397	9	2	70	45	24	1	-	92a-d
44	26	16	-	2	61	23	29	3	6	43	17	26	-	-	3	3	-	-	-	92e
40	21	17	1	1	49	22	23	4	-	75	39	36	-	-	18	9	8	1	-	93a
3	2	1	-	-	13	8	2	1	2	4	3	-	1	-	-	-	-	-	-	93b
2,284	1,308	929	32	15	1,302	651	541	61	49	4,754	2,521	2,188	25	20	229	135	84	6	4	93c,d
298	181	111	4	2	282	137	110	22	13	375	205	163	6	1	17	12	5	-	-	93e
2,110	1,607	481	19	3	902	614	242	29	17	2,596	1,786	807	-	3	167	132	33	-	2	94a
171	130	40	1	-	81	52	27	1	1	73	53	20	-	-	14	13	1	-	-	94b
14	6	8	-	-	12	5	7	-	-	29	18	11	-	-	-	-	-	-	-	95a
427	266	152	6	3	526	273	189	41	23	669	407	261	1	-	34	19	15	-	-	95b,c
12	7	5	-	-	5	2	1	2	-	26	21	4	1	-	4	4	-	-	-	96
364	215	144	3	1	200	121	68	7	4	591	309	282	-	-	14	10	4	-	-	97
3	2	1	-	-	10	4	3	1	2	3	1	2	-	-	3	1	2	-	-	98
45	32	12	1	-	31	20	10	-	1	53	27	26	-	-	5	4	1	-	-	99
15	6	9	-	-	12	4	7	-	1	25	14	10	1	-	1	1	-	-	-	100
1	1	-	-	-	3	1	1	-	1	1	-	1	-	-	-	-	-	-	-	101
18	10	8	-	-	29	16	9	3	1	37	15	21	-	1	-	-	-	-	-	102
5	2	2	1	-	6	4	1	-	1	3	2	1	-	-	-	-	-	-	-	103
1,123	657	421	27	18	1,237	627	497	75	38	1,506	844	629	17	16	119	66	49	2	2	
4	4	-	-	-	5	2	3	-	-	2	1	1	-	-	-	-	-	-	-	104a
6	6	-	-	-	6	3	2	1	-	16	10	5	-	1	2	2	-	-	-	104b
4	3	1	-	-	7	2	5	-	-	5	2	3	-	-	-	-	-	-	-	105
8	5	3	-	-	10	5	3	-	2	21	11	9	1	-	5	2	1	1	1	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Con.															
106b	Chronic bronchitis	5	3	2	-	-	8	4	4	-	-	48	22	20	3	3
106c	Bronchitis (unspecified)	4	1	3	-	-	2	1	1	-	-	22	8	5	5	4
107	Bronchopneumonia (including capillary bronchitis)	105	61	41	1	2	94	46	48	-	-	752	261	226	132	133
108	Lobar pneumonia	65	35	29	1	-	77	43	34	-	-	601	182	135	169	115
109	Pneumonia (unspecified)	11	9	2	-	-	8	4	4	-	-	266	111	64	48	43
110	Pleurisy (not specified as tuberculous)	4	3	1	-	-	4	1	3	-	-	29	17	4	4	4
111a	Hemorrhagic infarction and thrombosis of lungs	6	2	4	-	-	6	6	-	-	-	13	6	3	3	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	12	5	7	-	-	9	6	3	-	-	52	21	17	10	4
112	Asthma	10	8	2	-	-	9	4	5	-	-	66	30	18	6	12
113	Pulmonary emphysema	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1
114	Other diseases of respiratory system (except tuberculosis)	15	15	-	-	-	8	7	1	-	-	32	13	2	13	4
	IX.—Diseases of the digestive system	257	161	93	3	-	207	132	75	-	-	1,416	567	375	258	216
115a,b,d	Diseases of buccal cavity and adnexa	14	11	3	-	-	4	2	2	-	-	40	13	15	6	6
115c	Diseases of pharynx and tonsils	6	4	1	1	-	5	3	2	-	-	27	11	9	4	3
116	Diseases of esophagus	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
117a	Ulcer of stomach	34	30	3	1	-	20	17	3	-	-	123	60	23	27	13
117b	Ulcer of duodenum	18	12	6	-	-	10	7	3	-	-	48	32	3	13	-
118	Other diseases of stomach (except cancer)	4	1	3	-	-	3	2	1	-	-	48	13	9	9	17
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	14	10	4	-	-	11	8	3	-	-	326	114	78	70	64
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	14	6	8	-	-	5	2	3	-	-	58	20	13	13	12
121	Appendicitis	46	25	21	-	-	31	22	9	-	-	148	61	36	32	19
122a	Hernia	12	9	3	-	-	27	19	8	-	-	76	34	24	13	5
122b	Intestinal obstruction	22	13	9	-	-	20	12	8	-	-	152	41	49	22	40
123	Other diseases of intestines	5	4	1	-	-	4	2	2	-	-	33	16	6	7	4
124a	Cirrhosis of liver (with mention of alcoholism)	1	1	-	-	-	-	-	-	-	-	18	14	4	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	23	17	5	1	-	32	23	9	-	-	136	79	27	20	10
125a	Acute yellow atrophy of liver (nonpuerperal)	1	1	-	-	-	3	2	1	-	-	15	8	4	2	1
125b	Other diseases of liver	4	3	1	-	-	1	-	1	-	-	24	4	6	8	6
126	Biliary calculi	18	5	13	-	-	15	4	11	-	-	55	14	36	-	5
127	Other diseases of gallbladder and biliary ducts	13	3	10	-	-	12	6	6	-	-	46	17	21	3	5
128	Diseases of pancreas (except diabetes mellitus)	4	4	-	-	-	1	1	-	-	-	18	8	6	4	-
129	Peritonitis (cause not stated)	4	2	2	-	-	3	-	3	-	-	23	7	5	5	6
	X.—Diseases of the genito-urinary system	355	203	151	-	1	334	191	143	-	-	2,780	999	768	528	485
130	Acute nephritis	16	7	9	-	-	7	6	1	-	-	91	28	19	21	23
131a	Arteriosclerotic kidney	154	86	68	-	-	198	102	96	-	-	1,619	540	477	279	323
131b	Other chronic nephritis	117	62	55	-	-	67	38	29	-	-	596	231	161	118	86
132	Nephritis unspecified (10 years and over)	7	2	5	-	-	7	5	2	-	-	152	44	40	39	29
133	Other diseases of kidneys and ureters, etc.*	11	7	4	-	-	19	10	9	-	-	71	25	28	7	11
134	Calculi of urinary passages	5	3	1	-	1	3	2	1	-	-	41	21	16	3	1
135	Diseases of urinary bladder	-	-	-	-	-	-	-	-	-	-	11	5	2	2	2
136	Diseases of urethra (except calculus)	-	-	-	-	-	1	1	-	-	-	9	2	1	6	-
137	Diseases of prostate	36	36	...	-	...	27	27	...	-	...	155	103	...	52	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...	1	-	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	6	...	6	...	-	3	...	3	...	-	26	...	17	...	9
139b	Diseases of uterus	3	...	3	...	-	2	...	2	...	-	7	...	6	...	1
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	27	...	27	...	-	15	...	15	...	-	220	...	117	...	103
140	Abortion with mention of infection	2	...	2	...	-	1	...	1	...	-	40	...	24	...	16
140a,b	Abortion (septic), spontaneous or therapeutic*	1	...	1	...	-	1	...	1	...	-	31	...	17	...	14
140c,d	Abortion (septic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-	9	...	7	...	2
141	Abortion without mention of infection	1	...	1	...	-	1	...	1	...	-	16	...	7	...	9
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	1	...	1	...	-	7	...	4	...	3
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	-	...	-	...	-	8	...	2	...	6
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	-	...	-	...	-	2	...	2	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	4	...	4	...	-	2	...	2	...	-	17	...	5	...	12
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	1	...	1	...	-	7	...	1	...	6
145	Other diseases and accidents of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-	9	...	5	...	4
	A. With mention of infection	-	...	-	...	-	-	...	-	...	-	4	...	2	...	2
	B. Without mention of infection	1	...	1	...	-	-	...	-	...	-	5	...	3	...	2
146a	Placenta praevia (with childbirth)	-	...	-	...	-	-	...	-	...	-	7	...	3	...	4
146b,c	Other hemorrhages of childbirth and puerperium	8	...	8	...	-	1	...	1	...	-	31	...	20	...	11
147a,b	Puerperal pyelitis, other general or local puerperal infection*	2	...	2	...	-	2	...	2	...	-	25	...	11	...	14
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	2	...	2	...	-	3	...	3	...	-	15	...	10	...	5
148a,b	Puerperal eclampsia and nephritis*	3	...	3	...	-	2	...	2	...	-	25	...	11	...	14
148c,d	Other puerperal toxemias	1	...	1	...	-	1	...	1	...	-	8	...	7	...	1
149	Other accidents and specified conditions of childbirth	1	...	1	...	-	1	...	1	...	-	10	...	5	...	5
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	-	...	-	...	-	4	...	3	...	1
	XII.—Diseases of the skin and cellular tissue	2	2	-	-	-	5	2	3	-	-	35	16	14	3	2
151	Carbuncle and furuncle	2	2	-	-	-	2	1	1	-	-	6	3	2	-	1
152	Phlegmon and acute abscess	-	-	-	-	-	-	-	-	-	-	8	2	3	2	1
153	Other diseases of skin and cellular tissue	-	-	-	-	-	3	1	2	-	-	21	11	9	1	-

*Refer to complete International List titles. table VII, Part I.

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
32	26	6	-	-	20	11	7	1	1	36	23	13	-	-	2	2	-	-	-	106b
13	7	6	-	-	14	4	10	-	-	12	5	7	-	-	1	1	-	-	-	106c
486	273	188	15	10	468	227	207	21	13	656	345	293	7	11	48	22	24	1	1	107
371	223	135	9	4	341	187	115	30	9	526	323	195	7	1	41	26	15	-	-	108
41	21	18	1	1	201	105	77	13	6	42	19	21	-	2	2	1	1	-	-	109
22	16	6	-	-	16	10	6	-	-	30	18	11	1	-	7	6	1	-	-	110
20	9	9	-	2	21	11	5	3	2	30	19	11	-	-	5	-	5	-	-	111a
53	24	27	1	1	46	21	24	-	1	57	27	30	-	-	1	-	1	-	-	111b,c
42	24	17	1	-	46	19	23	2	2	47	25	21	-	1	2	2	-	-	-	112
2	2	-	-	-	1	-	1	-	-	4	2	2	-	-	1	1	-	-	-	113
19	14	5	-	-	35	20	9	4	2	22	14	7	1	-	2	1	1	-	-	114
874	551	305	10	8	879	462	332	43	42	1,486	852	600	13	11	129	77	46	2	4	
16	11	5	-	-	20	6	11	3	-	37	21	15	-	1	3	2	1	-	-	115a,b,d
17	8	7	1	1	11	7	3	1	-	13	8	5	-	-	1	-	1	-	-	115c
3	-	3	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	116
107	95	11	1	-	79	57	13	6	3	129	109	19	1	-	18	14	3	-	1	117a
77	70	6	-	1	27	20	6	-	1	70	57	12	1	-	4	4	-	-	-	117b
15	10	3	-	2	37	17	17	3	-	23	10	13	-	-	2	2	-	-	-	118
54	26	19	7	2	193	99	83	3	8	73	42	29	-	2	9	2	7	-	-	119
22	10	11	-	1	40	17	21	1	1	49	16	32	1	-	7	4	3	-	-	120
87	57	28	1	1	98	50	33	7	8	208	123	79	4	2	26	17	9	-	-	121
69	46	23	-	-	41	22	16	2	1	125	78	45	1	1	10	7	2	1	-	122a
90	38	52	-	-	98	44	40	6	8	137	74	61	1	1	7	4	2	-	1	122b
31	17	14	-	-	16	9	4	2	1	28	17	10	1	-	4	2	2	-	-	123
20	11	9	-	-	8	6	-	2	-	44	38	6	-	-	2	2	-	-	-	124a
128	84	44	-	-	102	65	29	5	3	264	163	97	2	2	15	8	5	1	1	124b
11	7	4	-	-	4	3	1	-	-	16	4	12	-	-	2	1	1	-	-	125a
10	7	3	-	-	20	8	9	-	3	14	8	6	-	-	2	1	1	-	-	125b
53	15	38	-	-	28	8	19	-	1	153	48	104	-	1	7	2	4	-	1	126
43	22	21	-	-	30	9	18	-	3	63	27	34	1	1	8	3	5	-	-	127
10	7	3	-	-	12	6	5	-	1	25	12	13	-	-	-	-	-	-	-	128
11	10	1	-	-	14	8	4	2	-	14	6	8	-	-	2	2	-	-	-	129
1,409	838	539	23	9	1,277	656	472	80	69	1,992	1,129	850	10	3	160	87	70	1	2	
30	15	13	2	-	51	20	22	4	5	35	22	13	-	-	1	1	-	-	-	130
821	472	333	12	4	608	302	227	43	36	1,083	565	512	5	1	101	56	43	1	1	131a
280	150	123	5	2	329	159	131	21	18	469	243	222	3	1	41	19	21	-	1	131b
55	31	20	3	1	78	38	32	4	4	66	41	25	-	-	2	1	1	-	-	132
43	28	15	-	-	60	28	27	4	1	70	39	31	-	-	-	-	-	-	-	133
20	15	4	-	1	12	9	3	-	-	28	21	7	-	-	1	-	1	-	-	134
10	7	3	-	-	11	7	3	1	-	10	5	5	-	-	3	3	-	-	-	135
4	3	1	-	-	3	2	-	1	-	9	8	-	1	-	1	1	-	-	-	136
117	116	...	1	...	92	90	...	2	...	185	184	...	1	...	6	6	...	-	...	137
1	1	...	-	...	1	1	...	-	...	1	1	...	-	...	-	-	...	-	...	138
18	...	17	...	1	22	...	18	...	4	17	...	16	...	1	3	...	3	...	-	139a
10	...	10	...	-	10	...	9	...	1	18	...	18	...	-	-	...	-	...	-	139b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	139c
68	...	67	...	1	103	...	92	...	11	114	...	112	...	2	13	...	13	...	-	
9	...	9	...	-	11	...	10	...	1	7	...	7	...	-	2	...	2	...	-	140
4	...	4	...	-	11	...	10	...	1	5	...	5	...	-	1	...	1	...	-	140a,b
5	...	5	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	140c,d
2	...	2	...	-	2	...	1	...	1	5	...	5	...	-	-	...	-	...	-	141
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	141a,c
2	...	2	...	-	1	...	-	...	1	5	...	5	...	-	-	...	-	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	142a
3	...	3	...	-	2	...	2	...	-	4	...	4	...	-	-	...	-	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	143b,c
6	...	6	...	-	9	...	7	...	2	5	...	5	...	-	2	...	2	...	-	144a,b
2	...	2	...	-	7	...	7	...	-	3	...	3	...	-	-	...	-	...	-	144c,d
3	...	3	...	-	6	...	4	...	2	5	...	5	...	-	-	...	-	...	-	145
2	...	2	...	-	4	...	3	...	1	3	...	3	...	-	-	...	-	...	-	
1	...	1	...	-	2	...	1	...	1	2	...	2	...	-	-	...	-	...	-	
1	...	-	...	1	4	...	4	...	-	7	...	7	...	-	1	...	1	...	-	146a
7	...	7	...	-	19	...	19	...	-	4	...	3	...	1	1	...	1	...	-	146b,c
7	...	7	...	-	15	...	13	...	2	14	...	14	...	-	2	...	2	...	-	147a,b
7	...	7	...	-	4	...	2	...	2	30	...	30	...	-	1	...	1	...	-	147c,d
10	...	10	...	-	5	...	5	...	-	14	...	13	...	1	1	...	1	...	-	148a,b
2	...	2	...	-	2	...	2	...	-	2	...	2	...	-	1	...	1	...	-	148c,d
4	...	4	...	-	9	...	9	...	-	8	...	8	...	-	-	...	-	...	-	149
4	...	4	...	-	4	...	4	...	-	5	...	5	...	-	1	...	1	...	-	150
12	4	8	-	-	15	8	7	-	-	23	9	14	-	-	3	2	1	-	-	
-	-	-	-	-	3	1	2	-	-	6	3	3	-	-	-	-	-	-	-	151
3	2	1	-	-	4	4	-	-	-	4	-	4	-	-	-	-	-	-	-	152
9	2	7	-	-	8	3	5	-	-	13	6	7	-	-	3	2	1	-	-	153

594337 O - 44 - 33

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	2	1	1	-	-	2	-	2	-	-	19	6	6	6	1
154	Osteomyelitis and periostitis	1	-	1	-	-	1	-	1	-	-	10	3	3	4	-
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	1	-	1	-	-	3	-	1	1	1
156	Diseases of joints and other organs of movement	1	1	-	-	-	-	-	-	-	-	6	3	2	1	-
157	XIV.—Congenital malformations	75	37	37	1	1	56	29	27	-	-	352	150	124	40	38
	XV.—Diseases peculiar to the first year of life	300	177	118	2	3	171	100	71	-	-	1,648	655	443	303	247
158	Congenital debility (cause not stated)	5	1	2	-	2	8	5	3	-	-	155	42	26	53	34
159	Premature birth (cause not stated)	196	111	84	1	-	100	58	42	-	-	1,021	394	296	173	158
160a	Intracranial or spinal hemorrhage	21	14	7	-	-	22	12	10	-	-	102	56	24	14	8
160b,c	Other injuries at birth	38	27	11	-	-	21	12	9	-	-	191	91	54	25	20
161	Other diseases peculiar to the first year of life	40	24	14	1	1	20	13	7	-	-	179	72	43	37	27
162	XVI.—Senility	72	34	35	3	-	21	6	15	-	-	266	80	109	33	44
	XVII.—Violent or accidental deaths	548	417	116	14	1	295	207	88	-	-	2,883	1,543	446	703	191
163,164	Suicide	46	35	6	5	-	65	53	12	-	-	313	217	71	19	6
163	Suicide by poisoning	14	10	3	1	-	11	7	4	-	-	72	34	36	1	1
	Suicide by solid or liquid poisons	8	5	3	-	-	4	2	2	-	-	27	10	15	1	1
	Suicide by poisonous gases	6	5	-	1	-	7	5	2	-	-	45	24	21	-	-
164a	Suicide by hanging or strangulation	9	7	-	2	-	14	11	3	-	-	28	19	7	3	-
164b	Suicide by drowning	1	-	1	-	-	4	2	2	-	-	10	4	-	3	3
164c	Suicide by firearms and explosives	15	12	1	2	-	30	29	1	-	-	180	146	22	11	1
164d	Suicide by cutting or piercing instruments	4	4	-	-	-	2	2	-	-	-	9	7	1	-	1
164e	Suicide by jumping from high places	2	1	1	-	-	3	1	2	-	-	6	3	3	-	-
164f	Suicide by crushing	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-
164g	Suicide by other or unspecified means	1	1	-	-	-	-	-	-	-	-	6	3	2	1	-
165-168	Homicide[1]	14	7	4	3	-	3	2	1	-	-	332	92	18	187	35
166	Homicide by firearms	9	5	3	1	-	3	2	1	-	-	183	56	14	99	14
167	Homicide by cutting or piercing instruments	3	2	-	1	-	-	-	-	-	-	97	13	1	70	13
168	Homicide by other means	2	-	1	1	-	-	-	-	-	-	52	23	3	18	8
169-195	Accidental deaths	487	374	106	6	1	227	152	75	-	-	2,173	1,176	357	490	150
169	Railway accidents (except collisions with motor vehicles)	19	18	1	-	-	5	5	-	-	-	123	77	7	35	4
170a	Collisions between automobiles and trains	8	8	-	-	-	-	-	-	-	-	32	20	6	5	1
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	145	113	30	1	1	49	38	11	-	-	659	383	84	155	37
170d	Motorcycle accidents (except collisions with automobiles)	2	2	-	-	-	-	-	-	-	-	9	8	-	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	-	-	-	-	-	10	5	2	3	-
171b	Other and unspecified road-transport accidents	1	-	1	-	-	3	3	-	-	-	8	4	-	3	1
172	Water-transport accidents	1	1	-	-	-	2	2	-	-	-	30	19	-	11	-
173	Air-transport accidents	30	29	1	-	-	1	1	-	-	-	61	59	-	2	-
174	Accidents in mines and quarries	31	31	-	-	-	2	2	-	-	-	60	52	-	8	-
175a	Accidents involving agricultural machinery and vehicles	5	3	-	2	-	5	4	1	-	-	20	12	2	6	-
175b,c	Other agricultural accidents, including injury by animals	8	6	1	1	-	9	8	1	-	-	27	19	2	6	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	5	5	-	-	-	12	8	-	4	-
176	Other accidents involving machinery	9	9	-	-	-	2	2	-	-	-	33	23	1	9	-
177	Food poisoning	-	-	-	-	-	-	-	-	-	-	12	3	4	3	2
178	Accidental absorption of poisonous gas	12	9	3	-	-	2	1	1	-	-	23	9	11	2	1
179	Acute accidental poisoning by solids or liquids	5	4	1	-	-	4	2	2	-	-	24	15	4	2	3
180	Conflagration	6	4	1	1	-	7	5	2	-	-	75	20	7	26	22
181	Accidental burns (except conflagration)	17	11	6	-	-	7	4	3	-	-	114	29	34	25	26
182	Accidental mechanical suffocation	7	5	2	-	-	3	2	1	-	-	46	20	12	7	7
183	Accidental drowning	31	23	8	-	-	18	17	1	-	-	186	102	6	68	10
184	Accidental injury by firearms	21	19	2	-	-	5	5	-	-	-	90	56	7	25	2
185	Accidental injury by cutting or piercing instruments	1	1	-	-	-	-	-	-	-	-	10	4	1	4	1
186a	Accidental injury by fall	90	44	45	1	-	75	27	48	-	-	308	124	137	32	15
186b	Accidental injury by crushing	3	3	-	-	-	-	-	-	-	-	20	13	3	4	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
188	Injury by animals (except in agriculture and forestry)	3	3	-	-	-	2	2	-	-	-	2	1	-	1	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	1	1	-	-	-	1	1	-	-	-	8	2	1	4	1
191	Excessive heat	1	1	-	-	-	-	-	-	-	-	25	14	2	8	1
192	Lightning	1	1	-	-	-	1	1	-	-	-	7	3	-	4	-
193	Accidents due to electric currents (except lightning)	-	-	-	-	-	6	5	1	-	-	24	18	2	3	1
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	10	8	2	-	-	4	3	1	-	-	16	4	4	4	4
195c,e	Other and unspecified accidents	19	17	2	-	-	9	7	2	-	-	92	46	17	18	11
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	27	23	-	4	-
198	Legal executions	1	1	-	-	-	-	-	-	-	-	3	-	-	3	-
	XVIII.—Ill-defined and unknown causes	85	50	17	11	7	18	10	8	-	-	510	182	129	102	97
199	Sudden death	3	3	-	-	-	1	-	1	-	-	86	43	15	21	7
200a	Ill-defined	67	39	14	10	4	10	7	3	-	-	137	39	32	26	40
200b	Found dead (cause unknown)	3	3	-	-	-	2	1	1	-	-	60	23	20	8	9
200c	Unknown or unspecified	12	5	3	1	3	5	2	3	-	-	227	77	62	47	41

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1942—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8	3	4	1	-	17	14	1	-	2	20	16	4	-	-	1	-	1	-	-	
5	2	2	1	-	9	8	-	-	1	11	10	1	-	-	1	-	1	-	-	154
2	-	2	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	155
1	1	-	-	-	7	5	1	-	1	7	5	2	-	-	-	-	-	-	-	156
227	122	100	5	-	282	156	113	7	6	410	205	198	5	2	45	31	14	-	-	157
698	396	278	10	14	1,053	586	394	41	32	1,074	644	413	7	10	139	74	58	3	4	
15	7	8	-	-	79	42	33	2	2	19	10	8	1	-	6	3	3	-	-	158
382	220	150	5	7	708	390	272	26	20	651	396	245	4	6	96	47	43	3	3	159
83	48	29	2	4	70	49	17	2	2	92	56	34	-	2	5	4	1	-	-	160a
108	61	45	2	-	101	54	38	5	4	185	109	73	1	2	16	10	6	-	-	160b,c
110	60	46	1	3	95	51	34	6	4	127	73	53	1	-	16	10	5	-	1	161
172	81	84	3	4	238	114	116	3	5	286	136	147	2	1	15	5	10	-	-	162
2,110	1,595	451	58	6	1,973	1,353	395	186	39	2,595	1,801	754	28	12	295	216	70	7	2	
363	283	71	7	2	193	145	42	2	4	502	384	116	2	-	36	28	8	-	-	163,164
117	84	32	1	-	37	17	19	-	1	124	71	52	1	-	4	3	1	-	-	163
40	20	19	1	-	33	14	18	-	1	37	18	18	1	-	3	2	1	-	-	
77	64	13	-	-	4	3	1	-	-	87	53	34	-	-	1	1	-	-	-	
62	46	13	1	2	19	16	3	-	-	158	127	30	1	-	6	3	3	-	-	164a
17	15	2	-	-	8	2	3	2	1	27	20	7	-	-	-	-	-	-	-	164b
125	108	14	3	-	108	93	13	-	2	144	129	15	-	-	22	19	3	-	-	164c
20	15	4	1	-	10	9	1	-	-	19	14	5	-	-	3	2	1	-	-	164d
15	9	5	1	-	2	1	1	-	-	14	10	4	-	-	-	-	-	-	-	164e
5	4	1	-	-	2	2	-	-	-	9	9	-	-	-	-	-	-	-	-	164f
2	2	-	-	-	7	5	2	-	-	7	4	3	-	-	1	1	-	-	-	164g
54	30	12	11	1	127	49	23	45	10	51	27	22	2	-	11	2	5	3	1	165-168
24	11	6	7	-	83	35	18	26	4	29	14	14	1	-	2	-	-	1	1	166
11	6	2	3	-	26	3	1	17	5	5	4	1	-	-	3	1	1	1	-	167
19	13	4	1	1	18	11	4	2	1	17	9	7	1	-	6	1	4	1	-	168
1,692	1,281	368	40	3	1,650	1,156	330	139	25	2,042	1,390	616	24	12	248	186	57	4	1	169-195
58	48	4	6	-	113	91	12	9	1	46	41	5	-	-	8	7	1	-	-	169
16	13	3	-	-	13	7	5	1	-	46	37	9	-	-	6	4	2	-	-	170a
-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	170b
453	348	93	12	-	333	260	57	11	5	527	397	119	8	3	51	37	12	2	-	170c
10	9	1	-	-	7	6	-	1	-	13	12	1	-	-	2	2	-	-	-	170d
-	-	-	-	-	3	3	-	-	-	2	1	1	-	-	-	-	-	-	-	171a
2	1	1	-	-	2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	171b
23	20	2	1	-	8	6	-	1	1	45	40	5	-	-	5	5	-	-	-	172
86	84	2	-	-	12	12	-	-	-	26	26	-	-	-	4	4	-	-	-	173
12	12	-	-	-	322	259	-	63	-	8	8	-	-	-	23	23	-	-	-	174
18	18	-	-	-	8	7	-	1	-	60	55	5	-	-	5	3	1	1	-	175a
13	12	1	-	-	15	13	2	-	-	66	58	8	-	-	7	6	1	-	-	175b,c
12	12	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	175d
60	58	-	2	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	175e
38	37	-	1	-	28	24	-	4	-	39	37	-	1	1	7	7	-	-	-	176
5	1	2	2	-	5	4	1	-	-	4	2	2	-	-	1	1	-	-	-	177
44	38	4	2	-	13	11	1	1	-	39	26	9	3	1	3	2	1	-	-	178
10	7	3	-	-	23	9	11	1	2	21	8	11	2	-	1	-	-	-	1	179
37	22	15	-	-	36	17	12	5	2	38	19	13	2	4	14	13	1	-	-	180
64	36	28	-	-	113	51	52	6	4	73	38	35	-	-	18	5	13	-	-	181
34	24	10	-	-	41	18	21	1	1	28	19	9	-	-	5	4	1	-	-	182
148	125	17	6	-	98	76	11	8	3	125	110	12	2	1	18	15	3	-	-	183
50	45	4	1	-	50	44	3	3	-	55	48	7	-	-	17	14	2	1	-	184
3	3	-	-	-	9	6	2	1	-	6	6	-	-	-	-	-	-	-	-	185
326	179	143	2	2	186	102	73	9	2	636	295	338	3	-	24	12	12	-	-	186a
15	15	-	-	-	19	16	-	3	-	22	22	-	-	-	1	-	1	-	-	186b
4	2	2	-	-	2	-	2	-	-	2	2	-	-	-	3	2	1	-	-	187
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	188
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	189
4	3	-	1	-	4	1	2	1	-	19	13	4	-	2	3	3	-	-	-	190
4	2	1	1	-	1	1	-	-	-	6	4	2	-	-	-	-	-	-	-	191
-	-	-	-	-	7	5	2	-	-	9	6	2	1	-	4	4	-	-	-	192
16	13	3	-	-	21	19	1	1	-	18	18	-	-	-	-	-	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
16	12	4	-	-	15	10	4	-	1	21	13	8	-	-	4	2	2	-	-	195d
108	79	25	3	1	135	69	55	8	3	33	20	11	2	-	12	9	3	-	-	195c,e
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	196
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
120	86	27	3	4	474	253	184	22	15	92	61	30	-	1	32	13	8	7	4	
9	7	1	1	-	34	20	12	2	-	16	15	1	-	-	-	-	-	-	-	199
71	54	16	1	-	110	56	43	8	3	47	28	18	-	1	6	3	2	-	1	200a
16	13	3	-	-	38	27	9	1	1	13	9	4	-	-	11	7	4	-	-	200b
24	12	7	1	4	292	150	120	11	11	16	9	7	-	-	15	3	2	7	3	200c

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES													
Under 1 year	113,492	10,365	9,567	10,108	8,922	8,795	8,598	9,335	9,049	9,289	9,651	9,329	10,484
Under 1 day	34,616	2,816	2,385	2,700	2,798	2,943	2,992	3,173	3,169	3,134	2,945	2,782	2,779
1 day	9,230	769	681	676	731	770	736	790	828	797	806	825	821
2 days	5,912	496	523	490	441	462	482	474	517	506	521	485	535
3 to 6 days	8,822	816	692	778	722	677	643	734	712	739	767	744	818
7 to 13 days	6,132	648	531	508	458	449	405	478	467	542	534	543	569
14 to 20 days	3,994	350	394	372	296	303	250	272	308	325	390	342	392
21 to 29 days	3,416	355	359	294	235	248	206	242	248	256	318	292	363
Under 1 month	72,122	6,250	5,545	5,818	5,681	5,852	5,694	6,163	6,249	6,299	6,281	6,013	6,277
1 month	8,105	827	809	845	610	590	472	508	519	642	757	709	817
2 months	6,598	660	679	716	511	444	410	453	401	444	535	606	739
3 months	5,288	555	493	541	438	365	330	395	334	379	419	437	602
4 months	4,319	444	431	410	298	311	327	322	286	317	370	318	485
5 months	3,600	366	360	345	290	241	285	335	260	282	266	261	309
6 months	3,186	334	285	349	223	259	243	292	223	212	245	232	309
7 months	2,670	265	258	293	233	169	192	253	190	192	196	193	236
8 months	2,365	193	235	234	192	180	169	196	170	186	185	186	239
9 months	2,005	194	167	236	174	147	183	149	144	140	162	141	168
10 months	1,642	148	173	142	133	142	146	124	135	103	117	133	146
11 months	1,592	129	132	179	139	115	147	145	138	93	118	100	157
ALABAMA													
Under 1 year	3,561	415	349	357	250	252	274	310	273	258	265	251	307
Under 1 day	1,021	94	69	85	79	83	85	101	102	88	71	82	82
1 to 6 days	739	81	78	81	48	54	47	49	54	70	56	60	61
7 to 13 days	193	32	22	19	15	13	14	11	15	13	16	11	12
14 to 29 days	239	34	34	22	11	17	16	14	12	19	21	10	29
1 to 11 months	1,369	174	146	150	97	85	112	135	90	68	101	88	123
ARIZONA													
Under 1 year	1,014	68	82	73	65	87	87	86	107	93	85	85	96
Under 1 day	189	14	14	10	16	17	19	16	15	19	19	17	13
1 to 6 days	142	11	7	5	14	13	12	18	17	8	10	12	15
7 to 13 days	51	5	3	6	1	4	3	3	7	4	8	4	3
14 to 29 days	65	7	6	4	5	7	2	1	12	4	3	7	7
1 to 11 months	567	31	52	48	29	46	51	48	56	58	45	45	58
ARKANSAS													
Under 1 year	1,694	157	171	139	117	131	148	159	115	134	155	130	138
Under 1 day	353	26	18	27	28	39	38	43	25	24	32	29	24
1 to 6 days	321	30	40	24	26	23	26	25	26	22	26	18	35
7 to 13 days	128	9	18	11	10	6	9	10	7	15	11	15	7
14 to 29 days	109	6	19	11	5	9	8	7	2	9	10	9	14
1 to 11 months	783	86	76	66	48	54	67	74	55	64	76	59	58
CALIFORNIA													
Under 1 year	5,385	425	382	412	432	426	428	464	449	453	433	491	525
Under 1 day	1,952	157	160	125	171	168	167	163	185	175	169	159	153
1 to 6 days	1,103	74	58	82	99	88	81	104	101	98	119	98	101
7 to 13 days	290	26	24	18	22	20	24	16	20	27	23	27	37
14 to 29 days	307	29	23	11	12	29	25	26	28	30	32	29	33
1 to 11 months	1,733	139	117	176	128	121	131	155	115	123		178	201
COLORADO													
Under 1 year	1,172	118	87	109	94	89	62	87	85	139	133	86	83
Under 1 day	346	31	19	20	36	30	24	47	35	33	27	17	27
1 to 6 days	213	15	18	26	17	20	14	14	14	20	22	19	14
7 to 13 days	42	11	1	3	2	4	1	1	2	4	4	6	3
14 to 29 days	65	10	9	6	2	2	4	2	5	3	14	4	4
1 to 11 months	506	51	40	54	37	33	19	23	29	79	86	40	35
CONNECTICUT													
Under 1 year	1,088	82	80	89	82	96	84	92	94	111	78	87	113
Under 1 day	407	32	23	26	23	31	38	45	34	47	25	40	43
1 to 6 days	281	23	21	22	25	30	24	20	17	33	26	18	22
7 to 13 days	68	2	4	6	8	3	4	4	10	8	6	2	11
14 to 29 days	66	2	4	8	4	6	6	5	5	9	5	4	8
1 to 11 months	266	23	28	27	22	26	12	18	28	14	16	23	29
DELAWARE													
Under 1 year	266	17	15	21	18	11	14	21	22	23	40	34	30
Under 1 day	53	4	2	2	7	4	5	4	10	2	3	5	5
1 to 6 days	57	2	1	5	4	2	4	5	4	5	10	10	5
7 to 13 days	18	1	2	-	2	1	-	2	-	4	2	2	2
14 to 29 days	20	1	2	1	-	-	1	1	2	1	4	5	2
1 to 11 months	118	9	8	13	5	4	4	9	6	11	21	12	16

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
DISTRICT OF COLUMBIA													
Under 1 year	771	60	48	65	54	54	54	61	80	79	99	52	65
Under 1 day	240	17	10	24	26	20	15	24	15	24	25	17	23
1 to 6 days	147	10	17	12	10	9	12	8	19	14	13	12	11
7 to 13 days	51	6	2	4	3	3	4	7	4	6	6	3	3
14 to 29 days	95	10	3	3	5	6	15	6	17	6	9	7	8
1 to 11 months	238	17	16	22	10	16	8	16	25	29	46	13	20
FLORIDA													
Under 1 year	1,953	237	175	161	162	173	133	147	136	173	143	140	173
Under 1 day	611	65	40	32	47	53	51	52	46	69	65	38	53
1 to 6 days	387	40	38	28	30	26	22	28	33	44	30	35	33
7 to 13 days	127	15	9	10	11	10	2	12	11	10	11	13	13
14 to 29 days	113	27	17	12	4	8	4	2	3	6	6	13	11
1 to 11 months	715	90	71	79	70	76	54	53	43	44	31	41	63
GEORGIA													
Under 1 year	3,571	430	384	328	255	266	266	299	258	252	290	265	278
Under 1 day	1,001	107	81	87	86	86	82	84	91	85	76	73	63
1 to 6 days	720	76	66	65	52	70	44	62	60	60	62	49	54
7 to 13 days	221	27	22	15	18	12	10	15	19	17	21	24	21
14 to 29 days	241	33	33	24	13	11	17	17	15	18	19	17	24
1 to 11 months	1,388	187	182	137	86	87	113	121	73	72	112	102	116
IDAHO													
Under 1 year	415	42	40	38	31	31	32	26	33	40	35	36	31
Under 1 day	134	17	12	13	9	12	13	6	11	18	8	11	4
1 to 6 days	104	9	7	8	3	7	9	8	9	13	11	7	13
7 to 13 days	16	1	4	2	1	1	1	1	1	-	-	3	1
14 to 29 days	30	3	4	2	3	1	1	3	2	2	3	2	4
1 to 11 months	131	12	13	13	15	10	8	8	10	7	13	13	9
ILLINOIS													
Under 1 year	5,170	449	417	409	376	440	377	437	413	448	467	427	510
Under 1 day	1,889	158	126	130	138	171	149	192	171	176	157	138	163
1 to 6 days	1,250	102	107	90	76	106	100	101	109	113	120	107	119
7 to 13 days	237	26	21	14	17	19	19	20	12	21	28	19	21
14 to 29 days	257	20	11	24	16	21	20	23	22	23	25	20	32
1 to 11 months	1,557	143	152	151	129	123	89	101	99	115	137	143	175
INDIANA													
Under 1 year	2,701	220	192	224	215	205	200	231	257	253	233	216	255
Under 1 day	803	56	43	64	71	63	69	75	92	78	74	61	57
1 to 6 days	593	42	38	45	40	50	52	68	51	53	53	49	52
7 to 13 days	126	8	8	7	8	7	14	9	13	13	10	15	14
14 to 29 days	180	13	15	6	18	17	12	11	24	18	11	15	20
1 to 11 months	999	101	88	102	78	68	53	68	77	91	85	76	112
IOWA													
Under 1 year	1,623	136	133	156	136	137	125	120	121	114	144	140	161
Under 1 day	567	53	52	47	49	43	52	47	50	37	50	40	47
1 to 6 days	390	27	32	29	31	34	32	36	33	24	37	38	37
7 to 13 days	94	7	8	6	7	6	6	6	11	9	7	11	10
14 to 29 days	103	7	6	11	7	10	9	7	10	12	6	13	5
1 to 11 months	469	42	35	63	42	44	26	24	17	32	44	38	62
KANSAS													
Under 1 year	1,205	109	111	105	131	99	74	110	96	87	87	93	103
Under 1 day	453	39	30	31	32	39	35	49	46	42	30	40	40
1 to 6 days	242	18	16	20	23	18	10	26	25	20	17	22	27
7 to 13 days	57	5	7	5	6	8	4	5	3	3	4	4	3
14 to 29 days	51	5	8	4	4	5	2	5	3	2	8	2	3
1 to 11 months	402	42	50	45	66	29	23	25	19	20	28	25	30
KENTUCKY													
Under 1 year	3,209	305	341	354	262	211	225	298	240	240	227	198	308
Under 1 day	818	65	58	83	75	65	71	60	62	66	73	57	83
1 to 6 days	614	56	61	68	59	44	53	51	42	35	37	48	60
7 to 13 days	192	27	24	24	16	13	7	16	13	8	14	11	19
14 to 29 days	252	31	37	35	26	17	9	18	17	20	10	13	19
1 to 11 months	1,333	126	161	144	86	72	85	153	106	111	93	69	127

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
LOUISIANA													
Under 1 year	2,802	282	247	233	219	192	219	205	225	229	245	235	271
Under 1 day	759	61	50	52	73	64	65	62	89	67	73	59	44
1 to 6 days	513	47	49	38	27	23	39	45	55	44	48	48	50
7 to 13 days	184	23	14	20	13	12	11	11	10	21	15	17	17
14 to 29 days	183	15	26	16	10	8	10	7	11	19	23	16	22
1 to 11 months	1,163	136	108	107	96	85	94	80	60	78	86	95	138
MAINE													
Under 1 year	816	55	76	82	86	74	47	54	53	67	66	70	86
Under 1 day	226	16	20	21	19	16	15	23	21	22	19	14	20
1 to 6 days	159	7	18	12	20	23	13	10	6	17	11	11	11
7 to 13 days	41	2	5	9	7	6	2	2	2	2	2	2	-
14 to 29 days	38	2	5	5	1	2	5	3	2	2	3	5	3
1 to 11 months	352	28	28	35	39	27	12	16	22	24	31	38	52
MARYLAND													
Under 1 year	1,941	152	148	167	129	139	125	173	173	183	195	162	195
Under 1 day	531	40	40	52	35	46	46	59	53	45	36	35	44
1 to 6 days	367	23	22	38	27	25	25	31	33	32	39	40	32
7 to 13 days	106	11	4	5	3	9	7	12	10	10	11	11	13
14 to 29 days	160	10	13	9	11	10	5	11	17	18	15	12	29
1 to 11 months	777	68	69	63	53	49	42	60	60	78	94	64	77
MASSACHUSETTS													
Under 1 year	2,651	231	191	213	219	226	197	207	205	213	234	251	264
Under 1 day	1,007	79	57	82	79	81	87	91	85	91	88	100	87
1 to 6 days	598	59	42	49	60	40	35	58	39	47	44	60	65
7 to 13 days	128	7	14	8	5	12	8	10	13	10	19	10	12
14 to 29 days	179	13	6	13	9	25	10	15	19	12	20	21	16
1 to 11 months	739	73	72	61	66	68	57	33	49	53	63	60	84
MICHIGAN													
Under 1 year	4,608	398	333	450	401	357	342	338	377	385	364	411	452
Under 1 day	1,456	112	97	143	121	141	123	131	133	117	109	124	105
1 to 6 days	1,082	90	76	88	85	91	101	81	89	96	98	84	83
7 to 13 days	268	31	15	27	20	12	16	29	19	27	18	30	24
14 to 29 days	311	28	23	20	26	25	19	18	33	25	34	28	32
1 to 11 months	1,511	137	122	172	149	88	83	79	103	120	105	145	208
MINNESOTA													
Under 1 year	1,739	154	115	141	150	168	157	131	118	150	121	147	187
Under 1 day	682	58	40	46	65	53	72	62	50	64	54	58	60
1 to 6 days	429	36	30	34	30	46	33	30	37	40	29	38	46
7 to 13 days	71	7	4	3	6	12	4	7	5	8	1	8	6
14 to 29 days	82	3	6	8	3	7	8	5	6	9	8	5	14
1 to 11 months	475	50	35	50	46	50	40	27	20	29	29	38	61
MISSISSIPPI													
Under 1 year	2,680	265	233	248	187	201	247	248	174	196	257	204	220
Under 1 day	725	61	53	64	52	65	56	71	69	61	72	51	50
1 to 6 days	509	54	51	41	39	26	44	40	43	40	49	44	38
7 to 13 days	137	20	13	14	5	11	9	7	4	15	12	9	18
14 to 29 days	171	16	15	12	18	9	11	10	14	16	18	15	17
1 to 11 months	1,138	114	101	117	73	90	127	120	44	64	106	85	97
MISSOURI													
Under 1 year	2,761	268	198	225	227	224	208	270	238	219	269	202	213
Under 1 day	908	69	46	62	75	89	92	90	89	82	90	66	58
1 to 6 days	563	56	41	39	43	41	41	58	60	36	49	45	54
7 to 13 days	151	15	10	20	9	15	8	11	11	10	14	14	14
14 to 29 days	173	20	17	20	11	11	12	15	10	11	21	13	12
1 to 11 months	966	108	84	84	89	68	55	96	68	80	95	64	75
MONTANA													
Under 1 year	395	59	35	36	26	35	36	31	31	26	22	28	30
Under 1 day	127	17	10	13	4	14	8	12	10	12	5	10	12
1 to 6 days	81	11	5	4	9	4	11	8	5	4	5	9	6
7 to 13 days	21	7	1	3	1	-	3	2	1	1	1	1	-
14 to 29 days	29	5	4	3	2	2	5	1	3	-	1	1	2
1 to 11 months	137	19	15	13	10	15	9	8	12	9	10	7	10

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
NEBRASKA													
Under 1 year	791	72	70	70	58	52	60	47	57	73	79	71	82
Under 1 day	307	24	20	25	19	14	33	23	26	44	30	26	23
1 to 6 days	156	11	17	16	11	13	16	10	11	10	15	13	13
7 to 13 days	30	3	1	6	2	3	3	-	3	2	3	4	-
14 to 29 days	29	3	-	1	4	2	2	1	-	3	5	4	4
1 to 11 months	269	31	32	22	22	20	6	13	17	14	26	24	42
NEVADA													
Under 1 year	159	8	6	11	12	12	23	14	12	21	14	11	15
Under 1 day	54	5	2	5	5	4	3	5	4	9	2	5	5
1 to 6 days	21	1	1	2	-	1	2	4	4	2	2	1	1
7 to 13 days	4	-	-	-	-	-	2	-	-	-	2	-	-
14 to 29 days	11	-	-	-	-	1	6	2	1	-	-	-	1
1 to 11 months	69	2	3	4	7	6	10	3	3	10	8	5	8
NEW HAMPSHIRE													
Under 1 year	329	26	29	31	29	27	30	27	26	28	19	29	30
Under 1 day	119	14	7	11	7	9	12	14	10	13	6	9	7
1 to 6 days	70	4	5	11	10	3	5	6	6	5	3	5	7
7 to 13 days	14	-	1	1	2	2	1	-	2	2	1	1	1
14 to 29 days	15	-	1	-	1	1	3	1	2	2	3	1	-
1 to 11 months	111	8	15	8	9	12	9	6	6	4	6	13	15
NEW JERSEY													
Under 1 year	2,542	202	189	220	192	194	205	207	214	217	198	227	277
Under 1 day	872	56	56	79	69	70	86	85	84	71	68	75	73
1 to 6 days	687	55	41	49	55	60	58	49	58	69	49	55	71
7 to 13 days	136	17	11	10	11	9	7	10	11	11	10	12	17
14 to 29 days	158	8	10	8	7	8	10	12	13	12	13	16	21
1 to 11 months	729	68	71	74	50	47	44	51	48	54	58	69	95
NEW MEXICO													
Under 1 year	1,383	113	157	153	101	94	86	107	152	155	113	81	91
Under 1 day	257	25	18	26	23	26	20	21	21	20	11	19	27
1 to 6 days	158	21	12	13	14	11	13	13	12	13	14	11	11
7 to 13 days	68	5	6	5	7	4	7	4	9	5	6	1	9
14 to 29 days	101	8	18	17	11	8	3	3	4	12	9	3	5
1 to 11 months	799	54	83	92	46	45	43	68	106	105	73	47	39
NEW YORK													
Under 1 year	7,814	644	578	648	667	587	566	627	631	640	695	748	783
Under 1 day	2,868	231	208	238	250	215	227	243	259	272	252	263	232
1 to 6 days	1,864	145	124	137	135	144	141	181	161	148	186	174	188
7 to 13 days	380	30	23	22	33	34	29	30	35	36	34	39	35
14 to 29 days	475	34	43	36	36	23	34	37	40	42	50	54	46
1 to 11 months	2,207	204	180	217	213	171	135	136	136	142	173	218	282
NORTH CAROLINA													
Under 1 year	4,342	469	493	426	316	298	335	389	300	297	323	334	362
Under 1 day	1,069	95	75	67	80	85	90	115	107	96	101	75	83
1 to 6 days	838	82	78	76	70	65	59	54	63	61	71	91	68
7 to 13 days	261	42	44	20	11	10	16	24	19	21	13	20	21
14 to 29 days	351	37	53	35	27	30	21	16	24	17	34	23	34
1 to 11 months	1,823	213	243	228	128	108	149	180	87	102	104	125	156
NORTH DAKOTA													
Under 1 year	488	43	38	41	53	39	41	41	30	36	31	50	45
Under 1 day	173	13	7	14	21	17	16	13	15	15	11	15	16
1 to 6 days	109	9	8	12	13	4	5	9	6	13	8	14	8
7 to 13 days	26	4	5	1	4	1	2	2	-	2	-	2	3
14 to 29 days	28	3	4	2	2	1	3	3	1	-	2	4	3
1 to 11 months	152	14	14	12	13	16	15	14	8	6	10	15	15
OHIO													
Under 1 year	5,345	421	467	476	422	388	378	415	458	489	469	436	526
Under 1 day	1,740	112	116	124	129	149	154	174	178	164	157	130	153
1 to 6 days	1,118	90	103	82	99	72	93	76	93	106	84	108	112
7 to 13 days	261	23	16	28	18	26	11	23	17	24	24	26	23
14 to 29 days	372	18	36	32	31	32	18	33	27	34	50	31	30
1 to 11 months	1,854	176	196	210	145	109	102	109	143	161	154	141	208

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
OKLAHOMA													
Under 1 year	1,906	169	167	189	145	154	114	142	168	154	159	169	176
Under 1 day	487	22	26	43	41	50	38	39	45	34	49	48	52
1 to 6 days	414	39	38	31	28	34	32	36	49	33	28	39	27
7 to 13 days	123	18	8	8	9	10	9	8	12	11	5	19	6
14 to 29 days	116	15	20	9	7	5	3	8	7	16	7	7	12
1 to 11 months	766	75	75	98	60	55	32	51	55	60	70	56	79
OREGON													
Under 1 year	687	57	48	57	58	53	43	50	52	65	67	64	73
Under 1 day	246	17	23	18	15	15	20	21	23	25	21	27	21
1 to 6 days	155	13	6	8	16	18	10	12	11	18	16	12	15
7 to 13 days	32	1	2	1	1	3	1	3	-	6	4	3	7
14 to 29 days	26	2	-	2	1	3	2	4	1	2	4	1	4
1 to 11 months	228	24	17	28	25	14	10	10	17	14	22	21	26
PENNSYLVANIA													
Under 1 year	7,527	672	614	706	662	603	507	582	532	613	641	660	735
Under 1 day	2,468	198	166	199	206	223	192	252	201	222	221	211	197
1 to 6 days	1,636	144	118	135	148	130	126	124	139	143	152	132	145
7 to 13 days	445	23	37	39	34	40	33	37	38	47	36	39	42
14 to 29 days	520	54	38	49	38	53	32	29	28	44	49	48	58
1 to 11 months	2,438	253	255	284	236	157	124	140	126	157	183	230	293
RHODE ISLAND													
Under 1 year	560	42	41	60	59	47	38	32	47	43	43	42	66
Under 1 day	153	14	11	10	13	13	13	10	12	16	18	11	12
1 to 6 days	117	15	10	11	8	10	10	10	11	9	8	6	9
7 to 13 days	34	1	1	3	7	4	2	1	4	1	1	4	5
14 to 29 days	89	4	8	14	7	2	4	2	9	5	6	12	18
1 to 11 months	167	8	11	22	24	18	9	9	11	12	10	9	24
SOUTH CAROLINA													
Under 1 year	2,866	319	292	278	205	190	231	235	206	216	227	232	235
Under 1 day	629	65	46	52	53	47	58	40	63	60	55	46	44
1 to 6 days	616	58	59	49	49	47	33	52	56	55	54	50	54
7 to 13 days	144	19	11	10	8	5	14	14	8	12	15	12	16
14 to 29 days	194	22	25	19	14	18	6	18	14	10	19	13	16
1 to 11 months	1,283	155	151	148	81	73	120	111	65	79	84	111	105
SOUTH DAKOTA													
Under 1 year	474	53	38	48	43	46	27	36	25	41	46	37	34
Under 1 day	153	13	14	10	14	13	9	11	9	17	20	16	7
1 to 6 days	118	8	7	19	9	17	7	15	5	7	9	7	8
7 to 13 days	23	3	4	1	2	1	1	-	3	3	2	1	2
14 to 29 days	19	3	3	1	1	2	1	-	1	1	2	1	3
1 to 11 months	161	26	10	17	17	13	9	10	7	13	13	12	14
TENNESSEE													
Under 1 year	3,020	300	300	293	232	217	219	266	254	255	227	227	230
Under 1 day	762	68	55	52	60	81	64	51	68	86	54	55	68
1 to 6 days	587	67	45	60	54	40	38	49	53	41	56	43	41
7 to 13 days	171	20	17	19	19	6	14	16	13	18	8	13	8
14 to 29 days	221	23	24	26	28	13	10	15	14	15	13	30	10
1 to 11 months	1,279	122	159	136	71	77	93	135	106	95	96	86	103
TEXAS													
Under 1 year	7,760	661	552	607	545	642	745	649	679	597	688	666	729
Under 1 day	1,894	133	107	128	139	144	183	185	194	159	177	175	170
1 to 6 days	1,529	139	107	99	92	104	122	130	169	142	142	127	156
7 to 13 days	424	39	39	30	26	32	29	34	35	39	49	30	42
14 to 29 days	480	50	51	44	37	29	23	36	25	38	47	43	57
1 to 11 months	3,433	300	248	306	251	333	388	264	256	219	273	291	304
UTAH													
Under 1 year	522	46	47	34	43	39	46	40	40	43	47	51	46
Under 1 day	190	22	13	18	13	8	22	11	16	20	19	17	11
1 to 6 days	144	10	12	8	11	9	13	13	12	18	6	17	15
7 to 13 days	15	-	2	1	4	3	-	1	1	-	2	-	1
14 to 29 days	21	3	4	-	1	2	3	-	1	1	2	3	1
1 to 11 months	152	11	16	7	14	17	8	15	10	4	18	14	18

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
VERMONT													
Under 1 year	299	23	27	20	33	16	38	23	24	32	18	21	24
Under 1 day	113	9	10	9	9	5	17	8	8	18	7	9	4
1 to 6 days	56	3	3	4	9	4	8	7	5	6	2	1	4
7 to 13 days	16	2	2	1	3	-	1	2	1	1	-	2	1
14 to 29 days	22	2	3	3	-	1	-	2	2	-	3	3	3
1 to 11 months	92	7	9	3	12	6	12	4	8	7	6	6	12
VIRGINIA													
Under 1 year	3,565	318	355	356	245	252	258	345	289	275	332	242	296
Under 1 day	928	75	79	74	68	79	86	86	74	79	83	71	74
1 to 6 days	674	63	56	52	52	63	48	55	47	59	58	50	71
7 to 13 days	206	22	16	17	11	18	17	22	10	15	20	18	20
14 to 29 days	280	22	30	39	22	19	16	31	17	15	34	17	18
1 to 11 months	1,477	136	174	174	92	73	91	151	141	107	137	86	115
WASHINGTON													
Under 1 year	1,292	122	108	103	109	113	111	96	85	89	109	120	127
Under 1 day	451	31	46	35	46	51	39	33	36	30	33	32	39
1 to 6 days	321	24	14	25	28	28	37	35	20	25	25	29	31
7 to 13 days	53	5	1	8	5	3	5	3	4	2	6	5	6
14 to 29 days	85	7	8	7	4	11	3	10	7	4	5	10	9
1 to 11 months	382	55	39	28	26	20	27	15	18	28	40	44	42
WEST VIRGINIA													
Under 1 year	2,329	248	207	250	193	184	155	177	221	183	179	161	171
Under 1 day	583	54	40	56	49	64	53	45	54	49	45	34	40
1 to 6 days	515	47	38	50	42	49	50	38	43	35	39	43	41
7 to 13 days	139	28	16	9	16	6	5	7	12	12	12	7	9
14 to 29 days	179	27	20	24	20	11	7	11	13	7	13	15	11
1 to 11 months	913	92	93	111	66	54	40	76	99	80	70	62	70
WISCONSIN													
Under 1 year	2,050	188	159	172	156	200	159	164	158	132	156	194	212
Under 1 day	723	64	63	55	49	63	67	69	65	62	50	65	51
1 to 6 days	449	36	33	39	39	61	27	33	36	30	41	43	31
7 to 13 days	94	8	6	8	7	10	6	8	7	4	10	11	9
14 to 29 days	109	10	6	8	5	10	9	7	11	7	8	8	20
1 to 11 months	675	70	51	62	56	56	50	47	39	29	47	67	101
WYOMING													
Under 1 year	251	15	22	24	20	24	22	19	16	32	19	15	23
Under 1 day	99	8	7	13	4	5	13	10	8	9	5	7	10
1 to 6 days	48	-	2	3	5	9	4	3	6	6	5	2	3
7 to 13 days	15	2	3	1	2	-	-	-	-	2	1	2	2
14 to 29 days	10	-	2	-	1	1	1	-	-	-	1	1	3
1 to 11 months	79	5	8	7	8	9	4	6	2	15	7	3	5

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female
UNITED STATES							
Under 1 year	113,492	92,678	53,253	39,425	20,814	11,576	9,238
Under 1 month	72,122	60,963	35,646	25,317	11,159	6,317	4,842
Alabama							
Under 1 year	3,561	1,904	1,123	781	1,657	931	726
Under 1 month	2,192	1,258	744	514	934	527	407
Arizona							
Under 1 year	1,014	767	430	337	247	139	108
Under 1 month	447	355	210	145	92	50	42
Arkansas							
Under 1 year	1,694	1,229	678	551	465	249	216
Under 1 month	911	697	375	322	214	121	93
California							
Under 1 year	5,385	5,123	2,995	2,128	262	156	106
Under 1 month	3,652	3,485	2,063	1,422	167	99	68
Colorado							
Under 1 year	1,172	1,145	655	490	27	19	8
Under 1 month	666	651	392	259	15	8	7
Connecticut							
Under 1 year	1,088	1,043	581	462	45	29	16
Under 1 month	822	790	452	338	32	19	13
Delaware							
Under 1 year	266	174	98	76	92	55	37
Under 1 month	148	106	58	48	42	28	14
District of Columbia							
Under 1 year	771	396	234	162	375	202	173
Under 1 month	533	307	180	127	226	127	99
Florida							
Under 1 year	1,953	1,150	641	509	803	461	342
Under 1 month	1,238	784	454	330	454	259	195
Georgia							
Under 1 year	3,571	1,771	1,022	749	1,800	995	805
Under 1 month	2,183	1,194	721	473	989	568	421
Idaho							
Under 1 year	415	399	229	170	16	7	9
Under 1 month	284	276	166	110	8	4	4
Illinois							
Under 1 year	5,170	4,784	2,780	2,004	386	198	188
Under 1 month	3,613	3,378	1,997	1,381	235	129	106
Indiana							
Under 1 year	2,701	2,544	1,508	1,036	157	87	70
Under 1 month	1,702	1,609	976	633	93	53	40
Iowa							
Under 1 year	1,623	1,610	913	697	13	7	6
Under 1 month	1,154	1,146	679	467	8	3	5
Kansas							
Under 1 year	1,205	1,146	662	484	59	38	21
Under 1 month	808	774	457	317	29	17	12
Kentucky							
Under 1 year	3,209	2,940	1,695	1,245	269	150	119
Under 1 month	1,876	1,742	1,023	719	134	82	52
Louisiana							
Under 1 year	2,802	1,297	748	549	1,505	853	652
Under 1 month	1,639	843	500	343	796	453	343
Maine							
Under 1 year	816	811	497	314	5	4	1
Under 1 month	464	464	293	171	-	-	-
Maryland							
Under 1 year	1,941	1,318	773	545	623	347	276
Under 1 month	1,164	856	530	326	308	180	128
Massachusetts							
Under 1 year	2,651	2,582	1,451	1,131	69	39	30
Under 1 month	1,912	1,871	1,046	825	41	21	20
Michigan							
Under 1 year	4,608	4,340	2,482	1,858	268	152	116
Under 1 month	3,097	2,922	1,678	1,244	175	97	78
Minnesota							
Under 1 year	1,739	1,699	968	731	40	22	18
Under 1 month	1,264	1,251	699	552	13	5	8
Mississippi							
Under 1 year	2,680	989	583	406	1,691	928	763
Under 1 month	1,542	651	388	263	891	498	393
Missouri							
Under 1 year	2,761	2,450	1,425	1,025	311	177	134
Under 1 month	1,795	1,614	936	678	181	92	89
Montana							
Under 1 year	395	348	204	144	47	25	22
Under 1 month	258	240	141	99	18	9	9
Nebraska							
Under 1 year	791	766	450	316	25	7	18
Under 1 month	522	511	307	204	11	4	7
Nevada							
Under 1 year	159	143	89	54	16	8	8
Under 1 month	90	87	56	31	3	-	3
New Hampshire							
Under 1 year	329	329	196	133	-	-	-
Under 1 month	218	218	136	82	-	-	-
New Jersey							
Under 1 year	2,542	2,224	1,294	930	318	174	144
Under 1 month	1,813	1,635	950	685	178	100	78
New Mexico							
Under 1 year	1,383	1,299	688	611	84	42	42
Under 1 month	584	541	298	243	43	21	22
New York							
Under 1 year	7,814	7,214	4,140	3,074	600	351	249
Under 1 month	5,607	5,211	3,012	2,199	396	230	166
North Carolina							
Under 1 year	4,342	2,572	1,524	1,048	1,770	958	812
Under 1 month	2,519	1,649	1,026	623	870	470	400
North Dakota							
Under 1 year	488	465	272	193	23	13	10
Under 1 month	336	332	201	131	4	3	1
Ohio							
Under 1 year	5,345	4,914	2,785	2,129	431	247	184
Under 1 month	3,491	3,249	1,858	1,391	242	143	99
Oklahoma							
Under 1 year	1,906	1,597	912	685	309	173	136
Under 1 month	1,140	1,002	570	432	138	76	62
Oregon							
Under 1 year	687	674	385	289	13	9	4
Under 1 month	459	453	257	196	6	4	2
Pennsylvania							
Under 1 year	7,527	6,852	3,969	2,883	675	372	303
Under 1 month	5,089	4,686	2,780	1,906	403	214	189
Rhode Island							
Under 1 year	560	535	287	248	25	13	12
Under 1 month	393	383	198	185	10	6	4
South Carolina							
Under 1 year	2,866	1,132	642	490	1,734	983	751
Under 1 month	1,583	719	406	313	864	526	338
South Dakota							
Under 1 year	474	399	234	165	75	35	40
Under 1 month	313	289	170	119	24	14	10
Tennessee							
Under 1 year	3,020	2,402	1,348	1,054	618	352	266
Under 1 month	1,741	1,419	824	595	322	200	122
Texas							
Under 1 year	7,760	6,543	3,658	2,885	1,217	686	531
Under 1 month	4,327	3,627	2,083	1,544	700	409	291
Utah							
Under 1 year	522	507	301	206	15	5	10
Under 1 month	370	364	227	137	6	3	3
Vermont							
Under 1 year	299	299	174	125	-	-	-
Under 1 month	207	207	120	87	-	-	-
Virginia							
Under 1 year	3,565	2,245	1,299	946	1,320	706	614
Under 1 month	2,088	1,412	833	579	676	361	315
Washington							
Under 1 year	1,292	1,209	694	515	83	48	35
Under 1 month	910	876	505	371	34	16	18
West Virginia							
Under 1 year	2,329	2,168	1,240	928	161	89	72
Under 1 month	1,416	1,317	785	532	99	52	47
Wisconsin							
Under 1 year	2,050	1,998	1,159	839	52	27	25
Under 1 month	1,375	1,350	788	562	25	12	13
Wyoming							
Under 1 year	251	233	138	95	18	8	10
Under 1 month	172	162	98	64	10	4	6

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1942

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
UNITED STATES													
Under 1 year	113,492	92,678	33,964	53,839	1,543	1,966	1,366	20,814	14,013	6,254	66	288	193
Under 1 day	34,616	29,989	7,610	20,981	782	117	499	4,627	2,546	1,980	31	33	37
1 to 6 days	23,964	20,100	4,938	14,208	472	242	240	3,864	2,520	1,252	24	42	26
7 to 13 days	6,132	4,876	1,714	2,914	82	115	51	1,256	863	360	5	15	13
14 to 29 days	7,410	5,998	2,473	3,142	93	235	55	1,412	940	439	1	22	10
1 to 11 months	41,370	31,715	17,229	12,594	114	1,257	521	9,655	7,144	2,223	5	176	107
ALABAMA													
Under 1 year	3,561	1,904	1,125	710	18	40	11	1,657	1,363	269	15	8	2
Under 1 day	1,021	638	330	288	14	1	5	383	287	86	7	2	1
1 to 6 days	739	401	218	172	4	2	5	338	285	46	4	2	1
7 to 13 days	193	88	55	32	-	1	-	105	90	9	4	2	-
14 to 29 days	239	131	98	28	-	5	-	108	89	19	-	-	-
1 to 11 months	1,369	646	424	190	-	31	1	723	612	109	-	2	-
ARIZONA													
Under 1 year	1,014	767	352	369	24	-	22	247	92	136	-	-	19
Under 1 day	189	163	50	86	13	-	14	26	7	14	-	-	5
1 to 6 days	142	114	27	74	7	-	6	28	10	14	-	-	4
7 to 13 days	51	34	13	20	1	-	-	17	4	10	-	-	3
14 to 29 days	65	44	19	25	-	-	-	21	9	9	-	-	3
1 to 11 months	567	412	243	164	3	-	2	155	62	89	-	-	4
ARKANSAS													
Under 1 year	1,694	1,229	759	437	-	19	14	465	420	41	-	-	4
Under 1 day	353	282	160	115	-	-	7	71	57	13	-	-	1
1 to 6 days	321	246	129	109	-	5	3	75	65	10	-	-	-
7 to 13 days	128	88	59	28	-	1	-	40	38	2	-	-	-
14 to 29 days	109	81	63	16	-	-	2	28	26	2	-	-	-
1 to 11 months	783	532	348	169	-	13	2	251	234	14	-	-	3
CALIFORNIA													
Under 1 year	5,385	5,123	953	3,721	138	167	144	262	49	190	4	3	16
Under 1 day	1,952	1,856	117	1,599	64	2	74	96	7	82	1	-	6
1 to 6 days	1,103	1,051	63	885	50	17	36	52	3	42	3	1	3
7 to 13 days	290	284	28	223	15	12	6	6	-	6	-	-	-
14 to 29 days	307	294	43	213	7	25	6	13	3	10	-	-	-
1 to 11 months	1,733	1,638	702	801	2	111	22	95	36	50	-	2	7
COLORADO													
Under 1 year	1,172	1,145	482	604	2	41	16	27	14	11	-	-	2
Under 1 day	346	339	89	239	2	3	6	7	1	5	-	-	1
1 to 6 days	213	207	63	135	-	5	4	6	1	4	-	-	1
7 to 13 days	42	41	18	21	-	2	-	1	-	1	-	-	-
14 to 29 days	65	64	27	28	-	9	-	1	-	1	-	-	-
1 to 11 months	506	494	285	181	-	22	6	12	12	-	-	-	-
CONNECTICUT													
Under 1 year	1,088	1,043	109	916	4	1	13	45	3	40	-	-	2
Under 1 day	407	389	15	369	1	-	4	18	-	18	-	-	-
1 to 6 days	281	271	10	259	1	-	1	10	-	10	-	-	-
7 to 13 days	68	66	2	64	-	-	-	2	-	2	-	-	-
14 to 29 days	66	64	6	55	2	-	1	2	1	1	-	-	-
1 to 11 months	266	253	76	169	-	1	7	13	2	9	-	-	2
DELAWARE													
Under 1 year	266	174	44	128	1	-	1	92	55	37	-	-	-
Under 1 day	53	38	10	27	1	-	-	15	9	6	-	-	-
1 to 6 days	57	39	5	33	-	-	1	18	9	9	-	-	-
7 to 13 days	18	12	1	11	-	-	-	6	3	3	-	-	-
14 to 29 days	20	17	5	12	-	-	-	3	1	2	-	-	-
1 to 11 months	118	68	23	45	-	-	-	50	33	17	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	771	396	32	267	37	56	4	375	52	258	6	59	-
Under 1 day	240	153	8	121	21	2	1	87	15	65	3	4	-
1 to 6 days	147	79	1	61	14	3	-	68	2	62	3	1	-
7 to 13 days	51	23	1	18	1	3	-	28	2	21	-	5	-
14 to 29 days	95	52	6	31	1	14	-	43	1	38	-	4	-
1 to 11 months	238	89	16	36	-	34	3	149	32	72	-	45	-
FLORIDA													
Under 1 year	1,953	1,150	396	720	9	1	24	803	603	194	-	-	6
Under 1 day	611	427	105	302	6	-	14	184	116	63	-	-	3
1 to 6 days	387	236	69	158	2	1	6	151	122	28	-	-	1
7 to 13 days	127	58	24	34	-	-	-	69	54	15	-	-	-
14 to 29 days	113	63	21	41	1	-	-	50	42	8	-	-	-
1 to 11 months	715	366	177	185	-	-	4	349	267	80	-	-	2

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
GEORGIA													
Under 1 year	3,571	1,771	948	761	1	42	19	1,800	1,478	319	-	1	2
Under 1 day	1,001	582	230	341	1	4	6	419	295	122	-	1	1
1 to 6 days	720	376	181	184	-	8	3	344	285	58	-	-	1
7 to 13 days	221	107	67	33	-	3	4	114	98	16	-	-	-
14 to 29 days	241	129	78	47	-	4	-	112	91	21	-	-	-
1 to 11 months	1,388	577	392	156	-	23	6	811	709	102	-	-	-
IDAHO													
Under 1 year	415	399	130	245	3	-	21	16	7	5	-	-	4
Under 1 day	134	129	27	91	1	-	10	5	2	2	-	-	1
1 to 6 days	104	103	17	80	1	-	5	1	-	-	-	-	1
7 to 13 days	16	15	2	13	-	-	-	1	1	-	-	-	-
14 to 29 days	30	29	13	15	-	-	1	1	-	1	-	-	-
1 to 11 months	131	123	71	46	1	-	5	8	4	2	-	-	2
ILLINOIS													
Under 1 year	5,170	4,784	1,149	3,394	102	81	58	386	145	234	-	-	7
Under 1 day	1,869	1,744	264	1,406	64	-	10	125	33	91	-	-	1
1 to 6 days	1,250	1,169	129	1,000	29	3	8	81	21	59	-	-	1
7 to 13 days	237	227	51	171	-	4	1	10	4	6	-	-	-
14 to 29 days	257	238	80	145	4	8	1	19	6	13	-	-	-
1 to 11 months	1,557	1,406	625	872	5	66	38	151	81	65	-	-	5
INDIANA													
Under 1 year	2,701	2,544	907	1,526	26	67	18	157	80	74	-	3	-
Under 1 day	803	766	215	524	17	3	7	37	17	20	-	-	-
1 to 6 days	593	555	120	414	7	12	2	38	16	22	-	-	-
7 to 13 days	126	122	29	89	1	2	1	4	2	2	-	-	-
14 to 29 days	180	166	64	96	-	5	1	14	4	8	-	2	-
1 to 11 months	999	935	479	403	1	45	7	64	41	22	-	1	-
IOWA													
Under 1 year	1,623	1,610	454	1,125	5	3	23	13	3	9	1	-	-
Under 1 day	567	565	133	422	1	-	9	2	-	2	-	-	-
1 to 6 days	390	384	73	303	-	-	8	6	2	3	1	-	-
7 to 13 days	94	94	22	72	-	-	-	-	-	-	-	-	-
14 to 29 days	103	103	31	72	-	-	-	-	-	-	-	-	-
1 to 11 months	469	464	195	256	4	3	6	5	1	4	-	-	-
KANSAS													
Under 1 year	1,205	1,146	357	766	1	8	16	59	38	21	-	-	-
Under 1 day	453	445	114	319	-	-	12	8	3	5	-	-	-
1 to 6 days	242	231	40	187	1	1	2	11	5	6	-	-	-
7 to 13 days	57	49	17	31	-	-	1	8	6	2	-	-	-
14 to 29 days	51	49	25	24	-	-	-	2	2	-	-	-	-
1 to 11 months	402	372	161	205	-	5	1	30	22	8	-	-	-
KENTUCKY													
Under 1 year	3,209	2,940	2,055	791	2	61	31	269	211	57	-	-	1
Under 1 day	818	761	477	269	2	2	11	57	40	17	-	-	-
1 to 6 days	614	570	355	209	-	3	3	44	32	12	-	-	-
7 to 13 days	192	176	124	44	-	4	4	16	13	3	-	-	-
14 to 29 days	252	235	178	49	-	8	-	17	13	4	-	-	-
1 to 11 months	1,333	1,198	921	220	-	44	13	135	113	21	-	-	1
LOUISIANA													
Under 1 year	2,802	1,297	448	835	2	-	12	1,505	958	541	-	-	6
Under 1 day	759	448	117	324	1	-	6	311	157	152	-	-	2
1 to 6 days	513	254	63	189	-	-	2	259	168	90	-	-	1
7 to 13 days	184	62	20	42	-	-	-	122	65	57	-	-	-
14 to 29 days	183	79	34	43	-	-	2	104	55	49	-	-	-
1 to 11 months	1,163	454	214	237	1	-	2	709	513	193	-	-	3
MAINE													
Under 1 year	816	811	371	393	17	18	12	5	4	1	-	-	-
Under 1 day	226	226	65	145	8	2	6	-	-	-	-	-	-
1 to 6 days	159	159	48	100	5	2	4	-	-	-	-	-	-
7 to 13 days	41	41	20	20	1	-	-	-	-	-	-	-	-
14 to 29 days	38	38	17	20	-	1	-	-	-	-	-	-	-
1 to 11 months	352	347	221	108	3	13	2	5	4	1	-	-	-
MARYLAND													
Under 1 year	1,941	1,318	432	825	7	42	12	623	317	293	-	7	6
Under 1 day	531	408	130	268	6	3	1	123	65	55	-	-	3
1 to 6 days	367	262	59	197	-	3	3	105	40	64	-	1	-
7 to 13 days	106	71	20	49	-	2	-	35	16	19	-	-	-
14 to 29 days	160	115	22	85	-	8	-	45	16	29	-	-	-
1 to 11 months	777	462	201	226	1	26	8	315	180	126	-	5	3

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
MASSACHUSETTS													
Under 1 year	2,651	2,582	361	1,840	132	219	30	69	17	48	1	3	-
Under 1 day	1,007	989	69	827	68	19	6	18	5	13	-	-	-
1 to 6 days	598	582	30	449	53	49	1	16	1	13	1	1	-
7 to 13 days	128	124	9	88	5	22	-	4	1	2	-	1	-
14 to 29 days	179	176	22	116	6	29	3	3	-	3	-	-	-
1 to 11 months	739	711	231	360	-	100	20	28	10	17	-	1	-
MICHIGAN													
Under 1 year	4,608	4,340	1,140	2,868	72	181	79	268	84	116	1	61	6
Under 1 day	1,456	1,373	248	1,031	45	22	27	83	17	50	1	14	1
1 to 6 days	1,062	998	121	824	16	21	16	64	13	34	-	16	1
7 to 13 days	268	255	45	190	5	11	4	13	2	7	-	4	-
14 to 29 days	311	296	74	196	4	22	-	15	7	5	-	3	-
1 to 11 months	1,511	1,418	652	627	2	105	32	93	45	20	-	24	4
MINNESOTA													
Under 1 year	1,739	1,699	388	1,222	22	11	56	40	15	25	-	-	-
Under 1 day	682	675	128	521	7	-	19	7	2	5	-	-	-
1 to 6 days	429	426	48	352	12	1	13	3	-	3	-	-	-
7 to 13 days	71	70	9	58	1	-	2	1	-	1	-	-	-
14 to 29 days	82	80	25	50	2	1	2	2	-	2	-	-	-
1 to 11 months	475	448	178	241	-	9	20	27	13	14	-	-	-
MISSISSIPPI													
Under 1 year	2,680	989	543	435	1	-	10	1,691	1,518	171	-	-	2
Under 1 day	725	321	161	150	1	-	9	404	346	57	-	-	1
1 to 6 days	509	215	114	101	-	-	-	294	263	31	-	-	-
7 to 13 days	137	52	36	16	-	-	-	85	81	4	-	-	-
14 to 29 days	171	63	42	21	-	-	-	108	104	4	-	-	-
1 to 11 months	1,138	338	190	147	-	-	1	800	724	75	-	-	1
MISSOURI													
Under 1 year	2,761	2,450	1,090	1,191	51	83	35	311	142	157	4	7	1
Under 1 day	908	810	316	444	31	5	14	98	20	75	2	1	-
1 to 6 days	563	516	186	309	14	4	3	47	24	18	2	3	-
7 to 13 days	151	134	66	65	1	1	1	17	11	6	-	-	-
14 to 29 days	173	154	71	77	1	4	1	19	7	12	-	-	-
1 to 11 months	966	836	451	296	4	69	16	130	80	46	-	3	1
MONTANA													
Under 1 year	395	348	73	258	-	-	17	47	27	19	-	-	1
Under 1 day	127	122	11	106	-	-	5	5	2	3	-	-	-
1 to 6 days	81	72	5	62	-	-	5	9	6	3	-	-	-
7 to 13 days	21	21	-	20	-	-	1	-	-	-	-	-	-
14 to 29 days	29	25	8	17	-	-	-	4	1	3	-	-	-
1 to 11 months	137	108	49	53	-	-	6	29	18	10	-	-	1
NEBRASKA													
Under 1 year	791	766	245	501	5	3	12	25	11	13	1	-	-
Under 1 day	307	301	75	217	2	-	7	6	-	5	1	-	-
1 to 6 days	156	152	36	113	2	-	1	4	2	2	-	-	-
7 to 13 days	30	30	10	20	-	-	-	-	-	-	-	-	-
14 to 29 days	29	28	9	18	-	1	-	1	1	-	-	-	-
1 to 11 months	269	255	115	133	1	2	4	14	8	6	-	-	-
NEVADA													
Under 1 year	159	143	39	99	-	-	5	16	11	5	-	-	-
Under 1 day	54	52	3	47	-	-	2	2	-	2	-	-	-
1 to 6 days	21	20	2	16	-	-	2	1	-	1	-	-	-
7 to 13 days	4	4	-	4	-	-	-	-	-	-	-	-	-
14 to 29 days	11	11	4	7	-	-	-	-	-	-	-	-	-
1 to 11 months	69	56	30	25	-	-	1	13	11	2	-	-	-
NEW HAMPSHIRE													
Under 1 year	329	329	78	235	7	5	4	-	-	-	-	-	-
Under 1 day	119	119	11	105	3	-	-	-	-	-	-	-	-
1 to 6 days	70	70	5	58	4	1	2	-	-	-	-	-	-
7 to 13 days	14	14	2	11	-	-	1	-	-	-	-	-	-
14 to 29 days	15	15	2	13	-	-	-	-	-	-	-	-	-
1 to 11 months	111	111	58	48	-	4	1	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	2,542	2,224	284	1,735	140	20	45	318	90	198	9	8	13
Under 1 day	872	785	51	655	65	1	13	87	11	72	4	-	-
1 to 6 days	667	606	30	524	47	1	4	61	11	45	4	-	1
7 to 13 days	136	127	9	108	8	-	2	9	2	6	-	1	-
14 to 29 days	138	117	19	82	13	-	3	21	5	15	1	-	-
1 to 11 months	729	589	175	366	7	18	23	140	61	60	-	7	12

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
NEW MEXICO													
Under 1 year	1,383	1,299	976	305	-	1	17	84	53	31	-	-	-
Under 1 day	257	235	127	101	-	-	7	22	15	7	-	-	-
1 to 6 days	158	149	101	44	-	-	4	9	6	3	-	-	-
7 to 13 days	68	61	41	20	-	-	-	7	3	4	-	-	-
14 to 29 days	101	96	73	22	-	-	1	5	3	2	-	-	-
1 to 11 months	799	758	634	118	-	1	5	41	26	15	-	-	-
NEW YORK													
Under 1 year	7,814	7,214	1,083	5,457	295	211	168	600	91	478	8	6	17
Under 1 day	2,888	2,655	216	2,264	127	14	34	233	15	214	4	-	-
1 to 6 days	1,864	1,746	82	1,529	75	40	20	118	6	109	1	2	-
7 to 13 days	380	364	35	288	18	15	8	16	1	14	-	-	1
14 to 29 days	475	446	90	295	21	33	7	29	9	18	-	-	2
1 to 11 months	2,207	2,003	660	1,081	54	109	99	204	60	123	3	4	14
NORTH CAROLINA													
Under 1 year	4,342	2,572	1,419	1,117	-	17	19	1,770	1,461	300	-	-	9
Under 1 day	1,069	765	352	404	-	-	9	304	220	82	-	-	2
1 to 6 days	838	541	243	288	-	3	7	297	245	52	-	-	-
7 to 13 days	261	150	89	60	-	1	-	111	90	20	-	-	1
14 to 29 days	351	193	117	73	-	2	1	158	135	22	-	-	1
1 to 11 months	1,823	923	618	292	-	11	2	900	771	124	-	-	5
NORTH DAKOTA													
Under 1 year	488	465	183	263	5	-	14	23	13	10	-	-	-
Under 1 day	173	172	58	106	3	-	5	1	-	1	-	-	-
1 to 6 days	109	107	33	69	2	-	3	2	2	-	-	-	-
7 to 13 days	26	26	10	16	-	-	-	-	-	-	-	-	-
14 to 29 days	28	27	14	12	-	-	1	1	-	1	-	-	-
1 to 11 months	152	133	68	60	-	-	5	19	11	8	-	-	-
OHIO													
Under 1 year	5,345	4,914	1,681	2,914	133	173	13	431	160	239	4	28	-
Under 1 day	1,740	1,618	398	1,142	65	12	3	122	37	82	1	2	-
1 to 6 days	1,116	1,046	233	760	30	21	2	72	25	41	2	4	-
7 to 13 days	261	238	74	140	13	10	1	23	8	15	-	-	-
14 to 29 days	372	347	121	198	14	12	2	25	6	16	-	3	-
1 to 11 months	1,854	1,665	857	674	11	118	5	189	84	85	1	19	-
OKLAHOMA													
Under 1 year	1,906	1,597	817	752	1	3	24	309	219	88	-	-	2
Under 1 day	487	440	186	243	1	-	10	47	29	18	-	-	-
1 to 6 days	414	362	146	211	-	2	3	52	40	10	-	-	2
7 to 13 days	123	104	58	45	-	-	1	19	14	5	-	-	-
14 to 29 days	116	96	53	42	-	-	1	20	15	5	-	-	-
1 to 11 months	766	595	374	211	-	1	9	171	121	50	-	-	-
OREGON													
Under 1 year	687	674	147	467	4	38	18	13	3	9	-	1	-
Under 1 day	246	244	18	214	2	1	9	2	-	2	-	-	-
1 to 6 days	155	151	11	136	1	1	2	4	-	3	-	1	-
7 to 13 days	32	32	3	25	-	2	2	-	-	-	-	-	-
14 to 29 days	26	26	6	17	-	3	-	-	-	-	-	-	-
1 to 11 months	228	221	109	75	1	31	5	7	3	4	-	-	-
PENNSYLVANIA													
Under 1 year	7,527	6,852	2,091	4,481	95	133	52	675	149	461	6	49	10
Under 1 day	2,488	2,293	513	1,718	42	5	15	195	29	157	4	2	3
1 to 6 days	1,636	1,513	261	1,203	28	17	4	123	19	101	-	3	-
7 to 13 days	445	412	92	306	7	5	2	33	3	26	1	1	2
14 to 29 days	520	468	160	286	7	13	2	52	13	33	-	5	1
1 to 11 months	2,438	2,166	1,065	988	11	93	29	272	85	144	1	38	4
RHODE ISLAND													
Under 1 year	560	535	102	338	78	-	17	25	10	8	6	-	1
Under 1 day	153	148	22	85	41	-	-	5	1	1	3	-	-
1 to 6 days	117	113	19	68	26	-	-	4	-	1	3	-	-
7 to 13 days	34	33	6	23	4	-	-	1	-	1	-	-	-
14 to 29 days	89	89	9	71	6	-	3	-	-	-	-	-	-
1 to 11 months	167	152	46	91	1	-	14	15	9	5	-	-	1
SOUTH CAROLINA													
Under 1 year	2,866	1,132	658	464	-	7	3	1,734	1,498	232	-	-	4
Under 1 day	629	356	190	165	-	-	1	273	233	40	-	-	-
1 to 6 days	616	247	119	128	-	-	-	369	314	55	-	-	-
7 to 13 days	144	37	24	13	-	-	-	107	96	10	-	-	1
14 to 29 days	194	79	51	26	-	2	-	115	96	18	-	-	1
1 to 11 months	1,283	413	274	132	-	5	2	870	759	109	-	-	2

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1942—Continued

(Exclusive of stillbirths)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
SOUTH DAKOTA													
Under 1 year	474	399	145	226	3	-	25	75	47	26	-	-	2
Under 1 day	153	149	46	87	1	-	15	4	2	2	-	-	-
1 to 6 days	118	109	23	79	1	-	6	9	3	5	-	-	1
7 to 13 days	23	18	7	9	1	-	1	5	3	2	-	-	-
14 to 29 days	19	13	10	3	-	-	-	6	5	1	-	-	-
1 to 11 months	161	110	59	48	-	-	3	51	34	16	-	-	1
TENNESSEE													
Under 1 year	3,020	2,402	1,465	861	4	47	25	618	379	222	-	14	3
Under 1 day	762	626	293	322	1	3	7	136	66	69	-	1	-
1 to 6 days	587	464	237	218	3	2	4	123	73	48	-	1	1
7 to 13 days	171	138	101	33	-	2	2	33	19	14	-	-	-
14 to 29 days	221	191	132	47	-	10	2	30	20	9	-	1	-
1 to 11 months	1,279	983	702	241	-	30	10	296	201	82	-	11	2
TEXAS													
Under 1 year	7,760	6,543	3,858	2,505	43	60	77	1,217	880	308	-	21	8
Under 1 day	1,894	1,608	601	934	28	8	37	286	170	109	-	5	2
1 to 6 days	1,529	1,293	618	631	14	8	22	236	168	60	-	5	3
7 to 13 days	424	335	252	96	-	7	-	89	61	26	-	1	1
14 to 29 days	480	391	244	137	1	5	4	89	57	30	-	2	-
1 to 11 months	3,433	2,916	2,163	707	-	32	14	517	424	83	-	8	2
UTAH													
Under 1 year	522	507	155	328	18	-	6	15	6	9	-	-	-
Under 1 day	190	186	37	139	7	-	3	4	-	4	-	-	-
1 to 6 days	144	143	27	105	11	-	-	1	-	1	-	-	-
7 to 13 days	15	14	4	10	-	-	-	1	-	1	-	-	-
14 to 29 days	21	21	12	8	-	-	1	-	-	-	-	-	-
1 to 11 months	152	143	75	66	-	-	2	9	6	3	-	-	-
VERMONT													
Under 1 year	299	299	116	181	1	1	-	-	-	-	-	-	-
Under 1 day	113	113	32	80	1	-	-	-	-	-	-	-	-
1 to 6 days	56	56	12	44	-	-	-	-	-	-	-	-	-
7 to 13 days	16	16	6	10	-	-	-	-	-	-	-	-	-
14 to 29 days	22	22	10	12	-	-	-	-	-	-	-	-	-
1 to 11 months	92	92	56	35	-	1	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	3,565	2,245	1,169	1,009	5	44	18	1,320	1,051	259	-	7	23
Under 1 day	928	686	288	386	2	4	6	242	176	64	-	1	1
1 to 6 days	674	421	178	237	1	3	2	253	197	53	-	1	2
7 to 13 days	206	123	67	52	-	3	1	83	62	19	-	-	2
14 to 29 days	280	182	104	72	1	5	-	98	76	20	-	1	1
1 to 11 months	1,477	833	532	262	1	29	9	644	540	83	-	4	17
WASHINGTON													
Under 1 year	1,292	1,209	207	940	4	4	54	83	36	37	-	-	10
Under 1 day	451	439	34	388	3	-	14	12	1	10	-	-	1
1 to 6 days	321	308	11	292	1	-	4	13	5	7	-	-	1
7 to 13 days	53	52	5	42	-	1	4	1	-	-	-	-	1
14 to 29 days	85	77	16	55	-	-	6	8	7	-	-	-	1
1 to 11 months	382	333	141	163	-	3	26	49	23	20	-	-	6
WEST VIRGINIA													
Under 1 year	2,329	2,168	1,372	789	1	2	4	161	120	40	-	-	1
Under 1 day	583	546	324	220	1	-	1	37	31	6	-	-	-
1 to 6 days	515	479	274	203	-	-	2	36	29	7	-	-	-
7 to 13 days	139	129	85	44	-	-	-	10	7	2	-	-	1
14 to 29 days	179	163	104	59	-	-	-	16	12	4	-	-	-
1 to 11 months	913	851	585	263	-	2	1	62	41	21	-	-	-
WISCONSIN													
Under 1 year	2,050	1,998	518	1,369	24	56	31	52	20	28	-	2	2
Under 1 day	723	712	136	554	12	1	9	11	2	9	-	-	-
1 to 6 days	449	442	57	369	10	3	3	7	2	5	-	-	-
7 to 13 days	94	91	14	75	-	1	1	3	2	1	-	-	-
14 to 29 days	109	105	41	56	2	6	-	4	2	1	-	1	-
1 to 11 months	675	648	270	315	-	45	18	27	12	12	-	1	2
WYOMING													
Under 1 year	251	233	58	156	-	2	17	18	10	7	-	-	1
Under 1 day	99	92	12	71	-	-	9	7	3	3	-	-	1
1 to 6 days	48	46	6	37	-	-	3	2	-	2	-	-	-
7 to 13 days	15	14	2	12	-	-	-	1	1	-	-	-	-
14 to 29 days	10	10	-	9	-	-	1	-	-	-	-	-	-
1 to 11 months	79	71	38	27	-	2	4	8	6	2	-	-	-

TABLE 28.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1942

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	113,492	10,365	9,567	10,108	8,922	8,795	8,598	9,335	9,049	9,289	9,651	9,329	10,484
Cerebrospinal (meningococcus) meningitis---6	163	13	16	18	16	19	17	10	6	6	11	12	19
Scarlet fever---8	25	2	2	4	2	4	1	1	1	1	1	4	3
Whooping cough---9	1,808	145	169	181	151	159	160	165	144	130	125	122	157
Diphtheria (infection by C. diphtheriae)---10	96	17	10	6	9	3	2	5	2	5	10	10	17
Erysipelas---11	41	2	13	4	4	1	3	2	5	-	1	1	5
Tetanus---12	140	9	14	14	6	13	17	17	18	13	7	5	7
Tuberculosis of respiratory system, etc.*---13	240	16	22	28	30	24	25	19	17	14	17	13	15
Tuberculosis of meninges, etc.*---14	157	14	13	19	14	16	14	14	8	13	11	9	12
Tuberculosis (other forms)---15-22	121	8	14	12	13	12	13	8	8	8	11	5	9
Septicemia and purulent infection---24	126	11	9	8	10	11	9	11	14	8	20	7	8
Dysentery---27	870	27	19	20	30	65	149	170	117	106	75	54	38
Malaria---28	73	2	1	1	3	8	10	10	10	14	9	2	3
Syphilis---30	845	65	81	65	77	77	64	73	68	70	80	61	64
Influenza---33	1,811	281	335	340	159	74	49	32	28	52	93	154	214
Measles---35	341	41	51	77	67	46	28	5	7	3	2	5	9
Other infectious and parasitic diseases--1-5,7,23,25,26,29,31,32,34,36-44	206	24	21	14	19	14	21	15	12	14	16	16	20
Diseases of thymus gland---64	1,075	114	89	92	72	74	60	79	79	69	101	119	127
Rickets---70	84	9	10	10	9	5	5	6	3	7	9	4	7
Hemorrhagic conditions---72	165	23	19	8	16	12	8	11	11	13	12	12	20
Anemias (except splenic anemia)---73	183	16	11	11	23	12	7	12	10	11	25	26	19
Encephalitis (nonepidemic)---80	109	9	6	10	3	9	11	13	8	12	6	12	10
Meningitis (not due to meningococcus)---81	603	67	58	83	56	57	42	31	24	24	41	54	66
Intracranial lesions of vascular origin---83	192	12	19	17	14	14	10	20	10	13	18	17	28
Convulsions---86	399	40	30	42	34	31	27	50	28	24	31	31	31
Diseases of ear and mastoid process---89	342	47	35	41	30	32	22	23	14	12	15	33	38
Other diseases, nervous system---82,84,85,87,88	178	17	11	14	18	13	16	13	15	13	18	10	20
Diseases of circulatory system---90-103	255	21	20	25	21	21	19	22	25	16	23	23	19
Bronchopneumonia (including capillary bronchitis)---107	9,436	1,192	1,214	1,286	881	625	417	412	355	456	649	754	1,195
Lobar pneumonia---108	3,037	376	442	457	278	216	127	116	100	124	197	225	379
Pneumonia (unspecified)---109	1,860	266	261	273	154	98	61	50	63	80	126	163	265
Other diseases of respiratory system---104-106,110-114	1,147	158	133	128	99	62	54	68	59	70	74	104	138
Diseases of buccal cavity, etc.*---115	183	25	16	25	14	14	14	11	8	11	16	11	18
Diseases of stomach---117,118	279	26	22	16	20	18	23	26	23	24	25	22	34
Diarrhea, enteritis, etc.*---119	7,824	348	326	348	358	548	832	1,095	1,011	1,001	882	605	470
Hernia---122a	1	1	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction---122b	588	53	49	56	47	50	50	63	52	43	54	39	32
Peritonitis (cause not stated)---129	50	11	3	2	5	4	3	5	1	3	4	4	5
Other diseases, digestive system---116,121,123-128	162	13	12	12	15	14	21	12	10	17	17	11	8
Diseases, genito-urinary system---130,131,133-139	291	35	23	23	28	18	27	22	16	27	28	23	21
Diseases of skin and cellular tissue---151-153	221	22	23	17	22	21	10	21	22	23	8	13	19
Congenital malformations---157	13,672	1,161	1,037	1,144	1,081	1,072	1,043	1,096	1,170	1,193	1,213	1,139	1,323
Congenital debility---158	2,738	264	235	243	164	194	210	221	231	251	259	229	237
Premature birth---159	34,504	2,872	2,369	2,580	2,784	2,982	2,872	3,075	3,095	3,076	2,960	2,909	2,930
Injury at birth---160	11,455	971	869	929	869	889	957	988	1,025	1,000	1,021	969	973
Other diseases peculiar to first year---161	6,704	534	514	567	528	531	518	575	575	565	628	565	604
Accidental mechanical suffocation---182	1,333	205	158	124	100	81	74	69	64	67	114	112	165
Other violence or accident---166-181,183-195	1,565	155	138	138	113	107	105	146	97	131	129	138	168
Ill-defined and unknown causes---199,200	5,257	587	589	527	402	380	330	384	343	411	413	429	462
All other causes*	536	38	36	49	54	45	41	48	37	45	46	44	53

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1942

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (total)—All causes	113,492	34,616	9,230	5,912	8,822	6,132	3,994	3,416	72,122	8,105	6,598	5,288	4,319	3,600	3,186	2,670	2,365	2,005	1,642	1,592
Cerebrospinal (meningococcus) meningitis—6	163	-	-	-	2	7	3	4	16	16	10	10	13	20	17	15	8	16	4	18
Scarlet fever—8	26	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	4	1	5	6
Whooping cough—9	1,808	-	1	1	3	6	16	51	78	265	272	242	147	153	140	120	102	100	89	100
Diphtheria (infection by C. diphtheriae)—10	96	-	-	-	2	2	1	-	5	3	7	8	11	8	7	9	9	10	9	10
Erysipelas—11	41	-	-	1	4	7	6	4	22	10	5	-	1	-	-	2	-	-	-	1
Tetanus—12	140	1	1	4	45	68	7	6	132	2	1	-	-	-	1	-	1	2	-	1
Tuberculosis of respiratory system, etc.*—13	240	2	-	-	-	2	1	1	6	5	12	17	18	22	22	19	35	26	33	25
Tuberculosis of meninges, etc.*—14	157	-	-	-	1	-	-	-	1	4	6	9	13	13	13	17	24	20	18	19
Tuberculosis (other forms)—15-22	121	1	1	-	-	1	-	-	3	6	9	12	9	11	14	12	13	15	6	11
Septicemia and purulent infection—24	126	-	-	-	1	11	7	5	24	26	20	8	5	7	8	4	4	8	4	8
Dysentery—27	870	8	-	2	1	23	9	27	70	81	80	99	94	91	94	78	59	43	38	43
Malaria—28	73	-	-	1	2	4	2	-	9	9	6	8	10	6	5	2	3	4	5	6
Syphilis—30	845	165	38	36	56	41	38	35	419	125	104	62	36	20	21	13	17	13	9	5
Influenza—33	1,811	5	3	2	18	44	55	71	198	221	222	176	186	172	143	121	112	104	75	81
Measles—35	341	2	3	-	2	9	9	10	35	29	19	22	17	20	31	36	32	32	32	36
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	206	-	1	-	1	10	5	7	24	21	24	16	22	17	8	18	8	14	18	16
Diseases of thymus gland—64	1,075	84	61	65	93	56	51	50	460	137	140	98	71	53	25	28	21	15	16	11
Rickets—70	84	-	1	-	2	1	1	1	6	7	12	9	9	9	3	8	9	6	2	4
Hemorrhagic conditions—72	165	16	15	12	41	24	7	7	122	8	6	4	7	1	5	2	7	2	1	-
Anemias (except splenic anemia)—73	183	1	-	2	6	2	2	3	16	17	24	17	14	17	11	19	20	10	10	8
Encephalitis (nonepidemic)—80	109	-	1	1	2	2	3	2	11	11	7	11	17	8	5	7	8	6	8	10
Meningitis (not due to meningococcus)—81	603	-	2	2	8	18	11	14	55	80	82	51	58	47	50	47	34	35	34	30
Intracranial lesions of vascular origin—83	192	1	2	-	2	3	2	-	10	50	31	17	18	10	17	8	10	8	5	8
Convulsions—86	399	8	13	25	68	47	13	13	187	38	41	19	23	18	17	11	11	6	11	17
Diseases of ear and mastoid process—89	342	-	-	-	1	5	5	7	18	30	31	32	44	37	28	28	33	17	12	27
Other diseases, nervous system—82,84,85,87,88	178	15	6	4	16	8	6	11	66	15	11	11	14	7	11	8	8	16	7	4
Diseases of circulatory system—90-103	255	10	5	10	12	14	11	6	68	44	24	31	15	16	12	15	15	4	7	4
Bronchopneumonia, etc.*—107	9,436	76	80	114	352	427	463	445	1,957	1,273	1,213	997	883	676	595	545	411	354	269	253
Lobar pneumonia—108	3,037	10	23	21	82	99	100	121	456	380	369	361	273	245	223	190	188	148	109	95
Pneumonia (unspecified)—109	1,860	14	17	32	76	107	101	98	445	267	257	195	154	132	104	81	67	65	45	48
Other dis. of resp. sys.—104-106,110-114	1,147	18	16	11	39	45	44	52	225	151	134	123	91	82	73	69	61	58	42	38
Diseases of buccal cavity, etc.*—115	183	-	-	-	5	4	5	4	18	20	21	14	19	18	15	11	15	11	13	8
Diseases of stomach—117,118	279	1	2	4	15	14	9	13	58	41	51	31	19	20	19	10	11	9	4	6
Diarrhea, enteritis, etc.*—119	7,824	8	5	8	77	296	473	422	1,289	1,039	940	855	704	664	586	451	408	382	257	239
Hernia—122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	588	-	1	1	9	10	8	11	40	68	60	50	66	63	68	49	38	34	28	26
Peritonitis (cause not stated)—129	50	-	-	1	-	3	2	3	9	14	6	3	5	4	1	2	3	1	2	-
Other diseases, digestive sys. 116,121,123-128	162	-	-	4	11	16	11	7	49	22	14	14	15	7	8	8	11	3	6	5
Diseases, genito-urinary sys. 130,131,133-139	291	2	6	4	13	22	16	14	77	53	33	25	24	23	9	10	9	12	7	9
Diseases of skin and cellular tissue—151-153	221	7	2	5	20	32	19	14	99	85	17	10	7	13	12	4	8	8	2	8
Congenital malformations—157	13,672	3,126	967	886	1,587	1,180	718	622	9,081	1,233	789	601	436	357	305	251	202	150	140	127
Congenital debility—158	2,738	529	187	139	216	200	145	115	1,533	344	249	171	136	75	76	34	52	25	30	13
Premature birth—159	34,504	20,562	4,622	2,183	2,747	1,884	933	552	33,483	613	213	89	40	25	11	18	4	-	6	2
Injury at birth—160	11,455	6,166	1,819	1,213	1,343	468	186	86	11,231	75	30	23	14	17	18	13	11	6	7	10
Other diseases peculiar to first year—161	6,704	2,587	942	769	1,180	448	193	121	6,240	197	99	52	31	24	20	12	11	5	10	3
Accidental mechanical suffocation—182	1,333	12	15	18	37	37	53	71	243	286	280	188	133	55	55	37	24	17	9	6
Other violence or accident—166-181,183-195	1,565	118	32	22	50	42	43	44	351	122	145	120	134	106	97	95	98	94	95	108
Ill-defined and unknown causes—199,200	5,257	1,037	332	304	548	361	244	245	3,071	560	416	316	228	160	141	104	84	64	75	43
All other causes*	536	24	8	5	16	22	11	20	106	52	54	51	39	50	39	26	37	26	28	28
UNITED STATES (male)—All causes	64,829	20,097	5,357	3,587	5,316	3,439	2,240	1,927	41,963	4,523	3,731	2,890	2,416	1,975	1,737	1,476	1,290	1,070	907	851
Cerebrospinal (meningococcus) meningitis—6	105	-	-	-	2	4	3	4	13	7	7	6	8	13	12	9	5	12	4	9
Scarlet fever—8	17	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	1	5	4
Whooping cough—9	876	-	1	-	1	6	10	19	37	126	138	120	77	83	71	57	47	37	38	45
Diphtheria (infection by C. diphtheriae)—10	62	-	-	-	1	2	1	-	4	1	4	6	8	6	3	7	5	3	7	8
Erysipelas—11	22	-	-	-	3	1	4	3	11	6	2	-	1	-	-	1	-	-	-	1
Tetanus—12	89	-	1	2	31	45	3	4	86	-	1	-	-	-	1	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	124	2	-	-	-	-	1	1	4	2	6	11	12	12	11	11	17	10	19	9
Tuberculosis of meninges, etc.*—14	103	-	-	-	-	-	-	-	-	2	4	7	10	11	6	11	18	12	9	13
Tuberculosis (other forms)—15-22	52	1	-	-	-	1	-	-	2	2	7	5	5	3	5	5	8	5	3	2
Septicemia and purulent infection—24	67	-	-	-	1	3	3	2	9	16	12	6	3	4	5	2	2	1	2	5
Dysentery—27	505	3	-	-	-	13	5	18	40	50	52	53	53	52	47	46	33	24	25	30
Malaria—28	34	-	-	1	1	2	1	-	5	4	2	3	4	2	4	1	3	2	1	3
Syphilis—30	443	92	20	15	39	16	17	22	221	59	57	35	19	12	7	8	10	7	5	3
Influenza—33	983	4	2	1	7	22	29	42	107	109	123	94	109	98	80	66	59	59	41	38
Measles—35	194	2	3	-	-	6	6	6	23	19	11	18	10	9	15	25	15	17	16	16
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	121	-	1	-	1	6	2	4	14	13	13	8	13	8	4	14	6	9	9	10
Diseases of thymus gland—64	654	48	42	44	54	36	26	30	280	80	85	60	53	30	14	11	15	7	11	8
Rickets—70	52	-	1	-	2	1	1	1	6	3	7	8	5	6	2	3	6	5	1	-
Hemorrhagic conditions—72	104	9	13	10	23	16	4	6	81	5	4	2	3	-	3	2	4	-	-	-
Anemias (except splenic anemia)—73	104	1	-	1	5	2	2	2	13	9	12	5	9	9	3	9	14	7	6	8
Encephalitis (nonepidemic)—80	67	-	-	1	2	1	2	-	6	7	1	9	10	6	4	2	6	3	7	6
Meningitis (not due to meningococcus)—81	360	-	1	1	6	10	8	9	35	47	48	31	42	17	27	29	19	25	25	15
Intracranial lesions of vascular origin—83	118	1	1	-	2	3	2	-	9	32	20	9	12	9	12	2	6	3	2	2
Convulsions—86	233	3	10	16	44	28	8	5	114	20	25	13	9	10	10	3	5	6	8	10
Diseases of ear and mastoid process—89	200	-	-	-	1	1	1	3	6	16	20	17	26	25	20	14	27	10	6	13
Other diseases, nervous system—82,84,85,87,88	99	6	3	3	8	6	5	6	37	7	6	7	6	4	3	8	5	8	4	4
Diseases of circulatory system—90-103	144	4	2	8	7	10	4	5	40	27	11	18	6	12	6	10	8	1	5	-
Bronchopneumonia, etc.*—107	5,270	53	48	63	228	263	245	249	1,149	674	700	543	490	371	337	318	220	189	134	145
Lobar pneumonia—108	1,721	6	12	12	48	58	55	71	262	222	227	195	151	137	125	115	104	79	51	53
Pneumonia (unspecified)—109	1,012	9	8	24	47	60	47	64	259	156	136	100	79	69	51	43	33	37	24	25
Other dis. of resp. sys.—104-106,110-114	659	11	10	6	18	26	28	24	123	88	80	71	50	45	44	40	31	37	28	22
Diseases of buccal cavity, etc.*—115	104	-	-	-	2	2	3	3	10	11	16	10	11	11	5	6	8	8	7	1
Diseases of stomach—117,118	145	1	-	3	7	7	4	8	30	26	28	18	9	7	7	4	7	4	3	2
Diarrhea, enteritis, etc.*—119	4,338	5	2	5	41	172	268	235	728	594	510	482	396	355	323	244	224	211	146	125
Hernia—122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	352	-	-	1	8	6	5	5	25	39	33	27	33	35	52	35	19	19	16	17
Peritonitis (cause not stated)—129	21	-	-	-	-	2	-	-	2	4	3	2	3	2	1	1	1	1	1	-
Other diseases, digestive sys. 116,121,123-128	99	-	-	2	5	9	8	6	30	10	12	8	9	5	8	3	6	2	3	3
Diseases, genito-urinary sys. 130,131,133-139	183	1	4	3	6	13	10	10	47	39	19	16	13	15	8	4	7	7	2	6
Diseases of skin and cellular tissue—151-153	115	3	2	-	13	18	10	4	50	20	8	4	2	6	8	-	5	5	2	5
Congenital malformations—157	7,589	1,661	581	544	949	642	396	339	5,112	696	449	324	222	185	147	125	109	79	73	65
Congenital debility—158	1,580	319	105	97	115	99	77	73	885	207	152	100	76	45	39	20	27	8	16	5
Premature birth—159	19,728	11,870	2,606	1,245	1,609	1,046	522	292	19,190	325	117	40	20	17	3	10	4	-	1	1
Injury at birth—160	7,051	3,761	1,105	774	858	267	93	54	6,912	44	20	14	11	11	11	6	10	3	4	5
Other diseases peculiar to first year—161	4,051	1,541	539	488	732	254	123	82	3,759	127	56	35	22	11	12	9	9	2	7	2
Accidental mechanical suffocation—182	777	5	8	12	20	26	34	41	146	163	167	102	77	28	33	23	14	11	8	5
Other violence or accident—166-181,183-195	862	66	22	14	32	21	23	25	203	64	69	72	77	60	55	53	44	48	55	62
Ill-defined and unknown causes—199,200	2,950	598	199	186	324	195	137	139	1,778	314	223	154	131	88	66	49	45	35	40	18
All other causes*	290	11	5	5	13	12	3	11	60	31	27	22	20	30	25	12	18	11	16	18

*Refer to complete International List titles, table VII, Part I.

594337 O - 44 - 34

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (female)----------All causes	48,663	14,519	3,873	2,325	3,506	2,693	1,754	1,489	30,159	3,582	2,867	2,398	1,903	1,625	1,449	1,194	1,075	935	735	741
Cerebrospinal (meningococcus) meningitis---6	58	-	-	-	-	3	-	-	3	9	3	4	5	7	5	6	3	4	-	9
Scarlet fever----------8	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	-	-	2
Whooping cough----------9	932	-	-	1	2	-	6	32	41	139	134	122	70	70	69	63	55	63	51	55
Diphtheria (infection by C. diphtheriae)--10	34	-	-	-	1	-	-	-	1	2	3	2	3	2	4	2	4	7	2	2
Erysipelas----------11	19	-	-	1	1	6	2	1	11	4	3	-	-	-	-	1	-	-	-	-
Tetanus----------12	51	1	-	2	14	23	4	2	46	2	-	-	-	-	-	-	1	2	-	-
Tuberculosis of respiratory system, etc.*-13	116	-	-	-	-	2	-	-	2	3	6	6	6	10	11	8	18	16	14	16
Tuberculosis of meninges, etc.*----------14	54	-	-	-	1	-	-	-	1	2	2	2	3	2	7	6	6	8	9	6
Tuberculosis (other forms)----------15-22	69	-	1	-	-	-	-	-	1	4	2	7	4	8	9	7	5	10	3	9
Septicemia and purulent infection---------24	59	-	-	-	-	8	4	3	15	10	8	2	2	3	3	2	2	7	2	3
Dysentery----------27	365	5	-	2	1	10	3	9	30	31	28	46	41	39	47	32	26	19	13	13
Malaria----------28	39	-	-	-	1	2	1	-	4	5	4	5	6	4	1	1	-	2	4	3
Syphilis----------30	402	73	18	21	27	25	21	13	198	67	47	27	17	8	14	5	7	6	4	2
Influenza----------33	828	1	1	1	11	22	26	29	91	112	99	82	77	74	63	55	53	45	34	43
Measles----------35	147	-	-	-	2	3	3	4	12	10	8	4	7	11	16	11	17	15	16	20
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	85	-	-	-	-	4	3	3	10	8	11	8	9	9	4	4	2	5	9	6
Diseases of thymus gland----------64	421	36	19	21	39	20	25	20	180	57	55	38	18	23	11	17	6	8	5	3
Rickets----------70	32	-	-	-	-	-	-	-	-	4	5	1	4	3	1	5	3	1	1	4
Hemorrhagic conditions----------72	61	7	2	2	18	8	3	1	41	3	2	2	4	1	2	-	3	2	1	-
Anemias (except splenic anemia)----------73	79	-	-	1	1	-	-	1	3	8	12	12	5	8	8	10	6	3	4	-
Encephalitis (nonepidemic)----------80	42	-	1	-	-	1	1	2	5	4	6	2	7	2	1	5	2	3	1	4
Meningitis (not due to meningococcus)-----81	243	-	1	1	2	8	3	5	20	33	34	20	16	30	23	18	15	10	9	15
Intracranial lesions of vascular origin---83	74	-	1	-	-	-	-	-	1	18	11	8	6	1	5	6	4	5	3	6
Convulsions----------86	166	5	3	9	24	19	5	8	73	18	16	6	14	8	7	8	6	-	3	7
Diseases of ear and mastoid process-------89	142	-	-	-	-	4	4	4	12	14	11	15	18	12	8	14	11	7	6	14
Other diseases, nervous system-82,84,85,87,88	79	9	3	1	8	2	1	5	29	8	5	4	8	3	8	-	3	8	3	-
Diseases of circulatory system--------90-103	111	6	3	2	5	4	7	1	28	17	13	13	9	4	6	5	7	3	2	4
Bronchopneumonia, etc.*----------107	4,166	23	32	51	124	164	218	196	808	599	513	454	393	305	258	227	191	165	135	118
Lobar pneumonia----------108	1,315	4	11	9	34	41	45	50	194	158	132	166	122	108	98	75	84	69	58	42
Pneumonia (unspecified)----------109	848	5	9	8	29	47	54	34	186	111	121	95	75	63	53	38	34	28	21	23
Other dis. of resp. sys.-----104-106,110-114	488	7	6	5	21	19	16	28	102	63	54	52	41	37	29	29	30	21	14	16
Diseases of buccal cavity, etc.*---------115	79	-	-	-	3	2	2	1	8	9	5	4	8	7	10	5	7	3	6	7
Diseases of stomach----------117,118	134	-	2	1	8	7	5	5	28	15	23	13	10	13	12	6	4	5	1	4
Diarrhea, enteritis, etc.*----------119	3,486	3	3	3	36	124	205	187	561	445	430	383	308	309	263	207	184	171	111	114
Hernia----------122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	236	-	1	-	1	4	3	6	15	27	27	23	33	28	16	14	19	15	10	9
Peritonitis (cause not stated)----------129	29	-	-	1	-	1	2	3	7	10	3	1	2	2	-	1	2	-	1	-
Other diseases, digestive sys. 116,121,123-128	63	-	-	2	6	7	3	1	19	12	2	6	6	2	-	5	5	1	3	2
Diseases, genito-urinary sys. 130,131,133-139	108	1	2	1	7	9	6	4	30	14	14	9	11	8	1	5	2	5	5	3
Diseases of skin and cellular tissue-151-153	106	4	-	5	7	14	9	10	49	15	9	6	5	7	4	4	3	3	-	1
Congenital malformations----------157	6,083	1,465	386	342	638	538	317	283	3,969	537	340	277	214	172	158	126	93	71	67	59
Congenital debility----------158	1,158	210	82	42	101	101	69	43	648	137	97	71	60	30	37	14	25	17	14	8
Premature birth----------159	14,776	8,692	2,016	938	1,138	838	411	260	14,293	288	96	49	20	8	8	8	-	-	5	1
Injury at birth----------160	4,404	2,405	714	439	485	201	43	32	4,319	31	10	9	3	6	7	7	1	3	3	5
Other diseases peculiar to first year----161	2,653	1,046	403	281	448	194	70	39	2,481	70	43	17	9	13	8	3	2	3	3	1
Accidental mechanical suffocation---------182	556	7	7	6	17	11	19	30	97	123	113	86	56	27	22	14	10	6	1	1
Other violence or accident---166-181,183-195	703	52	10	8	18	21	20	19	148	58	76	48	57	46	42	42	54	46	40	46
Ill-defined and unknown causes--------199,200	2,307	439	133	118	224	166	107	106	1,293	246	193	162	92	72	75	55	39	29	26	25
All other causes*----------	246	13	3	-	3	10	8	9	46	21	27	29	19	20	14	14	19	15	12	10
UNITED STATES (white)----------All causes	92,678	29,989	7,887	5,021	7,192	4,876	3,266	2,732	60,963	6,319	5,130	4,067	3,283	2,752	2,377	2,016	1,801	1,501	1,247	1,222
Cerebrospinal (meningococcus) meningitis---6	136	-	-	-	2	7	3	3	15	15	9	7	12	17	12	11	6	12	4	16
Scarlet fever----------8	22	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	1	5	5
Whooping cough----------9	1,825	-	1	-	2	4	15	35	57	215	222	182	103	105	84	89	64	72	61	71
Diphtheria (infection by C. diphtheriae)--10	74	-	-	-	2	2	1	-	5	3	5	5	7	5	4	6	9	7	8	10
Erysipelas----------11	39	-	-	1	4	7	5	3	20	10	5	-	1	-	-	2	-	-	-	1
Tetanus----------12	83	-	1	4	31	34	5	3	78	-	1	-	-	-	1	-	1	1	-	1
Tuberculosis of respiratory system, etc.*-13	160	2	-	-	-	1	1	1	5	4	6	14	10	15	17	11	21	21	17	19
Tuberculosis of meninges, etc.*----------14	116	-	-	-	1	-	-	-	1	4	5	7	11	8	11	14	16	12	15	12
Tuberculosis (other forms)----------15-22	89	1	1	-	-	1	-	-	3	4	8	10	7	8	10	8	8	10	4	9
Septicemia and purulent infection---------24	114	-	-	-	1	10	6	5	22	25	16	7	5	7	7	4	3	8	4	6
Dysentery----------27	660	2	-	2	-	21	7	25	57	62	60	75	70	71	74	59	36	33	26	37
Malaria----------28	35	-	-	1	2	2	1	-	6	6	2	4	4	3	2	1	1	-	4	2
Syphilis----------30	363	67	15	15	28	18	16	14	173	59	51	26	17	10	4	5	10	3	3	2
Influenza----------33	1,324	3	3	1	9	31	44	58	149	173	160	121	136	118	108	90	87	71	52	59
Measles----------35	260	2	2	-	1	4	8	7	24	23	15	16	14	14	23	27	23	26	27	28
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	159	-	1	-	-	8	5	7	21	15	20	10	16	12	8	17	7	9	12	12
Diseases of thymus gland----------64	972	77	58	61	86	53	49	45	429	125	125	86	59	48	21	24	17	15	16	7
Rickets----------70	59	-	-	-	1	1	-	1	3	3	8	5	8	6	3	7	8	4	2	2
Hemorrhagic conditions----------72	137	16	9	9	30	22	6	6	98	8	4	4	7	-	4	2	7	2	1	-
Anemias (except splenic anemia)----------73	149	1	-	2	6	1	2	3	15	13	20	15	12	15	10	13	18	6	6	6
Encephalitis (nonepidemic)----------80	92	-	-	1	2	2	2	2	9	8	6	10	14	8	5	5	7	4	8	8
Meningitis (not due to meningococcus)-----81	476	-	2	1	7	13	8	13	44	69	64	39	44	41	39	35	29	26	22	24
Intracranial lesions of vascular origin---83	161	1	1	-	1	3	2	-	8	39	26	16	17	10	13	7	7	7	3	8
Convulsions----------86	262	6	13	16	41	20	9	8	113	25	31	13	19	12	12	7	6	5	7	13
Diseases of ear and mastoid process-------89	287	-	-	-	1	4	5	7	17	24	28	27	37	33	22	21	32	13	11	22
Other diseases, nervous system-82,84,85,87,88	159	13	6	4	12	7	6	10	58	13	11	10	12	7	9	7	7	14	7	4
Diseases of circulatory system--------90-103	217	9	4	10	12	13	8	5	61	40	20	24	13	15	8	13	10	4	5	4
Bronchopneumonia, etc.*----------107	7,360	47	64	93	277	346	377	362	1,566	1,022	982	772	674	507	454	407	308	259	206	203
Lobar pneumonia----------108	2,304	9	18	19	66	77	88	101	378	297	296	274	207	180	151	132	137	110	76	66
Pneumonia (unspecified)----------109	1,218	12	11	18	47	72	74	72	306	158	167	133	105	84	63	56	44	39	32	31
Other dis. of resp. sys.-----104-106,110-114	876	11	13	7	20	26	33	42	152	109	95	99	74	66	54	59	49	49	36	34
Diseases of buccal cavity, etc.*---------115	155	-	-	-	4	4	3	4	15	17	18	12	16	18	12	11	14	8	7	7
Diseases of stomach----------117,118	202	1	2	3	9	14	6	9	44	33	37	24	10	16	12	4	8	6	4	4
Diarrhea, enteritis, etc.*----------119	6,023	5	4	5	52	236	404	365	1,071	809	712	658	525	495	442	341	308	289	193	180
Hernia----------122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	511	-	1	1	8	9	7	8	34	54	55	38	56	60	60	43	33	29	25	24
Peritonitis (cause not stated)----------129	44	-	-	1	-	2	1	2	6	14	5	3	5	4	-	2	3	1	1	-
Other diseases, digestive sys. 116,121,123-128	133	-	-	4	7	14	9	5	39	19	14	12	9	6	6	5	10	3	6	4
Diseases, genito-urinary sys. 130,131,133-139	236	2	5	3	10	20	12	10	62	42	25	20	19	18	8	10	7	12	6	7
Diseases of skin and cellular tissue-151-153	179	7	2	4	15	26	18	10	82	28	13	7	3	13	10	3	5	7	2	6
Congenital malformations----------157	12,817	3,003	916	836	1,484	1,094	680	577	8,590	1,156	724	549	394	330	278	225	186	138	132	115
Congenital debility----------158	1,868	353	117	99	121	121	106	81	998	246	188	126	102	51	55	25	36	16	17	8
Premature birth----------159	29,360	17,810	3,971	1,865	2,263	1,510	745	424	28,588	447	168	81	31	21	7	9	4	-	4	-
Injury at birth----------160	10,395	5,642	1,645	1,102	1,203	414	120	77	10,203	61	23	23	12	16	16	12	10	6	6	7
Other diseases peculiar to first year---161	5,788	2,295	822	659	1,013	380	151	95	5,415	156	80	37	29	24	15	9	10	5	7	1
Accidental mechanical suffocation---------182	1,089	6	6	13	30	27	46	58	186	237	219	159	117	44	46	33	19	16	7	6
Other violence or accident---166-181,183-195	1,216	93	21	15	37	25	36	30	257	103	109	102	104	86	76	70	80	66	78	85
Ill-defined and unknown causes--------199,200	2,503	471	145	142	229	149	125	123	1,384	282	222	161	100	82	67	48	53	33	47	24
All other causes*----------	470	22	7	4	15	21	11	16	96	43	49	44	35	43	32	24	34	23	25	22

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (white male)--------All causes	53,252	17,452	4,622	3,058	4,369	2,739	1,845	1,561	35,646	3,519	2,929	2,225	1,868	1,507	1,294	1,117	989	807	698	652
Cerebrospinal (meningococcus) meningitis---6	88	-	-	-	2	4	3	3	12	7	6	5	7	11	9	7	8	9	4	8
Scarlet fever----------8	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	5	3
Whooping cough----------9	639	-	1	-	1	4	9	15	30	101	113	85	59	58	42	39	24	26	27	35
Diphtheria (infection by C. diphtheriae)--10	51	-	-	-	1	2	1	-	4	1	3	4	5	4	3	5	5	3	6	8
Erysipelas----------11	20	-	-	-	3	1	3	2	9	6	2	-	1	-	-	1	-	-	-	1
Tetanus----------12	48	-	1	2	20	18	2	2	45	-	1	-	-	-	1	-	-	-	-	1
Tuberculosis of respiratory system, etc.*-13	85	2	-	-	-	-	1	1	4	1	4	10	7	9	8	5	11	9	10	7
Tuberculosis of meninges, etc.*----------14	72	-	-	-	-	-	-	-	-	2	3	7	8	7	4	8	12	6	5	9
Tuberculosis (other forms)----------15-22	42	1	-	-	-	1	-	-	2	2	7	5	5	2	2	3	5	4	3	2
Septicemia and purulent infection----------24	56	-	-	-	1	3	2	2	8	15	8	5	3	4	4	2	1	1	2	3
Dysentery----------27	377	-	-	-	-	12	4	16	32	35	40	44	34	44	36	34	19	19	15	25
Malaria----------28	17	-	-	1	1	-	1	-	3	3	2	1	2	1	2	-	1	-	1	1
Syphilis----------30	184	34	10	6	14	5	8	10	87	28	29	12	11	5	-	2	7	1	1	1
Influenza----------33	729	2	2	1	4	17	24	35	85	88	85	61	80	61	63	51	48	46	31	30
Measles----------35	147	2	2	-	-	2	5	5	16	17	7	14	8	8	11	20	10	14	13	9
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	95	-	1	-	-	6	2	4	13	9	11	5	10	6	4	13	6	5	7	6
Diseases of thymus gland----------64	593	42	39	43	51	33	25	27	260	75	76	56	45	26	10	9	13	7	11	5
Rickets----------70	37	-	-	-	1	1	-	1	3	2	4	4	5	4	2	3	5	4	1	-
Hemorrhagic conditions----------72	83	9	8	7	16	14	3	5	62	5	3	2	3	-	2	2	4	-	-	-
Anemias (except splenic anemia)----------73	81	1	-	1	5	1	2	2	12	6	10	3	8	9	3	4	13	4	3	6
Encephalitis (nonepidemic)----------80	56	-	-	1	2	1	2	-	6	6	1	8	8	6	4	-	5	1	7	4
Meningitis (not due to meningococcus)-----81	287	-	1	-	5	8	5	9	28	42	37	23	33	16	21	22	16	18	17	14
Intracranial lesions of vascular origin---83	101	1	1	-	1	3	2	-	8	25	16	8	12	9	10	1	5	3	2	2
Convulsions----------86	161	2	10	8	30	12	7	4	73	13	21	10	9	5	6	3	3	5	5	8
Diseases of ear and mastoid process-------89	170	-	-	-	1	1	1	3	6	14	19	15	23	22	15	9	22	7	6	12
Other diseases, nervous system-82,84,85,87,88	88	5	3	3	6	6	5	5	33	6	6	6	5	4	2	7	4	7	4	4
Diseases of circulatory system--------90-103	124	3	2	8	7	9	4	4	37	23	10	15	4	12	4	10	4	1	4	-
Bronchopneumonia, etc.*----------107	4,114	29	39	52	185	221	191	204	921	538	575	420	378	267	258	242	168	141	102	104
Lobar pneumonia----------108	1,300	5	11	11	39	47	51	61	225	175	179	151	119	94	76	78	75	58	33	37
Pneumonia (unspecified)----------109	668	7	5	13	29	44	31	47	176	96	91	68	54	43	29	29	22	23	19	18
Other dis. of resp. sys.-----104-106,110-114	505	5	8	4	7	15	19	20	78	66	52	58	41	38	33	37	26	33	24	19
Diseases of buccal cavity, etc.*----------115	88	-	-	-	2	2	2	3	9	9	13	9	9	11	4	6	7	6	4	1
Diseases of stomach----------117,118	103	1	-	2	4	7	2	7	23	20	22	12	6	5	3	2	4	2	3	1
Diarrhea, enteritis, etc.*----------119	3,374	3	2	3	28	143	236	202	617	452	388	366	298	277	250	190	172	158	112	94
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	315	-	-	1	7	5	4	4	21	34	31	23	30	33	46	30	18	17	15	17
Peritonitis (cause not stated)----------129	20	-	-	-	-	2	-	-	2	4	3	2	3	2	-	1	1	1	1	-
Other diseases, digestive sys.116,121,123-128	81	-	-	2	3	8	6	4	23	9	12	6	6	4	6	2	6	2	3	2
Diseases, genito-urinary sys.130,131,133-139	145	1	3	2	4	12	7	7	36	31	13	13	11	12	7	4	5	7	1	5
Diseases of skin and cellular tissue-151-153	91	3	2	-	9	14	9	3	40	15	7	3	-	5	6	-	2	5	2	5
Congenital malformations----------157	7,116	1,601	552	512	689	590	378	317	4,839	646	412	292	200	171	136	115	101	76	68	60
Congenital debility----------158	1,086	205	73	70	73	56	59	47	583	153	122	68	57	29	26	13	19	5	9	2
Premature birth----------159	16,921	10,327	2,268	1,074	1,345	836	427	238	16,515	237	94	36	15	18	2	4	4	-	1	-
Injury at birth----------160	6,414	3,449	1,003	703	771	239	81	48	6,294	36	14	14	10	10	9	6	9	3	4	5
Other diseases peculiar to first year----161	3,504	1,372	463	418	624	216	99	65	3,257	107	49	25	20	11	11	7	8	2	5	1
Accidental mechanical suffocation--------182	647	2	2	9	15	20	31	35	114	134	132	89	70	24	28	22	11	11	7	5
Other violence or accident---166-181,183-195	682	53	14	10	24	13	20	18	152	51	54	62	65	52	44	38	36	33	48	47
Ill-defined and unknown causes--------199,200	1,380	275	91	87	127	74	68	67	789	147	118	81	62	43	30	21	31	14	32	12
All other causes*----------	254	10	5	4	12	11	3	9	54	27	24	19	18	28	21	10	17	9	14	13
UNITED STATES (white female)------All causes	39,426	12,537	3,265	1,968	2,833	2,137	1,421	1,171	25,317	2,800	2,201	1,841	1,415	1,245	1,083	899	812	694	549	570
Cerebrospinal (meningococcus) meningitis---6	48	-	-	-	-	3	-	-	3	8	3	2	5	6	3	4	3	3	-	8
Scarlet fever----------8	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	-	-	2
Whooping cough----------9	686	-	-	-	1	-	6	20	27	114	109	97	44	47	42	50	40	46	34	35
Diphtheria (infection by C. diphtheriae)--10	23	-	-	-	1	-	-	-	1	2	2	1	2	1	1	1	4	4	2	2
Erysipelas----------11	19	-	-	1	1	6	2	1	11	4	3	-	-	-	-	1	-	-	-	-
Tetanus----------12	35	-	-	2	11	16	3	1	33	-	-	-	-	-	-	-	1	1	-	-
Tuberculosis of respiratory system, etc.*-13	75	-	-	-	-	1	-	-	1	3	2	4	3	6	9	6	10	12	7	12
Tuberculosis of meninges, etc.*----------14	44	-	-	-	1	-	-	-	1	2	2	-	3	1	7	6	4	6	9	3
Tuberculosis (other forms)----------15-22	47	-	1	-	-	-	-	-	1	2	1	5	2	6	8	5	3	6	1	7
Septicemia and purulent infection----------24	58	-	-	-	-	7	4	3	14	10	8	2	2	3	3	2	2	7	2	3
Dysentery----------27	283	2	-	2	-	9	3	9	25	27	20	31	36	27	38	25	17	14	11	12
Malaria----------28	18	-	-	-	1	2	-	-	3	3	-	3	2	2	-	1	-	-	3	1
Syphilis----------30	179	33	5	9	14	13	8	4	86	31	22	14	6	5	4	3	3	2	2	1
Influenza----------33	595	1	1	-	5	14	20	23	64	85	75	60	56	57	45	39	39	25	21	29
Measles----------35	113	-	-	-	1	2	3	2	8	6	8	2	6	6	12	7	13	12	14	19
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	64	-	-	-	-	2	3	3	8	6	9	5	6	6	4	4	1	4	5	6
Diseases of thymus gland----------64	379	35	19	18	35	20	24	18	169	50	49	30	14	22	11	15	4	8	5	2
Rickets----------70	22	-	-	-	-	-	-	-	-	1	4	1	3	2	1	4	3	-	1	2
Hemorrhagic conditions----------72	54	7	1	2	14	8	3	1	36	3	1	2	4	-	2	-	3	2	1	-
Anemias (except splenic anemia)----------73	58	-	-	1	1	-	-	1	3	7	10	12	4	6	7	9	5	2	3	-
Encephalitis (nonepidemic)----------80	36	-	-	-	-	1	-	2	3	2	5	2	6	2	1	5	2	3	1	4
Meningitis (not due to meningococcus)-----81	189	-	1	1	2	5	3	4	16	27	27	16	11	25	18	13	13	8	5	10
Intracranial lesions of vascular origin---83	60	-	-	-	-	-	-	-	-	14	10	8	5	1	3	6	2	4	1	6
Convulsions----------86	101	4	3	8	11	8	2	4	40	12	10	3	10	6	6	4	3	-	2	5
Diseases of ear and mastoid process-------89	117	-	-	-	-	3	4	4	11	10	9	12	14	11	7	12	10	6	5	10
Other diseases, nervous system-82,84,85,87,88	71	8	3	1	6	1	1	5	25	7	5	4	7	3	7	-	3	7	3	-
Diseases of circulatory system--------90-103	93	6	2	2	5	4	4	1	24	17	10	9	9	3	4	3	6	3	1	4
Bronchopneumonia etc.*----------107	3,246	18	25	41	92	125	186	158	645	484	407	352	295	240	196	165	140	118	104	99
Lobar pneumonia----------108	1,004	4	7	8	27	30	37	40	153	122	117	123	88	86	75	54	62	52	43	29
Pneumonia (unspecified)----------109	550	5	6	5	19	28	43	25	130	62	76	65	51	41	34	27	22	16	13	13
Other dis. of resp. sys.-----104-106,110-114	371	6	5	3	18	11	14	22	74	43	43	41	33	28	21	22	23	16	12	15
Diseases of buccal cavity, etc.*----------115	67	-	-	-	2	2	1	1	6	8	5	3	7	7	8	5	7	2	3	6
Diseases of stomach----------117,118	99	-	2	1	5	7	4	2	21	13	15	12	4	11	9	2	4	4	1	3
Diarrhea, enteritis, etc.*----------119	2,649	2	2	2	24	93	168	163	454	357	324	292	227	218	192	151	136	131	81	86
Hernia----------122a	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	196	-	1	-	1	4	3	4	13	20	24	15	26	27	14	13	15	12	10	7
Peritonitis (cause not stated)----------129	24	-	-	1	-	-	1	2	4	10	2	1	2	2	-	1	2	-	-	-
Other diseases, digestive sys.116,121,123-128	52	-	-	2	4	6	3	1	16	10	2	6	3	2	-	3	4	1	3	2
Diseases, genito-urinary sys.130,131,133-139	91	1	2	1	6	8	5	3	26	11	12	7	8	6	1	6	2	5	5	2
Diseases of skin and cellular tissue-151-153	88	4	-	4	6	12	9	7	42	13	6	4	3	7	4	3	3	2	-	1
Congenital malformations----------157	5,701	1,402	364	324	595	504	302	260	3,751	510	312	257	194	159	142	110	85	62	64	55
Congenital debility----------158	782	148	44	29	48	65	47	34	415	93	66	58	45	22	29	12	17	11	8	6
Premature birth----------159	12,439	7,483	1,703	791	918	674	318	156	12,073	210	74	45	18	8	3	5	-	-	3	-
Injury at birth----------160	3,981	2,198	642	399	432	175	39	29	3,909	25	9	9	2	6	7	6	1	3	2	2
Other diseases peculiar to first year----161	2,284	923	359	241	389	164	52	30	2,158	49	31	11	9	13	4	2	2	3	2	-
Accidental mechanical suffocation--------182	442	4	4	4	15	7	15	23	72	103	87	70	47	20	18	11	8	5	-	1
Other violence or accident---166-181,183-195	534	40	7	5	13	12	16	12	105	52	55	40	39	34	32	32	44	33	30	38
Ill-defined and unknown causes--------199,200	1,123	196	54	55	102	75	57	56	595	135	104	80	38	39	37	27	22	19	15	12
All other causes*----------	216	12	2	-	3	10	8	7	42	16	25	25	17	15	11	14	17	14	11	9

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro)----------All causes	19,756	4,461	1,308	856	1,568	1,209	694	646	10,737	1,698	1,376	1,147	969	785	767	615	520	468	350	329
Cerebrospinal (meningococcus) meningitis---6	25	-	-	-	-	-	-	-	-	1	1	3	1	3	5	4	2	4	-	1
Scarlet fever----------8	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Whooping cough----------9	433	-	-	1	1	2	1	14	19	46	44	55	38	41	54	31	34	25	23	23
Diphtheria (infection by C. diphtheriae)--10	21	-	-	-	-	-	-	-	-	-	2	3	4	3	2	3	-	3	1	-
Erysipelas----------11	2	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	57	1	-	-	14	34	2	3	54	2	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.*-13	67	-	-	-	-	1	-	-	1	1	5	3	6	6	4	8	12	5	11	5
Tuberculosis of meninges, etc.*----------14	39	-	-	-	-	-	-	-	-	-	1	2	1	4	2	3	8	8	3	7
Tuberculosis (other forms)----------15-22	30	-	-	-	-	-	-	-	-	2	1	2	2	3	4	3	5	5	1	2
Septicemia and purulent infection---------24	10	-	-	-	-	1	1	-	2	1	2	1	-	-	1	-	1	-	-	2
Dysentery----------27	192	-	-	-	1	1	2	2	6	16	18	24	22	20	19	17	22	10	12	4
Malaria----------28	38	-	-	-	-	2	1	-	3	3	4	4	6	3	3	1	2	4	1	4
Syphilis----------30	465	95	22	21	38	23	21	18	238	53	52	36	17	9	16	8	7	10	6	3
Influenza----------33	465	2	-	1	9	11	8	13	44	47	61	54	46	51	32	30	24	31	23	22
Measles----------35	69	-	1	-	1	5	1	3	11	6	4	6	3	5	7	8	7	4	3	5
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	43	-	-	-	1	2	-	-	3	5	4	5	6	5	-	1	1	5	5	3
Diseases of thymus gland----------64	91	7	2	3	7	3	1	5	28	10	15	9	11	5	4	4	3	-	-	2
Rickets----------70	23	-	1	-	1	-	1	-	3	3	3	4	1	3	-	1	1	2	-	2
Hemorrhagic conditions----------72	25	-	6	2	9	2	1	1	21	-	2	-	-	1	1	-	-	-	-	-
Anemias (except splenic anemia)----------73	34	-	-	-	-	1	-	-	1	4	4	2	2	2	1	6	2	4	4	2
Encephalitis (nonepidemic)----------80	16	-	1	-	-	-	-	-	1	3	1	1	3	-	-	2	1	2	-	2
Meningitis (not due to meningococcus)-----81	125	-	-	1	1	5	3	1	11	11	17	12	14	6	11	12	5	9	11	6
Intracranial lesions of vascular origin---83	31	-	1	-	1	-	-	-	2	11	5	1	1	-	4	1	3	1	2	-
Convulsions----------86	129	1	-	9	25	27	4	5	71	13	8	6	4	7	4	4	5	1	3	3
Diseases of ear and mastoid process-------89	52	-	-	-	-	1	-	-	1	6	3	5	7	4	6	6	6	4	1	3
Other diseases, nervous system-82,84,85,87,88	18	2	-	-	4	1	-	1	8	1	-	1	2	-	2	1	1	2	-	-
Diseases of circulatory system--------90-103	36	1	1	-	-	1	3	1	7	3	4	6	2	1	4	2	5	-	2	-
Bronchopneumonia, etc.*----------107	1,337	28	16	21	73	76	83	79	376	226	212	205	200	158	133	128	94	89	57	59
Lobar pneumonia----------108	672	1	5	2	15	19	12	18	72	75	64	60	62	63	64	55	46	36	30	25
Pneumonia (unspecified)----------109	587	2	6	13	29	32	22	24	128	103	82	56	46	43	40	20	21	24	11	13
Other dis. of resp. sys.-----104-106,110-114	252	7	3	4	15	19	10	10	68	41	37	21	17	15	16	10	11	6	6	4
Diseases of buccal cavity, etc.*---------115	25	-	-	-	1	-	2	-	3	3	2	2	3	-	2	-	1	3	5	1
Diseases of stomach----------117,118	74	-	-	1	6	-	3	4	14	8	14	7	8	2	7	6	3	3	-	2
Diarrhea, enteritis, etc.*----------119	1,675	2	-	2	25	56	66	55	206	220	217	193	165	154	136	104	91	83	56	50
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	71	-	-	-	1	1	1	3	6	10	5	11	10	2	8	5	4	5	3	2
Peritonitis (cause not stated)----------129	6	-	-	-	-	1	1	1	3	-	1	-	-	-	1	-	-	-	1	-
Other diseases, digestive sys. 116,121,123-128	29	-	-	-	4	2	2	2	10	3	-	2	6	1	2	3	1	-	-	1
Diseases, genito-urinary sys. 130,131,133-139	53	-	1	1	3	2	4	4	15	10	8	4	5	5	1	-	2	-	1	2
Diseases of skin and cellular tissue-151-153	40	-	-	1	5	6	1	4	17	7	4	3	2	-	2	1	3	1	-	-
Congenital malformations----------157	806	116	48	49	99	77	33	40	462	72	61	51	37	26	27	26	14	11	7	12
Congenital debility----------158	834	171	70	40	95	78	37	32	523	95	59	40	32	21	21	9	14	9	7	4
Premature birth----------159	4,991	2,664	631	308	468	369	183	123	4,746	163	45	8	8	4	4	9	-	-	2	2
Injury at birth----------160	1,005	500	167	101	133	50	15	9	975	13	6	-	2	1	2	1	1	-	1	3
Other diseases peculiar to first year----161	875	283	117	103	156	62	41	25	787	40	18	14	2	-	5	3	1	-	3	2
Accidental mechanical suffocation--------182	238	6	8	5	7	10	7	13	56	46	60	29	16	11	8	4	5	1	2	-
Other violence or accident---166-181,183-195	323	25	11	7	11	14	4	13	85	17	31	18	28	19	20	24	18	25	16	22
Ill-defined and unknown causes-------199,200	2,660	545	184	159	308	211	116	115	1,638	273	184	152	117	71	74	49	29	29	27	17
All other causes*----------	63	2	1	1	1	1	-	4	10	8	4	6	4	7	7	2	3	3	3	6
UNITED STATES (Negro male)--------All causes	10,992	2,554	712	508	911	678	376	346	6,085	947	743	626	510	432	422	335	278	251	185	178
Cerebrospinal (meningococcus) meningitis---6	15	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	2	3	-	-
Scarlet fever----------8	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Whooping cough----------9	212	-	-	-	-	2	1	4	7	22	22	32	15	21	28	18	20	11	9	7
Diphtheria (infection by C. diphtheriae)--10	11	-	-	-	-	-	-	-	-	-	1	2	3	2	-	2	-	-	1	-
Erysipelas----------11	2	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	41	-	-	-	11	27	1	2	41	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	36	-	-	-	-	-	-	-	-	1	2	1	5	3	2	6	6	1	7	2
Tuberculosis of meninges, etc.*----------14	29	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	6	6	3	4
Tuberculosis (other forms)----------15-22	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	-	-
Septicemia and purulent infection---------24	9	-	-	-	-	-	1	-	1	1	2	1	-	-	1	-	1	-	-	2
Dysentery----------27	115	-	-	-	-	1	2	2	5	14	10	9	17	8	10	10	13	5	10	4
Malaria----------28	17	-	-	-	-	2	-	-	2	1	-	2	2	1	2	1	2	2	-	2
Syphilis----------30	252	56	9	9	25	11	9	11	130	29	27	23	8	7	7	6	3	6	4	2
Influenza----------33	242	2	-	-	3	4	2	7	18	20	38	32	26	35	16	15	11	13	10	8
Measles----------35	40	-	1	-	-	4	1	1	7	2	4	4	2	-	4	5	4	3	1	4
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	23	-	-	-	1	-	-	-	1	3	2	2	3	2	-	1	-	4	2	3
Diseases of thymus gland----------64	52	6	2	-	3	3	1	3	18	4	9	2	7	4	4	2	1	-	-	1
Rickets----------70	13	-	1	-	1	-	1	-	3	-	2	4	-	2	-	-	1	1	-	-
Hemorrhagic conditions----------72	19	-	5	2	6	2	1	1	17	-	1	-	-	-	1	-	-	-	-	-
Anemias (except splenic anemia)----------73	23	-	-	-	-	1	-	-	1	3	2	2	1	-	-	5	1	3	3	2
Encephalitis (nonepidemic)----------80	11	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	1	2	-	2
Meningitis (not due to meningococcus)-----81	71	-	-	1	1	2	3	-	7	5	10	8	9	1	6	7	3	7	7	1
Intracranial lesions of vascular origin---83	17	-	-	-	1	-	-	-	1	7	4	1	-	-	2	1	1	-	-	-
Convulsions----------86	67	-	-	8	12	16	1	1	38	7	3	3	-	5	4	-	2	1	2	2
Diseases of ear and mastoid process-------89	23	-	-	-	-	-	-	-	-	2	1	2	3	3	5	4	5	3	-	-
Other diseases, nervous system-82,84,85,87,88	10	1	-	-	2	-	-	1	4	-	-	1	1	-	1	1	1	1	-	-
Diseases of circulatory system--------90-103	19	1	-	-	-	1	-	1	3	3	1	3	2	-	2	-	4	-	1	-
Bronchopneumonia, etc.*----------107	1,091	23	9	11	43	40	52	44	222	122	117	115	110	97	75	68	48	47	30	40
Lobar pneumonia----------108	378	1	1	1	8	10	4	8	33	45	40	41	28	42	41	34	25	19	16	14
Pneumonia (unspecified)----------109	311	2	3	11	18	15	14	15	78	55	38	30	23	22	21	10	10	13	5	6
Other dis. of resp. sys.-----104-106,110-114	144	6	2	2	10	11	8	4	43	22	26	11	9	6	10	3	4	3	4	3
Diseases of buccal cavity, etc.*---------115	14	-	-	-	-	-	1	-	1	2	2	1	2	-	1	-	1	2	2	-
Diseases of stomach----------117,118	42	-	-	1	3	-	2	1	7	6	6	6	3	2	4	2	3	2	-	1
Diarrhea, enteritis, etc.*----------119	898	1	-	1	13	28	30	32	105	136	115	109	90	71	71	53	45	50	27	26
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	32	-	-	-	1	1	1	1	4	3	2	3	3	1	6	4	1	2	3	-
Peritonitis (cause not stated)----------129	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	18	-	-	-	2	1	2	2	7	1	-	2	3	1	2	1	-	-	-	1
Diseases, genito-urinary sys. 130,131,133-139	38	-	1	1	2	1	3	3	11	8	6	3	2	3	1	-	2	-	1	1
Diseases of skin and cellular tissue-151-153	22	-	-	-	4	4	1	1	10	5	1	1	-	-	2	-	3	-	-	-
Congenital malformations----------157	439	56	26	31	57	47	18	18	253	45	34	31	18	13	11	10	8	3	5	8
Congenital debility----------158	475	111	32	27	42	43	17	23	295	52	28	28	18	15	13	7	8	3	5	3
Premature birth----------159	2,723	1,495	330	163	252	208	92	53	2,593	87	23	4	4	4	1	5	-	-	-	1
Injury at birth----------160	609	299	98	67	84	26	11	5	591	8	5	-	1	1	2	-	1	-	-	-
Other diseases peculiar to first year----161	527	165	74	68	105	33	23	16	484	20	6	8	2	-	1	2	1	-	2	1
Accidental mechanical suffocation--------182	124	3	5	3	5	6	3	6	31	26	34	13	7	4	4	1	3	-	1	-
Other violence or accident---166-181,183-195	169	13	8	4	7	7	2	7	48	12	13	10	11	7	11	15	8	13	6	15
Ill-defined and unknown causes-------199,200	1,515	312	105	96	188	120	67	69	957	164	100	71	66	41	36	25	14	19	16	6
All other causes*----------	35	1	-	1	1	1	-	2	6	3	3	3	2	2	4	2	1	2	2	5

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1942—Continued.

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro female)------All causes	8,764	1,907	591	348	657	531	318	300	4,652	746	633	521	459	353	345	280	242	217	165	151
Cerebrospinal (meningococcus) meningitis---6	10	-	-	-	-	-	-	-	-	1	-	2	-	1	2	2	-	1	-	1
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	221	-	-	1	1	-	-	10	12	24	22	23	23	20	26	13	14	14	14	16
Diphtheria (infection by C. diphtheriae)--10	10	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	3	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	16	1	-	-	3	7	1	1	13	2	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system, etc.*-13	31	-	-	-	-	1	-	-	1	-	3	2	1	3	2	2	6	4	4	3
Tuberculosis of meninges, etc.*----------14	10	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	2	-	3
Tuberculosis (other forms)----------15-22	21	-	-	-	-	-	-	-	-	2	1	2	2	2	1	2	2	4	1	2
Septicemia and purulent infection----------24	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dysentery----------27	77	-	-	-	1	-	-	-	1	4	8	15	5	12	9	7	9	5	2	-
Malaria----------28	21	-	-	-	-	-	1	-	1	2	4	2	4	2	1	-	-	2	1	2
Syphilis----------30	213	39	13	12	13	12	12	7	108	34	25	13	9	2	9	2	4	4	2	1
Influenza----------33	223	-	-	1	6	7	6	6	26	27	23	22	20	16	16	15	13	16	13	14
Measles----------35	29	-	-	-	1	1	-	2	4	4	-	2	1	5	3	3	3	1	2	1
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	20	-	-	-	-	2	-	-	2	2	2	3	3	3	-	-	1	1	3	-
Diseases of thymus gland----------64	39	1	-	3	4	-	-	2	10	6	6	7	4	1	-	2	2	-	-	1
Rickets----------70	10	-	-	-	-	-	-	-	-	3	1	-	1	1	-	1	-	1	-	2
Hemorrhagic conditions----------72	6	-	1	-	3	-	-	-	4	-	1	-	-	1	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	11	-	-	-	-	-	-	-	-	1	2	-	1	2	1	1	1	1	1	-
Encephalitis (nonepidemic)----------80	5	-	1	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	54	-	-	-	-	3	-	1	4	6	7	4	5	5	5	5	2	2	4	5
Intracranial lesions of vascular origin---83	14	-	1	-	-	-	-	-	1	4	1	-	1	-	2	-	2	1	2	-
Convulsions----------86	62	1	-	1	13	11	3	4	33	6	5	3	4	2	-	4	3	-	1	1
Diseases of ear and mastoid process-------89	24	-	-	-	-	1	-	-	1	4	2	3	4	1	1	2	1	1	1	3
Other diseases, nervous system-82,84,85,87,88	8	1	-	-	2	1	-	-	4	1	-	-	1	-	1	-	-	1	-	-
Diseases of circulatory system--------90-103	17	-	1	-	-	-	3	-	4	-	3	3	-	1	2	2	1	-	1	-
Bronchopneumonia, etc.*----------107	846	5	7	10	30	36	31	35	154	104	95	90	90	61	58	60	46	42	27	19
Lobar pneumonia----------108	294	-	4	1	7	9	8	10	39	30	24	39	34	21	23	21	21	17	14	11
Pneumonia (unspecified)----------109	276	-	3	2	11	17	8	9	50	48	44	26	23	21	19	10	11	11	6	7
Other dis. of resp. sys.------104-106,110-114	108	1	1	2	5	8	2	6	25	19	11	10	8	9	6	7	7	3	2	1
Diseases of buccal cavity, etc.*---------115	11	-	-	-	1	-	1	-	2	1	-	1	1	-	1	-	-	1	3	1
Diseases of stomach----------117,118	32	-	-	-	3	-	1	3	7	2	8	1	5	-	3	4	-	1	-	1
Diarrhea, enteritis, etc.*----------119	777	1	-	1	12	28	36	23	101	84	102	84	75	83	65	51	46	33	29	24
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	39	-	-	-	-	-	-	2	2	7	3	8	7	1	2	1	3	3	-	2
Peritonitis (cause not stated)----------129	5	-	-	-	-	1	1	1	3	-	1	-	-	-	-	-	-	-	1	-
Other diseases, digestive sys.116,121,123-128	11	-	-	-	2	1	-	-	3	2	-	-	3	-	-	2	1	-	-	-
Diseases, genito-urinary sys.130,131,133-139	15	-	-	-	1	1	1	1	4	2	2	1	3	2	-	-	-	-	-	1
Diseases of skin and cellular tissue-151-153	18	-	-	1	1	2	-	3	7	2	3	2	2	-	-	1	-	1	-	-
Congenital malformations----------157	367	60	22	18	42	30	15	22	209	27	27	20	19	13	16	16	6	8	2	4
Congenital debility----------158	359	60	38	13	53	35	20	9	228	43	31	12	14	6	8	2	6	6	2	1
Premature birth----------159	2,268	1,169	301	145	216	161	91	70	2,153	76	22	4	4	-	3	3	-	-	2	1
Injury at birth----------160	396	201	69	34	49	24	4	3	384	5	1	-	1	-	-	1	-	-	1	3
Other diseases peculiar to first year----161	348	118	43	35	51	29	18	9	303	20	12	6	-	-	4	1	-	-	1	1
Accidental mechanical suffocation--------182	114	3	3	2	2	4	4	7	25	20	26	16	9	7	4	3	2	1	1	-
Other violence or accident---166-181,183-195	154	12	3	3	4	7	2	6	37	5	18	8	17	12	9	9	10	12	10	7
Ill-defined and unknown causes-------199,200	1,145	233	79	63	120	91	49	46	681	109	84	81	51	30	38	24	15	10	11	11
All other causes*----------	28	1	1	-	-	-	-	2	4	5	1	3	2	5	3	-	2	1	1	1
UNITED STATES (other races)-------All causes	1,058	166	40	35	62	47	34	38	422	93	92	74	67	63	42	39	44	36	45	41
Cerebrospinal (meningococcus) meningitis---6	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	50	-	-	-	-	-	-	2	2	4	6	5	6	7	2	-	4	3	5	6
Diphtheria (infection by C. diphtheriae)--10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	13	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	2	-	5	1
Tuberculosis of meninges, etc.*----------14	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis (other forms)----------15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Septicemia and purulent infection----------24	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Dysentery----------27	18	6	-	-	-	1	-	-	7	1	2	-	3	-	1	2	1	-	-	2
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	17	3	1	-	-	-	1	3	8	4	1	-	2	1	1	-	-	-	-	-
Influenza----------33	22	-	-	-	-	2	3	-	5	1	1	1	4	3	3	1	1	2	-	-
Measles----------35	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	3
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1
Diseases of thymus gland----------64	12	-	1	1	-	-	1	-	3	2	-	3	1	-	-	-	1	-	-	2
Rickets----------70	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	3	-	-	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Intracranial lesions of vascular origin---83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	8	1	-	-	2	-	-	-	3	-	2	-	-	-	1	-	-	-	1	1
Diseases of ear and mastoid process-------89	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Bronchopneumonia, etc.*----------107	139	1	-	-	2	5	3	4	15	25	19	20	9	11	8	10	9	6	6	1
Lobar pneumonia----------108	61	-	-	-	1	3	-	2	6	8	9	7	4	2	8	3	5	2	3	4
Pneumonia (unspecified)----------109	55	-	-	1	-	3	5	2	11	6	8	6	3	5	1	5	2	2	2	4
Other dis. of resp. sys.------104-106,110-114	19	-	-	-	4	-	1	-	5	1	2	3	-	1	3	-	1	3	-	-
Diseases of buccal cavity, etc.*---------115	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
Diseases of stomach----------117,118	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	126	1	1	1	-	4	3	2	12	10	11	14	14	15	8	6	9	10	8	9
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	6	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	1	-	-	-
Peritonitis (cause not stated)----------129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys.116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys.130,131,133-139	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital malformations----------157	49	7	3	1	4	9	-	5	29	5	4	1	5	1	-	-	2	1	1	-
Congenital debility----------158	36	5	-	-	-	1	3	3	12	3	2	5	2	3	-	-	2	-	6	1
Premature birth----------159	153	88	20	10	16	5	5	5	149	3	-	-	1	-	-	-	-	-	-	-
Injury at birth----------160	55	24	7	10	7	4	1	-	53	1	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	41	9	3	7	11	6	1	1	38	1	1	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation--------182	6	-	1	-	-	-	-	-	1	3	1	-	-	-	1	-	-	-	-	-
Other violence or accident---166-181,183-195	26	-	-	-	2	3	3	1	9	2	5	-	2	1	1	1	-	3	1	1
Ill-defined and unknown causes-------199,200	94	21	3	3	11	1	3	7	49	5	10	3	6	7	-	7	2	2	1	2
All other causes*----------	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1942—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (other races male)--All causes	585	91	23	21	36	22	19	20	232	57	59	38	38	36	21	24	23	12	24	21
Cerebrospinal (meningococcus) meningitis---6	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	25	-	-	-	-	-	-	-	-	3	3	3	3	4	1	-	3	-	2	3
Diphtheria (infection by C. diphtheriae)--10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
Tuberculosis of meninges, etc.*----------14	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis (other forms)----------15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia and purulent infection----------24	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Dysentery----------27	13	3	-	-	-	-	-	-	3	1	2	-	2	-	1	2	1	-	-	1
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	7	2	1	-	-	-	-	1	4	2	1	-	-	-	-	-	-	-	-	-
Influenza----------33	12	-	-	-	-	1	3	-	4	1	-	1	3	2	1	-	-	-	-	-
Measles----------35	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
Diseases of thymus gland----------64	9	-	1	1	-	-	-	-	2	1	-	2	1	-	-	-	1	-	-	2
Rickets----------70	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	2	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Intracranial lesions of vascular origin---83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	5	1	-	-	2	-	-	-	3	-	1	-	-	-	-	-	-	-	1	-
Diseases of ear and mastoid process-------89	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other diseases, nervous system-82,84,85,87,88	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchopneumonia, etc.*----------107	65	1	-	-	-	2	2	1	6	14	8	8	2	7	4	8	4	1	2	1
Lobar pneumonia----------108	43	-	-	-	1	1	-	2	4	2	8	3	4	1	8	3	4	2	2	2
Pneumonia (unspecified)----------109	33	-	-	-	-	1	2	2	5	5	7	2	2	4	1	4	1	1	-	1
Other dis. of resp. sys.-----104-106,110-114	10	-	-	-	1	-	1	-	2	-	2	2	-	1	1	-	1	1	-	-
Diseases of buccal cavity, etc.*---------115	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Diseases of stomach----------117,118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	66	1	-	1	-	1	2	1	6	6	7	7	8	7	2	1	7	3	7	5
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	5	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-
Peritonitis (cause not stated)----------129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital malformations----------157	34	4	3	1	3	5	-	4	20	5	3	1	4	1	-	-	-	-	-	-
Congenital debility----------158	13	3	-	-	-	-	1	3	7	2	2	4	1	1	-	-	-	-	2	-
Premature birth----------159	84	48	8	8	12	2	3	1	82	1	-	-	1	-	-	-	-	-	-	-
Injury at birth----------160	28	13	4	4	3	2	1	-	27	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	20	4	2	2	3	5	1	1	18	-	1	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation---------162	6	-	1	-	-	-	-	-	1	3	1	-	-	-	1	-	-	-	-	-
Other violence or accident---166-181,183-195	11	-	-	-	1	1	1	-	3	1	2	-	1	1	-	-	-	2	1	-
Ill-defined and unknown causes-------199,200	55	11	3	3	9	1	2	3	32	3	5	2	3	4	-	3	-	2	1	-
All other causes*----------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
UNITED STATES (other races female) All causes	473	75	17	14	26	25	15	18	190	36	33	36	29	27	21	15	21	24	21	20
Cerebrospinal (meningococcus) meningitis---6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	25	-	-	-	-	-	-	2	2	1	3	2	3	3	1	-	1	3	3	3
Diphtheria (infection by C. diphtheriae)--10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas----------11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus----------12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*-13	10	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	3	-	3	1
Tuberculosis of meninges, etc.*----------14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)----------15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Septicemia and purulent infection---------24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery----------27	5	3	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	1
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	10	1	-	-	-	-	1	2	4	2	-	-	2	1	1	-	-	-	-	-
Influenza----------33	10	-	-	-	-	1	-	-	1	-	1	-	1	1	2	1	1	2	-	-
Measles----------35	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of thymus gland----------64	3	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
Rickets----------70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic conditions----------72	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Anemias (except splenic anemia)----------73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis (nonepidemic)----------80	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)-----81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin---83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions----------86	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
Diseases of ear and mastoid process-------89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases, nervous system-82,84,85,87,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of circulatory system--------90-103	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Bronchopneumonia, etc.*----------107	74	-	-	-	2	3	1	3	9	11	11	12	7	4	4	2	5	5	4	-
Lobar pneumonia----------108	18	-	-	-	-	2	-	-	2	6	1	4	-	1	-	-	1	-	1	2
Pneumonia (unspecified)----------109	22	-	-	1	-	2	3	-	6	1	1	4	1	1	-	1	1	1	2	3
Other dis. of resp. sys.-----104-106,110-114	9	-	-	-	3	-	-	-	3	1	-	1	-	-	2	-	-	2	-	-
Diseases of buccal cavity, etc.*---------115	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach----------117,118	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	60	-	1	-	-	3	1	1	6	4	4	7	6	8	6	5	2	7	1	4
Hernia----------122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction----------122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Peritonitis (cause not stated)----------129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, digestive sys. 116,121,123-128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases, genito-urinary sys. 130,131,133-139	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of skin and cellular tissue-151-153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations----------157	15	3	-	-	1	4	-	1	9	-	1	-	1	-	-	-	2	1	1	-
Congenital debility----------158	17	2	-	-	-	1	2	-	5	1	-	1	1	2	-	-	2	-	4	1
Premature birth----------159	69	40	12	2	4	3	2	4	67	2	-	-	-	-	-	-	-	-	-	-
Injury at birth----------160	27	11	3	6	4	2	-	-	26	1	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year----161	21	5	1	5	8	1	-	-	20	1	-	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation---------162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other violence or accident---166-181,183-195	15	-	-	-	1	2	2	1	6	1	3	-	1	-	1	1	-	1	-	1
Ill-defined and unknown causes-------199,200	39	10	-	-	2	-	1	4	17	2	5	1	3	3	-	4	2	-	-	2
All other causes*----------	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, FROM EACH CAUSE: UNITED STATES, 1942

(Exclusive of stillbirths. Causes for which there were no deaths are not shown)

List No.	CAUSE OF DEATH	Deaths under 1 year	Deaths under 1 month
	All causes	113,492	72,122
	I.—Infectious and parasitic diseases	7,064	1,042
1	Typhoid fever	8	1
2	Paratyphoid fever	5	2
6	Cerebrospinal (meningococcus) meningitis	163	16
8	Scarlet fever	26	-
9	Whooping cough	1,808	78
10	Diphtheria (infection by C. diphtheriae)	96	5
11	Erysipelas	41	22
12	Tetanus	140	132
13-22	Tuberculosis (all forms)	518	10
13	Tuberculosis of respiratory system, etc.*	240	6
14	Tuberculosis of meninges, etc.*	157	1
15	Tuberculosis of intestines and peritoneum	11	3
16	Tuberculosis of vertebral column	2	-
17	Tuberculosis of bones and joints, etc.*	2	-
19	Tuberculosis of lymphatic system, etc.*	1	-
22	Disseminated tuberculosis	105	-
24	Septicemia and purulent infection (nonpuerperal)	126	24
25	Gonococcus infection	7	3
26	Other diseases due to bacteria (except dysentery)	1	-
27	Dysentery	870	70
28	Malaria	73	9
29	Other diseases due to parasitic protozoa, etc.*	1	-
30c,e, f,g	Syphilis (other forms)	845	419
32	Other diseases due to spirochetes	16	4
33a	Influenza, with respiratory complications specified	1,090	108
33b	Influenza, without respiratory complications specified	721	90
35	Measles	341	35
36	Poliomyelitis and poliosencephalitis (acute)	34	-
37	Acute infectious encephalitis (lethargic)	23	-
38	Other diseases due to filtrable viruses	56	3
39	Typhus fever, typhus-like diseases*	2	1
42	Other diseases caused by helminths	7	-
43	Mycoses	33	9
44	Other infectious and parasitic diseases	13	1
	II.—Cancer and other tumors	77	13
45-55	Cancer and other malignant tumors	77	13
46	Cancer of digestive organs and peritoneum	12	2
46b	Cancer of stomach	2	-
46f	Cancer of liver and biliary passages	9	1
46g	Cancer of pancreas	1	1
52	Cancer of urinary organs	24	4
52a	Cancer of kidney	22	4
52b	Cancer of bladder	1	-
52c	Cancer of other and unspecified sites	1	-
53	Cancer of skin, etc.*	4	-
54	Cancer of central nervous system*	14	-
55	Cancer of other and unspecified organs	23	7
	III.—Rheumatism, diseases of nutrition, etc.*	1,413	523
58b	Acute rheumatic endocarditis	1	-
58d	Other acute rheumatic heart diseases	1	-
58e,f	Other forms of acute rheumatic fever, etc.*	3	-
61	Diabetes mellitus	20	3
62	Diseases of pituitary gland	3	1
63a	Simple goiter	3	2
63c-e	Other diseases of thyroid and parathyroid glands	43	15
64	Diseases of thymus gland	1,075	460
65	Diseases of adrenal glands*	20	4
66	Other general diseases	129	27
67	Scurvy	12	-
70	Rickets	84	6
71	Other avitaminoses	19	5
	IV.—Diseases of the blood and blood-forming organs	518	168
72	Hemorrhagic conditions	165	122
73a	Pernicious anemia	17	-
73b-d	Other anemias (except splenic)	166	16
74a	Leukemias	121	9
74b	Aleukemias	4	-
75	Diseases of spleen	38	18
76	Other diseases of blood and blood-forming organs	7	3
	V.—Chronic poisoning and intoxication	2	-
78	Lead poisoning	2	-
	VI.—Diseases of the nervous system, etc.*	1,823	347
80	Encephalitis (nonepidemic)	109	11
81	Meningitis (not due to meningococcus)	603	55
82	Diseases of spinal cord (see exceptions)*	14	2
83a	Cerebral hemorrhage or effusion*	159	-
83b,c	Cerebral embolism, thrombosis, and softening	18	4
83d	Hemiplegia, other paralysis, etc.*	15	6
84	Mental diseases and deficiency (see exception)*	71	41
85	Epilepsy	22	5
86	Convulsions	399	187
87	Other diseases of nervous system	64	17
88	Diseases of organs of vision	7	1
89	Diseases of ear and mastoid process	342	18
	VII.—Diseases of the circulatory system	255	68
90-95	Diseases of heart (all forms)	213	51
90b	Other pericarditis	33	10
91a,b	Bacterial, acute, and subacute endocarditis	26	2
93a	Acute myocarditis (except rheumatic)	33	9
94a	Diseases of coronary arteries	27	7
94b	Angina pectoris	2	1
95a	Functional diseases of heart, etc.*	5	2
95b	Other diseases of heart (rheumatic)	2	-
95c	Other diseases of heart (not rheumatic)	85	20
98	Gangrene	7	3
99	Other diseases of arteries	10	7
100	Diseases of veins	10	5
101	Diseases of lymphatic system	14	2
103	Other diseases of circulatory system	1	-
	VIII.—Diseases of the respiratory system	15,480	3,083
104	Diseases of nasal fossae, accessory sinuses	199	49
105	Diseases of larynx	101	20
106a	Acute bronchitis	299	48
106b	Chronic bronchitis	23	1
106c	Bronchitis (unspecified)	167	19
107	Bronchopneumonia (including capillary bronchitis)	9,436	1,957
108	Lobar pneumonia	3,037	456
109	Pneumonia (unspecified)	1,860	445
110	Pleurisy (not tuberculous)	107	23
111	Hemorrhagic infarction, thrombosis, edema*	111	40
112	Asthma	33	2
113	Pulmonary emphysema	5	2
114c-e	Other diseases of respiratory system (except tuberculosis)	102	21
	IX.—Diseases of the digestive system	9,087	1,463
115	Diseases of buccal cavity and adnexa, etc.*	183	18
116	Diseases of esophagus	6	3
117	Ulcer of stomach or duodenum	19	4
118	Other diseases of stomach (except cancer)	260	54
119	Diarrhea, enteritis, etc.*	7,824	1,289
121	Appendicitis	28	7
122a	Hernia	1	-
122b	Intestinal obstruction	588	40
123	Other diseases of intestines	55	24
124	Cirrhosis of liver	12	3
125	Other diseases of liver	37	9
127	Other diseases of gallbladder, biliary ducts	9	3
128	Diseases of pancreas (except diabetes mellitus)	15	-
129	Peritonitis (cause not stated)	50	9
	X.—Diseases of the genito-urinary system	291	77
130	Acute nephritis	139	39
131a	Arteriosclerotic kidney	7	2
131b	Other chronic nephritis	3	1
133	Other diseases of kidneys, ureters, etc.*	136	34
135	Diseases of urinary bladder	1	-
138	Diseases of other male genital organs (not venereal)	5	1
	XII.—Diseases of the skin and cellular tissue	221	99
151	Carbuncle and furuncle	21	-
152	Phlegmon and acute abscess	43	17
153	Other diseases of skin and cellular tissue	157	82
	XIII.—Diseases of the bones, etc.*	33	6
154	Osteomyelitis and periostitis	17	-
155	Other diseases of bones (except tuberculosis)	7	3
156	Diseases of joints, other organs of movement	9	3

* Refer to complete International List titles, table VII, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, FROM EACH CAUSE: UNITED STATES, 1942—Continued

(Exclusive of stillbirths. Causes for which there were no deaths are not shown)

List No.	CAUSE OF DEATH	Deaths under 1 year	Deaths under 1 month
	XIV.—Congenital malformations	13,672	9,081
157a-d	Congenital malformations of central nervous system	3,962	2,357
157e,f	Congenital malformations of cardiovascular system	6,280	4,211
157g, h,m	Other congenital malformations	3,430	2,513
	XV.—Diseases peculiar to the first year of life	55,401	52,487
158	Congenital debility (cause not stated)	2,738	1,533
159	Premature birth (cause not stated)	34,504	33,483
160	Injury at birth	11,455	11,231
161	Other diseases peculiar to the first year of life	6,704	6,240
	XVII.—Violent or accidental deaths	2,898	594
165-168	Homicide (infanticide)	101	79
166	Homicide by firearms	7	1
167	Homicide by cutting or piercing instruments	-	-
168	Homicide by other means	94	78
169-195	Accidental deaths	2,797	515
170a	Collisions between automobiles and trains	6	1
170b	Collisions between automobiles and streetcars	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	89	3
171b	Other and unspecified road-transport accidents	4	-
172	Water-transport accidents	2	-
173	Air-transport accidents	2	-
176	Other accidents involving machinery	2	-
177	Food poisoning	46	6
	XVII.—Violent or accidental deaths—Continued		
178	Accidental absorption of poisonous gas	19	2
179	Acute accidental poisoning by solids or liquids	37	8
180	Conflagration	144	3
181	Accidental burns (except conflagration)	180	18
182	Accidental mechanical suffocation	1,333	243
183	Accidental drowning	39	2
184	Accidental injury by firearms	9	-
185	Accidental injury by cutting or piercing instruments	2	-
186a	Accidental injury by fall	129	22
186b	Accidental injury by crushing	3	2
187	Cataclysm, etc.*	20	1
188	Injury by animals (except in agriculture and forestry)*	2	-
189	Hunger or thirst	17	5
190	Excessive cold	9	5
191	Excessive heat	32	14
193	Accidents due to electric currents (except lightning)	3	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	7	1
195a	Sequelae of preventive immunization, etc.*	3	-
195b	Other accidents due to medical or surgical intervention	7	3
195d	Obstruction, suffocation, etc.*	430	88
195c,e	Other and unspecified accidents	219	88
	XVIII.—Ill-defined and unknown causes	5,257	3,071
199	Sudden death	157	66
200a	Ill-defined causes	614	283
200b,c	Unknown or unspecified	4,486	2,722

* Refer to complete International List titles, table VII, Part I.

TABLE 31.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, URBAN AND RURAL: UNITED STATES, 1942

(Exclusive of stillbirths)

CAUSE OF DEATH	TOTAL					WHITE					NONWHITE				
	Total deaths under 1 year	Urban			Rural	Total	Urban			Rural	Total	Urban			Rural
		Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000	
All causes	113,492	62,776	50,202	12,574	50,716	92,678	53,147	42,199	10,948	39,531	20,814	9,629	8,003	1,626	11,185
Cerebrospinal (meningococcus) meningitis-6	163	91	74	17	72	136	76	62	14	60	27	15	12	3	12
Scarlet fever-8	26	8	5	3	18	22	7	4	3	15	4	1	1	-	3
Whooping cough-9	1,808	771	561	210	1,037	1,325	598	429	169	727	483	173	132	41	310
Diphtheria (infection by C. diphtheriae)-10	96	25	14	11	71	74	22	11	11	52	22	3	3	-	19
Erysipelas-11	41	22	15	7	19	39	21	15	6	18	2	1	-	1	1
Tetanus-12	140	52	28	24	88	83	35	18	17	48	57	17	10	7	40
Tuberculosis of respiratory system, etc.*-13	240	154	127	27	86	160	101	79	22	59	80	53	48	5	27
Tuberculosis of meninges, etc.*-14	157	91	76	15	66	116	58	47	11	58	41	33	29	4	8
Tuberculosis (other forms)-15-22	121	75	66	9	46	89	51	46	5	38	32	24	20	4	8
Septicemia and purulent infection-24	126	69	54	15	57	114	65	50	15	49	12	4	4	-	8
Dysentery-27	870	317	158	159	553	660	252	120	132	408	210	65	38	27	145
Malaria-28	73	10	7	3	63	35	7	5	2	28	38	3	2	1	35
Syphilis-30	845	442	364	78	403	363	208	163	45	155	482	234	201	33	248
Influenza-33	1,811	678	494	184	1,133	1,324	507	373	134	817	487	171	121	50	316
Measles-35	341	106	74	32	235	260	89	63	26	171	81	17	11	6	64
Other infectious and parasitic diseases-1-5,7,23,25,26,29,31,32,34,36-44	206	97	74	23	109	159	80	61	19	79	47	17	13	4	30
Diseases of thymus gland-64	1,075	670	552	118	405	972	598	492	106	374	103	72	60	12	31
Rickets-70	84	42	31	11	42	59	27	19	8	32	25	15	12	3	10
Hemorrhagic conditions-72	165	90	70	20	75	137	73	56	17	64	28	17	14	3	11
Anemias (except splenic anemia)-73	183	93	76	17	90	149	74	59	15	75	34	19	17	2	15
Encephalitis (nonepidemic)-80	109	67	53	14	42	92	55	42	13	37	17	12	11	1	5
Meningitis (not due to meningococcus)-81	603	339	278	61	264	476	267	214	53	209	127	72	64	8	55
Intracranial lesions of vascular origin-83	192	109	90	19	83	161	93	77	16	68	31	16	13	3	15
Convulsions-86	399	156	109	47	243	262	120	84	36	142	137	36	25	11	101
Diseases of ear and mastoid process-89	342	190	142	48	152	287	156	116	40	131	55	34	26	8	21
Other diseases of nervous system-82,84,85,87,88	178	124	105	19	54	159	114	97	17	45	19	10	8	2	9
Diseases of circulatory system-90-103	255	135	110	25	120	217	115	92	23	102	38	20	18	2	18
Bronchopneumonia (including capillary bronchitis)-107	9,436	5,060	4,055	1,005	4,376	7,360	3,946	3,088	858	3,414	2,076	1,114	967	147	962
Lobar pneumonia-108	3,037	1,397	1,086	311	1,640	2,304	1,064	814	250	1,240	733	333	272	61	400
Pneumonia (unspecified)-109	1,860	627	435	192	1,233	1,218	437	301	136	781	642	190	134	56	452
Other diseases of respiratory system-104-106,110-114	1,147	593	491	102	554	876	498	407	91	378	271	95	84	11	176
Diseases of buccal cavity, etc.*-115	183	92	76	16	91	155	84	68	16	71	28	8	8	-	20
Diseases of stomach-117-118	279	98	54	44	181	202	72	38	34	130	77	26	16	10	51
Diarrhea, enteritis, etc.*-119	7,824	3,973	3,080	893	3,851	6,023	3,167	2,432	735	2,856	1,801	806	648	158	995
Hernia-122a	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Intestinal obstruction-122b	588	338	268	70	250	511	297	231	66	214	77	41	37	4	36
Peritonitis (cause not stated)-129	50	34	31	3	16	44	33	30	3	11	6	1	1	-	5
Other diseases, digestive system-116,121,123-128	162	85	72	13	77	133	72	61	11	61	29	13	11	2	16
Diseases of genito-urinary system-130,131,133-139	291	149	128	21	142	236	123	106	17	113	55	26	22	4	29
Diseases of skin and cellular tissue-151-153	221	84	68	16	137	179	69	56	13	110	42	15	12	3	27
Congenital malformations-157	13,672	8,491	6,870	1,621	5,181	12,817	8,011	6,458	1,553	4,806	855	480	412	68	375
Congenital debility-158	2,738	999	698	301	1,739	1,868	725	507	218	1,143	870	274	191	83	596
Premature birth-159	34,504	21,397	17,427	3,970	13,107	29,360	18,265	14,704	3,561	11,095	5,144	3,132	2,723	409	2,012
Injury at birth-160	11,455	7,238	5,861	1,377	4,217	10,395	6,610	5,319	1,291	3,785	1,060	628	542	86	432
Other diseases peculiar to first year-161	6,704	4,276	3,596	680	2,428	5,788	3,737	3,123	614	2,051	916	539	473	66	377
Accidental mechanical suffocation-182	1,333	657	559	98	676	1,089	543	461	82	546	244	114	98	16	130
Other violence or accident-166-181,183-195	1,565	753	595	168	802	1,216	622	483	139	594	349	141	112	29	208
Ill-defined and unknown causes-199,200	5,257	1,084	700	384	4,173	2,503	629	409	220	1,874	2,754	455	291	164	2,299
All other causes*	535	318	245	73	218	470	274	209	65	196	66	44	36	8	22

*Refer to complete International List titles, table VII, Part I.

o