VITAL STATISTICS OF THE UNITED STATES

1962

VOLUME II—MORTALITY

PART A

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

ANTHONY J. CELEBREZZE, SECRETARY

PUBLIC HEALTH SERVICE

LUTHER L. TERRY, SURGEON GENERAL

WASHINGTON: 1964

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402 - Price $3.75

NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*
THEODORE D. WOOLSEY, *Assistant Director*
O. K. SAGEN, PH. D., *Assistant Director*

NATIONAL VITAL STATISTICS DIVISION

O. K. SAGEN, PH. D., *Chief*
ROBERT D. GROVE, PH. D., *Assistant Chief*
MONROE G. SIRKEN, PH. D., *Surveys and Actuarial Branch*
ELEANOR L. MADIGAN, *Computer Applications Branch*
J. K. KNEE, *Conference and Training Branch*
HUGH CARTER, PH. D., *Marriage and Divorce Statistics Branch*
LILLIAN GURALNICK, *Mortality Statistics Branch*
ANDERS S. LUNDE, PH. D., *Natality Statistics Branch*
HAZEL V. AUNE, *Registration Methods Branch*
MARVIN C. TEMPLETON, *Statistical Operations Branch*
MARSHALL C. EVANS, *Administrative Services*
JOHN STORCK, PH. D., *Staff Assistant*

VITAL STATISTICS OF THE UNITED STATES, 1962

VOLUME II – MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality: Tables

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

Section 2. Infant Mortality: Tables

Tabulations of infant deaths and death rates by color, by sex, by cause of death, and by State. Additional frequency tables by month of death, urban and rural and metropolitan and nonmetropolitan areas.

Section 3. Fetal Mortality: Tables

Tabulations of numbers of deaths and ratios by age of mother, period of gestation, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, birth weight.

Section 4. Accident Mortality: Tables

Deaths from motor-vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 5. Life Tables

Text discussion of national trends in expectation of life. Abridged life tables and interpolated values of the l_x and $\overset{o}{e}_x$ by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics in Volume II.

PART B

Section 7. Geographic Detail for Mortality: Tables

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State, county, specified urban places, metropolitan and nonmetropolitan counties, urban and rural areas, and standard metropolitan statistical areas.

Section 8. Puerto Rico and Virgin Islands: Tables

Trend of the crude death rate. Frequency tabulations for most variables shown in other sections in Volume II.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Guide to tables in Section 1

(All data, except for table 27, are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27
PAGE: 1	-3	-4	-5	-6	-7	-7	-7	-8	-9	-16	-17	-18	-22	-26	-27	-28	-31	-32	-38	-39	-73	-78	-86	-148	-236	-248	-262
Geographic area:																											
Abroad (deaths among Armed Forces)																											X
Divisions										X[1]	X	X	X		X												
States											X	X	X		X	X[2]	X[1]	X	X					X			
United States	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Years:																											
1900-1962	X[3]	X[3]								X[4]																	
1915-1962														X[5]													
1953-1962			X					X			X																
1960-1962 (3-year average)															X												
1962 only				X	X	X	X		X			X	X			X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:																											
Age-adjusted rates		X					X																				
Number of deaths	X				X							X				X	X	X	X	X	X	X	X	X	X		X
Percentage distribution of deaths by cause						X																					
Death rates	X	X	X	X		X	X	X	X	X	X		X	X	X					X						X	
Characteristics:																											
Age (10-year age groups)			X						X																		
(5-year age groups)				X																			X		X	X	X
(single years of age after 84)					X																						
Cause of death:																											
Each cause																				X							
Selected causes							X																				X
258 selected causes																					X	X	X	X			
60 selected causes								X	X			X	X												X	X	
15 leading causes						X																					
Maternal causes only														X	X												
Color[6]	X	X	X	X	X		X		X					X	X			X		X				X	X	X	
Month																	X	X			X						
Race																			X			X	X				
Sex	X[7]	X	X	X	X		X		X									X	X	X		X	X	X	X	X	X[8]

[1]By place of occurrence.

[2]Both occurrence and residence distributions.

[3]Entire United States for 1933-1962; death-registration States for 1900-1932.

[4]Data by 5-year averages for 1900-1954 and by single years for 1955-1962.

[5]Entire United States for 1933-1962; birth-registration States for 1915-1932. Data by 5-year averages for 1915-1939 and by single years for 1940-1962.

[6]New Jersey did not require the reporting of color or race for 1962.

[7]For death rates only.

[8]For males only.

Guide to tables in Section 2

(All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 2	-3	-3	-4	-5	-6	-7	-8	-22	-29	-32	-38	-56
Geographic area:												
Divisions					X	X						
Metropolitan and nonmetropolitan counties										X		
States					X	X	X	X				X
United States	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas										X		
Years:												
1915-1962	X[1]											
1953-1962			X	X								
1958-1962					X	X						
1962 only		X					X	X	X	X	X	X
Type of entry:												
Number of infant deaths							X	X	X	X	X	X
Infant mortality rates (per 1,000 live births)	X				X	X						
Infant mortality rates (per 100,000 live births)		X	X	X								
Characteristics:												
Age:												
Under 1 year	X	X	X	X	X		X	X	X	X	X	X
Under 28 days	X	X	X			X	X	X	X	X	X	X
28 days to 11 months									X			X
Detailed age groups (under 1 day-11 months)		X	X				X	X[2]			X	
Cause of death (55 selected causes)				X					X	X	X	X
Color[3]	X	X	X		X	X		X		X	X	X
Month								X	X			
Race[3]							X					
Sex		X					X	X[2]			X	

[1]Entire United States for 1933-1962; birth-registration States for 1915-1932.
[2]For the United States only.
[3]New Jersey did not require the reporting of color or race for 1962.

Guide to tables in Section 3

(All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-14	-16	-19	-21	-24	-25	-26	-29
Geographic area:																	
Divisions						X	X										
Metropolitan and nonmetropolitan counties						X											
Selected areas			X[1]	X[2]													
States	X[3]						X	X[4]	X		X	X	X			X	X
United States	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas						X											
Years:																	
1922-1962		X[5]															
1958-1962							X										
1962 only	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X
Type of entry:																	
Number of fetal deaths	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
Percentage distribution			X														
Rates per 1,000 live births plus fetal deaths					X												
Ratios (per 1,000 live births)		X		X		X	X										
Minimum period required for reporting	X																
Characteristics:																	
Age of mother			X	X						X	X						
Attendant													X				
Color[6]		X		X	X	X	X		X	X	X	X	X	X	X	X	X
Legitimacy status				X													
Month									X								
Period of gestation	X		X			X							X		X		X
Plural births					X									X	X		
Sex					X					X				X	X	X[7]	X[7]
Total-birth order										X		X					
Weight at birth														X		X	

[1]Combined totals for nine States and New York City which require the reporting of early fetal deaths.
[2]Combined totals for 34 States which report legitimacy status.
[3]By place of occurrence.
[4]Both occurrence and residence distributions.
[5]Entire United States for 1933-1962; birth-registration States for 1922-1932.
[6]New Jersey did not require the reporting of color for 1962.
[7]For the United States only.

Guide to tables in Section 4

(Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence)

TABLE: 4	-1	-2	-3	-4	-5	-6
PAGE: 4	-2	-4	-8	-14	-16	-20
Geographic area:						
States					X	X
United States	X	X	X	X	X	X
Subject matter:						
Motor vehicle accident, by type of vehicle	X		X		X	
Nontransport accident, by place of accident		X		X		X
Characteristics:						
Age (5-year age groups)			X	X		
Color[1]	X	X			X	X
Detailed accidental causes (E810-E835, E870-E936)	X	X				
Race[1]			X	X		
Sex	X	X	X	X	X	X

[1]New Jersey did not require the reporting of color or race.

Guide to tables in Section 5

TABLE: 5	-1	-2	-3	-4	-5	-6
PAGE: 5	-3	-4	-5	-6	-7	-8
Years:						
1900-1962						X[1]
1962 only	X	X	X	X		
Specified years and 1962					X[2]	
Type of entry:						
Proportion dying ($_nq_x$)	X	X				
Number surviving (l_x)	X	X	X		X	
Number dying ($_nd_x$)	X	X				
Stationary population ($_nL_x$ and T_x)	X	X				
Average remaining lifetime (e^o_x)	X	X		X	X	
Estimated average length of life (e^o_0)						X
Characteristics:						
Age by:						
Single years			X	X		
5-year intervals	X	X			X	
Sex-color specific[3]		X	X	X	X	X
Sex specific	X		X	X		X
Color specific[3]		X	X	X		X
Total population	X		X	X		X

[1]Entire United States for 1929-62; death-registration States for 1900-1928.
[2]Entire United States for specified years from 1929 to 1962; death-registration States for specified years from 1900 to 1921.
[3]New Jersey did not require the reporting of color or race.

Guide to population tables in Section 6

TABLE: 6	-3	-4	-5	-6	-7
PAGE: 6	-19	-19	-20	-20	-21
Geographic area:					
Birth-registration States	X				
Death-registration States	X				
Divisions					X
Puerto Rico					X
States					X
United States	X[1]	X[2]	X[3]	X[3 4]	X[3]
Virgin Islands					X
Years:					
1900-1962[5]	X				
1962[6]		X	X	X	X
Characteristics:					
Age		X	X	X	
Color		X	X	X	
Sex		X		X	

[1] Population both inclusive and exclusive of Armed Forces stationed abroad.
[2] Population inclusive of Armed Forces stationed abroad.
[3] Population exclusive of Armed Forces stationed abroad.
[4] Resident population of the United States, excluding New Jersey. Estimates prepared by the National Vital Statistics Division.
[5] Enumerated as of April 1, 1940, 1950, 1960, and estimated as of July 1 for all other years.
[6] Estimated as of July 1, 1962.

Guide to tables in Section 7

(All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 7	-3	-60	-77	-94	-114	-368	-372	-384	-548	-553
Geographic area:										
Counties	X[1]							X	X	
Metropolitan and nonmetropolitan counties		X	X					X		
Specified urban places	X							X		X
Standard metropolitan statistical areas				X			X			
States	X[1]	X	X		X	X[2]		X	X	
United States	X	X	X			X		X	X	
Urban and rural areas		X						X		
Type of entry:										
Number of deaths—all ages	X	X	X	X	X	X	X	X	X	X
Number of fetal deaths	X	X								
Number of infant deaths	X	X								
Number of neonatal deaths	X	X								
Fetal death ratios (per 1,000 live births)		X								
Infant mortality rates (per 1,000 live births)		X								
Neonatal mortality rates (per 1,000 live births)		X								
Characteristics:										
Age:										
5-year age groups					X					
10-year age groups			X	X	X					
Cause of death:										
60 selected causes					X	X	X			
Selected causes								X		
Specified infective diseases									X	X
Color[3]	X	X	X	X	X					
Sex			X	X	X					

[1]Both occurrence and residence distributions.
[2]By place of occurrence.
[3]New Jersey did not require the reporting of color.

Guide to tables in Section 8

(All data are for deaths occurring in Puerto Rico or the Virgin Islands)

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE: 8	-3	-3	-4	-8	-13	-13	-14	-15	-15	-16	-17	-18	-18	-18	-19	-19
Geographic area:																
Islands								X[1]								
Municipios							X[1]									
Puerto Rico	X	X	X		X	X	X		X	X	X	X	X	X	X	X
Specified urban place								X								
Virgin Islands	X	X		X	X	X		X	X	X	X	X	X	X	X	X
Years:																
1940-1962	X															
1962 only		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:																
Number of deaths—all ages	X	X	X	X	X	X	X[1]	X[1]								
Number of fetal deaths							X	X				X	X	X	X	X
Number of infant deaths							X	X	X	X	X[2]					
Number of neonatal deaths							X	X	X	X	X					
Death rates—all ages	X															
Characteristics:																
Age of decedent			X	X						X						
Age of mother													X			
Cause of death:																
60 selected causes			X	X												
55 selected causes of infant mortality											X					
Motor vehicle accidents					X											
Nontransport accidents						X										
Color (for Virgin Islands only)		X		X	X	X		X	X	X	X	X	X	X	X	X
Month		X							X			X				
Period of gestation																X
Place of accident						X										
Sex		X	X	X	X	X				X						
Total-birth order														X		
Type of motor vehicle involved					X											
Weight at birth															X	

[1]Both occurrence and residence distributions.

[2]Number of deaths also shown for the age group 28 days to 11 months.

Section 1. General Mortality

Tables		Page
1-1.	Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-62	1-3
1-2.	Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-62	1-4
1-3.	Death rates by 10-year age groups, color, and sex: United States, 1953-62	1-5
1-4.	Death rates by 5-year age groups, color, and sex: United States, 1962	1-6
1-5.	Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1962	1-7
1-6.	Mortality from 15 leading causes of death: United States, 1962	1-7
1-7.	Age-adjusted death rates for specified causes, by color and sex: United States, 1962	1-7
1-8.	Death rates for 60 selected causes: United States, 1953-62	1-8
1-9.	Death rates for 60 selected causes, by 10-year age groups, color, and sex: United States, 1962	1-9
1-10.	Death rates for geographic divisions by place of occurrence: United States, 1900-1962	1-16
1-11.	Death rates: United States, each division and State, 1953-62	1-17
1-12.	Deaths from 60 selected causes: United States, each division and State, 1962	1-18
1-13.	Death rates for 60 selected causes: United States, each division and State, 1962	1-22
1-14.	Maternal mortality rates by color: Birth-registration States or United States, 1915-62	1-26
1-15.	Maternal mortality rates by color: United States, each division and State, 1960-62 (3-year average)	1-27
1-16.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1962	1-28
1-17.	Deaths by month and State of occurrence: United States and each State, 1962	1-31
1-18.	Deaths by month, color, and sex: United States and each State, 1962	1-32
1-19.	Deaths by specified race and sex: United States and each State, 1962	1-38
1-20.	Deaths and death rates for each cause, by color and sex: United States, 1962	1-39
1-21.	Deaths from 258 selected causes, by month: United States, 1962	1-73
1-22.	Deaths from 258 selected causes, by specified race and sex: United States, 1962	1-78
1-23.	Deaths from 258 selected causes, by 5-year age groups, race, and sex: United States, 1962	1-86
1-24.	Deaths from 258 selected causes, by color and sex: United States and each State, 1962	1-148
1-25.	Deaths from 60 selected causes, by 5-year age groups, color, and sex: United States, 1962	1-236
1-26.	Death rates for 60 selected causes, by 5-year age groups, color, and sex: United States, 1962	1-248
1-27.	Deaths from selected causes among Armed Forces abroad, by 5-year age groups: United States, 1962	1-262

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-62

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1, for 1940, 1950, and 1960 and estimated as of July 1 for all other years)

AREA AND YEAR	NUMBER			RATE								
	Total	White	Nonwhite	Total			White			Nonwhite		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]												
1962[2]	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.4	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.5	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.2	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES[3]												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[3]Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-62

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]									
1962[2]	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.3	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.4	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.8	8.8
1958	7.6	9.4	6.0	7.3	9.1	5.6	10.6	12.1	9.2
1957	7.8	9.5	6.1	7.4	9.2	5.7	10.8	12.3	9.4
1956	7.6	9.4	6.0	7.3	9.0	5.7	10.5	11.9	9.1
1955	7.6	9.3	6.1	7.3	9.0	5.7	10.4	11.8	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.7	10.6	12.0	9.3
1953	8.0	9.7	6.5	7.7	9.4	6.1	11.5	13.0	10.0
1952	8.1	9.8	6.6	7.8	9.4	6.2	11.8	13.2	10.3
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.6
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.9	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.3	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.9	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES[3]									
1932	11.9	13.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.7	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.5	11.7	12.9	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.6	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item, see Technical Appendix.
[3]Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-3. Death Rates by 10-Year Age Groups, Color, and Sex: United States, 1953-62

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	205.1
1961	9.3	25.3	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	196.3
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.6	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	191.2
1958	9.5	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.3	87.8	191.1
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.7	17.8	38.9	88.4	188.4
1956	9.4	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.5	37.8	88.5	181.8
1955	9.3	28.5	1.1	0.5	1.1	1.5	3.1	7.6	17.3	37.9	89.0	179.3
1954	9.2	29.2	1.2	0.5	1.1	1.5	3.1	7.8	17.4	37.6	87.5	172.6
1953	9.6	30.7	1.3	0.6	1.2	1.6	3.3	8.2	18.4	39.1	92.4	183.4
MALE												
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.7	49.4	98.9	219.0
1961	10.7	28.5	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.9	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.2	1.2	0.6	1.5	1.9	3.7	9.7	22.7	47.8	99.0	204.3
1958	11.0	31.8	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.4	100.8	204.2
1957	11.1	31.6	1.2	0.6	1.6	1.9	3.8	9.9	23.5	48.8	100.7	201.9
1956	10.8	32.1	1.2	0.6	1.7	1.9	3.7	9.6	23.0	47.2	100.6	195.1
1955	10.8	32.1	1.2	0.6	1.6	1.9	3.8	9.8	22.6	46.9	100.5	191.7
1954	10.7	33.0	1.3	0.6	1.6	2.0	3.8	9.9	22.6	46.3	98.5	185.0
1953	11.1	34.7	1.4	0.7	1.7	2.1	4.1	10.4	23.8	47.6	103.4	197.8
FEMALE												
1962	8.1	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.3
1961	7.9	21.9	0.9	0.4	0.6	1.0	2.2	5.1	11.5	27.9	72.7	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.9	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	182.8
1958	8.1	24.6	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.5	182.5
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	78.5	179.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.4	12.3	29.4	78.7	173.0
1955	7.9	24.7	1.0	0.4	0.7	1.1	2.4	5.5	12.3	29.7	79.5	171.1
1954	7.8	25.3	1.1	0.4	0.7	1.1	2.4	5.7	12.4	29.6	78.4	164.3
1953	8.1	26.5	1.2	0.4	0.8	1.2	2.6	6.0	13.2	31.2	83.1	173.7
WHITE												
1962[2]	9.4	22.3	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.1	209.7
1961	9.3	22.4	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.7
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.2	0.9	0.5	1.0	1.3	2.6	6.8	16.2	36.8	86.8	196.2
1958	9.4	24.6	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.5	88.9	195.9
1957	9.5	24.7	1.0	0.5	1.1	1.3	2.7	6.9	16.8	38.1	89.5	193.0
1956	9.3	25.1	1.0	0.4	1.1	1.3	2.6	6.8	16.5	37.2	89.8	186.6
1955	9.2	25.3	1.0	0.5	1.1	1.3	2.7	6.9	16.4	37.2	90.2	184.4
1954	9.1	26.1	1.1	0.5	1.0	1.3	2.7	7.0	16.5	37.0	88.6	177.2
1953	9.4	27.5	1.2	0.5	1.1	1.4	2.9	7.3	17.5	38.3	93.2	187.8
WHITE MALE												
1962[2]	10.8	25.4	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.2	224.5
1961	10.7	25.5	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.6	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.6	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.2	100.3	210.2
1958	10.9	27.9	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.7	102.2	209.5
1957	11.0	28.1	1.1	0.6	1.6	1.7	3.4	9.2	22.6	48.2	102.2	207.0
1956	10.8	28.6	1.1	0.5	1.6	1.7	3.3	9.0	22.1	46.7	102.2	200.4
1955	10.7	28.8	1.1	0.6	1.5	1.7	3.4	9.1	21.9	46.5	102.1	197.3
1954	10.6	29.7	1.1	0.6	1.5	1.7	3.4	9.2	21.8	45.9	99.8	190.1
1953	11.0	31.4	1.3	0.6	1.6	1.8	3.6	9.6	23.0	47.1	104.6	202.3
WHITE FEMALE												
1962[2]	8.0	19.0	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.7	200.4
1961	7.8	19.2	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.7	0.9	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	187.3
1958	8.0	21.3	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.4	187.1
1957	8.0	21.1	0.9	0.4	0.6	0.9	1.9	4.7	11.3	29.0	79.5	184.0
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.2	28.6	79.8	177.6
1955	7.8	21.7	0.9	0.4	0.6	0.9	2.0	4.7	11.2	28.9	80.5	175.9
1954	7.6	22.4	1.0	0.4	0.6	0.9	2.0	4.9	11.4	28.9	79.3	168.7
1953	8.0	23.4	1.1	0.4	0.6	1.0	2.1	5.1	12.1	30.4	83.7	178.0
NONWHITE												
1962[2]	9.8	41.8	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.2	144.0
1961	9.6	40.9	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.3	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	46.9	1.9	0.7	1.7	3.2	6.3	13.2	27.1	46.3	72.5	129.8
1958	10.3	49.7	2.0	0.6	1.6	3.3	6.3	13.8	28.1	48.3	73.5	132.0
1957	10.5	47.7	2.0	0.7	1.8	3.5	6.7	14.3	29.3	48.6	72.4	130.5
1956	10.1	47.2	1.9	0.7	1.8	3.3	6.5	13.9	28.5	46.3	71.4	122.0
1955	10.0	47.6	2.0	0.7	1.8	3.3	6.5	14.3	27.5	46.4	71.5	116.7
1954	10.1	48.9	2.1	0.7	1.9	3.5	6.7	15.0	27.5	45.2	72.6	115.5
1953	10.8	51.6	2.2	0.8	2.1	3.8	7.3	16.2	29.6	48.3	79.8	130.3

See footnotes at end of table.

716 - 533 O - 64 - 2

Table 1-3. Death Rates by 10-Year Age Groups, Color, and Sex: United States, 1953-62—Con.

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NONWHITE MALE												
1962[2]	11.2	46.5	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.4	81.0	161.0
1961	10.9	45.3	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.0	2.1	0.8	2.2	4.0	7.3	15.1	30.9	54.5	81.8	139.6
1958	11.6	55.4	2.0	0.7	2.2	4.0	7.2	15.4	31.8	56.4	83.2	145.3
1957	11.9	53.0	2.1	0.8	2.3	4.2	7.5	15.9	33.4	56.0	81.4	144.0
1956	11.4	53.3	2.1	0.8	2.4	4.1	7.3	15.3	32.1	52.8	80.5	133.8
1955	11.4	52.9	2.1	0.8	2.3	4.0	7.4	15.7	31.3	52.9	79.5	127.1
1954	11.5	54.6	2.2	0.8	2.4	4.3	7.4	16.4	31.4	51.2	80.6	126.6
1953	12.3	56.8	2.5	0.9	2.7	4.6	8.2	17.9	34.0	54.8	87.3	144.8
NONWHITE FEMALE												
1962[2]	8.5	37.0	1.5	0.5	1.1	2.4	5.4	10.7	23.7	41.2	64.1	134.8
1961	8.4	36.5	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	126.7
1959	8.6	41.8	1.7	0.5	1.2	2.6	5.5	11.4	23.4	38.8	64.1	122.3
1958	9.0	44.0	1.9	0.5	1.1	2.7	5.6	12.3	24.5	40.9	64.8	121.7
1957	9.1	42.5	1.8	0.6	1.3	2.8	5.9	12.8	25.2	41.7	64.2	120.3
1956	8.8	41.2	1.8	0.5	1.2	2.7	5.9	12.5	24.9	40.2	62.9	113.3
1955	8.8	42.3	1.9	0.6	1.3	2.7	5.8	12.9	23.8	40.2	63.9	108.9
1954	8.8	43.3	1.9	0.6	1.4	2.9	6.0	13.7	23.6	39.4	64.8	107.2
1953	9.4	46.4	2.0	0.6	1.6	3.1	6.5	14.5	25.3	42.0	72.4	119.8

[1]Figures for age not stated included in "Total" but not distributed among age groups.
[2]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.

Table 1-4. Death Rates by 5-Year Age Groups, Color, and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 estimated midyear population in specified group. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item: see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES[1]	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
Under 1 year	25.3	28.7	21.8	22.3	25.4	19.0	41.8	46.5	37.0
1-4 years	1.0	1.0	0.9	0.9	0.9	0.8	1.7	1.8	1.5
5-9 years	0.5	0.5	0.4	0.4	0.5	0.4	0.6	0.7	0.6
10-14 years	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.7	0.4
15-19 years	0.9	1.2	0.5	0.8	1.2	0.5	1.2	1.6	0.8
20-24 years	1.2	1.8	0.7	1.1	1.7	0.6	2.1	2.8	1.4
25-29 years	1.3	1.7	0.9	1.1	1.5	0.7	2.6	3.4	2.0
30-34 years	1.6	2.0	1.2	1 4	1.7	1.0	3.6	4.3	2.9
35-39 years	2.4	2.9	1.8	2.0	2.5	1.5	5.3	6.2	4.5
40-44 years	3.6	4.5	2.7	3.2	4.1	2.3	7.4	8.7	6.4
45-49 years	5.8	7.4	4.2	5.3	6.9	3.7	10.2	12.1	8.5
50-54 years	9.2	12.3	6.3	8.5	11.5	5.6	16.1	18.9	13.4
55-59 years	13.6	18.3	9.1	12.8	17.7	8.1	21.1	24.1	18.2
60-64 years	20.9	27.9	14.5	19.5	26.7	12.9	34.6	38.8	30.6
65-69 years	31.8	42.5	22.6	30.4	41.2	21.1	45.8	55.4	37.3
70-74 years	45.8	58.3	35.4	44.8	57.5	34.4	54.6	64.7	46.1
75-79 years	69.8	84.4	58.4	70.0	85.0	58.2	65.7	74.4	58.0
80-84 years	111.7	127.7	100.2	113.7	130.5	101.8	84.1	93.1	75.0
85 and over	205.1	219.0	196.3	209.7	224.5	200.4	144.0	161.0	134.8

[1]Figures for age not stated included in "All Ages" but not distributed among age groups.

Table 1-5. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AGE	TOTAL			WHITE		NONWHITE	
	Both sexes	Male	Female	Male	Female	Male	Female
85 YEARS AND OVER	201,203	83,228	117,975	75,895	108,226	4,992	5,662
85 years	32,703	14,622	18,081	13,321	16,603	859	826
86 years	29,771	12,938	16,833	11,899	15,466	684	745
87 years	26,526	11,467	15,059	10,522	13,894	600	670
88 years	22,223	9,229	12,994	8,479	12,005	485	526
89 years	19,592	8,142	11,450	7,480	10,616	453	443
90 years	16,382	6,663	9,719	6,065	8,854	418	525
91 years	12,721	5,058	7,663	4,641	7,096	280	304
92 years	11,255	4,395	6,860	4,003	6,296	262	328
93 years	8,152	3,088	5,064	2,825	4,679	187	227
94 years	6,296	2,278	4,018	2,073	3,706	140	180
95 years	4,765	1,710	3,055	1,553	2,777	113	178
96 years	3,508	1,217	2,291	1,067	2,061	118	148
97 years	2,374	794	1,580	682	1,401	94	118
98 years	1,613	547	1,066	473	944	61	94
99 years	1,115	371	744	315	664	47	58
100 years	736	244	492	190	423	46	57
101 years	515	158	357	122	302	29	41
102 years	343	97	246	76	194	17	46
103 years	187	50	137	34	106	14	27
104 years	113	30	83	17	51	13	28
105 years	87	30	57	16	40	14	17
106 years	64	29	35	18	18	11	17
107 years	38	15	23	9	8	6	15
108 years	31	10	21	2	8	8	12
109 years	12	9	3	4	1	5	2
110 years	13	4	9	2	4	2	5
111 years	10	5	5	3	1	2	4
112 years	11	4	7	1	1	3	5
113 years	7	4	3	2	1	2	2
114 years	10	3	7	-	3	3	4
115 years	7	4	3	-	2	4	1
116 years	8	3	5	-	-	3	5
117 years	6	2	4	-	-	2	4
118 years	3	3	-	-	-	3	-
119 years	2	2	-	1	-	1	-
120 years	3	2	1	-	1	2	-
121 years	1	1	-	-	-	1	-

Table 1-6. Mortality From 15 Leading Causes of Death: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population. Ranked on the basis of the List of 60 Selected Causes of Death. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rank order	CAUSE OF DEATH	Rate	Percent of total deaths
	ALL CAUSES	945.4	100.0
1	Diseases of heart 400-402,410-443	370.3	39.2
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	149.9	15.9
3	Vascular lesions affecting central nervous system 330-334	106.3	11.2
4	Accidents E800-E962	52.3	5.5
...	Motor vehicle accidents E810-E835	22.0	2.3
...	Other accidents E800-E802,E840-E962	30.3	3.2
5	Certain diseases of early infancy 760-776	34.6	3.7
6	Influenza and pneumonia, except pneumonia of newborn 480-493	32.3	3.4
7	General arteriosclerosis 450	19.8	2.1
8	Diabetes mellitus 260	16.8	1.8
9	Other diseases of circulatory system 451-468	12.2	1.3
10	Cirrhosis of liver 581	11.7	1.2
11	Congenital malformations 750-759	11.4	1.2
12	Suicide E963,E970-E979	10.9	1.2
13	Other hypertensive disease 444-447	6.7	0.7
14	Ulcer of stomach and duodenum 540,541	6.6	0.7
15	Chronic and unspecified nephritis and other renal sclerosis 592-594	6.1	0.6
...	All other causes Residual	97.6	10.3

Table 1-7. Age-Adjusted Death Rates for Specified Causes, by Color and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Based on age-specific death rates per 100,000 estimated midyear population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

CAUSE OF DEATH	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL CAUSES	746.4	935.5	578.1	711.7	903.2	541.5	1,027.0	1,196.2	873.4
Major cardiovascular-renal diseases 330-334,400-468,592-594	392.3	494.6	301.9	377.8	484.8	283.4	513.0	569.4	462.5
Diseases of cardiovascular system 330-334,400-468	387.1	488.3	297.7	373.4	479.3	279.9	499.7	554.7	450.5
Vascular lesions affecting central nervous system 330-334	76.8	82.1	72.2	71.6	77.5	66.5	132.6	133.4	132.0
Diseases of heart 400-402,410-443	282.7	373.5	202.3	275.6	370.6	191.7	327.0	376.3	282.6
General arteriosclerosis 450	12.6	13.8	11.6	12.6	13.7	11.6	13.4	15.0	12.0
Chronic and unspecified nephritis and other renal sclerosis 592-594	5.2	6.3	4.3	4.4	5.5	3.5	13.3	14.7	12.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	125.6	144.6	109.9	123.0	142.0	107.4	140.9	159.0	124.6
Accidents E800-E962	49.7	73.3	27.2	48.0	70.7	26.2	66.5	100.6	35.4
Motor vehicle accidents E810-E835	23.1	35.1	11.8	23.2	35.0	12.0	25.2	40.3	11.4
Other accidents E800-E802,E840-E962	26.6	38.2	15.4	24.8	35.7	14.2	41.3	60.2	24.0
Influenza and pneumonia, except pneumonia of newborn 480-493	23.7	29.3	18.9	21.2	26.5	16.7	43.5	52.2	35.5
Diabetes mellitus 260	13.5	12.3	14.5	12.5	11.9	13.1	21.8	16.1	27.1
Cirrhosis of liver 581	11.0	15.1	7.4	10.5	14.6	6.8	13.8	16.8	11.0
Tuberculosis, all forms 001-019	4.5	7.0	2.4	3.6	5.6	1.8	13.4	19.2	8.0

Table 1-8. Death Rates for 60 Selected Causes: United States, 1953-62

(Data refer only to deaths occurring within the United States Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1953-57 and according to the Seventh Revision for 1958-62)

CAUSE OF DEATH	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
ALL CAUSES	945.4	929.6	954.7	938.6	950.7	958.5	935.1	930.4	919.0	959.0
Tuberculosis, all forms---001-019	5.1	5.4	6.1	6.5	7.1	7.8	8.4	9.1	10.2	12.4
Tuberculosis of respiratory system---001-008	4.7	5.0	5.6	6.0	6.6	7.3	7.8	8.3	9.3	11.3
Tuberculosis, other forms---010-019	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.8	0.8	1.1
Syphilis and its sequelae---020-029	1.5	1.6	1.6	1.7	2.0	2.2	2.3	2.3	3.0	3.3
Dysentery, all forms---045-048	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.6
Scarlet fever and streptococcal sore throat---050,051	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
Diphtheria---055	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
Whooping cough---056	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.2
Meningococcal infections---057	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.8
Acute poliomyelitis---080	0.0	0.0	0.1	0.3	0.1	0.1	0.3	0.6	0.8	0.9
Measles---085	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3
Other infective and parasitic diseases---030-044,049,052-054,058-074,081-084,086-139	3.1	3.1	3.2	3.1	3.2	2.8	2.7	2.6	2.7	2.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	148.9	149.4	149.2	147.3	146.8	148.6	147.8	146.5	145.6	144.8
Malignant neoplasm of buccal cavity and pharynx---140-148	3.5	3.5	3.4	3.4	3.3	3.4	3.3	3.4	3.3	3.2
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-159A,157-159	49.5	50.1	50.8	50.7	50.9	51.7	52.4	52.3	53.0	53.4
Malignant neoplasm of respiratory system, not specified as secondary---160-164	24.0	23.1	22.2	21.2	20.4	19.9	19.2	18.2	17.1	16.7
Malignant neoplasm of breast---170	13.4	13.4	13.4	13.1	13.1	13.3	13.3	13.4	13.0	13.0
Malignant neoplasm of genital organs---171-179	21.3	21.4	21.6	21.6	22.1	22.6	22.6	22.8	22.9	22.9
Malignant neoplasm of urinary organs---180,181	7.2	7.1	7.1	7.1	7.0	7.1	7.0	7.0	6.9	6.9
Malignant neoplasm of other and unspecified sites---156B,165,190-199	16.6	16.4	16.5	16.2	16.1	16.7	16.3	16.4	16.5	16.3
Leukemia and aleukemia---204	7.0	7.0	7.1	7.0	6.9	6.9	6.8	6.6	6.5	6.3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	7.4	7.4	7.2	7.1	6.9	7.0	6.8	6.5	6.3	6.1
Benign neoplasms and neoplasms of unspecified nature---210-239	3.5	2.9	2.7	2.6	2.9	3.0	2.9	3.1	3.2	3.3
Asthma---241	2.6	2.7	3.0	2.6	2.9	3.9	3.6	3.6	3.8	4.3
Diabetes mellitus---260	16.8	16.4	16.7	15.9	15.9	16.0	15.6	15.5	15.6	16.3
Anemias---290-295	1.8	1.8	1.9	1.8	1.8	1.8	1.9	1.9	2.0	2.3
Meningitis, except meningococcal and tuberculous---340	1.2	1.2	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.3
Major cardiovascular-renal diseases---330-334,400-468,592-594	521.4	511.5	521.8	515.9	523.5	523.4	510.5	506.0	495.2	514.8
Diseases of cardiovascular system---330-334,400-466	515.2	505.1	515.1	508.9	515.5	514.6	501.4	496.3	484.6	503.0
Vascular lesions affecting central nervous system---330-334	106.3	105.4	109.0	108.4	110.1	110.2	106.3	106.0	104.1	107.3
Diseases of heart---400-402,410-445	370.3	362.4	369.0	363.2	367.6	369.4	361.0	356.5	349.3	361.4
Rheumatic fever and chronic rheumatic heart disease---400-402,410-416	9.6	9.8	10.3	10.4	10.8	11.8	12.0	12.0	12.1	13.3
Arteriosclerotic heart disease, including coronary disease---420	283.9	274.4	275.6	268.6	266.2	265.6	258.5	247.0	235.7	236.1
Nonrheumatic chronic endocarditis and other myocardial degeneration---421,422	29.4	29.8	31.0	31.8	33.8	36.8	37.7	39.9	41.0	46.3
Other diseases of heart---430-444	13.9	15.8	14.5	13.8	14.2	12.8	12.6	12.6	13.0	14.3
Hypertensive heart disease---440-443	35.2	34.6	37.0	36.6	42.7	42.5	43.3	45.0	46.6	51.3
Other hypertensive disease---444-447	6.7	6.7	7.1	7.4	8.0	8.5	8.5	8.8	7.1	7.8
General arteriosclerosis---450	19.8	19.3	20.0	19.6	19.9	19.5	19.1	19.8	18.9	20.4
Other diseases of circulatory system---451-468	12.2	11.3	11.0	10.3	9.9	9.0	8.4	7.3	6.4	6.0
Chronic and unspecified nephritis and other renal sclerosis---592-594	6.1	6.3	6.7	7.0	8.0	8.8	9.1	9.6	10.6	11.9
Influenza and pneumonia, except pneumonia of newborn---480-493	32.3	30.1	37.0	31.2	33.1	35.8	28.2	27.1	25.4	33.0
Influenza---480-483	1.8	1.2	4.4	1.6	2.6	4.4	1.4	1.7	1.7	6.0
Pneumonia, except pneumonia of newborn---490-493	30.4	29.0	32.9	29.6	30.6	31.4	26.8	25.4	23.8	27.0
Bronchitis---500-502	2.5	2.2	2.4	2.2	2.3	2.1	1.9	1.9	1.8	1.9
Other bronchopulmonic diseases---525-527	10.6	9.7	9.6	8.5	8.2	8.1	7.0	6.1	5.4	5.1
Ulcer of stomach and duodenum---540,541	6.6	6.3	6.3	6.0	6.2	6.1	6.0	5.9	5.8	5.8
Appendicitis---550-553	1.0	1.0	1.0	1.0	1.1	1.2	1.3	1.4	1.4	1.5
Hernia and intestinal obstruction---560,561,570	5.2	5.0	5.1	5.2	5.1	5.0	5.1	5.3	5.3	5.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4.4	4.3	4.4	4.4	4.5	4.7	4.5	4.7	4.9	5.4
Cirrhosis of liver---581	11.7	11.3	11.3	10.9	10.8	11.3	10.7	10.2	10.1	10.4
Cholelithiasis, cholecystitis, and cholangitis---534,585	2.6	2.6	2.6	2.5	2.7	2.9	3.1	3.6	3.5	3.5
Acute nephritis, and nephritis with edema including nephrosis---590,591	0.8	0.9	0.9	1.0	1.3	1.3	1.4	1.5	1.6	1.8
Infections of kidney---600	4.7	4.4	4.3	3.9	4.0	3.7	3.4	3.0	2.7	[illegible]
Hyperplasia of prostate---610	2.2	2.3	2.5	2.6	2.7	3.0	3.2	3.7	3.6	3.9
Deliveries and complications of pregnancy, childbirth, and the puerperium---640-689	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.2	1.3	1.5
Abortion---650-652	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2
Other complications of pregnancy, childbirth, and the puerperium---640-649,660-689	0.6	0.7	0.7	0.7	0.8	0.9	0.9	1.0	1.1	1.3
Congenital malformations---750-759	11.4	12.0	12.2	12.5	12.4	12.8	12.6	12.[illegible]	12.5	12.6
Certain diseases of early infancy---760-776	34.6	35.9	37.4	38.5	39.8	39.1	38.6	39.0	39.4	40.1
Birth injuries, postnatal asphyxia, and atelectasis---760-762	15.2	15.6	16.6	17.1	18.2	17.8	17.7	17.8	17.8	17.9
Infections of newborn---763-768	2.4	2.6	2.7	2.9	3.2	3.0	2.8	2.6	2.7	2.6
Other diseases peculiar to early infancy, and immaturity unqualified---769-776	16.9	17.5	18.2	18.5	18.4	16.3	18.1	18.6	18.9	19.6
Symptoms, senility, and ill-defined conditions---780-795	10.6	10.4	11.4	10.8	11.4	11.2	11.3	12.1	12.5	13.7
All other diseases---Residual	29.1	23.2	29.0	29.8	28.4	26.9	25.9	25.7	25.7	27.1
Accidents---E800-E962	52.3	50.4	52.3	52.2	52.3	55.9	56.6	56.9	55.9	60.1
Motor vehicle accidents---E810-E835	22.0	20.9	21.3	21.5	21.3	22.7	23.7	23.4	22.1	24.0
Other accidents---E800-E802,E840-E962	30.3	29.0	31.0	30.7	30.9	33.2	33.0	33.5	33.8	36.1
Suicide---E963,E970-E979	10.9	10.4	10.6	10.6	10.7	9.8	10.0	10.2	10.1	10.1
Homicide---E964,E980-E985	4.9	4.7	4.7	4.6	4.5	4.5	4.6	4.5	4.8	4.8

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL CAUSES	945.4	2,530.1	98.1	43.9	103.5	145.2	298.2	741.0	1,692.9	3,798.4	8,431.5	20,510.0
Male	1,089.0	2,865.0	104.8	52.2	147.1	186.0	371.4	971.2	2,265.3	4,941.3	9,886.6	21,802.1
Female	806.5	2,181.2	91.1	35.3	60.6	106.0	228.7	519.7	1,159.4	2,833.3	7,325.8	19,629.6
White	938.9	2,226.5	86.4	41.5	96.7	123.7	259.5	679.9	1,586.6	3,681.7	8,508.9	20,970.5
Male	1,084.3	2,541.3	92.7	49.6	139.5	161.6	331.4	911.3	2,179.7	4,836.2	10,016.4	22,454.1
Female	797.8	1,896.7	79.8	33.0	54.3	86.6	190.6	456.8	1,035.8	2,707.9	7,373.4	20,041.9
Nonwhite	982.0	4,178.7	166.8	60.0	157.1	311.5	631.5	1,294.0	2,704.2	4,965.9	7,220.4	14,397.3
Male	1,118.8	4,648.3	178.8	69.7	210.0	389.1	736.9	1,529.5	3,052.6	5,939.9	8,096.4	16,103.2
Female	852.9	3,704.7	154.7	50.3	106.9	244.5	538.0	1,072.6	2,368.4	4,115.5	6,407.9	13,481.0
Tuberculosis, all forms (001-019)	5.1	1.0	0.5	0.1	0.3	1.8	4.0	7.7	13.2	20.3	28.8	34.9
Male	7.6	1.2	0.6	0.2	0.3	1.8	4.9	11.3	22.2	35.9	48.5	55.5
Female	2.7	0.9	0.5	0.1	0.4	1.8	3.2	4.1	4.9	7.2	13.9	21.8
White	4.2	0.6	0.4	0.1	0.2	0.9	2.5	5.9	10.8	17.9	26.7	31.8
Male	6.4	0.6	0.5	0.1	0.1	0.9	3.0	8.8	18.6	31.8	44.7	50.5
Female	2.1	0.5	0.3	0.1	0.2	0.9	2.0	3.2	3.6	6.1	13.2	20.0
Nonwhite	11.5	3.3	1.5	0.3	1.7	7.9	16.9	23.4	35.8	49.3	59.4	74.3
Male	16.3	4.4	1.2	0.4	1.4	8.5	21.0	34.5	55.7	81.3	95.8	116.1
Female	7.1	2.2	1.7	0.2	1.9	7.3	13.3	13.1	16.6	21.1	26.8	45.2
Tuberculosis of respiratory system (001-008)	4.7	0.4	0.2	0.0	0.2	1.6	3.7	7.2	12.5	19.0	27.6	33.1
Male	7.1	0.4	0.2	0.0	0.2	1.6	4.6	10.9	21.2	33.9	47.0	52.6
Female	2.4	0.3	0.2	0.0	0.3	1.6	3.0	3.8	4.3	6.4	12.8	20.8
White	4.0	0.2	0.1	0.0	0.1	0.9	2.4	5.7	10.4	16.9	25.7	30.3
Male	6.1	0.2	0.1	0.0	0.1	0.8	2.8	8.5	17.9	30.5	43.4	47.6
Female	1.9	0.2	0.1	0.0	0.1	0.9	1.9	3.0	3.3	5.4	12.3	19.4
Nonwhite	10.2	1.1	0.5	0.1	1.1	6.6	15.4	21.4	32.4	44.2	54.9	71.6
Male	14.7	1.6	0.4	0.0	0.9	7.3	19.6	32.1	52.1	72.9	91.7	112.9
Female	5.9	0.6	0.6	0.1	1.2	6.1	11.7	11.3	13.4	19.0	22.1	42.9
Tuberculosis, other forms (010-019)	0.4	0.6	0.4	0.1	0.1	0.2	0.3	0.4	0.8	1.3	1.3	1.7
Male	0.4	0.8	0.4	0.1	0.1	0.2	0.3	0.5	1.0	2.0	1.5	2.9
Female	0.3	0.5	0.4	0.1	0.1	0.2	0.3	0.4	0.6	0.8	1.1	1.0
White	0.2	0.4	0.3	0.1	0.0	0.0	0.1	0.2	0.5	1.0	1.1	1.5
Male	0.3	0.4	0.3	0.1	0.0	0.1	0.2	0.3	0.7	1.3	1.2	3.0
Female	0.2	0.3	0.2	0.1	0.1	0.0	0.1	0.2	0.3	0.7	0.9	0.6
Nonwhite	1.4	2.2	1.0	0.2	0.6	1.3	1.5	2.0	3.4	5.1	4.5	2.7
Male	1.5	2.8	0.7	0.3	0.5	1.3	1.4	2.4	3.6	8.4	4.2	3.2
Female	1.2	1.6	1.2	0.2	0.6	1.2	1.6	1.7	3.2	2.2	4.7	2.4
Syphilis and its sequelae (020-029)	1.5	0.7	-	0.0	0.0	0.1	0.4	1.6	4.9	8.3	9.7	10.9
Male	2.2	0.9	-	0.0	0.1	0.1	0.5	2.2	7.5	13.9	14.5	14.5
Female	0.9	0.4	-	0.0	0.0	0.1	0.3	0.9	2.4	3.6	6.1	8.7
White	1.2	0.2	-	0.0	0.0	0.1	0.2	0.9	3.6	6.8	8.9	9.8
Male	1.8	0.2	-	0.0	0.1	0.1	0.3	1.4	5.7	11.5	13.2	13.0
Female	0.7	0.2	-	0.0	-	0.1	0.1	0.5	1.6	2.8	5.7	7.8
Nonwhite	3.9	3.3	-	-	0.1	0.2	2.1	7.9	17.9	27.4	21.3	25.7
Male	5.5	4.7	-	-	0.1	-	2.3	10.8	25.8	43.3	29.2	32.3
Female	2.4	1.9	-	-	0.1	0.3	2.0	5.1	10.2	13.3	14.2	21.4
Dysentery, all forms (045-048)	0.2	2.8	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.5	1.4
Male	0.2	3.1	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.7	1.3
Female	0.1	2.4	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	1.5
White	0.1	1.5	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.4	1.3
Male	0.1	1.6	0.2	0.1	0.0	0.1	0.0	0.1	0.2	0.2	0.5	1.2
Female	0.1	1.4	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	1.3
Nonwhite	0.6	9.9	1.0	0.1	0.1	0.0	0.1	0.1	0.6	1.3	2.0	4.1
Male	0.7	12.2	0.7	0.2	0.1	-	-	0.1	0.6	1.2	3.0	3.2
Female	0.6	7.6	1.2	0.1	0.1	0.1	0.1	0.1	0.6	1.3	1.1	4.8
Scarlet fever and streptococcal sore throat (050,051)	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8
Male	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8
Female	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8
White	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.9
Male	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.9
Female	0.0	0.4	0.0	0.0	0.1	0.0	0.0	0.0	-	0.1	0.2	0.9
Nonwhite	0.1	0.5	0.1	0.1	0.0	0.0	0.2	0.0	0.3	0.3	0.3	-
Male	0.1	0.3	-	-	0.1	-	0.3	-	0.4	0.7	-	-
Female	0.1	0.6	0.2	0.1	-	0.1	0.1	0.1	0.1	-	0.5	-
Diphtheria (055)	0.0	-	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Male	0.0	-	0.1	0.0	-	0.0	0.0	-	0.0	-	-	-
Female	0.0	-	0.1	0.0	0.0	0.0	-	0.0	-	0.0	-	-
White	0.0	-	0.1	0.0	-	0.0	0.0	0.0	0.0	-	-	-
Male	0.0	-	0.1	0.0	-	-	0.0	-	0.0	-	-	-
Female	0.0	-	0.1	0.0	-	0.0	-	0.0	-	-	-	-
Nonwhite	0.1	-	0.4	0.1	-	0.0	-	0.0	-	0.1	-	-
Male	0.1	-	0.6	0.2	-	0.1	-	-	-	-	-	-
Female	0.1	-	0.2	0.1	-	-	-	0.1	-	0.2	-	-
Whooping cough (056)	0.0	1.6	0.1	0.0	0.0	0.0	-	-	-	-	-	-
Male	0.0	1.7	0.1	0.0	-	0.0	-	-	-	-	-	-
Female	0.0	1.4	0.1	-	0.0	-	-	-	-	-	-	-
White	0.0	0.8	0.0	-	0.0	0.0	-	-	-	-	-	-
Male	0.0	1.0	0.0	-	-	0.0	-	-	-	-	-	-
Female	0.0	0.5	0.1	-	0.0	-	-	-	-	-	-	-
Nonwhite	0.2	6.3	0.3	0.0	-	-	-	-	-	-	-	-
Male	0.2	6.0	0.3	0.0	-	-	-	-	-	-	-	-
Female	0.2	6.6	0.3	-	-	-	-	-	-	-	-	-

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962-Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningococcal infections (057)	0.3	4.5	1.4	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.4
Male	0.4	4.7	1.6	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.5
Female	0.3	4.4	1.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.3
White	0.3	4.5	1.4	0.2	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.5
Male	0.4	4.4	1.6	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.6
Female	0.3	4.6	1.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.4
Nonwhite	0.4	4.1	1.3	0.3	0.2	0.2	0.0	0.2	0.1	0.2	-	-
Male	0.6	5.3	1.6	0.4	0.3	0.2	-	0.1	0.3	0.2	-	-
Female	0.3	2.8	1.0	0.2	0.2	0.1	0.1	0.3	-	0.2	-	-
Acute poliomyelitis (080)	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Male	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	-	-	-
Female	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-	-	0.0	-	-
White	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-	0.0	-	-
Male	0.0	0.2	0.1	0.1	0.0	0.1	0.0	0.0	-	-	-	-
Female	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-	-	0.0	-	-
Nonwhite	0.1	-	0.2	0.1	0.0	-	0.0	-	0.1	-	-	-
Male	0.1	-	0.2	0.1	-	-	-	-	0.1	-	-	-
Female	0.0	-	0.2	0.0	0.1	-	0.1	-	-	-	-	-
Measles (085)	0.2	2.2	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Male	0.2	1.7	1.2	0.2	0.0	0.0	-	0.0	0.0	0.0	0.0	0.3
Female	0.2	2.7	1.3	0.3	0.0	0.0	0.0	-	0.0	0.0	-	0.2
White	0.2	1.7	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Male	0.2	1.3	0.9	0.2	0.0	0.0	-	0.0	0.0	0.0	0.1	0.3
Female	0.2	2.2	1.0	0.3	0.0	0.0	0.0	-	0.0	0.0	-	0.2
Nonwhite	0.6	5.2	2.9	0.3	0.1	-	-	-	-	0.1	-	-
Male	0.5	4.4	2.7	0.2	-	-	-	-	-	-	-	-
Female	0.6	6.0	3.2	0.3	0.1	-	-	-	-	0.2	-	-
Other infective and parasitic diseases (030-044,049,052-054, 058-074,081-084,086-138)	3.1	20.0	2.6	1.0	1.1	1.2	2.0	3.0	4.6	7.4	12.6	26.9
Male	3.3	21.4	2.6	1.0	1.0	1.0	1.8	3.2	5.3	9.4	15.1	33.4
Female	2.9	18.6	2.7	1.1	1.2	1.3	2.1	2.7	4.0	5.8	10.8	22.8
White	2.8	15.9	2.3	0.9	0.9	1.0	1.6	2.6	4.1	7.0	12.3	27.8
Male	2.9	17.2	2.2	0.9	0.9	0.9	1.5	2.8	4.7	8.7	14.4	34.9
Female	2.7	14.4	2.4	1.0	1.0	1.1	1.7	2.4	3.6	5.6	10.7	23.3
Nonwhite	5.7	43.5	4.6	1.4	2.0	2.8	5.3	6.6	10.4	11.9	17.9	21.6
Male	6.1	46.4	4.8	1.3	1.7	2.6	5.2	7.4	12.3	17.0	21.4	25.8
Female	5.2	40.5	4.4	1.5	2.4	2.9	5.4	5.9	8.6	7.4	14.7	19.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	149.9	6.3	9.7	6.9	8.4	18.8	59.0	176.9	395.6	728.2	1,092.2	1,500.2
Male	164.2	5.8	10.4	7.5	10.2	17.7	49.0	172.9	463.1	921.6	1,370.1	1,850.0
Female	136.1	6.7	9.0	6.4	6.6	19.8	68.5	180.6	332.7	564.9	881.1	1,279.0
White	152.4	6.7	10.2	7.1	8.5	18.2	55.8	168.8	383.4	717.6	1,105.8	1,531.3
Male	166.6	6.3	11.2	7.7	10.4	17.8	46.7	163.8	451.3	905.2	1,386.3	1,892.3
Female	138.6	7.2	9.2	6.4	6.6	18.6	64.6	173.7	320.3	559.2	894.5	1,305.4
Nonwhite	122.4	4.6	6.6	6.2	7.6	23.0	85.7	239.0	488.7	775.2	846.8	983.8
Male	135.9	4.1	6.4	6.2	8.4	17.2	69.7	247.7	545.0	1,002.7	1,065.5	1,280.6
Female	109.5	5.1	6.9	6.2	6.9	27.9	99.8	230.4	434.5	575.6	648.9	788.1
Malignant neoplasm of buccal cavity and pharynx (140-148)	3.5	0.0	0.1	0.1	0.1	0.2	1.2	5.1	10.5	15.7	22.7	40.4
Male	5.4	-	0.1	0.1	0.2	0.2	1.6	8.2	17.3	27.0	37.8	67.4
Female	1.7	0.0	0.0	0.0	0.1	0.2	0.8	2.1	4.2	6.1	11.3	23.3
White	3.5	0.0	0.1	0.1	0.1	0.2	1.0	4.6	10.2	15.7	23.0	41.9
Male	5.4	-	0.1	0.1	0.1	0.2	1.3	7.7	16.9	27.0	38.6	71.0
Female	1.7	0.1	0.1	0.0	0.1	0.1	0.7	2.0	4.1	6.1	11.4	23.7
Nonwhite	2.9	-	-	0.1	0.2	0.4	2.6	7.7	12.1	14.0	15.7	17.6
Male	4.5	-	-	0.0	0.3	0.3	3.9	12.7	19.8	22.7	23.8	22.6
Female	1.3	-	-	0.1	0.1	0.4	1.4	3.0	4.7	6.3	8.4	14.3
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	49.5	0.5	0.3	0.1	0.5	2.5	11.5	44.3	122.1	267.4	452.2	647.5
Male	54.7	0.6	0.3	0.2	0.6	2.7	12.7	50.9	148.0	327.3	530.1	717.4
Female	44.6	0.4	0.3	0.1	0.4	2.2	10.4	37.9	98.0	216.8	393.0	603.3
White	50.1	0.5	0.3	0.1	0.4	2.3	10.4	40.7	116.0	262.2	456.9	661.0
Male	54.7	0.6	0.3	0.1	0.5	2.7	11.2	46.0	140.8	319.4	532.5	732.5
Female	45.7	0.4	0.3	0.1	0.3	1.9	9.6	35.6	92.9	214.0	399.9	616.3
Nonwhite	40.6	0.5	0.3	0.2	1.0	3.8	20.5	72.1	169.4	289.3	342.9	386.5
Male	49.2	0.6	0.2	0.2	1.3	3.3	24.8	91.0	201.4	370.2	428.6	471.0
Female	32.5	0.3	0.4	0.1	0.7	4.2	16.6	54.3	138.5	218.3	285.3	333.3
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	24.0	0.0	0.0	0.1	0.2	1.2	6.0	34.4	87.3	128.6	112.3	84.3
Male	41.7	0.1	0.0	0.1	0.2	1.8	12.4	58.3	159.5	247.5	208.5	145.0
Female	7.0	-	0.0	0.1	0.1	0.6	3.9	11.3	20.0	28.1	39.2	45.9
White	24.6	0.1	0.0	0.1	0.2	1.1	7.6	33.3	86.5	128.6	113.5	86.3
Male	42.5	0.1	0.0	0.1	0.2	1.6	11.6	56.2	158.8	247.4	211.2	147.6
Female	7.2	-	0.0	0.1	0.1	0.5	3.7	11.2	19.4	28.5	39.9	48.0
Nonwhite	17.9	-	0.0	0.2	0.2	1.8	11.9	42.4	87.8	110.3	82.1	56.8
Male	31.2	-	-	0.1	0.2	3.0	19.5	74.3	153.7	209.4	142.9	103.2
Female	5.2	-	0.1	0.2	0.2	0.7	5.2	12.7	24.2	22.9	27.9	23.8
Malignant neoplasm of breast (170)	13.4	0.0	-	0.0	0.1	2.1	10.0	26.2	37.2	50.6	71.9	117.2
Male	0.2	-	-	-	-	0.0	0.1	0.4	0.7	1.3	2.1	1.6
Female	26.2	0.1	-	0.0	0.1	4.1	19.4	51.1	71.1	92.1	124.9	190.3
White	13.8	-	-	0.0	0.0	2.0	9.6	26.2	37.2	51.1	73.3	118.3
Male	0.2	-	-	-	-	0.0	0.1	0.3	0.7	1.2	2.1	1.5
Female	27.0	-	-	0.0	0.1	3.8	18.7	51.0	71.1	93.0	127.0	191.5
Nonwhite	9.1	0.3	-	0.0	0.1	2.9	12.8	24.7	32.2	39.4	46.2	70.3
Male	0.2	-	-	-	-	-	-	0.5	1.0	2.0	1.2	-
Female	17.5	0.6	-	0.0	0.2	5.3	24.1	47.1	62.3	72.5	85.8	123.8

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of genital organs (171-179)	21.3	0.0	0.1	0.1	0.8	3.5	10.2	23.6	47.7	100.0	186.0	272.8
Male	17.6	-	0.1	0.0	0.9	1.7	1.5	3.7	23.5	103.8	281.3	497.6
Female	24.9	0.0	0.1	0.2	0.7	5.1	18.5	42.6	70.3	96.7	113.6	130.6
White	20.8	0.0	0.1	0.1	0.8	3.2	9.2	21.7	43.6	93.4	183.9	272.3
Male	17.3	-	0.2	0.1	0.9	1.9	1.5	3.1	19.5	93.8	279.5	500.3
Female	24.2	0.1	0.1	0.2	0.7	4.4	16.6	39.5	66.0	93.0	111.9	129.6
Nonwhite	24.9	-	0.0	0.1	0.5	5.8	19.7	40.2	89.2	173.9	213.4	295.9
Male	20.7	-	0.1	-	0.2	0.5	1.7	8.8	62.9	219.7	305.4	490.3
Female	28.9	-	-	0.2	0.8	10.4	35.6	69.2	114.5	133.8	131.1	159.5
Malignant neoplasm of urinary organs (180,181)	7.2	0.5	0.8	0.3	0.1	0.3	1.4	6.0	16.6	39.8	63.7	95.9
Male	9.7	0.6	0.7	0.3	0.1	0.3	1.8	8.7	24.4	60.2	92.2	133.7
Female	4.7	0.4	0.8	0.4	0.0	0.3	1.0	3.5	9.3	22.5	42.0	72.0
White	7.4	0.6	0.8	0.3	0.1	0.3	1.3	5.7	16.2	39.8	65.5	98.6
Male	10.0	0.6	0.8	0.3	0.1	0.3	1.7	8.3	24.4	60.8	95.6	139.3
Female	4.8	0.5	0.8	0.4	0.0	0.2	0.9	3.2	8.5	22.1	42.8	73.1
Nonwhite	4.8	0.2	0.8	0.5	0.2	0.4	2.4	9.6	18.8	32.7	33.3	36.5
Male	5.7	0.3	0.5	0.4	0.3	0.4	2.6	12.6	21.1	44.1	38.1	54.8
Female	3.9	-	1.2	0.6	0.1	0.4	2.2	6.9	16.6	22.7	28.9	23.8
Malignant neoplasm of other and unspecified sites (156B, 165,190-199)	16.6	2.2	3.0	2.2	2.8	4.2	9.0	21.9	42.8	66.0	98.9	154.7
Male	18.1	1.9	3.3	2.3	3.5	4.7	9.8	24.0	51.8	78.5	112.4	174.7
Female	15.1	2.5	2.7	2.2	2.2	3.8	8.3	19.8	34.4	55.3	88.7	142.1
White	17.1	2.5	3.1	2.3	2.9	4.3	9.0	21.5	42.1	65.6	101.9	160.8
Male	18.8	2.2	3.5	2.3	3.6	4.8	9.9	23.7	51.8	78.7	116.4	180.2
Female	15.4	2.8	2.7	2.2	2.3	3.9	8.2	19.3	33.0	54.6	90.9	148.7
Nonwhite	12.8	0.8	2.0	2.1	2.4	3.6	8.9	25.4	49.7	69.5	69.7	83.8
Male	13.1	0.3	2.1	2.0	2.4	3.7	9.0	27.0	51.4	74.1	72.6	90.3
Female	12.5	1.3	2.0	2.3	2.3	3.5	8.7	23.8	48.1	65.6	66.8	81.0
Leukemia and aleukemia (204)	7.0	2.2	4.9	3.1	2.1	1.9	3.0	5.7	12.6	27.3	46.5	57.6
Male	8.2	2.0	5.1	3.4	2.6	2.2	3.4	6.8	15.4	36.2	60.9	75.0
Female	5.8	2.4	4.6	2.9	1.6	1.5	2.6	4.6	10.0	19.8	35.6	46.6
White	7.3	2.3	5.2	3.3	2.1	1.9	3.1	5.6	12.7	27.8	48.3	61.0
Male	8.7	2.1	5.5	3.6	2.7	2.2	3.6	6.9	15.8	36.8	63.7	80.5
Female	6.1	2.5	4.9	3.0	1.6	1.6	2.6	4.4	9.8	20.3	36.8	48.9
Nonwhite	4.2	2.2	3.1	2.2	1.6	2.0	2.4	5.8	11.3	19.1	21.3	17.6
Male	4.8	1.9	3.2	2.5	1.9	2.5	2.3	5.7	12.5	25.9	26.8	22.6
Female	3.7	2.5	3.0	1.9	1.3	1.5	2.5	5.9	10.2	13.1	16.3	14.3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.4	0.7	0.6	0.8	1.8	3.0	4.7	9.7	18.8	33.0	38.0	29.8
Male	8.6	0.7	0.8	1.2	2.2	4.1	5.9	11.9	22.5	39.6	44.8	37.6
Female	6.2	0.7	0.4	0.5	1.4	2.1	3.6	7.6	15.4	27.3	32.9	24.8
White	7.7	0.7	0.6	0.8	1.8	3.1	4.7	9.4	18.9	33.3	39.5	30.9
Male	8.9	0.6	0.8	1.2	2.2	4.1	5.9	11.5	22.7	39.9	46.7	39.3
Female	6.5	0.8	0.4	0.4	1.4	2.1	3.6	7.5	15.5	27.7	34.0	25.6
Nonwhite	5.2	0.6	0.3	0.9	1.5	2.5	4.6	11.2	18.3	27.1	22.1	18.9
Male	6.5	0.9	0.4	1.1	1.8	3.6	5.8	15.1	21.2	34.7	26.2	25.8
Female	4.0	0.3	0.2	0.6	1.1	1.5	3.5	7.5	15.5	20.5	18.4	14.3
Benign neoplasms and neoplasms of unspecified nature (210-239)	2.5	3.0	0.6	0.6	0.6	1.2	2.3	3.7	5.5	7.6	10.7	17.6
Male	2.3	2.7	0.5	0.7	0.6	0.9	1.7	3.0	5.9	8.5	12.1	15.5
Female	2.7	3.2	0.7	0.6	0.7	1.4	2.9	4.3	5.1	6.8	9.6	19.0
White	2.4	3.1	0.6	0.6	0.6	1.0	2.0	3.3	5.2	7.4	10.8	18.3
Male	2.3	2.8	0.4	0.6	0.6	0.8	1.7	2.9	5.8	8.2	12.3	16.0
Female	2.5	3.5	0.7	0.5	0.7	1.2	2.3	3.7	4.7	6.8	9.6	19.8
Nonwhite	3.1	1.7	0.6	0.9	0.5	2.1	5.1	6.9	8.9	10.2	9.5	6.8
Male	2.5	1.9	0.8	1.0	0.1	1.3	2.6	4.2	7.7	11.8	10.7	6.5
Female	3.8	1.6	0.4	0.8	0.9	2.8	7.2	9.3	10.1	8.7	8.4	7.1
Asthma (241)	2.6	0.5	0.3	0.2	0.4	0.7	1.5	3.4	6.7	12.1	15.1	16.4
Male	3.4	0.6	0.4	0.3	0.3	0.6	1.3	3.8	9.6	19.2	23.9	25.0
Female	1.9	0.4	0.3	0.2	0.6	0.9	1.6	3.0	4.0	6.1	8.4	11.0
White	2.6	0.5	0.2	0.2	0.3	0.4	1.1	3.0	6.5	12.5	15.9	17.3
Male	3.4	0.5	0.2	0.3	0.2	0.3	0.9	3.4	9.5	20.0	25.3	26.9
Female	1.8	0.4	0.2	0.1	0.4	0.5	1.3	2.7	3.8	6.1	8.7	11.3
Nonwhite	3.3	0.9	0.9	0.5	1.4	3.1	4.6	7.1	9.6	10.0	7.3	6.8
Male	3.7	1.3	1.2	0.5	1.0	2.4	4.8	8.2	12.5	14.3	10.7	6.5
Female	2.9	0.6	0.5	0.6	1.9	3.8	4.5	6.0	6.8	6.3	4.2	7.1
Diabetes mellitus (260)	16.8	0.6	0.2	0.3	0.8	2.5	4.6	11.7	36.9	94.0	160.3	207.1
Male	14.1	0.6	0.2	0.3	0.7	2.8	5.8	11.5	32.8	79.0	141.3	211.3
Female	19.4	0.5	0.2	0.3	0.9	2.2	3.4	11.9	40.7	106.7	174.7	204.5
White	16.4	0.5	0.2	0.3	0.7	2.4	3.9	9.3	32.2	89.9	160.6	211.4
Male	14.1	0.6	0.2	0.3	0.6	2.6	5.4	10.5	30.4	77.0	143.2	220.7
Female	18.6	0.4	0.3	0.4	0.8	2.1	2.5	8.1	34.0	100.8	173.7	205.6
Nonwhite	18.9	0.8	0.1	0.3	1.4	3.1	10.4	33.8	79.9	129.1	144.3	151.4
Male	13.7	0.6	0.2	0.3	1.3	3.8	10.0	20.6	54.0	95.3	119.0	135.5
Female	23.8	0.9	-	0.3	1.5	2.5	10.8	45.9	104.8	159.3	165.8	166.7
Anemias (290-293)	1.8	2.5	1.1	0.5	0.5	0.4	0.6	1.1	2.4	6.3	17.4	36.7
Male	1.8	2.6	1.0	0.5	0.6	0.3	0.6	1.1	2.4	7.2	19.0	35.8
Female	1.9	2.4	1.1	0.5	0.5	0.5	0.6	1.1	2.4	5.6	16.1	37.3
White	1.7	1.4	0.6	0.4	0.3	0.2	0.4	0.9	2.3	6.3	17.7	38.6
Male	1.7	1.5	0.5	0.3	0.4	0.1	0.4	0.9	2.4	7.3	19.4	38.2
Female	1.7	1.3	0.8	0.4	0.3	0.3	0.4	0.9	2.2	5.4	16.4	38.9
Nonwhite	2.7	8.5	3.7	1.0	2.0	1.9	2.2	2.6	3.6	6.9	10.9	16.2
Male	2.7	8.5	4.2	1.1	1.9	1.7	2.3	2.4	2.3	5.9	13.1	16.1
Female	2.8	8.5	3.1	0.9	2.1	2.1	2.2	2.8	4.8	7.8	8.9	16.7
Meningitis, except meningococcal and tuberculous (340)	1.2	21.8	2.4	0.4	0.2	0.3	0.4	0.8	1.1	1.7	1.5	2.2
Male	1.4	24.0	2.6	0.4	0.3	0.3	0.5	1.0	1.4	1.9	1.7	3.7
Female	1.1	19.4	2.1	0.4	0.2	0.2	0.3	0.7	0.9	1.5	1.4	1.3
White	1.0	16.1	2.0	0.3	0.2	0.2	0.3	0.7	0.9	1.4	1.3	2.3
Male	1.1	17.9	2.2	0.3	0.2	0.3	0.4	0.8	1.2	1.6	1.5	3.8
Female	0.8	14.3	1.9	0.4	0.1	0.2	0.2	0.5	0.6	1.3	1.2	1.3
Nonwhite	3.3	52.6	4.2	0.8	0.6	0.7	1.2	2.5	3.6	4.8	3.6	2.7
Male	3.9	57.7	5.3	1.1	0.6	0.8	1.6	2.7	3.3	5.9	4.2	3.2
Female	2.8	47.5	3.1	0.5	0.6	0.7	0.8	2.3	3.9	3.9	3.2	2.4

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases (330-334,400-468,592-594)	521.4	11.7	2.2	2.4	7.7	25.1	100.1	337.8	913.0	2,349.3	5,908.5	15,535.9
Male	587.3	13.2	2.3	2.3	9.1	29.5	140.0	494.2	1,275.3	3,034.4	6,714.5	16,009.7
Female	457.6	10.2	2.1	2.5	7.2	20.8	62.3	137.4	575.4	1,770.8	5,296.1	15,236.3
White	528.3	9.8	1.9	2.1	6.4	19.7	84.3	304.8	846.2	2,269.3	5,967.9	15,901.3
Male	598.4	11.0	2.0	2.0	7.2	24.6	125.8	467.3	1,230.4	2,974.3	6,818.4	16,435.5
Female	460.2	8.7	1.8	2.2	5.6	14.9	44.5	148.2	489.3	1,674.5	5,327.3	15,566.9
Nonwhite	456.5	22.5	4.1	4.4	16.3	64.5	232.5	631.5	1,550.2	3,151.6	4,937.0	10,451.4
Male	491.9	26.3	4.2	4.3	13.9	66.7	263.8	733.7	1,680.8	3.591.6	5,276.2	11,296.8
Female	423.1	18.7	4.0	4.4	18.5	62.5	204.6	535.3	1,424.3	2,769.3	4,611.1	10,076.2
Diseases of cardiovascular system (330-334, 400-468)	515.2	10.6	2.0	1.9	6.2	22.4	96.1	331.3	901.9	2,328.2	5,860.4	15,417.4
Male	580.3	11.9	2.1	1.9	6.3	26.3	135.2	486.4	1,262.0	3,008.1	6,657.3	15,855.3
Female	452.3	9.2	2.0	2.0	6.0	18.6	59.0	182.2	566.4	1,754.2	5,254.9	15,140.6
White	522.9	8.9	1.8	1.7	5.0	17.4	81.2	299.9	837.4	2,251.3	5,922.6	15,790.4
Male	592.2	9.9	1.8	1.7	5.4	21.6	121.9	461.0	1,219.4	2,951.6	6,764.4	16,292.6
Female	455.5	7.9	1.7	1.7	4.5	13.2	42.1	144.5	482.7	1,660.6	5,288.5	15,476.1
Nonwhite	444.8	20.2	3.7	3.6	14.5	58.9	220.5	610.2	1,516.5	3,093.1	4,949.6	10,239.2
Male	479.3	24.1	3.7	3.4	11.9	61.0	250.3	711.3	1,646.6	3,521.9	5,178.0	11,000.0
Female	412.4	16.1	3.7	3.8	17.0	56.9	194.0	515.2	1,391.2	2,720.5	4,533.7	9,921.4
Vascular lesions affecting central nervous system (330-334)	106.3	3.1	0.9	0.7	1.6	4.7	15.3	47.0	138.5	450.6	1,405.5	3,820.4
Male	101.4	3.5	0.9	0.8	1.6	4.4	14.9	49.7	154.8	510.1	1,474.7	3,711.8
Female	111.0	2.6	0.7	0.7	1.6	5.0	15.7	44.5	123.3	400.3	1,353.0	3,889.0
White	105.4	2.7	0.8	0.7	1.4	3.5	11.0	36.2	113.2	417.6	1,419.1	3,933.1
Male	100.4	3.1	0.9	0.7	1.4	3.5	11.1	39.3	131.4	478.4	1,495.8	3,838.2
Female	110.3	2.3	0.7	0.7	1.4	3.5	10.9	33.2	96.2	366.2	1,361.3	3,992.6
Nonwhite	118.3	5.4	1.2	1.0	2.9	13.7	52.6	148.7	401.1	855.2	1,358.5	2,720.3
Male	115.7	6.0	1.2	1.1	2.6	11.2	49.5	150.4	396.0	898.0	1,348.8	2,732.3
Female	120.8	4.7	1.1	0.9	3.2	15.9	55.8	146.9	406.1	819.2	1,360.0	2,776.2
Diseases of heart (400-402,410-443)	370.3	6.7	1.1	1.0	3.6	14.6	73.8	267.7	718.5	1,735.2	3,978.0	9,727.0
Male	436.6	7.3	1.0	1.0	4.0	19.4	112.7	415.6	1,047.4	2,309.1	4,643.2	10,250.3
Female	304.2	6.2	1.1	1.0	3.1	10.4	36.9	125.6	412.1	1,250.7	3,472.6	9,396.2
White	376.2	5.6	0.9	0.9	2.8	12.0	65.9	250.8	684.1	1,697.4	4,020.0	9,925.2
Male	451.1	6.0	0.9	0.9	3.5	16.5	106.0	404.3	1,032.5	2,291.0	4,719.1	10,492.3
Female	307.5	5.3	0.9	0.9	2.2	7.6	27.2	102.9	360.5	1,196.6	3,493.4	9,570.2
Nonwhite	290.3	13.1	2.2	2.3	9.1	35.0	139.6	412.7	1,022.6	2,021.4	3,083.2	6,323.0
Male	324.5	15.4	2.2	2.2	7.9	40.5	170.0	505.6	1,148.0	2,356.9	3,389.3	6,967.7
Female	258.1	10.8	2.3	2.4	10.2	30.3	112.7	325.5	901.8	1,727.2	2,796.3	5,997.6
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	3.6	0.2	0.1	0.4	1.7	4.0	9.4	18.4	27.9	30.2	33.6	45.8
Male	8.9	0.2	0.1	0.4	1.6	3.9	9.7	18.0	26.9	29.0	31.2	37.6
Female	10.1	0.1	0.1	0.5	1.7	4.1	9.1	18.9	28.6	31.2	35.5	50.9
White	9.8	0.1	0.1	0.3	1.4	3.6	9.3	18.5	28.3	30.8	34.8	47.6
Male	9.2	0.1	0.1	0.3	1.4	3.5	9.7	18.1	27.5	29.8	32.8	39.1
Female	10.4	0.1	0.1	0.3	1.3	3.7	8.6	18.9	29.0	31.7	36.3	53.0
Nonwhite	6.7	0.6	0.2	1.3	4.0	6.8	9.4	14.2	18.1	20.0	16.0	20.3
Male	6.2	1.3	0.2	1.1	3.0	6.1	8.4	13.9	17.9	22.9	13.7	22.6
Female	7.1	-	0.3	1.5	5.0	7.5	10.2	14.4	18.4	17.4	17.9	19.0
Arteriosclerotic heart disease, including coronary disease (420)	283.9	0.3	0.1	0.1	0.5	7.1	51.2	208.1	576.4	1,584.9	3,010.6	6,914.7
Male	354.9	0.4	0.1	0.1	0.7	11.4	87.3	346.0	883.1	1,919.8	3,661.2	7,571.8
Female	215.3	0.3	0.1	0.0	0.3	3.0	16.9	75.5	290.7	933.3	2,516.1	6,499.2
White	297.0	0.2	0.1	0.0	0.4	6.3	49.0	204.6	563.9	1,588.6	3,078.3	7,114.9
Male	372.8	0.2	0.1	0.0	0.6	10.4	86.4	348.4	893.6	1,944.8	3,763.7	7,828.7
Female	223.4	0.2	0.0	0.0	0.2	2.2	13.1	65.9	267.3	919.5	2,562.1	6,868.1
Nonwhite	169.8	0.9	0.2	0.2	1.2	12.7	68.5	234.5	616.2	1,218.1	1,880.7	3,816.2
Male	202.2	1.3	-	0.2	1.2	17.6	94.3	312.4	736.7	1,503.7	2,180.4	4,300.0
Female	139.2	0.6	0.3	0.1	1.2	8.6	45.7	161.7	500.1	968.2	1,605.8	3,550.0
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	29.4	0.8	0.2	0.1	0.3	0.9	2.5	9.2	31.1	108.4	400.5	1,447.8
Male	29.5	1.0	0.2	0.1	0.5	1.0	3.4	12.7	40.5	131.3	436.4	1,445.3
Female	29.4	0.6	0.2	0.1	0.2	0.5	1.6	5.9	22.4	89.0	373.2	1,449.4
White	29.1	0.6	0.2	0.1	0.3	0.5	1.8	7.2	25.8	97.8	393.6	1,460.1
Male	28.9	0.6	0.1	0.1	0.4	0.7	2.5	10.4	35.1	120.6	430.6	1,454.1
Female	29.2	0.5	0.2	0.1	0.1	0.4	1.1	4.2	17.1	78.5	365.7	1,463.9
Nonwhite	27.7	2.4	0.5	0.1	0.6	2.3	7.0	23.8	78.1	205.0	396.9	1,004.1
Male	29.2	3.4	0.7	0.0	0.6	2.8	8.8	28.5	85.4	224.1	408.3	1,090.3
Female	26.3	1.3	0.2	0.2	0.6	1.8	5.4	19.4	71.1	188.5	384.7	984.3
Other diseases of heart (430-434)	13.9	5.4	0.6	0.4	0.9	1.7	4.8	11.4	25.6	57.1	138.0	369.1
Male	16.2	5.6	0.6	0.4	1.1	1.9	6.2	16.0	35.1	75.6	163.9	405.3
Female	11.8	5.1	0.7	0.4	0.8	1.6	3.4	7.0	16.8	41.4	118.4	346.3
White	13.1	4.7	0.5	0.4	0.7	1.2	3.5	9.2	21.3	52.0	135.7	375.5
Male	15.3	5.1	0.5	0.4	0.9	1.4	4.9	13.4	30.8	69.7	161.1	410.9
Female	11.1	4.4	0.5	0.4	0.5	1.0	2.2	5.1	12.5	37.1	116.6	353.3
Nonwhite	21.1	9.1	1.4	0.7	2.6	5.8	16.0	34.0	73.3	122.5	180.4	331.1
Male	24.6	9.4	1.3	0.8	2.6	5.9	18.6	43.5	84.0	153.0	212.5	406.5
Female	17.6	8.9	1.4	0.6	2.5	5.7	13.7	25.1	63.1	95.9	151.1	283.3
Hypertensive heart disease (440-443)	33.5	-	-	0.0	0.1	1.2	6.0	20.6	57.5	154.7	395.3	949.6
Male	29.2	-	-	0.0	0.2	1.3	6.2	22.8	61.7	153.4	350.5	790.3
Female	37.6	-	-	0.0	0.1	1.1	5.8	18.4	53.6	155.8	429.3	1,050.4
White	29.3	-	-	0.0	0.1	0.4	2.2	11.3	39.8	128.2	377.6	927.0
Male	24.9	-	-	0.0	0.1	0.5	2.4	14.0	45.5	126.2	331.0	759.5
Female	33.5	-	-	0.1	0.0	0.3	2.0	8.8	34.5	129.9	412.6	1,031.9
Nonwhite	65.1	-	-	-	0.7	7.4	38.7	108.1	236.8	455.8	609.2	1,151.4
Male	62.3	-	-	-	0.5	8.1	39.9	107.3	224.1	455.2	574.4	1,148.4
Female	67.7	-	-	-	0.9	6.7	37.7	104.9	249.0	457.3	636.8	1,181.0
Other hypertensive disease (444-447)	6.7	-	0.0	0.0	0.2	1.0	2.8	5.1	8.7	24.6	79.5	231.4
Male	6.9	-	-	0.0	0.1	1.0	3.3	6.1	10.1	29.6	87.5	240.3
Female	6.6	-	0.0	-	0.2	0.9	2.4	4.1	7.5	20.4	73.4	225.8
White	6.0	-	0.0	0.0	0.1	0.3	1.1	2.9	6.4	21.9	78.8	235.0
Male	6.1	-	-	0.0	0.1	0.4	1.2	3.7	7.6	26.3	86.4	247.3
Female	6.0	-	0.0	-	0.1	0.3	0.9	2.0	5.2	18.2	73.2	227.2
Nonwhite	12.1	-	-	-	0.6	5.7	17.3	25.5	33.1	56.1	99.8	200.0
Male	13.3	-	-	-	0.3	6.1	21.1	29.0	34.7	66.5	101.8	193.5
Female	11.0	-	-	-	0.8	5.4	14.0	22.2	31.6	47.1	80.5	209.5

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Con.												
Diseases of cardiovascular system—Con.												
General arteriosclerosis (450)	19.8	0.0	0.0	0.0	0.0	0.0	0.2	1.9	9.3	52.7	290.0	1,452.8
Male	16.5	-	-	0.0	-	0.1	0.3	2.7	12.1	62.1	315.2	1,447.6
Female	21.2	0.0	0.0	-	0.0	0.0	0.2	1.2	6.7	44.7	270.8	1,458.1
White	20.9	0.0	0.0	0.0	0.0	0.0	0.2	1.6	8.2	49.9	294.6	1,505.1
Male	19.2	-	-	0.0	-	0.0	0.2	2.4	10.9	58.6	321.7	1,501.2
Female	22.5	0.1	0.0	-	0.0	-	0.1	0.9	5.7	42.5	274.2	1,507.6
Nonwhite	12.9	-	-	-	-	0.2	0.7	4.6	21.0	91.3	243.1	871.6
Male	13.7	-	-	-	-	0.3	0.8	5.2	24.2	107.1	255.4	964.5
Female	12.2	-	-	-	-	0.1	0.6	4.0	17.8	77.6	231.1	823.8
Other diseases of circulatory system (451-468)	12.2	0.7	0.1	0.2	0.8	1.8	3.9	9.5	26.9	65.1	107.4	185.8
Male	15.0	1.2	0.1	0.1	0.5	1.4	4.0	12.3	37.7	97.2	136.7	205.3
Female	9.4	0.3	0.1	0.2	1.1	2.3	3.8	6.8	16.8	38.1	85.1	173.5
White	12.3	0.6	0.1	0.1	0.7	1.5	3.1	8.4	25.6	64.5	110.1	192.0
Male	15.4	0.9	0.1	0.1	0.4	1.2	3.4	11.3	37.0	97.2	141.4	213.6
Female	9.3	0.2	0.1	0.2	0.9	1.8	2.9	5.5	15.1	37.0	86.5	178.5
Nonwhite	11.1	1.7	0.3	0.3	1.9	4.2	10.1	18.7	38.7	69.1	73.9	124.3
Male	12.1	2.8	0.3	0.1	1.1	3.0	9.0	21.0	43.7	91.4	82.7	141.9
Female	10.2	0.6	0.3	0.4	2.7	5.3	11.0	16.6	33.8	49.5	65.8	114.3
Chronic and unspecified nephritis and other renal sclerosis (592-594)	6.1	1.1	0.2	0.5	1.5	2.7	4.0	6.5	11.0	21.1	48.1	118.5
Male	6.9	1.2	0.2	0.4	1.8	3.2	4.8	7.8	13.2	26.4	57.2	154.5
Female	5.3	1.0	0.1	0.5	1.2	2.2	3.3	5.2	9.0	16.6	41.2	95.7
White	5.4	0.9	0.2	0.4	1.4	2.3	3.1	4.9	8.8	17.9	45.3	110.8
Male	6.2	1.0	0.2	0.4	1.8	3.0	3.8	6.3	11.0	22.7	54.0	142.9
Female	4.6	0.8	0.1	0.5	1.1	1.7	2.4	3.6	6.6	13.9	38.8	90.7
Nonwhite	11.7	2.4	0.4	0.8	1.8	5.6	12.0	21.3	33.7	58.5	87.4	212.2
Male	12.7	2.2	0.5	0.9	2.0	5.7	13.5	22.5	34.2	69.7	98.2	296.8
Female	10.7	2.5	0.2	0.6	1.5	5.6	10.6	20.1	33.1	48.8	77.4	154.8
Influenza and pneumonia, except pneumonia of newborn (480-493)	32.3	215.5	13.7	2.3	2.5	3.5	7.6	15.1	33.0	94.2	297.2	1,056.9
Male	36.7	241.1	14.4	2.3	2.8	3.8	9.0	20.1	45.0	129.1	371.2	1,188.2
Female	28.0	188.9	12.9	2.3	2.3	3.2	6.4	10.3	21.9	64.8	241.0	973.9
White	30.2	155.6	10.0	2.0	2.3	2.5	5.7	12.2	28.8	88.2	298.9	1,094.4
Male	34.1	178.6	10.6	2.0	2.6	2.6	6.9	16.2	39.9	121.6	374.4	1,231.1
Female	26.3	131.5	9.4	2.1	1.9	2.3	4.5	8.3	18.5	60.1	242.0	1,008.9
Nonwhite	49.8	540.5	34.5	3.9	4.3	10.8	24.2	42.7	76.7	167.9	294.7	714.9
Male	58.1	585.6	36.9	4.2	4.1	13.0	27.3	57.1	96.4	219.0	355.4	819.4
Female	42.0	494.9	32.1	3.6	4.4	8.9	21.4	29.2	57.7	123.1	239.5	654.8
Influenza (480-483)	1.8	6.8	0.7	0.2	0.2	0.2	0.4	0.8	1.6	5.3	18.6	78.5
Male	1.8	7.6	0.8	0.2	0.2	0.2	0.4	0.9	1.6	5.9	21.1	85.3
Female	1.9	6.0	0.7	0.2	0.2	0.2	0.4	0.7	1.6	4.8	16.7	74.2
White	1.7	4.1	0.6	0.2	0.2	0.2	0.4	0.6	1.3	4.8	18.6	81.3
Male	1.7	4.8	0.7	0.2	0.2	0.2	0.4	0.6	1.3	5.5	21.5	88.5
Female	1.8	3.4	0.6	0.2	0.2	0.2	0.3	0.6	1.4	4.2	16.4	76.9
Nonwhite	3.0	22.4	1.6	0.4	0.4	0.5	1.0	3.0	4.9	13.0	25.5	70.3
Male	2.9	24.1	1.4	0.4	0.3	0.4	0.8	3.7	4.7	11.3	23.2	74.2
Female	3.1	20.6	1.7	0.4	0.4	0.7	1.3	2.4	5.0	14.6	27.4	69.0
Pneumonia, except pneumonia of newborn (490-493)	30.4	208.7	13.0	2.1	2.3	3.3	7.2	14.3	31.4	88.9	278.6	978.4
Male	34.9	233.5	13.7	2.1	2.6	3.6	8.6	19.3	43.5	123.2	350.1	1,102.9
Female	26.2	182.9	12.2	2.1	2.0	3.0	5.9	9.6	20.2	59.9	224.3	899.7
White	28.4	151.5	9.4	1.9	2.0	2.3	5.3	11.6	27.5	83.4	280.3	1,013.1
Male	32.4	173.8	9.9	1.8	2.4	2.5	6.5	15.6	38.6	116.1	352.9	1,142.6
Female	24.6	128.1	8.9	1.9	1.7	2.2	4.2	7.8	17.2	55.9	225.6	932.0
Nonwhite	46.7	518.1	32.9	3.5	3.9	10.2	23.1	39.7	71.9	154.8	269.2	644.6
Male	55.1	561.4	35.5	3.8	3.8	12.6	26.5	53.4	91.7	207.6	332.1	745.2
Female	38.8	474.4	30.4	3.2	4.0	8.2	20.1	26.8	52.8	108.5	212.1	585.7
Bronchitis (500-502)	2.5	13.9	1.5	0.2	0.1	0.2	0.5	1.5	4.7	10.9	17.8	38.2
Male	3.6	16.1	1.7	0.2	0.2	0.1	0.5	2.2	7.8	19.7	28.7	53.9
Female	1.4	11.6	1.2	0.2	0.1	0.2	0.4	0.9	1.8	3.5	9.5	28.3
White	2.5	12.0	1.3	0.2	0.1	0.1	0.4	1.5	4.8	11.1	18.2	39.1
Male	3.7	14.1	1.6	0.3	0.2	0.1	0.5	2.2	8.1	20.1	29.3	54.7
Female	1.4	9.8	1.0	0.2	0.1	0.2	0.4	0.9	1.8	3.5	9.7	29.3
Nonwhite	2.2	23.9	2.4	0.2	0.3	0.6	0.7	1.9	3.2	8.5	10.6	21.6
Male	3.0	26.6	3.0	0.1	0.5	0.8	0.8	2.8	4.7	14.0	16.7	35.5
Female	1.5	21.2	1.9	0.2	0.1	0.4	0.5	1.0	1.7	3.7	5.3	11.9
Other bronchopulmonic diseases (525-527)	10.8	31.4	1.1	0.2	0.3	0.6	2.1	7.7	26.9	59.9	82.3	97.2
Male	17.3	36.0	1.3	0.2	0.3	0.7	2.6	11.6	47.4	112.0	145.9	166.1
Female	4.5	26.5	0.9	0.2	0.3	0.6	1.5	3.9	7.7	15.1	34.0	53.7
White	11.4	26.0	0.9	0.2	0.2	0.5	1.9	7.7	27.8	62.2	86.5	101.9
Male	18.4	30.9	1.0	0.2	0.3	0.5	2.4	11.7	49.2	117.2	153.9	175.4
Female	4.6	20.9	0.7	0.1	0.2	0.4	1.4	3.8	8.0	15.8	35.7	55.9
Nonwhite	7.4	64.3	2.4	0.3	0.6	1.8	3.8	8.6	19.8	35.1	35.9	52.7
Male	10.7	68.0	2.8	0.3	0.7	2.1	4.8	12.3	33.7	64.5	56.5	83.9
Female	4.4	60.4	2.0	0.2	0.6	1.5	2.8	5.1	6.4	9.2	17.4	31.0
Ulcer of stomach and duodenum (540,541)	6.6	1.6	0.1	0.1	0.2	0.7	2.6	7.0	15.4	31.1	56.9	94.7
Male	9.7	2.1	0.2	0.1	0.2	1.2	3.9	10.8	25.0	51.3	88.0	134.7
Female	3.6	1.0	0.1	0.0	0.1	0.3	1.4	3.3	6.5	14.1	33.2	69.4
White	6.8	1.1	0.1	0.1	0.2	0.6	2.4	6.7	15.1	31.5	59.1	99.7
Male	10.0	1.5	0.1	0.1	0.2	0.9	3.6	10.3	24.7	52.0	91.4	142.6
Female	3.8	0.7	0.1	0.0	0.1	0.3	1.2	3.2	6.1	14.3	34.8	72.8
Nonwhite	4.6	3.3	0.1	0.0	0.3	1.7	4.5	8.6	17.7	26.4	26.6	39.2
Male	7.0	4.7	0.2	0.1	0.4	3.2	6.9	13.8	26.1	43.1	39.3	54.8
Female	2.3	1.9	0.1	-	0.2	0.4	2.4	3.6	9.7	11.8	15.3	28.6
Appendicitis (550-553)	1.0	0.5	0.3	0.4	0.3	0.3	0.5	0.9	1.7	3.6	6.8	10.7
Male	1.2	0.5	0.3	0.4	0.4	0.4	0.6	1.3	2.4	4.9	8.8	12.1
Female	0.7	0.5	0.2	0.3	0.3	0.2	0.3	0.5	1.1	2.5	5.4	9.8
White	0.9	0.5	0.2	0.3	0.3	0.2	0.4	0.8	1.5	3.3	6.8	11.2
Male	1.2	0.5	0.2	0.4	0.3	0.4	0.5	1.2	2.2	4.7	8.9	12.4
Female	0.7	0.5	0.2	0.3	0.3	0.1	0.2	0.4	0.9	2.2	5.3	10.4
Nonwhite	1.3	0.6	0.4	0.7	0.5	0.5	1.2	1.9	3.7	6.5	5.3	9.5
Male	1.5	0.6	0.5	0.6	0.6	0.6	1.2	2.2	4.3	7.1	6.5	12.9
Female	1.2	0.6	0.2	0.7	0.4	0.5	1.2	1.6	3.0	5.9	4.2	7.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962–Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hernia and intestinal obstruction (560,561,570)	5.2	21.3	0.5	0.1	0.1	0.5	1.3	3.3	8.2	21.1	53.2	115.2
Male	5.2	24.5	0.6	0.2	0.1	0.5	1.1	3.4	8.8	23.8	54.0	122.6
Female	5.3	18.0	0.4	0.1	0.2	0.6	1.5	3.3	7.6	18.8	52.6	110.5
White	5.2	21.6	0.5	0.1	0.1	0.5	1.0	2.9	7.4	20.5	53.6	119.1
Male	5.1	24.7	0.6	0.1	0.1	0.4	0.9	2.9	8.0	22.9	53.5	125.7
Female	5.4	18.2	0.3	0.1	0.2	0.5	1.2	3.0	6.9	18.5	53.7	115.0
Nonwhite	5.2	19.7	0.7	0.2	0.3	1.2	3.8	6.6	15.1	27.1	45.7	73.0
Male	5.7	23.2	0.7	0.3	0.3	1.2	3.0	7.1	15.9	33.5	53.6	100.0
Female	4.7	16.1	0.6	0.1	0.3	1.2	4.5	6.2	14.4	21.6	38.4	54.8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.4	56.2	3.0	0.4	0.5	0.6	1.0	2.5	5.3	11.8	27.5	61.8
Male	4.4	61.2	3.2	0.4	0.5	0.6	1.0	2.9	6.1	13.4	23.9	51.1
Female	4.4	50.9	2.9	0.3	0.4	0.7	1.0	2.0	4.7	10.4	30.2	68.6
White	3.9	32.5	2.5	0.3	0.4	0.6	1.0	2.3	5.0	11.6	28.0	63.9
Male	3.8	35.4	2.7	0.3	0.5	0.6	1.0	2.8	5.9	13.3	24.4	52.7
Female	3.9	29.5	2.3	0.3	0.4	0.6	1.0	1.9	4.2	10.3	30.6	70.9
Nonwhite	8.5	186.6	6.0	0.6	0.5	0.8	1.3	3.6	7.2	11.8	17.6	28.4
Male	9.2	204.4	6.1	0.7	0.4	0.5	1.3	3.9	6.0	12.6	13.7	29.0
Female	7.9	168.7	5.8	0.5	0.6	1.0	1.3	3.2	8.4	11.1	21.1	28.6
Cirrhosis of liver (581)	11.7	0.6	0.2	0.1	0.3	3.2	13.0	28.9	35.4	37.1	29.5	26.3
Male	15.7	0.7	0.2	0.1	0.3	3.4	15.7	38.2	51.7	56.7	43.1	37.9
Female	7.9	0.5	0.1	0.1	0.4	3.0	10.5	20.0	20.1	20.6	19.1	19.0
White	11.6	0.4	0.1	0.1	0.2	2.1	11.3	28.2	35.1	37.3	30.2	27.3
Male	15.7	0.5	0.2	0.1	0.2	2.5	13.6	37.9	51.7	57.2	44.3	39.1
Female	7.6	0.4	0.1	0.1	0.2	1.7	9.0	18.8	19.7	20.6	19.6	20.0
Nonwhite	11.5	1.4	0.3	0.1	1.2	11.0	26.1	32.5	32.8	26.4	17.4	16.2
Male	13.8	1.6	0.2	0.0	1.1	10.4	31.6	38.6	45.1	37.2	24.4	29.0
Female	9.3	1.3	0.3	0.1	1.4	11.4	21.3	26.8	21.0	17.0	11.1	7.1
Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.6	0.1	-	0.0	0.1	0.2	0.5	1.5	4.1	12.9	31.3	63.6
Male	2.2	0.1	-	0.0	0.0	0.1	0.4	1.3	3.8	12.9	28.9	54.2
Female	3.0	0.1	-	-	0.1	0.3	0.6	1.6	4.3	13.0	33.2	69.6
White	2.8	0.1	-	0.0	0.1	0.2	0.4	1.4	4.1	13.3	32.5	66.4
Male	2.4	0.1	-	0.0	0.0	0.1	0.4	1.4	3.9	13.5	30.1	56.5
Female	3.2	0.1	-	-	0.1	0.3	0.5	1.5	4.3	13.1	34.4	72.6
Nonwhite	1.4	0.2	-	0.0	0.1	0.3	0.9	1.7	4.3	8.3	17.4	28.4
Male	1.0	0.3	-	0.0	0.1	0.3	0.7	1.0	2.9	6.2	15.5	16.1
Female	1.7	-	-	-	0.1	0.3	1.0	2.4	5.7	10.2	18.9	38.1
Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.8	1.0	0.5	0.3	0.4	0.4	0.6	0.8	1.4	2.4	4.8	9.7
Male	1.0	0.9	0.6	0.3	0.5	0.5	0.6	1.0	1.7	3.1	6.0	13.9
Female	0.7	1.1	0.4	0.3	0.3	0.4	0.5	0.7	1.2	1.7	3.8	7.0
White	0.8	0.9	0.4	0.3	0.3	0.3	0.4	0.7	1.2	2.2	4.5	9.5
Male	0.9	0.8	0.5	0.3	0.5	0.4	0.5	0.8	1.5	2.9	5.8	13.9
Female	0.6	1.0	0.3	0.3	0.2	0.3	0.3	0.5	1.0	1.6	3.5	6.7
Nonwhite	1.5	1.4	1.0	0.4	0.6	0.9	1.7	2.6	3.5	4.4	10.4	14.9
Male	1.8	0.9	1.2	0.6	0.5	1.1	1.5	3.2	4.6	6.2	10.7	16.1
Female	1.3	1.9	0.7	0.2	0.7	0.7	1.8	2.0	2.5	2.8	10.0	14.3
Infections of kidney (600)	4.7	1.0	0.1	0.1	0.3	0.8	1.8	3.8	9.0	20.2	45.8	111.4
Male	4.7	1.4	0.1	0.1	0.3	0.5	1.4	3.1	8.8	23.4	55.6	146.1
Female	4.7	0.5	0.2	0.1	0.3	1.0	2.3	4.4	9.1	17.6	38.4	89.5
White	4.3	0.7	0.1	0.1	0.3	0.6	1.3	2.8	7.2	17.9	44.3	113.7
Male	4.3	0.9	0.1	0.1	0.3	0.5	1.0	2.3	7.0	20.5	52.5	150.0
Female	4.3	0.5	0.1	0.1	0.3	0.8	1.7	3.2	7.2	15.8	38.1	90.9
Nonwhite	7.7	2.7	0.2	0.0	0.6	2.0	6.2	13.1	27.1	46.9	65.8	101.4
Male	8.1	4.4	0.1	-	0.7	0.8	5.3	11.1	26.9	58.1	93.5	122.6
Female	7.3	0.9	0.3	0.0	0.5	2.9	7.1	15.0	27.3	37.0	41.1	88.1
Hyperplasia of prostate (610)	2.3	-	-	-	-	0.0	0.0	0.2	2.1	10.3	35.7	95.7
Male	4.7	-	-	-	-	0.0	0.0	0.4	4.3	22.5	82.6	247.1
White	2.2	-	-	-	-	0.0	0.0	0.1	1.5	8.9	34.6	94.4
Male	4.5	-	-	-	-	0.0	0.0	0.2	3.1	19.5	80.6	245.3
Nonwhite	3.0	-	-	-	-	-	0.0	1.2	8.0	25.8	50.7	106.8
Male	6.1	-	-	-	-	-	0.1	2.5	16.3	54.9	107.7	254.8
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.8	-	-	0.0	1.4	3.1	1.6	0.0	-	-	-	-
Female	1.6	-	-	0.0	2.9	6.0	3.1	0.1	-	-	-	-
White	0.5	-	-	-	0.9	2.0	1.0	0.0	-	-	-	-
Female	1.0	-	-	-	1.8	4.0	2.0	0.1	-	-	-	-
Nonwhite	2.9	-	-	0.1	5.5	10.7	6.6	0.1	-	-	-	-
Female	5.7	-	-	0.1	10.7	19.9	12.3	0.2	-	-	-	-
Abortion (650-652)	0.2	-	-	0.0	0.4	0.7	0.2	0.0	-	-	-	-
Female	0.3	-	-	0.0	0.7	1.3	0.5	0.0	-	-	-	-
White	0.1	-	-	-	0.2	0.4	0.2	0.0	-	-	-	-
Female	0.2	-	-	-	0.3	0.8	0.3	0.0	-	-	-	-
Nonwhite	0.7	-	-	0.0	1.7	2.9	0.8	-	-	-	-	-
Female	1.4	-	-	0.0	3.3	5.3	1.6	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.6	-	-	0.0	1.1	2.4	1.4	0.0	-	-	-	-
Female	1.2	-	-	0.0	2.2	4.7	2.7	0.1	-	-	-	-
White	0.4	-	-	-	0.7	1.6	0.9	0.0	-	-	-	-
Female	0.8	-	-	-	1.5	3.2	1.7	0.0	-	-	-	-
Nonwhite	2.2	-	-	0.0	3.8	7.8	5.7	0.1	-	-	-	-
Female	4.3	-	-	0.1	7.4	14.5	10.8	0.2	-	-	-	-
Congenital malformations (750-759)	11.4	355.8	11.3	3.2	2.7	2.0	2.3	3.0	2.8	2.8	2.5	3.5
Male	12.7	385.1	11.1	3.3	3.3	2.1	2.6	3.3	3.0	3.4	3.3	3.9
Female	10.2	325.2	11.6	3.0	2.2	1.9	2.0	2.7	2.6	2.4	1.8	3.2
White	11.2	365.7	11.0	3.2	2.7	2.0	2.3	3.1	2.8	2.9	2.5	3.9
Male	12.4	392.4	10.5	3.4	3.3	2.1	2.6	3.3	3.0	3.3	3.2	4.4
Female	10.1	337.8	11.5	3.1	2.1	1.9	1.9	2.8	2.6	2.5	1.9	3.5
Nonwhite	12.9	303.1	13.3	2.7	2.9	2.3	2.8	2.4	2.7	1.8	1.7	-
Male	14.9	343.6	14.3	2.8	3.4	2.2	3.1	2.7	3.2	3.5	2.4	-
Female	11.0	262.3	12.4	2.6	2.5	2.4	2.5	2.2	2.2	0.4	1.1	-

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain diseases of early infancy (760-776)	34.6	1,539.6	0.1	0.0	-	-	-	-	-	-	-	-
Male	41.3	1,774.0	0.1	0.0	-	-	-	-	-	-	-	-
Female	28.0	1,295.4	0.0	0.0	-	-	-	-	-	-	-	-
White	29.7	1,383.3	0.1	0.0	-	-	-	-	-	-	-	-
Male	35.9	1,610.2	0.1	0.0	-	-	-	-	-	-	-	-
Female	23.7	1,145.5	0.0	0.0	-	-	-	-	-	-	-	-
Nonwhite	71.5	2,369.8	0.1	0.0	-	-	-	-	-	-	-	-
Male	83.0	2,657.4	0.1	-	-	-	-	-	-	-	-	-
Female	60.7	2,079.4	0.1	0.0	-	-	-	-	-	-	-	-
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	15.2	676.4	0.0	-	-	-	-	-	-	-	-	-
Male	18.4	791.3	0.0	-	-	-	-	-	-	-	-	-
Female	12.0	556.7	-	-	-	-	-	-	-	-	-	-
White	13.6	631.7	0.0	-	-	-	-	-	-	-	-	-
Male	16.6	744.7	0.0	-	-	-	-	-	-	-	-	-
Female	10.6	513.3	-	-	-	-	-	-	-	-	-	-
Nonwhite	26.9	890.6	-	-	-	-	-	-	-	-	-	-
Male	31.7	1,015.4	-	-	-	-	-	-	-	-	-	-
Female	22.3	764.6	-	-	-	-	-	-	-	-	-	-
Infections of newborn (763-768)	2.4	109.2	-	-	-	-	-	-	-	-	-	-
Male	2.9	126.1	-	-	-	-	-	-	-	-	-	-
Female	2.0	91.5	-	-	-	-	-	-	-	-	-	-
White	1.8	81.9	-	-	-	-	-	-	-	-	-	-
Male	2.1	96.3	-	-	-	-	-	-	-	-	-	-
Female	1.4	66.9	-	-	-	-	-	-	-	-	-	-
Nonwhite	7.9	260.5	-	-	-	-	-	-	-	-	-	-
Male	9.2	293.4	-	-	-	-	-	-	-	-	-	-
Female	6.6	227.2	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	16.9	754.0	0.1	0.0	-	-	-	-	-	-	-	-
Male	20.0	856.6	0.1	0.0	-	-	-	-	-	-	-	-
Female	14.0	647.3	0.0	0.0	-	-	-	-	-	-	-	-
White	14.4	669.6	0.1	0.0	-	-	-	-	-	-	-	-
Male	17.2	769.2	0.1	0.0	-	-	-	-	-	-	-	-
Female	11.7	565.4	0.0	0.0	-	-	-	-	-	-	-	-
Nonwhite	36.8	1,218.7	0.1	0.0	-	-	-	-	-	-	-	-
Male	42.1	1,348.6	0.1	-	-	-	-	-	-	-	-	-
Female	31.8	1,087.7	0.1	0.0	-	-	-	-	-	-	-	-
Symptoms, senility, and ill-defined conditions (780-795)	10.6	54.4	2.1	0.5	1.4	2.9	5.1	9.6	17.7	30.7	69.1	285.1
Male	12.6	59.5	2.4	0.5	1.6	3.1	5.8	13.2	24.9	43.8	86.2	311.1
Female	8.7	49.0	1.8	0.4	1.1	2.7	4.3	6.2	11.0	19.6	56.2	268.7
White	8.1	25.6	1.3	0.3	1.1	1.9	3.5	7.1	12.8	23.0	58.4	249.5
Male	9.8	28.3	1.4	0.4	1.3	2.0	4.3	10.1	19.5	34.6	73.5	267.8
Female	6.4	22.8	1.2	0.2	0.8	1.9	2.8	4.1	6.6	13.3	47.1	238.1
Nonwhite	32.3	217.2	7.2	1.3	3.8	10.2	19.2	35.8	72.5	130.9	231.1	777.0
Male	37.1	239.8	8.9	1.3	4.1	12.3	20.6	45.3	86.4	165.5	262.5	871.0
Female	27.7	194.3	5.6	1.3	3.4	8.4	18.0	26.8	59.1	100.7	202.1	726.2
All other diseases (Residual)	28.1	65.0	9.4	4.0	5.7	9.3	17.0	30.1	52.2	98.7	177.4	386.9
Male	31.3	76.3	9.7	4.3	6.7	9.8	18.9	35.5	62.9	123.9	206.8	430.3
Female	25.0	53.3	9.0	3.7	4.7	8.9	15.2	25.0	42.2	77.3	155.1	359.4
White	27.5	59.4	8.7	4.0	5.0	7.3	14.4	27.5	49.8	97.7	180.7	398.3
Male	30.5	69.2	8.9	4.3	6.0	7.6	16.1	32.6	60.3	123.2	210.7	442.9
Female	24.5	49.1	8.6	3.6	3.9	7.0	12.8	22.7	40.1	76.1	158.1	370.4
Nonwhite	34.0	97.8	12.8	4.7	10.5	24.8	39.5	54.1	80.2	115.4	153.2	309.5
Male	38.4	117.2	14.7	4.6	10.8	27.4	44.6	61.9	92.4	138.7	179.8	374.2
Female	29.8	78.2	11.0	4.9	10.3	22.5	35.0	46.7	68.4	95.0	128.9	269.0
Accidents (E800-E962)	52.3	87.6	30.5	18.1	55.1	43.5	42.1	50.0	60.4	90.1	206.0	631.3
Male	72.3	95.3	34.1	24.9	90.1	72.5	66.3	77.2	90.1	122.6	234.5	611.1
Female	32.9	79.7	26.7	11.0	20.6	15.6	19.2	23.9	32.7	62.6	184.3	644.1
White	51.2	72.9	27.1	16.8	55.4	41.5	39.7	47.9	57.8	87.6	210.2	654.0
Male	70.5	81.2	31.3	23.4	90.2	68.8	62.3	73.3	86.1	119.2	239.8	640.2
Female	32.4	64.2	22.7	9.9	21.0	14.8	18.0	23.4	31.6	60.9	188.0	662.6
Nonwhite	64.3	169.0	51.4	27.0	56.7	63.2	68.3	76.2	90.2	123.7	160.2	345.9
Male	92.3	175.2	52.9	35.5	95.9	109.6	111.6	123.4	136.2	166.7	183.9	341.9
Female	37.9	162.7	49.9	18.6	19.5	23.3	30.0	32.1	45.9	85.8	138.4	357.1
Motor vehicle accidents (E810-E835)	22.0	8.1	9.5	8.1	38.4	25.1	20.9	21.8	26.0	32.8	41.8	38.6
Male	32.4	8.4	10.4	10.7	61.3	41.0	31.5	31.9	37.0	47.1	64.7	68.7
Female	11.8	7.7	8.5	5.4	16.0	9.9	10.9	12.0	15.9	20.8	24.4	19.6
White	22.2	8.2	9.4	8.0	39.9	24.8	20.3	21.4	25.7	32.8	43.4	40.8
Male	32.6	8.6	10.2	10.7	63.4	39.9	30.4	30.9	36.0	46.3	67.1	73.4
Female	12.1	7.8	8.6	5.3	16.7	10.1	10.7	12.1	16.2	21.3	25.5	20.4
Nonwhite	22.4	8.2	10.8	9.0	30.3	30.3	29.1	29.2	32.3	37.2	28.9	13.5
Male	34.7	8.8	12.4	11.5	49.5	53.8	46.6	45.6	51.0	60.1	45.2	25.8
Female	10.8	7.6	9.1	6.5	12.0	10.1	13.6	13.9	14.2	17.0	14.2	4.8
Other accidents (E800-E802,E840-E962)	30.3	79.6	21.0	10.0	16.7	18.3	21.2	28.3	34.4	57.3	164.2	592.7
Male	39.9	86.9	23.7	14.2	28.9	31.5	34.7	45.3	53.1	75.5	169.8	542.4
Female	21.1	71.9	18.2	5.6	4.6	5.7	8.3	11.9	16.9	41.8	160.0	624.5
White	29.0	64.7	17.7	8.7	15.5	16.7	19.3	26.5	32.1	54.8	166.9	613.2
Male	37.9	72.7	21.1	12.7	26.8	28.9	31.9	42.4	50.1	72.8	172.7	566.9
Female	20.3	56.4	14.2	4.5	4.3	4.7	7.3	11.2	15.3	39.6	162.5	642.2
Nonwhite	41.9	160.8	40.6	18.0	26.4	32.9	39.2	46.9	57.9	86.5	131.4	332.4
Male	57.6	166.5	40.5	24.0	46.4	55.8	65.0	77.7	85.2	106.7	138.7	316.1
Female	27.1	155.1	40.7	12.1	7.5	13.2	16.4	18.2	31.6	68.8	124.2	352.4
Suicide (E963,E970-E979)	10.9	...	...	0.3	5.7	11.3	15.0	21.0	23.7	22.2	27.2	26.7
Male	16.5	...	...	0.5	8.5	15.9	21.6	30.9	38.0	38.8	53.6	57.4
Female	5.4	...	...	0.1	2.9	6.8	8.8	11.5	10.4	8.2	7.2	7.3
White	11.8	...	...	0.3	5.8	11.8	16.1	22.7	25.3	23.6	28.8	28.4
Male	17.8	...	...	0.5	8.7	16.5	22.9	33.4	40.5	41.3	57.1	61.5
Female	5.9	...	...	0.1	2.9	7.2	9.5	12.4	11.1	8.8	7.6	7.6
Nonwhite	4.7	...	...	0.1	5.2	8.4	8.1	7.7	9.1	8.9	8.1	6.8
Male	7.2	...	...	0.1	7.5	12.8	12.8	12.4	14.6	16.7	13.7	12.9
Female	2.2	...	...	0.0	3.0	4.6	3.9	3.3	3.9	2.0	3.2	2.4

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1962–Con.

(See headnote at beginning of table)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Homicide (E964, E980-E985)	4.9	5.1	0.9	0.6	5.9	9.9	8.6	6.3	4.5	3.1	2.6	3.4
Male	7.3	5.5	0.9	0.5	9.0	15.5	13.0	10.4	7.4	4.7	3.7	3.2
Female	2.4	4.8	0.9	0.6	2.8	4.5	4.4	2.5	1.8	1.6	1.7	3.5
White	2.7	4.2	0.8	0.5	2.8	4.5	4.2	3.7	2.9	2.4	2.2	3.2
Male	3.8	4.3	0.7	0.5	3.9	6.9	6.0	5.7	4.6	3.4	3.1	3.0
Female	1.6	4.1	0.9	0.5	1.7	2.2	2.5	1.8	1.4	1.5	1.6	3.3
Nonwhite	21.8	9.6	1.5	1.0	29.1	50.9	46.4	31.4	20.7	11.5	7.8	6.8
Male	35.6	10.7	1.7	1.2	49.1	85.5	76.3	56.0	36.0	20.9	11.9	6.5
Female	8.9	8.5	1.3	0.8	11.0	21.2	20.0	8.5	5.9	3.3	4.2	7.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1962

(Excludes fetal deaths. Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area, enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the area)

YEAR	United States[1]	GEOGRAPHIC DIVISION								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific[1]
1962	9.5	10.6	10.4	9.5	10.1	9.1	9.6	8.7	7.8	8.4
1961	9.3	10.5	10.3	9.3	9.9	8.9	9.3	8.3	7.8	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1959	9.4	10.5	10.4	9.4	10.0	8.8	9.2	8.4	8.1	8.6
1958	9.5	10.8	10.5	9.5	10.0	9.0	9.6	8.5	8.1	8.7
1957	9.6	10.8	10.6	9.8	10.1	9.0	9.4	8.5	8.2	8.8
1956	9.4	10.6	10.3	9.5	9.7	8.7	9.0	8.3	8.1	8.8
1955	9.3	10.8	10.3	9.5	9.6	8.6	8.9	7.9	8.2	8.8
1950-54	9.5	10.6	10.4	9.8	10.0	8.8	9.1	8.3	8.7	9.1
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.[illegible]	11.8	11.2	11.1	10.6	11.1	10.6	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.6	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	13.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

[1]Alaska included beginning 1959, and Hawaii, 1960.

Table 1-11. Death Rates: United States, Each Division and State, 1953-62

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

DIVISION AND STATE	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
UNITED STATES[1]	9.5	9.3	9.5	9.4	9.5	9.6	9.4	9.3	9.2	9.6
GEOGRAPHIC DIVISIONS:										
New England	10.6	10.5	10.6	10.5	10.9	10.8	10.7	10.8	10.3	10.6
Middle Atlantic	10.5	10.4	10.5	10.5	10.5	10.7	10.3	10.3	10.0	10.5
East North Central	9.6	9.4	9.6	9.5	9.6	9.8	9.6	9.6	9.4	10.0
West North Central	10.1	9.9	10.1	9.9	10.0	10.1	9.6	9.6	9.7	10.1
South Atlantic	9.0	8.8	9.1	8.8	8.9	8.9	8.6	8.5	8.4	8.6
East South Central	9.6	9.3	9.5	9.2	9.5	9.3	9.0	8.9	8.8	9.1
West South Central	8.7	8.4	8.7	8.4	8.5	8.5	8.3	8.0	8.2	8.3
Mountain	7.7	7.6	8.1	8.0	7.9	8.1	7.9	8.0	8.0	8.4
Pacific[1]	8.4	8.4	8.7	8.6	8.7	8.8	8.8	8.8	8.7	9.0
NEW ENGLAND:										
Maine	11.1	10.9	11.1	11.3	11.1	10.8	10.9	11.1	10.9	10.9
New Hampshire	10.8	10.8	11.0	11.2	11.2	11.6	11.4	11.6	11.1	11.1
Vermont	11.2	11.1	11.4	11.3	11.3	11.7	11.7	11.4	10.8	10.7
Massachusetts	10.9	10.9	11.0	10.7	[2]11.4	11.2	11.0	11.1	10.7	10.9
Rhode Island	10.6	10.3	10.5	10.3	10.3	10.1	10.0	10.5	10.0	10.2
Connecticut	9.6	9.3	9.4	9.4	9.7	9.9	9.7	9.8	9.3	9.7
MIDDLE ATLANTIC:										
New York	10.4	10.4	10.6	10.6	10.6	10.7	10.3	10.3	10.1	10.6
New Jersey	9.9	9.9	9.8	9.8	10.0	10.3	9.9	10.1	9.8	10.3
Pennsylvania	10.8	10.6	10.7	10.6	10.7	10.9	10.6	10.5	10.1	10.6
EAST NORTH CENTRAL:										
Ohio	9.4	9.3	9.6	9.5	9.7	9.8	9.6	9.5	9.2	10.0
Indiana	9.8	9.6	9.7	9.6	9.6	9.7	9.6	9.6	9.4	9.9
Illinois	10.3	10.1	10.2	10.2	10.3	10.7	10.4	10.4	10.2	10.8
Michigan	8.8	8.5	8.7	8.6	8.6	8.8	8.7	8.7	8.6	9.1
Wisconsin	9.4	9.2	9.7	9.5	9.7	9.7	9.5	9.6	9.4	10.0
WEST NORTH CENTRAL:										
Minnesota	9.2	9.0	9.3	9.1	9.2	9.4	9.1	9.0	8.9	9.6
Iowa	10.3	10.2	10.4	10.3	10.2	10.2	9.7	10.0	9.8	10.2
Missouri	11.3	10.9	11.2	10.9	11.0	11.1	10.5	10.2	10.7	11.1
North Dakota	8.4	8.2	8.6	8.5	8.4	8.7	8.3	8.4	8.1	8.4
South Dakota	9.1	8.9	9.7	9.3	9.3	9.2	8.8	8.8	8.7	8.9
Nebraska	9.7	9.5	10.0	9.9	9.9	9.9	9.5	9.6	9.7	10.2
Kansas	9.8	9.6	9.7	9.5	9.5	9.6	9.3	9.2	9.5	9.7
SOUTH ATLANTIC:										
Delaware	9.1	8.9	9.4	9.0	9.6	9.4	9.1	9.7	9.5	10.2
Maryland	8.9	8.8	9.0	8.9	9.1	9.2	8.8	8.7	8.7	9.2
District of Columbia	11.4	11.4	11.5	11.5	11.7	11.6	11.1	10.4	9.7	10.3
Virginia	8.5	8.3	8.7	8.5	8.5	8.6	8.5	8.5	8.4	8.5
West Virginia	10.5	10.0	9.7	9.5	9.4	9.5	9.0	8.8	8.4	8.5
North Carolina	8.3	8.1	8.4	8.0	8.0	7.9	7.6	7.5	7.6	7.6
South Carolina	8.4	8.4	8.7	8.4	8.4	8.2	8.0	8.0	7.9	8.3
Georgia	8.8	8.5	9.0	8.6	8.6	8.7	8.4	8.4	8.4	8.6
Florida	9.7	9.3	9.7	9.3	9.5	9.4	9.4	9.1	9.1	9.3
EAST SOUTH CENTRAL:										
Kentucky	9.9	9.6	9.9	9.5	9.8	9.9	9.6	9.5	9.2	9.5
Tennessee	9.4	9.1	9.2	9.0	9.3	9.0	8.6	8.5	8.5	8.8
Alabama	9.2	8.9	9.3	8.9	9.2	8.9	8.7	8.5	8.6	8.8
Mississippi	10.1	9.6	10.0	9.7	10.2	9.6	9.3	9.4	9.3	9.6
WEST SOUTH CENTRAL:										
Arkansas	10.3	9.7	10.0	9.4	9.6	9.3	9.0	8.6	8.5	8.5
Louisiana	9.1	8.8	9.1	8.8	9.1	9.0	8.7	8.3	8.4	8.8
Oklahoma	9.8	9.6	9.8	9.6	9.6	9.5	9.4	9.0	9.4	9.3
Texas	8.0	7.7	8.1	7.8	7.9	8.0	7.8	7.5	7.7	7.9
MOUNTAIN:										
Montana	9.1	9.1	9.7	9.9	9.4	9.8	10.0	9.9	9.9	10.1
Idaho	8.0	8.1	8.1	8.3	8.1	8.3	8.1	8.2	8.4	8.5
Wyoming	7.5	7.5	8.5	8.1	7.9	8.1	7.9	7.8	8.1	8.0
Colorado	8.4	8.2	8.7	8.6	8.5	8.5	8.3	8.4	8.5	8.9
New Mexico	6.4	6.4	6.9	6.7	6.8	7.0	6.7	6.9	6.9	7.2
Arizona	7.4	7.4	7.8	7.7	7.7	7.8	7.8	7.9	7.7	8.7
Utah	6.5	6.5	6.8	6.7	6.8	6.9	6.7	6.7	6.8	7.0
Nevada	8.1	8.3	8.9	8.6	8.7	8.3	8.1	8.3	8.4	9.6
PACIFIC:										
Washington	9.1	9.0	9.3	9.3	9.2	9.2	9.0	9.3	9.2	9.4
Oregon	9.2	9.2	9.5	9.5	8.9	9.0	8.9	9.1	8.9	9.0
California	8.3	8.4	8.6	8.4	8.5	8.7	8.7	8.7	8.6	8.9
Alaska[3]	5.3	5.4	5.8	5.2	5.4	5.5	5.6	5.4	5.5	6.1
Hawaii[4]	5.1	5.1	5.6	5.4	5.3	5.9	5.6	5.9	5.9	5.7

[1]Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2]There were 1,822 deaths reported for Massachusetts which were counted twice. Figures have not been corrected for this error. The correct resident death rate is probably between 11.0 and 11.4.
[3]Figures for 1953-58 are by place of occurrence.
[4]Figures for 1953-59 are by place of occurrence.

Table 1-12. Deaths From 60 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	DIVISION AND STATE	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-149)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156A,157-159)
1	UNITED STATES---	1,756,720	9,506	8,792	714	2,811	323	102	41	83	649	60	408	5,791	278,562	6,481	92,047
	GEOGRAPHIC DIVISIONS:																
2	New England---------	112,781	478	454	24	179	7	3	1	2	35	1	16	323	19,359	464	6,944
3	Middle Atlantic-----	367,109	2,225	2,077	148	492	9	12	1	6	115	8	53		63,163	1,444	22,465
4	East North Central--	354,310	1,610	1,493	117	471	22	22	3	10	110	11	50	926	57,940	1,348	19,829
5	West North Central--	157,581	533	482	51	211	10	6	6	3	42	5	40	440	24,492	465	8,178
6	South Atlantic------	244,398	1,378	1,253	125	488	59	13	8	20	112	6	57	1,046	35,477	933	10,485
7	East South Central--	118,188	1,013	939	74	164	50	14	5	14	51	2	46	500	15,982	395	4,858
8	West South Central--	154,026	1,079	1,004	75	368	110	21	16	14	73	16	80	774	23,103	568	6,942
9	Mountain----------	57,496	371	341	30	111	36	6	-	3	25	1	32	242	8,021	137	2,548
10	Pacific----------	190,831	819	749	70	327	20	5	1	11	86	8	34	586	31,025	727	9,798
	NEW ENGLAND:																
11	Maine----------	11,096	43	43	-	13	1	-	-	-	8	-	4	30	1,723	28	607
12	New Hampshire-------	6,808	17	17	-	9	-	-	-	2	5	1	-	10	1,108	27	383
13	Vermont----------	4,355	22	19	3	4	1	-	-	-	1	-	-	12	720	12	232
14	Massachusetts-------	56,512	263	250	13	101	4	2	-	-	10	-	5	167	9,601	233	3,499
15	Rhode Island--------	9,127	30	29	1	9	1	1	1	-	2	-	1	29	1,692	48	630
16	Connecticut---------	24,883	103	96	7	43	-	-	-	-	9	-	6	75	4,515	116	1,593
	MIDDLE ATLANTIC:																
17	New York----------	181,795	1,094	1,034	60	219	6	7	-	1	52	1	35	481	31,910	734	11,400
18	New Jersey----------	62,024	347	309	38	65	1	3	1	-	30	2	9	160	11,323	278	4,064
19	Pennsylvania--------	123,290	784	734	50	208	2	2	-	5	33	5	9	313	19,930	432	7,001
	EAST NORTH CENTRAL:																
20	Ohio----------	95,209	409	385	24	189	4	4	-	4	35	-	14	269	15,787	361	5,370
21	Indiana----------	46,037	229	215	14	75	3	6	-	1	14	5	8	128	7,168	144	2,327
22	Illinois----------	104,649	535	497	38	68	13	4	1	-	24	3	18	218	16,941	407	5,881
23	Michigan----------	70,035	334	309	25	106	2	6	2	2	27	2	8	209	11,725	297	3,962
24	Wisconsin----------	38,380	103	87	16	33	-	2	-	3	10	1	2	102	6,319	139	2,289
	WEST NORTH CENTRAL:																
25	Minnesota----------	31,825	89	80	9	40	1	-	2	1	10	2	11	90	5,238	81	1,820
26	Iowa----------	28,666	62	56	6	34	1	1	1	-	7	-	10	76	4,441	83	1,488
27	Missouri----------	49,037	272	251	21	86	6	3	-	1	10	-	6	129	7,550	189	2,425
28	North Dakota--------	5,419	10	8	2	3	-	1	1	-	1	1	2	14	834	6	297
29	South Dakota--------	6,570	21	15	6	4	-	-	-	-	4	2	6	22	992	8	321
30	Nebraska----------	14,330	26	26	-	10	2	1	1	-	4	-	3	43	2,267	41	801
31	Kansas----------	21,734	53	46	7	34	-	-	1	1	6	-	2	66	3,170	57	1,026
	SOUTH ATLANTIC:																
32	Delaware----------	4,252	23	21	2	7	-	-	-	1	1	-	-	14	714	11	245
33	Maryland----------	28,415	232	219	13	68	5	-	-	2	12	1	4	104	4,598	109	1,444
34	District of Columbia	8,906	93	85	8	26	-	-	1	-	1	-	-	33	1.413	60	475
35	Virginia----------	35,658	197	177	20	64	13	2	1	4	20	1	10	123	5,188	125	1,534
36	West Virginia-------	18,684	145	138	7	39	1	2	-	-	4	1	3	52	2,749	47	865
37	North Carolina------	39,090	173	149	24	70	8	2	-	3	19	1	9	187	5,023	141	1,362
38	South Carolina------	20,447	113	101	12	58	10	2	3	7	8	-	5	93	2,385	71	665
39	Georgia----------	36,069	178	157	21	58	12	2	2	-	28	1	15	187	4,602	112	1,263
40	Florida----------	52,877	224	206	18	98	10	3	1	3	19	1	11	253	8,825	257	2,632
	EAST SOUTH CENTRAL:																
41	Kentucky----------	30,463	302	277	25	53	6	6	-	3	15	-	6	116	4.443	118	1,376
42	Tennessee----------	34,089	305	280	25	40	10	6	1	2	13	-	17	135	4,639	130	1,402
43	Alabama----------	30,906	281	268	13	45	16	2	2	2	12	2	12	135	4,071	88	1,145
44	Mississippi---------	22,730	125	114	11	26	18	-	2	7	11	-	11	114	2,829	59	935
	WEST SOUTH CENTRAL:																
45	Arkansas----------	18,859	177	169	8	39	15	2	3	4	13	3	2	75	2,723	54	828
46	Louisiana----------	30,415	243	226	17	105	10	4	4	2	21	-	16	191	4,493	106	1,348
47	Oklahoma----------	24,000	153	143	10	36	9	5	-	2	10	2	3	83	3,694	83	1,118
48	Texas----------	80,752	506	466	40	188	76	10	9	6	29	13	59	425	12,193	325	3,648
	MOUNTAIN:																
49	Montana----------	6,426	32	27	5	8	-	-	-	-	3	-	-	18	907	17	291
50	Idaho----------	5,587	13	13	-	16	1	1	-	-	1	-	2	15	756	15	235
51	Wyoming----------	2,746	4	3	1	7	1	1	-	-	2	-	-	17	372	5	105
52	Colorado----------	16,005	70	64	6	23	3	1	-	1	5	-	6	71	2,241	37	718
53	New Mexico----------	6,520	70	63	7	17	8	1	-	1	5	-	9	24	859	8	293
54	Arizona----------	11,177	146	136	10	24	21	1	-	-	7	1	13	64	1,661	27	532
55	Utah----------	6,322	16	16	-	6	2	1	-	-	2	-	1	29	969	17	268
56	Nevada----------	2,713	20	19	1	10	-	-	-	1	-	-	1	4	356	11	106
	PACIFIC:																
57	Washington----------	27,383	87	78	9	37	2	1	-	-	9	1	4	66	4,351	85	1,388
58	Oregon----------	17,218	44	37	7	26	1	-	-	1	7	-	2	52	2,747	56	906
59	California----------	141,395	646	597	49	258	17	3	1	3	66	7	16	444	23,248	565	7,263
60	Alaska----------	1,303	19	17	2	2	-	-	-	7	2	-	11	12	122	4	43
61	Hawaii----------	3,532	23	20	3	4	-	1	-	-	2	-	1	12	556	17	198

United States, Each Division and State, 1962

Numbers after causes of deaths are category numbers of the Seventh Revision of the International Lists, 1955.

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (290-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
44,644	24,958	39,590	13,299	30,791	12,997	13,755	4,681	4,896	31,222	3,398	2,322	968,809	957,437	197,451	688,009	17,751	527,561	54,645	1
2,935	1,897	2,511	966	1,968	754	920	332	306	2,143	213	115	64,675	64,064	12,077	46,685	1,259	38,576	2,374	2
10,399	6,004	7,822	3,089	6,380	2,586	2,974	1,047	824	7,374	595	410	210,436	208,374	33,873	160,641	4,749	127,197	12,151	3
9,098	5,252	8,501	2,991	5,448	2,655	2,818	812	935	7,482	632	384	202,230	200,072	40,230	144,179	3,851	113,313	10,166	4
3,376	2,221	3,629	1,250	2,729	1,293	1,351	361	515	2,751	326	135	89,702	88,787	20,654	60,778	1,419	47,380	5,027	5
6,072	3,033	5,501	1,550	4,590	1,622	1,691	692	627	3,779	538	388	130,665	128,783	29,387	89,691	1,944	62,975	8,851	6
2,484	1,247	2,742	630	2,111	796	719	285	342	1,668	247	181	62,953	61,940	16,365	40,827	737	28,370	3,511	7
3,867	1,735	3,541	985	3,073	1,255	1,137	416	437	2,623	372	307	79,360	78,017	18,413	54,191	824	40,572	3,698	8
1,206	678	1,186	394	965	445	462	202	280	819	125	117	27,117	26,738	5,620	18,879	829	14,627	1,221	9
5,207	2,891	4,157	1,444	3,527	1,591	1,683	534	630	2,583	350	285	101,671	100,662	20,832	72,138	2,139	54,551	7,646	10
250	160	271	96	170	60	81	36	42	164	24	8	6,643	6,578	1,392	4,702	104	3,681	418	11
164	104	159	57	105	52	57	19	22	151	15	8	3,970	3,930	795	2,734	63	2,212	141	12
105	77	118	41	67	30	38	7	13	58	9	5	2,496	2,465	501	1,739	49	1,413	110	13
1,460	948	1,191	477	980	384	429	161	150	1,054	97	55	32,375	32,088	6,029	23,454	658	19,474	1,088	14
251	179	199	84	164	51	86	20	25	228	17	9	5,312	5,253	858	4,037	112	3,449	142	15
705	429	573	211	482	177	229	89	54	488	51	30	13,879	13,750	2,502	10,019	273	8,347	475	16
5,300	3,157	3,888	1,561	3,054	1,256	1,560	563	418	3,328	243	198	103,244	102,303	15,639	80,390	2,482	66,167	4,439	17
1,911	1,120	1,353	582	1,034	486	515	152	117	1,262	126	69	35,470	35,118	5,458	27,424	833	21,125	2,755	18
3,188	1,727	2,581	946	2,292	864	899	332	289	2,784	226	143	71,722	70,953	12,776	52,827	1,434	39,905	4,957	19
2,550	1,443	2,388	786	1,465	711	713	207	242	2,254	163	92	53,965	53,413	11,382	37,313	1,094	28,672	2,785	20
1,146	572	1,129	340	830	331	349	112	131	904	81	60	26,321	26,055	5,873	17,950	458	13,766	1,285	21
2,720	1,613	2,405	885	1,449	757	824	236	217	1,655	153	101	61,600	60,934	10,569	46,452	996	36,935	3,489	22
1,923	1,022	1,692	642	1,066	541	580	169	246	1,901	158	82	38,304	37,837	7,768	27,162	904	21,971	1,364	23
759	602	887	338	638	315	352	88	99	768	77	49	22,040	21,833	4,638	15,302	399	11,969	1,243	24
586	492	737	281	598	321	322	86	89	558	68	26	17,845	17,723	4,292	12,002	350	9,659	710	25
626	396	702	251	420	225	248	68	94	505	55	18	16,956	16,810	4,094	11,202	234	8,771	955	26
1,230	664	1,084	351	915	357	335	111	161	763	96	43	27,845	27,522	6,090	19,147	435	14,477	1,887	27
83	84	115	47	93	49	60	9	18	90	8	4	2,997	2,970	668	2,092	50	1,686	125	28
106	85	172	64	101	68	67	17	29	135	11	13	3,488	3,451	817	2,355	55	1,917	165	29
277	225	340	100	221	102	160	31	55	276	33	9	8,111	8,036	1,920	5,570	137	4,257	511	30
466	275	479	156	381	171	159	39	69	424	55	22	12,460	12,275	2,773	8,410	158	6,613	674	31
121	53	85	30	99	38	32	16	6	93	7	6	2,282	2,245	364	1,675	45	1,185	198	32
814	412	623	220	569	187	220	100	73	596	60	41	15,309	15,119	2,221	11,853	292	8,930	2,529	33
278	140	191	54	109	44	62	35	23	121	17	15	4,425	4,385	840	3,118	85	2,190	254	34
903	416	773	216	719	232	250	95	88	524	70	56	19,103	18,824	4,112	13,267	275	9,248	1,394	35
475	206	429	98	382	132	115	50	58	273	37	23	10,494	10,343	2,160	7,418	171	5,603	568	36
707	456	860	194	762	265	276	117	98	558	91	63	21,072	20,758	5,177	14,076	266	9,675	1,169	37
348	204	450	94	327	121	105	56	47	318	41	32	10,922	10,727	2,808	7,100	129	4,796	559	38
747	420	814	192	607	235	212	86	88	544	98	69	19,262	18,912	5,499	12,062	190	8,453	987	39
1,679	726	1,276	452	1,016	368	419	137	146	752	117	83	27,796	27,470	6,206	19,122	491	14,895	1,193	40
697	333	713	170	578	235	223	74	113	500	63	32	16,923	16,678	4,021	11,366	218	8,306	893	41
723	386	758	206	608	212	214	69	102	452	70	43	18,629	18,369	4,931	11,946	222	8,633	1,064	42
630	312	785	163	555	204	189	84	85	413	60	57	16,178	15,886	4,299	10,435	173	6,937	985	43
434	216	486	91	370	145	93	58	42	303	54	49	11,223	11,007	3,114	7,080	124	4,494	569	44
368	201	483	106	405	158	120	71	40	259	49	31	10,179	9,930	2,454	6,782	110	5,086	378	45
800	331	660	184	645	214	205	90	95	670	86	86	15,669	15,429	3,296	11,136	132	8,056	864	46
617	257	549	171	520	195	184	67	82	406	46	34	12,903	12,684	3,176	8,625	140	6,857	444	47
2,082	946	1,849	524	1,503	688	628	188	220	1,288	191	156	40,609	39,974	9,487	27,648	442	20,573	2,012	48
132	80	135	41	90	65	56	24	21	112	18	6	3,241	3,183	693	2,214	71	1,672	175	49
98	56	113	40	101	50	48	21	15	82	13	9	2,948	2,908	614	2,085	76	1,578	162	50
57	33	54	19	53	22	24	10	16	54	5	3	1,317	1,300	308	878	26	706	64	51
335	200	318	119	265	122	127	51	59	193	27	30	8,111	8,014	1,681	5,567	257	4,508	251	52
106	71	137	35	122	41	46	28	25	90	13	16	2,463	2,422	562	1,644	98	1,186	135	53
321	124	235	80	174	82	86	45	115	155	26	33	4,806	4,741	919	3,434	124	2,730	197	54
92	80	146	43	116	50	57	10	16	102	16	10	2,999	2,955	613	2,157	143	1,535	176	55
65	34	48	17	44	13	18	13	13	31	7	10	1,232	1,215	230	900	34	712	61	56
678	370	627	228	512	235	228	67	100	475	62	27	15,187	15,048	3,333	10,524	297	8,130	766	57
425	231	401	129	301	157	141	43	72	278	41	26	9,548	9,472	2,180	6,575	198	5,172	374	58
3,983	2,259	3,068	1,060	2,634	1,148	1,269	412	426	1,744	236	207	74,858	74,109	14,896	53,579	1,593	40,255	6,414	59
17	5	8	5	23	11	6	3	6	8	2	16	417	409	106	268	12	196	10	60
104	26	53	22	57	40	39	9	26	78	9	9	1,661	1,624	317	1,192	39	798	82	61

Table 1-12. Deaths From 60 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths.

	DIVISION AND STATE	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	UNITED STATES----	25,876	62,176	12,497	36,848	22,632	11,372	69,995	3,431	56,564	4,665	20,072	12,228	1,800	9,723	8,194	21,824
	GEOGRAPHIC DIVISIONS:																
2	New England----------	1,184	3,292	867	2,657	1,778	611	4,118	93	4,025	355	1,120	865	105	612	424	1,524
3	Middle Atlantic------	3,363	13,181	2,387	8,960	4,513	2,062	11,940	314	11,626	930	3,125	2,726	373	1,977	1,598	5,821
4	East North Central---	4,867	11,982	2,812	8,470	4,381	2,158	11,051	738	10,313	922	3,835	2,627	403	1,987	1,406	4,082
5	West North Central---	2,408	4,544	1,140	4,181	2,034	915	5,619	521	5,098	385	1,748	1,087	160	933	580	1,251
6	South Atlantic-------	4,454	11,467	2,008	4,443	3,254	1,882	8,879	602	8,277	629	3,078	1,487	248	1,308	1,290	2,392
7	East South Central---	2,573	5,636	1,066	2,446	1,236	1,013	4,263	494	3,769	263	1,186	628	109	594	713	828
8	West South Central---	4,072	5,025	998	2,699	1,716	1,343	5,571	323	5,248	413	1,774	779	161	901	1,055	1,393
9	Mountain----------	980	1,322	309	1,097	833	379	2,344	106	2,238	228	1,136	432	68	355	389	739
10	Pacific----------	2,075	5,727	910	3,895	2,887	1,009	6,210	240	5,970	540	3,090	1,597	173	1,056	739	3,794
	NEW ENGLAND:																
11	Maine----------	109	390	77	260	147	65	322	28	294	30	102	75	15	64	28	84
12	New Hampshire--------	74	244	47	273	81	40	161	10	151	20	75	60	7	35	33	81
13	Vermont----------	46	121	46	110	69	31	149	13	136	15	73	23	4	26	21	37
14	Massachusetts--------	656	1,578	397	1,242	966	287	2,450	26	2,424	204	554	457	51	316	201	826
15	Rhode Island---------	72	262	91	147	120	59	208	1	207	29	84	77	4	48	32	128
16	Connecticut----------	227	697	209	625	395	129	828	15	813	57	232	173	24	123	109	368
	MIDDLE ATLANTIC:																
17	New York----------	1,016	6,286	1,185	3,084	2,005	941	6,672	128	6,544	580	1,547	1,447	193	895	804	3,341
18	New Jersey----------	597	2,114	377	1,032	827	352	1,728	25	1,703	161	510	459	67	350	301	1,041
19	Pennsylvania---------	1,750	4,761	825	2,844	1,681	759	3,540	161	3,379	189	1,068	820	113	732	493	1,439
	EAST NORTH CENTRAL:																
20	Ohio----------	1,202	3,560	748	2,727	1,243	552	2,535	284	2,251	299	1,169	679	105	531	390	1,105
21	Indiana----------	655	1,786	418	1,244	570	266	1,279	104	1,175	84	575	319	61	286	184	425
22	Illinois----------	1,643	3,389	916	1,994	1,003	666	4,066	128	3,938	262	883	782	121	538	410	1,360
23	Michigan----------	853	2,070	504	1,452	951	467	1,944	131	1,813	189	836	570	71	391	276	832
24	Wisconsin----------	514	1,177	226	1,053	614	207	1,227	91	1,136	88	372	277	45	241	146	360
	WEST NORTH CENTRAL:																
25	Minnesota----------	394	889	191	811	427	122	1,159	95	1,064	81	294	223	31	163	107	276
26	Iowa----------	433	809	251	886	377	146	943	90	853	60	340	212	29	186	102	166
27	Missouri----------	761	1,587	388	1,251	646	323	1,865	172	1,693	127	571	268	51	310	184	451
28	North Dakota---------	114	117	37	113	60	27	223	12	211	18	47	30	8	27	25	40
29	South Dakota---------	105	113	30	157	92	37	229	13	216	20	79	48	6	38	24	56
30	Nebraska----------	240	425	67	318	161	75	477	77	400	33	148	139	18	80	48	94
31	Kansas----------	361	604	176	645	271	185	723	62	661	46	269	147	17	131	90	168
	SOUTH ATLANTIC:																
32	Delaware----------	58	189	32	103	65	37	143	2	141	13	50	25	3	22	21	57
33	Maryland----------	339	1,763	169	493	383	190	827	31	796	98	327	177	35	178	115	386
34	District of Columbia-	71	518	57	163	207	40	347	4	343	32	147	95	8	49	41	245
35	Virginia----------	536	1,814	298	680	467	279	1,268	61	1,207	103	438	181	35	185	169	302
36	West Virginia--------	398	748	156	388	221	151	692	60	632	53	247	111	18	94	72	147
37	North Carolina-------	964	2,002	393	685	427	314	1,455	144	1,311	84	357	195	43	188	199	267
38	South Carolina-------	419	1,187	186	411	232	195	936	103	833	44	191	128	22	115	156	126
39	Georgia----------	746	1,686	308	609	434	350	1,538	106	1,432	68	476	241	33	191	204	252
40	Florida----------	993	1,550	409	905	628	326	1,673	91	1,582	134	845	334	51	286	313	610
	EAST SOUTH CENTRAL:																
41	Kentucky----------	721	1,228	194	783	314	245	1,023	81	942	74	307	177	30	155	134	302
42	Tennessee----------	574	1,453	361	757	374	260	1,387	183	1,204	77	392	212	25	148	146	203
43	Alabama----------	667	1,673	293	558	301	292	987	135	852	60	279	150	33	178	185	193
44	Mississippi----------	611	1,282	218	348	247	216	866	95	771	52	188	89	21	113	248	130
	WEST SOUTH CENTRAL:																
45	Arkansas----------	481	727	167	336	191	249	694	62	632	46	216	93	14	103	104	103
46	Louisiana----------	659	1,425	182	483	332	240	1,141	40	1,101	68	337	146	28	180	166	245
47	Oklahoma----------	548	636	150	484	249	219	766	63	703	46	239	147	36	157	125	200
48	Texas----------	2,384	2,237	499	1,396	944	635	2,070	158	2,812	253	982	393	83	461	660	845
	MOUNTAIN:																
49	Montana----------	143	153	22	177	77	56	200	12	188	26	108	37	11	40	35	58
50	Idaho----------	100	169	25	117	67	40	171	12	159	13	90	39	6	27	32	38
51	Wyoming----------	35	47	17	52	45	17	89	10	79	15	45	27	2	20	15	33
52	Colorado----------	215	336	96	357	313	97	889	21	868	47	285	133	19	108	66	218
53	New Mexico----------	114	111	45	104	67	41	290	22	268	27	121	41	10	60	66	108
54	Arizona----------	132	251	74	172	142	65	420	17	403	71	356	72	9	55	132	167
55	Utah----------	98	205	21	71	93	44	212	9	203	19	79	56	7	34	32	52
56	Nevada----------	43	50	9	47	29	17	73	3	70	10	52	27	4	11	11	65
	PACIFIC:																
57	Washington----------	492	639	98	745	348	139	979	64	915	70	362	229	29	146	116	286
58	Oregon----------	255	576	82	398	237	76	638	22	616	58	274	118	13	91	47	211
59	California----------	1,257	4,060	695	2,681	2,258	749	4,383	140	4,243	401	2,400	1,219	129	801	547	3,244
60	Alaska----------	37	13	3	28	4	8	66	8	58	4	16	7	1	6	15	24
61	Hawaii----------	34	239	32	43	10	37	144	6	138	7	38	24	1	12	14	49

United States, Each Division and State, 1962–Con.

Numbers after causes of deaths are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	
4,831	1,573	8,744	4,283	1,465	305	1,160	21,192	64,205	28,199	4,551	31,455	19,730	52,173	97,139	40,804	56,335	20,207	9,013	1
303	79	528	221	48	11	37	1,162	3,363	1,442	203	1,718	552	3,353	4,701	1,571	3,130	1,007	153	2
1,032	276	1,591	812	269	84	185	3,712	11,094	4,989	628	5,477	2,611	10,085	14,947	5,224	9,723	3,278	1,188	3
1,145	273	1,618	932	246	48	198	4,253	12,303	6,161	799	5,343	1,662	9,208	17,524	7,674	9,850	3,816	1,367	4
460	139	588	453	83	10	73	1,862	4,973	2,204	287	2,482	1,404	4,997	9,102	3,909	5,193	1,763	416	5
560	242	1,599	562	274	49	225	3,127	10,640	4,449	924	5,267	3,848	7,992	15,645	6,757	8,888	2,932	2,313	6
287	167	690	363	173	20	153	1,438	4,952	1,734	426	2,792	4,681	3,493	7,614	3,308	4,306	1,209	1,040	7
371	198	1,007	412	173	33	140	2,088	7,011	2,848	681	3,482	3,074	5,183	10,509	4,514	5,995	1,521	1,261	8
187	68	264	121	65	11	54	955	2,847	1,125	167	1,555	1,239	2,030	5,110	2,283	2,827	1,059	352	9
486	131	859	407	134	39	95	2,595	7,022	3,247	436	3,339	659	5,832	11,987	5,564	6,423	3,622	923	10
32	13	36	34	2	-	2	121	342	163	16	163	55	308	541	192	349	143	10	11
21	4	31	14	6	1	5	84	194	58	11	125	64	206	277	101	176	87	11	12
15	2	19	9	2	-	2	44	133	63	9	61	56	111	218	100	118	49	1	13
149	44	294	98	18	5	13	515	1,562	642	96	824	195	1,698	2,359	730	1,629	398	78	14
23	5	35	15	1	-	1	105	305	150	26	129	16	258	317	91	226	52	8	15
63	11	113	51	19	5	14	293	827	366	45	416	166	772	989	357	632	278	45	16
523	108	845	429	170	58	112	1,886	5,575	2,413	348	2,814	1,221	4,295	7,219	2,531	4,688	1,577	668	17
165	48	271	142	43	8	35	669	2,037	1,034	107	896	147	1,506	2,501	904	1,597	549	192	18
344	120	475	241	56	18	38	1,157	3,482	1,542	173	1,767	1,243	4,284	5,227	1,789	3,438	1,152	328	19
258	72	475	239	56	13	43	1,147	3,206	1,507	190	1,509	606	2,674	4,627	1,959	2,668	1,072	326	20
132	45	209	122	37	6	31	517	1,603	764	85	754	209	1,384	2,616	1,187	1,429	545	159	21
303	81	540	263	69	12	57	1,114	3,493	2,156	302	1,035	402	2,138	4,492	1,908	2,584	977	568	22
303	53	266	214	56	13	43	999	2,757	1,215	160	1,382	230	1,984	3,725	1,654	2,071	789	267	23
149	22	128	94	28	4	24	476	1,244	519	62	663	215	1,028	2,064	966	1,098	433	47	24
123	18	102	65	7	3	4	460	1,107	492	51	564	233	1,112	1,738	781	957	338	32	25
71	28	87	92	8	-	8	322	753	341	40	372	68	908	1,588	658	930	334	40	26
128	44	209	139	40	5	35	515	1,514	665	111	738	718	1,435	2,586	1,028	1,558	554	226	27
21	2	22	20	6	1	5	83	221	109	16	96	24	156	381	190	191	64	8	28
18	6	23	15	6	-	6	76	254	107	16	131	90	200	538	260	278	79	23	29
48	17	55	56	6	-	6	149	454	214	17	223	84	434	944	406	538	143	31	30
51	24	90	66	10	1	9	257	670	276	36	358	187	752	1,327	586	741	251	56	31
19	2	22	4	1	-	1	67	137	78	6	53	18	154	257	91	166	47	20	32
61	17	125	50	19	5	14	392	1,324	519	96	709	98	913	1,569	615	954	321	178	33
14	10	101	26	13	6	7	84	474	293	29	152	89	324	413	101	312	92	99	34
84	34	251	96	35	6	29	471	1,756	710	138	908	471	1,194	2,246	939	1,307	490	310	35
36	16	83	46	18	2	16	212	588	290	44	254	401	521	1,144	437	707	183	71	36
73	40	263	83	51	11	40	539	1,847	770	151	926	966	1,331	2,703	1,343	1,360	498	414	37
54	20	149	38	38	2	36	248	890	338	92	460	548	624	1,578	720	858	178	264	38
75	39	260	89	47	7	40	498	1,669	618	200	851	534	1,187	2,544	1,131	1,413	413	479	39
144	64	345	130	52	10	42	616	1,955	833	168	954	723	1,744	3,191	1,380	1,811	710	478	40
83	51	154	90	28	5	23	382	1,129	428	87	614	317	915	1,889	784	1,105	349	219	41
89	45	215	93	40	6	34	410	1,351	470	89	792	1,078	997	1,979	906	1,073	406	263	42
80	30	173	84	50	6	44	386	1,314	459	138	717	1,461	973	2,186	999	1,187	286	361	43
35	41	148	96	55	3	52	260	1,158	377	112	669	1,825	608	1,560	619	941	168	197	44
46	30	124	51	14	4	10	204	654	272	55	327	632	502	1,263	505	758	143	138	45
59	26	261	71	33	4	29	458	1,673	718	195	760	228	991	1,995	765	1,230	252	272	46
72	33	146	87	15	2	13	233	779	286	63	430	589	859	1,610	708	902	213	113	47
194	109	476	203	111	23	88	1,193	3,905	1,572	368	1,965	1,625	2,831	5,641	2,536	3,105	913	738	48
22	8	27	7	6	1	5	84	250	97	17	136	229	195	559	230	329	112	22	49
17	6	16	16	5	1	4	85	219	95	7	117	58	170	584	274	310	85	17	50
7	3	5	7	3	-	3	45	153	58	9	86	21	93	269	115	154	74	11	51
49	12	74	37	9	2	7	223	690	280	39	371	93	611	1,156	483	673	299	95	52
20	10	29	7	16	1	15	127	489	201	27	261	327	226	759	373	386	104	54	53
46	15	67	22	13	4	9	197	584	187	50	347	179	384	944	443	501	223	103	54
22	13	39	16	8	1	7	143	295	143	6	146	294	240	563	233	330	99	20	55
4	1	7	9	5	1	4	51	167	64	12	91	38	111	276	132	144	63	30	56
64	16	90	56	8	2	6	303	864	394	28	442	150	918	1,697	657	1,040	459	85	57
45	12	75	38	7	2	5	215	445	222	25	198	112	501	1,117	467	650	241	72	58
360	98	677	307	111	34	77	1,958	5,353	2,505	365	2,483	319	4,247	8,690	4,312	4,378	2,818	740	59
-	2	1	1	5	-	5	23	120	39	6	75	46	59	233	42	191	37	10	60
17	3	16	5	3	1	2	96	240	87	12	141	32	107	250	86	164	67	16	61

716 - 533 O - 64 - 3

Table 1-13. Death Rates for 60 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 popu-

	AREA	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156A,157-159)
1	UNITED STATES	945.4	5.1	4.7	0.4	1.5	0.2	0.1	0.0	0.0	0.3	0.0	0.2	3.1	149.9	3.5	49.5
	GEOGRAPHIC DIVISIONS:																
2	New England	1,059.6	4.5	4.3	0.2	1.7	0.1	0.0	0.0	0.0	0.3	0.0	0.2	3.0	181.9	4.4	
3	Middle Atlantic	1,048.2	6.4	5.9	0.4	1.4	0.0	0.0	0.0	0.0	0.3	0.0	0.2	2.7	180.3	4.1	64.1
4	East North Central	956.5	4.3	4.0	0.3	1.3	0.1	0.1	0.0	0.0	0.3	0.0	0.1	2.5	156.4	3.6	53.5
5	West North Central	1,006.0	3.4	3.1	0.3	1.3	0.1	0.0	0.0	0.0	0.3	0.0	0.3	2.8	156.4	3.0	52.2
6	South Atlantic	901.1	5.1	4.6	0.5	1.8	0.2	0.0	0.0	0.1	0.4	0.0	0.2	3.9	130.8	3.4	38.7
7	East South Central	959.1	8.2	7.6	0.6	1.3	0.4	0.1	0.0	0.1	0.4	0.0	0.4	4.1	129.7	3.2	39.4
8	West South Central	869.3	6.1	5.7	0.4	2.1	0.6	0.1	0.1	0.1	0.4	0.1	0.5	4.4	130.4	3.2	39.2
9	Mountain	765.6	4.9	4.5	0.4	1.5	0.5	0.1	-	0.0	0.3	0.0	0.4	3.2	106.8	1.8	33.9
10	Pacific	837.7	3.6	3.3	0.3	1.4	0.1	0.0	0.0	0.0	0.4	0.0	0.1	2.6	136.2	3.2	43.0
	NEW ENGLAND:																
11	Maine	1,110.7	4.3	4.3	-	1.3	0.1	-	-	-	0.8	-	0.4	3.0	172.5	2.8	60.8
12	New Hampshire	1,077.2	2.7	2.7	-	1.4	-	-	-	0.3	0.8	0.2	-	1.6	175.3	4.3	60.6
13	Vermont	1,116.7	5.6	4.9	0.8	1.0	0.3	-	-	-	0.3	-	-	3.1	184.6	3.1	59.5
14	Massachusetts	1,095.0	5.1	4.8	0.3	2.0	0.1	0.0	-	-	0.2	-	0.1	3.2	186.0	4.5	67.8
15	Rhode Island	1,055.1	3.5	3.4	0.1	1.0	0.1	0.1	0.1	-	0.2	-	0.1	3.4	195.6	5.5	72.8
16	Connecticut	958.1	4.0	3.7	0.3	1.7	-	-	-	-	0.3	-	0.2	2.9	173.9	4.5	61.3
	MIDDLE ATLANTIC:																
17	New York	1,044.7	6.3	5.9	0.3	1.3	0.0	0.0	-	0.0	0.3	0.0	0.2	2.8	183.4	4.2	65.5
18	New Jersey	993.2	5.6	4.9	0.6	1.0	0.0	0.0	0.0	-	0.5	0.0	0.1	2.6	181.3	4.5	65.1
19	Pennsylvania	1,083.8	6.9	6.5	0.4	1.8	0.0	0.0	-	0.0	0.3	0.0	0.1	2.8	175.2	3.8	61.5
	EAST NORTH CENTRAL:																
20	Ohio	942.9	4.1	3.8	0.2	1.9	0.0	0.0	-	0.0	0.3	-	0.1	2.7	156.4	3.6	53.2
21	Indiana	976.4	4.9	4.6	0.3	1.6	0.1	0.1	-	0.0	0.3	0.1	0.2	2.7	152.0	3.1	49.4
22	Illinois	1,031.4	5.3	4.9	0.4	0.7	0.1	0.0	0.0	-	0.2	0.0	0.2	2.1	167.0	4.0	58.0
23	Michigan	876.4	4.2	3.9	0.3	1.3	0.0	0.1	0.0	0.0	0.3	0.0	0.1	2.6	146.7	3.7	49.6
24	Wisconsin	937.9	2.5	2.1	0.4	0.8	-	0.0	-	0.1	0.2	0.0	0.0	2.5	154.4	3.4	55.9
	WEST NORTH CENTRAL:																
25	Minnesota	915.8	2.6	2.3	0.3	1.2	0.0	-	0.1	0.0	0.3	0.1	0.3	2.6	150.7	2.3	52.4
26	Iowa	1,032.3	2.2	2.0	0.2	1.2	0.0	0.0	0.0	-	0.3	-	0.4	2.7	159.9	3.0	53.6
27	Missouri	1,128.3	6.3	5.8	0.5	2.0	0.1	0.1	-	0.0	0.2	-	0.1	3.0	173.7	4.3	55.8
28	North Dakota	844.1	1.6	1.2	0.3	0.5	-	0.2	0.2	-	0.2	0.2	0.3	2.2	129.9	0.9	46.3
29	South Dakota	911.2	2.9	2.1	0.8	0.6	-	-	-	-	0.6	0.3	0.8	3.1	137.6	1.1	44.5
30	Nebraska	965.6	1.8	1.8	-	0.7	0.1	0.1	0.1	-	0.3	-	0.2	2.9	152.8	2.8	54.0
31	Kansas	979.5	2.4	2.1	0.3	1.5	-	-	0.0	0.0	0.3	-	0.1	3.0	142.9	2.6	46.2
	SOUTH ATLANTIC:																
32	Delaware	906.6	4.9	4.5	0.4	1.5	-	-	-	0.2	0.2	-	-	3.0	152.2	2.3	52.2
33	Maryland	890.5	7.3	6.9	0.4	2.1	0.2	-	-	0.1	0.4	0.0	0.1	3.3	144.1	3.4	45.3
34	District of Columbia	1,136.0	11.9	10.8	1.0	3.3	-	-	0.1	-	0.1	-	-	4.2	180.2	7.7	60.6
35	Virginia	853.7	4.7	4.2	0.5	1.5	0.3	0.0	0.0	0.1	0.5	0.0	0.2	2.9	123.7	3.0	36.7
36	West Virginia	1,053.8	8.2	7.8	0.4	2.2	0.1	0.1	-	-	0.2	0.1	0.2	2.9	155.0	2.7	48.8
37	North Carolina	826.3	3.7	3.1	0.5	1.5	0.2	0.0	-	0.1	0.4	0.0	0.2	4.0	106.2	3.0	28.8
38	South Carolina	839.4	4.6	4.1	0.5	2.4	0.4	0.1	0.1	0.3	0.3	-	0.2	3.8	97.9	2.9	27.3
39	Georgia	879.7	4.3	3.8	0.5	1.4	0.3	0.0	0.0	-	0.7	0.0	0.4	4.6	112.2	2.7	30.8
40	Florida	968.6	4.1	3.8	0.3	1.8	0.2	0.1	0.0	0.1	0.3	0.0	0.2	4.6	161.7	4.7	48.2
	EAST SOUTH CENTRAL:																
41	Kentucky	988.4	9.8	9.0	0.8	1.7	0.2	0.2	-	0.1	0.5	-	0.2	3.8	144.2	3.8	44.6
42	Tennessee	938.1	8.4	7.7	0.7	1.1	0.3	0.2	0.0	0.1	0.4	-	0.5	3.7	127.7	3.6	38.6
43	Alabama	920.4	8.4	8.0	0.4	1.3	0.5	0.1	0.1	0.1	0.4	0.1	0.4	4.0	121.2	2.6	34.1
44	Mississippi	1,011.1	5.6	5.1	0.5	1.2	0.8	-	0.1	0.3	0.5	-	0.5	5.1	125.8	2.6	41.6
	WEST SOUTH CENTRAL:																
45	Arkansas	1,034.5	9.7	9.3	0.4	2.1	0.8	0.1	0.2	0.2	0.7	0.2	0.1	4.1	149.4	3.0	45.4
46	Louisiana	913.4	7.3	6.8	0.5	3.2	0.3	0.1	0.1	0.1	0.6	-	0.5	5.7	134.9	3.2	40.5
47	Oklahoma	980.4	6.3	5.8	0.4	1.5	0.4	0.2	-	0.1	0.4	0.1	0.1	3.4	150.9	3.4	45.7
48	Texas	798.3	5.0	4.6	0.4	1.9	0.8	0.1	0.1	0.1	0.3	0.1	0.6	4.2	120.5	3.2	36.1
	MOUNTAIN:																
49	Montana	906.3	4.5	3.8	0.7	1.1	-	-	-	-	0.4	-	-	2.5	127.9	2.4	41.0
50	Idaho	800.4	1.9	1.9	-	2.3	0.1	0.1	-	-	0.1	-	0.3	2.1	108.3	2.1	33.7
51	Wyoming	752.3	1.1	0.8	0.3	1.9	0.3	0.3	-	-	0.5	-	-	4.7	101.9	1.4	28.8
52	Colorado	839.3	3.7	3.4	0.3	1.2	0.2	0.1	-	0.1	0.3	-	0.3	3.7	117.5	1.9	37.7
53	New Mexico	639.2	6.9	6.2	0.7	1.7	0.8	0.1	-	0.1	0.5	-	0.9	2.4	84.2	0.8	28.7
54	Arizona	740.7	9.7	9.0	0.7	1.6	1.4	0.1	-	-	0.5	0.1	0.9	4.2	110.1	1.8	35.3
55	Utah	653.8	1.7	1.7	-	0.6	0.2	0.1	-	-	0.2	-	0.1	3.0	89.9	1.8	27.7
56	Nevada	809.9	6.0	5.7	0.3	3.0	-	-	-	0.3	-	-	0.3	1.2	106.3	3.3	31.6
	PACIFIC:																
57	Washington	910.9	2.9	2.6	0.3	1.2	0.1	0.0	-	-	0.3	0.0	0.1	2.2	144.7	2.8	46.2
58	Oregon	923.7	2.4	2.0	0.4	1.4	0.1	-	-	0.1	0.4	-	0.1	2.8	147.4	3.0	48.6
59	California	833.2	3.8	3.5	0.3	1.5	0.1	0.0	0.0	0.0	0.4	0.0	0.1	2.6	137.0	3.3	42.8
60	Alaska	529.7	7.7	6.9	0.8	0.8	-	-	-	2.8	0.8	-	4.5	4.9	49.6	1.6	17.5
61	Hawaii	509.7	3.3	2.9	0.4	0.6	-	0.1	-	-	0.3	-	0.1	1.7	80.2	2.5	28.6

United States, Each Division and State, 1962

lation in each area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (280-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
24.0	13.4	21.3	7.2	16.6	7.0	7.4	2.5	2.6	16.8	1.8	1.2	521.4	515.2	106.3	370.3	9.6	283.9	29.4	1
27.6	17.8	23.6	9.1	18.5	7.1	8.6	3.1	2.9	20.1	2.0	1.1	607.6	601.9	113.5	438.6	11.8	362.4	22.3	2
29.7	17.1	22.3	8.8	18.2	7.4	8.5	3.0	2.4	21.1	1.7	1.2	600.9	595.0	96.7	458.7	13.6	363.2	34.7	3
24.6	14.2	23.0	8.1	14.7	7.2	7.6	2.2	2.5	20.2	1.7	1.0	546.0	540.1	108.6	389.2	10.4	305.9	27.4	4
21.6	14.2	23.2	8.0	17.4	8.3	8.6	2.3	3.3	17.6	2.1	0.9	572.7	566.8	131.9	388.0	9.1	302.5	32.1	5
22.4	11.2	20.3	5.7	16.9	6.0	6.2	2.6	2.3	13.9	2.0	1.4	481.8	474.8	108.4	330.7	7.2	232.2	32.6	6
20.2	10.1	22.3	5.1	17.1	6.5	5.8	2.3	2.8	13.5	2.0	1.5	510.9	502.6	132.8	331.3	6.0	230.2	28.5	7
21.8	9.8	20.0	5.6	17.3	7.1	6.4	2.3	2.5	14.8	2.1	1.7	447.9	440.3	103.9	305.9	4.7	229.0	20.9	8
16.1	9.0	15.8	5.2	12.8	5.9	6.2	2.7	3.7	10.9	1.7	1.6	361.1	356.0	74.8	251.4	11.0	194.8	16.3	9
22.9	12.7	18.2	6.3	15.5	7.0	7.4	2.3	2.8	11.3	1.5	1.3	446.3	441.9	91.5	316.7	9.4	239.5	33.6	10
25.0	16.0	27.1	9.6	17.0	6.0	8.1	3.6	4.2	16.4	2.4	0.8	665.0	658.5	139.3	470.7	10.4	368.5	41.8	11
25.9	16.5	25.2	9.0	16.6	8.2	9.0	3.0	3.5	23.9	2.4	1.3	628.2	621.8	125.8	432.6	10.0	350.0	22.3	12
26.9	19.7	30.3	10.5	17.2	7.7	9.7	1.8	3.3	14.9	2.3	1.3	640.0	632.1	128.5	445.9	12.6	362.3	28.2	13
28.3	18.4	23.1	9.2	19.0	7.4	8.3	3.1	2.9	20.4	1.9	1.1	627.3	621.7	116.8	454.4	12.7	377.3	21.1	14
29.0	20.7	23.0	9.7	19.0	5.9	9.9	2.3	2.9	26.4	2.0	1.0	614.1	607.3	99.2	466.7	12.9	398.7	16.4	15
27.1	16.5	22.1	8.1	18.6	6.8	8.8	3.4	2.1	18.8	2.0	1.2	534.4	529.5	96.3	385.8	10.5	321.4	18.3	16
30.5	18.1	22.3	9.0	17.5	7.2	9.0	3.2	2.4	19.1	1.4	1.1	593.3	587.9	89.9	462.0	14.3	380.2	25.5	17
30.6	17.9	21.7	9.3	16.6	7.5	8.2	2.4	1.9	20.2	2.0	1.1	568.0	562.3	87.4	439.1	15.3	338.3	44.1	18
28.0	15.2	22.7	8.3	20.1	7.6	7.9	2.9	2.5	24.5	2.0	1.3	630.5	623.7	112.3	464.4	12.6	350.8	43.6	19
25.3	14.3	23.7	7.8	14.5	7.0	7.1	2.1	2.4	22.3	1.6	0.9	534.5	529.0	112.7	369.5	10.8	284.0	27.6	20
24.3	12.1	23.9	7.2	17.6	7.0	7.4	2.4	2.8	19.2	1.7	1.3	558.2	552.6	124.6	380.7	9.7	292.0	27.3	21
26.8	15.9	23.7	8.7	14.3	7.5	8.1	2.3	2.1	16.3	1.5	1.0	607.1	600.6	104.2	457.8	9.8	384.0	34.4	22
24.1	12.8	21.2	8.0	13.3	6.8	7.3	2.1	3.1	23.8	2.0	1.0	479.3	473.5	97.2	339.9	11.3	274.9	17.1	23
18.5	14.7	21.7	8.3	15.6	7.7	8.6	2.2	2.4	18.8	1.9	1.2	538.6	533.6	113.3	373.9	9.8	292.5	30.4	24
16.9	14.2	21.2	8.1	17.2	9.2	9.3	2.5	2.6	16.1	2.0	0.7	513.5	510.0	123.5	345.4	10.1	278.0	20.4	25
22.6	14.3	25.3	9.0	15.1	8.1	8.9	2.4	3.4	18.2	2.0	0.6	610.6	605.3	147.4	403.4	8.4	315.8	34.4	26
28.3	15.3	24.9	8.1	21.1	8.2	7.7	2.6	3.7	17.6	2.2	1.0	640.7	633.3	140.1	440.6	10.0	333.1	43.4	27
12.9	13.1	17.9	7.3	14.5	7.6	9.3	1.4	2.8	14.0	1.2	0.6	466.8	462.6	104.0	325.9	7.8	262.6	19.5	28
14.7	11.8	23.9	8.9	14.0	9.4	9.3	2.4	4.0	18.7	1.5	1.8	483.8	478.6	113.3	326.6	7.6	265.9	22.9	29
18.7	15.2	22.9	6.7	14.9	6.9	10.8	2.1	3.7	18.6	2.2	0.6	546.6	541.5	129.4	375.3	9.2	286.9	34.4	30
21.0	12.4	21.6	7.0	17.2	7.7	7.2	1.8	3.1	19.1	2.5	1.0	561.5	553.2	125.0	379.0	7.1	298.0	30.4	31
25.8	11.3	18.1	6.4	21.1	8.1	6.8	3.4	1.3	19.8	1.5	1.3	486.6	478.7	77.6	357.1	9.6	252.7	42.2	32
25.5	12.9	19.5	6.9	17.8	5.9	6.9	3.1	2.3	18.7	1.9	1.3	479.8	473.8	69.6	371.5	9.2	217.2	79.3	33
35.5	17.9	24.4	6.9	13.9	5.6	7.9	4.5	2.9	15.4	2.2	1.9	564.4	559.3	107.1	397.7	10.8	279.3	32.4	34
21.6	10.0	18.5	5.2	17.2	5.6	6.0	2.3	2.1	12.5	1.7	1.3	457.3	450.7	98.3	317.6	6.6	221.4	33.4	35
26.8	11.6	24.2	5.5	21.5	7.4	6.5	2.8	3.3	15.4	2.1	1.3	591.9	583.4	121.8	418.4	9.6	316.0	32.0	36
14.9	9.6	18.2	4.1	16.1	5.6	5.8	2.5	2.1	11.8	1.9	1.3	445.4	438.8	109.4	297.5	5.6	204.5	24.7	37
14.3	8.4	18.5	3.9	13.4	5.0	4.3	2.3	1.9	13.1	1.7	1.3	448.4	440.4	115.3	291.5	5.3	196.9	22.9	38
18.2	10.2	19.9	4.7	14.8	5.7	5.2	2.1	2.1	13.3	2.4	1.7	469.8	461.3	134.1	294.2	4.6	206.2	24.1	39
30.8	13.3	23.4	8.3	18.6	6.7	7.7	2.5	2.7	13.8	2.1	1.5	509.2	503.2	113.7	350.3	9.0	272.9	21.9	40
22.6	10.8	23.1	5.5	18.8	7.6	7.2	2.4	3.7	16.2	2.0	1.0	549.1	541.1	130.5	368.8	7.1	269.5	29.0	41
19.9	10.6	20.9	5.7	16.7	5.8	5.9	1.9	2.8	12.4	1.9	1.2	512.6	505.5	135.7	328.7	6.1	237.6	29.3	42
18.8	9.3	23.4	4.9	16.5	6.1	5.6	2.5	2.5	12.3	1.8	1.7	481.8	473.1	128.0	310.8	5.2	206.6	29.3	43
19.3	9.6	21.6	4.0	16.5	6.5	4.1	2.6	1.9	13.5	2.4	2.2	499.2	489.6	138.5	314.9	5.5	199.9	25.3	44
20.2	11.0	26.5	5.8	22.2	8.7	6.6	3.9	2.2	14.2	2.7	1.7	558.4	544.7	134.6	372.0	6.0	279.0	20.7	45
24.0	9.9	19.8	5.5	19.4	6.4	6.2	2.7	2.9	20.1	2.6	2.6	470.5	463.3	99.0	334.4	4.0	241.9	25.9	46
25.2	10.5	22.4	7.0	21.2	8.0	7.5	2.7	3.3	16.6	1.9	1.4	527.1	518.1	129.7	352.3	5.7	280.1	18.1	47
20.6	9.4	18.3	5.2	14.9	6.8	6.2	1.9	2.2	12.7	1.9	1.5	401.4	395.2	93.8	273.3	4.4	203.4	19.9	48
18.6	11.3	19.0	5.8	12.7	9.2	7.9	3.4	3.0	15.8	2.5	0.8	457.1	448.9	97.7	312.3	10.0	235.8	24.7	49
14.0	8.0	16.2	5.7	14.5	7.2	6.9	3.0	2.1	11.7	1.9	1.3	422.3	416.6	88.0	298.7	10.9	228.1	23.2	50
15.6	9.0	14.8	5.2	14.5	6.0	6.6	2.7	4.4	14.8	1.4	0.8	360.8	356.2	84.4	240.5	7.1	193.4	17.5	51
17.6	10.5	16.7	6.2	13.9	6.4	6.7	2.7	3.1	10.1	1.4	1.6	425.3	420.2	88.1	291.9	13.5	236.4	13.2	52
10.4	7.0	13.4	3.4	12.0	4.0	4.5	2.7	2.5	8.8	1.3	1.6	241.5	237.5	55.1	161.2	9.6	116.3	13.2	53
21.3	8.2	15.6	5.3	11.5	5.4	5.7	3.0	7.6	10.3	1.7	2.2	318.5	314.2	60.9	227.6	8.2	180.9	13.1	54
9.5	8.3	15.1	4.4	12.0	5.2	5.9	1.0	1.7	10.5	1.7	1.0	310.1	305.6	63.4	223.1	14.8	158.7	18.2	55
19.4	10.1	14.3	5.1	13.1	3.9	5.4	3.9	3.9	9.3	2.1	3.0	367.8	362.7	68.7	268.7	10.1	212.5	18.2	56
22.6	12.3	20.9	7.6	17.0	7.8	7.6	2.2	3.3	15.8	2.1	0.9	505.2	500.6	110.9	350.1	9.9	270.5	25.5	57
22.8	12.4	21.5	6.9	16.1	8.4	7.6	2.3	3.9	14.9	2.2	1.4	512.2	508.2	117.0	352.7	10.6	277.5	20.1	58
23.5	13.3	18.1	6.2	15.5	6.8	7.5	2.4	2.5	10.3	1.4	1.2	441.1	436.7	87.8	315.7	9.4	237.2	37.8	59
6.9	2.0	3.3	2.0	9.3	4.5	2.4	1.2	2.4	3.3	0.8	6.5	169.5	166.3	43.1	108.9	4.9	79.7	4.1	60
15.0	3.8	7.6	3.2	8.2	5.8	5.6	1.3	3.8	11.3	1.3	1.3	239.7	234.3	45.7	172.0	5.6	115.2	11.8	61

Table 1-13. Death Rates for 60 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 popu-

	AREA	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	UNITED STATES	13.9	33.5	6.7	19.8	12.2	6.1	32.3	1.8	30.4	2.5	10.8	6.6	1.0	5.2	4.4	11.7
	GEOGRAPHIC DIVISIONS:																
2	New England	11.1	30.9	8.1	25.0	16.7	5.7	38.7	0.9	37.8	3.3	10.5	8.1	1.0	5.7	4.0	14.3
3	Middle Atlantic	9.6	37.6	6.8	19.9	12.9	5.9	34.1	0.9	33.2	2.7	8.9	7.8	1.1	5.6	4.6	16.6
4	East North Central	13.1	32.2	7.6	22.9	11 8	5.8	29.8	2.0	27.8	2.5	10.4	7.1	1.1	5.4	3.8	11.0
5	West North Central	15.4	29.0	7.3	26.7	13.0	5.8	35.9	3.3	32.5	2.5	11.2	6.9	1.0	6.0	3.7	8.0
6	South Atlantic	16.4	42.3	7.4	16.4	12.0	6.9	32.7	2.2	30.5	2.3	11.3	5.5	0.9	4.8	4.8	8.8
7	East South Central	20.9	45.7	8.7	19.8	10.0	8.2	34.6	4.0	30.6	2.1	9.5	5.1	0.9	4.8	5.8	6.7
8	West South Central	23.0	28.4	5.6	15.2	9.7	7.6	31.4	1.8	29.6	2.3	10.0	4.4	0.9	5.1	6.0	7.9
9	Mountain	11.7	17.6	4.1	14.6	11.1	5.0	31.2	1.4	29.8	3.0	15.1	5.8	0.9	4.7	5.2	9.8
10	Pacific	9.1	25.1	4.0	17.1	12.7	4.4	27.3	1.1	26.2	2.4	13.6	7.0	0.8	4.6	3.2	16.7
	NEW ENGLAND:																
11	Maine	10.9	39.0	7.7	26.0	14.7	6.5	32.2	2.8	29.4	3.0	10.2	7.5	1.5	6.4	2.8	8.4
12	New Hampshire	11.7	38.6	7.4	43.2	12.8	6.3	25.5	1.6	23.9	3.2	11.9	9 5	1.1	5.5	5.2	12.8
13	Vermont	11.8	31.0	11.8	28.2	17.7	7.9	33.2	3.3	34.9	3.8	18.7	5.9	1.0	6.7	5.4	9.5
14	Massachusetts	12.7	30.6	7.7	24.1	18.7	5.6	47.5	0.5	47.0	4.0	10.7	8.9	1.0	6.1	3.9	16.0
15	Rhode Island	8.3	30.3	10.5	17.0	13.9	6.8	24.0	0.1	23.9	3.4	9.7	8.9	0.5	5.5	3.7	14.8
16	Connecticut	8.7	26.8	8.0	24.1	15.2	5.0	31.9	0.6	31.3	2.2	6.9	6.7	0.9	4.7	4.2	14.2
	MIDDLE ATLANTIC:																
17	New York	5.8	36.1	6.8	17.7	11.5	5.4	38.3	0.7	37.6	3.3	8.9	8.3	1.1	5.1	4.6	19.2
18	New Jersey	9.6	33.9	6.0	16.5	13.2	5.6	27.7	0.4	27.3	2.6	8.2	7 3	1.1	5.6	4.8	16.7
19	Pennsylvania	15.4	42.0	7.3	25.0	14.8	6.8	31.1	1.4	29.7	1.7	9.4	7.2	1.0	6.4	4.3	12.6
	EAST NORTH CENTRAL:																
20	Ohio	11.9	35.3	7.4	27.0	12.3	5.5	25.1	2.8	22.3	3.0	11.6	6.7	1.0	5.3	3.9	10.9
21	Indiana	13.9	37.9	8.9	26.4	12.1	5.6	27.1	2.2	24.9	1.8	12.2	6.8	1.3	6.1	3.9	9.0
22	Illinois	16.2	33.4	9.0	19.7	9.9	6.6	40.1	1.3	38.8	2.6	8.7	7.7	1.2	5.3	4.0	13.4
23	Michigan	10.7	25.9	6.3	18.2	11.9	5.8	24.3	1.6	22.7	2.4	10.5	7 1	0.9	4.9	3.5	10.4
24	Wisconsin	12.6	28.8	5.5	25.7	15.0	5.1	30.0	2.2	27.8	2.2	9.1	6.8	1.1	5.9	3.6	8.8
	WEST NORTH CENTRAL:																
25	Minnesota	11.3	25.6	5.5	23.3	12.3	3.5	33.4	2.7	30.6	2.3	8.5	6.4	0.9	4.7	3.1	7.9
26	Iowa	15.6	29.1	9.0	31.9	13.6	5.3	34.0	3 2	30.7	2.2	12.2	7.6	1.0	6.7	3.7	6.0
27	Missouri	17.5	36.5	8.9	28 8	14.9	7.4	42.9	4.0	39.0	2.9	13.1	6.6	1.2	7.1	4.2	10.4
28	North Dakota	17.8	18.2	5.8	17.6	9 3	4.2	34.7	1.9	32.9	2.8	7.3	4.7	1.2	4.2	3.9	6.2
29	South Dakota	14.6	15.7	4.2	21.8	12.8	5.1	31.8	1.9	30.0	2.8	11.0	6.7	0.8	5.0	3.3	7.8
30	Nebraska	16.2	28.6	4.5	21.4	10.8	5.1	32.1	5.2	27 0	2.2	10.0	9.4	1 2	5.4	3.2	6.3
31	Kansas	16.3	27 2	7.9	29.1	12.2	8.3	32.6	2.8	29.8	2.1	12.1	6.6	0.8	5.9	4.1	7.6
	SOUTH ATLANTIC:																
32	Delaware	12.4	40.3	6.8	23.2	13.9	7.9	30.5	0.4	30.1	2.8	10.7	5.3	0.6	4.7	4.5	12.2
33	Maryland	10.6	55.2	5.3	15.4	12 0	6.0	25.9	1.0	24.9	3.1	10.2	5.5	1.1	5.6	3.6	12.1
34	District of Columbia	9.1	66.1	7.3	20.8	26.4	5.1	44.3	0.5	43.8	4.1	18.8	12.1	1.0	6.3	5.2	31.3
35	Virginia	12.8	43 4	7 1	16 3	11.2	6.7	30.4	1.5	28 9	2.5	10.5	4.3	0 8	4.4	4.0	7.2
36	West Virginia	18 5	42.2	9.8	21.9	12.5	8.5	39.0	3.4	35.6	3.0	13.9	6 3	1.0	5.3	4.1	8.3
37	North Carolina	20 4	42.3	8.3	14.5	9.0	6.6	30.8	3.0	27.7	1.8	7.5	4.1	0.9	4.0	4.2	5.6
38	South Carolina	17.2	49.1	7.6	16.9	9.1	8.0	38.4	4.2	34.2	1.8	7.8	5.3	0.9	4.7	6.4	5.2
39	Georgia	18.2	41.1	7.5	14.9	10.6	8.5	37.5	2.6	34.9	1.7	11.6	5.9	0.8	4.7	5.0	6.1
40	Florida	18.2	28.4	7.5	16.6	15.2	6.0	30.6	1.7	29.0	2.5	15 5	6.1	0.9	5.2	5.7	11.2
	EAST SOUTH CENTRAL:																
41	Kentucky	23.4	39.8	6.3	25.4	10.2	7.9	33.2	2.6	30.6	2.4	10 0	5.7	1 0	5.0	4.3	9.8
42	Tennessee	15.8	40.0	9.9	20.8	10.3	7.2	38.2	5.0	33.1	2.1	10.8	5.8	0.7	4.1	4.0	5.6
43	Alabama	19.9	49.8	8.7	16.6	9.0	8.7	29.4	4.0	25.4	1.8	8.3	4.5	1.0	5.3	5.5	5.7
44	Mississippi	27.2	57.0	9.7	15.5	11.0	9.6	38.5	4.2	34.3	2.3	8.4	4.0	0.9	5.0	11.0	5.8
	WEST SOUTH CENTRAL:																
45	Arkansas	26.4	39.9	9.2	18.4	10.5	13.7	38.1	3.4	34.7	2.5	11.8	5.1	0.8	5.7	5.7	5.7
46	Louisiana	19.8	42.8	5.5	14.5	10.0	7.2	34.3	1.2	33.1	2.0	10.1	4 4	0.8	5.4	5.0	7.4
47	Oklahoma	22.4	26.0	6.1	19.8	10.2	8.9	31.3	2.6	28.7	1.9	9.8	6.0	1.5	6.4	5.1	8.2
48	Texas	23.6	22.1	4 9	13.8	9.3	6.3	29.4	1.6	27 8	2.5	9.7	3.9	0.8	4.6	6.5	8.4
	MOUNTAIN.																
49	Montana	20.2	21.6	3.1	25.0	10.9	8.2	28.2	1.7	26.5	3.7	15.2	5.2	1.6	5.6	4.9	8.2
50	Idaho	14.3	24.2	3.6	16.8	9 6	5.7	24 5	1.7	22.8	1 9	12.9	5.6	0.9	3.9	4.6	5.4
51	Wyoming	9.6	12.9	4 7	14.2	12.3	4.7	24.4	2.7	21 6	4.1	12.3	7.4	0.5	5.5	4.1	9.0
52	Colorado	11.3	17.6	5.0	18.7	16.4	5.1	46.6	1.1	45 5	2.5	14.9	7.0	1.0	5.7	3.5	11.4
53	New Mexico	11 2	10.9	4.4	10.2	6.6	4.0	28.4	2.2	26.3	2.6	11.9	4.0	1.0	5.9	6.5	10.6
54	Arizona	8.7	16.6	4.9	11.4	9.4	4.3	27.8	1.1	26 7	4.7	23.6	4.8	0.6	3.6	8.7	11.1
55	Utah	10.1	21.2	2.2	7.3	9 6	4.6	21.9	0.9	21.0	2.0	8.2	5.8	0.7	3.5	3.3	5.4
56	Nevada	12.8	14.9	2.7	14.0	8.7	5.1	21.8	0.9	20.9	3.0	15.5	8.1	1 2	3.3	3.3	19.4
	PACIFIC:																
57	Washington	16 4	27.9	3.3	24.8	11.6	4.6	32.6	2.1	30.4	2.3	12.0	7.6	1.0	4.9	3.9	8.8
58	Oregon	13.7	30.9	4.4	21.4	12.7	4.1	34.2	1.2	33 0	3 1	14.7	6.3	0.7	4.9	2.5	11.3
59	California	7.4	23.9	4.1	15.6	13.3	4.4	25.8	0.8	25.0	2.4	14.1	7.2	0.8	4.7	3.2	19.1
60	Alaska	15.0	5.3	1.2	11.4	1.6	3.3	26.8	3.3	23.6	1.6	6.5	2.8	0.4	2.4	6.1	9.8
61	Hawaii	4.9	34.5	4.6	6.2	5.8	5.3	20.8	0.9	19 9	1.0	5.5	3.5	0.1	1.7	2.0	7.1

United States, Each Division and State, 1962–Con.

lation in each area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E940-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	
2.6	0.8	4.7	2.3	0.8	0.2	0.6	11.4	34.6	15.2	2.4	16.9	10.6	28.1	52.3	22.0	30.3	10.9	4.9	1
2.8	0.7	5.0	2.1	0.5	0.1	0.3	10.9	31.6	13.5	1.9	16.1	5.2	31.5	44.2	14.8	29.4	9.5	1.4	2
2.9	0.8	4.5	2.3	0.8	0.2	0.5	10.6	31.7	14.2	1.8	15.6	7.5	28.8	42.7	14.9	27.8	9.4	3.4	3
3.1	0.7	4.4	2.5	0.7	0.1	0.5	11.5	33.2	16.6	2.2	14.4	4.5	24.9	47.3	20.7	26.6	10.3	3.7	4
2.9	0.9	3.8	2.9	0.5	0.1	0.5	11.9	31.7	14.1	1.8	15.8	9.0	31.9	58.1	25.0	33.2	11.3	2.7	5
2.1	0.9	5.9	2.1	1.0	0.2	0.8	11.5	39.2	16.4	3.4	19.4	14.2	29.5	57.7	24.9	32.8	10.8	8.5	6
2.3	1.4	5.6	2.9	1.4	0.2	1.2	11.7	40.2	14.1	3.5	22.7	38.0	28.3	61.8	26.8	34.9	9.8	8.4	7
2.1	1.1	5.7	2.3	1.0	0.2	0.8	11.8	39.6	16.1	3.8	19.7	17.3	29.3	59.3	25.5	33.8	8.6	7.1	8
2.5	0.9	3.5	1.6	0.9	0.1	0.7	12.7	37.9	15.0	2.2	20.7	16.5	27.0	68.0	30.4	37.6	14.1	4.7	9
2.1	0.6	3.8	1.8	0.6	0.2	0.4	11.4	30.8	14.3	1.9	14.7	2.9	25.6	52.6	24.4	28.2	15.9	4.1	10
3.2	1.3	3.6	3.4	0.2	-	0.2	12.1	34.2	16.3	1.6	16.3	5.5	30.8	54.2	19.2	34.9	14.3	1.0	11
3.3	0.6	4.9	2.2	0.9	0.2	0.8	13.3	30.7	9.2	1.7	19.8	10.1	32.6	43.8	16.0	27.8	13.8	1.7	12
3.8	0.5	4.9	2.3	0.5	-	0.5	11.3	34.1	16.2	2.3	15.6	14.4	28.5	55.9	25.6	30.3	12.6	0.3	13
2.9	0.9	5.7	1.9	0.3	0.1	0.3	10.0	30.3	12.4	1.9	16.0	3.8	32.9	45.7	14.1	31.6	7.7	1.5	14
2.7	0.6	4.0	1.7	0.1	-	0.1	12.1	35.3	17.3	3.0	14.9	1.8	29.8	36.6	10.5	26.1	6.0	0.9	15
2.4	0.4	4.4	2.0	0.7	0.2	0.5	11.3	31.8	14.1	1.7	16.0	6.4	29.7	38.1	13.7	24.3	10.7	1.7	16
3.0	0.6	4.9	2.5	1.0	0.3	0.6	10.3	32.0	13.9	2.0	16.2	7.0	24.7	41.5	14.5	26.9	9.1	3.8	17
2.6	0.8	4.3	2.3	0.7	0.1	0.6	10.7	32.6	16.6	1.7	14.3	2.4	24.1	40.0	14.5	25.6	8.8	3.1	18
3.0	1.1	4.2	2.1	0.5	0.2	0.3	10.2	30.6	13.6	1.5	15.5	10.9	37.7	45.9	15.7	30.2	10.1	2.9	19
2.6	0.7	4.7	2.4	0.6	0.1	0.4	11.4	31.8	14.9	1.9	14.9	6.0	26.5	45.8	19.4	26.4	10.6	3.2	20
2.8	1.0	4.4	2.6	0.8	0.1	0.7	11.0	34.0	16.2	1.8	16.0	4.4	29.4	55.5	25.2	30.3	11.6	3.4	21
3.0	0.8	5.3	2.6	0.7	0.1	0.6	11.0	34.4	21.2	3.0	10.2	4.0	21.1	44.3	18.8	25.5	9.6	5.6	22
3.8	0.7	3.3	2.7	0.7	0.2	0.5	12.5	34.5	15.2	2.0	17.3	2.9	24.8	46.6	20.7	25.9	9.9	3.3	23
3.6	0.5	3.1	2.3	0.7	0.1	0.6	11.6	30.4	12.7	1.5	16.2	5.3	25.1	50.4	23.6	26.8	10.6	1.1	24
3.5	0.5	2.9	1.9	0.2	0.1	0.1	13.2	31.9	14.2	1.5	16.2	6.7	32.0	50.0	22.5	27.5	9.7	0.9	25
2.6	1.0	3.1	3.3	0.3	-	0.3	11.6	27.1	12.3	1.4	13.4	2.4	32.7	57.2	23.7	33.5	12.0	1.4	26
2.9	1.0	4.8	3.2	0.9	0.1	0.8	11.8	34.8	15.3	2.6	17.0	16.5	33.0	59.5	23.7	35.8	12.7	5.2	27
3.3	0.3	3.4	3.1	0.9	0.2	0.8	12.9	34.4	17.0	2.5	15.0	3.7	24.3	59.3	29.6	29.8	10.0	1.2	28
2.5	0.8	3.2	2.1	0.8	-	0.8	10.5	35.2	14.8	2.2	18.2	12.5	27.7	74.6	36.1	38.6	11.0	3.2	29
3.2	1.1	3.7	3.8	0.4	-	0.4	10.0	30.6	14.4	1.1	15.0	5.7	29.2	63.6	27.4	36.3	9.6	2.1	30
2.3	1.1	4.1	3.0	0.5	0.0	0.4	11.6	30.2	12.4	1.6	16.1	8.4	33.9	59.8	26.4	33.4	11.3	2.5	31
4.1	0.4	4.7	0.9	0.2	-	0.2	14.3	29.2	16.6	1.3	11.3	3.8	32.8	54.8	19.4	35.4	10.0	4.3	32
1.9	0.5	3.9	1.6	0.6	0.2	0.4	12.3	41.5	16.3	3.0	22.2	3.1	28.6	49.2	19.3	29.9	10.1	5.6	33
1.8	1.3	12.9	3.3	1.7	0.8	0.9	10.7	60.5	37.4	3.7	19.4	11.4	41.3	52.7	12.9	39.8	11.7	12.6	34
2.0	0.3	6.0	2.3	0.8	0.1	0.7	11.3	42.0	17.0	3.3	21.7	11.3	28.6	53.8	22.5	31.3	11.7	7.4	35
2.0	0.9	4.7	2.6	1.0	0.1	0.9	12.0	33.2	16.4	2.5	14.3	22.6	29.4	64.5	24.6	39.9	10.3	4.0	36
1.5	0.8	5.6	1.8	1.1	0.2	0.8	11.4	39.0	16.3	3.2	19.6	20.4	28.1	57.1	28.4	28.7	10.5	8.8	37
2.2	0.8	6.1	1.6	1.6	0.1	1.5	10.2	36.5	13.9	3.8	18.9	22.5	25.6	64.8	29.6	35.2	7.3	10.8	38
1.8	1.0	6.3	2.2	1.1	0.2	1.0	12.1	40.7	15.1	4.9	20.8	13.0	29.0	62.0	27.6	34.5	10.1	11.7	39
2.6	1.2	6.3	2.4	1.0	0.2	0.8	11.3	35.8	15.3	3.1	17.5	13.2	31.9	58.5	25.3	33.2	13.0	8.8	40
2.7	1.7	5.0	2.9	0.9	0.2	0.7	12.4	36.6	13.9	2.8	19.9	10.3	29.7	61.3	25.4	35.9	11.3	7.1	41
2.4	1.2	5.9	2.6	1.1	0.2	0.9	11.3	37.2	12.9	2.4	21.8	29.7	27.4	54.5	24.9	29.5	11.2	7.2	42
2.4	0.9	5.2	2.5	1.5	0.2	1.3	11.5	39.1	13.7	4.1	21.4	43.5	29.0	65.1	29.7	35.3	8.5	10.8	43
1.6	1.8	6.6	4.3	2.4	0.1	2.3	11.6	51.5	16.8	5.0	29.8	61.2	27.0	69.4	27.5	41.9	7.5	8.8	44
2.5	1.6	6.8	2.8	0.8	0.2	0.5	11.2	35.9	14.9	3.0	17.9	34.7	27.5	69.3	27.7	41.6	7.8	7.6	45
1.8	0.8	7.8	2.1	1.0	0.1	0.9	13.8	50.2	21.6	5.9	22.8	6.8	29.8	59.9	23.0	36.9	7.6	8.2	46
2.9	1.3	6.0	3.6	0.6	0.1	0.5	9.5	31.8	11.7	2.6	17.6	24.1	35.1	65.8	28.9	36.8	8.7	4.6	47
1.9	1.1	4.7	2.0	1.1	0.2	0.9	11.8	38.6	15.5	3.6	19.4	16.1	28.0	55.8	25.1	30.7	9.0	7.3	48
3.1	1.1	3.8	1.0	0.8	0.1	0.7	11.8	35.3	13.7	2.4	19.2	32.3	27.5	78.8	32.4	46.4	15.8	3.1	49
2.4	0.9	2.3	2.3	0.7	0.1	0.6	12.2	31.4	13.6	1.0	16.8	8.3	24.4	83.7	39.3	44.4	12.2	2.4	50
1.9	0.8	1.4	1.9	0.8	-	0.8	12.3	41.9	15.9	2.5	23.6	5.8	25.5	73.7	31.5	42.2	20.3	3.0	51
2.6	0.6	3.9	1.9	0.5	0.1	0.4	11.7	36.2	14.7	2.0	19.5	4.9	32.0	60.6	25.3	35.3	15.7	5.0	52
2.0	1.0	2.8	0.7	1.6	0.1	1.5	12.5	47.9	19.7	2.6	25.6	32.1	22.2	74.4	36.6	37.8	10.2	5.3	53
3.0	1.0	4.4	1.5	0.9	0.3	0.6	13.1	38.7	12.4	3.3	23.0	11.9	25.4	62.6	29.4	33.2	14.8	6.8	54
2.3	1.3	4.0	1.7	0.8	0.1	0.7	14.8	30.5	14.8	0.6	15.1	30.4	24.8	58.2	24.1	34.1	10.2	2.1	55
1.2	0.3	2.1	2.7	1.5	0.3	1.2	15.2	49.9	19.1	3.6	27.2	11.3	33.1	82.4	39.4	43.0	18.8	9.0	56
2.1	0.5	3.0	1.9	0.3	0.1	0.2	10.1	28.7	13.1	0.9	14.7	5.0	30.5	56.5	21.9	34.6	15.3	2.8	57
2.4	0.6	4.0	2.0	0.4	0.1	0.3	11.5	23.9	11.9	1.3	10.6	6.0	26.9	59.9	25.1	34.9	12.9	3.9	58
2.1	0.6	4.0	1.8	0.7	0.2	0.5	11.5	31.5	14.8	2.2	14.6	1.9	25.0	51.2	25.4	25.8	16.6	4.4	59
-	0.8	0.4	0.4	2.0	-	2.0	9.3	48.8	15.9	2.4	30.5	18.7	24.0	94.7	17.1	77.6	15.0	4.1	60
2.5	0.4	2.3	0.7	0.4	0.1	0.3	13.9	34.6	12.6	1.7	20.3	4.6	15.4	36.1	12.4	23.7	9.7	2.3	61

Table 1-14. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-62

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time; for discussion of comparability, see Technical Appendix)

YEAR	Total	White	Nonwhite	YEAR	Total	White	Nonwhite
1962[1]	35.2	23.8	95.9	1948	116.6	89.4	301.0
1961	36.9	24.9	101.3	1947	134.5	108.6	334.6
1960	37.1	26.0	97.9	1946	156.7	130.7	358.9
1959	37.4	25.8	102.1	1945	207.2	172.1	454.8
1958	37.6	26.3	101.8	1944	227.9	189.4	506.0
1957	41.0	27.5	118.3	1943	245.2	210.5	509.9
1956	40.9	28.7	110.7	1942	258.7	221.8	544.0
1955	47.0	32.8	130.3	1941	316.5	266.0	678.1
1954	52.4	37.2	143.8	1940	376.0	319.8	773.5
1953	61.1	44.1	166.1	1935-39	493.9	439.9	875.5
1952	67.8	48.9	188.1	1930-34[2]	636.0	575.4	1,080.7
1951	75.0	54.9	201.3	1925-29	668.6	615.0	1,163.7
1950	83.3	61.1	221.6	1920-24	689.5	649.2	1,134.3
1949	90.3	68.1	234.8	1915-19	727.9	700.3	1,253.5

[1]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[2]For 1932-34, Mexicans are included with "Nonwhite."

Table 1-15. Maternal Mortality Rates by Color: United States, Each Division and State, 1960-62 (3-Year Average)

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births, 1960-62)

DIVISION AND STATE	Total	White	Nonwhite
UNITED STATES[1]	36.4	25.5	100.2
GEOGRAPHIC DIVISIONS:			
New England	22.7	20.5	75.4
Middle Atlantic[1]	38.7	28.4	119.4
East North Central	29.3	23.4	76.5
West North Central	24.2	21.2	70.0
South Atlantic	49.4	23.9	110.6
East South Central	60.7	33.5	126.1
West South Central	42.3	29.2	90.8
Mountain	31.3	27.9	71.6
Pacific	26.7	22.0	59.7
NEW ENGLAND:			
Maine	24.4	23.3	109.4
New Hampshire	33.5	33.7	-
Vermont	14.3	14.3	-
Massachusetts	22.4	19.7	90.0
Rhode Island	12.7	11.3	45.1
Connecticut	24.8	21.7	64.4
MIDDLE ATLANTIC:			
New York	46.8	32.6	136.9
New Jersey	33.8	---	---
Pennsylvania	29.1	22.2	85.9
EAST NORTH CENTRAL:			
Ohio	26.4	21.6	66.7
Indiana	31.5	25.8	95.0
Illinois	26.7	21.0	55.9
Michigan	35.3	25.0	119.0
Wisconsin	28.4	26.7	68.4
WEST NORTH CENTRAL:			
Minnesota	13.2	12.6	40.8
Iowa	18.5	18.3	32.2
Missouri	38.7	32.5	77.6
North Dakota	30.6	29.8	49.9
South Dakota	28.6	26.9	49.3
Nebraska	20.4	19.4	42.2
Kansas	21.4	16.5	91.6
SOUTH ATLANTIC:			
Delaware	34.5	28.5	59.1
Maryland	33.7	17.8	89.0
District of Columbia	68.0	22.0	87.8
Virginia	48.4	24.8	120.9
West Virginia	42.3	36.3	159.4
North Carolina	49.8	22.0	110.7
South Carolina	66.3	20.3	130.4
Georgia	53.4	26.0	102.9
Florida	48.6	23.1	119.0
EAST SOUTH CENTRAL:			
Kentucky	45.9	40.5	103.2
Tennessee	43.2	31.4	84.6
Alabama	70.8	29.2	141.0
Mississippi	88.9	29.2	140.2
WEST SOUTH CENTRAL:			
Arkansas	49.4	21.8	115.6
Louisiana	41.5	20.3	74.6
Oklahoma	33.9	25.7	84.8
Texas	43.1	33.3	99.1
MOUNTAIN:			
Montana	23.2	18.8	77.0
Idaho	25.8	26.3	-
Wyoming	23.9	24.8	-
Colorado	23.6	23.0	39.7
New Mexico	53.4	51.4	69.1
Arizona	32.3	23.4	79.6
Utah	26.6	24.6	110.4
Nevada	37.5	28.5	101.1
PACIFIC:			
Washington	20.5	19.0	45.1
Oregon	24.8	24.8	25.7
California	28.0	22.1	72.9
Alaska	39.5	19.4	81.7
Hawaii	20.8	30.8	16.4

[1]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.

in 1962

Table 1-16. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1962

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in county of residence	DEATHS OF NONRESIDENTS															
			Total	Intra-state non-residents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	1,756,720	1,454,887	301,833	243,692	58,141	983	103	553	1,046	2,003	468	658	250	904	2,065	954	33	493
Alabama	30,590	26,023	4,567	3,900	667	...	-	-	4	2	1	1	1	1	169	166	-	-
Alaska	1,258	988	270	212	58	-	...	-	-	15	1	-	-	-	-	-	-	-
Arizona	11,484	9,917	1,567	707	860	9	1	...	7	196	35	9	-	2	10	4	-	6
Arkansas	18,789	14,421	4,368	3,392	976	9	-	6	...	24	4	-	-	-	14	4	1	-
California	141,172	126,207	14,965	13,185	1,780	5	3	180	18	...	55	12	1	2	39	11	15	33
Colorado	16,410	11,824	4,586	3,713	873	4	1	20	7	74	...	5	-	1	9	2	1	8
Connecticut	24,661	21,676	2,985	2,349	636	2	-	1	-	7	-	...	-	-	32	8	-	-
Delaware	4,386	3,643	743	359	384	1	--	-	-	-	-	2	...	5	4	1	-	-
District of Columbia	10,391	8,002	2,389	...	2,389	14	-	1	5	16	3	4	3	...	43	22	-	-
Florida	54,257	45,999	8,258	4,813	3,445	108	-	2	11	27	7	79	11	23	...	218	-	3
Georgia	36,355	27,755	8,600	7,360	1,240	255	-	1	4	3	1	3	-	3	290	...	1	-
Hawaii	3,579	3,434	145	65	80	-	-	1	1	30	2	4	1	-	1	1	...	-
Idaho	5,363	4,259	1,104	835	269	-	1	8	-	34	4	2	-	-	2	-	-	...
Illinois	103,015	89,171	13,844	11,579	2,265	11	-	18	29	84	10	3	1	2	92	12	1	1
Indiana	45,704	37,435	8,269	6,723	1,546	8	-	2	8	27	7	3	1	1	39	4	-	-
Iowa	28,628	22,274	6,354	5,189	1,165	-	1	3	3	30	14	1	--	-	6	-	-	2
Kansas	21,567	16,879	4,688	3,459	1,229	1	1	5	23	49	51	1	-	1	3	1	1	2
Kentucky	30,205	24,026	6,179	4,968	1,211	12	-	2	1	9	2	1	-	4	40	17	-	-
Louisiana	30,615	23,274	7,341	6,507	834	50	-	3	106	18	-	1	1	1	40	5	-	-
Maine	11,056	9,299	1,757	1,446	311	-	-	1	-	2	-	21	1	-	9	2	-	1
Maryland	28,254	20,739	7,515	5,573	1,942	6	3	2	5	19	5	9	99	617	56	12	1	-
Massachusetts	56,678	47,010	9,668	8,209	1,459	4	1	2	1	17	2	215	2	7	68	3	-	-
Michigan	69,493	58,428	11,065	9,957	1,108	19	1	2	9	41	3	3	-	3	86	5	-	-
Minnesota	32,393	24,608	7,785	6,183	1,602	5	1	8	2	42	7	1	-	2	20	8	1	1
Mississippi	22,442	18,294	4,148	3,497	651	164	-	3	35	5	2	-	1	1	28	6	1	-
Missouri	49,675	36,913	12,762	10,278	2,484	12	-	11	126	66	17	3	2	5	30	4	-	2
Montana	6,397	5,040	1,357	1,102	255	-	-	8	4	17	6	-	-	-	-	-	-	19
Nebraska	14,338	11,067	3,271	2,633	638	2	1	2	2	19	24	-	-	-	3	2	-	1
Nevada	2,956	2,289	667	191	476	-	2	17	-	282	7	3	1	-	3	1	-	12
New Hampshire	6,853	5,499	1,354	767	587	-	-	-	-	4	-	11	-	1	20	-	-	-
New Jersey	60,525	50,880	9,645	7,853	1,792	3	-	1	1	23	2	24	26	12	65	4	1	-
New Mexico	6,616	5,123	1,493	952	541	1	-	108	7	61	46	-	-	-	4	2	-	-
New York	181,685	159,923	21,762	18,487	3,275	16	-	4	1	84	7	286	7	25	211	28	-	1
North Carolina	39,274	31,163	8,111	6,957	1,154	9	-	-	5	5	1	3	1	14	120	49	-	-
North Dakota	5,392	3,655	1,737	1,336	401	-	-	1	-	5	-	-	-	-	-	-	-	1
Ohio	94,903	81,447	13,456	11,214	2,242	15	2	19	4	31	1	5	1	4	105	5	-	-
Oklahoma	23,500	18,772	4,728	4,150	578	3	-	7	62	40	14	-	-	1	8	6	-	1
Oregon	17,175	14,126	3,049	2,425	624	1	17	5	2	160	9	-	-	-	3	1	-	74
Pennsylvania	122,699	105,779	16,920	14,393	2,527	4	-	6	2	21	-	18	77	17	122	4	3	2
Rhode Island	9,121	7,783	1,338	903	435	-	-	-	1	3	1	89	1	1	8	-	-	-
South Carolina	20,156	16,718	3,438	2,918	520	10	-	-	1	4	1	4	-	4	38	95	-	-
South Dakota	6,532	4,417	2,115	1,671	444	3	-	2	-	9	16	-	-	-	1	1	-	1
Tennessee	35,588	28,510	7,078	4,645	2,433	170	-	2	393	22	5	1	2	1	45	198	1	1
Texas	81,113	66,468	14,645	12,853	1,792	32	3	37	148	124	27	2	2	1	68	18	4	-
Utah	6,502	5,309	1,193	806	387	1	-	36	-	47	20	-	-	1	-	-	-	110
Vermont	4,372	3,426	946	620	326	1	-	-	-	2	-	15	1	-	4	-	-	-
Virginia	35,014	22,651	12,363	10,922	1,441	11	-	1	4	12	1	10	6	119	51	16	-	-
Washington	27,700	23,868	3,832	2,835	997	2	63	4	1	137	1	1	-	2	2	1	1	200
West Virginia	18,884	14,196	4,688	3,259	1,429	-	-	1	-	4	1	2	-	18	16	3	-	-
Wisconsin	38,277	32,136	6,141	5,023	1,118	-	-	6	2	22	-	1	-	2	37	4	-	3
Wyoming	2,728	2,144	584	319	265	-	1	6	1	28	45	-	-	-	1	-	-	8

Table 1-16. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1962—Con.

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	3,899	1,879	1,203	1,396	1,469	634	351	2,103	1,293	1,650	1,034	939	1,846	284	630	233	542	3,291	445
Alabama	15	11	-	3	5	14	1	5	2	15	2	98	1	2	-	-	-	6	-
Alaska	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-
Arizona	71	21	29	16	4	4	-	4	7	45	24	2	17	13	9	23	2	8	45
Arkansas	45	5	2	27	8	40	-	-	1	6	-	27	173	-	1	1	-	2	4
California	113	32	48	26	9	19	3	10	22	58	45	6	42	19	33	118	2	43	27
Colorado	30	14	26	89	3	6	1	3	7	12	10	1	48	10	80	1	-	12	71
Connecticut	8	4	2	1	1	1	15	6	115	3	1	-	3	-	1	-	8	48	1
Delaware	2	-	1	-	-	-	-	95	5	1	1	-	-	2	-	-	1	107	-
District of Columbia	10	6	3	4	10	3	2	1,314	14	4	1	3	7	-	1	1	2	28	1
Florida	259	116	28	14	44	18	31	49	168	275	47	14	33	1	5	2	25	217	2
Georgia	14	11	1	2	17	7	1	7	9	18	4	10	4	-	-	-	2	13	-
Hawaii	5	2	-	1	-	-	-	3	1	2	1	2	1	-	-	1	-	5	1
Idaho	1	-	1	4	2	-	-	-	1	1	3	-	1	20	1	6	-	2	5
Illinois	...	632	125	24	56	8	2	6	5	155	43	28	317	3	16	4	-	14	5
Indiana	597	...	13	9	168	9	-	1	1	227	8	3	14	1	3	-	2	9	3
Iowa	423	8	...	18	2	1	-	-	1	14	106	3	135	2	191	-	-	2	2
Kansas	37	7	23	...	4	1	1	1	-	12	6	2	674	3	58	-	-	2	12
Kentucky	78	337	4	2	...	5	-	3	5	27	1	2	14	1	1	-	1	4	-
Louisiana	9	5	6	6	3	...	-	2	2	7	-	192	14	1	2	2	1	6	-
Maine	1	-	-	-	-	-	...	3	108	1	-	-	1	-	-	-	78	12	-
Maryland	16	2	2	2	10	7	3	...	22	16	3	4	3	-	5	1	3	79	2
Massachusetts	14	4	2	2	1	3	130	12	...	6	3	1	7	-	2	-	256	61	1
Michigan	147	131	10	6	24	2	-	4	6	...	13	6	18	4	7	1	-	7	1
Minnesota	123	38	243	16	9	1	-	2	2	67	...	2	30	32	31	-	-	6	2
Mississippi	30	9	-	2	4	188	-	1	-	6	1	...	6	-	-	-	-	3	-
Missouri	938	30	82	815	20	7	2	4	2	27	8	9	...	2	24	2	1	4	3
Montana	5	1	2	-	1	1	-	-	-	2	12	-	6	...	3	2	-	-	2
Nebraska	17	6	304	91	-	1	1	1	1	4	11	4	25	2	...	1	-	1	1
Nevada	10	4	4	2	-	-	-	2	1	5	2	1	5	5	7	...	-	3	2
New Hampshire	1	1	1	-	-	-	113	5	178	1	-	-	-	-	-	-	...	11	-
New Jersey	11	4	3	-	1	-	5	24	35	4	1	1	3	1	2	1	2	...	1
New Mexico	17	3	10	16	-	3	-	2	4	11	7	2	16	1	4	-	-	3	...
New York	34	17	4	6	16	11	18	40	165	39	12	-	10	-	2	3	14	1,350	2
North Carolina	8	3	3	5	5	7	1	27	9	9	1	1	1	-	2	-	7	30	1
North Dakota	5	-	1	-	-	1	-	-	-	2	261	-	1	28	3	-	-	-	-
Ohio	68	305	6	7	423	4	1	14	6	342	2	2	10	1	2	2	1	17	3
Oklahoma	5	6	10	103	3	11	-	-	4	7	7	5	40	-	4	-	-	-	8
Oregon	3	1	4	5	-	-	-	1	2	-	7	-	3	2	-	5	-	2	1
Pennsylvania	27	6	2	2	8	1	3	191	17	24	9	-	7	1	2	1	3	1,072	1
Rhode Island	1	-	-	-	1	-	6	-	277	-	1	1	1	-	-	-	1	6	-
South Carolina	7	2	-	-	-	-	1	15	1	5	2	4	3	-	-	-	1	18	1
South Dakota	9	2	84	5	-	-	-	1	2	7	76	-	6	17	77	-	-	-	1
Tennessee	59	22	5	8	369	15	-	3	6	20	1	469	75	2	1	1	-	4	-
Texas	59	23	22	39	21	226	-	6	7	23	15	25	46	5	6	3	-	15	225
Utah	4	2	2	3	1	1	-	-	1	3	4	1	1	13	2	38	-	2	5
Vermont	1	-	-	-	-	-	3	3	46	1	1	-	-	-	-	-	124	7	-
Virginia	21	10	3	4	36	6	6	111	20	12	2	4	3	-	2	1	4	36	-
Washington	11	4	10	4	1	2	-	1	-	7	18	1	7	60	6	7	-	-	-
West Virginia	10	10	-	2	178	-	-	121	1	7	-	-	1	-	-	1	-	7	-
Wisconsin	515	20	65	2	1	-	-	-	2	104	239	3	8	3	3	2	-	4	1
Wyoming	5	2	7	3	-	-	-	-	2	6	12	-	5	26	31	2	-	2	2

Table 1-16. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1962—Con.

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																			Total deaths of residents
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	3,385	970	428	2,548	1,078	667	3,118	441	811	482	934	1,431	207	309	2,085	680	1,229	1,221	283	1,756,720
Alabama	7	10	-	9	3	-	2	-	2	-	77	18	-	-	9	1	1	2	1	30,906
Alaska	1	-	-	2	1	1	-	-	-	-	-	1	-	-	1	30	-	1	-	1,303
Arizona	39	2	3	35	7	19	12	1	1	4	5	31	11	1	4	29	3	18	12	11,177
Arkansas	3	2	-	6	270	1	4	-	4	-	50	215	-	-	5	4	1	7	-	18,859
California	107	9	13	72	28	167	38	4	4	7	15	84	35	1	7	101	5	26	8	141,395
Colorado	25	-	7	22	26	6	15	1	3	18	6	74	28	-	3	8	1	7	67	16,005
Connecticut	287	5	-	7	1	1	17	26	3	-	3	1	-	9	5	1	1	1	-	24,883
Delaware	8	3	-	6	-	-	126	1	1	-	-	-	-	-	8	-	3	-	-	4,252
District of Columbia	65	31	1	19	4	2	61	2	20	-	9	12	1	-	605	4	22	6	-	8,806
Florida	689	69	2	273	8	2	266	23	31	1	51	27	2	16	59	1	35	53	-	52,877
Georgia	27	48	-	27	1	-	28	1	286	1	100	13	-	-	16	2	4	5	-	36,069
Hawaii	2	-	-	1	2	2	2	-	-	-	-	2	-	-	-	3	-	-	-	3,532
Idaho	1	-	2	-	-	45	2	-	1	2	-	8	24	-	-	68	-	1	16	5,587
Illinois	48	7	6	74	14	1	48	2	4	9	38	35	3	1	14	7	6	239	4	104,649
Indiana	16	1	-	256	2	1	30	1	2	2	22	9	-	1	9	6	9	11	-	46,037
Iowa	3	-	5	14	6	3	3	1	1	89	1	4	4	-	5	4	1	71	2	28,666
Kansas	11	1	7	5	178	1	5	-	1	2	-	27	-	-	-	4	-	4	1	21,734
Kentucky	14	5	-	241	6	-	24	3	6	1	174	5	1	2	51	-	103	1	1	30,463
Louisiana	15	9	1	6	11	-	3	1	6	-	11	275	-	-	4	1	2	5	1	30,415
Maine	28	1	-	5	-	-	18	12	-	-	3	-	-	3	-	-	-	-	-	11,096
Maryland	61	42	1	29	4	2	301	2	20	2	9	2	-	3	274	5	166	5	-	28,415
Massachusetts	209	2	-	19	-	2	26	305	2	-	1	6	-	45	10	-	3	1	1	56,512
Michigan	37	2	1	214	2	1	36	1	2	1	15	10	-	-	5	1	12	209	-	70,035
Minnesota	28	1	230	11	7	5	6	-	1	142	6	14	-	-	1	14	3	421	10	31,825
Mississippi	9	6	1	10	-	-	4	-	3	-	85	22	-	-	3	-	2	9	1	22,730
Missouri	20	2	1	20	76	4	6	-	1	7	23	37	-	-	2	4	1	19	3	49,037
Montana	3	-	46	2	2	6	3	-	-	10	-	4	5	-	-	40	2	2	39	6,426
Nebraska	4	-	4	4	5	6	1	-	1	51	1	8	2	-	-	2	-	2	20	14,330
Nevada	6	2	1	3	3	12	3	-	-	-	2	13	32	-	3	11	1	2	1	2,713
New Hampshire	46	3	-	5	-	-	5	4	-	-	-	1	-	172	2	-	-	1	1	6,808
New Jersey	733	10	-	21	1	2	708	11	5	-	3	4	-	2	22	-	4	4	1	82,024
New Mexico	9	2	2	6	18	1	5	-	1	2	2	143	5	-	1	3	2	5	6	6,520
New York	...	36	1	66	6	3	575	18	16	-	6	22	1	44	46	7	6	8	1	181,795
North Carolina	60	...	3	25	3	2	39	2	318	1	74	7	-	1	271	1	17	3	-	39,090
North Dakota	-	-	...	2	2	4	3	-	-	66	-	6	-	-	1	1	-	7	-	5,419
Ohio	81	13	-	...	6	1	288	2	4	2	20	19	2	1	18	5	363	8	1	95,209
Oklahoma	12	1	-	6	...	2	3	1	-	5	3	181	-	-	1	5	-	2	1	24,000
Oregon	6	3	3	4	4	...	3	-	-	2	-	11	8	-	1	267	-	3	1	17,218
Pennsylvania	360	15	-	302	3	2	...	4	7	1	6	1	2	2	36	4	124	5	-	123,290
Rhode Island	22	2	-	2	-	-	4	...	-	1	-	1	-	1	1	-	1	1	-	9,127
South Carolina	21	200	1	19	-	2	22	-	...	-	5	6	-	1	21	-	5	-	-	20,447
South Dakota	1	1	53	3	9	1	3	-	-	...	1	6	2	1	-	5	-	10	28	6,570
Tennessee	9	82	-	41	7	1	13	1	19	-	...	24	-	-	318	1	10	6	-	34,089
Texas	38	17	10	26	341	7	27	2	18	6	18	...	7	1	11	9	9	13	2	80,752
Utah	1	-	-	6	5	6	3	-	-	1	-	9	...	-	1	6	-	-	51	6,322
Vermont	100	-	-	2	-	-	7	3	1	-	1	-	-	...	1	1	1	-	-	4,355
Virginia	70	315	-	37	-	2	89	6	16	2	81	7	-	1	...	1	296	6	-	35,658
Washington	9	-	10	7	1	335	2	-	1	49	1	6	7	-	2	...	3	8	2	27,383
West Virginia	12	9	2	563	2	-	219	-	-	-	4	-	1	-	227	6	...	1	-	18,684
Wisconsin	16	-	4	12	-	1	9	-	1	6	1	14	1	-	1	2	1	...	-	38,380
Wyoming	6	1	7	1	3	5	1	-	-	9	1	6	23	-	-	5	-	2	...	2,746

Table 1-17. Deaths by Month and State of Occurrence: United States and Each State, 1962

(Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,756,720	163,043	145,450	157,564	146,081	145,923	136,557	139,301	138,371	133,417	145,250	145,622	160,141
Alabama	30,590	3,014	2,455	2,710	2,622	2,542	2,254	2,514	2,356	2,236	2,468	2,482	2,937
Alaska	1,258	110	88	98	107	107	109	121	122	122	96	86	92
Arizona	11,484	1,133	946	1,051	1,000	881	896	885	904	871	930	943	1,044
Arkansas	18,789	1,883	1,526	1,671	1,525	1,536	1,457	1,518	1,506	1,405	1,570	1,564	1,628
California	141,172	13,566	11,147	12,291	11,402	11,647	11,234	11,180	11,266	10,741	11,933	11,915	12,850
Colorado	16,410	1,496	1,312	1,469	1,378	1,355	1,402	1,340	1,363	1,251	1,353	1,309	1,382
Connecticut	24,661	2,156	2,075	2,170	1,954	2,058	1,932	1,905	1,939	1,974	2,068	2,054	2,376
Delaware	4,386	415	375	386	362	396	335	360	321	325	352	351	408
District of Columbia	10,391	907	877	943	864	842	826	800	776	787	911	914	944
Florida	54,257	5,410	4,635	5,090	4,459	4,314	3,956	4,290	4,204	3,860	4,262	4,536	5,241
Georgia	36,355	3,473	2,931	3,171	2,953	3,084	2,722	2,870	2,893	2,748	2,923	3,126	3,461
Hawaii	3,579	317	286	332	264	251	279	329	330	309	310	266	306
Idaho	5,363	476	422	486	402	494	382	456	445	433	479	416	472
Illinois	103,015	10,021	8,917	8,969	8,536	8,792	7,925	7,980	7,888	7,757	8,525	8,341	9,364
Indiana	45,704	4,013	3,698	4,042	3,924	3,938	3,494	3,584	3,690	3,546	3,833	3,756	4,186
Iowa	28,628	2,647	2,475	2,442	2,382	2,328	2,274	2,221	2,301	2,135	2,372	2,412	2,639
Kansas	21,567	2,019	1,719	1,937	1,821	1,817	1,597	1,784	1,703	1,636	1,748	1,813	1,973
Kentucky	30,205	2,753	2,485	2,708	2,618	2,599	2,355	2,348	2,385	2,311	2,410	2,488	2,745
Louisiana	30,615	3,048	2,373	2,683	2,464	2,474	2,257	2,797	2,583	2,219	2,472	2,511	2,734
Maine	11,056	976	895	974	881	976	890	937	935	867	919	845	961
Maryland	28,254	2,509	2,244	2,584	2,352	2,305	2,191	2,237	2,160	2,212	2,330	2,422	2,708
Massachusetts	56,678	5,134	4,888	5,188	4,877	4,793	4,452	4,405	4,267	4,321	4,713	4,602	5,038
Michigan	69,493	6,296	5,734	6,264	5,848	5,858	5,424	5,381	5,502	5,403	5,809	5,696	6,278
Minnesota	32,393	2,950	2,724	2,755	2,642	2,608	2,675	2,530	2,612	2,493	2,846	2,677	2,881
Mississippi	22,442	2,297	1,926	2,051	1,801	1,754	1,673	1,900	1,620	1,657	1,784	1,851	2,128
Missouri	49,675	5,085	4,136	4,278	3,980	4,105	3,851	3,987	3,905	3,690	4,124	4,015	4,519
Montana	6,397	556	495	549	497	537	554	525	533	537	490	523	601
Nebraska	14,338	1,226	1,215	1,251	1,116	1,172	1,167	1,138	1,157	1,115	1,240	1,260	1,281
Nevada	2,956	232	224	244	237	273	229	237	265	248	248	242	277
New Hampshire	6,853	614	525	644	539	551	576	566	527	506	606	562	637
New Jersey	60,525	5,392	5,178	5,502	5,061	5,015	4,635	4,722	4,649	4,705	5,053	5,062	5,551
New Mexico	6,616	618	535	596	499	550	537	552	513	480	583	527	626
New York	181,685	15,929	14,914	16,660	15,635	14,975	14,229	14,257	13,943	14,092	15,178	15,231	16,642
North Carolina	39,274	3,605	3,212	3,557	3,236	3,208	3,071	3,049	3,008	3,070	3,307	3,359	3,592
North Dakota	5,392	469	480	452	469	404	446	424	437	453	444	466	448
Ohio	94,903	8,483	8,110	8,762	7,890	8,081	7,510	7,372	7,565	7,090	7,840	7,724	8,476
Oklahoma	23,500	2,279	1,938	2,071	1,933	1,898	1,785	1,954	2,007	1,732	1,800	1,971	2,132
Oregon	17,175	1,501	1,328	1,505	1,382	1,408	1,409	1,464	1,333	1,420	1,545	1,410	1,470
Pennsylvania	122,699	11,108	10,563	11,333	10,379	10,267	9,369	9,399	9,367	9,110	10,153	10,198	11,453
Rhode Island	9,121	815	718	832	785	776	703	750	682	692	760	772	836
South Carolina	20,156	2,056	1,706	1,843	1,712	1,625	1,487	1,560	1,528	1,480	1,574	1,696	1,889
South Dakota	6,532	567	564	512	557	502	536	539	572	513	556	556	558
Tennessee	35,588	3,466	3,047	3,114	2,962	3,023	2,593	2,890	2,748	2,619	2,923	2,984	3,219
Texas	81,113	7,916	6,367	7,334	6,640	6,589	6,289	6,609	7,202	5,986	6,343	6,573	7,265
Utah	6,502	591	503	569	524	574	533	513	492	570	546	525	562
Vermont	4,372	361	352	356	332	417	375	353	383	356	378	330	379
Virginia	35,014	3,186	2,958	3,208	2,903	2,795	2,648	2,769	2,675	2,710	3,047	2,928	3,187
Washington	27,700	2,577	2,176	2,505	2,361	2,291	2,188	2,365	2,151	2,173	2,290	2,284	2,339
West Virginia	18,884	1,711	1,564	1,796	1,583	1,645	1,496	1,426	1,413	1,381	1,470	1,635	1,764
Wisconsin	38,277	3,455	3,257	3,388	3,210	3,269	3,111	2,997	3,042	2,826	3,115	3,162	3,445
Wyoming	2,728	226	232	238	221	224	239	212	203	244	221	251	217

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Exlcudes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,756,720	163,043	145,450	157,564	146,081	145,923	136,557	139,301	138,371	133,417	145,250	145,622	160,141
Male	994,789	91,981	81,441	88,935	82,308	82,751	78,101	78,972	78,752	75,995	82,349	82,241	90,963
Female	761,931	71,062	64,009	68,629	63,773	63,172	58,456	60,329	59,619	57,422	62,901	63,381	69,178
White	1,488,113	137,406	123,278	133,507	124,010	124,277	115,976	117,745	117,052	112,862	123,282	123,464	135,254
Male	846,458	77,742	69,449	75,751	70,228	70,917	66,564	66,977	66,995	64,592	70,129	69,987	77,147
Female	641,655	59,664	53,829	57,756	53,782	53,360	49,412	50,768	50,057	48,270	53,153	53,487	58,107
Nonwhite	206,583	20,077	16,826	18,377	16,869	16,475	15,839	16,760	16,597	15,759	16,819	16,992	19,193
Male	114,262	11,178	9,177	10,065	9,226	9,042	8,939	9,351	9,151	8,747	9,321	9,421	10,644
Female	92,321	8,899	7,649	8,312	7,643	7,433	6,900	7,409	7,446	7,012	7,498	7,571	8,549
ALABAMA	30,906	3,037	2,503	2,751	2,635	2,542	2,306	2,556	2,378	2,248	2,490	2,521	2,939
Male	17,469	1,721	1,375	1,533	1,490	1,416	1,315	1,439	1,296	1,277	1,420	1,487	1,700
Female	13,437	1,316	1,128	1,218	1,145	1,126	991	1,117	1,082	971	1,070	1,034	1,239
White	19,744	1,895	1,597	1,749	1,667	1,651	1,465	1,684	1,544	1,457	1,611	1,582	1,842
Male	11,545	1,099	913	1,009	971	948	872	967	886	856	953	966	1,105
Female	8,199	796	684	740	696	703	593	717	658	601	658	616	737
Nonwhite	11,162	1,142	906	1,002	968	891	841	872	834	791	879	939	1,097
Male	5,924	622	462	524	519	468	443	472	410	421	467	521	595
Female	5,238	520	444	478	449	423	398	400	424	370	412	418	502
ALASKA	1,303	118	95	101	112	112	111	120	123	120	103	88	100
Male	896	77	60	67	77	75	83	87	81	76	76	65	72
Female	407	41	35	34	35	37	28	33	42	44	27	23	28
White	834	74	58	65	67	78	68	80	74	73	64	62	71
Male	624	53	39	49	51	60	54	62	55	50	51	49	51
Female	210	21	19	16	16	18	14	18	19	23	13	13	20
Nonwhite	469	44	37	36	45	34	43	40	49	47	39	26	29
Male	272	24	21	18	26	15	29	25	26	26	25	16	21
Female	197	20	16	18	19	19	14	15	23	21	14	10	8
ARIZONA	11,177	1,065	904	984	945	881	895	900	903	884	923	899	994
Male	7,013	686	565	606	597	564	574	553	585	558	565	546	614
Female	4,164	379	339	378	348	317	321	347	318	326	358	353	380
White	9,890	939	807	872	860	786	777	780	778	785	816	810	880
Male	6,254	615	508	540	548	504	506	478	517	505	500	493	539
Female	3,636	324	298	332	312	282	271	302	261	280	316	317	341
Nonwhite	1,287	126	97	112	85	95	118	120	125	99	107	89	114
Male	759	71	56	66	49	60	68	75	68	53	65	53	75
Female	528	55	41	46	36	35	50	45	57	46	42	36	39
ARKANSAS	18,659	1,875	1,535	1,669	1,501	1,555	1,436	1,523	1,524	1,412	1,586	1,588	1,653
Male	11,159	1,092	943	1,026	884	877	835	928	861	850	952	930	981
Female	7,700	783	592	663	617	658	603	595	663	562	634	658	672
White	14,298	1,362	1,143	1,288	1,157	1,172	1,093	1,140	1,167	1,073	1,213	1,216	1,274
Male	8,649	805	722	799	698	690	651	704	680	664	738	719	779
Female	5,649	557	421	489	459	482	442	436	487	409	475	497	495
Nonwhite	4,361	513	392	401	344	363	345	383	357	339	373	372	379
Male	2,510	287	221	227	186	167	184	224	181	186	214	211	202
Female	2,051	226	171	174	158	176	161	159	176	153	159	161	177
CALIFORNIA	141,395	13,515	11,044	12,293	11,386	11,712	11,292	11,274	11,360	10,788	11,967	11,939	12,825
Male	80,490	7,590	6,289	7,098	6,527	6,688	6,397	6,430	6,488	6,110	6,794	6,809	7,270
Female	60,905	5,925	4,755	5,195	4,859	5,024	4,895	4,844	4,872	4,678	5,173	5,130	5,555
White	132,142	12,608	10,365	11,499	10,635	11,004	10,547	10,500	10,627	10,051	11,145	11,137	12,024
Male	74,935	7,036	5,893	6,611	6,066	6,254	5,943	5,957	6,037	5,681	6,319	6,347	6,791
Female	57,207	5,572	4,472	4,888	4,569	4,750	4,604	4,543	4,590	4,370	4,826	4,790	5,233
Nonwhite	9,253	907	679	794	751	708	745	774	733	737	822	802	801
Male	5,555	554	396	487	461	434	454	473	451	429	475	462	479
Female	3,698	353	283	307	290	274	291	301	282	308	347	340	322
COLORADO	16,005	1,482	1,283	1,443	1,352	1,323	1,368	1,290	1,304	1,197	1,314	1,282	1,367
Male	9,218	853	736	827	765	748	813	772	727	690	747	759	781
Female	6,787	629	547	616	587	575	555	518	577	507	567	523	586
White	15,489	1,431	1,247	1,394	1,306	1,273	1,327	1,247	1,269	1,156	1,267	1,242	1,330
Male	8,918	822	717	803	739	718	790	744	708	669	718	733	757
Female	6,571	609	530	591	567	555	537	503	561	487	549	509	573
Nonwhite	516	51	36	49	46	50	41	43	35	41	47	40	37
Male	300	31	19	24	26	30	23	28	19	21	29	26	24
Female	216	20	17	25	20	20	18	15	16	20	18	14	13
CONNECTICUT	24,883	2,175	2,112	2,214	1,984	2,062	1,965	1,916	1,953	1,980	2,087	2,062	2,373
Male	13,690	1,177	1,156	1,215	1,050	1,150	1,119	1,088	1,044	1,114	1,139	1,156	1,282
Female	11,193	998	956	999	934	912	846	828	909	866	948	906	1,091
White	23,895	2,079	2,027	2,136	1,900	1,979	1,888	1,831	1,879	1,902	2,008	1,996	2,270
Male	13,122	1,126	1,113	1,170	1,010	1,103	1,070	1,033	995	1,074	1,091	1,110	1,227
Female	10,773	953	914	966	890	876	818	798	884	828	917	886	1,043
Nonwhite	988	96	85	78	84	83	77	85	74	78	79	66	103
Male	568	51	43	45	40	47	49	55	49	40	48	46	55
Female	420	45	42	33	44	36	28	30	25	38	31	20	48
DELAWARE	4,252	411	362	383	348	376	320	342	304	326	346	339	397
Male	2,399	220	194	221	196	225	178	195	172	175	200	187	236
Female	1,853	191	168	162	150	151	142	147	132	151	146	152	161
White	3,516	337	300	319	291	305	261	279	244	275	285	287	333
Male	1,965	183	162	183	160	178	147	156	133	146	160	155	202
Female	1,551	154	138	136	131	127	114	123	111	129	125	132	131
Nonwhite	736	74	62	64	55	71	59	63	60	51	61	52	64
Male	434	37	32	38	36	47	31	39	39	29	40	32	34
Female	302	37	30	26	19	24	28	24	21	22	21	20	30
DISTRICT OF COLUMBIA	8,906	791	782	814	711	728	675	693	673	674	786	794	785
Male	4,760	409	421	448	333	414	363	365	349	369	423	438	428
Female	4,146	382	361	366	378	314	312	328	324	305	363	356	357
White	4,527	404	431	432	358	372	339	331	329	327	407	409	388
Male	2,324	200	218	237	155	210	175	158	165	175	207	222	202
Female	2,203	204	213	195	203	162	164	173	164	152	200	187	186
Nonwhite	4,379	387	351	382	353	356	336	362	344	347	379	385	397
Male	2,436	209	203	211	178	204	188	207	184	194	216	216	226
Female	1,943	178	148	171	175	152	148	155	160	153	163	169	171

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1962—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA	52,877	5,052	4,146	4,572	4,222	4,263	4,020	4,402	4,361	4,012	4,321	4,464	5,042
Male	31,868	3,102	2,496	2,779	2,541	2,552	2,422	2,629	2,635	2,401	2,589	2,634	3,088
Female	21,009	1,950	1,650	1,793	1,681	1,711	1,598	1,773	1,726	1,611	1,732	1,830	1,954
White	43,499	4,141	3,427	3,746	3,492	3,517	3,354	3,648	3,533	3,286	3,557	3,661	4,137
Male	26,617	2,567	2,108	2,322	2,134	2,133	2,040	2,203	2,177	2,005	2,166	2,186	2,576
Female	16,882	1,574	1,319	1,424	1,358	1,384	1,314	1,445	1,356	1,281	1,391	1,475	1,561
Nonwhite	9,378	911	719	826	730	746	666	754	829	726	764	803	905
Male	5,251	535	388	457	407	419	382	426	458	396	423	448	512
Female	4,127	376	331	369	323	327	284	328	370	330	341	355	393
GEORGIA	36,069	3,450	2,916	3,127	2,904	3,061	2,698	2,840	2,875	2,742	2,897	3,101	3,458
Male	20,366	1,931	1,638	1,767	1,677	1,700	1,519	1,615	1,618	1,534	1,671	1,758	1,938
Female	15,703	1,519	1,278	1,360	1,227	1,361	1,179	1,225	1,257	1,208	1,226	1,343	1,520
White	23,539	2,211	1,904	2,046	1,892	2,056	1,790	1,835	1,923	1,792	1,878	2,005	2,207
Male	13,733	1,268	1,110	1,194	1,144	1,184	1,018	1,069	1,120	1,023	1,119	1,175	1,309
Female	9,806	943	794	852	748	872	772	766	803	769	759	830	898
Nonwhite	12,530	1,239	1,012	1,081	1,012	1,005	908	1,005	952	950	1,019	1,096	1,251
Male	6,633	663	528	573	533	516	501	546	498	511	552	583	629
Female	5,897	576	484	508	479	489	407	459	454	439	467	513	622
HAWAII	3,532	314	280	325	255	244	277	326	327	312	306	265	301
Male	2,253	203	187	197	168	166	168	219	222	200	181	154	188
Female	1,279	111	93	128	87	78	109	107	105	112	125	111	113
White	995	76	94	87	60	86	82	106	75	83	86	79	81
Male	604	43	63	50	34	55	40	68	54	56	46	42	53
Female	391	33	31	37	26	31	42	38	21	27	40	37	28
Nonwhite	2,537	238	186	238	195	158	195	220	252	229	220	186	220
Male	1,649	160	124	147	134	111	128	151	168	144	135	112	135
Female	888	78	62	91	61	47	67	69	84	85	85	74	85
IDAHO	5,587	512	447	518	423	514	393	459	448	454	495	429	495
Male	3,454	313	272	334	258	302	256	267	286	283	307	271	305
Female	2,133	199	175	184	165	212	137	192	162	171	188	158	190
White	5,488	506	439	513	420	501	384	447	439	451	482	421	485
Male	3,395	309	268	329	257	294	252	261	279	282	299	267	298
Female	2,093	197	171	184	163	207	132	186	160	169	183	154	187
Nonwhite	99	6	8	5	3	13	9	12	9	3	13	8	10
Male	59	4	4	5	1	8	4	6	7	1	8	4	7
Female	40	2	4	-	2	5	5	6	2	2	5	4	3
ILLINOIS	104,649	10,138	9,071	9,118	8,684	8,960	8,078	8,135	8,060	7,862	8,630	8,418	9,495
Male	59,072	5,702	4,961	5,080	4,866	5,090	4,687	4,661	4,535	4,586	4,861	4,702	5,341
Female	45,577	4,436	4,110	4,038	3,818	3,870	3,391	3,474	3,525	3,276	3,769	3,716	4,154
White	93,613	9,100	8,061	8,166	7,820	8,076	7,204	7,317	7,182	6,968	7,749	7,525	8,445
Male	52,899	5,101	4,439	4,543	4,384	4,589	4,189	4,202	4,033	4,062	4,368	4,226	4,763
Female	40,714	3,999	3,622	3,623	3,436	3,487	3,015	3,115	3,149	2,906	3,381	3,299	3,682
Nonwhite	11,036	1,038	1,010	952	864	884	874	818	878	894	881	893	1,050
Male	6,173	601	522	537	482	501	498	459	502	524	493	476	578
Female	4,863	437	488	415	382	383	376	359	376	370	388	417	472
INDIANA	46,037	4,078	3,758	4,096	3,915	3,951	3,490	3,621	3,699	3,546	3,872	3,806	4,205
Male	26,080	2,301	2,100	2,306	2,226	2,242	2,032	2,012	2,146	2,025	2,195	2,150	2,345
Female	19,957	1,777	1,658	1,790	1,689	1,709	1,458	1,609	1,553	1,521	1,677	1,656	1,860
White	43,235	3,840	3,534	3,832	3,685	3,697	3,292	3,429	3,464	3,335	3,632	3,559	3,936
Male	24,511	2,172	1,975	2,155	2,092	2,102	1,925	1,910	2,015	1,901	2,054	2,014	2,196
Female	18,724	1,668	1,559	1,677	1,593	1,595	1,367	1,519	1,449	1,434	1,578	1,545	1,740
Nonwhite	2,802	238	224	264	230	254	198	192	235	211	240	247	269
Male	1,569	129	125	151	134	140	107	102	131	124	141	136	149
Female	1,233	109	99	113	96	114	91	90	104	87	99	111	120
IOWA	28,666	2,652	2,483	2,452	2,380	2,332	2,269	2,224	2,306	2,109	2,385	2,415	2,659
Male	16,195	1,452	1,383	1,364	1,343	1,334	1,275	1,230	1,354	1,200	1,389	1,380	1,491
Female	12,471	1,200	1,100	1,088	1,037	998	994	994	952	909	996	1,035	1,168
White	28,350	2,615	2,451	2,421	2,348	2,310	2,241	2,200	2,280	2,090	2,364	2,399	2,631
Male	16,019	1,436	1,362	1,348	1,326	1,322	1,259	1,213	1,340	1,189	1,378	1,372	1,474
Female	12,331	1,179	1,089	1,073	1,022	988	982	987	940	901	986	1,027	1,157
Nonwhite	316	37	32	31	32	22	28	24	26	19	21	16	28
Male	176	16	21	16	17	12	16	17	14	11	11	8	17
Female	140	21	11	15	15	10	12	7	12	8	10	8	11
KANSAS	21,734	2,038	1,733	1,941	1,824	1,836	1,624	1,799	1,723	1,638	1,747	1,816	2,015
Male	12,306	1,138	983	1,061	1,024	1,054	948	1,051	968	912	993	1,059	1,115
Female	9,428	900	750	880	800	782	676	748	755	726	754	757	900
White	20,614	1,946	1,646	1,844	1,727	1,747	1,537	1,716	1,617	1,559	1,648	1,715	1,912
Male	11,705	1,080	939	1,012	970	1,005	897	1,013	918	865	942	1,005	1,059
Female	8,909	866	707	832	757	742	640	703	699	694	706	710	853
Nonwhite	1,120	92	87	97	97	89	87	83	106	79	99	101	103
Male	601	58	44	49	54	49	51	38	50	47	51	54	56
Female	519	34	43	48	43	40	36	45	56	32	48	47	47
KENTUCKY	30,463	2,790	2,520	2,743	2,655	2,609	2,362	2,362	2,400	2,313	2,439	2,503	2,767
Male	17,426	1,593	1,396	1,564	1,491	1,508	1,380	1,347	1,413	1,332	1,383	1,422	1,597
Female	13,037	1,197	1,124	1,179	1,164	1,101	982	1,015	987	981	1,056	1,081	1,170
White	27,311	2,486	2,272	2,481	2,373	2,374	2,109	2,123	2,131	2,062	2,184	2,227	2,489
Male	15,726	1,432	1,263	1,429	1,356	1,371	1,245	1,215	1,269	1,192	1,244	1,258	1,452
Female	11,585	1,054	1,009	1,052	1,017	1,003	864	908	862	870	940	969	1,037
Nonwhite	3,152	304	248	262	282	235	253	239	269	251	255	276	278
Male	1,700	161	133	135	135	137	135	132	144	140	139	164	145
Female	1,452	143	115	127	147	98	118	107	125	111	116	112	133
LOUISIANA	30,415	3,029	2,352	2,658	2,463	2,449	2,257	2,765	2,575	2,198	2,463	2,504	2,702
Male	17,222	1,734	1,299	1,508	1,383	1,369	1,273	1,546	1,457	1,251	1,452	1,392	1,558
Female	13,193	1,295	1,053	1,150	1,080	1,080	984	1,219	1,118	947	1,011	1,112	1,144
White	18,880	1,821	1,463	1,625	1,514	1,527	1,418	1,677	1,626	1,407	1,554	1,576	1,672
Male	11,034	1,069	851	930	885	869	825	954	941	826	963	913	1,008
Female	7,846	752	612	695	629	658	593	723	685	581	591	663	664
Nonwhite	11,535	1,208	889	1,033	949	922	839	1,088	949	791	909	928	1,030
Male	6,188	665	448	578	498	500	448	592	516	425	489	479	550
Female	5,347	543	441	455	451	422	391	496	433	366	420	449	480

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1962—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	11,096	994	910	996	899	968	891	907	896	866	921	860	888
Male	6,124	522	533	550	529	518	492	483	499	463	522	473	540
Female	4,972	472	377	446	370	450	399	424	397	403	399	387	448
White	11,056	989	906	990	897	965	886	903	894	862	919	858	987
Male	6,102	520	530	547	528	516	489	482	498	460	521	472	539
Female	4,954	469	376	443	369	449	397	421	396	402	398	386	448
Nonwhite	40	5	4	6	2	3	5	4	2	4	2	2	1
Male	22	2	3	3	1	2	3	1	1	3	1	1	1
Female	18	3	1	3	1	1	2	3	1	1	1	1	-
MARYLAND	28,415	2,519	2,272	2,592	2,371	2,315	2,205	2,243	2,173	2,226	2,330	2,425	2,744
Male	15,843	1,372	1,257	1,443	1,343	1,323	1,273	1,231	1,205	1,244	1,264	1,349	1,539
Female	12,572	1,147	1,015	1,149	1,028	992	932	1,012	968	982	1,066	1,076	1,205
White	22,868	2,021	1,807	2,088	1,914	1,899	1,768	1,798	1,752	1,782	1,850	1,989	2,200
Male	12,681	1,094	1,010	1,132	1,069	1,078	1,005	1,001	967	993	1,006	1,103	1,223
Female	10,187	927	797	956	845	821	763	797	785	789	844	886	977
Nonwhite	5,547	498	465	504	457	416	437	445	421	444	480	436	544
Male	3,162	278	247	311	274	245	268	230	238	251	258	246	316
Female	2,385	220	218	193	183	171	169	215	183	193	222	190	228
MASSACHUSETTS	56,512	5,143	4,854	5,184	4,866	4,818	4,438	4,366	4,256	4,277	4,697	4,578	5,035
Male	29,929	2,663	2,539	2,699	2,542	2,550	2,426	2,301	2,267	2,278	2,473	2,427	2,764
Female	26,583	2,480	2,315	2,485	2,324	2,268	2,012	2,065	1,989	1,999	2,224	2,151	2,271
White	55,283	5,035	4,764	5,072	4,750	4,727	4,338	4,278	4,177	4,153	4,590	4,464	4,935
Male	29,265	2,604	2,495	2,642	2,477	2,499	2,368	2,251	2,223	2,208	2,419	2,372	2,707
Female	26,018	2,431	2,269	2,430	2,273	2,228	1,970	2,027	1,954	1,945	2,171	2,092	2,228
Nonwhite	1,229	108	90	112	116	91	100	88	79	124	107	114	100
Male	664	59	44	57	65	51	58	50	44	70	54	55	57
Female	565	49	46	55	51	40	42	38	35	54	53	59	43
MICHIGAN	70,035	6,381	5,838	6,372	5,911	5,912	5,450	5,338	5,485	5,412	5,827	5,766	6,343
Male	40,560	3,646	3,419	3,673	3,415	3,447	3,179	3,108	3,169	3,161	3,360	3,299	3,684
Female	29,475	2,735	2,419	2,699	2,496	2,465	2,271	2,230	2,316	2,251	2,467	2,467	2,659
White	64,000	5,794	5,381	5,833	5,439	5,404	4,990	4,894	5,014	4,918	5,292	5,283	5,758
Male	37,158	3,338	3,138	3,380	3,155	3,156	2,917	2,856	2,898	2,890	3,056	3,029	3,345
Female	26,842	2,456	2,243	2,453	2,284	2,248	2,073	2,038	2,116	2,028	2,236	2,254	2,413
Nonwhite	6,035	587	457	539	472	508	460	444	471	494	535	483	585
Male	3,402	308	281	293	260	291	262	252	271	271	304	270	339
Female	2,633	279	176	246	212	217	198	192	200	223	231	213	246
MINNESOTA	31,825	2,908	2,695	2,743	2,609	2,572	2,580	2,438	2,554	2,458	2,788	2,649	2,831
Male	18,448	1,667	1,542	1,636	1,497	1,497	1,477	1,397	1,531	1,438	1,584	1,556	1,626
Female	13,377	1,241	1,153	1,107	1,112	1,075	1,103	1,041	1,023	1,020	1,204	1,093	1,205
White	31,448	2,878	2,670	2,723	2,574	2,546	2,552	2,403	2,520	2,421	2,755	2,613	2,793
Male	18,239	1,652	1,528	1,623	1,478	1,485	1,467	1,375	1,513	1,411	1,560	1,534	1,613
Female	13,209	1,226	1,142	1,100	1,096	1,061	1,085	1,028	1,007	1,010	1,195	1,079	1,180
Nonwhite	377	30	25	20	35	26	28	35	34	37	33	36	38
Male	209	15	14	13	19	12	10	22	18	27	24	22	13
Female	168	15	11	7	16	14	18	13	16	10	9	14	25
MISSISSIPPI	22,730	2,315	1,951	2,090	1,824	1,788	1,692	1,921	1,617	1,684	1,811	1,884	2,153
Male	12,780	1,292	1,093	1,138	1,032	987	981	1,062	919	946	987	1,099	1,244
Female	9,950	1,023	858	952	792	801	711	859	698	738	824	785	909
White	11,895	1,089	1,024	1,096	958	959	892	957	865	919	973	1,010	1,123
Male	7,072	641	616	641	576	566	548	549	529	550	553	630	673
Female	4,823	448	408	455	392	393	344	408	356	369	420	380	450
Nonwhite	10,835	1,226	927	994	856	829	800	964	732	765	838	874	1,030
Male	5,708	651	477	497	456	421	433	513	390	396	434	469	571
Female	5,127	575	450	497	400	408	367	451	342	369	404	405	459
MISSOURI	49,037	5,047	4,095	4,262	3,960	3,977	3,824	3,915	3,834	3,631	4,076	3,983	4,433
Male	27,334	2,788	2,220	2,427	2,247	2,258	2,117	2,155	2,146	2,017	2,265	2,224	2,470
Female	21,703	2,259	1,875	1,835	1,713	1,719	1,707	1,760	1,688	1,614	1,811	1,759	1,963
White	44,065	4,517	3,683	3,817	3,564	3,597	3,411	3,480	3,425	3,296	3,685	3,597	3,993
Male	24,617	2,484	2,012	2,183	2,021	2,039	1,902	1,923	1,933	1,835	2,059	2,005	2,221
Female	19,448	2,033	1,671	1,634	1,543	1,558	1,509	1,557	1,492	1,461	1,626	1,592	1,772
Nonwhite	4,972	530	412	445	396	380	413	435	409	335	391	386	440
Male	2,717	304	208	244	226	219	215	232	213	182	206	219	249
Female	2,255	226	204	201	170	161	198	203	196	153	185	167	191
MONTANA	6,426	578	504	547	513	535	546	514	521	521	498	536	613
Male	4,017	387	304	346	321	332	346	314	322	325	300	332	388
Female	2,409	191	200	201	192	203	200	200	199	196	198	204	225
White	6,163	553	488	533	497	511	517	495	497	494	478	517	583
Male	3,861	369	295	358	314	316	325	306	309	312	292	319	366
Female	2,302	184	193	195	183	195	192	189	188	182	186	198	217
Nonwhite	263	25	16	14	16	24	29	19	24	27	20	19	30
Male	156	18	9	8	7	16	21	8	13	13	8	13	22
Female	107	7	7	6	9	8	8	11	11	14	12	6	8
NEBRASKA	14,330	1,253	1,220	1,243	1,106	1,159	1,148	1,131	1,172	1,109	1,239	1,269	1,281
Male	8,140	703	688	699	645	643	672	617	679	619	701	740	734
Female	6,190	550	532	544	461	516	476	514	493	490	538	529	547
White	13,906	1,215	1,179	1,211	1,076	1,121	1,113	1,097	1,127	1,081	1,193	1,243	1,250
Male	7,879	678	658	680	627	621	649	598	650	602	674	726	716
Female	6,027	537	521	531	449	500	464	499	477	479	519	517	534
Nonwhite	424	38	41	32	30	38	35	34	45	28	46	26	31
Male	261	25	30	19	18	22	23	19	29	17	27	14	18
Female	163	13	11	13	12	16	12	15	16	11	19	12	13
NEVADA	2,713	220	222	222	220	236	210	214	242	226	228	217	256
Male	1,767	145	139	140	129	149	133	136	165	154	165	140	172
Female	946	75	83	82	91	87	77	78	77	72	63	77	84
White	2,494	204	211	206	203	214	196	193	220	211	203	198	235
Male	1,627	137	132	133	116	137	122	122	150	144	146	128	160
Female	867	67	79	73	87	77	74	71	70	67	57	70	75
Nonwhite	219	16	11	16	17	22	14	21	22	15	25	19	21
Male	140	8	7	7	13	12	11	14	15	10	19	12	12
Female	79	8	4	9	4	10	3	7	7	5	6	7	9

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1962—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE	6,808	614	534	649	555	556	564	542	497	484	599	568	646
Male	3,726	342	305	347	292	305	315	297	265	286	344	289	339
Female	3,082	272	229	302	263	251	249	245	232	198	255	279	307
White	6,798	613	533	649	554	555	564	542	496	483	597	566	646
Male	3,720	342	304	347	291	305	315	297	265	285	342	288	339
Female	3,078	271	229	302	263	250	249	245	231	198	255	278	307
Nonwhite	10	1	1	-	1	1	-	-	1	1	2	2	-
Male	6	-	1	-	1	-	-	-	-	1	2	1	-
Female	4	1	-	-	-	1	-	-	1	-	-	1	-
NEW JERSEY[1]	62,024	5,560	5,346	5,680	5,202	5,171	4,742	4,796	4,722	4,796	5,149	5,166	5,694
Male	34,069	3,061	2,815	3,119	2,854	2,792	2,598	2,644	2,606	2,656	2,899	2,853	3,172
Female	27,955	2,499	2,531	2,561	2,348	2,379	2,144	2,152	2,116	2,140	2,250	2,313	2,522
NEW MEXICO	6,520	599	520	596	492	547	530	536	503	474	574	501	648
Male	3,929	363	308	345	291	318	309	341	317	294	338	319	386
Female	2,591	236	212	251	201	229	221	195	186	180	236	182	262
White	5,962	552	491	542	452	501	471	498	458	442	512	464	579
Male	3,597	332	289	312	267	295	276	311	292	275	302	295	351
Female	2,365	220	202	230	185	206	195	187	166	167	210	169	228
Nonwhite	558	47	29	54	40	46	59	38	45	32	62	37	69
Male	332	31	19	33	24	23	33	30	25	19	36	24	35
Female	226	16	10	21	16	23	26	8	20	13	26	13	34
NEW YORK	181,795	15,961	15,031	16,731	15,666	14,955	14,152	14,263	13,898	14,079	15,157	15,221	16,881
Male	100,008	8,893	8,223	8,997	8,445	8,296	7,866	7,976	7,685	7,773	8,281	8,368	9,205
Female	81,787	7,068	6,808	7,734	7,221	6,659	6,286	6,287	6,213	6,306	6,876	6,853	7,476
White	166,726	14,629	13,852	15,410	14,381	13,760	12,951	12,991	12,688	12,904	13,920	13,972	15,268
Male	91,618	8,127	7,566	8,306	7,760	7,628	7,174	7,234	7,029	7,115	7,585	7,653	8,441
Female	75,108	6,502	6,286	7,104	6,621	6,132	5,777	5,757	5,659	5,789	6,335	6,319	6,827
Nonwhite	15,069	1,332	1,179	1,321	1,285	1,195	1,201	1,272	1,210	1,175	1,237	1,249	1,413
Male	8,390	766	657	691	685	668	692	742	656	658	696	715	764
Female	6,679	566	522	630	600	527	509	530	554	517	541	534	649
NORTH CAROLINA	39,090	3,592	3,195	3,554	3,233	3,195	3,033	3,039	2,961	3,059	3,281	3,351	3,597
Male	22,632	2,048	1,835	2,029	1,880	1,814	1,812	1,807	1,737	1,778	1,931	1,870	2,091
Female	16,458	1,544	1,360	1,525	1,353	1,381	1,221	1,232	1,224	1,281	1,350	1,481	1,506
White	27,310	2,454	2,198	2,477	2,309	2,260	2,165	2,164	2,073	2,157	2,273	2,332	2,448
Male	16,110	1,417	1,287	1,463	1,374	1,335	1,308	1,299	1,226	1,286	1,360	1,315	1,440
Female	11,200	1,037	911	1,014	935	925	857	865	847	871	913	1,017	1,008
Nonwhite	11,780	1,138	997	1,077	924	935	868	875	888	902	1,008	1,019	1,149
Male	6,522	631	548	566	506	479	504	508	511	492	571	555	651
Female	5,258	507	449	511	418	456	364	367	377	410	437	464	498
NORTH DAKOTA	5,419	490	487	454	478	424	457	427	428	445	427	460	442
Male	3,356	287	285	310	307	258	280	251	266	302	256	277	277
Female	2,063	203	202	144	171	166	177	176	162	143	171	183	165
White	5,282	485	479	449	464	411	444	416	423	425	418	436	432
Male	3,270	282	279	307	300	250	271	245	263	291	252	260	270
Female	2,012	203	200	142	164	161	173	171	160	134	166	176	162
Nonwhite	137	5	8	5	14	13	13	11	5	20	9	24	10
Male	86	5	6	3	7	8	9	6	3	11	4	17	7
Female	51	-	2	2	7	5	4	5	2	9	5	7	3
OHIO	95,209	8,494	8,141	8,823	7,908	8,100	7,538	7,402	7,605	7,112	7,835	7,712	8,539
Male	52,956	4,752	4,411	4,924	4,398	4,505	4,224	4,183	4,233	3,949	4,338	4,258	4,783
Female	42,253	3,742	3,730	3,899	3,512	3,595	3,314	3,219	3,372	3,163	3,497	3,454	3,756
White	87,439	7,805	7,480	8,128	7,285	7,398	6,888	6,785	6,960	6,515	7,235	7,099	7,861
Male	48,617	4,369	4,036	4,538	4,060	4,121	3,847	3,846	3,863	3,605	4,003	3,921	4,408
Female	38,822	3,436	3,444	3,590	3,225	3,277	3,041	2,939	3,097	2,910	3,232	3,178	3,453
Nonwhite	7,770	689	661	695	623	702	650	617	645	597	600	613	678
Male	4,339	383	375	386	336	384	377	337	370	344	335	337	375
Female	3,431	306	286	309	287	318	273	280	275	253	265	276	303
OKLAHOMA	24,000	2,319	1,980	2,094	1,981	1,930	1,815	2,016	2,047	1,791	1,840	2,013	2,174
Male	14,034	1,367	1,162	1,243	1,170	1,116	1,067	1,147	1,188	1,044	1,057	1,186	1,287
Female	9,966	952	818	851	811	814	748	869	859	747	783	827	887
White	21,492	2,051	1,771	1,871	1,776	1,727	1,616	1,814	1,828	1,601	1,668	1,810	1,959
Male	12,612	1,225	1,045	1,103	1,055	1,007	948	1,039	1,060	933	967	1,066	1,164
Female	8,880	826	726	768	721	720	668	775	768	668	701	744	795
Nonwhite	2,508	268	209	223	205	203	199	202	219	190	172	203	215
Male	1,422	142	117	140	115	109	119	108	128	111	90	120	123
Female	1,086	126	92	83	90	94	80	94	91	79	82	83	92
OREGON	17,218	1,503	1,345	1,503	1,395	1,420	1,414	1,457	1,323	1,411	1,531	1,420	1,496
Male	10,201	876	788	893	827	876	861	796	803	864	916	827	874
Female	7,017	627	557	610	568	544	553	661	520	547	615	593	622
White	16,865	1,478	1,321	1,469	1,364	1,387	1,389	1,428	1,292	1,370	1,499	1,397	1,471
Male	9,980	859	775	868	809	858	847	777	782	838	898	811	858
Female	6,885	619	546	601	555	529	542	651	510	532	601	586	613
Nonwhite	353	25	24	34	31	33	25	29	31	41	32	23	25
Male	221	17	13	25	18	18	14	19	21	26	18	16	16
Female	132	8	11	9	13	15	11	10	10	15	14	7	9
PENNSYLVANIA	123,290	11,148	10,606	11,386	10,447	10,273	9,443	9,495	9,448	9,122	10,185	10,255	11,482
Male	68,233	6,121	5,807	6,380	5,709	5,702	5,291	5,219	5,251	5,095	5,663	5,609	6,386
Female	55,057	5,027	4,799	5,006	4,738	4,571	4,152	4,276	4,197	4,027	4,522	4,646	5,096
White	113,791	10,340	9,748	10,560	9,665	9,520	8,706	8,742	8,650	8,374	9,412	9,452	10,622
Male	62,958	5,667	5,327	5,926	5,280	5,277	4,873	4,807	4,801	4,681	5,237	5,183	5,899
Female	50,833	4,673	4,421	4,634	4,365	4,243	3,833	3,935	3,849	3,693	4,175	4,269	4,723
Nonwhite	9,499	808	858	826	782	753	737	753	798	748	773	803	860
Male	5,275	454	480	454	429	425	418	412	450	414	426	426	487
Female	4,224	354	378	372	353	328	319	341	348	334	347	377	373
RHODE ISLAND	9,127	824	744	847	796	753	691	746	679	665	758	772	832
Male	4,857	430	418	447	408	388	345	397	379	362	429	412	442
Female	4,270	394	326	400	388	365	346	349	300	323	329	360	390
White	8,905	810	717	822	777	729	674	731	664	673	742	755	811
Male	4,735	423	402	437	397	374	334	392	370	357	418	400	431
Female	4,170	387	315	385	380	355	340	339	294	316	324	355	380
Nonwhite	222	14	27	25	19	24	17	15	15	12	16	17	21
Male	122	7	16	10	11	14	11	5	9	5	11	12	11
Female	100	7	11	15	8	10	6	10	6	7	5	5	10

[1]New Jersey did not require reporting of color; see Technical Appendix.

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1962—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA	20,447	2,076	1,726	1,879	1,731	1,642	1,521	1,592	1,541	1,508	1,606	1,725	1,900
Male	11,511	1,174	978	1,022	955	917	863	898	851	873	904	971	1,105
Female	8,936	902	748	857	776	725	658	694	690	635	702	754	795
White	12,183	1,208	1,043	1,105	1,037	991	940	940	913	890	999	1,040	1,077
Male	7,085	720	596	634	590	570	549	552	524	536	570	594	650
Female	5,098	488	447	471	447	421	391	388	389	354	429	446	427
Nonwhite	8,264	868	683	774	694	651	581	652	628	618	607	685	823
Male	4,426	454	382	388	365	347	314	346	327	337	334	377	455
Female	3,838	414	301	386	329	304	267	306	301	281	273	308	368
SOUTH DAKOTA	6,570	573	572	515	553	497	528	537	555	567	561	556	556
Male	4,006	337	357	296	325	308	330	345	336	355	360	329	328
Female	2,564	236	215	219	228	189	198	192	219	212	201	227	228
White	6,228	543	549	481	518	476	508	510	538	516	537	531	521
Male	3,814	323	342	276	312	290	315	328	325	330	347	315	311
Female	2,414	220	207	205	206	186	193	182	213	186	190	216	210
Nonwhite	342	30	23	34	35	21	20	27	17	51	24	25	35
Male	192	14	15	20	13	18	15	17	11	25	13	14	17
Female	150	16	8	14	22	3	5	10	6	26	11	11	18
TENNESSEE	34,089	3,336	2,906	2,981	2,858	2,904	2,488	2,746	2,636	2,524	2,786	2,837	3,087
Male	19,061	1,859	1,591	1,642	1,588	1,650	1,407	1,537	1,496	1,422	1,555	1,561	1,753
Female	15,028	1,477	1,315	1,339	1,270	1,254	1,081	1,209	1,140	1,102	1,231	1,276	1,334
White	26,912	2,637	2,302	2,374	2,285	2,314	1,922	2,181	2,074	1,982	2,184	2,248	2,409
Male	15,216	1,481	1,269	1,318	1,298	1,333	1,100	1,240	1,192	1,126	1,249	1,232	1,378
Female	11,696	1,156	1,033	1,056	987	981	822	941	882	856	935	1,016	1,031
Nonwhite	7,177	699	604	607	573	590	566	565	562	542	602	589	678
Male	3,845	378	322	324	290	317	307	297	304	296	306	329	375
Female	3,332	321	282	283	283	273	259	268	258	246	296	260	303
TEXAS	80,752	7,887	6,316	7,279	6,597	6,605	6,262	6,590	7,182	5,980	6,317	6,535	7,200
Male	46,737	4,585	3,637	4,262	3,857	3,822	3,601	3,779	4,136	3,448	3,674	3,783	4,153
Female	34,015	3,302	2,681	3,017	2,740	2,783	2,661	2,811	3,046	2,532	2,643	2,752	3,047
White	67,791	6,617	5,328	6,071	5,507	5,582	5,253	5,511	5,968	5,030	5,335	5,551	6,038
Male	39,705	3,890	3,122	3,598	3,255	3,283	3,035	3,194	3,489	2,940	3,129	3,231	3,539
Female	28,086	2,727	2,206	2,473	2,252	2,299	2,218	2,317	2,479	2,090	2,206	2,320	2,499
Nonwhite	12,961	1,270	990	1,208	1,090	1,023	1,009	1,079	1,214	950	982	984	1,162
Male	7,032	695	515	664	602	539	566	585	647	508	545	552	614
Female	5,929	575	475	544	488	484	443	494	567	442	437	432	548
UTAH	6,322	578	480	552	514	566	509	506	491	547	523	507	549
Male	3,658	337	258	325	280	331	295	305	284	339	313	284	307
Female	2,664	241	222	227	234	235	214	201	207	208	210	223	242
White	6,190	567	465	542	499	557	499	500	485	532	511	495	538
Male	3,567	330	247	319	271	324	290	301	279	329	304	274	299
Female	2,623	237	218	223	228	233	209	199	206	203	207	221	239
Nonwhite	132	11	15	10	15	9	10	6	6	15	12	12	11
Male	91	7	11	6	9	7	5	4	5	10	9	10	8
Female	41	4	4	4	6	2	5	2	1	5	3	2	3
VERMONT	4,355	371	356	371	336	420	370	335	364	341	382	334	375
Male	2,367	196	193	189	182	226	226	182	214	182	207	186	184
Female	1,988	175	163	182	154	194	144	153	150	159	175	148	191
White	4,341	369	355	371	335	419	369	332	364	339	380	333	375
Male	2,358	194	192	189	181	226	225	181	214	182	205	185	184
Female	1,983	175	163	182	154	193	144	151	150	157	175	148	191
Nonwhite	14	2	1	-	1	1	1	3	-	2	2	1	-
Male	9	2	1	-	1	-	1	1	-	-	2	1	-
Female	5	-	-	-	-	1	-	2	-	2	-	-	-
VIRGINIA	35,658	3,247	3,022	3,269	2,988	2,836	2,714	2,820	2,749	2,726	3,081	2,970	3,236
Male	20,216	1,800	1,734	1,828	1,701	1,597	1,582	1,570	1,574	1,572	1,712	1,691	1,855
Female	15,442	1,447	1,288	1,441	1,287	1,239	1,132	1,250	1,175	1,154	1,369	1,279	1,381
White	26,420	2,364	2,224	2,412	2,226	2,108	2,014	2,091	1,998	2,023	2,314	2,219	2,427
Male	15,140	1,310	1,278	1,350	1,303	1,230	1,197	1,178	1,163	1,166	1,293	1,271	1,401
Female	11,280	1,054	946	1,062	923	878	817	913	835	857	1,021	948	1,026
Nonwhite	9,238	883	798	857	762	728	700	729	751	703	767	751	809
Male	5,076	490	456	478	398	367	385	392	411	406	419	420	454
Female	4,162	393	342	379	364	361	315	337	340	297	348	331	355
WASHINGTON	27,383	2,563	2,153	2,497	2,352	2,248	2,171	2,322	2,109	2,105	2,271	2,275	2,317
Male	16,309	1,510	1,271	1,478	1,375	1,311	1,315	1,377	1,291	1,243	1,389	1,347	1,402
Female	11,074	1,053	882	1,019	977	937	856	945	818	862	882	928	915
White	26,518	2,484	2,085	2,422	2,263	2,181	2,112	2,254	2,027	2,041	2,199	2,200	2,250
Male	15,758	1,464	1,224	1,433	1,314	1,273	1,271	1,337	1,245	1,205	1,339	1,298	1,355
Female	10,760	1,020	861	989	949	908	841	917	782	836	860	902	895
Nonwhite	865	79	68	75	89	67	59	68	82	64	72	75	67
Male	551	46	47	45	61	38	44	40	46	38	50	49	47
Female	314	33	21	30	28	29	15	28	36	26	22	26	20
WEST VIRGINIA	16,684	1,718	1,558	1,772	1,557	1,519	1,456	1,409	1,388	1,384	1,481	1,597	1,745
Male	11,088	1,022	895	1,052	941	973	886	835	831	806	874	941	1,032
Female	7,596	696	663	720	616	546	570	574	557	578	607	656	713
White	17,524	1,593	1,465	1,667	1,464	1,525	1,369	1,322	1,314	1,291	1,382	1,505	1,627
Male	10,371	946	836	992	874	911	833	784	783	751	810	892	959
Female	7,153	647	629	675	590	614	536	538	531	540	572	613	668
Nonwhite	1,160	125	93	105	93	94	87	87	74	93	99	92	118
Male	717	76	59	60	67	62	53	51	48	55	64	49	73
Female	443	49	34	45	26	32	34	36	26	38	35	43	45
WISCONSIN	38,380	3,484	3,299	3,420	3,232	3,269	3,102	2,987	3,003	2,817	3,114	3,184	3,469
Male	21,870	2,000	1,839	1,909	1,773	1,926	1,748	1,716	1,749	1,629	1,813	1,782	1,984
Female	16,510	1,484	1,460	1,511	1,459	1,343	1,354	1,269	1,254	1,188	1,301	1,402	1,485
White	37,712	3,422	3,252	3,366	3,165	3,204	3,052	2,923	2,957	2,774	3,060	3,124	3,413
Male	21,494	1,968	1,812	1,880	1,742	1,886	1,723	1,676	1,720	1,602	1,782	1,758	1,945
Female	16,218	1,454	1,440	1,486	1,423	1,318	1,329	1,247	1,237	1,172	1,278	1,366	1,468
Nonwhite	668	62	47	54	67	65	50	64	46	43	54	60	56
Male	376	32	27	29	31	40	25	42	29	27	31	24	39
Female	292	30	20	25	36	25	25	22	17	16	23	36	17

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1962—Continued

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING	2,746	226	244	239	234	223	235	204	196	235	220	263	227
Male	1,687	142	143	146	156	142	147	130	121	135	138	160	127
Female	1,059	84	101	93	78	81	88	74	75	100	82	103	100
White	2,687	219	241	235	230	218	231	202	190	231	217	255	218
Male	1,653	140	143	143	154	139	143	129	118	133	135	155	121
Female	1,034	79	98	92	76	79	88	73	72	98	82	100	97
Nonwhite	59	7	3	4	4	5	4	2	6	4	3	8	9
Male	34	2	-	3	2	3	4	1	3	2	3	5	6
Female	25	5	3	1	2	2	-	1	3	2	-	3	3

716 - 533 O - 64 - 4

Table 1-19. Deaths by Specified Race and Sex: United States and Each State, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by specified race for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,756,720	994,789	761,931	846,458	641,655	107,105	88,493	2,695	1,961	1,355	319	1,480	811	1,627	737
Alabama	30,906	17,469	13,437	11,545	8,199	5,922	5,238	1	-	-	-	1	-	-	-
Alaska	1,303	896	407	624	210	22	6	88	70	-	-	-	-	[1]162	[2]121
Arizona	11,177	7,013	4,164	6,254	3,636	288	186	440	335	13	3	8	1	10	3
Arkansas	18,859	11,159	7,700	8,649	5,649	2,504	2,049	2	2	2	-	-	-	2	-
California	141,395	80,490	60,905	74,935	57,207	4,011	3,086	174	109	482	130	527	289	361	84
Colorado	16,005	9,218	6,787	8,918	6,571	246	186	17	10	6	-	22	11	9	9
Connecticut	24,883	13,690	11,193	13,122	10,773	552	413	2	-	7	2	1	2	6	3
Delaware	4,252	2,399	1,853	1,965	1,551	428	302	3	-	1	-	-	-	2	-
District of Columbia	8,906	4,760	4,146	2,324	2,203	2,403	1,931	1	-	22	4	-	3	10	5
Florida	52,877	31,868	21,009	26,617	16,882	5,229	4,113	8	7	5	3	4	2	5	2
Georgia	36,069	20,366	15,703	13,733	9,806	6,627	5,895	1	-	4	-	-	1	1	1
Hawaii	3,532	2,253	1,279	604	391	17	5	1	1	138	81	683	391	[3]810	[4]410
Idaho	5,587	3,454	2,133	3,395	2,093	10	4	34	32	2	1	13	3	-	-
Illinois	104,649	59,072	45,577	52,899	40,714	6,017	4,824	22	12	84	7	39	15	11	5
Indiana	46,037	26,080	19,957	24,511	18,724	1,555	1,226	5	1	4	-	1	2	4	4
Iowa	28,666	16,195	12,471	16,019	12,331	166	130	7	8	1	1	1	-	1	1
Kansas	21,734	12,306	9,428	11,705	8,909	582	507	16	9	-	2	-	1	3	-
Kentucky	30,463	17,426	13,037	15,726	11,585	1,697	1,451	-	-	1	1	-	-	2	-
Louisiana	30,415	17,222	13,193	11,034	7,846	6,165	5,335	11	8	8	2	1	-	3	2
Maine	11,096	6,124	4,972	6,102	4,954	15	9	3	9	1	-	-	-	3	-
Maryland	28,415	15,843	12,572	12,681	10,187	3,142	2,380	5	-	5	1	1	3	9	1
Massachusetts	56,512	29,929	26,583	29,265	26,018	581	532	4	7	58	10	3	5	18	11
Michigan	70,035	40,560	29,475	37,158	26,842	3,316	2,602	54	25	21	1	4	2	7	3
Minnesota	31,825	18,448	13,377	18,239	13,209	122	102	76	63	6	3	2	-	3	-
Mississippi	22,730	12,780	9,950	7,072	4,823	5,681	5,117	21	10	5	-	-	-	1	-
Missouri	49,037	27,334	21,703	24,617	19,448	2,691	2,253	5	2	2	-	3	-	16	-
Montana	6,426	4,017	2,409	3,861	2,302	16	9	134	95	3	1	3	1	-	1
Nebraska	14,330	8,140	6,190	7,879	6,027	213	138	43	25	3	-	1	-	1	-
Nevada	2,713	1,767	946	1,627	867	85	50	46	27	3	1	3	1	3	-
New Hampshire	6,808	3,726	3,082	3,720	3,078	5	4	1	-	-	-	-	-	-	-
New Jersey[5]	62,024	34,069	27,955	---	---	---	---	---	---	---	---	---	---	---	---
New Mexico	6,520	3,929	2,591	3,597	2,365	83	56	246	166	-	-	2	2	1	2
New York	181,795	100,008	81,787	91,618	75,108	7,934	6,569	76	46	318	44	27	10	35	10
North Carolina	38,090	22,632	16,458	16,110	11,200	6,363	5,145	156	112	-	-	-	-	3	1
North Dakota	5,419	3,356	2,063	3,270	2,012	12	5	74	46	-	-	-	-	-	-
Ohio	95,209	52,956	42,253	48,617	38,822	4,302	3,413	3	6	14	3	5	5	15	4
Oklahoma	24,000	14,034	9,966	12,612	8,880	1,083	826	339	259	-	-	-	1	-	-
Oregon	17,218	10,201	7,017	9,980	6,885	92	55	65	58	24	3	30	10	10	6
Pennsylvania	123,290	68,233	55,057	62,958	50,833	5,207	4,186	2	5	25	1	2	2	39	30
Rhode Island	9,127	4,857	4,270	4,735	4,170	115	96	3	2	3	1	1	-	-	1
South Carolina	20,447	11,511	8,936	7,085	5,098	4,424	3,838	1	-	-	-	-	-	1	-
South Dakota	6,570	4,006	2,564	3,814	2,414	7	2	185	148	-	-	-	-	-	-
Tennessee	34,089	19,061	15,028	15,216	11,696	3,843	3,329	-	3	1	-	-	-	1	-
Texas	80,752	46,737	34,015	39,706	28,086	6,983	5,913	7	6	24	3	4	2	14	5
Utah	6,322	3,658	2,664	3,567	2,623	30	13	35	25	4	1	22	2	-	-
Vermont	4,355	2,367	1,988	2,358	1,983	8	4	1	-	-	-	-	-	-	1
Virginia	35,658	20,216	15,442	15,140	11,280	5,058	4,155	9	4	3	2	1	1	5	-
Washington	27,383	16,309	11,074	15,758	10,760	252	131	149	130	46	4	64	40	40	9
West Virginia	18,684	11,088	7,596	10,371	7,153	717	442	-	-	-	-	-	1	-	-
Wisconsin	38,380	21,670	16,510	21,484	16,218	269	221	101	65	6	3	-	1	-	2
Wyoming	2,746	1,687	1,059	1,653	1,034	15	11	18	13	-	-	1	1	-	-

[1]Includes 25 deaths among Aleuts and 123 deaths among Eskimos. (In addition there were 4 deaths among Aleuts and Eskimos residing in other States.)
[2]Includes 17 deaths among Aleuts and 101 deaths among Eskimos. (In addition there were 4 deaths among Aleuts and Eskimos residing in other States.)
[3]Includes 366 deaths among Hawaiians and Part-Hawaiians. (In addition there were 20 deaths among Hawaiians and Part-Hawaiians residing in other States.)
[4]Includes 300 deaths among Hawaiians and Part-Hawaiians. (In addition there were 14 deaths among Hawaiians and Part-Hawaiians residing in other States.)
[5]New Jersey did not require reporting of race; see Technical Appendix.

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	ALL CAUSES	1,756,720	994,789	761,931	846,458	641,655	114,262	92,321	945.4	1,089.0	806.5	1,084.3	797.8	1,118.8	852.9
	I. Infective and parasitic diseases														
001-008	Tuberculosis of respiratory system	8,792	6,531	2,261	4,792	1,552	1,504	635	4.7	7.1	2.4	6.1	1.9	14.7	5.9
001	Respiratory tuberculosis with mention of occupational disease of lung	389	386	3	339	3	39	-	0.2	0.4	0.0	0.4	0.0	0.4	-
002	Pulmonary tuberculosis	8,102	5,943	2,159	4,310	1,476	1,409	611	4.4	6.5	2.3	5.5	1.8	13.8	5.6
A	Active	7,496	5,523	1,973	3,974	1,322	1,338	583	4.0	6.0	2.1	5.1	1.6	13.1	5.4
B	Inactive	606	420	186	336	154	71	28	0.3	0.5	0.2	0.4	0.2	0.7	0.3
003	Pleural tuberculosis	126	71	55	54	38	15	16	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.0	Pleurisy specified as tuberculous	18	15	3	9	2	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
.1	Pleurisy with effusion without mention of cause	108	56	52	45	36	9	16	0.1	0.1	0.1	0.1	0.0	0.1	0.1
004	Primary tuberculosis complex with symptoms	-	-	-	-	-	-	-	-	-	-	-	-	-	-
005	Tracheobronchial glandular tuberculosis with symptoms	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	-	-	-	-	-	-	-	-	-	-	-	-	-	-
007	Other respiratory tuberculosis	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
008	Tuberculosis, unspecified site	170	128	42	87	33	40	8	0.1	0.1	0.0	0.1	0.0	0.4	0.1
A	Active	164	122	42	83	33	38	8	0.1	0.1	0.0	0.1	0.0	0.4	0.1
B	Inactive	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	-
010-019	Tuberculosis, other forms	714	411	303	236	152	156	132	0.4	0.4	0.3	0.3	0.2	1.5	1.2
010	Tuberculosis of meninges and central nervous system	225	119	106	71	53	43	47	0.1	0.1	0.1	0.1	0.1	0.4	0.4
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	51	32	19	16	7	16	12	0.0	0.0	0.0	0.0	0.0	0.2	0.1
012	Tuberculosis of bones and joints, active or unspecified	78	38	40	24	34	13	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Active or unspecified tuberculosis of vertebral column	68	34	34	20	29	13	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Active or unspecified tuberculosis of hip	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Active or unspecified tuberculosis of knee	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
013	Late effects of tuberculosis of bones and joints	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Late effects of tuberculosis of vertebral column	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Late effects of tuberculosis of hip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Late effects of tuberculosis of knee	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Late effects of tuberculosis of other and unspecified bones and joints	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
014	Tuberculosis of skin and subcutaneous cellular tissue	8	4	4	4	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Primary tuberculosis of skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Erythema nodosum specified as tuberculous	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Lupus	7	4	3	4	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Other tuberculosis of skin and subcutaneous cellular tissue	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
015	Tuberculosis of lymphatic system	14	7	7	2	5	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
016	Tuberculosis of genitourinary system	76	41	35	36	23	3	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
017	Tuberculosis of adrenal glands	17	13	4	7	3	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
018	Tuberculosis of other organs	28	18	10	13	4	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Tuberculosis of eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tuberculosis of ear	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	28	18	10	13	4	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
019	Disseminated tuberculosis	215	138	77	62	20	68	50	0.1	0.2	0.1	0.1	0.0	0.7	0.5
.0	Acute miliary tuberculosis specified as nonpulmonary	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Acute miliary tuberculosis, unspecified	4	1	3	-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.2	Other forms of disseminated tuberculosis	210	136	74	61	19	67	49	0.1	0.1	0.1	0.1	0.0	0.7	0.5

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
020-029	Syphilis and its sequelae	2,811	1,998	813	1,391	527	564	264	1.5	2.2	0.9	1.8	0.7	5.5	2.4
020	Congenital syphilis	50	32	18	14	11	16	7	0.0	0.0	0.0	0.0	0.0	0.2	0.1
.0	Interstitial keratitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Juvenile neurosyphilis	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other congenital syphilis	46	30	16	12	9	16	7	0.0	0.0	0.0	0.0	0.0	0.2	0.1
021	Early syphilis	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Primary syphilis, except extragenital chancre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Extragenital chancre	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary syphilis	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.3	Early syphilis, relapse following treatment	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Early syphilis, unspecified stage	-	-	-	-	-	-	-	-	-	-	-	-	-	-
022	Aneurysm of aorta	1,440	1,019	421	811	315	181	93	0.8	1.1	0.4	1.0	0.4	1.8	0.9
023	Other cardiovascular syphilis	836	589	247	316	119	263	120	0.4	0.6	0.3	0.4	0.1	2.6	1.1
024	Tabes dorsalis	59	49	10	42	8	6	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
025	General paralysis of insane	145	107	38	79	25	28	13	0.1	0.1	0.0	0.1	0.0	0.3	0.1
026	Other syphilis of central nervous system	222	167	55	110	32	55	23	0.1	0.2	0.1	0.1	0.0	0.5	0.2
027	Other forms of late syphilis	44	24	20	14	15	9	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
028	Latent syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Early latent	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Late latent	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
029	Syphilis, unqualified	14	10	4	5	2	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
030-039	Gonococcal infection and other venereal diseases	39	24	15	10	2	14	13	0.0	0.0	0.0	0.0	0.0	0.1	0.1
030	Acute or unspecified gonorrhea	4	4	-	1	-	3	-	0.0	0.0	-	0.0	-	0.0	-
031	Chronic gonococcal infection of genitourinary system	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
032	Gonococcal infection of joint	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
035	Late effects of gonococcal infection	17	15	2	7	-	8	2	0.0	0.0	0.0	0.0	-	0.1	0.0
036	Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-
037	Lymphogranuloma venereum	12	2	10	-	-	2	10	0.0	0.0	0.0	-	-	0.0	0.1
038	Granuloma inguinale, venereal	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
039	Other and unspecified venereal diseases	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
040-049	Infectious diseases commonly arising in intestinal tract	451	257	194	164	116	91	78	0.2	0.3	0.2	0.2	0.1	0.9	0.7
040	Typhoid fever	15	11	4	5	3	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
041	Paratyphoid fever	7	3	4	2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
042	Other Salmonella infections	55	33	22	23	14	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without food as vehicle of infection	55	33	22	23	14	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With food as vehicle of infection	-	-	-	-	-	-	-	-	-	-	-	-	-	-
043	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)	12	9	3	7	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
045	Bacillary dysentery	134	77	57	43	24	34	33	0.1	0.1	0.1	0.1	0.0	0.3	0.3
.0	Flexner-Boyd group	6	2	4	2	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Schmitz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Sonne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Bacillary, other and unspecified	128	75	53	41	23	34	30	0.1	0.1	0.1	0.1	0.0	0.3	0.3
046	Amebiasis	86	54	32	45	25	8	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.0	Without mention of liver abscess	57	34	23	29	18	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With liver abscess	29	20	9	16	7	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
047	Other protozoal dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery	103	52	51	26	30	26	21	0.1	0.1	0.1	0.0	0.0	0.3	0.2

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con. Infectious diseases commonly arising in intestinal tract—Con.														
049	Food poisoning (infection and intoxication)	39	18	21	13	13	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Staphylococcal	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Botulism	11	8	3	5	1	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	24	9	15	7	9	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
050-064	Other bacterial diseases	3,257	1,781	1,476	1,312	1,095	421	333	1.8	1.9	1.6	1.7	1.4	4.1	3.1
050	Scarlet fever	10	4	6	3	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat	92	47	45	35	32	10	12	0.0	0.1	0.0	0.0	0.0	0.1	0.1
052	Erysipelas	25	11	14	11	12	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
053	Septicemia and pyemia	2,084	1,126	958	847	730	251	198	1.1	1.2	1.0	1.1	0.9	2.5	1.8
.0	Streptococcus	78	39	39	29	32	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Staphylococcus	327	177	150	157	135	14	10	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.2	Pneumococcus	19	9	10	7	5	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	162	89	73	64	64	20	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.4	Organism unspecified	1,498	812	686	590	494	209	170	0.8	0.9	0.7	0.8	0.6	2.0	1.6
054	Bacterial toxemia	4	3	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
055	Diphtheria	41	23	18	11	11	12	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
056	Whooping cough	83	45	38	21	13	24	25	0.0	0.0	0.0	0.0	0.0	0.2	0.2
.0	Without mention of pneumonia	36	20	16	12	7	8	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia	47	25	22	9	6	16	16	0.0	0.0	0.0	0.0	0.0	0.2	0.1
057	Meningococcal infections	649	366	283	294	232	57	36	0.3	0.4	0.3	0.4	0.3	0.6	0.3
.0	Meningococcal meningitis	301	179	122	134	103	37	13	0.2	0.2	0.1	0.2	0.1	0.4	0.1
.1	Acute and unspecified meningococcemia	347	187	160	160	128	20	23	0.2	0.2	0.2	0.2	0.2	0.2	0.2
.2	Chronic meningococcemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other forms of meningococcal infection	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
058	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Bubonic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pneumonic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Tularemia	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
060	Leprosy	8	5	3	3	1	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lepromatous leprosy	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Neuroleprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	5	3	2	2	-	1	2	0.0	0.0	0.0	0.0	-	0.0	0.0
061	Tetanus	215	123	92	66	44	57	48	0.1	0.1	0.1	0.1	0.1	0.6	0.4
062	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	41	24	17	16	13	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
064	Other bacterial diseases	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Epidemic arthritic erythema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Rat-bite fever due to Streptobacillus moniliformis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Melioidosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
070-074	Spirochetal diseases, except syphilis	12	4	8	1	3	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070	Vincent's infection	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
071	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Louse-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis	10	4	6	1	2	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)	3	-	3	-	1	-	2	0.0	-	0.0	-	0.0	-	0.0
.1	Other and unspecified	7	4	3	1	1	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
073	Yaws	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
	Spirochetal diseases, except syphilis—Con.														
074	Other spirochetal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Rat-bite fever due to Spirochaeta morsus muris (sodoku)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080-096	Diseases attributable to viruses	2,933	1,384	1,549	1,122	1,258	213	242	1.6	1.5	1.6	1.4	1.6	2.1	2.2
080	Acute poliomyelitis	60	37	23	29	17	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Specified as bulbar or polioencephalitis	35	21	14	17	9	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With other paralysis	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Specified as nonparalytic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	18	12	6	8	6	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
081	Late effects of acute poliomyelitis	123	57	66	51	60	4	6	0.1	0.1	0.1	0.1	0.1	0.0	0.1
082	Acute infectious encephalitis	582	283	299	235	238	38	48	0.3	0.3	0.3	0.3	0.3	0.4	0.4
.0	Arthropod-borne encephalitis	17	4	13	4	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Lymphocytic choriomeningitis	74	36	38	32	27	3	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Lethargic encephalitis	4	2	2	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Other and unspecified infectious encephalitis	487	241	246	198	200	34	37	0.3	0.3	0.3	0.3	0.2	0.3	0.3
083	Late effects of acute infectious encephalitis	80	52	28	45	26	4	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.0	Postencephalitic Parkinsonism	54	38	16	35	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Postencephalitic personality and character disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Postencephalitic psychosis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other postencephalitic conditions	25	13	12	9	12	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	408	180	228	126	153	51	69	0.2	0.2	0.2	0.2	0.2	0.5	0.6
.0	Without mention of pneumonia	156	71	85	56	66	13	17	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.1	With pneumonia	252	109	143	70	87	38	52	0.1	0.1	0.2	0.1	0.1	0.4	0.5
086	Rubella (German measles)	8	3	5	3	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
087	Chickenpox	134	74	60	65	56	7	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
088	Herpes zoster	69	25	44	20	42	3	2	0.0	0.0	0.0	0.0	0.1	0.0	0.0
089	Mumps	43	20	23	18	19	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
090	Dengue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis	911	386	525	317	436	52	69	0.5	0.4	0.6	0.4	0.5	0.5	0.6
093	Glandular fever (infectious mononucleosis)	18	11	7	10	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
094	Rabies	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
095	Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses	496	255	241	202	199	45	36	0.3	0.3	0.3	0.3	0.2	0.4	0.3
.0	Herpes febrilis	19	7	12	6	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Psittacosis and ornithosis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Cowpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Epidemic hiccough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Epidemic myalgia (Bornholm disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Foot and mouth disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Sandfly fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Rift Valley fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other	476	247	229	195	188	44	35	0.3	0.3	0.2	0.2	0.2	0.4	0.3
100-108	Typhus and other rickettsial diseases	16	10	6	8	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
100	Louse-borne epidemic typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse- or flea-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus	12	7	5	5	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
105	Mite-borne typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Volhynian fever (trench fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
	Typhus and other rickettsial diseases—Con.														
107	Typhus, unspecified	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
108	Other rickettsial diseases	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
110-117	Malaria	12	10	2	6	1	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110	Vivax malaria (benign tertian)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Malariae malaria (quartan)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
113	Ovale malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria	10	8	2	5	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
117	Recurrent induced malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-138	Other infective and parasitic diseases	737	428	309	313	199	110	106	0.4	0.5	0.3	0.4	0.2	1.1	1.0
120	Leishmaniasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Visceral (kala-azar)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cutaneous (Oriental sore)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mucocutaneous (American)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	African (sleeping sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	South American (Chagas' disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Coccidiosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Toxoplasmosis	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
.2	Other	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
123	Schistosomiasis	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Vesical (S. haematobium)	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Intestinal (S. mansoni)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Oriental (S. japonicum)	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other and unspecified schistosomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Other trematode infestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Clonorchiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paragonimiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Hydatid disease	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
126	Other cestode infestation	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
127	Filariasis	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
128	Trichinosis	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
129	Ancylostomiasis	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
130	Infestation with worms of other, mixed, and unspecified type	55	23	32	5	6	17	26	0.0	0.0	0.0	0.0	0.0	0.2	0.2
.0	Ascariasis	47	19	28	3	5	15	23	0.0	0.0	0.0	0.0	0.0	0.1	0.2
.1	Oxyuriasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed intestinal helminth infestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	8	4	4	2	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
131	Dermatophytosis	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
132	Actinomycosis	17	11	6	9	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis	55	41	14	29	12	12	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
134	Other fungus infections	345	232	113	196	87	32	23	0.2	0.3	0.1	0.3	0.1	0.3	0.2
.0	Blastomycosis	17	14	3	11	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcis (torulosis)	90	58	32	46	23	10	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.2	Histoplasmosis	82	63	19	60	15	3	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Moniliasis	88	55	33	46	26	8	7	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.4	Sporotrichosis	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Other	65	41	24	32	19	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.														
	Other infective and parasitic diseases—Con.														
135	Scabies	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Other arthropod infestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases	236	106	130	61	76	45	53	0.1	0.1	0.1	0.1	0.1	0.4	0.5
.0	Sarcoid of Boeck	194	79	115	38	63	41	51	0.1	0.1	0.1	0.0	0.1	0.4	0.5
.1	Other	42	27	15	23	13	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	II. Neoplasms														
140-148	Malignant neoplasm of buccal cavity and pharynx	6,481	4,920	1,561	4,253	1,350	455	145	3.5	5.4	1.7	5.4	1.7	4.5	1.3
140	Malignant neoplasm of lip	219	199	20	189	17	5	1	0.1	0.2	0.0	0.2	0.0	0.0	0.0
.0	Upper lip	11	8	3	7	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Lower lip	71	63	8	59	7	-	1	0.0	0.1	0.0	0.1	0.0	-	0.0
.8	Both lips	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Lip, unspecified (including commissure)	135	126	9	121	8	4	-	0.1	0.1	0.0	0.2	0.0	0.0	-
141	Malignant neoplasm of tongue	1,552	1,181	371	1,015	329	91	25	0.8	1.3	0.4	1.3	0.4	0.9	0.2
.0	Base of tongue	176	151	25	129	20	15	2	0.1	0.2	0.0	0.2	0.0	0.1	0.0
.7	Other specified parts of tongue	46	38	8	36	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Multiple parts of tongue	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Part unspecified	1,328	991	337	849	300	75	23	0.7	1.1	0.4	1.1	0.4	0.7	0.2
142	Malignant neoplasm of salivary gland	668	420	248	371	220	33	13	0.4	0.5	0.3	0.5	0.3	0.3	0.1
.0	Parotid gland	516	319	197	285	172	20	12	0.3	0.3	0.2	0.4	0.2	0.2	0.1
.7	Other salivary gland	106	69	37	60	35	7	-	0.1	0.1	0.0	0.1	0.0	0.1	-
.8	Multiple salivary glands	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Gland unspecified	45	31	14	25	13	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
143	Malignant neoplasm of floor of mouth	446	357	89	306	76	38	11	0.2	0.4	0.1	0.4	0.1	0.4	0.1
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified	978	666	312	591	264	54	40	0.5	0.7	0.3	0.8	0.3	0.5	0.4
145	Malignant neoplasm of oral mesopharynx	598	478	120	409	104	54	8	0.3	0.5	0.1	0.5	0.1	0.5	0.1
.0	Tonsil (excluding pillars)	530	416	114	356	99	46	7	0.3	0.5	0.1	0.5	0.1	0.5	0.1
.7	Other specified parts of mesopharynx	66	61	5	52	4	8	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.8	Multiple parts of mesopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
146	Malignant neoplasm of nasopharynx	482	361	121	290	102	56	16	0.3	0.4	0.1	0.4	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx	372	315	57	280	52	23	4	0.2	0.3	0.1	0.4	0.1	0.2	0.0
148	Malignant neoplasm of pharynx, unspecified	1,166	943	223	802	186	101	27	0.6	1.0	0.2	1.0	0.2	1.0	0.2
150-159	Malignant neoplasm of digestive organs and peritoneum	93,140	50,509	42,631	43,189	37,177	5,094	3,564	50.1	55.3	45.1	55.3	46.2	49.9	32.9
150	Malignant neoplasm of esophagus	5,088	3,973	1,115	3,028	871	755	191	2.7	4.3	1.2	3.9	1.1	7.4	1.8
151	Malignant neoplasm of stomach	19,378	11,947	7,431	9,840	6,301	1,603	821	10.4	13.1	7.9	12.6	7.8	15.7	7.6
152	Malignant neoplasm of small intestine, including duodenum	745	388	357	330	317	37	28	0.4	0.4	0.4	0.4	0.4	0.4	0.3
.0	Duodenum	228	121	107	102	90	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.7	Other specified parts of small intestine	252	141	111	120	103	11	6	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.8	Multiple parts of small intestine	5	2	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Part unspecified	260	124	136	107	121	14	11	0.1	0.1	0.1	0.1	0.2	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum	29,837	13,561	16,276	12,019	14,501	884	1,030	16.1	14.8	17.2	15.4	18.0	8.7	9.5
.0	Cecum, appendix, and ascending colon	4,264	1,812	2,452	1,609	2,205	97	141	2.3	2.0	2.6	2.1	2.7	0.9	1.3
.1	Transverse colon, including hepatic and splenic flexures	1,608	745	863	661	763	45	44	0.9	0.8	0.9	0.8	0.9	0.4	0.4
.2	Descending colon	1,256	533	723	467	652	42	41	0.7	0.6	0.8	0.6	0.8	0.4	0.4
.3	Sigmoid colon	6,188	3,000	3,188	2,677	2,863	161	156	3.3	3.3	3.4	3.4	3.6	1.6	1.4
.7	Multiple parts of large intestine	74	37	37	32	36	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Large intestine (including colon), part unspecified	14,929	6,823	8,106	6,039	7,179	490	591	8.0	7.5	8.6	7.7	8.9	4.8	5.5
.9	Intestinal tract, part unspecified	1,518	611	907	534	803	48	57	0.8	0.7	1.0	0.7	1.0	0.5	0.5
154	Malignant neoplasm of rectum	10,853	6,131	4,722	5,460	4,101	370	369	5.8	6.7	5.0	7.0	5.1	3.6	3.4

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Malignant neoplasm of digestive organs, etc.—Con.														
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	6,423	2,822	3,601	2,406	3,253	308	216	3.5	3.1	3.8	3.1	4.0	3.0	2.0
.0	Liver	2,145	1,384	761	1,119	656	215	82	1.2	1.5	0.8	1.4	0.8	2.1	0.8
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	4,273	1,436	2,837	1,285	2,594	93	134	2.3	1.6	3.0	1.6	3.2	0.9	1.2
.8	Multiple sites	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
156	Malignant neoplasm of liver (secondary and unspecified)	4,051	2,106	1,945	1,763	1,653	258	198	2.2	2.3	2.1	2.3	2.1	2.5	1.8
A	Not stated whether primary or secondary	2,958	1,533	1,425	1,283	1,205	190	153	1.6	1.7	1.5	1.6	1.5	1.9	1.4
B	Secondary	1,093	573	520	480	448	68	45	0.6	0.6	0.6	0.6	0.6	0.7	0.4
157	Malignant neoplasm of pancreas	15,019	8,725	6,294	7,660	5,447	753	594	8.1	9.6	6.7	9.8	6.8	7.4	5.5
158	Malignant neoplasm of peritoneum	830	413	417	359	362	36	35	0.4	0.5	0.4	0.5	0.5	0.4	0.3
159	Malignant neoplasm of unspecified digestive organs	916	443	473	324	371	90	82	0.5	0.5	0.5	0.4	0.5	0.9	0.8
160-165	Malignant neoplasm of respiratory system	45,725	38,756	6,969	33,805	6,096	3,257	609	24.6	42.4	7.4	43.3	7.6	31.9	5.6
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	555	349	206	303	170	39	29	0.3	0.4	0.2	0.4	0.2	0.4	0.3
.0	Nose (internal) and nasal cavities	119	76	43	72	37	4	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Eustachian tube and middle ear	23	10	13	9	12	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Maxillary sinus	310	199	111	170	90	25	20	0.2	0.2	0.1	0.2	0.1	0.2	0.2
.7	Other specified sinus (accessory)	45	29	16	24	13	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites	22	13	9	13	6	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Site unspecified	36	22	14	15	12	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
161	Malignant neoplasm of larynx	2,417	2,172	245	1,868	221	203	19	1.3	2.4	0.3	2.4	0.3	2.0	0.2
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	18,866	16,499	2,367	14,468	2,102	1,398	178	10.2	18.1	2.5	18.5	2.6	13.7	1.6
.0	Trachea	92	73	19	64	17	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.1	Bronchus and lung	18,749	16,411	2,338	14,389	2,076	1,391	176	10.1	18.0	2.5	18.4	2.6	13.6	1.6
.2	Pleura	19	10	9	10	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple sites	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	22,510	18,813	3,697	16,365	3,224	1,534	331	12.1	20.6	3.9	21.0	4.0	15.0	3.1
164	Malignant neoplasm of mediastinum	296	217	79	189	67	17	8	0.2	0.2	0.1	0.2	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	1,081	706	375	612	312	66	44	0.6	0.8	0.4	0.8	0.4	0.6	0.4
170-181	Malignant neoplasm of breast and genitourinary organs	77,847	25,154	52,693	21,537	45,089	2,721	5,445	41.9	27.5	55.8	27.6	56.1	26.6	50.3
170	Malignant neoplasm of breast	24,958	225	24,733	189	21,732	22	1,895	13.4	0.2	26.2	0.2	27.0	0.2	17.5
171	Malignant neoplasm of cervix uteri	8,349	...	8,349	...	6,482	...	1,614	4.5	...	8.8	...	8.1	...	14.9
172	Malignant neoplasm of corpus uteri	1,467	...	1,467	...	1,260	...	167	0.8	...	1.6	...	1.6	...	1.5
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	53	...	53	...	43	...	9	0.0	...	0.1	...	0.1	...	0.1
174	Malignant neoplasm of uterus, unspecified	4,421	...	4,421	...	3,560	...	656	2.4	...	4.7	...	4.4	...	6.1
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	8,340	...	8,340	...	7,436	...	577	4.5	...	8.8	...	9.2	...	5.3
.0	Ovary	8,228	...	8,228	...	7,339	...	564	4.4	...	8.7	...	9.1	...	5.2
.1	Fallopian tube and broad ligament	101	...	101	...	88	...	11	0.1	...	0.1	...	0.1	...	0.1
.8	Multiple sites	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
.9	Site unspecified	5	...	5	...	4	...	1	0.0	...	0.0	...	0.0	...	0.0
176	Malignant neoplasm of other and unspecified female genital organs	849	...	849	...	715	...	100	0.5	...	0.9	...	0.9	...	0.9
.0	Vulva	520	...	520	...	447	...	49	0.3	...	0.6	...	0.6	...	0.5
.1	Vagina	262	...	262	...	215	...	39	0.1	...	0.3	...	0.3	...	0.4
.7	Other specified sites	10	...	10	...	10	...	-	0.0	...	0.0	...	0.0	...	-
.8	Multiple sites	8	...	8	...	5	...	2	0.0	...	0.0	...	0.0	...	0.0
.9	Site unspecified	49	...	49	...	38	...	10	0.0	...	0.1	...	0.0	...	0.1
177	Malignant neoplasm of prostate	15,173	15,173	...	12,685	...	2,023	...	8.2	16.6	...	16.2	...	19.8	...
178	Malignant neoplasm of testis	650	650	...	604	...	24	...	0.3	0.7	...	0.8	...	0.2	...

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Malignant neoplasm of breast and genitourinary organs—Con.														
179	Malignant neoplasm of other and unspecified male genital organs	288	288	...	216	...	66	...	0.2	0.3	...	0.3	...	0.6	...
.0	Penis	232	232	...	172	...	57	...	0.1	0.3	...	0.2	...	0.6	...
.1	Scrotum	26	26	...	21	...	5	...	0.0	0.0	...	0.0	...	0.0	...
.7	Other specified sites	26	26	...	21	...	2	...	0.0	0.0	...	0.0	...	0.0	...
.8	Multiple sites	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.9	Site unspecified	3	3	...	1	...	2	...	0.0	0.0	...	0.0	...	0.0	...
180	Malignant neoplasm of kidney	5,218	3,243	1,975	2,891	1,748	225	154	2.8	3.5	2.1	3.7	2.2	2.2	1.4
181	Malignant neoplasm of bladder and other urinary organs	8,081	5,575	2,506	4,952	2,113	361	273	4.3	6.1	2.7	6.3	2.6	3.5	2.5
.0	Bladder	7,931	5,503	2,428	4,901	2,059	348	252	4.3	6.0	2.6	6.3	2.6	3.4	2.3
.7	Other urinary organs	138	67	71	48	48	12	20	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.8	Multiple sites	12	5	7	3	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
190-199	Malignant neoplasm of other and unspecified sites	28,617	15,281	13,336	13,565	11,654	1,203	1,260	15.4	16.7	14.1	17.4	14.5	11.8	11.6
190	Malignant melanoma of skin	2,339	1,285	1,054	1,224	986	19	28	1.3	1.4	1.1	1.6	1.2	0.2	0.3
.0	Lips	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Eyelids, including canthi	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Ear and external auricular canal	26	20	6	19	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified parts of face	97	57	40	55	38	1	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.4	Scalp and neck	113	72	41	67	39	2	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.5	Trunk	285	171	114	166	106	-	1	0.2	0.2	0.1	0.2	0.1	-	0.0
.6	Upper limb	140	69	71	65	66	-	1	0.1	0.1	0.1	0.1	0.1	-	0.0
.7	Lower limb	246	118	128	107	113	5	5	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.8	Multiple sites	9	6	3	5	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Site unspecified	1,415	766	649	734	614	11	18	0.8	0.8	0.7	0.9	0.8	0.1	0.2
191	Other malignant neoplasm of skin	1,819	1,202	617	1,103	549	71	50	1.0	1.3	0.7	1.4	0.7	0.7	0.5
.0	Lips	93	86	7	83	5	2	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Eyelids, including canthi	21	13	8	13	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Ear and external auricular canal	72	57	15	54	15	1	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.3	Other and unspecified parts of face	659	416	243	396	230	13	5	0.4	0.5	0.3	0.5	0.3	0.1	0.0
.4	Scalp and neck	193	130	63	112	47	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.5	Trunk	198	100	98	86	81	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.6	Upper limb	54	38	16	33	15	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Lower limb	62	37	25	34	18	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.8	Multiple sites	48	31	17	31	15	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Site unspecified	419	294	125	261	115	25	10	0.2	0.3	0.1	0.3	0.1	0.2	0.1
192	Malignant neoplasm of eye	375	188	187	170	170	12	9	0.2	0.2	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	6,512	3,832	2,680	3,476	2,424	210	156	3.5	4.2	2.8	4.5	3.0	2.1	1.4
.0	Brain	5,280	3,112	2,168	2,819	1,961	165	124	2.8	3.4	2.3	3.6	2.4	1.6	1.1
.1	Spinal cord	140	85	55	72	50	9	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.2	Meninges	43	25	18	23	16	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Peripheral nerves	54	30	24	24	23	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Sympathetic nervous system	296	171	125	156	110	14	11	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites	10	2	8	1	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified	689	407	282	381	256	15	15	0.4	0.4	0.3	0.5	0.3	0.1	0.1
194	Malignant neoplasm of thyroid gland	1,018	341	677	315	594	18	57	0.5	0.4	0.7	0.4	0.7	0.2	0.5
195	Malignant neoplasm of other endocrine glands	438	265	173	235	147	22	17	0.2	0.3	0.2	0.3	0.2	0.2	0.2
.0	Suprarenal gland	297	189	108	171	91	12	9	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.1	Parathyroid gland	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Thymus	76	44	32	39	28	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Pituitary gland and craniopharyngeal duct	41	21	20	15	17	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.4	Pineal gland	9	5	4	4	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Other specified glands	11	5	6	5	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple glands	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms—Con.														
	Malignant neoplasm of other and unspecified sites—Con.														
196	Malignant neoplasm of bone	1,833	1,026	807	897	689	89	91	1.0	1.1	0.9	1.1	0.9	0.9	0.8
.0	Bones of the skull and face	285	181	104	159	92	16	8	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone	200	135	65	120	50	7	13	0.1	0.1	0.1	0.2	0.1	0.1	0.1
.2	Vertebral column (excluding sacrum and coccyx)	290	151	139	136	116	11	17	0.2	0.2	0.1	0.2	0.1	0.1	0.2
.3	Ribs, sternum, and clavicle	70	40	30	33	28	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula	71	40	31	36	31	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Upper limb, short bones	6	4	2	4	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Pelvic bones, sacrum, coccyx	186	98	88	83	71	9	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.7	Lower limb, long bones	341	185	156	163	135	17	16	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.8	Lower limb, short bones	21	11	10	11	9	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Multiple sites and site unspecified	363	181	182	152	156	22	20	0.2	0.2	0.2	0.2	0.2	0.2	0.2
197	Malignant neoplasm of connective tissue	1,087	572	515	519	437	38	64	0.6	0.6	0.5	0.7	0.5	0.4	0.6
.0	Head, face, and neck	70	35	35	33	29	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk	203	110	93	95	83	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)	73	39	34	35	26	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.3	Lower limb (including hip)	268	138	130	123	112	12	14	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites	5	2	3	-	3	2	-	0.0	0.0	0.0	-	0.0	0.0	-
.9	Site unspecified	468	248	220	233	184	11	31	0.3	0.3	0.2	0.3	0.2	0.1	0.3
198	Secondary and unspecified malignant neoplasm of lymph nodes	178	118	60	104	54	10	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Head, face, and neck	93	72	21	64	17	6	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Intrathoracic	5	3	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Intra-abdominal	11	4	7	4	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Axillary and upper limb	11	6	5	6	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Inguinal and lower limb	17	9	8	9	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.7	Other specified sites	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
.8	Multiple sites	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified	30	21	9	16	9	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
199	Malignant neoplasm of other and unspecified sites	13,018	6,452	6,566	5,522	5,604	714	783	7.0	7.1	7.0	7.1	7.0	7.0	7.2
A	Of other specified sites, not specified as secondary	1,015	631	384	540	332	59	46	0.5	0.7	0.4	0.7	0.4	0.6	0.4
B	Primary site not indicated	12,003	5,821	6,182	4,982	5,272	655	737	6.5	6.4	6.5	6.4	6.6	6.4	6.8
200-205	Neoplasms of lymphatic and hematopoietic tissues	26,752	15,389	11,363	13,701	10,083	1,154	833	14.4	16.8	12.0	17.6	12.5	11.3	7.7
200	Lymphosarcoma and reticulosarcoma	6,401	3,625	2,776	3,269	2,517	216	153	3.4	4.0	2.9	4.2	3.1	2.1	1.4
.0	Reticulum cell sarcoma	1,548	856	692	759	640	54	28	0.8	0.9	0.7	1.0	0.8	0.5	0.3
.1	Lymphosarcoma	3,645	2,078	1,567	1,877	1,415	126	86	2.0	2.3	1.7	2.4	1.8	1.2	0.8
.2	Other primary malignant neoplasms of lymphoid tissue	1,208	691	517	633	462	36	39	0.7	0.8	0.5	0.8	0.6	0.4	0.4
201	Hodgkin's disease	3,200	1,984	1,216	1,738	1,088	168	74	1.7	2.2	1.3	2.2	1.4	1.6	0.7
202	Other forms of lymphoma (reticulosis)	946	545	401	493	363	40	27	0.5	0.6	0.4	0.6	0.5	0.4	0.2
.0	Giant follicular lymphomas (Brill-Symmers' disease)	116	65	51	64	49	1	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Other	830	480	350	429	314	39	26	0.4	0.5	0.4	0.5	0.4	0.4	0.2
203	Multiple myeloma (plasmocytoma)	3,132	1,702	1,430	1,413	1,205	231	172	1.7	1.9	1.5	1.8	1.5	2.3	1.6
204	Leukemia and aleukemia	12,997	7,493	5,504	6,757	4,881	491	402	7.0	8.2	5.8	8.7	6.1	4.8	3.7
.0	Lymphatic leukemia	3,028	1,901	1,127	1,727	1,003	122	86	1.6	2.1	1.2	2.2	1.2	1.2	0.8
.1	Myeloid leukemia	2,174	1,191	983	1,068	857	76	85	1.2	1.3	1.0	1.4	1.1	0.7	0.8
.2	Monocytic leukemia	1,041	583	458	541	421	36	27	0.6	0.6	0.5	0.7	0.5	0.4	0.2
.3	Acute leukemia	5,418	3,079	2,339	2,781	2,085	189	148	2.9	3.4	2.5	3.6	2.6	1.9	1.4
.4	Other and unspecified leukemia	1,336	739	597	640	515	68	56	0.7	0.8	0.6	0.8	0.6	0.7	0.5
205	Mycosis fungoides	76	40	36	31	29	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
210-229	Benign neoplasm	2,344	925	1,419	772	1,095	113	267	1.3	1.0	1.5	1.0	1.4	1.1	2.5
210	Benign neoplasm of buccal cavity and pharynx	9	4	5	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
211	Benign neoplasm of other parts of digestive system	239	129	110	115	94	13	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	109	68	41	54	32	9	6	0.1	0.1	0.0	0.1	0.0	0.1	0.1
213	Benign neoplasm of breast	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
214	Uterine fibromyoma	241	...	241	...	105	...	123	0.1	...	0.3	...	0.1	...	1.1
215	Other benign neoplasm of uterus	36	...	36	...	32	...	4	0.0	...	0.0	...	0.0	...	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	II. Neoplasms--Con.														
	Benign neoplasm--Con.														
216	Benign neoplasm of ovary	152	...	152	...	116	...	28	0.1	...	0.2	...	0.1	...	0.3
217	Benign neoplasm of other female genital organs	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
219	Benign neoplasm of kidney and other urinary organs	32	23	9	19	7	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
220	Benign melanoma of skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
221	Pilonidal cyst	8	4	4	2	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
222	Other benign neoplasm of skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	938	417	521	338	452	57	53	0.5	0.5	0.6	0.4	0.6	0.6	0.5
224	Benign neoplasm of endocrine glands	332	165	167	137	133	23	28	0.2	0.2	0.2	0.2	0.2	0.2	0.3
225	Benign neoplasm of bone and cartilage	18	7	11	7	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
226	Lipoma	11	7	4	4	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
227	Other benign neoplasm of muscular and connective tissue	38	20	18	20	17	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
228	Hemangioma and lymphangioma	120	57	63	52	54	2	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1
229	Benign neoplasm of other and unspecified organs and tissues	54	23	31	19	28	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature	2,337	1,212	1,125	1,044	956	140	142	1.3	1.3	1.2	1.3	1.2	1.4	1.3
230	Neoplasm of unspecified nature of digestive organs	292	141	151	117	136	20	10	0.2	0.2	0.2	0.1	0.2	0.2	0.1
231	Neoplasm of unspecified nature of respiratory organs	198	139	59	125	49	12	7	0.1	0.2	0.1	0.2	0.1	0.1	0.1
232	Neoplasm of unspecified nature of breast	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
233	Neoplasm of unspecified nature of uterus	10	...	10	...	5	...	4	0.0	...	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	19	...	19	...	17	...	2	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs	-	...	-	...	-	...	-	-	...	-	...	-	...	-
236	Neoplasm of unspecified nature of other genitourinary organs	85	48	37	41	33	6	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,514	777	737	673	617	85	103	0.8	0.9	0.8	0.9	0.8	0.8	1.0
238	Neoplasm of unspecified nature of skin and musculoskeletal system	25	19	6	17	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	192	87	105	70	93	15	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	III. Allergic, endocrine system, metabolic, and nutritional diseases														
240-245	Allergic disorders	5,005	3,161	1,844	2,703	1,464	392	326	2.7	3.5	2.0	3.5	1.8	3.8	3.0
240	Hay fever	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
241	Asthma	4,896	3,102	1,794	2,662	1,425	376	316	2.6	3.4	1.9	3.4	1.8	3.7	2.9
242	Angioneurotic edema	12	3	9	2	5	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
243	Urticaria	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
244	Allergic eczema	4	4	-	-	-	3	-	0.0	0.0	-	-	-	0.0	-
245	Other allergic disorders	91	51	40	38	33	12	7	0.0	0.1	0.0	0.0	0.0	0.1	0.1
250-254	Diseases of thyroid gland	921	173	748	143	616	24	110	0.5	0.2	0.8	0.2	0.8	0.2	1.0
250	Simple goiter	41	9	32	7	28	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
251	Nontoxic nodular goiter	38	5	33	5	26	-	7	0.0	0.0	0.0	0.0	0.0	-	0.1
252	Thyrotoxicosis with or without goiter	500	83	417	63	321	16	81	0.3	0.1	0.4	0.1	0.4	0.2	0.7
.0	Toxic diffuse goiter	445	75	370	58	280	15	75	0.2	0.1	0.4	0.1	0.3	0.1	0.7
.1	Toxic nodular goiter	55	8	47	5	41	1	6	0.0	0.0	0.0	0.0	0.1	0.0	0.1
253	Myxedema and cretinism	299	69	230	61	210	6	13	0.2	0.1	0.2	0.1	0.3	0.1	0.1
254	Other diseases of thyroid gland	43	7	36	7	31	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
260	Diabetes mellitus	31,222	12,881	18,341	11,003	14,983	1,403	2,571	16.8	14.1	19.4	14.1	18.6	13.7	23.8
270-277	Diseases of other endocrine glands	1,033	493	540	402	443	75	67	0.6	0.5	0.6	0.5	0.6	0.7	0.6
270	Disorders of pancreatic internal secretion other than diabetes mellitus	77	48	29	34	16	14	11	0.0	0.1	0.0	0.0	0.0	0.1	0.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Con.														
	Diseases of other endocrine glands—Con.														
271	Diseases of parathyroid gland	53	14	39	12	34	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hyperparathyroidism	43	13	30	12	26	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hypoparathyroidism	10	1	9	-	8	-	-	0.0	0.0	0.0	-	0.0	-	-
.2	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272	Diseases of pituitary gland	226	103	123	82	102	16	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
273	Diseases of thymus gland	130	81	49	62	30	14	11	0.1	0.1	0.1	0.1	0.0	0.1	0.1
274	Diseases of adrenal glands	449	218	231	189	201	24	21	0.2	0.2	0.2	0.2	0.2	0.2	0.2
275	Ovarian dysfunction	-	...	-	...	-	...	-	-	...	-	...	-	...	-
276	Testicular dysfunction	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
277	Polyglandular dysfunction and other diseases of endocrine glands	97	28	69	22	60	6	6	0.1	0.0	0.1	0.0	0.1	0.1	0.1
280-289	Avitaminoses and other metabolic diseases	3,733	1,798	1,935	1,484	1,537	281	349	2.0	2.0	2.0	1.9	1.9	2.8	3.2
280	Beriberi	19	13	6	11	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
281	Pellagra	41	10	31	9	16	1	15	0.0	0.0	0.0	0.0	0.0	0.0	0.1
282	Scurvy	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
283	Active rickets	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
284	Late effects of rickets	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
285	Osteomalacia	8	3	5	3	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
286	Other avitaminoses and nutritional deficiency states	1,556	770	786	580	619	179	146	0.8	0.8	0.8	0.7	0.8	1.8	1.3
.0	Steatorrhea and spruce	31	17	14	15	13	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Vitamin A deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Vitamin B deficiency, except beriberi and pellagra	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Vitamin C deficiency, except scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Vitamin D deficiency, except rickets and osteomalacia	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Malnutrition, unqualified	1,376	687	689	515	541	161	129	0.7	0.8	0.7	0.7	0.7	1.6	1.2
.6	Kwashiorkor (protein malnutrition)	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Other and multiple deficiency states	141	64	77	48	59	16	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
287	Obesity, not specified as of endocrine origin	1,180	473	707	427	565	36	123	0.6	0.5	0.7	0.5	0.7	0.4	1.1
288	Gout	104	91	13	81	10	8	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
289	Other metabolic diseases	822	437	385	372	317	55	59	0.4	0.5	0.4	0.5	0.4	0.5	0.5
.0	Lipidosis (disturbance of lipid metabolism)	127	77	50	67	46	7	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis	153	99	54	81	44	16	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Other	542	261	281	224	227	32	46	0.3	0.3	0.3	0.3	0.3	0.3	0.4
	IV. Diseases of the blood and blood-forming organs														
290-299	Diseases of blood and blood-forming organs	5,210	2,628	2,582	2,193	2,117	355	375	2.8	2.9	2.7	2.8	2.6	3.5	3.5
290	Pernicious and other hyperchromic anemias	552	214	338	201	294	6	29	0.3	0.2	0.4	0.3	0.4	0.1	0.3
.0	Pernicious anemia	492	182	310	171	270	4	27	0.3	0.2	0.3	0.2	0.3	0.0	0.2
.1	Subacute combined degeneration of spinal cord	18	10	8	8	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other hyperchromic anemias	42	22	20	22	18	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
291	Iron deficiency anemias (hypochromic anemias)	133	63	70	51	58	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
292	Other anemias of specified type	1,781	905	876	691	667	183	171	1.0	1.0	0.9	0.9	0.8	1.8	1.6
.0	Familial acholuric jaundice	126	59	67	45	58	8	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Acute hemolytic anemia	27	7	20	7	16	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other hemolytic anemias	85	43	42	33	34	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.3	Leuko-erythroblastic anemia	280	156	124	146	112	6	5	0.2	0.2	0.1	0.2	0.1	0.1	0.0
.4	Aplastic anemia	948	470	478	440	430	20	28	0.5	0.5	0.5	0.6	0.5	0.2	0.3
.5	Nonregenerative anemia	26	16	10	16	9	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Sickle cell anemia	280	150	130	-	3	145	121	0.2	0.2	0.1	-	0.0	1.4	1.1
.7	Other specified anemias	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
293	Anemia of unspecified type	932	438	494	351	386	71	91	0.5	0.5	0.5	0.4	0.5	0.7	0.8
294	Polycythemia	451	282	169	270	163	6	5	0.2	0.3	0.2	0.3	0.2	0.1	0.0
295	Hemophilia	94	93	1	79	1	13	-	0.1	0.1	0.0	0.1	0.0	0.1	-
296	Purpura and other hemorrhagic conditions	689	336	353	296	306	30	39	0.4	0.4	0.4	0.4	0.4	0.3	0.4
297	Agranulocytosis	179	68	111	66	100	2	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs—Con.														
	Diseases of blood and blood-forming organs—Con.														
298	Diseases of spleen	228	131	97	109	88	16	4	0.1	0.1	0.1	0.1	0.1	0.2	0.0
.0	Hepatolienal fibrosis	118	65	53	58	47	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Other	110	66	44	51	41	12	2	0.1	0.1	0.0	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs	171	98	73	79	54	17	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
	V. Mental, psychoneurotic, and personality disorders														
300-309	Psychoses	1,344	787	557	663	471	107	77	0.7	0.9	0.6	0.8	0.6	1.0	0.7
300	Schizophrenic disorders (dementia praecox)	149	67	82	54	70	11	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Simple type	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Hebephrenic type	8	5	3	4	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Catatonic type	33	13	20	9	16	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Paranoid type	28	16	12	13	11	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Acute schizophrenic	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.5	Latent schizophrenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Schizo-affective psychosis	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
.7	Other and unspecified	73	32	41	27	36	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
301	Manic-depressive reaction	29	10	19	10	15	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Manic and circular	11	3	8	3	4	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Depressive	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other	12	4	8	4	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
302	Involutional melancholia	17	8	9	8	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
303	Paranoia and paranoid states	7	3	4	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
304	Senile psychosis	273	110	163	96	142	13	20	0.1	0.1	0.2	0.1	0.2	0.1	0.2
305	Presenile psychosis	112	47	65	46	60	1	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
307	Alcoholic psychosis	436	386	50	319	34	53	14	0.2	0.4	0.1	0.4	0.0	0.5	0.1
309	Other and unspecified psychoses	321	156	165	127	139	29	24	0.2	0.2	0.2	0.2	0.2	0.3	0.2
310-318	Psychoneurotic disorders	77	23	54	22	51	1	2	0.0	0.0	0.1	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	7	2	5	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
311	Hysterical reaction without mention of anxiety reaction	47	12	35	12	34	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
312	Phobic reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
314	Neurotic-depressive reaction	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	7	3	4	3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Neurocirculatory asthenia	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Other heart manifestations specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other circulatory manifestations of psychogenic origin	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Mucous colitis specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Irritability of colon specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Gastric neuroses	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other digestive manifestations specified as of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Psychogenic reactions affecting respiratory system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Psychogenic reactions affecting genitourinary system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pruritus of psychogenic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other cutaneous neuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Psychogenic reactions affecting musculoskeletal system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Psychogenic reactions affecting other systems	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	V. Mental, psychoneurotic, and personality disorders—Con.														
	Psychoneurotic disorders—Con.														
318	Psychoneurotic disorders, other, mixed, and unspecified types	8	3	5	2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Hypochondriacal reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Depersonalization	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Occupational neurosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Asthenic reaction	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Mixed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of other and unspecified types	7	3	4	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
320-326	Disorders of character, behavior, and intelligence	2,954	2,174	780	1,613	546	496	213	1.6	2.4	0.8	2.1	0.7	4.9	2.0
320	Pathological personality	1	-	1	-	-	-	-	0.0	-	0.0	-	-	-	-
.0	Schizoid personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paranoid personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Cyclothymic personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Inadequate personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Antisocial personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Asocial personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Sexual deviation	1	-	1	-	-	-	-	0.0	-	0.0	-	-	-	-
.7	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321	Immature personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Emotional instability	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Passive dependency	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Aggressiveness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Enuresis characterizing immature personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other symptomatic habits except speech impediments	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
322	Alcoholism	2,311	1,800	511	1,341	323	410	175	1.2	2.0	0.5	1.7	0.4	4.0	1.6
.0	Acute	811	599	212	406	130	175	76	0.4	0.7	0.2	0.5	0.2	1.7	0.7
.1	Chronic	885	704	181	549	126	135	54	0.5	0.8	0.2	0.7	0.2	1.3	0.5
.2	Unspecified	615	497	118	386	67	100	45	0.3	0.5	0.1	0.5	0.1	1.0	0.4
323	Other drug addiction	144	107	37	50	25	50	12	0.1	0.1	0.0	0.1	0.0	0.5	0.1
324	Primary childhood behavior disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	Mental deficiency	498	267	231	222	198	36	26	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.0	Idiocy	21	15	6	13	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Imbecility	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Moron	6	6	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Borderline intelligence	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Mongolism	268	148	120	124	103	20	12	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.5	Other and unspecified types	201	97	104	79	89	14	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
326	Other and unspecified character, behavior, and intelligence disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Specific learning defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Stammering and stuttering of nonorganic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other speech impediments of nonorganic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Acute situational maladjustment	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VI. Diseases of the nervous system and sense organs														
330-334	Vascular lesions affecting central nervous system	197,451	92,595	104,856	78,380	88,718	11,815	13,080	106.3	101.4	111.0	100.4	110.3	115.7	120.8
330	Subarachnoid hemorrhage	7,649	3,452	4,197	2,784	3,312	559	746	4.1	3.8	4.4	3.6	4.1	5.5	6.9
331	Cerebral hemorrhage	109,419	51,492	57,927	43,061	48,301	7,192	8,061	58.9	56.4	61.3	55.2	60.1	70.4	74.5
332	Cerebral embolism and thrombosis	61,759	29,186	32,573	25,368	28,405	2,948	3,061	33.2	31.9	34.5	32.5	35.3	28.9	28.3
333	Spasm of cerebral arteries	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
334	Other and ill-defined vascular lesions affecting central nervous system	18,619	8,462	10,157	7,164	8,698	1,116	1,212	10.0	9.3	10.8	9.2	10.8	10.9	11.2

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs--Con.														
340-345	Inflammatory diseases of central nervous system	5,201	2,701	2,500	2,033	1,934	564	477	2.8	3.0	2.6	2.6	2.4	5.5	4.4
340	Meningitis, except meningococcal and tuberculous	2,322	1,315	1,007	878	674	394	307	1.2	1.4	1.1	1.1	0.8	3.9	2.8
.0	H. influenzae	388	223	165	154	119	62	43	0.2	0.2	0.2	0.2	0.1	0.6	0.4
.1	Pneumococcus	522	287	235	185	148	87	80	0.3	0.3	0.2	0.2	0.2	0.9	0.7
.2	Due to other specified organism	239	129	110	91	84	32	23	0.1	0.1	0.1	0.1	0.1	0.3	0.2
.3	With no organism specified as cause	1,173	676	497	448	323	213	161	0.6	0.7	0.5	0.6	0.4	2.1	1.5
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	41	17	24	14	18	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	289	177	112	133	81	35	24	0.2	0.2	0.1	0.2	0.1	0.3	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	484	252	232	214	196	28	29	0.3	0.3	0.2	0.3	0.2	0.3	0.3
344	Late effects of intracranial abscess or pyogenic infection	578	337	241	255	181	67	48	0.3	0.4	0.3	0.3	0.2	0.7	0.4
A	Hydrocephalus not otherwise specified	313	176	137	127	94	37	33	0.2	0.2	0.1	0.2	0.1	0.4	0.3
B	Other late effects of intracranial abscess or pyogenic infection	265	161	104	128	87	30	15	0.1	0.2	0.1	0.2	0.1	0.3	0.1
345	Multiple sclerosis	1,487	603	884	539	784	37	64	0.8	0.7	0.9	0.7	1.0	0.4	0.6
350-357	Other diseases of central nervous system	8,871	4,941	3,930	4,119	3,395	665	428	4.8	5.4	4.2	5.3	4.2	6.5	4.0
350	Paralysis agitans	2,816	1,488	1,328	1,383	1,244	50	35	1.5	1.6	1.4	1.8	1.5	0.5	0.3
351	Cerebral spastic infantile paralysis	752	416	336	336	282	69	46	0.4	0.5	0.4	0.4	0.4	0.7	0.4
352	Other cerebral paralysis	576	306	270	245	197	57	67	0.3	0.3	0.3	0.3	0.2	0.6	0.6
353	Epilepsy	2,048	1,198	850	797	650	361	179	1.1	1.3	0.9	1.0	0.8	3.5	1.7
.0	Petit mal	8	5	3	5	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Grand mal	367	211	156	164	126	44	29	0.2	0.2	0.2	0.2	0.2	0.4	0.3
.2	Status epilepticus	564	324	240	204	179	105	56	0.3	0.4	0.3	0.3	0.2	1.0	0.5
.3	Other and unspecified	1,109	658	451	424	342	212	94	0.6	0.7	0.5	0.5	0.4	2.1	0.9
354	Migraine	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
355	Other diseases of brain	1,048	546	502	480	428	60	62	0.6	0.6	0.5	0.6	0.5	0.6	0.6
356	Motor neuron disease and muscular atrophy	1,427	862	565	779	525	49	31	0.8	0.9	0.6	1.0	0.7	0.5	0.3
.0	Progressive muscular atrophy	153	76	77	66	72	8	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Amyotrophic lateral sclerosis	1,164	715	449	651	418	32	22	0.6	0.8	0.5	0.8	0.5	0.3	0.2
.2	Spinal type of muscular atrophy	92	59	33	52	29	7	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.3	Other and unspecified manifestations	18	12	6	10	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
357	Other diseases of spinal cord	202	124	78	98	68	19	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1
360-369	Diseases of nerves and peripheral ganglia	267	148	119	131	106	14	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
360	Facial paralysis	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
361	Trigeminal neuralgia	23	7	16	7	14	-	-	0.0	0.0	0.0	0.0	0.0	-	-
362	Brachial neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	Sciatica	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
364	Polyneuritis and polyradiculitis	172	104	68	93	62	9	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
365	Erythredema polyneuritica	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	25	15	10	12	10	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
367	Other diseases of cranial nerves	15	8	7	7	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
368	Other diseases of peripheral nerves except autonomic	23	11	12	10	8	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	6	3	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
370-379	Inflammatory diseases of eye	9	1	8	1	5	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
370	Conjunctivitis and ophthalmia	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
371	Blepharitis	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
372	Hordeolum (sty)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
373	Iritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	Keratitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	Choroiditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
377	Inflammation of optic nerve and retina	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
378	Inflammation of lachrymal glands and ducts	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
379	Other inflammatory diseases of eye	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.														
380-389	Other diseases and conditions of eye	45	19	26	17	23	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
380	Refractive errors	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381	Corneal ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382	Corneal opacity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	Pterygium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Strabismus	5	4	1	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
385	Cataract	26	5	21	5	19	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
386	Detachment of retina	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
387	Glaucoma	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
388	Other diseases of eye	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
389	Blindness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Blindness, both eyes, specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Blindness, one eye, specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398	Diseases of ear and mastoid process	275	154	121	117	93	33	26	0.1	0.2	0.1	0.1	0.1	0.3	0.2
390	Otitis externa	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
391	Otitis media without mention of mastoiditis	189	108	81	78	61	28	18	0.1	0.1	0.1	0.1	0.1	0.3	0.2
.0	Acute	35	17	18	12	13	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic	29	17	12	15	10	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	125	74	51	51	38	21	12	0.1	0.1	0.1	0.1	0.0	0.2	0.1
392	Otitis media with mastoiditis	26	14	12	11	10	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic	12	7	5	6	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Unspecified	12	6	6	4	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
393	Mastoiditis without mention of otitis media	44	25	19	21	14	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute	5	1	4	1	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic	14	11	3	9	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	25	13	12	11	8	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
395	Ménière's disease	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
396	Other diseases of ear and mastoid process	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
397	Deaf mutism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other ____	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Deafness, both ears	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness, one ear, and partial deafness in other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Impairment of hearing, one or both ears	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VII. Diseases of the circulatory system														
400-402	Rheumatic fever	550	285	265	228	193	52	62	0.3	0.3	0.3	0.3	0.2	0.5	0.6
400	Rheumatic fever without mention of heart involvement	53	29	24	27	19	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
401	Rheumatic fever with heart involvement	494	255	239	201	172	49	58	0.3	0.3	0.3	0.3	0.2	0.5	0.5
.0	Active rheumatic pericarditis	133	83	50	67	42	14	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis	44	21	23	18	16	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Active rheumatic myocarditis	30	16	14	12	10	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Active rheumatic fever with other and multiple types of heart involvement	287	135	152	104	104	29	44	0.2	0.1	0.2	0.1	0.1	0.3	0.4
402	Chorea	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.0	Without mention of heart involvement	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.1	With heart involvement	-	-	-	-	-	-	-	-	-	-	-	-	-	-

715 - 533 O - 64 - 5

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VII. Diseases of the circulatory system—Con.														
410-416	Chronic rheumatic heart disease	17,201	7,881	9,320	6,959	8,134	583	707	9.3	8.6	9.9	8.9	10.1	5.7	6.5
410	Diseases of mitral valve	6,234	2,584	3,650	2,300	3,236	173	245	3.4	2.8	3.9	2.9	4.0	1.7	2.3
411	Disease of aortic valve specified as rheumatic	1,984	1,369	615	1,254	544	60	42	1.1	1.5	0.7	1.6	0.7	0.6	0.4
412	Disease of tricuspid valve	23	13	10	12	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
413	Diseases of pulmonary valve specified as rheumatic	3	-	3	-	2	-	1	0.0	-	0.0	-	0.0	-	0.0
414	Other endocarditis specified as rheumatic	817	391	426	356	382	19	22	0.4	0.4	0.5	0.5	0.5	0.2	0.2
415	Other myocarditis specified as rheumatic	347	167	180	153	165	10	11	0.2	0.2	0.2	0.2	0.2	0.1	0.1
416	Other heart disease specified as rheumatic	7,793	3,357	4,436	2,884	3,795	320	386	4.2	3.7	4.7	3.7	4.7	3.1	3.6
420-422	Arteriosclerotic and degenerative heart disease	582,206	351,098	231,108	313,579	203,197	23,636	17,914	313.3	384.3	244.6	401.7	252.6	231.4	165.5
420	Arteriosclerotic heart disease, including coronary disease	527,561	324,183	203,378	291,009	179,702	20,655	15,070	283.9	354.9	215.3	372.8	223.4	202.2	139.2
.0	Arteriosclerotic heart disease so described	229,700	125,471	104,229	111,104	91,979	8,340	6,911	123.6	137.3	110.3	142.3	114.4	81.7	63.8
.1	Heart disease specified as involving coronary arteries	297,468	198,462	99,006	179,691	87,598	12,281	8,142	160.1	217.2	104.8	230.2	108.9	120.2	75.2
.2	Angina pectoris without mention of coronary disease	393	250	143	214	125	34	17	0.2	0.3	0.2	0.3	0.2	0.3	0.2
421	Chronic endocarditis not specified as rheumatic	4,288	2,494	1,794	2,157	1,467	277	264	2.3	2.7	1.9	2.8	1.8	2.7	2.4
.0	Of mitral valve, specified as nonrheumatic	201	90	111	78	88	11	18	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.1	Of aortic valve, not specified as rheumatic	2,184	1,470	714	1,315	600	113	82	1.2	1.6	0.8	1.7	0.7	1.1	0.8
.2	Of tricuspid valve, specified as nonrheumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Of pulmonary valve, not specified as rheumatic	54	39	15	34	14	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Other and ill-defined, not specified as rheumatic	1,849	895	954	730	765	149	163	1.0	1.0	1.0	0.9	1.0	1.5	1.5
422	Other myocardial degeneration	50,357	24,421	25,936	20,413	22,028	2,704	2,580	27.1	26.7	27.5	26.1	27.4	26.5	23.8
.0	Fatty degeneration	43	14	29	13	27	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis	39,118	18,676	20,442	15,749	17,395	1,989	1,963	21.1	20.4	21.6	20.2	21.6	19.5	18.1
.2	Other	11,196	5,731	5,465	4,651	4,606	714	615	6.0	6.3	5.8	6.0	5.7	7.0	5.7
430-434	Other diseases of heart	25,876	14,754	11,122	11,939	8,898	2,514	1,928	13.9	16.2	11.8	15.3	11.1	24.6	17.8
430	Acute and subacute endocarditis	737	468	269	378	214	79	49	0.4	0.5	0.3	0.5	0.3	0.8	0.5
.0	Acute and subacute bacterial endocarditis	697	448	249	367	199	70	44	0.4	0.5	0.3	0.5	0.2	0.7	0.4
.1	Other acute endocarditis	40	20	20	11	15	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
431	Acute myocarditis not specified as rheumatic	976	581	395	471	320	97	71	0.5	0.6	0.4	0.6	0.4	0.9	0.7
432	Acute pericarditis specified as nonrheumatic	65	45	20	39	18	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
433	Functional disease of heart	6,561	3,174	3,387	2,807	3,010	286	287	3.5	3.5	3.6	3.6	3.7	2.8	2.7
.0	Heart block	2,551	1,355	1,196	1,185	1,035	137	135	1.4	1.5	1.3	1.5	1.3	1.3	1.2
.1	Other disorders of heart rhythm	3,984	1,806	2,178	1,611	1,962	147	152	2.1	2.0	2.3	2.1	2.4	1.4	1.4
.2	Other functional diseases of heart	26	13	13	11	13	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
434	Other and unspecified diseases of heart	17,537	10,486	7,051	8,244	5,336	2,047	1,519	9.4	11.5	7.5	10.6	6.6	20.0	14.0
.0	Kyphoscoliotic heart disease	187	83	104	74	96	7	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Congestive heart failure	8,759	4,646	4,113	3,718	3,237	795	737	4.7	5.1	4.4	4.8	4.0	7.8	6.9
.2	Left ventricular failure	639	383	256	317	196	56	44	0.3	0.4	0.3	0.4	0.2	0.5	0.4
.3	Other disease of heart	322	203	119	163	89	35	26	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.4	Unspecified disease of heart	7,630	5,171	2,459	3,972	1,718	1,154	708	4.1	5.7	2.6	5.1	2.1	11.3	6.5
440-443	Hypertensive heart disease	62,176	26,654	35,522	19,455	26,921	6,359	7,327	33.5	29.2	37.6	24.9	33.5	62.3	67.7
440	Essential benign hypertensive heart disease	568	210	358	168	314	41	43	0.3	0.2	0.4	0.2	0.4	0.4	0.4
441	Essential malignant hypertensive heart disease	592	327	265	178	151	139	110	0.3	0.4	0.3	0.2	0.2	1.4	1.0
442	Hypertensive heart disease with arteriolar nephrosclerosis	14,202	6,821	7,381	5,439	6,011	1,196	1,146	7.6	7.5	7.8	7.0	7.5	11.7	10.6
443	Other and unspecified hypertensive heart disease	46,814	19,296	27,518	13,670	20,445	4,983	6,028	25.2	21.1	29.1	17.5	25.4	48.8	55.7
444-447	Other hypertensive disease	12,497	6,296	6,201	4,758	4,815	1,354	1,193	6.7	6.9	6.6	6.1	6.0	13.3	11.0
444	Essential benign hypertension	3,354	1,266	2,088	943	1,678	291	355	1.8	1.4	2.2	1.2	2.1	2.8	3.3
445	Essential malignant hypertension	1,962	1,084	878	561	472	496	382	1.1	1.2	0.9	0.7	0.6	4.9	3.5
446	Hypertension with arteriolar nephrosclerosis	6,987	3,865	3,122	3,196	2,577	550	437	3.8	4.2	3.3	4.1	3.2	5.4	4.0
447	Other hypertensive disease without mention of heart	194	81	113	58	88	17	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VII. Diseases of the circulatory system—Con.														
450-456	Diseases of arteries	49,715	25,511	24,204	22,795	21,616	1,966	1,843	26.8	27.9	25.6	29.2	26.9	19.2	17.0
450	General arteriosclerosis	36,848	16,855	19,993	15,018	18,074	1,399	1,325	19.8	18.5	21.2	19.2	22.5	13.7	12.2
.0	Without mention of gangrene	34,370	15,580	18,790	13,898	17,043	1,279	1,195	18.5	17.1	19.9	17.8	21.2	12.5	11.0
.1	With mention of gangrene as a consequence	2,478	1,275	1,203	1,120	1,031	120	130	1.3	1.4	1.3	1.4	1.3	1.2	1.2
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	9,544	6,954	2,590	6,297	2,242	393	246	5.1	7.6	2.7	8.1	2.8	3.8	2.3
452	Other aneurysm, except of heart and aorta	715	416	299	362	244	42	44	0.4	0.5	0.3	0.5	0.3	0.4	0.4
453	Peripheral vascular disease	211	145	66	133	57	10	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.0	Raynaud's disease	19	11	8	8	8	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Thromboangiitis obliterans	108	83	25	79	22	2	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.2	Chilblains	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	84	51	33	46	27	5	5	0.0	0.1	0.0	0.1	0.0	0.0	0.0
454	Arterial embolism and thrombosis	933	525	408	459	363	48	34	0.5	0.6	0.4	0.6	0.5	0.5	0.3
455	Gangrene of unspecified cause	243	127	116	100	86	26	30	0.1	0.1	0.1	0.1	0.1	0.3	0.3
456	Other diseases of arteries	1,221	489	732	426	550	48	156	0.7	0.5	0.8	0.5	0.7	0.5	1.4
460-468	Diseases of veins and other diseases of circulatory system	9,765	5,081	4,684	4,232	3,917	669	583	5.3	5.6	5.0	5.4	4.9	6.6	5.4
460	Varicose veins of lower extremities	275	105	170	90	149	14	18	0.1	0.1	0.2	0.1	0.2	0.1	0.2
461	Hemorrhoids	45	23	22	21	19	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
462	Varicose veins of other specified sites	405	254	151	232	122	14	21	0.2	0.3	0.2	0.3	0.2	0.1	0.2
.0	Varicocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Varicose veins of esophagus	370	233	137	213	113	12	19	0.2	0.3	0.1	0.3	0.1	0.1	0.2
.2	Other	35	21	14	19	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
463	Phlebitis and thrombophlebitis of lower extremities	1,190	575	615	479	530	71	67	0.6	0.6	0.7	0.6	0.7	0.7	0.6
464	Phlebitis and thrombophlebitis of other sites	909	426	483	344	402	64	65	0.5	0.5	0.5	0.4	0.5	0.6	0.6
465	Pulmonary embolism and infarction	4,302	2,313	1,989	1,893	1,624	327	257	2.3	2.5	2.1	2.4	2.0	3.2	2.4
466	Other venous embolism and thrombosis	1,937	966	971	832	849	111	98	1.0	1.1	1.0	1.1	1.1	1.1	0.9
467	Other diseases of circulatory system	654	389	265	319	208	60	52	0.4	0.4	0.3	0.4	0.3	0.6	0.5
.0	Hypotension	89	49	40	39	33	8	6	0.0	0.1	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	37	17	20	16	19	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other and unspecified circulatory diseases	528	323	205	264	156	52	45	0.3	0.4	0.2	0.3	0.2	0.5	0.4
468	Certain diseases of lymph nodes and lymph channels	48	30	18	22	14	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Chronic lymphadenitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Nonspecific mesenteric lymphadenitis	10	6	4	4	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified	22	14	8	9	6	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Noninfective diseases of lymphatic channels	16	10	6	9	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
	VIII. Diseases of the respiratory system														
470-475	Acute upper respiratory infections	820	462	358	324	257	130	91	0.4	0.5	0.4	0.4	0.3	1.3	0.8
470	Acute nasopharyngitis (common cold)	75	46	29	21	12	25	16	0.0	0.1	0.0	0.0	0.0	0.2	0.1
471	Acute sinusitis	22	14	8	10	7	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis	113	65	48	47	36	13	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.0	Sore throat, unqualified	6	2	4	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Other	107	63	44	46	33	13	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1
473	Acute tonsillitis	56	26	30	22	21	4	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
474	Acute laryngitis and tracheitis	228	139	89	101	73	36	13	0.1	0.2	0.1	0.1	0.1	0.4	0.1
475	Acute upper respiratory infections of multiple or unspecified sites	326	172	154	123	108	49	42	0.2	0.2	0.2	0.2	0.1	0.5	0.4
480-483	Influenza	3,431	1,664	1,767	1,347	1,422	300	337	1.8	1.8	1.9	1.7	1.8	2.9	3.1
480	Influenza with pneumonia	1,784	869	915	676	699	188	212	1.0	1.0	1.0	0.9	0.9	1.8	2.0
481	Influenza with other respiratory manifestations, and influenza unqualified	1,451	705	746	600	639	94	103	0.8	0.8	0.8	0.8	0.8	0.9	1.0
482	Influenza with digestive manifestations, but without respiratory symptoms	121	55	66	40	51	14	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	75	35	40	31	33	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VIII. Diseases of the respiratory system--Con.														
490-493	Pneumonia	56,564	31,853	24,711	25,271	19,755	5,630	4,205	30.4	34.9	26.2	32.4	24.6	55.1	38.8
490	Lobar pneumonia	8,784	5,289	3,495	4,100	2,686	998	685	4.7	5.8	3.7	5.3	3.3	9.8	6.3
491	Bronchopneumonia	32,455	18,038	14,417	14,476	11,725	2,931	2,160	17.5	19.7	15.3	18.5	14.6	28.7	20.0
492	Primary atypical pneumonia	5,429	3,022	2,407	2,402	1,864	525	465	2.9	3.3	2.5	3.1	2.3	5.1	4.3
493	Pneumonia, other and unspecified	9,896	5,504	4,392	4,293	3,480	1,176	895	5.3	6.0	4.6	5.5	4.3	11.5	8.3
500-502	Bronchitis	4,665	3,321	1,344	2,899	1,134	305	166	2.5	3.6	1.4	3.7	1.4	3.0	1.5
500	Acute bronchitis	1,118	664	454	543	374	97	67	0.6	0.7	0.5	0.7	0.5	0.9	0.6
501	Bronchitis, unqualified	811	472	339	369	267	84	61	0.4	0.5	0.4	0.5	0.3	0.8	0.6
502	Chronic bronchitis	2,736	2,185	551	1,987	493	124	38	1.5	2.4	0.6	2.5	0.6	1.2	0.4
.0	Bronchitis with emphysema	1,919	1,651	268	1,519	242	74	15	1.0	1.8	0.3	1.9	0.3	0.7	0.1
.1	Other	817	534	283	468	251	50	23	0.4	0.6	0.3	0.6	0.3	0.5	0.2
510-527	Other diseases of respiratory system	24,672	19,138	5,534	17,207	4,754	1,421	656	13.3	20.9	5.9	22.0	5.9	13.9	6.1
510	Hypertrophy of tonsils and adenoids	108	64	44	57	33	7	11	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.0	Without mention of tonsillectomy or adenoidectomy	6	2	4	1	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	102	62	40	56	30	6	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1
511	Peritonsillar abscess (quinsy)	18	10	8	6	5	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
512	Chronic pharyngitis and nasopharyngitis	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Chronic pharyngitis	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.1	Chronic nasopharyngitis	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
513	Chronic sinusitis	85	51	34	37	26	11	8	0.0	0.1	0.0	0.0	0.0	0.1	0.1
514	Deflected nasal septum	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
515	Nasal polyp	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
516	Chronic laryngitis	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
517	Other diseases of upper respiratory tract	223	132	91	89	75	40	15	0.1	0.1	0.1	0.1	0.1	0.4	0.1
518	Empyema	274	196	78	152	66	34	10	0.1	0.2	0.1	0.2	0.1	0.3	0.1
519	Pleurisy	134	88	46	71	39	11	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.0	Without mention of effusion or tuberculosis	62	42	20	32	15	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	With effusion, with mention of a bacterial cause other than tuberculosis	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Other specified forms of effusion, except tuberculous	71	46	25	39	23	5	1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
520	Spontaneous pneumothorax	86	66	20	58	15	6	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	561	416	145	309	113	84	26	0.3	0.5	0.2	0.4	0.1	0.8	0.2
522	Pulmonary congestion and hypostasis	1,606	788	818	689	708	88	98	0.9	0.9	0.9	0.9	0.9	0.9	0.9
523	Pneumoconiosis due to silica and silicates (occupational)	1,437	1,427	10	1,350	7	43	1	0.8	1.6	0.0	1.7	0.0	0.4	0.0
.0	Silicosis	468	463	5	423	3	23	1	0.3	0.5	0.0	0.5	0.0	0.2	0.0
.1	Anthracosilicosis	744	743	1	729	1	8	-	0.4	0.8	0.0	0.9	0.0	0.1	-
.2	Asbestosis	18	17	1	10	-	-	-	0.0	0.0	0.0	0.0	-	-	-
.3	Other, including pneumoconiosis unspecified	207	204	3	188	3	12	-	0.1	0.2	0.0	0.2	0.0	0.1	-
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	58	56	2	50	-	2	1	0.0	0.1	0.0	0.1	-	0.0	0.0
525	Other chronic interstitial pneumonia	4,097	2,751	1,346	2,342	1,080	313	234	2.2	3.0	1.4	3.0	1.3	3.1	2.2
526	Bronchiectasis	2,105	1,378	727	1,248	680	84	33	1.1	1.5	0.8	1.6	0.8	0.8	0.3
527	Other diseases of lung and pleural cavity	13,870	11,709	2,161	10,745	1,903	692	208	7.5	12.8	2.3	13.8	2.4	6.8	1.9
.0	Pulmonary collapse (1 year and over)	197	109	88	94	71	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis	12,368	10,752	1,616	9,998	1,481	503	100	6.7	11.8	1.7	12.8	1.8	4.9	0.9
.2	Other	1,305	848	457	653	351	179	95	0.7	0.9	0.5	0.8	0.4	1.8	0.9
	IX. Diseases of the digestive system														
530-539	Diseases of buccal cavity and esophagus	987	546	441	480	389	50	41	0.5	0.6	0.5	0.6	0.5	0.5	0.4
530	Dental caries	11	5	6	5	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Dental caries, unqualified	9	5	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With pulp exposure	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IX. Diseases of the digestive system--Con.														
	Diseases of buccal cavity and esophagus--Con.														
530	Dental caries--Con.														
.2	With periapical abscess	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.3	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531	Abscesses of supporting structures of teeth	19	10	9	8	9	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Pericoronal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Periodontal (parietal)	5	3	2	1	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Other and unspecified	14	7	7	7	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
532	Other inflammatory diseases of supporting structures of teeth	22	11	11	11	8	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Gingivitis, except ulcerative	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Periodontitis (pyorrhea, inflammatory)	6	4	2	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.2	Periodontosis (pyorrhea, degenerative)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	13	6	7	6	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
533	Disorders of occlusion, eruption, and tooth development	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Malocclusion	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Disorders of first dentition	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Impacted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unerupted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Partially erupted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital anomalies of teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Chronic dental fluorosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
534	Toothache from unspecified cause	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	Other diseases of teeth and supporting structures	26	10	16	6	10	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
536	Stomatitis	15	7	8	5	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
537	Diseases of salivary glands	170	54	116	51	108	3	5	0.1	0.1	0.1	0.1	0.1	0.0	0.0
538	Other diseases of buccal cavity	44	21	23	17	18	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
539	Diseases of esophagus	679	427	252	376	225	36	21	0.4	0.5	0.3	0.5	0.3	0.4	0.2
.0	Functional disorders of esophagus	47	19	28	16	22	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other	632	408	224	360	203	34	16	0.3	0.4	0.2	0.5	0.3	0.3	0.1
540-545	Diseases of stomach and duodenum	13,538	9,738	3,800	8,552	3,363	814	308	7.3	10.7	4.0	11.0	4.2	8.0	2.8
540	Ulcer of stomach	6,416	4,467	1,949	3,857	1,733	429	146	3.5	4.9	2.1	4.9	2.2	4.2	1.3
.0	Without mention of perforation	4,284	2,935	1,349	2,558	1,202	263	101	2.3	3.2	1.4	3.3	1.5	2.6	0.9
.1	With perforation	2,132	1,532	600	1,299	531	166	45	1.1	1.7	0.6	1.7	0.7	1.6	0.4
541	Ulcer of duodenum	5,812	4,369	1,443	3,921	1,289	290	104	3.1	4.8	1.5	5.0	1.6	2.8	1.0
.0	Without mention of perforation	3,818	2,926	892	2,625	803	189	60	2.1	3.2	0.9	3.4	1.0	1.9	0.6
.1	With perforation	1,994	1,443	551	1,296	486	101	44	1.1	1.6	0.6	1.7	0.6	1.0	0.4
542	Gastrojejunal ulcer	240	185	55	168	52	5	-	0.1	0.2	0.1	0.2	0.1	0.0	-
.0	Without mention of perforation	159	119	40	108	38	3	-	0.1	0.1	0.0	0.1	0.0	0.0	-
.1	With perforation	81	66	15	60	14	2	-	0.0	0.1	0.0	0.1	0.0	0.0	-
543	Gastritis and duodenitis	427	285	142	242	120	32	20	0.2	0.3	0.2	0.3	0.1	0.3	0.2
544	Disorders of function of stomach	121	70	51	51	28	17	22	0.1	0.1	0.1	0.1	0.0	0.2	0.2
.0	Disorders of gastric secretion	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Disorders of gastric motility	52	34	18	31	13	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other	69	36	33	20	15	14	18	0.0	0.0	0.0	0.0	0.0	0.1	0.2
545	Other diseases of stomach and duodenum	522	362	160	313	141	41	16	0.3	0.4	0.2	0.4	0.2	0.4	0.1
550-553	Appendicitis	1,800	1,095	705	904	550	149	130	1.0	1.2	0.7	1.2	0.7	1.5	1.2
550	Acute appendicitis	1,638	1,000	638	828	500	132	117	0.9	1.1	0.7	1.1	0.6	1.3	1.1
.0	Without mention of peritonitis	159	101	58	87	43	12	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	With peritonitis	1,479	899	580	741	457	120	105	0.8	1.0	0.6	0.9	0.6	1.2	1.0
551	Appendicitis, unqualified	148	87	61	71	44	14	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
552	Other appendicitis	9	7	2	5	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
553	Other diseases of appendix	5	1	4	-	4	1	-	0.0	0.0	0.0	-	0.0	0.0	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IX. Diseases of the digestive system—Con.														
560,561	Hernia of abdominal cavity	3,506	1,877	1,629	1,597	1,442	206	130	1.9	2.1	1.7	2.0	1.8	2.0	1.2
560	Hernia of abdominal cavity without mention of obstruction	1,360	744	616	661	559	64	40	0.7	0.8	0.7	0.8	0.7	0.6	0.4
.0	Inguinal	124	116	8	96	7	18	-	0.1	0.1	0.0	0.1	0.0	0.2	-
.1	Femoral	8	3	5	3	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Umbilical	258	135	123	120	99	13	22	0.1	0.1	0.1	0.2	0.1	0.1	0.2
.3	Ventral (incisional)	128	45	83	40	76	4	6	0.1	0.0	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site	741	363	378	331	355	21	10	0.4	0.4	0.4	0.4	0.4	0.2	0.1
.5	Of unspecified site	101	82	19	71	17	8	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
561	Hernia of abdominal cavity with obstruction	2,146	1,133	1,013	936	883	142	90	1.2	1.2	1.1	1.2	1.1	1.4	0.8
.0	Inguinal	655	548	107	436	94	86	8	0.4	0.6	0.1	0.6	0.1	0.8	0.1
.1	Femoral	302	88	214	76	196	7	8	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.2	Umbilical	208	60	148	57	115	1	28	0.1	0.1	0.2	0.1	0.1	0.0	0.3
.3	Ventral (incisional)	303	75	228	63	205	7	16	0.2	0.1	0.2	0.1	0.3	0.1	0.1
.4	Of other specified site	276	131	145	116	133	11	7	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.5	Of unspecified site	402	231	171	188	140	30	23	0.2	0.3	0.2	0.2	0.2	0.3	0.2
570-578	Other diseases of intestines and peritoneum	18,132	8,829	9,303	6,929	7,494	1,610	1,477	9.8	9.7	9.8	8.9	9.3	15.8	13.6
570	Intestinal obstruction without mention of hernia	6,217	2,838	3,379	2,361	2,883	378	376	3.3	3.1	3.6	3.0	3.6	3.7	3.5
.0	Intussusception	131	67	64	47	50	15	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Paralytic ileus	305	154	151	133	125	17	16	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.2	Mesenteric infarction	2,155	1,036	1,119	904	986	91	91	1.2	1.1	1.2	1.2	1.2	0.9	0.8
.3	Volvulus	1,028	537	491	431	417	84	53	0.6	0.6	0.5	0.6	0.5	0.8	0.5
.4	Impaction of intestine	203	72	131	63	127	5	3	0.1	0.1	0.1	0.1	0.2	0.0	0.0
.5	Other	2,395	972	1,423	783	1,178	166	204	1.3	1.1	1.5	1.0	1.5	1.6	1.9
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4,161	2,174	1,987	1,319	1,232	793	713	2.2	2.4	2.1	1.7	1.5	7.8	6.6
.0	Ages between 4 weeks and 2 years	2,635	1,451	1,184	721	586	689	578	1.4	1.6	1.3	0.9	0.7	6.7	5.3
.1	Ages 2 years and over	1,526	723	803	598	646	104	135	0.8	0.8	0.9	0.8	0.8	1.0	1.2
572	Chronic enteritis and ulcerative colitis	3,606	1,604	2,002	1,417	1,774	110	121	1.9	1.8	2.1	1.8	2.2	1.1	1.1
.0	Regional enteritis	220	117	103	106	90	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Diverticulitis	2,440	1,038	1,402	933	1,254	54	74	1.3	1.1	1.5	1.2	1.6	0.5	0.7
.2	Ulcerative colitis	848	411	437	353	382	38	29	0.5	0.4	0.5	0.5	0.5	0.4	0.3
.3	Other	98	38	60	25	48	11	11	0.1	0.0	0.1	0.0	0.1	0.1	0.1
573	Functional disorders of intestines	44	21	23	18	17	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation	7	1	6	1	3	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Mucous colitis	8	2	6	2	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Irritability of colon	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.3	Other	27	16	11	14	10	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
574	Anal fissure and fistula	5	3	2	-	1	3	1	0.0	0.0	0.0	-	0.0	0.0	0.0
575	Abscess of anal and rectal regions	103	56	47	38	36	14	11	0.1	0.1	0.0	0.0	0.0	0.1	0.1
576	Peritonitis	711	359	352	281	266	67	68	0.4	0.4	0.4	0.4	0.3	0.7	0.6
577	Peritoneal adhesion	72	23	49	18	40	5	7	0.0	0.0	0.1	0.0	0.0	0.0	0.1
578	Other diseases of intestines and peritoneum	3,213	1,751	1,462	1,477	1,245	237	175	1.7	1.9	1.5	1.9	1.5	2.3	1.6
580-587	Diseases of liver, gallbladder, and pancreas	32,387	19,393	12,994	16,694	10,994	1,860	1,466	17.4	21.2	13.8	21.4	13.7	18.2	13.5
580	Acute and subacute yellow atrophy of liver	417	201	216	158	174	36	31	0.2	0.2	0.2	0.2	0.2	0.4	0.3
581	Cirrhosis of liver	21,824	14,329	7,495	12,242	6,117	1,414	1,010	11.7	15.7	7.9	15.7	7.6	13.8	9.3
.0	Without mention of alcoholism	14,612	9,308	5,304	7,957	4,345	888	663	7.9	10.2	5.6	10.2	5.4	8.7	6.1
.1	With alcoholism	7,212	5,021	2,191	4,285	1,772	526	347	3.9	5.5	2.3	5.5	2.2	5.2	3.2
582	Suppurative hepatitis and liver abscess	134	84	50	58	44	20	5	0.1	0.1	0.1	0.1	0.1	0.2	0.0
583	Other diseases of liver	900	457	443	387	370	61	64	0.5	0.5	0.5	0.5	0.5	0.6	0.6
584	Cholelithiasis	3,078	1,247	1,831	1,132	1,649	60	106	1.7	1.4	1.9	1.5	2.1	0.6	1.0
585	Cholecystitis and cholangitis, without mention of calculi	1,753	767	986	711	889	40	79	0.9	0.8	1.0	0.9	1.1	0.4	0.7
586	Other diseases of gallbladder and biliary ducts	1,178	509	669	475	620	23	37	0.6	0.6	0.7	0.6	0.8	0.2	0.3

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IX. Diseases of the digestive system—Con.														
	Diseases of liver, gallbladder, and pancreas—Con.														
587	Diseases of pancreas	3,103	1,799	1,304	1,531	1,131	206	134	1.7	2.0	1.4	2.0	1.4	2.0	1.2
.0	Acute pancreatitis	2,118	1,266	852	1,061	720	157	102	1.1	1.4	0.9	1.4	0.9	1.5	0.9
.1	Chronic pancreatitis	256	163	93	131	79	30	12	0.1	0.2	0.1	0.2	0.1	0.3	0.1
A	Other diseases of pancreas, except fibrocystic disease	90	56	34	45	30	6	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
B	Fibrocystic disease of pancreas	639	314	325	294	302	13	16	0.3	0.3	0.3	0.4	0.4	0.1	0.1
	X. Diseases of the genitourinary system														
590-594	Nephritis and nephrosis	12,945	7,232	5,713	5,551	4,219	1,474	1,301	7.0	7.9	6.0	7.1	5.2	14.4	12.0
590	Acute nephritis	721	412	309	304	224	95	68	0.4	0.5	0.3	0.4	0.3	0.9	0.6
591	Nephritis with edema, including nephrosis	852	489	363	393	280	87	74	0.5	0.5	0.4	0.5	0.3	0.9	0.7
592	Chronic nephritis	8,571	4,737	3,834	3,666	2,862	921	847	4.6	5.2	4.1	4.7	3.6	9.0	7.8
593	Nephritis not specified as acute or chronic	2,662	1,494	1,168	1,105	825	357	301	1.4	1.6	1.2	1.4	1.0	3.5	2.8
594	Other renal sclerosis	139	100	39	83	28	14	11	0.1	0.1	0.0	0.1	0.0	0.1	0.1
600-609	Other diseases of urinary system	12,401	6,542	5,859	5,169	4,661	1,197	993	6.7	7.2	6.2	6.6	5.8	11.7	9.2
600	Infections of kidney	8,744	4,306	4,438	3,368	3,490	824	791	4.7	4.7	4.7	4.3	4.3	8.1	7.3
.0	Pyelitis, pyelocystitis, and pyelonephritis	8,555	4,219	4,336	3,303	3,408	807	779	4.6	4.6	4.6	4.2	4.2	7.9	7.2
.1	Abscess of kidney and perirenal tissue	112	49	63	37	51	8	5	0.1	0.1	0.1	0.0	0.1	0.1	0.0
.2	Other	77	38	39	28	31	9	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
601	Hydronephrosis	236	156	80	126	69	26	7	0.1	0.2	0.1	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	1,215	626	589	537	492	60	69	0.7	0.7	0.6	0.7	0.6	0.6	0.6
603	Other diseases of kidney and ureter	849	496	353	381	274	106	72	0.5	0.5	0.4	0.5	0.3	1.0	0.7
604	Calculi of other parts of urinary system	85	61	24	51	21	8	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
605	Cystitis	365	210	155	178	136	24	13	0.2	0.2	0.2	0.2	0.2	0.2	0.1
606	Other diseases of bladder	260	212	48	178	36	29	10	0.1	0.2	0.1	0.2	0.0	0.3	0.1
607	Urethritis (nonveneral)	10	8	2	6	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
608	Stricture of urethra	187	177	10	108	3	68	7	0.1	0.2	0.0	0.1	0.0	0.7	0.1
609	Other diseases of urethra	450	290	160	236	138	50	21	0.2	0.3	0.2	0.3	0.2	0.5	0.2
610-617	Diseases of male genital organs	4,789	4,789	...	3,947	...	689	...	2.6	5.2	...	5.1	...	6.7	...
610	Hyperplasia of prostate	4,283	4,283	...	3,519	...	622	...	2.3	4.7	...	4.5	...	6.1	...
611	Prostatitis	239	239	...	199	...	35	...	0.1	0.3	...	0.3	...	0.3	...
612	Other diseases of prostate	169	169	...	149	...	17	...	0.1	0.2	...	0.2	...	0.2	...
613	Hydrocele	4	4	...	1	...	3	...	0.0	0.0	...	0.0	...	0.0	...
614	Orchitis and epididymitis	13	13	...	11	...	1	...	0.0	0.0	...	0.0	...	0.0	...
615	Redundant prepuce and phimosis	8	8	...	6	...	2	...	0.0	0.0	...	0.0	...	0.0	...
616	Sterility, male	-	-	...	-	...	-	...	-	-	...	-	...	-	...
617	Other diseases of male genital organs	73	73	...	62	...	9	...	0.0	0.1	...	0.1	...	0.1	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	255	-	255	-	140	-	103	0.1	-	0.3	-	0.2	-	1.0
620	Chronic cystic disease of breast	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
621	Other diseases of breast	10	-	10	-	8	-	2	0.0	-	0.0	-	0.0	-	0.0
.0	Acute mastitis not associated with lactation	5	-	5	-	3	-	2	0.0	-	0.0	-	0.0	-	0.0
.1	Hypertrophy of breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
622	Acute salpingitis and oophoritis	9	...	9	...	1	...	6	0.0	...	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	6	...	6	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified	85	...	85	...	40	...	39	0.0	...	0.1	...	0.0	...	0.4
625	Other diseases of ovary and fallopian tube	24	...	24	...	18	...	6	0.0	...	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	118	...	118	...	67	...	49	0.1	...	0.1	...	0.1	...	0.5
630-637	Diseases of uterus and other female genital organs	419	...	419	...	324	...	81	0.2	...	0.4	...	0.4	...	0.7
630	Infective disease of uterus, vagina, and vulva	49	...	49	...	35	...	14	0.0	...	0.1	...	0.0	...	0.1
.0	Cervicitis	9	...	9	...	9	...	-	0.0	...	0.0	...	0.0	...	-
.1	Other infective diseases of uterus	30	...	30	...	18	...	12	0.0	...	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis	10	...	10	...	8	...	2	0.0	...	0.0	...	0.0	...	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	X. Diseases of the genitourinary system—Con.														
	Diseases of uterus and other female genital organs—Con.														
631	Uterovaginal prolapse	109	...	109	...	99	...	8	0.1	...	0.1	...	0.1	...	0.1
632	Malposition of uterus	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
633	Other diseases of uterus	187	...	187	...	137	...	42	0.1	...	0.2	...	0.2	...	0.4
634	Disorders of menstruation	35	...	35	...	22	...	11	0.0	...	0.0	...	0.0	...	0.1
635	Menopausal symptoms	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
636	Sterility, female	-	...	-	...	-	...	-	-	...	-	...	-	...	-
637	Other diseases of female genital organs	31	...	31	...	24	...	5	0.0	...	0.0	...	0.0	...	0.0
.0	Leukorrhea	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Other	31	...	31	...	24	...	5	0.0	...	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium														
640-649	Complications of pregnancy	440	...	440	...	213	...	211	0.2	...	0.5	...	0.3	...	1.9
640	Pyelitis and pyelonephritis of pregnancy	11	...	11	...	5	...	6	0.0	...	0.0	...	0.0	...	0.1
641	Other infections of genitourinary tract during pregnancy	6	...	6	...	6	...	-	0.0	...	0.0	...	0.0	...	-
642	Toxemias of pregnancy	218	...	218	...	108	...	103	0.1	...	0.2	...	0.1	...	1.0
.0	Hypertensive disease arising during pregnancy	26	...	26	...	11	...	15	0.0	...	0.0	...	0.0	...	0.1
.1	Renal disease arising during pregnancy	13	...	13	...	9	...	4	0.0	...	0.0	...	0.0	...	0.0
.2	Preeclampsia of pregnancy	26	...	26	...	9	...	16	0.0	...	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy	89	...	89	...	43	...	44	0.0	...	0.1	...	0.1	...	0.4
.4	Hyperemesis gravidarum	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.5	Other	63	...	63	...	35	...	24	0.0	...	0.1	...	0.0	...	0.2
643	Placenta previa	-	...	-	...	-	...	-	-	...	-	...	-	...	-
644	Other hemorrhage of pregnancy	4	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	-
645	Ectopic pregnancy	99	...	99	...	32	...	62	0.1	...	0.1	...	0.0	...	0.6
.0	Without mention of sepsis	90	...	90	...	29	...	57	0.0	...	0.1	...	0.0	...	0.5
.1	With sepsis	9	...	9	...	3	...	5	0.0	...	0.0	...	0.0	...	0.0
646	Anemia of pregnancy	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	-	...	-	...	-	...	-	-	...	-	...	-	...	-
648	Other complications arising from pregnancy	99	...	99	...	56	...	39	0.1	...	0.1	...	0.1	...	0.4
.0	Threatened abortion	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Hydatidiform mole	3	...	3	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.2	Placental abnormalities not classified elsewhere	18	...	18	...	8	...	9	0.0	...	0.0	...	0.0	...	0.1
.3	Other	78	...	78	...	46	...	30	0.0	...	0.1	...	0.1	...	0.3
650-652	Abortion	305	...	305	...	149	...	148	0.2	...	0.3	...	0.2	...	1.4
650	Abortion without mention of sepsis or toxemia	79	...	79	...	47	...	30	0.0	...	0.1	...	0.1	...	0.3
.0	Spontaneous or unspecified	28	...	28	...	15	...	12	0.0	...	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.2	Induced for other reasons	49	...	49	...	30	...	18	0.0	...	0.1	...	0.0	...	0.2
.3	Other	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
651	Abortion with sepsis	213	...	213	...	96	...	112	0.1	...	0.2	...	0.1	...	1.0
.0	Spontaneous or unspecified	147	...	147	...	68	...	74	0.1	...	0.2	...	0.1	...	0.7
.1	Induced for medical or legal indications	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
.2	Induced for other reasons	62	...	62	...	25	...	37	0.0	...	0.1	...	0.0	...	0.3
.3	Other	-	...	-	...	-	...	-	-	...	-	...	-	...	-
652	Abortion with toxemia, without mention of sepsis	13	...	13	...	6	...	6	0.0	...	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	9	...	9	...	4	...	4	0.0	...	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Induced for other reasons	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
.3	Other	-	...	-	...	-	...	-	-	...	-	...	-	...	-
660	Delivery without mention of complication	31	...	31	...	17	...	13	0.0	...	0.0	...	0.0	...	0.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.														
670-678	Delivery with specified complication	474	...	474	...	291	...	168	0.3	...	0.5	...	0.4	...	1.6
670	Delivery complicated by placenta previa or antepartum hemorrhage	113	...	113	...	62	...	46	0.1	...	0.1	...	0.1	...	0.4
671	Delivery complicated by retained placenta	26	...	26	...	14	...	11	0.0	...	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage	116	...	116	...	68	...	45	0.1	...	0.1	...	0.1	...	0.4
673	Delivery complicated by abnormality of bony pelvis	5	...	5	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	26	...	26	...	14	...	12	0.0	...	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin	12	...	12	...	9	...	3	0.0	...	0.0	...	0.0	...	0.0
676	Delivery with laceration of perineum, without mention of other laceration	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
677	Delivery with other trauma	77	...	77	...	50	...	26	0.0	...	0.1	...	0.1	...	0.2
678	Delivery with other complications of childbirth	98	...	98	...	70	...	24	0.1	...	0.1	...	0.1	...	0.2
680-689	Complications of the puerperium	215	...	215	...	137	...	75	0.1	...	0.2	...	0.2	...	0.7
680	Puerperal urinary infection without other sepsis	-	...	-	...	-	...	-	-	...	-	...	-	...	-
681	Sepsis of childbirth and the puerperium	55	...	55	...	32	...	23	0.0	...	0.1	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	39	...	39	...	28	...	10	0.0	...	0.0	...	0.0	...	0.1
683	Pyrexia of unknown origin during the puerperium	-	...	-	...	-	...	-	-	...	-	...	-	...	-
684	Puerperal pulmonary embolism	59	...	59	...	37	...	20	0.0	...	0.1	...	0.0	...	0.2
685	Puerperal eclampsia	14	...	14	...	5	...	9	0.0	...	0.0	...	0.0	...	0.1
686	Other forms of puerperal toxemia	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
687	Cerebral hemorrhage in the puerperium	21	...	21	...	17	...	4	0.0	...	0.0	...	0.0	...	0.0
688	Other and unspecified complication of the puerperium	25	...	25	...	16	...	9	0.0	...	0.0	...	0.0	...	0.1
.0	Anemia of puerperium	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.1	Puerperal psychosis	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
.2	Sudden death from unknown cause in the puerperium	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Other	22	...	22	...	14	...	8	0.0	...	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	-	...	-	...	-	...	-	-	...	-	...	-	...	-
	XII. Diseases of the skin and cellular tissue														
690-698	Infections of skin and subcutaneous tissue	570	303	267	251	224	43	38	0.3	0.3	0.3	0.3	0.3	0.4	0.4
690	Boil and carbuncle	67	41	26	35	22	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of face	9	7	2	6	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Of neck	5	4	1	3	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Of trunk	7	3	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Of upper arm and forearm	4	3	1	2	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.4	Of hand	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of buttock	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.6	Of other parts of lower extremity	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.7	Of other and multiple sites	22	13	9	13	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Of unspecified site	15	9	6	7	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
692	Other cellulitis and abscess without mention of lymphangitis	396	199	197	169	166	23	29	0.2	0.2	0.2	0.2	0.2	0.2	0.3
.0	Of head and neck	53	22	31	18	26	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Of trunk	105	58	47	50	37	6	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.2	Of upper arm and forearm	38	25	13	21	12	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Of hand, except fingers	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Of leg	107	51	56	43	46	7	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.5	Of foot, except toes	14	9	5	8	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Of other, multiple, and unspecified sites	76	33	43	28	39	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
693	Other cellulitis and abscess with lymphangitis	9	3	6	2	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Of head and neck	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Of trunk	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Of upper arm and forearm	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
693(title)-Con.	XII. Diseases of the skin and cellular tissue—Con.														
	Infections of skin and subcutaneous tissue—Con.														
.3	Of hand, except fingers	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of leg	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of foot, except toes	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Of other, multiple, and unspecified sites	6	1	5	-	4	1	-	0.0	0.0	0.0	-	0.0	0.0	-
694	Acute lymphadenitis	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
695	Impetigo	10	8	2	4	1	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
696	Infectious warts	-	-	-	-	-	-	-	-	-	-	-	-	-	-
697	Molluscum contagiosum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
698	Other local infections of skin and subcutaneous tissue	84	49	35	38	29	10	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0
700-716	Other diseases of skin and subcutaneous tissue	1,649	537	1,112	430	878	87	201	0.9	0.6	1.2	0.6	1.1	0.9	1.9
700	Seborrheic dermatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
701	Eczema	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
702	Occupational dermatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Due to plants	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Due to oils and greases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Due to solvents	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Due to drugs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Due to other chemicals	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Due to radiation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
703	Other dermatitis	33	16	17	8	14	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Due to plants	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Due to oils and greases	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Due to solvents	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Due to drugs	8	4	4	2	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Due to other chemicals	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Due to radiation	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.6	Due to other specified agents	12	7	5	5	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Unqualified	12	5	7	1	6	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
704	Pemphigus	142	58	84	43	68	12	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Dermatitis herpetiformis	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Other	138	56	82	42	66	11	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
705	Erythematous conditions	384	97	287	77	215	17	64	0.2	0.1	0.3	0.1	0.3	0.2	0.6
.0	Toxic erythema	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Erythema multiforme (erythema iris)	33	10	23	7	13	3	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Erythema nodosum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Rosacea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Lupus erythematosus	310	63	247	51	188	10	52	0.2	0.1	0.3	0.1	0.2	0.1	0.5
.5	Other and unqualified	41	24	17	19	14	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
706	Psoriasis and similar disorders	15	4	11	4	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Psoriasis	15	4	11	4	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Parapsoriasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pityriasis rosea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other and unspecified pityriasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	Lichen planus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
708	Pruritus and related conditions	4	3	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.0	Pruritus ani	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pruritus of genital organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Prurigo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Lichenification and lichen simplex chronicus	4	3	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.4	Dermatitis factitia (artefacta)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other pruritic conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-
709	Corns and callosities	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue--Con.														
	Other diseases of skin and subcutaneous tissue--Con.														
710	Other hypertrophic and atrophic conditions of skin	455	149	306	125	247	20	50	0.2	0.2	0.3	0.2	0.3	0.2	0.5
.0	Scleroderma and dermatomyositis	451	146	305	123	246	20	50	0.2	0.2	0.3	0.2	0.3	0.2	0.5
.1	Keratoderma	1	1	-	-	-	-	-	0.0	0.0	-	-	-	-	-
.2	Hereditary edema of legs (Milroy's disease)	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Striae atrophicae	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Keloid scar	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other hypertrophic and atrophic conditions of skin	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
711	Other dermatoses	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
712	Diseases of nail	-	-	-	-	-	-	-	-	-	-	-	-	-	-
713	Diseases of hair and hair follicles	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
714	Diseases of sweat and sebaceous glands	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Diseases of sweat glands	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Acne	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other diseases of sebaceous glands	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
715	Chronic ulcer of skin	598	199	399	161	319	29	69	0.3	0.2	0.4	0.2	0.4	0.3	0.6
716	Other diseases of skin	7	5	2	5	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
	XIII. Diseases of the bones and organs of movement														
720-727	Arthritis and rheumatism, except rheumatic fever	2,000	729	1,271	666	1,144	49	100	1.1	0.8	1.3	0.9	1.4	0.5	0.9
720	Acute arthritis due to pyogenic organisms	32	15	17	15	15	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
721	Acute nonpyogenic arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions	1,314	472	842	438	767	25	52	0.7	0.5	0.9	0.6	1.0	0.2	0.5
.0	Rheumatoid arthritis	1,261	445	836	412	761	24	52	0.7	0.5	0.9	0.5	0.9	0.2	0.5
.1	Spondylitis ankylopoietica	33	27	6	26	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Chronic reheumatoid nodular fibrositis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteoarthritis (arthrosis) and allied conditions	289	104	185	93	173	7	12	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)	258	87	171	78	161	5	10	0.1	0.1	0.2	0.1	0.2	0.0	0.1
.1	Spondylitis osteoarthritica (spondylarthrosis)	31	17	14	15	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis	11	9	2	5	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
725	Arthritis, unspecified	317	111	206	99	173	11	29	0.2	0.1	0.2	0.1	0.2	0.1	0.3
726	Muscular rheumatism	29	12	17	11	12	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lumbago	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Myofibrosis of humeroscapular region	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other muscular rheumatism, fibrositis, and myalgia	26	11	15	10	10	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified	8	6	2	5	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
730-738	Osteomyelitis and other diseases of bone and joint	665	307	358	254	306	38	32	0.4	0.3	0.4	0.3	0.4	0.4	0.3
730	Osteomyelitis and periostitis	190	112	78	88	60	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	11	5	6	5	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Chronic osteomyelitis	48	34	14	25	11	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Unspecified osteomyelitis	131	73	58	58	45	14	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
731	Osteitis deformans	131	65	66	59	53	-	7	0.1	0.1	0.1	0.1	0.1	-	0.1
732	Osteochondrosis	3	3	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-
733	Other diseases of bone	252	82	170	69	155	10	10	0.1	0.1	0.2	0.1	0.2	0.1	0.1
734	Internal derangement of knee joint	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
735	Displacement of intervertebral disk	49	28	21	24	17	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
736	Affection of sacroiliac joint	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
737	Ankylosis of joint	9	4	5	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Of spine	6	3	3	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Of shoulder	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Con.														
	Arthritis and rheumatism, except rheumatic fever—Con.														
.3	Of wrist	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of finger	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of hip	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Of knee	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Of ankle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other and multiple sites	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.9	Of unspecified site	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint	26	10	16	7	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
740-749	Other diseases of musculoskeletal system	928	574	354	521	307	42	40	0.5	0.6	0.4	0.7	0.4	0.4	0.4
740	Bunion	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
742	Synovitis, bursitis, and tenosynovitis of occupation origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
744	Other diseases of muscle, tendon, and fascia	829	527	302	477	261	39	35	0.4	0.6	0.3	0.6	0.3	0.4	0.3
.0	Myasthenia gravis	237	92	145	77	123	12	19	0.1	0.1	0.2	0.1	0.2	0.1	0.2
.1	Inborn defect of muscle	555	415	140	383	125	24	13	0.3	0.5	0.1	0.5	0.2	0.2	0.1
.2	Other	37	20	17	17	13	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	68	29	39	29	37	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
746	Flatfoot	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	Hallux valgus and varus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Clubfoot	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
749	Other deformities	21	12	9	10	7	2	2	0.0	0	0.0	0.0	0.0	0.0	0.0
	XIV. Congenital malformations														
750-759	Congenital malformations	21,192	11,562	9,630	9,671	8,141	1,519	1,192	11.4	12.7	10.2	12.4	10.1	14.9	11.0
750	Monstrosity	1,213	481	732	424	655	41	51	0.7	0.5	0.8	0.5	0.8	0.4	0.5
751	Spina bifida and meningocele	1,511	645	866	574	802	57	48	0.8	0.7	0.9	0.7	1.0	0.6	0.4
A	Without mention of hydrocephalus	672	293	379	261	348	27	26	0.4	0.3	0.4	0.3	0.4	0.3	0.2
B	With mention of hydrocephalus	839	352	487	313	454	30	22	0.5	0.4	0.5	0.4	0.6	0.3	0.2
752	Congenital hydrocephalus	1,304	671	633	552	504	97	112	0.7	0.7	0.7	0.7	0.6	0.9	1.0
753	Other congenital malformations of nervous system and sense organs	849	430	419	359	367	58	42	0.5	0.5	0.4	0.5	0.5	0.6	0.4
.0	Congenital cataract	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other	849	430	419	359	367	58	42	0.5	0.5	0.4	0.5	0.5	0.6	0.4
754	Congenital malformations of circulatory system	10,653	6,000	4,653	5,020	3,859	797	644	5.7	6.6	4.9	6.4	4.8	7.8	5.9
.0	Tetralogy of Fallot	614	365	249	307	220	46	19	0.3	0.4	0.3	0.4	0.3	0.5	0.2
.1	Patent ductus arteriosus (Botalli)	352	184	168	154	138	24	24	0.2	0.2	0.2	0.2	0.2	0.2	0.2
.2	Interventricular septal defect	905	471	434	374	366	78	49	0.5	0.5	0.5	0.5	0.5	0.8	0.5
.3	Interauricular septal defect	585	276	309	232	267	36	32	0.3	0.3	0.3	0.3	0.3	0.4	0.3
.4	Fibroelastosis cordis	452	235	217	177	151	50	60	0.2	0.3	0.2	0.2	0.2	0.5	0.6
.5	Other and unspecified malformations of heart	5,947	3,378	2,569	2,808	2,109	461	383	3.2	3.7	2.7	3.6	2.6	4.5	3.5
.6	Coarctation of aorta	329	217	112	195	96	17	15	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.7	Other circulatory malformations	1,469	874	595	773	512	85	62	0.8	1.0	0.6	1.0	0.6	0.8	0.6
755	Cleft palate and harelip	65	38	27	32	23	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
756	Congenital malformations of digestive system	1,671	992	679	786	548	163	113	0.9	1.1	0.7	1.0	0.7	1.6	1.0
.0	Congenital hypertrophic pyloric stenosis	77	66	11	46	7	17	4	0.0	0.1	0.0	0.1	0.0	0.2	0.0
.1	Imperforate anus	149	101	48	84	38	14	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.2	Other	1,445	825	620	656	503	132	99	0.8	0.9	0.7	0.8	0.6	1.3	0.9
757	Congenital malformations of genitourinary system	1,705	1,074	631	922	555	112	49	0.9	1.2	0.7	1.2	0.7	1.1	0.5
.0	Undescended testicle	-	-	...	-	...	-	...	-	-	...	-	...	-	...
.1	Polycystic disease of kidney	1,038	583	455	511	405	49	31	0.6	0.6	0.5	0.7	0.5	0.5	0.3
.2	Congenital malformations of external genital organs	17	14	3	13	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Other	650	477	173	398	148	62	17	0.3	0.5	0.2	0.5	0.2	0.6	0.2

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XIV. Congenital malformations--Con.														
	Congenital malformations--Con.														
758	Congenital malformations of bone and joint	353	202	151	171	129	25	17	0.2	0.2	0.2	0.2	0.2	0.2	0.2
.0	Congenital dislocation of hip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Chondrodystrophy	76	43	33	36	31	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Congenital malformations of skull	64	35	29	27	24	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Brittle bones	70	38	32	30	29	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.4	Cervical rib	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital abnormalities of lumbosacral region	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Other congenital malformations of bone and joint	138	83	55	75	44	8	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
759	Other and unspecified congenital malformations not elsewhere classified	1,868	1,029	839	831	699	163	112	1.0	1.1	0.9	1.1	0.9	1.6	1.0
.0	Of respiratory system	524	302	222	244	189	48	26	0.3	0.3	0.2	0.3	0.2	0.5	0.2
.1	Of skin	39	21	18	14	13	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Of muscle	196	102	94	91	85	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Other and unspecified	1,109	604	505	482	412	100	73	0.6	0.7	0.5	0.6	0.5	1.0	0.7
	XV. Certain diseases of early infancy														
760-769	Birth injuries, asphyxia, and infections of newborn	33,536	19,952	13,584	14,992	9,913	4,262	3,205	18.0	21.8	14.4	19.2	12.3	41.7	29.6
760	Intracranial and spinal injury at birth	2,902	1,825	1,077	1,348	783	426	254	1.6	2.0	1.1	1.7	1.0	4.2	2.3
.0	Without mention of immaturity	1,739	1,119	620	834	462	256	141	0.9	1.2	0.7	1.1	0.6	2.5	1.3
.5	With immaturity	1,163	706	457	514	321	170	113	0.6	0.8	0.5	0.7	0.4	1.7	1.0
761	Other birth injury	6,568	3,856	2,712	3,187	2,226	557	423	3.5	4.2	2.9	4.1	2.8	5.5	3.9
.0	Without mention of immaturity	1,947	1,177	770	913	589	223	163	1.0	1.3	0.8	1.2	0.7	2.2	1.5
.5	With immaturity	4,621	2,679	1,942	2,274	1,637	334	260	2.5	2.9	2.1	2.9	2.0	3.3	2.4
762	Postnatal asphyxia and atelectasis	18,729	11,151	7,578	8,439	5,527	2,256	1,739	10.1	12.2	8.0	10.8	6.9	22.1	16.1
.0	Without mention of immaturity	4,997	3,000	1,997	2,273	1,437	583	463	2.7	3.3	2.1	2.9	1.8	5.7	4.3
.5	With immaturity	13,732	8,151	5,581	6,166	4,090	1,673	1,276	7.4	8.9	5.9	7.9	5.1	16.4	11.8
763	Pneumonia of newborn	3,350	1,961	1,389	1,269	864	647	493	1.8	2.1	1.5	1.6	1.1	6.3	4.6
.0	Without mention of immaturity	2,454	1,449	1,005	921	616	493	369	1.3	1.6	1.1	1.2	0.8	4.8	3.4
.5	With immaturity	896	512	384	348	248	154	124	0.5	0.6	0.4	0.4	0.3	1.5	1.1
764	Diarrhea of newborn	410	234	176	102	67	125	106	0.2	0.3	0.2	0.1	0.1	1.2	1.0
.0	Without mention of immaturity	318	174	144	75	54	94	87	0.2	0.2	0.2	0.1	0.1	0.9	0.8
.5	With immaturity	92	60	32	27	13	31	19	0.0	0.1	0.0	0.0	0.0	0.3	0.2
765	Ophthalmia neonatorum	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.0	Without mention of immaturity	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.5	With mention of immaturity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
766	Pemphigus neonatorum	16	11	5	9	2	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Without mention of immaturity	13	10	3	8	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	3	1	2	1	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0
767	Umbilical sepsis	62	38	24	18	13	18	11	0.0	0.0	0.0	0.0	0.0	0.2	0.1
.0	Without mention of immaturity	50	29	21	15	13	13	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.5	With immaturity	12	9	3	3	-	5	3	0.0	0.0	0.0	0.0	-	0.0	0.0
768	Other sepsis of newborn	712	438	274	280	166	144	104	0.4	0.5	0.3	0.4	0.2	1.4	1.0
.0	Without mention of immaturity	406	257	149	152	94	95	53	0.2	0.3	0.2	0.2	0.1	0.9	0.5
.5	With immaturity	306	181	125	128	72	49	51	0.2	0.2	0.1	0.2	0.1	0.5	0.5
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	786	438	348	340	265	87	71	0.4	0.5	0.4	0.4	0.3	0.9	0.7
.0-.4	Without mention of immaturity	291	167	124	130	82	35	35	0.2	0.2	0.1	0.2	0.1	0.3	0.3
.0	Attributed to "toxemia of pregnancy"	100	59	41	39	23	19	17	0.1	0.1	0.0	0.0	0.0	0.2	0.2
.1	Attributed to maternal diabetes	121	74	47	68	34	5	11	0.1	0.1	0.0	0.1	0.0	0.0	0.1
.2	Attributed to maternal rubella	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Attributed to toxoplasmosis	9	1	8	1	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Attributed to other or unspecified diseases of the mother during pregnancy	55	30	25	20	15	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

769(title)-Cont.

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XV. Certain diseases of early infancy--Con.														
	Birth injuries, asphyxia, and infections of newborn--Con.														
	Neonatal disorders arising from certain diseases of the mother during pregnancy--Con.														
.5-.9	With immaturity	495	271	224	210	183	52	36	0.3	0.3	0.2	0.3	0.2	0.5	0.3
.5	Attributed to "toxemia of pregnancy"	161	83	78	54	57	27	20	0.1	0.1	0.1	0.1	0.1	0.3	0.2
.6	Attributed to maternal diabetes	134	84	50	76	45	5	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Attributed to maternal rubella	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Attributed to toxoplasmosis	4	3	1	2	-	-	-	0.0	0.0	0.0	0.0	-	-	-
.9	Attributed to other or unspecified diseases of the mother during pregnancy	195	100	95	77	81	20	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
770-776	Other diseases peculiar to early infancy	30,669	17,789	12,880	13,066	9,146	4,216	3,368	16.5	19.5	13.6	16.7	11.4	41.3	31.1
770	Hemolytic disease of newborn (erythroblastosis)	2,002	1,077	925	959	832	73	52	1.1	1.2	1.0	1.2	1.0	0.7	0.5
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,472	780	692	696	622	54	37	0.8	0.9	0.7	0.9	0.8	0.5	0.3
.1	Kernicterus, without mention of immaturity	86	55	31	45	24	10	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	15	7	8	5	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Erythroblastosis, without mention of nervous affection but with immaturity	408	222	186	203	174	5	8	0.2	0.2	0.2	0.3	0.2	0.0	0.1
.6	Kernicterus with immaturity	19	12	7	9	5	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
771	Hemorrhagic disease of newborn	533	323	210	232	134	83	66	0.3	0.4	0.2	0.3	0.2	0.8	0.6
.0	Without mention of immaturity	313	187	126	131	80	49	38	0.2	0.2	0.1	0.2	0.1	0.5	0.4
.5	With immaturity	220	136	84	101	54	34	28	0.1	0.1	0.1	0.1	0.1	0.3	0.3
772	Nutritional maladjustment	720	429	291	155	108	263	177	0.4	0.5	0.3	0.2	0.1	2.6	1.6
.0	Without mention of immaturity	590	348	242	126	89	211	147	0.3	0.4	0.3	0.2	0.1	2.1	1.4
.5	With immaturity	130	81	49	29	19	52	30	0.1	0.1	0.1	0.0	0.0	0.5	0.3
773	Ill-defined diseases peculiar to early infancy	8,548	5,202	3,346	4,071	2,512	1,012	750	4.6	5.7	3.5	5.2	3.1	9.9	6.9
.0	Without mention of immaturity	1,925	1,229	696	965	528	227	151	1.0	1.3	0.7	1.2	0.7	2.2	1.4
.5	With immaturity	6,623	3,973	2,650	3,106	1,984	785	599	3.6	4.3	2.8	4.0	2.5	7.7	5.5
774	Immaturity with mention of any other subsidiary condition	956	561	395	398	265	151	121	0.5	0.6	0.4	0.5	0.3	1.5	1.1
776	Immaturity, unqualified	17,910	10,197	7,713	7,251	5,295	2,634	2,202	9.6	11.2	8.2	9.3	6.6	25.8	20.3
	XVI. Symptoms, senility, and ill-defined conditions														
780-789	Symptoms referable to systems or organs	3,034	1,769	1,265	1,400	979	356	265	1.6	1.9	1.3	1.8	1.2	3.5	2.4
780	Certain symptoms referable to nervous system and special senses	137	71	66	53	49	18	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Coma and stupor	15	5	10	4	7	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Delirium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Convulsions	109	59	50	43	36	16	13	0.1	0.1	0.1	0.1	0.0	0.2	0.1
.3	Jacksonian epilepsy	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Abnormal involuntary movement	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Disturbance of coordination	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.6	Vertigo	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.7	Disturbance of sleep	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Disturbance of memory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Meningismus	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
781	Other symptoms referable to nervous system and special senses	64	37	27	30	18	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Disturbance of vision except defective sight	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Oculomotor disturbance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Photophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Disturbance of hearing except deafness	1	-	1	-	-	-	-	0.0	-	0.0	-	-	-	-
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Stammering and stuttering	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other disturbance of speech, including alexia and agraphia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other disturbance of sensation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Encephalopathy	63	37	26	30	18	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.9	Hallucinations	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions--Con.														
	Symptoms referable to systems or organs--Con.														
782	Symptoms referable to cardiovascular and lymphatic system	2,028	1,216	812	988	648	221	156	1.1	1.3	0.9	1.3	0.8	2.2	1.4
.0	Precordial pain	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Palpitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia	5	1	4	-	1	1	3	0.0	0.0	0.0	-	0.0	0.0	0.0
.3	Pallor and cyanosis (not of newborn)	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.4	Acute heart failure, undefined	1,895	1,160	735	952	589	201	139	1.0	1.3	0.8	1.2	0.7	2.0	1.3
.5	Syncope or collapse	9	3	6	2	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	19	8	11	3	4	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.7	Enlargement of lymph node	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.8	Splenomegaly	3	1	2	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Shock without mention of trauma	94	40	54	28	48	12	6	0.1	0.0	0.1	0.0	0.1	0.1	0.1
783	Symptoms referable to respiratory system	187	110	77	87	58	23	17	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Epistaxis	12	3	9	3	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Hemoptysis	155	96	59	77	44	19	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Dyspnea	8	2	6	1	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Excess of sputum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest	12	9	3	6	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
784	Symptoms referable to upper gastrointestinal tract	275	161	114	134	97	23	13	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.0	Anorexia	5	1	4	1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Nausea and vomiting	17	12	5	6	4	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Pylorospasm	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
.5	Hematemesis	249	148	101	127	86	17	11	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.6	Excessive salivation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hiccough	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Eructation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract	116	45	71	33	47	12	24	0.1	0.0	0.1	0.0	0.1	0.1	0.2
.0	Abdominal swelling (not referable to any particular organ)	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Hepatomegaly	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Jaundice (not of newborn)	29	12	17	10	14	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Ascites	3	1	2	-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.4	Flatulence	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.5	Abdominal pain	19	6	13	6	9	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Diarrhea, age 2 years and over	50	19	31	11	16	8	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.7	Incontinence of feces	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Melena (age 1 year and over)	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Visible peristalsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genitourinary system	31	24	7	15	6	9	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Pain referable to urinary system	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Retention of urine	12	11	1	5	1	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
.2	Incontinence of urine	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Frequency of micturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Polyuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Oliguria, anuria (not of newborn)	15	11	4	8	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Priapism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain referable to genital organs, including dyspareunia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.0	Transient paralysis of limb, cause unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pain in limb	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Swelling of limb	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.3	Pain in joint	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Swelling of joint	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Pain in back	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Difficulty in walking	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Abnormality of gait	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Con.														
	Symptoms referable to systems or organs--Con.														
788	Other general symptoms	184	100	84	56	53	42	29	0.1	0.1	0.1	0.1	0.1	0.4	0.3
.0	Dehydration	38	21	17	14	8	7	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Excessive sweating	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Subcutaneous nodules	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Loss of weight	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Tetany	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.6	Acidosis	20	9	11	5	6	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Pyrexia of unknown origin	109	60	49	32	35	27	14	0.1	0.1	0.1	0.0	0.0	0.3	0.1
.9	Other specified symptoms not classifiable elsewhere	16	9	7	5	4	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause	10	4	6	3	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Albuminuria, unqualified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Albuminuria, orthostatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pyuria and bacteriuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Chyluria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Hematuria	9	4	5	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Hemoglobinuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Glycosuria	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.7	Acetonuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	Senility and ill-defined diseases	16,696	9,699	6,997	6,216	4,200	3,435	2,732	9.0	10.6	7.4	8.0	5.2	33.6	25.2
790	Nervousness and debility	47	22	25	17	22	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Nervousness	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Debility and undue fatigue	46	22	24	17	21	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Depression	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
791	Headache	5	1	4	-	4	1	-	0.0	0.0	0.0	-	0.0	0.0	-
792	Uremia	636	379	257	292	190	86	63	0.3	0.4	0.3	0.4	0.2	0.8	0.6
794	Senility without mention of psychosis	2,426	977	1,449	770	1,169	199	256	1.3	1.1	1.5	1.0	1.5	1.9	2.4
795	Ill-defined and unknown causes of mortality	13,582	8,320	5,262	5,137	2,815	3,144	2,410	7.3	9.1	5.6	6.6	3.5	30.8	22.3
.0	Other ill-defined conditions	789	455	334	291	250	162	82	0.4	0.5	0.4	0.4	0.3	1.6	0.8
.2	Sudden death (cause unknown)	755	493	262	334	156	157	100	0.4	0.5	0.3	0.4	0.2	1.5	0.9
.3	Found dead (cause unknown)	287	184	103	106	53	78	48	0.2	0.2	0.1	0.1	0.1	0.8	0.4
.4	Died without sign of disease	6,149	3,972	2,177	2,507	1,106	1,455	1,067	3.3	4.3	2.3	3.2	1.4	14.2	9.9
.5	Other unknown and unspecified causes	5,602	3,216	2,386	1,899	1,250	1,292	1,113	3.0	3.5	2.5	2.4	1.6	12.7	10.3
	XVII. Accidents, poisonings, and violence														
E800-E802	Railway accidents	964	857	107	648	80	180	20	0.5	0.9	0.1	0.8	0.1	1.8	0.2
E800	Railway accident involving railroad employee	151	151	-	135	-	10	-	0.1	0.2	-	0.2	-	0.1	-
E801	Railway accident involving passenger	28	17	11	15	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E802	Railway accident involving other and unspecified person	785	689	96	498	69	168	20	0.4	0.8	0.1	0.6	0.1	1.6	0.2
E810-E825	Motor vehicle traffic accidents	39,775	28,888	10,887	24,771	9,515	3,456	1,148	21.4	31.6	11.5	31.7	11.8	33.8	10.6
E810	Motor vehicle traffic accident involving collision with railway train	1,245	885	360	813	341	63	15	0.7	1.0	0.4	1.0	0.4	0.6	0.1
E811	Motor vehicle traffic accident involving collision with streetcar	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E812	Motor vehicle traffic accident to pedestrian	7,410	5,335	2,075	4,150	1,630	1,018	368	4.0	5.8	2.2	5.3	2.0	10.0	3.4
E813	Motor vehicle traffic accident to pedal cyclist	505	450	55	369	53	64	2	0.3	0.5	0.1	0.5	0.1	0.6	0.0
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object	34	33	1	30	-	1	-	0.0	0.0	0.0	0.0	-	0.0	-
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	462	432	30	410	29	17	1	0.2	0.5	0.0	0.5	0.0	0.2	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles	14,251	9,468	4,783	8,366	4,339	905	361	7.7	10.4	5.1	10.7	5.4	8.9	3.3

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955 *		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence--Con.														
	Motor vehicle traffic accidents—Con.														
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	59	47	12	35	10	12	1	0.0	0.1	0.0	0.0	0.0	0.1	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	1,672	1,315	357	1,117	314	173	37	0.9	1.4	0.4	1.4	0.4	1.7	0.3
E820	Motor vehicle traffic accident while boarding and alighting	43	25	18	19	17	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	244	222	22	207	19	11	3	0.1	0.2	0.0	0.3	0.0	0.1	0.0
E822	Motor vehicle traffic accident involving overturning in roadway	1,210	972	238	869	216	96	19	0.7	1.1	0.3	1.1	0.3	0.9	0.2
E823	Motor vehicle traffic accident involving running off roadway	8,836	6,945	1,891	5,989	1,615	760	239	4.8	7.6	2.0	7.7	2.0	7.4	2.2
E824	Other noncollision motor vehicle traffic accident	840	618	222	498	182	112	36	0.5	0.7	0.2	0.6	0.2	1.1	0.3
E825	Motor vehicle traffic accident of unspecified nature	2,961	2,139	822	1,898	749	218	65	1.6	2.3	0.9	2.4	0.9	2.1	0.6
E830-E835	Motor vehicle nontraffic accidents	1,029	751	278	650	253	86	21	0.6	0.8	0.3	0.8	0.3	0.8	0.2
E830	Motor vehicle nontraffic accident to pedestrian	608	405	203	344	186	51	14	0.3	0.4	0.2	0.4	0.2	0.5	0.1
E831	Motor vehicle nontraffic accident to pedal cyclist	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle	19	19	-	19	-	-	-	0.0	0.0	-	0.0	-	-	-
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles	28	26	2	23	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E834	Motor vehicle nontraffic accident while boarding and alighting	14	7	7	7	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E835	Motor vehicle nontraffic accident of other and unspecified nature	357	292	65	256	59	31	5	0.2	0.3	0.1	0.3	0.1	0.3	0.0
E840-E845	Other road vehicle accidents	263	197	66	164	54	27	8	0.1	0.2	0.1	0.2	0.1	0.3	0.1
E840	Streetcar accident to pedestrian	13	11	2	10	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E841	Other streetcar accident, except collision with motor vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E842	Accident to pedestrian caused by pedal cycle	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	67	55	12	45	9	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	10	7	3	3	-	3	2	0.0	0.0	0.0	0.0	-	0.0	0.0
E845	Other nonmotor road vehicle accidents	170	121	49	103	44	16	3	0.1	0.1	0.1	0.1	0.1	0.2	0.0
E850-E858	Water transport accidents	1,445	1,319	126	1,124	98	167	25	0.8	1.4	0.1	1.4	0.1	1.6	0.2
E850	Submersion of occupant of small boat	1,190	1,078	112	931	85	130	24	0.6	1.2	0.1	1.2	0.1	1.3	0.2
E851	Other water transport injury by submersion	88	88	-	66	-	17	-	0.0	0.1	-	0.1	-	0.2	-
E852	Fall on stairs and ladders in water transport	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
E853	Other falls from one level to another in water transport	22	22	-	16	-	4	-	0.0	0.0	-	0.0	-	0.0	-
E854	Falls on same level in water transport	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E855	Unspecified falls in water transport	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E856	Machinery accident in water transport	13	13	-	9	-	4	-	0.0	0.0	-	0.0	-	0.0	-
E857	Other specified accidents in water transport	117	106	11	93	10	11	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E858	Water transport accident of unspecified cause	4	3	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E860-E866	Aircraft accidents	1,435	1,254	181	1,219	176	18	2	0.8	1.4	0.2	1.6	0.2	0.2	0.0
E860	Accident to personnel in military aircraft	324	324	-	315	-	8	-	0.2	0.4	-	0.4	-	0.1	-
E861	Injury to occupant by accident to commercial "transport" aircraft	245	191	54	173	50	4	1	0.1	0.2	0.1	0.2	0.1	0.0	0.0
E862	Other injury in commercial "transport" aircraft	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
E863	Injury to occupant by accident to other specified aircraft	418	352	66	348	65	3	1	0.2	0.4	0.1	0.4	0.1	0.0	0.0
E864	Aircraft accident at airfield to person not in aircraft	11	10	1	9	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E865	Aircraft accident elsewhere to person not in aircraft	20	15	5	15	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E866	Other and unspecified aircraft accidents	416	362	54	359	54	2	-	0.2	0.4	0.1	0.5	0.1	0.0	-

716 - 533 O - 64 - 6

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence--Con.														
E870-E888	Accidental poisoning by solid and liquid substances	1,833	1,098	735	815	538	256	167	1.0	1.2	0.8	1.0	0.7	2.5	1.5
E870	Accidental poisoning by morphine and other opium derivatives	73	63	10	37	6	24	4	0.0	0.1	0.0	0.0	0.0	0.2	0.0
E871	Accidental poisoning by barbituric acid and derivatives	401	176	225	162	204	11	12	0.2	0.2	0.2	0.2	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	174	86	88	63	61	22	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E873	Accidental poisoning by bromides	6	4	2	4	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0
E874	Accidental poisoning by other analgesic and soporific drugs	267	169	98	124	78	34	19	0.1	0.2	0.1	0.2	0.1	0.3	0.2
E875	Accidental poisoning by sulfonamides	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	8	2	6	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E877	Accidental poisoning by belladonna, hyoscrine, and atropine	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
E878	Accidental poisoning by other and unspecified drugs	164	80	84	65	67	13	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	10	8	2	8	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E880	Accidental poisoning by alcohol	235	188	47	128	22	57	22	0.1	0.2	0.0	0.2	0.0	0.6	0.2
E881	Accidental poisoning by petroleum products	47	33	14	18	4	15	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E882	Accidental poisoning by industrial solvents	51	39	12	35	10	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	47	36	11	26	6	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E884	Accidental poisoning by mercury and its compounds	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E885	Accidental poisoning by lead and its compounds	90	49	41	25	6	23	27	0.0	0.1	0.0	0.0	0.0	0.2	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds	49	30	19	23	15	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides	5	3	2	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	202	130	72	91	48	38	23	0.1	0.1	0.1	0.1	0.1	0.4	0.2
E890-E895	Accidental poisoning by gases and vapors	1,376	1,023	353	853	282	136	64	0.7	1.1	0.4	1.1	0.4	1.3	0.6
E890	Accidental poisoning by utility (illuminating) gas	359	233	126	175	93	45	28	0.2	0.3	0.1	0.2	0.1	0.4	0.3
E891	Accidental poisoning by motor vehicle exhaust gas	601	472	129	410	108	46	20	0.3	0.5	0.1	0.5	0.1	0.5	0.2
E892	Accidental poisoning by other carbon monoxide gas	288	208	80	173	64	32	16	0.2	0.2	0.1	0.2	0.1	0.3	0.1
E893	Accidental poisoning by cyanide gas	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
E894	Accidental poisoning by other specified gases and vapors	113	99	14	84	13	13	-	0.1	0.1	0.0	0.1	0.0	0.1	-
E895	Accidental poisoning by unspecified gases and vapors	12	8	4	8	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E900-E904	Accidental falls	19,589	9,662	9,927	8,418	9,025	898	506	10.5	10.6	10.5	10.8	11.2	8.8	4.7
E900	Fall on stairs	2,292	1,341	951	1,120	835	155	67	1.2	1.5	1.0	1.4	1.0	1.5	0.6
E901	Fall from ladders	334	307	27	285	26	9	-	0.2	0.3	0.0	0.4	0.0	0.1	-
E902	Other falls from one level to another	3,275	2,198	1,077	1,827	942	304	96	1.8	2.4	1.1	2.3	1.2	3.0	0.9
E903	Fall on same level	5,589	2,451	3,138	2,221	2,939	162	130	3.0	2.7	3.3	2.8	3.7	1.6	1.2
E904	Unspecified falls	8,099	3,365	4,734	2,965	4,283	268	213	4.4	3.7	5.0	3.8	5.3	2.6	2.0
E910-E936	Other accidents	27,376	19,948	7,428	15,505	5,227	4,020	2,004	14.7	21.8	7.9	19.9	6.5	39.4	18.5
E910	Blow from falling or projected object or missile	1,515	1,438	77	1,217	59	200	15	0.8	1.6	0.1	1.6	0.1	2.0	0.1
E911	Accident caused by vehicle	73	71	2	67	2	4	-	0.0	0.1	0.0	0.1	0.0	0.0	-
E912	Accident caused by machinery	1,922	1,856	66	1,641	60	191	5	1.0	2.0	0.1	2.1	0.1	1.9	0.0
E913	Accident caused by cutting and piercing instruments	113	85	28	61	21	21	7	0.1	0.1	0.0	0.1	0.0	0.2	0.1
E914	Accident caused by electric current	849	787	62	686	57	90	3	0.5	0.9	0.1	0.9	0.1	0.9	0.0
E915	Accident caused by explosion of pressure vessel	61	37	24	32	19	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E916	Accident caused by fire and explosion of combustible material	7,534	4,241	3,293	3,065	2,088	1,074	1,119	4.1	4.6	3.5	3.9	2.6	10.5	10.3
E917	Accident caused by hot substance, corrosive liquid, and steam	414	226	188	164	133	57	49	0.2	0.2	0.2	0.2	0.2	0.6	0.5
E918	Accident caused by radiation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,092	1,854	238	1,526	169	307	65	1.1	2.0	0.3	2.0	0.2	3.0	0.6
E920	Foreign body entering eye and adnexa	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,452	854	598	697	456	134	117	0.8	0.9	0.6	0.9	0.6	1.3	1.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence--Con.														
	Other accidents--Con.														
E922	Inhalation and ingestion of other object causing obstruction or suffocation	361	233	128	187	99	41	26	0.2	0.3	0.1	0.2	0.1	0.4	0.2
E923	Foreign body entering other orifice	1,036	622	414	478	300	129	101	0.6	0.7	0.4	0.6	0.4	1.3	0.9
E924	Accidental mechanical suffocation in bed and cradle	947	537	410	368	251	150	148	0.5	0.6	0.4	0.5	0.3	1.5	1.4
E925	Accidental mechanical suffocation in other and unspecified circumstances	535	412	123	314	77	91	43	0.3	0.5	0.1	0.4	0.1	0.9	0.4
E926	Lack of care of infants under 1 year of age	6	4	2	2	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E927	Accidents caused by bites and stings of venomous animals and insects	54	45	9	33	4	11	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	157	123	34	111	30	10	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E929	Accidental drowning	5,161	4,277	884	3,181	761	990	105	2.8	4.7	0.9	4.1	0.9	9.7	1.0
E930	High and low air pressure	5	5	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E931	Excessive heat and insolation	154	121	33	77	27	42	6	0.1	0.1	0.0	0.1	0.0	0.4	0.1
E932	Excessive cold	423	327	96	195	53	125	41	0.2	0.4	0.1	0.2	0.1	1.2	0.4
E933	Hunger, thirst, and exposure	189	130	59	85	34	41	23	0.1	0.1	0.1	0.1	0.0	0.4	0.2
E934	Cataclysm	104	66	38	51	31	8	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E935	Lightning	153	135	18	102	13	32	5	0.1	0.1	0.0	0.1	0.0	0.3	0.0
E936	Other and unspecified accidents	2,065	1,461	604	1,162	482	263	108	1.1	1.6	0.6	1.5	0.6	2.6	1.0
E940-E946	Complications due to nontherapeutic medical and surgical procedures	155	78	77	55	57	21	17	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E940	Generalized vaccinia following vaccination	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
E941	Postvaccinal encephalitis	5	1	4	1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E942	Other complications of smallpox vaccination	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
E943	Postimmunization jaundice and hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E944	Other complications of prophylactic inoculation	9	5	4	3	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E945	Complications of anesthesia for nontherapeutic purpose	13	7	6	5	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	124	64	60	46	43	16	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	1,136	538	598	462	502	63	84	0.6	0.6	0.6	0.6	0.6	0.6	0.8
E950	Therapeutic misadventure in surgical treatment	594	298	296	250	245	39	46	0.3	0.3	0.3	0.3	0.3	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion	105	59	46	51	40	6	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E952	Therapeutic misadventure in local applications	16	-	16	-	14	-	2	0.0	-	0.0	-	0.0	-	0.0
E953	Therapeutic misadventure in administration of drugs or biologicals	170	82	88	72	75	9	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia	42	15	27	12	19	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
E955	Other and unspecified therapeutic misadventure	59	43	16	38	16	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E956	Late complication of surgical operation	137	38	99	36	83	1	13	0.1	0.0	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E958	Late complication of irradiation	8	1	7	1	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E959	Late complications of other forms of treatment	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E960-E965	Late effects of injury and poisoning	811	505	306	383	269	114	35	0.4	0.6	0.3	0.5	0.3	1.1	0.3
E960	Late effect of motor vehicle accident	116	88	28	70	24	16	3	0.1	0.1	0.0	0.1	0.0	0.2	0.0
E961	Late effect of accidental poisoning	18	13	5	7	4	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E962	Late effect of other accidental injury	629	360	269	275	239	79	29	0.3	0.4	0.3	0.4	0.3	0.8	0.3
E963	Late effect of self-inflicted injury	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E964	Late effect of injury purposely inflicted by another person (not in war)	19	15	4	4	2	11	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E965	Late effects of injuries due to war operations	25	25	-	24	-	1	-	0.0	0.0	-	0.0	-	0.0	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1962—Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER							RATE						
		Total			White		Nonwhite		Total			White		Nonwhite	
Number	Cause of death	Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.														
E970-E979	Suicide	20,203	15,058	5,145	13,930	4,744	737	243	10.9	16.5	5.4	17.8	5.9	7.2	2.2
E970	Suicide from poisoning by analgesic and soporific substances	2,246	832	1,414	791	1,352	24	22	1.2	0.9	1.5	1.0	1.7	0.2	0.2
A	By morphine and other opium derivatives	14	10	4	9	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
B	By barbituric acid and derivatives	1,738	655	1,083	624	1,034	18	19	0.9	0.7	1.1	0.8	1.3	0.2	0.2
C	By acetylsalicylic acid	22	6	16	6	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-
D	By methyl salicylate	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E	By other salicylates	31	6	25	5	24	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
F	By bromides	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
G	By antipyretic substances, not elsewhere classified	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
H	other analgesic and soporific substances	360	120	240	114	229	4	2	0.2	0.1	0.3	0.1	0.3	0.0	0.0
M	By unspecified drugs	74	31	43	29	42	1	-	0.0	0.0	0.0	0.0	0.1	0.0	-
E971	Suicide from poisoning by other solid and liquid substances	717	365	352	334	316	27	31	0.4	0.4	0.4	0.4	0.4	0.3	0.3
A	By strychnine	50	28	22	27	21	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B	By phenol compounds	17	11	6	11	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
C	By lye and potash	49	19	30	16	24	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
D	By cresol compounds	8	2	6	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E	By mercury and its compounds	16	5	11	5	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
F	By arsenic and its compounds	79	47	32	44	25	2	7	0.0	0.1	0.0	0.1	0.0	0.0	0.1
G	By fluorides	36	12	24	8	18	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H	By other and unspecified solid and liquid substances	462	241	221	221	206	18	12	0.2	0.3	0.2	0.3	0.3	0.2	0.1
E972	Suicide from poisoning by gases in domestic use	177	115	62	106	60	1	-	0.1	0.1	0.1	0.1	0.1	0.0	-
E973	Suicide from poisoning by other gases	1,986	1,610	376	1,538	358	24	4	1.1	1.8	0.4	2.0	0.4	0.2	0.0
A	By motor vehicle exhaust gas	1,854	1,497	357	1,429	339	24	4	1.0	1.6	0.4	1.8	0.4	0.2	0.0
B	By other motor exhaust gas	10	10	-	10	-	-	-	0.0	0.0	-	0.0	-	-	-
C	By other carbon monoxide	102	90	12	87	12	-	-	0.1	0.1	0.0	0.1	0.0	-	-
D	By other poisonous gases	20	13	7	12	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E974	Suicide by hanging and strangulation	3,154	2,452	702	2,200	614	134	46	1.7	2.7	0.7	2.8	0.8	1.3	0.4
E975	Suicide by submersion (drowning)	640	350	290	311	259	32	24	0.3	0.4	0.3	0.4	0.3	0.3	0.2
E976	Suicide by firearm and explosive	9,487	8,201	1,286	7,670	1,208	390	65	5.1	9.0	1.4	9.8	1.5	3.8	0.6
E977	Suicide by cutting and piercing instruments	458	349	109	322	100	18	4	0.2	0.4	0.1	0.4	0.1	0.2	0.0
E978	Suicide by jumping from high place	796	509	287	425	242	57	34	0.4	0.6	0.3	0.5	0.3	0.6	0.3
E979	Suicide by other and unspecified means	542	275	267	233	235	30	13	0.3	0.3	0.3	0.3	0.3	0.3	0.1
E980-E985	Homicide (not in war)	8,994	6,692	2,302	2,933	1,289	3,622	958	4.8	7.3	2.4	3.8	1.6	35.5	8.9
E980	Nonaccidental poisoning by another person	45	21	24	16	21	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearm and explosive	4,954	3,805	1,149	1,760	668	2,003	460	2.7	4.2	1.2	2.3	0.8	19.6	4.2
E982	Assault by cutting and piercing instruments	1,978	1,561	417	419	155	1,097	252	1.1	1.7	0.4	0.5	0.2	10.7	2.3
E983	Assault by other means	1,783	1,074	709	624	443	405	242	1.0	1.2	0.8	0.8	0.6	4.0	2.2
E984	Injury by intervention of police	187	185	2	88	1	94	1	0.1	0.2	0.0	0.1	0.0	0.9	0.0
E985	Execution	47	46	1	26	1	18	-	0.0	0.1	0.0	0.0	0.0	0.2	-
E990-E999	Injury resulting from operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990	Injury due to war operations by gas and chemicals	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E991	Injury due to war operations by gunshot	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E992	Injury due to war operations by grenade and landmine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E993	Injury due to war operations by bomb	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E994	Injury due to war operations by marine mine, depth charge, and torpedo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E995	Injury due to war operations by explosion of artillery shell	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E996	Injury due to war operations by explosion of undetermined origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E997	Injury due to war operations by aircraft destruction	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E998	Injury due to war operations by other and unspecified means	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	Injury due to war operations but occurring after cessation of hostilities	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,756,720	163,043	145,450	157,564	146,081	145,923	136,557	139,301	138,371	133,417	145,250	145,622	160,141
I. Infective and parasitic diseases	19,774	1,870	1,724	1,836	1,732	1,747	1,484	1,611	1,605	1,415	1,560	1,508	1,682
Tuberculosis, all forms-001-019	9,506	868	783	836	847	857	738	799	809	706	736	708	819
Tuberculosis of respiratory system-001-008	8,792	807	726	777	789	791	681	741	740	639	675	664	762
Tuberculosis of meninges and central nervous system-010	225	19	19	19	15	14	17	13	23	23	23	14	26
Tuberculosis of intestines, peritoneum, and mesenteric glands-011	51	3	6	2	4	9	3	3	6	4	2	5	4
Tuberculosis of bones and joints-012,013	80	8	7	6	6	5	9	6	4	6	14	3	6
Tuberculosis of other organs and systems-014-018	143	17	9	16	14	14	9	16	14	11	8	8	7
Disseminated tuberculosis-019	215	14	16	16	19	24	19	20	22	23	14	14	14
Syphilis and its sequelae-020-029	2,811	240	249	254	244	264	249	236	211	196	209	229	230
Congenital syphilis-020	50	2	4	7	5	2	6	5	3	3	7	3	3
Early syphilis-021	1	-	-	-	-	-	-	1	-	-	-	-	-
Aneurysm of aorta-022	1,440	119	122	125	117	134	124	119	115	96	112	133	124
Other cardiovascular syphilis-023	836	81	78	72	76	84	73	69	54	59	58	56	76
Tabes dorsalis-024	59	4	6	5	3	9	4	3	6	8	2	6	4
General paralysis of insane-025	145	14	13	16	20	16	11	10	15	7	5	10	8
Other syphilis of central nervous system-026	222	17	22	25	17	14	23	24	15	17	20	14	14
All other syphilis-027-029	58	3	4	4	6	5	8	5	4	6	5	7	1
Gonococcal infection-030-035	23	4	1	2	4	3	2	-	1	2	-	2	2
Typhoid fever-040	15	1	-	3	-	3	1	-	4	1	1	-	1
Paratyphoid fever and other Salmonella infections-041,042	62	2	6	6	8	3	-	6	4	7	9	6	5
Cholera-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)-044	12	-	1	-	3	-	-	1	2	2	1	1	1
Dysentery, all forms-045-048	323	27	14	27	18	28	30	42	34	30	32	22	19
Food poisoning (infection and intoxication)-049	39	3	2	3	2	5	2	6	2	6	4	3	1
Scarlet fever-050	10	3	1	1	2	-	1	1	-	-	-	-	1
Streptococcal sore throat-051	92	11	9	7	8	6	5	10	8	1	8	12	7
Erysipelas-052	25	2	5	5	1	2	3	1	1	1	1	3	-
Septicemia and pyemia-053	2,084	216	179	190	161	163	145	156	182	150	188	173	181
Diphtheria-055	41	11	3	1	5	1	-	1	2	4	3	5	5
Whooping cough-056	83	8	7	11	1	4	9	6	8	7	8	8	6
Meningococcal infections-057	649	77	82	63	55	52	33	45	33	29	56	55	69
Plague-058	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy-060	8	2	-	2	1	1	-	-	-	1	-	1	-
Tetanus-061	215	13	8	17	16	14	17	32	18	27	20	21	12
Anthrax-062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	60	3	-	2	2	8	3	8	15	6	7	4	2
Late effects of acute poliomyelitis-081	123	7	16	9	11	7	14	6	7	7	11	11	17
Acute infectious encephalitis-082	582	52	61	58	40	49	38	39	60	48	53	38	46
Late effects of acute infectious encephalitis-083	80	8	5	6	7	4	7	5	12	6	9	5	6
Smallpox-084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-085	408	44	46	80	76	53	41	18	10	5	6	14	15
Yellow fever-091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis-092	911	100	79	96	61	89	61	78	61	56	76	75	79
Rabies-094	1	-	-	-	-	-	-	-	-	-	1	-	-
Tick-borne typhus-104	12	-	-	-	-	2	3	5	2	-	-	-	-
All other rickettsial diseases-100-103,105-108	4	1	-	-	-	-	3	-	-	-	-	-	-
Malaria-110-117	12	-	1	2	2	1	1	2	1	-	-	-	2
Schistosomiasis-123	2	-	1	-	-	-	-	-	-	-	-	-	1
Hydatid disease-125	7	-	-	1	2	-	-	1	-	2	1	-	-
Filariasis-127	1	-	-	-	-	1	-	-	-	-	-	-	-
Ancylostomiasis-129	6	-	-	-	2	-	1	1	-	1	-	-	1
Other diseases due to helminths-124,126,128,130	60	5	3	9	4	2	2	6	7	9	5	4	4
All other infective and parasitic diseases-036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,507	162	162	145	149	125	75	100	111	105	115	108	150
II. Neoplasms	283,243	23,931	21,533	23,875	23,058	23,754	23,084	23,599	24,134	23,371	24,704	23,598	24,602
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	278,562	23,521	21,192	23,506	22,667	23,355	22,703	23,210	23,747	22,985	24,304	23,194	24,176
Malignant neoplasm of buccal cavity and pharynx-140-148	6,481	563	492	568	516	529	528	501	549	539	567	570	559
Of lip-140	219	21	16	27	17	23	14	11	13	11	21	25	20
Of tongue-141	1,552	143	117	121	125	136	132	117	133	124	125	128	151
Of other and unspecified parts of buccal cavity-142-144	2,092	200	161	178	174	164	168	167	163	174	187	186	170
Of pharynx-145-148	2,618	199	198	242	200	206	214	206	240	230	234	231	218
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-150-156A,157-159	92,047	7,861	7,096	7,664	7,576	7,748	7,583	7,640	7,882	7,581	7,873	7,593	7,950
Of esophagus-150	5,088	460	400	393	420	402	442	423	440	429	418	417	444
Of stomach-151	19,378	1,711	1,479	1,567	1,664	1,647	1,611	1,555	1,615	1,622	1,630	1,602	1,675
Of small intestine, including duodenum-152	745	61	51	55	63	54	63	73	52	62	77	64	70
Of large intestine, except rectum-153	29,837	2,503	2,284	2,595	2,372	2,490	2,434	2,534	2,522	2,469	2,587	2,486	2,561
Cecum, appendix, and ascending colon-153.0	4,264	337	321	396	350	354	357	365	334	365	360	371	354
Transverse colon, including hepatic and splenic flexures-153.1	1,608	131	107	137	137	151	133	137	123	143	136	141	132
Descending colon-153.2	1,256	117	101	87	97	104	99	116	98	104	121	96	116
Sigmoid colon-153.3	6,188	512	505	534	502	541	501	525	531	492	492	508	545
Multiple parts of large intestine-153.7	74	10	8	7	5	4	7	7	4	1	8	6	7
Large intestine (including colon), part unspecified-153.8	14,929	1,248	1,136	1,298	1,172	1,214	1,229	1,248	1,300	1,251	1,307	1,251	1,275
Intestinal tract, part unspecified-153.9	1,518	148	106	136	109	122	108	136	132	113	163	113	132
Of rectum-154	10,853	928	911	860	911	934	868	845	971	900	894	926	905
Of biliary passages and of liver (stated to be primary site)-155	6,423	491	465	504	525	571	493	580	567	540	561	559	567
Liver-155.0	2,145	161	156	171	172	208	163	189	189	178	190	188	180
Other and multiple sites of biliary passages-155.1,155.8	4,278	330	309	333	353	363	330	391	378	362	371	371	387
Of liver not stated whether primary or secondary-156A	2,958	267	219	237	231	268	276	239	273	237	238	222	251
Of pancreas-157	15,019	1,289	1,168	1,295	1,235	1,259	1,234	1,247	1,303	1,185	1,325	1,176	1,303
Of peritoneum and of unspecified digestive organs-158,159	1,746	151	119	158	155	123	162	144	139	137	143	141	174

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1962—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Con.													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con													
Malignant neoplasm of respiratory system, not specified as secondary----------160-164	44,644	3,716	1,366	3,713	3,646	3,706	3,651	3,651	3,818	3,711	3,911	3,802	3,953
Of larynx----------161	2,417	215	189	206	215	171	200	184	214	190	223	175	235
Of bronchus and trachea, and of lung specified as primary----------162	18,866	1,617	1,391	1,603	1,549	1,560	1,511	1,504	1,637	1,593	1,637	1,588	1,676
Of lung, unspecified as to whether primary or secondary----------163	22,510	1,815	1,732	1,843	1,814	1,914	1,870	1,866	1,915	1,839	1,967	1,961	1,974
Of other parts of respiratory system----------160,164	851	69	54	61	66	61	70	97	52	89	84	78	68
Malignant neoplasm of breast----------170	24,958	2,154	1,897	2,071	2,046	2,108	1,983	2,111	2,089	2,014	2,230	2,071	2,184
Malignant neoplasm of genital organs----------171-179	39,590	3,240	3,037	3,361	3,194	3,331	3,172	3,341	3,423	3,279	3,509	3,254	3,449
Of cervix uteri----------171	8,349	662	669	755	648	710	683	719	743	703	701	639	697
Of other and unspecified parts of uterus--------172-174	5,941	487	413	489	506	472	512	500	510	469	533	520	530
Of ovary, fallopian tube, and broad ligament--------175	8,340	701	663	690	647	699	652	703	722	705	738	666	754
Of other and unspecified female genital organs------176	849	91	60	60	60	68	66	62	69	69	83	78	83
Of prostate----------177	15,173	1,205	1,168	1,286	1,251	1,302	1,177	1,268	1,298	1,250	1,378	1,282	1,308
Of all other and unspecified male organs---------178,179	938	74	64	81	82	80	82	69	81	83	76	69	77
Malignant neoplasm of urinary organs----------180,181	13,299	1,143	1,017	1,123	1,061	1,142	1,141	1,121	1,039	1,106	1,197	1,106	1,103
Of kidney----------180	5,218	433	371	443	430	432	453	439	415	454	460	434	454
Of bladder and other urinary organs----------181	8,081	710	646	680	631	710	688	682	624	652	737	672	649
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	30,791	2,579	2,354	2,677	2,475	2,532	2,485	2,585	2,710	2,544	2,719	2,515	2,616
Of skin----------190,191	4,158	350	314	378	304	365	332	343	366	337	352	348	349
Of eye----------192	375	29	22	39	26	33	32	36	31	33	31	29	34
Of brain and other parts of nervous system----------193	6,512	547	498	539	543	506	536	549	581	555	546	538	574
Of thyroid gland----------194	1,018	90	92	76	99	74	96	82	80	80	96	88	85
Of bone----------196	1,833	160	144	163	156	153	136	161	140	147	174	142	157
Of connective tissue----------197	1,087	106	66	109	85	85	60	97	81	99	100	102	77
Of other specified sites, not stated to be secondary----------195,198A	1,453	139	123	125	138	118	98	108	114	118	123	104	145
Of unspecified sites----------156B,165,198,199B	14,355	1,158	1,095	1,248	1,124	1,198	1,175	1,209	1,317	1,175	1,297	1,164	1,195
Leukemia and aleukemia----------204	12,997	1,080	950	1,100	1,052	1,124	1,072	1,112	1,097	1,080	1,117	1,102	1,111
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	13,755	1,195	983	1,229	1,101	1,135	1,088	1,148	1,140	1,131	1,181	1,181	1,253
Lymphosarcoma and reticulosarcoma----------200	6,401	527	441	579	501	527	533	526	542	536	553	573	563
Hodgkin's disease----------201	3,200	296	246	282	266	276	251	279	255	256	267	252	294
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	4,154	362	296	388	334	332	304	343	343	339	361	356	396
Benign neoplasms and neoplasms of unspecified nature--210-239	4,681	410	341	369	391	399	381	389	387	386	400	404	424
Benign neoplasms of female genital organs---------214-217	433	38	43	35	27	39	30	34	50	39	38	29	31
Benign neoplasm of brain and other parts of nervous system----------223	938	91	48	80	93	92	60	76	79	82	81	83	73
Other benign neoplasms----------210-213,218-222,224-229	973	86	69	76	87	83	80	90	68	76	84	85	89
Neoplasm of unspecified nature of female genital organs----------233-235	29	3	1	1	-	4	1	5	1	4	3	3	3
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,514	123	121	116	113	112	131	133	123	119	125	139	159
Other neoplasms of unspecified nature--230-232,236,238,239	794	69	59	61	71	69	79	51	66	66	69	65	69
III. Allergic, endocrine system, metabolic, and nutritional diseases----------	41,914	4,012	3,610	3,796	3,574	3,469	3,254	3,281	3,133	3,068	3,439	3,429	3,649
Asthma----------241	4,896	494	423	437	424	400	397	367	315	364	457	416	412
Nontoxic goiter----------250,251	79	7	6	3	7	7	7	5	7	8	8	3	11
Thyrotoxicosis with or without goiter----------252	500	44	33	46	50	37	41	43	36	36	47	47	35
All other diseases of thyroid gland----------253,254	342	32	29	37	30	35	25	22	17	21	23	22	49
Diabetes mellitus----------260	31,322	2,945	2,702	2,858	2,649	2,613	2,439	2,452	2,362	2,285	2,472	2,544	2,901
Diseases of thymus gland----------273	130	16	11	11	6	12	7	13	9	8	11	15	11
Diseases of adrenal glands----------274	449	41	39	33	35	34	29	49	38	31	34	37	50
Pellagra----------281	41	3	5	6	2	6	4	-	4	2	5	1	3
Other avitaminoses and nutritional deficiency states----------280,282-286	1,586	189	116	124	140	111	116	117	134	101	158	127	151
All other allergic, endocrine, and metabolic diseases-----240,242-245,270-272,275-277,287-289	2,669	251	239	241	231	214	190	213	211	212	224	217	226
IV. Diseases of the blood and blood-forming organs--	5,210	464	456	437	453	450	413	427	383	414	418	454	441
Anemias----------290-293	3,398	322	291	282	285	293	267	263	236	270	270	310	309
Pernicious and other hyperchromic anemias----------290	552	55	55	57	44	52	36	41	37	41	50	40	44
Anemias of other and unspecified type----------291-293	2,846	267	236	225	241	241	231	222	199	229	220	270	265
Purpura and other hemorrhagic conditions----------296	669	57	72	63	72	55	51	55	60	60	50	50	44
Other diseases of blood and blood-forming organs----------294,295,297-299	1,123	85	93	92	96	102	95	109	97	84	98	94	88
V. Mental, psychoneurotic, and personality disorders--	4,375	426	380	418	352	347	306	381	345	333	333	340	414
Senile psychosis----------304	273	24	35	25	19	15	18	21	17	22	26	18	33
Alcoholic psychosis----------307	436	32	42	31	38	29	36	46	43	35	36	33	35
Other psychoses----------300-303,305,306,308,309	635	54	59	55	39	59	53	58	54	54	44	53	53
Alcoholism----------322	2,311	235	181	238	193	175	145	200	186	178	164	182	234
Mental deficiency----------325	499	62	52	53	49	48	32	34	28	24	43	33	40
Other disorders of personality----------310-321,323,324,326	222	19	11	16	14	21	22	22	17	20	20	21	19
VI. Diseases of the nervous system and sense organs--	212,119	20,280	18,006	19,444	17,406	17,646	16,100	16,616	16,925	15,656	17,148	17,545	19,345
Vascular lesions affecting central nervous system---330-334	197,451	18,871	16,747	18,162	16,201	16,421	14,978	15,459	15,713	14,574	15,982	16,303	18,040
Subarachnoid hemorrhage----------330	7,649	667	596	676	622	652	617	570	634	614	661	631	709
Cerebral hemorrhage----------331	109,419	10,593	9,262	10,075	9,057	8,945	8,258	8,549	8,667	8,139	8,908	8,975	9,991
Cerebral embolism and thrombosis----------332	61,759	5,798	5,272	5,703	5,036	5,231	4,854	4,889	4,994	4,478	4,940	5,143	5,619
Other vascular lesions affecting central nervous system----------333,334	18,624	1,813	1,617	1,708	1,484	1,593	1,449	1,451	1,418	1,343	1,473	1,554	1,721

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1962—Con.

(Data refer only to deaths occurring within the United States. Exclude fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VI. Diseases of the nervous system and sense organs—Con.													
Meningitis, except meningococcal and tuberculous---------340	2,322	258	216	213	200	186	161	159	139	145	199	217	229
Multiple sclerosis----------345	1,487	140	115	125	126	136	134	128	117	95	125	121	125
Paralysis agitans----------350	2,816	267	228	243	220	240	203	209	252	238	224	235	257
Cerebral spastic infantile paralysis----------351	752	86	70	83	60	56	45	61	55	49	55	61	71
Epilepsy----------353	2,048	184	159	166	161	183	158	169	213	179	155	162	159
Inflammatory diseases of eye----------370-379	9	1	1	1	-	1	-	-	1	3	-	1	-
Cataract----------385	26	-	3	3	1	3	2	1	2	2	1	4	4
Glaucoma----------387	4	-	-	1	1	-	1	-	-	-	1	-	-
Otitis media and mastoiditis----------391-393	259	28	23	24	21	28	21	11	23	16	22	21	21
Other diseases of nervous system and sense organs------341-344,352,354-369,380-384,386,388-390,394-398	4,945	445	446	423	415	392	397	419	410	355	384	420	439
VII. Diseases of the circulatory system----------	759,986	72,110	64,520	69,462	64,743	63,575	58,333	58,747	56,879	56,037	61,912	63,165	70,503
Diseases of heart----------400-402,410-443	688,009	65,300	58,317	62,860	58,658	57,486	52,784	53,135	51,446	50,787	55,999	57,252	63,965
Rheumatic fever----------400-402	550	65	45	59	42	43	57	36	36	35	39	46	47
Chronic rheumatic heart disease----------410-416	17,201	1,563	1,473	1,590	1,511	1,460	1,302	1,290	1,284	1,298	1,457	1,371	1,602
Diseases of mitral valve----------410	6,234	599	502	594	552	525	485	495	439	435	541	505	562
Diseases of aortic valve specified as rheumatic------411	1,984	140	173	198	156	165	142	147	149	173	193	169	177
Diseases of pulmonary valve and other endocarditis, specified as rheumatic----------413,414	820	102	84	76	60	73	49	52	49	61	73	63	78
Other rheumatic heart diseases----------412,415,416	8,163	722	714	722	741	697	626	596	647	629	650	634	785
Arteriosclerotic heart disease, including coronary disease----------420	527,561	49,701	44,164	47,867	44,702	44,243	40,592	40,892	39,689	39,204	43,184	44,013	49,310
Arteriosclerotic heart disease so described--------420.0	229,700	21,719	19,889	21,361	19,741	19,210	17,467	17,427	17,055	16,715	18,650	19,152	21,314
Heart disease specified as involving coronary arteries----------420.1	297,468	27,942	24,237	26,479	24,924	24,999	23,093	23,442	22,609	22,465	24,499	24,832	27,947
Angina pectoris without mention of coronary disease----------420.2	393	40	38	27	37	34	32	23	25	24	35	29	49
Chronic endocarditis not specified as rheumatic--------421	4,288	421	340	413	363	354	328	348	310	312	327	385	387
Of mitral valve, specified as nonrheumatic---------421.0	201	21	15	20	16	14	16	12	11	19	13	27	17
Of aortic valve, not specified as rheumatic--------421.1	2,184	201	159	216	188	190	156	181	162	160	179	183	209
Of other valves, not specified as rheumatic----------421.2-421.4	1,903	199	166	177	159	150	156	155	137	133	135	175	161
Other myocardial degeneration----------422	50,357	5,004	4,670	4,808	4,392	4,044	3,630	3,825	3,574	3,580	4,099	4,093	4,638
With arteriosclerosis----------422.1	39,118	3,773	3,574	3,714	3,377	3,147	2,819	2,974	2,788	2,821	3,252	3,227	3,652
Without mention of arteriosclerosis----------422.0,422.2	11,239	1,231	1,096	1,094	1,015	897	811	851	786	759	847	866	986
Other diseases of heart----------430-434	25,876	2,456	2,199	2,307	2,159	2,049	2,002	2,044	2,027	1,969	2,164	2,156	2,344
Acute and subacute endocarditis----------430	737	66	56	68	67	64	59	53	58	59	64	59	64
Acute myocarditis and acute pericarditis, not specified as rheumatic----------431,432	1,041	88	84	111	94	96	62	88	80	63	87	85	103
Functional disease of heart----------433	6,561	586	555	583	528	501	494	498	555	500	583	562	616
Other and unspecified diseases of heart----------434	17,537	1,716	1,504	1,545	1,470	1,388	1,387	1,405	1,334	1,347	1,430	1,450	1,561
Hypertensive heart disease----------440-443	62,176	6,090	5,426	5,836	5,489	5,293	4,873	4,700	4,526	4,389	4,729	5,188	5,637
Hypertensive heart disease with arteriolar nephrosclerosis----------442	14,202	1,349	1,259	1,413	1,265	1,270	1,053	1,013	1,016	1,085	1,063	1,135	1,281
Other hypertensive heart disease----------440,441,443	47,974	4,741	4,167	4,423	4,224	4,023	3,820	3,687	3,510	3,304	3,666	4,053	4,356
Other hypertensive disease----------444-447	12,497	1,211	1,094	1,136	1,069	1,030	1,015	994	927	874	1,007	1,000	1,140
Hypertension with arteriolar nephrosclerosis----------446	6,987	681	628	637	598	592	566	550	500	499	547	544	645
Essential hypertension and other hypertensive disease without mention of heart----------444,445,447	5,510	530	466	499	471	438	449	444	427	375	460	456	495
Diseases of arteries----------450-456	49,715	4,709	4,338	4,579	4,188	4,223	3,801	3,858	3,759	3,643	4,028	4,059	4,530
General arteriosclerosis----------450	36,848	3,555	3,259	3,421	3,121	3,140	2,835	2,878	2,815	2,623	2,904	2,975	3,322
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm----------451	9,544	851	801	835	795	755	712	714	709	773	867	828	904
Gangrene of unspecified cause----------455	243	23	29	27	18	22	11	12	12	16	21	18	34
Other arterial diseases----------452-454,456	3,080	280	249	296	254	306	243	254	223	231	236	238	270
Diseases of veins and other diseases of circulatory system----------460-468	9,765	890	771	867	828	836	733	760	747	733	878	854	868
VIII. Diseases of the respiratory system----------	90,152	10,905	9,756	9,691	7,576	6,661	5,663	5,584	5,594	5,408	6,982	7,393	8,939
Acute upper respiratory infections----------470-475	820	117	111	103	74	52	45	35	34	43	66	66	74
Influenza----------480-483	3,431	716	938	589	228	96	73	49	57	85	164	196	240
Pneumonia, except pneumonia of newborn----------490-493	56,564	7,078	6,155	6,163	4,856	4,138	3,380	3,356	3,463	3,290	4,273	4,615	5,797
Lobar pneumonia----------490	8,784	1,196	982	1,043	753	617	512	496	436	472	625	697	955
Bronchopneumonia----------491	32,455	3,862	3,512	3,580	2,847	2,481	2,009	1,974	2,095	1,960	2,463	2,543	3,129
Primary atypical pneumonia----------492	5,429	716	619	555	424	362	271	325	301	310	471	463	612
Pneumonia, other and unspecified----------493	9,896	1,304	1,042	985	832	678	588	561	631	548	714	912	1,101
Acute bronchitis----------500	1,118	147	114	128	106	70	74	40	52	59	91	114	123
Bronchitis, chronic and unqualified----------501,502	3,547	394	348	333	325	304	232	224	213	214	311	312	337
Hypertrophy of tonsils and adenoids----------510	108	10	3	10	10	14	18	7	5	9	9	9	4
Empyema and abscess of lung----------518,521	835	90	74	76	63	63	56	73	60	74	76	60	70
Pleurisy----------519	134	17	8	9	11	16	14	10	13	5	8	11	12
Other chronic interstitial pneumonia----------525	4,097	399	342	403	332	366	290	295	280	285	324	359	422
Bronchiectasis----------526	2,105	228	174	237	186	170	165	158	138	127	174	170	178
Other diseases of lung and pleural cavity----------527	13,870	1,384	1,184	1,280	1,091	1,092	1,038	1,063	1,033	942	1,197	1,193	1,373
Emphysema without mention of bronchitis----------527.1	12,368	1,196	1,046	1,144	974	975	928	964	925	847	1,079	1,075	1,215
All other diseases of lung and pleural cavity--527.0,527.2	1,502	188	138	136	117	117	110	99	108	95	118	118	158
Other respiratory diseases----------511-517,520,522-524	3,523	325	305	360	294	280	278	274	246	275	289	288	309
IX. Diseases of the digestive system----------	70,350	6,426	5,614	6,054	5,764	5,792	5,397	5,662	5,795	5,615	6,003	5,904	6,324
Diseases of teeth and supporting structures----------530-535	79	7	7	6	9	8	9	5	10	2	7	5	4
Ulcer of stomach----------540	6,416	608	502	566	517	482	471	509	555	462	578	571	595
Ulcer of duodenum----------541	5,812	540	482	499	496	474	446	439	451	458	517	474	536
Gastritis and duodenitis----------543	427	41	38	47	42	34	36	32	37	35	29	25	31
Appendicitis----------550-553	1,800	151	150	132	143	151	157	164	173	151	132	133	163
Hernia and intestinal obstruction----------560,561,570	9,723	838	724	833	797	837	773	803	816	809	790	853	850
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over----------571	4,161	503	372	344	285	274	264	349	351	365	357	352	345

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1962—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Con.													
Chronic enteritis and ulcerative colitis----------572	3,606	295	285	297	293	324	321	306	302	309	302	296	306
Cirrhosis of liver----------581	21,824	2,027	1,751	1,946	1,810	1,796	1,662	1,694	1,734	1,731	1,866	1,806	2,001
Without mention of alcoholism----------581.0	14,612	1,355	1,181	1,332	1,219	1,193	1,098	1,141	1,138	1,164	1,227	1,217	1,347
With alcoholism----------581.1	7,212	672	570	614	591	603	564	553	596	567	639	589	654
Cholelithiasis, cholecystitis, and cholangitis------584,585	4,831	363	391	400	448	447	377	413	430	390	374	387	411
Fibrocystic disease of pancreas----------587B	639	56	17	51	50	51	44	19	41	58	64	58	70
Other diseases of digestive system---------536-569,582,544, 545,573-580,582,583,586,587.0,587.1,587A----------	11,032	997	865	933	904	914	837	899	895	945	987	944	1,012
X. Diseases of the genitourinary system----------	30,609	2,762	2,554	2,782	2,536	2,632	2,490	2,442	2,495	2,423	2,542	2,502	2,648
Nephritis and nephrosis----------590-594	12,945	1,213	1,105	1,198	1,080	1,107	1,023	1,000	1,009	981	1,046	1,035	1,148
Acute nephritis----------590	721	66	51	61	58	56	54	54	57	53	70	55	56
Nephritis with edema, including nephrosis----------591	852	90	75	84	70	84	64	57	53	85	50	55	73
Chronic and unspecified nephritis and other renal sclerosis----------592-594	11,372	1,057	969	1,053	952	967	905	879	897	843	926	925	1,019
Infections of kidney----------600	8,744	770	689	768	691	746	718	710	719	717	724	763	727
Calculi of urinary system----------592,604	1,900	119	103	132	109	91	104	107	84	110	129	105	106
Other diseases of urinary system----------601,603,605-609	2,307	190	178	193	198	210	181	207	210	188	202	177	227
Hyperplasia of prostate----------610	4,382	371	361	333	365	369	365	320	376	346	348	319	340
Diseases of breast----------620,621	13	1	2	2	1	1	-	-	1	1	1	2	1
Other diseases of genital organs----------611-617,622-637	1,167	98	97	110	92	108	98	98	96	80	92	101	99
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	1,463	105	134	143	129	130	123	123	125	137	100	106	109
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	170	9	19	13	11	14	7	13	13	17	13	13	22
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	234	22	21	28	20	12	18	17	13	22	14	17	22
Hemorrhage of pregnancy and childbirth------643,644,670-672	259	23	30	28	19	21	23	19	30	24	17	11	14
Ectopic pregnancy----------645	99	7	8	12	10	9	11	13	4	5	7	6	7
Abortion without mention of sepsis or toxemia----------650	70	3	4	10	7	7	7	8	7	14	1	7	4
Abortion with sepsis----------651	213	15	15	22	26	26	20	15	19	16	11	13	15
Abortion with toxemia, without mention of sepsis--------652	13	1	1	-	3	1	4	-	1	-	-	-	2
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication----646-649,660,673-680,683,687-689----------	309	25	34	35	27	40	33	48	28	39	37	39	23
XII. Diseases of the skin and cellular tissue-------	2,219	198	194	201	191	187	195	199	166	165	161	199	213
Infections of skin and subcutaneous tissue----------690-698	570	45	48	59	47	59	49	54	44	34	41	38	51
Other diseases of skin and subcutaneous tissue------700-716	1,649	152	146	142	145	128	116	125	122	131	120	160	162
XIII. Diseases of the bones and organs of movement--	3,593	324	294	306	333	331	263	290	269	267	284	304	327
Arthritis and spondylitis----------720-725	1,963	191	157	172	191	187	166	155	150	141	160	144	179
Muscular rheumatism and rheumatism unspecified------726,727	37	-	3	2	7	1	1	4	2	4	4	4	3
Osteomyelitis and periostitis----------730	190	14	13	11	19	20	16	19	20	13	14	19	17
Ankylosis and acquired musculoskeletal deformities----------737,745-749	99	9	6	5	12	10	6	13	6	3	5	13	11
Inborn defect of muscle----------744.1	555	52	55	45	51	43	32	30	40	48	41	54	44
Other diseases of musculoskeletal system----------731-736,739-744.0,744.2	749	58	60	71	55	70	54	44	71	59	60	70	73
XIV. Congenital malformations----------	21,192	1,905	1,605	1,861	1,703	1,779	1,673	1,716	1,768	1,700	1,803	1,750	1,876
Spina bifida and meningocele----------751	1,511	145	110	124	121	99	121	114	143	131	138	127	137
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,153	201	157	199	176	172	170	176	194	167	191	162	198
Congenital malformations of circulatory system----------754	10,653	952	870	961	876	932	811	862	847	823	960	869	958
Other congenital malformations----------750,755-759	6,875	606	571	577	528	586	541	564	574	579	614	592	583
XV. Certain diseases of early infancy----------	64,205	5,267	4,832	5,204	5,062	5,564	5,419	5,789	5,703	5,463	5,426	5,124	5,302
XVI. Symptoms, senility, and ill-defined conditions-	19,730	2,034	1,560	1,701	1,485	1,467	1,348	1,497	1,601	1,527	1,645	1,755	2,114
Senility without mention of psychosis----------794	2,426	297	218	221	177	193	173	196	199	154	184	214	210
Symptoms, ill-defined, and unknown causes--------780-793,795	17,304	1,747	1,342	1,480	1,308	1,274	1,175	1,297	1,402	1,373	1,461	1,541	1,904
XVII. Accidents, poisonings, and violence----------	126,384	10,034	8,812	10,348	9,988	10,392	10,790	11,361	11,461	10,418	10,790	10,547	11,453
Accidents----------E900-E962	97,139	7,774	6,645	7,786	7,471	7,908	8,387	8,894	8,825	7,940	8,288	8,176	9,043
Railway accidents----------E900-E802	964	67	65	71	71	90	87	92	109	79	83	83	68
Motor vehicle accidents----------E810-E835	40,804	2,685	2,400	2,981	3,063	3,200	3,614	3,860	4,005	3,632	3,913	3,872	3,760
Motor vehicle traffic accidents----------E810-E825	39,775	2,638	2,414	2,912	2,953	3,080	3,511	3,74[illegible]	3,864	3,529	3,808	3,610	3,686
Motor vehicle traffic accident involving collision with railway train----------E810	1,245	144	87	95	99	93	73	82	102	88	121	116	150
Motor vehicle traffic accident to pedestrian-----E812	7,410	646	5[illegible]1	697	648	642	565	581	597	623	747	715	748
Other motor vehicle traffic accidents involving collision----------E811,E813-E819	16,986	1,093	1,047	1,247	1,231	1,214	1,548	1,673	1,724	1,526	1,608	1,548	1,527
Motor vehicle noncollision traffic accidents----------E820-E824	11,173	584	610	773	800	983	1,046	1,162	1,162	997	1,066	946	984
Motor vehicle traffic accidents of unspecified nature----------E825	2,361	171	169	200	220	258	274	247	299	295	266	295	277
Motor vehicle nontraffic accidents----------E830-E835	1,029	47	48	73	80	120	103	115	121	103	105	62	74
Other road vehicle accidents----------E840-E845	263	12	12	20	12	32	29	34	40	25	23	15	10
Water transport accidents----------E850-E859	1,445	51	41	79	140	194	180	210	196	124	104	69	48
Aircraft accidents----------E860-E866	1,435	98	64	172	105	140	113	138	120	186	81	145	73
Accidental poisoning by solid and liquid substances----------E870-E888	1,833	159	153	176	120	129	144	171	156	155	140	157	173
Accidental poisoning by gases and vapors--------E690-E895	1,376	241	149	143	85	41	41	40	40	59	102	167	244
Accidental falls----------E900-E904	19,589	1,837	1,526	1,681	1,605	1,565	1,560	1,573	1,625	1,554	1,606	1,580	1,777
Fall from one level to another----------E900-E902	5,901	457	427	444	451	505	528	550	529	536	502	445	527
Fall on same level----------E903	5,589	632	519	511	469	444	422	424	422	395	406	422	521
Unspecified falls----------E904	8,099	746	580	726	685	616	610	597	674	623	698	713	729

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1962—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Blow from falling or projected object or missile------E910	1,515	121	97	124	108	123	108	123	129	135	175	139	133
Accident caused by machinery----------E912	1,922	77	83	133	163	205	210	181	181	200	195	168	126
Accident caused by electric current----------E914	849	22	33	37	57	77	116	120	120	98	84	44	41
Accident caused by fire and explosion of combustible material----------E916	7,534	1,057	786	862	641	437	357	351	327	365	469	724	1,158
Accident caused by hot substance, corrosive liquid, steam, and radiation----------E917,E918	414	40	36	51	47	27	27	29	37	35	25	30	30
Accident caused by firearm----------E919	2,092	152	124	150	126	129	139	154	156	178	223	318	243
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	1,813	165	130	157	169	139	131	140	152	159	152	133	186
Accidental drowning----------E929	5,161	157	183	257	347	706	956	987	707	359	215	149	138
Excessive heat and insolation----------E931	154	1	7	3	2	8	10	40	68	9	4	2	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures----------E940-E959	1,291	111	98	124	111	113	98	97	85	93	121	117	123
All other accidents---------E911,E913,E915,E920,E923-E928, E930,E932-E936,E960-E962----------	6,685	721	498	563	515	549	468	554	572	496	573	464	712
Suicide----------E963,E970-E979	20,207	1,583	1,499	1,787	1,824	1,738	1,636	1,659	1,838	1,713	1,721	1,636	1,573
Suicide by poisoning----------E970-E973	5,126	369	336	427	440	395	386	370	543	474	492	459	435
Suicide by hanging and strangulation----------E974	3,154	231	278	304	261	261	264	296	286	250	265	216	222
Suicide by firearm and explosive----------E976	9,487	818	736	850	864	809	777	759	785	768	768	793	760
Suicide by all other means----------E963,E975,E977-E979	2,440	165	149	206	239	273	209	234	224	221	196	168	156
Homicide----------E964,E980-E985	9,013	665	667	773	690	744	764	803	797	762	779	734	835
Assault by firearm and explosive----------E981	4,954	379	388	436	370	384	402	418	438	420	413	433	473
Assault by cutting and piercing instruments----------E982	1,978	133	133	146	164	185	173	189	184	159	160	155	197
Assault by other means----------E964,E980,E983	1,847	130	134	174	138	146	173	171	156	153	183	132	157
Injury by intervention of police----------E984	187	18	12	11	13	23	13	21	13	24	20	11	8
Execution----------E985	47	5	-	6	5	6	3	4	6	6	3	3	-
Injury resulting from operations of war-------E965,E990-E999	25	2	1	-	3	2	3	5	1	3	2	1	2

Table 1-22. Deaths From 258 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the In-

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,756,720	994,789	761,931
2		I. Infective and parasitic diseases	19,774	12,838	6,936
3		Tuberculosis, all forms 001-019	9,506	6,942	2,564
4	A 1	Tuberculosis of respiratory system 001-008	8,792	6,531	2,261
5	A 2	Tuberculosis of meninges and central nervous system 010	225	119	106
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	51	32	19
7	A 4	Tuberculosis of bones and joints 012,013	80	39	41
8	A 5 pt.	Tuberculosis of other organs and systems 014-018	143	83	60
9	A 5 pt.	Disseminated tuberculosis 019	215	138	77
10		Syphilis and its sequelae 020-029	2,811	1,998	813
11	A 6	Congenital syphilis 020	50	32	18
12	A 7	Early syphilis 021	1	1	-
13	A 10 pt.	Aneurysm of aorta 022	1,440	1,019	421
14	A 10 pt.	Other cardiovascular syphilis 023	836	589	247
15	A 8	Tabes dorsalis 024	59	49	10
16	A 9	General paralysis of insane 025	145	107	38
17	A 10 pt.	Other syphilis of central nervous system 026	222	167	55
18	A 10 pt.	All other syphilis 027-029	58	34	24
19	A 11	Gonococcal infection 030-035	23	20	3
20	A 12	Typhoid fever 040	15	11	4
21	A 13	Paratyphoid fever and other Salmonella infections 041,042	62	36	26
22	A 14	Cholera 043	-	-	-
23	A 15	Brucellosis (undulant fever) 044	12	9	3
24	A 16	Dysentery, all forms 045-048	323	183	140
25	A 43 pt.	Food poisoning (infection and intoxication) 049	39	18	21
26	A 17	Scarlet fever 050	10	4	6
27	A 18	Streptococcal sore throat 051	92	47	45
28	A 19	Erysipelas 052	25	11	14
29	A 20	Septicemia and pyemia 053	2,064	1,126	958
30	A 21	Diphtheria 055	41	23	18
31	A 22	Whooping cough 056	83	45	38
32	A 23	Meningococcal infections 057	649	366	283
33	A 24	Plague 058	-	-	-
34	A 25	Leprosy 060	8	5	3
35	A 26	Tetanus 061	215	123	92
36	A 27	Anthrax 062	-	-	-
37	A 28	Acute poliomyelitis 080	60	37	23
38	A 30 pt.	Late effects of acute poliomyelitis 081	123	57	66
39	A 29	Acute infectious encephalitis 082	582	283	299
40	A 30 pt.	Late effects of acute infectious encephalitis 083	80	52	28
41	A 31	Smallpox 084	-	-	-
42	A 32	Measles 085	408	180	228
43	A 33	Yellow fever 091	-	-	-
44	A 34	Infectious hepatitis 092	911	386	525
45	A 35	Rabies 094	1	1	-
46	A 36 pt.	Tick-borne typhus 104	12	7	5
47	A 36 pt.	All other rickettsial diseases 100-103,105-108	4	3	1
48	A 37	Malaria 110-117	12	10	2
49	A 38	Schistosomiasis 123	2	1	1
50	A 39	Hydatid disease 125	7	4	3
51	A 40	Filariasis 127	1	1	-
52	A 41	Ancylostomiasis 129	6	3	3
53	A 42	Other diseases due to helminths 124,126,128,130	60	24	36
54	A 43 pt.	All other infective and parasitic diseases 036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,507	822	685
55		II. Neoplasms	283,243	152,146	131,097
56		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	278,562	150,009	128,553
57	A 44	Malignant neoplasm of buccal cavity and pharynx 140-148	6,481	4,920	1,561
58		Of lip 140	219	199	20
59		Of tongue 141	1,552	1,181	371
60		Of other and unspecified parts of buccal cavity 142-144	2,092	1,443	649
61		Of pharynx 145-148	2,618	2,097	521
62		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	92,047	49,936	42,111
63	A 45	Of esophagus 150	5,088	3,973	1,115
64	A 46	Of stomach 151	19,378	11,947	7,431
65	A 47 pt.	Of small intestine, including duodenum 152	745	388	357
66	A 47 pt.	Of large intestine, except rectum 153	29,837	13,561	16,276
67		Cecum, appendix, and ascending colon 153.0	4,264	1,812	2,452
68		Transverse colon, including hepatic and splenic flexures 153.1	1,608	745	863
69		Descending colon 153.2	1,256	533	723
70		Sigmoid colon 153.3	6,188	3,000	3,188
71		Multiple parts of large intestine 153.7	74	37	37
72		Large intestine (including colon), part unspecified 153.8	14,929	6,823	8,106
73		Intestinal tract, part unspecified 153.9	1,518	611	907
74	A 48	Of rectum 154	10,853	6,131	4,722
75	A 57 pt.	Of biliary passages and of liver (stated to be primary site) 155	6,423	2,822	3,601
76		Liver 155.0	2,145	1,384	761
77		Other and multiple sites of biliary passages 155.1,155.8	4,278	1,438	2,840
78	A 57 pt.	Of liver not stated whether primary or secondary 156A	2,958	1,533	1,425
79	A 57 pt.	Of pancreas 157	15,019	8,725	6,294
80	A 57 pt.	Of peritoneum and of unspecified digestive organs 158,159	1,746	856	890
81		Malignant neoplasm of respiratory system, not specified as secondary 160-164	44,644	38,050	6,594
82	A 49	Of larynx 161	2,417	2,172	245
83	A 50 pt.	Of bronchus and trachea, and of lung specified as primary 162	18,866	16,499	2,367
84	A 50 pt.	Of lung, unspecified as to whether primary or secondary 163	22,510	18,813	3,697
85	A 57 pt.	Of other parts of respiratory system 160,164	851	566	285
86	A 51	Malignant neoplasm of breast 170	24,958	225	24,733

↓ (see table 1 part)

by Specified Race and Sex: United States, 1962

ternational Lists, 1955. Figures by specified race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,488,113	846,458	641,655	195,598	107,105	88,493	4,656	2,695	1,961	1,674	1,355	319	2,291	1,480	811	2,364	1,627	737	1
14,265	9,355	4,910	4,454	2,812	1,642	265	141	124	49	45	4	42	31	11	81	53	28	2
6,732	5,028	1,704	2,187	1,495	692	142	79	63	34	33	1	25	19	6	39	34	5	3
5,344	4,792	1,552	1,938	1,355	583	111	70	41	31	30	1	25	19	6	34	30	4	4
124	71	53	73	37	36	15	5	10	1	1	-	-	-	-	1	-	1	5
23	16	7	28	16	12	-	-	-	-	-	-	-	-	-	-	-	-	6
60	25	35	15	9	6	1	1	-	-	-	-	-	-	-	3	3	-	7
99	62	37	30	15	15	2	-	2	-	-	-	-	-	-	1	1	-	8
82	62	20	103	63	40	13	3	10	2	2	-	-	-	-	-	-	-	9
1,918	1,391	527	804	548	256	8	4	4	9	7	2	5	4	1	2	1	1	10
25	14	11	23	16	7	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1,126	811	315	260	171	89	4	4	-	5	3	2	4	3	1	1	-	1	13
435	316	119	377	261	116	4	-	4	1	1	-	1	1	-	-	-	-	14
50	42	8	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	15
104	79	25	40	27	13	-	-	-	1	1	-	-	-	-	-	-	-	16
142	110	32	75	52	23	-	-	-	2	2	-	-	-	-	1	1	-	17
36	19	17	20	14	6	-	-	-	-	-	-	-	-	-	-	-	-	18
9	9	-	14	11	3	-	-	-	-	-	-	-	-	-	-	-	-	19
8	5	3	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	20
43	25	18	17	10	7	1	-	1	1	1	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
10	7	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	23
193	114	79	102	53	49	27	15	12	-	-	-	-	-	-	-	-	-	24
26	13	13	12	4	8	-	-	-	-	-	-	-	-	-	-	-	-	25
8	3	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
67	35	32	21	9	12	-	-	-	-	-	-	1	1	-	-	-	-	27
23	11	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	28
1,577	847	730	418	237	181	21	10	11	2	1	1	1	-	1	7	3	4	29
22	11	11	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-	30
34	21	13	42	21	21	1	1	-	-	-	-	-	-	-	6	2	4	31
526	294	232	81	50	31	9	6	3	-	-	-	1	-	1	2	1	1	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	34
110	66	44	105	57	48	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
46	29	17	10	6	4	1	-	1	-	-	-	1	1	-	-	-	-	37
111	51	60	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	38
473	235	238	82	36	46	1	-	1	1	1	-	1	1	-	1	-	1	39
71	45	26	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
279	126	153	77	37	40	33	12	21	-	-	-	-	-	-	10	2	8	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
753	317	436	113	48	65	6	3	3	1	1	-	1	-	1	-	-	-	44
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
9	5	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	46
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
7	6	1	4	3	1	-	-	-	-	-	-	1	1	-	-	-	-	48
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
15	6	9	42	17	25	1	-	1	-	-	-	-	-	-	1	-	1	53
1,172	641	531	277	139	138	13	10	3	1	1	-	5	4	1	8	7	1	54
245,366	131,866	113,500	24,969	13,204	11,765	349	171	178	324	254	70	476	314	162	284	194	90	55
241,499	130,050	111,449	24,337	12,968	11,369	336	165	171	321	252	69	468	308	160	278	191	87	56
5,603	4,253	1,350	555	416	139	6	5	1	25	20	5	6	6	-	8	8	-	57
206	189	17	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	58
1,344	1,015	329	112	87	25	2	2	-	-	-	-	1	1	-	1	1	-	59
1,828	1,268	560	181	117	64	-	-	-	2	2	-	3	3	-	3	3	-	60
2,225	1,781	444	256	207	49	4	3	1	23	18	5	2	2	-	4	4	-	61
79,438	42,709	36,729	7,958	4,625	3,333	135	62	73	131	110	21	222	151	71	99	78	21	62
3,899	3,028	871	911	722	189	7	6	1	9	9	-	12	12	-	7	6	1	63
16,141	9,840	6,301	2,223	1,465	758	37	22	15	36	25	11	106	72	34	22	19	3	64
647	330	317	64	37	27	-	-	-	-	-	-	1	-	1	-	-	-	65
26,520	12,019	14,501	1,816	816	1,000	16	4	12	28	24	4	33	25	8	21	15	6	66
3,814	1,609	2,205	223	87	136	1	1	-	4	3	1	5	4	1	5	2	3	67
1,424	661	763	84	41	43	-	-	-	3	2	1	-	-	-	2	2	-	68
1,119	467	652	77	38	39	2	-	2	1	1	-	2	2	-	1	1	-	69
5,540	2,677	2,863	295	145	150	1	1	-	6	4	2	13	10	3	2	1	1	70
68	32	36	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
13,218	6,039	7,179	1,035	458	577	10	2	8	13	13	-	13	9	4	10	8	2	72
1,337	534	803	101	46	55	2	-	2	1	1	-	-	-	-	1	1	-	73
9,561	5,460	4,101	689	333	356	12	5	7	13	11	2	13	11	2	12	10	2	74
5,659	2,406	3,253	431	246	185	33	14	19	25	25	-	17	8	9	18	15	3	75
1,775	1,119	656	250	174	76	7	4	3	22	22	-	4	3	1	14	12	2	76
3,884	1,287	2,597	181	72	109	26	10	16	3	3	-	13	5	8	4	3	1	77
2,488	1,283	1,205	326	181	145	4	-	4	7	5	2	-	-	-	6	4	2	78
13,107	7,660	5,447	1,267	704	563	23	11	12	8	7	1	36	22	14	13	9	4	79
1,416	683	733	231	121	110	3	-	3	5	4	1	4	1	3	-	-	-	80
38,977	33,193	5,784	3,521	2,993	528	27	20	7	69	63	6	82	68	14	57	47	10	81
2,089	1,868	221	217	198	19	-	-	-	1	1	-	2	2	-	2	2	-	82
16,570	14,468	2,102	1,475	1,308	167	13	11	2	24	23	1	35	32	3	29	24	5	83
19,589	16,365	3,224	1,743	1,437	306	13	9	4	40	35	5	44	33	11	25	20	5	84
729	492	237	86	50	36	1	-	1	4	4	-	1	1	-	1	1	-	85
21,921	189	21,732	1,869	22	1,847	17	-	17	8	-	8	8	-	8	15	-	15	86

Table 1-22. Deaths From 258 Selected Causes,

(Data refer only to deaths occurring within the United States Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the In-

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES Total	Male	Female
		II. Neoplasms--Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued			
1		Malignant neoplasm of genital organs----171-179	39,590	16,111	23,479
2	A 52	Of cervix uteri----171	8,349	...	8,349
3	A 53	Of other and unspecified parts of uterus----172-174	5,941	...	5,941
4	A 57 pt.	Of ovary, fallopian tube, and broad ligament----175	8,340	...	8,340
5	A 57 pt.	Of other and unspecified female genital organs----176	849	...	849
6	A 54	Of prostate----177	15,173	15,173	...
7	A 57 pt.	Of all other and unspecified male organs----178,179	938	938	...
8	A 57 pt.	Malignant neoplasm of urinary organs----180,181	13,299	8,818	4,481
9		Of kidney----180	5,218	3,243	1,975
10		Of bladder and other urinary organs----181	8,081	5,575	2,506
11		Malignant neoplasm of other and unspecified sites----156B,165,190-199	30,791	16,560	14,231
12	A 55	Of skin----190,191	4,158	2,487	1,671
13	A 57 pt.	Of eye----192	375	188	187
14	A 57 pt.	Of brain and other parts of nervous system----193	6,512	3,832	2,680
15	A 57 pt.	Of thyroid gland----194	1,018	341	677
16	A 56 pt.	Of bone----196	1,833	1,026	807
17	A 56 pt.	Of connective tissue----197	1,087	572	515
18	A 57 pt.	Of other specified sites, not stated to be secondary----195,199A	1,453	896	557
19	A 57 pt.	Of unspecified sites----156B,165,198,199B	14,355	7,218	7,137
20	A 58	Leukemia and aleukemia----204	12,997	7,493	5,504
21	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----200-203,205	13,755	7,896	5,859
22		Lymphosarcoma and reticulosarcoma----200	6,401	3,625	2,776
23		Hodgkin's disease----201	3,200	1,984	1,216
24		Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	4,154	2,287	1,867
25	A 60	Benign neoplasms and neoplasms of unspecified nature----210-239	4,681	2,137	2,544
26		Benign neoplasms of female genital organs----214-217	433	...	433
27		Benign neoplasm of brain and other parts of nervous system----223	938	417	521
28		Other benign neoplasms----210-213,218-222,224-229	973	508	465
29		Neoplasm of unspecified nature of female genital organs----233-235	29	..	29
30		Neoplasm of unspecified nature of brain and other parts of nervous system----237	1,514	777	737
31		Other neoplasms of unspecified nature----230-232,236,238,239	794	435	359
32		III. Allergic, endocrine system, metabolic, and nutritional diseases	41,914	18,506	23,408
33	A 66 pt.	Asthma----241	4,896	3,102	1,794
34	A 61	Nontoxic goiter----250,251	79	14	65
35	A 62	Thyrotoxicosis with or without goiter----252	500	83	417
36	A 66 pt.	All other diseases of thyroid gland----253,254	342	76	266
37	A 63	Diabetes mellitus----260	31,222	12,881	18,341
38	A 66 pt.	Diseases of thymus gland----273	130	81	49
39	A 66 pt.	Diseases of adrenal glands----274	449	218	231
40	A 64 pt.	Pellagra----281	41	10	31
41	A 64 pt.	Other avitaminoses and nutritional deficiency states----280,282-286	1,586	787	799
42	A 66 pt.	All other allergic, endocrine, and metabolic diseases----240,242-249,270-272,275-277,287-289	2,669	1,254	1,415
43		IV. Diseases of the blood and blood-forming organs	5,210	2,628	2,582
44	A 65	Anemias----290-293	3,399	1,620	1,778
45		Pernicious and other hyperchromic anemias----292	552	214	338
46		Anemias of other and unspecified type----291-293	2,846	1,406	1,440
47	A 66 pt.	Purpura and other hemorrhagic conditions----296	680	336	353
48	A 66 pt.	Other diseases of blood and blood-forming organs----294,295,297-299	1,123	672	451
49		V. Mental, psychoneurotic, and personality disorders	4,375	2,984	1,391
50	A 67 pt.	Senile psychosis----304	273	110	163
51	A 67 pt.	Alcoholic psychosis----307	436	386	50
52	A 67 pt	Other psychoses----300-303,305,306,308,309	635	291	344
53	A 68 pt	Alcoholism----322	2,311	1,800	511
54	A 69	Mental deficiency----325	498	267	231
55	A 68 pt.	Other disorders of personality----310-321,323,324,326	222	130	92
56		VI. Diseases of the nervous system and sense organs	212,119	100,559	111,560
57	A 70	Vascular lesions affecting central nervous system----330-332	197,451	92,595	104,856
58		Subarachnoid hemorrhage----330	7,649	3,452	4,197
59		Cerebral hemorrhage----331	109,419	51,492	57,927
60		Cerebral embolism and thrombosis----332	61,759	29,186	32,573
61		Other vascular lesions affecting central nervous system----333,334	18,624	8,465	10,159
62	A 71	Meningitis, except meningococcal and tuberculous----340	2,322	1,315	1,007
63	A 72	Multiple sclerosis----345	1,487	603	884
64	A 78 pt.	Paralysis agitans----350	2,816	1,488	1,328
65	A 78 pt.	Cerebral spastic infantile paralysis----351	752	416	336
66	A 73	Epilepsy----352	2,048	1,198	850
67	A 74	Inflammatory diseases of eye----370-373	9	1	8
68	A 75	Cataract----385	26	5	21
69	A 76	Glaucoma----387	4	2	2
70	A 77	Otitis media and mastoiditis----391-393	259	147	112
71	A 78 pt.	Other diseases of nervous system and sense organs----341-344,352,354-369,380-384,386,388-390,394-398	4,945	2,789	2,156
72		VII. Diseases of the circulatory system	759,986	437,560	322,426
73		Diseases of heart----400-402,410-443	688,009	400,672	287,337
74	A 79	Rheumatic fever----400-402	550	285	265
75	A 80	Chronic rheumatic heart disease----410-416	17,201	7,881	9,320
76		Diseases of mitral valve----410	6,234	2,584	3,650
77		Diseases of aortic valve specified as rheumatic----411	1,984	1,369	615
78		Diseases of pulmonary valve and other endocarditis, specified as rheumatic----412,414	820	391	429
79		Other rheumatic heart diseases----413,415,416	8,163	3,537	4,626

by Specified Race and Sex: United States, 1962–Con.

ternational Lists, 1955. Figures by specified race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
33,001	13,505	19,496	5,094	2,065	3,029	71	24	47	12	2	10	38	15	23	21	7	14	1
6,482	...	6,482	1,563	...	1,563	33	...	33	-	...	-	13	...	13	5	...	5	2
4,863	...	4,863	813	...	813	7	...	7	5	...	5	5	...	5	2	...	2	3
7,436	...	7,436	554	...	554	6	...	6	5	...	5	5	...	5	7	...	7	4
715	...	715	99	...	99	1	...	1	-	...	-	-	...	-	-	...	-	5
12,685	12,685	...	1,980	1,980	...	21	21	...	2	2	...	15	15	...	5	5	...	6
820	820	...	85	85	...	3	3	...	-	-	...	-	-	...	2	2	...	7
11,704	7,843	3,861	962	547	415	15	11	4	12	10	2	16	14	2	8	4	4	8
4,639	2,891	1,748	351	206	145	11	7	4	6	4	2	8	6	2	3	2	1	9
7,065	4,952	2,113	611	341	270	4	4	-	6	6	-	8	8	-	5	2	3	10
27,071	14,657	12,414	2,541	1,244	1,297	39	27	12	32	27	5	41	20	21	33	19	14	11
3,862	2,327	1,535	157	85	72	7	5	2	-	-	-	3	-	3	1	-	1	12
340	170	170	18	11	7	1	1	-	-	-	-	2	-	2	-	-	-	13
5,900	3,476	2,424	342	196	146	4	3	1	4	2	2	7	5	2	9	4	5	14
909	315	594	67	15	52	1	-	1	4	2	2	2	-	2	1	1	-	15
1,586	897	689	174	87	87	2	2	-	-	-	-	3	-	3	1	-	1	16
956	519	437	99	36	63	1	1	-	1	-	1	1	1	-	-	-	-	17
1,254	775	479	133	73	60	4	2	2	4	4	-	2	2	-	1	-	1	18
12,264	6,178	6,086	1,551	741	810	19	13	6	19	19	-	21	12	9	20	14	6	19
11,638	6,757	4,881	822	451	371	13	7	6	17	9	8	23	14	9	18	10	8	20
12,146	6,944	5,202	1,015	605	410	13	9	4	15	11	4	32	20	12	19	18	1	21
5,786	3,269	2,517	327	184	143	7	6	1	10	7	3	15	10	5	10	9	1	22
2,826	1,738	1,088	226	158	68	1	-	1	3	2	1	9	5	4	3	3	-	23
3,534	1,937	1,597	462	263	199	5	3	2	2	2	-	8	5	3	6	6	-	24
3,867	1,816	2,051	632	236	396	13	6	7	3	2	1	8	6	2	6	3	3	25
256	...	256	155	...	155	1	...	1	-	...	-	-	...	-	-	...	-	26
790	338	452	102	54	48	1	-	1	-	-	-	4	2	2	3	1	2	27
821	434	387	107	51	56	3	2	1	1	-	1	2	2	-	1	1	-	28
22	...	22	6	...	6	-	...	-	-	...	-	-	...	-	-	...	-	29
1,290	673	617	177	79	98	7	3	4	2	2	-	1	1	-	1	-	1	30
688	371	317	85	52	33	1	1	-	-	-	-	1	1	-	1	1	-	31
34,778	15,735	19,043	5,271	1,998	3,273	124	54	70	57	45	12	72	33	39	74	45	29	32
4,087	2,662	1,425	640	347	293	6	2	4	11	9	2	15	5	10	20	13	7	33
66	12	54	13	2	11	-	-	-	-	-	-	-	-	-	-	-	-	34
384	63	321	93	14	79	1	-	1	1	1	-	2	1	1	-	-	-	35
309	68	241	22	5	17	-	-	-	-	-	-	1	-	1	1	1	-	36
25,986	11,003	14,983	3,759	1,295	2,464	93	41	52	36	28	8	47	22	25	39	17	22	37
92	62	30	24	14	10	-	-	-	-	-	-	1	-	1	-	-	-	38
390	189	201	42	22	20	3	2	1	-	-	-	-	-	-	-	-	-	39
25	9	16	15	1	14	1	-	1	-	-	-	-	-	-	-	-	-	40
1,224	595	629	306	162	144	9	5	4	7	6	1	3	3	-	5	5	-	41
2,215	1,072	1,143	357	136	221	11	4	7	2	1	1	3	2	1	9	9	-	42
4,310	2,193	2,117	696	340	356	15	5	10	5	2	3	7	4	3	7	4	3	43
2,699	1,294	1,405	550	262	288	11	4	7	4	2	2	4	1	3	4	2	2	44
495	201	294	34	5	29	-	-	-	-	-	-	1	1	-	-	-	-	45
2,204	1,093	1,111	516	257	259	11	4	7	4	2	2	3	-	3	4	2	2	46
602	296	306	67	29	38	2	1	1	-	-	-	-	-	-	-	-	-	47
1,009	603	406	79	49	30	2	-	2	1	-	1	3	3	-	3	2	1	48
3,366	2,298	1,068	805	546	259	78	50	28	3	3	-	-	-	-	10	5	5	49
238	96	142	27	12	15	4	-	4	-	-	-	-	-	-	2	1	1	50
353	319	34	63	51	12	4	2	2	-	-	-	-	-	-	-	-	-	51
543	248	295	80	38	42	-	-	-	1	1	-	-	-	-	3	2	1	52
1,664	1,341	323	518	363	155	65	45	20	1	1	-	-	-	-	1	1	-	53
420	222	198	53	32	21	5	3	2	-	-	-	-	-	-	4	1	3	54
148	72	76	64	50	14	-	-	-	1	1	-	-	-	-	-	-	-	55
179,072	84,798	94,274	26,047	12,424	13,623	406	220	186	153	117	36	290	175	115	222	157	65	56
167,098	78,380	88,718	23,992	11,241	12,751	310	167	143	145	113	32	270	165	105	178	129	49	57
6,096	2,784	3,312	1,247	520	727	14	8	6	7	5	2	14	7	7	23	19	4	58
91,362	43,061	48,301	14,737	6,859	7,878	180	103	77	94	74	20	136	78	58	106	78	28	59
53,773	25,368	28,405	5,756	2,786	2,970	87	45	42	39	31	8	93	64	29	34	22	12	60
15,867	7,167	8,700	2,252	1,076	1,176	29	11	18	5	3	2	27	16	11	15	10	5	61
1,552	878	674	633	357	276	42	25	17	3	2	1	5	1	4	18	9	9	62
1,323	539	784	100	36	64	-	-	-	-	-	-	1	1	-	-	-	-	63
2,627	1,383	1,244	73	42	31	5	3	2	1	1	-	5	3	2	1	1	-	64
618	336	282	110	66	44	4	2	2	-	-	-	-	-	-	1	1	-	65
1,447	797	650	517	349	168	15	8	7	1	-	1	3	2	1	4	2	2	66
6	1	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	67
24	5	19	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	68
3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
195	110	85	53	30	23	3	2	1	-	-	-	1	1	-	1	-	1	70
4,179	2,368	1,811	563	302	261	27	13	14	3	1	2	5	2	3	19	15	4	71
661,636	383,945	277,691	65,721	35,029	30,692	890	557	333	594	511	83	771	517	254	714	519	195	72
599,503	352,160	247,343	58,408	31,213	27,195	786	507	279	545	472	73	684	469	215	659	483	176	73
421	228	193	107	46	61	2	2	-	1	-	1	-	-	-	4	4	-	74
15,093	6,959	8,134	1,212	544	668	27	15	12	14	7	7	11	6	5	26	11	15	75
5,536	2,300	3,236	392	166	226	6	2	4	3	-	3	6	3	3	11	2	9	76
1,798	1,254	544	93	54	39	1	1	-	4	3	1	1	1	-	3	1	2	77
740	356	384	40	17	23	2	2	-	-	-	-	-	-	-	-	-	-	78
7,019	3,049	3,970	687	307	380	18	10	8	7	4	3	4	2	2	12	8	4	79

Table 1-22. Deaths From 258 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the In-

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES Total	Male	Female
		VII. Diseases of the circulatory system--Continued			
		Diseases of heart--Continued			
1	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----420	527,561	324,183	203,378
2		Arteriosclerotic heart disease so described----420.0	229,700	125,471	104,229
3		Heart disease specified as involving coronary arteries----420.1	297,468	198,462	99,006
4		Angina pectoris without mention of coronary disease----420.2	393	250	143
5	A 81 pt.	Chronic endocarditis not specified as rheumatic----421	4,288	2,494	1,794
6		Of mitral valve, specified as nonrheumatic----421.0	201	90	111
7		Of aortic valve, not specified as rheumatic----421.1	2,184	1,470	714
8		Of other valves, not specified as rheumatic----421.2-421.4	1,903	934	969
9	A 81 pt	Other myocardial degeneration----422	50,357	24,421	25,936
10		With arteriosclerosis----422.1	39,118	18,676	20,442
11		Without mention of arteriosclerosis----422.0,422.2	11,239	5,745	5,494
12	A 82	Other diseases of heart----430-434	25,876	14,754	11,122
13		Acute and subacute endocarditis----430	737	468	269
14		Acute myocarditis and acute pericarditis, not specified as rheumatic----431,432	1,041	626	415
15		Functional disease of heart----433	6,561	3,174	3,387
16		Other and unspecified diseases of heart----434	17,537	10,486	7,051
17	A 83	Hypertensive heart disease----440-443	62,176	26,654	35,522
18		Hypertensive heart disease with arteriolar nephrosclerosis----442	14,202	6,821	7,381
19		Other hypertensive heart disease----440,441,443	47,974	19,833	28,141
20	A 84	Other hypertensive disease----444-447	12,497	6,296	6,201
21		Hypertension with arteriolar nephrosclerosis----446	6,987	3,865	3,122
22		Essential hypertension and other hypertensive disease without mention of heart----444,445,447	5,510	2,431	3,079
23	A 85	Diseases of arteries----450-456	49,715	25,511	24,204
24		General arteriosclerosis----450	36,848	16,855	19,993
25		Aortic aneurysm, nonsyphilitic, and dissecting aneurysm----451	9,344	6,954	2,390
26		Gangrene of unspecified cause----455	243	127	116
27		Other arterial diseases----452-454,456	3,080	1,575	1,505
28	A 86	Diseases of veins and other diseases of circulatory system----460-468	9,765	5,081	4,684
29		VIII. Diseases of the respiratory system----	90,152	56,438	33,714
30	A 87	Acute upper respiratory infections----470-475	820	462	358
31	A 88	Influenza----480-483	3,431	1,664	1,767
32		Pneumonia, except pneumonia of newborn----490-493	56,564	31,853	24,711
33	A 89	Lobar pneumonia----490	8,784	5,289	3,495
34	A 90	Bronchopneumonia----491	32,455	18,038	14,417
35	A 91 pt.	Primary atypical pneumonia----492	5,429	3,022	2,407
36	A 91 pt.	Pneumonia, other and unspecified----493	9,896	5,504	4,392
37	A 92	Acute bronchitis----500	1,118	664	454
38	A 93	Bronchitis, chronic and unqualified----501,502	3,547	2,657	890
39	A 94	Hypertrophy of tonsils and adenoids----510	108	64	44
40	A 95	Empyema and abscess of lung----518,521	835	612	223
41	A 96	Pleurisy----519	134	88	46
42	A 97 pt.	Other chronic interstitial pneumonia----525	4,097	2,751	1,346
43	A 97 pt.	Bronchiectasis----526	2,105	1,378	727
44	A 97 pt.	Other diseases of lung and pleural cavity----527	13,870	11,709	2,161
45	A 97 pt.	Emphysema without mention of bronchitis----527.1	12,368	10,752	1,616
46		All other diseases of lung and pleural cavity----527.0,527.2	1,502	957	545
47	A 97 pt.	Other respiratory diseases----511-517,520,522-524	3,523	2,536	987
48		IX. Diseases of the digestive system----	70,350	41,478	28,872
49	A 98	Diseases of teeth and supporting structures----530-535	79	37	42
50	A 99	Ulcer of stomach----540	6,416	4,467	1,949
51	A 100	Ulcer of duodenum----541	5,812	4,369	1,443
52	A 101	Gastritis and duodenitis----543	427	285	142
53	A 102	Appendicitis----550-553	1,800	1,095	705
54	A 103	Hernia and intestinal obstruction----560,561,570	9,723	4,715	5,008
55	A 104 pt.	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over----571	4,161	2,174	1,987
56	A 104 pt.	Chronic enteritis and ulcerative colitis----572	3,606	1,604	2,002
57	A 105	Cirrhosis of liver----581	21,824	14,329	7,495
58		Without mention of alcoholism----581.0	14,612	9,308	5,304
59		With alcoholism----581.1	7,212	5,021	2,191
60	A 106	Cholelithiasis, cholecystitis, and cholangitis----584,585	4,831	2,014	2,817
61	A 107 pt.	Fibrocystic disease of pancreas----587B	639	314	325
62	A 107 pt.	Other diseases of digestive system----536-539,542,544,545,573-580,582,583,586,587.0,587.1,587A	11,032	6,075	4,957
63		X. Diseases of the genitourinary system----	30,809	18,563	12,246
64		Nephritis and nephrosis----590-594	12,945	7,232	5,713
65	A 108	Acute nephritis----590	721	412	309
66	A 109 pt.	Nephritis with edema, including nephrosis----591	852	489	363
67	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis----592-594	11,372	6,331	5,041
68	A 110	Infections of kidney----600	8,744	4,306	4,438
69	A 111	Calculi of urinary system----602,604	1,300	687	613
70	A 114 pt.	Other diseases of urinary system----601,603,605-609	2,357	1,549	808
71	A 112	Hyperplasia of prostate----610	4,283	4,283	...
72	A 113	Diseases of breast----620,621	13	-	13
73	A 114 pt.	Other diseases of genital organs----611-617,622-637	1,167	506	661
74		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	1,465	...	1,465
75	A 115	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	170	...	170
76	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia----642,685,686	234	...	234
77	A 117	Hemorrhage of pregnancy and childbirth----643,644,670-672	259	...	259
78	A 120 pt.	Ectopic pregnancy----645	99	...	99
79	A 118	Abortion without mention of sepsis or toxemia----650	79	...	79
80	A 119	Abortion with sepsis----651	213	...	213
81	A 116 pt.	Abortion with toxemia, without mention of sepsis----652	13	...	13
82	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication----646-649,660,673-680,683,687-689	398	...	398

by Specified Race and Sex: United States, 1962—Con.

ternational Lists, 1955. Figures by specified race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
470,711	291,009	179,702	33,869	19,243	14,626	546	364	182	407	360	47	463	341	122	440	347	93	1
203,083	111,104	91,979	14,421	7,736	6,685	228	132	96	178	154	24	217	157	60	207	161	46	2
267,289	179,691	87,598	19,398	11,474	7,924	318	232	86	229	206	23	246	184	62	232	185	47	3
339	214	125	50	33	17	-	-	-	-	-	-	-	-	-	1	1	-	4
3,624	2,157	1,467	527	270	257	4	2	2	2	2	-	3	-	3	5	3	2	5
166	78	88	29	11	18	-	-	-	-	-	-	-	-	-	-	-	-	6
1,915	1,315	600	187	108	79	2	1	1	1	1	-	1	-	1	4	3	1	7
1,543	764	779	311	151	160	2	1	1	1	1	-	2	-	2	1	-	1	8
42,441	20,413	22,028	5,108	2,580	2,528	56	35	21	38	33	5	57	34	23	25	22	3	9
33,144	15,749	17,395	3,822	1,898	1,924	35	18	17	26	23	3	49	32	17	20	18	2	10
9,297	4,664	4,633	1,286	682	604	21	17	4	12	10	2	8	2	6	5	4	1	11
20,837	11,939	8,898	4,292	2,411	1,881	81	54	27	16	14	2	21	14	7	32	21	11	12
592	378	214	123	77	46	2	-	2	1	-	1	1	1	-	1	1	-	13
848	510	338	171	100	71	4	2	2	-	-	-	-	-	-	-	-	-	14
5,817	2,807	3,010	536	262	274	16	10	6	2	2	-	11	9	2	8	3	5	15
13,580	8,244	5,336	3,462	1,972	1,490	59	42	17	13	12	1	9	4	5	23	17	6	16
46,376	19,455	26,921	13,293	6,119	7,174	70	35	35	67	56	11	129	74	55	127	75	52	17
11,450	5,439	6,011	2,280	1,159	1,121	11	6	5	7	5	2	25	15	10	19	11	8	18
34,926	14,016	20,910	11,013	4,960	6,053	59	29	30	60	51	9	104	59	45	108	64	44	19
9,573	4,758	4,815	2,480	1,317	1,163	23	10	13	10	8	2	21	10	11	13	9	4	20
5,773	3,196	2,577	950	528	422	15	6	9	5	4	1	11	7	4	6	5	1	21
3,800	1,562	2,238	1,530	789	741	8	4	4	5	4	1	10	3	7	7	4	3	22
44,411	22,795	21,616	3,616	1,849	1,767	63	32	31	36	28	8	60	36	24	34	21	13	23
33,092	15,018	18,074	2,600	1,320	1,280	49	24	25	22	19	3	39	27	12	14	9	5	24
8,539	6,297	2,242	596	368	228	8	5	3	8	6	2	13	6	7	14	8	6	25
186	100	86	55	25	30	-	-	-	1	1	-	-	-	-	-	-	-	26
2,594	1,380	1,214	365	136	229	6	3	3	5	2	3	8	3	5	6	4	2	27
8,149	4,232	3,917	1,217	650	567	18	8	10	3	3	-	6	2	4	8	6	2	28
74,370	47,048	27,322	12,428	7,266	5,162	418	233	185	109	88	21	125	92	33	161	107	54	29
581	324	257	208	122	86	8	6	2	-	-	-	-	-	-	5	2	3	30
2,769	1,347	1,422	604	283	321	16	6	10	3	3	-	5	2	3	9	6	3	31
45,026	25,271	19,755	9,236	5,260	3,976	338	182	156	70	55	15	78	60	18	113	73	40	32
6,786	4,100	2,686	1,608	947	661	45	28	17	12	10	2	4	3	1	14	10	4	33
26,201	14,476	11,725	4,779	2,727	2,052	158	91	67	45	36	9	53	41	12	56	36	20	34
4,266	2,402	1,864	912	484	428	41	17	24	8	5	3	11	9	2	18	10	8	35
7,773	4,293	3,480	1,937	1,102	835	94	46	48	5	4	1	10	7	3	25	17	8	36
917	543	374	153	89	64	6	4	2	1	1	-	3	3	-	1	-	1	37
3,116	2,356	760	283	190	93	7	6	1	8	7	1	5	4	1	4	1	3	38
90	57	33	16	5	11	1	1	-	-	-	-	1	1	-	-	-	-	39
640	461	179	145	112	33	5	4	1	-	-	-	1	1	-	3	1	2	40
110	71	39	15	10	5	-	-	-	-	-	-	1	1	-	-	-	-	41
3,422	2,342	1,080	509	289	220	16	10	6	5	2	3	10	6	4	7	6	1	42
1,928	1,248	680	106	76	30	1	1	-	4	3	1	3	1	2	3	3	-	43
12,648	10,745	1,903	841	640	201	13	11	2	18	17	1	15	12	3	13	12	1	44
11,479	9,998	1,481	558	461	97	6	6	-	17	17	-	14	12	2	8	7	1	45
1,169	747	422	283	179	104	7	5	2	1	-	1	1	-	1	5	5	-	46
3,123	2,283	840	312	190	122	7	2	5	-	-	-	3	1	2	3	3	-	47
59,388	35,156	24,232	7,535	4,288	3,247	421	187	234	103	92	11	88	56	32	94	66	28	48
63	31	32	14	5	9	-	-	-	-	-	-	-	-	-	-	-	-	49
5,590	3,857	1,733	516	381	135	11	8	3	18	18	-	21	14	7	9	8	1	50
5,210	3,921	1,289	375	273	102	4	2	2	4	4	-	5	5	-	6	6	-	51
362	242	120	51	31	20	-	-	-	1	1	-	-	-	-	-	-	-	52
1,454	904	550	272	145	127	3	1	2	1	1	-	2	1	1	1	1	-	53
8,283	3,958	4,325	1,041	555	486	25	13	12	6	5	1	8	4	4	10	7	3	54
2,551	1,319	1,232	1,349	711	638	136	72	64	4	3	1	3	1	2	14	6	8	55
3,191	1,417	1,774	211	101	110	9	2	7	4	1	3	4	4	-	3	2	1	56
18,359	12,242	6,117	2,185	1,290	895	153	51	102	45	43	2	15	10	5	26	20	6	57
12,302	7,957	4,345	1,418	814	604	73	24	49	33	31	2	10	6	4	17	13	4	58
6,057	4,285	1,772	767	476	291	80	27	53	12	12	-	5	4	1	9	7	2	59
4,381	1,843	2,538	221	70	151	35	12	23	6	5	1	16	8	8	7	5	2	60
596	294	302	29	13	16	-	-	-	-	-	-	-	-	-	-	-	-	61
9,348	5,128	4,220	1,271	713	558	45	26	19	14	11	3	14	9	5	18	11	7	62
24,011	14,667	9,344	5,542	3,183	2,359	130	60	70	61	48	13	50	29	21	55	40	15	63
9,770	5,551	4,219	2,615	1,382	1,233	66	28	38	33	25	8	28	17	11	33	22	11	64
528	304	224	156	90	66	5	3	2	1	1	-	-	-	-	1	1	-	65
673	393	280	150	81	69	4	1	3	3	3	-	4	2	2	-	-	-	66
8,569	4,854	3,715	2,309	1,211	1,098	57	24	33	29	21	8	24	15	9	32	21	11	67
6,858	3,368	3,490	1,549	794	755	37	13	24	7	5	2	14	7	7	8	5	3	68
1,101	588	513	124	57	67	6	3	3	6	5	1	1	-	1	3	3	-	69
1,871	1,213	658	414	288	126	11	9	2	3	2	1	2	1	1	5	5	-	70
3,519	3,519	...	597	597	...	6	6	...	10	10	...	4	4	...	5	5	...	71
11	-	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	72
881	428	453	241	65	176	4	1	3	2	1	1	1	-	1	1	-	1	73
807	...	807	581	...	581	16	...	16	3	...	3	7	...	7	8	...	8	74
108	...	108	56	...	56	1	...	1	-	...	-	1	...	1	1	...	1	75
115	...	115	108	...	108	4	...	4	-	...	-	-	...	-	-	...	-	76
148	...	148	92	...	92	4	...	4	1	...	1	1	...	1	4	...	4	77
32	...	32	58	...	58	1	...	1	-	...	-	2	...	2	1	...	1	78
47	...	47	30	...	30	-	...	-	-	...	-	-	...	-	-	...	-	79
96	...	96	109	...	109	-	...	-	1	...	1	1	...	1	1	...	1	80
6	...	6	6	...	6	-	...	-	-	...	-	-	...	-	-	...	-	81
255	...	255	122	...	122	6	...	6	1	...	1	2	...	2	1	...	1	82

Table 1-22. Deaths From 258 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the In-

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES Total	Male	Female
1		XII. Diseases of the skin and cellular tissue	2,219	840	1,379
2	A 121	Infections of skin and subcutaneous tissue ... 690-698	570	303	267
3	A 126 pt.	Other diseases of skin and subcutaneous tissue ... 700-716	1,649	537	1,112
4		XIII. Diseases of the bones and organs of movement	3,593	1,610	1,983
5	A 122	Arthritis and spondylitis ... 720-725	1,963	711	1,252
6	A 123	Muscular rheumatism and rheumatism unspecified ... 726,727	37	18	19
7	A 124	Osteomyelitis and periostitis ... 730	190	112	78
8	A 125	Ankylosis and acquired musculoskeletal deformities ... 737,745-749	99	45	54
9	A 126 pt.	Inborn defect of muscle ... 744.1	555	415	140
10	A 126 pt.	Other diseases of musculoskeletal system ... 731-736,738-744.0,744.2	749	309	440
11		XIV. Congenital malformations	21,192	11,562	9,630
12	A 127	Spina bifida and meningocele ... 751	1,511	645	866
13	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs ... 752,753	2,153	1,101	1,052
14	A 128	Congenital malformations of circulatory system ... 754	10,653	6,000	4,653
15	A 129 pt.	Other congenital malformations ... 750,755-759	6,875	3,816	3,059
16	A 130-A 135	XV. Certain diseases of early infancy	64,205	37,741	26,464
17		XVI. Symptoms, senility, and ill-defined conditions	19,730	11,468	8,262
18	A 136	Senility without mention of psychosis ... 794	2,426	977	1,449
19	A 137	Symptoms, ill-defined, and unknown causes ... 780-793,795	17,304	10,491	6,813
20		XVII. Accidents, poisonings, and violence	126,384	87,868	38,516
21		Accidents ... E800-E962	97,139	66,074	31,065
22	AE 139 pt.	Railway accidents ... E800-E802	964	857	107
23	AE 138	Motor vehicle accidents ... E810-E835	40,804	29,639	11,165
24		Motor vehicle traffic accidents ... E810-E825	39,775	28,888	10,887
25		Motor vehicle traffic accident involving collision with railway train ... E810	1,245	885	360
26		Motor vehicle traffic accident to pedestrian ... E812	7,410	5,335	2,075
27		Other motor vehicle traffic accidents involving collision ... E811,E813-E819	16,986	11,747	5,239
28		Motor vehicle noncollision traffic accidents ... E820-E824	11,173	8,782	2,391
29		Motor vehicle traffic accident of unspecified nature ... E825	2,961	2,139	822
30		Motor vehicle nontraffic accidents ... E830-E835	1,029	751	278
31	AE 139 pt.	Other road vehicle accidents ... E840-E845	263	197	66
32	AE 139 pt.	Water transport accidents ... E850-E858	1,445	1,319	126
33	AE 139 pt.	Aircraft accidents ... E860-E866	1,435	1,254	181
34	AE 140 pt.	Accidental poisoning by solid and liquid substances ... E870-E888	1,833	1,098	735
35	AE 140 pt.	Accidental poisoning by gases and vapors ... E890-E895	1,376	1,023	353
36	AE 141	Accidental falls ... E900-E904	19,589	9,662	9,927
37		Fall from one level to another ... E900-E902	5,901	3,846	2,055
38		Fall on same level ... E903	5,589	2,451	3,138
39		Unspecified falls ... E904	8,099	3,365	4,734
40	AE 147 pt.	Blow from falling or projected object or missile ... E910	1,515	1,438	77
41	AE 142	Accident caused by machinery ... E912	1,922	1,856	66
42	AE 147 pt.	Accident caused by electric current ... E914	849	787	62
43	AE 143	Accident caused by fire and explosion of combustible material ... E916	7,534	4,241	3,293
44	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation ... E917,E918	414	226	188
45	AE 145	Accident caused by firearm ... E919	2,092	1,854	238
46	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation ... E921,E922	1,813	1,087	726
47	AE 146	Accidental drowning ... E929	5,161	4,277	884
48	AE 147 pt.	Excessive heat and insolation ... E931	154	121	33
49	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures ... E940-E959	1,291	616	675
50	AE 147 pt.	All other accidents ... E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,685	4,522	2,163
51	AE 148	Suicide ... E963,E970-E979	20,207	15,062	5,145
52		Suicide by poisoning ... E970-E973	5,126	2,922	2,204
53		Suicide by hanging and strangulation ... E974	3,154	2,452	702
54		Suicide by firearm and explosive ... E976	9,487	8,201	1,286
55		Suicide by all other means ... E963,E975,E977-E979	2,440	1,487	953
56	AE 149	Homicide ... E964,E980-E985	9,013	6,707	2,306
57		Assault by firearm and explosive ... E981	4,954	3,805	1,149
58		Assault by cutting and piercing instruments ... E982	1,978	1,561	417
59		Assault by other means ... E964,E980,E983	1,847	1,110	737
60		Injury by intervention of police ... E984	187	185	2
61		Execution ... E985	47	46	1
62	AE 150	Injury resulting from operations of war ... E965,E990-E999	25	25	

↓ See Intermediate (A) List of 150 Causes for Tabulations of Mortality, Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

by Specified Race and Sex: United States, 1962—Con.

ternational Lists, 1955. Figures by specified race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,783	681	1,102	347	119	228	13	4	9	4	3	1	2	2	-	3	2	1	1
475	251	224	70	37	33	7	3	4	1	1	-	1	1	-	2	1	1	2
1,308	430	878	277	82	195	6	1	5	3	2	1	1	1	-	1	1	-	3
3,198	1,441	1,757	276	118	158	10	4	6	-	-	-	11	4	7	4	3	1	4
1,780	650	1,130	130	42	88	5	2	3	-	-	-	7	3	4	-	-	-	5
30	16	14	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-	6
148	88	60	29	19	10	2	-	2	-	-	-	1	1	-	-	-	-	7
91	43	48	5	2	3	1	-	1	-	-	-	-	-	-	-	-	-	8
508	383	125	36	23	13	-	-	-	-	-	-	-	-	-	1	1	-	9
641	261	380	69	30	39	2	2	-	-	-	-	3	-	3	3	2	1	10
17,812	9,671	8,141	2,482	1,388	1,094	79	42	37	28	16	12	47	29	18	75	44	31	11
1,376	574	802	97	52	45	4	3	1	1	1	-	-	-	-	3	1	2	12
1,782	911	871	283	146	137	13	2	11	1	1	-	5	1	4	7	5	2	13
8,879	5,020	3,859	1,321	728	593	37	22	15	13	6	7	24	14	10	46	27	19	14
5,775	3,166	2,609	781	462	319	25	15	10	13	8	5	18	14	4	19	11	8	15
47,117	28,058	19,059	14,309	8,040	6,269	296	172	124	58	35	23	109	68	41	279	163	116	16
12,795	7,616	5,179	6,476	3,602	2,874	249	153	96	12	8	4	17	10	7	34	18	16	17
1,939	770	1,169	413	179	234	26	14	12	1	-	1	8	5	3	7	1	6	18
10,856	6,846	4,010	6,063	3,423	2,640	223	139	84	11	8	3	9	5	4	27	17	10	19
104,039	71,930	32,109	17,659	12,748	4,911	897	642	255	111	88	23	177	116	61	259	207	52	20
81,110	55,036	26,074	12,397	8,607	3,790	758	536	222	58	47	11	124	85	39	191	154	37	21
728	648	80	174	156	18	26	24	2	-	-	-	-	-	-	-	-	-	22
35,189	25,421	9,768	4,182	3,163	1,019	379	269	110	18	14	4	64	39	25	68	57	11	23
34,286	24,771	9,515	4,086	3,085	1,001	373	265	108	16	13	3	62	37	25	67	56	11	24
1,154	813	341	69	57	12	4	3	1	-	-	-	5	3	2	-	-	-	25
5,780	4,150	1,630	1,257	921	336	90	71	19	5	5	-	16	7	9	18	14	4	26
15,074	10,328	4,746	1,401	1,054	347	115	77	38	8	6	2	27	16	11	24	20	4	27
9,631	7,582	2,049	1,110	861	249	140	97	43	1	-	1	11	9	2	20	17	3	28
2,647	1,898	749	249	192	57	24	17	7	2	2	-	3	2	1	5	5	-	29
903	650	253	96	78	18	6	4	2	2	1	1	2	2	-	1	1	-	30
218	164	54	27	22	5	8	5	3	-	-	-	-	-	-	-	-	-	31
1,222	1,124	98	167	145	22	13	12	1	2	2	-	1	-	1	9	8	1	32
1,395	1,219	176	6	6	-	1	1	-	-	-	-	4	3	1	9	8	1	33
1,353	815	538	406	247	159	9	6	3	2	1	1	3	-	3	3	2	1	34
1,135	853	282	186	128	58	11	6	5	-	-	-	2	2	-	1	-	1	35
17,443	8,418	9,025	1,312	827	485	46	33	13	15	13	2	14	11	3	17	14	3	36
5,035	3,232	1,803	595	435	160	19	16	3	6	6	-	7	7	-	4	4	-	37
5,160	2,221	2,939	269	144	125	8	7	1	6	5	1	4	3	1	5	3	2	38
7,248	2,965	4,283	448	248	200	19	10	9	3	2	1	3	1	2	8	7	1	39
1,276	1,217	59	200	188	12	11	9	2	-	-	-	2	1	1	2	2	-	40
1,701	1,641	60	179	177	2	8	6	2	-	-	-	4	3	1	5	5	-	41
743	686	57	89	86	3	3	3	-	-	-	-	-	-	-	1	1	-	42
5,153	3,065	2,088	2,123	1,033	1,090	53	31	22	3	1	2	3	2	1	11	7	4	43
297	164	133	101	55	46	2	-	2	-	-	-	2	1	1	1	1	-	44
1,695	1,526	169	347	286	61	15	13	2	2	2	-	1	1	-	7	5	2	45
1,439	884	555	285	157	128	18	10	8	1	1	-	3	3	-	11	4	7	46
3,942	3,181	761	994	904	90	57	45	12	5	5	-	12	11	1	27	25	2	47
104	77	27	43	37	6	5	5	-	-	-	-	-	-	-	-	-	-	48
1,076	517	559	172	80	92	7	1	6	1	1	-	2	1	1	3	1	2	49
5,001	3,416	1,585	1,404	910	494	86	57	29	9	7	2	7	7	-	16	14	2	50
18,677	13,933	4,744	786	592	194	59	52	7	44	32	12	47	26	21	45	36	9	51
4,855	2,769	2,086	98	54	44	6	5	1	8	7	1	9	3	6	12	7	5	52
2,814	2,200	614	104	79	25	12	11	1	24	16	8		16	9	15	12	3	53
8,878	7,670	1,208	396	336	60	34	30	4	5	5	-	5	4	1	15	15	-	54
2,130	1,294	836	188	123	65	7	6	1	7	4	3	8	3	5	3	2	1	55
4,228	2,937	1,291	4,475	3,548	927	80	54	26	9	9	-	6	5	1	23	17	6	56
2,428	1,760	668	2,413	1,967	446	35	23	12	5	5	-	1	1	-	9	7	2	57
574	419	155	1,329	1,081	248	10	8	2	1	1	-	2	2	-	7	5	2	58
1,110	644	466	622	390	232	34	22	12	2	2	-	3	2	1	7	5	2	59
89	88	1	93	92	1	1	1	-	1	1	-	-	-	-	-	-	-	60
27	26	1	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	61
24	24	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62

716 - 533 O - 64 - 7

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ALL CAUSES	1,756,720	105,479	6,639	4,058	3,116	2,441	121,733	8,960	7,450	12,998
MALE	994,789	60,939	3,522	2,218	1,734	1,362	69,775	5,145	4,773	9,124
FEMALE	761,931	44,540	3,117	1,840	1,382	1,079	51,958	3,815	2,677	3,874
WHITE MALE	846,458	44,270	2,463	1,591	1,343	1,057	50,724	4,056	3,828	7,562
WHITE FEMALE	641,655	31,542	2,228	1,307	985	810	36,872	2,912	2,131	3,057
NEGRO MALE	107,105	13,905	885	532	323	246	15,891	867	779	1,256
NEGRO FEMALE	88,493	11,006	712	436	322	214	12,690	737	450	657
OTHER MALE	7,157	923	83	47	25	14	1,092	63	53	93
OTHER FEMALE	3,828	701	89	44	29	18	881	59	24	56
I. INFECTIVE AND PARASITIC DISEASES	19,774	1,389	470	271	201	120	2,451	456	213	240
MALE	12,838	751	248	131	104	69	1,303	236	99	116
FEMALE	6,936	638	222	140	97	51	1,148	220	114	124
WHITE MALE	9,355	471	173	89	82	53	868	173	77	91
WHITE FEMALE	4,910	403	145	104	62	34	748	173	83	84
NEGRO MALE	2,812	220	68	34	18	13	353	46	19	19
NEGRO FEMALE	1,642	181	51	29	28	13	302	38	21	37
OTHER MALE	270	47	6	3	1	2	59	2	3	3
OTHER FEMALE	167	35	20	5	5	-	65	4	3	1
TUBERCULOSIS, ALL FORMS 001-019	9,506	43	40	28	11	12	134	34	17	34
MALE	6,942	25	23	15	5	6	74	20	11	10
FEMALE	2,564	18	17	13	6	6	60	14	6	24
WHITE MALE	5,028	11	17	7	4	5	44	14	7	4
WHITE FEMALE	1,704	8	9	7	2	2	28	9	3	10
NEGRO MALE	1,495	11	6	4	1	-	22	5	1	5
NEGRO FEMALE	692	6	7	6	3	4	26	2	-	13
OTHER MALE	165	3	-	2	-	1	6	-	3	1
OTHER FEMALE	75	1	-	-	1	-	2	3	1	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	8,792	16	15	8	1	4	44	9	4	21
MALE	6,531	9	8	3	-	4	24	4	3	5
FEMALE	2,261	7	7	5	1	-	20	5	1	16
WHITE MALE	4,792	4	5	2	-	3	14	4	2	2
WHITE FEMALE	1,552	3	3	2	1	-	9	3	1	6
NEGRO MALE	1,355	4	3	1	-	-	8	-	-	3
NEGRO FEMALE	583	2	4	3	-	-	9	1	-	9
OTHER MALE	149	1	-	-	-	1	2	-	1	-
OTHER FEMALE	52	-	-	-	-	-	-	1	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	225	19	23	20	9	7	78	25	8	10
MALE	119	11	14	12	5	2	44	16	5	4
FEMALE	106	8	9	8	4	5	34	9	3	6
WHITE MALE	71	6	12	5	4	2	29	10	3	2
WHITE FEMALE	53	4	6	5	1	2	18	6	1	3
NEGRO MALE	37	4	2	3	1	-	10	5	-	2
NEGRO FEMALE	36	3	3	3	2	3	14	1	-	3
OTHER MALE	6	1	-	2	-	-	3	-	2	-
OTHER FEMALE	11	1	-	-	1	-	2	2	1	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	51	-	-	-	-	-	-	-	2	1
MALE	32	-	-	-	-	-	-	-	1	-
FEMALE	19	-	-	-	-	-	-	-	1	1
WHITE MALE	16	-	-	-	-	-	-	-	-	-
WHITE FEMALE	7	-	-	-	-	-	-	-	1	-
NEGRO MALE	16	-	-	-	-	-	-	-	1	-
NEGRO FEMALE	12	-	-	-	-	-	-	-	-	1
OTHER MALE	-	-	-	-	-	-	-	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	80	-	-	-	-	-	-	-	-	1
MALE	39	-	-	-	-	-	-	-	-	1
FEMALE	41	-	-	-	-	-	-	-	-	-
WHITE MALE	25	-	-	-	-	-	-	-	-	-
WHITE FEMALE	35	-	-	-	-	-	-	-	-	-
NEGRO MALE	9	-	-	-	-	-	-	-	-	-
NEGRO FEMALE	6	-	-	-	-	-	-	-	-	-
OTHER MALE	4	-	-	-	-	-	-	-	-	1
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	143	-	-	-	-	-	-	-	2	1
MALE	83	-	-	-	-	-	-	-	2	-
FEMALE	60	-	-	-	-	-	-	-	-	1
WHITE MALE	62	-	-	-	-	-	-	-	2	-
WHITE FEMALE	37	-	-	-	-	-	-	-	-	1
NEGRO MALE	15	-	-	-	-	-	-	-	-	-
NEGRO FEMALE	15	-	-	-	-	-	-	-	-	-
OTHER MALE	1	-	-	-	-	-	-	-	-	-
OTHER FEMALE	2	-	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	215	8	2	-	1	1	12	-	1	-
MALE	138	5	1	-	-	-	6	-	-	-
FEMALE	77	3	1	-	1	1	6	-	1	-
WHITE MALE	62	1	-	-	-	-	1	-	-	-
WHITE FEMALE	20	1	-	-	-	-	1	-	-	-
NEGRO MALE	63	3	1	-	-	-	4	-	-	-
NEGRO FEMALE	40	1	-	-	1	1	3	-	-	-
OTHER MALE	5	1	-	-	-	-	1	-	-	-
OTHER FEMALE	10	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	2,811	29	-	-	-	-	29	1	1	3
MALE	1,998	20	-	-	-	-	20	1	-	2
FEMALE	813	9	-	-	-	-	9	-	1	1
WHITE MALE	1,391	4	-	-	-	-	4	1	-	1
WHITE FEMALE	527	3	-	-	-	-	3	-	1	-
NEGRO MALE	548	15	-	-	-	-	15	-	-	1
NEGRO FEMALE	256	6	-	-	-	-	6	-	-	1
OTHER MALE	16	-	-	-	-	-	-	-	-	-
OTHER FEMALE	8	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
14,347	13,774	18,521	29,316	43,521	64,129	92,811	118,769	154,104	199,065	228,973	230,833	195,634	130,815	54,806	13,375	2,207	579	1
10,150	8,922	11,357	17,600	26,597	40,433	60,376	77,978	98,151	122,963	131,960	122,730	93,193	56,398	21,482	4,639	709	334	4
4,197	4,852	7,164	11,716	16,924	23,696	32,435	40,791	55,953	76,102	97,013	108,103	102,441	74,417	33,324	8,736	1,498	245	5
8,047	6,682	8,421	13,249	20,787	32,748	49,449	65,615	82,493	105,584	115,767	110,495	84,825	51,701	19,607	4,090	497	231	7
3,091	3,406	4,876	8,125	12,276	17,982	24,747	31,761	44,017	63,246	83,872	97,131	93,766	68,584	30,631	7,847	1,164	161	8
1,687	1,852	2,435	3,597	4,687	5,990	8,246	8,962	11,128	12,165	10,549	7,478	4,951	2,746	1,178	397	178	86	9
927	1,208	1,913	3,009	3,876	4,615	6,300	7,181	9,515	9,386	8,912	6,790	4,878	3,037	1,483	575	279	75	10
156	150	166	189	223	274	403	540	677	627	775	631	542	335	109	36	13	10	11
74	104	137	153	160	170	167	210	241	287	304	286	221	173	81	21	13	6	12
223	323	412	729	873	1,123	1,505	1,705	2,019	2,167	1,954	1,618	1,020	547	155	34	5	2	14
102	158	202	390	484	722	1,045	1,271	1,497	1,650	1,429	1,077	652	300	86	15	3	1	15
121	165	210	339	389	401	460	434	522	517	525	541	368	247	69	19	2	1	16
66	88	114	213	294	479	710	902	1,106	1,247	1,155	874	554	249	77	14	3	1	17
73	89	123	189	230	267	310	295	358	392	417	469	318	217	61	13	-	1	18
32	53	72	151	171	207	283	298	321	319	210	151	70	31	5	1	-	-	19
35	64	73	126	139	119	129	112	136	97	87	58	39	21	5	3	1	-	20
2	4	6	11	6	10	15	23	23	26	29	21	9	14	4	-	-	-	21
4	6	6	6	11	5	6	4	9	14	3	7	5	4	2	1	1	-	22
56	156	245	440	546	713	908	984	1,145	1,207	1,085	893	566	260	64	15	3	1	24
27	77	123	263	317	487	687	794	930	990	861	673	386	163	38	9	1	1	25
29	79	122	177	229	226	221	190	215	217	224	220	180	97	26	6	2	-	26
11	29	56	127	181	325	465	568	697	756	701	548	323	129	33	8	1	1	27
10	28	61	86	126	141	155	128	136	160	172	191	152	84	20	4	-	-	28
15	38	55	115	119	133	181	176	183	171	119	93	44	17	2	1	-	-	29
14	43	48	76	89	73	54	47	63	44	42	23	21	9	3	1	1	-	30
1	3	5	9	5	10	12	12	18	17	23	17	7	13	3	-	-	-	31
3	4	6	5	8	5	5	3	7	8	3	3	4	2	2	-	1	-	32
40	137	221	411	502	669	864	931	1,076	1,121	1,022	852	542	251	60	11	3	1	34
20	67	111	250	292	467	660	761	889	928	822	648	379	156	35	8	1	1	35
20	70	110	161	210	202	204	170	187	193	200	204	163	95	25	3	2	-	36
9	27	52	121	171	317	449	548	671	718	678	529	318	123	30	7	1	1	37
8	27	60	80	121	131	145	120	123	141	153	178	141	83	20	2	-	-	38
10	31	47	111	107	121	171	166	172	153	105	89	42	16	2	1	-	-	39
10	38	41	70	78	63	49	39	51	40	37	20	15	9	2	1	1	-	40
1	3	5	8	5	10	11	11	15	16	22	16	7	13	3	-	-	-	41
1	1	4	3	6	3	4	2	5	7	3	3	4	2	2	-	1	-	42
8	8	7	10	10	13	8	5	12	8	8	3	3	-	1	-	-	-	44
4	3	2	2	6	7	3	3	5	6	6	1	1	-	1	-	-	-	45
4	5	5	8	4	6	5	2	7	2	2	2	2	-	-	-	-	-	46
2	1	1	2	2	3	2	1	4	2	4	1	1	-	1	-	-	-	47
1	1	1	4	2	1	2	1	4	2	2	2	2	-	-	-	-	-	48
2	2	1	-	3	4	1	2	1	2	2	-	-	-	-	-	-	-	49
1	3	2	2	2	3	2	1	2	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	51
1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	52
1	1	4	2	4	3	1	2	7	8	3	3	6	1	1	1	-	-	54
1	-	3	2	2	-	1	2	5	8	2	2	1	1	1	-	-	-	55
-	1	1	-	2	3	-	-	2	-	1	1	5	-	-	1	-	-	56
-	-	-	-	1	-	-	-	4	5	1	2	1	1	1	-	-	-	57
-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-	58
1	-	3	2	1	-	1	2	1	3	1	-	-	-	-	-	-	-	59
-	1	1	-	2	3	-	-	2	-	-	-	2	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
1	-	4	3	3	5	9	6	14	11	12	7	3	1	-	-	-	-	64
1	-	4	1	-	2	3	3	7	5	6	4	1	1	-	-	-	-	65
-	-	-	2	3	3	8	3	7	6	6	3	2	-	-	-	-	-	66
-	-	3	-	-	-	1	2	6	5	3	3	1	1	-	-	-	-	67
-	-	-	2	2	3	5	3	4	6	5	3	2	-	-	-	-	-	68
1	-	1	1	-	2	1	-	-	-	3	-	-	-	-	-	-	-	69
-	-	-	-	1	-	1	-	3	-	1	-	-	-	-	-	-	-	70
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
2	2	3	6	10	9	11	17	15	27	16	12	4	3	-	3	-	-	74
-	2	1	4	7	4	7	9	10	18	9	6	1	2	-	1	-	-	75
2	-	2	2	3	5	4	8	5	9	7	6	3	1	-	2	-	-	76
-	-	-	3	3	4	7	7	8	15	6	5	-	1	-	1	-	-	77
1	-	-	-	1	4	2	3	3	7	7	4	3	-	-	1	-	-	78
-	2	1	1	3	-	-	1	2	1	1	1	1	1	-	-	-	-	79
-	-	2	2	1	1	2	3	1	1	-	2	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	81
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	82
4	8	6	8	17	14	15	23	21	32	24	16	8	4	2	-	-	-	84
1	5	2	4	10	7	13	16	14	25	16	12	3	3	1	-	-	-	85
3	3	4	4	7	7	2	7	7	7	8	4	5	1	1	-	-	-	86
-	1	-	1	4	1	6	10	4	11	9	8	2	3	1	-	-	-	87
-	-	-	-	-	2	1	1	2	4	4	3	1	1	-	-	-	-	88
1	3	2	-	5	6	7	5	7	12	7	3	1	-	-	-	-	-	89
3	1	2	2	5	3	-	4	4	3	4	1	4	-	1	-	-	-	90
-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	91
-	2	2	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	92
7	11	7	40	59	104	228	326	456	502	437	315	177	88	15	4	-	1	94
6	4	5	21	35	69	163	249	334	393	325	195	121	44	9	2	-	-	95
1	7	2	19	24	35	65	77	122	109	112	120	56	44	6	2	-	1	96
5	3	5	11	17	30	95	159	231	280	248	158	99	35	7	2	-	-	97
-	4	1	7	7	15	29	44	73	70	82	102	46	35	5	2	-	1	98
-	-	-	9	17	38	67	84	93	103	67	28	18	7	1	-	-	-	99
1	3	1	10	15	19	34	29	45	31	27	18	8	7	1	-	-	-	100
1	-	-	-	1	-	-	-	3	5	1	2	1	1	1	-	-	-	101
-	-	-	-	2	-	1	-	-	3	-	-	1	1	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
SYPHILIS AND ITS SEQUELAE--CON.										
CONGENITAL SYPHILIS.....020	50	29	-	-	-	-	29	-	-	1
MALE....	32	20	-	-	-	-	20	-	-	1
FEMALE..	18	9	-	-	-	-	9	-	-	-
WHITE.....MALE....	14	4	-	-	-	-	4	-	-	1
FEMALE..	11	3	-	-	-	-	3	-	-	-
NEGRO.....MALE....	16	15	-	-	-	-	15	-	-	-
FEMALE..	7	6	-	-	-	-	6	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS.....021	1	-	-	-	-	-	-	-	-	-
MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	1,440	-	-	-	-	-	-	1	1	1
MALE....	1,019	-	-	-	-	-	-	1	-	1
FEMALE..	421	-	-	-	-	-	-	-	1	-
WHITE.....MALE....	811	-	-	-	-	-	-	1	-	-
FEMALE..	315	-	-	-	-	-	-	-	1	-
NEGRO.....MALE....	171	-	-	-	-	-	-	-	-	1
FEMALE..	89	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	10	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
OTHER CARDIOVASCULAR SYPHILIS.....023	836	-	-	-	-	-	-	-	-	1
MALE....	589	-	-	-	-	-	-	-	-	-
FEMALE..	247	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	316	-	-	-	-	-	-	-	-	-
FEMALE..	119	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	261	-	-	-	-	-	-	-	-	-
FEMALE..	116	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
TABES DORSALIS.....024	59	-	-	-	-	-	-	-	-	-
MALE....	49	-	-	-	-	-	-	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE.....025	145	-	-	-	-	-	-	-	-	-
MALE....	107	-	-	-	-	-	-	-	-	-
FEMALE..	38	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	79	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	27	-	-	-	-	-	-	-	-	-
FEMALE..	13	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	222	-	-	-	-	-	-	-	-	-
MALE....	167	-	-	-	-	-	-	-	-	-
FEMALE..	55	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	110	-	-	-	-	-	-	-	-	-
FEMALE..	32	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	52	-	-	-	-	-	-	-	-	-
FEMALE..	23	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ALL OTHER SYPHILIS.....027-029	58	-	-	-	-	-	-	-	-	-
MALE....	34	-	-	-	-	-	-	-	-	-
FEMALE..	24	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	19	-	-	-	-	-	-	-	-	-
FEMALE..	17	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	14	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION.....030-035	23	1	-	-	-	-	1	-	-	-
MALE....	20	1	-	-	-	-	1	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	9	1	-	-	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER.....040	15	2	1	-	-	-	3	1	2	-
MALE....	11	1	1	-	-	-	2	1	1	-
FEMALE..	4	1	-	-	-	-	1	-	1	-
WHITE.....MALE....	5	1	1	-	-	-	2	1	-	-
FEMALE..	3	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	6	-	-	-	-	-	-	-	1	-
FEMALE..	1	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
-	3	2	2	2	4	3	2	1	-	1	-	-	-	-	-	-	-	3
-	2	1	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	4
-	1	1	1	1	2	1	-	1	-	1	-	-	-	-	-	-	-	5
-	1	1	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	6
-	1	1	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	7
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
																		12
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
																		22
6	3	4	28	28	42	87	138	211	259	248	199	108	57	14	4	-	1	23
5	1	4	15	18	31	67	113	164	194	185	120	68	22	8	2	-	-	24
1	2	-	13	10	11	20	25	47	65	63	79	40	35	6	2	-	1	25
4	1	4	10	9	17	46	78	125	169	155	105	60	19	6	2	-	-	26
-	1	-	5	3	7	8	17	32	39	51	78	34	31	5	2	-	1	27
-	-	-	4	8	14	21	32	33	21	21	8	5	2	1	-	-	-	28
1	1	-	7	6	4	12	6	12	21	9	1	5	3	1	-	-	-	29
1	-	-	-	1	-	-	-	1	2	1	2	1	-	1	-	-	-	30
-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	31
																		32
-	1	1	7	18	35	88	108	172	154	120	73	40	18	-	-	-	-	33
-	-	-	4	9	21	57	73	123	124	86	48	32	12	-	-	-	-	34
-	1	1	3	9	14	31	35	49	30	34	25	8	6	-	-	-	-	35
-	-	-	1	3	4	24	38	68	58	56	32	24	8	-	-	-	-	36
-	1	-	-	2	4	11	15	25	18	19	13	8	3	-	-	-	-	37
-	-	-	3	6	16	32	34	52	64	30	14	7	3	-	-	-	-	38
-	-	1	2	6	9	18	18	23	9	15	12	-	2	-	-	-	-	39
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	40
-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	41
																		42
-	-	-	1	-	4	3	4	12	10	11	5	5	3	1	-	-	-	43
-	-	-	1	-	1	2	4	11	10	9	3	5	2	1	-	-	-	44
-	-	-	-	-	3	1	-	1	-	2	2	-	1	-	-	-	-	45
-	-	-	-	-	1	1	4	11	10	5	3	4	2	1	-	-	-	46
-	-	-	-	-	1	1	-	1	-	2	2	-	1	-	-	-	-	47
-	-	-	1	-	-	1	-	-	-	3	-	1	-	-	-	-	-	48
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
-	1	-	1	5	6	20	21	23	21	18	13	10	6	-	-	-	-	53
-	-	-	-	3	4	17	13	17	16	16	9	7	5	-	-	-	-	54
-	1	-	1	2	2	3	8	6	5	2	4	3	1	-	-	-	-	55
-	-	-	-	3	2	13	12	13	10	9	6	7	4	-	-	-	-	56
-	-	-	1	1	1	3	7	3	4	1	3	1	-	-	-	-	-	57
-	-	-	-	-	2	4	1	3	6	7	3	-	1	-	-	-	-	58
-	1	-	-	1	1	-	1	3	1	1	1	2	1	-	-	-	-	59
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
1	-	-	1	5	9	22	41	32	48	34	18	8	3	-	-	-	-	63
1	-	-	-	3	8	15	35	17	42	26	11	7	2	-	-	-	-	64
-	-	-	1	2	1	7	6	15	6	8	7	1	1	-	-	-	-	65
1	-	-	-	1	4	8	20	12	28	22	9	3	2	-	-	-	-	66
-	-	-	-	-	-	4	2	10	6	6	3	1	-	-	-	-	-	67
-	-	-	-	2	4	7	14	5	10	4	2	4	-	-	-	-	-	68
-	-	-	1	2	1	3	4	5	-	2	4	-	1	-	-	-	-	69
-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
																		72
-	3	-	-	1	4	5	11	5	10	5	7	6	1	-	-	-	-	73
-	1	-	-	1	2	3	8	2	7	3	4	2	1	-	-	-	-	74
-	2	-	-	-	2	2	3	3	3	2	3	4	-	-	-	-	-	75
-	1	-	-	-	-	1	5	2	5	1	3	1	-	-	-	-	-	76
-	1	-	-	-	-	1	3	2	3	2	3	2	-	-	-	-	-	77
-	-	-	-	1	2	2	2	-	2	2	1	1	1	-	-	-	-	78
-	1	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
																		82
																		83
2	1	-	1	2	-	1	-	3	6	3	-	1	1	1	-	-	-	84
1	-	-	1	2	-	1	-	3	5	3	-	1	1	1	-	-	-	85
1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	1	3	1	-	1	1	1	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
1	-	-	1	2	-	1	-	2	2	2	-	-	-	-	-	-	-	89
1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
-	1	1	1	-	-	1	1	-	1	-	3	-	-	-	-	-	-	94
-	1	-	1	-	-	1	1	-	1	-	2	-	-	-	-	-	-	95
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	96
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	97
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	98
-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	62	16	3	1	-	1	21	1	-	-
3	MALE....	36	7	2	1	-	1	11	-	-	-
4	FEMALE..	26	9	1	-	-	-	10	1	-	-
5	WHITE.....MALE....	25	3	1	1	-	1	6	-	-	-
6	FEMALE..	18	2	1	-	-	-	3	1	-	-
7	NEGRO.....MALE....	10	3	1	-	-	-	4	-	-	-
8	FEMALE..	7	6	-	-	-	-	6	-	-	-
9	OTHER.....MALE....	1	1	-	-	-	-	1	-	-	-
10	FEMALE..	1	1	-	-	-	-	1	-	-	-
11											
12	CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
13	MALE....	-	-	-	-	-	-	-	-	-	-
14	FEMALE..	-	-	-	-	-	-	-	-	-	-
15	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
16	FEMALE..	-	-	-	-	-	-	-	-	-	-
17	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
20	FEMALE..	-	-	-	-	-	-	-	-	-	-
21											
22	BRUCELLOSIS.....044	12	-	-	-	-	-	-	-	-	1
23	MALE....	9	-	-	-	-	-	-	-	-	-
24	FEMALE..	3	-	-	-	-	-	-	-	-	1
25	WHITE.....MALE....	7	-	-	-	-	-	-	-	-	-
26	FEMALE..	3	-	-	-	-	-	-	-	-	1
27	NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
28	FEMALE..	-	-	-	-	-	-	-	-	-	-
29	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
30	FEMALE..	-	-	-	-	-	-	-	-	-	-
31											
32	DYSENTERY, ALL FORMS.....045-048	323	115	22	12	10	2	161	22	3	2
33	MALE....	183	67	12	4	5	2	90	15	1	1
34	FEMALE..	140	48	10	8	5	-	71	7	2	1
35	WHITE.....MALE....	114	28	9	2	4	-	43	12	-	1
36	FEMALE..	79	24	2	4	2	-	32	4	2	-
37	NEGRO.....MALE....	53	25	3	2	1	2	33	3	1	-
38	FEMALE..	49	21	4	3	2	-	30	3	-	1
39	OTHER.....MALE....	15	14	-	-	-	-	14	-	-	-
40	FEMALE..	12	3	4	1	1	-	9	-	-	-
41											
42	FOOD POISONING, INFECTION AND INTOXICATION.....049	39	4	-	1	1	-	6	1	1	3
43	MALE....	18	1	-	1	1	-	3	1	-	1
44	FEMALE..	21	3	-	-	-	-	3	-	1	2
45	WHITE.....MALE....	13	1	-	-	1	-	2	1	-	1
46	FEMALE..	13	-	-	-	-	-	-	-	1	-
47	NEGRO.....MALE....	4	-	-	1	-	-	1	-	-	-
48	FEMALE..	8	3	-	-	-	-	3	-	-	2
49	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
50	FEMALE..	-	-	-	-	-	-	-	-	-	-
51											
52											
53	SCARLET FEVER.....050	10	3	-	-	-	1	4	2	1	1
54	MALE....	4	2	-	-	-	-	2	1	-	-
55	FEMALE..	6	1	-	-	-	1	2	1	1	1
56	WHITE.....MALE....	3	2	-	-	-	-	2	1	-	-
57	FEMALE..	5	1	-	-	-	-	1	1	1	1
58	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
59	FEMALE..	1	-	-	-	-	1	1	-	-	-
60	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
61	FEMALE..	-	-	-	-	-	-	-	-	-	-
62											
63	STREPTOCOCCAL SORE THROAT.....051	92	13	4	3	2	1	23	4	2	4
64	MALE....	47	6	2	1	1	1	11	1	-	1
65	FEMALE..	45	7	2	2	1	-	12	3	2	3
66	WHITE.....MALE....	35	5	2	1	1	1	10	1	-	-
67	FEMALE..	32	5	2	1	-	-	8	1	1	3
68	NEGRO.....MALE....	9	1	-	-	-	-	1	-	-	-
69	FEMALE..	12	2	-	1	1	-	4	2	1	-
70	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
71	FEMALE..	-	-	-	-	-	-	-	-	-	-
72											
73	ERYSIPELAS.....052	25	2	-	-	-	-	2	-	-	-
74	MALE....	11	1	-	-	-	-	1	-	-	-
75	FEMALE..	14	1	-	-	-	-	1	-	-	-
76	WHITE.....MALE....	11	1	-	-	-	-	1	-	-	-
77	FEMALE..	12	1	-	-	-	-	1	-	-	-
78	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
79	FEMALE..	1	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
81	FEMALE..	-	-	-	-	-	-	-	-	-	-
82											
83											
84	SEPTICEMIA AND PYEMIA.....053	2,084	366	69	28	21	7	491	35	24	25
85	MALE....	1,126	211	35	12	14	5	277	20	14	7
86	FEMALE..	958	155	34	16	7	2	214	15	10	18
87	WHITE.....MALE....	847	130	19	9	11	4	173	13	11	7
88	FEMALE..	730	88	27	16	6	2	139	11	6	11
89	NEGRO.....MALE....	237	73	16	3	3	1	96	7	3	-
90	FEMALE..	181	55	4	-	-	-	59	3	4	6
91	OTHER.....MALE....	14	7	-	-	-	-	7	-	-	-
92	FEMALE..	17	7	2	-	1	-	10	1	-	1
93											
94	DIPHTHERIA.....055	41	-	4	3	4	7	18	12	3	1
95	MALE....	23	-	3	1	4	4	12	7	1	-
96	FEMALE..	18	-	1	2	-	3	6	5	2	1
97	WHITE.....MALE....	11	-	1	-	2	2	5	3	1	-
98	FEMALE..	11	-	1	1	-	2	4	4	1	-
99	NEGRO.....MALE....	12	-	2	1	2	2	7	4	-	-
100	FEMALE..	6	-	-	1	-	1	2	1	1	-
101	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
102	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
-	1	-	2	-	-	3	2	7	4	7	8	2	3	-	1	-	-	2
-	1	-	2	-	-	2	1	5	4	5	3	1	-	-	1	-	-	3
-	-	-	-	-	-	1	1	2	-	2	5	1	3	-	-	-	-	4
-	1	-	1	-	-	2	1	2	3	4	3	1	-	-	1	-	-	5
-	-	-	-	-	-	1	1	1	-	2	5	1	3	-	-	-	-	6
-	-	-	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
-	-	-	-	1	1	1	2	4	1	-	-	1	-	-	-	-	-	22
-	-	-	-	1	1	1	1	3	1	-	-	1	-	-	-	-	-	23
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	24
-	-	-	-	1	-	-	1	3	1	-	-	1	-	-	-	-	-	25
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
3	3	5	7	1	8	12	11	17	16	11	14	13	10	3	1	-	-	32
2	-	5	3	1	6	8	8	11	6	6	8	7	5	-	-	-	-	33
1	3	-	4	-	2	4	3	6	10	5	6	6	5	3	1	-	-	34
1	-	5	3	1	4	8	7	8	3	4	4	6	4	-	-	-	-	35
1	2	-	2	-	2	3	2	3	6	3	5	5	3	3	1	-	-	36
1	-	-	-	-	1	-	1	3	3	2	4	-	1	-	-	-	-	37
-	1	-	2	-	-	1	1	3	3	2	-	1	1	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	40
																		41
1	2	2	-	3	2	2	2	3	4	1	2	2	-	2	-	-	-	42
1	2	-	-	-	2	2	1	2	1	-	1	-	-	1	-	-	-	43
-	-	2	-	3	-	-	1	1	3	1	1	2	-	1	-	-	-	44
1	-	-	-	-	-	2	1	2	1	-	1	-	-	1	-	-	-	45
-	-	2	-	1	-	-	1	1	2	1	1	2	-	1	-	-	-	46
-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
																		51
																		52
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	54
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
5	2	3	4	3	-	4	3	6	2	6	8	5	5	3	-	-	-	63
4	-	2	2	3	-	2	3	5	1	3	3	3	2	1	-	-	-	64
1	2	1	2	-	-	2	-	1	1	3	5	2	3	2	-	-	-	65
3	-	2	1	1	-	2	-	4	-	2	3	3	2	1	-	-	-	66
1	1	1	1	-	-	1	-	-	1	3	3	2	3	2	-	-	-	67
1	-	-	1	2	-	-	2	-	1	1	-	-	-	-	-	-	-	68
-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	71
																		72
-	-	-	1	-	1	-	2	-	1	4	4	5	3	2	-	-	-	73
-	-	-	1	-	-	-	1	-	-	1	2	3	-	2	-	-	-	74
-	-	-	-	-	1	-	1	-	1	3	2	2	3	-	-	-	-	75
-	-	-	1	-	-	-	1	-	-	1	2	3	-	2	-	-	-	76
-	-	-	-	-	1	-	-	-	1	3	2	2	2	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
																		82
																		83
35	26	32	52	74	78	102	132	149	177	189	204	140	83	32	4	-	-	84
15	12	12	19	30	47	51	71	85	105	112	113	72	43	20	1	-	-	85
20	14	20	33	44	31	51	61	64	72	77	91	68	40	12	3	-	-	86
10	8	9	17	22	32	35	61	61	84	96	90	60	39	18	1	-	-	87
9	11	14	20	29	28	42	46	50	59	65	80	60	38	11	1	-	-	88
5	2	3	2	8	13	13	8	20	15	12	16	8	4	2	-	-	-	89
6	2	6	11	12	2	7	13	12	9	9	9	7	2	1	1	-	-	90
-	1	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	91
-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	1	-	-	92
																		93
																		94
-	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	95
-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	96
-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	97
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	98
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	99
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
WHOOPING COUGH....056	83	66	9	3	1	1	80	1	-	-
MALE....	45	37	5	-	-	1	43	1	-	-
FEMALE..	38	29	4	3	1	-	37	-	-	-
WHITE....MALE....	21	18	2	-	-	-	20	-	-	-
FEMALE..	13	8	2	2	-	-	12	-	-	-
NEGRO....MALE....	21	16	3	-	-	1	20	1	-	-
FEMALE..	21	17	2	1	1	-	21	-	-	-
OTHER....MALE....	3	3	-	-	-	-	3	-	-	-
FEMALE..	4	4	-	-	-	-	4	-	-	-
MENINGOCOCCAL INFECTIONS....057	649	189	101	64	44	20	418	60	25	31
MALE....	366	99	64	36	22	15	236	32	12	22
FEMALE..	283	90	37	28	22	5	182	28	13	9
WHITE....MALE....	294	77	55	29	17	13	191	22	9	20
FEMALE..	232	77	29	25	17	5	153	23	11	7
NEGRO....MALE....	50	12	8	7	3	1	31	8	3	2
FEMALE..	31	7	4	2	4	-	17	3	2	2
OTHER....MALE....	7	5	-	-	-	-	5	-	-	-
FEMALE..	5	2	2	-	-	-	4	-	-	-
PLAGUE....058	-	-	-	-	-	-	-	-	-	-
MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
WHITE....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LEPROSY....060	8	-	-	-	-	-	-	-	-	-
MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
WHITE....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
TETANUS....061	215	54	3	1	3	6	67	11	8	8
MALE....	123	27	3	1	2	6	39	7	3	7
FEMALE..	92	27	-	-	1	-	28	4	5	1
WHITE....MALE....	66	13	2	1	1	4	21	3	2	3
FEMALE..	44	9	-	-	-	-	9	1	5	-
NEGRO....MALE....	57	14	1	-	1	2	18	4	1	4
FEMALE..	48	18	-	-	1	-	19	3	-	1
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ANTHRAX....062	-	-	-	-	-	-	-	-	-	-
MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
WHITE....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	60	4	4	5	3	3	19	7	9	4
MALE....	37	3	2	2	2	1	10	5	6	3
FEMALE..	23	1	2	3	1	2	9	2	3	1
WHITE....MALE....	29	3	1	1	1	1	7	3	5	3
FEMALE..	17	1	1	3	1	-	6	1	3	-
NEGRO....MALE....	6	-	1	1	1	-	3	1	1	-
FEMALE..	4	-	1	-	-	1	2	1	-	1
OTHER....MALE....	1	-	-	-	-	-	-	1	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	123	-	-	-	-	-	-	4	11	14
MALE....	57	-	-	-	-	-	-	1	4	7
FEMALE..	66	-	-	-	-	-	-	3	7	7
WHITE....MALE....	51	-	-	-	-	-	-	-	4	5
FEMALE..	60	-	-	-	-	-	-	1	6	7
NEGRO....MALE....	4	-	-	-	-	-	-	1	-	1
FEMALE..	6	-	-	-	-	-	-	2	1	-
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS....082	582	90	45	26	23	10	194	74	43	28
MALE....	283	40	19	12	10	5	86	34	22	16
FEMALE..	299	50	26	14	13	5	108	40	21	12
WHITE....MALE....	235	31	16	7	9	4	67	25	20	16
FEMALE..	238	37	20	13	9	-	79	34	14	9
NEGRO....MALE....	36	7	3	3	1	1	15	5	2	-
FEMALE..	46	10	6	-	3	3	22	6	3	3
OTHER....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	1	-	1	-	-	2	-	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	80	-	-	-	1	-	1	4	1	1
MALE....	52	-	-	-	1	-	1	3	1	1
FEMALE..	28	-	-	-	-	-	-	1	-	-
WHITE....MALE....	45	-	-	-	1	-	1	2	-	-
FEMALE..	26	-	-	-	-	-	-	1	-	-
NEGRO....MALE....	4	-	-	-	-	-	-	-	1	1
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
16	7	5	7	8	12	9	10	16	7	7	3	4	2	2	-	-	-	12
8	5	3	4	4	5	4	7	10	5	4	1	2	-	2	-	-	-	13
8	2	2	3	4	7	5	3	6	2	3	2	2	2	-	-	-	-	14
6	5	1	3	3	4	3	6	9	5	3	-	2	-	2	-	-	-	15
6	1	1	2	4	6	3	1	5	2	2	1	2	2	-	-	-	-	16
2	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	17
1	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	19
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
																		22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
																		32
-	1	1	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	33
-	1	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	35
-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	36
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	41
																		42
1	2	3	9	7	8	13	16	14	17	14	10	3	4	-	-	-	-	43
-	2	2	5	3	5	9	7	5	11	7	6	2	3	-	-	-	-	44
1	-	1	4	4	3	4	9	9	6	7	4	1	1	-	-	-	-	45
-	2	-	2	1	1	5	1	3	7	6	4	2	3	-	-	-	-	46
-	-	-	3	1	2	1	6	3	4	4	4	1	-	-	-	-	-	47
-	-	2	3	2	4	4	6	2	4	1	2	-	-	-	-	-	-	48
1	-	1	1	3	1	3	3	6	2	3	-	-	1	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
3	4	4	3	4	1	-	-	1	1	-	-	-	-	-	-	-	-	63
1	4	3	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	64
2	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	65
1	4	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	66
2	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
																		72
8	15	11	9	14	12	4	6	5	2	3	3	-	2	-	-	-	-	73
5	10	4	2	7	8	2	1	4	2	-	-	-	-	-	-	-	-	74
3	5	7	7	7	4	2	5	1	-	3	3	-	2	-	-	-	-	75
5	10	3	2	6	8	2	1	3	2	-	-	-	-	-	-	-	-	76
2	5	5	7	7	4	2	5	1	-	3	3	-	2	-	-	-	-	77
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
																		82
																		83
17	20	18	21	12	19	20	27	11	23	25	18	8	4	-	-	-	-	84
10	8	10	11	4	8	10	20	6	12	11	8	4	3	-	-	-	-	85
7	12	8	10	8	11	10	7	5	11	14	10	4	1	-	-	-	-	86
8	8	9	9	4	6	7	16	5	10	10	8	4	3	-	-	-	-	87
5	12	6	8	7	11	5	6	5	10	13	9	4	1	-	-	-	-	88
2	-	1	1	-	2	3	3	1	1	-	-	-	-	-	-	-	-	89
2	-	2	1	1	-	4	-	-	1	-	1	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
-	2	1	3	8	3	12	7	14	11	4	3	4	1	-	-	-	-	94
-	1	-	1	4	1	8	4	10	7	2	3	4	1	-	-	-	-	95
-	1	1	2	4	2	4	3	4	4	2	-	-	-	-	-	-	-	96
-	-	-	1	4	1	7	2	10	7	2	3	4	1	-	-	-	-	97
-	1	1	2	4	2	4	2	4	4	1	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
3	MALE....	-	-	-	-	-	-	-	-	-	-
4	FEMALE..	-	-	-	-	-	-	-	-	-	-
5	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
6	FEMALE..	-	-	-	-	-	-	-	-	-	-
7	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
8	FEMALE..	-	-	-	-	-	-	-	-	-	-
9	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
10	FEMALE..	-	-	-	-	-	-	-	-	-	-
11											
12	MEASLES.....085	408	93	99	48	33	24	297	75	12	6
13	MALE....	180	37	52	23	13	9	134	33	4	3
14	FEMALE..	228	56	47	25	20	15	163	42	8	3
15	WHITE.....MALE....	126	23	29	17	11	8	88	26	3	3
16	FEMALE..	153	36	23	16	12	13	100	36	5	2
17	NEGRO.....MALE....	37	7	18	5	1	1	32	4	1	-
18	FEMALE..	40	7	11	5	6	1	30	5	3	1
19	OTHER.....MALE....	14	7	5	1	1	-	14	-	-	-
20	FEMALE..	29	12	11	3	2	-	28	-	-	-
21											
22	YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
23	MALE....	-	-	-	-	-	-	-	-	-	-
24	FEMALE..	-	-	-	-	-	-	-	-	-	-
25	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
26	FEMALE..	-	-	-	-	-	-	-	-	-	-
27	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
28	FEMALE..	-	-	-	-	-	-	-	-	-	-
29	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
30	FEMALE..	-	-	-	-	-	-	-	-	-	-
31											
32	INFECTIOUS HEPATITIS.....092	911	19	7	4	6	3	39	25	21	36
33	MALE....	386	10	2	3	2	2	19	13	8	12
34	FEMALE..	525	9	5	1	4	1	20	12	13	24
35	WHITE.....MALE....	317	8	2	3	1	1	15	11	6	9
36	FEMALE..	436	7	4	1	2	1	15	11	9	21
37	NEGRO.....MALE....	48	2	-	-	1	-	3	1	2	3
38	FEMALE..	65	1	1	-	2	-	4	1	2	3
39	OTHER.....MALE....	4	-	-	-	-	1	1	-	-	-
40	FEMALE..	4	-	-	-	-	-	-	-	2	-
41											
42	RABIES.....094	1	-	-	-	-	-	-	-	1	-
43	MALE....	1	-	-	-	-	-	-	-	1	-
44	FEMALE..	-	-	-	-	-	-	-	-	-	-
45	WHITE.....MALE....	1	-	-	-	-	-	-	-	1	-
46	FEMALE..	-	-	-	-	-	-	-	-	-	-
47	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
48	FEMALE..	-	-	-	-	-	-	-	-	-	-
49	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
50	FEMALE..	-	-	-	-	-	-	-	-	-	-
51											
52											
53	TICK-BORNE TYPHUS.....104	12	-	-	2	2	1	5	4	1	-
54	MALE....	7	-	-	1	1	1	3	1	1	-
55	FEMALE..	5	-	-	1	1	-	2	3	-	-
56	WHITE.....MALE....	5	-	-	1	1	-	2	1	1	-
57	FEMALE..	4	-	-	1	1	-	2	2	-	-
58	NEGRO.....MALE....	1	-	-	-	-	1	1	-	-	-
59	FEMALE..	-	-	-	-	-	-	-	-	-	-
60	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
61	FEMALE..	-	-	-	-	-	-	-	-	-	-
62											
63	ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	4	-	-	-	-	-	-	-	-	-
64	MALE....	3	-	-	-	-	-	-	-	-	-
65	FEMALE..	1	-	-	-	-	-	-	-	-	-
66	WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
67	FEMALE..	1	-	-	-	-	-	-	-	-	-
68	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
69	FEMALE..	-	-	-	-	-	-	-	-	-	-
70	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
71	FEMALE..	-	-	-	-	-	-	-	-	-	-
72											
73											
74	MALARIA.....110-117	12	-	-	-	-	-	-	-	-	1
75	MALE....	10	-	-	-	-	-	-	-	-	1
76	FEMALE..	2	-	-	-	-	-	-	-	-	-
77	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-
78	FEMALE..	1	-	-	-	-	-	-	-	-	-
79	NEGRO.....MALE....	3	-	-	-	-	-	-	-	-	-
80	FEMALE..	1	-	-	-	-	-	-	-	-	-
81	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	1
82	FEMALE..	-	-	-	-	-	-	-	-	-	-
83											
84	SCHISTOSOMIASIS.....123	2	-	-	-	-	-	-	-	-	-
85	MALE....	1	-	-	-	-	-	-	-	-	-
86	FEMALE..	1	-	-	-	-	-	-	-	-	-
87	WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
88	FEMALE..	1	-	-	-	-	-	-	-	-	-
89	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	-	-	-	-	-	-	-	-	-	-
91	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
92	FEMALE..	-	-	-	-	-	-	-	-	-	-
93											
94	HYDATID DISEASE.....125	7	-	-	-	-	-	-	-	-	-
95	MALE....	4	-	-	-	-	-	-	-	-	-
96	FEMALE..	3	-	-	-	-	-	-	-	-	-
97	WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
98	FEMALE..	3	-	-	-	-	-	-	-	-	-
99	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
100	FEMALE..	-	-	-	-	-	-	-	-	-	-
101	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
102	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
2	4	1	1	1	1	-	1	1	1	2	-	1	2	-	-	-	-	12
-	-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	13
2	4	-	1	1	-	-	-	1	1	1	-	-	1	-	-	-	-	14
-	-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	15
1	4	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
41	33	39	66	59	74	83	78	69	82	70	36	35	20	5	-	-	-	32
7	12	14	24	24	35	29	33	27	39	42	16	21	8	3	-	-	-	33
34	21	25	42	35	39	54	45	42	43	28	20	14	12	2	-	-	-	34
2	5	9	17	20	31	25	28	24	34	35	14	21	8	3	-	-	-	35
26	13	19	31	31	32	45	38	36	41	25	18	12	11	2	-	-	-	36
3	5	2	7	4	2	3	3	2	3	3	2	-	-	-	-	-	-	37
7	7	5	9	3	6	7	6	1	1	-	1	1	1	-	-	-	-	38
-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	40
																		41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
																		51
																		52
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
																		72
																		73
-	1	-	1	2	-	-	-	-	2	2	3	-	-	-	-	-	-	74
-	1	-	1	2	-	-	-	-	2	1	2	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	76
-	1	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	78
-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
																		83
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
-	-	1	-	-	1	-	1	-	2	-	2	-	-	-	-	-	-	94
-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	95
-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	96
-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	97
-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	FILARIASIS.....127	1	-	-	-	-	-	-	-	-	-
3	MALE....	1	-	-	-	-	-	-	-	-	-
4	FEMALE..	-	-	-	-	-	-	-	-	-	-
5	WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
6	FEMALE..	-	-	-	-	-	-	-	-	-	-
7	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
8	FEMALE..	-	-	-	-	-	-	-	-	-	-
9	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
10	FEMALE..	-	-	-	-	-	-	-	-	-	-
11											
12	ANCYLOSTOMIASIS.....129	6	-	1	1	1	-	3	-	-	-
13	MALE....	3	-	1	-	1	-	2	-	-	-
14	FEMALE..	3	-	-	1	-	-	1	-	-	-
15	WHITE.....MALE....	2	-	-	-	1	-	1	-	-	-
16	FEMALE..	3	-	-	1	-	-	1	-	-	-
17	NEGRO.....MALE....	1	-	1	-	-	-	1	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
20	FEMALE..	-	-	-	-	-	-	-	-	-	-
21											
22	OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	60	6	12	16	8	2	44	7	1	2
23	MALE....	24	4	4	5	3	1	17	4	1	-
24	FEMALE..	36	2	8	11	5	1	27	3	-	2
25	WHITE.....MALE....	6	-	-	1	1	1	3	2	-	-
26	FEMALE..	9	-	-	2	2	1	5	-	-	1
27	NEGRO.....MALE....	17	3	4	4	2	-	13	2	1	-
28	FEMALE..	25	1	8	9	3	-	21	3	-	1
29	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
30	FEMALE..	2	1	-	-	-	-	1	-	-	-
31											
32	ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,507	274	46	25	27	19	391	71	26	35
33	MALE....	822	152	18	13	17	9	209	35	8	22
34	FEMALE..	685	122	28	12	10	10	182	36	18	13
35	WHITE.....MALE....	641	111	16	9	15	8	159	31	7	18
36	FEMALE..	531	95	24	11	8	8	146	32	14	11
37	NEGRO.....MALE....	139	31	1	3	1	1	37	-	1	2
38	FEMALE..	138	21	3	1	2	2	29	3	3	2
39	OTHER.....MALE....	22	7	1	-	-	-	8	1	-	1
40	FEMALE..	5	3	1	-	-	-	4	-	-	-
41											
42											
43	II. NEOPLASMS.....	283,243	384	363	389	494	461	2,091	1,643	1,190	1,241
44	MALE....	152,146	182	188	197	267	269	1,103	909	649	724
45	FEMALE..	131,097	202	175	192	227	192	988	734	541	517
46	WHITE.....MALE....	131,866	159	161	172	237	236	965	776	546	623
47	FEMALE..	113,500	177	148	163	189	167	844	619	443	439
48	NEGRO.....MALE....	13,204	17	17	21	20	20	95	87	77	72
49	FEMALE..	11,765	18	23	18	23	12	94	88	75	57
50	OTHER.....MALE....	933	2	2	1	3	3	11	13	6	3
51	FEMALE..	500	3	3	3	5	1	15	7	5	5
52											
53	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND										
54	HEMATOPOIETIC TISSUES.....140-205	278,562	261	326	369	478	437	1,871	1,517	1,080	1,139
55	MALE....	150,009	124	172	188	260	259	1,003	842	584	676
56	FEMALE..	128,553	137	154	181	218	178	868	675	496	463
57	WHITE.....MALE....	130,050	110	149	167	232	228	886	727	495	580
58	FEMALE..	111,449	119	129	153	180	155	736	572	409	395
59	NEGRO.....MALE....	12,968	12	14	18	18	19	81	74	66	71
60	FEMALE..	11,369	13	21	17	23	10	84	79	67	48
61	OTHER.....MALE....	916	1	2	1	3	2	9	11	6	3
62	FEMALE..	487	3	3	3	5	1	15	5	5	5
63											
64	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,481	1	3	-	2	4	10	5	14	14
65	MALE....	4,920	-	1	-	1	3	5	4	6	9
66	FEMALE..	1,561	1	2	-	1	1	5	1	8	5
67	WHITE.....MALE....	4,253	-	1	-	-	3	4	4	5	7
68	FEMALE..	1,350	1	2	-	1	1	5	1	6	4
69	NEGRO.....MALE....	416	-	-	-	-	-	-	-	1	1
70	FEMALE..	139	-	-	-	-	-	-	-	2	-
71	OTHER.....MALE....	39	-	-	-	-	-	-	-	-	1
72	FEMALE..	6	-	-	-	-	-	-	-	-	-
73											
74	OF LIP.....140	219	-	-	-	-	-	-	-	-	-
75	MALE....	199	-	-	-	-	-	-	-	-	-
76	FEMALE..	20	-	-	-	-	-	-	-	-	-
77	WHITE.....MALE....	189	-	-	-	-	-	-	-	-	-
78	FEMALE..	17	-	-	-	-	-	-	-	-	-
79	NEGRO.....MALE....	5	-	-	-	-	-	-	-	-	-
80	FEMALE..	1	-	-	-	-	-	-	-	-	-
81	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
82	FEMALE..	-	-	-	-	-	-	-	-	-	-
83											
84	OF TONGUE.....141	1,552	-	-	-	-	-	-	-	-	1
85	MALE....	1,181	-	-	-	-	-	-	-	-	-
86	FEMALE..	371	-	-	-	-	-	-	-	-	1
87	WHITE.....MALE....	1,015	-	-	-	-	-	-	-	-	-
88	FEMALE..	329	-	-	-	-	-	-	-	-	1
89	NEGRO.....MALE....	87	-	-	-	-	-	-	-	-	-
90	FEMALE..	25	-	-	-	-	-	-	-	-	-
91	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
92	FEMALE..	-	-	-	-	-	-	-	-	-	-
93											
94	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-144	2,092	-	2	-	1	2	5	2	5	3
95	MALE....	1,443	-	-	-	1	2	3	1	2	2
96	FEMALE..	649	-	2	-	-	-	2	1	3	1
97	WHITE.....MALE....	1,268	-	-	-	-	2	2	1	1	2
98	FEMALE..	560	-	2	-	-	-	2	1	3	-
99	NEGRO.....MALE....	117	-	-	-	-	-	-	-	1	-
100	FEMALE..	64	-	-	-	-	-	-	-	-	-
101	OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
102	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	12
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	14
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
1	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	22
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	23
1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
21	29	30	57	67	83	99	88	96	95	83	87	53	59	26	9	2	-	32
13	16	15	27	43	46	63	62	55	62	44	40	23	26	9	2	2	-	33
8	13	15	30	24	37	36	26	41	33	39	47	30	33	17	7	-	-	34
11	10	9	15	28	35	50	45	43	49	39	33	23	23	9	2	2	-	35
7	7	8	15	10	20	19	13	37	30	36	43	29	32	17	5	-	-	36
2	5	6	10	15	11	9	12	10	11	2	4	-	2	-	-	-	-	37
1	6	7	14	14	17	15	12	4	2	3	4	1	-	-	1	-	-	38
-	-	-	2	-	-	2	5	-	1	2	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	40
																		41
																		42
1,142	1,545	2,887	5,523	9,458	15,307	22,919	28,956	35,700	41,859	41,053	33,618	22,167	11,077	3,184	575	54	54	43
685	786	1,238	2,198	3,844	6,852	11,403	16,052	20,418	24,334	23,645	18,669	11,517	5,383	1,444	238	24	31	44
457	759	1,649	3,325	5,614	8,455	11,516	12,904	15,282	17,525	17,408	14,949	10,650	5,694	1,740	337	30	23	45
607	668	1,071	1,794	3,171	5,644	9,390	13,679	17,379	21,050	20,756	16,806	10,467	4,929	1,294	212	15	24	46
381	604	1,297	2,629	4,535	7,005	9,595	10,841	12,931	15,307	15,446	13,647	9,761	5,254	1,587	293	22	20	47
49	86	119	287	512	894	1,449	1,641	1,991	2,129	1,723	1,041	575	255	90	19	6	7	48
56	127	267	541	830	1,031	1,402	1,443	1,677	1,429	1,139	739	448	215	78	22	4	3	49
5	7	7	20	34	45	68	95	131	129	138	116	76	23	4	2	-	-	50
6	4	25	29	32	47	35	47	52	51	63	35	27	12	3	-	-	-	51
																		52
																		53
1,079	1,441	2,735	5,261	9,148	14,947	22,502	28,523	35,246	41,398	40,660	33,290	21,955	10,961	3,138	566	52	53	54
659	741	1,189	2,099	3,738	6,710	11,234	15,808	20,201	24,090	23,453	18,501	11,421	5,346	1,426	235	23	30	55
420	700	1,546	3,162	5,410	8,237	11,268	12,715	15,045	17,308	17,207	14,789	10,534	5,615	1,712	331	29	23	56
584	631	1,034	1,707	3,087	5,518	9,253	13,470	17,195	20,837	20,594	16,651	10,382	4,896	1,276	210	14	23	57
350	562	1,220	2,519	4,394	6,849	9,401	10,690	12,740	15,115	15,269	13,503	9,656	5,179	1,561	288	21	20	58
48	82	110	277	493	882	1,420	1,614	1,965	2,104	1,705	1,034	567	253	90	19	6	7	59
51	111	246	495	781	980	1,357	1,412	1,639	1,409	1,120	731	440	213	77	22	4	3	60
5	6	6	20	32	45	68	94	131	128	134	115	74	23	4	2	-	-	61
6	4	23	28	31	46	34	43	52	50	63	35	27	12	3	-	-	-	62
																		63
20	21	22	75	212	415	664	816	878	896	870	664	486	276	98	22	-	3	64
12	13	12	45	142	317	534	647	699	723	669	490	336	184	60	12	-	1	65
8	8	10	30	70	98	130	169	179	173	201	174	150	92	38	10	-	2	66
9	11	11	36	97	248	444	553	594	642	595	442	310	173	57	10	-	1	67
6	6	4	25	51	81	106	147	151	147	186	159	135	89	33	6	-	2	68
1	2	1	6	35	53	63	66	58	54	32	24	13	3	3	-	-	-	69
2	1	5	4	15	13	16	16	18	18	8	8	7	-	4	2	-	-	70
1	-	-	2	3	3	5	7	7	2	4	3	-	-	-	1	-	-	71
-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-	72
																		73
-	-	-	3	5	5	8	8	19	24	31	36	43	26	6	5	-	-	74
-	-	-	3	5	4	8	8	19	23	29	32	37	22	6	3	-	-	75
-	-	-	-	-	1	-	-	-	1	2	4	6	4	-	2	-	-	76
-	-	-	3	5	4	8	8	18	20	28	30	34	22	6	3	-	-	77
-	-	-	-	-	1	-	-	-	1	2	4	6	3	-	-	-	-	78
-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
																		83
1	2	4	16	48	106	169	186	210	220	222	155	116	73	19	3	-	1	84
1	1	2	7	30	87	141	138	171	180	175	117	72	48	9	2	-	-	85
-	1	2	9	18	19	28	48	39	40	47	38	44	25	10	1	-	1	86
-	1	2	5	20	70	111	116	148	160	160	105	63	44	9	1	-	-	87
-	1	-	7	15	17	24	45	28	36	42	35	42	24	10	1	-	1	88
1	-	-	1	5	11	20	13	11	13	4	5	2	1	-	-	-	-	89
-	-	1	1	3	1	3	2	7	2	2	2	1	-	-	-	-	-	90
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
3	7	6	21	62	101	182	238	252	277	305	244	201	114	51	12	-	1	94
1	4	3	12	42	74	139	180	181	200	211	158	125	68	31	6	-	-	95
2	3	3	9	20	27	43	58	71	77	94	86	76	46	20	6	-	1	96
1	4	2	9	31	61	122	154	154	180	184	146	117	63	29	5	-	-	97
2	2	1	8	13	21	39	47	59	62	89	77	66	45	18	4	-	1	98
-	-	1	2	9	12	14	21	12	16	14	6	6	1	2	-	-	-	99
-	-	2	1	7	5	4	9	7	12	4	5	5	-	2	1	-	-	100
-	-	-	1	1	-	-	1	2	-	2	1	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	MALIGNANT NEOPLASMS, ETC.--CON.										
3	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX--CON.										
4	OF PHARYNX.....145-148	2,618	1	1	-	1	2	5	3	9	10
5	MALE....	2,097	-	1	-	-	1	2	3	4	7
6	FEMALE..	521	1	-	-	1	1	3	-	5	3
7	WHITE.....MALE....	1,781	-	1	-	-	1	2	3	4	5
8	FEMALE..	444	1	-	-	1	1	3	-	3	3
9	NEGRO.....MALE....	207	-	-	-	-	-	-	-	-	1
10	FEMALE..	49	-	-	-	-	-	-	-	2	-
11	OTHER.....MALE....	27	-	-	-	-	-	-	-	-	1
12	FEMALE..	6	-	-	-	-	-	-	-	-	-
13	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT										
14	SPECIFIED AS SECONDARY.....150-156A,157-159	92,047	21	25	12	8	5	71	26	26	48
15	MALE....	49,936	13	10	7	6	1	37	15	15	27
16	FEMALE..	42,111	8	15	5	2	4	34	11	11	21
17	WHITE.....MALE....	42,709	11	9	6	5	1	32	13	10	16
18	FEMALE..	36,729	6	11	4	2	4	27	10	8	14
19	NEGRO.....MALE....	4,625	2	-	1	-	-	3	-	5	10
20	FEMALE..	3,333	1	4	1	-	-	6	1	2	5
21	OTHER.....MALE....	401	-	-	-	1	-	1	-	-	-
22	FEMALE..	186	-	-	-	-	-	-	-	-	-
23											
24	OF ESOPHAGUS.....150	5,088	-	-	-	-	-	-	1	-	-
25	MALE....	3,973	-	-	-	-	-	-	1	-	-
26	FEMALE..	1,115	-	-	-	-	-	-	-	-	-
27	WHITE.....MALE....	3,028	-	-	-	-	-	-	1	-	-
28	FEMALE..	871	-	-	-	-	-	-	-	-	-
29	NEGRO.....MALE....	722	-	-	-	-	-	-	-	-	-
30	FEMALE..	189	-	-	-	-	-	-	-	-	-
31	OTHER.....MALE....	33	-	-	-	-	-	-	-	-	-
32	FEMALE..	2	-	-	-	-	-	-	-	-	-
33											
34	OF STOMACH.....151	19,378	-	-	-	-	-	-	-	2	4
35	MALE....	11,947	-	-	-	-	-	-	-	1	2
36	FEMALE..	7,431	-	-	-	-	-	-	-	1	2
37	WHITE.....MALE....	9,840	-	-	-	-	-	-	-	-	1
38	FEMALE..	6,301	-	-	-	-	-	-	-	-	2
39	NEGRO.....MALE....	1,465	-	-	-	-	-	-	-	1	1
40	FEMALE..	758	-	-	-	-	-	-	-	1	-
41	OTHER.....MALE....	138	-	-	-	-	-	-	-	-	-
42	FEMALE..	63	-	-	-	-	-	-	-	-	-
43											
44	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	745	-	-	-	-	-	-	-	-	-
45	MALE....	388	-	-	-	-	-	-	-	-	-
46	FEMALE..	357	-	-	-	-	-	-	-	-	-
47	WHITE.....MALE....	330	-	-	-	-	-	-	-	-	-
48	FEMALE..	317	-	-	-	-	-	-	-	-	-
49	NEGRO.....MALE....	37	-	-	-	-	-	-	-	-	-
50	FEMALE..	27	-	-	-	-	-	-	-	-	-
51	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
52	FEMALE..	1	-	-	-	-	-	-	-	-	-
53											
54	OF LARGE INTESTINE, EXCEPT RECTUM.....153	29,837	3	-	-	1	1	5	1	4	16
55	MALE....	13,561	2	-	-	1	-	3	-	3	9
56	FEMALE..	16,276	1	-	-	-	1	2	1	1	7
57	WHITE.....MALE....	12,019	2	-	-	1	-	3	-	2	2
58	FEMALE..	14,501	1	-	-	-	1	2	-	-	4
59	NEGRO.....MALE....	816	-	-	-	-	-	-	-	1	7
60	FEMALE..	1,000	-	-	-	-	-	-	1	1	2
61	OTHER.....MALE....	68	-	-	-	-	-	-	-	-	-
62	FEMALE..	30	-	-	-	-	-	-	-	-	-
63											
64	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,264	1	-	-	-	-	1	-	-	3
65	MALE....	1,812	1	-	-	-	-	1	-	-	-
66	FEMALE..	2,452	-	-	-	-	-	-	-	-	3
67	WHITE.....MALE....	1,609	1	-	-	-	-	1	-	-	-
68	FEMALE..	2,205	-	-	-	-	-	-	-	-	2
69	NEGRO.....MALE....	87	-	-	-	-	-	-	-	-	-
70	FEMALE..	136	-	-	-	-	-	-	-	-	1
71	OTHER.....MALE....	10	-	-	-	-	-	-	-	-	-
72	FEMALE..	5	-	-	-	-	-	-	-	-	-
73											
74	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES..153.1	1,608	-	-	-	-	-	-	-	-	2
75	MALE....	745	-	-	-	-	-	-	-	-	2
76	FEMALE..	863	-	-	-	-	-	-	-	-	-
77	WHITE.....MALE....	661	-	-	-	-	-	-	-	-	-
78	FEMALE..	763	-	-	-	-	-	-	-	-	-
79	NEGRO.....MALE....	41	-	-	-	-	-	-	-	-	2
80	FEMALE..	43	-	-	-	-	-	-	-	-	-
81	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
82	FEMALE..	1	-	-	-	-	-	-	-	-	-
83											
84	DESCENDING COLON.....153.2	1,256	-	-	-	-	-	-	-	-	1
85	MALE....	533	-	-	-	-	-	-	-	-	-
86	FEMALE..	723	-	-	-	-	-	-	-	-	1
87	WHITE.....MALE....	467	-	-	-	-	-	-	-	-	-
88	FEMALE..	652	-	-	-	-	-	-	-	-	1
89	NEGRO.....MALE....	38	-	-	-	-	-	-	-	-	-
90	FEMALE..	39	-	-	-	-	-	-	-	-	-
91	OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
92	FEMALE..	2	-	-	-	-	-	-	-	-	-
93											
94	SIGMOID COLON.....153.3	6,188	-	-	-	1	-	1	1	-	3
95	MALE....	3,000	-	-	-	1	-	1	-	-	1
96	FEMALE..	3,188	-	-	-	-	-	-	1	-	2
97	WHITE.....MALE....	2,677	-	-	-	1	-	1	-	-	-
98	FEMALE..	2,863	-	-	-	-	-	-	-	-	1
99	NEGRO.....MALE....	145	-	-	-	-	-	-	-	-	1
100	FEMALE..	150	-	-	-	-	-	-	1	-	-
101	OTHER.....MALE....	16	-	-	-	-	-	-	-	-	-
102	FEMALE..	6	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
16	12	12	35	97	203	305	384	397	375	312	229	126	63	22	2	-	1	4
10	8	7	23	65	152	246	321	328	320	254	183	102	46	14	1	-	1	5
6	4	5	12	32	51	59	63	69	55	58	46	24	17	8	1	-	-	6
8	6	7	19	41	113	203	275	274	282	223	161	96	44	13	1	-	1	7
4	3	3	10	23	42	43	55	64	48	53	43	21	17	5	1	-	-	8
-	2	-	3	21	30	29	32	34	23	14	12	4	1	1	-	-	-	9
2	1	2	2	5	7	9	5	4	4	2	1	1	-	2	-	-	-	10
1	-	-	1	2	2	5	6	4	1	2	2	-	-	-	-	-	-	11
-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-	12
																		13
79	176	374	969	1,845	3,451	5,929	8,308	11,370	14,498	15,637	13,578	9,294	4,725	1,358	249	20	16	14
49	93	204	530	977	1,919	3,365	4,888	6,617	8,194	8,693	7,097	4,480	2,070	551	96	9	10	15
30	83	170	439	868	1,532	2,564	3,420	4,753	6,304	6,944	6,481	4,814	2,655	807	153	11	6	16
39	77	172	394	756	1,520	2,629	4,041	5,523	7,019	7,602	6,309	4,075	1,897	486	88	5	6	17
23	62	121	340	688	1,220	2,107	2,842	3,956	5,486	6,138	5,914	4,439	2,451	735	134	8	6	18
9	12	24	96	177	304	543	585	715	752	630	415	209	87	35	7	3	4	19
4	16	35	73	137	222	319	402	566	490	456	302	165	91	30	9	2	-	20
-	1	2	9	11	17	23	43	63	60	61	60	36	12	2	-	-	-	21
2	1	6	5	7	17	12	14	21	23	33	21	16	6	2	-	-	-	22
																		23
-	5	9	39	111	284	500	665	760	773	792	568	343	175	52	7	2	2	24
-	3	4	29	80	219	375	538	628	632	638	432	244	111	30	5	2	2	25
-	2	5	10	31	65	125	127	132	141	154	136	99	64	22	2	-	-	26
-	3	3	13	40	125	229	393	483	495	521	374	219	98	26	5	-	-	27
-	2	3	3	11	29	85	99	97	117	133	121	93	57	19	2	-	-	28
-	-	-	16	37	79	123	116	109	103	81	30	14	7	3	-	2	2	29
-	-	2	6	19	33	34	20	33	19	12	5	3	2	1	-	-	-	30
-	-	1	-	1	1	1	4	6	3	8	5	-	3	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	32
																		33
12	24	81	225	374	641	1,145	1,537	2,167	2,934	3,437	3,086	2,243	1,081	312	65	4	4	34
7	11	49	123	212	389	766	1,029	1,450	1,897	2,191	1,896	1,234	532	130	25	2	1	35
5	13	32	102	162	252	379	508	717	1,037	1,246	1,190	1,009	549	182	40	2	3	36
6	5	43	88	149	297	574	801	1,124	1,545	1,835	1,653	1,097	479	117	24	1	1	37
3	6	23	74	130	207	288	405	555	861	1,065	1,065	906	502	167	37	2	3	38
1	3	5	25	52	73	150	169	231	249	234	145	83	30	11	1	1	-	39
1	6	6	21	26	29	66	78	123	123	111	78	56	25	6	2	-	-	40
-	1	1	2	4	4	6	16	24	12	23	24	16	5	-	-	-	-	41
1	-	3	3	2	6	4	5	8	8	9	6	6	1	1	-	-	-	42
																		43
1	7	5	18	26	32	67	84	100	117	99	98	56	25	10	-	-	-	44
-	5	4	10	13	22	41	44	56	56	51	50	23	8	5	-	-	-	45
1	2	1	8	13	10	26	40	44	61	48	48	33	17	5	-	-	-	46
-	5	2	9	13	20	30	38	46	51	42	44	23	5	2	-	-	-	47
1	2	1	8	12	6	21	35	37	56	44	41	32	16	5	-	-	-	48
-	-	2	1	-	2	9	4	7	2	6	1	-	2	1	-	-	-	49
-	-	-	-	1	4	3	5	4	2	2	6	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	52
																		53
34	63	134	336	575	1,084	1,738	2,509	3,473	4,654	5,058	4,567	3,252	1,753	482	90	5	4	54
21	29	53	160	247	483	735	1,148	1,703	2,196	2,431	2,057	1,373	710	171	25	2	2	55
13	34	81	176	328	601	1,003	1,361	1,770	2,458	2,627	2,510	1,879	1,043	311	65	3	2	56
18	24	46	135	210	422	637	1,004	1,462	1,936	2,175	1,844	1,260	661	154	21	2	1	57
10	27	56	144	266	506	875	1,164	1,535	2,180	2,352	2,313	1,742	979	285	57	2	2	58
2	5	4	21	27	37	57	75	139	143	119	95	46	23	11	3	-	1	59
3	5	17	21	45	68	79	120	156	156	141	95	52	26	7	5	-	-	60
-	-	-	1	-	2	2	5	9	16	10	16	5	1	1	-	-	-	61
-	-	3	2	1	3	1	3	-	3	7	4	1	2	-	-	-	-	62
																		63
5	9	14	40	83	121	221	307	460	652	776	703	518	257	77	17	-	-	64
2	5	9	24	43	66	84	140	210	300	339	281	193	87	24	4	-	-	65
3	4	5	16	40	55	137	167	250	352	437	422	325	170	53	13	-	-	66
1	5	9	22	39	55	69	124	173	268	299	256	177	84	23	4	-	-	67
2	4	3	14	29	41	117	150	217	311	399	387	305	162	50	12	-	-	68
-	-	-	2	4	4	6	11	19	14	11	9	5	1	1	-	-	-	69
1	-	2	2	8	11	11	11	17	22	21	21	5	3	-	-	-	-	70
-	-	-	-	-	-	1	-	1	3	2	3	-	-	-	-	-	-	71
-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	72
																		73
1	-	7	23	42	70	96	138	195	250	261	247	171	77	24	4	-	-	74
-	-	4	11	25	34	46	73	92	126	119	99	75	33	5	1	-	-	75
1	-	3	12	17	36	50	65	103	124	142	148	96	44	19	3	-	-	76
-	-	3	10	20	29	44	63	79	111	106	87	71	33	4	1	-	-	77
1	-	2	9	15	29	43	50	92	105	130	135	89	42	18	3	-	-	78
-	-	1	1	2	2	1	5	10	10	2	4	1	-	-	-	-	-	79
-	-	1	1	2	5	5	5	5	5	5	6	2	1	-	-	-	-	80
-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	82
																		83
1	1	6	12	22	54	84	110	142	223	204	177	125	71	20	3	-	-	84
1	1	2	3	10	23	33	46	66	88	94	88	45	25	8	-	-	-	85
-	-	4	9	12	31	51	64	76	135	110	89	80	46	12	3	-	-	86
1	-	1	3	9	16	29	43	61	77	78	77	41	24	7	-	-	-	87
-	-	4	9	10	26	47	56	67	126	95	82	71	44	11	3	-	-	88
-	1	1	-	1	2	4	1	3	6	10	5	3	-	1	-	-	-	89
-	-	-	-	1	3	1	6	6	7	4	5	5	1	-	-	-	-	90
-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	92
																		93
6	14	20	61	115	250	392	546	717	989	1,036	971	621	354	74	13	2	2	94
4	7	6	29	40	103	157	258	359	509	554	450	318	163	34	6	-	1	95
2	7	14	32	75	147	235	288	358	480	482	521	303	191	40	7	2	1	96
4	4	6	26	32	94	136	223	312	447	505	408	296	147	31	4	-	1	97
2	5	10	23	66	127	216	247	325	427	437	474	279	180	36	6	1	1	98
-	3	-	3	7	6	12	13	21	27	23	14	8	5	1	1	-	-	99
-	1	1	5	5	11	12	22	19	24	16	16	10	6	1	-	-	-	100
-	-	-	-	-	1	1	3	4	2	-	3	1	1	-	-	-	-	101
-	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.										
OF LARGE INTESTINE, EXCEPT RECTUM--CON.										
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	74	-	-	-	-	-	-	-	-	-
MALE....	37	-	-	-	-	-	-	-	-	-
FEMALE..	37	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-
FEMALE..	36	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE INCLUDING COLON, PART UNSPECIFIED.....153.8	14,929	1	-	-	-	-	1	-	4	7
MALE....	6,823	1	-	-	-	-	1	-	3	6
FEMALE..	8,106	-	-	-	-	-	-	-	1	1
WHITE.....MALE....	6,039	1	-	-	-	-	1	-	2	2
FEMALE..	7,179	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	458	-	-	-	-	-	-	-	1	4
FEMALE..	577	-	-	-	-	-	-	-	1	1
OTHER.....MALE....	32	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,518	1	-	-	-	1	2	-	-	-
MALE....	611	-	-	-	-	-	-	-	-	-
FEMALE..	907	1	-	-	-	1	2	-	-	-
WHITE.....MALE....	534	-	-	-	-	-	-	-	-	-
FEMALE..	803	1	-	-	-	1	2	-	-	-
NEGRO.....MALE....	46	-	-	-	-	-	-	-	-	-
FEMALE..	55	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OF RECTUM.....154	10,853	1	2	-	-	-	3	-	1	5
MALE....	6,131	1	1	-	-	-	2	-	1	3
FEMALE..	4,722	-	1	-	-	-	1	-	-	2
WHITE.....MALE....	5,460	1	1	-	-	-	2	-	1	3
FEMALE..	4,101	-	1	-	-	-	1	-	-	2
NEGRO.....MALE....	333	-	-	-	-	-	-	-	-	-
FEMALE..	356	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	37	-	-	-	-	-	-	-	-	-
FEMALE..	13	-	-	-	-	-	-	-	-	-
OF BILIARY PASSAGES & OF LIVER STATED TO BE PRIMARY SITE.....155	6,423	8	15	5	2	1	31	13	11	10
MALE....	2,822	5	6	4	2	-	17	10	5	4
FEMALE..	3,601	3	9	1	-	1	14	3	6	6
WHITE.....MALE....	2,406	5	6	4	1	-	16	8	2	4
FEMALE..	3,253	2	8	1	-	1	12	3	5	3
NEGRO.....MALE....	246	-	-	-	-	-	-	-	3	-
FEMALE..	185	1	1	-	-	-	2	-	-	2
OTHER.....MALE....	62	-	-	-	1	-	1	-	-	-
FEMALE..	31	-	-	-	-	-	-	-	-	-
LIVER.....155.0	2,145	8	15	5	2	1	31	13	11	10
MALE....	1,384	5	6	4	2	-	17	10	5	4
FEMALE..	761	3	9	1	-	1	14	3	6	6
WHITE.....MALE....	1,119	5	6	4	1	-	16	8	2	4
FEMALE..	656	2	8	1	-	1	12	3	5	3
NEGRO.....MALE....	174	-	-	-	-	-	-	-	3	-
FEMALE..	76	1	1	-	-	-	2	-	-	2
OTHER.....MALE....	41	-	-	-	1	-	1	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
OTHER AND MULTIPLE SITES OF BILIARY PASSAGES.....155.1,155.8	4,278	-	-	-	-	-	-	-	-	-
MALE....	1,438	-	-	-	-	-	-	-	-	-
FEMALE..	2,840	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	1,287	-	-	-	-	-	-	-	-	-
FEMALE..	2,597	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	72	-	-	-	-	-	-	-	-	-
FEMALE..	109	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	21	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	2,958	6	2	4	3	2	17	3	1	6
MALE....	1,533	4	-	1	2	1	8	2	1	5
FEMALE..	1,425	2	2	3	1	1	9	1	-	1
WHITE.....MALE....	1,283	3	-	1	2	1	7	2	1	2
FEMALE..	1,205	1	1	2	1	1	6	1	-	1
NEGRO.....MALE....	181	1	-	-	-	-	1	-	-	2
FEMALE..	145	-	1	1	-	-	2	-	-	-
OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
OF PANCREAS.....157	15,019	1	-	-	-	-	1	1	3	2
MALE....	8,725	-	-	-	-	-	-	-	2	2
FEMALE..	6,294	1	-	-	-	-	1	1	1	-
WHITE.....MALE....	7,660	-	-	-	-	-	-	-	2	2
FEMALE..	5,447	1	-	-	-	-	1	1	1	-
NEGRO.....MALE....	704	-	-	-	-	-	-	-	-	-
FEMALE..	563	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	49	-	-	-	-	-	-	-	-	-
FEMALE..	31	-	-	-	-	-	-	-	-	-
OF PERITONEUM AND OF UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,746	2	6	3	2	1	14	7	4	5
MALE....	856	1	3	2	1	-	7	2	2	2
FEMALE..	890	1	3	1	1	1	7	5	2	3
WHITE.....MALE....	683	-	2	1	1	-	4	2	2	2
FEMALE..	733	1	1	1	1	1	5	5	2	2
NEGRO.....MALE....	121	1	-	1	-	-	2	-	-	-
FEMALE..	110	-	2	-	-	-	2	-	-	1
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
-	-	2	2	1	2	2	4	6	10	11	14	14	3	3	-	-	-	4
-	-	2	-	-	1	1	2	3	4	7	10	4	2	1	-	-	-	5
-	-	-	2	1	1	1	2	3	6	4	4	10	1	2	-	-	-	6
-	-	2	-	-	1	-	1	2	3	7	9	4	2	1	-	-	-	7
-	-	-	2	1	1	1	2	3	6	4	4	9	1	2	-	-	-	8
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
																		13
20	37	79	185	287	543	874	1,291	1,792	2,295	2,527	2,234	1,598	866	239	45	3	2	14
14	16	25	91	122	243	389	585	900	1,062	1,217	1,033	669	350	82	12	2	1	15
6	21	54	94	165	300	485	706	892	1,233	1,310	1,201	929	516	157	33	1	1	16
12	15	20	73	105	217	339	510	775	936	1,086	929	611	322	72	10	2	-	17
4	16	36	79	129	256	412	600	761	1,092	1,160	1,116	867	479	142	28	1	1	18
2	1	2	14	12	20	32	41	76	77	69	56	25	16	7	2	-	1	19
2	4	13	11	27	35	46	70	96	88	88	44	25	15	6	5	-	-	20
-	-	-	1	-	1	-	1	4	8	8	5	3	-	1	-	-	-	21
-	-	2	2	-	-	1	1	-	1	2	3	-	2	-	-	-	-	22
																		23
1	2	6	13	25	44	69	113	161	235	243	221	205	125	45	8	-	-	24
-	-	5	2	7	13	25	44	73	107	101	96	69	50	17	2	-	-	25
1	2	1	11	18	31	44	69	88	128	142	125	136	75	28	6	-	-	26
-	-	5	1	5	10	20	40	60	94	94	78	60	49	16	2	-	-	27
1	2	1	8	16	26	39	59	70	113	127	115	122	71	26	5	-	-	28
-	-	-	1	1	3	2	3	10	9	4	7	4	1	1	-	-	-	29
-	-	-	2	2	3	4	6	13	10	7	3	5	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	32
																		33
5	21	48	114	229	385	744	985	1,315	1,741	1,824	1,563	1,054	591	193	24	4	4	34
4	10	32	63	118	199	413	599	788	1,029	1,055	894	531	280	95	11	1	3	35
1	11	16	51	111	186	331	386	527	712	769	669	523	311	98	13	3	1	36
3	8	27	49	99	172	338	522	697	919	959	821	487	256	84	10	-	3	37
1	8	13	40	89	145	272	312	445	606	690	608	484	283	88	12	1	1	38
1	2	4	5	12	19	47	47	44	48	46	32	15	6	4	1	-	-	39
-	2	3	9	16	25	38	55	52	59	37	28	14	10	6	-	2	-	40
-	-	-	2	1	1	3	5	7	8	2	2	6	-	-	-	-	-	41
-	-	-	-	-	1	2	1	2	-	2	2	3	-	-	-	-	-	42
																		43
12	16	26	54	121	224	361	557	897	1,107	1,177	929	583	228	55	11	-	-	44
9	10	18	32	57	116	182	303	418	507	483	342	212	75	17	5	-	-	45
3	6	8	22	64	108	179	254	479	600	694	587	371	153	38	6	-	-	46
7	9	15	24	36	91	136	240	360	435	428	311	197	69	13	5	-	-	47
3	6	3	21	50	89	152	216	419	551	636	550	350	143	36	5	-	-	48
2	1	2	6	16	19	29	43	35	40	26	13	8	2	1	-	-	-	49
-	-	5	1	10	12	18	25	40	19	26	12	8	5	-	-	-	-	50
-	-	-	2	3	2	8	7	8	12	7	5	4	2	1	-	-	-	51
-	-	-	-	2	3	2	2	2	5	8	3	2	2	-	-	-	-	52
																		53
10	11	19	34	66	118	154	240	332	352	307	209	150	63	12	3	-	-	54
7	7	14	20	38	74	106	175	222	249	207	117	81	24	4	3	-	-	55
3	4	5	14	28	44	48	65	110	103	100	92	69	39	8	-	-	-	56
5	6	11	13	22	54	76	129	177	206	182	103	76	22	4	3	-	-	57
3	4	1	13	23	36	41	46	91	88	93	85	65	36	8	-	-	-	58
2	1	2	5	12	15	21	31	30	25	17	7	2	1	-	-	-	-	59
-	-	4	1	4	6	7	14	15	9	4	4	3	1	-	-	-	-	60
-	-	-	2	3	2	6	6	7	7	2	2	2	1	-	-	-	-	61
-	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-	-	62
																		63
2	5	7	20	55	106	207	317	565	755	870	720	433	165	43	8	-	-	64
2	3	4	12	19	42	76	128	196	258	276	225	131	51	13	2	-	-	65
-	2	3	8	36	64	131	189	369	497	594	495	302	114	30	6	-	-	66
2	3	4	11	14	37	60	111	183	229	246	208	121	47	9	2	-	-	67
-	2	2	8	27	53	111	170	328	463	543	465	285	107	28	5	-	-	68
-	-	-	1	4	4	8	12	5	15	9	6	6	1	1	-	-	-	69
-	-	1	-	6	6	11	11	25	10	22	8	5	4	-	-	-	-	70
-	-	-	-	-	-	2	1	1	5	5	3	2	1	1	-	-	-	71
-	-	-	-	1	2	2	1	2	4	7	3	1	2	-	-	-	-	72
																		73
3	5	8	24	54	99	169	292	351	452	509	428	302	183	41	10	1	-	74
-	2	4	16	29	57	87	165	206	260	280	191	133	71	12	4	-	-	75
3	3	4	8	25	42	82	127	145	192	229	237	169	112	29	6	1	-	76
-	2	3	8	21	38	66	136	168	217	250	167	114	66	11	4	-	-	77
3	2	3	5	21	30	69	104	109	161	195	213	156	98	22	5	1	-	78
-	-	1	7	8	16	17	22	24	34	18	14	12	4	1	-	-	-	79
-	1	-	3	3	8	10	19	26	18	22	14	7	7	5	-	-	-	80
-	-	-	1	-	1	-	-	3	1	1	2	-	-	-	-	-	-	81
-	-	-	-	-	1	1	-	3	-	1	1	1	-	-	-	-	-	82
																		83
4	23	43	127	305	628	1,087	1,536	2,092	2,491	2,518	2,082	1,278	590	171	31	4	2	84
1	16	28	77	196	403	700	985	1,256	1,508	1,458	1,113	643	243	73	17	2	2	85
3	7	15	50	109	225	387	551	836	983	1,060	969	635	347	98	14	2	-	86
-	14	23	55	167	331	570	849	1,097	1,333	1,309	999	599	230	62	15	2	1	87
1	6	12	36	87	177	304	453	687	854	928	885	592	319	92	9	2	-	88
1	1	4	12	22	55	96	94	108	119	86	64	27	9	3	2	-	1	89
-	1	2	10	16	35	63	72	109	81	85	50	20	13	4	2	-	-	90
-	-	-	-	2	6	3	5	5	8	8	6	5	1	-	-	-	-	91
1	-	-	-	2	2	1	2	6	5	5	3	3	1	-	-	-	-	92
																		93
8	12	20	32	50	74	118	143	215	229	223	257	183	99	42	11	-	-	94
7	7	12	20	25	31	66	77	112	109	106	122	87	40	18	4	-	-	95
1	5	8	12	25	43	52	66	103	120	117	135	96	59	24	7	-	-	96
5	7	10	13	21	24	49	58	86	88	83	96	79	33	17	4	-	-	97
1	3	7	9	22	31	41	54	72	100	95	118	84	54	21	7	-	-	98
2	-	2	3	3	4	15	15	18	14	14	21	4	4	-	-	-	-	99
-	1	-	2	1	8	8	8	23	13	20	14	5	3	1	-	-	-	100
-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	101
-	1	-	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	44,644	2	1	3	1	-	7	12	13	16
MALE....	38,050	2	1	1	1	-	5	5	7	6
FEMALE..	6,594	-	-	2	-	-	2	7	6	10
WHITE.....MALE....	33,193	2	1	1	1	-	5	5	4	5
FEMALE..	5,784	-	-	1	-	-	1	5	3	9
NEGRO.....MALE....	2,993	-	-	-	-	-	-	-	3	1
FEMALE..	528	-	-	1	-	-	1	2	3	1
OTHER.....MALE....	198	-	-	-	-	-	-	-	-	-
FEMALE..	37	-	-	-	-	-	-	-	-	-
OF LARYNX....161	2,417	-	-	-	-	-	-	-	-	1
MALE....	2,172	-	-	-	-	-	-	-	-	-
FEMALE..	245	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	1,868	-	-	-	-	-	-	-	-	-
FEMALE..	221	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	198	-	-	-	-	-	-	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF BRONCHUS AND TRACHEA, AND OF LUNG SPECIFIED AS PRIMARY.....162	18,866	1	-	1	-	-	2	1	2	1
MALE....	16,499	1	-	-	-	-	1	-	1	-
FEMALE..	2,367	-	-	1	-	-	1	1	1	1
WHITE.....MALE....	14,468	1	-	-	-	-	1	-	1	-
FEMALE..	2,102	-	-	1	-	-	1	1	1	1
NEGRO.....MALE....	1,308	-	-	-	-	-	-	-	-	-
FEMALE..	167	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	90	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
OF LUNG, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY.....163	22,510	-	-	-	-	-	-	3	8	7
MALE....	18,813	-	-	-	-	-	-	1	4	1
FEMALE..	3,697	-	-	-	-	-	-	2	4	6
WHITE.....MALE....	16,365	-	-	-	-	-	-	1	2	1
FEMALE..	3,224	-	-	-	-	-	-	1	2	6
NEGRO.....MALE....	1,437	-	-	-	-	-	-	-	2	-
FEMALE..	306	-	-	-	-	-	-	1	2	-
OTHER.....MALE....	97	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	851	1	1	2	1	-	5	8	3	7
MALE....	566	1	1	1	1	-	4	4	2	5
FEMALE..	285	-	-	1	-	-	1	4	1	2
WHITE.....MALE....	492	1	1	1	1	-	4	4	1	4
FEMALE..	237	-	-	-	-	-	-	3	-	1
NEGRO.....MALE....	50	-	-	-	-	-	-	-	1	1
FEMALE..	36	-	-	1	-	-	1	1	1	1
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF BREAST....170	24,958	2	-	-	-	-	2	-	2	4
MALE....	225	-	-	-	-	-	-	-	-	-
FEMALE..	24,733	2	-	-	-	-	2	-	2	4
WHITE.....MALE....	189	-	-	-	-	-	-	-	-	-
FEMALE..	21,732	-	-	-	-	-	-	-	1	3
NEGRO.....MALE....	22	-	-	-	-	-	-	-	-	-
FEMALE..	1,847	2	-	-	-	-	2	-	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	48	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	39,590	1	4	7	7	2	21	12	35	75
MALE....	16,111	-	2	4	4	2	12	2	7	39
FEMALE..	23,479	1	2	3	3	-	9	10	28	36
WHITE.....MALE....	13,505	-	1	4	4	2	11	2	7	37
FEMALE..	19,496	1	2	3	3	-	9	9	21	33
NEGRO.....MALE....	2,065	-	-	-	-	-	-	-	-	1
FEMALE..	3,029	-	-	-	-	-	-	-	5	3
OTHER.....MALE....	48	-	1	-	-	-	1	-	-	-
FEMALE..	94	-	-	-	-	-	-	-	1	-
OF CERVIX UTERI....171	8,349	-	2	1	-	-	3	-	-	-
WHITE.....FEMALE..	6,482	-	2	1	-	-	3	-	-	-
NEGRO.....FEMALE..	1,563	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	51	-	-	-	-	-	-	-	-	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	5,941	-	-	-	2	-	2	-	1	3
WHITE.....FEMALE..	4,863	-	-	-	2	-	2	-	1	3
NEGRO.....FEMALE..	813	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	19	-	-	-	-	-	-	-	-	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	8,340	1	-	2	1	-	4	10	26	32
WHITE.....FEMALE..	7,436	1	-	2	1	-	4	9	19	30
NEGRO.....FEMALE..	554	-	-	-	-	-	-	-	5	2
OTHER.....FEMALE..	23	-	-	-	-	-	-	-	1	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	849	-	-	-	-	-	-	-	1	1
WHITE.....FEMALE..	715	-	-	-	-	-	-	-	1	-
NEGRO.....FEMALE..	99	-	-	-	-	-	-	-	-	1
OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
29	55	202	588	1,377	2,671	4,605	6,339	7,729	8,098	6,389	3,899	1,780	644	154	26	3	8	4
22	36	157	427	1,054	2,147	3,905	5,571	6,828	7,191	5,578	3,204	1,349	434	100	14	3	7	5
7	19	45	161	323	524	700	768	901	907	811	695	431	210	54	12	-	1	6
19	30	120	338	858	1,781	3,289	4,844	5,946	6,359	4,966	2,909	1,210	398	89	11	1	6	7
5	15	36	129	271	446	600	653	768	802	747	642	392	199	50	10	-	1	8
2	6	28	67	154	280	419	482	541	478	304	141	59	15	8	3	1	1	9
1	3	7	24	39	50	75	73	90	72	28	30	20	4	3	2	-	-	10
-	-	1	2	7	8	17	25	25	35	33	25	15	4	1	-	-	-	11
1	-	-	3	4	7	1	8	4	3	2	2	1	-	1	-	-	-	12
																		13
																		14
-	1	4	18	62	132	256	312	438	394	345	252	135	52	10	4	1	-	15
-	1	3	15	49	111	221	288	403	362	314	233	118	43	7	3	1	-	16
-	-	1	3	13	21	35	24	35	32	31	19	17	9	3	1	-	-	17
-	1	2	8	42	86	171	245	349	320	273	213	108	39	7	3	1	-	18
-	-	1	3	12	18	31	19	31	30	30	16	17	9	3	-	-	-	19
-	-	1	5	6	21	39	31	44	29	11	8	3	-	-	-	-	-	20
-	-	-	-	1	2	4	4	3	1	1	2	-	-	-	1	-	-	21
-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
																		24
																		25
4	17	85	250	638	1,186	2,058	2,650	3,318	3,609	2,723	1,453	630	186	41	5	1	6	26
4	14	71	193	498	990	1,783	2,342	2,970	3,302	2,430	1,234	495	129	34	1	1	6	27
-	3	14	57	140	196	275	308	348	307	293	219	135	57	7	4	-	-	28
4	9	58	157	416	822	1,514	2,039	2,604	2,948	2,190	1,114	439	117	29	1	-	5	29
-	3	12	49	121	170	237	269	306	276	266	204	123	53	6	3	-	-	30
-	5	9	27	66	134	181	195	233	211	136	68	27	9	5	-	1	1	31
-	-	2	5	14	15	30	23	26	19	12	7	10	2	1	1	-	-	32
-	-	1	1	2	3	9	9	9	21	14	13	8	-	-	-	-	-	33
-	-	-	1	1	2	-	4	-	1	1	1	-	-	-	-	-	-	34
																		35
																		36
12	27	92	295	643	1,308	2,202	3,278	3,873	3,996	3,216	2,119	946	380	89	13	1	2	37
8	15	65	205	485	1,011	1,841	2,869	3,385	3,459	2,756	1,692	708	247	52	7	1	1	38
4	12	27	90	158	297	361	409	488	537	460	427	238	133	37	6	-	1	39
6	14	43	162	379	842	1,559	2,497	2,934	3,034	2,435	1,540	636	228	46	5	-	1	40
2	9	21	70	128	250	307	342	407	471	430	396	214	126	35	6	-	1	41
2	1	18	32	81	122	190	250	257	230	150	63	29	5	3	2	-	-	42
1	3	4	15	22	33	38	45	56	47	11	17	8	2	1	-	-	-	43
-	-	-	1	5	5	6	12	13	14	17	12	7	4	1	-	-	-	44
1	-	-	2	3	5	1	3	4	2	1	1	1	-	1	-	-	-	45
																		46
																		47
13	10	21	25	34	45	89	99	100	99	105	75	69	26	14	4	-	-	48
10	6	18	14	22	35	60	72	70	68	78	45	28	15	7	3	-	-	49
3	4	3	11	12	10	29	27	30	31	27	30	41	11	7	1	-	-	50
9	6	17	11	21	31	45	63	59	57	68	42	27	14	7	2	-	-	51
3	3	2	7	10	8	25	23	24	25	21	26	38	11	6	1	-	-	52
-	-	-	3	1	3	9	6	7	8	7	2	-	1	-	1	-	-	53
-	-	1	4	2	-	3	1	5	5	4	4	2	-	1	-	-	-	54
-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	56
																		57
																		58
11	82	379	872	1,566	2,491	3,067	3,047	2,944	3,005	2,694	2,117	1,519	820	277	45	8	6	59
-	1	-	1	7	12	26	25	32	30	39	29	17	5	1	-	-	-	60
11	81	379	871	1,559	2,479	3,041	3,022	2,912	2,975	2,655	2,088	1,502	815	276	45	8	6	61
-	1	-	1	7	8	22	21	26	23	34	25	16	5	-	-	-	-	62
7	68	300	694	1,305	2,143	2,632	2,624	2,576	2,667	2,386	1,915	1,372	733	256	39	6	5	63
-	-	-	-	-	3	2	2	5	4	4	2	-	-	-	-	-	-	64
3	9	59	130	185	216	270	240	199	177	148	90	65	36	12	4	-	1	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	5	5	2	3	5	6	6	6	2	7	1	-	-	-	-	-	67
																		68
																		69
134	260	513	987	1,510	2,115	2,875	3,358	4,338	5,411	5,855	5,497	3,912	2,016	560	94	6	6	70
73	91	99	104	71	117	270	592	1,238	2,291	3,066	3,484	2,660	1,439	388	61	3	4	71
61	169	414	883	1,439	1,998	2,605	2,766	3,100	3,120	2,789	2,013	1,252	577	172	33	3	2	72
68	85	95	93	58	86	196	423	905	1,766	2,529	3,072	2,378	1,290	346	53	2	3	73
48	124	301	663	1,112	1,615	2,084	2,250	2,575	2,652	2,400	1,790	1,108	519	150	30	1	2	74
1	4	1	8	11	21	64	152	282	432	438	307	195	110	29	7	1	1	75
9	41	92	186	269	300	404	394	422	348	250	156	86	43	17	2	2	-	76
1	1	-	-	1	1	-	3	2	15	7	4	7	4	-	1	-	-	77
1	1	9	10	11	10	12	7	6	8	8	2	5	3	-	-	-	-	78
																		79
																		80
21	107	268	574	811	913	1,067	924	984	841	756	544	345	135	45	9	1	1	81
14	78	186	414	595	700	788	716	767	679	627	456	300	112	38	8	-	1	82
5	27	69	141	189	178	236	183	183	136	94	68	29	17	7	-	1	-	83
1	1	5	6	7	6	6	4	3	3	3	1	3	2	-	-	-	-	84
																		85
																		86
13	17	49	74	149	260	462	679	902	1,036	906	673	405	234	63	12	1	-	87
11	10	39	56	104	196	356	535	729	851	757	595	341	213	53	11	-	-	88
2	7	8	14	35	51	83	110	145	138	97	56	41	18	6	1	1	-	89
-	-	1	2	3	2	2	1	-	2	2	1	2	1	-	-	-	-	90
																		91
																		92
26	43	89	221	458	785	1,038	1,094	1,149	1,125	972	668	398	152	40	9	-	1	93
22	36	70	182	402	690	909	949	1,030	1,023	881	622	372	141	36	8	-	1	94
2	5	13	28	36	63	79	83	86	59	43	25	14	7	3	1	-	-	95
-	-	3	2	1	2	4	2	3	2	3	-	-	-	-	-	-	-	96
																		97
																		98
1	2	8	14	21	40	38	69	65	118	155	128	104	56	24	3	1	-	99
1	-	6	11	11	29	31	50	49	99	135	117	95	53	23	3	1	-	100
-	2	2	3	9	8	6	18	8	15	16	7	2	1	1	-	-	-	101
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF GENITAL ORGANS--CON.										
OF PROSTATE.....177	15,173	-	-	1	3	-	4	1	-	3
WHITE.....MALE....	12,685	-	-	1	3	-	4	1	-	3
NEGRO.....MALE....	1,980	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	43	-	-	-	-	-	-	-	-	-
ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS 178,179	938	-	2	3	1	2	8	1	7	36
WHITE.....MALE....	820	-	1	3	1	2	7	1	7	34
NEGRO.....MALE....	85	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	5	-	1	-	-	-	1	-	-	-
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	13,299	21	32	25	34	36	148	112	17	9
MALE....	8,818	12	16	9	19	16	72	49	8	6
FEMALE..	4,481	9	16	16	15	20	76	63	9	3
WHITE.....MALE....	7,843	11	14	8	16	16	65	40	5	5
FEMALE..	3,861	9	12	14	11	15	61	48	7	2
NEGRO.....MALE....	547	1	2	1	3	-	7	5	3	1
FEMALE..	415	-	4	2	4	4	14	14	2	1
OTHER.....MALE....	39	-	-	-	-	-	-	1	-	-
FEMALE..	12	-	-	-	-	-	-	-	-	-
OF KIDNEY.....180	5,218	21	31	25	32	35	144	108	17	8
MALE....	3,243	12	16	9	17	15	69	47	8	5
FEMALE..	1,975	9	15	16	15	20	75	61	9	3
WHITE.....MALE....	2,891	11	14	8	15	15	63	38	5	5
FEMALE..	1,748	9	11	14	11	15	60	47	7	2
NEGRO.....MALE....	206	1	2	1	2	-	6	5	3	-
FEMALE..	145	-	4	2	4	4	14	13	2	1
OTHER.....MALE....	19	-	-	-	-	-	-	1	-	-
FEMALE..	9	-	-	-	-	-	-	-	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	8,681	-	1	-	2	1	4	4	-	1
MALE....	5,575	-	-	-	2	1	3	2	-	1
FEMALE..	2,506	-	1	-	-	-	1	2	-	-
WHITE.....MALE....	4,952	-	-	-	1	1	2	2	-	-
FEMALE..	2,113	-	1	-	-	-	1	1	-	-
NEGRO.....MALE....	341	-	-	-	1	-	1	-	-	1
FEMALE..	270	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	20	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES..156B,165,190-199	30,791	91	110	135	138	112	586	448	388	439
MALE....	16,560	40	61	64	81	71	317	233	198	261
FEMALE..	14,231	51	49	71	57	41	269	215	190	178
WHITE.....MALE....	14,657	39	57	54	73	60	283	192	172	231
FEMALE..	12,414	47	45	58	43	34	227	177	161	153
NEGRO.....MALE....	1,244	1	3	7	8	6	25	27	17	22
FEMALE..	1,297	3	3	8	8	3	25	31	24	18
OTHER.....MALE....	93	-	-	1	-	-	1	4	2	1
FEMALE..	52	1	-	1	1	-	3	1	2	3
OF SKIN.....190,191	4,158	1	-	1	2	2	6	4	8	21
MALE....	2,487	-	-	1	1	2	4	2	2	14
FEMALE..	1,671	1	-	-	1	-	2	2	6	7
WHITE.....MALE....	2,327	-	-	1	1	2	4	2	1	12
FEMALE..	1,535	-	-	-	1	-	1	1	6	6
NEGRO.....MALE....	85	-	-	-	-	-	-	-	1	-
FEMALE..	72	1	-	-	-	-	1	1	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
OF EYE.....192	375	5	7	16	15	6	49	14	2	1
MALE....	188	-	2	7	8	2	19	6	2	-
FEMALE..	187	5	5	9	7	4	30	8	-	1
WHITE.....MALE....	170	-	2	5	5	-	12	4	2	-
FEMALE..	170	5	4	7	3	2	21	8	-	-
NEGRO.....MALE....	11	-	-	1	3	1	5	2	-	-
FEMALE..	7	-	1	-	2	1	4	-	-	-
OTHER.....MALE....	1	-	-	1	-	-	1	-	-	-
FEMALE..	2	-	-	1	1	-	2	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	6,512	59	73	84	93	86	395	319	213	161
MALE....	3,832	30	43	38	56	58	225	169	120	90
FEMALE..	2,680	29	30	46	37	28	170	150	93	71
WHITE.....MALE....	3,476	29	40	33	51	49	202	134	104	85
FEMALE..	2,424	28	28	38	29	24	147	124	79	63
NEGRO.....MALE....	196	1	2	4	5	5	17	21	9	3
FEMALE..	146	-	1	6	5	2	14	21	11	7
OTHER.....MALE....	14	-	-	-	-	-	-	4	1	1
FEMALE..	10	1	-	-	-	-	1	1	2	1
OF THYROID GLAND.....194	1,018	-	-	-	-	-	-	-	3	2
MALE....	341	-	-	-	-	-	-	-	2	1
FEMALE..	677	-	-	-	-	-	-	-	1	1
WHITE.....MALE....	315	-	-	-	-	-	-	-	2	1
FEMALE..	594	-	-	-	-	-	-	-	1	1
NEGRO.....MALE....	15	-	-	-	-	-	-	-	-	-
FEMALE..	52	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
3	1	3	5	15	59	208	537	1,174	2,242	2,995	3,438	2,620	1,413	384	61	3	4	3
2	-	3	3	11	36	149	378	859	1,727	2,471	3,032	2,339	1,266	343	53	2	3	4
1	1	-	2	4	19	52	144	265	425	426	301	194	109	28	7	1	1	5
-	-	-	-	-	-	-	3	2	15	7	4	7	4	-	1	-	-	6
																		7
																		8
70	90	96	99	56	58	62	55	64	49	71	46	40	26	4	-	-	-	9
66	85	92	90	47	50	47	45	46	39	58	40	39	24	3	-	-	-	10
-	3	1	6	7	2	12	8	17	7	12	6	1	1	1	-	-	-	11
1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	12
																		13
																		14
10	16	46	110	230	463	816	1,138	1,540	2,213	2,268	1,920	1,300	710	196	31	4	2	15
7	10	23	67	147	323	576	818	1,080	1,540	1,568	1,271	743	387	108	10	3	2	16
3	6	23	43	83	140	240	320	460	673	700	649	557	323	88	21	1	-	17
4	8	18	51	121	266	485	712	941	1,370	1,412	1,174	690	361	99	9	2	2	18
2	4	18	33	61	113	186	251	372	582	619	596	511	297	79	19	-	-	19
3	2	3	13	15	47	71	67	73	88	80	33	20	9	6	1	-	-	20
1	2	3	8	20	25	46	51	63	58	43	29	26	7	1	1	-	-	21
-	-	-	-	3	1	4	1	6	4	7	6	5	1	-	-	-	-	22
-	-	-	-	1	-	1	3	3	1	2	-	-	1	-	-	-	-	23
																		24
																		25
10	13	34	87	141	288	468	588	690	862	755	524	321	128	27	4	-	1	26
7	10	16	53	96	213	323	394	449	550	459	310	159	62	12	-	-	1	27
3	3	18	34	45	75	145	194	241	312	296	214	162	66	15	4	-	-	28
4	8	13	41	79	181	282	347	401	499	418	288	150	59	9	-	-	1	29
2	3	13	26	35	65	126	164	213	284	268	200	155	61	13	4	-	-	30
3	2	2	10	11	23	27	28	23	26	23	7	3	1	3	-	-	-	31
1	-	3	6	8	9	14	21	18	15	8	8	3	1	-	-	-	-	32
-	-	-	-	1	1	4	-	2	1	4	3	2	-	-	-	-	-	33
-	-	-	-	1	-	1	2	2	1	1	-	-	1	-	-	-	-	34
																		35
																		36
-	3	12	23	89	175	348	550	850	1,351	1,513	1,396	979	582	169	27	4	1	37
-	-	7	14	51	110	253	424	631	990	1,109	961	584	325	96	10	3	1	38
-	3	5	9	38	65	95	126	219	361	404	435	395	257	73	17	1	-	39
-	-	5	10	42	85	203	365	543	871	994	886	540	302	90	9	2	1	40
-	1	5	7	26	48	60	87	159	298	351	396	356	236	66	15	-	-	41
-	-	1	3	4	24	44	39	50	62	57	26	17	8	3	1	-	-	42
-	2	-	2	12	16	32	30	45	43	35	21	23	6	1	1	-	-	43
-	-	-	-	2	-	-	1	4	3	3	3	3	1	-	-	-	-	44
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	45
																		46
																		47
																		48
311	348	590	892	1,303	1,920	2,709	3,263	3,635	3,870	3,562	2,934	2,069	1,109	325	73	11	6	49
192	189	320	468	693	1,042	1,449	1,940	2,086	2,149	1,902	1,462	992	496	138	25	5	3	50
119	159	270	424	610	878	1,260	1,323	1,549	1,721	1,660	1,472	1,077	613	187	48	6	3	51
175	159	291	407	607	892	1,247	1,693	1,826	1,891	1,710	1,350	920	459	123	23	4	2	52
103	136	233	368	512	737	1,068	1,121	1,294	1,493	1,473	1,357	996	582	173	42	6	2	53
12	19	23	45	56	96	154	162	172	168	113	67	40	18	6	-	1	1	54
15	20	25	41	71	96	150	147	188	161	127	78	47	22	8	2	-	1	55
2	2	-	4	1	7	6	10	15	8	12	8	7	2	1	-	-	-	56
1	-	3	1	4	4	-	4	9	4	9	1	1	2	-	-	-	-	57
																		58
																		59
42	75	152	208	269	270	340	343	359	430	473	403	378	248	90	34	5	-	60
26	38	89	110	148	168	201	224	222	270	301	244	232	132	42	14	4	-	61
16	37	63	98	121	102	139	119	137	160	172	159	146	116	48	20	1	-	62
25	34	87	108	142	151	177	206	200	255	285	226	224	131	40	14	3	-	63
15	36	57	90	116	93	125	105	120	145	156	146	141	113	45	17	1	-	64
1	1	-	1	5	7	18	11	14	9	9	6	1	-	-	-	1	-	65
1	1	-	5	3	2	7	11	11	11	10	6	2	-	-	-	-	-	66
-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	67
-	-	-	-	1	-	-	-	-	-	3	-	-	2	-	-	-	-	68
																		69
																		70
2	2	1	8	8	12	31	22	48	58	33	32	34	12	5	1	-	-	71
1	1	1	1	3	6	17	10	27	33	18	17	17	4	4	1	-	-	72
1	1	-	7	5	6	14	12	21	25	15	15	17	8	1	-	-	-	73
1	1	1	1	3	5	16	9	26	31	17	15	17	4	4	1	-	-	74
1	-	-	7	5	5	12	12	19	25	14	15	17	8	1	-	-	-	75
-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	76
-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
																		80
																		81
																		82
126	139	241	321	448	625	774	837	766	638	317	143	40	8	1	-	-	-	83
75	78	132	188	276	364	447	529	465	376	186	83	23	6	-	-	-	-	84
51	61	109	133	172	261	327	308	301	262	131	60	17	2	1	-	-	-	85
67	66	121	162	252	327	414	480	434	351	171	79	22	5	-	-	-	-	86
45	58	100	121	150	231	295	281	283	248	124	58	15	1	1	-	-	-	87
5	9	8	18	15	18	20	23	14	7	5	3	-	1	-	-	-	-	88
5	3	5	7	13	17	15	13	6	5	3	-	-	1	-	-	-	-	89
1	-	-	1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	90
1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	91
																		92
																		93
6	7	7	14	23	37	77	110	130	165	153	139	92	40	12	1	-	-	94
2	2	2	4	5	20	25	47	52	51	54	42	23	7	2	-	-	-	95
4	5	5	10	18	17	52	63	78	114	99	97	69	33	10	1	-	-	96
2	2	2	4	4	16	22	43	47	45	52	42	22	7	2	-	-	-	97
4	3	5	9	15	14	44	55	64	94	86	95	60	33	10	1	-	-	98
-	-	-	-	1	2	2	2	4	3	-	-	1	-	-	-	-	-	99
-	2	-	1	2	2	7	4	7	14	6	2	5	-	-	-	-	-	100
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	MALIGNANT NEOPLASMS, ETC.--CON.										
3	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES--CON.										
4	OF BONE.....196	1,833	2	2	4	2	1	11	45	110	159
5	MALE....	1,026	-	1	2	2	-	5	20	49	108
6	FEMALE..	807	2	1	2	-	1	6	25	61	51
7	WHITE.....MALE....	897	-	1	2	2	-	5	19	43	92
8	FEMALE..	689	1	1	2	-	1	5	19	53	44
9	NEGRO.....MALE....	87	-	-	-	-	-	-	1	6	12
10	FEMALE..	87	1	-	-	-	-	1	5	7	5
11	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
12	FEMALE..	4	-	-	-	-	-	-	-	-	1
13											
14	OF CONNECTIVE TISSUE.....197	1,087	5	10	11	11	2	39	34	20	35
15	MALE....	572	2	8	5	7	-	22	20	8	16
16	FEMALE..	515	3	2	6	4	2	17	14	12	19
17	WHITE.....MALE....	519	2	8	5	7	-	22	18	7	13
18	FEMALE..	437	3	2	5	3	2	15	11	10	17
19	NEGRO.....MALE....	36	-	-	-	-	-	-	2	1	3
20	FEMALE..	63	-	-	1	-	-	1	2	2	2
21	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
22	FEMALE..	1	-	-	-	-	-	-	-	-	-
23											
24	OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,453	14	14	13	10	10	61	19	15	24
25	MALE....	896	6	7	7	5	5	30	7	10	15
26	FEMALE..	557	8	7	6	5	5	31	12	5	9
27	WHITE.....MALE....	775	6	6	6	5	5	28	6	9	14
28	FEMALE..	479	7	7	5	5	4	28	11	4	5
29	NEGRO.....MALE....	73	-	1	1	-	-	2	1	-	1
30	FEMALE..	60	1	-	1	-	-	2	1	1	3
31	OTHER.....MALE....	8	-	-	-	-	-	-	-	1	-
32	FEMALE..	3	-	-	-	-	-	-	-	-	-
33											
34	OF UNSPECIFIED SITES.....156B,165,198,199B	14,355	5	4	6	5	5	25	13	17	36
35	MALE....	7,218	2	-	4	2	4	12	9	5	17
36	FEMALE..	7,137	3	4	2	3	1	13	4	12	19
37	WHITE.....MALE....	6,178	2	-	2	2	4	10	9	4	14
38	FEMALE..	6,086	3	3	1	2	1	10	3	8	17
39	NEGRO.....MALE....	741	-	-	1	-	-	1	-	-	3
40	FEMALE..	810	-	1	-	1	-	2	1	3	1
41	OTHER.....MALE....	58	-	-	-	-	-	-	-	-	-
42	FEMALE..	21	-	-	-	-	-	-	-	-	1
43											
44	LEUKEMIA AND ALEUKEMIA.....204	12,997	93	126	163	260	258	900	768	403	333
45	MALE....	7,493	43	65	90	124	151	473	439	208	208
46	FEMALE..	5,504	50	61	73	136	107	427	329	195	125
47	WHITE.....MALE....	6,757	37	53	82	114	132	418	390	178	183
48	FEMALE..	4,881	41	49	64	116	96	366	290	167	105
49	NEGRO.....MALE....	451	5	9	8	4	12	38	33	22	19
50	FEMALE..	371	6	9	4	11	3	33	24	21	13
51	OTHER.....MALE....	40	1	1	-	2	2	6	5	2	-
52	FEMALE..	31	2	3	1	4	1	11	4	-	2
53											
54	LYMPHOSARCOMA, ETC.....200-203,205	13,755	29	25	24	28	20	126	134	182	201
55	MALE....	7,896	14	16	13	24	15	82	95	135	120
56	FEMALE..	5,859	15	9	11	4	5	44	39	47	81
57	WHITE.....MALE....	6,944	10	13	12	19	14	68	81	114	96
58	FEMALE..	5,202	14	8	9	4	5	40	32	35	72
59	NEGRO.....MALE....	605	3	-	1	3	1	8	9	15	16
60	FEMALE..	410	1	1	1	-	-	3	7	7	7
61	OTHER.....MALE....	58	-	-	-	-	-	-	1	2	1
62	FEMALE..	21	-	-	1	-	-	1	-	2	-
63											
64	LYMPHOSARCOMA AND RETICULOSARCOMA.....200	6,401	6	6	16	23	15	66	105	108	85
65	MALE....	3,625	4	4	9	20	12	49	71	76	55
66	FEMALE..	2,776	2	2	7	3	3	17	34	32	30
67	WHITE.....MALE....	3,269	3	4	9	16	11	43	60	64	47
68	FEMALE..	2,517	2	2	5	3	3	15	27	23	25
69	NEGRO.....MALE....	184	1	-	-	2	1	4	6	8	4
70	FEMALE..	143	-	-	1	-	-	1	7	6	4
71	OTHER.....MALE....	32	-	-	-	-	-	-	1	-	-
72	FEMALE..	10	-	-	1	-	-	1	-	-	-
73											
74	HODGKINS DISEASE.....201	3,200	-	-	-	1	-	1	17	57	109
75	MALE....	1,984	-	-	-	1	-	1	17	43	60
76	FEMALE..	1,216	-	-	-	-	-	-	-	14	49
77	WHITE.....MALE....	1,738	-	-	-	-	-	-	14	36	45
78	FEMALE..	1,088	-	-	-	-	-	-	-	11	45
79	NEGRO.....MALE....	158	-	-	-	1	-	1	3	6	11
80	FEMALE..	68	-	-	-	-	-	-	-	1	3
81	OTHER.....MALE....	10	-	-	-	-	-	-	-	1	1
82	FEMALE..	6	-	-	-	-	-	-	-	2	-
83											
84	OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES....202,203,205	4,154	23	19	8	4	5	59	12	17	7
85	MALE....	2,287	10	12	4	3	3	32	7	16	5
86	FEMALE..	1,867	13	7	4	1	2	27	5	1	2
87	WHITE.....MALE....	1,937	7	9	3	3	3	25	7	14	4
88	FEMALE..	1,597	12	6	4	1	2	25	5	1	2
89	NEGRO.....MALE....	263	2	-	1	-	-	3	-	1	1
90	FEMALE..	199	1	1	-	-	-	2	-	-	-
91	OTHER.....MALE....	16	-	-	-	-	-	-	-	1	-
92	FEMALE..	5	-	-	-	-	-	-	-	-	-
93											
94	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,681	123	37	20	16	24	220	126	110	102
95	MALE....	2,137	58	16	9	7	10	100	67	65	48
96	FEMALE..	2,544	65	21	11	9	14	120	59	45	54
97	WHITE.....MALE....	1,816	49	12	5	5	8	79	49	51	43
98	FEMALE..	2,051	58	19	10	9	12	108	47	34	44
99	NEGRO.....MALE....	236	5	3	3	2	1	14	13	11	1
100	FEMALE..	396	5	2	1	-	2	10	9	8	9
101	OTHER.....MALE....	17	1	-	-	-	1	2	2	-	-
102	FEMALE..	13	-	-	-	-	-	-	2	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
65	31	23	45	45	79	112	150	176	192	237	149	107	75	18	4	-	-	4
45	18	16	22	28	44	54	94	95	107	130	80	51	49	10	1	-	-	5
20	13	7	23	17	35	58	56	81	85	107	69	56	26	8	3	-	-	6
42	15	13	18	23	39	45	79	84	90	114	73	48	45	9	1	-	-	7
18	11	6	18	13	27	48	40	70	73	94	63	52	25	7	3	-	-	8
3	2	3	3	4	5	7	10	6	11	5	6	2	-	1	-	-	-	9
2	2	1	5	2	6	10	13	8	5	10	5	-	-	-	-	-	-	10
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	11
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	12
																		13
26	26	26	36	55	66	106	116	112	110	104	95	50	26	5	-	-	-	14
16	16	9	24	26	30	55	60	68	63	51	49	25	13	1	-	-	-	15
10	10	17	12	29	36	51	56	44	47	53	46	25	13	4	-	-	-	16
15	14	5	21	24	28	49	57	61	57	44	48	23	12	1	-	-	-	17
7	8	14	11	24	25	38	51	37	41	49	42	21	12	4	-	-	-	18
-	2	4	2	2	1	6	3	4	3	3	-	-	-	-	-	-	-	19
3	2	3	-	5	9	11	4	7	3	3	3	2	1	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	22
																		23
20	26	32	26	60	83	105	142	163	159	152	155	106	82	17	5	1	-	24
13	13	18	16	33	49	62	93	115	105	96	91	64	54	9	3	-	-	25
7	13	14	10	27	34	43	49	48	54	56	64	42	28	8	2	1	-	26
10	11	16	11	25	43	51	80	99	86	87	81	60	48	8	2	-	-	27
6	10	12	8	23	29	36	39	37	44	50	60	39	27	8	2	1	-	28
2	1	2	4	3	3	9	9	8	12	5	5	3	3	-	-	-	-	29
1	2	2	2	3	5	7	8	8	5	5	3	1	1	-	-	-	-	30
1	-	-	1	-	-	-	-	2	1	-	2	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	32
																		33
24	42	108	234	395	748	1,164	1,543	1,881	2,118	2,093	1,818	1,262	618	177	28	5	6	34
14	23	53	103	174	361	588	883	1,042	1,144	1,066	856	557	231	70	6	1	3	35
10	19	55	131	221	387	576	660	839	974	1,027	962	705	387	107	22	4	3	36
13	16	46	82	134	283	473	739	875	976	940	786	504	207	59	5	1	2	37
7	10	39	104	166	313	470	538	664	823	900	878	651	363	97	19	4	2	38
1	4	6	17	26	59	91	103	122	123	86	46	33	14	5	-	-	1	39
3	8	14	21	43	55	91	94	140	118	90	59	37	19	8	2	-	1	40
-	1	-	2	1	6	5	8	10	5	9	5	5	1	-	-	-	-	41
-	-	2	1	1	2	-	2	5	2	3	1	1	-	-	-	-	-	42
																		43
216	191	224	302	427	544	658	851	1,179	1,450	1,628	1,407	946	425	122	18	-	5	44
134	122	118	177	230	315	389	503	693	874	993	812	518	219	55	11	-	2	45
82	69	106	125	197	229	269	348	486	576	635	595	428	206	67	7	-	3	46
120	103	101	155	210	282	342	455	619	781	904	763	479	210	52	10	-	2	47
75	57	92	111	169	191	222	293	424	522	579	546	406	194	64	6	-	2	48
10	16	11	10	14	21	28	33	47	49	52	24	17	4	2	1	-	-	49
5	9	11	10	21	23	36	35	38	31	26	18	10	5	1	-	-	1	50
-	1	1	2	1	4	3	3	4	1	3	2	2	-	-	-	-	-	51
1	1	-	1	1	3	-	-	1	-	3	2	1	-	-	-	-	-	52
																		53
269	292	385	466	678	877	1,179	1,403	1,633	1,957	1,757	1,274	649	236	48	8	-	1	54
170	186	256	280	417	518	720	824	928	1,098	945	652	326	112	25	6	-	1	55
99	106	129	186	261	359	459	579	705	859	812	622	323	124	23	2	-	-	56
150	157	226	232	373	435	599	728	812	986	842	607	304	103	24	6	-	1	57
81	90	115	156	225	303	396	509	624	764	741	584	297	115	21	2	-	-	58
10	21	19	32	31	57	76	65	72	79	52	21	14	7	1	-	-	-	59
11	10	9	19	24	35	41	54	55	54	34	20	14	5	1	-	-	-	60
1	1	2	1	5	4	10	2	9	3	7	7	2	-	-	-	-	-	61
-	1	-	3	1	2	1	1	2	4	2	-	1	-	-	-	-	-	62
																		63
79	90	124	188	280	422	522	661	772	971	827	612	332	127	23	7	-	-	64
59	60	88	117	175	228	311	373	434	554	431	313	152	60	14	5	-	-	65
20	30	36	71	105	194	211	288	338	417	396	299	180	67	9	2	-	-	66
50	48	77	97	163	199	267	342	387	519	393	295	144	55	14	5	-	-	67
17	23	31	59	93	176	195	254	309	380	373	280	164	63	8	2	-	-	68
5	7	7	12	8	15	23	15	24	22	12	6	2	4	-	-	-	-	69
2	6	4	7	7	10	6	25	19	16	5	9	6	2	1	-	-	-	70
1	1	1	-	2	4	5	2	2	3	3	6	1	-	-	-	-	-	71
-	1	-	2	-	1	-	1	1	2	-	-	1	-	-	-	-	-	72
																		73
181	190	234	225	279	229	291	274	279	285	233	198	85	24	9	-	-	-	74
106	117	149	133	174	152	198	196	182	158	138	106	37	11	6	-	-	-	75
75	73	85	92	105	77	93	78	97	127	95	92	48	13	3	-	-	-	76
96	102	132	113	152	126	177	171	162	140	120	98	37	11	6	-	-	-	77
62	65	77	81	93	65	84	67	89	113	85	89	46	13	3	-	-	-	78
4	12	11	13	16	19	12	18	13	7	9	3	-	-	-	-	-	-	79
7	4	4	7	9	4	5	9	3	6	3	2	1	-	-	-	-	-	80
-	-	-	1	1	-	1	-	-	-	4	1	-	-	-	-	-	-	81
-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	82
																		83
9	12	27	53	119	226	366	468	582	701	697	464	232	85	16	1	-	1	84
5	9	19	30	68	138	211	255	312	386	376	233	137	41	5	1	-	1	85
4	3	8	23	51	88	155	213	270	315	321	231	95	44	11	-	-	-	86
4	7	17	22	58	110	155	215	263	327	329	214	123	37	4	1	-	1	87
2	2	7	16	39	62	117	188	226	271	283	215	87	39	10	-	-	-	88
1	2	1	7	7	23	41	32	35	50	31	12	12	3	1	-	-	-	89
2	-	1	5	8	21	30	20	33	32	26	9	7	3	-	-	-	-	90
-	-	1	-	2	-	4	-	7	-	-	-	1	-	-	-	-	-	91
-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	92
																		93
63	104	152	262	310	360	417	433	454	461	393	328	212	116	46	9	2	1	94
26	45	49	99	106	142	169	244	217	244	192	168	96	37	18	3	1	1	95
37	59	103	163	204	218	248	189	237	217	201	160	116	79	28	6	1	-	96
23	37	37	87	84	126	137	209	184	213	162	155	85	33	18	2	1	1	97
31	42	77	110	141	156	194	151	191	192	177	144	105	75	26	5	1	-	98
1	4	9	10	19	12	29	27	26	25	18	7	8	2	-	-	-	-	99
5	16	21	46	49	51	45	31	38	20	19	8	8	2	1	-	-	-	100
-	1	1	-	2	-	-	1	-	1	4	1	2	-	-	-	-	-	101
-	-	2	1	1	1	1	4	-	1	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
BENIGN NEOPLASMS, ETC.--CON.										
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	433	1	-	-	-	-	1	-	2	1
WHITE.....FEMALE..	256	1	-	-	-	-	1	-	2	-
NEGRO.....FEMALE..	155	-	-	-	-	-	-	-	-	1
OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-
BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....223	938	11	10	5	3	4	33	16	22	23
MALE....	417	8	6	3	1	2	20	9	12	12
FEMALE..	521	3	4	2	2	2	13	7	10	11
WHITE.....MALE....	338	7	4	1	-	2	14	6	8	10
FEMALE..	452	3	4	2	2	1	12	7	8	10
NEGRO.....MALE....	54	1	1	1	1	-	4	2	3	1
FEMALE..	48	-	-	-	-	1	1	-	2	1
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	973	70	6	1	5	3	85	36	34	28
MALE....	508	31	4	1	2	1	39	18	21	16
FEMALE..	465	39	2	-	3	2	46	18	13	12
WHITE.....MALE....	434	25	3	1	2	1	32	13	17	14
FEMALE..	387	33	2	-	3	2	40	16	10	11
NEGRO.....MALE....	51	2	1	-	-	-	3	4	3	-
FEMALE..	56	4	-	-	-	-	4	1	3	1
OTHER.....MALE....	5	1	-	-	-	-	1	1	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
NEOPLASM OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....233-235	29	-	-	-	-	-	-	-	-	-
WHITE.....FEMALE..	22	-	-	-	-	-	-	-	-	-
NEGRO.....FEMALE..	6	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,514	18	17	12	7	17	71	71	51	48
MALE....	777	9	3	5	4	7	28	38	31	20
FEMALE..	737	9	14	7	3	10	43	33	20	28
WHITE.....MALE....	673	8	3	3	3	5	22	29	25	19
FEMALE..	617	8	12	6	3	9	38	23	14	21
NEGRO.....MALE....	79	1	-	2	1	1	5	7	5	-
FEMALE..	98	1	2	1	-	1	5	8	3	6
OTHER.....MALE....	6	-	-	-	-	1	1	1	-	-
FEMALE..	5	-	-	-	-	-	-	2	-	-
OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-232,236,238,239	794	23	4	2	1	-	30	3	1	2
MALE....	435	10	3	-	-	-	13	2	1	-
FEMALE..	359	13	1	2	1	-	17	1	-	2
WHITE.....MALE....	371	9	2	-	-	-	11	1	1	-
FEMALE..	317	13	1	2	1	-	17	1	-	2
NEGRO.....MALE....	52	1	1	-	-	-	2	-	-	-
FEMALE..	33	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	41,914	353	125	92	45	32	647	146	156	154
MALE....	18,506	224	68	37	20	15	364	75	75	66
FEMALE..	23,408	129	57	55	25	17	283	71	81	88
WHITE.....MALE....	15,735	167	37	19	14	12	249	59	58	48
FEMALE..	19,043	93	37	38	17	12	197	56	63	56
NEGRO.....MALE....	1,998	43	26	14	5	3	91	13	11	16
FEMALE..	3,273	29	13	13	8	5	68	11	18	26
OTHER.....MALE....	177	7	3	2	-	-	12	1	1	1
FEMALE..	150	3	2	1	-	-	6	2	-	1
ASTHMA.....241	4,896	22	17	17	8	11	75	48	45	42
MALE....	3,102	13	10	9	6	6	44	32	24	16
FEMALE..	1,794	9	7	8	2	5	31	16	21	26
WHITE.....MALE....	2,662	9	5	4	3	3	24	27	15	8
FEMALE..	1,425	7	7	4	2	2	22	11	11	13
NEGRO.....MALE....	347	4	5	5	2	3	19	5	6	7
FEMALE..	293	2	-	2	-	3	7	3	10	10
OTHER.....MALE....	29	-	-	-	-	-	-	-	1	1
FEMALE..	23	-	-	1	-	-	1	1	-	1
NONTOXIC GOITER.....250,251	79	2	-	-	-	-	2	-	-	-
MALE....	14	1	-	-	-	-	1	-	-	-
FEMALE..	65	1	-	-	-	-	1	-	-	-
WHITE.....MALE....	12	1	-	-	-	-	1	-	-	-
FEMALE..	54	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	500	2	-	-	-	-	2	-	1	5
MALE....	83	1	-	-	-	-	1	-	-	-
FEMALE..	417	1	-	-	-	-	1	-	1	5
WHITE.....MALE....	63	-	-	-	-	-	-	-	-	-
FEMALE..	321	1	-	-	-	-	1	-	-	4
NEGRO.....MALE....	14	1	-	-	-	-	1	-	-	-
FEMALE..	79	-	-	-	-	-	-	-	1	1
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND 253,254	342	8	1	-	1	-	10	-	-	1
MALE....	76	4	-	-	-	-	4	-	-	-
FEMALE..	266	4	1	-	1	-	6	-	-	1
WHITE.....MALE....	68	1	-	-	-	-	1	-	-	-
FEMALE..	241	4	1	-	-	-	5	-	-	1
NEGRO.....MALE....	5	2	-	-	-	-	2	-	-	-
FEMALE..	17	-	-	-	1	-	1	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
4	11	19	63	74	62	43	27	26	23	30	15	19	12	1	-	-	-	3
3	8	9	31	36	35	26	15	14	17	25	7	15	11	1	-	-	-	4
1	3	9	31	32	25	15	10	10	6	4	5	2	1	-	-	-	-	5
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
																		7
18	27	42	58	86	79	127	105	104	90	65	29	10	3	-	1	-	-	8
9	11	17	28	39	35	49	55	38	41	28	9	3	2	-	-	-	-	9
9	16	25	30	47	44	78	50	66	49	37	20	7	1	-	1	-	-	10
6	7	14	26	30	29	37	48	34	32	23	9	3	2	-	-	-	-	11
8	13	20	25	43	37	66	43	56	43	33	20	6	1	-	1	-	-	12
1	1	2	2	6	4	11	6	3	5	3	-	-	-	-	-	-	-	13
1	2	5	1	3	4	8	6	7	3	3	-	1	-	-	-	-	-	14
-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	15
-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	16
																		17
14	21	33	40	49	56	60	85	88	95	90	76	57	20	5	1	-	-	18
5	8	11	21	19	28	26	53	49	58	52	43	31	8	1	1	-	-	19
9	13	22	19	30	28	34	32	39	37	38	33	26	12	4	-	-	-	20
5	7	7	19	15	26	23	42	42	51	42	41	29	7	1	1	-	-	21
8	8	17	12	22	22	27	25	35	32	33	29	25	11	4	-	-	-	22
-	1	3	2	4	2	3	8	5	6	3	1	2	1	-	-	-	-	23
1	5	3	6	4	4	5	6	4	5	3	1	-	-	-	-	-	-	24
-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	25
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
-	-	-	-	-	3	3	4	2	2	4	4	3	2	2	-	-	-	28
-	-	-	-	-	1	2	2	1	2	4	4	3	2	1	-	-	-	29
-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
																		32
23	41	55	89	85	135	148	166	167	166	96	67	28	5	2	-	-	-	33
10	23	19	44	40	68	73	98	89	91	51	38	12	3	1	-	-	-	34
13	18	36	45	45	67	75	68	78	75	45	29	16	2	1	-	-	-	35
10	21	15	36	33	61	63	86	75	85	46	34	10	2	1	-	-	-	36
11	13	30	37	35	51	61	60	65	71	42	28	14	2	1	-	-	-	37
-	1	3	6	7	5	8	8	10	5	4	3	1	1	-	-	-	-	38
2	5	4	7	8	13	13	5	10	3	3	1	2	-	-	-	-	-	39
-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	40
-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	41
																		42
4	4	3	12	16	25	36	46	67	85	108	137	95	74	36	7	2	1	43
2	3	2	6	8	11	21	38	41	54	61	78	50	24	16	2	1	1	44
2	1	1	6	8	14	15	8	26	31	47	59	45	50	20	5	1	-	45
2	2	1	6	6	10	14	33	33	45	51	71	43	22	16	1	1	1	46
1	-	1	5	5	10	12	6	20	27	40	56	42	48	19	4	1	-	47
-	1	1	-	2	1	7	5	8	9	8	3	5	-	-	-	-	-	48
-	1	-	1	2	3	3	2	6	3	6	1	3	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
																		53
256	361	518	795	1,072	1,577	2,377	3,425	4,699	6,224	6,964	6,032	3,843	1,946	599	94	18	11	54
96	180	248	454	567	767	1,150	1,651	2,127	2,708	2,896	2,476	1,518	783	251	41	9	4	55
160	181	270	341	505	810	1,227	1,774	2,572	3,516	4,068	3,556	2,325	1,163	348	53	9	7	56
67	134	191	334	443	602	917	1,368	1,752	2,341	2,554	2,229	1,395	721	229	37	5	2	57
118	137	182	226	331	534	809	1,285	1,963	2,894	3,500	3,183	2,089	1,049	315	45	6	5	58
23	36	46	92	108	133	182	213	273	240	231	147	79	39	17	3	4	1	59
32	40	71	100	150	240	369	394	491	450	359	220	137	68	20	6	1	2	60
2	1	4	9	2	5	16	17	20	24	19	17	16	8	2	-	-	-	61
6	2	3	5	7	8	14	13	17	24	17	12	6	4	1	1	1	-	62
																		63
70	71	95	140	216	327	398	496	589	719	641	508	254	126	28	6	1	1	64
19	29	34	56	95	154	242	332	418	531	459	349	172	77	14	4	-	1	65
51	42	61	84	121	173	156	164	171	188	182	159	82	49	14	2	1	-	66
12	14	17	33	59	114	189	285	362	486	431	331	163	74	13	4	-	1	67
31	18	29	54	85	130	123	132	145	170	164	149	77	45	13	2	1	-	68
5	12	14	20	34	33	42	35	45	33	21	9	6	-	1	-	-	-	69
15	21	27	28	28	35	24	26	21	16	11	6	2	2	1	-	-	-	70
2	1	1	3	-	-	5	2	5	2	2	1	2	1	-	-	-	-	71
4	2	2	-	4	2	2	1	1	-	2	-	-	-	-	-	-	-	72
																		73
-	-	-	1	4	3	2	2	8	4	18	13	12	5	4	1	-	-	74
-	-	-	-	-	-	-	-	1	-	7	1	3	1	-	-	-	-	75
-	-	-	1	4	3	2	2	7	4	11	12	9	4	4	1	-	-	76
-	-	-	-	-	-	-	-	1	-	5	1	3	1	-	-	-	-	77
-	-	-	1	3	2	2	1	6	2	8	12	7	4	4	1	-	-	78
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	79
-	-	-	-	1	1	-	1	1	2	3	-	2	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	82
																		83
6	7	12	15	24	29	42	46	63	69	72	56	36	14	1	-	-	-	84
1	-	1	6	5	6	8	7	14	14	8	4	7	1	-	-	-	-	85
5	7	11	9	19	23	34	39	49	55	64	52	29	13	1	-	-	-	86
1	-	-	5	3	5	5	6	12	10	6	4	5	1	-	-	-	-	87
4	5	8	3	6	13	24	26	40	48	54	47	26	11	1	-	-	-	88
-	-	-	1	2	1	3	1	1	1	2	-	1	-	-	-	-	-	89
1	2	3	5	12	7	10	12	8	3	7	3	2	2	-	-	-	-	90
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	92
																		93
1	3	6	3	10	15	18	32	60	49	49	46	30	7	1	1	-	-	94
-	1	3	-	-	2	8	6	12	12	12	7	7	2	-	-	-	-	95
1	2	3	3	10	13	10	26	48	37	37	39	23	5	1	1	-	-	96
-	1	3	-	-	2	8	6	10	10	12	6	7	2	-	-	-	-	97
1	1	1	3	10	13	9	22	41	33	35	38	21	5	1	1	-	-	98
-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	99
-	1	1	-	-	-	-	3	4	3	1	1	2	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DIABETES MELLITUS.....260	31,222	23	9	9	9	6	56	43	69	74
MALE....	12,881	13	4	3	4	3	27	22	28	32
FEMALE..	18,341	10	5	6	5	3	29	21	41	42
WHITE.....MALE....	11,003	11	3	3	3	3	23	16	24	25
FEMALE..	14,983	7	5	5	5	3	25	18	37	31
NEGRO.....MALE....	1,295	2	1	-	1	-	4	4	3	6
FEMALE..	2,464	1	-	-	-	-	1	3	4	10
OTHER.....MALE....	108	-	-	-	-	-	-	1	-	-
FEMALE..	107	2	-	-	-	-	2	-	-	-
DISEASES OF THYMUS GLAND.....273	130	98	8	7	-	-	113	-	6	-
MALE....	81	64	4	2	-	-	70	-	4	-
FEMALE..	49	34	4	5	-	-	43	-	2	-
WHITE.....MALE....	62	52	3	1	-	-	56	-	1	-
FEMALE..	30	23	-	4	-	-	27	-	1	-
NEGRO.....MALE....	14	9	1	1	-	-	11	-	1	-
FEMALE..	10	8	1	-	-	-	9	-	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	1	-	-	-	-	1	-	-	-
DISEASES OF ADRENAL GLANDS.....274	449	47	10	6	1	1	65	7	4	5
MALE....	218	30	6	2	-	1	39	3	2	3
FEMALE..	231	17	4	4	1	-	26	4	2	2
WHITE.....MALE....	189	26	4	2	-	1	33	3	2	2
FEMALE..	201	12	2	3	1	-	18	3	2	1
NEGRO.....MALE....	22	1	2	-	-	-	3	-	-	1
FEMALE..	20	4	2	1	-	-	7	-	-	-
OTHER.....MALE....	2	1	-	-	-	-	1	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
PELLAGRA.....281	41	-	-	-	-	-	-	-	-	-
MALE....	10	-	-	-	-	-	-	-	-	-
FEMALE..	31	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	16	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,586	19	50	21	14	2	106	16	7	6
MALE....	787	13	25	8	5	-	51	10	5	2
FEMALE..	799	6	25	13	9	2	55	6	2	4
WHITE.....MALE....	595	7	7	3	3	-	20	8	4	2
FEMALE..	629	3	14	6	3	1	27	2	1	1
NEGRO.....MALE....	162	5	16	5	2	-	28	2	1	-
FEMALE..	144	3	8	7	6	1	25	4	1	3
OTHER.....MALE....	19	1	2	-	-	-	3	-	-	-
FEMALE..	5	-	2	-	-	-	2	-	-	-
ALL OTHER ALLERGIC, ENDOCRINE, AND METABOLIC DISEASES.....RESIDUAL	2,669	132	30	32	12	12	218	32	24	21
MALE....	1,254	85	19	13	5	5	127	8	12	13
FEMALE..	1,415	47	11	19	7	7	91	24	12	8
WHITE.....MALE....	1,072	60	15	6	5	5	91	5	12	11
FEMALE..	1,143	35	8	16	6	6	71	22	11	5
NEGRO.....MALE....	136	19	1	3	-	-	23	2	-	2
FEMALE..	221	11	2	3	1	1	18	1	1	2
OTHER.....MALE....	16	5	1	2	-	-	8	-	-	-
FEMALE..	9	-	-	-	-	-	-	1	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,210	234	102	59	43	40	478	125	104	90
MALE....	2,628	136	62	30	24	17	269	61	61	53
FEMALE..	2,582	98	40	29	19	23	209	64	43	37
WHITE.....MALE....	2,193	84	34	13	15	11	157	43	42	38
FEMALE..	2,117	60	26	15	10	17	128	44	31	26
NEGRO.....MALE....	340	47	25	17	8	6	103	17	16	12
FEMALE..	356	32	10	13	9	6	70	18	11	10
OTHER.....MALE....	15	2	-	-	1	-	3	-	-	-
FEMALE..	19	3	2	-	-	-	5	1	-	-
ANEMIAS.....290-293	3,398	105	75	46	32	24	282	92	78	62
MALE....	1,620	56	43	21	15	7	142	41	45	35
FEMALE..	1,778	49	32	25	17	17	140	51	33	27
WHITE.....MALE....	1,294	27	17	5	7	3	59	27	28	23
FEMALE..	1,405	21	21	11	8	12	73	35	25	17
NEGRO.....MALE....	262	26	23	16	8	4	77	13	14	10
FEMALE..	288	26	9	13	9	5	62	15	7	9
OTHER.....MALE....	9	1	-	-	-	-	1	-	-	-
FEMALE..	14	1	1	-	-	-	2	-	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	552	1	-	-	-	-	1	-	1	-
MALE....	214	1	-	-	-	-	1	-	1	-
FEMALE..	338	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	201	1	-	-	-	-	1	-	1	-
FEMALE..	294	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	29	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	2,846	104	75	46	32	24	281	92	77	62
MALE....	1,406	55	43	21	15	7	141	41	44	35
FEMALE..	1,440	49	32	25	17	17	140	51	33	27
WHITE.....MALE....	1,093	26	17	5	7	3	58	27	27	23
FEMALE..	1,111	21	21	11	8	12	73	35	25	17
NEGRO.....MALE....	257	26	23	16	8	4	77	13	14	10
FEMALE..	259	26	9	13	9	5	62	15	7	9
OTHER.....MALE....	8	1	-	-	-	-	1	-	-	-
FEMALE..	14	1	1	-	-	-	2	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
141	233	312	492	630	929	1,547	2,436	3,514	4,886	5,710	4,960	3,149	1,551	424	51	6	9	2
60	126	174	321	375	480	715	1,106	1,444	1,900	2,178	1,921	1,166	605	174	22	2	3	3
81	107	138	171	255	449	832	1,330	2,070	2,986	3,532	3,039	1,983	946	250	29	4	6	4
43	104	142	245	306	376	573	901	1,162	1,615	1,908	1,722	1,071	564	160	21	1	1	5
64	95	107	116	153	264	498	940	1,547	2,450	3,028	2,715	1,781	854	228	26	2	4	6
14	17	27	54	59	82	106	155	196	181	175	114	61	24	10	1	1	1	7
12	11	22	47	90	164	301	315	421	385	311	187	113	52	11	2	-	2	8
-	-	1	3	2	5	8	12	14	18	13	13	12	4	2	-	-	-	9
2	-	1	4	3	6	11	10	13	21	14	10	5	3	1	-	1	-	10
																		11
																		12
5	1	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	13
3	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	14
2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	15
2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	16
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
																		22
6	4	9	22	26	37	41	44	40	35	48	32	17	3	1	2	1	-	23
-	1	2	13	12	16	13	19	18	24	23	20	7	3	-	-	-	-	24
6	3	7	9	14	21	28	25	22	11	25	12	10	-	1	2	1	-	25
-	-	2	10	8	13	11	18	18	21	19	19	7	3	-	-	-	-	26
5	3	6	9	12	18	24	22	19	10	25	11	9	-	1	2	1	-	27
-	1	-	2	3	3	2	1	-	2	3	1	-	-	-	-	-	-	28
1	-	1	-	2	2	2	2	2	-	-	-	1	-	-	-	-	-	29
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	31
																		32
-	-	-	-	2	2	3	3	2	5	7	3	7	5	1	1	-	-	33
-	-	-	-	1	1	-	1	-	2	1	2	2	-	-	-	-	-	34
-	-	-	-	1	1	3	2	2	3	6	1	5	5	1	1	-	-	35
-	-	-	-	1	1	-	1	-	1	1	2	2	-	-	-	-	-	36
-	-	-	-	-	-	1	-	1	1	3	1	4	4	1	-	-	-	37
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	38
-	-	-	-	1	1	2	2	1	2	3	-	1	1	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	41
																		42
4	4	12	27	23	33	64	59	99	131	184	228	225	194	125	28	10	1	43
2	3	6	12	15	15	39	31	62	69	97	105	109	76	58	13	7	-	44
2	1	6	15	8	18	25	28	37	62	87	123	116	118	67	15	3	1	45
1	2	4	8	11	14	30	21	45	51	72	80	96	61	51	10	4	-	46
1	-	3	9	6	16	19	21	28	44	72	100	102	103	59	12	2	1	47
1	1	2	4	4	1	8	8	15	14	22	19	9	12	6	2	3	-	48
1	1	3	5	-	2	6	6	8	16	13	18	11	11	6	3	1	-	49
-	-	-	-	-	-	1	2	1	2	2	3	2	3	-	-	-	-	50
-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	51
																		52
23	38	71	95	137	202	262	307	322	324	235	186	113	41	14	4	-	-	53
11	19	27	46	64	93	125	149	157	155	111	67	45	18	5	2	-	-	54
12	19	44	49	73	109	137	158	165	169	124	119	68	23	9	2	-	-	55
8	12	23	33	55	77	101	130	141	146	100	64	41	15	5	2	-	-	56
10	15	28	31	56	78	109	121	136	136	111	110	62	23	7	1	-	-	57
2	5	2	11	6	13	21	13	15	7	6	3	2	3	-	-	-	-	58
2	4	14	15	16	28	24	27	25	23	10	5	3	-	2	1	-	-	59
-	-	1	2	-	-	2	1	-	-	2	-	-	-	-	-	-	-	60
-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-	-	-	61
																		62
																		63
106	78	75	124	146	156	259	338	372	517	659	631	521	308	104	16	1	2	64
56	34	26	57	82	77	142	165	203	275	350	314	240	122	37	4	-	-	65
50	44	49	67	64	79	117	173	169	242	309	317	281	186	67	12	1	2	66
34	17	18	32	65	62	115	148	181	255	322	285	223	117	35	4	-	-	67
24	23	31	47	41	60	85	141	144	206	280	287	268	175	63	11	1	1	68
20	15	6	23	13	9	19	10	15	16	18	17	7	3	1	-	-	-	69
24	16	16	19	20	15	28	23	21	21	22	10	5	5	1	-	-	1	70
1	-	-	-	-	1	1	1	-	2	2	1	2	1	-	-	-	-	71
2	2	1	-	2	-	-	-	-	2	-	1	1	1	1	-	-	-	72
																		73
80	51	44	61	80	84	144	182	206	313	399	469	410	258	88	13	1	1	74
39	21	14	30	38	43	67	77	107	164	205	232	184	102	31	3	-	-	75
41	30	30	31	42	41	77	105	99	149	194	237	226	156	57	10	1	1	76
20	5	8	12	25	33	49	68	94	150	185	212	167	97	29	3	-	-	77
17	12	15	21	22	29	54	77	81	122	171	210	214	147	53	9	1	-	78
18	14	6	17	10	7	14	6	10	11	11	13	7	3	1	-	-	-	79
22	13	13	9	18	8	21	20	15	17	18	10	5	4	1	-	-	1	80
1	-	-	-	-	1	1	-	-	1	1	-	2	1	-	-	-	-	81
2	2	1	-	2	-	-	-	-	1	-	1	1	1	1	-	-	-	82
																		83
1	-	3	1	4	8	12	20	25	45	85	108	124	73	36	4	-	1	84
-	-	1	-	1	3	3	10	8	19	37	51	49	18	12	-	-	-	85
1	-	2	1	3	5	9	10	17	26	48	57	75	55	24	4	-	1	86
-	-	1	-	1	3	3	10	8	17	30	49	47	18	12	-	-	-	87
-	-	1	1	-	3	4	8	13	23	42	50	70	54	22	3	-	-	88
-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	89
1	-	1	-	3	2	5	1	4	2	5	2	2	-	-	-	-	1	90
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
79	51	41	60	76	76	132	162	181	268	314	361	286	185	52	9	1	-	94
39	21	13	30	37	40	64	67	99	145	168	181	135	84	19	3	-	-	95
40	30	28	30	39	36	68	95	82	123	146	180	151	101	33	6	1	-	96
20	5	7	12	24	30	46	58	86	133	155	163	120	79	17	3	-	-	97
17	12	14	20	22	26	50	69	68	99	129	160	144	93	31	6	1	-	98
18	14	6	17	10	7	14	6	10	9	10	12	6	3	1	-	-	-	99
21	13	12	9	15	6	16	19	11	15	13	8	3	4	1	-	-	-	100
1	-	-	-	-	1	1	-	-	1	-	-	2	1	-	-	-	-	101
2	2	1	-	2	-	-	-	-	1	-	1	1	1	1	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	689	66	9	6	4	5	90	15	11	10
2	MALE....	336	40	6	5	3	3	57	5	3	4
3	FEMALE..	353	26	3	1	1	2	33	10	8	6
4	WHITE.....MALE....	296	32	6	4	3	3	48	4	3	3
5	FEMALE..	306	21	3	1	1	1	27	8	6	5
6	NEGRO.....MALE....	29	8	-	1	-	-	9	1	-	-
7	FEMALE..	38	3	-	-	-	1	4	2	2	1
8	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
9	FEMALE..	1	1	-	-	-	-	1	-	-	-
10											
11	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....294,295,297-299	1,123	63	18	7	7	11	106	18	15	18
12	MALE....	672	40	13	4	6	7	70	15	13	14
13	FEMALE..	451	23	5	3	1	4	36	3	2	4
14	WHITE.....MALE....	603	25	11	4	5	5	50	12	11	12
15	FEMALE..	406	18	2	3	1	4	28	1	-	4
16	NEGRO.....MALE....	49	13	2	-	-	2	17	3	2	2
17	FEMALE..	30	3	1	-	-	-	4	1	2	-
18	OTHER.....MALE....	5	1	-	-	1	-	2	-	-	-
19	FEMALE..	4	1	1	-	-	-	2	1	-	-
20											
21											
22	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.....	4,375	187	40	29	18	20	294	41	29	49
23	MALE....	2,984	98	21	18	9	15	161	22	16	34
24	FEMALE..	1,391	89	19	11	9	5	133	19	13	15
25	WHITE.....MALE....	2,298	81	16	16	7	15	135	20	11	24
26	FEMALE..	1,068	74	18	10	8	5	115	13	11	10
27	NEGRO.....MALE....	546	10	3	2	1	-	16	2	3	8
28	FEMALE..	259	9	-	1	1	-	11	4	2	2
29	OTHER.....MALE....	58	4	-	-	-	-	4	-	-	-
30	FEMALE..	33	3	1	-	-	-	4	-	-	3
31											
32	SENILE PSYCHOSIS.....304	273	-	-	-	-	-	-	-	-	-
33	MALE....	110	-	-	-	-	-	-	-	-	-
34	FEMALE..	163	-	-	-	-	-	-	-	-	-
35	WHITE.....MALE....	96	-	-	-	-	-	-	-	-	-
36	FEMALE..	142	-	-	-	-	-	-	-	-	-
37	NEGRO.....MALE....	12	-	-	-	-	-	-	-	-	-
38	FEMALE..	15	-	-	-	-	-	-	-	-	-
39	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
40	FEMALE..	5	-	-	-	-	-	-	-	-	-
41											
42	ALCOHOLIC PSYCHOSIS.....307	436	-	-	-	-	-	-	-	-	-
43	MALE....	386	-	-	-	-	-	-	-	-	-
44	FEMALE..	50	-	-	-	-	-	-	-	-	-
45	WHITE.....MALE....	319	-	-	-	-	-	-	-	-	-
46	FEMALE..	34	-	-	-	-	-	-	-	-	-
47	NEGRO.....MALE....	51	-	-	-	-	-	-	-	-	-
48	FEMALE..	12	-	-	-	-	-	-	-	-	-
49	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
50	FEMALE..	2	-	-	-	-	-	-	-	-	-
51											
52	OTHER PSYCHOSES.....300-303,305,306,308,309	635	2	-	1	-	-	3	1	1	5
53	MALE....	291	2	-	1	-	-	3	-	1	4
54	FEMALE..	344	-	-	-	-	-	-	1	-	1
55	WHITE.....MALE....	248	1	-	-	-	-	1	-	1	1
56	FEMALE..	295	-	-	-	-	-	-	1	-	1
57	NEGRO.....MALE....	38	1	-	1	-	-	2	-	-	2
58	FEMALE..	42	-	-	-	-	-	-	-	-	-
59	OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
60	FEMALE..	1	-	-	-	-	-	-	-	-	-
61											
62	ALCOHOLISM.....322	2,311	-	-	-	-	-	-	-	-	14
63	MALE....	1,800	-	-	-	-	-	-	-	-	9
64	FEMALE..	511	-	-	-	-	-	-	-	-	5
65	WHITE.....MALE....	1,341	-	-	-	-	-	-	-	-	9
66	FEMALE..	323	-	-	-	-	-	-	-	-	1
67	NEGRO.....MALE....	363	-	-	-	-	-	-	-	-	-
68	FEMALE..	155	-	-	-	-	-	-	-	-	1
69	OTHER.....MALE....	47	-	-	-	-	-	-	-	-	-
70	FEMALE..	20	-	-	-	-	-	-	-	-	3
71											
72	MENTAL DEFICIENCY.....325	498	185	40	28	18	20	291	39	28	19
73	MALE....	267	96	21	17	9	15	158	21	15	11
74	FEMALE..	231	89	19	11	9	5	133	18	13	8
75	WHITE.....MALE....	222	80	16	16	7	15	134	19	10	8
76	FEMALE..	198	74	18	10	8	5	115	12	11	7
77	NEGRO.....MALE....	32	9	3	1	1	-	14	2	3	3
78	FEMALE..	21	9	-	1	1	-	11	4	2	1
79	OTHER.....MALE....	4	4	-	-	-	-	4	-	-	-
80	FEMALE..	5	3	1	-	-	-	4	-	-	-
81											
82	OTHER DISORDERS OF PERSONALITY 310-321,323,324,326	222	-	-	-	-	-	-	1	-	11
83	MALE....	130	-	-	-	-	-	-	1	-	10
84	FEMALE..	92	-	-	-	-	-	-	-	-	1
85	WHITE.....MALE....	72	-	-	-	-	-	-	1	-	6
86	FEMALE..	76	-	-	-	-	-	-	-	-	1
87	NEGRO.....MALE....	50	-	-	-	-	-	-	-	-	3
88	FEMALE..	14	-	-	-	-	-	-	-	-	-
89	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
90	FEMALE..	-	-	-	-	-	-	-	-	-	-
91											
92											
93	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	212,119	1,675	488	294	211	163	2,831	632	514	554
94	MALE....	100,559	960	259	155	118	97	1,589	329	300	327
95	FEMALE..	111,560	715	229	139	93	66	1,242	303	214	227
96	WHITE.....MALE....	84,798	648	189	117	76	71	1,101	259	236	253
97	FEMALE..	94,274	473	171	111	76	50	881	236	171	173
98	NEGRO.....MALE....	12,424	253	62	30	32	20	397	60	50	61
99	FEMALE..	13,623	199	43	20	11	12	285	51	40	39
100	OTHER.....MALE....	669	32	5	4	5	-	46	4	5	1
101	FEMALE..	402	25	4	3	3	2	37	8	1	7
102											

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
16	16	15	41	29	31	33	51	54	56	79	55	47	26	11	2	-	1	2
7	5	4	16	14	15	17	21	27	29	45	22	29	12	4	-	-	-	3
9	11	11	25	15	16	16	30	27	27	34	33	18	14	7	2	-	1	4
6	4	3	12	13	12	14	18	23	27	42	19	29	12	4	-	-	-	5
7	9	8	17	12	13	11	29	24	24	34	32	17	13	7	2	-	1	6
1	1	-	3	1	2	2	1	2	2	3	1	-	-	-	-	-	-	7
2	2	3	8	2	3	5	-	3	1	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
10	11	16	22	37	41	82	105	112	148	181	107	64	24	5	1	-	-	12
10	8	8	11	30	19	58	67	69	82	100	60	27	8	2	1	-	-	13
-	3	8	11	7	22	24	38	43	66	81	47	37	16	3	-	-	-	14
8	8	7	8	27	17	52	62	64	78	95	54	27	8	2	1	-	-	15
-	2	8	9	7	18	20	35	39	60	75	45	37	15	3	-	-	-	16
1	-	-	3	2	-	3	3	3	3	4	3	-	-	-	-	-	-	17
-	1	-	2	-	4	2	3	3	3	4	-	-	1	-	-	-	-	18
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	20
																		21
																		22
69	130	223	309	408	499	484	436	375	334	222	146	145	101	55	19	2	5	23
51	91	160	218	288	369	345	321	284	242	154	80	69	47	18	8	1	5	24
18	39	63	91	120	130	139	115	91	92	68	66	76	54	37	11	1	-	25
27	43	84	151	197	280	277	266	231	212	139	74	61	41	15	8	1	1	26
7	27	25	46	83	96	111	95	76	73	57	63	70	48	34	8	-	-	27
18	39	64	60	71	71	58	40	41	22	11	4	7	5	3	-	-	3	28
9	10	32	41	27	30	23	18	10	16	10	1	6	3	2	2	-	-	29
2	7	6	2	8	5	2	8	7	4	1	1	-	-	-	-	-	1	30
2	1	4	1	6	2	2	-	3	-	-	2	-	1	-	1	1	-	31
																		32
-	-	-	-	-	-	-	3	5	20	28	47	73	51	32	12	2	-	33
-	-	-	-	-	-	-	-	3	6	15	16	33	21	10	5	1	-	34
-	-	-	-	-	-	-	3	2	14	13	31	40	30	22	7	1	-	35
-	-	-	-	-	-	-	-	1	5	12	16	29	19	8	5	1	-	36
-	-	-	-	-	-	-	2	2	9	11	29	37	27	20	5	-	-	37
-	-	-	-	-	-	-	-	2	-	3	-	3	2	2	-	-	-	38
-	-	-	-	-	-	-	1	-	5	2	-	3	2	1	1	-	-	39
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	41
																		42
1	8	29	48	66	73	62	47	40	27	20	11	3	-	-	-	-	1	43
-	7	24	38	58	64	53	44	38	26	19	11	3	-	-	-	-	1	44
1	1	5	10	8	9	9	3	2	1	1	-	-	-	-	-	-	-	45
-	5	15	26	43	53	44	42	36	23	19	10	3	-	-	-	-	-	46
-	1	3	4	4	7	8	3	2	1	1	-	-	-	-	-	-	-	47
-	1	8	10	11	7	8	2	1	2	-	-	-	-	-	-	-	1	48
1	-	2	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	49
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	51
																		52
5	11	10	15	23	32	44	70	91	86	70	48	53	39	21	7	-	-	53
3	4	5	9	10	14	22	27	46	42	31	21	23	16	7	3	-	-	54
2	7	5	6	13	18	22	43	45	44	39	27	30	23	14	4	-	-	55
2	3	5	7	8	10	20	21	39	38	29	19	20	15	6	3	-	-	56
-	6	2	3	13	14	17	39	40	34	35	27	27	20	13	3	-	-	57
1	1	-	2	1	4	2	5	6	3	2	2	3	1	1	-	-	-	58
2	1	3	3	-	3	4	4	4	8	4	-	3	1	1	1	-	-	59
-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	61
																		62
24	65	129	221	297	373	358	290	218	180	93	32	8	5	-	-	-	4	63
19	47	93	158	207	287	263	236	187	160	86	31	8	5	-	-	-	4	64
5	18	36	63	90	86	95	54	31	20	7	1	-	-	-	-	-	-	65
8	17	49	108	138	213	207	189	149	138	76	28	8	3	-	-	-	1	66
1	9	11	28	57	59	74	39	23	17	4	-	-	-	-	-	-	-	67
8	23	35	46	54	60	47	33	29	17	6	2	-	1	-	-	-	2	68
2	8	20	32	25	24	18	13	6	2	3	1	-	-	-	-	-	-	69
2	6	6	2	7	5	2	7	5	2	1	1	-	-	-	-	-	1	70
2	1	3	1	5	2	1	-	2	-	-	-	-	-	-	-	-	-	71
																		72
12	16	16	12	13	12	8	12	5	5	4	2	2	1	1	-	-	-	73
8	8	11	4	6	2	3	9	3	4	1	1	1	1	-	-	-	-	74
4	8	5	8	7	10	5	3	2	1	3	1	1	-	1	-	-	-	75
7	7	7	4	5	2	3	9	1	4	1	1	-	-	-	-	-	-	76
4	7	4	8	7	9	4	3	1	1	2	1	1	-	1	-	-	-	77
1	-	4	-	1	-	-	-	2	-	-	-	1	1	-	-	-	-	78
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
																		82
27	30	39	13	9	9	12	14	16	16	7	6	6	5	1	-	-	-	83
21	25	27	9	7	2	4	5	7	4	2	-	1	4	1	-	-	-	84
6	5	12	4	2	7	8	9	9	12	5	6	5	1	-	-	-	-	85
10	11	8	6	3	2	3	5	5	4	2	-	1	4	1	-	-	-	86
2	4	5	3	2	7	8	9	8	11	4	6	5	1	-	-	-	-	87
8	14	17	2	4	-	1	-	1	-	-	-	-	-	-	-	-	-	88
4	1	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
																		92
																		93
547	728	1,077	1,958	3,074	4,633	6,977	9,711	14,669	22,227	31,211	37,128	35,720	25,041	10,097	2,402	322	66	94
274	355	526	966	1,525	2,366	3,715	5,230	7,886	11,900	15,891	17,757	15,333	9,839	3,567	765	96	23	95
273	373	551	992	1,549	2,267	3,262	4,481	6,783	10,327	15,320	19,371	20,387	15,202	6,530	1,637	226	43	96
201	261	358	661	1,009	1,634	2,647	3,886	5,956	9,587	13,631	15,922	14,060	9,105	3,270	677	68	16	97
201	253	340	606	1,018	1,518	2,191	3,094	4,782	8,071	12,897	17,328	18,723	14,088	6,041	1,468	172	22	98
58	75	147	267	451	635	913	1,150	1,614	1,888	1,724	1,297	841	475	218	72	25	6	99
66	106	187	356	468	651	948	1,241	1,760	1,858	1,898	1,440	1,087	651	316	113	44	18	100
4	4	6	5	20	27	39	46	75	60	82	92	82	47	15	8	1	-	101
1	4	9	5	11	14	19	22	35	40	43	53	39	30	17	2	2	3	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....330-334	197,451	128	49	39	19	29	264	136	144	173
MALE....	92,595	74	23	21	14	18	150	73	71	88
FEMALE..	104,856	54	26	18	5	11	114	63	73	85
WHITE.....MALE....	78,380	54	17	16	11	16	114	55	57	71
FEMALE..	88,718	38	19	15	5	6	83	52	59	62
NEGRO.....MALE....	11,241	17	4	5	2	2	30	16	12	14
FEMALE..	12,751	14	5	2	-	4	25	9	13	16
OTHER.....MALE....	574	2	1	-	1	-	4	-	1	-
FEMALE..	329	1	1	-	-	1	3	1	1	2
SUBARACHNOID HEMORRHAGE.....330	7,649	28	4	8	1	4	45	27	54	79
MALE....	3,452	17	1	5	-	4	27	15	31	43
FEMALE..	4,197	11	3	3	1	-	18	12	23	36
WHITE.....MALE....	2,784	13	-	4	-	3	20	12	28	38
FEMALE..	3,312	8	2	2	1	-	13	10	21	26
NEGRO.....MALE....	520	3	1	1	-	1	6	3	3	5
FEMALE..	727	3	-	1	-	-	4	2	2	9
OTHER.....MALE....	39	1	-	-	-	-	1	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	-
CEREBRAL HEMORRHAGE.....331	109,419	62	13	10	5	5	95	37	53	63
MALE....	51,492	39	3	4	5	3	54	21	17	29
FEMALE..	57,927	23	10	6	-	2	41	16	36	34
WHITE.....MALE....	43,061	28	2	3	2	3	38	17	10	20
FEMALE..	48,301	16	7	5	-	-	28	13	25	24
NEGRO.....MALE....	6,859	9	1	1	2	-	13	4	6	7
FEMALE..	7,878	6	2	1	-	2	11	2	10	5
OTHER.....MALE....	333	1	-	-	1	-	2	-	-	-
FEMALE..	183	1	1	-	-	-	2	-	1	2
CEREBRAL EMBOLISM AND THROMBOSIS.....332	61,759	14	6	-	1	2	23	9	6	9
MALE....	29,186	8	3	-	-	1	12	4	3	4
FEMALE..	32,573	6	3	-	1	1	11	5	3	5
WHITE.....MALE....	25,368	6	1	-	-	1	8	3	2	2
FEMALE..	28,405	4	3	-	1	1	9	5	3	3
NEGRO.....MALE....	2,786	2	1	-	-	-	3	1	1	2
FEMALE..	2,970	2	-	-	-	-	2	-	-	2
OTHER.....MALE....	162	-	-	-	-	-	-	-	-	-
FEMALE..	91	-	-	-	-	-	-	-	-	-
OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....333,334	18,624	24	26	21	12	18	101	63	31	22
MALE....	8,465	10	16	12	9	10	57	33	20	12
FEMALE..	10,159	14	10	9	3	8	44	30	11	10
WHITE.....MALE....	7,167	7	14	9	9	9	48	23	17	11
FEMALE..	8,700	10	7	8	3	5	33	24	10	9
NEGRO.....MALE....	1,076	3	1	3	-	1	8	8	2	-
FEMALE..	1,176	3	3	-	-	2	8	5	1	-
OTHER.....MALE....	40	-	1	-	-	-	1	-	1	-
FEMALE..	36	-	-	-	-	1	1	1	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,322	907	189	93	58	50	1,297	116	35	39
MALE....	1,315	510	107	54	29	32	732	63	21	28
FEMALE..	1,007	397	82	39	29	18	565	53	14	11
WHITE.....MALE....	878	311	75	38	19	19	462	43	12	20
FEMALE..	674	238	62	30	21	14	365	44	10	8
NEGRO.....MALE....	357	159	30	12	8	9	218	19	6	7
FEMALE..	276	132	17	7	5	4	165	6	4	3
OTHER.....MALE....	37	25	1	2	2	-	30	1	1	-
FEMALE..	31	18	1	1	2	-	22	3	-	-
MULTIPLE SCLEROSIS.....345	1,487	-	-	-	-	-	-	2	7	9
MALE....	603	-	-	-	-	-	-	1	3	4
FEMALE..	884	-	-	-	-	-	-	1	4	5
WHITE.....MALE....	539	-	-	-	-	-	-	1	3	2
FEMALE..	784	-	-	-	-	-	-	-	4	3
NEGRO.....MALE....	36	-	-	-	-	-	-	-	-	2
FEMALE..	64	-	-	-	-	-	-	1	-	2
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
PARALYSIS AGITANS.....350	2,816	-	1	-	-	-	1	-	-	-
MALE....	1,488	-	1	-	-	-	1	-	-	-
FEMALE..	1,328	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	1,383	-	-	-	-	-	-	-	-	-
FEMALE..	1,244	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	42	-	1	-	-	-	1	-	-	-
FEMALE..	31	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	752	135	51	52	43	30	311	102	78	82
MALE....	416	70	34	21	22	17	164	45	46	59
FEMALE..	336	65	17	31	21	13	147	57	32	23
WHITE.....MALE....	336	54	27	15	15	14	125	33	38	48
FEMALE..	282	53	16	28	17	9	123	45	27	21
NEGRO.....MALE....	66	14	5	6	5	2	32	10	5	11
FEMALE..	44	8	1	3	4	3	19	8	5	1
OTHER.....MALE....	3	1	1	-	-	-	2	-	1	-
FEMALE..	2	2	-	-	-	-	2	-	-	-
EPILEPSY.....353	2,048	27	24	21	18	13	103	71	102	144
MALE....	1,198	14	10	10	9	6	49	38	69	91
FEMALE..	850	13	14	11	9	7	54	33	33	53
WHITE.....MALE....	797	11	7	8	6	4	36	29	47	66
FEMALE..	650	9	10	7	9	6	41	21	22	39
NEGRO.....MALE....	349	2	2	2	2	2	10	9	22	20
FEMALE..	168	3	2	3	-	-	8	9	11	10
OTHER.....MALE....	12	1	1	-	1	-	3	-	-	1
FEMALE..	11	1	-	1	-	-	2	2	-	2

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
247	389	654	1,378	2,369	3,829	6,133	8,762	13,563	20,903	29,872	35,991	35,101	24,756	10,011	2,391	320	65	1
117	172	304	629	1,148	1,904	3,254	4,740	7,295	11,175	15,139	17,162	15,046	9,709	3,539	761	96	23	2
130	217	350	749	1,221	1,925	2,879	4,022	6,268	9,728	14,733	18,829	20,055	15,047	6,472	1,630	224	42	3
86	119	208	417	726	1,282	2,264	3,462	5,464	8,953	12,945	15,373	13,795	8,988	3,243	674	68	16	4
92	139	193	425	745	1,233	1,873	2,698	4,343	7,538	12,359	16,835	18,408	13,942	5,987	1,461	170	21	5
23	42	86	194	373	548	860	1,102	1,544	1,827	1,688	1,274	825	464	217	71	25	6	6
34	69	142	303	429	612	900	1,187	1,701	1,817	1,864	1,420	1,076	647	312	113	44	18	7
3	3	2	3	14	21	37	45	73	55	76	87	80	46	15	8	1	-	8
-	3	4	5	9	13	16	20	32	36	43	49	39	29	17	2	2	3	9
134	218	349	632	837	939	999	884	739	555	479	355	180	101	32	7	1	3	10
57	101	158	264	380	411	458	397	337	280	211	146	78	40	15	2	-	1	11
77	117	191	368	457	528	541	487	402	275	268	209	102	61	17	5	1	2	12
47	74	126	198	299	317	377	324	276	230	177	131	63	35	10	2	-	-	13
55	78	112	254	345	415	442	389	321	242	236	183	91	57	17	4	-	1	14
7	21	29	57	70	75	55	58	44	39	24	7	10	4	2	-	-	1	15
20	34	68	105	97	94	72	76	60	30	25	18	6	3	-	-	1	1	16
-	2	-	2	3	8	5	3	7	4	2	-	-	1	1	-	-	-	17
-	-	2	3	3	2	4	2	2	1	-	-	-	-	-	-	-	-	18
69	123	227	609	1,167	2,224	3,755	5,543	8,419	12,336	16,991	20,057	18,790	12,617	4,917	1,128	160	39	19
35	52	105	307	567	1,112	1,973	3,006	4,493	6,404	8,563	9,501	8,063	4,973	1,791	364	48	14	20
34	71	122	302	600	1,112	1,782	2,537	3,926	5,932	8,428	10,556	10,727	7,644	3,126	764	112	25	21
24	34	64	177	303	712	1,312	2,192	3,330	5,106	7,300	8,463	7,355	4,602	1,630	330	34	8	22
21	42	56	130	316	651	1,096	1,684	2,707	4,553	7,020	9,440	9,805	7,051	2,861	682	82	14	23
9	14	36	121	236	361	584	706	983	1,085	1,000	772	487	263	127	27	13	5	24
11	29	62	164	260	410	632	767	1,092	1,157	1,140	827	636	372	195	64	23	9	25
1	1	2	1	7	10	22	31	51	31	45	42	53	23	9	2	-	-	26
-	-	2	2	4	9	8	14	21	26	23	23	18	17	6	1	2	2	27
21	25	47	98	250	511	1,101	1,893	3,574	6,464	9,868	12,019	12,317	8,897	3,636	865	108	18	28
11	11	23	42	145	295	670	1,090	2,011	3,651	5,116	5,807	5,245	3,493	1,245	270	31	7	29
10	14	24	56	105	216	431	803	1,563	2,813	4,752	6,212	7,072	5,404	2,391	595	77	11	30
5	8	9	32	92	210	486	790	1,552	2,977	4,430	5,253	4,854	3,237	1,157	231	23	7	31
8	12	17	33	62	132	268	524	1,068	2,242	4,056	5,568	6,530	5,029	2,233	539	60	4	32
4	2	12	10	46	74	163	253	387	526	480	359	227	142	57	31	6	-	33
2	1	7	20	38	77	140	253	423	441	501	425	312	188	84	33	14	7	34
1	-	-	-	4	1	8	10	12	17	26	37	22	15	3	5	1	-	35
-	1	-	-	2	2	4	3	8	7	17	17	17	9	4	-	-	-	36
23	23	31	39	115	155	278	442	831	1,548	2,534	3,560	3,814	3,141	1,426	391	51	5	37
14	8	18	16	56	86	153	247	454	840	1,249	1,708	1,660	1,203	488	125	17	1	38
9	15	13	23	59	69	125	195	377	708	1,285	1,852	2,154	1,938	938	266	34	4	39
10	3	9	10	32	43	89	156	306	640	1,038	1,526	1,523	1,114	446	111	11	1	40
8	7	8	8	22	35	67	101	247	501	1,047	1,644	1,982	1,805	876	236	28	2	41
3	5	9	6	21	38	58	85	130	177	184	136	101	55	31	13	6	-	42
1	5	5	14	34	31	56	91	126	189	198	150	122	84	33	16	6	1	43
1	-	-	-	-	2	2	1	3	3	3	8	5	7	2	1	-	-	44
-	2	-	-	-	-	-	1	1	2	3	9	4	3	7	1	-	1	45
19	30	32	51	51	88	92	83	101	98	91	53	24	18	4	-	-	-	46
6	20	17	33	31	51	56	54	54	50	48	26	11	12	2	-	-	-	47
13	10	15	18	20	37	36	29	47	48	43	27	13	6	2	-	-	-	48
4	13	12	24	18	31	45	44	36	32	39	22	8	12	1	-	-	-	49
6	8	8	12	13	24	21	18	29	35	35	21	10	6	1	-	-	-	50
2	6	4	7	11	18	8	8	14	16	6	3	3	-	1	-	-	-	51
7	2	5	4	7	11	12	9	16	10	8	3	3	-	1	-	-	-	52
-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	53
-	-	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	54
12	41	66	136	179	212	210	198	172	122	61	38	17	4	1	-	-	-	55
2	17	22	59	71	87	88	72	71	53	20	22	9	2	-	-	-	-	56
10	24	44	77	108	125	122	126	101	69	41	16	8	2	1	-	-	-	57
1	14	18	49	63	76	79	66	68	49	18	21	9	2	-	-	-	-	58
7	21	36	63	94	112	112	115	90	63	38	15	8	2	1	-	-	-	59
1	-	4	5	7	5	4	3	3	-	2	-	-	-	-	-	-	-	60
3	3	6	10	6	3	8	10	6	4	1	1	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	3	-	14	24	42	121	204	469	687	680	384	153	31	3	-	-	64
-	-	3	-	11	13	29	65	120	270	394	343	162	67	10	-	-	-	65
-	-	-	-	3	11	13	56	84	199	293	337	222	86	21	3	-	-	66
-	-	3	-	9	12	26	59	109	245	372	321	155	62	10	-	-	-	67
-	-	-	-	3	11	11	55	78	176	279	312	213	82	21	3	-	-	68
-	-	-	-	1	-	-	4	5	13	7	6	2	3	-	-	-	-	69
-	-	-	-	-	-	1	1	1	9	7	7	4	1	-	-	-	-	70
-	-	-	-	-	-	-	-	-	1	3	1	2	1	-	-	-	-	71
-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	72
42	31	19	19	22	15	8	5	11	-	2	3	1	1	-	-	-	-	73
26	17	13	14	8	8	3	2	6	-	1	3	-	1	-	-	-	-	74
16	14	6	5	14	7	5	3	5	-	1	-	1	-	-	-	-	-	75
22	17	11	14	7	8	1	2	5	-	1	3	-	1	-	-	-	-	76
13	11	6	4	14	6	4	3	4	-	-	-	1	-	-	-	-	-	77
4	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	78
3	3	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
129	146	174	233	184	183	142	124	94	76	56	50	18	11	6	1	1	-	82
70	79	106	145	117	120	78	68	50	39	33	26	11	6	2	1	-	-	83
59	67	68	88	67	63	64	56	44	37	23	24	7	5	4	-	1	-	84
46	58	60	85	69	77	55	47	31	28	27	23	8	3	2	-	-	-	85
45	43	51	62	54	47	49	48	37	30	21	23	7	5	4	-	1	-	86
18	18	39	52	42	40	21	19	17	9	4	3	2	3	-	1	-	-	87
14	22	16	24	11	11	11	7	7	6	1	-	-	-	-	-	-	-	88
-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	90

Table 1-23 Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	INFLAMMATORY DISEASES OF EYE.....370-379	9	1	-	-	-	-	1	1	-	-
3	MALE....	1	-	-	-	-	-	-	-	-	-
4	FEMALE..	8	1	-	-	-	-	1	1	-	-
5	WHITE.....MALE....	1	-	-	-	-	-	-	-	-	-
6	FEMALE..	5	-	-	-	-	-	-	1	-	-
7	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
8	FEMALE..	3	1	-	-	-	-	1	-	-	-
9	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
10	FEMALE..	-	-	-	-	-	-	-	-	-	-
11											
12	CATARACT.....385	26	-	-	-	-	-	-	-	-	-
13	MALE....	5	-	-	-	-	-	-	-	-	-
14	FEMALE..	21	-	-	-	-	-	-	-	-	-
15	WHITE.....MALE....	5	-	-	-	-	-	-	-	-	-
16	FEMALE..	19	-	-	-	-	-	-	-	-	-
17	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
18	FEMALE..	2	-	-	-	-	-	-	-	-	-
19	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
20	FEMALE..	-	-	-	-	-	-	-	-	-	-
21											
22	GLAUCOMA.....387	4	-	-	1	-	-	1	-	-	-
23	MALE....	2	-	-	1	-	-	1	-	-	-
24	FEMALE..	2	-	-	-	-	-	-	-	-	-
25	WHITE.....MALE....	1	-	-	1	-	-	1	-	-	-
26	FEMALE..	2	-	-	-	-	-	-	-	-	-
27	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
28	FEMALE..	-	-	-	-	-	-	-	-	-	-
29	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
30	FEMALE..	-	-	-	-	-	-	-	-	-	-
31											
32	OTITIS MEDIA AND MASTOIDITIS.....391-393	259	95	12	2	5	-	114	14	16	8
33	MALE....	147	58	5	1	4	-	68	7	7	2
34	FEMALE..	112	37	7	1	1	-	46	7	9	6
35	WHITE.....MALE....	110	34	4	-	3	-	41	7	6	2
36	FEMALE..	85	24	4	1	1	-	30	7	8	3
37	NEGRO.....MALE....	30	22	1	-	-	-	23	-	1	-
38	FEMALE..	23	13	3	-	-	-	16	-	1	1
39	OTHER.....MALE....	3	1	-	1	1	-	3	-	-	-
40	FEMALE..	2	-	-	-	-	-	-	-	-	2
41											
42	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	4,945	382	162	86	68	41	739	190	132	99
43	MALE....	2,789	234	79	47	40	24	424	102	83	55
44	FEMALE..	2,156	148	83	39	28	17	315	88	49	44
45	WHITE.....MALE....	2,368	184	59	39	22	18	322	91	73	44
46	FEMALE..	1,811	111	60	30	23	15	239	66	41	37
47	NEGRO.....MALE....	302	39	19	5	15	5	83	6	4	7
48	FEMALE..	261	28	15	5	2	1	51	18	6	6
49	OTHER.....MALE....	31	2	1	1	-	-	4	3	2	-
50	FEMALE..	23	3	2	1	1	1	8	2	-	1
51											
52											
53	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	759,986	313	85	50	36	31	515	191	253	461
54	MALE....	437,560	180	44	24	18	14	280	90	125	240
55	FEMALE..	322,426	133	41	26	18	17	235	101	128	221
56	WHITE.....MALE....	383,945	119	29	15	12	12	187	57	95	180
57	FEMALE..	277,691	93	32	12	12	13	162	65	84	134
58	NEGRO.....MALE....	35,029	53	13	9	5	2	82	26	28	50
59	FEMALE..	30,692	33	6	12	6	4	61	29	39	82
60	OTHER.....MALE....	2,104	5	1	-	-	-	6	2	2	2
61	FEMALE..	865	3	2	2	-	-	7	1	2	1
62											
63											
64	DISEASES OF HEART.....400-402,410-443	688,009	281	74	45	33	26	459	171	213	365
65	MALE....	400,672	155	40	21	17	10	243	82	111	207
66	FEMALE..	287,337	126	34	24	16	16	216	89	102	158
67	WHITE.....MALE....	352,160	104	26	13	12	9	164	50	82	157
68	FEMALE..	247,343	88	28	11	10	12	149	57	68	90
69	NEGRO.....MALE....	31,213	44	13	8	4	1	70	25	27	44
70	FEMALE..	27,195	31	3	11	6	4	55	26	32	64
71	OTHER.....MALE....	1,931	5	-	-	-	-	5	2	2	1
72	FEMALE..	743	3	2	2	-	-	7	1	1	1
73											
74	RHEUMATIC FEVER.....400-402	550	8	3	5	2	7	25	46	47	29
75	MALE....	285	5	2	2	-	4	13	19	20	14
76	FEMALE..	265	3	1	3	2	3	12	27	27	15
77	WHITE.....MALE....	228	1	2	1	-	4	8	10	12	12
78	FEMALE..	193	2	1	1	1	2	7	15	10	8
79	NEGRO.....MALE....	46	4	-	1	-	-	5	7	6	2
80	FEMALE..	61	-	-	2	1	1	4	10	17	7
81	OTHER.....MALE....	6	-	-	-	-	-	-	2	2	-
82	FEMALE..	1	-	-	-	-	-	-	1	-	-
83											
84	CHRONIC RHEUMATIC HEART DISEASE.....410-416	17,201	-	-	3	1	2	6	16	57	146
85	MALE....	7,881	-	-	1	1	1	3	7	36	71
86	FEMALE..	9,320	-	-	2	-	1	3	9	21	75
87	WHITE.....MALE....	6,959	-	-	1	-	1	2	4	26	50
88	FEMALE..	8,134	-	-	2	-	1	3	4	14	46
89	NEGRO.....MALE....	544	-	-	-	1	-	1	2	10	17
90	FEMALE..	668	-	-	-	-	-	-	4	6	27
91	OTHER.....MALE....	39	-	-	-	-	-	-	-	-	1
92	FEMALE..	39	-	-	-	-	-	-	-	1	1
93											
94	DISEASES OF MITRAL VALVE.....410	6,234	-	-	2	-	1	3	5	28	45
95	MALE....	2,584	-	-	-	-	-	-	2	18	15
96	FEMALE..	3,650	-	-	2	-	1	3	3	10	30
97	WHITE.....MALE....	2,300	-	-	-	-	-	-	1	15	11
98	FEMALE..	3,236	-	-	2	-	1	3	1	8	19
99	NEGRO.....MALE....	166	-	-	-	-	-	-	1	3	3
100	FEMALE..	226	-	-	-	-	-	-	1	2	10
101	OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
102	FEMALE..	19	-	-	-	-	-	-	-	-	1

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	2	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3
-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
-	-	-	-	-	-	-	1	2	5	7	6	3	1	1	-	-	-	12
-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	13
-	-	-	-	-	-	-	1	1	5	6	4	3	1	-	-	-	-	14
-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	15
-	-	-	-	-	-	-	1	1	5	4	4	3	1	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	22
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	26
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
8	9	2	11	3	12	10	3	15	10	10	6	4	2	1	1	-	-	32
6	4	2	7	2	9	7	1	11	3	5	4	1	-	1	-	-	-	33
2	5	-	4	1	3	3	2	4	7	5	2	3	2	-	1	-	-	34
5	4	2	7	2	8	5	1	7	3	4	4	1	-	1	-	-	-	35
2	4	-	2	1	3	3	1	3	6	5	2	2	2	-	1	-	-	36
1	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	37
-	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
																		41
90	82	126	130	252	270	340	412	507	543	425	299	167	94	42	4	1	1	42
47	46	59	79	137	174	200	227	278	310	250	169	92	42	12	3	-	-	43
43	36	67	51	115	96	140	185	229	233	175	130	75	52	30	1	1	1	44
37	36	44	65	115	140	172	205	235	277	224	153	83	37	12	3	-	-	45
36	27	46	38	94	82	118	154	197	217	156	115	71	47	27	1	1	1	46
9	9	12	9	17	23	18	13	27	23	17	11	9	5	-	-	-	-	47
5	6	17	12	15	13	15	26	28	11	14	8	4	3	3	-	-	-	48
1	1	1	-	2	6	2	1	1	3	2	2	-	-	-	-	-	-	49
1	1	2	-	1	-	1	-	1	2	-	2	-	1	-	-	-	-	50
																		51
																		52
744	1,209	2,719	6,643	13,081	22,836	37,363	51,744	71,314	96,329	115,266	120,263	105,066	72,748	31,807	7,926	1,286	222	53
375	648	1,744	4,635	9,673	17,261	28,066	37,528	48,561	61,707	67,166	63,773	49,414	30,776	12,258	2,715	396	129	54
369	561	975	2,008	3,408	5,575	9,297	14,216	22,753	34,622	48,100	56,490	55,652	41,972	19,549	5,211	890	93	55
267	442	1,253	3,589	7,791	14,462	23,575	32,252	41,678	53,744	59,453	57,708	45,030	28,194	11,222	2,404	276	86	56
224	354	576	1,207	2,129	3,813	6,602	10,667	17,603	28,667	41,655	50,709	50,968	38,647	17,937	4,712	715	61	57
87	174	391	841	1,449	2,056	3,191	3,615	4,658	5,344	4,751	3,479	2,444	1,431	591	202	101	38	58
133	187	356	702	1,100	1,489	2,303	2,885	4,111	4,266	4,233	3,377	2,439	1,597	824	303	147	29	59
2	9	15	28	52	81	141	198	258	225	333	262	248	155	60	17	6	2	60
5	9	12	16	32	37	34	63	73	108	120	122	92	82	33	10	5	1	61
																		62
																		63
581	975	2,322	5,931	12,096	21,419	35,289	48,921	66,896	89,565	105,980	108,749	92,460	62,088	26,070	6,305	959	195	64
320	548	1,571	4,268	9,144	16,414	26,725	35,697	45,736	57,367	61,761	57,883	43,524	26,344	10,144	2,159	304	120	65
261	427	751	1,663	2,952	5,005	8,564	13,224	21,160	32,198	44,219	50,866	48,936	35,744	15,926	4,146	655	75	66
231	382	1,161	3,384	7,499	13,891	22,575	30,776	39,379	50,110	54,749	52,408	39,615	24,083	9,268	1,902	211	83	67
157	270	459	1,041	1,872	3,479	6,145	9,964	16,409	26,715	38,298	45,668	44,775	32,857	14,581	3,725	516	48	68
74	137	318	696	1,235	1,820	2,902	3,328	4,253	4,797	4,263	3,094	2,142	1,216	494	168	77	33	69
95	139	260	539	930	1,292	2,061	2,643	3,765	3,882	3,844	3,003	2,127	1,362	679	259	113	25	70
1	9	15	28	47	71	137	190	242	210	307	234	224	139	48	13	5	1	71
4	8	9	12	27	30	31	54	67	97	105	102	81	67	26	8	5	-	72
																		73
25	14	20	30	41	45	35	45	37	31	27	26	16	9	2	-	-	-	74
14	6	12	19	26	20	20	26	21	19	9	12	10	4	1	-	-	-	75
11	8	8	11	15	25	15	19	16	12	18	14	6	5	1	-	-	-	76
13	4	9	14	23	19	18	20	17	16	8	10	10	4	1	-	-	-	77
8	6	7	8	12	21	12	17	15	10	14	11	6	5	1	-	-	-	78
1	2	3	3	2	1	1	5	4	3	-	1	-	-	-	-	-	-	79
3	1	1	2	3	2	2	2	-	2	3	2	-	-	-	-	-	-	80
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
																		83
245	313	540	941	1,276	1,669	2,152	2,297	2,103	1,938	1,405	1,040	619	306	108	20	4	-	84
114	137	266	457	652	803	1,022	1,101	946	863	606	414	245	89	41	6	2	-	85
131	176	274	484	624	866	1,130	1,196	1,157	1,075	799	626	374	217	67	14	2	-	86
85	105	209	391	572	700	896	984	849	778	561	389	231	79	41	5	2	-	87
87	137	202	401	521	743	988	1,063	1,026	981	715	574	349	203	61	14	2	-	88
23	23	39	43	47	59	62	57	51	56	27	14	6	6	-	1	-	-	89
39	33	59	59	63	61	77	62	66	36	37	21	10	6	2	-	-	-	90
1	3	2	1	2	5	8	2	5	4	3	1	1	-	-	-	-	-	91
3	3	6	4	6	6	3	-	3	2	-	1	-	-	-	-	-	-	92
																		93
82	119	210	383	517	624	767	762	666	647	473	394	271	164	56	16	2	-	94
35	44	91	158	253	273	300	297	273	276	202	154	121	47	18	5	2	-	95
47	75	119	225	264	351	467	465	393	371	271	240	150	117	38	11	-	-	96
28	36	75	140	232	237	261	267	252	242	181	140	114	44	18	4	2	-	97
32	62	96	192	229	311	418	409	358	338	241	223	140	110	35	11	-	-	98
5	7	10	13	9	16	13	15	11	26	15	12	4	2	-	1	-	-	99
11	10	20	26	17	18	24	24	20	11	12	9	7	4	-	-	-	-	100
-	-	-	-	-	1	4	-	1	-	1	-	-	-	-	-	-	-	101
3	2	2	3	3	2	1	-	1	1	-	-	-	-	-	-	-	-	102

716 - 533 O - 64 - 9

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
HEART DISEASE--CON.										
CHRONIC RHEUMATIC HEART DISEASE--CON.										
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	1,984	...	-	-	-	-	-	-	4	20
MALE....	1,369	...	-	-	-	-	-	-	4	13
FEMALE..	615	...	-	-	-	-	-	-	-	7
WHITE.....MALE....	1,254	...	-	-	-	-	-	-	2	12
FEMALE..	544	...	-	-	-	-	-	-	-	5
NEGRO.....MALE....	54	...	-	-	-	-	-	-	2	1
FEMALE..	39	...	-	-	-	-	-	-	-	2
OTHER.....MALE....	6	...	-	-	-	-	-	-	-	-
FEMALE..	3	...	-	-	-	-	-	-	-	-
DISEASES OF PULMONARY VALVE, ETC., SPEC. AS RHEUMATIC.....413,414	820	...	-	-	-	-	-	2	1	10
MALE....	391	...	-	-	-	-	-	1	-	6
FEMALE..	429	...	-	-	-	-	-	1	1	4
WHITE.....MALE....	356	...	-	-	-	-	-	1	-	5
FEMALE..	384	...	-	-	-	-	-	1	1	4
NEGRO.....MALE....	17	...	-	-	-	-	-	-	-	1
FEMALE..	23	...	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	...	-	-	-	-	-	-	-	-
FEMALE..	-	...	-	-	-	-	-	-	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	8,163	-	-	1	1	1	3	9	24	71
MALE....	3,537	-	-	1	1	1	3	4	14	37
FEMALE..	4,626	-	-	-	-	-	-	5	10	34
WHITE.....MALE....	3,049	-	-	1	-	1	2	2	9	22
FEMALE..	3,970	-	-	-	-	-	-	2	5	18
NEGRO.....MALE....	307	-	-	-	1	-	1	1	5	12
FEMALE..	380	-	-	-	-	-	-	3	4	15
OTHER.....MALE....	24	-	-	-	-	-	-	-	-	1
FEMALE..	17	-	-	-	-	-	-	-	1	-
ARTERIOSCLEROTIC HEART DISEASE, INCLUDING CORONARY DISEASE.....420	527,561	14	5	3	5	-	27	7	12	36
MALE....	324,183	8	4	1	2	-	15	4	7	22
FEMALE..	203,378	6	1	2	3	-	12	3	5	14
WHITE.....MALE....	291,009	4	4	1	2	-	11	3	2	19
FEMALE..	179,702	4	1	-	1	-	6	2	3	4
NEGRO.....MALE....	19,243	4	-	-	-	-	4	1	5	2
FEMALE..	14,626	2	-	2	2	-	6	1	2	9
OTHER.....MALE....	1,412	-	-	-	-	-	-	-	-	-
FEMALE..	444	-	-	-	-	-	-	-	-	-
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	229,700	1	-	-	-	-	1	1	-	2
MALE....	125,471	-	-	-	-	-	-	1	-	1
FEMALE..	104,229	1	-	-	-	-	1	-	-	1
WHITE.....MALE....	111,104	-	-	-	-	-	-	-	-	1
FEMALE..	91,979	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	7,736	-	-	-	-	-	-	1	-	-
FEMALE..	6,685	1	-	-	-	-	1	-	-	1
OTHER.....MALE....	604	-	-	-	-	-	-	-	-	-
FEMALE..	226	-	-	-	-	-	-	-	-	-
HEART DISEASE SPECIFIED AS INVOLVING CORONARY ARTERIES.....420.1	297,468	13	5	3	5	-	26	6	12	34
MALE....	198,462	8	4	1	2	-	15	3	7	21
FEMALE..	99,006	5	1	2	3	-	11	3	5	13
WHITE.....MALE....	179,691	4	4	1	2	-	11	3	2	18
FEMALE..	87,598	4	1	-	1	-	6	2	3	4
NEGRO.....MALE....	11,474	4	-	-	-	-	4	-	5	2
FEMALE..	7,924	1	-	2	2	-	5	1	2	8
OTHER.....MALE....	807	-	-	-	-	-	-	-	-	-
FEMALE..	218	-	-	-	-	-	-	-	-	-
ANGINA PECTORIS WITHOUT MENTION OF CORONARY DISEASE.....420.2	393	-	-	-	-	-	-	-	-	-
MALE....	250	-	-	-	-	-	-	-	-	-
FEMALE..	143	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	214	-	-	-	-	-	-	-	-	-
FEMALE..	125	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	33	-	-	-	-	-	-	-	-	-
FEMALE..	17	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	4,288	2	1	2	3	1	9	3	8	9
MALE....	2,494	1	1	1	2	-	5	2	4	9
FEMALE..	1,794	1	-	1	1	1	4	1	4	-
WHITE.....MALE....	2,157	-	-	-	2	-	2	2	4	8
FEMALE..	1,467	1	-	-	1	1	3	1	2	-
NEGRO.....MALE....	270	1	1	1	-	-	3	-	-	-
FEMALE..	257	-	-	1	-	-	1	-	2	-
OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	201	-	-	-	-	-	-	-	-	-
MALE....	90	-	-	-	-	-	-	-	-	-
FEMALE..	111	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	78	-	-	-	-	-	-	-	-	-
FEMALE..	88	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	18	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2,184	-	-	2	2	1	5	2	6	5
MALE....	1,470	-	-	1	1	-	2	1	4	5
FEMALE..	714	-	-	1	1	1	3	1	2	-
WHITE.....MALE....	1,315	-	-	-	1	-	1	1	4	5
FEMALE..	600	-	-	-	1	1	2	1	2	-
NEGRO.....MALE....	108	-	-	1	-	-	1	-	-	-
FEMALE..	79	-	-	1	-	-	1	-	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
29	30	72	111	151	194	234	290	235	257	169	101	54	22	8	2	1	-	4
24	19	53	85	119	142	173	220	158	165	90	64	27	10	2	1	-	-	5
5	11	19	26	32	52	61	70	77	92	79	37	27	12	6	1	1	-	6
18	16	42	80	110	129	154	203	141	156	88	64	26	10	2	1	-	-	7
3	7	13	20	28	44	53	59	73	86	75	33	26	11	6	1	1	-	8
5	-	7	-	6	6	6	9	7	3	1	-	1	-	-	-	-	-	9
2	3	4	3	3	4	4	5	2	3	2	1	-	1	-	-	-	-	10
-	1	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	11
-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	12
																		13
13	9	23	45	56	79	108	98	115	88	64	59	30	13	6	-	1	-	14
5	4	12	18	23	45	61	53	57	42	27	22	10	1	4	-	-	-	15
8	5	11	27	33	34	47	45	58	46	37	37	20	12	2	-	1	-	16
4	2	10	16	20	45	55	48	52	40	26	19	9	-	4	-	-	-	17
5	3	8	24	28	29	43	42	52	41	35	35	20	10	2	-	1	-	18
-	2	2	1	1	-	4	2	1	2	1	-	-	-	-	-	-	-	19
3	2	2	2	3	2	2	1	4	1	1	-	-	-	-	-	-	-	20
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
																		23
121	155	235	402	552	772	1,043	1,147	1,087	946	699	486	264	107	38	2	-	-	24
50	70	110	196	257	343	488	531	458	380	287	174	87	31	17	-	-	-	25
71	85	125	206	295	429	555	616	629	566	412	312	177	76	21	2	-	-	26
35	51	82	155	210	289	426	466	404	340	266	166	82	25	17	-	-	-	27
47	65	85	165	236	359	474	553	543	516	364	283	163	72	18	2	-	-	28
13	14	20	29	31	37	39	31	32	25	10	2	1	4	-	-	-	-	29
23	18	33	28	40	37	47	32	40	21	22	11	3	1	2	-	-	-	30
-	2	2	1	1	3	3	2	2	4	2	-	1	-	-	-	-	-	31
-	-	3	1	3	4	2	-	2	-	-	1	-	-	-	-	-	-	32
																		33
96	351	1,231	3,800	8,702	16,389	27,690	39,203	53,712	72,122	83,944	83,886	68,388	44,537	18,252	4,422	622	132	34
67	253	989	3,140	7,245	13,582	22,337	30,153	38,509	48,125	50,916	46,382	33,578	19,686	7,334	1,553	200	86	35
29	98	242	660	1,457	2,807	5,353	9,050	15,203	23,997	33,028	37,504	34,810	24,851	10,918	2,869	422	46	36
47	187	788	2,652	6,223	11,913	19,514	26,860	34,057	42,991	46,022	42,503	30,889	18,181	6,755	1,386	139	67	37
19	55	157	412	989	2,095	4,069	7,192	12,366	20,589	29,367	34,160	32,174	23,030	10,052	2,598	328	35	38
16	53	143	350	710	1,094	1,792	2,133	2,677	3,062	2,659	1,995	1,332	744	307	99	48	17	39
10	42	73	206	394	590	1,078	1,451	2,094	2,207	2,107	1,728	1,199	779	410	158	73	9	40
-	3	9	19	34	54	106	150	182	157	227	170	166	90	33	8	4	-	41
-	-	3	4	8	12	16	33	43	62	68	76	48	43	18	6	4	-	42
																		43
14	31	135	525	1,448	3,144	6,294	10,634	17,501	27,335	37,281	42,020	39,071	28,294	12,407	3,068	439	55	44
10	24	120	440	1,202	2,553	4,856	7,754	11,825	17,370	21,391	22,061	18,100	11,888	4,705	1,020	121	29	45
4	7	15	85	246	591	1,438	2,880	5,676	9,965	15,890	19,959	20,971	16,406	7,702	2,048	318	26	46
9	17	91	365	989	2,202	4,103	6,603	10,088	15,121	18,879	19,917	16,475	10,901	4,330	905	85	23	47
4	3	8	50	159	436	1,034	2,213	4,417	8,304	13,889	17,978	19,201	15,088	7,067	1,854	252	22	48
1	7	18	55	158	236	485	686	1,003	1,277	1,307	1,033	737	452	182	66	27	5	49
-	4	7	30	74	129	347	500	898	1,024	1,069	954	728	509	256	101	49	4	50
-	-	5	7	5	12	30	39	63	73	104	84	101	55	19	5	2	-	51
-	-	-	1	2	1	7	15	22	28	35	34	30	30	14	3	4	-	52
																		53
81	320	1,096	3,271	7,249	13,230	21,376	28,535	36,169	44,725	46,611	41,807	29,264	16,216	5,830	1,352	182	76	54
56	229	869	2,698	6,040	11,020	17,464	22,376	26,651	30,712	29,487	24,288	15,451	7,783	2,625	533	78	56	55
25	91	227	573	1,209	2,210	3,912	6,159	9,518	14,013	17,124	17,519	13,813	8,433	3,205	819	104	20	56
38	170	697	2,285	5,232	9,703	15,397	20,036	23,939	27,835	27,110	22,558	14,392	7,265	2,423	481	53	43	57
15	52	149	360	828	1,656	3,032	4,972	7,941	12,268	15,465	16,159	12,948	7,931	2,976	742	76	13	58
15	46	125	295	551	857	1,305	1,445	1,671	1,777	1,347	957	591	292	123	33	21	12	59
10	38	66	176	320	458	731	947	1,195	1,181	1,037	771	470	269	153	57	24	5	60
-	3	4	12	29	42	75	111	119	84	123	86	65	35	14	3	2	-	61
-	-	3	3	6	11	9	18	21	34	33	42	18	13	4	3	-	-	62
																		63
1	-	-	4	5	15	20	34	42	62	52	59	53	27	15	2	1	1	64
1	-	-	2	3	9	17	23	33	43	38	33	27	15	4	-	1	1	65
-	-	-	2	2	6	3	11	9	19	14	26	26	12	11	2	-	-	66
-	-	-	2	2	8	14	21	30	35	33	28	22	15	2	-	1	1	67
-	-	-	2	2	3	3	7	8	17	13	23	25	11	9	2	-	-	68
-	-	-	-	1	1	2	2	3	8	5	5	4	-	2	-	-	-	69
-	-	-	-	-	3	-	4	1	2	1	3	1	1	1	-	-	-	70
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
																		73
23	17	33	58	121	169	244	308	424	568	618	628	532	353	128	30	4	1	74
15	15	25	35	89	122	179	197	290	361	363	320	244	142	65	9	2	1	75
8	2	8	23	32	47	65	111	134	207	255	308	288	211	63	21	2	-	76
14	15	21	29	67	97	147	173	242	318	311	284	222	128	64	7	1	1	77
4	1	5	19	19	37	45	80	95	151	212	277	250	190	53	21	2	-	78
-	-	4	5	18	21	29	19	38	32	43	26	18	10	1	2	1	-	79
1	-	3	4	12	9	19	28	34	43	33	23	21	17	7	-	-	-	80
-	-	-	1	-	1	-	-	1	-	2	2	-	-	-	-	-	-	81
1	1	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	82
																		83
-	-	-	1	2	1	8	6	14	23	25	38	41	32	9	1	-	-	84
-	-	-	1	-	-	6	-	10	11	11	17	16	13	5	-	-	-	85
-	-	-	-	2	1	2	6	4	12	14	21	25	19	4	1	-	-	86
-	-	-	1	-	-	4	-	8	8	11	15	14	12	5	-	-	-	87
-	-	-	-	-	-	2	4	3	9	9	19	21	16	4	1	-	-	88
-	-	-	-	-	-	2	-	2	3	-	1	2	1	-	-	-	-	89
-	-	-	-	2	1	-	2	1	3	4	1	2	2	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
18	16	22	39	77	113	159	194	253	322	321	284	181	120	38	7	1	1	94
13	14	18	26	69	92	133	146	179	234	211	150	95	52	22	2	1	1	95
5	2	4	13	8	21	26	48	74	88	110	134	86	68	16	5	-	-	96
12	14	16	24	56	74	117	129	156	212	194	135	92	48	22	1	1	1	97
3	1	3	10	8	19	22	33	53	70	95	126	75	60	12	5	-	-	98
-	-	2	2	10	14	13	13	16	12	10	10	1	3	-	1	-	-	99
-	-	1	3	-	2	4	13	18	7	11	5	5	7	2	-	-	-	100
-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-	101
1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
HEART DISEASE--CON.										
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC--CON.										
OF OTHER VALVES, NOT SPECIFIED AS RHEUMATIC.....421.2-421.4	1,903	2	1	-	1	-	4	1	2	4
MALE....	934	1	1	-	1	-	3	1	-	4
FEMALE..	969	1	-	-	-	-	1	-	2	-
WHITE.....MALE....	764	-	-	-	1	-	1	1	-	3
FEMALE..	779	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	151	1	1	-	-	-	2	-	-	-
FEMALE..	160	-	-	-	-	-	-	-	2	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
OTHER MYOCARDIAL DEGENERATION.....422	50,357	33	13	11	2	2	61	13	15	27
MALE....	24,421	21	6	6	-	-	33	7	7	17
FEMALE..	25,936	12	7	5	2	2	28	6	8	10
WHITE.....MALE....	20,413	11	3	3	-	-	17	5	7	12
FEMALE..	22,028	8	7	3	2	2	22	5	7	6
NEGRO.....MALE...	2,580	10	3	3	-	-	16	1	-	5
FEMALE..	2,528	4	-	1	-	-	5	1	1	4
OTHER.....MALE....	124	-	-	-	-	-	-	-	-	-
FEMALE.	52	-	-	1	-	-	1	-	-	-
WITH ARTERIOSCLEROSIS.....422.1	39,118	1	-	1	-	-	2	-	1	2
MALE....	18,676	1	-	1	-	-	2	-	1	2
FEMALE..	20,442	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	15,749	-	-	1	-	-	1	-	1	2
FEMALE..	17,395	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1,898	1	-	-	-	-	1	-	-	-
FEMALE..	1,924	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	91	-	-	-	-	-	-	-	-	-
FEMALE..	39	-	-	-	-	-	-	-	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	11,239	32	13	10	2	2	59	13	14	25
MALE....	5,745	20	6	5	-	-	31	7	6	15
FEMALE..	5,494	12	7	5	2	2	28	6	8	10
WHITE.....MALE....	4,664	11	3	2	-	-	16	5	6	10
FEMALE..	4,633	8	7	3	2	2	22	5	7	6
NEGRO.....MALE....	682	9	3	3	-	-	15	1	-	5
FEMALE..	604	4	-	1	-	-	5	1	1	4
OTHER.....MALE....	33	-	-	-	-	-	-	-	-	-
FEMALE..	13	-	-	1	-	-	1	-	-	-
OTHER DISEASES OF HEART.....430-434	25,876	224	52	21	20	14	331	85	66	110
MALE....	14,754	120	27	10	12	5	174	43	36	68
FEMALE..	11,122	104	25	11	8	9	157	42	30	42
WHITE.....MALE....	11,939	88	17	7	8	4	124	26	30	51
FEMALE..	8,898	73	19	5	5	6	108	29	25	25
NEGRO.....MALE....	2,411	25	9	3	3	1	41	14	6	17
FEMALE..	1,881	25	3	5	3	3	39	10	4	16
OTHER.....MALE....	103	5	-	-	-	-	5	-	-	-
FEMALE..	47	3	2	1	-	-	6	-	-	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	737	6	1	1	2	1	11	8	6	19
MALE....	468	3	-	-	2	1	6	5	5	8
FEMALE..	269	3	1	1	-	-	5	3	1	11
WHITE.....MALE....	378	1	-	-	2	1	4	4	4	7
FEMALE..	214	2	1	1	-	-	4	-	1	9
NEGRO.....MALE....	77	2	-	-	-	-	2	-	1	1
FEMALE..	46	1	-	-	-	-	1	3	-	2
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
ACUTE MYOCARDITIS AND ACUTE PERICARDITIS, NOT SPECIFIED AS RHEUMATIC.....431,432	1,041	56	17	2	4	3	82	25	10	20
MALE....	626	30	5	-	2	1	38	12	5	15
FEMALE..	415	26	12	2	2	2	44	13	5	5
WHITE.....MALE....	510	26	2	-	1	1	30	7	4	8
FEMALE..	338	17	8	1	1	2	29	11	5	3
NEGRO.....MALE....	100	4	2	-	1	-	7	4	1	7
FEMALE..	71	8	2	1	1	-	12	2	-	2
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	1	1	-	-	-	2	-	-	-
FUNCTIONAL DISEASE OF HEART.....433	6,561	83	16	9	10	5	123	28	21	16
MALE....	3,174	42	9	6	5	3	65	11	11	10
FEMALE..	3,387	41	7	3	5	2	58	17	10	6
WHITE.....MALE....	2,807	31	6	5	5	2	49	8	9	8
FEMALE..	3,010	32	6	2	3	1	44	13	8	4
NEGRO.....MALE....	262	7	3	1	-	1	12	3	2	2
FEMALE..	274	7	-	-	2	1	10	3	2	2
OTHER.....MALE....	24	3	-	-	-	-	3	-	-	-
FEMALE..	13	2	1	1	-	-	4	-	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	17,537	79	18	9	4	5	115	24	29	55
MALE....	10,486	45	13	4	3	-	65	15	15	35
FEMALE..	7,051	34	5	5	1	5	50	9	14	20
WHITE.....MALE....	8,244	30	9	2	-	-	41	7	13	28
FEMALE..	5,336	22	4	1	1	3	31	5	11	9
NEGRO.....MALE....	1,972	12	4	2	2	-	20	7	2	7
FEMALE..	1,490	9	1	4	-	2	16	2	2	10
OTHER.....MALE....	75	2	-	-	-	-	2	-	-	-
FEMALE..	29	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE.....440-443	62,176	-	-	-	-	-	-	1	8	8
MALE....	26,654	-	-	-	-	-	-	-	1	6
FEMALE..	35,522	-	-	-	-	-	-	1	7	2
WHITE.....MALE....	19,455	-	-	-	-	-	-	-	1	5
FEMALE..	26,921	-	-	-	-	-	-	1	7	1
NEGRO.....MALE....	6,119	-	-	-	-	-	-	-	-	1
FEMALE..	7,174	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	240	-	-	-	-	-	-	-	-	-
FEMALE..	153	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
5	1	11	18	42	55	77	108	157	223	272	306	310	201	81	22	3	-	4
2	1	7	8	20	30	40	51	101	116	141	153	133	77	38	7	1	-	5
3	-	4	10	22	25	37	57	56	107	131	153	177	124	43	15	2	-	6
2	1	5	4	11	23	26	44	78	98	106	134	116	68	37	6	-	-	7
1	-	2	9	11	18	21	43	39	72	108	132	154	114	37	15	2	-	8
-	-	2	3	8	7	14	6	20	17	33	15	15	6	1	1	1	-	9
1	-	2	1	10	6	15	13	15	33	18	17	14	8	5	-	-	-	10
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	11
-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	12
																		13
29	41	78	146	279	562	979	1,520	2,768	4,235	6,795	9,012	10,086	8,240	4,171	1,070	207	23	14
20	22	45	91	187	375	646	969	1,696	2,475	3,577	4,530	4,437	3,304	1,546	354	70	13	15
9	19	33	55	92	187	333	551	1,072	1,760	3,218	4,482	5,649	4,936	2,625	716	137	10	16
14	9	21	44	121	259	434	719	1,249	1,966	2,925	3,945	3,945	2,965	1,390	314	46	6	17
5	11	19	32	46	110	203	344	732	1,318	2,584	3,882	5,059	4,479	2,406	635	119	4	18
4	11	18	36	43	75	150	181	340	368	432	342	257	165	81	27	21	7	19
4	8	13	16	39	67	106	162	288	344	428	370	299	202	96	52	17	6	20
-	-	-	-	1	1	1	7	10	9	24	17	24	18	8	3	1	-	21
-	-	-	-	-	-	3	1	1	5	11	4	12	10	3	1	-	-	22
																		23
4	5	20	45	128	305	626	1,064	2,045	3,273	5,420	7,250	8,095	6,552	3,278	830	154	19	24
2	4	11	32	93	189	417	686	1,267	1,904	2,831	3,603	3,509	2,597	1,197	269	48	12	25
2	1	9	13	35	116	209	378	778	1,369	2,589	3,647	4,586	3,955	2,081	561	106	7	26
1	2	3	17	70	143	305	523	943	1,501	2,322	3,122	3,114	2,325	1,074	242	32	6	27
1	1	5	7	13	64	128	245	519	1,018	2,062	3,147	4,108	3,584	1,902	498	90	3	28
1	2	8	15	23	41	101	141	258	288	329	273	191	128	60	18	14	6	29
1	-	4	5	21	51	73	115	224	268	354	295	234	148	75	37	15	4	30
-	-	-	-	-	1	1	3	9	8	17	11	19	15	5	2	-	-	31
-	-	-	-	-	-	2	1	1	5	8	3	7	8	3	1	-	-	32
																		33
25	36	58	101	151	257	353	456	723	962	1,375	1,762	1,991	1,688	893	240	53	4	34
18	18	34	59	94	186	229	283	429	571	746	927	928	707	349	85	22	1	35
7	18	24	42	57	71	124	173	294	391	629	835	1,063	981	544	155	31	3	36
13	7	18	27	51	116	129	196	306	465	603	823	831	640	316	72	14	-	37
4	10	14	25	33	46	75	99	213	300	522	735	951	895	504	137	29	1	38
3	9	10	21	20	34	49	40	82	80	103	69	66	37	21	9	7	1	39
3	8	9	11	18	16	33	47	64	76	74	75	65	54	21	15	2	2	40
-	-	-	-	1	-	-	4	1	1	7	6	5	3	3	1	1	-	41
-	-	-	-	-	-	1	-	-	-	3	1	5	2	-	-	-	-	42
																		43
133	162	225	444	719	951	1,470	1,828	2,304	2,938	3,492	3,690	3,291	2,317	1,008	244	52	16	44
75	74	130	279	454	636	1,027	1,241	1,487	1,842	2,059	2,001	1,578	1,036	399	92	13	10	45
58	88	95	165	265	315	443	587	817	1,096	1,433	1,689	1,713	1,281	609	152	39	6	46
51	49	82	183	318	466	741	943	1,152	1,469	1,719	1,745	1,396	939	361	79	10	5	47
33	45	54	99	139	190	289	366	550	834	1,182	1,470	1,548	1,182	558	140	28	4	48
23	24	41	88	120	156	257	271	300	318	277	197	141	77	27	9	3	4	49
24	36	39	61	116	115	145	205	245	219	214	160	119	63	33	7	9	2	50
-	1	4	5	6	4	7	7	8	11	15	11	8	6	2	2	-	1	51
-	3	-	2	4	1	2	5	2	3	4	2	6	4	1	1	1	-	52
																		53
19	16	30	46	51	48	69	76	87	88	66	54	22	18	1	1	1	-	54
11	8	13	29	32	36	54	51	58	58	44	32	7	11	-	-	-	-	55
8	8	17	17	19	12	15	25	29	30	22	22	15	7	1	1	1	-	56
7	7	11	21	25	30	41	43	43	49	39	27	5	11	-	-	-	-	57
5	4	10	12	14	7	13	21	24	27	21	19	14	7	1	1	-	-	58
4	1	2	8	6	6	10	5	12	9	4	4	2	-	-	-	-	-	59
3	4	7	4	4	5	2	3	3	1	-	2	1	-	-	-	1	-	60
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	61
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	62
																		63
28	10	29	42	41	59	74	67	82	113	107	90	71	62	20	8	1	-	64
17	3	20	28	29	44	58	48	50	70	64	55	29	29	9	3	-	-	65
11	7	9	14	12	15	16	19	32	43	43	35	42	33	11	5	1	-	66
13	2	14	20	21	38	41	39	43	60	61	45	27	27	8	2	-	-	67
6	4	6	8	5	11	11	14	27	36	39	35	42	31	9	5	1	-	68
3	1	6	8	4	6	15	9	6	9	3	7	2	1	1	-	-	-	69
5	3	3	6	7	4	5	5	5	6	3	-	-	2	1	-	-	-	70
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
																		73
30	44	42	73	113	149	236	287	405	642	923	1,091	1,074	824	345	83	11	1	74
15	17	16	26	57	75	126	175	225	329	467	529	487	355	142	30	6	-	75
15	27	26	47	56	74	110	112	180	313	456	562	587	469	203	53	5	1	76
11	13	12	17	44	57	99	152	190	285	418	481	447	339	135	28	5	-	77
8	16	16	38	36	56	89	91	146	260	417	513	554	452	196	48	4	1	78
4	4	3	9	11	15	26	21	29	32	30	24	19	12	2	1	1	-	79
6	9	10	8	19	14	19	20	30	35	30	27	18	8	2	2	-	-	80
-	-	-	-	1	1	-	-	1	2	2	6	6	2	-	-	-	-	81
-	1	-	1	-	1	-	-	-	2	1	-	-	1	-	1	1	-	82
																		83
56	92	124	283	514	695	1,091	1,398	1,730	2,095	2,396	2,455	2,124	1,413	642	152	39	15	84
32	46	81	196	336	481	789	967	1,154	1,385	1,484	1,385	1,055	641	248	59	7	10	85
24	46	43	87	178	214	302	431	576	710	912	1,070	1,069	772	394	93	32	5	86
20	27	45	125	228	341	560	709	876	1,075	1,201	1,192	917	562	218	49	5	5	87
14	21	22	41	84	116	176	240	353	511	705	903	938	692	352	86	23	3	88
12	18	30	63	99	129	206	236	253	268	240	162	118	64	24	8	2	4	89
10	20	19	43	86	92	119	177	207	177	181	131	100	53	30	5	8	2	90
-	1	4	5	4	3	6	7	5	9	13	5	2	4	2	2	-	1	91
-	2	-	-	3	-	2	5	2	1	2	2	6	3	1	-	-	-	92
																		93
30	77	195	512	958	1,634	2,719	3,720	5,548	7,733	9,699	10,467	9,528	6,326	2,401	519	70	23	94
15	41	104	247	491	876	1,494	2,010	2,787	3,682	4,231	4,224	3,432	2,083	758	145	17	10	95
15	36	91	265	467	758	1,225	1,710	2,761	4,051	5,468	6,243	6,096	4,243	1,643	374	53	13	96
7	13	31	71	175	437	825	1,277	1,813	2,572	3,203	3,532	2,922	1,787	656	111	13	4	97
1	15	15	70	146	283	539	902	1,625	2,832	4,224	5,294	5,389	3,768	1,450	317	37	5	98
7	24	70	171	295	414	611	662	843	958	825	519	388	214	78	30	4	5	99
14	19	72	191	303	448	634	733	1,038	1,031	1,022	699	479	295	131	42	14	8	100
-	2	-	1	4	6	15	23	36	29	36	33	25	25	5	-	-	-	101
-	1	-	2	8	11	7	15	17	24	22	17	15	10	4	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
HEART DISEASE--CON.										
HYPERTENSIVE HEART DISEASE--CON.										
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	14,202	-	-	-	-	-	-	-	4	2
MALE....	6,821	-	-	-	-	-	-	-	1	2
FEMALE..	7,381	-	-	-	-	-	-	-	3	-
WHITE.....MALE....	5,439	-	-	-	-	-	-	-	1	2
FEMALE..	6,011	-	-	-	-	-	-	-	3	-
NEGRO.....MALE....	1,159	-	-	-	-	-	-	-	-	-
FEMALE..	1,121	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	37	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	47,974	-	-	-	-	-	-	1	4	6
MALE....	19,833	-	-	-	-	-	-	-	-	4
FEMALE..	28,141	-	-	-	-	-	-	1	4	2
WHITE.....MALE....	14,016	-	-	-	-	-	-	-	-	3
FEMALE..	20,910	-	-	-	-	-	-	1	4	1
NEGRO.....MALE....	4,960	-	-	-	-	-	-	-	-	1
FEMALE..	6,053	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	203	-	-	-	-	-	-	-	-	-
FEMALE..	128	-	-	-	-	-	-	-	-	-
OTHER HYPERTENSIVE DISEASE.....444-447	12,497	-	-	-	1	-	1	1	-	7
MALE....	6,296	-	-	-	-	-	-	1	-	2
FEMALE..	6,201	-	-	-	1	-	1	-	-	5
WHITE.....MALE....	4,758	-	-	-	-	-	-	1	-	2
FEMALE..	4,815	-	-	-	1	-	1	-	-	4
NEGRO.....MALE....	1,317	-	-	-	-	-	-	-	-	-
FEMALE..	1,163	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	37	-	-	-	-	-	-	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	6,987	-	-	-	-	-	-	1	-	1
MALE....	3,865	-	-	-	-	-	-	1	-	-
FEMALE..	3,122	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	3,196	-	-	-	-	-	-	1	-	-
FEMALE..	2,577	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	528	-	-	-	-	-	-	-	-	-
FEMALE..	422	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	22	-	-	-	-	-	-	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
ESSENTIAL HYPERTENSION AND OTHER HYPERTENSIVE DISEASE WITHOUT MENTION OF HEART.....444,445,447	5,510	-	-	-	1	-	1	-	-	6
MALE....	2,431	-	-	-	-	-	-	-	-	2
FEMALE..	3,079	-	-	-	1	-	1	-	-	4
WHITE.....MALE....	1,562	-	-	-	-	-	-	-	-	2
FEMALE..	2,238	-	-	-	1	-	1	-	-	3
NEGRO.....MALE....	789	-	-	-	-	-	-	-	-	-
FEMALE..	741	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	15	-	-	-	-	-	-	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
DISEASES OF ARTERIES.....450-456	49,715	7	2	-	-	2	11	10	21	63
MALE....	25,511	5	-	-	-	1	6	4	6	21
FEMALE..	24,204	2	2	-	-	1	5	6	15	42
WHITE.....MALE....	22,795	5	-	-	-	-	5	3	5	15
FEMALE..	21,616	1	2	-	-	1	4	4	6	30
NEGRO.....MALE....	1,849	-	-	-	-	1	1	1	1	4
FEMALE..	1,767	1	-	-	-	-	1	1	7	12
OTHER.....MALE....	117	-	-	-	-	-	-	-	-	1
FEMALE..	76	-	-	-	-	-	-	-	1	-
GENERAL ARTERIOSCLEROSIS.....450	36,848	1	1	-	-	-	2	1	1	1
MALE....	16,855	-	-	-	-	-	-	1	1	-
FEMALE..	19,993	1	1	-	-	-	2	-	-	1
WHITE.....MALE....	15,018	-	-	-	-	-	-	1	1	-
FEMALE..	18,074	1	1	-	-	-	2	-	-	1
NEGRO.....MALE....	1,320	-	-	-	-	-	-	-	-	-
FEMALE..	1,280	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	79	-	-	-	-	-	-	-	-	-
FEMALE..	45	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM.....451	9,544	-	-	-	-	-	-	-	-	4
MALE....	6,954	-	-	-	-	-	-	-	-	2
FEMALE..	2,590	-	-	-	-	-	-	-	-	2
WHITE.....MALE....	6,297	-	-	-	-	-	-	-	-	2
FEMALE..	2,242	-	-	-	-	-	-	-	-	2
NEGRO.....MALE....	368	-	-	-	-	-	-	-	-	-
FEMALE..	228	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	25	-	-	-	-	-	-	-	-	-
FEMALE..	18	-	-	-	-	-	-	-	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	243	-	1	-	-	-	1	-	-	-
MALE....	127	-	-	-	-	-	-	-	-	-
FEMALE..	116	-	1	-	-	-	1	-	-	-
WHITE.....MALE....	100	-	-	-	-	-	-	-	-	-
FEMALE..	86	-	1	-	-	-	1	-	-	-
NEGRO.....MALE....	25	-	-	-	-	-	-	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456	3,080	6	-	-	-	2	8	9	20	58
MALE....	1,575	5	-	-	-	1	6	3	5	19
FEMALE..	1,505	1	-	-	-	1	2	6	15	39
WHITE.....MALE....	1,380	5	-	-	-	-	5	2	4	13
FEMALE..	1,214	-	-	-	-	1	1	4	6	27
NEGRO.....MALE....	136	-	-	-	-	1	1	1	1	4
FEMALE..	229	1	-	-	-	-	1	1	7	12
OTHER.....MALE....	12	-	-	-	-	-	-	-	-	1
FEMALE..	13	-	-	-	-	-	-	-	1	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
11	11	32	89	150	265	363	528	888	1,329	1,984	2,527	2,733	2,052	962	230	34	8	4
6	5	23	43	87	156	208	326	487	721	993	1,228	1,228	868	352	71	14	2	5
5	6	9	46	63	109	155	202	401	608	991	1,299	1,505	1,184	610	159	20	6	6
3	3	6	16	33	84	114	225	306	527	794	1,055	1,093	782	320	62	12	1	7
1	3	1	16	26	45	68	93	244	426	772	1,149	1,361	1,080	558	144	17	4	8
3	2	16	25	51	70	88	91	163	168	164	127	102	54	25	7	2	1	9
4	3	8	29	33	61	83	97	144	159	179	115	101	54	37	10	2	2	10
-	-	-	-	-	1	-	1	7	5	6	6	3	7	1	-	-	-	11
-	-	-	1	2	3	1	4	1	5	-	1	2	4	1	-	-	-	12
																		13
19	66	163	423	808	1,369	2,356	3,192	4,660	6,404	7,715	7,940	6,795	4,274	1,439	289	36	15	14
9	36	81	204	404	720	1,286	1,684	2,300	2,961	3,238	2,996	2,204	1,215	406	74	3	8	15
10	30	82	219	404	649	1,070	1,508	2,360	3,443	4,477	4,944	4,591	3,059	1,033	215	33	7	16
4	10	25	55	142	353	711	1,052	1,507	2,045	2,409	2,477	1,829	1,005	336	49	1	3	17
-	12	14	54	120	238	471	809	1,381	2,406	3,452	4,145	4,028	2,688	892	173	20	1	18
4	22	54	146	244	344	523	571	680	790	661	392	286	160	53	23	2	4	19
10	16	64	162	270	387	551	636	894	872	843	584	378	241	94	32	12	6	20
-	2	-	1	4	5	15	22	29	24	30	27	22	18	4	-	-	-	21
-	1	-	1	6	8	6	11	16	19	22	16	13	6	3	-	-	-	22
																		23
34	80	133	298	391	491	583	585	825	1,194	1,579	2,034	1,986	1,469	623	151	27	5	24
16	45	67	164	227	298	336	327	461	669	858	980	930	604	231	66	12	2	25
18	35	66	134	164	193	247	258	364	525	721	1,054	1,056	865	392	85	15	3	26
8	17	20	65	63	139	198	206	313	504	702	848	836	561	209	57	9	-	27
6	14	11	33	63	76	115	146	232	393	596	929	966	787	349	79	12	3	28
5	26	46	94	152	148	129	104	130	135	128	98	65	35	11	7	3	1	29
12	20	54	93	92	106	123	102	121	114	93	85	62	51	27	4	3	-	30
-	-	-	-	3	3	3	3	5	4	3	3	5	1	3	-	-	1	31
-	-	-	1	1	2	2	3	3	5	4	4	2	3	-	-	-	-	32
																		33
4	24	27	54	84	149	209	261	407	714	1,012	1,286	1,281	948	389	116	17	3	34
-	11	12	31	52	90	118	160	248	435	613	701	685	465	176	56	10	1	35
4	13	15	23	32	59	91	101	159	279	399	585	596	483	213	60	7	2	36
-	6	6	19	19	47	70	103	173	335	514	617	628	436	163	51	8	-	37
3	5	5	9	15	21	48	53	99	216	332	522	553	440	193	54	6	2	38
-	5	6	11	28	40	43	50	65	80	76	55	35	22	7	3	2	-	39
1	8	9	14	15	33	37	42	55	50	50	40	24	26	13	4	1	-	40
-	-	-	-	3	-	2	1	2	2	2	3	4	1	1	-	-	1	41
-	-	-	-	-	1	1	1	2	4	2	2	1	1	-	-	-	-	42
																		43
30	56	106	244	307	342	374	324	418	480	567	748	705	521	234	35	10	2	44
16	34	55	133	175	208	218	167	213	234	245	279	245	139	55	10	2	1	45
14	22	51	111	132	134	156	157	205	246	322	469	460	382	179	25	8	1	46
8	11	14	46	44	92	128	103	140	169	188	231	208	125	46	6	1	-	47
3	9	6	24	48	55	67	93	133	177	264	407	413	347	156	25	6	1	48
5	21	40	83	124	108	86	54	65	55	52	43	30	13	4	4	1	1	49
11	12	45	79	77	73	86	60	66	64	43	45	38	25	14	-	2	-	50
-	-	-	-	-	3	1	2	3	2	1	-	1	-	2	-	-	-	51
-	-	-	1	1	1	1	2	1	1	2	2	1	2	-	-	-	-	52
																		53
77	76	133	204	325	528	933	1,515	2,553	4,127	6,183	8,151	9,603	8,555	4,903	1,436	290	18	54
20	28	52	101	168	326	654	1,102	1,799	2,813	3,715	4,278	4,506	3,558	1,791	479	77	7	55
57	48	81	103	157	202	279	413	754	1,314	2,468	3,873	5,097	4,997	3,112	957	213	11	56
15	25	35	68	124	273	525	964	1,521	2,432	3,283	3,883	4,159	3,307	1,662	434	54	3	57
38	31	53	65	108	136	187	318	584	1,078	2,148	3,482	4,704	4,668	2,895	887	183	7	58
3	3	13	27	38	38	99	112	201	284	278	240	214	163	78	27	20	4	59
17	16	22	34	40	54	75	77	146	197	241	248	228	165	116	38	29	3	60
1	-	-	-	2	5	1	3	7	11	19	22	18	13	9	4	1	-	61
-	1	3	2	1	4	1	3	2	4	9	16	9	10	7	2	-	1	62
																		63
1	2	5	15	40	125	280	471	1,029	2,070	3,869	6,235	8,433	7,868	4,708	1,389	287	16	64
-	2	4	7	26	84	193	307	633	1,195	2,011	3,004	3,880	3,254	1,712	459	76	6	65
1	-	1	8	14	41	87	164	396	875	1,858	3,231	4,553	4,614	2,996	930	211	10	66
-	2	1	3	20	72	141	249	494	958	1,726	2,698	3,576	3,018	1,586	416	54	2	67
1	-	-	4	10	26	55	119	298	710	1,601	2,894	4,206	4,309	2,788	862	182	6	68
-	-	3	4	5	8	41	52	112	206	213	206	189	156	77	25	19	4	69
-	-	1	4	4	13	28	41	87	145	205	219	202	155	109	36	28	3	70
-	-	-	-	-	1	1	2	3	5	11	17	17	8	9	4	1	-	71
-	-	-	-	-	-	1	-	1	1	5	9	9	9	7	2	-	1	72
																		73
7	12	23	45	104	176	375	724	1,165	1,699	1,954	1,607	933	548	136	28	2	2	74
5	8	17	36	69	126	310	612	957	1,398	1,502	1,104	504	241	54	8	-	1	75
2	4	6	9	35	50	65	112	208	301	452	503	429	307	82	20	2	1	76
4	7	11	25	43	96	256	546	846	1,277	1,385	1,034	476	230	51	7	-	1	77
1	2	4	6	21	23	36	82	159	256	408	460	395	289	77	19	1	1	78
-	1	4	9	23	22	39	50	69	63	46	22	12	6	1	1	-	-	79
1	2	-	3	11	22	22	23	41	32	22	22	18	4	3	1	1	-	80
-	-	-	-	-	4	-	1	2	4	7	3	1	3	-	-	-	-	81
-	-	1	-	-	1	-	2	1	2	3	7	-	1	-	-	-	-	82
																		83
1	-	2	3	4	5	12	8	21	20	35	37	46	27	18	3	-	-	84
1	-	1	-	2	3	6	2	11	10	20	27	27	11	4	2	-	-	85
-	-	1	3	2	2	6	6	10	10	15	10	19	16	14	1	-	-	86
1	-	-	-	2	3	5	-	7	9	16	23	20	9	4	1	-	-	87
-	-	-	1	2	2	6	5	5	7	10	7	15	14	11	-	-	-	88
-	-	1	-	-	-	1	2	4	1	3	4	7	1	-	1	-	-	89
-	-	1	2	-	-	-	1	5	3	5	3	4	2	3	1	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
68	62	103	141	177	222	266	312	338	338	325	272	191	112	41	16	1	-	94
14	18	30	58	71	113	145	181	198	210	182	143	95	52	21	10	1	-	95
54	44	73	83	106	109	121	131	140	128	143	129	96	60	20	6	-	-	96
10	16	23	40	59	102	123	169	174	188	156	128	87	50	21	10	-	-	97
36	29	49	54	75	85	90	112	122	105	129	121	88	56	19	6	-	-	98
3	2	5	14	10	8	18	8	16	14	16	8	6	-	-	-	1	-	99
16	14	20	25	25	19	25	12	13	17	9	4	4	4	1	-	-	-	100
1	-	-	-	2	-	-	-	2	2	1	2	-	1	-	-	-	-	101
-	1	2	2	1	3	-	1	-	1	1	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM....460-468	9,765	25	9	5	2	3	44	9	19	26
MALE....	5,081	20	4	3	1	3	31	3	8	10
FEMALE..	4,684	5	5	2	1	-	13	6	11	16
WHITE.....MALE....	4,232	10	3	2	-	3	18	3	8	6
FEMALE..	3,917	4	2	1	1	-	8	4	10	10
NEGRO.....MALE....	650	9	-	1	1	-	11	-	-	2
FEMALE..	567	1	3	1	-	-	5	2	-	5
OTHER.....MALE....	19	-	1	-	-	-	1	-	-	-
FEMALE..	16	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	90,152	11,557	1,545	718	374	271	14,465	706	452	464
MALE....	56,438	6,664	819	419	221	136	8,259	376	243	269
FEMALE..	33,714	4,893	726	299	153	135	6,206	330	209	195
WHITE.....MALE....	47,048	4,181	482	268	161	102	5,194	280	187	212
FEMALE..	27,322	2,874	444	178	101	94	3,691	239	166	141
NEGRO.....MALE....	7,266	2,169	285	127	52	29	2,662	71	48	42
FEMALE..	5,162	1,778	241	105	43	30	2,197	70	38	44
OTHER.....MALE....	520	135	30	11	3	2	181	7	2	4
FEMALE..	293	120	19	9	3	3	154	10	-	2
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	820	403	55	27	15	18	518	37	16	5
MALE....	462	249	26	21	7	10	313	22	9	1
FEMALE..	358	154	29	6	8	8	205	15	7	4
WHITE.....MALE....	324	156	17	16	7	8	204	19	8	1
FEMALE..	257	102	22	2	6	7	139	9	3	3
NEGRO.....MALE....	122	85	7	5	-	2	99	2	-	-
FEMALE..	86	45	7	4	1	1	58	4	4	1
OTHER.....MALE....	8	5	1	-	-	-	6	-	1	-
FEMALE..	5	5	-	-	-	-	5	-	-	-
INFLUENZA.....480-483	3,431	284	71	20	16	16	407	37	40	41
MALE....	1,664	162	33	11	11	9	226	15	22	22
FEMALE..	1,767	122	38	9	5	7	181	22	18	19
WHITE.....MALE....	1,347	84	21	7	9	9	130	9	17	16
FEMALE..	1,422	57	27	2	3	5	94	16	14	14
NEGRO.....MALE....	283	72	10	3	2	-	87	5	5	5
FEMALE..	321	63	11	7	1	2	84	4	4	5
OTHER.....MALE....	17	5	2	-	-	-	7	-	-	-
FEMALE..	16	2	-	-	-	-	2	2	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	56,564	8,701	1,156	534	278	180	10,849	464	321	318
MALE....	31,853	4,966	606	307	156	84	6,119	243	162	187
FEMALE..	24,711	3,735	550	227	122	96	4,730	221	159	131
WHITE.....MALE....	25,271	3,028	344	180	109	57	3,718	167	124	152
FEMALE..	19,755	2,130	321	132	77	62	2,722	155	131	97
NEGRO.....MALE....	5,260	1,685	223	107	40	24	2,079	57	31	26
FEMALE..	3,976	1,402	194	82	38	23	1,739	50	24	26
OTHER.....MALE....	370	106	22	8	3	1	140	6	1	1
FEMALE..	229	97	15	8	3	3	126	7	-	2
LOBAR PNEUMONIA.....490	8,784	702	132	54	30	20	938	52	52	58
MALE....	5,289	397	68	31	14	13	523	33	24	33
FEMALE..	3,495	305	64	23	16	7	415	19	28	25
WHITE.....MALE....	4,100	239	36	16	7	10	308	21	15	24
FEMALE..	2,686	160	30	13	8	4	215	13	22	19
NEGRO.....MALE....	947	142	28	12	7	1	190	6	7	7
FEMALE..	661	129	28	10	6	3	176	5	6	6
OTHER.....MALE....	51	9	3	1	-	-	13	1	1	-
FEMALE..	24	6	3	-	1	-	10	1	-	-
BRONCHOPNEUMONIA.....491	32,455	3,968	581	278	135	95	5,057	260	187	173
MALE....	18,038	2,237	321	156	77	39	2,830	128	99	105
FEMALE..	14,417	1,731	260	122	58	56	2,227	132	88	68
WHITE.....MALE....	14,476	1,242	180	92	53	24	1,591	86	76	88
FEMALE..	11,725	931	147	72	44	36	1,230	96	71	50
NEGRO.....MALE....	2,727	846	119	54	20	14	1,053	34	20	10
FEMALE..	2,052	689	92	42	11	12	846	25	13	13
OTHER.....MALE....	204	52	11	2	2	1	-68	1	-	1
FEMALE..	108	42	5	4	2	1	54	4	-	1
PRIMARY ATYPICAL PNEUMONIA.....492	5,429	2,307	191	99	45	25	2,667	56	36	42
MALE....	3,022	1,362	98	53	32	12	1,557	28	15	23
FEMALE..	2,407	945	93	46	13	13	1,110	28	21	19
WHITE.....MALE....	2,402	1,004	65	40	23	8	1,140	24	13	19
FEMALE..	1,864	655	69	30	7	8	769	19	19	13
NEGRO.....MALE....	484	297	23	10	6	4	340	2	1	4
FEMALE..	428	243	21	15	4	4	287	7	2	3
OTHER.....MALE....	41	21	5	2	1	-	29	2	-	-
FEMALE..	37	21	3	-	-	-	24	-	-	1
PNEUMONIA, OTHER AND UNSPECIFIED.....493	9,896	1,724	252	103	68	40	2,187	96	46	45
MALE....	5,504	970	119	67	33	20	1,209	54	24	26
FEMALE..	4,392	754	133	36	35	20	978	42	22	19
WHITE.....MALE....	4,293	543	63	32	26	15	679	36	20	21
FEMALE..	3,480	384	75	17	18	14	508	27	19	15
NEGRO.....MALE....	1,102	400	53	31	7	5	496	15	3	5
FEMALE..	835	341	53	15	17	4	430	13	3	4
OTHER.....MALE....	74	24	3	3	-	-	30	2	-	-
FEMALE..	60	28	4	4	-	2	38	2	-	-
ACUTE BRONCHITIS.....500	1,118	342	81	39	20	12	494	32	14	11
MALE....	664	204	50	21	15	4	294	20	10	10
FEMALE..	454	138	31	18	5	8	200	12	4	1
WHITE.....MALE....	543	153	38	18	12	3	224	18	10	7
FEMALE..	374	99	24	11	5	7	146	9	3	-
NEGRO.....MALE....	89	38	10	3	3	1	55	1	-	3
FEMALE..	64	32	5	5	-	1	43	3	1	1
OTHER.....MALE....	8	5	2	-	-	-	7	-	-	-
FEMALE..	3	2	1	-	-	-	3	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
52	78	131	210	269	398	558	723	1,040	1,443	1,524	1,329	1,017	636	211	34	10	4	2
19	27	54	102	134	223	351	402	565	858	832	632	454	270	92	11	3	-	3
33	51	77	108	135	175	207	321	475	585	692	697	563	366	119	23	7	4	4
13	18	37	72	105	159	277	306	465	698	719	569	420	243	83	11	2	-	5
23	39	53	68	86	122	155	239	378	481	613	630	523	335	112	21	4	3	6
5	8	14	24	24	50	61	71	74	128	82	47	23	17	8	-	1	-	7
9	12	20	36	38	37	44	63	79	73	55	41	22	19	2	2	2	1	8
-	-	-	-	-	2	-	2	4	-	4	3	1	2	-	-	-	-	9
1	-	-	1	3	1	-	3	1	2	2	-	-	2	-	-	-	-	10
																		11
																		12
405	475	608	1,116	1,594	2,243	3,312	4,697	6,497	9,019	10,673	11,037	10,050	7,412	3,671	1,005	219	32	13
209	247	330	619	977	1,432	2,392	3,567	4,878	6,856	7,582	6,988	5,582	3,609	1,565	361	77	20	14
196	228	278	497	617	811	920	1,130	1,619	2,163	3,091	4,049	4,468	3,803	2,106	644	142	12	15
159	160	188	412	698	1,061	1,887	3,019	4,172	6,007	6,736	6,356	5,116	3,365	1,437	323	63	16	16
138	144	171	316	406	605	687	891	1,281	1,753	2,687	3,644	4,114	3,553	1,982	588	116	9	17
44	79	127	182	236	308	422	430	517	598	576	394	267	139	81	30	10	3	18
47	66	85	158	188	181	202	200	288	321	307	281	205	144	68	49	20	3	19
1	4	5	2	7	16	13	18	34	42	50	47	45	25	9	5	2	1	20
2	6	8	3	7	6	4	7	8	8	14	15	17	11	10	1	-	-	21
																		22
7	12	4	14	9	8	21	17	25	15	20	15	27	30	14	5	1	-	23
2	8	4	8	7	3	13	8	13	9	8	5	9	13	6	1	-	-	24
5	4	-	6	2	5	8	9	12	6	12	10	18	17	8	4	1	-	25
-	6	4	5	3	2	10	8	10	7	5	4	9	13	5	1	-	-	26
2	4	-	5	1	1	6	8	10	5	9	8	17	16	6	4	1	-	27
1	2	-	3	4	1	2	-	3	1	2	1	-	-	1	-	-	-	28
3	-	-	1	1	3	1	1	2	1	3	2	1	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
																		32
22	24	24	45	56	69	99	109	149	252	346	457	483	449	234	69	18	1	33
8	11	11	19	29	37	53	47	75	134	169	234	227	192	108	21	3	1	34
14	13	13	26	27	32	46	62	74	118	177	223	256	257	126	48	15	-	35
8	10	7	16	23	24	29	36	52	103	148	214	205	178	100	18	3	1	36
13	9	8	17	18	25	28	42	57	87	140	189	236	242	121	41	11	-	37
-	1	4	3	5	13	23	10	20	26	20	17	19	11	6	3	-	-	38
1	4	2	8	8	7	17	19	17	31	35	32	15	13	4	7	4	-	39
-	-	-	-	1	-	-	1	2	-	-	2	1	2	1	-	-	-	40
-	-	3	-	1	-	1	-	-	-	1	2	3	1	-	-	-	-	41
																		42
290	317	410	741	1,024	1,335	1,700	2,159	2,908	4,249	5,768	6,957	7,137	5,730	2,900	797	171	19	43
150	163	225	409	611	843	1,158	1,489	1,890	2,812	3,543	3,946	3,701	2,663	1,189	279	60	11	44
140	154	185	332	413	492	542	670	1,018	1,437	2,225	3,011	3,436	3,067	1,711	518	111	8	45
115	106	124	258	407	573	837	1,156	1,468	2,319	2,995	3,515	3,367	2,481	1,086	247	48	8	46
96	94	112	199	251	344	382	494	763	1,117	1,919	2,696	3,145	2,863	1,606	472	92	5	47
30	54	89	134	172	227	277	278	332	374	403	293	204	101	63	25	9	2	48
34	46	57	114	147	131	142	150	219	253	230	216	168	117	56	39	15	3	49
1	2	4	1	6	11	6	11	19	32	34	30	31	19	8	4	2	1	50
2	5	5	3	5	5	3	6	7	5	10	7	12	9	9	1	-	-	51
																		52
46	71	88	206	296	360	457	512	630	759	903	1,091	1,035	756	349	93	25	7	53
26	39	51	118	180	255	322	380	429	513	603	646	550	373	140	37	10	4	54
20	32	37	88	116	105	135	132	201	246	300	445	485	383	209	56	15	3	55
20	21	22	65	115	168	229	286	321	421	491	569	485	348	127	34	7	3	56
13	16	24	52	64	68	94	93	144	173	260	383	431	352	189	49	11	1	57
5	18	25	45	58	74	78	83	81	64	82	51	44	16	9	3	1	-	58
4	14	9	35	47	31	38	34	46	59	30	45	30	23	12	7	2	2	59
-	-	1	1	-	3	3	1	3	5	6	5	3	2	-	-	2	1	60
-	-	2	-	1	2	1	1	2	-	1	-	3	-	-	-	-	-	61
																		62
166	165	215	384	519	704	871	1,188	1,688	2,615	3,586	4,327	4,351	3,591	1,809	486	103	10	63
83	84	122	211	312	425	583	798	1,077	1,746	2,182	2,483	2,244	1,601	722	166	32	5	64
83	81	93	173	207	279	288	390	611	869	1,404	1,844	2,107	1,990	1,087	320	71	5	65
65	58	69	143	216	291	420	616	848	1,453	1,871	2,210	2,051	1,485	659	148	29	3	66
61	53	57	104	134	198	202	291	454	692	1,208	1,665	1,927	1,849	1,022	296	61	4	67
16	25	47	60	78	111	139	145	177	213	216	173	102	55	35	13	3	2	68
17	20	28	53	65	73	73	84	132	131	143	110	95	70	33	19	8	1	69
-	-	2	-	4	6	3	9	11	20	20	17	21	13	5	3	-	-	70
2	4	2	3	3	-	1	2	5	3	4	4	6	6	4	-	-	-	71
																		72
27	38	53	57	65	99	109	136	179	225	321	370	410	329	155	49	5	1	73
11	20	23	29	38	59	71	89	106	136	185	184	202	163	67	13	2	1	74
16	18	30	28	27	40	38	47	73	89	136	186	208	166	88	36	3	-	75
7	15	19	21	23	39	61	77	86	119	166	169	187	147	57	11	1	1	76
10	10	17	19	15	26	29	37	60	75	122	163	185	158	81	35	2	-	77
2	5	3	8	12	14	8	8	17	15	12	10	9	7	6	1	-	-	78
5	6	10	8	10	13	9	8	13	8	7	15	10	4	2	-	1	-	79
1	-	-	-	-	1	-	-	1	-	1	2	-	2	2	-	-	-	80
-	1	1	-	1	1	-	-	-	1	1	1	2	-	3	-	-	-	81
																		82
51	43	54	94	144	172	263	323	411	650	958	1,169	1,341	1,054	587	169	38	1	83
30	20	29	51	81	104	182	222	278	417	573	633	705	526	260	63	16	1	84
21	23	25	43	63	68	81	101	133	233	385	536	636	528	327	106	22	-	85
23	12	14	29	53	75	127	177	213	326	467	567	644	501	243	54	11	1	86
12	15	14	24	38	52	57	73	105	177	329	485	602	504	314	92	18	-	87
7	6	14	21	24	28	52	42	57	82	93	59	49	23	13	8	5	-	88
8	6	10	18	25	14	22	24	28	55	50	46	33	20	9	13	4	-	89
-	2	1	-	2	1	-	1	4	7	7	6	7	2	1	1	-	-	90
-	-	-	-	-	2	1	3	-	1	4	2	1	3	2	1	-	-	91
																		92
																		93
11	9	9	16	24	25	41	44	40	64	67	57	59	58	37	5	1	-	94
6	4	3	10	17	17	25	29	26	44	43	27	32	24	18	4	1	-	95
5	5	6	6	7	8	16	15	14	20	24	30	27	34	19	1	-	-	96
5	1	1	6	12	15	24	25	24	40	35	25	28	21	18	4	-	-	97
5	4	4	5	7	5	14	14	13	17	23	27	26	32	19	1	-	-	98
1	3	1	4	1	2	1	3	2	2	5	1	1	3	-	-	-	-	99
-	1	2	-	-	3	2	1	1	1	1	2	-	2	-	-	-	-	100
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	3,547	237	46	28	12	4	327	20	8	9
MALE....	2,657	138	29	16	8	4	195	9	6	5
FEMALE..	890	99	17	12	4	-	132	11	2	4
WHITE.....MALE....	2,356	93	18	10	6	4	131	9	5	4
FEMALE..	760	64	12	8	2	-	86	9	2	4
NEGRO.....MALE....	190	41	9	4	2	-	56	-	1	-
FEMALE..	93	31	5	4	2	-	42	1	-	-
OTHER.....MALE....	18	1	-	2	-	-	3	-	-	1
FEMALE..	6	2	-	-	-	-	2	1	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	108	-	2	6	6	17	31	55	4	3
MALE....	64	-	1	4	4	9	18	38	1	1
FEMALE..	44	-	1	2	2	8	13	17	3	2
WHITE.....MALE....	57	-	-	4	4	7	15	35	-	1
FEMALE..	33	-	1	2	2	7	12	14	2	-
NEGRO.....MALE....	5	-	1	-	-	1	2	2	1	-
FEMALE..	11	-	-	-	-	1	1	3	1	2
OTHER.....MALE....	2	-	-	-	-	1	1	1	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	835	31	2	3	-	1	37	5	5	11
MALE....	612	18	1	-	-	-	19	2	3	3
FEMALE..	223	13	1	3	-	1	18	3	2	8
WHITE.....MALE....	461	14	-	-	-	-	14	2	1	2
FEMALE..	179	9	-	3	-	1	13	3	2	8
NEGRO.....MALE....	112	3	-	-	-	-	3	-	2	-
FEMALE..	33	3	-	-	-	-	3	-	-	-
OTHER.....MALE....	6	-	1	-	-	-	1	-	-	-
FEMALE..	3	1	1	-	-	-	2	-	-	-
PLEURISY.....519	134	17	-	-	-	-	17	-	1	3
MALE....	88	12	-	-	-	-	12	-	1	3
FEMALE..	46	5	-	-	-	-	5	-	-	-
WHITE.....MALE....	71	9	-	-	-	-	9	-	1	1
FEMALE..	39	5	-	-	-	-	5	-	-	-
NEGRO.....MALE....	10	1	-	-	-	-	1	-	-	1
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	1	-	-	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,097	1,003	76	25	10	10	1,124	16	9	8
MALE....	2,751	568	45	15	10	7	645	9	5	2
FEMALE..	1,346	435	31	10	-	3	479	7	4	6
WHITE.....MALE....	2,342	402	23	12	7	6	450	8	3	2
FEMALE..	1,080	286	19	6	-	2	313	7	3	3
NEGRO.....MALE....	289	150	20	3	3	1	177	1	2	-
FEMALE..	220	139	11	3	-	1	154	-	1	2
OTHER.....MALE....	24	9	1	-	-	-	10	-	-	-
FEMALE..	14	8	1	1	-	-	10	-	-	-
BRONCHIECTASIS.....526	2,105	5	-	1	1	-	7	4	8	15
MALE....	1,378	4	-	1	1	-	6	2	7	7
FEMALE..	727	1	-	-	-	-	1	2	1	8
WHITE.....MALE....	1,248	4	-	-	1	-	5	2	7	6
FEMALE..	680	1	-	-	-	-	1	2	1	6
NEGRO.....MALE....	76	-	-	1	-	-	1	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	1
FEMALE..	3	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	13,870	299	29	16	6	5	355	20	15	15
MALE....	11,709	193	13	10	3	3	222	10	11	11
FEMALE..	2,161	106	16	6	3	2	133	10	4	4
WHITE.....MALE....	10,745	132	8	9	3	3	155	6	8	9
FEMALE..	1,903	60	10	6	2	2	80	7	2	2
NEGRO.....MALE....	640	56	4	-	-	-	60	2	3	2
FEMALE..	201	43	6	-	1	-	50	3	1	2
OTHER.....MALE....	52	2	-	1	-	-	3	-	-	-
FEMALE..	7	1	-	-	-	-	1	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	12,368	60	2	2	1	2	67	3	2	1
MALE....	10,752	32	1	1	-	-	34	2	1	1
FEMALE..	1,616	28	1	1	1	2	33	1	1	-
WHITE.....MALE....	9,998	26	1	1	-	-	28	-	1	1
FEMALE..	1,481	20	-	1	1	2	24	-	1	-
NEGRO.....MALE....	461	4	-	-	-	-	4	1	-	-
FEMALE..	97	7	1	-	-	-	8	1	-	-
OTHER.....MALE....	42	1	-	-	-	-	1	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527.0,527.2	1,502	239	27	14	5	3	288	17	13	14
MALE....	957	161	12	9	3	3	188	8	10	10
FEMALE..	545	78	15	5	2	-	100	9	3	4
WHITE.....MALE....	747	106	7	8	3	3	127	6	7	8
FEMALE..	422	40	10	5	1	-	56	7	1	2
NEGRO.....MALE....	179	52	4	-	-	-	56	1	3	2
FEMALE..	104	36	5	-	1	-	42	2	1	2
OTHER.....MALE....	10	1	-	1	-	-	2	-	-	-
FEMALE..	4	1	-	-	-	-	1	-	-	-
OTHER RESPIRATORY DISEASES.....511-517,520,522-524	3,523	235	27	19	10	8	299	16	11	25
MALE....	2,536	150	15	13	6	6	190	6	6	17
FEMALE..	987	85	12	6	4	2	109	10	5	8
WHITE.....MALE....	2,283	106	13	12	3	5	139	5	3	11
FEMALE..	840	61	8	6	4	1	80	8	3	4
NEGRO.....MALE....	190	38	1	1	2	-	42	1	3	5
FEMALE..	122	20	2	-	-	1	23	2	2	4
OTHER.....MALE....	6	1	1	-	-	-	2	-	-	1
FEMALE..	7	2	1	-	-	-	3	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
5	12	10	27	46	89	168	272	395	543	557	438	345	174	80	17	3	2	2
4	5	4	10	27	56	131	224	324	459	471	343	225	101	46	8	3	1	3
1	7	6	17	19	33	37	48	71	84	86	95	120	73	34	9	-	1	4
2	3	2	9	23	43	114	201	303	415	430	313	206	93	40	7	2	1	5
-	4	5	13	15	31	32	43	61	71	78	90	109	65	33	8	-	1	6
2	2	2	1	4	11	12	15	11	26	20	13	6	3	3	1	1	-	7
1	2	1	4	3	2	4	3	7	8	6	1	5	2	-	1	-	-	8
-	-	-	-	-	-	1	1	1	1	3	3	4	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	10
																		11
																		12
8	1	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	13
4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	15
4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
																		22
1	15	22	36	43	52	66	76	88	102	103	89	53	21	10	-	-	-	23
-	9	15	23	31	35	53	61	67	83	81	74	36	11	6	-	-	-	24
1	6	7	13	12	17	13	15	21	19	22	15	17	10	4	-	-	-	25
-	6	7	14	19	22	36	46	53	64	66	63	31	10	5	-	-	-	26
-	5	4	8	7	14	11	12	16	16	18	13	16	9	4	-	-	-	27
-	3	8	9	10	10	13	12	11	11	8	7	4	-	1	-	-	-	28
1	1	3	4	4	2	2	3	4	1	3	1	1	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	31
																		32
-	4	2	3	6	6	6	11	13	11	11	20	11	5	2	1	1	-	33
-	3	1	2	6	4	4	8	7	7	8	13	5	3	-	-	1	-	34
-	1	1	1	-	2	2	3	6	4	3	7	6	2	2	1	-	-	35
-	2	-	2	6	1	2	6	7	7	7	12	4	3	-	-	1	-	36
-	1	-	-	-	2	1	1	6	2	3	7	6	2	2	1	-	-	37
-	1	1	-	-	3	2	-	-	-	-	-	1	-	-	-	-	-	38
-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
																		42
11	12	21	47	62	114	175	279	367	460	496	450	282	113	41	9	1	-	43
7	8	10	26	37	55	118	214	289	355	387	305	185	67	22	5	-	-	44
4	4	11	21	25	59	57	65	78	105	109	145	97	46	19	4	1	-	45
7	3	6	20	28	47	99	193	257	324	356	286	166	63	20	4	-	-	46
3	-	7	15	18	46	46	57	75	96	99	136	91	41	19	4	1	-	47
-	3	4	5	7	5	13	11	16	15	15	7	5	2	1	-	-	-	48
1	4	4	6	5	10	8	5	2	5	5	3	2	3	-	-	-	-	49
-	2	-	-	-	2	2	1	1	1	1	-	1	2	-	1	-	-	50
-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	51
																		52
11	13	25	43	53	87	134	180	242	291	320	296	239	106	22	6	2	1	53
4	8	11	19	32	53	92	114	178	206	223	192	137	68	14	4	1	-	54
7	5	14	24	21	34	42	66	64	85	97	104	102	38	8	2	1	1	55
3	8	9	15	25	47	80	102	159	187	206	174	129	65	14	4	1	-	56
7	5	12	19	20	30	38	62	57	83	92	101	99	35	6	2	1	1	57
1	-	2	4	6	4	10	8	8	10	8	8	4	2	-	-	-	-	58
-	-	2	4	1	3	4	2	3	2	3	1	1	1	2	-	-	-	59
-	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	61
																		62
																		63
18	24	48	90	211	377	740	1,317	1,945	2,599	2,538	1,863	1,035	466	151	32	5	6	64
10	10	30	61	139	273	612	1,170	1,719	2,360	2,249	1,573	795	343	87	19	1	4	65
8	14	18	29	72	104	128	147	226	239	289	290	240	123	64	13	4	2	66
4	4	19	42	119	243	542	1,058	1,574	2,180	2,109	1,493	754	320	82	19	1	4	67
4	8	11	23	54	87	111	136	197	224	265	270	227	113	63	13	4	2	68
6	4	10	16	19	23	54	81	94	114	83	37	16	12	4	-	-	-	69
4	4	5	6	15	15	12	8	25	8	16	13	8	6	-	-	-	-	70
-	-	-	-	-	3	4	4	10	7	8	6	5	2	-	-	-	-	71
-	1	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	72
																		73
7	7	26	65	170	309	654	1,199	1,814	2,447	2,390	1,726	932	404	111	26	3	5	74
3	4	16	49	119	230	555	1,085	1,627	2,254	2,147	1,485	741	307	72	16	1	3	75
4	3	10	16	51	79	99	114	187	193	243	241	191	97	39	10	2	2	76
1	1	12	38	103	208	499	998	1,499	2,087	2,025	1,414	705	290	68	16	1	3	77
2	2	7	12	40	71	89	108	168	185	226	223	182	89	38	10	2	2	78
2	3	3	9	15	18	42	59	79	103	69	31	13	7	3	-	-	-	79
2	1	2	4	9	6	6	4	16	5	10	13	5	5	-	-	-	-	80
-	-	-	-	-	1	2	3	9	6	7	6	5	2	-	-	-	-	81
-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	82
																		83
11	17	22	25	41	68	86	118	131	152	148	137	103	62	40	6	2	1	84
7	6	14	12	20	43	57	85	92	106	102	88	54	36	15	3	-	1	85
4	11	8	13	21	25	29	33	39	46	46	49	49	26	25	3	2	-	86
3	3	7	4	16	35	43	60	75	93	84	79	49	30	14	3	-	1	87
2	6	4	11	14	16	22	28	29	39	39	47	45	24	25	3	2	-	88
4	1	7	7	4	5	12	22	15	11	14	6	3	5	1	-	-	-	89
2	3	3	2	6	9	6	4	9	3	6	-	3	1	-	-	-	-	90
-	-	-	-	-	2	2	1	1	1	1	-	-	-	-	-	-	-	91
-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	92
																		93
21	32	32	51	59	81	162	233	324	433	447	395	379	260	180	64	16	3	94
14	18	15	31	41	56	133	203	290	387	400	276	230	124	69	20	7	3	95
7	14	17	20	18	25	29	30	34	46	47	119	149	136	111	44	9	-	96
11	11	8	24	33	44	114	188	265	361	379	257	217	118	67	19	7	2	97
5	10	8	12	14	20	18	22	25	35	41	107	142	135	103	42	6	-	98
3	6	6	3	8	9	15	12	20	19	12	10	7	5	2	1	-	1	99
1	3	8	8	4	5	9	7	8	10	5	10	4	-	6	2	1	-	100
-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	101
-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
IX. DISEASES OF THE DIGESTIVE SYSTEM	70,350	3,885	497	195	127	100	4,804	358	272	283
MALE	41,478	2,188	267	109	53	54	2,671	190	146	136
FEMALE	28,872	1,697	230	86	74	46	2,133	168	126	147
WHITE MALE	35,156	1,323	188	86	42	41	1,680	156	122	102
WHITE FEMALE	24,232	1,015	163	62	56	41	1,337	140	100	113
NEGRO MALE	4,288	730	61	18	8	10	827	28	21	28
NEGRO FEMALE	3,247	579	54	18	14	5	670	19	23	28
OTHER MALE	401	73	7	3	1	-	84	3	2	-
OTHER FEMALE	305	69	7	3	1	-	80	1	1	1
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	79	1	-	1	2	?	7	1	1	8
MALE	37	1	-	-	2	2	5	1	-	2
FEMALE	42	-	-	1	-	1	2	-	1	6
WHITE MALE	31	1	-	-	2	2	5	1	-	1
WHITE FEMALE	32	-	-	1	-	1	2	-	-	5
NEGRO MALE	5	-	-	-	-	-	-	-	-	1
NEGRO FEMALE	9	-	-	-	-	-	-	-	1	1
OTHER MALE	-	-	-	-	-	-	-	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH 540	6,416	36	6	2	3	-	47	3	6	4
MALE	4,467	24	5	2	2	-	33	2	5	1
FEMALE	1,949	12	1	-	1	-	14	1	1	3
WHITE MALE	3,857	13	3	1	2	-	19	2	4	1
WHITE FEMALE	1,733	6	1	-	1	-	8	1	1	2
NEGRO MALE	381	9	1	1	-	-	11	-	1	-
NEGRO FEMALE	135	4	-	-	-	-	4	-	-	1
OTHER MALE	48	-	-	-	-	-	-	-	-	-
OTHER FEMALE	11	-	-	-	-	-	-	-	-	-
ULCER OF DUODENUM 541	5,812	29	9	1	-	2	41	3	7	8
MALE	4,369	21	5	-	-	-	26	3	4	6
FEMALE	1,443	8	4	1	-	2	15	-	3	2
WHITE MALE	3,921	14	4	-	-	-	18	3	3	3
WHITE FEMALE	1,289	6	2	1	-	1	10	-	3	2
NEGRO MALE	273	6	-	-	-	-	6	-	1	1
NEGRO FEMALE	102	2	-	-	-	1	3	-	-	-
OTHER MALE	17	-	-	-	-	-	-	-	-	-
OTHER FEMALE	2	-	-	-	-	-	-	-	-	-
GASTRITIS AND DUODENITIS 543	427	11	4	2	1	2	20	8	3	3
MALE	285	10	3	-	1	2	16	4	1	2
FEMALE	142	1	1	2	-	-	4	4	2	1
WHITE MALE	242	9	1	-	1	1	12	4	1	2
WHITE FEMALE	120	1	1	2	-	-	4	4	1	1
NEGRO MALE	31	1	2	-	-	1	4	-	-	-
NEGRO FEMALE	20	-	-	-	-	-	-	-	1	-
OTHER MALE	1	-	-	-	-	-	-	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
APPENDICITIS 550-553	1,800	21	7	14	11	11	64	62	82	60
MALE	1,095	10	2	7	8	7	34	34	48	39
FEMALE	705	11	5	7	3	4	30	28	34	21
WHITE MALE	904	8	2	6	4	5	25	28	38	28
WHITE FEMALE	550	9	5	5	2	4	25	21	22	16
NEGRO MALE	145	2	-	1	3	2	8	5	10	9
NEGRO FEMALE	127	2	-	2	1	-	5	5	12	5
OTHER MALE	4	-	-	-	-	-	-	1	-	-
OTHER FEMALE	3	-	-	-	-	-	-	1	-	-
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	9,723	889	34	18	11	16	968	24	23	18
MALE	4,715	521	23	13	5	8	570	16	15	6
FEMALE	5,008	368	11	5	6	8	398	8	8	12
WHITE MALE	3,958	431	16	12	4	7	470	10	13	4
WHITE FEMALE	4,325	303	9	2	5	7	326	7	6	9
NEGRO MALE	555	70	5	1	1	1	78	6	2	2
NEGRO FEMALE	486	45	2	3	1	1	52	-	2	2
OTHER MALE	29	4	1	-	-	-	5	-	-	-
OTHER FEMALE	20	6	-	-	-	-	6	-	-	-
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER 571	4,161	2,287	348	81	38	20	2,774	74	28	16
MALE	2,174	1,267	184	46	16	12	1,525	41	13	9
FEMALE	1,987	1,020	164	35	22	8	1,249	33	15	7
WHITE MALE	1,319	594	127	29	14	9	773	26	10	8
WHITE FEMALE	1,232	475	111	23	10	7	626	23	12	5
NEGRO MALE	711	575	43	13	1	3	635	13	2	1
NEGRO FEMALE	638	470	45	10	8	1	534	10	2	2
OTHER MALE	82	65	6	3	1	-	75	1	1	-
OTHER FEMALE	75	59	4	1	1	-	65	-	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	3,606	44	2	2	3	-	51	6	14	31
MALE	1,604	25	2	1	1	-	29	2	8	11
FEMALE	2,002	19	-	1	2	-	22	4	6	20
WHITE MALE	1,417	13	1	1	1	-	16	2	6	10
WHITE FEMALE	1,774	14	-	1	2	-	17	4	6	19
NEGRO MALE	101	10	1	-	-	-	11	-	1	1
NEGRO FEMALE	110	3	-	-	-	-	3	-	-	-
OTHER MALE	9	1	-	-	-	-	1	-	-	-
OTHER FEMALE	11	1	-	-	-	-	1	-	-	-
CIRRHOSIS OF LIVER 581	21,824	25	13	7	5	2	52	9	26	41
MALE	14,329	14	6	6	2	1	29	5	12	20
FEMALE	7,495	11	7	1	3	1	23	4	14	21
WHITE MALE	12,242	8	5	5	1	1	20	4	12	13
WHITE FEMALE	6,117	7	4	1	2	1	15	2	11	15
NEGRO MALE	1,290	4	1	1	1	-	7	1	-	7
NEGRO FEMALE	895	4	1	-	1	-	6	1	2	6
OTHER MALE	124	1	-	-	-	-	1	-	-	-
OTHER FEMALE	115	-	2	-	-	-	2	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
287	513	1,039	2,078	3,373	4,799	5,967	6,351	6,849	7,996	7,889	7,292	5,508	3,211	1,192	242	34	13	2
142	272	569	1,196	2,003	2,963	3,954	4,251	4,516	5,200	4,695	3,948	2,640	1,410	484	77	5	10	3
145	241	470	882	1,370	1,836	2,013	2,100	2,333	2,796	3,194	3,344	2,868	1,801	708	165	29	3	4
107	182	381	853	1,557	2,487	3,366	3,659	3,843	4,588	4,201	3,614	2,423	1,313	441	70	5	6	5
96	162	272	612	1,036	1,464	1,653	1,729	1,956	2,427	2,860	3,077	2,656	1,688	675	153	25	1	6
30	76	161	272	338	348	385	371	419	354	267	181	98	48	27	5	-	4	7
38	52	159	201	260	268	255	261	259	238	193	146	102	49	15	5	4	2	8
1	5	5	22	15	12	32	37	40	42	43	19	22	13	4	-	-	-	9
6	18	17	24	20	18	17	20	17	9	13	15	12	6	8	2	-	-	10
																		11
																		12
1	2	2	4	4	5	9	5	5	6	3	5	7	3	-	1	-	-	13
-	1	-	2	2	3	5	2	3	3	1	3	4	-	-	-	-	-	14
1	1	2	2	2	2	4	3	2	3	2	2	3	3	-	1	-	-	15
-	1	-	1	1	2	4	2	3	2	1	3	4	-	-	-	-	-	16
1	1	1	-	2	2	4	-	2	2	2	2	3	3	-	-	-	-	17
-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	18
-	-	1	2	-	-	-	3	-	-	-	-	-	-	-	1	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
																		22
14	23	50	127	187	295	456	595	718	894	948	949	594	363	127	13	2	1	23
8	19	36	86	133	208	344	462	547	687	652	622	365	193	57	6	1	-	24
6	4	14	41	54	87	112	133	171	207	296	327	229	170	70	7	1	1	25
5	11	23	64	108	168	280	390	460	586	590	574	336	176	55	4	1	-	26
6	3	10	33	41	76	89	113	143	185	268	304	216	157	68	7	1	1	27
1	6	13	17	20	29	43	49	56	64	33	21	10	6	-	1	-	-	28
-	1	3	6	9	6	15	15	23	14	17	8	9	3	1	-	-	-	29
-	-	-	1	2	-	3	6	7	8	10	2	4	5	-	-	-	-	30
-	-	-	1	2	1	-	-	-	-	2	2	1	2	-	-	-	-	31
																		32
22	39	54	128	190	299	423	539	635	849	817	791	543	315	89	20	-	-	33
16	31	43	93	150	228	336	427	510	677	629	573	362	192	56	7	-	-	34
6	8	11	35	40	71	87	112	125	172	188	218	181	123	33	13	-	-	35
12	17	35	75	118	194	290	376	453	626	579	538	335	185	54	7	-	-	36
4	8	9	30	28	63	76	89	104	155	168	212	168	115	33	12	-	-	37
4	12	7	12	25	27	29	30	30	32	27	18	7	3	2	-	-	-	38
2	-	1	3	11	7	9	15	17	10	10	4	5	5	-	-	-	-	39
-	-	-	3	1	-	4	2	2	1	-	3	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	41
																		42
6	5	3	6	33	30	32	37	40	50	40	44	36	19	9	2	-	1	43
4	5	2	4	21	20	23	27	29	38	29	25	21	9	3	1	-	1	44
2	-	1	2	12	10	9	10	11	12	11	19	15	10	6	1	-	-	45
2	5	1	4	18	17	19	23	21	33	24	25	19	9	2	1	-	-	46
2	-	-	2	9	8	6	8	9	9	9	18	13	10	6	1	-	-	47
2	-	1	-	2	3	4	2	4	3	3	-	1	-	1	-	-	1	48
-	-	1	-	3	2	3	2	2	3	1	1	1	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
26	28	34	48	62	80	117	129	152	190	215	201	145	79	22	2	2	-	53
11	19	23	29	41	52	87	82	107	122	129	114	78	34	9	2	1	-	54
15	9	11	19	21	28	30	47	45	68	86	87	67	45	13	-	1	-	55
10	16	17	24	28	42	69	68	81	107	107	105	69	31	8	2	1	-	56
13	6	7	14	9	18	20	36	31	52	68	75	61	42	13	-	1	-	57
-	3	4	4	9	7	14	11	19	11	17	6	4	3	1	-	-	-	58
2	3	4	5	10	9	7	10	12	12	15	6	2	3	-	-	-	-	59
-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	60
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	61
																		62
21	40	80	128	193	281	423	544	777	1,031	1,347	1,410	1,282	773	290	58	9	3	63
9	15	38	56	75	136	215	284	404	539	690	650	529	323	123	18	2	2	64
12	25	42	72	118	145	208	260	373	492	657	760	753	450	167	40	7	1	65
6	12	25	41	53	99	165	222	322	449	598	571	473	300	107	16	2	-	66
8	20	29	44	80	113	163	202	303	419	586	693	696	420	156	38	7	-	67
2	2	12	14	20	34	32	48	61	61	67	49	35	14	12	2	-	2	68
3	4	12	25	33	29	35	45	55	49	49	37	33	14	5	1	-	1	69
1	-	-	-	1	-	3	1	1	6	2	2	4	1	2	-	-	-	70
-	-	-	-	2	-	1	2	2	1	-	2	1	-	3	-	-	-	71
																		72
																		73
22	8	18	24	32	46	59	82	97	118	189	187	178	121	70	13	5	-	74
10	2	7	10	17	23	36	44	51	61	96	76	68	54	28	3	-	-	75
12	6	11	14	15	23	23	38	46	57	93	111	110	67	42	10	5	-	76
9	1	7	8	12	18	30	35	41	52	82	69	62	47	26	3	-	-	77
5	4	7	10	11	20	17	23	35	50	74	96	98	63	41	8	4	-	78
1	-	-	1	4	4	6	5	8	7	10	4	4	4	2	-	-	-	79
7	2	3	3	3	1	5	11	7	6	18	15	5	2	-	1	1	-	80
-	1	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	81
-	-	1	1	-	1	1	2	2	-	-	-	1	1	-	-	-	-	82
																		83
41	44	59	64	94	143	212	236	369	434	496	555	390	256	90	19	2	-	84
24	13	34	27	43	76	123	117	205	220	245	200	131	71	20	5	-	-	85
17	31	25	37	51	67	89	119	164	214	251	355	259	185	70	14	2	-	86
22	11	31	21	36	67	105	98	185	199	217	180	121	65	20	5	-	-	87
16	26	19	33	45	49	74	94	139	182	233	331	237	169	68	12	1	-	88
1	2	2	2	5	6	13	13	9	11	11	8	5	-	-	-	-	-	89
-	3	4	3	4	8	9	17	16	17	6	8	6	3	1	1	1	-	90
-	-	-	1	-	-	1	-	1	-	3	1	-	1	-	-	-	-	91
-	-	-	-	-	3	1	2	-	-	-	2	1	1	-	-	-	-	92
																		93
51	177	528	1,182	1,999	2,847	3,272	3,094	2,608	2,518	1,665	968	522	200	50	7	1	7	94
21	94	273	685	1,186	1,769	2,195	2,178	1,844	1,816	1,110	632	309	115	27	2	-	7	95
30	83	255	497	813	1,078	1,077	916	764	702	555	336	213	85	23	5	1	-	96
12	57	173	468	932	1,508	1,915	1,924	1,586	1,617	999	587	277	106	24	2	-	6	97
13	37	128	331	629	859	904	784	657	616	501	305	202	79	23	5	1	-	98
9	33	83	171	181	179	175	135	141	88	36	20	15	6	2	-	-	1	99
12	28	101	112	141	147	114	80	52	50	20	15	5	3	-	-	-	-	100
-	3	4	15	6	8	14	21	18	13	14	4	2	1	-	-	-	-	101
4	14	14	20	12	11	9	12	8	5	3	1	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
CIRRHOSIS OF LIVER--CON.										
WITHOUT MENTION OF ALCOHOLISM.....581.0	14,612	25	13	7	5	2	52	9	26	39
MALE....	9,308	14	6	6	2	1	29	5	12	18
FEMALE..	5,304	11	7	1	3	1	23	4	14	21
WHITE.....MALE....	7,957	8	5	5	1	1	20	4	12	12
FEMALE..	4,345	7	4	1	2	1	15	2	11	15
NEGRO.....MALE....	814	4	1	1	1	-	7	1	-	6
FEMALE..	604	4	1	-	1	-	6	1	2	6
OTHER.....MALE....	74	1	-	-	-	-	1	-	-	-
FEMALE..	59	-	2	-	-	-	2	-	-	-
WITH ALCOHOLISM.....581.1	7,212	-	-	-	-	-	-	-	-	2
MALE....	5,021	-	-	-	-	-	-	-	-	2
FEMALE..	2,191	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	4,285	-	-	-	-	-	-	-	-	1
FEMALE..	1,772	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	476	-	-	-	-	-	-	-	-	1
FEMALE..	291	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	50	-	-	-	-	-	-	-	-	-
FEMALE..	56	-	-	-	-	-	-	-	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	4,831	5	-	-	-	-	5	1	1	9
MALE....	2,014	3	-	-	-	-	3	1	1	2
FEMALE..	2,817	2	-	-	-	-	2	-	-	7
WHITE.....MALE....	1,843	2	-	-	-	-	2	1	-	1
FEMALE..	2,538	2	-	-	-	-	2	-	-	7
NEGRO.....MALE....	70	1	-	-	-	-	1	-	1	1
FEMALE..	151	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	30	-	-	-	-	-	-	-	-	-
FEMALE..	34	-	-	-	-	-	-	-	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	639	233	46	49	38	29	395	135	59	28
MALE....	314	127	18	26	10	10	191	64	30	12
FEMALE..	325	106	28	23	28	19	204	71	29	16
WHITE.....MALE....	294	113	18	25	10	9	175	62	30	12
FEMALE..	302	96	27	20	26	19	188	66	28	15
NEGRO.....MALE....	13	11	-	-	-	-	11	-	-	-
FEMALE..	16	10	1	1	2	-	14	1	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	11,032	304	28	18	15	15	380	32	22	57
MALE....	6,075	165	19	8	6	12	210	17	9	26
FEMALE..	4,957	139	9	10	9	3	170	15	13	31
WHITE.....MALE....	5,128	117	11	7	3	7	145	13	5	19
FEMALE..	4,220	96	3	6	8	1	114	12	10	17
NEGRO.....MALE....	713	41	8	1	2	3	55	3	3	5
FEMALE..	558	39	5	2	1	2	49	2	2	11
OTHER.....MALE....	57	2	-	-	-	-	2	1	1	-
FEMALE..	34	3	1	2	-	-	6	-	1	1
X. DISEASES OF THE GENITOURINARY SYSTEM.....	30,809	198	51	34	32	31	346	160	191	269
MALE....	18,563	126	30	26	14	17	213	84	97	150
FEMALE..	12,246	72	21	8	18	14	133	76	94	119
WHITE.....MALE....	14,667	83	21	16	11	11	142	60	75	118
FEMALE..	9,344	47	15	5	12	12	91	62	76	91
NEGRO.....MALE....	3,183	36	8	9	2	5	60	19	17	24
FEMALE..	2,359	20	6	3	5	1	35	9	13	22
OTHER.....MALE....	177	1	-	1	-	1	3	2	3	2
FEMALE..	119	3	-	-	-	1	4	1	2	1
NEPHRITIS AND NEPHROSIS.....590-594	12,945	89	33	26	26	25	199	134	152	207
MALE....	7,232	46	20	20	13	16	115	71	73	125
FEMALE..	5,713	43	13	6	13	9	84	63	79	82
WHITE.....MALE....	5,551	32	15	11	10	10	78	48	54	101
FEMALE..	4,219	29	9	3	8	9	58	52	62	66
NEGRO.....MALE....	1,382	10	4	8	2	5	29	18	14	18
FEMALE..	1,233	12	4	3	4	-	23	7	12	12
OTHER.....MALE....	92	-	-	1	-	1	2	2	3	1
FEMALE..	68	2	-	-	-	-	2	1	2	-
ACUTE NEPHRITIS.....590	721	19	9	9	11	10	58	31	26	19
MALE....	412	9	4	8	3	7	31	18	13	12
FEMALE..	309	10	5	1	8	3	27	13	13	7
WHITE.....MALE....	304	6	2	3	1	3	15	7	10	9
FEMALE..	224	7	3	-	3	3	16	10	8	4
NEGRO.....MALE....	90	2	2	4	2	4	14	9	1	2
FEMALE..	66	3	2	1	4	-	10	2	3	2
OTHER.....MALE....	5	-	-	1	-	-	1	-	1	1
FEMALE..	2	-	-	-	-	-	-	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	852	23	11	7	13	9	63	36	19	29
MALE....	489	11	6	6	10	5	38	18	12	19
FEMALE..	363	12	5	1	3	4	25	18	7	10
WHITE.....MALE....	393	8	5	4	9	5	31	16	11	16
FEMALE..	280	9	4	1	3	4	21	18	6	9
NEGRO.....MALE....	81	1	-	2	-	-	3	1	1	2
FEMALE..	69	2	1	-	-	-	3	-	1	1
OTHER.....MALE....	6	-	-	-	-	-	-	1	-	-
FEMALE..	5	1	-	-	-	-	1	-	-	-
CHRONIC & UNSPECIFIED NEPHRITIS & OTHER RENAL SCLEROSIS.....592-594	11,372	47	13	10	2	6	78	67	107	159
MALE....	6,331	26	10	6	-	4	46	35	48	94
FEMALE..	5,041	21	3	4	2	2	32	32	59	65
WHITE.....MALE....	4,854	18	8	4	-	2	32	25	33	76
FEMALE..	3,715	13	2	2	2	2	21	24	48	53
NEGRO.....MALE....	1,211	7	2	2	-	1	12	8	12	14
FEMALE..	1,098	7	1	2	-	-	10	5	8	9
OTHER.....MALE....	81	-	-	-	-	1	1	1	2	-
FEMALE..	61	1	-	-	-	-	1	1	2	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
42	106	298	704	1,149	1,733	2,023	2,032	1,812	1,786	1,310	808	445	180	45	7	1	5	3
16	63	141	401	671	1,053	1,307	1,393	1,252	1,219	840	508	250	99	24	2	-	5	4
26	43	157	303	478	680	716	639	560	567	470	300	195	81	21	5	1	-	5
11	40	93	272	520	863	1,133	1,233	1,062	1,087	756	473	225	92	22	2	-	5	6
11	23	81	197	368	538	585	539	476	502	421	274	184	76	21	5	1	-	7
5	22	42	104	102	117	104	87	100	57	29	15	11	4	1	-	-	-	8
12	13	64	69	79	95	84	63	37	35	18	13	5	2	-	-	-	-	9
-	-	1	6	3	4	7	10	17	11	8	4	1	1	-	-	-	-	10
2	4	5	8	7	2	6	9	7	5	2	-	-	-	-	-	-	-	11
																		12
9	71	230	478	850	1,114	1,249	1,062	796	732	355	160	77	20	5	-	-	2	13
5	31	132	284	515	716	888	785	592	597	270	124	59	16	3	-	-	2	14
4	40	98	194	335	398	361	277	204	135	85	36	18	4	2	-	-	-	15
1	17	80	196	412	625	782	691	524	530	243	114	52	14	2	-	-	1	16
2	14	47	134	261	321	319	245	181	114	80	31	18	3	2	-	-	-	17
4	11	41	67	79	62	71	48	41	31	7	5	4	2	1	-	-	1	18
-	15	37	43	62	52	30	17	15	15	2	2	-	1	-	-	-	-	19
-	3	3	9	3	4	7	11	1	2	6	-	1	-	-	-	-	-	20
2	10	9	12	5	9	3	3	1	-	1	1	-	-	-	-	-	-	21
																		22
8	23	26	51	71	120	190	262	398	655	802	878	707	415	167	40	2	-	23
2	6	9	23	28	56	84	120	178	297	367	362	269	147	48	11	-	-	24
6	17	17	28	43	64	106	142	220	358	435	516	438	268	119	29	2	-	25
2	4	7	19	20	51	74	105	162	276	342	330	256	139	41	11	-	-	26
4	14	12	19	35	54	83	122	189	322	392	481	410	249	114	27	2	-	27
-	-	2	2	4	3	6	7	8	8	9	14	2	1	1	-	-	-	28
-	-	2	6	5	8	15	14	23	20	21	15	11	9	2	-	-	-	29
-	1	-	1	1	-	1	2	3	5	3	5	5	2	1	-	-	-	30
2	1	1	2	1	-	2	1	3	2	4	5	5	2	2	1	-	-	31
																		32
10	2	1	-	2	1	2	-	-	3	1	-	-	-	-	-	-	-	33
7	2	1	-	2	1	1	-	-	2	1	-	-	-	-	-	-	-	34
3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	35
7	2	-	-	1	1	1	-	-	2	1	-	-	-	-	-	-	-	36
3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	37
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
																		42
65	122	184	316	506	652	772	828	1,050	1,248	1,366	1,304	1,104	667	278	67	11	1	43
30	65	103	181	305	391	505	508	638	738	746	691	504	272	113	22	1	-	44
35	57	81	135	201	261	267	320	412	510	620	613	600	395	165	45	10	1	45
20	45	62	128	230	320	414	416	529	639	661	632	471	255	104	19	1	-	46
21	43	50	96	147	202	216	258	344	434	559	560	552	381	153	43	8	-	47
10	18	36	48	66	55	62	71	83	69	54	41	15	11	6	2	-	-	48
12	11	27	36	41	51	43	49	52	57	36	37	25	7	6	1	2	1	49
-	-	1	1	3	3	6	5	8	7	9	1	6	2	1	-	-	-	50
-	3	1	-	2	2	2	1	2	1	3	3	3	-	3	-	-	-	51
																		52
																		53
388	443	601	846	1,041	1,299	1,608	2,014	2,511	3,374	3,945	4,279	3,668	2,553	978	251	33	11	54
215	217	278	374	514	669	837	1,141	1,460	2,131	2,550	2,781	2,356	1,676	633	161	22	4	55
173	226	323	472	527	630	771	873	1,051	1,243	1,395	1,498	1,312	877	345	90	11	7	56
177	178	206	258	344	458	552	798	1,035	1,603	2,054	2,353	2,057	1,478	570	136	13	2	57
121	147	200	278	337	405	490	618	721	947	1,127	1,300	1,157	787	302	75	7	5	58
24	36	58	100	145	181	246	293	357	446	389	334	233	139	52	20	9	1	59
40	63	105	164	167	195	242	221	275	230	205	148	111	69	30	9	4	2	60
5	1	4	2	10	9	14	18	11	20	24	20	12	13	2	1	-	1	61
4	8	4	9	6	9	14	7	11	19	7	6	2	2	1	2	-	-	62
																		63
290	311	387	500	622	723	833	951	1,060	1,282	1,359	1,457	1,216	834	316	96	11	5	64
175	178	224	277	373	436	478	572	590	754	768	782	599	434	152	47	7	2	65
115	133	163	223	249	287	355	379	470	528	591	675	617	400	164	49	4	3	66
148	147	165	197	252	311	330	430	420	570	603	651	515	368	124	36	2	1	67
88	93	103	126	158	160	227	256	304	386	459	560	534	347	136	41	2	1	68
18	29	46	67	99	108	123	120	137	151	138	104	72	51	24	10	5	1	69
19	32	48	82	77	112	108	106	139	118	106	97	65	41	19	6	2	2	70
2	1	4	2	9	8	11	7	7	9	10	5	2	6	1	-	-	-	71
4	3	4	4	3	4	8	5	8	9	4	3	1	2	1	-	-	-	72
																		73
25	27	19	28	44	40	34	56	46	44	54	73	49	30	16	2	-	-	74
15	15	9	15	26	25	25	33	23	24	34	43	23	21	7	-	-	-	75
10	12	10	13	18	15	9	23	23	20	20	30	26	9	9	2	-	-	76
12	14	4	12	17	17	16	25	17	22	28	34	20	18	7	-	-	-	77
6	9	6	5	10	9	7	16	19	17	16	26	24	8	6	2	-	-	78
3	1	4	2	8	5	8	8	5	2	5	8	3	2	-	-	-	-	79
4	1	2	6	7	4	1	7	2	3	2	4	2	1	3	-	-	-	80
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	82
																		83
26	16	32	30	33	51	54	56	72	81	88	64	55	31	9	6	1	-	84
14	7	19	15	20	28	26	34	44	53	51	33	33	19	3	2	1	-	85
12	9	13	15	13	23	28	22	28	28	37	31	22	12	6	4	-	-	86
14	4	14	10	16	21	17	25	33	42	42	29	30	18	3	1	-	-	87
8	7	7	8	7	15	18	17	23	23	33	21	19	11	5	4	-	-	88
-	3	5	5	2	7	9	7	9	10	7	4	3	1	-	1	1	-	89
4	1	6	6	4	6	7	4	4	3	4	10	3	1	1	-	-	-	90
-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	91
-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	92
																		93
239	268	336	442	545	632	745	839	942	1,157	1,217	1,320	1,112	773	291	88	10	5	94
146	156	196	247	327	383	427	505	523	677	683	706	543	394	142	45	6	2	95
93	112	140	195	218	249	318	334	419	480	534	614	569	379	149	43	4	3	96
122	129	147	175	219	273	297	380	370	506	533	588	465	332	114	35	2	1	97
74	77	90	113	141	136	202	223	262	346	410	513	491	328	125	35	2	1	98
15	25	37	60	89	96	106	105	123	139	126	92	66	48	24	9	4	1	99
11	30	40	70	66	102	100	95	133	112	100	83	60	39	15	6	2	2	100
2	1	4	2	8	7	10	6	5	8	10	5	2	6	1	-	-	-	101
4	3	4	4	2	2	7	5	7	8	4	3	1	2	1	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
INFECTIONS OF KIDNEY....600	8,744	41	7	6	3	4	61	18	22	35
MALE....	4,306	30	1	4	-	1	36	9	13	15
FEMALE..	4,438	11	6	2	3	3	25	9	9	20
WHITE.....MALE....	3,368	15	1	3	-	1	20	9	13	10
FEMALE..	3,490	8	4	2	3	1	18	7	9	15
NEGRO.....MALE....	794	14	-	1	-	-	15	-	-	4
FEMALE..	755	3	2	-	-	1	6	1	-	4
OTHER.....MALE....	30	-	-	-	-	-	-	-	-	1
FEMALE..	36	-	-	-	-	1	1	-	-	-
CALCULI OF URINARY SYSTEM....602,604	1,300	-	-	-	-	-	-	-	3	1
MALE....	687	-	-	-	-	-	-	-	2	-
FEMALE..	613	-	-	-	-	-	-	-	1	1
WHITE.....MALE....	588	-	-	-	-	-	-	-	2	-
FEMALE..	513	-	-	-	-	-	-	-	1	1
NEGRO.....MALE....	57	-	-	-	-	-	-	-	-	-
FEMALE..	67	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	2,357	65	9	2	3	2	81	7	11	13
MALE....	1,549	47	8	2	1	-	58	3	9	9
FEMALE..	808	18	1	-	2	2	23	4	2	4
WHITE.....MALE....	1,213	33	5	2	1	-	41	2	6	6
FEMALE..	658	10	1	-	1	2	14	3	1	3
NEGRO.....MALE....	288	12	3	-	-	-	15	1	3	2
FEMALE..	126	5	-	-	1	-	6	1	1	1
OTHER.....MALE....	17	1	-	-	-	-	1	-	-	-
FEMALE..	4	1	-	-	-	-	1	-	-	-
HYPERPLASIA OF PROSTATE....610	4,283	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	3,519	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	597	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	25	-	-	-	-	-	-	-	-	-
DISEASES OF BREAST....620,621	13	-	-	-	-	-	-	-	-	-
MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	13	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....611-617,622-637	1,167	3	2	-	-	-	5	1	3	13
MALE....	506	3	1	-	-	-	4	1	-	1
FEMALE..	661	-	1	-	-	-	1	-	3	12
WHITE.....MALE....	428	3	-	-	-	-	3	1	-	1
FEMALE..	453	-	1	-	-	-	1	-	3	6
NEGRO.....MALE....	65	-	1	-	-	-	1	-	-	-
FEMALE..	176	-	-	-	-	-	-	-	-	5
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	1
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM....	1,465	-	-	-	-	-	-	-	3	112
WHITE.....FEMALE..	807	-	-	-	-	-	-	-	-	48
NEGRO.....FEMALE..	581	-	-	-	-	-	-	-	3	61
OTHER.....FEMALE..	34	-	-	-	-	-	-	-	-	2
SEPSIS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM...640,641,681,682,684	170	-	-	-	-	-	-	-	-	13
WHITE.....FEMALE..	108	-	-	-	-	-	-	-	-	8
NEGRO.....FEMALE..	56	-	-	-	-	-	-	-	-	5
OTHER.....FEMALE..	3	-	-	-	-	-	-	-	-	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA....642,685,686	234	-	-	-	-	-	-	-	-	33
WHITE.....FEMALE..	115	-	-	-	-	-	-	-	-	13
NEGRO.....FEMALE..	108	-	-	-	-	-	-	-	-	20
OTHER.....FEMALE..	4	-	-	-	-	-	-	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH....643,644,670-672	259	-	-	-	-	-	-	-	2	8
WHITE.....FEMALE..	148	-	-	-	-	-	-	-	-	4
NEGRO.....FEMALE..	92	-	-	-	-	-	-	-	2	3
OTHER.....FEMALE..	10	-	-	-	-	-	-	-	-	1
ECTOPIC PREGNANCY....645	99	-	-	-	-	-	-	-	-	7
WHITE.....FEMALE..	32	-	-	-	-	-	-	-	-	3
NEGRO.....FEMALE..	58	-	-	-	-	-	-	-	-	3
OTHER.....FEMALE..	4	-	-	-	-	-	-	-	-	1
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA....650	79	-	-	-	-	-	-	-	1	9
WHITE.....FEMALE..	47	-	-	-	-	-	-	-	-	6
NEGRO.....FEMALE..	30	-	-	-	-	-	-	-	1	3
OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-
ABORTION WITH SEPSIS....651	213	-	-	-	-	-	-	-	-	15
WHITE.....FEMALE..	96	-	-	-	-	-	-	-	-	-
NEGRO.....FEMALE..	109	-	-	-	-	-	-	-	-	15
OTHER.....FEMALE..	3	-	-	-	-	-	-	-	-	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS....652	13	-	-	-	-	-	-	-	-	2
WHITE.....FEMALE..	6	-	-	-	-	-	-	-	-	1
NEGRO.....FEMALE..	6	-	-	-	-	-	-	-	-	1
OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
48	61	112	210	238	338	460	632	814	1,078	1,203	1,278	1,039	754	270	60	9	4	2
25	23	32	71	95	141	185	288	399	564	641	687	527	388	133	30	4	-	3
23	38	80	139	143	197	275	344	415	514	562	591	512	366	137	30	5	4	4
20	18	26	43	57	89	118	190	289	423	513	568	455	352	128	25	2	-	5
18	25	47	88	89	137	166	245	285	401	458	530	457	336	127	25	3	4	6
4	5	5	26	35	47	60	86	96	126	100	95	55	25	5	3	2	-	7
4	9	29	42	47	51	96	83	112	84	77	37	37	23	8	3	2	-	8
1	-	-	-	1	1	-	6	-	3	7	4	3	2	-	1	-	-	9
-	2	-	3	3	5	5	2	1	7	2	3	1	-	-	1	-	-	10
																		11
																		12
3	12	13	26	47	72	98	118	153	204	209	160	104	57	13	6	-	1	13
2	6	3	9	13	36	52	63	79	118	121	92	50	30	7	3	-	1	14
1	6	10	17	34	36	46	55	74	86	88	68	54	27	6	3	-	-	15
2	6	3	8	11	28	36	51	61	97	112	85	48	28	7	3	-	-	16
1	4	9	12	27	30	33	49	60	71	77	56	49	25	6	2	-	-	17
-	-	-	-	2	3	11	6	11	13	3	4	2	2	-	-	-	-	18
-	1	1	3	7	5	11	5	8	8	7	9	1	1	-	-	-	-	19
-	-	-	-	-	-	3	1	2	3	-	1	-	-	-	-	-	1	20
-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	21
																		22
17	15	29	33	60	75	126	161	180	267	346	342	292	196	86	15	5	-	23
11	9	17	17	29	38	82	108	119	194	229	224	194	131	55	10	3	-	24
6	6	12	16	31	37	44	53	61	73	117	118	98	65	31	5	2	-	25
6	7	10	10	21	22	50	68	81	153	183	194	169	119	53	10	2	-	26
4	5	8	9	18	25	32	39	48	53	102	111	89	61	27	4	2	-	27
1	1	7	7	8	13	31	35	35	31	39	27	21	9	1	-	1	-	28
2	1	4	7	13	11	11	14	11	16	12	4	6	3	2	-	-	-	29
2	-	-	-	-	-	-	3	1	2	4	2	1	1	-	-	-	-	30
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	31
																		32
-	-	1	-	2	9	31	90	246	446	714	898	906	616	252	66	5	1	33
-	-	1	-	1	3	13	46	163	315	576	774	797	541	227	57	4	1	34
-	-	-	-	1	6	18	40	72	117	100	91	77	48	19	7	1	-	35
-	-	-	-	-	-	-	1	1	3	3	8	5	3	1	-	-	-	36
																		37
																		38
-	-	1	1	1	1	-	3	-	2	-	1	1	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	1	1	1	1	-	3	-	2	-	1	1	1	-	1	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	1	-	1	1	-	2	-	2	-	1	1	1	-	1	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
																		48
																		49
30	44	58	76	71	81	60	59	58	95	114	143	110	95	41	7	3	-	50
2	1	1	-	2	9	9	20	27	55	77	98	80	77	34	5	3	-	51
28	43	57	76	69	72	51	39	31	40	37	45	30	18	7	2	-	-	52
1	-	1	-	2	5	5	13	21	45	67	81	73	70	31	5	3	-	53
10	20	32	43	44	52	32	27	24	34	31	42	27	17	6	2	-	-	54
1	1	-	-	-	4	3	6	6	8	9	13	6	4	3	-	-	-	55
15	20	23	29	23	16	16	12	5	4	3	1	2	1	1	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	57
-	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	58
																		59
																		60
																		61
269	308	373	273	120	7	-	-	-	-	-	-	-	-	-	-	-	-	62
155	181	201	149	68	5	-	-	-	-	-	-	-	-	-	-	-	-	63
102	111	149	107	46	2	-	-	-	-	-	-	-	-	-	-	-	-	64
7	4	9	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	65
																		66
																		67
34	42	43	25	12	1	-	-	-	-	-	-	-	-	-	-	-	-	68
20	33	25	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-	69
13	9	16	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
																		72
																		73
56	42	44	38	20	1	-	-	-	-	-	-	-	-	-	-	-	-	74
34	23	20	15	10	-	-	-	-	-	-	-	-	-	-	-	-	-	75
18	16	21	23	9	1	-	-	-	-	-	-	-	-	-	-	-	-	76
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
																		78
27	53	68	72	27	2	-	-	-	-	-	-	-	-	-	-	-	-	79
20	28	44	34	16	2	-	-	-	-	-	-	-	-	-	-	-	-	80
5	21	21	31	9	-	-	-	-	-	-	-	-	-	-	-	-	-	81
2	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	82
																		83
19	25	29	10	8	1	-	-	-	-	-	-	-	-	-	-	-	-	84
8	6	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	85
10	17	16	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
																		88
16	15	21	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	89
10	8	10	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	90
6	6	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
50	61	49	29	9	-	-	-	-	-	-	-	-	-	-	-	-	-	94
21	30	24	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-	95
26	28	23	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	96
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
																		98
1	2	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	100
1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

716 - 533 O - 64 - 10

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM, AND DELIVERY WITHOUT MENTION OF COMPLICATION.....RESIDUAL	398	-	-	-	-	-	-	-	-	25
WHITE.....FEMALE..	255	-	-	-	-	-	-	-	-	13
NEGRO.....FEMALE..	122	-	-	-	-	-	-	-	-	11
OTHER.....FEMALE..	10	-	-	-	-	-	-	-	-	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,219	51	7	2	9	5	74	13	30	36
MALE....	840	38	1	1	6	4	50	5	8	10
FEMALE..	1,379	13	6	1	3	1	24	8	22	26
WHITE.....MALE....	681	32	1	-	3	4	40	2	6	7
FEMALE..	1,102	9	3	1	3	1	17	7	16	17
NEGRO.....MALE....	119	6	-	1	3	-	10	2	2	3
FEMALE..	228	4	3	-	-	-	7	1	5	8
OTHER.....MALE....	11	-	-	-	-	-	-	1	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	570	32	4	1	7	2	46	3	3	4
MALE....	303	24	1	1	5	1	32	2	1	1
FEMALE..	267	8	3	-	2	1	14	1	2	3
WHITE.....MALE....	251	21	1	-	3	1	26	1	1	-
FEMALE..	224	5	2	-	2	1	10	-	2	2
NEGRO.....MALE....	37	3	-	1	2	-	6	1	-	1
FEMALE..	33	3	1	-	-	-	4	1	-	1
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,649	19	3	1	2	3	28	10	27	32
MALE....	537	14	-	-	1	3	18	3	7	9
FEMALE..	1,112	5	3	1	1	-	10	7	20	23
WHITE.....MALE....	430	11	-	-	-	3	14	1	5	7
FEMALE..	878	4	1	1	1	-	7	7	14	15
NEGRO.....MALE....	82	3	-	-	1	-	4	1	2	2
FEMALE..	195	1	2	-	-	-	3	-	5	7
OTHER.....MALE....	5	-	-	-	-	-	-	1	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.....	3,593	103	20	10	6	4	143	30	71	135
MALE....	1,610	60	9	9	1	3	82	16	49	125
FEMALE..	1,983	43	11	1	5	1	61	14	22	10
WHITE.....MALE....	1,441	54	7	8	-	3	72	12	46	113
FEMALE..	1,757	40	10	-	4	1	55	13	18	9
NEGRO.....MALE....	118	5	2	1	1	-	9	4	3	9
FEMALE..	158	3	-	1	-	-	4	-	3	1
OTHER.....MALE....	11	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	1	-	-	-	1	1	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	1,963	-	-	-	2	-	2	3	5	5
MALE....	711	-	-	-	-	-	-	-	3	4
FEMALE..	1,252	-	-	-	2	-	2	3	2	1
WHITE.....MALE....	650	-	-	-	-	-	-	-	2	3
FEMALE..	1,130	-	-	-	2	-	2	3	2	1
NEGRO.....MALE....	42	-	-	-	-	-	-	-	1	1
FEMALE..	88	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	37	-	-	-	-	-	-	-	-	1
MALE....	18	-	-	-	-	-	-	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	190	1	-	1	-	-	2	4	1	3
MALE....	112	1	-	1	-	-	2	2	-	2
FEMALE..	78	-	-	-	-	-	-	2	1	1
WHITE.....MALE....	88	1	-	-	-	-	1	2	-	2
FEMALE..	60	-	-	-	-	-	-	2	-	1
NEGRO.....MALE....	19	-	-	1	-	-	1	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....737,745-749	99	8	-	1	-	-	9	3	5	4
MALE....	45	3	-	1	-	-	4	1	-	2
FEMALE..	54	5	-	-	-	-	5	2	5	2
WHITE.....MALE....	43	3	-	1	-	-	4	1	-	1
FEMALE..	48	4	-	-	-	-	4	1	4	2
NEGRO.....MALE....	2	-	-	-	-	-	-	-	-	1
FEMALE..	3	1	-	-	-	-	1	-	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	555	79	14	7	2	3	105	15	53	117
MALE....	415	46	6	6	-	3	61	11	43	114
FEMALE..	140	33	8	1	2	-	44	4	10	3
WHITE.....MALE....	383	41	4	6	-	3	54	9	42	105
FEMALE..	125	31	8	-	1	-	40	4	10	3
NEGRO.....MALE....	23	4	2	-	-	-	6	2	1	6
FEMALE..	13	2	-	1	-	-	3	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
66	68	114	83	41	1	-	-	-	-	-	-	-	-	-	-	-	-	3
42	52	67	54	26	1	-	-	-	-	-	-	-	-	-	-	-	-	4
23	13	39	23	13	-	-	-	-	-	-	-	-	-	-	-	-	-	5
1	-	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
																		7
																		8
41	46	53	85	91	124	166	164	160	226	239	213	207	158	64	21	7	1	9
10	12	14	25	22	49	62	70	71	108	90	88	71	50	20	2	3	-	10
31	34	39	60	69	75	104	94	89	118	149	125	136	108	44	19	4	1	11
9	6	9	18	15	39	50	57	56	83	75	76	63	46	19	2	3	-	12
21	23	22	42	52	53	73	77	69	100	123	111	124	94	41	17	2	1	13
1	4	5	6	7	8	7	9	12	18	10	9	3	3	-	-	-	-	14
7	10	15	16	16	20	24	14	19	12	21	8	11	8	2	2	2	-	15
-	-	-	-	-	1	3	-	1	1	-	1	2	1	-	-	-	-	16
2	-	-	-	-	1	3	1	1	-	1	-	-	2	-	-	-	-	17
																		18
																		19
6	7	7	11	7	24	30	34	36	62	72	63	62	58	28	6	1	-	20
4	4	5	4	3	11	17	24	21	41	36	33	25	26	11	2	-	-	21
2	3	2	7	4	13	13	10	15	21	36	30	37	32	17	4	1	-	22
4	3	2	2	1	7	14	22	16	33	31	29	22	24	11	2	-	-	23
1	2	1	6	3	6	8	9	11	19	29	29	35	30	16	4	1	-	24
-	1	3	1	2	3	-	2	4	5	2	3	1	2	-	-	-	-	25
-	1	1	1	1	6	3	-	4	1	5	1	2	1	-	-	-	-	26
-	-	-	-	-	1	2	-	-	1	-	-	2	-	-	-	-	-	27
1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	28
																		29
																		30
35	39	46	74	84	100	136	130	124	164	167	150	145	100	36	15	6	1	31
6	8	9	21	19	38	45	46	50	67	54	55	46	24	9	-	3	-	32
29	31	37	53	65	62	91	84	74	97	113	95	99	76	27	15	3	1	33
5	3	7	16	14	32	36	35	40	50	44	47	41	22	8	-	3	-	34
20	21	21	36	49	47	65	68	58	81	94	82	89	64	25	13	1	1	35
1	3	2	5	5	5	7	7	8	13	8	6	2	1	-	-	-	-	36
7	9	14	15	15	14	21	14	15	11	16	7	9	7	2	2	2	-	37
-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	38
1	-	-	-	-	-	2	-	1	-	-	-	-	2	-	-	-	-	39
																		40
																		41
79	36	47	71	97	137	198	262	319	468	445	430	315	224	71	14	1	-	42
64	26	23	32	44	71	96	131	149	191	161	143	109	72	25	1	-	-	43
15	10	24	39	53	66	102	131	170	277	284	287	206	152	46	13	1	-	44
59	24	22	27	38	61	88	113	131	173	147	127	101	65	21	1	-	-	45
9	6	17	31	42	51	85	112	149	253	253	264	193	143	41	12	1	-	46
3	1	-	4	6	7	7	11	15	11	8	9	6	1	4	-	-	-	47
4	4	4	7	9	13	12	12	17	17	21	16	6	4	3	1	-	-	48
1	-	1	1	-	-	-	3	-	-	1	1	-	3	-	-	-	-	49
-	-	2	1	-	-	1	1	1	1	-	2	1	2	-	-	-	-	50
																		51
																		52
1	4	14	14	33	60	115	176	216	322	293	292	213	146	42	7	-	-	53
1	1	7	7	16	24	51	83	99	120	90	80	69	43	13	-	-	-	54
-	3	7	7	17	36	64	93	117	202	203	212	144	103	29	7	-	-	55
-	1	7	6	14	22	47	77	90	113	83	71	63	39	12	-	-	-	56
-	2	4	7	14	30	53	80	104	190	178	194	136	97	27	6	-	-	57
1	-	-	-	2	1	3	3	9	4	4	5	6	1	1	-	-	-	58
-	1	1	-	3	6	7	9	12	9	19	14	2	3	1	1	-	-	59
-	-	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	60
-	-	1	-	-	-	1	1	1	-	-	1	1	1	-	-	-	-	61
																		62
																		63
1	1	-	2	2	2	4	2	5	8	-	3	1	2	3	-	-	-	64
-	-	-	1	-	1	1	2	4	5	-	2	-	-	2	-	-	-	65
1	1	-	1	2	1	3	-	1	3	-	1	1	2	1	-	-	-	66
-	-	-	1	-	1	1	1	4	4	-	2	-	-	2	-	-	-	67
-	1	-	-	2	-	2	-	1	3	-	1	1	2	1	-	-	-	68
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	69
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
																		73
3	2	4	7	10	14	13	12	12	25	22	20	17	11	8	-	-	-	74
3	1	2	5	7	10	9	8	8	16	9	10	9	4	5	-	-	-	75
-	1	2	2	3	4	4	4	4	9	13	10	8	7	3	-	-	-	76
3	1	2	3	4	8	7	8	6	12	7	8	9	2	3	-	-	-	77
-	-	2	1	2	3	3	2	2	5	11	10	8	5	3	-	-	-	78
-	-	-	2	3	2	2	-	-	3	2	2	-	-	2	-	-	-	79
-	1	-	1	1	1	-	-	1	2	2	-	-	1	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	81
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	82
																		83
3	1	3	3	6	8	12	5	8	8	6	5	9	1	-	-	-	-	84
1	1	1	1	2	7	6	2	5	3	3	1	5	-	-	-	-	-	85
2	-	2	2	4	1	6	3	3	5	3	4	4	1	-	-	-	-	86
1	1	1	1	2	7	6	2	4	3	3	1	5	-	-	-	-	-	87
1	-	2	2	3	1	6	3	3	5	3	4	3	1	-	-	-	-	88
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
59	18	13	12	15	20	27	24	17	23	20	9	7	1	-	-	-	-	94
57	17	9	7	5	15	18	15	10	12	11	6	3	1	-	-	-	-	95
2	1	4	5	10	5	9	9	7	11	9	3	4	-	-	-	-	-	96
54	16	9	7	5	13	16	13	9	10	11	6	3	1	-	-	-	-	97
2	1	1	2	10	3	8	9	6	10	9	3	4	-	-	-	-	-	98
1	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	99
-	-	3	3	-	1	1	-	1	1	-	-	-	-	-	-	-	-	100
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	749	15	6	1	2	1	25	5	7	5
MALE....	309	10	3	1	1	-	15	2	3	3
FEMALE..	440	5	3	-	1	1	10	3	4	2
WHITE.....MALE....	261	9	3	1	-	-	13	-	2	2
FEMALE..	380	5	2	-	1	1	9	3	2	2
NEGRO.....MALE....	30	1	-	-	1	-	2	2	1	1
FEMALE..	39	-	-	-	-	-	-	-	2	-
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	1	-	-	-	1	-	-	-
XIV. CONGENITAL MALFORMATIONS.....	21,192	14,832	928	432	320	200	16,712	695	492	418
MALE....	11,562	8,192	446	227	168	96	9,129	374	257	247
FEMALE..	9,630	6,640	482	205	152	104	7,583	321	235	171
WHITE.....MALE....	9,671	6,835	348	176	135	74	7,568	318	222	216
FEMALE..	8,141	5,618	401	157	121	86	6,383	267	203	137
NEGRO.....MALE....	1,388	995	72	43	28	16	1,154	44	23	25
FEMALE..	1,094	755	63	37	23	16	894	38	21	27
OTHER.....MALE....	131	101	7	3	2	1	114	2	2	2
FEMALE..	98	74	5	2	2	1	84	5	1	-
SPINA BIFIDA AND MENINGOCELE.....751	1,511	1,333	68	17	13	4	1,435	16	16	23
MALE....	645	565	27	7	6	-	605	8	5	13
FEMALE..	866	768	41	10	7	4	830	8	11	10
WHITE.....MALE....	574	500	26	5	5	-	536	8	4	13
FEMALE..	802	709	39	10	7	4	769	7	9	10
NEGRO.....MALE....	52	47	-	2	1	-	50	-	1	-
FEMALE..	45	41	2	-	-	-	43	1	1	-
OTHER.....MALE....	5	5	-	-	-	-	5	-	-	-
FEMALE..	3	3	-	-	-	-	3	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,153	1,328	233	113	90	44	1,808	160	73	33
MALE....	1,101	680	111	55	45	26	917	89	30	23
FEMALE..	1,052	648	122	58	45	18	891	71	43	10
WHITE.....MALE....	911	567	86	44	40	20	757	78	25	18
FEMALE..	871	544	109	41	37	15	746	52	36	7
NEGRO.....MALE....	146	90	18	8	5	5	126	7	2	4
FEMALE..	137	75	10	15	8	3	111	15	5	1
OTHER.....MALE....	9	4	2	1	-	-	7	1	-	-
FEMALE..	17	13	1	-	-	-	14	2	1	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	10,653	7,180	469	219	167	128	8,163	417	329	295
MALE....	6,000	4,202	230	114	83	59	4,688	217	184	160
FEMALE..	4,653	2,978	239	105	84	69	3,475	200	145	135
WHITE.....MALE....	5,020	3,520	171	89	65	44	3,889	181	158	139
FEMALE..	3,859	2,458	185	79	64	58	2,844	169	124	108
NEGRO.....MALE....	728	499	44	21	16	11	591	30	18	18
FEMALE..	593	394	41	18	13	9	475	20	15	22
OTHER.....MALE....	69	54	4	2	-	1	61	1	2	1
FEMALE..	51	33	4	2	2	1	42	3	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,875	4,991	158	83	50	24	5,306	102	74	67
MALE....	3,816	2,745	78	51	34	11	2,919	60	38	51
FEMALE..	3,059	2,246	80	32	16	13	2,387	42	36	16
WHITE.....MALE....	3,166	2,248	65	38	25	10	2,386	51	35	46
FEMALE..	2,609	1,907	68	27	13	9	2,024	39	34	12
NEGRO.....MALE....	462	359	10	12	6	-	387	7	2	3
FEMALE..	319	245	10	4	2	4	265	2	-	4
OTHER.....MALE....	48	38	1	-	2	-	41	-	-	1
FEMALE..	27	25	-	-	-	-	25	-	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	64,205	64,185	6	1	1	2	64,195	6	4	-
MALE....	37,741	37,732	4	1	-	1	37,738	1	2	-
FEMALE..	26,464	26,453	2	-	1	1	26,457	5	2	-
WHITE.....MALE....	28,058	28,050	3	1	-	1	28,055	1	2	-
FEMALE..	19,059	19,050	2	-	-	1	19,053	4	2	-
NEGRO.....MALE....	8,040	8,039	1	-	-	-	8,040	-	-	-
FEMALE..	6,269	6,267	-	-	1	-	6,268	1	-	-
OTHER.....MALE....	438	438	-	-	-	-	438	-	-	-
FEMALE..	304	304	-	-	-	-	304	-	-	-
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.....	19,730	2,266	173	91	51	36	2,617	91	83	147
MALE....	11,468	1,266	101	52	31	20	1,470	54	48	88
FEMALE..	8,262	1,000	72	39	20	16	1,147	37	35	59
WHITE.....MALE....	7,616	493	48	23	13	12	589	32	36	64
FEMALE..	5,179	379	41	19	10	8	457	19	19	40
NEGRO.....MALE....	3,602	722	48	24	16	8	818	20	12	24
FEMALE..	2,874	588	25	19	8	5	645	18	15	19
OTHER.....MALE....	189	43	5	5	1	-	54	-	-	-
FEMALE..	123	26	4	1	2	3	36	-	1	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,426	-	-	-	-	-	-	-	-	-
MALE....	977	-	-	-	-	-	-	-	-	-
FEMALE..	1,449	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	770	-	-	-	-	-	-	-	-	-
FEMALE..	1,169	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	179	-	-	-	-	-	-	-	-	-
FEMALE..	234	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	20	-	-	-	-	-	-	-	-	-
FEMALE..	22	-	-	-	-	-	-	-	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	17,304	2,266	173	91	51	36	2,617	91	83	147
MALE....	10,491	1,266	101	52	31	20	1,470	54	48	88
FEMALE..	6,813	1,000	72	39	20	16	1,147	37	35	59
WHITE.....MALE....	6,846	493	48	23	13	12	589	32	36	64
FEMALE..	4,010	379	41	19	10	8	457	19	19	40
NEGRO.....MALE....	3,423	722	48	24	16	8	818	20	12	24
FEMALE..	2,640	588	25	19	8	5	645	18	15	19
OTHER.....MALE....	169	43	5	5	1	-	54	-	-	-
FEMALE..	101	26	4	1	2	3	36	-	1	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
12	10	13	33	31	33	27	43	61	82	104	101	68	63	18	7	1	-	2
2	6	4	11	14	14	11	21	23	35	48	44	23	24	5	1	-	-	3
10	4	9	22	17	19	16	22	38	47	56	57	45	39	13	6	1	-	4
1	5	3	9	13	10	11	12	18	31	43	39	21	23	4	1	-	-	5
6	2	8	19	11	14	13	18	33	40	52	52	41	38	10	6	1	-	6
1	1	-	2	1	3	-	5	5	1	2	2	-	-	1	-	-	-	7
3	2	-	2	5	4	3	3	3	5	-	2	3	-	2	-	-	-	8
-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	9
-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	10
																		11
																		12
307	216	237	273	288	329	304	257	187	190	127	74	51	27	6	1	-	1	13
183	104	128	155	156	173	165	132	99	106	67	45	27	13	2	-	-	-	14
124	112	109	118	132	156	139	125	88	84	60	29	24	14	4	1	-	1	15
153	92	107	132	132	156	145	114	87	92	59	37	26	13	2	-	-	-	16
103	93	90	99	109	137	123	111	81	81	54	27	23	14	4	1	-	1	17
22	9	14	18	16	13	12	11	10	9	5	2	1	-	-	-	-	-	18
13	15	15	12	18	13	9	11	4	1	1	1	1	-	-	-	-	-	19
2	-	3	1	2	-	1	1	-	-	-	1	-	-	-	-	-	-	20
-	3	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	21
																		22
8	2	3	3	1	2	-	1	1	-	-	-	-	-	-	-	-	-	23
7	1	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	24
1	1	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	25
6	1	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	26
1	1	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	27
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
																		32
24	11	17	7	6	2	5	2	2	3	-	-	-	-	-	-	-	-	33
14	4	10	4	4	1	3	-	1	1	-	-	-	-	-	-	-	-	34
10	7	7	3	2	1	2	2	1	2	-	-	-	-	-	-	-	-	35
11	3	7	4	4	-	3	-	-	1	-	-	-	-	-	-	-	-	36
8	6	6	1	2	1	2	1	1	2	-	-	-	-	-	-	-	-	37
2	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	38
2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
																		42
226	158	157	178	151	146	117	95	70	72	43	14	11	9	1	-	-	1	43
134	72	79	102	78	65	61	47	30	42	20	9	6	5	1	-	-	-	44
92	86	78	76	73	81	56	48	40	30	23	5	5	4	-	-	-	1	45
111	66	66	83	69	61	56	41	29	35	17	8	5	5	1	-	-	-	46
82	71	64	67	62	70	54	40	38	29	22	5	5	4	-	-	-	1	47
17	5	8	16	6	3	4	4	1	3	3	-	1	-	-	-	-	-	48
5	11	11	7	8	8	2	7	1	-	1	-	-	-	-	-	-	-	49
1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	50
-	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	51
																		52
49	45	60	85	130	179	182	159	114	115	84	60	40	18	5	1	-	-	53
28	27	37	46	74	107	101	85	67	63	47	36	21	8	1	-	-	-	54
21	18	23	39	56	72	81	74	47	52	37	24	19	10	4	1	-	-	55
25	22	32	42	59	95	86	73	57	56	42	29	21	8	1	-	-	-	56
12	15	19	31	44	64	67	69	42	50	32	22	18	10	4	1	-	-	57
2	3	4	2	10	9	8	7	8	6	2	2	-	-	-	-	-	-	58
6	3	3	4	10	5	7	4	3	1	-	1	1	-	-	-	-	-	59
1	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	60
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
																		72
																		73
214	255	383	544	691	914	1,125	1,292	1,567	1,640	1,817	1,768	1,729	1,397	930	325	145	56	74
124	141	194	301	390	594	771	868	1,069	1,102	1,159	1,005	878	660	360	117	45	30	75
90	114	189	243	301	320	354	424	498	538	658	763	851	737	570	208	100	26	76
85	80	106	191	252	379	533	612	714	765	817	749	685	515	289	80	21	22	77
53	63	117	122	173	190	197	241	244	297	426	557	662	597	470	160	59	16	78
37	56	81	103	130	202	227	242	335	322	328	242	181	121	61	35	21	4	79
35	44	64	117	120	121	151	174	243	231	217	189	175	120	85	44	39	8	80
2	3	5	4	6	7	6	12	14	10	12	11	7	21	7	1	3	4	81
1	4	4	2	2	4	5	6	5	2	12	8	12	9	5	1	2	2	82
																		83
-	-	-	-	-	-	1	12	22	41	133	274	464	621	537	227	94	-	84
-	-	-	-	-	-	-	6	7	21	57	134	201	253	192	78	28	-	85
-	-	-	-	-	-	1	6	15	20	76	140	263	368	345	149	66	-	86
-	-	-	-	-	-	-	2	2	9	33	94	178	206	169	62	15	-	87
-	-	-	-	-	-	-	1	5	7	50	113	217	309	301	120	46	-	88
-	-	-	-	-	-	-	4	5	12	22	37	20	36	18	14	11	-	89
-	-	-	-	-	-	1	5	10	12	23	25	38	43	33	25	19	-	90
-	-	-	-	-	-	-	-	-	-	2	3	-	10	2	1	2	-	91
-	-	-	-	-	-	-	-	-	-	2	2	7	7	2	1	1	-	92
																		93
214	255	383	544	691	914	1,124	1,280	1,545	1,599	1,684	1,494	1,265	776	393	98	51	56	94
124	141	194	301	390	594	771	862	1,062	1,081	1,102	871	677	407	168	39	17	30	95
90	114	189	243	301	320	353	418	483	518	582	623	588	369	225	59	34	26	96
85	80	106	191	252	379	533	610	712	756	784	655	507	309	120	18	6	22	97
53	63	117	122	173	190	197	240	239	290	376	444	445	288	169	40	13	16	98
37	56	81	103	130	202	227	238	330	310	306	205	161	85	43	21	10	4	99
35	44	64	117	120	121	150	169	233	219	194	164	137	77	52	19	20	8	100
2	3	5	4	6	7	6	12	14	10	10	8	7	11	5	-	1	4	101
1	4	4	2	2	4	5	6	5	2	10	6	5	2	3	-	1	2	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	126,384	3,867	1,739	1,391	1,148	925	9,070	3,667	3,393	8,345
MALE	87,868	2,142	955	782	680	535	5,094	2,323	2,598	6,539
FEMALE	38,516	1,725	784	609	468	390	3,976	1,344	795	1,806
WHITE MALE	71,930	1,490	726	572	535	399	3,722	1,808	2,067	5,473
FEMALE	32,109	1,137	572	432	304	268	2,713	955	645	1,539
NEGRO MALE	12,748	560	194	182	124	114	1,174	428	449	863
FEMALE	4,911	511	174	147	142	105	1,079	342	123	194
OTHER MALE	1,053	33	17	14	8	5	77	26	27	75
FEMALE	391	30	19	15	8	7	79	18	8	32
ACCIDENTS E800-E962	97,139	3,653	1,695	1,347	1,115	895	8,705	3,570	3,181	7,245
MALE	66,074	2,026	934	757	665	521	4,903	2,275	2,452	5,727
FEMALE	31,065	1,627	761	590	450	374	3,802	1,295	729	1,518
WHITE MALE	55,036	1,415	713	552	527	388	3,595	1,771	1,946	4,942
FEMALE	26,074	1,068	553	421	290	255	2,587	918	590	1,332
NEGRO MALE	8,607	526	187	179	119	111	1,122	419	427	607
FEMALE	3,790	486	170	141	138	103	1,038	332	113	127
OTHER MALE	822	33	17	13	7	5	75	26	25	64
FEMALE	309	28	19	15	8	7	77	17	8	26
RAILWAY ACCIDENTS E800-E802	964	-	10	6	3	2	21	26	33	44
MALE	857	-	8	4	2	1	15	21	25	40
FEMALE	107	-	2	2	1	1	6	5	8	4
WHITE MALE	648	-	8	3	2	-	13	13	18	32
FEMALE	80	-	2	2	1	1	6	2	5	4
NEGRO MALE	156	-	-	1	-	1	2	7	5	4
FEMALE	18	-	-	-	-	-	-	1	1	-
OTHER MALE	24	-	-	-	-	-	-	-	-	1
FEMALE	2	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS E810-E835	40,804	336	402	405	405	355	1,903	1,700	1,328	4,950
MALE	29,639	178	203	220	247	207	1,055	1,068	964	3,737
FEMALE	11,165	158	199	185	158	148	848	632	364	1,213
WHITE MALE	25,421	149	174	173	201	163	860	864	830	3,370
FEMALE	9,768	130	171	161	123	118	703	498	315	1,091
NEGRO MALE	3,163	23	22	39	41	37	162	165	106	254
FEMALE	1,019	20	24	18	31	23	116	115	40	73
OTHER MALE	379	5	4	4	1	2	16	13	7	34
FEMALE	150	4	3	4	3	4	18	7	2	21
MOTOR VEHICLE TRAFFIC ACCIDENTS E810-E825	39,775	322	256	319	360	329	1,586	1,653	1,299	4,901
MALE	28,888	168	134	169	222	194	887	1,036	940	3,695
FEMALE	10,887	154	122	150	138	135	699	617	359	1,206
WHITE MALE	24,771	140	116	132	180	152	720	837	809	3,330
FEMALE	9,515	127	101	129	105	108	570	484	312	1,084
NEGRO MALE	3,085	23	14	30	37	35	139	161	104	253
FEMALE	1,001	20	18	17	29	22	106	114	38	73
OTHER MALE	371	4	2	3	1	2	12	13	7	34
FEMALE	147	3	3	3	3	3	15	7	2	21
MOTOR VEHICLE TRAFFIC ACCIDENT WITH RAILWAY TRAIN E810	1,245	11	8	5	8	6	38	38	48	165
MALE	885	6	4	1	1	5	17	17	28	116
FEMALE	360	5	4	4	7	1	21	21	20	49
WHITE MALE	813	6	4	1	1	5	17	16	26	110
FEMALE	341	5	3	4	7	1	20	19	19	48
NEGRO MALE	57	-	-	-	-	-	-	1	2	5
FEMALE	12	-	1	-	-	-	1	2	1	-
OTHER MALE	6	-	-	-	-	-	-	-	-	1
FEMALE	3	-	-	-	-	-	-	-	-	1
MOTOR VEHICLE TRAFFIC ACCIDENT TO PEDESTRIAN E812	7,410	13	91	165	225	218	712	983	353	300
MALE	5,335	7	55	93	150	136	441	639	273	241
FEMALE	2,075	6	36	72	75	82	271	344	80	59
WHITE MALE	4,150	5	48	66	114	98	331	483	224	194
FEMALE	1,630	5	28	59	53	63	208	249	69	48
NEGRO MALE	921	1	5	21	32	33	92	133	41	36
FEMALE	336	1	7	11	22	14	55	81	10	8
OTHER MALE	97	-	1	2	-	1	4	6	2	6
FEMALE	32	-	1	1	-	3	5	5	-	1
OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS, ETC. E811,E813-E819	16,986	190	99	88	79	61	517	455	594	1,955
MALE	11,747	97	47	44	46	30	264	281	437	1,399
FEMALE	5,239	93	52	44	33	31	253	174	157	556
WHITE MALE	10,328	81	42	38	41	29	231	251	381	1,268
FEMALE	4,746	78	45	40	29	27	219	152	140	513
NEGRO MALE	1,054	14	3	5	4	-	26	19	40	98
FEMALE	347	12	7	4	2	4	29	19	11	26
OTHER MALE	119	2	1	1	1	-	5	3	2	11
FEMALE	55	-	-	-	1	-	1	1	1	5
MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS E820-E824	11,173	71	47	52	43	34	247	139	243	2,073
MALE	8,782	37	21	25	21	18	122	83	164	1,632
FEMALE	2,391	34	26	27	22	16	125	56	79	441
WHITE MALE	7,582	30	17	22	20	16	105	71	144	1,481
FEMALE	2,049	24	21	23	16	12	96	47	64	383
NEGRO MALE	861	5	4	3	1	1	14	8	18	92
FEMALE	249	6	3	2	4	4	19	7	13	32
OTHER MALE	123	2	-	-	-	1	3	4	2	12
FEMALE	49	3	2	2	2	-	9	1	1	13
MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE E825	2,961	37	11	9	5	10	72	38	61	408
MALE	2,139	21	7	6	4	5	43	16	38	307
FEMALE	822	16	4	3	1	5	29	22	23	101
WHITE MALE	1,898	18	5	5	4	4	36	16	34	277
FEMALE	749	15	4	3	-	5	27	17	20	92
NEGRO MALE	192	3	2	1	-	1	7	-	3	22
FEMALE	57	1	-	-	1	-	2	5	3	7
OTHER MALE	26	-	-	-	-	-	-	-	1	4
FEMALE	8	-	-	-	-	-	-	-	-	1

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
9,270	7,108	7,269	7,949	8,114	8,146	8,247	7,417	6,866	6,495	6,509	6,304	5,624	4,065	1,893	450	80	103	1
7,564	5,651	5,677	5,980	6,028	6,068	6,233	5,600	4,933	4,453	4,125	3,586	2,787	1,658	732	134	28	77	2
1,706	1,457	1,592	1,969	2,086	2,078	2,014	1,817	1,933	2,042	2,384	2,718	2,837	2,407	1,161	316	52	26	3
6,029	4,307	4,313	4,564	4,781	4,944	5,197	4,742	4,172	3,837	3,668	3,285	2,564	1,550	686	122	24	55	4
1,367	1,100	1,212	1,526	1,686	1,779	1,736	1,564	1,659	1,778	2,090	2,465	2,640	2,230	1,078	291	38	18	5
1,239	1,113	1,144	1,191	1,034	918	845	628	550	449	298	171	139	56	28	10	2	19	6
286	293	315	342	318	227	203	172	204	199	199	156	106	83	34	16	13	7	7
126	105	99	82	61	55	52	63	63	42	41	21	21	11	2	2	1	1	8
26	33	33	41	20	18	13	18	9	9	11	8	7	7	-	-	1	-	9
																		10
																		11
																		12
7,312	4,989	4,678	5,103	5,185	5,258	5,341	4,899	4,837	4,903	5,246	5,349	5,070	3,850	1,824	441	78	75	13
6,082	4,111	3,791	3,943	3,942	3,952	4,062	3,634	3,372	3,194	3,130	2,790	2,332	1,485	682	128	27	60	14
1,230	878	887	1,160	1,243	1,306	1,279	1,265	1,465	1,709	2,116	2,559	2,738	2,365	1,142	313	51	15	15
5,154	3,357	3,077	3,167	3,228	3,244	3,368	3,027	2,823	2,707	2,747	2,542	2,134	1,387	637	117	23	43	16
1,049	715	699	915	1,011	1,108	1,077	1,067	1,242	1,470	1,839	2,315	2,552	2,192	1,061	288	37	10	17
696	581	556	643	569	560	559	454	407	364	258	148	128	53	28	10	2	16	18
140	125	156	174	180	163	153	145	168	184	192	152	101	81	33	16	13	4	19
91	84	76	59	46	47	37	48	42	29	26	18	15	9	2	1	1	1	20
20	22	17	30	17	10	11	13	6	9	9	5	5	6	-	-	1	-	21
																		22
40	47	62	69	96	113	84	86	72	48	50	36	20	9	6	-	-	2	23
34	46	59	63	93	106	76	78	67	41	41	22	15	7	6	-	-	2	24
6	1	3	6	3	7	8	8	5	7	9	14	5	2	-	-	-	-	25
23	27	35	44	71	83	59	64	54	33	34	19	15	6	4	-	-	1	26
6	1	1	4	1	5	5	5	4	6	7	11	5	2	-	-	-	-	27
10	12	18	14	16	18	14	11	9	6	3	3	-	1	2	-	-	1	28
-	-	2	2	2	2	2	2	1	-	2	1	-	-	-	-	-	-	29
1	5	4	5	2	3	1	-	1	-	1	-	-	-	-	-	-	-	30
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	31
																		32
																		33
5,207	3,053	2,535	2,619	2,494	2,331	2,284	2,159	2,038	1,938	1,758	1,362	752	308	64	7	-	14	34
4,291	2,469	1,997	1,943	1,810	1,656	1,660	1,530	1,344	1,257	1,171	901	513	213	43	5	-	12	35
916	584	538	676	684	675	624	629	694	681	587	461	239	95	21	2	-	2	36
3,724	2,069	1,664	1,612	1,506	1,399	1,391	1,289	1,158	1,077	1,044	832	476	202	42	4	-	8	37
804	504	459	556	590	593	541	559	627	621	536	438	222	90	20	-	-	1	38
397	305	250	266	228	199	217	179	135	135	87	42	24	6	1	1	-	4	39
81	56	59	79	73	67	70	53	42	38	29	16	9	1	-	1	-	1	40
68	43	39	29	27	20	9	26	16	14	8	6	4	-	-	-	-	-	41
18	12	12	22	8	6	3	3	5	9	2	2	-	-	-	-	-	-	42
																		43
5,142	3,000	2,496	2,570	2,450	2,275	2,231	2,101	2,005	1,896	1,712	1,343	735	302	59	7	-	12	44
4,230	2,421	1,962	1,898	1,778	1,606	1,615	1,483	1,316	1,229	1,140	887	502	208	39	5	-	11	45
912	579	534	672	672	669	616	618	689	667	572	456	233	94	20	2	-	1	46
3,668	2,029	1,635	1,575	1,478	1,355	1,354	1,250	1,133	1,051	1,016	818	465	198	38	4	-	8	47
800	500	455	552	579	587	533	549	623	608	521	433	216	89	19	-	-	1	48
394	297	245	262	226	193	211	172	134	133	85	42	24	5	1	1	-	3	49
81	55	59	79	73	67	70	52	41	37	29	16	9	1	-	1	-	-	50
66	43	39	28	26	20	9	26	16	14	8	6	4	-	-	-	-	-	51
18	12	12	22	8	6	3	3	5	9	2	2	-	-	-	-	-	-	52
																		53
149	83	82	95	88	77	79	67	78	58	50	34	16	-	-	-	-	-	54
115	68	58	71	62	59	56	52	51	37	38	26	14	-	-	-	-	-	55
34	15	24	24	26	18	23	15	27	21	12	8	2	-	-	-	-	-	56
105	60	54	63	54	56	52	42	48	36	37	23	14	-	-	-	-	-	57
34	13	23	23	22	18	22	14	25	19	12	8	2	-	-	-	-	-	58
7	8	3	7	7	2	2	8	3	1	1	-	-	-	-	-	-	-	59
-	-	1	-	4	-	1	1	1	-	-	-	-	-	-	-	-	-	60
1	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	62
																		63
228	180	197	231	276	306	408	460	486	585	608	539	360	160	30	5	-	3	64
185	153	152	167	204	232	319	354	342	416	422	376	269	122	21	4	-	3	65
43	27	45	64	72	74	89	106	144	169	186	163	91	38	9	1	-	-	66
121	109	103	114	143	158	241	257	264	337	348	337	243	117	21	3	-	2	67
34	19	29	42	47	54	65	82	115	139	156	152	81	33	8	-	-	-	68
40	31	36	43	50	57	69	72	59	62	53	26	17	2	-	1	-	1	69
6	5	14	15	19	15	17	18	18	23	17	8	6	1	-	-	-	-	70
17	8	8	7	4	5	-	10	6	3	6	2	3	-	-	-	-	-	71
2	-	1	2	2	3	2	2	3	1	2	1	-	-	-	-	-	-	72
																		73
2,159	1,343	1,149	1,235	1,153	1,089	1,037	968	941	845	699	510	229	80	20	1	-	7	74
1,708	1,034	873	870	793	713	695	631	591	484	439	326	143	47	11	1	-	7	75
451	309	276	365	360	376	342	337	350	361	260	184	86	33	9	-	-	-	76
1,512	882	743	739	678	617	599	558	533	424	404	309	138	45	10	1	-	5	77
404	281	245	305	319	335	309	306	329	340	246	178	83	33	9	-	-	-	78
139	117	94	106	85	73	75	49	43	47	24	11	5	-	1	-	-	2	79
31	20	22	37	31	36	28	21	14	9	9	4	-	-	-	-	-	-	80
21	18	13	11	8	4	4	9	4	4	-	2	-	-	-	-	-	-	81
9	5	6	14	3	1	1	1	1	6	-	-	-	-	-	-	-	-	82
																		83
2,155	1,135	899	805	759	621	533	420	342	274	232	173	78	40	4	1	-	-	84
1,844	957	747	632	600	484	412	321	230	206	164	105	50	26	3	-	-	-	85
311	178	152	173	159	137	121	99	112	68	68	68	28	14	1	1	-	-	86
1,600	796	619	521	503	421	345	280	195	178	153	97	46	24	3	-	-	-	87
265	144	129	143	139	118	102	89	99	63	65	63	25	14	1	-	-	-	88
167	119	99	89	67	49	51	34	23	18	7	3	1	2	-	-	-	-	89
37	24	17	22	17	14	18	9	8	5	1	3	2	-	-	1	-	-	90
23	14	16	8	13	8	5	5	5	3	1	-	1	-	-	-	-	-	91
5	6	2	6	2	2	-	-	1	-	-	1	-	-	-	-	-	-	92
																		93
451	259	169	204	174	182	174	186	158	134	123	87	52	22	5	-	-	2	94
378	209	132	158	119	118	133	125	102	86	77	54	26	13	4	-	-	1	95
73	50	37	46	55	64	41	61	56	48	46	33	26	9	1	-	-	1	96
330	182	116	138	100	103	117	113	93	76	74	52	24	12	4	-	-	1	97
63	43	29	39	52	62	35	58	55	47	42	32	25	9	1	-	-	1	98
41	22	13	17	17	12	14	9	6	5	-	2	1	1	-	-	-	-	99
7	6	5	5	2	2	6	3	-	-	2	1	1	-	-	-	-	-	100
4	3	1	2	-	3	-	2	1	4	1	-	-	-	-	-	-	-	101
2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	ACCIDENTS--CON.										
3	MOTOR VEHICLE ACCIDENTS--CON.										
4	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,029	14	146	86	45	26	317	47	29	49
5	MALE....	751	10	69	51	25	13	168	32	24	42
6	FEMALE..	278	4	77	35	20	13	149	15	5	7
7	WHITE.....MALE....	650	9	58	41	21	11	140	27	21	40
8	FEMALE..	253	3	70	32	18	10	133	14	3	7
9	NEGRO.....MALE....	78	-	8	9	4	2	23	4	2	1
10	FEMALE..	18	-	6	1	2	1	10	1	2	-
11	OTHER.....MALE....	8	1	2	1	-	-	4	-	-	-
12	FEMALE..	3	1	-	1	-	1	3	-	-	-
13											
14	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	263	-	-	4	5	3	12	44	46	18
15	MALE....	197	-	-	1	3	2	6	28	31	10
16	FEMALE..	66	-	-	3	2	1	6	16	15	8
17	WHITE.....MALE....	164	-	-	-	1	2	3	22	24	9
18	FEMALE..	54	-	-	2	-	1	3	13	13	8
19	NEGRO.....MALE....	22	-	-	1	2	-	3	3	4	-
20	FEMALE..	5	-	-	-	1	-	1	2	-	-
21	OTHER.....MALE....	5	-	-	-	-	-	-	-	-	1
22	FEMALE..	3	-	-	1	1	-	2	-	-	-
23											
24	WATER TRANSPORT ACCIDENTS.....E850-E858	1,445	3	6	6	8	3	26	65	92	135
25	MALE....	1,319	1	3	4	5	2	15	48	76	117
26	FEMALE..	126	2	3	2	3	1	11	17	16	18
27	WHITE.....MALE....	1,124	1	3	3	5	2	14	38	56	102
28	FEMALE..	98	1	3	2	2	1	9	10	9	14
29	NEGRO.....MALE....	145	-	-	1	-	-	1	9	14	9
30	FEMALE..	22	1	-	-	-	-	1	7	7	3
31	OTHER.....MALE....	22	-	-	-	-	-	-	-	4	3
32	FEMALE..	3	-	-	-	-	-	-	-	-	-
33											
34	AIRCRAFT ACCIDENTS.....E860-E866	1,435	3	3	2	1	4	13	13	25	52
35	MALE....	1,254	2	3	1	1	1	8	7	16	37
36	FEMALE..	181	1	-	1	-	3	5	6	9	15
37	WHITE.....MALE....	1,219	2	3	1	1	1	8	7	16	36
38	FEMALE..	176	-	-	1	-	3	4	6	9	14
39	NEGRO.....MALE....	6	-	-	-	-	-	-	-	-	1
40	FEMALE..	-	-	-	-	-	-	-	-	-	-
41	OTHER.....MALE....	12	-	-	-	-	-	-	-	-	-
42	FEMALE..	2	1	-	-	-	-	1	-	-	-
43											
44	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES.....E870-E888	1,833	50	196	124	43	12	425	15	11	48
45	MALE....	1,098	21	109	65	22	7	224	8	7	39
46	FEMALE..	735	29	87	59	21	5	201	7	4	9
47	WHITE.....MALE....	815	12	72	43	15	5	147	5	6	26
48	FEMALE..	538	17	48	34	7	4	110	4	2	4
49	NEGRO.....MALE....	247	6	34	21	7	1	69	2	1	8
50	FEMALE..	159	11	32	19	12	1	75	3	2	5
51	OTHER.....MALE....	9	-	2	-	-	1	3	1	-	1
52	FEMALE..	8	1	2	-	1	-	4	-	-	-
53											
54	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,376	14	18	4	7	4	47	16	26	106
55	MALE....	1,023	9	12	1	4	1	27	9	14	59
56	FEMALE..	353	5	6	3	3	3	20	7	12	47
57	WHITE.....MALE....	853	9	8	1	3	1	22	6	8	49
58	FEMALE..	282	3	5	1	2	2	13	7	9	38
59	NEGRO.....MALE....	128	-	4	-	1	-	5	3	6	5
60	FEMALE..	58	2	1	2	1	1	7	-	2	7
61	OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
62	FEMALE..	6	-	-	-	-	-	-	-	1	1
63											
64	ACCIDENTAL FALLS.....E900-E904	19,589	200	107	57	49	35	448	109	93	126
65	MALE....	9,662	117	60	34	30	19	260	76	74	106
66	FEMALE..	9,927	83	47	23	19	16	188	33	19	20
67	WHITE.....MALE....	8,418	71	44	23	19	14	171	66	61	90
68	FEMALE..	9,025	62	33	14	13	10	132	21	18	16
69	NEGRO.....MALE....	827	36	13	11	9	4	73	10	10	14
70	FEMALE..	485	19	8	8	4	4	43	8	-	4
71	OTHER.....MALE....	71	2	1	-	-	-	3	-	1	1
72	FEMALE..	21	-	3	-	-	-	3	3	-	-
73											
74	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,901	152	78	41	41	21	333	77	68	90
75	MALE....	3,846	90	50	26	23	11	200	56	58	79
76	FEMALE..	2,055	62	28	15	18	10	133	21	10	11
77	WHITE.....MALE....	3,232	58	36	17	15	8	134	50	46	67
78	FEMALE..	1,803	47	21	8	12	6	94	14	10	9
79	NEGRO.....MALE....	435	26	11	9	6	3	55	6	9	10
80	FEMALE..	160	13	6	6	4	4	33	6	-	2
81	OTHER.....MALE....	33	2	1	-	-	-	3	-	1	1
82	FEMALE..	3	-	-	-	-	-	-	1	-	-
83											
84	FALL ON SAME LEVEL.....E903	5,589	10	9	6	1	4	30	11	10	12
85	MALE....	2,451	6	3	2	1	3	15	7	7	10
86	FEMALE..	3,138	4	6	4	-	1	15	4	3	2
87	WHITE.....MALE....	2,221	4	2	2	1	2	11	5	7	8
88	FEMALE..	2,939	2	4	3	-	1	10	3	3	2
89	NEGRO.....MALE....	144	2	1	-	-	1	4	2	-	2
90	FEMALE..	125	2	-	1	-	-	3	-	-	-
91	OTHER.....MALE....	18	-	-	-	-	-	-	-	-	-
92	FEMALE..	5	-	2	-	-	-	2	1	-	-
93											
94	UNSPECIFIED FALLS.....E904	8,099	38	20	10	7	10	85	21	15	24
95	MALE....	3,365	21	7	6	6	5	45	13	9	17
96	FEMALE..	4,734	17	13	4	1	5	40	8	6	7
97	WHITE.....MALE....	2,965	9	6	4	3	4	26	11	8	15
98	FEMALE..	4,283	13	8	3	1	3	28	4	5	5
99	NEGRO.....MALE....	248	8	1	2	3	-	14	2	1	2
100	FEMALE..	200	4	2	1	-	-	7	2	-	2
101	OTHER.....MALE....	20	-	-	-	-	-	-	-	-	-
102	FEMALE..	13	-	1	-	-	-	1	1	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
65	53	39	49	44	56	53	58	33	42	46	19	17	6	5	-	-	2	4
61	48	35	45	32	50	45	47	28	28	31	14	11	5	4	-	-	1	5
4	5	4	4	12	6	8	11	5	14	15	5	6	1	1	-	-	1	6
56	40	29	37	28	44	37	39	25	26	28	14	11	4	4	-	-	-	7
4	4	4	4	11	6	8	10	4	13	15	5	6	1	1	-	-	-	8
3	8	5	4	2	6	6	7	1	2	2	-	-	1	-	-	-	1	9
-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	10
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
																		13
11	10	9	7	15	15	6	14	8	12	14	12	8	2	-	-	-	-	14
8	6	9	4	12	13	5	12	7	11	14	11	8	2	-	-	-	-	15
3	4	-	3	3	2	1	2	1	1	-	1	-	-	-	-	-	-	16
7	5	8	4	12	12	3	10	5	8	13	9	8	2	-	-	-	-	17
3	4	-	2	2	2	1	-	1	1	-	1	-	-	-	-	-	-	18
-	1	-	-	-	1	2	2	2	2	1	1	-	-	-	-	-	-	19
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	21
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
																		23
149	135	150	122	125	127	112	78	41	44	15	11	4	-	-	-	-	14	24
139	130	142	112	115	122	108	76	38	41	15	9	3	-	-	-	-	13	25
10	5	8	10	10	5	4	2	3	3	-	2	1	-	-	-	-	1	26
119	110	122	97	97	105	91	64	34	36	14	9	3	-	-	-	-	13	27
7	4	8	8	9	5	4	1	3	3	-	2	1	-	-	-	-	1	28
14	17	15	11	14	12	13	8	2	5	1	-	-	-	-	-	-	-	29
3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
4	2	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	31
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
																		33
184	248	243	207	174	122	56	40	30	15	9	-	1	-	-	-	-	3	34
158	231	224	197	153	107	45	32	20	10	7	-	1	-	-	-	-	1	35
26	17	19	10	21	15	11	8	10	5	2	-	-	-	-	-	-	2	36
153	223	217	190	152	105	43	31	20	10	6	-	1	-	-	-	-	1	37
26	16	19	10	21	15	9	8	10	5	2	-	-	-	-	-	-	2	38
3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
																		43
97	82	142	162	188	164	152	114	85	50	44	27	17	7	1	1	-	1	44
75	58	96	88	112	92	88	70	56	31	21	15	12	5	1	-	-	-	45
22	24	46	74	76	72	64	44	29	19	23	12	5	2	-	1	-	1	46
53	35	56	64	87	79	74	59	50	28	17	13	10	5	1	-	-	-	47
19	17	24	53	59	65	55	41	25	18	22	11	5	2	-	1	-	1	48
16	19	37	22	24	12	13	10	5	3	2	2	2	-	-	-	-	-	49
2	7	17	16	11	7	7	2	3	1	-	1	-	-	-	-	-	-	50
-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	51
-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
124	105	104	119	116	104	111	88	75	69	65	53	27	12	7	1	-	1	54
85	87	85	95	98	86	94	66	55	50	44	37	21	6	4	1	-	-	55
39	18	19	24	18	18	17	22	20	19	21	16	6	6	3	-	-	1	56
69	73	71	74	82	68	84	56	47	42	40	33	19	6	3	1	-	-	57
30	11	13	21	13	15	16	17	19	15	17	13	6	5	3	-	-	1	58
10	11	10	17	13	14	8	7	7	4	2	3	2	-	1	-	-	-	59
6	5	6	2	5	3	1	5	1	1	3	3	-	1	-	-	-	-	60
1	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	61
1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
																		63
154	149	185	339	433	572	728	791	1,013	1,354	1,995	2,722	3,355	3,012	1,556	387	61	7	64
134	125	149	262	341	434	540	580	685	809	981	1,153	1,277	1,006	539	105	21	5	65
20	24	36	77	92	138	188	211	328	545	1,014	1,569	2,078	2,006	1,017	282	40	2	66
102	88	111	185	253	332	451	472	580	699	893	1,077	1,195	955	516	98	20	3	67
16	15	25	54	71	113	160	178	276	481	907	1,440	1,969	1,882	954	263	33	1	68
22	28	32	60	67	82	70	70	70	72	43	31	37	19	10	6	-	1	69
4	8	11	16	15	23	16	23	33	46	63	54	42	41	17	11	6	1	70
2	3	3	3	3	3	6	9	7	4	6	3	6	6	-	1	-	1	71
-	-	-	1	-	1	1	1	1	-	1	1	1	6	-	-	1	-	72
																		73
108	100	117	181	232	293	340	372	436	507	577	617	644	488	251	60	8	2	74
99	88	100	152	192	231	271	299	332	350	366	342	309	192	104	20	4	2	75
9	12	17	29	40	62	69	73	104	157	211	275	335	296	147	40	4	-	76
75	64	83	117	150	175	222	244	283	286	332	315	289	180	98	17	4	1	77
7	9	10	18	34	48	58	62	94	133	192	255	305	273	137	39	2	-	78
15	16	15	26	33	44	40	36	34	48	19	8	8	7	2	3	-	1	79
2	2	7	8	3	12	7	8	7	16	13	10	12	9	1	-	2	-	80
2	3	1	-	2	1	4	5	4	1	2	1	1	1	-	-	-	-	81
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	82
																		83
10	14	24	63	84	118	171	185	249	389	605	875	1,129	960	511	115	23	1	84
6	12	17	42	63	90	124	121	156	217	266	361	405	324	168	32	7	1	85
4	2	7	21	21	28	47	64	93	172	339	514	724	636	343	83	16	-	86
5	5	9	31	38	69	111	100	137	203	247	341	385	307	164	30	7	1	87
3	1	6	18	15	26	41	55	81	155	311	474	705	609	330	78	13	-	88
1	6	6	7	17	18	8	12	13	7	10	13	11	4	2	1	-	-	89
1	1	1	3	6	2	4	8	7	12	20	21	9	14	6	4	3	-	90
-	-	1	2	1	2	1	2	1	-	1	-	3	3	-	1	-	-	91
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	92
																		93
36	35	44	95	117	161	217	234	328	458	813	1,230	1,582	1,564	794	212	30	4	94
29	25	32	68	86	113	145	160	197	242	349	450	563	490	267	53	10	2	95
7	10	12	27	31	48	72	74	131	216	464	780	1,019	1,074	527	159	20	2	96
22	19	19	37	65	88	118	128	160	210	314	421	521	468	254	51	9	1	97
6	5	9	18	22	39	61	61	101	193	404	711	959	1,000	487	146	18	1	98
6	6	11	27	17	20	22	22	23	17	14	10	18	8	6	2	-	-	99
1	5	3	5	6	9	5	7	19	18	30	23	21	18	10	7	1	1	100
-	-	1	1	-	-	1	2	2	3	3	2	2	2	-	-	-	1	101
-	-	-	1	-	-	1	1	-	-	1	-	1	5	-	-	1	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.										
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,515	5	11	20	23	10	69	41	45	67
MALE....	1,438	4	8	12	15	3	42	30	36	65
FEMALE..	77	1	3	8	8	7	27	11	9	2
WHITE.....MALE....	1,217	3	6	11	14	3	37	25	34	58
FEMALE..	59	-	2	6	6	6	20	8	9	1
NEGRO.....MALE....	188	1	2	-	1	-	4	3	1	5
FEMALE..	12	1	1	2	2	1	7	1	-	-
OTHER.....MALE....	12	-	-	1	-	-	1	-	-	-
FEMALE..	3	-	-	-	-	-	-	1	-	1
ACCIDENT CAUSED BY MACHINERY.....E912	1,922	-	13	21	17	23	74	30	85	114
MALE....	1,856	-	7	13	12	18	50	26	75	113
FEMALE..	66	-	6	8	5	5	24	4	10	1
WHITE.....MALE....	1,641	-	7	13	12	16	48	22	68	99
FEMALE..	60	-	6	6	3	5	20	4	10	1
NEGRO.....MALE....	177	-	-	-	-	2	2	2	6	13
FEMALE..	2	-	-	-	2	-	2	-	-	-
OTHER.....MALE....	14	-	-	-	-	-	-	-	1	1
FEMALE..	3	-	-	2	-	-	2	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	849	10	18	10	8	4	50	27	35	74
MALE....	787	5	11	5	7	3	31	21	32	72
FEMALE..	62	5	7	5	1	1	19	6	3	2
WHITE.....MALE....	686	4	10	5	6	3	28	19	26	63
FEMALE..	57	5	7	5	1	1	19	5	2	2
NEGRO.....MALE....	86	1	1	-	1	-	3	2	5	7
FEMALE..	3	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	1
FEMALE..	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	7,534	264	291	289	261	241	1,346	552	174	119
MALE....	4,241	129	156	147	125	112	669	213	97	70
FEMALE..	3,293	135	135	142	136	129	677	339	77	49
WHITE.....MALE....	3,065	60	82	73	81	62	358	135	66	53
FEMALE..	2,088	49	71	80	57	62	319	163	39	34
NEGRO.....MALE....	1,033	65	70	70	38	46	289	69	29	16
FEMALE..	1,090	80	61	59	73	61	334	167	35	14
OTHER.....MALE....	41	3	1	1	2	1	8	3	1	1
FEMALE..	29	1	2	2	1	2	8	3	2	1
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	414	37	68	33	10	7	155	10	2	2
MALE....	226	18	33	9	7	3	70	6	1	-
FEMALE..	188	19	35	24	3	4	85	4	1	2
WHITE.....MALE....	164	13	25	3	5	1	47	4	-	-
FEMALE..	133	19	24	10	2	4	59	3	-	1
NEGRO.....MALE....	55	4	8	6	2	1	21	2	-	-
FEMALE..	46	-	9	14	1	-	24	1	1	1
OTHER.....MALE....	2	-	-	-	-	-	-	-	1	-
FEMALE..	3	-	1	-	-	-	1	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	2,092	6	7	20	21	27	81	118	257	350
MALE....	1,854	3	3	14	17	21	58	88	232	326
FEMALE..	238	3	4	6	4	6	23	30	25	24
WHITE.....MALE....	1,526	1	2	10	12	13	38	70	193	269
FEMALE..	169	1	1	3	2	3	10	22	19	17
NEGRO.....MALE....	286	2	1	4	4	7	18	16	34	52
FEMALE..	61	1	3	2	2	3	11	6	4	7
OTHER.....MALE....	21	-	-	-	1	1	2	2	1	3
FEMALE..	4	1	-	-	-	-	1	2	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	1,813	838	113	44	26	17	1,038	25	20	22
MALE....	1,087	479	58	26	15	10	588	15	13	17
FEMALE..	726	359	55	18	11	7	450	10	7	5
WHITE.....MALE....	884	358	47	18	13	9	445	9	13	15
FEMALE..	555	246	34	10	8	6	304	8	7	5
NEGRO.....MALE....	157	103	8	7	2	1	121	5	-	1
FEMALE..	128	92	13	4	2	1	112	2	-	-
OTHER.....MALE....	18	5	2	1	-	-	8	-	-	-
FEMALE..	15	6	4	3	-	-	13	-	-	-
ACCIDENTAL DROWNING.....E929	5,161	59	247	224	158	99	787	576	661	799
MALE....	4,277	27	154	152	115	81	529	472	544	728
FEMALE..	884	32	93	72	43	18	258	104	117	71
WHITE.....MALE....	3,181	22	138	138	104	70	472	350	339	509
FEMALE..	761	28	87	66	40	15	236	94	96	60
NEGRO.....MALE....	904	4	10	6	7	5	32	101	189	194
FEMALE..	90	4	3	4	-	2	13	7	17	8
OTHER.....MALE....	86	1	4	6	3	-	14	6	6	13
FEMALE..	15	-	2	2	2	1	7	-	2	1
EXCESSIVE HEAT AND INSOLATION.....E931	154	9	4	-	1	1	15	4	1	6
MALE....	121	5	1	-	-	1	7	2	-	6
FEMALE..	33	4	3	-	1	-	8	2	1	-
WHITE.....MALE....	77	4	1	-	-	1	6	2	-	5
FEMALE..	27	3	3	-	1	-	7	2	1	-
NEGRO.....MALE....	37	-	-	-	-	-	-	-	-	-
FEMALE..	6	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	5	1	-	-	-	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,291	43	8	4	4	7	66	21	8	12
MALE....	616	25	4	3	3	2	37	12	6	8
FEMALE..	675	18	4	1	1	5	29	9	2	4
WHITE.....MALE....	517	15	4	1	3	2	25	10	5	8
FEMALE..	559	13	3	1	1	3	21	6	2	4
NEGRO.....MALE....	80	10	-	1	-	-	11	2	1	-
FEMALE..	92	2	-	-	-	2	4	2	-	-
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	9	2	1	-	-	-	3	1	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
111	121	138	136	146	159	179	105	87	47	34	17	8	2	1	1	-	1	2
110	120	138	133	142	157	175	103	85	45	32	16	7	1	-	-	-	1	3
1	1	-	3	4	2	4	2	2	2	2	1	1	1	1	1	-	-	4
100	96	108	111	120	136	145	88	72	37	29	15	5	1	-	-	-	-	5
-	1	-	2	3	1	3	1	2	2	2	-	1	1	1	1	-	-	6
8	20	27	20	19	19	24	13	11	8	2	1	2	-	-	-	-	1	7
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	8
2	3	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	10
																		11
111	129	130	153	154	170	220	191	143	96	58	40	18	4	2	-	-	-	12
109	128	127	150	152	166	216	190	142	94	58	39	17	3	1	-	-	-	13
2	1	3	3	2	4	4	1	1	2	-	1	1	1	1	-	-	-	14
88	110	109	131	136	143	191	168	129	85	56	38	17	3	-	-	-	-	15
2	1	3	2	2	4	4	1	1	2	-	-	1	1	1	-	-	-	16
20	14	16	18	12	16	21	18	9	7	2	-	-	-	1	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	3	2	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-	19
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
91	96	97	103	83	57	49	36	25	11	9	4	2	-	-	-	-	-	22
88	93	95	99	81	55	48	34	23	6	5	2	2	-	-	-	-	-	23
3	3	2	4	2	2	1	2	2	5	4	2	-	-	-	-	-	-	24
81	79	88	87	70	40	43	30	21	4	4	2	1	-	-	-	-	-	25
2	3	2	3	1	2	1	2	2	5	4	2	-	-	-	-	-	-	26
5	11	6	11	10	13	4	3	2	2	1	-	1	-	-	-	-	-	27
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
199	216	289	326	391	457	480	380	478	463	503	481	372	193	83	14	8	10	32
127	140	197	226	257	294	314	232	301	267	262	243	176	98	40	7	2	9	33
72	76	92	100	134	163	166	148	177	196	241	238	196	95	43	7	6	1	34
99	103	155	162	203	227	248	180	224	201	189	201	140	77	32	5	1	6	35
47	52	59	77	102	126	128	105	112	124	161	181	153	69	32	5	-	-	36
23	28	34	59	49	59	58	44	60	60	61	32	32	18	8	2	-	3	37
21	19	29	17	26	28	29	30	62	68	73	54	39	25	11	2	6	1	38
2	4	2	4	1	3	1	-	4	-	2	3	1	-	-	-	1	-	39
-	2	-	1	1	1	2	3	-	-	2	-	3	-	-	-	-	-	40
																		41
7	5	13	13	14	13	16	15	22	27	30	23	27	16	2	2	-	-	42
6	5	13	12	9	8	10	10	13	13	20	8	14	6	1	1	-	-	43
1	-	-	1	5	5	6	5	9	14	10	15	13	10	1	1	-	-	44
6	3	11	9	7	5	7	6	7	10	15	7	12	6	1	1	-	-	45
1	-	-	1	1	4	3	3	6	11	7	9	12	10	1	1	-	-	46
-	2	2	2	2	2	3	2	6	3	5	1	2	-	-	-	-	-	47
-	-	-	-	2	1	2	2	2	3	1	5	1	-	-	-	-	-	48
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	50
																		51
203	135	135	131	129	132	126	91	77	58	45	16	3	2	1	-	-	2	52
184	115	117	120	108	116	114	84	71	58	40	15	3	2	1	-	-	2	53
19	20	18	11	21	16	12	7	6	-	5	1	-	-	-	-	-	-	54
142	90	95	96	93	101	105	71	59	52	33	13	3	1	1	-	-	1	55
16	11	14	7	15	13	10	7	3	-	4	1	-	-	-	-	-	-	56
38	19	19	21	15	14	8	7	11	5	5	2	-	1	-	-	-	1	57
3	8	4	3	6	3	2	-	3	-	1	-	-	-	-	-	-	-	58
3	3	2	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	59
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
29	23	32	34	45	63	68	73	61	70	55	59	51	30	9	5	1	-	62
21	17	19	18	32	44	46	46	36	50	35	35	36	15	3	1	-	-	63
8	6	13	16	13	19	22	27	25	20	20	24	15	15	6	4	1	-	64
16	14	13	16	28	40	44	43	32	41	32	32	33	14	3	1	-	-	65
6	5	11	15	11	16	21	25	24	15	19	23	14	15	6	4	1	-	66
4	3	4	2	3	1	1	3	3	4	2	-	-	-	-	-	-	-	67
2	1	2	1	1	1	-	1	1	2	1	1	-	-	-	-	-	-	68
-	-	-	-	-	2	-	-	1	2	1	1	2	1	-	-	-	-	69
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	70
																		71
402	234	191	197	220	220	178	183	151	119	99	58	57	10	6	3	1	9	72
370	203	169	165	186	186	155	152	126	94	84	41	46	10	6	2	1	8	73
32	31	22	32	34	34	23	31	25	25	15	17	11	-	-	1	-	1	74
262	145	110	114	140	141	116	125	102	80	74	33	45	9	6	2	-	7	75
23	24	13	22	28	32	15	29	21	23	15	17	11	-	-	1	-	1	76
99	44	45	47	39	32	26	19	15	9	4	5	1	1	-	-	1	1	77
8	7	7	7	4	-	7	1	2	2	-	-	-	-	-	-	-	-	78
3	7	8	3	3	5	5	4	4	-	3	2	-	-	-	-	-	-	79
-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
																		81
4	5	4	14	10	17	12	13	8	7	11	6	9	4	2	2	-	-	82
4	5	4	13	10	15	11	12	7	3	9	3	6	2	1	1	-	-	83
-	-	-	1	-	2	1	1	1	4	2	3	3	2	1	1	-	-	84
4	4	2	7	7	8	3	8	3	2	6	2	5	2	-	1	-	-	85
-	-	-	1	-	1	1	1	-	3	2	2	3	1	1	1	-	-	86
-	1	2	5	2	7	7	4	3	1	3	1	1	-	-	-	-	-	87
-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	88
-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
																		91
																		92
																		93
20	28	32	64	63	88	96	88	106	134	162	142	89	56	12	2	2	-	94
8	6	10	21	21	35	50	43	52	68	88	74	43	26	7	-	1	-	95
12	22	22	43	42	53	46	45	54	66	74	68	46	30	5	2	1	-	96
6	2	8	13	12	30	45	33	43	61	79	67	37	25	7	-	1	-	97
12	19	16	28	28	40	39	35	48	55	67	64	42	27	4	2	-	-	98
2	4	2	7	6	4	4	8	8	4	7	4	6	-	-	-	-	-	99
-	3	6	13	13	12	4	8	3	9	6	3	4	-	1	-	1	-	100
-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	101
-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	ACCIDENTS--CON.										
3	ALL OTHER ACCIDENTS.....RESIDUAL	6,685	1,776	173	74	65	41	2,129	178	239	201
4	MALE....	4,522	1,003	101	46	35	27	1,212	125	209	177
5	FEMALE..	2,163	773	72	28	30	14	917	53	30	24
6	WHITE.....MALE....	3,416	691	79	33	30	20	853	104	183	149
7	FEMALE..	1,585	491	53	17	21	10	592	42	25	18
8	NEGRO.....MALE....	910	271	14	11	4	6	306	18	16	24
9	FEMALE..	494	252	15	9	7	4	287	9	4	5
10	OTHER.....MALE....	85	16	3	-	-	-	19	1	3	4
11	FEMALE..	33	12	1	1	-	-	14	-	1	1
12											
13											
14	SUICIDE.....E963,E970-E979	20,207	...	...	...	...	...	...	1	102	556
15	MALE....	15,062	...	...	...	...	...	...	1	89	409
16	FEMALE..	5,145	...	...	...	...	...	...	-	13	147
17	WHITE.....MALE....	13,933	...	...	...	...	...	...	1	85	367
18	FEMALE..	4,744	...	...	...	...	...	...	-	12	126
19	NEGRO.....MALE....	592	...	...	...	...	...	...	-	2	24
20	FEMALE..	194	...	...	...	...	...	...	-	1	14
21	OTHER.....MALE....	146	...	...	...	...	...	...	-	1	8
22	FEMALE..	49	...	...	...	...	...	...	-	-	3
23											
24	SUICIDE BY POISONING.....E970-E973	5,126	...	...	...	...	...	...	-	3	108
25	MALE....	2,922	...	...	...	...	...	...	-	2	57
26	FEMALE..	2,204	...	...	...	...	...	...	-	1	51
27	WHITE.....MALE....	2,769	...	...	...	...	...	...	-	2	52
28	FEMALE..	2,086	...	...	...	...	...	...	-	1	46
29	NEGRO.....MALE....	54	...	...	...	...	...	...	-	-	2
30	FEMALE..	44	...	...	...	...	...	...	-	-	5
31	OTHER.....MALE....	22	...	...	...	...	...	...	-	-	1
32	FEMALE..	13	...	...	...	...	...	...	-	-	-
33											
34	SUICIDE BY HANGING AND STRANGULATION.....E974	3,154	...	...	...	...	...	...	1	43	101
35	MALE....	2,452	...	...	...	...	...	...	1	43	89
36	FEMALE..	702	...	...	...	...	...	...	-	-	12
37	WHITE.....MALE....	2,200	...	...	...	...	...	...	1	42	78
38	FEMALE..	614	...	...	...	...	...	...	-	-	9
39	NEGRO.....MALE....	79	...	...	...	...	...	...	-	1	7
40	FEMALE..	25	...	...	...	...	...	...	-	-	1
41	OTHER.....MALE....	55	...	...	...	...	...	...	-	-	1
42	FEMALE..	21	...	...	...	...	...	...	-	-	1
43											
44	SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,487	...	...	...	...	...	...	-	54	295
45	MALE....	8,201	...	...	...	...	...	...	-	43	233
46	FEMALE..	1,286	...	...	...	...	...	...	-	11	62
47	WHITE.....MALE....	7,670	...	...	...	...	...	...	-	40	212
48	FEMALE..	1,208	...	...	...	...	...	...	-	10	54
49	NEGRO.....MALE....	336	...	...	...	...	...	...	-	1	12
50	FEMALE..	60	...	...	...	...	...	...	-	1	6
51	OTHER.....MALE....	54	...	...	...	...	...	...	-	1	6
52	FEMALE..	5	...	...	...	...	...	...	-	-	1
53											
54	SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,440	...	...	...	...	...	...	-	2	52
55	MALE....	1,487	...	...	...	...	...	...	-	1	30
56	FEMALE..	953	...	...	...	...	...	...	-	1	22
57	WHITE.....MALE....	1,294	...	...	...	...	...	...	-	1	25
58	FEMALE..	836	...	...	...	...	...	...	-	1	17
59	NEGRO.....MALE....	123	...	...	...	...	...	...	-	-	3
60	FEMALE..	65	...	...	...	...	...	...	-	-	2
61	OTHER.....MALE....	15	...	...	...	...	...	...	-	-	-
62	FEMALE..	10	...	...	...	...	...	...	-	-	1
63											
64	HOMICIDE.....E964,E980-E985	9,013	214	44	44	33	30	365	96	110	544
65	MALE....	6,707	116	21	25	15	14	191	47	57	403
66	FEMALE..	2,306	98	23	19	18	16	174	49	53	141
67	WHITE.....MALE....	2,937	75	13	20	8	11	127	36	36	164
68	FEMALE..	1,291	69	19	11	14	13	126	37	43	81
69	NEGRO.....MALE....	3,548	34	7	3	5	3	52	9	20	232
70	FEMALE..	927	25	4	6	4	2	41	10	9	53
71	OTHER.....MALE....	85	-	-	1	1	-	2	-	1	3
72	FEMALE..	33	2	-	-	-	-	2	1	-	3
73											
74	ASSAULT BY FIREARM AND EXPLOSIVE.....E981	4,954	5	9	7	6	6	33	29	71	326
75	MALE....	3,805	3	4	4	3	3	17	15	42	252
76	FEMALE..	1,149	2	5	3	3	3	16	14	29	74
77	WHITE.....MALE....	1,760	3	2	4	2	2	13	13	27	104
78	FEMALE..	668	2	5	3	3	2	15	11	23	44
79	NEGRO.....MALE....	1,967	-	2	-	1	1	4	2	14	145
80	FEMALE..	446	-	-	-	-	1	1	3	5	28
81	OTHER.....MALE....	36	-	-	-	-	-	-	-	1	2
82	FEMALE..	14	-	-	-	-	-	-	-	-	2
83											
84	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,978	5	4	3	4	5	21	10	13	132
85	MALE....	1,561	3	3	3	3	3	15	4	5	98
86	FEMALE..	417	2	1	-	1	2	6	6	8	34
87	WHITE.....MALE....	419	2	2	3	1	3	11	1	2	32
88	FEMALE..	155	-	1	-	1	2	4	6	6	13
89	NEGRO.....MALE....	1,081	1	-	-	1	-	2	2	3	62
90	FEMALE..	248	1	-	-	-	-	1	-	2	21
91	OTHER.....MALE....	16	-	-	-	-	-	-	-	-	1
92	FEMALE..	4	1	-	-	-	-	1	-	-	-
93											
94	ASSAULT BY OTHER MEANS.....E964,E980,E983	1,847	204	31	34	23	19	311	57	24	66
95	MALE....	1,110	110	14	18	9	8	159	28	8	34
96	FEMALE..	737	94	17	16	14	11	152	29	16	32
97	WHITE.....MALE....	644	70	9	13	5	6	103	22	7	21
98	FEMALE..	466	67	13	8	10	9	107	20	14	23
99	NEGRO.....MALE....	390	33	5	3	3	2	46	5	1	13
100	FEMALE..	232	24	4	6	4	1	39	7	2	4
101	OTHER.....MALE....	31	-	-	1	1	-	2	-	-	-
102	FEMALE..	15	1	-	-	-	-	1	1	-	1

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
169	168	187	288	289	334	384	354	317	341	290	280	250	183	72	16	5	11	3
131	127	141	222	210	260	307	284	244	246	203	166	132	83	29	5	2	7	4
38	41	46	66	79	74	77	70	73	95	87	114	118	100	43	11	3	4	5
100	81	94	151	152	190	225	230	183	201	169	140	109	73	21	4	1	3	6
29	27	32	49	54	56	61	49	58	80	67	100	107	87	38	9	3	2	7
25	41	37	60	50	55	66	46	49	34	27	20	18	7	5	1	1	4	8
8	11	13	15	20	14	13	17	14	13	13	13	6	12	4	2	-	1	9
2	5	5	5	5	4	8	3	5	7	2	2	2	2	1	-	-	-	10
1	3	1	-	4	1	1	2	-	-	2	1	1	-	-	-	-	-	11
																		12
																		13
946	1,065	1,444	1,715	1,955	2,156	2,292	2,100	1,720	1,372	1,132	871	507	193	61	6	2	11	14
706	735	1,001	1,203	1,362	1,529	1,677	1,631	1,320	1,090	913	740	430	165	47	5	1	8	15
240	330	443	512	593	627	615	469	400	282	219	131	77	28	14	1	1	3	16
607	653	890	1,084	1,263	1,428	1,584	1,534	1,218	1,028	862	704	409	157	46	4	1	8	17
207	290	402	477	544	577	581	435	377	269	207	125	71	26	13	1	1	3	18
61	54	76	75	57	55	52	32	40	26	22	7	8	1	-	-	-	-	19
28	25	24	18	26	17	11	11	10	4	3	2	-	-	-	-	-	-	20
21	10	12	11	8	7	7	11	19	9	11	3	5	2	-	1	-	-	21
3	6	8	6	2	7	-	4	3	-	2	2	2	1	-	-	-	-	22
																		23
220	322	465	560	604	664	655	521	354	246	183	120	66	23	6	1	-	5	24
135	189	268	326	316	356	365	315	207	147	106	73	37	16	4	-	-	3	25
85	133	197	234	288	308	290	206	147	99	77	47	29	7	2	1	-	2	26
121	180	249	301	306	346	349	299	197	138	100	73	34	15	4	-	-	3	27
76	120	182	226	270	286	282	198	141	95	75	47	29	7	2	1	-	2	28
11	4	10	10	3	2	6	2	1	-	2	-	1	-	-	-	-	-	29
7	8	6	3	4	4	-	4	2	-	1	-	-	-	-	-	-	-	30
1	2	3	2	1	1	3	4	4	-	-	-	-	-	-	-	-	-	31
1	2	4	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	32
																		33
129	104	156	211	249	269	334	323	320	286	256	184	118	44	20	3	2	1	34
99	74	118	157	181	200	249	252	248	219	206	159	102	36	14	3	1	1	35
30	30	38	54	68	69	85	71	72	67	50	25	16	8	6	-	1	-	36
84	60	103	140	162	184	226	218	225	206	185	143	91	34	14	2	1	1	37
22	26	30	46	62	60	79	58	65	65	44	22	13	7	5	-	1	-	38
8	8	10	9	7	4	10	4	4	2	2	1	2	-	-	-	-	-	39
7	-	4	3	3	2	-	1	2	-	2	-	-	-	-	-	-	-	40
5	2	3	4	2	1	2	4	7	6	10	1	4	2	-	1	-	-	41
-	2	3	2	-	2	-	4	1	-	2	2	1	1	-	-	-	-	42
																		43
508	523	674	757	917	1,004	1,066	1,012	805	606	505	410	235	91	20	2	-	3	44
410	400	520	608	745	851	938	917	734	573	488	400	227	90	19	2	-	3	45
98	123	154	149	172	153	128	95	71	33	17	10	8	1	1	-	-	-	46
354	353	465	557	694	795	898	882	684	547	473	383	222	87	19	2	-	3	47
89	114	144	142	160	149	116	92	69	32	17	10	8	1	1	-	-	-	48
33	32	39	38	33	35	28	19	27	18	11	6	3	1	-	-	-	-	49
8	6	8	5	7	4	9	3	2	1	-	-	-	-	-	-	-	-	50
14	6	3	3	2	5	1	3	6	1	1	1	1	-	-	-	-	-	51
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
89	116	149	187	185	219	237	244	241	234	188	157	88	35	15	-	-	2	54
62	72	95	112	120	122	125	147	131	151	113	108	64	23	10	-	-	1	55
27	44	54	75	65	97	112	97	110	83	75	49	24	12	5	-	-	1	56
48	60	73	86	101	103	111	135	112	137	104	105	62	21	9	-	-	1	57
20	30	46	63	52	82	104	87	102	77	71	46	21	11	5	-	-	1	58
9	10	17	18	14	14	8	7	8	6	7	-	2	-	-	-	-	-	59
6	11	6	7	12	7	2	3	4	3	-	2	-	-	-	-	-	-	60
1	-	3	2	3	-	1	-	2	2	-	1	-	-	-	-	-	-	61
1	1	1	1	-	4	-	-	-	-	-	-	1	-	-	-	-	-	62
																		63
1,012	1,054	1,144	1,127	970	728	613	417	308	217	127	84	47	22	8	3	-	17	64
776	805	882	830	720	583	493	334	240	166	78	56	25	8	3	1	-	9	65
236	249	262	297	250	145	120	83	68	51	49	28	22	14	5	2	-	8	66
268	297	344	329	286	268	244	180	130	99	55	39	21	6	3	1	-	4	67
111	95	111	134	131	94	78	62	40	39	44	25	17	12	4	2	-	5	68
482	478	511	473	408	303	234	142	103	59	18	16	3	2	-	-	-	3	69
118	143	135	150	112	47	39	16	26	11	4	2	5	2	1	-	-	3	70
14	11	11	12	7	1	8	4	2	4	4	-	1	-	-	-	-	-	71
3	5	8	5	1	1	2	1	-	-	-	1	-	-	-	-	-	-	72
																		73
628	621	663	653	588	420	356	225	145	107	42	27	9	7	2	-	-	2	74
486	482	509	492	442	337	286	184	124	83	28	17	5	2	2	-	-	-	75
142	139	154	161	146	83	70	41	21	24	14	10	4	5	-	-	-	2	76
172	200	230	221	193	166	159	108	69	45	22	10	4	2	2	-	-	-	77
70	59	79	85	82	60	52	31	9	17	14	10	2	5	-	-	-	-	78
303	269	270	259	236	168	125	71	52	35	6	7	1	-	-	-	-	-	79
68	76	68	70	60	21	17	7	11	7	-	-	2	-	-	-	-	2	80
8	7	4	7	2	-	1	1	1	2	-	-	-	-	-	-	-	-	81
1	2	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	82
																		83
243	254	312	275	221	152	131	88	51	33	22	5	10	2	1	1	-	1	84
190	204	249	217	174	134	109	74	37	27	12	4	6	1	-	1	-	-	85
53	50	63	58	47	18	22	14	14	6	10	1	4	1	1	-	-	1	86
45	46	60	48	37	40	28	26	13	15	5	4	5	-	-	1	-	-	87
20	10	13	9	17	11	9	8	7	5	9	1	4	1	1	-	-	1	88
136	150	183	161	130	89	74	47	24	11	5	-	1	1	-	-	-	-	89
31	37	48	46	29	6	12	6	7	1	1	-	-	-	-	-	-	-	90
3	1	3	-	1	1	2	1	-	1	2	-	-	-	-	-	-	-	91
1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	92
																		93
88	118	134	181	145	143	119	98	111	76	62	52	28	13	5	2	-	14	94
47	59	89	103	88	99	91	71	78	55	37	35	14	5	1	-	-	9	95
41	59	45	78	57	44	28	27	33	21	25	17	14	8	4	2	-	5	96
19	26	36	52	45	54	54	45	48	39	27	25	12	4	1	-	-	4	97
21	26	19	40	32	23	17	22	24	17	21	14	11	6	3	2	-	4	98
22	28	41	44	37	41	32	21	26	12	7	9	1	1	-	-	-	3	99
19	29	19	34	23	20	10	3	8	3	3	2	3	2	1	-	-	1	100
3	2	4	5	4	-	4	2	1	1	2	-	1	-	-	-	-	-	101
1	2	4	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists,

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	HOMICIDE--CON.										
2	INJURY BY INTERVENTION OF POLICE.....E984	187	-	-	-	-	-	-	-	2	19
3	MALE....	185	-	-	-	-	-	-	-	2	18
4	FEMALE..	2	-	-	-	-	-	-	-	-	1
5	WHITE.....MALE....	88	-	-	-	-	-	-	-	-	7
6	FEMALE..	1	-	-	-	-	-	-	-	-	1
7	NEGRO.....MALE....	92	-	-	-	-	-	-	-	2	11
8	FEMALE..	1	-	-	-	-	-	-	-	-	-
9	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
10	FEMALE..	-	-	-	-	-	-	-	-	-	-
11											
12	EXECUTION.....E985	47	-	-	-	-	-	-	-	-	1
13	MALE....	46	-	-	-	-	-	-	-	-	1
14	FEMALE..	1	-	-	-	-	-	-	-	-	-
15	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-
16	FEMALE..	1	-	-	-	-	-	-	-	-	-
17	NEGRO.....MALE....	18	-	-	-	-	-	-	-	-	1
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
20	FEMALE..	-	-	-	-	-	-	-	-	-	-
21											
22	INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	25	-	-	-	-	-	-	-	-	-
23	MALE....	25	-	-	-	-	-	-	-	-	-
24	FEMALE..	-	-	-	-	-	-	-	-	-	-
25	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-
26	FEMALE..	-	-	-	-	-	-	-	-	-	-
27	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
28	FEMALE..	-	-	-	-	-	-	-	-	-	-
29	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
30	FEMALE..	-	-	-	-	-	-	-	-	-	-

Age Groups, Race, and Sex: United States, 1962—Con.

1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
39	45	30	13	12	12	7	5	1	1	1	-	-	-	-	-	-	-	2
39	44	30	13	12	12	7	5	1	1	1	-	-	-	-	-	-	-	3
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
23	17	15	6	8	7	3	1	-	-	1	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
16	25	15	6	4	5	3	3	1	1	-	-	-	-	-	-	-	-	7
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
14	16	5	5	4	1	-	1	-	-	-	-	-	-	-	-	-	-	12
14	16	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	14
9	8	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	16
5	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
-	-	3	4	4	4	1	1	1	3	4	-	-	-	-	-	-	-	22
-	-	3	4	4	4	1	1	1	3	4	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	2	4	4	4	1	1	1	3	4	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30

11 times footnote

SECTION 1 - MORTALITY

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
ALL CAUSES	1,756,720	994,789	761,931	846,458	641,655	114,262	92,321
I. INFECTIVE AND PARASITIC DISEASES	19,774	12,838	6,936	9,355	4,910	3,082	1,809
TUBERCULOSIS, ALL FORMS....001-019	9,506	6,942	2,564	5,028	1,704	1,660	767
TUBERCULOSIS OF RESPIRATORY SYSTEM....001-008	8,792	6,531	2,261	4,792	1,552	1,504	635
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	225	119	106	71	53	43	47
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS....011	51	32	19	16	7	16	12
TUBERCULOSIS OF BONES AND JOINTS....012,013	80	39	41	25	35	13	6
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS....014-018	143	83	60	62	37	16	17
DISSEMINATED TUBERCULOSIS....019	215	138	77	62	20	68	50
SYPHILIS AND ITS SEQUELAE....020-029	2,811	1,998	813	1,391	527	564	264
CONGENITAL SYPHILIS....020	50	32	18	14	11	16	7
EARLY SYPHILIS....021	1	1	-	-	-	1	-
ANEURYSM OF AORTA....022	1,440	1,019	421	811	315	181	93
OTHER CARDIOVASCULAR SYPHILIS....023	836	589	247	316	119	263	120
TABES DORSALIS....024	59	49	10	42	8	6	2
GENERAL PARALYSIS OF INSANE....025	145	107	38	79	25	28	13
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM....026	222	167	55	110	32	55	23
ALL OTHER SYPHILIS....027-029	58	34	24	19	17	14	6
GONOCOCCAL INFECTION....030-035	23	20	3	9	-	11	3
TYPHOID FEVER....040	15	11	4	5	3	6	1
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	62	36	26	25	18	11	8
CHOLERA....043	-	-	-	-	-	-	-
BRUCELLOSIS....044	12	9	3	7	3	2	-
DYSENTERY, ALL FORMS....045-048	323	183	140	114	79	68	61
FOOD POISONING, INFECTION AND INTOXICATION....049	39	18	21	13	13	4	8
SCARLET FEVER....050	10	4	6	3	5	1	1
STREPTOCOCCAL SORE THROAT....051	92	47	45	35	32	10	12
ERYSIPELAS....052	25	11	14	11	12	-	1
SEPTICEMIA AND PYEMIA....053	2,084	1,126	958	847	730	251	198
DIPHTHERIA....055	41	23	18	11	11	12	6
WHOOPING COUGH....056	83	45	38	21	13	24	25
MENINGOCOCCAL INFECTIONS....057	649	366	283	294	232	57	36
PLAGUE....058	-	-	-	-	-	-	-
LEPROSY....060	8	5	3	3	1	2	2
TETANUS....061	215	123	92	66	44	57	48
ANTHRAX....062	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	60	37	23	29	17	7	5
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	123	57	66	51	60	4	6
ACUTE INFECTIOUS ENCEPHALITIS....082	582	283	299	235	238	38	48
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	80	52	28	45	26	4	-
SMALLPOX....084	-	-	-	-	-	-	-
MEASLES....085	408	180	228	126	153	51	69
YELLOW FEVER....091	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS....092	911	386	525	317	436	52	69
RABIES....094	1	1	-	1	-	-	-
TICK-BORNE TYPHUS....104	12	7	5	5	4	2	-
ALL OTHER RICKETTSIAL DISEASES....100-103,105-108	4	3	1	3	1	-	-
MALARIA....110-117	12	10	2	6	1	4	1
SCHISTOSOMIASIS....123	2	1	1	1	1	-	-
HYDATID DISEASE....125	7	4	3	3	3	1	-
FILARIASIS....127	1	1	-	1	-	-	-
ANCYLOSTOMIASIS....129	6	3	3	2	3	1	-
OTHER DISEASES DUE TO HELMINTHS....124,126,128,130	60	24	36	6	9	17	27
ALL OTHER INFECTIVE AND PARASITIC DISEASES....RESIDUAL	1,507	822	685	641	531	161	143
II. NEOPLASMS	283,243	152,146	131,097	131,866	113,500	14,137	12,265
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....140-205	278,562	150,009	128,553	130,050	111,449	13,884	11,856
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	6,481	4,920	1,561	4,253	1,350	455	145
OF LIP....140	219	199	20	189	17	5	1
OF TONGUE....141	1,552	1,181	371	1,015	329	91	25
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY....142-144	2,092	1,443	649	1,268	560	125	64
OF PHARYNX....145-148	2,618	2,097	521	1,781	444	234	55
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY....150-156A,157-159	92,047	49,936	42,111	42,709	36,729	5,026	3,519
OF ESOPHAGUS....150	5,088	3,973	1,115	3,028	871	755	191
OF STOMACH....151	19,378	11,947	7,431	9,840	6,301	1,603	821
OF SMALL INTESTINE, INCLUDING DUODENUM....152	745	388	357	330	317	37	28
OF LARGE INTESTINE, EXCEPT RECTUM....153	29,837	13,561	16,276	12,019	14,501	884	1,030
CECUM, APPENDIX, AND ASCENDING COLON....153.0	4,264	1,812	2,452	1,609	2,205	97	141
TRANSVERSE COLON....153.1	1,608	745	863	661	763	45	44
DESCENDING COLON....153.2	1,256	533	723	467	652	42	41
SIGMOID COLON....153.3	6,188	3,000	3,188	2,677	2,863	161	156
MULTIPLE PARTS OF LARGE INTESTINE....153.7	74	37	37	32	36	1	-
LARGE INTESTINE, PART UNSPECIFIED....153.8	14,929	6,823	8,106	6,039	7,179	490	591
INTESTINAL TRACT, PART UNSPECIFIED....153.9	1,518	611	907	534	803	48	57
OF RECTUM....154	10,853	6,131	4,722	5,460	4,101	370	369
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE....155	6,423	2,822	3,601	2,406	3,253	308	216
LIVER....155.0	2,145	1,384	761	1,119	656	215	82
OT. & MULT. SITES OF BILIARY PASSAGES....155.1,155.8	4,278	1,438	2,840	1,287	2,597	93	134
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	2,958	1,533	1,425	1,283	1,205	190	153
OF PANCREAS....157	15,019	8,725	6,294	7,660	5,447	753	594
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	1,746	856	890	683	733	126	117

and Sex: United States and Each State, 1962

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,906	11,545	8,199	5,924	5,238	1,303	624	210	272	197	11,177	6,254	3,636	759	528	1 2 3
															4
509	161	98	155	95	53	10	1	22	20	277	133	52	50	42	5
															6
281	103	44	89	45	19	6	-	10	3	146	78	24	26	18	7
268	101	41	86	40	17	6	-	8	3	136	73	24	25	14	8
6	1	2	2	1	1	-	-	1	-	1	-	-	-	1	9
															10
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	12
3	1	-	-	2	-	-	-	-	-	2	2	-	-	-	13
2	-	-	1	1	-	-	-	-	-	6	2	-	1	3	14
															15
45	10	3	22	10	2	2	-	-	-	24	12	4	5	3	16
2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
14	5	3	2	4	1	1	-	-	-	8	3	2	3	-	19
20	1	-	15	4	-	-	-	-	-	10	5	-	2	3	20
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	22
3	1	-	-	2	-	-	-	-	-	4	3	1	-	-	23
2	-	-	2	-	-	-	-	-	-	1	1	-	-	-	24
															25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
16	3	3	5	5	-	-	-	-	-	21	8	-	5	8	31
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
43	14	9	10	10	5	-	-	3	2	18	6	4	5	3	36
															37
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	38
2	1	1	-	-	7	-	-	3	4	-	-	-	-	-	39
12	2	7	2	1	2	1	-	1	-	7	4	1	2	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
10	-	-	6	4	-	-	-	-	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	-	-	1	1	-	-	-	-	-	1	-	1	-	-	45
3	-	3	-	-	-	-	-	-	-	2	-	2	-	-	46
19	8	7	2	2	1	-	1	-	-	5	4	1	-	-	47
2	2	-	-	-	-	-	-	-	-	3	3	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
12	2	4	4	2	11	-	-	2	9	13	-	-	4	9	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
15	4	4	2	5	-	-	-	-	-	5	-	3	1	1	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	61
4	-	-	1	3	-	-	-	-	-	-	-	-	-	-	62
30	10	6	8	6	5	1	-	2	2	29	17	10	2	-	63
															64
4,155	1,611	1,362	591	591	125	60	35	13	17	1,706	903	702	54	47	65
															66
															67
4,071	1,584	1,333	586	568	122	58	35	13	16	1,661	879	684	53	45	68
88	39	31	9	9	4	3	-	1	-	27	15	10	2	-	69
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	70
13	6	4	2	1	-	-	-	-	-	7	5	2	-	-	71
39	15	16	4	4	1	1	-	-	-	11	6	4	1	-	72
34	16	11	3	4	3	2	-	1	-	9	4	4	1	-	73
															74
															75
1,145	441	361	193	150	43	23	9	8	3	532	259	233	26	14	76
53	25	8	13	7	3	-	1	2	-	22	17	2	3	-	77
289	98	70	79	42	7	3	1	3	-	127	66	48	7	6	78
8	2	4	2	-	-	-	-	-	-	3	2	1	-	-	79
347	123	141	39	44	11	5	4	1	1	150	62	80	5	3	80
43	13	22	2	6	1	-	-	-	1	25	7	17	-	1	81
12	5	4	2	1	1	1	-	-	-	14	5	9	-	-	82
12	2	6	2	2	-	-	-	-	-	5	1	3	1	-	83
41	16	17	3	5	1	-	1	-	-	27	15	8	3	1	84
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	85
222	80	88	28	26	8	4	3	1	-	69	29	39	1	-	86
16	6	4	2	4	-	-	-	-	-	9	4	4	-	1	87
															88
94	31	37	8	18	4	2	1	1	-	57	30	24	2	1	89
90	40	31	10	9	4	3	-	-	1	52	17	27	5	3	90
53	28	11	10	4	2	2	-	-	-	14	9	4	1	-	91
37	12	20	-	5	2	1	-	-	1	38	8	23	4	3	92
30	12	9	5	4	1	1	-	-	-	12	8	4	-	-	93
214	106	56	28	24	12	8	2	1	1	102	55	42	4	1	94
20	4	5	9	2	1	1	-	-	-	7	2	5	-	-	95

716 - 533 O - 64 - 11

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.							
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	44,644	38,050	6,594	33,193	5,784	3,191	565
OF LARYNX....161	2,417	2,172	245	1,868	221	203	19
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	18,866	16,499	2,367	14,468	2,102	1,398	178
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	22,510	18,813	3,697	16,365	3,224	1,534	331
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	851	566	285	492	237	56	37
MALIGNANT NEOPLASM OF BREAST....170	24,958	225	24,733	189	21,732	22	1,895
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	39,590	16,111	23,479	13,505	19,496	2,113	3,123
OF CERVIX UTERI....171	8,349	...	8,349	...	6,482	...	1,614
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	5,941	...	5,941	...	4,863	...	832
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	8,340	...	8,340	...	7,436	...	577
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	849	...	849	...	715	...	100
OF PROSTATE....177	15,173	15,173	...	12,685	...	2,023	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	938	938	...	820	...	90	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	13,299	8,818	4,481	7,843	3,861	586	427
OF KIDNEY....180	5,218	3,243	1,975	2,891	1,748	225	154
OF BLADDER AND OTHER URINARY ORGANS....181	8,081	5,575	2,506	4,952	2,113	361	273
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	30,791	16,560	14,231	14,657	12,414	1,337	1,349
OF SKIN....190,191	4,158	2,487	1,671	2,327	1,535	90	78
OF EYE....192	375	188	187	170	170	12	9
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	6,512	3,832	2,680	3,476	2,424	210	156
OF THYROID GLAND....194	1,018	341	677	315	594	18	57
OF BONE....196	1,833	1,026	807	897	689	89	91
OF CONNECTIVE TISSUE....197	1,087	572	515	519	437	38	64
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	1,453	896	557	775	479	81	63
OF UNSPECIFIED SITES....156B,165,198,199B	14,355	7,218	7,137	6,178	6,086	799	831
LEUKEMIA AND ALEUKEMIA....204	12,997	7,493	5,504	6,757	4,881	491	402
LYMPHOSARCOMA, ETC....200-203,205	13,755	7,896	5,859	6,944	5,202	663	431
LYMPHOSARCOMA AND RETICULOSARCOMA....200	6,401	3,625	2,776	3,269	2,517	216	153
HODGKINS DISEASE....201	3,200	1,984	1,216	1,738	1,088	168	74
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	4,154	2,287	1,867	1,937	1,597	279	204
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	4,681	2,137	2,544	1,816	2,051	253	409
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	433	...	433	...	256	...	156
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	938	417	521	338	452	57	53
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	973	508	465	434	387	56	58
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	29	...	29	...	22	...	6
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	1,514	777	737	673	617	85	103
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	794	435	359	371	317	55	33
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	41,914	18,506	23,408	15,735	19,043	2,175	3,423
ASTHMA....241	4,896	3,102	1,794	2,662	1,425	376	316
NONTOXIC GOITER....250,251	79	14	65	12	54	2	11
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	500	83	417	63	321	16	81
ALL OTHER DISEASES OF THYROID GLAND....253,254	342	76	266	68	241	6	18
DIABETES MELLITUS....260	31,222	12,881	18,341	11,003	14,983	1,403	2,571
DISEASES OF THYMUS GLAND....273	130	81	49	62	30	14	11
DISEASES OF ADRENAL GLANDS....274	449	218	231	189	201	24	21
PELLAGRA....281	41	10	31	9	16	1	15
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	1,586	787	799	595	629	181	149
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	2,669	1,254	1,415	1,072	1,143	152	230
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	5,210	2,628	2,582	2,193	2,117	355	375
ANEMIAS....290-293	3,398	1,620	1,778	1,294	1,405	271	302
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	552	214	338	201	294	6	29
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	2,846	1,406	1,440	1,093	1,111	265	273
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	689	336	353	296	306	30	39
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	1,123	672	451	603	406	54	34
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	4,375	2,984	1,391	2,298	1,068	604	292
SENILE PSYCHOSIS....304	273	110	163	96	142	13	20
ALCOHOLIC PSYCHOSIS....307	436	386	50	319	34	53	14
OTHER PSYCHOSES....300-303,305,306,308,309	635	291	344	248	295	41	43
ALCOHOLISM....322	2,311	1,800	511	1,341	323	410	175
MENTAL DEFICIENCY....325	498	267	231	222	198	36	26
OTHER DISORDERS OF PERSONALITY....RESIDUAL	222	130	92	72	76	51	14
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	212,119	100,559	111,560	84,798	94,274	13,093	14,025
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	197,451	92,595	104,856	78,380	88,718	11,815	13,080
SUBARACHNOID HEMORRHAGE....330	7,649	3,452	4,197	2,784	3,312	559	746
CEREBRAL HEMORRHAGE....331	109,419	51,492	57,927	43,061	48,301	7,192	8,061
CEREBRAL EMBOLISM AND THROMBOSIS....332	61,759	29,186	32,573	25,368	28,405	2,948	3,061
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	18,624	8,465	10,159	7,167	8,700	1,116	1,212
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	2,322	1,315	1,007	878	674	394	307
MULTIPLE SCLEROSIS....345	1,487	603	884	539	784	37	64
PARALYSIS AGITANS....350	2,816	1,488	1,328	1,383	1,244	50	35
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	752	416	336	336	282	69	46
EPILEPSY....353	2,048	1,198	850	797	650	361	179
INFLAMMATORY DISEASES OF EYE....370-379	9	1	8	1	5	-	3
CATARACT....385	26	5	21	5	19	-	2
GLAUCOMA....387	4	2	2	1	2	1	-
OTITIS MEDIA AND MASTOIDITIS....391-393	259	147	112	110	85	33	25
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	4,945	2,789	2,156	2,368	1,811	333	284

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

ALABAMA					ALASKA					ARIZONA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
630	446	59	109	16	17	14	2	-	1	321	270	39	8	4
22	17	2	3	-	-	-	-	-	-	15	14	1	-	-
320	223	27	60	10	7	5	2	-	-	171	150	14	5	2
280	203	28	43	6	8	7	-	-	1	130	105	21	3	1
8	3	2	3	-	2	2	-	-	-	5	1	3	-	1
312	4	233	2	73	5	-	3	-	2	124	2	117	-	5
785	183	269	142	191	8	2	2	-	4	235	104	114	3	14
235	...	123	...	112	1	...	-	...	1	49	...	43	...	6
112	...	64	...	48	2	...	1	...	1	31	...	27	...	4
92	...	67	...	25	2	...	1	...	1	48	...	44	...	4
21	...	15	...	6	1	...	-	...	1	-	...	-	...	-
312	175	...	137	...	2	2	...	-	...	103	100	...	3	...
13	8	...	5	...	-	-	...	-	...	4	4	...	-	...
163	77	39	29	18	5	1	2	1	1	80	52	24	2	2
60	28	15	14	3	4	1	1	1	1	30	17	10	1	2
103	49	24	15	15	1	-	1	-	-	50	35	14	1	-
555	225	197	59	74	23	10	7	3	3	174	91	74	6	3
97	54	31	5	7	-	-	-	-	-	22	13	8	-	1
10	2	5	3	-	-	-	-	-	-	1	1	-	-	-
105	48	40	7	10	4	2	2	-	-	43	22	18	3	-
11	-	8	-	3	-	-	-	-	-	7	5	2	-	-
44	22	13	5	4	-	-	-	-	-	12	7	5	-	-
22	8	9	1	4	1	-	1	-	-	8	3	4	1	-
38	16	12	5	5	1	-	-	-	1	9	7	2	-	-
228	75	79	33	41	17	8	4	3	2	72	33	35	2	2
204	81	78	24	21	11	4	6	-	1	82	47	30	4	1
189	88	66	19	16	6	1	4	-	1	86	39	43	2	2
81	33	34	7	7	3	-	3	-	-	49	18	29	1	1
49	26	15	7	1	2	1	-	-	1	16	11	5	-	-
59	29	17	5	8	1	-	1	-	-	21	10	9	1	1
84	27	29	5	23	3	2	-	-	1	45	24	18	1	2
12	...	1	...	11	-	...	-	...	-	10	...	8	...	2
11	1	7	1	2	-	-	-	-	-	7	4	3	-	-
14	5	6	1	2	-	-	-	-	-	13	8	5	-	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
31	15	11	1	4	1	-	-	-	1	12	10	1	1	-
15	6	4	2	3	2	2	-	-	-	3	2	1	-	-
619	186	192	85	156	19	12	4	3	-	313	163	117	20	13
85	36	20	17	12	6	3	2	1	-	115	78	32	3	2
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-
18	1	6	-	11	-	-	-	-	-	2	-	2	-	-
6	2	3	-	1	-	-	-	-	-	1	-	1	-	-
413	118	139	53	103	8	6	2	-	-	155	70	65	12	8
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-
5	4	1	-	-	-	-	-	-	-	5	1	3	1	-
6	1	2	-	3	-	-	-	-	-	-	-	-	-	-
36	7	8	10	11	1	1	-	-	-	16	5	6	3	2
47	16	13	4	14	4	2	-	2	-	16	8	6	1	1
89	31	20	10	28	4	-	2	-	2	38	17	18	2	1
60	20	12	7	21	2	-	1	-	1	26	8	16	1	1
5	2	1	-	2	-	-	-	-	-	5	2	3	-	-
55	18	11	7	19	2	-	1	-	1	21	6	13	1	1
10	4	2	1	3	-	-	-	-	-	5	5	-	-	-
19	7	6	2	4	2	-	1	-	1	7	4	2	1	-
116	44	35	21	16	16	4	3	4	5	48	20	10	15	3
18	3	13	1	1	2	-	-	-	2	2	1	-	-	1
4	3	-	1	-	1	1	-	-	-	2	2	-	-	-
31	11	15	2	3	1	-	-	1	-	4	2	2	-	-
47	21	3	14	9	10	3	2	3	2	32	10	6	15	1
13	5	4	2	2	1	-	-	-	1	7	5	1	-	1
3	1	-	1	1	1	-	1	-	-	1	-	1	-	-
4,566	1,331	1,402	833	1,000	131	50	22	29	30	1,038	507	434	46	51
4,299	1,243	1,330	769	957	106	48	21	20	17	919	453	403	28	35
113	34	39	21	19	10	2	4	3	1	48	26	19	1	2
2,507	644	751	477	635	52	29	8	8	7	490	230	226	15	19
1,125	387	382	173	183	29	11	5	6	7	290	150	122	10	8
554	178	158	98	120	15	6	4	3	2	91	47	36	2	6
57	7	10	22	18	16	1	-	8	7	33	15	4	8	6
15	4	8	2	1	-	-	-	-	-	11	6	5	-	-
32	19	12	1	-	-	-	-	-	-	10	9	1	-	-
18	7	7	3	1	1	-	1	-	-	14	4	4	2	4
55	15	8	21	11	1	1	-	-	-	15	2	6	5	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	4	1	1	-	2	-	-	-	2	1	-	1	-	-
82	32	24	14	12	5	-	-	1	4	35	18	10	3	4

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	759,986	437,560	322,426	383,945	277,691	37,133	31,557
DISEASES OF HEART 400-402,410-443	688,009	400,672	287,337	352,160	247,343	33,144	27,938
RHEUMATIC FEVER 400-402	550	285	265	228	193	52	62
CHRONIC RHEUMATIC HEART DISEASE 410-416	17,201	7,881	9,320	6,959	8,134	583	707
DISEASES OF MITRAL VALVE 410	6,234	2,584	3,650	2,300	3,236	173	245
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	1,984	1,369	615	1,254	544	60	42
DISEASES OF PULMONARY VALVE, ETC 413,414	820	391	429	356	384	19	23
OTHER RHEUMATIC HEART DISEASES 412,415,416	8,163	3,537	4,626	3,049	3,970	331	397
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS 420	527,561	324,183	203,378	291,009	179,702	20,655	15,070
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	229,700	125,471	104,229	111,104	91,979	8,340	6,911
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	297,468	198,462	99,006	179,691	87,598	12,281	8,142
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	393	250	143	214	125	34	17
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	4,288	2,494	1,794	2,157	1,467	277	264
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	201	90	111	78	88	11	18
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	2,184	1,470	714	1,315	600	113	82
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	1,903	934	969	764	779	153	164
OTHER MYOCARDIAL DEGENERATION 422	50,357	24,421	25,936	20,413	22,028	2,704	2,580
WITH ARTERIOSCLEROSIS 422.1	39,118	18,676	20,442	15,749	17,395	1,989	1,963
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	11,239	5,745	5,494	4,664	4,633	715	617
OTHER DISEASES OF HEART 430-434	25,876	14,754	11,122	11,939	8,898	2,514	1,928
ACUTE AND SUBACUTE ENDOCARDITIS 430	737	468	269	378	214	79	49
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	1,041	626	415	510	338	102	73
FUNCTIONAL DISEASE OF HEART 433	6,561	3,174	3,387	2,807	3,010	286	287
OTHER AND UNSPECIFIED DISEASES OF HEART 434	17,537	10,486	7,051	8,244	5,336	2,047	1,519
HYPERTENSIVE HEART DISEASE 440-443	62,176	26,654	35,522	19,455	26,921	6,359	7,327
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	14,202	6,821	7,381	5,439	6,011	1,196	1,146
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	47,974	19,833	28,141	14,016	20,910	5,163	6,181
OTHER HYPERTENSIVE DISEASE 444-447	12,497	6,296	6,201	4,758	4,815	1,354	1,193
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	6,987	3,865	3,122	3,196	2,577	550	437
ESSENTIAL HYPERTENSION 444,445,447	5,510	2,431	3,079	1,562	2,238	804	756
DISEASES OF ARTERIES 450-456	49,715	25,511	24,204	22,795	21,616	1,966	1,843
GENERAL ARTERIOSCLEROSIS 450	36,848	16,855	19,993	15,018	18,074	1,399	1,325
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	9,544	6,954	2,590	6,297	2,242	393	246
GANGRENE OF UNSPECIFIED CAUSE 455	243	127	116	100	86	26	30
OTHER ARTERIAL DISEASES 452-454,456	3,080	1,575	1,505	1,380	1,214	148	242
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	9,765	5,081	4,684	4,232	3,917	669	583
VIII. DISEASES OF THE RESPIRATORY SYSTEM	90,152	56,438	33,714	47,048	27,322	7,786	5,455
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	820	462	358	324	257	130	91
INFLUENZA 480-483	3,431	1,664	1,767	1,347	1,422	300	337
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	56,564	31,853	24,711	25,271	19,755	5,630	4,205
LOBAR PNEUMONIA 490	8,784	5,289	3,495	4,100	2,686	998	685
BRONCHOPNEUMONIA 491	32,455	18,038	14,417	14,476	11,725	2,931	2,160
PRIMARY ATYPICAL PNEUMONIA 492	5,429	3,022	2,407	2,402	1,864	525	465
PNEUMONIA, OTHER AND UNSPECIFIED 493	9,896	5,504	4,392	4,293	3,480	1,176	895
ACUTE BRONCHITIS 500	1,118	664	454	543	374	97	67
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	3,547	2,657	890	2,356	760	208	99
HYPERTROPHY OF TONSILS AND ADENOIDS 510	108	64	44	57	33	7	11
EMPYEMA AND ABSCESS OF LUNG 518,521	835	612	223	461	179	118	36
PLEURISY 519	134	88	46	71	39	11	5
OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	4,097	2,751	1,346	2,342	1,080	313	234
BRONCHIECTASIS 526	2,105	1,378	727	1,248	680	84	33
OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	13,870	11,709	2,161	10,745	1,903	692	208
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	12,368	10,752	1,616	9,998	1,481	503	100
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	1,502	957	545	747	422	189	108
OTHER RESPIRATORY DISEASES RESIDUAL	3,523	2,536	987	2,283	840	196	129
IX. DISEASES OF THE DIGESTIVE SYSTEM	70,350	41,478	28,872	35,156	24,232	4,689	3,552
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	79	37	42	31	32	5	9
ULCER OF STOMACH 540	6,416	4,467	1,949	3,857	1,733	429	146
ULCER OF DUODENUM 541	5,812	4,369	1,443	3,921	1,289	290	104
GASTRITIS AND DUODENITIS 543	427	285	142	242	120	32	20
APPENDICITIS 550-553	1,800	1,095	705	904	550	149	130
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	9,723	4,715	5,008	3,958	4,325	584	506
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	4,161	2,174	1,987	1,319	1,232	793	713
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	3,606	1,604	2,002	1,417	1,774	110	121
CIRRHOSIS OF LIVER 581	21,824	14,329	7,495	12,242	6,117	1,414	1,010
WITHOUT MENTION OF ALCOHOLISM 581.0	14,612	9,308	5,304	7,957	4,345	888	663
WITH ALCOHOLISM 581.1	7,212	5,021	2,191	4,285	1,772	526	347
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	4,831	2,014	2,817	1,843	2,538	100	185
FIBROCYSTIC DISEASE OF PANCREAS 587B	639	314	325	294	302	13	16
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	11,032	6,075	4,957	5,128	4,220	770	592
X. DISEASES OF THE GENITOURINARY SYSTEM	30,809	18,563	12,246	14,667	9,344	3,360	2,478
NEPHRITIS AND NEPHROSIS 590-594	12,945	7,232	5,713	5,551	4,219	1,474	1,301
ACUTE NEPHRITIS 590	721	412	309	304	224	95	68
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	852	489	363	393	280	87	74
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	11,372	6,331	5,041	4,854	3,715	1,292	1,159
INFECTIONS OF KIDNEY 600	8,744	4,306	4,438	3,368	3,490	824	791
CALCULI OF URINARY SYSTEM 602,604	1,300	687	613	588	513	68	72
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	2,357	1,549	808	1,213	658	305	130
HYPERPLASIA OF PROSTATE 610	4,283	4,283	...	3,519	...	622	...
DISEASES OF BREAST 620,621	13	-	13	-	11	-	2
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	1,167	506	661	428	453	67	182

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11,587	4,795	3,175	1,910	1,707	303	192	49	40	22	3,822	2,346	1,274	116	86	1
															2
10,435	4,417	2,818	1,697	1,503	268	167	41	40	20	3,434	2,146	1,111	107	70	3
14	7	2	-	5	1	-	-	1	-	5	1	1	3	-	4
159	61	53	23	22	11	6	1	1	3	119	52	59	6	2	5
53	19	16	10	8	4	1	-	-	3	42	13	27	2	-	6
17	10	3	4	-	4	4	-	-	-	18	13	5	-	-	7
8	4	4	-	-	1	1	-	-	-	3	2	1	-	-	8
81	28	30	9	14	2	-	1	1	-	56	24	26	4	2	9
6,937	3,495	1,927	849	666	196	129	33	23	11	2,730	1,792	828	70	40	10
2,348	1,017	755	325	251	56	36	7	7	6	1,242	747	430	39	26	11
4,571	2,470	1,168	521	412	138	91	26	16	5	1,487	1,044	398	31	14	12
18	8	4	3	3	2	2	-	-	-	1	1	-	-	-	13
															14
															15
64	24	13	10	17	1	-	1	-	-	19	11	8	-	-	16
4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	17
27	14	5	3	5	1	-	1	-	-	13	8	5	-	-	18
33	7	8	6	12	-	-	-	-	-	6	3	3	-	-	19
921	242	283	206	190	9	6	2	1	-	178	103	61	6	8	20
678	179	201	149	149	4	2	2	-	-	126	66	47	6	7	21
243	63	82	57	41	5	4	-	1	-	52	37	14	-	1	22
															23
667	267	144	159	97	37	20	1	13	3	132	73	47	9	3	24
7	1	4	-	2	-	-	-	-	-	3	2	1	-	-	25
15	4	3	5	3	1	1	-	-	-	5	2	3	-	-	26
88	34	31	12	11	6	2	-	3	1	28	15	11	1	1	27
557	228	106	142	81	30	17	1	10	2	96	54	32	8	2	28
1,673	321	396	450	506	13	6	3	1	3	251	114	107	13	17	29
															30
341	73	99	84	85	-	-	-	-	-	29	16	12	-	1	31
1,332	248	297	366	421	13	6	3	1	3	222	98	95	13	16	32
															33
293	60	69	76	88	3	3	-	-	-	74	37	29	3	5	34
117	38	31	24	24	1	1	-	-	-	57	33	19	2	3	35
176	22	38	52	64	2	2	-	-	-	17	4	10	1	2	36
737	274	247	117	99	31	22	7	-	2	273	146	116	4	7	37
558	182	206	92	78	28	22	5	-	1	172	86	79	3	4	38
122	67	28	16	11	1	-	1	-	-	69	46	21	1	1	39
9	2	1	4	2	-	-	-	-	-	-	-	-	-	-	40
48	23	12	5	8	2	-	1	-	1	32	14	16	-	2	41
122	44	41	20	17	1	-	1	-	-	41	17	18	2	4	42
															43
1,401	522	307	318	254	99	33	6	37	23	883	553	222	63	45	44
															45
14	5	3	3	3	6	-	3	2	1	4	2	-	2	-	46
135	36	33	32	34	8	1	-	5	2	17	9	6	-	2	47
852	241	198	223	190	58	15	2	23	18	403	191	125	48	39	48
218	59	49	53	57	9	-	1	5	3	69	42	14	9	4	49
339	99	99	82	59	24	6	-	9	9	217	102	74	23	18	50
107	32	26	23	26	3	2	-	-	1	40	18	13	4	5	51
188	51	24	65	48	22	7	1	9	5	77	29	24	12	12	52
															53
10	5	1	3	1	-	-	-	-	-	9	4	4	-	1	54
50	24	11	10	5	4	3	-	-	1	62	47	14	-	1	55
3	2	1	-	-	-	-	-	-	-	2	2	-	-	-	56
13	6	2	4	1	2	1	-	-	1	4	-	3	1	-	57
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	58
58	30	13	9	6	2	1	-	1	-	46	28	14	4	-	59
34	22	9	2	1	1	-	-	1	-	41	25	16	-	-	60
187	129	27	23	8	13	9	-	4	-	269	228	32	8	1	61
169	124	23	18	4	9	9	-	-	-	262	226	30	5	1	62
18	5	4	5	4	4	-	-	4	-	7	2	2	3	-	63
45	22	9	9	5	5	3	1	1	-	24	15	8	-	1	64
															65
1,001	381	293	168	159	62	30	12	10	10	557	278	156	68	55	66
															67
2	2	-	-	-	-	-	-	-	-	1	-	-	1	-	68
68	36	13	17	2	3	2	-	1	-	38	25	9	3	1	69
82	52	13	11	6	4	4	-	-	-	34	20	12	2	-	70
7	4	2	1	-	1	1	-	-	-	1	1	-	-	-	71
33	18	4	3	8	1	1	-	-	-	9	6	2	-	1	72
178	62	60	27	29	6	3	1	1	1	55	28	22	2	3	73
															74
131	14	17	47	53	12	1	1	5	5	96	22	19	34	21	75
47	13	28	5	1	2	-	-	1	1	35	19	14	2	-	76
193	96	49	26	22	24	14	8	-	2	167	102	34	12	19	77
153	68	44	22	19	7	4	2	-	1	101	65	22	4	10	78
40	28	5	4	3	17	10	6	-	1	66	37	12	8	9	79
80	23	43	5	9	-	-	-	-	-	46	17	19	5	5	80
14	6	7	-	1	2	1	1	-	-	8	5	3	-	-	81
166	55	57	26	28	7	3	1	2	1	67	33	22	7	5	82
															83
688	217	154	185	132	14	9	2	3	-	193	100	53	20	20	84
															85
322	86	77	76	83	10	6	2	2	-	80	40	26	7	7	86
18	8	3	5	2	2	-	-	2	-	6	2	2	2	-	87
12	4	2	3	3	-	-	-	-	-	9	4	2	-	3	88
292	74	72	68	78	8	6	2	-	-	65	34	22	5	4	89
173	57	55	35	26	1	1	-	-	-	67	31	20	6	10	90
24	12	7	3	2	-	-	-	-	-	11	4	5	1	1	91
48	10	7	21	10	2	1	-	1	-	6	4	-	1	1	92
84	41	...	43	...	1	1	...	-	...	22	17	...	5	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
37	11	8	7	11	-	-	-	-	-	7	4	2	-	1	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1,465	...	1,465	...	807	...	615
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	170	...	170	...	108	...	59
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	234	...	234	...	115	...	112
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	259	...	259	...	148	...	102
ECTOPIC PREGNANCY.....645	99	...	99	...	32	...	62
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	79	...	79	...	47	...	30
ABORTION WITH SEPSIS.....651	213	...	213	...	96	...	112
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	13	...	13	...	6	...	6
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	398	...	398	...	255	...	132
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,219	840	1,379	681	1,102	130	239
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	570	303	267	251	224	43	38
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,649	537	1,112	430	878	87	201
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	3,593	1,610	1,983	1,441	1,757	129	172
ARTHRITIS AND SPONDYLITIS.....720-725	1,963	711	1,252	650	1,130	47	95
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	37	18	19	16	14	2	5
OSTEOMYELITIS AND PERIOSTITIS.....730	190	112	78	88	60	20	12
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	99	45	54	43	48	2	4
INBORN DEFECT OF MUSCLE.....744.1	555	415	140	383	125	24	13
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	749	309	440	261	380	34	43
XIV. CONGENITAL MALFORMATIONS.....	21,192	11,562	9,630	9,671	8,141	1,519	1,192
SPINA BIFIDA AND MENINGOCELE.....751	1,511	645	866	574	802	57	48
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,153	1,101	1,052	911	871	155	154
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	10,653	6,000	4,653	5,020	3,859	797	644
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,875	3,816	3,059	3,166	2,609	510	346
XV. CERTAIN DISEASES OF EARLY INFANCY.....	64,205	37,741	26,464	28,058	19,059	8,478	6,573
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	19,730	11,468	8,262	7,616	5,179	3,791	2,997
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,426	977	1,449	770	1,169	199	256
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	17,304	10,491	6,813	6,846	4,010	3,592	2,741
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	126,384	87,868	38,516	71,930	32,109	13,801	5,302
ACCIDENTS.....E800-E962	97,139	66,074	31,065	55,036	26,074	9,429	4,099
RAILWAY ACCIDENTS.....E800-E802	964	857	107	648	80	180	20
MOTOR VEHICLE ACCIDENTS.....E810-E835	40,804	29,639	11,165	25,421	9,768	3,542	1,169
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	39,775	28,888	10,887	24,771	9,515	3,456	1,148
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,245	885	360	813	341	63	15
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,410	5,335	2,075	4,150	1,630	1,018	368
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	16,986	11,747	5,239	10,328	4,746	1,173	402
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	11,173	8,782	2,391	7,582	2,049	984	298
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,961	2,139	822	1,898	749	218	65
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1,029	751	278	650	253	86	21
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	263	197	66	164	54	27	8
WATER TRANSPORT ACCIDENTS.....E850-E858	1,445	1,319	126	1,124	98	167	25
AIRCRAFT ACCIDENTS.....E860-E866	1,435	1,254	181	1,219	176	18	2
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	1,833	1,098	735	815	538	256	167
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,376	1,023	353	853	282	136	64
ACCIDENTAL FALLS.....E900-E904	19,589	9,662	9,927	8,418	9,025	898	506
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,901	3,846	2,055	3,232	1,803	468	163
FALL ON SAME LEVEL.....E903	5,589	2,451	3,138	2,221	2,939	162	130
UNSPECIFIED FALLS.....E904	8,099	3,365	4,734	2,965	4,283	268	213
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	1,515	1,438	77	1,217	59	200	15
ACCIDENT CAUSED BY MACHINERY.....E912	1,922	1,856	66	1,641	60	191	5
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	849	787	62	686	57	90	3
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	7,534	4,241	3,293	3,065	2,088	1,074	1,119
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	414	226	188	164	133	57	49
ACCIDENT CAUSED BY FIREARM.....E919	2,092	1,854	238	1,526	169	307	65
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	1,813	1,087	726	884	555	175	143
ACCIDENTAL DROWNING.....E929	5,161	4,277	884	3,181	761	990	105
EXCESSIVE HEAT AND INSOLATION.....E931	154	121	33	77	27	42	6
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	1,291	616	675	517	559	84	101
ALL OTHER ACCIDENTS.....RESIDUAL	6,685	4,522	2,163	3,416	1,585	995	527
SUICIDE.....E963,E970-E979	20,207	15,062	5,145	13,933	4,744	738	243
SUICIDE BY POISONING.....E970-E973	5,126	2,922	2,204	2,769	2,086	76	57
SUICIDE BY HANGING AND STRANGULATION.....E974	3,154	2,452	702	2,200	614	134	46
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,487	8,201	1,286	7,670	1,208	390	65
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,440	1,487	953	1,294	836	138	75
HOMICIDE.....E964,E980-E985	9,013	6,707	2,306	2,937	1,291	3,633	960
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	4,954	3,805	1,149	1,760	668	2,003	460
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,978	1,561	417	419	155	1,097	252
ASSAULT BY OTHER MEANS.....E964,E980,E983	1,847	1,110	737	644	466	421	247
INJURY BY INTERVENTION OF POLICE.....E984	187	185	2	88	1	94	1
EXECUTION.....E985	47	46	1	26	1	18	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	25	25	-	24	-	1	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

ALABAMA					ALASKA					ARIZONA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
50	...	12	...	38	5	...	2	...	3	13	...	8	...	5
4	...	3	...	1	-	...	-	...	-	-	...	-	...	-
9	...	3	...	6	-	...	-	...	-	2	...	1	...	1
19	...	4	...	15	4	...	1	...	3	5	...	3	...	2
3	...	-	...	3	-	...	-	...	-	-	...	-	...	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
5	...	-	...	5	-	...	-	...	-	4	...	3	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
9	...	2	...	7	1	...	1	...	-	2	...	1	...	1
50	10	15	11	14	1	-	-	1	-	16	5	7	1	3
16	4	4	4	4	-	-	-	-	-	4	1	3	-	-
34	6	11	7	10	1	-	-	1	-	12	4	4	1	3
79	33	34	5	7	2	1	1	-	-	43	15	22	3	3
56	20	27	3	6	-	-	-	-	-	26	6	17	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	2	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1
12	8	3	-	1	1	1	-	-	-	2	2	-	-	-
7	3	4	-	-	1	-	1	-	-	11	4	5	2	-
386	124	145	65	52	23	11	4	3	5	197	87	86	15	9
26	8	18	-	-	-	-	-	-	-	10	-	9	1	-
37	11	11	8	7	5	1	1	-	3	22	10	6	2	4
179	58	59	35	27	11	6	1	3	1	104	50	44	7	3
144	47	57	22	18	7	4	2	-	1	61	27	27	5	2
1,314	436	268	350	260	120	48	23	26	23	584	284	180	73	47
1,461	334	193	486	448	46	17	1	12	16	179	69	26	49	35
100	16	34	17	33	12	4	-	1	7	22	12	4	3	3
1,361	318	159	469	415	34	13	1	11	9	157	57	22	46	32
2,835	1,329	494	731	281	280	147	43	69	21	1,270	774	269	164	63
2,186	1,009	426	519	232	233	126	32	58	17	944	559	205	125	55
33	16	-	15	2	-	-	-	-	-	13	8	-	4	1
999	553	201	195	50	42	27	8	6	1	443	253	91	69	30
973	540	199	184	50	40	26	8	5	1	433	250	85	69	29
23	16	4	3	-	-	-	-	-	-	12	7	5	-	-
146	56	28	47	15	5	2	2	1	-	83	43	16	18	6
422	239	110	56	17	13	10	2	1	-	144	82	32	20	10
360	213	51	78	18	21	14	4	2	1	123	74	18	21	10
22	16	6	-	-	1	-	-	1	-	71	44	14	10	3
26	13	2	11	-	2	1	-	1	-	10	3	6	-	1
7	2	1	3	1	-	-	-	-	-	2	-	-	1	1
45	33	5	7	-	37	18	2	15	2	6	6	-	-	-
14	13	1	-	-	37	31	1	4	1	52	44	6	2	-
30	17	2	7	4	8	2	3	2	1	19	6	12	-	1
23	12	2	7	2	-	-	-	-	-	19	12	4	-	3
230	71	110	21	28	2	1	-	1	-	79	43	30	5	1
77	32	24	13	8	1	1	-	-	-	18	12	5	1	-
98	30	53	5	10	-	-	-	-	-	11	8	2	1	-
55	9	33	3	10	1	-	-	1	-	50	23	23	3	1
42	22	1	18	1	1	1	-	-	-	19	17	-	1	1
49	38	-	10	1	3	3	-	-	-	16	13	1	1	1
24	18	1	5	-	1	1	-	-	-	15	12	1	2	-
263	64	46	72	81	31	8	10	9	4	50	28	13	4	5
13	2	4	1	6	4	1	2	-	1	3	2	1	-	-
78	43	6	27	2	13	8	1	3	1	27	22	2	3	-
28	4	2	13	9	2	1	-	-	1	27	13	4	8	2
135	55	15	59	6	20	8	-	10	2	68	38	18	10	2
3	-	1	1	1	-	-	-	-	-	8	2	2	4	-
9	-	6	-	3	3	1	1	1	-	7	2	4	-	1
161	46	22	58	35	29	15	4	7	3	71	38	16	11	6
286	219	41	20	6	37	20	10	6	1	223	160	46	16	1
40	28	10	1	1	9	2	7	-	-	54	32	21	1	-
21	15	5	1	-	3	2	-	1	-	16	9	1	6	-
208	163	26	17	2	23	14	3	5	1	141	113	20	8	-
17	13	-	1	3	2	2	-	-	-	12	6	4	1	1
361	99	27	192	43	10	1	1	5	3	103	55	18	23	7
217	72	17	110	18	7	1	-	5	1	72	41	12	16	3
93	15	2	60	16	1	-	1	-	-	9	4	2	2	1
44	9	8	18	9	2	-	-	-	2	19	7	4	5	3
6	3	-	3	-	-	-	-	-	-	3	3	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	18,859	8,649	5,649	2,510	2,051	141,395	74,935	57,207	5,555	3,698
I. INFECTIVE AND PARASITIC DISEASES	333	130	53	87	63	1,461	838	425	133	65
TUBERCULOSIS, ALL FORMS 001-019	177	69	24	52	32	646	406	133	78	29
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	169	67	23	50	29	597	383	120	70	24
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	3	1	-	1	1	17	6	8	2	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	2	1	-	1	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	1	-	-	-	1	2	-	-	1	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	3	1	1	1	-	13	7	2	2	2
DISSEMINATED TUBERCULOSIS 019	1	-	-	-	1	15	9	3	2	1
SYPHILIS AND ITS SEQUELAE 020-029	39	17	2	8	12	258	164	63	23	8
CONGENITAL SYPHILIS 020	3	2	1	-	-	5	1	2	2	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	16	11	1	1	3	152	100	43	8	1
OTHER CARDIOVASCULAR SYPHILIS 023	15	3	-	5	7	71	40	15	9	7
TABES DORSALIS 024	1	1	-	-	-	6	6	-	-	-
GENERAL PARALYSIS OF INSANE 025	2	-	-	1	1	6	4	-	2	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	2	-	-	1	1	15	11	2	2	-
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	3	2	1	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	3	1	-	1	1
TYPHOID FEVER 040	1	-	-	1	-	1	1	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	5	1	3	1	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	15	6	5	1	3	17	8	6	2	1
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	1	-	1	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	2	-	1	-	1	3	3	-	-	-
ERYSIPELAS 052	-	-	-	-	-	1	-	1	-	-
SEPTICEMIA AND PYEMIA 053	27	9	5	6	7	121	62	50	4	5
DIPHTHERIA 055	3	2	-	-	1	1	1	-	-	-
WHOOPING COUGH 056	4	-	-	3	1	3	3	-	-	-
MENINGOCOCCAL INFECTIONS 057	13	6	3	3	1	66	35	25	3	3
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	1	-	1	-	-
TETANUS 061	10	1	1	4	4	4	4	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	3	1	1	1	-	7	4	-	2	1
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	14	7	7	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	3	-	1	2	-	36	21	12	1	2
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	12	6	6	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	2	1	-	1	-	16	6	8	2	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	10	3	6	1	-	91	31	53	3	4
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	2	-	-	1	1	2	1	1	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	1	-	1	-	-
HYDATID DISEASE 125	-	-	-	-	-	1	1	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	2	-	1	-	1
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	22	15	4	3	-	148	72	53	13	10
II. NEOPLASMS	2,794	1,233	995	279	287	23,661	11,794	10,426	831	610
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	2,723	1,206	974	271	272	23,249	11,617	10,219	819	594
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	54	28	19	5	2	565	393	127	37	8
OF LIP 140	3	3	-	-	-	13	12	1	-	-
OF TONGUE 141	9	5	2	2	-	151	109	33	6	3
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	25	7	13	3	2	165	106	47	10	2
OF PHARYNX 145-148	17	13	4	-	-	236	166	46	21	3
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	828	361	289	101	77	7,263	3,635	3,138	312	178
OF ESOPHAGUS 150	43	18	11	11	3	409	267	84	49	9
OF STOMACH 151	195	97	49	31	18	1,597	884	577	92	44
OF SMALL INTESTINE, INCLUDING DUODENUM 152	6	1	5	-	-	58	32	24	1	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	208	65	104	20	19	2,226	962	1,167	46	51
CECUM, APPENDIX, AND ASCENDING COLON 153.0	30	8	16	3	3	421	173	232	8	8
TRANSVERSE COLON 153.1	6	1	5	-	-	133	62	66	2	3
DESCENDING COLON 153.2	9	4	4	-	1	105	47	55	2	1
SIGMOID COLON 153.3	37	17	13	4	3	564	248	291	15	10
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	8	2	6	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	115	29	63	13	10	930	400	484	18	28
INTESTINAL TRACT, PART UNSPECIFIED 153.9	11	6	3	-	2	65	30	33	1	1
OF RECTUM 154	57	30	17	3	7	908	478	389	22	19
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	45	15	24	4	2	525	210	273	35	7
LIVER 155.0	20	8	7	4	1	152	82	46	23	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	25	7	17	-	1	373	128	227	12	6
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	74	32	26	9	7	139	63	64	8	4
OF PANCREAS 157	178	96	50	17	15	1,266	676	502	55	33
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	22	7	3	6	6	135	63	58	4	10

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16,005	8,918	6,571	300	216	24,883	13,122	10,773	568	420	4,252	1,965	1,551	434	302	1
															2
															3
180	94	69	12	5	236	141	74	11	10	46	23	12	7	4	4
															5
70	47	15	5	3	103	71	22	7	3	23	11	5	4	3	6
64	44	13	4	3	96	68	20	5	3	21	10	5	4	2	7
1	1	-	-	-	3	1	1	1	-	1	1	-	-	-	8
															9
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
3	1	2	-	-	3	2	1	-	-	-	-	-	-	-	12
2	1	-	1	-	-	-	-	-	-	1	-	-	-	1	13
															14
23	13	8	2	-	43	27	12	2	2	7	3	3	1	-	15
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
17	10	5	2	-	29	18	9	2	-	5	2	2	1	-	18
5	3	2	-	-	7	3	3	-	1	-	-	-	-	-	19
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	20
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	21
-	-	-	-	-	3	2	-	-	1	1	1	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
															24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	30
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	34
34	17	15	2	-	34	13	18	1	2	6	4	2	-	-	35
															36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	38
5	1	4	-	-	9	5	2	1	1	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
3	1	2	-	-	4	3	1	-	-	-	-	-	-	-	46
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
6	2	3	-	1	6	1	5	-	-	-	-	-	-	-	49
															50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
14	3	11	-	-	9	5	3	-	1	1	1	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
15	5	8	1	1	24	12	11	-	1	4	1	1	2	-	62
															63
2,292	1,169	1,050	37	36	4,604	2,431	2,042	78	53	730	327	287	73	43	64
															65
															66
2,241	1,145	1,025	36	35	4,515	2,384	2,002	78	51	714	320	280	72	42	67
37	28	7	1	1	116	92	21	3	-	11	8	2	1	-	68
1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	69
10	8	2	-	-	31	24	6	1	-	5	3	1	1	-	70
13	10	1	1	1	32	23	9	-	-	4	4	-	-	-	71
13	9	4	-	-	49	41	6	2	-	2	1	1	-	-	72
															73
															74
718	364	329	11	14	1,593	882	673	24	14	245	95	106	27	17	75
28	18	8	2	-	115	91	19	5	-	20	7	5	7	1	76
164	102	55	4	3	349	209	129	7	4	54	22	15	9	8	77
7	2	5	-	-	13	5	8	-	-	3	1	2	-	-	78
224	81	136	1	6	532	252	274	4	2	79	27	44	3	5	79
32	10	21	-	1	89	40	48	1	-	13	5	4	2	2	80
9	3	6	-	-	31	17	14	-	-	1	-	1	-	-	81
4	3	1	-	-	15	7	8	-	-	4	-	4	-	-	82
33	14	19	-	-	106	54	50	2	-	15	6	9	-	-	83
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	84
140	50	84	1	5	252	118	131	1	2	42	13	25	1	3	85
5	-	5	-	-	39	16	23	-	-	4	3	1	-	-	86
															87
89	49	35	2	3	205	121	82	1	1	33	14	15	3	1	88
52	21	31	-	-	79	36	40	1	2	16	6	10	-	-	89
10	6	4	-	-	18	15	2	1	-	7	5	2	-	-	90
42	15	27	-	-	61	21	38	-	2	9	1	8	-	-	91
21	13	8	-	-	52	31	20	1	-	4	-	3	-	1	92
121	74	45	1	1	228	129	91	4	4	34	18	11	5	-	93
12	4	6	1	1	20	8	10	1	1	2	-	1	-	1	94
															95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	368	278	42	41	7	3,983	3,144	609	190	40
OF LARYNX.....161	15	10	2	3	-	206	170	23	12	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	144	110	20	11	3	2,171	1,737	317	100	17
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	200	151	18	27	4	1,545	1,195	257	72	21
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	9	7	2	-	-	61	42	12	6	1
MALIGNANT NEOPLASM OF BREAST.....170	201	-	165	1	35	2,259	17	2,138	1	103
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	483	151	192	61	79	3,068	1,136	1,704	97	131
OF CERVIX UTERI.....171	118	...	77	...	41	718	...	642	...	76
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	74	...	50	...	24	340	...	314	...	26
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	72	...	62	...	10	715	...	690	...	25
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	7	...	3	...	4	62	...	58	...	4
OF PROSTATE.....177	201	143	...	58	...	1,137	1,046	...	91	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	11	8	...	3	...	96	90	...	6	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	106	57	30	10	9	1,060	685	330	27	18
OF KIDNEY.....180	42	23	12	6	1	405	247	136	12	10
OF BLADDER AND OTHER URINARY ORGANS.....181	64	34	18	4	8	655	438	194	15	8
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	405	185	147	27	46	2,634	1,352	1,139	91	52
OF SKIN.....190,191	70	40	28	1	1	353	212	135	4	2
OF EYE.....192	4	3	1	-	-	41	18	21	-	2
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	48	33	10	2	3	611	334	245	22	10
OF THYROID GLAND.....194	9	-	6	-	3	99	35	60	3	1
OF BONE.....196	24	9	14	-	1	124	61	54	6	3
OF CONNECTIVE TISSUE.....197	6	3	2	-	1	79	44	29	2	4
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	18	9	6	2	1	95	54	34	6	1
OF UNSPECIFIED SITES.....156B,165,198,199B	226	88	80	22	36	1,232	594	561	48	29
LEUKEMIA AND ALEUKEMIA.....204	158	86	48	13	11	1,148	606	479	28	35
LYMPHOSARCOMA, ETC.....200-203,205	120	60	42	12	6	1,269	649	555	36	29
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	47	29	14	3	1	654	330	292	21	11
HODGKINS DISEASE.....201	37	21	9	5	2	251	139	104	5	3
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	36	10	19	4	3	364	180	159	10	15
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	71	27	21	8	15	412	177	207	12	16
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	7	...	1	...	6	27	...	22	...	5
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	6	2	3	1	-	107	43	56	2	6
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	9	2	3	1	3	101	50	43	5	3
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	-	...	1	4	...	4	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	40	17	14	6	3	113	48	61	3	1
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	8	6	-	-	2	60	36	21	2	1
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	364	136	136	40	52	2,632	1,134	1,246	106	146
ASTHMA.....241	40	27	5	5	3	426	231	153	19	23
NONTOXIC GOITER.....250,251	-	-	-	-	-	6	-	6	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	2	1	1	-	-	25	-	20	4	1
ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	-	1	-	-	40	5	35	-	-
DIABETES MELLITUS.....260	259	88	106	28	37	1,744	722	854	64	104
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	5	1	2	2	-
DISEASES OF ADRENAL GLANDS.....274	5	2	3	-	-	36	15	19	1	1
PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	27	7	11	5	4	129	58	61	6	4
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	30	11	9	2	8	221	102	96	10	13
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	73	28	30	7	8	379	179	157	26	17
ANEMIAS.....290-293	49	18	18	7	6	236	98	106	18	14
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	6	2	3	-	1	41	14	25	-	2
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	43	16	15	7	5	195	84	81	18	12
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	8	2	4	-	2	52	20	26	4	2
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	16	8	8	-	-	91	61	25	4	1
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	38	12	10	12	4	384	221	116	30	17
SENILE PSYCHOSIS.....304	6	1	2	2	1	12	4	6	-	2
ALCOHOLIC PSYCHOSIS.....307	1	1	-	-	-	61	48	7	3	3
OTHER PSYCHOSES.....300-303,305,306,308,309	5	1	1	2	1	63	20	38	2	3
ALCOHOLISM.....322	19	8	2	7	2	216	138	50	21	7
MENTAL DEFICIENCY.....325	7	1	5	1	-	24	11	8	4	1
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	-	-	-	-	-	8	-	7	-	1
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,604	1,010	929	317	348	16,083	6,843	8,227	515	498
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	2,454	954	880	293	327	14,896	6,274	7,700	460	462
SUBARACHNOID HEMORRHAGE.....330	58	21	26	7	4	722	267	372	42	41
CEREBRAL HEMORRHAGE.....331	1,651	639	585	202	225	6,926	2,951	3,547	219	209
CEREBRAL EMBOLISM AND THROMBOSIS.....332	530	219	198	55	58	5,748	2,421	2,980	164	183
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	215	75	71	29	40	1,500	635	801	35	29
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	31	9	5	9	8	207	107	71	11	18
MULTIPLE SCLEROSIS.....345	12	5	5	1	1	110	41	66	2	1
PARALYSIS AGITANS.....350	20	7	11	2	-	263	122	136	4	1
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	8	4	1	3	-	34	14	18	2	-
EPILEPSY.....353	25	5	11	4	5	123	53	53	14	3
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	1	-	1	-	-	2	1	1	-	-
GLAUCOMA.....387	-	-	-	-	-	1	-	-	1	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	3	3	-	-	-	11	5	6	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	50	23	15	5	7	436	226	176	21	13

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
335	266	53	12	4	705	563	111	25	6	121	85	12	20	4	1
16	12	2	1	1	47	37	8	1	1	7	3	-	4	-	2
127	110	13	3	1	158	137	16	5	-	62	47	7	8	-	3
178	135	33	8	2	490	385	83	18	4	50	35	4	7	4	4
14	9	5	-	-	10	4	4	1	1	2	-	1	1	-	5
200	1	195	-	4	429	3	417	-	9	53	-	47	-	6	6
318	134	175	5	4	573	238	318	6	11	85	31	36	12	6	7
64	...	62	...	2	75	...	66	...	9	13	...	12	...	1	8
40	...	40	...	-	80	...	79	...	1	13	...	10	...	3	9
70	...	68	...	2	160	...	159	...	1	13	...	13	...	-	10
5	...	5	...	-	14	...	14	...	-	3	...	1	...	2	11
125	120	...	5	...	230	225	...	5	...	40	28	...	12	...	12
14	14	...	-	...	14	13	...	1	...	3	3	...	-	...	13
119	86	29	3	1	211	140	65	3	3	30	13	12	1	4	14
46	33	12	1	-	77	46	30	-	1	11	6	5	-	-	15
73	53	17	2	1	134	94	35	3	2	19	7	7	1	4	16
265	131	126	2	6	482	258	209	8	7	99	53	36	6	4	17
45	21	23	-	1	52	28	24	-	-	20	11	7	2	-	18
4	2	2	-	-	4	3	1	-	-	-	-	-	-	-	19
52	25	26	-	1	95	61	29	3	2	19	15	4	-	-	20
13	6	6	-	1	15	3	11	1	-	1	-	1	-	-	21
12	4	7	1	-	16	8	8	-	-	2	1	1	-	-	22
5	1	3	-	1	15	7	8	-	-	4	-	3	-	1	23
9	5	3	1	-	22	13	7	1	1	3	3	-	-	-	24
125	67	56	-	2	263	135	121	3	4	50	23	20	4	3	25
122	62	60	-	-	177	94	80	3	-	38	16	20	2	-	26
127	73	51	2	1	229	114	108	6	1	32	19	9	3	1	27
61	35	24	1	1	91	46	45	-	-	17	9	6	2	-	28
36	21	15	-	-	63	35	25	3	-	4	3	1	-	-	29
30	17	12	1	-	75	33	38	3	1	11	7	2	1	1	30
51	24	25	1	1	89	47	40	-	2	16	7	7	1	1	31
2	...	2	...	-	6	...	4	...	2	1	...	-	...	1	32
5	2	3	-	-	10	5	5	-	-	3	1	2	-	-	33
6	3	3	-	-	15	6	9	-	-	3	2	-	1	-	34
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	35
27	14	12	1	-	43	24	19	-	-	6	3	3	-	-	36
11	5	5	-	1	15	12	3	-	-	2	1	1	-	-	37
309	141	150	7	11	625	237	355	16	17	116	39	58	10	9	38
59	31	25	1	2	54	25	22	5	2	6	6	-	-	-	39
-	-	-	-	-	3	-	3	-	-	1	-	-	1	-	40
3	-	3	-	-	11	2	9	-	-	3	-	2	-	1	41
3	1	2	-	-	3	1	1	-	1	1	-	1	-	-	42
193	86	96	3	8	488	181	287	10	10	93	29	49	8	7	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
5	3	2	-	-	6	2	4	-	-	-	-	-	-	-	45
1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	46
19	8	7	3	1	16	8	8	-	-	8	4	3	1	-	47
26	12	14	-	-	44	18	21	1	4	3	-	3	-	-	48
39	21	17	1	-	71	31	37	1	2	16	6	6	3	1	49
27	15	11	1	-	51	23	27	1	-	7	1	3	2	1	50
1	1	-	-	-	10	3	7	-	-	3	-	3	-	-	51
26	14	11	1	-	41	20	20	1	-	4	1	-	2	1	52
3	1	2	-	-	9	3	6	-	-	4	2	2	-	-	53
9	5	4	-	-	11	5	4	-	2	5	3	1	1	-	54
39	27	10	2	-	71	45	16	8	2	15	10	1	4	-	55
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	56
2	2	-	-	-	6	3	1	2	-	-	-	-	-	-	57
3	-	3	-	-	7	4	3	-	-	2	1	-	1	-	58
27	22	3	2	-	48	32	9	5	2	12	8	1	3	-	59
2	1	1	-	-	7	4	3	-	-	1	1	-	-	-	60
3	1	2	-	-	3	2	-	1	-	-	-	-	-	-	61
1,861	840	977	24	20	2,694	1,112	1,473	50	59	393	161	160	35	37	62
1,681	750	896	20	15	2,502	1,023	1,378	45	56	364	147	155	29	33	63
69	34	32	1	2	114	41	60	4	9	19	5	9	3	2	64
977	425	529	13	10	1,260	496	710	20	34	188	74	79	17	18	65
480	221	255	1	3	913	395	491	17	10	130	56	52	9	13	66
155	70	80	5	-	215	91	117	4	3	27	12	15	-	-	67
30	15	11	2	2	30	14	14	2	-	6	2	1	2	1	68
23	11	12	-	-	27	9	18	-	-	-	-	-	-	-	69
33	20	13	-	-	29	13	16	-	-	5	4	1	-	-	70
5	3	2	-	-	6	2	4	-	-	-	-	-	-	-	71
25	13	12	-	-	22	10	9	3	-	2	-	-	1	1	72
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
17	8	8	-	1	1	1	-	-	-	2	-	1	1	-	76
46	20	22	2	2	77	40	34	-	3	14	8	2	2	2	77

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	7,476	3,770	2,198	839	669	59,213	32,735	23,698	1,660	1,120
DISEASES OF HEART.....400-402,410-443	6,782	3,478	1,959	747	598	53,579	30,007	21,121	1,488	963
RHEUMATIC FEVER.....400-402	3	1	2	-	-	45	21	20	1	3
CHRONIC RHEUMATIC HEART DISEASE.....410-416	107	47	43	8	9	1,548	694	796	30	28
DISEASES OF MITRAL VALVE.....410	33	12	15	2	4	668	266	381	8	13
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	15	13	2	-	-	254	170	75	6	3
DISEASES OF PULMONARY VALVE, ETC.....413,414	4	3	1	-	-	59	30	28	-	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	55	19	25	6	5	567	228	312	16	11
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	5,086	2,877	1,415	459	335	40,255	23,922	14,767	1,009	557
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,892	946	644	175	127	18,352	9,811	7,862	422	257
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	3,190	1,930	770	283	207	21,877	14,098	6,893	586	300
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	4	1	1	1	1	26	13	12	1	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	35	19	6	5	5	392	245	124	12	11
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	2	-	1	-	13	6	6	-	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	7	4	2	-	1	294	200	76	10	8
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	25	13	4	4	4	85	39	42	2	2
OTHER MYOCARDIAL DEGENERATION.....422	343	113	131	49	50	6,022	2,938	2,785	171	128
WITH ARTERIOSCLEROSIS.....422.1	245	86	91	31	37	5,465	2,690	2,504	150	121
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	98	27	40	18	13	557	248	281	21	7
OTHER DISEASES OF HEART.....430-434	481	201	128	93	59	1,257	615	559	50	33
ACUTE AND SUBACUTE ENDOCARDITIS.....430	3	3	-	-	-	84	49	26	7	2
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	8	7	-	-	1	72	38	26	4	4
FUNCTIONAL DISEASE OF HEART.....433	63	29	20	8	6	436	207	208	13	8
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	407	162	108	85	52	665	321	299	26	19
HYPERTENSIVE HEART DISEASE.....440-443	727	220	234	133	140	4,060	1,572	2,070	215	203
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	175	58	53	37	27	579	257	280	25	17
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	552	162	181	96	113	3,481	1,315	1,790	190	186
OTHER HYPERTENSIVE DISEASE.....444-447	167	59	44	32	32	695	284	332	36	43
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	86	38	29	9	10	359	185	144	13	17
ESSENTIAL HYPERTENSION.....444,445,447	81	21	15	23	22	336	99	188	23	26
DISEASES OF ARTERIES.....450-456	447	200	166	49	32	4,174	2,080	1,915	89	90
GENERAL ARTERIOSCLEROSIS.....450	336	128	146	40	22	2,681	1,115	1,483	45	38
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	69	52	8	5	4	1,176	836	279	34	27
GANGRENE OF UNSPECIFIED CAUSE.....455	5	2	1	1	1	13	2	11	-	-
OTHER ARTERIAL DISEASES.....452-454,456	37	18	11	3	5	304	127	142	10	25
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	80	33	29	11	7	765	364	330	47	24
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,000	474	282	149	95	7,608	4,472	2,558	380	198
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	10	3	2	3	2	39	18	16	3	2
INFLUENZA.....480-483	62	15	16	16	15	140	58	77	2	3
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	632	263	197	105	67	4,243	2,178	1,716	219	130
LOBAR PNEUMONIA.....490	88	22	35	19	12	633	393	190	38	12
BRONCHOPNEUMONIA.....491	299	135	84	49	31	2,548	1,265	1,098	106	79
PRIMARY ATYPICAL PNEUMONIA.....492	57	24	18	10	5	664	330	245	55	34
PNEUMONIA, OTHER AND UNSPECIFIED.....493	188	82	60	27	19	398	190	183	20	5
ACUTE BRONCHITIS.....500	12	8	3	-	1	118	58	42	11	7
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	34	23	4	5	2	283	172	86	16	9
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	11	6	4	-	1
EMPYEMA AND ABSCESS OF LUNG.....518,521	6	4	1	-	1	68	47	12	7	2
PLEURISY.....519	-	-	-	-	-	8	3	3	2	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	29	16	7	4	2	554	303	184	41	26
BRONCHIECTASIS.....526	35	15	14	5	1	185	118	60	6	1
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	152	114	27	8	3	1,661	1,349	243	60	9
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	134	105	22	6	1	1,558	1,290	209	50	9
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	18	9	5	2	2	103	59	34	10	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	28	13	11	3	1	298	162	115	13	8
IX. DISEASES OF THE DIGESTIVE SYSTEM	569	255	177	72	65	7,294	4,006	2,821	287	180
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	-	-	-	1	6	3	3	-	-
ULCER OF STOMACH.....540	51	30	10	5	6	624	384	202	28	10
ULCER OF DUODENUM.....541	42	31	5	5	1	595	413	148	26	8
GASTRITIS AND DUODENITIS.....543	3	1	1	-	1	47	30	15	2	-
APPENDICITIS.....550-553	14	7	1	1	5	129	63	49	11	6
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	103	38	39	16	10	801	345	420	21	15
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	68	17	12	20	19	173	80	74	7	12
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	33	17	12	2	2	327	135	181	9	2
CIRRHOSIS OF LIVER.....581	103	53	36	9	5	3,244	1,882	1,131	136	95
WITHOUT MENTION OF ALCOHOLISM.....581.0	95	47	35	8	5	1,537	832	596	63	46
WITH ALCOHOLISM.....581.1	8	6	1	1	-	1,707	1,050	535	73	49
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	46	20	22	-	4	360	145	199	9	7
FIBROCYSTIC DISEASE OF PANCREAS.....587B	6	5	1	-	-	56	29	27	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	99	36	38	14	11	932	497	372	38	25
X. DISEASES OF THE GENITOURINARY SYSTEM	500	184	139	104	73	2,231	1,180	781	169	101
NEPHRITIS AND NEPHROSIS.....590-594	279	87	89	54	49	847	396	313	85	53
ACUTE NEPHRITIS.....590	14	5	3	3	3	36	21	9	3	3
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	16	4	5	1	6	62	29	25	6	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	249	78	81	50	40	749	346	279	76	48
INFECTIONS OF KIDNEY.....600	124	45	37	21	21	677	294	316	34	33
CALCULI OF URINARY SYSTEM.....602,604	16	8	5	2	1	126	73	42	9	2
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	21	11	5	4	1	204	113	70	15	6
HYPERPLASIA OF PROSTATE.....610	51	29	...	22	...	307	282	...	25	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	1	-	1	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	9	4	3	1	1	69	22	39	1	7

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,333	3,675	2,515	73	70	11,248	6,119	4,856	152	121	1,881	944	672	142	123	1
															2
5,567	3,307	2,152	53	55	10,019	5,539	4,247	132	101	1,675	849	600	119	107	3
7	3	4	-	-	7	5	2	-	-	2	1	1	-	-	4
250	117	127	1	5	266	112	145	5	4	43	18	17	3	5	5
99	49	49	-	1	76	26	47	2	1	15	7	5	1	2	6
35	26	8	-	1	33	26	7	-	-	5	3	2	-	-	7
11	3	8	-	-	12	6	6	-	-	4	2	2	-	-	8
105	39	62	1	3	145	54	85	3	3	19	6	8	2	3	9
4,508	2,805	1,620	46	37	8,347	4,834	3,331	107	75	1,185	666	380	78	61	10
1,914	1,055	804	29	26	4,616	2,446	2,050	69	51	462	210	183	31	38	11
2,594	1,750	816	17	11	3,730	2,387	1,281	38	24	722	456	196	47	23	12
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	13
															14
32	20	12	-	-	50	29	19	1	1	6	4	1	-	1	15
3	1	2	-	-	2	-	2	-	-	-	-	-	-	-	16
21	14	7	-	-	36	26	8	1	1	3	3	-	-	-	17
8	5	3	-	-	12	3	9	-	-	3	1	1	-	1	18
219	95	120	2	2	425	172	244	4	5	192	85	83	13	11	19
151	68	80	1	2	349	132	211	3	3	172	75	77	9	11	20
68	27	40	1	-	76	40	33	1	2	20	10	6	4	-	21
															22
215	128	82	3	2	227	116	107	2	2	58	22	27	2	7	23
8	5	3	-	-	9	6	3	-	-	1	-	1	-	-	24
8	6	2	-	-	6	3	3	-	-	3	1	-	1	1	25
67	33	30	2	2	93	42	47	2	2	17	6	10	1	-	26
132	84	47	1	-	119	65	54	-	-	37	15	16	-	6	27
336	139	187	1	9	697	271	399	13	14	189	53	91	23	22	28
															29
151	62	84	1	4	144	65	77	2	-	40	16	18	5	1	30
185	77	103	-	5	553	206	322	11	14	149	37	73	18	21	31
															32
96	44	46	3	3	209	98	101	4	6	32	14	9	6	3	33
58	32	24	1	1	146	73	67	2	4	28	13	9	5	1	34
38	12	22	2	2	63	25	34	2	2	4	1	-	1	2	35
485	230	236	11	8	851	402	428	11	10	145	67	54	14	10	36
357	150	196	5	6	625	256	356	7	6	109	45	43	12	9	37
91	65	24	2	-	164	108	51	2	3	29	19	8	2	-	38
4	2	1	-	1	4	3	1	-	-	-	-	-	-	-	39
39	13	15	4	1	58	35	20	2	1	7	3	3	-	1	40
185	94	81	6	4	169	80	80	5	4	29	14	9	3	3	41
															42
1,299	791	457	35	16	1,197	724	412	40	21	218	108	56	38	16	43
															44
21	10	9	2	-	6	3	2	1	-	2	-	1	1	-	45
21	10	11	-	-	15	6	9	-	-	2	-	1	1	-	46
868	476	353	25	14	813	438	329	28	18	141	61	39	27	14	47
134	87	40	3	4	96	54	36	4	2	15	3	4	8	-	48
559	296	238	19	6	435	231	180	17	7	71	30	25	7	9	49
51	26	22	2	1	77	45	26	4	2	12	7	3	1	1	50
124	67	53	1	3	205	108	87	3	7	43	21	7	11	4	51
															52
10	8	2	-	-	8	5	2	-	1	6	4	2	-	-	53
37	28	8	-	1	49	38	9	2	-	7	3	2	1	1	54
3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	55
11	5	5	1	-	22	16	5	1	-	3	3	-	-	-	56
2	1	1	-	-	3	3	-	-	-	-	-	-	-	-	57
29	16	10	2	1	51	36	12	2	1	14	8	3	2	1	58
26	18	7	1	-	23	15	8	-	-	6	4	-	2	-	59
230	192	35	3	-	158	127	25	6	-	30	24	3	3	-	60
217	184	30	3	-	136	114	17	5	-	28	23	2	3	-	61
13	8	5	-	-	22	13	8	1	-	2	1	1	-	-	62
41	27	14	-	-	49	37	11	-	1	7	1	5	1	-	63
															64
740	409	307	14	10	1,064	584	428	32	20	183	82	63	23	15	65
															66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
69	43	25	1	-	96	66	26	2	2	9	6	1	1	1	68
64	43	20	1	-	77	54	23	-	-	16	9	4	3	-	69
2	1	1	-	-	12	11	1	-	-	-	-	-	-	-	70
19	10	9	-	-	24	13	10	-	1	3	1	-	2	-	71
108	55	50	2	1	123	50	65	6	2	22	7	8	4	3	72
															73
40	23	16	1	-	31	11	16	3	1	13	4	2	3	4	74
24	7	17	-	-	66	22	41	1	2	8	1	6	-	1	75
218	139	66	6	7	368	224	122	13	9	57	31	19	3	4	76
122	76	38	5	3	260	158	88	8	6	46	24	15	3	4	77
96	63	28	1	4	108	66	34	5	3	11	7	4	-	-	78
49	22	26	1	-	63	24	37	2	-	19	6	12	-	1	79
6	1	5	-	-	11	4	6	1	-	1	1	-	-	-	80
141	65	72	2	2	192	104	81	4	3	35	16	11	7	1	81
															82
271	151	110	6	4	378	210	143	14	11	84	34	30	10	10	83
															84
109	54	50	3	2	140	76	53	6	5	39	18	9	5	7	85
4	3	1	-	-	4	2	1	-	1	1	-	1	-	-	86
8	6	2	-	-	7	6	-	1	-	1	-	-	1	-	87
97	45	47	3	2	129	68	52	5	4	37	18	8	4	7	88
74	39	33	1	1	113	49	56	4	4	22	8	12	1	1	89
10	2	8	-	-	19	8	11	-	-	10	4	5	-	1	90
23	12	10	-	1	37	20	13	2	2	7	1	3	2	1	91
37	35	...	2	...	51	49	...	2	...	4	2	...	2	...	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
18	9	9	-	-	18	8	10	-	-	2	1	1	-	-	94
															95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	...	3	...	11	111	...	75	...	36
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	13	...	9	...	4
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	2	...	-	8	...	7	...	1
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	3	...	-	...	3	7	...	4	...	3
ECTOPIC PREGNANCY.....645	1	...	-	...	1	13	...	5	...	8
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	14	...	12	...	2
ABORTION WITH SEPSIS.....651	4	...	1	...	3	18	...	11	...	7
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	2	...	1	...	1
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	4	...	-	...	4	36	...	26	...	10
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	33	10	14	6	3	181	59	106	7	9
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	6	1	2	3	-	37	20	16	1	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	27	9	12	3	3	144	39	90	6	9
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	27	9	11	3	4	277	121	143	4	9
ARTHRITIS AND SPONDYLITIS.....720-725	14	4	7	1	2	155	51	95	3	6
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	1	-	-	-	2	1	1	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	2	-	-	2	-	11	6	4	-	1
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	3	2	1	-	-	9	4	5	-	-
INBORN DEFECT OF MUSCLE.....744.1	3	1	2	-	-	31	24	7	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	4	1	1	-	2	69	35	31	1	2
XIV. CONGENITAL MALFORMATIONS.....	204	81	86	22	15	1,958	988	757	123	90
SPINA BIFIDA AND MENINGOCELE.....751	19	7	10	1	1	98	35	52	5	6
CONGENITAL HYDROCEPHALUS, ETC.....752,753	21	13	6	1	1	163	81	69	5	8
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	98	37	42	11	8	1,055	535	403	70	47
OTHER CONGENITAL MALFORMATIONS.....750,755-759	66	24	28	9	5	642	337	233	43	29
XV. CERTAIN DISEASES OF EARLY INFANCY.....	654	273	151	136	94	5,353	2,604	1,871	520	358
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	632	205	122	156	149	319	151	148	15	5
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	80	24	24	14	18	95	39	54	1	1
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	552	181	98	142	131	224	112	94	14	4
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,544	839	313	281	111	12,250	7,610	3,652	749	239
ACCIDENTS.....E800-E962	1,263	680	280	210	93	8,690	5,494	2,547	489	160
RAILWAY ACCIDENTS.....E800-E802	28	15	3	9	1	75	59	6	10	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	505	308	109	62	26	4,312	2,805	1,202	238	67
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	495	301	108	61	25	4,213	2,741	1,171	234	67
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	33	21	9	3	-	115	77	27	11	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	68	38	16	9	5	788	497	211	60	20
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	146	87	35	16	8	1,923	1,202	596	101	24
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	93	56	19	16	2	1,263	877	311	53	22
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	155	99	29	17	10	124	88	26	9	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	10	7	1	1	1	99	64	31	4	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	3	1	1	-	31	21	9	1	-
WATER TRANSPORT ACCIDENTS.....E850-E858	13	8	-	5	-	101	84	8	6	3
AIRCRAFT ACCIDENTS.....E860-E866	7	6	-	1	-	237	198	37	1	1
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	17	6	5	5	1	257	143	87	19	8
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	18	12	5	1	-	80	44	18	11	7
ACCIDENTAL FALLS.....E900-E904	157	68	69	12	8	1,386	718	595	61	12
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	39	18	12	4	5	402	255	118	25	4
FALL ON SAME LEVEL.....E903	17	10	5	1	1	531	270	235	23	3
UNSPECIFIED FALLS.....E904	101	40	52	7	2	453	193	242	13	5
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	26	21	-	5	-	111	94	8	7	2
ACCIDENT CAUSED BY MACHINERY.....E912	37	26	2	9	-	119	105	3	10	1
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	12	9	2	1	-	56	51	1	4	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	152	47	33	32	40	475	264	168	26	17
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	7	5	-	1	1	26	14	9	2	1
ACCIDENT CAUSED BY FIREARM.....E919	38	22	7	7	2	97	79	10	8	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	26	12	9	4	1	169	99	56	7	7
ACCIDENTAL DROWNING.....E929	85	45	15	24	1	443	314	92	32	5
EXCESSIVE HEAT AND INSOLATION.....E931	8	4	-	4	-	16	10	2	2	2
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	8	5	-	2	1	212	87	105	8	12
ALL OTHER ACCIDENTS.....RESIDUAL	114	58	20	25	11	487	305	131	36	15
SUICIDE.....E963,E970-E979	143	110	23	6	4	2,818	1,786	925	75	32
SUICIDE BY POISONING.....E970-E973	18	10	8	-	-	1,229	619	580	15	15
SUICIDE BY HANGING AND STRANGULATION.....E974	8	8	-	-	-	307	224	62	15	6
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	109	88	12	5	4	975	772	168	29	6
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	8	4	3	1	-	307	171	115	16	5
HOMICIDE.....E964,E980-E985	138	49	10	65	14	740	328	180	185	47
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	91	36	7	39	9	331	151	67	92	21
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	30	3	2	21	4	147	55	30	52	10
ASSAULT BY OTHER MEANS.....E964,E980,E983	15	9	1	4	1	231	101	82	32	16
INJURY BY INTERVENTION OF POLICE.....E984	2	1	-	1	-	20	14	-	6	-
EXECUTION.....E985	-	-	-	-	-	11	7	1	3	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	2	2	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
9	...	9	...	-	19	...	17	...	2	1	...	1	...	-	3
															4
1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	5
1	...	1	...	-	5	...	5	...	-	-	...	-	...	-	6
4	...	4	...	-	-	...	-	...	-	-	...	-	...	-	7
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	8
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	9
1	...	1	...	-	4	...	2	...	2	-	...	-	...	-	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
-	...	-	...	-	6	...	6	...	-	1	...	1	...	-	12
															13
															14
42	13	26	2	1	34	10	22	1	1	7	1	5	-	1	15
															16
3	3	-	-	-	8	5	3	-	-	1	1	-	-	-	17
39	10	26	2	1	26	5	19	1	1	6	-	5	-	1	18
															19
															20
34	15	17	2	-	44	20	23	-	1	16	3	12	1	-	21
															22
22	6	15	1	-	22	10	12	-	-	8	1	7	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
5	3	1	1	-	2	2	-	-	-	2	-	1	1	-	25
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	26
5	5	-	-	-	7	4	3	-	-	4	2	2	-	-	27
2	1	1	-	-	11	3	7	-	1	2	-	2	-	-	28
															29
															30
223	114	103	3	3	293	146	125	15	7	67	20	32	6	9	31
															32
7	4	3	-	-	21	6	14	1	-	4	1	3	-	-	33
14	9	4	-	1	34	18	13	-	3	7	1	4	2	-	34
129	60	65	2	2	143	76	54	10	3	27	11	10	3	3	35
73	41	31	1	-	95	46	44	4	1	29	7	15	1	6	36
															37
690	385	254	34	17	827	417	282	74	54	137	47	54	22	14	38
															39
93	51	39	-	3	166	97	57	6	6	18	4	9	1	4	40
															41
15	7	8	-	-	9	4	5	-	-	6	-	4	-	2	42
78	44	31	-	3	157	93	52	6	6	12	4	5	1	2	43
															44
															45
1,551	1,022	461	48	20	1,312	798	411	70	33	324	156	93	59	16	46
															47
1,156	744	369	30	13	989	590	327	48	24	257	114	82	47	14	48
8	6	2	-	-	10	6	2	2	-	2	2	-	-	-	49
483	333	130	15	5	357	246	94	12	5	91	46	27	14	4	50
464	317	127	15	5	351	243	92	11	5	90	45	27	14	4	51
9	8	1	-	-	3	2	1	-	-	2	1	1	-	-	52
65	46	15	3	1	98	71	23	4	-	18	-	11	6	1	53
183	121	53	7	2	128	86	39	2	1	30	16	10	4	-	54
128	99	25	2	2	105	75	23	3	4	23	18	-	3	2	55
79	43	33	3	-	17	9	6	2	-	17	10	5	1	1	56
19	16	3	-	-	6	3	2	1	-	1	1	-	-	-	57
															58
8	6	1	1	-	3	2	1	-	-	1	1	-	-	-	59
8	7	1	-	-	16	14	1	1	-	5	5	-	-	-	60
21	20	1	-	-	12	8	4	-	-	-	-	-	-	-	61
24	12	10	1	1	15	7	7	1	-	8	3	4	1	-	62
17	13	3	1	-	16	10	3	1	2	4	2	-	2	-	63
249	114	129	4	2	276	132	135	2	7	55	21	28	6	-	64
56	33	22	1	-	88	51	32	2	3	16	7	5	4	-	65
69	35	32	1	1	69	31	35	-	3	8	4	3	1	-	66
124	46	75	2	1	119	50	68	-	1	31	10	20	1	-	67
															68
16	14	2	-	-	7	7	-	-	-	2	1	-	1	-	69
21	21	-	-	-	9	9	-	-	-	7	5	-	2	-	70
5	5	-	-	-	2	1	-	1	-	2	2	-	-	-	71
46	31	13	2	-	75	35	23	12	5	23	6	11	2	4	72
1	-	1	-	-	4	1	3	-	-	1	-	-	1	-	73
35	29	4	1	1	9	8	1	-	-	4	3	1	-	-	74
49	30	16	1	2	26	13	10	2	1	6	2	2	2	-	75
40	31	8	1	-	62	43	11	7	1	27	11	1	13	2	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
31	15	16	-	-	19	11	7	1	-	2	-	1	1	-	78
94	57	32	3	2	71	37	25	6	3	17	4	7	2	4	79
															80
															81
299	220	70	6	3	278	190	75	10	3	47	37	7	3	-	82
92	53	37	2	-	101	58	40	1	2	9	8	1	-	-	83
24	16	7	-	1	69	51	13	4	1	7	7	-	-	-	84
160	138	17	4	1	75	64	7	4	-	20	19	1	-	-	85
23	13	9	-	1	33	17	15	1	-	11	3	5	3	-	86
															87
95	57	22	12	4	45	18	9	12	6	20	5	4	9	2	88
56	35	9	9	3	19	11	5	2	1	12	2	2	6	2	89
11	6	1	3	1	7	-	-	5	2	2	1	-	1	-	90
26	14	12	-	-	19	7	4	5	3	6	2	2	2	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	93
															94
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	8,906	2,324	2,203	2,436	1,943	52,877	26,617	16,882	5,251	4,127
I. INFECTIVE AND PARASITIC DISEASES	154	30	11	69	44	623	239	160	133	91
TUBERCULOSIS, ALL FORMS....001-019	93	21	4	47	21	224	108	35	60	21
TUBERCULOSIS OF RESPIRATORY SYSTEM....001-008	85	19	3	45	18	206	103	30	56	17
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	2	-	1	-	1	6	4	1	1	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS....011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS....012,013	-	-	-	-	-	1	-	1	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS....014-018	2	-	-	2	-	2	1	1	-	-
DISSEMINATED TUBERCULOSIS....019	4	2	-	-	2	9	-	2	3	4
SYPHILIS AND ITS SEQUELAE....020-029	26	5	-	9	12	98	40	8	37	13
CONGENITAL SYPHILIS....020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA....022	11	4	-	3	4	51	23	5	16	7
OTHER CARDIOVASCULAR SYPHILIS....023	14	1	-	6	7	38	13	2	17	6
TABES DORSALIS....024	-	-	-	-	-	1	-	-	1	-
GENERAL PARALYSIS OF INSANE....025	-	-	-	-	-	2	2	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM....026	-	-	-	-	-	6	2	1	3	-
ALL OTHER SYPHILIS....027-029	1	-	-	-	1	-	-	-	-	-
GONOCOCCAL INFECTION....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER....040	1	-	-	1	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	2	-	-	1	1	2	-	-	1	1
CHOLERA....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS....044	-	-	-	-	-	1	-	1	-	-
DYSENTERY, ALL FORMS....045-048	-	-	-	-	-	10	4	2	2	2
FOOD POISONING, INFECTION AND INTOXICATION....049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER....050	-	-	-	-	-	1	-	1	-	-
STREPTOCOCCAL SORE THROAT....051	-	-	-	-	-	2	-	-	2	-
ERYSIPELAS....052	-	-	-	-	-	1	1	-	-	-
SEPTICEMIA AND PYEMIA....053	10	2	2	5	1	99	31	41	12	15
DIPHTHERIA....055	1	-	-	1	-	1	-	-	1	-
WHOOPING COUGH....056	-	-	-	-	-	3	1	-	-	2
MENINGOCOCCAL INFECTIONS....057	1	-	-	1	-	19	8	8	2	1
PLAGUE....058	-	-	-	-	-	-	-	-	-	-
LEPROSY....060	-	-	-	-	-	-	-	-	-	-
TETANUS....061	1	-	-	1	-	14	2	1	2	9
ANTHRAX....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	-	-	-	-	-	1	-	-	1	-
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	-	-	-	-	-	7	2	4	-	1
ACUTE INFECTIOUS ENCEPHALITIS....082	2	-	1	-	1	45	13	26	1	5
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	1	-	-	1	-	1	1	-	-	-
SMALLPOX....084	-	-	-	-	-	-	-	-	-	-
MEASLES....085	-	-	-	-	-	11	2	3	2	4
YELLOW FEVER....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS....092	8	1	3	-	4	35	11	17	4	3
RABIES....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS....104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS....129	-	-	-	-	-	1	-	1	-	-
OTHER DISEASES DUE TO HELMINTHS....124,126,128,130	-	-	-	-	-	6	-	-	1	5
ALL OTHER INFECTIVE AND PARASITIC DISEASES....RESIDUAL	8	1	1	2	4	41	15	12	5	9
II. NEOPLASMS	1,448	370	413	375	290	8,962	4,591	3,259	594	518
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....140-205	1,413	367	406	363	277	8,825	4,558	3,196	584	487
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	60	29	5	21	5	257	168	58	23	8
OF LIP....140	-	-	-	-	-	10	9	1	-	-
OF TONGUE....141	14	6	1	7	-	58	32	17	7	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY....142-144	20	12	-	6	2	88	59	21	5	3
OF PHARYNX....145-148	26	11	4	8	3	101	68	19	11	3
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PEPITONEUM, NOT SPECIFIED AS SECONDARY....150-156A,157-159	475	111	139	131	94	2,632	1,370	948	197	117
OF ESOPHAGUS....150	60	14	3	35	8	174	97	30	35	12
OF STOMACH....151	76	10	23	23	20	500	260	163	55	22
OF SMALL INTESTINE, INCLUDING DUODENUM....152	3	1	-	1	1	23	12	6	4	1
OF LARGE INTESTINE, EXCEPT RECTUM....153	152	40	52	28	32	815	403	360	28	24
CECUM, APPENDIX, AND ASCENDING COLON....153.0	20	4	8	7	1	111	59	45	4	3
TRANSVERSE COLON....153.1	9	3	1	2	3	35	16	17	2	-
DESCENDING COLON....153.2	4	-	1	1	2	25	9	12	1	3
SIGMOID COLON....153.3	38	9	17	4	8	163	85	70	3	5
MULTIPLE PARTS OF LARGE INTESTINE....153.7	-	-	-	-	-	1	1	-	-	-
LARGE INTESTINE, PART UNSPECIFIED....153.8	77	23	25	12	17	438	218	194	15	11
INTESTINAL TRACT, PART UNSPECIFIED....153.9	4	1	-	2	1	42	15	22	3	2
OF RECTUM....154	57	19	17	11	10	307	169	114	13	11
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE....155	27	3	10	8	6	179	90	74	7	8
LIVER....155.0	10	1	2	6	1	87	55	23	5	4
OT. & MULT. SITES OF BILIARY PASSAGES....155.1,155.8	17	2	8	2	5	92	35	51	2	4
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	15	5	5	4	1	89	44	33	9	3
OF PANCREAS....157	75	18	27	18	12	489	268	151	38	32
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	10	1	2	3	4	56	27	17	8	4

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
36,069	13,733	9,806	6,633	5,897	3,532	604	391	1,649	888	5,587	3,395	2,093	59	40	1
483	145	93	147	98	43	2	5	26	10	49	39	8	2	-	2
178	58	22	64	34	23	-	2	18	3	13	10	2	1	-	3
157	55	21	53	28	20	-	2	16	2	13	10	2	1	-	4
5	2	-	2	1	1	-	-	-	1	-	-	-	-	-	5
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
3	-	1	2	-	2	-	-	2	-	-	-	-	-	-	7
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	8
10	1	-	6	3	-	-	-	-	-	-	-	-	-	-	9
58	16	5	26	11	4	-	-	2	2	16	14	1	1	-	10
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
32	11	4	9	8	4	-	-	2	2	10	9	1	-	-	13
19	1	1	14	3	-	-	-	-	-	3	2	-	1	-	14
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	16
3	1	-	2	-	-	-	-	-	-	2	2	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	19
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	20
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
12	-	2	6	4	-	-	-	-	-	-	-	-	-	-	24
2	-	-	-	2	-	-	-	-	-	1	-	1	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
78	22	17	21	18	5	1	1	1	2	4	2	2	-	-	29
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
28	12	8	6	2	2	1	1	-	-	1	1	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	34
12	2	1	3	6	-	-	-	-	-	1	1	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
3	1	1	-	1	-	-	-	-	-	1	1	-	-	-	38
16	5	5	3	3	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15	6	5	4	-	1	-	1	-	-	2	1	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
26	8	13	1	4	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	45
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	46
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	52
4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	53
38	12	12	6	8	3	-	-	2	1	5	5	-	-	-	54
4,688	1,781	1,618	642	647	565	75	55	287	148	777	440	326	7	4	55
4,602	1,756	1,580	636	630	556	75	54	281	146	756	434	311	7	4	56
112	63	34	11	4	17	5	1	9	2	15	10	5	-	-	57
3	2	1	-	-	-	-	-	-	-	3	3	-	-	-	58
21	12	4	5	-	3	2	-	1	-	2	-	2	-	-	59
48	21	22	3	2	4	1	-	3	-	4	3	1	-	-	60
40	28	7	3	2	10	2	1	5	2	6	4	2	-	-	61
1,263	436	427	224	176	198	24	8	114	52	235	141	87	5	2	62
93	35	16	31	11	13	5	-	7	1	6	4	1	1	-	63
285	94	62	80	49	73	7	1	44	21	47	26	20	1	-	64
14	8	5	-	1	1	-	-	-	1	1	1	-	-	-	65
361	114	170	34	43	37	8	3	20	6	67	43	22	1	1	66
37	13	13	4	7	4	-	-	2	2	10	4	6	-	-	67
6	2	4	-	-	1	-	-	1	-	4	2	2	-	-	68
7	3	1	-	3	1	-	-	1	-	2	-	2	-	-	69
61	22	29	3	7	11	3	1	4	3	10	8	2	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
236	70	119	23	24	19	5	2	11	1	39	28	9	1	1	72
14	4	4	4	2	1	-	-	1	-	2	1	1	-	-	73
97	39	31	14	13	20	-	2	16	2	36	25	10	1	-	74
65	28	25	7	5	26	3	2	12	9	21	10	11	-	-	75
22	9	6	4	3	13	2	-	8	3	7	4	3	-	-	76
43	19	19	3	2	13	1	2	4	6	14	6	8	-	-	77
63	20	20	9	14	4	-	-	2	2	13	7	6	-	-	78
245	88	87	38	32	23	1	-	13	9	40	24	15	1	-	79
40	10	11	11	8	1	-	-	-	1	4	1	2	-	1	80

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	278	124	26	122	6	1,679	1,319	203	135	22
OF LARYNX....161	23	13	3	7	-	75	54	13	6	2
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	156	53	10	88	5	662	536	66	57	3
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	96	58	12	26	-	912	708	117	70	17
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	3	-	1	1	1	30	21	7	2	-
MALIGNANT NEOPLASM OF BREAST....170	140	1	86	-	53	726	5	650	-	71
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	191	28	72	36	55	1,276	460	573	89	154
OF CERVIX UTERI....171	48	...	25	...	23	290	...	211	...	79
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	27	...	14	...	13	179	...	136	...	43
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	45	...	30	...	15	233	...	205	...	28
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	7	...	3	...	4	25	...	21	...	4
OF PROSTATE....177	61	27	...	34	...	520	436	...	84	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	3	1	...	2	...	29	24	...	5	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	54	14	15	11	14	452	289	111	28	24
OF KIDNEY....180	21	3	9	4	5	158	99	45	10	4
OF BLADDER AND OTHER URINARY ORGANS....181	33	11	6	7	9	294	190	66	18	20
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	109	27	28	23	31	1,016	517	368	72	59
OF SKIN....190,191	12	5	4	1	2	162	106	49	7	-
OF EYE....192	1	-	1	-	-	14	5	6	2	1
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	19	7	3	3	6	185	91	79	10	5
OF THYROID GLAND....194	5	-	3	-	2	24	6	15	-	3
OF BONE....196	4	1	1	1	1	60	34	14	5	7
OF CONNECTIVE TISSUE....197	4	-	-	2	2	33	20	9	3	1
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	5	-	-	2	3	57	30	24	3	-
OF UNSPECIFIED SITES....156B,165,198,199B	59	14	16	14	15	481	225	172	42	42
LEUKEMIA AND ALEUKEMIA....204	44	17	13	6	8	368	201	131	19	17
LYMPHOSARCOMA, ETC....200-203,205	62	16	22	13	11	419	229	154	21	15
LYMPHOSARCOMA AND RETICULOSARCOMA....200	17	6	7	1	3	210	116	80	6	8
HODGKINS DISEASE....201	17	6	5	4	2	76	49	21	5	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	28	4	10	8	6	133	64	53	10	6
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	35	3	7	12	13	137	33	63	10	31
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	5	...	1	...	4	19	...	7	...	12
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	11	1	1	4	5	27	8	16	1	2
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	10	-	2	5	3	35	10	16	4	5
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	1	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	6	1	2	2	1	35	10	14	3	8
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	3	1	1	1	-	20	5	9	2	4
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	170	21	39	52	58	1,110	439	412	101	158
ASTHMA....241	23	1	4	12	6	146	60	41	23	22
NONTOXIC GOITER....250,251	-	-	-	-	-	6	1	5	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	3	-	2	-	1	13	1	9	1	2
ALL OTHER DISEASES OF THYROID GLAND....253,254	1	-	-	-	1	12	6	6	-	-
DIABETES MELLITUS....260	121	18	29	29	45	752	305	290	48	109
DISEASES OF THYMUS GLAND....273	-	-	-	-	-	4	1	1	1	1
DISEASES OF ADRENAL GLANDS....274	5	1	1	1	2	17	6	9	2	-
PELLAGRA....281	-	-	-	-	-	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	7	-	2	3	2	73	23	22	19	9
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	10	1	1	7	1	86	35	29	7	15
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	27	3	11	6	7	196	79	70	25	22
ANEMIAS....290-293	17	2	7	5	3	117	37	43	21	16
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	-	-	-	-	-	14	6	5	2	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	17	2	7	5	3	103	31	38	19	15
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	4	-	-	1	3	26	11	8	3	4
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	6	1	4	-	1	53	31	19	1	2
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	51	20	5	17	9	148	68	39	30	11
SENILE PSYCHOSIS....304	-	-	-	-	-	8	6	2	-	-
ALCOHOLIC PSYCHOSIS....307	4	1	1	2	-	14	9	2	3	-
OTHER PSYCHOSES....300-303,305,306,308,309	4	3	-	1	-	19	6	7	4	2
ALCOHOLISM....322	39	15	4	12	8	98	45	22	22	9
MENTAL DEFICIENCY....325	3	1	-	1	1	5	1	3	1	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	1	-	-	1	-	4	1	3	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	913	162	301	199	251	6,636	2,779	2,582	616	659
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	840	148	288	173	231	6,206	2,592	2,447	547	620
SUBARACHNOID HEMORRHAGE....330	78	10	15	20	33	269	118	108	21	22
CEREBRAL HEMORRHAGE....331	338	65	119	66	88	3,317	1,317	1,219	365	416
CEREBRAL EMBOLISM AND THROMBOSIS....332	366	63	123	77	103	2,103	951	893	125	134
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	58	10	31	10	7	517	206	227	36	48
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	15	2	-	7	6	83	24	17	26	16
MULTIPLE SCLEROSIS....345	4	1	2	-	1	31	8	18	3	2
PARALYSIS AGITANS....350	8	4	2	2	-	90	51	35	3	1
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	4	2	1	-	1	17	8	5	3	1
EPILEPSY....353	25	1	3	14	7	58	18	12	21	7
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	1	-	1	-	-	-	-	-	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	-	-	-	-	-	5	-	2	2	1
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	16	4	4	3	5	146	78	46	11	11

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
747	514	85	125	23	104	17	5	67	15	98	84	13	1	-	4
37	26	2	8	1	2	-	-	2	-	5	5	-	-	-	5
321	225	36	53	7	45	8	1	32	4	41	35	5	1	-	6
371	254	42	63	12	54	9	3	31	11	48	42	6	-	-	7
18	9	5	1	3	3	-	1	2	-	4	2	2	-	-	8
420	5	311	-	104	26	-	11	-	15	56	-	56	-	-	9
814	184	324	127	179	53	5	13	15	20	113	48	64	-	1	11
256	...	150	...	106	14	...	4	...	10	27	...	26	...	1	12
98	...	58	...	40	7	...	3	...	4	17	...	17	...	-	13
134	...	107	...	27	12	...	6	...	6	19	...	19	...	-	14
15	...	9	...	6	-	...	-	...	-	2	...	2	...	-	15
294	169	...	125	...	16	3	...	13	...	43	43	...	-	...	16
17	15	...	2	...	4	2	...	2	...	5	5	...	-	...	17
192	88	53	34	17	22	5	3	10	4	40	29	11	-	-	18
66	34	19	9	4	8	3	-	4	1	14	11	3	-	-	19
126	54	34	25	13	14	2	3	6	3	26	18	8	-	-	20
607	260	208	60	79	57	9	8	18	22	101	60	40	-	1	23
102	47	40	6	9	5	1	1	-	3	17	10	7	-	-	24
6	-	4	1	1	-	-	-	-	-	2	1	1	-	-	25
134	69	49	10	6	15	3	1	7	4	25	20	5	-	-	26
7	1	5	-	1	4	-	1	-	3	6	-	5	-	1	27
34	10	13	6	5	4	1	-	-	3	3	2	1	-	-	28
14	6	3	2	3	2	-	-	1	1	2	1	1	-	-	29
33	18	6	2	7	1	-	-	1	-	6	3	3	-	-	30
277	109	88	33	47	26	4	5	9	8	40	23	17	-	-	31
235	117	71	22	25	40	6	4	20	10	50	29	21	-	-	32
212	89	67	33	23	39	4	1	28	6	48	33	14	1	-	33
70	35	22	6	7	17	1	1	13	2	26	16	9	1	-	34
57	26	18	9	4	10	1	-	6	3	10	7	3	-	-	35
85	28	27	18	12	12	2	-	9	1	12	10	2	-	-	36
86	25	38	6	17	9	-	1	6	2	21	6	15	-	-	38
11	...	7	...	4	-	...	-	...	-	2	...	2	...	-	39
15	4	10	-	1	4	-	-	2	2	5	2	3	-	-	40
19	7	7	1	4	2	-	1	1	-	4	1	3	-	-	41
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	42
24	7	9	3	5	2	-	-	2	-	3	1	2	-	-	43
16	7	5	2	2	1	-	-	1	-	7	2	5	-	-	44
779	208	249	114	208	125	14	10	51	50	127	78	46	1	2	47
88	34	22	16	16	26	2	1	13	10	15	13	2	-	-	48
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	50
10	-	-	1	9	-	-	-	-	-	3	-	2	-	1	51
9	1	8	-	-	2	-	-	1	1	-	-	-	-	-	52
544	149	179	73	143	78	7	9	25	37	82	48	33	1	-	53
4	1	1	-	2	1	-	-	-	1	1	1	-	-	-	54
5	1	2	-	2	1	1	-	-	-	4	4	-	-	-	55
6	1	3	-	2	-	-	-	-	-	-	-	-	-	-	56
51	7	12	15	17	7	2	-	4	1	3	2	1	-	-	57
61	14	21	9	17	10	2	-	8	-	18	10	7	-	1	58
142	39	41	34	28	12	1	1	6	4	20	8	12	-	-	59
98	21	27	24	26	9	1	1	3	4	13	6	7	-	-	61
5	2	1	-	2	1	-	-	1	-	-	-	-	-	-	63
93	19	26	24	24	8	1	1	2	4	13	6	7	-	-	64
16	5	6	4	1	-	-	-	-	-	3	-	3	-	-	65
28	13	8	6	1	3	-	-	3	-	4	2	2	-	-	66
89	36	12	28	13	7	1	1	3	2	15	9	3	3	-	67
4	1	2	-	1	1	-	-	1	-	1	1	-	-	-	70
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	71
5	1	2	2	-	2	-	-	1	1	2	1	1	-	-	72
67	27	3	25	12	2	1	1	-	-	11	7	1	3	-	73
3	1	2	-	-	2	-	-	1	1	-	-	-	-	-	74
7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	75
5,829	1,656	1,750	1,097	1,326	348	42	41	170	95	672	331	335	3	3	76
5,499	1,541	1,679	1,015	1,264	317	39	38	154	86	614	301	309	2	2	79
236	64	74	45	53	30	3	3	18	6	10	4	6	-	-	81
3,362	895	898	680	889	172	23	13	87	49	409	207	201	1	-	82
1,523	492	574	219	238	93	10	17	42	24	130	60	69	1	-	83
378	90	133	71	84	22	3	5	7	7	65	30	33	-	2	84
69	22	7	20	20	9	1	1	4	3	9	6	3	-	-	85
14	5	5	2	2	2	-	1	1	-	5	-	5	-	-	86
26	14	10	1	1	5	1	1	3	-	9	5	4	-	-	87
35	16	4	9	6	1	1	-	-	-	2	-	2	-	-	88
54	13	8	20	13	5	-	-	2	3	5	2	2	1	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
9	2	2	4	1	1	-	-	1	-	1	-	1	-	-	93
122	42	35	26	19	8	-	-	5	3	27	17	9	-	1	94
															95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	3,545	1,067	1,005	798	675	21,264	11,929	6,666	1,446	1,223
DISEASES OF HEART.....400-402,410-443	3,118	957	890	688	583	19,122	10,878	5,922	1,266	1,056
RHEUMATIC FEVER.....400-402	5	-	-	1	4	12	6	2	2	2
CHRONIC RHEUMATIC HEART DISEASE.....410-416	80	23	24	12	21	479	205	225	21	28
DISEASES OF MITRAL VALVE.....410	27	8	6	5	8	184	67	96	8	13
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	19	7	6	2	4	52	34	13	4	1
DISEASES OF PULMONARY VALVE, ETC.....413,414	2	-	2	-	-	19	8	10	-	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	32	8	10	5	9	224	96	106	9	13
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS.....420	2,190	787	642	438	323	14,895	9,149	4,471	751	524
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	915	260	334	151	170	6,531	3,713	2,221	334	263
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	1,274	526	308	287	153	8,352	5,432	2,246	415	259
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	1	1	-	-	-	12	4	4	2	2
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	14	4	4	5	1	129	77	31	11	10
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	1	-	-	-	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	10	3	3	4	-	77	50	18	6	3
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	4	1	1	1	1	51	27	13	5	6
OTHER MYOCARDIAL DEGENERATION.....422	240	48	86	57	49	1,064	450	422	101	91
WITH ARTERIOSCLEROSIS.....422.1	205	43	76	45	41	819	369	329	55	66
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	35	5	10	12	8	245	81	93	46	25
OTHER DISEASES OF HEART.....430-434	71	22	15	18	16	993	514	278	115	86
ACUTE AND SUBACUTE ENDOCARDITIS.....430	9	-	1	4	4	28	15	5	8	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	2	-	1	-	1	130	79	29	14	8
FUNCTIONAL DISEASE OF HEART.....433	19	4	8	4	3	191	91	77	10	13
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	41	18	5	10	8	644	329	167	83	65
HYPERTENSIVE HEART DISEASE.....440-443	518	73	119	157	169	1,550	477	493	265	315
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	85	22	32	15	16	345	122	108	62	53
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	433	51	87	142	153	1,205	355	385	203	262
OTHER HYPERTENSIVE DISEASE.....444-447	57	4	15	28	10	409	166	115	63	65
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	25	4	7	11	3	257	118	77	38	24
ESSENTIAL HYPERTENSION.....444,445,447	32	-	8	17	7	152	48	38	25	41
DISEASES OF ARTERIES.....450-456	247	81	74	48	44	1,449	756	532	91	70
GENERAL ARTERIOSCLEROSIS.....450	163	44	64	23	32	905	390	406	59	50
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	66	31	7	19	9	434	316	86	25	7
GANGRENE OF UNSPECIFIED CAUSE.....455	2	1	-	-	1	6	1	1	2	2
OTHER ARTERIAL DISEASES.....452-454,456	16	5	3	6	2	104	49	39	5	11
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	123	25	26	34	38	284	129	97	26	32
VIII. DISEASES OF THE RESPIRATORY SYSTEM	545	167	96	172	110	2,808	1,410	739	389	270
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	-	-	-	-	-	20	8	2	8	2
INFLUENZA.....480-483	4	-	3	1	-	91	28	30	17	16
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	343	93	68	111	71	1,582	632	475	278	197
LOBAR PNEUMONIA.....490	81	16	10	39	16	288	125	66	61	36
BRONCHOPNEUMONIA.....491	183	51	42	48	42	1,012	421	314	162	115
PRIMARY ATYPICAL PNEUMONIA.....492	23	5	4	5	9	156	53	58	22	23
PNEUMONIA, OTHER AND UNSPECIFIED.....493	56	21	12	19	4	126	33	37	33	23
ACUTE BRONCHITIS.....500	8	1	-	5	2	31	9	13	4	5
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	24	15	1	7	1	103	59	30	10	4
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	2	-	1	-	1
EMPYEMA AND ABSCESS OF LUNG.....518,521	12	2	3	5	2	25	12	7	6	-
PLEURISY.....519	-	-	-	-	-	2	-	1	-	1
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	51	8	6	17	20	155	76	37	24	18
BRONCHIECTASIS.....526	12	3	3	2	4	60	35	21	3	1
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	84	42	12	23	7	630	491	97	27	15
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	75	39	9	20	7	571	458	82	22	9
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	9	3	3	3	-	.59	33	15	5	6
OTHER RESPIRATORY DISEASES.....RESIDUAL	7	3	-	1	3	107	60	25	12	10
IX. DISEASES OF THE DIGESTIVE SYSTEM	544	186	103	149	106	2,126	1,030	709	213	174
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	1	-	1	-	-
ULCER OF STOMACH.....540	56	18	6	22	10	185	115	45	17	8
ULCER OF DUODENUM.....541	39	21	4	12	2	149	101	32	11	5
GASTRITIS AND DUODENITIS.....543	6	1	-	4	1	15	10	3	1	1
APPENDICITIS.....550-553	8	1	-	5	2	51	25	16	7	3
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	49	16	11	8	14	286	119	120	32	15
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	12	-	1	6	5	183	40	17	66	60
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	23	11	7	3	2	115	46	53	7	9
CIRRHOSIS OF LIVER.....581	245	90	48	58	49	610	339	212	32	27
WITHOUT MENTION OF ALCOHOLISM.....581.0	174	61	35	43	35	444	251	142	28	23
WITH ALCOHOLISM.....581.1	71	29	13	15	14	166	88	70	4	4
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	14	4	5	2	3	144	58	71	6	9
FIBROCYSTIC DISEASE OF PANCREAS.....587B	3	1	2	-	-	25	10	12	2	1
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	89	23	19	29	18	362	167	127	32	36
X. DISEASES OF THE GENITOURINARY SYSTEM	214	41	32	82	59	1,080	498	283	164	135
NEPHRITIS AND NEPHROSIS.....590-594	50	8	5	25	12	390	163	93	65	69
ACUTE NEPHRITIS.....590	8	1	3	2	2	34	10	6	8	10
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	2	-	1	1	-	30	13	8	4	5
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	40	7	1	22	10	326	140	79	53	54
INFECTIONS OF KIDNEY.....600	101	14	22	30	35	345	139	128	36	42
CALCULI OF URINARY SYSTEM.....602,604	9	2	3	1	3	56	26	20	6	4
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	20	4	1	12	3	120	60	26	24	10
HYPERPLASIA OF PROSTATE.....610	26	12	...	14	...	130	100	...	30	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	8	1	1	-	6	39	10	16	3	10

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
13,413	5,874	3,716	2,010	1,813	1,307	250	151	590	316	2,294	1,410	860	15	9	2
															3
12,062	5,405	3,265	1,789	1,603	1,192	229	140	544	279	2,085	1,302	762	14	7	4
12	2	3	4	3	3	-	-	3	-	4	1	3	-	-	5
178	55	68	26	29	36	11	5	8	12	72	36	36	-	-	6
59	15	26	7	11	16	4	2	4	6	31	15	16	-	-	7
18	6	4	4	4	4	2	1	1	-	7	5	2	-	-	8
12	8	2	-	2	-	-	-	-	-	2	-	2	-	-	9
89	26	36	15	12	16	5	2	3	6	32	16	16	-	-	10
8,453	4,392	2,252	1,027	782	798	177	104	364	153	1,578	1,052	509	13	4	11
2,279	1,063	732	266	218	428	84	68	188	88	425	238	182	3	2	12
6,149	3,319	1,511	758	561	369	93	36	175	65	1,153	814	327	10	2	13
25	10	9	3	3	1	-	-	1	-	-	-	-	-	-	14
															15
94	35	17	22	20	4	1	-	-	3	12	8	4	-	-	16
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	17
51	23	8	13	7	2	1	-	-	1	3	2	1	-	-	18
42	12	9	9	12	2	-	-	-	2	9	6	3	-	-	19
893	286	295	139	173	78	14	9	36	19	150	79	71	-	-	20
695	236	241	95	123	64	11	9	32	12	96	45	51	-	-	21
198	50	54	44	50	14	3	-	4	7	54	34	20	-	-	22
															23
746	246	191	174	135	34	6	4	14	10	100	63	34	1	2	24
28	9	6	9	4	1	-	-	1	-	1	-	1	-	-	25
33	10	4	10	9	-	-	-	-	-	4	1	3	-	-	26
174	61	73	22	18	16	3	2	6	5	21	14	7	-	-	27
511	166	108	133	104	17	3	2	7	5	74	48	23	1	2	28
1,686	389	439	397	461	239	20	18	119	82	169	63	105	-	1	29
															30
330	90	91	64	85	38	2	-	20	16	67	26	41	-	-	31
1,356	299	348	333	376	201	18	18	99	66	102	37	64	-	1	32
															33
308	80	82	81	65	32	5	4	12	11	25	14	10	-	1	34
121	42	38	29	12	13	2	2	6	3	10	5	4	-	1	35
187	38	44	52	53	19	3	2	6	8	15	9	6	-	-	36
838	317	298	110	113	71	9	7	31	24	151	79	71	1	-	37
609	194	240	86	89	43	6	5	19	13	117	55	62	-	-	38
163	95	39	16	13	20	2	2	7	9	27	22	5	-	-	39
5	1	1	1	2	-	-	-	-	-	-	-	-	-	-	40
61	27	18	7	9	8	1	-	5	2	7	2	4	1	-	41
205	72	71	30	32	12	7	-	3	2	33	15	17	-	1	42
															43
2,177	817	451	494	415	199	35	21	94	49	283	174	100	5	4	44
															45
21	4	3	10	4	2	-	-	-	2	1	-	1	-	-	46
106	23	21	31	31	6	-	-	3	3	12	4	7	-	1	47
1,432	422	323	375	312	138	22	18	65	33	159	81	72	4	2	48
250	66	60	67	57	10	1	2	5	2	19	9	9	1	-	49
564	186	156	133	89	76	11	9	42	14	64	29	33	1	1	50
140	37	26	38	39	29	4	5	9	11	13	7	6	-	-	51
478	133	81	137	127	23	6	2	9	6	63	36	24	2	1	52
															53
14	5	1	4	4	3	2	-	1	-	3	1	2	-	-	54
54	28	10	5	11	4	1	-	3	-	10	9	1	-	-	55
3	-	2	-	1	1	-	-	1	-	1	-	1	-	-	56
18	8	-	7	3	3	-	-	2	1	-	-	-	-	-	57
2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	58
82	45	19	8	10	15	1	1	9	4	12	9	2	-	1	59
42	22	18	1	1	9	2	2	2	3	11	6	5	-	-	60
352	239	44	44	25	14	5	-	7	2	67	58	8	1	-	61
255	202	29	20	4	14	5	-	7	2	62	54	7	1	-	62
97	37	15	24	21	-	-	-	-	-	5	4	1	-	-	63
51	21	8	9	13	4	2	-	1	1	6	6	-	-	-	64
															65
1,269	485	359	214	211	143	26	27	57	33	192	103	78	5	6	66
															67
3	-	1	1	1	-	-	-	-	-	1	-	1	-	-	68
132	68	28	24	12	16	2	1	7	6	26	22	3	1	-	69
109	65	24	14	6	8	2	2	4	-	13	11	2	-	-	70
6	5	-	1	-	-	-	-	-	-	4	3	1	-	-	71
33	11	3	10	9	1	1	-	-	-	6	3	2	-	1	72
191	64	58	31	38	12	1	4	6	1	27	12	14	1	-	73
															74
144	16	20	57	51	5	1	-	1	3	14	5	7	2	-	75
54	16	26	5	7	9	2	3	2	2	14	3	11	-	-	76
252	123	62	33	34	49	13	11	18	7	38	26	10	1	1	77
183	87	50	25	21	32	7	7	12	6	21	15	6	-	-	78
69	36	12	8	13	17	6	4	6	1	17	11	4	1	1	79
75	24	38	3	10	17	3	2	6	6	17	5	9	-	3	80
13	6	5	1	1	2	-	2	-	-	5	4	1	-	-	81
257	87	94	34	42	24	1	2	13	8	27	9	17	-	1	82
															83
892	269	204	237	182	69	5	2	36	26	94	63	29	1	1	84
															85
389	96	66	120	107	40	1	1	21	17	46	28	16	1	1	86
19	3	2	9	5	-	-	-	-	-	5	3	1	-	1	87
20	4	4	7	5	3	-	-	1	2	1	-	1	-	-	88
350	89	60	104	97	37	1	1	20	15	40	25	14	1	-	89
260	68	91	53	48	16	2	1	8	5	16	8	8	-	-	90
53	22	23	1	7	2	-	-	-	2	3	2	1	-	-	91
61	17	14	22	8	4	1	-	3	-	10	7	3	-	-	92
89	50	...	39	...	5	1	...	4	...	16	16	...	-	...	93
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	94
38	16	9	2	11	2	-	-	-	2	3	2	1	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	13	...	-	...	13	52	...	22	...	30
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	-	...	1	6	...	2	...	4
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,645,686	1	...	-	...	1	4	...	1	...	3
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	2	...	-	...	2	6	...	4	...	2
ECTOPIC PREGNANCY.....645	1	...	-	...	1	5	...	2	...	3
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	-	...	2	1	...	1	...	-
ABORTION WITH SEPSIS.....651	4	...	-	...	4	9	...	2	...	7
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	2	...	-	...	2	21	...	10	...	11
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	19	2	6	3	8	78	23	37	8	10
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	5	2	1	1	1	26	10	9	6	1
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	14	-	5	2	7	52	13	28	2	9
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	12	-	6	2	4	118	43	57	8	10
ARTHRITIS AND SPONDYLITIS.....720-725	6	-	4	-	2	57	17	31	3	6
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	5	2	-	1	2
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	3	2	-	1	-
INBORN DEFECT OF MUSCLE.....744.1	1	-	-	-	1	19	10	9	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	5	-	2	2	1	34	12	17	3	2
XIV. CONGENITAL MALFORMATIONS.....	84	19	13	23	29	616	271	203	79	63
SPINA BIFIDA AND MENINGOCELE.....751	3	-	-	2	1	43	19	21	1	2
CONGENITAL HYDROCEPHALUS, ETC.....752,753	8	2	4	-	2	79	37	20	8	14
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	50	12	7	12	19	293	131	91	44	27
OTHER CONGENITAL MALFORMATIONS.....750,755-759	23	5	2	9	7	201	84	71	26	20
XV. CERTAIN DISEASES OF EARLY INFANCY.....	474	63	42	210	159	1,955	734	467	426	328
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	89	27	21	28	13	723	237	174	191	121
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	-	-	-	-	-	85	20	41	12	12
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	89	27	21	28	13	638	217	133	179	109
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	604	146	99	251	108	4,382	2,247	1,003	828	304
ACCIDENTS.....E800-E962	413	104	69	161	79	3,191	1,653	747	550	241
RAILWAY ACCIDENTS.....E800-E802	-	-	-	-	-	30	12	4	9	5
MOTOR VEHICLE ACCIDENTS.....E810-E835	101	28	10	42	21	1,380	786	319	200	75
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	100	27	10	42	21	1,344	768	311	193	72
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	1	-	-	-	66	33	15	13	5
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	33	8	2	17	6	251	124	51	56	20
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	31	11	4	7	9	605	357	164	68	16
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	27	6	3	13	5	345	208	58	51	28
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	8	1	1	5	1	77	46	23	5	3
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	1	1	-	-	-	36	18	8	7	3
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	-	1	-	-	5	3	2	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	4	2	-	2	-	120	75	3	27	15
AIRCRAFT ACCIDENTS.....E860-E866	2	1	-	1	-	63	58	4	1	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	6	2	1	2	1	69	24	19	18	8
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	4	1	-	3	-	36	22	9	4	1
ACCIDENTAL FALLS.....E900-E904	134	41	44	33	16	460	186	231	27	16
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	57	24	12	15	6	122	57	46	18	1
FALL ON SAME LEVEL.....E903	28	8	10	4	6	136	57	71	4	4
UNSPECIFIED FALLS.....E904	49	9	22	14	4	202	72	114	5	11
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	3	2	-	1	-	34	25	1	8	-
ACCIDENT CAUSED BY MACHINERY.....E912	8	2	-	6	-	28	19	-	9	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	3	1	-	2	-	48	34	5	9	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	32	4	3	13	12	222	63	39	59	61
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	3	1	-	2	-	10	4	2	1	3
ACCIDENT CAUSED BY FIREARM.....E919	5	1	-	4	-	81	58	2	17	4
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	23	6	3	8	6	58	26	19	7	6
ACCIDENTAL DROWNING.....E929	20	4	2	12	2	295	154	38	94	9
EXCESSIVE HEAT AND INSOLATION.....E931	1	-	-	1	-	4	4	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	6	2	-	2	2	31	10	9	6	6
ALL OTHER ACCIDENTS.....RESIDUAL	57	6	5	27	19	217	90	41	54	32
SUICIDE.....E963,E970-E979	92	34	23	26	9	710	486	194	25	5
SUICIDE BY POISONING.....E970-E973	15	3	7	2	3	220	119	99	1	1
SUICIDE BY HANGING AND STRANGULATION.....E974	23	4	5	11	3	58	46	6	5	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	27	14	2	9	2	357	279	59	16	3
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	27	13	9	4	1	75	42	30	3	-
HOMICIDE.....E964,E980-E985	99	8	7	64	20	478	105	62	253	58
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	32	1	1	24	6	286	67	41	147	31
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	32	3	2	24	3	100	13	4	69	14
ASSAULT BY OTHER MEANS.....E964,E980,E983	33	4	4	14	11	75	21	16	25	13
INJURY BY INTERVENTION OF POLICE.....E984	2	-	-	2	-	13	3	1	9	-
EXECUTION.....E985	-	-	-	-	-	4	1	-	3	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	3	3	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
47	...	19	...	28	3	...	-	...	3	5	...	5	...	-	3
8	...	3	...	5	-	...	-	...	-	-	...	-	...	-	5
11	...	5	...	6	-	...	-	...	-	1	...	1	...	-	6
7	...	2	...	5	1	...	-	...	1	1	...	1	...	-	7
2	...	-	...	2	-	...	-	...	-	-	...	-	...	-	8
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	9
6	...	1	...	5	1	...	-	...	1	-	...	-	...	-	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
12	...	8	...	4	1	...	-	...	1	2	...	2	...	-	12
53	13	21	8	11	2	-	-	1	1	5	3	2	-	-	15
19	6	7	3	3	1	-	-	-	1	1	1	-	-	-	17
34	7	14	5	8	1	-	-	1	-	4	2	2	-	-	18
71	19	29	9	14	8	-	-	4	4	6	2	4	-	-	21
45	8	23	5	9	2	-	-	-	2	2	-	2	-	-	23
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	24
3	3	-	-	-	1	-	-	1	-	-	-	-	-	-	25
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	26
6	4	1	-	1	1	-	-	1	-	2	2	-	-	-	27
12	2	3	4	3	4	-	-	2	2	2	-	2	-	-	28
498	180	170	83	65	96	12	16	42	26	85	45	38	1	1	31
55	15	36	-	4	6	2	1	1	2	5	1	4	-	-	33
67	27	19	11	10	9	1	3	5	-	9	6	3	-	-	34
255	91	78	48	38	56	8	7	23	18	47	26	21	-	-	35
121	47	37	24	13	25	1	5	13	6	24	12	10	1	1	36
1,669	534	353	425	357	240	33	26	115	66	219	149	68	-	2	38
534	137	108	174	115	32	8	3	12	9	58	40	14	2	2	40
114	23	40	27	24	6	-	1	2	3	20	11	7	2	-	42
420	114	68	147	91	26	8	2	10	6	38	29	7	-	2	43
3,436	1,540	613	917	366	333	100	32	155	46	686	501	165	14	6	46
2,544	1,154	494	621	275	250	80	27	111	32	584	422	145	12	5	48
22	13	1	5	3	-	-	-	-	-	3	3	-	-	-	49
1,131	592	217	248	74	86	27	8	38	13	274	195	65	10	4	50
1,090	574	206	236	74	82	27	5	37	13	267	190	63	10	4	51
35	21	8	5	1	-	-	-	-	-	10	7	3	-	-	52
184	65	27	65	27	19	4	-	10	5	16	12	4	-	-	53
446	233	109	76	28	29	10	1	13	5	77	50	21	5	1	54
377	227	50	83	17	33	13	4	13	3	88	70	14	2	2	55
48	28	12	7	1	1	-	-	1	-	76	51	21	3	1	56
41	18	11	12	-	4	-	3	1	-	7	5	2	-	-	57
2	-	1	1	-	-	-	-	-	-	2	2	-	-	-	59
38	28	1	8	1	1	1	-	-	-	9	8	1	-	-	60
25	22	3	-	-	32	24	6	2	-	14	11	3	-	-	61
64	25	10	16	13	7	3	2	2	-	9	4	5	-	-	62
31	21	5	4	1	1	-	-	-	1	5	2	3	-	-	63
300	104	124	45	27	31	8	5	13	5	51	31	19	1	-	64
80	31	12	28	9	12	4	2	6	-	14	11	3	-	-	65
87	32	41	7	7	9	4	-	3	2	9	1	7	1	-	66
133	41	71	10	11	10	-	3	4	3	28	19	9	-	-	67
43	21	1	19	2	3	-	-	2	1	28	27	1	-	-	69
47	26	2	19	-	4	-	-	4	-	20	19	1	-	-	70
24	15	3	6	-	1	-	-	1	-	6	6	-	-	-	71
274	71	45	69	89	6	-	1	2	3	32	22	10	-	-	72
10	2	2	3	3	3	-	1	1	1	2	1	1	-	-	73
102	65	10	23	4	9	2	1	5	1	29	24	5	-	-	74
47	14	11	10	12	12	1	-	6	5	7	5	2	-	-	75
170	72	17	76	5	35	11	3	20	1	48	35	11	1	1	76
6	1	1	3	1	-	-	-	-	-	1	1	-	-	-	77
13	5	6	1	1	3	1	-	1	1	1	-	1	-	-	78
195	57	34	65	39	16	2	-	14	-	43	26	17	-	-	79
413	303	80	23	7	67	19	3	34	11	85	72	13	-	-	82
52	33	17	-	2	13	3	2	7	1	19	11	8	-	-	83
19	12	6	1	-	30	2	1	20	7	10	10	-	-	-	84
325	251	52	19	3	18	11	-	7	-	53	50	3	-	-	85
17	7	5	3	2	6	3	-	-	3	3	1	2	-	-	86
479	83	39	273	84	16	1	2	10	3	17	7	7	2	1	88
301	61	28	171	41	7	1	-	5	1	4	2	-	1	1	89
104	10	1	66	27	5	-	1	3	1	7	2	4	1	-	90
59	9	10	25	15	4	-	1	2	1	6	3	3	-	-	91
14	3	-	10	1	-	-	-	-	-	-	-	-	-	-	92
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	104,649	52,899	40,714	6,173	4,863	46,037	24,511	18,724	1,569	1,233
I. INFECTIVE AND PARASITIC DISEASES	884	464	225	127	68	469	281	134	35	19
TUBERCULOSIS, ALL FORMS 001-019	535	318	84	94	39	229	147	47	25	10
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	497	304	75	83	35	215	139	45	23	8
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	12	3	4	3	2	5	2	1	1	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	5	2	-	2	1	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	4	2	1	1	-	4	2	1	-	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	9	5	2	2	-	2	2	-	-	-
DISSEMINATED TUBERCULOSIS 019	8	2	2	3	1	3	2	-	1	-
SYPHILIS AND ITS SEQUELAE 020-029	68	41	10	12	5	75	43	22	4	6
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	23	14	4	3	2	43	27	12	1	3
OTHER CARDIOVASCULAR SYPHILIS 023	26	13	5	7	1	15	8	4	2	1
TABES DORSALIS 024	6	5	1	-	-	2	1	1	-	-
GENERAL PARALYSIS OF INSANE 025	3	2	-	1	-	10	5	3	1	1
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	8	5	-	1	2	3	1	1	-	1
ALL OTHER SYPHILIS 027-029	2	2	-	-	-	2	1	1	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	3	1	1	-	1	2	2	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	13	8	5	-	-	3	1	2	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	4	2	1	-	1	6	4	1	1	-
ERYSIPELAS 052	2	-	1	-	1	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	46	20	17	5	4	36	22	13	-	1
DIPHTHERIA 055	1	-	1	-	-	-	-	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	1	1	-	-	-
MENINGOCOCCAL INFECTIONS 057	24	7	12	3	2	14	9	4	1	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	8	2	1	5	-	8	4	3	1	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	3	-	-	1	2	5	3	2	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	8	4	4	-	-	4	1	3	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	22	6	14	-	2	21	13	7	1	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	5	2	3	-	-	6	5	-	1	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	18	7	10	1	-	8	5	3	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	63	19	37	1	6	18	7	9	-	2
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	1	1	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	1	1	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	59	25	24	5	5	33	14	18	1	-
II. NEOPLASMS	17,177	8,413	7,318	772	674	7,280	3,598	3,270	238	174
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	16,941	8,332	7,195	763	651	7,168	3,559	3,207	235	167
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	407	310	64	30	3	144	107	28	9	-
OF LIP 140	23	21	2	-	-	9	9	-	-	-
OF TONGUE 141	106	86	14	6	-	32	22	10	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	124	86	26	11	1	41	30	7	4	-
OF PHARYNX 145-148	154	117	22	13	2	62	46	11	5	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	5,881	2,897	2,448	308	228	2,327	1,159	1,047	78	43
OF ESOPHAGUS 150	352	233	48	53	18	87	60	19	8	-
OF STOMACH 151	1,210	662	409	87	52	431	231	167	24	9
OF SMALL INTESTINE, INCLUDING DUODENUM 152	47	15	26	4	2	14	6	7	1	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	1,913	822	953	69	69	884	388	459	21	16
CECUM, APPENDIX, AND ASCENDING COLON 153.0	271	117	134	2	18	115	51	59	-	5
TRANSVERSE COLON 153.1	113	47	56	6	4	44	18	23	2	1
DESCENDING COLON 153.2	77	31	40	5	1	38	17	20	1	-
SIGMOID COLON 153.3	415	180	213	14	8	183	83	96	4	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	9	2	7	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	957	419	462	41	35	456	201	234	13	8
INTESTINAL TRACT, PART UNSPECIFIED 153.9	71	26	41	1	3	48	18	27	1	2
OF RECTUM 154	759	425	282	25	27	245	130	101	10	4
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	532	186	300	25	21	145	53	87	3	2
LIVER 155.0	240	107	100	21	12	37	24	12	-	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	292	79	200	4	9	108	29	75	3	1
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	43	20	20	2	1	111	56	48	4	3
OF PANCREAS 157	937	495	371	38	33	373	222	136	7	8
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	88	39	39	5	5	37	13	23	-	1

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28,666	16,019	12,331	176	140	21,734	11,705	8,909	601	519	30,463	15,726	11,585	1,700	1,452	1 2 3
192	120	67	3	2	163	92	47	18	6	507	272	167	46	22	4 5 6
62	49	12	-	1	53	27	17	8	1	302	171	88	28	15	7
56	45	11	-	-	46	25	15	5	1	277	161	78	25	13	8
3	1	1	-	1	1	-	-	1	-	5	2	1	1	1	9 10
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	11
-	-	-	-	-	1	1	-	-	-	5	2	3	-	-	12
-	-	-	-	-	2	1	1	-	-	7	3	4	-	-	13
1	1	-	-	-	3	-	1	2	-	7	3	1	2	1	14 15
34	19	12	2	1	34	27	5	2	-	53	30	13	8	2	16
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
15	10	4	-	1	21	17	4	-	-	20	14	6	-	-	19
14	6	7	1	-	10	9	1	-	-	16	9	2	3	2	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
1	1	-	-	-	1	1	-	-	-	4	3	-	1	-	22
3	2	-	1	-	2	-	-	2	-	8	2	4	2	-	23
1	-	1	-	-	-	-	-	-	-	2	-	-	2	-	24 25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	30
1	-	1	-	-	-	-	-	-	-	6	4	1	-	1	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	33
1	-	1	-	-	-	-	-	-	-	4	4	-	-	-	34
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	35
33	21	12	-	-	21	10	9	1	1	40	12	20	5	3	36 37
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	38
-	-	-	-	-	1	-	-	1	-	3	1	1	1	-	39
7	1	5	1	-	6	4	2	-	-	15	10	5	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	-	1	-	-	3	2	-	-	1	5	2	2	1	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	46
7	2	5	-	-	12	5	4	2	1	14	7	6	-	1	47
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
10	6	4	-	-	2	-	1	-	1	6	1	5	-	-	50 51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
10	6	4	-	-	5	3	2	-	-	18	9	8	1	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	62
20	13	7	-	-	21	10	7	3	1	35	18	15	2	-	63 64
4,509	2,380	2,092	20	17	3,209	1,588	1,446	93	82	4,517	2,199	1,883	235	200	65 66
4,441	2,349	2,055	20	17	3,170	1,569	1,428	92	81	4,443	2,159	1,853	233	198	67 68
83	63	18	2	-	57	41	14	1	1	118	76	31	6	5	69
6	6	-	-	-	3	3	-	-	-	2	2	-	-	-	70
19	15	4	-	-	8	4	4	-	-	24	18	3	2	1	71
23	15	8	-	-	18	14	3	-	1	42	23	14	2	3	72
35	27	6	2	-	28	20	7	1	-	50	33	14	2	1	73 74
1,488	794	683	8	3	1,026	471	482	43	30	1,376	672	570	84	50	75 76
58	44	13	1	-	40	19	10	9	2	66	34	7	23	2	77
277	180	95	2	-	186	107	59	16	4	289	160	95	23	11	78
16	11	5	-	-	8	5	2	-	1	9	4	3	-	2	79
543	236	304	1	2	362	129	216	7	10	449	185	231	18	15	80
73	34	39	-	-	45	12	31	-	2	52	13	33	2	4	81
29	14	15	-	-	11	2	9	-	-	20	10	10	-	-	82
24	12	11	-	1	20	7	12	1	-	19	10	7	1	1	83
102	44	58	-	-	75	31	41	2	1	74	43	26	4	1	84
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	85
278	117	159	1	1	200	73	116	4	7	255	102	135	10	8	86
35	14	21	-	-	11	4	7	-	-	29	7	20	1	1	87 88
182	103	77	2	-	119	66	46	3	4	145	73	61	5	6	89
89	41	48	-	-	70	26	43	-	1	97	43	46	4	4	90
29	24	5	-	-	16	8	8	-	-	28	16	9	1	2	91
60	17	43	-	-	54	18	35	-	1	69	27	37	3	2	92
59	25	33	1	-	43	19	22	1	1	84	38	37	3	6	93
242	143	97	1	1	175	89	73	7	6	214	127	76	7	4	94
22	11	11	-	-	23	11	11	-	1	23	8	14	1	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	2,720	2,126	368	196	30	1,146	918	148	68	12
OF LARYNX.....161	152	125	13	14	-	56	47	3	6	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	1,232	982	130	107	13	498	403	54	36	5
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,291	995	206	73	17	564	447	86	25	6
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	45	24	19	2	-	28	21	5	1	1
MALIGNANT NEOPLASM OF BREAST.....170	1,613	16	1,476	1	120	572	1	543	1	27
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,405	782	1,369	85	169	1,129	374	676	33	46
OF CERVIX UTERI.....171	484	...	402	...	82	241	...	220	...	21
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	446	...	403	...	43	206	...	187	...	19
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	566	...	527	...	39	244	...	238	...	6
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	42	...	37	...	5	31	...	31	...	-
OF PROSTATE.....177	815	735	...	80	...	382	352	...	30	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	52	47	...	5	...	25	22	...	3	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	885	573	256	31	25	340	216	107	10	7
OF KIDNEY.....180	349	200	132	8	9	140	86	50	4	-
OF BLADDER AND OTHER URINARY ORGANS.....181	536	373	124	23	16	200	130	57	6	7
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	1,449	756	599	55	39	830	416	378	18	18
OF SKIN.....190,191	198	120	75	-	3	112	61	48	3	-
OF EYE.....192	25	13	10	-	2	9	1	7	-	1
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	414	229	164	15	6	160	85	64	8	3
OF THYROID GLAND.....194	65	26	33	2	4	27	7	20	-	-
OF BONE.....196	94	51	35	6	2	47	23	22	-	2
OF CONNECTIVE TISSUE.....197	69	30	31	3	5	39	23	15	-	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	87	48	33	3	3	47	27	17	2	1
OF UNSPECIFIED SITES.....156B,165,198,199B	497	239	218	26	14	389	189	185	5	10
LEUKEMIA AND ALEUKEMIA.....204	757	428	293	24	12	331	183	133	9	6
LYMPHOSARCOMA, ETC.....200-203,205	824	444	322	33	25	349	185	147	9	8
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	436	247	165	14	10	159	76	78	3	2
HODGKINS DISEASE.....201	159	87	63	6	3	83	54	25	3	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	229	110	94	13	12	107	55	44	3	5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	236	81	123	9	23	112	39	63	3	7
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	38	...	24	...	14	7	...	6	...	1
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	67	26	36	2	3	21	5	15	-	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	61	26	30	4	1	19	8	9	-	2
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	41	16	19	3	3	45	19	21	2	3
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	29	13	14	-	2	20	7	12	1	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	2,083	777	1,045	97	164	1,200	469	652	27	52
ASTHMA.....241	217	129	62	14	12	131	79	44	4	4
NONTOXIC GOITER.....250,251	6	2	1	-	3	4	-	4	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	16	-	15	-	1	20	4	14	1	1
ALL OTHER DISEASES OF THYROID GLAND.....253,254	6	2	4	-	-	9	3	6	-	-
DIABETES MELLITUS.....260	1,655	563	882	75	135	904	328	519	17	40
DISEASES OF THYMUS GLAND.....273	4	2	2	-	-	2	-	1	-	1
DISEASES OF ADRENAL GLANDS.....274	22	8	10	1	3	13	7	5	-	1
PELLAGRA.....281	1	-	1	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	51	26	19	2	4	43	17	21	3	2
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	105	45	49	5	6	74	31	38	2	3
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	243	113	103	12	15	125	59	59	3	4
ANEMIAS.....290-293	153	57	74	9	13	81	36	41	2	2
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	33	8	22	1	2	20	10	10	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	120	49	52	8	11	61	26	31	2	2
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	29	17	10	1	1	16	10	6	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	61	39	19	2	1	28	13	12	1	2
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	101	53	31	14	3	97	56	32	8	1
SENILE PSYCHOSIS.....304	4	2	2	-	-	10	5	5	-	-
ALCOHOLIC PSYCHOSIS.....307	13	11	-	2	-	7	6	-	1	-
OTHER PSYCHOSES.....300-303,305,306,308,309	22	8	11	1	2	19	6	11	2	-
ALCOHOLISM.....322	43	23	9	10	1	47	34	7	5	1
MENTAL DEFICIENCY.....325	12	6	5	1	-	12	4	8	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	7	3	4	-	-	2	1	1	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	11,296	4,759	5,477	522	538	6,274	2,863	3,043	166	202
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	10,569	4,402	5,184	482	501	5,873	2,646	2,882	149	196
SUBARACHNOID HEMORRHAGE.....330	365	149	160	22	34	177	69	83	11	14
CEREBRAL HEMORRHAGE.....331	6,032	2,501	2,949	274	308	3,435	1,529	1,684	92	130
CEREBRAL EMBOLISM AND THROMBOSIS.....332	3,347	1,425	1,626	162	134	1,703	805	824	35	39
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	825	327	449	24	25	558	243	291	11	13
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	101	36	34	14	17	60	29	25	5	1
MULTIPLE SCLEROSIS.....345	110	46	59	-	5	47	17	27	1	2
PARALYSIS AGITANS.....350	142	80	60	-	2	82	47	32	3	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	35	20	11	2	2	25	17	7	1	-
EPILEPSY.....353	104	53	37	10	4	40	25	12	3	-
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	3	-	3	-	-	1	1	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	13	6	3	4	-	9	6	2	-	1
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	219	116	86	10	7	137	75	56	4	2

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
628	527	96	5	-	466	376	62	25	3	697	504	119	62	12	4
28	25	3	-	-	18	14	3	1	-	37	25	5	7	-	5
222	190	29	3	-	176	144	18	13	1	246	192	30	21	3	6
365	302	61	2	-	263	212	38	11	2	399	277	80	34	8	7
13	10	3	-	-	9	6	3	-	-	15	10	4	-	1	8
396	-	394	-	2	275	1	261	-	13	333	3	295	1	34	9
															10
702	316	378	3	5	479	205	247	9	18	713	252	375	35	51	11
117	...	114	...	3	88	...	78	...	10	157	...	137	...	20	12
95	...	93	...	2	70	...	66	...	4	124	...	105	...	19	13
149	...	149	...	-	97	...	93	...	4	130	...	120	...	10	14
22	...	22	...	-	10	...	10	...	-	15	...	13	...	2	15
302	299	...	3	...	205	196	...	9	...	266	235	...	31	...	16
17	17	...	-	...	9	9	...	-	...	21	17	...	4	...	17
251	168	80	1	2	156	86	63	4	3	170	98	60	7	5	18
97	52	45	-	-	78	37	36	3	2	69	37	29	-	3	19
154	116	35	1	2	78	49	27	1	1	101	61	31	7	2	20
															21
															22
420	225	193	-	2	381	210	160	5	6	578	292	243	15	28	23
60	37	23	-	-	62	39	21	2	-	70	38	28	4	-	24
2	2	-	-	-	9	4	5	-	-	4	2	2	-	-	25
105	55	50	-	-	68	44	23	-	1	101	68	29	3	1	26
11	5	6	-	-	14	4	9	-	1	13	2	8	-	3	27
29	17	12	-	-	19	11	8	-	-	31	18	13	-	-	28
14	8	6	-	-	19	9	9	-	1	23	9	14	-	-	29
19	12	7	-	-	22	14	8	-	-	34	24	9	1	-	30
180	89	89	-	2	168	85	77	3	3	302	131	140	7	24	31
225	125	98	1	1	171	100	66	3	2	235	140	81	9	5	32
248	131	115	-	2	159	79	73	2	5	223	122	79	14	8	33
123	61	61	-	1	74	38	34	-	2	112	63	44	1	4	34
55	34	21	-	-	33	18	14	-	1	48	29	13	6	-	35
															36
70	36	33	-	1	52	23	25	2	2	63	30	22	7	4	37
															38
68	31	37	-	-	39	19	18	1	1	74	40	30	2	2	39
4	...	4	...	-	5	...	5	...	-	4	...	3	...	1	40
10	4	6	-	-	9	5	4	-	-	9	3	6	-	-	41
18	8	10	-	-	5	3	1	-	1	10	5	4	1	-	42
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	43
24	13	11	-	-	11	7	4	-	-	40	27	12	-	1	44
12	6	6	-	-	8	4	3	1	-	11	5	5	1	-	45
															46
															47
702	340	351	4	7	588	277	275	13	23	727	305	337	30	55	48
															49
94	66	24	1	3	69	39	27	3	-	113	68	33	9	3	50
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	51
13	3	9	-	1	4	1	2	-	1	17	2	13	-	2	52
9	1	8	-	-	5	1	3	-	1	7	3	4	-	-	53
505	232	269	2	2	424	191	209	7	17	500	184	252	18	46	54
1	1	-	-	-	4	2	-	1	1	4	4	-	-	-	55
10	4	6	-	-	9	4	5	-	-	7	4	3	-	-	56
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	57
29	14	14	1	-	25	11	11	1	2	35	15	19	-	1	58
40	19	20	-	1	48	28	18	1	1	42	24	12	3	3	59
															60
90	34	54	-	2	88	45	39	2	2	92	45	39	1	7	61
															62
55	21	32	-	2	55	31	21	1	2	63	31	25	-	7	63
12	1	11	-	-	9	4	5	-	-	11	6	3	-	2	64
43	20	21	-	2	46	27	16	1	2	52	25	22	-	5	65
16	2	14	-	-	15	6	8	1	-	8	5	2	1	-	66
19	11	8	-	-	18	8	10	-	-	21	9	12	-	-	67
															68
															69
65	31	33	1	-	53	28	21	2	2	79	56	15	5	3	70
															71
17	5	12	-	-	12	3	9	-	-	6	3	3	-	-	72
6	6	-	-	-	2	2	-	-	-	6	6	-	-	-	73
15	5	10	-	-	8	3	5	-	-	11	4	6	-	1	74
8	6	1	1	-	23	17	3	2	1	44	34	3	5	2	75
16	8	8	-	-	5	2	3	-	-	10	8	2	-	-	76
3	1	2	-	-	3	1	1	-	1	2	1	1	-	-	77
															78
4,363	2,033	2,282	26	22	2,978	1,334	1,488	66	90	4,259	1,871	1,951	199	238	79
															80
4,094	1,889	2,158	25	22	2,773	1,239	1,383	65	86	4,021	1,753	1,851	187	230	81
91	45	43	2	1	69	32	28	4	5	109	50	44	6	9	82
2,345	1,045	1,266	17	17	1,546	686	769	39	52	2,263	994	1,025	106	138	83
1,213	598	606	5	4	812	372	398	19	23	1,134	516	524	46	48	84
445	201	243	1	-	346	149	188	3	6	515	193	258	29	35	85
18	9	9	-	-	22	12	10	-	-	32	20	8	1	3	86
35	16	19	-	-	20	7	12	-	1	15	5	9	1	-	87
78	44	34	-	-	56	26	30	-	-	31	15	16	-	-	88
10	5	5	-	-	10	4	5	-	1	16	5	9	2	-	89
28	15	13	-	-	19	8	10	1	-	46	22	21	3	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
5	2	3	-	-	4	1	2	-	1	5	3	1	1	-	94
95	53	41	1	-	74	37	36	-	1	92	48	35	4	5	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	50,365	26,525	19,637	2,312	1,891	20,182	11,198	7,966	587	431
DISEASES OF HEART....400-402,410-443	46,452	24,651	17,886	2,157	1,758	17,950	10,142	6,909	519	380
RHEUMATIC FEVER....400-402	46	19	17	4	6	14	6	6	1	1
CHRONIC RHEUMATIC HEART DISEASE....410-416	950	390	491	31	38	444	203	226	10	5
DISEASES OF MITRAL VALVE....410	301	109	174	8	10	158	56	100	1	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	100	64	28	3	5	58	40	16	1	1
DISEASES OF PULMONARY VALVE, ETC....413,414	47	20	25	1	1	22	11	11	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	502	197	264	19	22	206	96	99	8	3
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	36,935	20,758	13,724	1,389	1,064	13,766	8,320	4,838	373	235
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	18,817	9,461	7,970	720	666	5,299	2,824	2,264	127	84
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	18,106	11,289	5,750	669	398	8,456	5,489	2,570	246	151
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	12	8	4	-	-	11	7	4	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	210	118	79	5	8	118	56	50	6	6
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	18	9	9	-	-	7	2	2	2	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	101	61	32	3	5	51	29	19	2	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	91	48	38	2	3	60	25	29	2	4
OTHER MYOCARDIAL DEGENERATION....422	3,279	1,419	1,484	205	171	1,167	551	582	18	16
WITH ARTERIOSCLEROSIS....422.1	2,340	989	1,071	156	124	773	361	394	10	8
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	939	430	413	49	47	394	190	188	8	8
OTHER DISEASES OF HEART....430-434	1,643	803	402	262	176	655	318	301	19	17
ACUTE AND SUBACUTE ENDOCARDITIS....430	44	19	14	6	5	17	6	8	2	1
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	77	43	26	6	2	39	17	19	1	2
FUNCTIONAL DISEASE OF HEART....433	311	150	154	3	4	150	66	78	2	4
OTHER AND UNSPECIFIED DISEASES OF HEART....434	1,211	591	208	247	165	449	229	196	14	10
HYPERTENSIVE HEART DISEASE....440-443	3,389	1,144	1,689	261	295	1,786	688	906	92	100
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	672	299	327	23	23	953	427	487	23	16
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	2,717	845	1,362	238	272	833	261	419	69	84
OTHER HYPERTENSIVE DISEASE....444-447	916	389	412	65	50	418	196	184	25	13
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	567	281	226	35	25	244	133	94	15	2
ESSENTIAL HYPERTENSION....444,445,447	349	108	186	30	25	174	63	90	10	11
DISEASES OF ARTERIES....450-456	2,622	1,308	1,188	67	59	1,567	744	756	33	34
GENERAL ARTERIOSCLEROSIS....450	1,994	904	1,006	46	38	1,244	533	661	23	27
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	510	359	120	17	14	230	166	56	7	1
GANGRENE OF UNSPECIFIED CAUSE....455	11	7	3	-	1	6	2	3	-	1
OTHER ARTERIAL DISEASES....452-454,456	107	38	59	4	6	87	43	36	3	5
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	375	177	151	23	24	247	116	117	10	4
VIII. DISEASES OF THE RESPIRATORY SYSTEM	5,347	2,696	1,604	609	438	2,082	1,266	645	101	70
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	32	19	11	2	-	23	10	8	3	2
INFLUENZA....480-483	128	66	58	2	2	104	57	43	-	4
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	3,938	1,708	1,265	549	416	1,175	622	426	75	52
LOBAR PNEUMONIA....490	395	195	141	42	17	178	92	66	10	10
BRONCHOPNEUMONIA....491	3,068	1,260	943	484	381	680	354	245	48	33
PRIMARY ATYPICAL PNEUMONIA....492	230	122	81	16	11	131	69	53	8	1
PNEUMONIA, OTHER AND UNSPECIFIED....493	245	131	100	7	7	186	107	62	9	8
ACUTE BRONCHITIS....500	85	43	33	7	2	19	10	7	-	2
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	177	124	42	8	3	65	46	16	2	1
HYPERTROPHY OF TONSILS AND ADENOIDS....510	6	3	1	1	1	6	4	2	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	27	16	6	4	1	20	13	6	1	-
PLEURISY....519	3	1	1	1	-	8	4	3	-	1
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	179	121	50	6	2	75	50	22	2	1
BRONCHIECTASIS....526	119	75	40	2	2	49	36	13	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	585	482	75	23	5	451	373	61	12	5
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	560	466	66	23	5	424	364	47	9	4
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	25	16	9	-	-	27	9	14	3	1
OTHER RESPIRATORY DISEASES....RESIDUAL	68	38	22	4	4	87	41	38	6	2
IX. DISEASES OF THE DIGESTIVE SYSTEM	4,044	2,238	1,414	248	144	1,708	942	664	59	43
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	6	4	2	-	-	-	-	-	-	-
ULCER OF STOMACH....540	417	276	111	21	9	166	118	40	7	1
ULCER OF DUODENUM....541	365	261	82	17	5	153	115	35	3	-
GASTRITIS AND DUODENITIS....543	16	13	1	2	-	11	7	4	-	-
APPENDICITIS....550-553	121	66	32	13	10	61	35	17	6	3
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	538	228	252	34	24	286	111	160	9	6
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	174	66	69	22	17	80	39	33	3	5
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	220	101	109	4	6	93	48	42	1	2
CIRRHOSIS OF LIVER....581	1,360	843	366	100	51	425	257	134	18	16
WITHOUT MENTION OF ALCOHOLISM....581.0	970	589	285	62	34	331	201	106	11	13
WITH ALCOHOLISM....581.1	390	254	81	38	17	94	56	28	7	3
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	303	121	175	-	7	132	55	74	1	2
FIBROCYSTIC DISEASE OF PANCREAS....587.0	34	23	11	-	-	18	10	8	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	490	236	204	35	15	283	147	117	11	8
X. DISEASES OF THE GENITOURINARY SYSTEM	1,753	888	570	173	122	775	443	270	40	22
NEPHRITIS AND NEPHROSIS....590-594	747	342	295	64	46	311	168	115	14	14
ACUTE NEPHRITIS....590	38	18	12	8	-	19	13	4	2	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	43	22	17	3	1	26	13	10	1	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	666	302	266	53	45	266	142	101	11	12
INFECTIONS OF KIDNEY....600	540	212	201	72	55	209	93	100	12	4
CALCULI OF URINARY SYSTEM....602,604	53	24	25	1	3	26	11	15	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	80	45	27	7	1	76	40	28	6	2
HYPERPLASIA OF PROSTATE....610	263	238	...	25	...	122	115	...	7	...
DISEASES OF BREAST....620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	69	27	21	4	17	31	16	12	1	2

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,716	7,334	5,270	61	51	9,502	5,301	3,808	217	176	12,657	6,753	4,707	622	575	1
11,202	6,580	4,527	53	42	8,410	4,801	3,259	197	153	11,366	6,184	4,120	552	510	2
12	8	3	-	1	4	1	3	-	-	7	4	2	1	-	3
222	102	118	-	2	154	75	73	2	4	211	93	104	8	6	4
99	49	50	-	-	77	29	47	1	-	77	28	46	1	2	5
11	7	4	-	-	27	21	6	-	-	8	4	3	1	-	6
13	4	9	-	-	5	2	3	-	-	14	14	-	-	-	7
99	42	55	-	2	45	23	17	1	4	112	47	55	6	4	8
8,771	5,447	3,261	40	23	6,613	4,031	2,348	145	89	8,306	4,853	2,852	351	250	9
3,401	1,860	1,507	21	13	2,577	1,386	1,098	56	37	2,792	1,427	1,210	87	68	10
5,362	3,580	1,753	19	10	4,033	2,643	1,249	89	52	5,510	3,425	1,640	263	182	11
8	7	1	-	-	3	2	1	-	-	4	1	2	1	-	12
98	58	40	-	-	58	41	15	-	2	64	42	20	1	1	13
5	1	4	-	-	6	2	4	-	-	-	-	-	-	-	14
34	24	10	-	-	24	23	1	-	-	23	18	4	-	1	15
59	33	26	-	-	28	16	10	-	2	41	24	16	1	-	16
857	415	435	5	2	616	269	315	18	14	829	371	379	45	34	17
606	289	314	2	1	405	177	211	8	9	618	275	287	34	22	18
251	126	121	3	1	211	92	104	10	5	211	96	92	11	12	19
433	214	213	4	2	361	173	166	9	13	721	384	236	50	51	20
13	6	7	-	-	9	5	2	2	-	9	7	2	-	-	21
18	12	6	-	-	18	4	13	-	1	17	10	6	1	-	22
150	71	77	2	-	147	62	74	4	7	103	42	52	3	6	23
252	125	123	2	2	187	102	77	3	5	592	325	176	46	45	24
809	336	457	4	12	604	211	339	23	31	1,228	437	527	96	168	25
338	164	170	1	3	154	69	69	3	13	275	99	110	26	40	26
471	172	287	3	9	450	142	270	20	18	953	338	417	70	128	27
251	113	131	4	3	176	77	84	6	9	194	90	73	15	16	28
152	69	79	3	1	107	58	41	5	3	103	54	36	6	7	29
99	44	52	1	2	69	19	43	1	6	91	36	37	9	9	30
1,109	558	543	2	6	809	378	409	11	11	925	401	444	45	35	31
886	412	468	1	5	645	280	348	8	9	783	320	392	40	31	32
163	113	49	1	-	115	72	42	1	-	90	64	22	2	2	33
7	2	5	-	-	6	4	1	1	-	3	1	2	-	-	34
53	31	21	-	1	43	22	18	1	2	49	16	28	3	2	35
154	83	69	2	-	107	45	56	3	3	172	78	70	10	14	36
1,411	902	486	14	9	1,102	647	397	30	28	1,478	770	515	124	69	37
11	8	3	-	-	8	-	7	1	-	8	4	3	1	-	38
90	43	47	-	-	62	24	33	-	5	81	27	48	3	3	39
853	504	331	10	8	661	339	280	24	18	942	433	360	94	55	40
109	67	41	1	-	86	49	34	1	2	151	75	58	11	7	41
395	229	155	5	6	343	175	145	14	9	445	199	171	52	23	42
86	58	28	-	-	65	34	23	7	1	62	33	21	7	1	43
263	150	107	4	2	167	81	78	2	6	284	126	110	24	24	44
7	5	2	-	-	8	6	2	-	-	12	4	8	-	-	45
53	36	17	-	-	38	28	9	-	1	62	39	19	2	2	46
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	47
6	5	1	-	-	11	6	5	-	-	14	9	-	5	-	48
3	2	1	-	-	1	-	-	-	1	4	3	1	-	-	49
54	35	18	-	1	54	38	15	-	1	56	34	17	4	1	50
30	16	13	1	-	25	17	7	1	-	38	23	14	1	-	51
256	225	29	2	-	190	167	20	3	-	213	164	33	11	5	52
239	214	24	1	-	168	153	13	2	-	164	132	23	6	3	53
17	11	5	1	-	22	14	7	1	-	49	32	10	5	2	54
48	23	24	1	-	43	22	19	1	1	48	30	12	3	3	55
950	540	398	5	7	794	441	312	21	20	1,104	584	411	66	43	56
1	-	1	-	-	1	-	-	-	1	2	1	1	-	-	57
85	55	30	-	-	76	50	23	1	2	89	54	28	6	1	58
127	91	36	-	-	71	56	12	3	-	88	67	16	4	1	59
4	1	3	-	-	11	6	5	-	-	4	4	-	-	-	60
29	22	7	-	-	17	10	7	-	-	30	18	11	-	1	61
186	95	89	1	1	131	58	65	4	4	155	63	77	8	7	62
40	19	18	1	2	46	27	17	2	-	82	27	37	12	6	63
58	24	33	-	1	33	18	13	-	2	48	22	21	1	4	64
166	110	52	2	2	168	104	54	6	4	302	194	81	18	9	65
131	84	43	2	2	127	74	46	4	3	208	126	66	10	6	66
35	26	9	-	-	41	30	8	2	1	94	68	15	8	3	67
71	30	41	-	-	51	19	32	-	-	83	27	49	2	5	68
10	7	3	-	-	6	2	4	-	-	21	8	12	-	1	69
173	86	85	1	1	183	91	80	5	7	200	99	78	15	8	70
450	290	153	3	4	430	252	139	23	16	615	328	180	67	40	71
174	100	71	1	2	209	105	83	11	10	296	144	97	33	22	72
12	5	7	-	-	12	8	4	-	-	28	15	10	1	2	73
16	11	5	-	-	12	8	2	2	-	23	9	6	4	4	74
146	84	59	1	2	185	89	77	9	10	245	120	81	28	16	75
87	38	47	1	1	90	39	43	5	3	154	68	54	18	14	76
18	10	7	-	1	13	9	3	1	-	18	9	8	-	1	77
54	35	19	-	-	33	21	5	5	2	28	12	9	5	2	78
92	91	...	1	...	66	65	...	1	...	90	82	...	8	...	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
25	16	9	-	-	19	13	5	-	1	29	13	12	3	1	81

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	69	...	46	...	23	37	...	25	...	12
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	11	...	6	...	5	6	...	3	...	3
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	10	...	5	...	5	5	...	4	...	1
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	9	...	9	...	-	4	...	4	...	-
ECTOPIC PREGNANCY.....645	6	...	1	...	5	5	...	3	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	1	...	-	2	...	-	...	2
ABORTION WITH SEPSIS.....651	11	...	7	...	4	4	...	1	...	3
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	21	...	17	...	4	11	...	10	...	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	94	36	42	6	10	62	24	34	1	3
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	24	15	7	1	1	16	10	5	-	1
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	70	21	35	5	9	46	14	29	1	2
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	144	47	87	5	5	95	37	56	1	1
ARTHRITIS AND SPONDYLITIS.....720-725	66	19	45	-	2	49	13	35	1	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	3	1	2	-	-	1	1	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	6	3	3	-	-	7	4	3	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	4	1	3	-	-	2	-	2	-	-
INBORN DEFECT OF MUSCLE.....744.1	34	16	12	4	2	13	11	2	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	31	7	22	1	1	23	8	14	-	1
XIV. CONGENITAL MALFORMATIONS.....	1,114	529	437	86	62	517	252	229	22	14
SPINA BIFIDA AND MENINGOCELE.....751	78	30	43	2	3	34	13	19	2	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	133	50	72	7	4	62	24	32	4	2
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	569	278	203	53	35	254	130	103	12	9
OTHER CONGENITAL MALFORMATIONS.....750,755-759	334	171	119	24	20	167	85	75	4	3
XV. CERTAIN DISEASES OF EARLY INFANCY.....	3,493	1,505	1,072	497	419	1,603	815	566	117	105
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	402	193	159	31	19	209	115	86	2	6
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	12	1	11	-	-	56	20	35	-	1
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	390	192	148	31	19	153	95	51	2	5
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	6,040	3,663	1,447	662	268	3,322	2,093	993	162	74
ACCIDENTS.....E800-E962	4,492	2,784	1,147	383	178	2,616	1,633	827	106	50
RAILWAY ACCIDENTS.....E800-E802	71	54	9	8	-	29	22	3	4	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,908	1,277	506	88	37	1,187	815	315	41	16
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,869	1,249	498	86	36	1,164	804	305	41	14
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	66	50	16	-	-	60	42	17	-	1
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	337	205	91	28	13	146	95	39	10	2
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	921	611	262	31	17	579	380	171	21	7
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	471	330	108	27	6	258	207	45	4	2
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	74	53	21	-	-	121	80	33	6	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	39	28	8	2	1	23	11	10	-	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	10	5	4	1	-	5	4	1	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	49	44	3	2	-	24	21	2	1	-
AIRCRAFT ACCIDENTS.....E860-E866	53	43	8	2	-	15	14	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	107	46	25	19	17	41	12	23	4	2
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	119	79	17	17	6	42	32	8	2	-
ACCIDENTAL FALLS.....E900-E904	867	442	333	66	26	582	271	290	14	7
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	357	206	86	49	16	167	95	59	10	3
FALL ON SAME LEVEL.....E903	239	125	95	12	7	151	60	85	4	2
UNSPECIFIED FALLS.....E904	271	111	152	5	3	264	116	146	-	2
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	59	50	1	6	2	32	26	3	3	-
ACCIDENT CAUSED BY MACHINERY.....E912	90	80	5	5	-	45	41	-	4	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	31	29	1	1	-	24	24	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	364	163	82	66	53	195	102	73	7	13
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	32	18	5	-	9	7	3	2	2	-
ACCIDENT CAUSED BY FIREARM.....E919	118	80	12	20	6	30	20	4	5	1
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	55	30	16	4	5	40	24	14	2	-
ACCIDENTAL DROWNING.....E929	249	173	32	40	4	122	99	15	7	1
EXCESSIVE HEAT AND INSOLATION.....E931	1	1	-	-	-	2	2	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	35	13	20	2	-	38	17	15	3	3
ALL OTHER ACCIDENTS.....RESIDUAL	274	157	68	36	13	156	84	58	7	7
SUICIDE.....E963,E970-E979	977	694	231	34	18	545	396	136	7	6
SUICIDE BY POISONING.....E970-E973	195	104	85	3	3	130	70	57	-	3
SUICIDE BY HANGING AND STRANGULATION.....E974	218	164	49	2	3	79	50	27	1	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	411	346	49	14	2	281	239	34	6	2
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	153	80	48	15	10	55	37	18	-	-
HOMICIDE.....E964,E980-E985	568	182	69	245	72	159	62	30	49	18
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	303	100	30	135	38	97	35	19	34	9
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	140	31	13	77	19	23	8	-	12	3
ASSAULT BY OTHER MEANS.....E964,E980,E983	114	44	26	29	15	36	17	11	2	6
INJURY BY INTERVENTION OF POLICE.....E984	9	6	-	3	-	3	2	-	1	-
EXECUTION.....E985	2	1	-	1	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	3	3	-	-	-	2	2	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
8	...	8	...	-	10	...	6	...	4	28	...	22	...	6
3	...	3	...	-	1	...	-	...	1	5	...	3	...	2
-	...	-	...	-	1	...	1	...	-	7	...	6	...	1
3	...	3	...	-	4	...	3	...	1	6	...	5	...	1
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
2	...	2	...	-	2	...	1	...	1	4	...	3	...	1
31	16	15	-	-	22	5	15	2	-	37	15	17	1	4
11	6	5	-	-	8	2	5	1	-	7	4	3	-	-
20	10	10	-	-	14	3	10	1	-	30	11	14	1	4
74	30	42	1	1	47	18	29	-	-	76	31	41	1	3
43	15	27	1	-	24	7	17	-	-	46	12	32	-	2
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
4	1	3	-	-	1	1	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
14	11	3	-	-	6	6	-	-	-	13	11	1	1	-
13	3	9	-	1	16	4	12	-	-	12	5	6	-	1
322	164	155	3	-	257	137	102	6	12	382	185	171	14	12
23	7	15	1	-	10	6	3	-	1	32	9	21	2	-
29	16	12	1	-	24	14	10	-	-	40	19	17	2	2
159	86	73	-	-	144	78	58	2	6	184	96	78	6	4
111	55	55	1	-	79	39	31	4	5	126	61	55	4	6
753	459	269	15	10	670	376	233	34	27	1,129	559	398	97	75
68	36	30	2	-	187	88	79	11	9	317	148	136	15	18
14	5	9	-	-	71	32	30	2	7	87	30	55	-	2
54	31	21	2	-	116	56	49	9	2	230	118	81	15	16
1,962	1,310	626	18	8	1,634	1,076	473	63	22	2,459	1,605	595	177	82
1,588	1,024	548	11	5	1,327	861	404	45	17	1,889	1,216	496	112	65
18	14	4	-	-	11	8	2	1	-	26	23	2	1	-
658	471	182	2	3	586	406	162	12	6	784	557	172	44	11
636	452	179	2	3	567	391	158	12	6	763	538	170	44	11
35	30	5	-	-	34	25	8	1	-	16	10	6	-	-
56	36	20	-	-	44	32	11	1	-	123	74	38	8	3
327	216	107	1	3	292	188	97	4	3	229	161	48	15	5
206	161	44	1	-	171	133	30	5	3	207	162	37	7	1
12	9	3	-	-	26	13	12	1	-	188	131	41	14	2
22	19	3	-	-	19	15	4	-	-	21	19	2	-	-
3	3	-	-	-	3	3	-	-	-	5	5	-	-	-
17	15	1	1	-	17	13	3	1	-	23	21	1	1	-
10	4	6	-	-	37	34	3	-	-	23	20	3	-	-
15	8	6	1	-	14	7	5	2	-	31	19	7	2	3
31	24	7	-	-	17	14	2	-	1	27	14	4	7	2
382	158	224	-	-	271	125	136	5	5	337	147	167	7	16
103	65	38	-	-	60	45	13	1	1	94	51	31	6	6
137	46	91	-	-	131	55	74	1	1	91	38	49	-	4
142	47	95	-	-	80	25	49	3	3	152	58	87	1	6
19	18	1	-	-	23	20	2	1	-	52	48	3	1	-
72	69	2	1	-	48	46	2	-	-	50	46	1	3	-
26	24	2	-	-	9	9	-	-	-	24	23	-	1	-
96	54	38	2	2	77	42	29	4	2	155	69	54	14	18
3	2	1	-	-	4	2	2	-	-	16	7	8	-	1
26	24	1	1	-	34	27	6	1	-	53	43	6	4	-
23	12	10	1	-	18	7	8	3	-	29	17	9	2	1
66	52	13	1	-	54	38	12	3	1	91	68	12	10	1
-	-	-	-	-	2	1	1	-	-	5	2	2	1	-
26	11	14	1	-	22	10	8	3	1	20	8	6	1	5
97	61	36	-	-	80	49	21	9	1	138	79	39	13	7
334	266	64	4	-	251	187	53	9	2	349	279	59	8	3
64	38	26	-	-	45	26	14	3	2	41	26	14	1	-
83	66	15	2	-	33	20	13	-	-	41	34	5	1	1
153	141	11	1	-	147	128	15	4	-	245	200	37	6	2
34	21	12	1	-	26	13	11	2	-	22	19	3	-	-
40	20	14	3	3	56	28	16	9	3	219	109	40	56	14
21	10	8	3	-	29	13	8	6	2	153	83	24	36	10
7	5	1	-	1	13	7	3	2	1	27	9	5	9	4
12	5	5	-	2	13	7	5	1	-	33	11	11	11	-
-	-	-	-	-	-	-	-	-	-	5	5	-	-	-
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	30,415	11,034	7,846	6,188	5,347	11,096	6,102	4,954	22	18
I. INFECTIVE AND PARASITIC DISEASES	596	186	103	189	118	99	62	37	-	-
TUBERCULOSIS, ALL FORMS 001-019	243	98	33	64	48	43	30	13	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	226	96	33	60	37	43	30	13	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	4	-	-	-	4	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	-	-	2	2	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	3	1	-	1	1	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	3	-	-	1	2	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	3	1	-	-	2	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	105	18	9	52	26	13	8	5	-	-
CONGENITAL SYPHILIS 020	5	-	-	2	3	1	1	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	47	14	6	21	6	8	6	2	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	32	1	2	18	11	1	-	1	-	-
TABES DORSALIS 024	1	-	-	-	1	1	-	1	-	-
GENERAL PARALYSIS OF INSANE 025	5	-	1	3	1	1	-	1	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	12	3	-	6	3	1	1	-	-	-
ALL OTHER SYPHILIS 027-029	3	-	-	2	1	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	1	-	-	1	-	-	-	-	-	-
TYPHOID FEVER 040	2	-	-	2	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	1	-	-	-	1	1	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	10	2	2	5	1	1	-	1	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	1	1	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	4	-	1	-	3	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	92	29	22	29	12	14	11	3	-	-
DIPHTHERIA 055	4	1	-	2	1	-	-	-	-	-
WHOOPING COUGH 056	2	-	-	1	1	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	21	7	7	6	1	8	5	3	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	2	2	-	-	-	-	-	-	-	-
TETANUS 061	16	1	2	8	5	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	-	-	-	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	2	1	1	-	-	1	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	9	4	2	3	-	2	-	2	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	2	2	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	16	7	5	1	3	4	2	2	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	14	4	7	2	1	6	1	5	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	1	1	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	16	-	-	7	9	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	34	9	12	6	7	4	2	2	-	-
II. NEOPLASMS	4,583	1,786	1,325	784	688	1,759	903	855	1	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	4,493	1,757	1,296	774	666	1,723	886	836	1	-
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	106	49	27	20	10	28	24	4	-	-
OF LIP 140	3	2	1	-	-	-	-	-	-	-
OF TONGUE 141	22	12	5	3	2	7	6	1	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	34	16	9	3	6	7	7	-	-	-
OF PHARYNX 145-148	47	19	12	14	2	14	11	3	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	1,348	482	384	285	197	607	309	298	-	-
OF ESOPHAGUS 150	83	38	10	29	6	26	19	7	-	-
OF STOMACH 151	310	93	58	110	49	125	76	49	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	8	6	1	1	-	8	4	4	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	370	114	150	49	57	222	99	123	-	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	23	6	12	3	2	24	11	13	-	-
TRANSVERSE COLON 153.1	17	5	9	2	1	17	8	9	-	-
DESCENDING COLON 153.2	16	6	7	1	2	8	3	5	-	-
SIGMOID COLON 153.3	57	21	20	9	7	48	25	23	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	239	73	96	29	41	105	42	63	-	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	18	3	6	5	4	20	10	10	-	-
OF RECTUM 154	130	51	33	22	24	89	48	41	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	86	28	39	11	8	33	10	23	-	-
LIVER 155.0	37	19	6	10	2	8	4	4	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	49	9	33	1	6	25	6	19	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	76	35	10	17	14	17	9	8	-	-
OF PANCREAS 157	244	106	71	40	27	79	42	37	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	41	11	12	6	12	8	2	6	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28,415	12,681	10,187	3,162	2,385	56,512	29,265	26,018	664	565	70,035	37,158	26,842	3,402	2,633	1
															2
															3
428	185	87	108	48	552	337	178	19	18	698	366	188	95	49	4
															5
232	108	34	67	23	263	181	59	15	8	334	206	60	50	18	6
219	104	31	65	19	250	179	51	14	6	309	197	55	42	15	7
6	3	2	-	1	3	-	3	-	-	6	3	-	2	1	8
															9
1	-	-	1	-	1	-	1	-	-	2	-	1	1	-	10
2	-	1	-	1	2	-	2	-	-	4	1	3	-	-	11
2	1	-	-	1	2	1	-	-	1	4	1	1	1	1	12
2	-	-	1	1	5	1	2	1	1	9	4	-	4	1	13
															14
68	23	14	19	12	101	68	29	2	2	106	52	22	22	10	15
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
33	11	6	9	7	85	58	26	-	1	40	23	9	7	1	18
23	8	5	6	4	11	8	1	2	-	44	19	7	12	6	19
2	-	1	1	-	-	-	-	-	-	4	1	1	1	1	20
4	3	1	-	-	3	2	1	-	-	4	1	1	-	2	21
5	1	1	3	-	2	-	1	-	1	7	5	-	2	-	22
-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	23
															24
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	25
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	26
5	2	-	2	1	1	-	-	1	-	3	1	1	1	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	29
5	3	1	1	-	4	2	1	-	1	2	2	-	-	-	30
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	31
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	32
-	-	-	-	-	1	1	-	-	-	5	2	3	-	-	33
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	34
49	16	15	11	7	79	39	36	-	4	52	26	21	2	3	35
															36
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	37
2	1	1	-	-	-	-	-	-	-	2	1	-	1	-	38
12	7	4	1	-	10	7	3	-	-	27	15	10	1	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	3	2	1	-	-	3	1	-	1	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	44
1	1	-	-	-	4	4	-	-	-	6	3	2	-	1	45
5	3	1	-	1	13	4	9	-	-	24	8	12	3	1	46
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
4	3	-	-	1	5	4	1	-	-	8	3	3	-	2	49
															50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
11	3	6	1	1	25	8	15	-	2	56	20	26	6	4	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
29	13	9	5	2	38	14	22	1	1	55	19	22	6	8	62
															63
4,698	2,106	1,840	421	331	9,762	4,959	4,614	102	87	11,894	6,063	4,855	519	457	64
															65
															66
4,598	2,061	1,806	415	316	9,601	4,887	4,529	99	86	11,725	5,996	4,773	510	446	67
109	66	25	11	7	233	181	47	4	1	297	219	64	10	4	68
2	1	1	-	-	4	4	-	-	-	7	6	1	-	-	69
23	15	6	-	2	58	41	17	-	-	72	53	15	3	1	70
40	26	9	3	2	76	57	15	3	1	87	59	25	1	2	71
44	24	9	8	3	95	79	15	1	-	131	101	23	6	1	72
															73
															74
1,444	624	581	154	85	3,499	1,756	1,674	35	34	3,962	2,028	1,605	188	141	75
121	61	13	40	7	202	147	48	6	1	210	137	33	31	9	76
261	115	84	43	19	704	392	291	8	13	858	491	276	64	27	77
5	4	1	-	-	40	15	25	-	-	34	13	18	-	3	78
502	194	256	26	26	1,210	494	701	8	7	1,317	583	652	42	40	79
65	24	37	1	3	181	67	110	2	2	214	92	110	3	9	80
25	13	11	-	1	55	20	35	-	-	84	40	37	5	2	81
27	5	19	3	-	36	13	23	-	-	56	21	29	3	3	82
94	41	40	7	6	290	128	160	2	-	307	136	159	7	5	83
-	-	-	-	-	5	4	1	-	-	3	1	2	-	-	84
253	95	129	15	14	538	219	311	3	5	583	273	268	21	21	85
38	16	20	-	2	105	43	61	1	-	70	20	47	3	-	86
															87
															88
160	71	63	12	14	430	246	179	1	4	499	281	186	14	18	89
84	28	41	10	5	185	76	103	3	3	261	100	145	8	8	90
27	14	6	5	2	45	27	16	1	1	69	34	24	8	3	91
57	14	35	5	3	140	49	87	2	2	192	66	121	-	5	92
52	27	18	7	-	129	64	61	3	1	143	75	51	7	10	93
221	105	92	10	14	545	295	241	4	5	571	316	210	19	26	94
38	19	13	6	-	54	27	25	2	-	69	32	34	3	-	95

716 - 533 O - 64 - 13

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	800	542	76	150	32	250	210	40	-	-
OF LARYNX....161	49	39	4	4	2	15	14	1	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	290	198	21	58	13	87	73	14	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	447	300	50	83	14	144	122	22	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	14	5	1	5	3	4	1	3	-	-
MALIGNANT NEOPLASM OF BREAST....170	331	-	244	-	87	160	4	156	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	660	164	201	134	161	271	116	155	-	-
OF CERVIX UTERI....171	149	...	71	...	78	53	...	53	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	107	...	59	...	48	42	...	42	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	88	...	58	...	30	51	...	51	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	18	...	13	...	5	9	...	9	...	-
OF PROSTATE....177	289	158	...	131	...	110	110	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	9	6	...	3	...	6	6	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	184	80	50	28	26	96	65	31	-	-
OF KIDNEY....180	64	28	21	7	8	44	31	13	-	-
OF BLADDER AND OTHER URINARY ORGANS....181	120	52	29	21	18	52	34	18	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	645	263	193	90	99	170	86	84	-	-
OF SKIN....190,191	82	48	27	2	5	17	9	8	-	-
OF EYE....192	4	4	-	-	-	1	-	1	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	94	46	26	9	13	39	21	18	-	-
OF THYROID GLAND....194	12	7	4	-	1	7	5	2	-	-
OF BONE....196	50	18	15	8	9	8	5	3	-	-
OF CONNECTIVE TISSUE....197	15	6	5	1	3	9	5	4	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	30	11	8	9	2	12	9	3	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	358	123	108	61	66	77	32	45	-	-
LEUKEMIA AND ALEUKEMIA....204	214	90	68	27	29	60	29	30	1	-
LYMPHOSARCOMA, ETC....200-203,205	205	87	53	40	25	81	43	38	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA....200	77	35	25	11	6	38	17	21	-	-
HODGKINS DISEASE....201	56	28	12	12	4	17	10	7	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	72	24	16	17	15	26	16	10	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	90	29	29	10	22	36	17	19	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	2	...	-	...	2	4	...	4	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	19	6	7	2	4	7	2	5	-	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	17	5	10	1	1	5	1	4	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	-	...	1	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	34	11	6	5	12	16	12	4	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	17	7	6	2	2	4	2	2	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	912	205	302	136	269	238	115	122	1	-
ASTHMA....241	95	35	25	18	17	42	31	11	-	-
NONTOXIC GOITER....250,251	3	-	-	-	3	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	11	1	3	-	7	7	-	7	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	9	-	4	3	2	2	1	1	-	-
DIABETES MELLITUS....260	670	138	229	89	214	164	69	95	-	-
DISEASES OF THYMUS GLAND....273	3	1	1	-	1	-	-	-	-	-
DISEASES OF ADRENAL GLANDS....274	15	5	3	4	3	2	1	1	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	41	11	15	11	4	6	5	-	1	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	65	14	22	11	18	15	8	7	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	125	33	38	24	30	31	16	15	-	-
ANEMIAS....290-293	86	17	25	18	26	24	12	12	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	9	1	4	1	3	8	4	4	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	77	16	21	17	23	16	8	8	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	13	5	5	1	2	4	1	3	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	26	11	8	5	2	3	3	-	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	41	8	14	12	7	27	18	9	-	-
SENILE PSYCHOSIS....304	2	1	1	-	-	2	1	1	-	-
ALCOHOLIC PSYCHOSIS....307	1	1	-	-	-	5	3	2	-	-
OTHER PSYCHOSES....300-303,305,306,308,309	8	2	3	1	2	3	2	1	-	-
ALCOHOLISM....322	18	-	5	9	4	15	12	3	-	-
MENTAL DEFICIENCY....325	11	3	5	2	1	1	-	1	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	1	1	-	-	-	1	-	1	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	3,599	969	1,070	754	806	1,469	648	816	4	1
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	3,296	880	1,006	683	727	1,392	609	778	4	1
SUBARACHNOID HEMORRHAGE....330	136	34	34	32	36	43	12	31	-	-
CEREBRAL HEMORRHAGE....331	2,152	534	584	506	528	801	371	427	3	-
CEREBRAL EMBOLISM AND THROMBOSIS....332	775	246	296	107	126	410	173	237	-	-
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	233	66	92	38	37	138	53	83	1	1
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	86	28	11	24	23	8	4	4	-	-
MULTIPLE SCLEROSIS....345	10	1	4	2	3	9	3	6	-	-
PARALYSIS AGITANS....350	21	11	6	2	2	21	9	12	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	18	4	7	4	3	9	5	4	-	-
EPILEPSY....353	56	15	6	18	17	10	2	8	-	-
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	7	1	-	3	3	-	-	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	105	29	30	18	28	20	16	4	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
814	607	91	106	10	1,460	1,210	221	23	6	1,923	1,533	234	137	19	1
38	30	2	5	1	98	89	7	2	-	129	104	11	13	1	2
317	239	25	50	3	395	341	46	7	1	722	589	85	45	3	3
441	329	56	51	5	946	767	162	13	4	1,032	811	130	77	14	4
18	9	8	-	1	21	13	6	1	1	40	29	8	2	1	5
412	4	350	1	57	948	14	922	-	12	1,022	7	942	-	73	6
623	171	306	57	89	1,191	486	676	10	19	1,692	605	899	67	121	7
157	...	107	...	50	221	...	217	...	4	353	...	290	...	63	8
103	...	82	...	21	188	...	180	...	8	249	...	220	...	29	9
126	...	110	...	16	265	...	258	...	7	373	...	349	...	24	10
9	...	7	...	2	21	...	21	...	-	45	...	40	...	5	11
218	162	...	56	...	466	456	...	10	...	632	567	...	65	...	12
10	9	...	1	...	30	30	...	-	...	40	38	...	2	...	13
220	118	75	15	12	477	307	161	8	1	642	420	173	28	21	14
92	47	32	8	5	187	109	71	7	-	248	153	71	15	9	15
128	71	43	7	7	290	198	90	1	1	394	267	102	13	12	16
569	258	226	47	38	980	511	455	6	8	1,066	574	426	36	30	17
62	35	24	-	3	124	64	60	-	-	149	90	54	4	1	18
5	-	5	-	-	8	4	4	-	-	16	12	4	-	-	19
95	57	30	6	2	195	118	77	-	-	282	173	93	11	5	20
22	8	11	1	2	22	5	16	-	1	41	9	29	2	1	21
43	19	18	4	2	72	49	21	1	1	69	38	28	2	1	22
25	11	11	2	1	25	10	15	-	-	51	22	26	-	3	23
22	10	10	1	1	38	18	20	-	-	54	35	17	2	-	24
295	118	117	33	27	496	243	242	5	6	404	195	175	15	19	25
187	99	69	10	9	384	199	177	3	5	541	301	210	16	14	26
220	114	83	14	9	429	223	196	10	-	580	309	220	28	23	27
86	44	36	4	2	184	94	87	3	-	255	144	92	8	11	28
70	39	22	8	1	123	79	43	1	-	122	63	45	7	7	29
64	31	25	2	6	122	50	66	6	-	203	102	83	13	5	30
100	45	34	6	15	161	72	85	3	1	169	67	82	9	11	31
8	...	3	...	5	5	...	5	...	-	25	...	19	...	6	32
13	4	4	3	2	27	7	19	1	-	37	16	18	2	1	33
12	7	3	-	2	32	16	15	-	1	52	25	21	3	3	34
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	35
48	23	17	2	6	77	41	35	1	-	34	16	14	3	1	36
18	11	6	1	-	19	8	10	1	-	21	10	10	1	-	37
776	245	345	70	116	1,378	572	769	20	17	2,407	995	1,180	101	131	38
73	32	18	13	10	150	101	45	3	1	246	139	75	25	7	39
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	40
9	-	6	1	2	10	2	8	-	-	21	4	14	-	3	41
6	-	3	-	3	25	2	23	-	-	18	1	13	2	2	42
596	179	288	42	87	1,054	396	633	12	13	1,901	752	971	68	110	43
2	-	1	-	1	-	-	-	-	-	10	7	2	-	1	44
6	4	1	1	-	12	6	6	-	-	26	11	14	1	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
19	7	4	6	2	59	29	22	5	3	41	15	21	3	2	47
65	23	24	7	11	67	36	31	-	-	143	65	70	2	6	48
84	27	37	11	9	162	85	73	1	3	244	132	88	15	9	49
60	21	24	10	[illegible]	97	49	46	-	2	158	73	65	13	7	50
10	-	8	-	2	24	13	11	-	-	33	12	21	-	-	51
50	21	16	10	3	73	36	35	-	2	125	61	44	13	7	52
12	2	7	-	3	29	12	16	1	-	32	19	11	-	2	53
12	4	6	1	1	36	24	11	-	1	54	40	12	2	-	54
71	33	16	13	9	122	87	34	-	1	154	89	38	16	11	55
3	-	1	1	1	3	1	2	-	-	11	5	4	-	2	56
9	6	-	2	1	20	16	4	-	-	19	14	-	4	1	57
7	-	4	2	1	11	7	4	-	-	37	20	14	3	-	58
46	24	8	8	6	69	52	16	-	1	61	32	14	8	7	59
5	3	2	-	-	14	8	6	-	-	23	17	5	-	1	60
1	-	1	-	-	5	3	2	-	-	3	1	1	1	-	61
2,478	895	1,069	267	247	6,494	2,690	3,703	48	53	8,433	3,756	3,891	394	392	62
2,221	801	984	227	209	6,029	2,482	3,460	40	47	7,768	3,436	3,612	357	363	63
165	56	66	17	26	206	84	117	2	3	315	129	130	15	41	64
1,141	404	499	114	124	3,234	1,364	1,820	24	26	4,230	1,856	2,017	181	176	65
714	280	318	71	45	2,221	893	1,302	10	16	2,604	1,166	1,165	142	131	66
201	61	101	25	14	368	141	221	4	2	619	285	300	19	15	67
41	10	11	11	9	55	22	30	2	1	82	33	34	7	8	68
14	5	8	-	1	69	21	45	-	3	91	34	47	3	7	69
46	21	23	1	1	105	43	60	1	1	130	71	58	1	-	70
8	5	3	-	-	11	7	4	-	-	38	22	11	3	2	71
39	10	9	10	10	66	31	32	3	-	96	45	39	11	1	72
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	73
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
16	4	3	4	5	6	4	2	-	-	9	8	1	-	-	76
93	39	28	14	12	152	80	69	2	1	217	107	87	12	11	77

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	12,133	4,730	3,227	2,168	2,008	5,186	2,927	2,245	6	8
DISEASES OF HEART....400-402,410-443	11,136	4,399	2,920	1,978	1,839	4,702	2,680	2,011	4	7
RHEUMATIC FEVER....400-402	9	-	1	5	3	8	3	5	-	-
CHRONIC RHEUMATIC HEART DISEASE....410-416	123	37	39	25	22	96	49	47	-	-
DISEASES OF MITRAL VALVE....410	48	14	16	8	10	39	21	18	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	6	3	2	1	-	11	7	4	-	-
DISEASES OF PULMONARY VALVE, ETC....413,414	3	1	-	1	1	4	-	4	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	66	19	21	15	11	42	21	21	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	8,056	3,665	2,148	1,248	995	3,681	2,193	1,479	4	5
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	3,644	1,330	1,107	621	586	1,475	800	672	1	2
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	4,405	2,329	1,041	626	409	2,198	1,388	804	3	3
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	7	6	-	1	-	8	5	3	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	53	20	12	13	8	21	14	7	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	1	-	1	-	-	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	28	14	7	5	2	8	6	2	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	24	6	4	8	6	13	8	5	-	-
OTHER MYOCARDIAL DEGENERATION....422	811	225	217	172	197	397	199	198	-	-
WITH ARTERIOSCLEROSIS....422.1	606	172	161	122	151	206	87	119	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	205	53	56	50	46	191	112	79	-	-
OTHER DISEASES OF HEART....430-434	659	187	170	166	136	109	66	43	-	-
ACUTE AND SUBACUTE ENDOCARDITIS....430	10	4	1	3	2	7	5	2	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	30	8	6	10	6	5	2	3	-	-
FUNCTIONAL DISEASE OF HEART....433	93	29	38	12	14	39	20	19	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART....434	526	146	125	141	114	58	39	19	-	-
HYPERTENSIVE HEART DISEASE....440-443	1,425	265	333	349	478	390	156	232	-	2
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	138	37	37	34	30	88	44	44	-	-
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	1,287	228	296	315	448	302	112	188	-	2
OTHER HYPERTENSIVE DISEASE....444-447	182	43	44	59	36	77	36	40	-	1
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	76	28	27	14	7	46	24	22	-	-
ESSENTIAL HYPERTENSION....444,445,447	106	15	17	45	29	31	12	18	-	1
DISEASES OF ARTERIES....450-456	646	229	213	102	102	349	184	164	1	-
GENERAL ARTERIOSCLEROSIS....450	483	140	187	79	77	260	125	134	1	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	100	63	13	14	10	71	50	21	-	-
GANGRENE OF UNSPECIFIED CAUSE....455	9	3	1	2	3	2	-	2	-	-
OTHER ARTERIAL DISEASES....452-454,456	54	23	12	7	12	16	9	7	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	169	59	50	29	31	58	27	30	1	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,627	580	328	394	325	475	289	184	1	1
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	8	1	2	2	3	3	3	-	-	-
INFLUENZA....480-483	40	10	10	10	10	28	18	10	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	1,101	303	236	296	266	294	162	131	1	-
LOBAR PNEUMONIA....490	167	44	39	42	42	44	23	21	-	-
BRONCHOPNEUMONIA....491	517	152	113	131	121	151	77	73	1	-
PRIMARY ATYPICAL PNEUMONIA....492	78	21	9	22	26	38	25	13	-	-
PNEUMONIA, OTHER AND UNSPECIFIED....493	339	86	75	101	77	61	37	24	-	-
ACUTE BRONCHITIS....500	11	4	1	4	2	7	3	4	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	57	38	9	7	3	23	15	8	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS....510	1	1	-	-	-	2	2	-	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	20	10	4	5	1	2	2	-	-	-
PLEURISY....519	1	1	-	-	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	81	22	16	22	21	22	13	9	-	-
BRONCHIECTASIS....526	28	20	6	2	-	18	11	7	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	228	154	27	37	10	62	50	11	-	1
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	182	131	18	27	6	55	47	7	-	1
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	46	23	9	10	4	7	3	4	-	-
OTHER RESPIRATORY DISEASES....RESIDUAL	51	16	17	9	9	14	10	4	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,081	423	294	215	149	390	221	165	1	3
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	1	-	-	1	-	1	-	1	-	-
ULCER OF STOMACH....540	86	47	19	17	3	38	26	12	-	-
ULCER OF DUODENUM....541	60	33	9	13	5	37	26	11	-	-
GASTRITIS AND DUODENITIS....543	13	6	2	4	1	2	1	1	-	-
APPENDICITIS....550-553	28	7	8	7	6	15	9	6	-	-
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	180	45	62	40	33	64	27	37	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	110	15	22	36	37	11	3	7	-	1
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	43	12	25	-	6	15	8	7	-	-
CIRRHOSIS OF LIVER....581	245	129	53	37	26	84	55	27	1	1
WITHOUT MENTION OF ALCOHOLISM....581.0	180	98	39	25	18	61	40	20	1	-
WITH ALCOHOLISM....581.1	65	31	14	12	8	23	15	7	-	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	59	26	25	4	4	32	17	15	-	-
FIBROCYSTIC DISEASE OF PANCREAS....587B	7	2	3	1	1	6	2	4	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	249	101	66	55	27	85	47	37	-	1
X. DISEASES OF THE GENITOURINARY SYSTEM	711	254	154	171	132	172	112	59	-	1
NEPHRITIS AND NEPHROSIS....590-594	266	77	60	71	58	78	46	31	-	1
ACUTE NEPHRITIS....590	16	4	1	6	5	6	2	4	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	10	2	4	3	1	7	5	2	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	240	71	55	62	52	65	39	25	-	1
INFECTIONS OF KIDNEY....600	261	81	70	60	50	36	17	19	-	-
CALCULI OF URINARY SYSTEM....602,604	22	8	7	1	6	6	1	5	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	55	24	11	13	7	12	9	3	-	-
HYPERPLASIA OF PROSTATE....610	71	52	...	19	...	34	34	...	-	...
DISEASES OF BREAST....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	36	12	6	7	11	6	5	1	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,898	6,015	4,824	1,136	923	26,059	13,741	11,904	217	197	30,069	16,745	11,318	1,154	852	1
11,853	5,600	4,375	1,048	830	23,454	12,583	10,528	178	165	27,162	15,311	10,059	1,039	753	2
6	1	4	1	-	20	8	11	-	1	15	5	6	1	3	3
286	109	142	14	21	638	264	363	7	4	889	374	451	23	41	4
95	39	46	4	6	220	70	145	3	2	323	126	183	2	12	5
23	16	3	2	2	67	50	16	1	-	101	67	30	4	-	6
4	1	2	1	-	17	8	9	-	-	38	16	19	2	1	7
164	53	91	7	13	334	136	193	3	2	427	165	219	15	28	8
6,930	3,843	2,416	399	272	19,474	10,920	8,294	142	118	21,971	13,109	7,610	785	467	9
2,178	1,046	909	126	97	8,261	3,825	4,339	53	44	10,182	5,454	4,108	360	260	10
4,748	2,796	1,505	272	175	11,197	7,087	3,947	89	74	11,777	7,650	3,495	425	207	11
4	1	2	1	-	16	8	8	-	-	12	5	7	-	-	12
78	29	32	12	5	136	80	53	-	3	164	93	63	5	3	13
5	-	4	-	1	5	1	4	-	-	10	3	6	1	-	14
37	22	11	4	-	88	63	23	-	2	94	58	31	3	2	15
36	7	17	8	4	43	16	26	-	1	60	32	26	1	1	16
2,451	1,019	948	286	198	952	394	543	9	6	1,200	559	581	29	31	17
2,291	962	882	268	179	664	248	407	6	3	810	366	408	18	18	18
160	57	66	18	19	288	146	136	3	3	390	193	173	11	13	19
339	153	127	31	28	656	340	302	7	7	853	446	341	37	29	20
12	7	1	3	1	25	16	9	-	-	23	11	9	1	2	21
13	6	2	4	1	32	21	11	-	-	26	13	9	2	2	22
121	48	60	3	10	150	62	83	2	3	233	103	111	11	8	23
193	92	64	21	16	449	241	199	5	4	571	319	212	23	17	24
1,763	446	706	305	306	1,578	577	962	13	26	2,070	725	1,007	159	179	25
343	107	128	58	50	190	85	101	2	2	391	171	187	20	13	26
1,420	339	578	247	256	1,388	492	861	11	24	1,679	554	820	139	166	27
169	46	62	30	31	397	162	221	6	8	504	214	216	41	33	28
85	32	32	9	12	227	103	117	2	5	286	146	111	19	10	29
84	14	30	21	19	170	59	104	4	3	218	68	105	22	23	30
725	318	317	41	49	1,685	757	892	17	19	2,110	1,074	930	57	49	31
493	187	256	25	25	1,242	465	752	12	13	1,452	642	751	30	29	32
149	100	32	8	9	330	234	88	5	3	503	357	121	19	6	33
7	3	3	-	1	8	3	5	-	-	1	1	-	-	-	34
76	28	26	8	14	105	55	47	-	3	154	74	58	8	14	35
151	51	70	17	13	523	239	263	16	5	293	146	113	17	17	36
1,339	619	369	227	124	3,345	1,901	1,327	64	53	3,124	1,862	931	218	113	37
28	10	7	9	2	12	9	2	1	-	33	14	14	4	1	38
31	12	12	2	5	26	7	18	1	-	131	67	56	5	3	39
796	321	250	146	79	2,424	1,244	1,089	49	42	1,813	963	619	141	90	40
145	68	32	26	19	304	173	120	7	4	277	140	97	27	13	41
383	153	122	73	35	1,539	761	725	28	25	730	380	269	48	33	42
46	18	22	2	4	235	135	78	10	12	422	216	127	48	31	43
222	82	74	45	21	346	175	166	4	1	384	227	126	18	13	44
42	13	13	11	5	48	24	23	-	1	43	25	15	3	-	45
56	39	15	1	1	156	126	28	1	1	146	99	36	10	1	46
3	2	-	1	-	1	1	-	-	-	8	3	3	1	1	47
24	11	5	6	2	34	25	8	-	1	22	10	9	3	-	48
1	1	-	-	-	6	3	3	-	-	7	2	3	2	-	49
108	36	23	26	23	103	58	40	3	2	180	105	49	14	12	50
30	16	10	3	1	69	45	23	1	-	93	57	30	6	-	51
189	140	27	18	4	382	306	69	4	3	563	465	75	21	2	52
161	126	22	12	1	296	251	41	3	1	535	450	65	18	2	53
28	14	5	6	3	86	55	28	1	2	28	15	10	3	-	54
31	18	7	4	2	84	53	24	4	3	85	52	22	8	3	55
1,148	544	378	136	90	2,443	1,453	923	40	27	2,807	1,533	1,071	110	93	56
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	57
103	58	29	12	4	221	151	62	5	3	295	204	80	10	1	58
74	48	17	7	2	236	169	60	4	3	275	193	64	15	3	59
11	3	7	1	-	8	4	4	-	-	13	9	3	-	1	60
35	16	10	6	3	51	28	22	1	-	71	43	24	3	1	61
178	75	72	17	14	316	153	157	4	2	391	167	195	15	14	62
45	15	10	10	10	58	27	27	2	2	109	53	45	6	5	63
59	23	28	3	5	135	58	74	1	2	154	56	87	3	8	64
386	197	102	50	37	826	557	246	15	8	832	515	250	32	35	65
270	134	71	41	24	603	401	186	10	6	608	378	187	22	21	66
116	63	31	9	13	223	156	60	5	2	224	137	63	10	14	67
61	21	32	5	3	149	60	86	-	3	303	116	171	2	14	68
10	3	6	1	-	20	11	9	-	-	29	15	14	-	-	69
186	85	65	24	12	423	235	176	8	4	330	160	135	24	11	70
470	202	136	69	63	880	478	369	15	18	1,164	644	363	92	65	71
207	85	58	31	33	331	182	141	4	4	520	264	189	38	29	72
3	1	1	1	-	21	9	11	-	1	21	12	9	-	-	73
14	9	2	2	1	23	16	6	1	-	32	19	10	1	2	74
190	75	55	28	32	287	157	124	3	3	467	233	170	37	27	75
125	42	52	13	18	294	117	158	6	13	266	118	107	23	18	76
19	7	7	3	2	38	14	23	1	-	52	20	24	2	6	77
46	19	11	12	4	98	60	37	1	-	60	36	14	7	3	78
50	40	...	10	...	98	95	...	3	...	214	193	...	21	...	79
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	80
23	9	8	-	6	21	10	10	-	1	51	13	28	1	9	81

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	33	...	11	...	22	2	...	2	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	10	...	4	...	6	1	...	1	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	5	...	1	...	4	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	4	...	2	...	2	-	...	-	...	-
ECTOPIC PREGNANCY.....645	1	...	1	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	4	...	-	...	4	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	9	...	3	...	6	1	...	1	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	33	5	22	2	4	11	2	8	-	1
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	6	2	3	1	-	6	2	4	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	27	3	19	1	4	5	-	4	-	1
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	63	25	27	2	9	25	12	13	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	29	12	15	-	2	10	5	5	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	3	1	1	-	1	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	2	-	1	-	1	2	1	1	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	1	-	-	-	1	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	16	9	4	2	1	5	2	3	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	12	2	6	-	4	7	4	3	-	-
XIV. CONGENITAL MALFORMATIONS.....	458	141	149	94	74	121	63	58	-	-
SPINA BIFIDA AND MENINGOCELE.....751	24	9	12	2	1	9	3	6	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	52	12	16	9	15	11	3	8	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	223	74	68	42	39	57	31	26	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	159	46	53	41	19	44	26	18	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,673	475	269	514	415	342	200	137	4	1
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	228	69	48	66	45	55	24	31	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	62	12	19	15	16	34	15	19	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	166	57	29	51	29	21	9	12	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,519	1,145	465	663	246	694	490	198	4	2
ACCIDENTS.....E800-E962	1,995	923	383	488	201	541	372	163	4	2
RAILWAY ACCIDENTS.....E800-E802	21	8	-	11	2	1	1	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	765	408	132	175	50	192	131	59	1	1
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	751	406	125	171	49	183	122	59	1	1
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	19	11	7	1	-	1	1	-	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	167	66	15	63	23	41	26	13	1	1
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	326	183	75	53	15	84	50	34	-	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	206	133	19	44	10	54	43	11	-	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	33	13	9	10	1	3	2	1	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	14	2	7	4	1	9	9	-	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	2	2	1	-	1	1	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	95	73	4	16	2	29	27	2	-	-
AIRCRAFT ACCIDENTS.....E860-E866	20	19	1	-	-	12	12	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	26	13	6	4	3	6	3	3	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	18	8	3	5	2	15	10	5	-	-
ACCIDENTAL FALLS.....E900-E904	282	94	132	34	22	112	57	55	-	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	54	26	10	9	9	36	23	13	-	-
FALL ON SAME LEVEL.....E903	41	11	23	6	1	30	13	17	-	-
UNSPECIFIED FALLS.....E904	187	57	99	19	12	46	21	25	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	32	17	1	12	2	12	12	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	41	26	-	15	-	10	10	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	41	26	3	10	2	4	4	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	228	43	45	60	80	46	31	15	-	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	11	5	1	3	2	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	78	56	6	14	2	16	14	-	2	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	23	10	3	7	3	18	13	4	-	1
ACCIDENTAL DROWNING.....E929	143	60	15	66	2	21	18	3	-	-
EXCESSIVE HEAT AND INSOLATION.....E931	11	5	1	5	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	26	6	10	4	6	6	2	4	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	129	44	18	46	21	40	26	13	1	-
SUICIDE.....E963,E970-E979	252	168	60	17	7	143	112	31	-	-
SUICIDE BY POISONING.....E970-E973	30	10	18	-	2	37	24	13	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	20	16	1	2	1	20	17	3	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	184	136	32	14	2	73	65	8	-	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	18	6	9	1	2	13	6	7	-	-
HOMICIDE.....E964,E980-E985	272	54	22	158	38	10	6	4	-	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	169	38	11	95	25	7	4	3	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	59	5	3	42	9	1	-	1	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	37	8	8	17	4	1	1	-	-	-
INJURY BY INTERVENTION OF POLICE.....E984	7	3	-	4	-	1	1	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
19	...	7	...	12	18	...	13	...	5	56	...	36	...	20	3
2	...	1	...	1	2	...	2	...	-	5	...	4	...	1	5
1	...	1	...	-	2	...	2	...	-	5	...	5	...	-	6
2	...	1	...	1	5	...	3	...	2	9	...	8	...	1	7
2	...	-	...	2	-	...	-	...	-	5	...	1	...	4	8
2	...	2	...	-	2	...	1	...	1	5	...	2	...	3	9
2	...	-	...	2	3	...	2	...	1	8	...	3	...	5	10
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	11
7	...	2	...	5	4	...	3	...	1	19	...	13	...	6	12
60	14	28	6	12	79	29	45	-	5	52	21	22	4	5	15
11	5	5	1	-	21	8	12	-	1	9	5	4	-	-	17
49	9	23	5	12	58	21	33	-	4	43	16	18	4	5	18
64	27	29	4	4	108	54	52	2	-	165	83	74	2	6	21
37	14	19	1	3	44	22	21	1	-	90	40	47	-	3	23
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	24
8	4	3	1	-	10	6	4	-	-	7	2	4	-	1	25
1	-	1	-	-	2	1	1	-	-	6	5	1	-	-	26
7	4	1	1	1	26	19	7	-	-	27	19	6	1	1	27
11	5	5	1	-	25	6	18	1	-	34	17	15	1	1	28
392	166	147	42	37	515	277	221	11	6	999	487	404	51	57	31
36	10	22	3	1	55	21	34	-	-	77	29	44	2	2	33
37	15	14	5	3	58	31	23	3	1	112	49	48	6	9	34
189	81	62	22	24	243	139	97	5	2	499	249	197	25	28	35
130	60	49	12	9	159	86	67	3	3	311	160	115	18	18	36
1,324	490	364	263	207	1,562	855	609	57	41	2,757	1,371	899	270	217	38
98	33	41	15	9	195	107	82	5	1	230	112	83	20	15	40
20	5	10	2	3	10	2	8	-	-	13	4	8	1	-	42
78	28	31	13	6	185	105	74	5	1	217	108	75	19	15	43
2,068	1,080	470	374	144	2,838	1,640	1,102	63	33	4,782	2,899	1,401	341	141	46
1,569	812	376	263	118	2,359	1,320	971	44	24	3,725	2,262	1,152	220	91	48
10	6	-	4	-	9	9	-	-	-	19	14	2	3	-	49
615	351	135	87	42	730	502	208	13	7	1,654	1,057	478	85	34	50
608	346	134	86	42	708	487	201	13	7	1,621	1,036	468	85	32	51
16	11	4	-	1	5	3	2	-	-	73	44	26	3	-	52
162	85	24	38	15	241	168	67	4	2	314	196	71	31	16	53
216	111	58	29	18	215	136	74	4	1	731	438	256	29	8	54
129	85	23	15	6	179	137	37	4	1	381	275	80	19	7	55
85	54	25	4	2	68	43	21	1	3	122	83	35	3	1	56
7	5	1	1	-	22	15	7	-	-	33	21	10	-	2	57
1	1	-	-	-	3	3	-	-	-	5	5	-	-	-	59
30	25	-	5	-	20	17	1	2	-	61	52	4	4	1	60
18	14	4	-	-	18	17	1	-	-	32	24	8	-	-	61
55	20	17	10	8	23	13	9	1	-	41	20	16	3	2	62
22	7	5	4	6	23	18	5	-	-	74	50	18	5	1	63
332	160	124	34	14	963	385	559	11	8	868	405	403	43	17	64
125	76	29	17	3	238	129	99	7	3	234	149	60	21	4	65
78	34	34	7	3	333	111	217	2	3	130	60	65	4	1	66
129	50	61	10	8	392	145	243	2	2	504	196	278	18	12	67
21	16	-	5	-	19	15	2	2	-	43	37	3	2	1	69
19	10	1	8	-	6	6	-	-	-	76	70	5	1	-	70
11	6	-	5	-	13	10	3	-	-	24	20	3	1	-	71
166	58	33	42	33	191	99	81	7	4	201	106	61	23	11	72
10	4	4	2	-	8	4	3	1	-	17	8	4	3	2	73
19	16	-	2	1	14	10	1	3	-	59	48	4	7	-	74
32	15	10	4	3	52	28	24	-	-	90	50	30	3	7	75
76	42	14	19	1	104	91	11	2	-	183	134	30	15	4	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
18	7	7	3	1	48	27	19	-	2	23	12	10	-	1	78
114	54	22	29	9	115	66	44	2	3	255	150	73	22	10	79
321	221	77	18	5	398	288	105	5	-	789	547	210	20	12	82
83	48	31	3	1	136	81	53	2	-	251	134	112	1	4	83
52	33	14	5	-	95	76	18	1	-	163	115	39	6	3	84
161	132	22	7	-	91	79	11	1	-	299	251	36	9	3	85
25	8	10	3	4	76	52	23	1	-	76	47	23	4	2	86
178	47	17	93	21	78	29	26	14	9	267	89	39	101	38	88
76	21	5	42	8	26	15	4	4	3	101	44	16	30	11	89
52	7	2	36	7	16	4	2	8	2	88	15	7	52	14	90
49	19	10	14	6	35	9	20	2	4	71	27	16	15	13	91
1	-	-	1	-	1	1	-	-	-	6	2	-	4	-	92
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	93
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	31,825	18,239	13,209	209	168	22,730	7,072	4,823	5,708	5,127
I. INFECTIVE AND PARASITIC DISEASES	246	148	81	12	5	314	75	46	109	84
TUBERCULOSIS, ALL FORMS....001-019	89	56	29	2	2	125	38	15	45	27
TUBERCULOSIS OF RESPIRATORY SYSTEM....001-008	80	54	23	2	1	114	34	14	41	25
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	1	1	-	-	-	4	1	1	-	2
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS....011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS....012,013	2	-	2	-	-	1	-	-	1	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS....014-018	3	1	2	-	-	3	2	-	1	-
DISSEMINATED TUBERCULOSIS....019	3	-	2	-	1	3	1	-	2	-
SYPHILIS AND ITS SEQUELAE....020-029	40	24	11	4	1	26	6	2	11	7
CONGENITAL SYPHILIS....020	1	-	1	-	-	-	-	-	-	-
EARLY SYPHILIS....021	-	-	-	-	-	1	-	-	1	-
ANEURYSM OF AORTA....022	21	13	5	2	1	7	1	2	-	4
OTHER CARDIOVASCULAR SYPHILIS....023	9	4	3	2	-	12	3	-	7	2
TABES DORSALIS....024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE....025	3	2	1	-	-	3	1	-	2	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM....026	5	4	1	-	-	2	1	-	1	-
ALL OTHER SYPHILIS....027-029	1	1	-	-	-	1	-	-	-	1
GONOCOCCAL INFECTION....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER....040	-	-	-	-	-	3	1	-	2	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	1	-	1	-	-	1	-	-	-	1
CHOLERA....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS....044	1	1	-	-	-	1	-	-	1	-
DYSENTERY, ALL FORMS....045-048	1	-	-	1	-	18	4	-	7	7
FOOD POISONING, INFECTION AND INTOXICATION....049	-	-	-	-	-	2	1	-	-	1
SCARLET FEVER....050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT....051	-	-	-	-	-	-	-	-	-	-
ERYSIPELAS....052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA....053	37	23	11	3	-	27	4	6	8	9
DIPHTHERIA....055	2	1	1	-	-	2	-	-	2	-
WHOOPING COUGH....056	1	1	-	-	-	7	-	-	3	4
MENINGOCOCCAL INFECTIONS....057	10	7	3	-	-	11	2	6	2	1
PLAGUE....058	-	-	-	-	-	-	-	-	-	-
LEPROSY....060	-	-	-	-	-	-	-	-	-	-
TETANUS....061	-	-	-	-	-	12	1	2	6	3
ANTHRAX....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	2	1	1	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	5	4	1	-	-	1	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS....082	8	5	3	-	-	13	3	3	2	5
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	3	3	-	-	-	-	-	-	-	-
SMALLPOX....084	-	-	-	-	-	-	-	-	-	-
MEASLES....085	11	4	4	1	2	11	1	1	4	5
YELLOW FEVER....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS....092	13	9	4	-	-	18	4	3	3	8
RABIES....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS....104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS....124,126,128,130	-	-	-	-	-	3	1	1	1	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES....RESIDUAL	22	9	12	1	-	33	9	6	12	6
II. NEOPLASMS	5,324	2,776	2,495	32	21	2,887	1,014	821	508	544
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....140-205	5,238	2,740	2,445	32	21	2,829	999	804	499	527
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	81	58	21	2	-	59	27	15	11	6
OF LIP....140	3	3	-	-	-	5	3	-	2	-
OF TONGUE....141	20	15	5	-	-	15	7	7	-	1
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY....142-144	21	12	9	-	-	16	3	6	3	4
OF PHARYNX....145-148	37	28	7	2	-	23	14	2	6	1
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY....150-156A,157-159	1,820	989	817	6	8	935	306	275	183	171
OF ESOPHAGUS....150	68	51	16	-	1	51	28	8	10	5
OF STOMACH....151	488	295	191	2	-	219	57	42	70	50
OF SMALL INTESTINE, INCLUDING DUODENUM....152	18	10	8	-	-	12	4	3	4	1
OF LARGE INTESTINE, EXCEPT RECTUM....153	519	255	259	1	4	264	80	106	30	48
CECUM, APPENDIX, AND ASCENDING COLON....153.0	81	36	45	-	-	34	9	16	6	3
TRANSVERSE COLON....153.1	35	23	11	-	1	7	2	2	-	3
DESCENDING COLON....153.2	23	14	9	-	-	7	1	2	1	3
SIGMOID COLON....153.3	107	56	50	-	1	44	17	14	5	8
MULTIPLE PARTS OF LARGE INTESTINE....153.7	2	1	1	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED....153.8	259	121	136	1	1	155	48	65	15	27
INTESTINAL TRACT, PART UNSPECIFIED....153.9	12	4	7	-	1	17	3	7	3	4
OF RECTUM....154	215	130	84	-	1	77	26	25	13	13
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE....155	158	67	89	2	-	46	13	20	6	7
LIVER....155.0	38	24	13	1	-	18	7	6	5	-
OT. & MULT. SITES OF BILIARY PASSAGES....155.1,155.8	120	43	76	1	-	28	6	14	1	7
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	37	17	20	-	-	64	19	16	12	17
OF PANCREAS....157	294	155	136	1	2	169	74	46	27	22
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	23	9	14	-	-	33	5	9	11	8

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
49,037	24,617	19,448	2,717	2,255	6,426	3,861	2,302	156	107	14,330	7,879	6,027	261	163	1
513	289	136	60	28	61	35	15	6	5	90	47	28	9	6	5
272	167	51	40	14	32	17	7	4	4	26	16	6	4	-	7
251	158	46	35	12	27	16	5	3	3	26	16	6	4	-	8
5	2	3	-	-	2	-	-	1	1	-	-	-	-	-	9
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	11
3	3	-	-	-	3	1	2	-	-	-	-	-	-	-	12
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	13
8	1	1	5	1	-	-	-	-	-	-	-	-	-	-	14
86	55	16	13	2	8	6	2	-	-	10	7	2	1	-	16
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
47	31	9	5	2	6	5	1	-	-	2	2	-	-	-	19
20	9	3	8	-	1	1	-	-	-	3	2	1	-	-	20
3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	21
5	4	1	-	-	-	-	-	-	-	1	-	-	1	-	22
10	8	2	-	-	-	-	-	-	-	3	3	-	-	-	23
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2	-	1	1	-	1	-	-	-	1	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	1	-	-	-	-	-	-	-	3	3	-	-	-	30
6	1	3	2	-	-	-	-	-	-	2	1	-	-	1	31
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
3	1	2	-	-	-	-	-	-	-	1	-	1	-	-	34
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	35
41	17	18	2	4	9	6	2	1	-	15	5	6	1	3	36
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	38
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	39
10	4	3	1	2	3	2	1	-	-	4	1	1	-	2	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	4	-	-	-	-	-	-	-	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	-	2	-	-	-	-	-	-	-	2	1	1	-	-	46
11	5	6	-	-	-	-	-	-	-	1	1	-	-	-	47
3	3	-	-	-	-	-	-	-	-	1	-	-	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
6	3	3	-	-	-	-	-	-	-	3	2	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
18	4	11	1	2	3	2	1	-	-	11	5	6	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
44	25	15	-	4	4	1	2	1	-	7	4	3	-	-	63
7,661	3,673	3,282	402	304	931	529	382	10	10	2,298	1,168	1,070	35	25	65
7,550	3,635	3,224	396	295	907	516	371	10	10	2,267	1,154	1,055	33	25	68
189	138	27	17	7	17	10	7	-	-	41	31	10	-	-	69
12	12	-	-	-	3	3	-	-	-	-	-	-	-	-	70
40	28	7	4	1	-	-	-	-	-	13	8	5	-	-	71
63	47	11	4	1	5	2	3	-	-	11	10	1	-	-	72
74	51	9	9	5	9	5	4	-	-	17	13	4	-	-	73
2,425	1,083	1,085	162	95	291	171	111	4	5	801	405	370	19	7	76
110	65	24	17	4	11	10	1	-	-	27	19	3	5	-	77
459	222	161	53	23	63	36	25	2	-	168	96	67	5	-	78
18	7	9	2	-	-	-	-	-	-	7	4	2	-	1	79
851	329	465	25	32	91	49	40	1	1	290	134	150	5	1	80
145	50	88	-	7	9	6	3	-	-	48	21	26	1	-	81
37	15	20	-	2	3	1	2	-	-	20	11	8	1	-	82
32	13	17	2	-	1	1	-	-	-	13	6	7	-	-	83
153	59	87	4	3	16	11	5	-	-	63	30	32	1	-	84
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	85
437	177	223	17	20	54	26	27	-	1	129	60	67	1	1	86
44	15	27	2	-	8	4	3	1	-	16	6	9	1	-	87
241	116	104	10	11	31	17	14	-	-	90	47	43	-	-	89
189	72	100	11	6	19	8	9	1	1	69	19	47	1	2	90
59	34	15	8	2	5	2	3	-	-	25	12	11	1	1	91
130	38	85	3	4	14	6	6	1	1	44	7	36	-	1	92
115	47	52	10	6	7	3	2	-	2	3	1	1	-	1	93
391	205	145	30	11	64	44	19	-	1	137	80	52	3	2	94
51	20	25	4	2	5	4	1	-	-	10	5	5	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	586	468	110	8	-	434	280	51	85	18
OF LARYNX.....161	21	20	1	-	-	19	12	1	5	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	226	194	31	1	-	164	108	17	34	5
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	324	244	73	7	-	235	154	31	41	9
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	15	10	5	-	-	16	6	2	5	3
MALIGNANT NEOPLASM OF BREAST.....170	492	5	484	-	3	216	2	140	-	74
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	737	355	376	1	5	486	103	117	113	153
OF CERVIX UTERI.....171	94	...	91	...	3	128	...	53	...	75
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	98	...	96	...	2	75	...	18	...	57
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	171	...	171	...	-	61	...	43	...	18
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	18	...	18	...	-	6	...	3	...	3
OF PROSTATE.....177	341	340	...	1	...	207	96	...	111	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	15	15	...	-	...	9	7	...	2	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	281	176	105	-	-	91	45	15	15	16
OF KIDNEY.....180	134	77	57	-	-	27	11	10	3	3
OF BLADDER AND OTHER URINARY ORGANS.....181	147	99	48	-	-	64	34	5	12	13
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	598	319	270	8	1	370	144	113	53	60
OF SKIN.....190,191	87	48	37	2	-	62	31	24	4	3
OF EYE.....192	6	3	3	-	-	2	1	-	1	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	143	83	60	-	-	67	35	26	4	2
OF THYROID GLAND.....194	25	10	15	-	-	7	2	5	-	-
OF BONE.....196	28	15	13	-	-	29	8	8	7	6
OF CONNECTIVE TISSUE.....197	23	14	9	-	-	10	4	-	5	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	16	10	6	-	-	27	14	2	6	5
OF UNSPECIFIED SITES.....156B,165,198,199B	270	136	127	6	1	166	49	48	26	43
LEUKEMIA AND ALEUKEMIA.....204	321	204	112	4	1	145	54	46	22	23
LYMPHOSARCOMA, ETC.....200-203,205	322	166	150	3	3	93	38	32	17	6
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	143	82	60	-	1	46	21	15	6	4
HODGKINS DISEASE.....201	73	37	34	1	1	20	8	6	4	2
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	106	47	56	2	1	27	9	11	7	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	86	36	50	-	-	58	15	17	9	17
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	6	...	6	...	-	13	...	4	...	9
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	22	9	13	-	-	12	3	4	3	2
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	24	12	12	-	-	12	6	4	1	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	20	10	10	-	-	18	4	4	5	5
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	13	5	8	-	-	3	2	1	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	762	362	394	2	4	418	93	115	79	131
ASTHMA.....241	89	56	32	-	1	42	16	3	16	7
NONTOXIC GOITER.....250,251	1	-	1	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	12	4	8	-	-	14	-	2	-	12
ALL OTHER DISEASES OF THYROID GLAND.....253,254	11	4	7	-	-	4	1	2	-	1
DIABETES MELLITUS.....260	558	258	296	1	3	303	70	92	48	93
DISEASES OF THYMUS GLAND.....273	1	-	1	-	-	1	-	-	1	-
DISEASES OF ADRENAL GLANDS.....274	3	1	2	-	-	1	-	-	1	-
PELLAGRA.....281	-	-	-	-	-	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	21	9	11	1	-	28	2	6	8	12
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	66	30	36	-	-	24	4	10	5	5
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	112	54	57	1	-	68	10	21	13	24
ANEMIAS.....290-293	68	29	38	1	-	54	6	14	12	22
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	12	5	7	-	-	5	-	1	-	4
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	56	24	31	1	-	49	6	13	12	18
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	13	7	6	-	-	4	1	3	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	31	18	13	-	-	10	3	4	1	2
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	111	72	36	-	3	49	15	6	17	11
SENILE PSYCHOSIS.....304	12	4	8	-	-	3	-	1	1	1
ALCOHOLIC PSYCHOSIS.....307	16	16	-	-	-	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	24	13	10	-	1	9	2	3	1	3
ALCOHOLISM.....322	38	27	9	-	2	30	10	2	13	5
MENTAL DEFICIENCY.....325	19	12	7	-	-	6	2	-	2	2
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	-	2	-	-	1	1	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	4,612	2,263	2,315	15	19	3,302	819	832	780	871
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	4,292	2,093	2,171	12	16	3,114	772	794	717	831
SUBARACHNOID HEMORRHAGE.....330	134	63	71	-	-	83	21	23	17	22
CEREBRAL HEMORRHAGE.....331	2,404	1,170	1,221	6	7	1,886	419	441	451	575
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,313	656	646	5	6	742	243	226	144	129
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	441	204	233	1	3	403	89	104	105	105
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	26	15	9	-	2	49	8	7	20	14
MULTIPLE SCLEROSIS.....345	28	13	15	-	-	7	2	3	1	1
PARALYSIS AGITANS.....350	84	46	37	-	1	22	13	8	1	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	16	9	7	-	-	12	-	4	6	2
EPILEPSY.....353	29	12	16	1	-	27	5	5	11	6
INFLAMMATORY DISEASES OF EYE.....370-379	1	-	1	-	-	1	-	-	-	1
CATARACT.....385	2	-	2	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	5	3	2	-	-	1	-	-	1	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	129	72	55	2	-	69	19	11	23	16

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
1,230	977	150	82	21	132	118	13	1	-	277	228	43	6	-	3
53	44	3	6	-	6	5	1	-	-	18	12	5	1	-	4
425	354	38	28	5	52	47	4	1	-	235	197	33	5	-	5
722	560	100	47	15	71	63	8	-	-	15	13	2	-	-	6
30	19	9	1	1	3	3	-	-	-	9	6	3	-	-	7
664	8	612	2	42	80	-	79	-	1	225	3	218	-	4	8
															9
1,084	400	556	55	73	135	69	62	1	3	340	155	175	4	6	10
217	...	181	...	36	20	...	17	...	3	56	...	53	...	3	11
157	...	141	...	16	14	...	14	...	-	35	...	33	...	2	12
240	...	220	...	20	28	...	28	...	-	82	...	81	...	1	13
15	...	14	...	1	3	...	3	...	-	8	...	8	...	-	14
432	380	...	52	...	64	64	...	-	...	150	147	...	3	...	15
23	20	...	3	...	6	5	...	1	...	9	8	...	1	...	16
351	210	120	12	9	41	27	12	2	-	100	72	26	2	-	17
154	79	66	5	4	23	12	9	2	-	50	33	17	-	-	18
197	131	54	7	5	18	15	3	-	-	50	39	9	2	-	19
															20
															21
915	456	394	36	29	90	50	39	-	1	221	112	102	2	5	22
108	58	44	4	2	10	8	2	-	-	31	18	13	-	-	23
13	8	4	-	1	-	-	-	-	-	6	1	5	-	-	24
163	87	64	5	7	24	15	9	-	-	68	39	26	1	2	25
23	9	13	-	1	4	2	2	-	-	10	3	7	-	-	26
49	30	15	2	2	5	3	2	-	-	11	5	6	-	-	27
24	11	13	-	-	2	1	1	-	-	7	2	5	-	-	28
42	26	13	2	1	9	3	6	-	-	11	7	4	-	-	29
493	227	228	23	15	36	18	17	-	1	77	37	36	1	3	30
357	188	150	11	8	65	38	26	1	-	102	59	41	-	2	31
335	175	130	19	11	56	33	22	1	-	160	89	70	-	1	32
158	86	63	5	4	26	16	10	-	-	83	45	37	-	1	33
65	31	25	7	2	11	8	3	-	-	30	19	11	-	-	34
															35
112	58	42	7	5	19	9	9	1	-	47	25	22	-	-	36
															37
111	38	58	6	9	24	13	11	-	-	31	14	15	2	-	38
5	...	3	...	2	1	...	1	...	-	3	...	3	...	-	39
19	7	11	-	1	3	1	2	-	-	12	4	7	1	-	40
22	10	7	1	4	6	4	2	-	-	8	4	3	1	-	41
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	42
37	11	21	3	2	10	6	4	-	-	4	2	2	-	-	43
28	10	16	2	-	4	2	2	-	-	4	4	-	-	-	44
															45
															46
1,109	475	497	63	74	151	86	60	2	3	379	170	201	5	3	47
															48
161	100	40	10	11	21	17	4	-	-	55	33	19	3	-	49
2	1	1	-	-	1	-	1	-	-	3	-	3	-	-	50
19	2	14	1	2	2	-	2	-	-	5	-	5	-	-	51
10	2	8	-	-	1	-	1	-	-	2	-	2	-	-	52
763	301	378	35	49	112	64	44	2	2	276	119	152	2	3	53
19	9	3	5	2	1	1	-	-	-	-	-	-	-	-	54
16	8	6	2	-	4	1	3	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
51	27	15	6	3	2	1	1	-	-	7	2	5	-	-	57
68	25	32	4	7	7	2	4	-	1	31	16	15	-	-	58
															59
131	59	58	3	11	25	12	13	-	-	49	31	16	2	-	60
															61
96	42	43	3	8	18	8	10	-	-	33	20	11	2	-	62
20	8	11	-	1	-	-	-	-	-	8	6	2	-	-	63
76	34	32	3	7	18	8	10	-	-	25	14	9	2	-	64
16	6	8	-	2	2	2	-	-	-	5	3	2	-	-	65
19	11	7	-	1	5	2	3	-	-	11	8	3	-	-	66
															67
															68
88	43	31	12	2	22	12	6	3	1	32	19	10	1	2	69
															70
8	4	4	-	-	-	-	-	-	-	6	3	3	-	-	71
2	2	-	-	-	1	1	-	-	-	4	4	-	-	-	72
23	6	14	1	2	3	1	2	-	-	5	1	4	-	-	73
39	26	4	9	-	16	10	2	3	1	14	8	3	1	2	74
11	5	6	-	-	2	-	2	-	-	2	2	-	-	-	75
5	-	3	2	-	-	-	-	-	-	1	1	-	-	-	76
															77
															78
6,451	2,812	3,023	293	323	749	377	356	10	6	2,038	962	1,038	22	16	79
															80
6,090	2,643	2,867	274	306	693	350	332	7	4	1,920	898	988	19	15	81
144	60	71	5	8	17	10	7	-	-	40	22	17	-	1	82
3,237	1,454	1,476	147	160	464	228	227	5	4	1,149	541	589	10	9	83
2,100	889	1,009	88	114	150	81	67	2	-	545	254	280	7	4	84
609	240	311	34	24	62	31	31	-	-	186	81	102	2	1	85
43	19	13	7	4	6	2	3	1	-	9	4	4	1	-	86
33	14	18	-	1	8	1	7	-	-	15	8	7	-	-	87
84	41	42	1	-	12	7	5	-	-	31	15	16	-	-	88
25	11	11	-	3	1	1	-	-	-	8	3	4	1	-	89
37	14	14	5	4	6	2	2	-	2	11	5	6	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
10	5	5	-	-	2	2	-	-	-	-	-	-	-	-	94
128	65	52	6	5	21	12	7	2	-	44	29	13	1	1	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	13,431	8,064	5,243	68	56	7,893	2,873	1,790	1,670	1,560
DISEASES OF HEART....400-402,410-443	12,002	7,335	4,565	58	44	7,080	2,625	1,586	1,477	1,392
RHEUMATIC FEVER....400-402	10	6	4	-	-	7	-	2	3	2
CHRONIC RHEUMATIC HEART DISEASE....410-416	340	182	157	-	1	117	34	22	29	32
DISEASES OF MITRAL VALVE....410	170	81	89	-	-	49	13	11	14	11
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	50	37	13	-	-	10	4	2	3	1
DISEASES OF PULMONARY VALVE, ETC....413,414	30	15	15	-	-	6	1	1	2	2
OTHER RHEUMATIC HEART DISEASES....412,415,416	90	49	40	-	1	52	16	8	10	18
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	9,659	6,204	3,378	47	30	4,494	2,065	1,073	731	625
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	3,492	2,094	1,362	20	16	1,609	648	458	255	248
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	6,161	4,106	2,014	27	14	2,877	1,414	612	474	377
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	6	4	2	-	-	8	3	3	2	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	107	61	45	1	-	67	17	17	15	18
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	5	1	4	-	-	1	-	-	-	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	63	41	21	1	-	19	6	2	7	4
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	39	19	20	-	-	47	11	15	8	13
OTHER MYOCARDIAL DEGENERATION....422	603	292	311	-	-	502	143	140	110	109
WITH ARTERIOSCLEROSIS....422.1	483	227	256	-	-	308	99	94	61	54
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	120	65	55	-	-	194	44	46	49	55
OTHER DISEASES OF HEART....430-434	394	227	160	5	2	611	167	103	199	142
ACUTE AND SUBACUTE ENDOCARDITIS....430	17	13	4	-	-	10	2	3	1	4
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	17	11	6	-	-	12	4	3	2	3
FUNCTIONAL DISEASE OF HEART....433	154	81	72	1	-	91	34	26	13	18
OTHER AND UNSPECIFIED DISEASES OF HEART....434	206	122	78	4	2	498	127	71	183	117
HYPERTENSIVE HEART DISEASE....440-443	889	363	510	5	11	1,282	199	229	390	464
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	147	64	80	1	2	235	43	53	68	71
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	742	299	430	4	9	1,047	156	176	322	393
OTHER HYPERTENSIVE DISEASE....444-447	191	88	94	4	5	218	46	36	79	57
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	97	52	39	3	3	79	21	20	25	13
ESSENTIAL HYPERTENSION....444,445,447	94	36	55	1	2	139	25	16	54	44
DISEASES OF ARTERIES....450-456	1,062	544	507	4	7	475	171	141	81	82
GENERAL ARTERIOSCLEROSIS....450	811	388	416	3	4	348	101	117	67	63
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	178	120	56	1	1	87	54	18	7	8
GANGRENE OF UNSPECIFIED CAUSE....455	3	1	2	-	-	8	2	-	4	2
OTHER ARTERIAL DISEASES....452-454,456	70	35	33	-	2	32	14	6	3	9
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	176	97	77	2	-	120	31	27	33	29
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,660	1,011	622	15	12	1,151	344	209	317	281
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	15	9	5	1	-	16	2	2	6	6
INFLUENZA....480-483	95	54	39	1	1	95	17	20	31	27
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	1,064	583	463	10	8	771	169	145	236	221
LOBAR PNEUMONIA....490	156	98	54	3	1	162	39	27	53	43
BRONCHOPNEUMONIA....491	533	304	219	4	6	287	59	61	82	85
PRIMARY ATYPICAL PNEUMONIA....492	61	35	24	1	1	47	9	9	17	12
PNEUMONIA, OTHER AND UNSPECIFIED....493	314	146	166	2	-	275	62	48	84	81
ACUTE BRONCHITIS....500	24	16	7	1	-	10	4	2	1	3
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	57	48	9	-	-	42	18	4	13	7
HYPERTROPHY OF TONSILS AND ADENOIDS....510	1	1	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	15	11	4	-	-	8	4	1	2	1
PLEURISY....519	6	5	1	-	-	2	1	-	-	1
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	76	45	29	1	1	26	17	5	2	2
BRONCHIECTASIS....526	26	17	9	-	-	27	13	7	4	3
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	192	168	23	-	1	135	95	18	17	5
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	166	154	11	-	1	109	90	12	7	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	26	14	12	-	-	26	5	6	10	5
OTHER RESPIRATORY DISEASES....RESIDUAL	89	54	33	1	1	19	4	5	5	5
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,112	679	414	9	10	772	230	159	217	166
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	2	-	2	-	-	1	1	-	-	-
ULCER OF STOMACH....540	114	81	33	-	-	47	23	10	11	3
ULCER OF DUODENUM....541	109	91	17	1	-	42	22	4	10	6
GASTRITIS AND DUODENITIS....543	3	3	-	-	-	5	1	-	2	2
APPENDICITIS....550-553	31	21	10	-	-	21	7	1	6	7
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	163	78	82	2	1	113	28	30	29	26
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	47	27	18	1	1	206	16	11	98	81
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	57	27	30	-	-	37	13	16	6	2
CIRRHOSIS OF LIVER....581	276	182	84	3	7	130	62	31	24	13
WITHOUT MENTION OF ALCOHOLISM....581.0	190	115	71	1	3	99	46	21	20	12
WITH ALCOHOLISM....581.1	86	67	13	2	4	31	16	10	4	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	123	58	64	-	1	35	11	16	2	6
FIBROCYSTIC DISEASE OF PANCREAS....587B	7	5	2	-	-	5	2	1	2	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	180	106	72	2	-	130	44	39	27	20
X. DISEASES OF THE GENITOURINARY SYSTEM	406	259	141	5	1	567	146	99	198	124
NEPHRITIS AND NEPHROSIS....590-594	140	83	54	2	1	257	53	37	92	75
ACUTE NEPHRITIS....590	4	2	2	-	-	21	3	3	8	7
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	14	7	7	-	-	20	6	2	7	5
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	122	74	45	2	1	216	44	32	77	63
INFECTIONS OF KIDNEY....600	102	51	51	-	-	148	36	48	30	34
CALCULI OF URINARY SYSTEM....602,604	20	15	5	-	-	14	6	6	1	1
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	63	37	23	3	-	30	9	5	13	3
HYPERPLASIA OF PROSTATE....610	65	65	...	-	...	96	40	...	56	...
DISEASES OF BREAST....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	16	8	8	-	-	22	2	3	6	11

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category *titles, see table* 1-22. Figures by color for the United States exclude data for residents of New *Jersey* because this State item; see Technical Appendix)

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,432	11,105	8,579	918	830	2,490	1,512	913	41	24	6,116	3,526	2,448	85	57	1
															2
19,147	10,096	7,576	775	700	2,214	1,368	791	36	19	5,570	3,242	2,205	74	49	3
14	10	2	-	2	5	2	3	-	-	1	-	1	-	-	4
421	171	216	15	19	66	28	34	3	1	136	64	67	1	4	5
170	60	91	9	10	33	11	20	2	-	62	26	34	1	1	6
37	27	8	2	-	7	4	2	1	-	14	6	6	-	2	7
22	7	15	-	-	3	-	3	-	-	15	6	9	-	-	8
192	77	102	4	9	23	13	9	-	1	45	26	18	-	1	9
14,477	8,136	5,434	506	401	1,672	1,086	547	24	15	4,257	2,609	1,548	67	33	10
6,583	3,255	2,874	225	229	559	328	217	7	7	1,563	879	620	37	27	11
7,887	4,876	2,558	281	172	1,110	755	330	17	8	2,691	1,728	927	30	6	12
7	5	2	-	-	3	3	-	-	-	3	2	1	-	-	13
															14
161	76	55	13	17	18	8	10	-	-	60	42	18	-	-	15
18	6	8	1	3	1	-	1	-	-	9	7	2	-	-	16
55	34	15	5	1	8	4	4	-	-	18	14	4	-	-	17
88	36	32	7	13	9	4	5	-	-	33	21	12	-	-	18
1,726	761	797	84	84	157	88	66	3	-	451	205	240	2	4	19
1,135	491	531	59	54	111	59	50	2	-	339	157	177	2	3	20
591	270	266	25	30	46	29	16	1	-	112	48	63	-	1	21
															22
761	375	294	53	39	143	81	57	2	3	240	154	85	-	1	23
14	5	4	3	2	2	1	1	-	-	6	2	4	-	-	24
46	21	19	4	2	2	1	-	-	1	6	4	2	-	-	25
222	103	107	7	5	31	13	17	-	1	66	41	25	-	-	26
479	246	164	39	30	108	66	39	2	1	162	107	54	-	1	27
1,587	567	778	104	138	153	75	74	4	-	425	168	246	4	7	28
															29
537	229	273	16	19	47	33	13	1	-	184	89	94	-	1	30
1,050	338	505	88	119	106	42	61	3	-	241	79	152	4	6	31
															32
388	156	160	36	36	22	12	10	-	-	67	36	28	3	-	33
227	102	79	22	24	12	8	4	-	-	36	22	12	2	-	34
161	54	81	14	12	10	4	6	-	-	31	14	16	1	-	35
1,523	696	682	80	65	219	117	92	5	5	423	221	193	3	6	36
1,251	514	609	72	56	177	92	76	5	4	318	149	163	2	4	37
187	135	42	6	4	30	17	12	-	1	86	63	21	1	1	38
3	2	1	-	-	1	1	-	-	-	1	-	1	-	-	39
82	45	30	2	5	11	7	4	-	-	18	9	8	-	1	40
374	157	161	27	29	35	15	20	-	-	56	27	22	5	2	41
															42
2,700	1,410	912	202	176	358	236	94	17	11	714	415	280	13	6	43
															44
33	15	9	5	4	5	1	2	1	1	15	7	6	2	-	45
172	74	82	6	10	12	4	8	-	-	77	38	39	-	-	46
1,693	776	645	136	136	188	113	55	12	8	400	193	192	10	5	47
334	153	117	30	34	25	15	8	1	1	68	37	29	1	1	48
851	397	316	75	63	75	47	19	7	2	218	107	101	7	3	49
152	59	63	9	21	11	11	-	-	-	47	19	26	2	-	50
356	167	149	22	18	77	40	28	4	5	67	30	36	-	1	51
															52
31	17	10	3	1	6	3	3	-	-	9	3	5	-	1	53
96	72	16	6	2	20	14	6	-	-	24	19	5	-	-	54
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	55
27	13	5	8	1	2	1	-	1	-	8	5	3	-	-	56
3	1	-	2	-	-	-	-	-	-	3	2	1	-	-	57
97	58	25	9	5	19	12	6	1	-	14	12	2	-	-	58
63	41	21	1	-	7	6	1	-	-	16	13	3	-	-	59
411	310	68	20	13	82	71	8	2	1	118	105	13	-	-	60
355	290	46	15	4	76	69	5	2	-	115	103	12	-	-	61
56	20	22	5	9	6	2	3	-	1	3	2	1	-	-	62
73	32	31	6	4	17	11	5	-	1	28	17	10	1	-	63
															64
1,774	898	662	112	102	246	143	76	12	15	510	271	214	14	11	65
															66
2	-	1	-	1	1	1	-	-	-	3	1	2	-	-	67
159	107	45	5	2	15	14	1	-	-	56	40	16	-	-	68
129	93	30	6	-	22	18	3	1	-	83	55	25	2	1	69
11	5	1	3	2	2	2	-	-	-	2	1	1	-	-	70
51	27	18	4	2	11	7	4	-	-	18	8	9	1	-	71
310	128	140	17	25	40	20	17	1	2	80	37	41	2	-	72
															73
95	37	33	11	14	18	4	1	6	7	22	6	11	3	2	74
78	34	41	1	2	15	6	7	-	2	24	10	14	-	-	75
451	246	132	39	34	58	38	15	2	3	94	63	26	-	5	76
344	178	106	33	27	43	27	14	2	-	32	18	14	-	-	77
107	68	26	6	7	15	11	1	-	3	62	45	12	-	5	78
128	51	72	3	2	22	8	12	1	1	48	16	28	3	1	79
15	7	8	-	-	2	1	1	-	-	3	1	2	-	-	80
345	163	141	23	18	40	24	15	1	-	77	33	39	3	2	81
															82
862	442	305	67	48	112	77	30	1	4	235	140	84	6	5	83
															84
367	151	158	27	31	66	43	18	1	4	92	44	44	1	3	85
19	9	10	-	-	3	1	2	-	-	9	4	4	-	1	86
25	5	18	1	1	5	5	-	-	-	8	3	5	-	-	87
323	137	130	26	30	58	37	16	1	4	75	37	35	1	2	88
209	89	91	18	11	27	16	11	-	-	55	24	29	1	1	89
43	24	18	1	-	-	-	-	-	-	7	5	1	1	-	90
68	36	24	6	2	7	7	-	-	-	13	10	3	-	-	91
139	126	...	13	...	7	7	...	-	...	56	53	...	3	...	92
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	93
35	16	13	2	4	5	4	1	-	-	12	4	7	-	1	94
															95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	7	...	7	...	-	55	...	7	...	48
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	7	...	1	...	6
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	2	...	-	20	...	2	...	18
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	13	...	-	...	13
ECTOPIC PREGNANCY.....645	1	...	1	...	-	3	...	1	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	1	...	1	...	-
ABORTION WITH SEPSIS.....651	3	...	3	...	-	2	...	-	...	2
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	-	...	-	...	-	9	...	2	...	7
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	52	27	25	-	-	31	9	11	1	10
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	15	8	7	-	-	6	4	1	-	1
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	37	19	18	-	-	25	5	10	1	9
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	82	33	48	-	1	55	18	17	7	13
ARTHRITIS AND SPONDYLITIS.....720-725	42	12	30	-	-	35	13	12	3	7
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	3	2	1	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	4	-	3	-	1	3	1	-	1	1
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	4	1	3	-	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	9	6	3	-	-	7	4	2	-	1
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	20	12	8	-	-	10	-	3	3	4
XIV. CONGENITAL MALFORMATIONS.....	460	259	199	1	1	260	72	83	58	47
SPINA BIFIDA AND MENINGOCELE.....751	38	22	16	-	-	14	2	9	1	2
CONGENITAL HYDROCEPHALUS, ETC.....752,753	48	27	21	-	-	23	2	8	8	5
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	239	128	109	1	1	140	44	32	34	30
OTHER CONGENITAL MALFORMATIONS.....750,755-759	135	82	53	-	-	83	24	34	15	10
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,107	647	430	17	13	1,158	260	184	388	326
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	233	118	103	4	8	1,825	336	140	729	620
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	30	9	20	1	-	53	4	10	14	25
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	203	109	83	3	8	1,772	332	130	715	595
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,108	1,467	599	28	14	1,925	758	283	617	267
ACCIDENTS.....E800-E962	1,738	1,192	512	22	12	1,560	602	248	479	231
RAILWAY ACCIDENTS.....E800-E802	15	14	1	-	-	16	6	2	7	1
MOTOR VEHICLE ACCIDENTS.....E810-E835	781	560	208	12	1	619	300	109	172	38
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	747	538	197	11	1	606	294	108	166	38
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	33	25	8	-	-	15	13	2	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	128	86	39	3	-	99	23	14	47	15
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	341	239	98	4	-	293	160	65	54	14
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	192	147	40	4	1	177	90	20	60	7
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	53	41	12	-	-	22	8	7	5	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	34	22	11	1	-	13	6	1	6	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	2	-	-	-	4	-	-	2	2
WATER TRANSPORT ACCIDENTS.....E850-E858	25	21	4	-	-	36	22	4	9	1
AIRCRAFT ACCIDENTS.....E860-E866	26	22	4	-	-	16	15	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	16	9	7	-	-	22	8	4	6	4
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	28	22	5	-	1	7	4	-	2	1
ACCIDENTAL FALLS.....E900-E904	342	180	160	1	1	157	53	71	18	15
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	115	76	38	-	1	44	12	19	8	5
FALL ON SAME LEVEL.....E903	98	50	47	1	-	41	13	21	3	4
UNSPECIFIED FALLS.....E904	129	54	75	-	-	72	28	31	7	6
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	29	29	-	-	-	27	15	-	12	-
ACCIDENT CAUSED BY MACHINERY.....E912	56	53	3	-	-	35	20	1	13	1
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	18	16	2	-	-	15	9	1	5	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	81	39	36	3	3	219	31	27	63	98
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	3	3	-	-	11	4	1	2	4
ACCIDENT CAUSED BY FIREARM.....E919	38	33	5	-	-	71	37	3	24	7
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	25	15	8	-	2	28	12	4	8	4
ACCIDENTAL DROWNING.....E929	104	80	18	4	2	80	24	5	48	3
EXCESSIVE HEAT AND INSOLATION.....E931	1	-	1	-	-	5	-	-	5	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	21	9	11	-	1	14	2	3	-	9
ALL OTHER ACCIDENTS.....RESIDUAL	124	85	36	2	1	178	40	12	83	43
SUICIDE.....E963,E970-E979	338	257	79	1	1	168	124	23	16	5
SUICIDE BY POISONING.....E970-E973	91	50	40	1	-	13	9	4	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	66	50	16	-	-	10	7	2	1	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	151	137	14	-	-	132	101	13	15	3
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	30	20	9	-	1	13	7	4	-	2
HOMICIDE.....E964,E980-E985	32	18	8	5	1	197	32	12	122	31
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	17	9	5	2	1	142	23	11	86	22
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	2	2	-	-	-	30	3	-	24	3
ASSAULT BY OTHER MEANS.....E964,E980,E983	9	3	3	3	-	16	4	1	5	6
INJURY BY INTERVENTION OF POLICE.....E984	2	2	-	-	-	8	2	-	6	-
EXECUTION.....E985	2	2	-	-	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
40	...	32	...	8	6	...	4	...	2	6	...	5	...	1
5	...	5	...	-	1	...	1	...	-	1	...	1	...	-
11	...	7	...	4	-	...	-	...	-	2	...	2	...	-
10	...	9	...	1	3	...	2	...	1	1	...	1	...	-
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-
2	...	1	...	1	1	...	1	...	-	-	...	-	...	-
3	...	3	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
7	...	6	...	1	1	...	-	...	1	2	...	1	...	1
59	21	27	2	9	6	3	1	1	1	14	6	8	-	-
11	6	4	1	-	3	1	-	1	1	7	3	4	-	-
48	15	23	1	9	3	2	1	-	-	7	3	4	-	-
104	43	51	6	4	13	6	7	-	-	44	21	23	-	-
58	25	30	1	2	5	3	2	-	-	21	7	14	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4	1	1	2	-	1	-	1	-	-	2	1	1	-	-
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-
12	7	3	2	-	2	2	-	-	-	11	10	1	-	-
28	10	16	-	2	4	1	3	-	-	9	2	7	-	-
515	279	189	23	24	84	36	40	5	3	149	77	70	1	1
29	18	8	1	2	7	3	3	1	-	13	7	5	1	-
48	23	23	-	2	5	2	2	-	1	12	5	7	-	-
269	153	93	11	12	47	21	23	2	1	79	40	39	-	-
169	85	65	11	8	25	10	12	2	1	45	25	19	-	1
1,514	691	486	190	147	250	147	85	13	5	454	229	189	23	13
718	389	239	49	41	229	168	50	8	3	84	43	37	4	-
91	37	50	2	2	14	6	5	1	2	23	9	14	-	-
627	352	189	47	39	215	162	45	7	1	61	34	23	4	-
3,366	1,988	939	315	124	693	482	170	27	14	1,118	754	306	41	17
2,586	1,480	799	205	102	559	384	141	21	13	944	630	279	24	11
17	8	4	5	-	6	5	-	-	1	8	6	-	2	-
1,028	690	245	65	28	230	165	52	6	7	406	270	118	13	5
998	672	236	63	27	223	161	49	6	7	387	256	113	13	5
25	18	7	-	-	2	2	-	-	-	38	26	12	-	-
118	72	26	15	5	22	16	5	1	-	39	25	10	2	2
491	317	135	24	15	100	70	28	2	-	207	122	75	7	3
344	252	62	23	7	92	68	14	3	7	96	77	15	4	-
20	13	6	1	-	7	5	2	-	-	7	6	1	-	-
30	18	9	2	1	7	4	3	-	-	19	14	5	-	-
6	5	-	-	1	2	2	-	-	-	5	4	1	-	-
20	17	2	1	-	10	10	-	-	-	4	4	-	-	-
27	21	6	-	-	18	17	1	-	-	22	21	1	-	-
38	15	13	5	5	4	3	-	1	-	16	9	7	-	-
38	21	8	8	1	6	4	2	-	-	9	5	3	1	-
665	272	348	23	22	92	46	43	2	1	233	128	100	3	2
152	81	52	14	5	20	14	6	-	-	85	52	31	2	-
129	53	72	1	3	30	12	18	-	-	98	51	44	1	2
384	138	224	8	14	42	20	19	2	1	50	25	25	-	-
38	34	1	3	-	22	19	1	2	-	14	12	-	2	-
61	54	4	3	-	20	19	1	-	-	35	34	1	-	-
25	19	2	4	-	8	6	1	1	-	8	8	-	-	-
225	98	57	43	27	26	14	11	1	-	38	22	15	-	1
16	6	4	4	2	1	-	1	-	-	3	1	2	-	-
50	40	3	6	1	27	21	6	-	-	18	16	2	-	-
36	17	14	2	3	18	11	6	1	-	9	6	3	-	-
103	69	23	10	1	34	21	10	2	1	37	30	5	2	-
5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
24	11	12	1	-	4	-	2	1	1	12	2	9	1	-
164	80	52	21	11	31	21	4	4	2	67	52	12	-	3
554	423	111	14	6	112	86	22	3	1	143	114	24	5	-
126	74	48	2	2	10	4	5	1	-	31	20	11	-	-
74	55	17	2	-	14	10	3	-	1	31	26	3	2	-
300	261	30	7	2	76	63	11	2	-	72	63	6	3	-
54	33	16	3	2	12	9	3	-	-	9	5	4	-	-
226	85	29	96	16	22	12	7	3	-	31	10	3	12	6
135	55	18	53	9	15	7	6	2	-	20	7	1	8	4
46	11	2	29	4	1	1	-	-	-	5	2	-	3	-
39	17	9	10	3	5	3	1	1	-	6	1	2	1	2
6	2	-	4	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	2,713	1,627	867	140	79	6,808	3,720	3,078	6	4
I. INFECTIVE AND PARASITIC DISEASES	36	23	6	5	2	44	32	12	-	-
TUBERCULOSIS, ALL FORMS 001-019	20	13	3	4	-	17	14	3	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	19	13	3	3	-	17	14	3	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	-	-	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	1	-	-	1	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	10	7	1	1	1	9	6	3	-	-
CONGENITAL SYPHILIS 020	1	-	-	1	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	6	5	1	-	-	8	5	3	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	1	-	-	-	1	1	1	-	-	-
TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	1	1	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	1	1	-	-	-	-	-	-	-	-
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	2	2	-	-	-	3	2	1	-	-
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	1	-	-	-	1	2	1	1	-	-
MENINGOCOCCAL INFECTIONS 057	-	-	-	-	-	5	3	2	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	-	-	-	-	-	1	1	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	-	-	-	-	-	2	1	1	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	1	-	1	-	-	-	-	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	1	-	1	-	-	2	1	1	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	1	1	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	-	-	-	-	-	3	3	-	-	-
II. NEOPLASMS	369	201	148	8	12	1,127	584	543	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	356	198	141	7	10	1,108	578	530	-	-
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	11	6	5	-	-	27	25	2	-	-
OF LIP 140	-	-	-	-	-	-	-	-	-	-
OF TONGUE 141	3	1	2	-	-	11	11	-	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	3	2	1	-	-	8	7	1	-	-
OF PHARYNX 145-148	5	3	2	-	-	8	7	1	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	106	58	40	3	5	383	194	189	-	-
OF ESOPHAGUS 150	7	5	1	-	1	20	13	7	-	-
OF STOMACH 151	20	12	6	1	1	78	49	29	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	2	1	1	-	-	4	-	4	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	27	17	10	-	-	136	52	84	-	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	5	3	2	-	-	21	7	14	-	-
TRANSVERSE COLON 153.1	4	2	2	-	-	8	3	5	-	-
DESCENDING COLON 153.2	1	-	1	-	-	5	3	2	-	-
SIGMOID COLON 153.3	4	4	-	-	-	26	13	13	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	11	7	4	-	-	67	21	46	-	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	2	1	1	-	-	9	5	4	-	-
OF RECTUM 154	16	7	8	-	1	47	31	16	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	8	1	5	2	-	22	7	15	-	-
LIVER 155.0	3	1	1	1	-	3	3	-	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	5	-	4	1	-	19	4	15	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	5	4	-	-	1	14	4	10	-	-
OF PANCREAS 157	19	10	9	-	-	53	32	21	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	2	1	-	-	1	9	6	3	-	-

[1]New Jersey did not require reporting of color, see Technical Appendix.

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

NEW JERSEY[1]			NEW MEXICO					NEW YORK					
				White		Nonwhite			White		Nonwhite		
Total	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
62,024	34,069	27,955	6,520	3,597	2,365	332	226	181,795	91,618	75,108	8,390	6,679	1
													2
													3
618	401	217	135	53	34	26	22	1,896	968	455	306	167	4
													5
347	254	93	70	27	15	14	14	1,094	603	171	222	98	6
309	235	74	63	26	15	12	10	1,034	587	157	208	82	7
11	5	6	2	-	-	-	2	21	6	3	5	7	8
													9
-	-	-	-	-	-	-	-	7	3	-	3	1	10
1	1	-	1	-	-	1	-	6	1	4	1	-	11
11	5	6	-	-	-	-	-	11	2	7	1	1	12
15	8	7	4	1	-	1	2	15	4	-	4	7	13
													14
65	43	22	17	12	5	-	-	219	124	36	37	22	15
2	2	-	-	-	-	-	-	4	2	1	-	1	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
40	27	13	6	2	4	-	-	106	75	16	8	7	18
18	10	8	2	2	-	-	-	66	28	9	20	9	19
1	1	-	1	1	-	-	-	2	2	-	-	-	20
-	-	-	4	4	-	-	-	16	6	6	2	2	21
2	2	-	3	2	1	-	-	20	11	2	5	2	22
2	1	1	1	1	-	-	-	5	-	2	2	1	23
													24
-	-	-	-	-	-	-	-	5	2	-	2	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	9	5	4	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	1	-	8	2	2	3	1	6	5	-	1	-	30
1	1	-	3	3	-	-	-	1	1	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	32
3	2	1	1	-	1	-	-	7	3	2	-	2	33
1	-	1	-	-	-	-	-	2	1	1	-	-	34
58	28	30	8	2	2	2	2	179	79	72	16	12	35
													36
1	-	1	-	-	-	-	-	-	-	-	-	-	37
-	-	-	1	-	1	-	-	1	-	1	-	-	38
30	15	15	5	2	1	2	-	52	25	20	3	4	39
-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	7	1	4	1	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	43
2	1	1	-	-	-	-	-	1	-	1	-	-	44
2	2	-	-	-	-	-	-	6	3	2	-	1	45
23	10	13	1	-	1	-	-	52	19	25	4	4	46
5	3	2	-	-	-	-	-	10	4	6	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	48
9	3	6	9	-	2	2	5	35	10	21	1	3	49
													50
-	-	-	-	-	-	-	-	-	-	-	-	-	51
37	17	20	8	3	3	2	-	107	44	48	6	9	52
-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	-	1	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	1	1	-	-	-	56
-	-	-	-	-	-	-	-	1	1	-	-	-	57
-	-	-	-	-	-	-	-	3	1	2	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	60
1	1	-	-	-	-	-	-	2	-	-	1	1	61
31	20	11	4	2	1	1	-	96	36	39	12	9	62
													63
11,475	6,143	5,332	887	455	392	24	16	32,473	16,133	14,105	1,173	1,062	64
													65
													66
11,323	6,075	5,248	859	443	378	23	15	31,910	15,893	13,863	1,143	1,011	67
278	212	66	8	6	1	-	1	734	508	153	57	16	68
7	5	2	1	1	-	-	-	13	8	2	2	1	69
92	75	17	1	-	1	-	-	205	138	49	14	4	70
75	50	25	4	4	-	-	-	234	161	51	15	7	71
104	82	22	2	1	-	-	1	282	201	51	26	4	72
													73
													74
													75
4,064	2,201	1,863	293	159	119	7	8	11,400	5,819	4,817	452	312	76
243	190	53	7	7	-	-	-	691	436	125	104	26	77
813	504	309	98	58	35	4	1	2,403	1,344	871	126	62	78
33	21	12	1	1	-	-	-	77	38	32	5	2	79
1,403	658	745	60	29	29	-	2	3,751	1,691	1,890	74	96	80
212	106	106	15	8	6	-	1	523	218	283	12	10	81
95	39	56	4	3	1	-	-	244	104	131	2	7	82
54	24	30	1	1	-	-	-	177	61	107	6	3	83
331	162	169	4	1	3	-	-	891	430	424	16	21	84
5	4	1	-	-	-	-	-	5	4	1	-	-	85
630	294	336	31	12	18	-	1	1,762	820	856	35	51	86
76	29	47	5	4	1	-	-	149	54	88	3	4	87
													88
553	301	252	28	16	11	-	1	1,562	852	637	33	40	89
240	108	132	34	7	21	2	4	767	323	394	33	17	90
73	50	23	6	4	2	-	-	261	153	77	24	7	91
167	58	109	28	3	19	2	4	506	170	317	9	10	92
127	60	67	19	8	11	-	-	243	128	96	10	9	93
565	312	253	44	31	12	1	-	1,732	928	692	58	54	94
87	47	40	2	2	-	-	-	174	79	80	9	6	95

716 - 533 O - 64 - 14

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	65	51	13	-	1	164	145	19	-	-
OF LARYNX....161	3	2	1	-	-	7	6	1	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	18	14	3	-	1	30	28	2	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	41	32	9	-	-	126	110	16	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	3	3	-	-	-	1	1	-	-	-
MALIGNANT NEOPLASM OF BREAST....170	34	-	32	-	2	104	1	103	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	48	25	21	1	1	159	60	99	-	-
OF CERVIX UTERI....171	8	...	8	...	-	32	...	32	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	6	...	5	...	1	30	...	30	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	8	...	8	...	-	34	...	34	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	-	...	-	...	-	3	...	3	...	-
OF PROSTATE....177	23	23	...	-	...	55	55	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	3	2	...	1	...	5	5	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	17	15	2	-	-	57	39	18	-	-
OF KIDNEY....180	6	5	1	-	-	21	14	7	-	-
OF BLADDER AND OTHER URINARY ORGANS....181	11	10	1	-	-	36	25	11	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	44	23	19	2	-	105	50	55	-	-
OF SKIN....190,191	6	5	1	-	-	13	10	3	-	-
OF EYE....192	1	1	-	-	-	1	1	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	8	5	3	-	-	21	11	10	-	-
OF THYROID GLAND....194	2	-	2	-	-	6	-	6	-	-
OF BONE....196	1	-	1	-	-	10	5	5	-	-
OF CONNECTIVE TISSUE....197	3	2	1	-	-	2	-	2	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	2	1	1	-	-	3	2	1	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	21	9	10	2	-	49	21	28	-	-
LEUKEMIA AND ALEUKEMIA....204	13	8	4	-	1	52	31	21	-	-
LYMPHOSARCOMA, ETC....200-203,205	18	12	5	1	-	57	33	24	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA....200	5	3	2	-	-	27	14	13	-	-
HODGKINS DISEASE....201	12	8	3	1	-	14	9	5	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	1	1	-	-	-	16	10	6	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	13	3	7	1	2	19	6	13	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	-	...	-	...	-	1	...	1	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	1	-	-	1	-	4	-	4	-	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	1	1	-	-	-	1	-	1	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	1	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	7	2	4	-	1	6	2	4	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	4	-	3	-	1	6	4	2	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	54	26	24	4	-	197	100	97	-	-
ASTHMA....241	13	6	6	1	-	22	16	6	-	-
NONTOXIC GOITER....250,251	-	-	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	-	-	-	-	-	4	-	4	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	-	-	-	-	-	1	-	1	-	-
DIABETES MELLITUS....260	31	16	13	2	-	151	74	77	-	-
DISEASES OF THYMUS GLAND....273	1	-	1	-	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS....274	-	-	-	-	-	1	-	1	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	4	1	2	1	-	1	1	-	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	5	3	2	-	-	17	9	8	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	11	5	6	-	-	24	12	12	-	-
ANEMIAS....290-293	7	3	4	-	-	15	7	8	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	3	1	2	-	-	3	1	2	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	4	2	2	-	-	12	6	6	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	3	1	2	-	-	2	1	1	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	1	1	-	-	-	7	4	3	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	16	8	3	4	1	13	11	1	1	-
SENILE PSYCHOSIS....304	-	-	-	-	-	1	1	-	-	-
ALCOHOLIC PSYCHOSIS....307	3	2	-	1	-	5	5	-	-	-
OTHER PSYCHOSES....300-303,305,306,308,309	-	-	-	-	-	-	-	-	-	-
ALCOHOLISM....322	12	6	3	2	1	7	5	1	1	-
MENTAL DEFICIENCY....325	1	-	-	1	-	-	-	-	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	263	142	101	12	8	855	356	498	1	-
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	230	126	90	9	5	795	335	460	-	-
SUBARACHNOID HEMORRHAGE....330	12	6	5	1	-	24	8	16	-	-
CEREBRAL HEMORRHAGE....331	146	77	60	7	2	410	175	235	-	-
CEREBRAL EMBOLISM AND THROMBOSIS....332	48	27	18	1	2	294	123	171	-	-
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	24	16	7	-	1	67	29	38	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	10	3	3	2	2	8	1	6	1	-
MULTIPLE SCLEROSIS....345	2	-	2	-	-	5	-	5	-	-
PARALYSIS AGITANS....350	11	6	3	1	1	10	3	7	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	-	-	-	-	-	7	3	4	-	-
EPILEPSY....353	1	1	-	-	-	13	5	8	-	-
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	1	1	-	-	-	-	-	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	8	5	3	-	-	17	9	8	-	-

[1]New Jersey did not require reporting of color; see Technical Appendix.

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

NEW JERSEY[1]			NEW MEXICO					NEW YORK					
Total	Male	Female	Total	White		Nonwhite		Total	White		Nonwhite		
				Male	Female	Male	Female		Male	Female	Male	Female	
1,911	1,666	245	106	89	16	1	-	5,300	4,210	743	285	62	1
106	101	5	8	8	-	-	-	359	297	34	27	1	2
720	633	87	38	34	4	-	-	2,370	1,956	282	113	19	3
1,056	914	142	58	45	12	1	-	2,491	1,907	409	137	38	4
29	18	11	2	2	-	-	-	80	50	18	8	4	5
1,120	14	1,106	71	-	69	1	1	3,157	25	2,949	3	180	6
1,353	493	860	137	57	71	5	4	3,888	1,293	2,201	136	258	7
253	...	253	36	...	35	...	1	710	...	584	...	126	8
246	...	246	16	...	15	...	1	652	...	588	...	64	9
327	...	327	20	...	18	...	2	1,022	...	962	...	60	10
34	...	34	3	...	3	...	-	75	...	67	...	8	11
465	465	...	52	48	...	4	...	1,348	1,218	...	130	...	12
28	28	...	10	9	...	1	...	81	75	...	6	...	13
582	389	193	35	18	16	-	1	1,561	1,017	462	45	37	14
200	127	73	24	13	10	-	1	577	351	193	17	16	15
382	262	120	11	5	6	-	-	984	666	269	28	21	16
1,034	566	468	122	65	50	7	-	3,054	1,507	1,390	80	77	17
128	70	58	15	8	6	1	-	352	180	163	5	4	18
14	6	8	4	1	2	1	-	39	17	20	1	1	19
246	146	100	20	12	8	-	-	634	354	253	12	15	20
34	8	26	2	2	-	-	-	139	42	91	3	3	21
67	40	27	7	5	2	-	-	183	100	76	4	3	22
29	15	14	5	4	1	-	-	116	64	45	2	5	23
55	40	15	6	2	4	-	-	116	62	46	8	-	24
461	241	220	63	31	27	5	-	1,475	688	696	45	46	25
466	245	221	41	24	16	1	-	1,256	673	521	33	29	26
515	289	226	46	25	20	1	-	1,560	841	627	52	40	27
246	140	106	21	12	8	1	-	743	406	303	16	18	28
132	78	54	12	7	5	-	-	363	201	142	11	9	29
137	71	66	13	6	7	-	-	454	234	182	25	13	30
152	68	84	28	12	14	1	1	563	240	242	30	51	31
21	...	21	1	...	1	...	-	59	...	36	...	23	32
38	22	16	4	2	2	-	-	96	39	40	13	4	33
38	18	20	5	2	3	-	-	118	61	46	6	5	34
1	...	1	-	...	-	...	-	2	...	2	...	-	35
36	19	17	11	3	7	-	1	191	91	76	7	17	36
18	9	9	7	5	1	1	-	97	49	42	4	2	37
1,538	596	942	147	63	76	6	2	4,122	1,639	2,044	170	269	38
117	64	53	25	16	8	1	-	418	218	125	35	40	39
-	-	-	-	-	-	-	-	6	1	5	-	-	40
19	4	15	5	1	4	-	-	40	6	33	-	1	41
9	2	7	-	-	-	-	-	27	9	18	-	-	42
1,262	475	787	90	33	53	3	1	3,328	1,273	1,723	125	207	43
13	5	8	-	-	-	-	-	7	6	1	-	-	44
14	5	9	5	3	2	-	-	39	18	16	1	4	45
-	-	-	-	-	-	-	-	4	2	1	-	1	46
32	11	21	6	3	2	-	1	72	29	35	4	4	47
72	30	42	16	7	7	2	-	181	77	87	5	12	48
170	80	90	20	8	10	1	1	430	181	198	27	24	49
126	55	71	13	5	6	1	1	243	94	114	16	19	50
22	7	15	2	1	1	-	-	43	17	26	-	-	51
104	48	56	11	4	5	1	1	200	77	88	16	19	52
18	10	8	3	1	2	-	-	71	25	38	5	3	53
26	15	11	4	2	2	-	-	116	62	46	6	2	54
113	82	31	29	21	4	1	3	470	241	91	117	21	55
2	1	1	-	-	-	-	-	8	3	4	1	-	56
16	14	2	3	2	-	-	1	55	42	3	9	1	57
8	2	6	1	1	-	-	-	47	20	25	1	1	58
62	49	13	21	16	2	1	2	210	110	25	63	12	59
16	9	7	3	2	1	-	-	54	30	24	-	-	60
9	7	2	1	-	1	-	-	96	36	10	43	7	61
5,929	2,668	3,261	625	295	281	32	17	16,881	7,050	8,689	532	610	62
5,458	2,400	3,058	562	263	263	22	14	15,639	6,483	8,175	436	545	63
248	109	139	24	7	15	2	-	809	305	396	33	75	64
2,804	1,239	1,565	341	164	158	9	10	8,207	3,394	4,242	268	303	65
1,977	870	1,107	122	58	56	6	2	5,163	2,198	2,767	90	108	66
429	182	247	75	34	34	5	2	1,460	586	770	45	59	67
69	43	26	16	6	5	4	1	198	90	53	31	24	68
63	27	36	3	-	3	-	-	142	46	86	4	6	69
104	55	49	11	9	1	1	-	252	134	112	3	3	70
19	11	8	3	1	2	-	-	48	21	24	2	1	71
61	40	21	9	3	3	2	1	212	94	65	41	12	72
-	-	-	-	-	-	-	-	1	-	1	-	-	73
-	-	-	-	-	-	-	-	3	1	1	-	1	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
6	4	2	2	-	-	2	-	18	6	10	1	1	76
149	88	61	19	13	4	1	1	368	175	162	14	17	77

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	985	638	298	33	16	3,135	1,719	1,412	1	3
DISEASES OF HEART....400-402,410-443	900	585	273	30	12	2,734	1,536	1,195	1	2
RHEUMATIC FEVER....400-402	1	1	-	-	-	-	-	-	-	-
CHRONIC RHEUMATIC HEART DISEASE....410-416	33	13	19	1	-	63	22	40	-	1
DISEASES OF MITRAL VALVE....410	12	6	6	-	-	26	7	19	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	2	1	1	-	-	9	5	4	-	-
DISEASES OF PULMONARY VALVE, ETC....413,414	1	1	-	-	-	1	1	-	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	18	5	12	1	-	27	9	17	-	1
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	712	492	194	20	6	2,212	1,315	895	1	1
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	290	175	104	9	2	1,031	558	471	1	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	420	315	90	11	4	1,179	756	423	-	-
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	2	2	-	-	-	2	1	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	-	-	-	-	-	25	18	7	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	-	-	-	-	-	3	2	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	-	-	-	-	-	15	11	4	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	-	-	-	-	-	7	5	2	-	-
OTHER MYOCARDIAL DEGENERATION....422	61	33	24	1	3	116	49	67	-	-
WITH ARTERIOSCLEROSIS....422.1	40	21	17	-	2	85	34	51	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	21	12	7	1	1	31	15	16	-	-
OTHER DISEASES OF HEART....430-434	43	26	14	2	1	74	41	33	-	-
ACUTE AND SUBACUTE ENDOCARDITIS....430	1	-	-	-	1	3	2	1	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	1	-	-	1	-	4	3	1	-	-
FUNCTIONAL DISEASE OF HEART....433	7	4	3	-	-	15	7	8	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART....434	34	22	11	1	-	52	29	23	-	-
HYPERTENSIVE HEART DISEASE....440-443	50	20	22	6	2	244	91	153	-	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	16	6	8	1	1	50	19	31	-	-
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	34	14	14	5	1	194	72	122	-	-
OTHER HYPERTENSIVE DISEASE....444-447	9	3	1	3	2	47	26	21	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	4	3	-	-	1	28	19	9	-	-
ESSENTIAL HYPERTENSION....444,445,447	5	-	1	3	1	19	7	12	-	-
DISEASES OF ARTERIES....450-456	65	43	21	-	1	311	139	171	-	1
GENERAL ARTERIOSCLEROSIS....450	47	28	18	-	1	273	115	158	-	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	16	14	2	-	-	29	22	6	-	1
GANGRENE OF UNSPECIFIED CAUSE....455	-	-	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES....452-454,456	2	1	1	-	-	9	2	7	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	11	7	3	-	1	43	18	25	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM	150	105	35	4	6	270	182	88	-	-
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	-	-	-	-	-	2	-	2	-	-
INFLUENZA....480-483	3	1	1	1	-	10	7	3	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	70	42	21	2	5	151	95	56	-	-
LOBAR PNEUMONIA....490	15	8	4	1	2	27	20	7	-	-
BRONCHOPNEUMONIA....491	17	11	5	1	-	73	47	26	-	-
PRIMARY ATYPICAL PNEUMONIA....492	16	8	6	-	2	23	13	10	-	-
PNEUMONIA, OTHER AND UNSPECIFIED....493	22	15	6	-	1	28	15	13	-	-
ACUTE BRONCHITIS....500	7	2	4	1	-	1	1	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	3	2	1	-	-	19	13	6	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS....510	-	-	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	3	3	-	-	-	5	5	-	-	-
PLEURISY....519	1	-	1	-	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	7	6	1	-	-	19	12	7	-	-
BRONCHIECTASIS....526	3	3	-	-	-	10	8	2	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	42	37	4	-	1	46	38	8	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	39	35	4	-	-	44	37	7	-	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	3	2	-	-	1	2	1	1	-	-
OTHER RESPIRATORY DISEASES....RESIDUAL	11	9	2	-	-	7	3	4	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	149	87	50	4	8	285	186	99	-	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	-	-	-	-	-	1	-	1	-	-
ULCER OF STOMACH....540	17	10	7	-	-	39	28	11	-	-
ULCER OF DUODENUM....541	10	9	-	1	-	21	19	2	-	-
GASTRITIS AND DUODENITIS....543	1	-	1	-	-	2	2	-	-	-
APPENDICITIS....550-553	4	4	-	-	-	7	4	3	-	-
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	11	5	6	-	-	35	26	9	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	6	4	-	1	1	10	6	4	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	4	2	2	-	-	21	6	15	-	-
CIRRHOSIS OF LIVER....581	65	36	22	1	6	81	56	25	-	-
WITHOUT MENTION OF ALCOHOLISM....581.0	40	21	15	-	4	56	38	18	-	-
WITH ALCOHOLISM....581.1	25	15	7	1	2	25	18	7	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	4	1	2	1	-	21	10	11	-	-
FIBROCYSTIC DISEASE OF PANCREAS....587B	2	1	1	-	-	3	2	1	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	25	15	9	-	1	44	27	17	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM	43	25	7	9	2	107	59	48	-	-
NEPHRITIS AND NEPHROSIS....590-594	18	9	4	4	1	44	20	24	-	-
ACUTE NEPHRITIS....590	-	-	-	-	-	2	2	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	1	1	-	-	-	2	1	1	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	17	8	4	4	1	40	17	23	-	-
INFECTIONS OF KIDNEY....600	7	3	1	2	1	31	15	16	-	-
CALCULI OF URINARY SYSTEM....602,604	1	-	-	1	-	4	3	1	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	6	4	1	1	-	12	7	5	-	-
HYPERPLASIA OF PROSTATE....610	9	8	...	1	...	14	14	...	-	...
DISEASES OF BREAST....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	2	1	1	-	-	2	-	2	-	-

[1]New Jersey did not require reporting of color, see Technical Appendix.

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix).

NEW JERSEY[1]			NEW MEXICO					NEW YORK					
Total	Male	Female	Total	White		Nonwhite		Total	White		Nonwhite		
				Male	Female	Male	Female		Male	Female	Male	Female	
29,660	16,482	13,178	1,860	1,101	698	41	20	86,664	45,189	36,574	2,572	2,329	1
													2
27,424	15,368	12,056	1,644	989	600	38	17	80,390	42,282	33,637	2,364	2,107	3
15	5	10	5	1	3	1	-	55	25	22	2	6	4
818	339	479	93	39	47	4	3	2,427	950	1,295	82	100	5
280	111	169	36	14	20	-	2	707	250	423	10	24	6
84	55	29	11	6	4	1	-	248	141	96	6	5	7
38	16	22	2	1	-	1	-	117	50	58	4	5	8
416	157	259	44	18	23	2	1	1,355	509	718	62	66	9
21,125	12,519	8,606	1,186	767	385	23	11	66,167	36,807	26,325	1,705	1,330	10
11,366	6,027	5,339	434	250	168	10	6	36,226	18,009	16,599	813	805	11
9,756	6,490	3,266	752	517	217	13	5	29,921	18,785	9,719	892	525	12
3	2	1	-	-	-	-	-	20	13	7	-	-	13
													14
123	60	63	13	7	5	1	-	404	192	175	16	21	15
6	1	5	-	-	-	-	-	9	3	5	-	1	16
74	42	32	9	5	3	1	-	173	106	57	8	2	17
43	17	26	4	2	2	-	-	222	83	113	8	18	18
2,632	1,304	1,328	122	57	62	3	-	4,035	1,721	2,097	91	126	19
2,022	938	1,084	82	40	40	2	-	3,388	1,390	1,809	72	117	20
610	366	244	40	17	22	1	-	647	331	288	19	9	21
													22
597	301	296	114	72	38	3	1	1,016	482	443	58	33	23
17	11	6	2	1	1	-	-	55	36	12	4	3	24
18	14	4	4	3	1	-	-	47	27	17	2	1	25
171	81	90	20	9	10	-	1	396	169	209	10	8	26
391	195	196	88	59	26	3	-	518	250	205	42	21	27
2,114	840	1,274	111	46	60	3	2	6,286	2,105	3,280	410	491	28
													29
410	186	224	22	11	10	-	1	842	367	394	45	36	30
1,704	654	1,050	89	35	50	3	1	5,444	1,738	2,886	365	455	31
													32
377	184	193	45	20	22	2	1	1,185	516	531	66	72	33
227	119	108	24	11	12	1	-	757	375	331	27	24	34
150	65	85	21	9	10	1	1	428	141	200	39	48	35
1,495	750	745	129	65	61	1	2	4,222	2,011	1,983	111	117	36
1,032	438	594	104	50	52	1	1	3,084	1,270	1,661	70	83	37
366	264	102	16	9	7	-	-	866	617	206	31	12	38
1	1	-	3	2	1	-	-	16	9	5	1	1	39
96	47	49	6	4	1	-	1	256	115	111	9	21	40
364	180	184	42	27	15	-	-	867	380	423	31	33	41
													42
2,541	1,604	937	458	249	160	22	27	9,161	5,035	3,112	614	400	43
													44
18	8	10	6	2	4	-	-	93	36	36	7	14	45
25	17	8	22	14	7	-	1	128	45	78	2	3	46
1,703	952	751	268	121	106	20	21	6,544	3,185	2,531	490	338	47
315	191	124	44	24	17	1	2	1,147	608	385	97	57	48
1,163	631	532	115	54	47	9	5	4,885	2,327	1,941	358	259	49
173	95	78	34	10	15	3	6	265	125	108	20	12	50
52	35	17	75	33	27	7	8	247	125	97	15	10	51
													52
37	24	13	7	6	1	-	-	151	89	36	13	13	53
124	93	31	20	15	3	1	1	429	323	85	17	4	54
-	-	-	-	-	-	-	-	10	6	3	-	1	55
41	33	8	1	1	-	-	-	79	48	21	8	2	56
8	6	2	-	-	-	-	-	18	8	8	1	1	57
128	96	32	41	16	21	1	3	372	251	104	11	6	58
60	46	14	8	6	2	-	-	185	115	55	10	5	59
322	272	50	72	59	12	-	1	990	830	115	42	3	60
286	251	35	65	58	7	-	-	907	776	95	35	1	61
36	21	15	7	1	5	-	1	83	54	20	7	2	62
75	57	18	13	9	4	-	-	162	99	40	13	10	63
													64
2,721	1,633	1,088	360	181	135	19	25	8,186	4,338	2,876	619	353	65
													66
2	1	1	-	-	-	-	-	4	-	3	-	1	67
251	181	70	21	13	8	-	-	788	476	252	47	13	68
208	158	50	20	13	6	-	1	659	450	176	22	11	69
13	11	2	3	2	1	-	-	48	24	21	3	-	70
67	42	25	10	5	5	-	-	193	88	77	14	14	71
350	173	177	60	29	28	1	2	895	401	433	36	25	72
													73
104	62	42	58	18	20	9	11	292	109	104	40	39	74
184	77	107	5	2	3	-	-	464	196	240	19	9	75
1,041	673	368	108	71	29	4	4	3,341	1,892	878	390	181	76
759	463	296	73	48	21	3	1	2,247	1,257	640	235	115	77
282	210	72	35	23	8	1	3	1,094	635	238	155	66	78
165	71	94	20	4	13	-	3	523	220	284	7	12	79
14	7	7	8	2	6	-	-	53	22	30	-	1	80
322	177	145	47	22	16	5	4	926	460	378	41	47	81
													82
960	536	424	104	47	41	11	5	2,732	1,447	923	186	176	83
													84
400	207	193	51	22	19	6	4	1,049	506	382	82	79	85
30	13	17	5	2	2	1	-	42	23	17	-	2	86
18	9	9	5	3	2	-	-	66	29	29	2	6	87
352	185	167	41	17	15	5	4	941	454	336	80	71	88
271	114	157	29	12	13	3	1	845	359	370	50	66	89
59	31	28	1	-	1	-	-	132	58	62	3	9	90
51	31	20	8	3	4	1	-	198	107	69	16	6	91
142	142	...	7	7	...	-	...	429	397	...	32	...	92
-	-	-	-	-	-	-	-	2	-	1	-	1	93
37	11	26	8	3	4	1	-	77	20	39	3	15	94
													95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	5	...	3	...	2	6	...	6	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	1	...	1	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	-	...	2	2	...	2	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	-	...	-	...	-
ECTOPIC PREGNANCY.....645	1	...	1	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	1	...	1	...	-	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	1	...	1	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	-	...	-	...	-	2	...	2	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	2	-	2	-	-	7	3	4	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	-	-	-	-	-	3	1	2	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	2	-	2	-	-	4	2	2	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	5	4	1	-	-	21	9	12	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	2	2	-	-	-	9	3	6	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	2	1	1	-	-	3	3	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	2	2	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	1	1	-	-	-	1	1	-	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	-	-	-	-	-	6	-	6	-	-
XIV. CONGENITAL MALFORMATIONS	51	20	26	2	3	84	42	42	-	-
SPINA BIFIDA AND MENINGOCELE.....751	3	3	-	-	-	5	-	5	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	7	3	3	-	1	6	4	2	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	29	10	16	2	1	50	28	22	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	12	4	7	-	1	23	10	13	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY	167	79	63	16	9	194	120	71	2	1
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	38	23	13	2	-	64	40	24	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	9	3	6	-	-	1	1	-	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	29	20	7	2	-	63	39	24	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	369	241	81	37	10	375	265	109	1	-
ACCIDENTS.....E800-E962	276	176	68	25	7	277	190	86	1	-
RAILWAY ACCIDENTS.....E800-E802	4	3	-	1	-	3	2	1	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	132	89	26	14	3	101	74	27	-	-
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	127	85	25	14	3	100	74	26	-	-
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	-	-	-	-	-	3	3	-	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	11	9	1	1	-	19	14	5	-	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	46	31	9	6	-	26	18	8	-	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	42	28	9	3	2	48	37	11	-	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	28	17	6	4	1	4	2	2	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	5	4	1	-	-	1	-	1	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	-	1	-	-	2	1	1	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	5	4	1	-	-	4	4	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	14	13	1	-	-	5	5	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	5	1	4	-	-	2	1	1	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	3	2	1	-	-	8	6	2	-	-
ACCIDENTAL FALLS.....E900-E904	30	17	12	-	1	62	29	33	-	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	11	8	3	-	-	18	13	5	-	-
FALL ON SAME LEVEL.....E903	6	2	4	-	-	24	10	14	-	-
UNSPECIFIED FALLS.....E904	13	7	5	-	1	20	6	14	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	4	4	-	-	-	6	5	-	1	-
ACCIDENT CAUSED BY MACHINERY.....E912	2	2	-	-	-	4	4	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	4	3	1	-	-	2	2	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	21	5	10	4	2	30	21	9	-	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	3	2	-	1	-	1	-	1	-	-
ACCIDENT CAUSED BY FIREARM.....E919	9	8	-	1	-	8	6	2	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	9	4	4	1	-	2	2	-	-	-
ACCIDENTAL DROWNING.....E929	9	5	4	-	-	18	16	2	-	-
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	4	3	1	-	-	2	1	1	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	17	11	2	3	1	17	11	6	-	-
SUICIDE.....E963,E970-E979	63	51	7	4	1	87	68	19	-	-
SUICIDE BY POISONING.....E970-E973	9	7	1	1	-	28	20	8	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	6	6	-	-	-	11	11	-	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	42	34	4	3	1	40	33	7	-	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	6	4	2	-	-	8	4	4	-	-
HOMICIDE.....E964,E980-E985	30	14	6	8	2	11	7	4	-	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	17	8	4	3	2	9	7	2	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	7	1	1	5	-	1	-	1	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	4	3	1	-	-	1	-	1	-	-
INJURY BY INTERVENTION OF POLICE.....E984	2	2	-	-	-	-	-	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

[1]New Jersey did not require reporting of color: see Technical Appendix.

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

NEW JERSEY[1]			NEW MEXICO					NEW YORK					
				White		Nonwhite			White		Nonwhite		
Total	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
43	...	43	16	...	14	...	2	170	...	91	...	79	1
													2
													3
3	...	3	1	...	1	...	-	16	...	10	...	6	4
7	...	7	3	...	2	...	1	21	...	13	...	8	5
9	...	9	7	...	7	...	-	21	...	13	...	8	6
5	...	5	1	...	1	...	-	9	...	3	...	6	7
2	...	2	-	...	-	...	-	12	...	6	...	6	8
5	...	5	1	...	1	...	-	41	...	15	...	26	9
1	...	1	-	...	-	...	-	5	...	2	...	3	10
11	...	11	3	...	2	...	1	45	...	29	...	16	11
													12
													13
67	29	38	8	3	5	-	-	197	51	116	11	19	14
													15
14	9	5	3	2	1	-	-	50	18	25	3	4	16
53	20	33	5	1	4	-	-	147	33	91	8	15	17
													18
													19
94	40	54	11	5	6	-	-	267	131	125	5	6	20
													21
41	14	27	6	1	5	-	-	123	49	72	2	-	22
-	-	-	-	-	-	-	-	6	3	1	-	2	23
10	4	6	1	-	1	-	-	21	11	7	1	2	24
2	-	2	1	1	-	-	-	7	4	3	-	-	25
10	8	2	3	3	-	-	-	49	36	11	2	-	26
31	14	17	-	-	-	-	-	61	28	31	-	2	27
													28
													29
669	372	297	127	63	51	6	7	1,886	897	766	123	100	30
													31
30	14	16	5	2	3	-	-	150	62	75	5	8	32
62	35	27	8	2	5	-	1	176	81	75	8	12	33
333	183	150	70	34	29	4	3	917	441	363	62	51	34
244	140	104	44	25	14	2	3	643	313	253	48	29	35
													36
													37
2,037	1,205	832	489	260	177	27	25	5,575	2,435	1,712	804	624	38
													39
147	61	86	327	187	79	39	22	1,221	516	435	167	103	40
													41
32	8	24	15	4	5	3	3	38	17	21	-	-	42
115	53	62	312	183	74	36	19	1,183	499	414	167	103	43
													44
													45
3,242	2,137	1,105	917	606	202	77	32	9,464	5,367	2,796	964	337	46
													47
2,501	1,609	892	759	501	168	65	25	7,219	4,082	2,277	627	233	48
36	29	7	10	7	-	3	-	77	62	5	10	-	49
904	676	228	373	246	81	29	17	2,531	1,626	656	190	59	50
885	661	224	361	240	77	28	16	2,474	1,584	642	190	58	51
13	9	4	9	3	3	2	1	28	16	11	1	-	52
244	167	77	50	29	11	5	5	778	475	193	83	27	53
337	246	91	147	99	34	10	4	861	541	244	57	19	54
260	216	44	152	107	29	10	6	639	445	146	38	10	55
31	23	8	3	2	-	1	-	168	107	48	11	2	56
19	15	4	12	6	4	1	1	57	42	14	-	1	57
													58
10	6	4	9	5	-	2	2	15	9	5	1	-	59
31	28	3	5	5	-	-	-	76	59	8	9	-	60
20	17	3	13	12	1	-	-	105	80	24	1	-	61
57	27	30	17	9	6	2	-	149	61	35	33	20	62
41	34	7	12	6	3	2	1	105	69	21	9	6	63
742	346	396	69	42	25	1	1	2,253	1,012	1,034	163	44	64
235	146	89	12	10	1	1	-	713	394	234	71	14	65
137	68	69	27	14	13	-	-	782	293	454	21	14	66
370	132	238	30	18	11	-	1	758	325	346	71	16	67
													68
24	21	3	21	21	-	-	-	68	61	2	4	1	69
25	24	1	14	11	1	2	-	91	81	2	8	-	70
13	11	2	11	9	2	-	-	37	31	1	5	-	71
188	102	86	42	24	13	2	3	529	232	193	53	51	72
11	5	6	-	-	-	-	-	39	18	12	7	2	73
25	21	4	31	28	3	-	-	77	63	6	6	2	74
56	28	28	12	7	5	-	-	119	70	38	7	4	75
124	106	18	33	18	7	7	1	384	256	62	56	10	76
2	2	-	5	3	2	-	-	1	1	-	-	-	77
30	15	15	7	4	3	-	-	97	37	44	8	8	78
162	111	51	75	44	16	15	-	466	254	129	57	26	79
													80
													81
549	391	158	104	76	24	2	2	1,577	1,043	424	76	34	82
138	77	61	24	11	12	-	1	321	196	118	4	3	83
160	118	42	15	11	4	-	-	364	272	71	14	7	84
154	141	13	61	52	7	1	1	356	312	27	17	-	85
97	55	42	4	2	1	1	-	536	263	208	41	24	86
													87
192	137	55	54	29	10	10	5	668	242	95	261	70	88
63	42	21	34	20	5	7	2	200	94	29	61	16	89
55	45	10	10	5	2	2	1	250	72	19	134	25	90
69	45	24	9	3	3	1	2	199	67	47	56	29	91
3	3	-	1	1	-	-	-	19	9	-	10	-	92
2	2	-	-	-	-	-	-	-	-	-	-	-	93
													94
-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	39,090	16,110	11,200	6,522	5,258	5,419	3,270	2,012	86	51
I. INFECTIVE AND PARASITIC DISEASES	472	155	98	139	80	33	17	12	3	1
TUBERCULOSIS, ALL FORMS 001-019	173	66	26	56	25	10	4	4	1	1
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	149	59	24	45	21	8	3	4	1	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	5	2	1	1	1	1	-	-	-	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	2	1	-	1	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	2	-	-	2	-	1	1	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	5	2	-	2	1	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	10	2	1	5	2	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	70	17	13	28	12	3	3	-	-	-
CONGENITAL SYPHILIS 020	2	1	1	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	40	12	10	11	7	2	2	-	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	23	4	2	13	4	1	1	-	-	-
TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	2	-	-	2	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	3	-	-	2	1	-	-	-	-	-
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	1	-	-	1	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	1	-	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	8	5	1	1	1	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	1	-	-	-	1	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	2	1	1	-	-	1	-	1	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	77	20	21	23	13	5	2	3	-	-
DIPHTHERIA 055	-	-	-	-	-	1	1	-	-	-
WHOOPING COUGH 056	3	1	-	1	1	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	19	9	5	2	3	1	-	1	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	5	2	-	2	1	1	1	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	1	1	-	-	-	1	-	1	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	5	1	1	2	1	1	1	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	13	7	3	1	2	3	2	1	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	3	1	1	1	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	9	-	2	2	5	2	-	-	2	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	15	5	8	2	-	1	1	-	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	2	1	1	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	1	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	4	2	1	-	1	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	59	14	14	17	14	3	2	1	-	-
II. NEOPLASMS	5,140	2,117	1,797	615	611	843	477	351	8	7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	5,023	2,081	1,761	592	589	834	474	347	7	6
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	141	85	37	17	2	6	5	1	-	-
OF LIP 140	5	5	-	-	-	-	-	-	-	-
OF TONGUE 141	35	23	11	1	-	1	1	-	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	56	29	19	7	1	1	1	-	-	-
OF PHARYNX 145-148	45	28	7	9	1	4	3	1	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	1,362	545	505	180	132	297	180	113	4	-
OF ESOPHAGUS 150	86	35	24	22	5	13	11	2	-	-
OF STOMACH 151	304	123	83	68	30	94	61	31	2	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	16	7	5	1	3	-	-	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	388	137	180	30	41	61	29	32	-	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	47	19	25	1	2	13	5	8	-	-
TRANSVERSE COLON 153.1	17	11	3	2	1	2	2	-	-	-
DESCENDING COLON 153.2	11	3	5	2	1	3	2	1	-	-
SIGMOID COLON 153.3	57	20	25	5	7	11	3	8	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	3	1	1	1	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	229	77	110	17	25	28	15	13	-	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	24	6	11	2	5	4	2	2	-	-
OF RECTUM 154	140	67	48	11	14	30	14	16	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	89	32	44	5	8	20	10	9	1	-
LIVER 155.0	35	16	8	5	6	7	4	2	1	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	54	16	36	-	2	13	6	7	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	50	19	20	9	2	13	8	5	-	-
OF PANCREAS 157	252	116	85	30	21	59	41	17	1	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	37	9	16	4	8	7	6	1	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
95,209	48,617	38,822	4,339	3,431	24,000	12,612	8,880	1,422	1,086	17,218	9,980	6,885	221	132
928	467	282	114	65	303	159	72	47	25	133	89	30	7	7
409	234	83	64	28	153	89	30	23	11	44	32	4	4	4
385	227	75	60	23	143	87	28	20	8	37	28	4	3	2
7	2	2	3	-	4	1	1	1	1	3	1	-	1	1
2	-	1	-	1	2	-	-	1	1	-	-	-	-	-
7	1	5	-	1	-	-	-	-	-	-	-	-	-	-
3	1	-	-	2	1	-	1	-	-	-	-	-	-	-
5	3	-	1	1	3	1	-	1	1	4	3	-	-	1
189	100	51	23	15	36	22	4	6	4	26	18	7	1	-
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	37	22	3	1	21	14	3	2	2	17	13	4	-	-
76	30	19	14	13	5	4	1	-	-	4	2	2	-	-
7	6	1	-	-	1	1	-	-	-	-	-	-	-	-
14	10	3	1	-	3	1	-	1	1	1	1	-	-	-
25	14	5	5	1	3	2	-	1	-	3	2	-	1	-
3	2	1	-	-	2	-	-	1	1	1	-	1	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	1	1	-	9	3	3	2	1	1	-	-	-	1
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
4	3	1	-	-	4	2	2	-	-	-	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
92	33	45	9	5	34	14	12	7	1	22	16	5	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	2	1	1	2	1	-	-	1	1	1	-	-	-
35	16	14	4	1	10	3	6	-	1	7	1	5	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	2	1	1	2	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
9	1	7	1	-	-	-	-	-	-	3	3	-	-	-
35	12	17	3	3	7	3	1	2	1	8	5	3	-	-
4	2	2	-	-	1	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	7	5	2	-	3	-	1	1	1	2	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	11	18	2	4	8	4	1	1	2	7	5	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	-	1	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
82	41	31	3	7	26	11	10	3	2	10	6	2	2	-
15,994	7,977	6,756	705	556	3,761	1,864	1,574	165	158	2,790	1,539	1,209	30	12
15,787	7,879	6,673	692	543	3,694	1,836	1,540	163	155	2,747	1,516	1,190	29	12
361	267	68	22	4	83	49	29	5	-	56	40	15	1	-
17	16	1	-	-	2	2	-	-	-	1	1	-	-	-
91	74	11	5	1	20	13	5	2	-	13	8	5	-	-
105	67	31	5	2	41	20	19	2	-	21	17	3	1	-
148	110	25	12	1	20	14	5	1	-	21	14	7	-	-
5,370	2,682	2,294	242	152	1,118	503	497	62	56	906	516	379	8	3
282	194	49	31	8	41	22	11	7	1	38	32	6	-	-
1,012	568	339	68	37	242	130	78	17	17	183	126	57	-	-
50	34	13	2	1	9	4	5	-	-	9	2	7	-	-
1,870	845	937	44	44	340	119	194	10	17	311	164	145	1	1
254	106	135	5	8	50	14	34	2	-	52	24	28	-	-
117	53	60	2	2	12	1	8	1	2	11	4	7	-	-
75	25	49	-	1	14	5	8	-	1	23	12	9	1	1
358	201	141	9	7	53	14	36	2	1	53	26	27	-	-
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-
965	428	487	27	23	192	78	98	4	12	156	89	67	-	-
99	31	64	1	3	18	6	10	1	1	16	9	7	-	-
638	340	260	25	13	98	44	46	6	2	96	48	46	2	-
390	143	214	17	16	64	24	33	3	4	70	25	40	4	1
109	56	38	11	4	27	16	8	2	1	20	10	7	3	-
281	87	176	6	12	37	8	25	1	3	50	15	33	1	1
201	86	97	10	8	69	34	28	5	2	17	6	11	-	-
809	421	332	38	18	227	122	82	12	11	168	107	59	1	1
118	51	53	7	7	28	4	20	2	2	14	6	8	-	-

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	707	504	80	109	14	83	74	8	1	-
OF LARYNX....161	42	31	3	8	-	6	6	-	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	237	181	19	33	4	31	30	-	1	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	411	282	52	68	9	44	37	7	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	17	10	6	-	1	2	1	1	-	-
MALIGNANT NEOPLASM OF BREAST....170	456	4	331	1	120	84	-	84	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	860	232	330	118	180	115	56	55	2	2
OF CERVIX UTERI....171	243	...	137	...	106	11	...	11	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	107	...	71	...	36	18	...	17	...	1
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	144	...	114	...	30	26	...	25	...	1
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	16	...	8	...	8	2	...	2	...	-
OF PROSTATE....177	318	209	...	109	...	54	53	...	1	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	32	23	...	9	...	4	3	...	1	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	194	106	49	23	16	47	35	11	-	1
OF KIDNEY....180	83	53	16	6	8	26	16	9	-	1
OF BLADDER AND OTHER URINARY ORGANS....181	111	53	33	17	8	21	19	2	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	762	334	260	84	84	93	47	44	-	2
OF SKIN....190,191	97	60	28	3	6	12	5	6	-	1
OF EYE....192	8	5	2	1	-	1	-	1	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	143	76	50	10	7	24	16	8	-	-
OF THYROID GLAND....194	13	1	7	3	2	2	-	2	-	-
OF BONE....196	42	13	15	5	9	6	6	-	-	-
OF CONNECTIVE TISSUE....197	23	9	9	3	2	5	3	2	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	47	27	13	2	5	6	6	-	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	389	143	136	57	53	37	11	25	-	1
LEUKEMIA AND ALEUKEMIA....204	265	132	91	24	18	49	34	14	-	1
LYMPHOSARCOMA, ETC....200-203,205	276	139	78	36	23	60	43	17	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA....200	110	50	35	17	8	26	18	8	-	-
HODGKINS DISEASE....201	76	43	20	9	4	17	13	4	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	90	46	23	10	11	17	12	5	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	117	36	36	23	22	9	3	4	1	1
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	8	...	1	...	7	-	...	-	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	14	5	3	4	2	2	2	-	-	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	15	3	6	4	2	3	-	1	1	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	1	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	53	19	16	9	9	-	-	-	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232-236,238,239	27	9	10	6	2	3	1	2	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	790	285	237	115	153	123	64	55	2	2
ASTHMA....241	98	52	22	11	13	18	13	5	-	-
NONTOXIC GOITER....250,251	3	1	1	-	1	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	9	1	4	1	3	1	-	1	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	5	1	3	-	1	1	-	1	-	-
DIABETES MELLITUS....260	558	188	179	75	116	90	43	44	1	2
DISEASES OF THYMUS GLAND....273	2	1	-	1	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS....274	7	1	4	2	-	3	2	1	-	-
PELLAGRA....281	2	-	1	-	1	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	33	7	5	15	6	5	2	2	1	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	73	33	18	10	12	5	4	1	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	135	57	34	19	25	13	6	7	-	-
ANEMIAS....290-293	91	30	24	16	21	8	4	4	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	6	2	3	-	1	2	1	1	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	85	28	21	16	20	6	3	3	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	14	9	4	-	1	3	2	1	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	30	18	6	3	3	2	-	2	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	166	74	23	43	26	15	12	3	-	-
SENILE PSYCHOSIS....304	6	2	2	1	1	1	1	-	-	-
ALCOHOLIC PSYCHOSIS....307	19	13	-	4	2	6	5	1	-	-
OTHER PSYCHOSES....300-303,305,306,308,309	13	5	4	1	3	2	1	1	-	-
ALCOHOLISM....322	108	50	9	32	17	6	5	1	-	-
MENTAL DEFICIENCY....325	17	4	5	5	3	-	-	-	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	3	-	3	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	5,528	1,877	1,919	865	867	706	379	314	8	5
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,177	1,758	1,823	786	810	668	361	294	8	5
SUBARACHNOID HEMORRHAGE....330	195	70	66	30	29	20	7	13	-	-
CEREBRAL HEMORRHAGE....331	2,875	968	929	473	505	429	228	191	6	4
CEREBRAL EMBOLISM AND THROMBOSIS....332	1,650	589	635	217	209	176	101	72	2	1
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	457	131	193	66	67	43	25	18	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	63	14	15	18	16	4	3	1	-	-
MULTIPLE SCLEROSIS....345	21	10	6	2	3	8	4	4	-	-
PARALYSIS AGITANS....350	30	15	13	1	1	7	5	2	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	21	7	4	7	3	3	1	2	-	-
EPILEPSY....353	77	14	16	29	18	3	1	2	-	-
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	6	2	3	-	1	-	-	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	133	57	39	22	15	13	4	9	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
2,550	2,003	328	187	32	617	482	104	27	4	425	360	53	10	2	4
139	121	7	11	-	26	22	2	2	-	18	14	2	1	1	5
1,120	887	131	89	13	194	166	23	4	1	205	178	24	2	1	6
1,235	965	172	83	15	390	291	76	20	3	192	161	25	6	-	7
56	30	18	4	4	7	3	3	1	-	10	7	2	1	-	8
1,443	9	1,349	1	84	257	1	232	-	24	231	3	223	-	5	9
															10
2,388	877	1,259	104	148	549	219	257	34	39	401	178	220	3	-	11
499	...	420	...	79	106	...	86	...	20	60	...	60	...	-	12
379	...	343	...	36	79	...	67	...	12	61	...	61	...	-	13
478	...	447	...	31	95	...	89	...	6	90	...	90	...	-	14
51	...	49	...	2	16	...	15	...	1	9	...	9	...	-	15
923	820	...	103	...	244	211	...	33	...	174	171	...	3	...	16
58	57	...	1	...	9	8	...	1	...	7	7	...	-	...	17
786	483	250	24	29	171	114	48	4	5	129	81	46	2	-	18
312	180	111	8	13	65	39	21	2	3	46	29	17	-	-	19
474	303	139	16	16	106	75	27	2	2	83	52	29	2	-	20
															21
															22
1,465	764	595	46	60	520	253	235	14	18	301	160	139	2	-	23
201	120	75	3	3	97	56	40	-	1	42	29	13	-	-	24
20	14	6	-	-	6	3	3	-	-	5	1	4	-	-	25
344	191	129	12	12	78	44	29	2	3	85	51	34	-	-	26
54	22	29	1	2	10	5	5	-	-	11	2	9	-	-	27
103	52	42	4	5	28	14	13	1	-	14	8	6	-	-	28
64	33	26	2	3	8	4	4	-	-	17	10	7	-	-	29
72	43	25	1	3	35	17	15	2	1	9	4	5	-	-	30
607	289	263	23	32	258	110	126	9	13	118	55	61	2	-	31
711	409	257	28	17	195	111	72	8	4	157	95	59	1	2	32
713	385	273	38	17	184	104	66	9	5	141	83	56	2	-	33
338	184	139	12	3	87	47	36	3	1	60	34	24	2	-	34
161	94	52	12	3	34	21	11	1	1	31	17	14	-	-	35
															36
214	107	82	14	11	63	36	19	5	3	50	32	18	-	-	37
															38
207	98	83	13	13	67	28	34	2	3	43	23	19	1	-	39
16	...	10	...	6	2	...	2	...	-	5	...	5	...	-	40
56	23	26	5	2	13	4	8	-	1	16	9	6	1	-	41
45	25	16	3	1	6	2	4	-	-	5	3	2	-	-	42
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	43
51	29	17	3	2	31	14	15	1	1	12	8	4	-	-	44
38	21	13	2	2	15	8	5	1	1	5	3	2	-	-	45
															46
															47
2,825	1,070	1,477	109	169	589	240	262	34	53	409	189	213	3	4	48
															49
242	133	76	17	16	82	48	20	9	5	72	45	27	-	-	50
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	51
35	6	27	-	2	5	-	3	1	1	6	-	6	-	-	52
17	4	11	-	2	4	-	4	-	-	2	-	2	-	-	53
2,254	827	1,221	79	127	406	143	199	21	43	278	118	154	3	3	54
5	3	2	-	-	1	-	-	1	-	2	1	1	-	-	55
18	9	8	1	-	5	2	3	-	-	3	2	1	-	-	56
1	-	1	-	-	2	1	-	-	1	-	-	-	-	-	57
89	26	51	2	10	39	26	11	2	-	16	10	6	-	-	58
161	61	78	10	12	45	20	22	-	3	30	13	16	-	1	59
															60
241	98	120	10	13	76	31	37	5	3	60	29	31	-	-	61
															62
163	57	86	9	11	46	18	22	4	2	41	19	22	-	-	63
25	6	18	-	1	6	2	4	-	-	7	2	5	-	-	64
138	51	68	9	10	40	16	18	4	2	34	17	17	-	-	65
29	15	11	1	2	10	5	5	-	-	8	3	5	-	-	66
49	26	23	-	-	20	8	10	1	1	11	7	4	-	-	67
															68
															69
204	111	54	28	11	68	42	16	7	3	42	27	11	2	2	70
															71
19	6	13	-	-	8	2	4	1	1	2	1	1	-	-	72
20	11	4	5	-	2	1	1	-	-	6	6	-	-	-	73
38	18	16	2	2	8	5	3	-	-	8	5	3	-	-	74
97	62	8	19	8	38	28	3	5	2	19	13	2	2	2	75
23	11	10	2	-	10	5	4	1	-	4	2	2	-	-	76
7	3	3	-	1	2	1	1	-	-	3	-	3	-	-	77
															78
12,152	5,280	5,968	458	446	3,396	1,479	1,526	207	184	2,325	1,093	1,190	27	15	79
															80
11,382	4,926	5,639	415	402	3,176	1,376	1,446	183	171	2,180	1,010	1,136	22	12	81
437	155	206	30	46	79	33	36	6	4	80	34	43	-	3	82
6,383	2,768	3,158	235	222	1,961	852	893	114	102	1,105	521	569	10	5	83
3,643	1,615	1,801	119	108	821	341	388	49	43	775	351	414	9	1	84
919	388	474	31	26	315	150	129	14	22	220	104	110	3	3	85
92	42	25	13	12	34	11	11	8	4	26	15	9	1	1	86
94	40	42	2	10	13	5	8	-	-	22	10	12	-	-	87
199	88	101	3	7	42	20	19	3	-	24	16	8	-	-	88
57	25	26	3	3	17	8	6	1	2	5	2	3	-	-	89
87	33	38	10	6	18	10	3	3	2	21	9	8	4	-	90
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	91
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
13	5	6	1	1	1	-	-	-	1	5	2	3	-	-	94
226	121	90	11	4	95	49	33	9	4	42	29	11	-	2	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	15,581	7,033	4,537	2,154	1,857	2,302	1,431	840	20	11
DISEASES OF HEART 400-402,410-443	14,076	6,463	4,051	1,908	1,654	2,092	1,309	756	18	9
RHEUMATIC FEVER 400-402	12	2	3	2	5	1	-	1	-	-
CHRONIC RHEUMATIC HEART DISEASE 410-416	254	104	97	29	24	49	21	28	-	-
DISEASES OF MITRAL VALVE 410	76	27	33	8	8	24	9	15	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	27	16	7	4	-	2	2	-	-	-
DISEASES OF PULMONARY VALVE, ETC 413,414	10	7	3	-	-	5	2	3	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	141	54	54	17	16	18	8	10	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS 420	9,675	5,089	2,745	1,039	802	1,686	1,089	575	14	8
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	2,866	1,341	1,060	254	211	620	357	254	4	5
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	6,788	3,740	1,673	784	591	1,066	732	321	10	3
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	21	8	12	1	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	77	37	21	9	10	23	15	8	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	6	3	3	-	-	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	36	19	9	2	6	14	10	4	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	35	15	9	7	4	9	5	4	-	-
OTHER MYOCARDIAL DEGENERATION 422	1,092	371	427	156	138	102	63	38	1	-
WITH ARTERIOSCLEROSIS 422.1	887	296	367	119	105	77	51	26	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	205	75	60	37	33	25	12	12	1	-
OTHER DISEASES OF HEART 430-434	964	394	209	207	154	114	68	43	2	1
ACUTE AND SUBACUTE ENDOCARDITIS 430	17	7	5	3	2	3	2	1	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	24	7	8	5	4	3	1	2	-	-
FUNCTIONAL DISEASE OF HEART 433	216	78	87	27	24	33	22	11	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART 434	707	302	109	172	124	75	43	29	2	1
HYPERTENSIVE HEART DISEASE 440-443	2,002	466	549	466	521	117	53	63	1	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	525	124	132	139	130	23	19	4	-	-
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	1,477	342	417	327	391	94	34	59	1	-
OTHER HYPERTENSIVE DISEASE 444-447	393	111	80	110	92	37	25	10	-	2
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	223	87	51	41	44	22	15	5	-	2
ESSENTIAL HYPERTENSION 444,445,447	170	24	29	69	48	15	10	5	-	-
DISEASES OF ARTERIES 450-456	923	381	347	111	84	150	82	66	2	-
GENERAL ARTERIOSCLEROSIS 450	685	258	288	77	62	113	57	54	2	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	164	98	39	21	6	22	13	9	-	-
GANGRENE OF UNSPECIFIED CAUSE 455	11	1	5	3	2	1	1	-	-	-
OTHER ARTERIAL DISEASES 452-454,456	63	24	15	10	14	14	11	3	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	189	78	59	25	27	23	15	8	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,019	752	537	416	314	307	184	111	8	4
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	47	11	9	11	16	5	2	3	-	-
INFLUENZA 480-483	144	48	42	26	28	12	7	5	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	1,311	381	379	316	235	211	116	86	5	4
LOBAR PNEUMONIA 490	167	56	42	41	28	24	15	7	1	1
BRONCHOPNEUMONIA 491	594	210	193	107	84	144	82	58	3	1
PRIMARY ATYPICAL PNEUMONIA 492	145	30	30	43	42	16	6	9	-	1
PNEUMONIA, OTHER AND UNSPECIFIED 493	405	85	114	125	81	27	13	12	1	1
ACUTE BRONCHITIS 500	13	5	4	1	3	1	-	1	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	71	45	13	6	7	17	12	5	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS 510	3	-	1	1	1	2	1	-	1	-
EMPYEMA AND ABSCESS OF LUNG 518,521	22	5	6	11	-	-	-	-	-	-
PLEURISY 519	2	2	-	-	-	1	-	1	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA 525	83	44	19	11	9	7	5	2	-	-
BRONCHIECTASIS 526	57	31	20	3	3	8	8	-	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY 527	217	160	31	19	7	32	28	2	2	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	174	144	21	7	2	31	27	2	2	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY 527.0,527.2	43	16	10	12	5	1	1	-	-	-
OTHER RESPIRATORY DISEASES RESIDUAL	49	20	13	11	5	11	5	6	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,262	514	358	209	181	187	119	59	5	4
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	2	2	-	-	-	-	-	-	-	-
ULCER OF STOMACH 540	92	44	20	23	5	18	16	2	-	-
ULCER OF DUODENUM 541	103	62	26	12	3	12	11	1	-	-
GASTRITIS AND DUODENITIS 543	6	2	3	-	1	1	1	-	-	-
APPENDICITIS 550-553	43	19	8	6	10	8	4	4	-	-
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	188	60	71	29	28	27	21	5	-	1
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	159	20	26	62	51	14	6	4	3	1
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	34	10	16	3	5	10	6	4	-	-
CIRRHOSIS OF LIVER 581	267	141	64	34	28	40	27	11	-	2
WITHOUT MENTION OF ALCOHOLISM 581.0	180	96	41	21	22	29	18	9	-	2
WITH ALCOHOLISM 581.1	87	45	23	13	6	11	9	2	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	73	30	33	2	8	21	6	14	1	-
FIBROCYSTIC DISEASE OF PANCREAS 5878	20	7	11	1	1	6	3	3	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	275	117	80	37	41	30	18	11	1	-
X. DISEASES OF THE GENITOURINARY SYSTEM	817	331	209	166	111	78	55	22	-	1
NEPHRITIS AND NEPHROSIS 590-594	354	132	77	86	59	29	23	5	-	1
ACUTE NEPHRITIS 590	23	8	4	8	3	1	-	1	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	17	9	2	2	4	1	1	-	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	314	115	71	76	52	27	22	4	-	1
INFECTIONS OF KIDNEY 600	263	99	94	36	34	22	8	14	-	-
CALCULI OF URINARY SYSTEM 602,604	40	16	20	1	3	1	1	-	-	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	52	19	11	16	6	3	3	-	-	-
HYPERPLASIA OF PROSTATE 610	83	58	...	25	...	20	20	...	-	...
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	25	7	7	2	9	3	-	3	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
42,031	22,296	17,008	1,496	1,231	9,508	5,365	3,385	451	307	7,292	4,435	2,769	61	27	1
															2
															3
37,313	20,119	14,845	1,303	1,046	8,625	4,929	3,024	397	275	6,575	4,045	2,455	52	23	4
25	11	12	1	1	4	2	2	-	-	5	3	2	-	-	5
1,069	456	540	42	31	136	60	67	5	4	193	106	87	-	-	6
413	162	226	15	10	47	19	26	1	1	66	36	30	-	-	7
139	97	35	3	4	4	2	2	-	-	35	25	10	-	-	8
44	16	24	2	2	7	3	4	-	-	8	5	3	-	-	9
473	181	255	22	15	78	36	35	4	3	84	40	44	-	-	10
28,672	16,570	10,589	892	621	6,857	4,165	2,233	281	178	5,172	3,339	1,784	38	11	11
11,759	5,870	5,257	356	276	2,373	1,304	914	97	58	2,028	1,175	837	13	3	12
16,893	10,688	5,324	536	345	4,475	2,855	1,318	182	120	3,137	2,158	946	25	8	13
20	12	8	-	-	9	6	1	2	-	7	6	1	-	-	14
															15
203	121	74	4	4	35	20	13	2	-	55	38	17	-	-	16
10	7	3	-	-	-	-	-	-	-	2	1	1	-	-	17
106	71	30	3	2	15	9	5	1	-	37	27	10	-	-	18
87	43	41	1	2	20	11	8	1	-	16	10	6	-	-	19
2,582	1,122	1,334	63	63	409	188	182	21	18	319	172	142	4	1	20
2,079	899	1,092	47	41	245	111	115	10	9	246	134	108	4	-	21
503	223	242	16	22	164	77	67	11	9	73	38	34	-	1	22
															23
1,202	587	511	54	50	548	258	224	38	28	255	150	101	2	2	24
39	23	14	2	-	6	2	3	-	1	6	4	2	-	-	25
44	21	15	3	5	13	5	7	-	1	11	6	4	-	1	26
414	181	213	9	11	124	52	61	7	4	83	43	39	1	-	27
705	362	269	40	34	405	199	153	31	22	155	97	56	1	1	28
3,560	1,252	1,785	247	276	636	236	303	50	47	576	237	322	8	9	29
															30
1,076	455	498	73	50	175	76	71	17	11	181	93	83	2	3	31
2,484	797	1,287	174	226	461	160	232	33	36	395	144	239	6	6	32
															33
748	298	328	63	59	150	63	61	19	7	82	41	37	2	2	34
426	204	171	28	23	67	35	21	9	2	34	19	15	-	-	35
322	94	157	35	36	83	28	40	10	5	48	22	22	2	2	36
3,493	1,670	1,625	97	101	614	319	250	27	18	557	302	249	5	1	37
2,727	1,195	1,392	63	77	484	234	214	22	14	398	188	206	4	-	38
584	391	156	22	15	84	58	21	2	3	126	97	28	1	-	39
11	4	5	1	1	6	2	4	-	-	-	-	-	-	-	40
171	80	72	11	8	40	25	11	3	1	33	17	15	-	1	41
477	209	210	33	25	119	54	50	8	7	78	47	28	2	1	42
															43
4,304	2,463	1,396	282	163	1,154	648	377	74	55	1,009	646	341	11	11	44
															45
66	30	15	13	8	13	7	5	-	1	1	1	-	-	-	46
284	126	141	7	10	63	20	25	7	11	22	9	13	-	-	47
2,251	1,125	876	140	110	703	346	268	51	38	616	344	257	8	7	48
391	194	143	37	17	93	41	37	10	5	48	31	14	2	1	49
1,421	712	564	76	69	322	158	128	21	15	389	206	175	6	2	50
243	117	100	12	14	51	23	19	2	7	52	29	22	-	1	51
196	102	69	15	10	237	124	84	18	11	127	78	46	-	3	52
															53
68	31	28	6	3	7	4	3	-	-	26	17	7	-	2	54
231	154	59	16	2	39	26	8	4	1	32	28	4	-	-	55
5	3	2	-	-	1	1	-	-	-	1	-	1	-	-	56
38	21	10	3	4	15	9	5	-	1	11	9	2	-	-	57
6	4	2	-	-	-	-	-	-	-	2	2	-	-	-	58
251	153	65	21	12	34	18	12	3	1	35	19	15	-	1	59
149	87	54	7	1	21	17	2	1	1	22	16	6	-	-	60
769	597	110	52	10	184	159	20	5	-	217	187	27	2	1	61
709	572	88	41	8	167	149	14	4	-	201	180	19	1	1	62
60	25	22	11	2	17	10	6	1	-	16	7	8	1	-	63
186	132	34	17	3	74	41	29	3	1	24	14	9	1	-	64
															65
3,619	1,960	1,390	145	124	931	494	319	61	57	644	368	246	13	17	66
															67
6	2	3	1	-	2	2	-	-	-	3	2	1	-	-	68
350	221	112	10	7	75	51	21	3	-	55	34	19	2	-	69
329	235	77	12	5	72	52	13	7	-	63	49	14	-	-	70
15	8	3	2	2	7	4	1	1	1	4	4	-	-	-	71
105	65	28	9	3	36	21	11	2	2	13	9	3	-	1	72
531	223	265	26	17	157	71	68	14	4	91	46	42	2	1	73
															74
155	80	60	10	5	69	28	23	9	9	21	7	9	1	4	75
220	94	117	3	6	49	21	23	2	3	22	5	16	-	1	76
1,105	684	320	44	57	200	113	53	13	21	211	125	69	8	9	77
799	489	237	31	42	155	89	46	6	14	127	71	48	1	7	78
306	195	83	13	15	45	24	7	7	7	84	54	21	7	2	79
258	102	152	1	3	72	21	40	2	9	45	23	21	-	1	80
17	7	8	-	2	12	7	5	-	-	9	3	6	-	-	81
528	239	245	27	17	180	103	61	8	8	107	61	46	-	-	82
															83
1,560	815	539	110	96	564	297	176	45	46	244	158	75	5	6	84
															85
624	306	230	45	43	252	115	88	22	27	88	52	30	3	3	86
26	12	13	-	1	14	7	5	1	1	6	4	2	-	-	87
46	21	17	5	3	19	12	5	1	1	6	4	1	1	-	88
552	273	200	40	39	219	96	78	20	25	76	44	27	2	3	89
475	179	221	33	42	146	63	63	6	14	75	42	29	2	2	90
53	28	21	2	2	18	8	8	1	1	14	8	6	-	-	91
118	67	38	8	5	37	21	10	2	4	21	15	6	-	-	92
239	219	...	20	...	87	74	...	13	...	38	38	...	-	...	93
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	94
49	16	27	2	4	24	16	7	1	-	8	3	4	-	1	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	51	...	13	...	38	6	...	6	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	2	...	1	...	1	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	10	...	2	...	8	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	16	...	2	...	14	1	...	1	...	-
ECTOPIC PREGNANCY.....645	3	...	-	...	3	1	...	1	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	3	...	2	...	1	-	...	-	...	-
ABORTION WITH SEPSIS.....651	8	...	3	...	5	1	...	1	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	9	...	3	...	6	3	...	3	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	64	16	18	7	23	13	2	11	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	14	4	5	1	4	3	-	3	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	50	12	13	6	19	10	2	8	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	96	33	43	13	7	12	5	7	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	60	19	31	7	3	7	4	3	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	1	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	3	-	1	2	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	5	1	3	1	-	1	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	10	8	1	-	1	1	1	-	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	17	4	7	3	3	3	-	3	-	-
XIV. CONGENITAL MALFORMATIONS.....	539	196	207	82	54	83	50	31	2	-
SPINA BIFIDA AND MENINGOCELE.....751	61	16	33	7	5	8	7	1	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	54	13	23	13	5	8	7	1	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	239	98	82	32	27	46	27	17	2	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	185	69	69	30	17	21	9	12	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,847	612	396	463	376	221	125	84	8	4
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	966	280	169	276	241	24	12	12	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	108	21	42	23	22	8	4	4	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	858	259	127	253	219	16	8	8	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	3,617	1,778	605	940	294	453	332	87	22	12
ACCIDENTS.....E800-E962	2,703	1,317	488	679	219	381	276	77	18	10
RAILWAY ACCIDENTS.....E800-E802	22	12	-	10	-	2	2	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,343	739	219	304	81	190	136	39	11	4
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,321	727	215	298	81	179	129	35	11	4
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	24	12	6	5	1	18	13	5	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	273	111	39	90	33	15	11	3	-	1
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	520	292	109	96	23	79	54	22	2	1
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	467	290	50	103	24	61	45	5	9	2
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	37	22	11	4	-	6	6	-	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	22	12	4	6	-	11	7	4	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	4	1	1	2	-	2	2	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	49	38	-	11	-	2	1	1	-	-
AIRCRAFT ACCIDENTS.....E860-E866	21	20	1	-	-	4	4	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	60	28	10	12	10	4	3	1	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	18	5	6	6	1	12	8	3	-	1
ACCIDENTAL FALLS.....E900-E904	276	97	134	28	17	43	28	14	1	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	74	31	30	13	-	21	16	4	1	-
FALL ON SAME LEVEL.....E903	68	22	36	5	5	13	7	6	-	-
UNSPECIFIED FALLS.....E904	134	44	68	10	12	9	5	4	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	40	18	2	20	-	3	3	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	59	42	1	15	1	18	18	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	23	14	-	9	-	2	2	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	215	74	34	60	47	34	19	9	3	3
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	-	3	2	1	1	1	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	85	44	6	31	4	9	8	1	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	54	20	10	13	11	6	3	2	-	1
ACCIDENTAL DROWNING.....E929	164	74	12	73	5	18	17	-	1	-
EXCESSIVE HEAT AND INSOLATION.....E931	2	-	-	2	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	27	9	12	2	4	2	1	1	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	235	82	37	79	37	29	20	6	2	1
SUICIDE.....E963,E970-E979	498	364	83	41	10	64	53	9	1	1
SUICIDE BY POISONING.....E970-E973	74	47	22	2	3	16	12	4	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	52	37	12	3	-	16	14	1	-	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	338	263	38	33	4	30	26	3	1	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	34	17	11	3	3	2	1	1	-	-
HOMICIDE.....E964,E980-E985	414	95	34	220	65	8	3	1	3	1
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	289	69	21	158	41	2	1	1	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	69	10	2	47	10	1	-	-	-	1
ASSAULT BY OTHER MEANS.....E964,E980,E983	50	14	11	11	14	4	1	-	3	-
INJURY BY INTERVENTION OF POLICE.....E984	6	2	-	4	-	1	1	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	2	2	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
56	...	38	...	18	15	...	11	...	4	7	...	7	...	-	1
-	...	6	...	-	3	...	1	...	2	-	...	-	...	-	2
6	...	3	...	3	3	...	2	...	1	-	...	-	...	-	3
7	...	3	...	4	4	...	3	...	1	3	...	3	...	-	4
5	...	-	...	5	-	...	-	...	-	-	...	-	...	-	5
3	...	3	...	-	-	...	-	...	-	1	...	1	...	-	6
10	...	7	...	3	2	...	2	...	-	1	...	1	...	-	7
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	8
19	...	16	...	3	3	...	3	...	-	2	...	2	...	-	9
															10
															11
															12
															13
111	35	63	2	11	30	5	15	3	7	21	7	11	2	1	14
															15
29	16	11	-	2	6	-	3	2	1	7	4	2	1	-	16
82	19	52	2	9	24	5	12	1	6	14	3	9	1	1	17
															18
															19
198	82	107	3	6	68	35	30	1	2	40	11	28	1	-	20
															21
111	38	70	-	3	38	15	21	1	1	23	5	17	1	-	22
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	23
11	4	6	1	-	2	1	-	-	1	2	-	2	-	-	24
5	2	3	-	-	1	1	-	-	-	2	1	1	-	-	25
28	22	5	-	1	6	5	1	-	-	5	4	1	-	-	26
43	16	23	2	2	20	13	7	-	-	8	1	7	-	-	27
															28
															29
1,147	566	470	60	51	233	94	117	10	12	215	111	98	4	2	30
															31
63	26	32	3	2	10	1	7	-	2	13	4	9	-	-	32
141	64	69	4	4	21	7	11	2	1	31	16	14	1	-	33
576	307	201	36	32	127	60	56	5	6	103	52	47	2	2	34
367	169	168	17	13	75	26	43	3	3	68	39	28	1	-	35
															36
3,206	1,516	1,089	342	259	779	377	256	80	66	445	253	171	13	8	37
															38
606	279	202	77	48	589	325	177	48	39	112	64	44	2	2	39
															40
52	14	32	4	2	115	51	53	4	7	40	23	16	1	-	41
554	265	170	73	46	474	274	124	44	32	72	41	28	1	2	42
															43
															44
6,027	3,602	1,863	398	164	1,936	1,157	530	184	65	1,430	961	411	40	18	45
															46
4,627	2,723	1,543	244	117	1,610	947	466	138	59	1,117	744	341	23	9	47
33	30	3	-	-	14	5	1	7	1	10	9	-	1	-	48
1,959	1,282	553	94	30	708	432	191	67	18	467	302	153	9	3	49
1,915	1,253	545	87	30	692	421	186	67	18	461	298	151	9	3	50
66	39	23	3	1	36	27	6	2	1	15	12	3	-	-	51
321	201	85	27	8	86	47	18	18	3	48	25	19	4	-	52
833	517	271	34	11	360	200	125	27	8	178	110	62	3	3	53
516	377	111	19	9	189	128	37	18	6	161	112	47	2	-	54
179	119	55	4	1	21	19	-	2	-	59	39	20	-	-	55
44	29	8	7	-	16	11	5	-	-	6	4	2	-	-	56
															57
															58
4	2	2	-	-	7	6	1	-	-	2	2	-	-	-	59
51	41	8	2	-	9	9	-	-	-	31	27	3	1	-	60
30	26	4	-	-	26	23	3	-	-	13	9	4	-	-	61
62	32	17	9	4	22	16	4	-	2	17	9	8	-	-	62
103	63	21	12	7	34	21	9	3	1	7	6	1	-	-	63
1,227	526	652	25	24	277	114	149	9	5	185	99	83	2	1	64
414	225	163	16	10	60	30	24	5	1	69	48	20	1	-	65
432	160	254	8	10	62	22	38	1	1	59	20	38	1	-	66
381	141	235	1	4	155	62	87	3	3	57	31	25	-	1	67
															68
73	60	4	8	1	20	20	-	-	-	38	37	1	-	-	69
94	85	3	6	-	48	45	2	1	-	34	34	-	-	-	70
25	20	4	1	-	17	14	1	2	-	12	11	1	-	-	71
317	158	101	31	27	140	73	37	16	14	69	34	32	2	1	72
22	12	7	1	2	6	2	4	-	-	1	-	1	-	-	73
53	41	8	4	-	47	39	1	6	1	32	29	-	2	1	74
67	34	28	2	3	31	15	8	3	5	25	16	7	-	2	75
166	117	25	22	2	71	47	15	9	-	64	55	7	2	-	76
4	1	2	1	-	8	6	1	1	-	-	-	-	-	-	77
56	24	22	6	4	21	8	12	-	1	12	7	5	-	-	78
281	169	79	20	13	104	52	27	14	11	98	58	35	4	1	79
															80
															81
1,072	769	257	34	12	213	160	48	4	1	241	177	56	7	1	82
259	147	102	6	4	39	17	21	1	-	62	33	26	3	-	83
198	141	47	8	2	23	19	3	-	1	28	23	4	1	-	84
495	410	67	15	3	136	114	19	3	-	127	104	20	3	-	85
120	71	41	5	3	15	10	5	-	-	24	17	6	-	-	86
															87
326	108	63	120	35	113	50	16	42	5	72	40	14	10	8	88
177	67	34	64	12	72	35	9	26	2	48	27	10	5	6	89
57	8	6	36	7	16	5	1	9	1	9	3	-	4	2	90
84	30	23	15	16	24	9	6	7	2	12	7	4	1	-	91
6	1	-	5	-	1	1	-	-	-	2	2	-	-	-	92
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	93
															94
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	123,290	62,958	50,833	5,275	4,224	9,127	4,735	4,170	122	100
I. INFECTIVE AND PARASITIC DISEASES	1,361	756	338	189	78	74	41	26	4	3
TUBERCULOSIS, ALL FORMS....001-019	784	483	123	131	47	30	21	7	2	-
TUBERCULOSIS OF RESPIRATORY SYSTEM....001-008	734	464	112	118	40	29	20	7	2	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	11	4	3	2	2	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS....011	2	1	1	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS....012,013	4	3	1	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS....014-018	16	8	5	2	1	-	-	-	-	-
DISSEMINATED TUBERCULOSIS....019	17	3	1	9	4	1	1	-	-	-
SYPHILIS AND ITS SEQUELAE....020-029	208	116	46	36	10	9	5	3	1	-
CONGENITAL SYPHILIS....020	2	-	-	1	1	-	-	-	-	-
EARLY SYPHILIS....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA....022	107	69	28	6	4	6	3	3	-	-
OTHER CARDIOVASCULAR SYPHILIS....023	61	27	9	21	4	2	2	-	-	-
TABES DORSALIS....024	5	5	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE....025	13	10	3	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM....026	13	3	2	7	1	1	-	-	1	-
ALL OTHER SYPHILIS....027-029	7	2	4	1	-	-	-	-	-	-
GONOCOCCAL INFECTION....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER....040	1	-	1	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	3	2	1	-	-	-	-	-	-	-
CHOLERA....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS....044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS....045-048	2	1	-	-	1	1	-	1	-	-
FOOD POISONING, INFECTION AND INTOXICATION....049	1	-	1	-	-	-	-	-	-	-
SCARLET FEVER....050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT....051	2	-	-	1	1	1	-	-	-	1
ERYSIPELAS....052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA....053	125	54	55	12	4	16	10	6	-	-
DIPHTHERIA....055	-	-	-	-	-	1	-	-	-	1
WHOOPING COUGH....056	5	3	2	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS....057	33	19	14	-	-	2	1	1	-	-
PLAGUE....058	-	-	-	-	-	-	-	-	-	-
LEPROSY....060	-	-	-	-	-	-	-	-	-	-
TETANUS....061	2	1	1	-	-	1	-	1	-	-
ANTHRAX....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS....080	5	1	3	-	1	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS....081	2	2	-	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS....082	28	13	12	3	-	3	1	1	-	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS....083	4	3	1	-	-	-	-	-	-	-
SMALLPOX....084	-	-	-	-	-	-	-	-	-	-
MEASLES....085	9	5	2	1	1	1	-	1	-	-
YELLOW FEVER....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS....092	36	13	21	1	1	1	-	1	-	-
RABIES....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS....104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS....124,126,128,130	-	-	-	-	-	1	-	1	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES....RESIDUAL	111	40	55	4	12	7	3	3	1	-
II. NEOPLASMS	20,262	9,930	8,818	876	638	1,712	874	808	17	13
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....140-205	19,930	9,781	8,664	867	618	1,692	865	798	16	13
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	432	318	78	27	9	48	34	14	-	-
OF LIP....140	6	6	-	-	-	2	-	2	-	-
OF TONGUE....141	96	67	22	4	3	11	9	2	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY....142-144	156	115	30	7	4	18	12	6	-	-
OF PHARYNX....145-148	174	130	26	16	2	17	13	4	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY....150-156A,157-159	7,001	3,429	3,075	299	198	630	313	307	6	4
OF ESOPHAGUS....150	406	280	62	51	13	25	17	7	1	-
OF STOMACH....151	1,346	753	469	91	33	120	64	54	1	1
OF SMALL INTESTINE, INCLUDING DUODENUM....152	51	21	22	4	4	2	2	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM....153	2,433	1,005	1,305	54	69	230	100	126	3	1
CECUM, APPENDIX, AND ASCENDING COLON....153.0	319	114	188	5	12	27	10	17	-	-
TRANSVERSE COLON....153.1	125	53	65	4	3	9	7	2	-	-
DESCENDING COLON....153.2	111	45	63	2	1	14	9	4	-	1
SIGMOID COLON....153.3	514	237	253	7	17	54	19	34	1	-
MULTIPLE PARTS OF LARGE INTESTINE....153.7	11	4	7	-	-	4	2	2	-	-
LARGE INTESTINE, PART UNSPECIFIED....153.8	1,175	484	626	35	30	106	44	60	2	-
INTESTINAL TRACT, PART UNSPECIFIED....153.9	178	68	103	1	6	16	9	7	-	-
OF RECTUM....154	920	503	369	26	22	94	54	39	-	1
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE....155	437	154	264	13	6	49	23	26	-	-
LIVER....155.0	106	61	34	8	3	14	9	5	-	-
OT. & MULT. SITES OF BILIARY PASSAGES....155.1,155.8	331	93	230	5	3	35	14	21	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	264	122	124	10	8	16	7	9	-	-
OF PANCREAS....157	980	516	384	43	37	84	43	39	1	1
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	164	75	76	7	6	10	3	7	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
20,447	7,085	5,098	4,426	3,838	6,570	3,814	2,414	192	150	34,089	15,216	11,696	3,845	3,332	1
299	81	38	112	68	59	23	15	13	8	529	235	153	90	51	2
113	27	14	47	25	21	6	4	9	2	305	145	89	49	22	3
101	26	14	39	22	15	6	1	7	1	280	136	84	44	16	4
4	-	-	3	1	3	-	-	2	1	11	4	3	2	2	5
1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	6
-	-	-	-	-	2	-	2	-	-	2	-	2	-	-	7
2	1	-	-	1	-	-	-	-	-	3	2	-	-	1	8
5	-	-	5	-	1	-	1	-	-	7	3	-	3	1	9
58	20	2	24	12	4	3	1	-	-	40	15	4	15	6	10
1	-	-	-	1	-	-	-	-	-	2	-	-	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
35	17	2	10	6	4	3	1	-	-	8	4	2	1	1	13
13	1	-	9	3	-	-	-	-	-	19	4	-	11	4	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
5	1	-	3	1	-	-	-	-	-	5	4	1	-	-	16
2	1	-	-	1	-	-	-	-	-	5	2	1	1	1	17
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	19
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	20
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
10	2	-	3	5	-	-	-	-	-	10	3	3	1	3	24
-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	25
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	26
2	-	-	2	-	-	-	-	-	-	5	2	2	-	1	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	28
25	5	5	10	5	5	3	-	-	2	42	16	12	6	8	29
3	-	1	2	-	-	-	-	-	-	1	-	-	1	-	30
7	-	-	3	4	-	-	-	-	-	2	-	-	2	-	31
8	7	1	-	-	4	2	-	1	1	13	7	4	1	1	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	1	-	5	1	-	-	-	-	-	6	-	3	2	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	37
1	-	-	-	1	2	-	2	-	-	4	1	2	1	-	38
14	6	2	3	3	1	1	-	-	-	15	9	2	1	3	39
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
5	-	1	2	2	6	1	2	1	2	17	8	6	2	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
12	4	5	2	1	7	2	4	1	-	27	11	10	4	2	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	52
7	-	-	2	5	-	-	-	-	-	-	-	-	-	-	53
23	7	5	7	4	7	3	2	1	1	32	15	11	5	1	54
2,441	869	855	354	363	1,009	589	393	7	20	4,708	1,984	1,870	404	450	55
2,385	860	830	342	353	992	582	385	7	18	4,639	1,962	1,841	401	435	56
71	40	14	11	6	8	7	1	-	-	130	65	38	12	15	57
3	1	1	1	-	1	1	-	-	-	3	3	-	-	-	58
10	8	2	-	-	1	1	-	-	-	24	8	9	4	3	59
31	14	8	5	4	2	1	1	-	-	50	22	22	2	4	60
27	17	3	5	2	4	4	-	-	-	53	32	7	6	8	61
665	212	222	129	102	321	179	135	2	5	1,402	589	560	134	119	62
53	18	7	18	10	2	2	-	-	-	80	45	17	17	1	63
162	46	43	50	23	86	57	27	1	1	286	116	96	48	26	64
4	4	-	-	-	5	2	3	-	-	15	6	8	1	-	65
156	44	73	17	22	109	58	50	-	1	384	138	188	22	36	66
10	1	5	3	1	16	11	5	-	-	51	15	29	3	4	67
7	1	3	3	-	5	4	1	-	-	12	5	7	-	-	68
5	-	2	1	2	6	4	2	-	-	18	9	9	-	-	69
24	8	15	-	1	24	10	14	-	-	51	18	27	3	3	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
105	33	46	8	18	54	28	25	-	1	241	90	110	16	25	72
5	1	2	2	-	4	1	3	-	-	11	1	6	-	4	73
72	31	26	5	10	33	21	11	-	1	131	50	53	11	17	74
36	17	11	4	4	26	8	17	-	1	107	34	58	8	7	75
16	11	3	1	1	10	5	5	-	-	30	14	8	6	2	76
20	6	8	3	3	16	3	12	-	1	77	20	50	2	5	77
30	6	16	4	4	7	2	5	-	-	78	34	36	3	5	78
128	43	41	22	22	48	27	19	1	1	295	158	90	23	24	79
24	3	5	9	7	5	2	3	-	-	26	8	14	1	3	80

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	3,188	2,488	424	240	36	251	208	38	5	-
OF LARYNX....161	204	165	16	21	2	8	8	-	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	1,254	967	152	117	18	136	114	20	2	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	1,674	1,320	239	101	14	102	81	18	3	-
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	56	36	17	1	2	5	5	-	-	-
MALIGNANT NEOPLASM OF BREAST....170	1,727	14	1,612	2	99	179	4	170	-	5
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	2,581	922	1,411	105	143	199	77	117	2	3
OF CERVIX UTERI....171	484	...	406	...	78	28	...	27	...	1
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	453	...	420	...	33	33	...	31	...	2
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	555	...	526	...	29	53	...	53	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	62	...	59	...	3	6	...	6	...	-
OF PROSTATE....177	974	870	...	104	...	76	74	...	2	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	53	52	...	1	...	3	3	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	946	585	298	40	23	84	66	18	-	-
OF KIDNEY....180	332	195	112	18	7	31	22	9	-	-
OF BLADDER AND OTHER URINARY ORGANS....181	614	390	186	22	16	53	44	9	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	2,292	1,089	1,045	92	66	164	79	84	-	1
OF SKIN....190,191	225	131	86	4	4	23	15	8	-	-
OF EYE....192	22	9	13	-	-	1	-	1	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	414	231	167	9	7	41	23	18	-	-
OF THYROID GLAND....194	73	27	42	-	4	6	3	3	-	-
OF BONE....196	136	70	57	6	3	6	3	3	-	-
OF CONNECTIVE TISSUE....197	75	42	26	2	5	4	3	1	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	110	63	41	5	1	7	5	2	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	1,237	516	613	66	42	76	27	48	-	1
LEUKEMIA AND ALEUKEMIA....204	864	461	363	27	13	51	30	20	1	-
LYMPHOSARCOMA, ETC....200-203,205	899	475	358	35	31	86	54	30	2	-
LYMPHOSARCOMA AND RETICULOSARCOMA....200	395	221	158	7	9	30	21	8	1	-
HODGKINS DISEASE....201	237	133	88	9	7	31	20	11	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	267	121	112	19	15	25	13	11	1	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	332	149	154	9	20	20	9	10	1	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	28	...	23	...	5	-	...	-	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	60	22	32	2	4	7	3	3	1	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	62	32	24	1	5	7	5	2	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	4	...	4	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	109	57	47	1	4	2	-	2	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	69	38	24	5	2	4	1	3	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	3,475	1,267	1,918	102	188	290	119	163	5	3
ASTHMA....241	289	170	83	16	20	25	21	4	-	-
NONTOXIC GOITER....250,251	13	3	9	-	1	2	-	2	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	39	10	24	-	5	3	2	1	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	24	5	19	-	-	2	1	1	-	-
DIABETES MELLITUS....260	2,784	947	1,626	70	141	228	82	140	3	3
DISEASES OF THYMUS GLAND....273	10	8	2	-	-	1	1	-	-	-
DISEASES OF ADRENAL GLANDS....274	39	13	23	2	1	3	1	2	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	108	42	50	8	8	10	5	5	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	169	69	82	6	12	16	6	8	2	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	355	144	179	16	16	25	17	8	-	-
ANEMIAS....290-293	226	86	117	10	13	17	10	7	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	41	17	22	1	1	5	3	2	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	185	69	95	9	12	12	7	5	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	56	21	32	1	2	5	4	1	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	73	37	30	5	1	3	3	-	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	198	117	37	26	18	20	9	10	1	-
SENILE PSYCHOSIS....304	13	6	5	1	1	-	-	-	-	-
ALCOHOLIC PSYCHOSIS....307	25	16	1	6	2	2	1	-	1	-
OTHER PSYCHOSES....300-303,305,306,308,309	28	13	8	4	3	4	1	3	-	-
ALCOHOLISM....322	101	68	12	12	9	10	7	3	-	-
MENTAL DEFICIENCY....325	24	11	10	2	1	2	-	2	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	7	3	1	1	2	2	-	2	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	13,781	5,920	6,889	451	521	930	395	512	13	10
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	12,776	5,458	6,449	385	484	858	359	479	11	9
SUBARACHNOID HEMORRHAGE....330	450	171	213	25	41	41	22	18	-	1
CEREBRAL HEMORRHAGE....331	6,874	2,937	3,465	216	256	444	181	252	8	3
CEREBRAL EMBOLISM AND THROMBOSIS....332	4,341	1,877	2,206	107	151	321	141	174	3	3
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	1,111	473	565	37	36	52	15	35	-	2
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	143	58	55	19	11	9	5	4	-	-
MULTIPLE SCLEROSIS....345	128	50	76	1	1	6	3	3	-	-
PARALYSIS AGITANS....350	226	122	100	1	3	16	6	10	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	39	13	20	4	2	4	2	2	-	-
EPILEPSY....353	144	70	46	20	8	11	6	3	1	1
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	2	-	2	-	-	-	-	-	-	-
GLAUCOMA....387	1	-	1	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	20	8	8	3	1	2	2	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	302	141	132	18	11	24	12	11	1	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category-titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
348	239	50	49	10	106	93	10	2	1	723	515	102	83	23	4
12	9	-	2	1	8	6	2	-	-	32	22	2	6	2	5
129	100	12	16	1	65	57	5	2	1	313	241	34	34	4	6
201	128	35	30	8	32	29	3	-	-	362	245	59	43	15	7
6	2	3	1	-	1	1	-	-	-	16	7	7	-	2	8
204	2	143	1	58	85	1	81	-	3	386	3	318	1	64	9
450	99	186	63	102	172	103	62	2	5	758	212	344	79	123	11
139	...	82	...	57	16	...	11	...	5	201	...	144	...	57	12
77	...	44	...	33	16	...	16	...	-	109	...	73	...	36	13
60	...	51	...	9	32	...	32	...	-	133	...	109	...	24	14
12	...	9	...	3	3	...	3	...	-	24	...	18	...	6	15
157	96	...	61	...	101	99	...	2	...	270	196	...	74	...	16
5	3	...	2	...	4	4	...	-	...	21	16	...	5	...	17
94	40	29	14	11	64	49	14	1	-	206	108	69	16	13	18
39	18	13	5	3	26	16	9	1	-	82	42	31	6	3	19
55	22	16	9	8	38	33	5	-	-	124	66	38	10	10	20
327	122	120	44	41	101	57	42	-	2	608	257	252	41	58	23
50	21	18	6	5	13	7	5	-	1	101	54	42	3	2	24
2	1	1	-	-	6	4	2	-	-	10	6	4	-	-	25
79	35	26	11	7	19	10	9	-	-	129	65	59	3	2	26
6	3	3	-	-	6	3	3	-	-	17	2	15	-	-	27
29	10	13	2	4	7	4	3	-	-	41	17	22	1	1	28
15	3	9	1	2	5	4	1	-	-	23	13	7	1	2	29
9	3	2	2	2	3	2	1	-	-	18	4	8	4	2	30
137	46	48	22	21	42	23	18	-	1	269	96	95	29	49	31
121	59	38	14	10	68	46	21	-	1	212	104	82	18	8	32
105	47	28	17	13	67	47	19	-	1	214	109	76	17	12	33
47	21	17	6	3	25	18	7	-	-	90	48	29	8	5	34
25	16	3	5	1	16	11	5	-	-	56	29	21	3	3	35
33	10	8	6	9	26	18	7	-	1	68	32	26	6	4	37
56	9	25	12	10	17	7	8	-	2	69	22	29	3	15	39
9	...	4	...	5	-	...	-	...	-	16	...	7	...	9	40
12	2	9	1	-	8	4	3	-	1	14	6	5	-	3	41
12	2	6	4	-	3	2	-	-	1	14	8	4	1	1	42
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	43
13	2	3	4	4	4	1	3	-	-	14	4	7	2	1	44
10	3	3	3	1	1	-	1	-	-	11	4	6	-	1	45
436	125	140	50	121	188	91	79	10	8	651	228	268	56	99	48
47	23	15	4	5	29	20	7	1	1	102	51	27	11	13	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
8	-	4	1	3	1	-	1	-	-	13	2	6	1	4	52
4	-	4	-	-	-	-	-	-	-	4	-	4	-	-	53
318	89	100	38	91	135	59	61	8	7	452	154	190	34	74	54
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	55
8	4	2	1	1	1	-	1	-	-	6	2	2	1	1	56
2	-	2	-	-	-	-	-	-	-	4	-	1	1	2	57
24	3	5	5	11	5	2	2	1	-	26	2	18	5	1	58
25	6	8	1	10	16	9	7	-	-	43	16	20	3	4	59
61	21	17	13	10	18	5	12	-	1	93	41	28	15	9	61
41	12	8	13	8	11	2	8	-	1	70	26	23	13	8	63
5	3	-	-	2	2	-	2	-	-	8	4	4	-	-	64
36	9	8	13	6	9	2	6	-	1	62	22	19	13	8	65
11	6	4	-	1	2	-	2	-	-	13	9	3	1	-	66
9	3	5	-	1	5	3	2	-	-	10	6	2	1	1	67
51	22	4	15	10	16	9	4	-	3	157	76	51	12	18	70
-	-	-	-	-	1	1	-	-	-	21	6	11	-	4	72
4	2	-	1	1	1	1	-	-	-	3	3	-	-	-	73
8	2	1	2	3	1	1	-	-	-	35	15	17	1	2	74
33	17	-	12	4	9	5	1	-	3	72	45	7	10	10	75
3	1	-	-	2	2	1	1	-	-	22	5	14	1	2	76
3	-	3	-	-	2	-	2	-	-	4	2	2	-	-	77
2,992	781	794	697	720	882	432	428	10	12	5,187	1,940	2,023	603	621	79
2,808	726	753	640	689	817	398	405	8	6	4,931	1,836	1,942	563	590	81
102	20	34	28	20	13	6	7	-	-	203	75	66	25	37	82
1,670	410	416	417	427	536	260	267	5	4	2,716	1,022	1,053	310	331	83
804	233	240	151	180	180	93	82	3	2	1,354	522	579	119	134	84
232	63	63	44	62	88	39	49	-	-	658	217	244	109	88	85
32	6	3	18	5	13	7	1	2	3	43	10	8	13	12	86
8	4	3	-	1	5	2	3	-	-	23	4	14	2	3	87
24	13	6	4	1	11	7	4	-	-	24	10	13	1	-	88
15	7	2	4	2	2	1	1	-	-	21	11	6	4	-	89
41	5	4	18	14	9	6	2	-	1	50	25	12	7	6	90
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
5	2	1	1	1	1	-	1	-	-	10	4	3	1	2	94
59	18	22	12	7	24	11	11	-	2	83	39	25	12	7	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	58,177	30,542	24,262	1,793	1,580	4,395	2,326	1,993	40	36
DISEASES OF HEART....400-402,410-443	52,827	28,090	21,709	1,612	1,416	4,037	2,144	1,825	35	33
RHEUMATIC FEVER....400-402	35	20	12	2	1	6	4	1	1	-
CHRONIC RHEUMATIC HEART DISEASE....410-416	1,399	592	733	33	41	106	51	54	-	1
DISEASES OF MITRAL VALVE....410	496	197	273	13	13	39	14	24	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	155	106	43	3	3	17	12	5	-	-
DISEASES OF PULMONARY VALVE, ETC....413,414	76	33	40	-	3	2	2	-	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	672	256	377	17	22	48	23	25	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	39,905	22,818	15,100	1,122	865	3,449	1,906	1,487	30	26
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	17,707	8,995	7,627	594	491	1,926	932	962	14	18
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	22,178	13,811	7,465	528	374	1,521	972	525	16	8
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	20	12	8	-	-	2	2	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	353	161	159	18	15	8	2	6	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	18	7	8	2	1	1	1	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	177	95	67	9	6	6	1	5	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	158	59	84	7	8	1	-	1	-	-
OTHER MYOCARDIAL DEGENERATION....422	4,604	1,955	2,455	87	107	134	49	85	-	-
WITH ARTERIOSCLEROSIS....422.1	3,704	1,553	2,002	62	87	99	37	62	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	900	402	453	25	20	35	12	23	-	-
OTHER DISEASES OF HEART....430-434	1,750	845	787	67	51	72	36	36	-	-
ACUTE AND SUBACUTE ENDOCARDITIS....430	54	30	16	6	2	2	2	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	63	34	22	5	2	3	2	1	-	-
FUNCTIONAL DISEASE OF HEART....433	527	215	294	9	9	18	8	10	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART....434	1,106	566	455	47	38	49	24	25	-	-
HYPERTENSIVE HEART DISEASE....440-443	4,781	1,699	2,463	283	336	262	96	156	4	6
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	1,349	566	674	53	56	49	21	28	-	-
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	3,432	1,133	1,789	230	280	213	75	128	4	6
OTHER HYPERTENSIVE DISEASE....444-447	825	344	376	48	57	91	46	43	2	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	465	216	201	20	28	66	36	29	1	-
ESSENTIAL HYPERTENSION....444,445,447	360	128	175	28	29	25	10	14	1	-
DISEASES OF ARTERIES....450-456	3,707	1,746	1,815	79	67	204	110	90	3	1
GENERAL ARTERIOSCLEROSIS....450	2,844	1,196	1,557	47	44	147	69	74	3	1
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	629	438	159	20	12	49	38	11	-	-
GANGRENE OF UNSPECIFIED CAUSE....455	20	13	5	2	-	1	1	-	-	-
OTHER ARTERIAL DISEASES....452-454,456	214	99	94	10	11	7	2	5	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	818	362	362	54	40	63	26	35	-	2
VIII. DISEASES OF THE RESPIRATORY SYSTEM	5,857	3,577	1,763	324	193	341	206	121	6	8
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	29	15	12	1	1	6	4	-	1	1
INFLUENZA....480-483	161	66	89	3	3	1	1	-	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	3,379	1,634	1,350	237	158	207	100	96	4	7
LOBAR PNEUMONIA....490	552	289	191	47	25	25	15	9	1	-
BRONCHOPNEUMONIA....491	1,747	851	706	114	76	119	55	59	1	4
PRIMARY ATYPICAL PNEUMONIA....492	436	202	176	31	27	31	17	10	2	2
PNEUMONIA, OTHER AND UNSPECIFIED....493	644	292	277	45	30	32	13	18	-	1
ACUTE BRONCHITIS....500	54	23	23	4	4	4	2	1	1	-
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	135	91	36	4	4	25	20	5	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS....510	5	2	3	-	-	1	1	-	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	54	30	13	8	3	2	2	-	-	-
PLEURISY....519	10	7	1	2	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	247	189	42	9	7	12	9	3	-	-
BRONCHIECTASIS....526	111	64	45	1	1	9	6	3	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	710	566	98	41	5	63	53	10	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	611	508	69	34	-	56	47	9	-	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	99	58	29	7	5	7	6	1	-	-
OTHER RESPIRATORY DISEASES....RESIDUAL	962	890	51	14	7	11	8	3	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	4,835	2,659	1,820	200	156	378	226	143	7	2
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	3	1	1	-	1	-	-	-	-	-
ULCER OF STOMACH....540	447	276	134	28	9	37	24	13	-	-
ULCER OF DUODENUM....541	373	268	88	10	7	40	32	7	1	-
GASTRITIS AND DUODENITIS....543	36	23	12	1	-	2	-	1	1	-
APPENDICITIS....550-553	113	58	43	6	6	4	1	3	-	-
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	732	344	348	17	23	48	21	25	2	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	189	74	86	17	12	10	5	5	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	268	104	150	6	8	20	10	10	-	-
CIRRHOSIS OF LIVER....581	1,439	918	403	67	51	128	87	39	1	1
WITHOUT MENTION OF ALCOHOLISM....581.0	983	607	317	29	30	80	55	24	1	-
WITH ALCOHOLISM....581.1	456	311	86	38	21	48	32	15	-	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	344	139	186	10	9	23	9	13	1	-
FIBROCYSTIC DISEASE OF PANCREAS....587B	48	25	19	1	3	2	1	1	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	843	429	350	37	27	64	36	26	1	1
X. DISEASES OF THE GENITOURINARY SYSTEM	1,930	1,008	659	146	117	132	75	51	3	3
NEPHRITIS AND NEPHROSIS....590-594	889	426	351	51	61	64	29	32	3	-
ACUTE NEPHRITIS....590	45	19	18	2	6	3	2	1	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	75	36	25	10	4	2	-	-	2	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	769	371	308	39	51	59	27	31	1	-
INFECTIONS OF KIDNEY....600	475	217	195	38	25	35	18	14	-	3
CALCULI OF URINARY SYSTEM....602,604	84	37	32	8	7	7	4	3	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	173	103	46	12	12	10	9	1	-	-
HYPERPLASIA OF PROSTATE....610	241	205	...	36	...	15	15	...	-	...
DISEASES OF BREAST....620,621	2	-	2	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	66	20	33	1	12	1	-	1	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
7,919	3,098	2,023	1,441	1,357	2,634	1,610	957	46	21	13,438	6,456	4,613	1,240	1,129	2
															3
7,100	2,845	1,811	1,253	1,191	2,355	1,475	825	39	16	11,946	5,899	4,050	1,050	947	4
7	2	1	2	2	6	5	1	-	-	12	4	4	1	3	5
122	37	38	16	31	49	21	25	2	1	210	88	88	8	26	6
37	10	15	3	9	16	7	9	-	-	85	33	37	4	11	7
18	9	5	1	3	3	1	2	-	-	21	16	5	-	-	8
6	2	1	1	2	5	3	1	1	-	9	6	2	1	-	9
61	16	17	11	17	25	10	13	1	1	95	33	44	3	15	10
4,796	2,329	1,210	714	543	1,917	1,274	611	22	10	8,633	4,735	2,848	610	440	11
1,381	594	429	199	159	573	335	227	6	5	3,319	1,586	1,295	249	189	12
3,391	1,728	777	506	380	1,342	938	383	16	5	5,304	3,142	1,551	361	250	13
24	7	4	9	4	2	1	1	-	-	10	7	2	-	1	14
															15
50	15	10	16	9	15	7	8	-	-	147	51	33	32	31	16
6	-	-	2	4	-	-	-	-	-	8	4	2	-	2	17
17	11	2	3	1	3	1	2	-	-	40	19	10	5	6	18
27	4	8	11	4	12	6	6	-	-	99	28	21	27	23	19
509	125	190	86	108	150	58	85	6	1	917	348	392	89	88	20
400	96	152	62	90	101	43	54	3	1	568	209	247	53	59	21
109	29	38	24	18	49	15	31	3	-	349	139	145	36	29	22
															23
419	122	89	100	108	105	55	41	8	1	574	261	159	81	73	24
14	6	3	2	3	2	2	-	-	-	15	9	2	3	1	25
12	1	2	4	5	4	1	3	-	-	10	-	7	2	1	26
64	26	23	8	7	20	13	6	1	-	107	50	42	4	11	27
329	89	61	86	93	79	39	32	7	1	442	202	108	72	60	28
1,197	215	273	319	390	113	55	54	1	3	1,453	412	526	229	286	29
															30
293	47	64	84	98	23	14	8	1	-	271	107	106	36	22	31
904	168	209	235	292	90	41	46	-	3	1,182	305	420	193	264	32
															33
186	39	32	69	46	30	18	11	1	-	361	99	82	86	94	34
83	30	21	19	13	18	13	5	-	-	206	68	46	40	52	35
103	9	11	50	33	12	5	6	1	-	155	31	36	46	42	36
538	177	151	103	107	197	89	101	5	2	964	389	423	82	70	37
411	112	121	82	96	157	70	82	3	2	757	279	370	60	48	38
99	51	25	15	8	27	13	13	1	-	154	89	31	21	13	39
1	-	1	-	-	-	-	-	-	-	3	1	1	-	1	40
27	14	4	6	3	13	6	6	1	-	50	20	21	1	8	41
95	37	29	16	13	52	28	20	1	3	167	69	58	22	18	42
															43
1,216	380	251	310	275	353	210	106	18	19	1,932	846	643	255	188	44
															45
19	3	3	10	3	2	2	-	-	-	20	9	6	2	3	46
103	21	14	32	36	13	7	4	-	2	183	56	61	24	42	47
833	199	199	226	209	216	111	74	16	15	1,204	464	437	181	122	48
210	62	38	53	57	36	21	12	2	1	184	57	53	46	28	49
369	88	92	105	84	113	54	45	9	5	678	272	251	92	63	50
94	19	27	29	19	23	11	10	-	2	69	25	34	3	7	51
160	30	42	39	49	44	25	7	5	7	273	110	99	40	24	52
															53
10	7	2	1	-	4	3	1	-	-	13	4	3	5	1	54
34	19	2	8	5	16	13	3	-	-	64	37	17	7	3	55
1	-	-	-	1	1	1	-	-	-	1	1	-	-	-	56
8	3	-	5	-	4	2	1	1	-	16	8	4	2	2	57
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	58
37	21	6	7	3	20	15	3	1	1	60	35	18	5	2	59
21	11	7	2	1	8	7	1	-	-	76	38	33	3	2	60
133	90	15	12	16	51	40	10	-	1	256	180	44	23	9	61
100	80	11	5	4	42	34	8	-	-	226	168	35	17	6	62
33	10	4	7	12	9	6	2	-	1	30	12	9	6	3	63
17	6	3	7	1	18	9	9	-	-	38	13	20	3	2	64
															65
753	250	190	189	124	223	119	85	7	12	1,013	453	346	111	103	66
															67
1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	68
77	39	13	22	3	24	13	10	1	-	100	66	23	10	1	69
51	22	13	12	4	24	17	7	-	-	112	69	25	11	7	70
8	3	-	2	3	1	-	1	-	-	5	4	-	-	1	71
22	8	3	7	4	6	6	-	-	-	25	8	11	1	5	72
115	23	37	28	27	36	17	18	1	-	148	55	64	16	13	73
															74
121	13	11	49	48	19	6	4	4	5	96	17	36	25	18	75
27	13	10	4	-	4	1	3	-	-	45	18	20	4	3	76
126	65	29	23	9	56	37	14	-	5	203	110	49	19	25	77
98	48	26	16	8	45	30	13	-	2	151	81	42	11	17	78
28	17	3	7	1	11	7	1	-	3	52	29	7	8	8	79
54	18	32	2	2	18	5	12	-	1	89	31	42	6	10	80
6	2	3	-	1	1	1	-	-	-	6	3	3	-	-	81
145	44	39	40	22	34	16	16	1	1	183	72	73	19	19	82
															83
469	128	117	126	98	101	60	31	4	6	709	278	186	148	97	84
															85
215	47	40	70	58	43	23	14	3	3	305	120	76	52	57	86
12	3	3	5	1	1	-	1	-	-	26	11	6	5	4	87
8	2	3	3	-	5	1	4	-	-	19	5	4	5	5	88
195	42	34	62	57	37	22	9	3	3	260	104	66	42	48	89
149	36	52	27	34	23	13	7	-	3	215	60	80	45	30	90
21	11	9	1	-	9	4	5	-	-	23	9	10	3	1	91
34	13	10	9	2	8	4	3	1	-	47	13	12	17	5	92
38	21	...	17	...	15	15	...	-	...	93	64	...	29	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
12	-	6	2	4	3	1	2	-	-	26	12	8	2	4	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	56	...	35	...	21	1	...	-	...	1
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	3	...	3	...	-	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	9	...	7	...	2	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	8	...	6	...	2	-	...	-	...	-
ECTOPIC PREGNANCY.....645	2	...	1	...	1	1	...	-	...	1
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	5	...	1	...	4	-	...	-	...	-
ABORTION WITH SEPSIS.....651	11	...	3	...	8	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	2	...	1	...	1	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	16	...	13	...	3	-	...	-	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	169	57	91	8	13	11	4	7	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	55	25	22	3	5	2	1	1	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	114	32	69	5	8	9	3	6	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	245	103	126	8	8	15	6	9	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	139	44	87	3	5	5	2	3	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	1	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	19	13	4	1	1	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	9	4	3	-	2	1	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	38	24	11	3	-	2	1	1	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	39	17	21	1	-	7	3	4	-	-
XIV. CONGENITAL MALFORMATIONS.....	1,157	585	450	76	46	105	45	53	2	5
SPINA BIFIDA AND MENINGOCELE.....751	101	43	56	2	-	9	5	4	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	108	50	42	10	6	10	5	4	-	1
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	590	316	208	37	29	42	19	20	1	2
OTHER CONGENITAL MALFORMATIONS.....750,755-759	358	176	144	27	11	44	16	25	1	2
XV. CERTAIN DISEASES OF EARLY INFANCY.....	3,482	1,678	1,133	370	301	305	172	113	12	8
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	1,243	536	340	225	142	16	10	6	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	141	38	100	2	1	2	2	-	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,102	498	240	223	141	14	8	6	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	6,707	4,079	1,975	465	188	377	210	147	12	8
ACCIDENTS.....E800-E962	5,227	3,173	1,596	308	150	317	177	122	11	7
RAILWAY ACCIDENTS.....E800-E802	69	51	13	5	-	3	3	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,789	1,226	432	91	40	91	55	32	3	1
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,752	1,198	424	90	40	89	53	32	3	1
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	25	18	7	-	-	-	-	-	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	467	295	115	39	18	32	20	12	-	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	573	375	158	30	10	32	14	16	2	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	427	330	71	17	9	24	18	4	1	1
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	260	180	73	4	3	1	1	-	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	37	28	8	1	-	2	2	-	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	17	13	4	-	-	1	1	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	38	34	2	2	-	3	3	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	37	31	6	-	-	5	5	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	136	59	32	26	19	9	5	4	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	92	64	15	9	4	1	-	-	1	-
ACCIDENTAL FALLS.....E900-E904	1,491	690	719	51	31	118	53	61	2	2
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	553	333	172	31	17	33	22	9	1	1
FALL ON SAME LEVEL.....E903	333	134	176	12	11	48	18	29	-	1
UNSPECIFIED FALLS.....E904	605	223	371	8	3	37	13	23	1	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	95	82	5	8	-	4	3	1	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	100	96	2	2	-	1	1	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	32	29	3	-	-	1	1	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	435	224	148	32	31	27	15	10	-	2
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	26	7	16	3	-	2	-	2	-	-
ACCIDENT CAUSED BY FIREARM.....E919	81	73	2	4	2	6	5	1	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	114	63	41	7	3	4	2	1	-	1
ACCIDENTAL DROWNING.....E929	192	143	26	22	1	18	12	1	4	1
EXCESSIVE HEAT AND INSOLATION.....E931	4	4	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	123	61	49	5	8	4	1	3	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	356	223	81	41	11	19	12	6	1	-
SUICIDE.....E963,E970-E979	1,152	819	293	34	6	52	27	24	1	-
SUICIDE BY POISONING.....E970-E973	290	163	120	6	1	17	5	12	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	256	195	53	8	-	11	7	4	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	452	378	61	10	3	15	12	2	1	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	154	83	59	10	2	9	3	6	-	-
HOMICIDE.....E964,E980-E985	328	87	86	123	32	8	6	1	-	1
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	105	34	27	40	4	2	1	-	-	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	102	13	14	61	14	1	-	1	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	113	37	45	17	14	4	4	-	-	-
INJURY BY INTERVENTION OF POLICE.....E984	6	2	-	4	-	1	1	-	-	-
EXECUTION.....E985	2	1	-	1	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
38	...	7	...	31	6	...	5	...	1	40	...	22	...	18	3
4	...	2	...	2	2	...	2	...	-	6	...	4	...	2	5
15	...	1	...	14	1	...	-	...	1	12	...	8	...	4	6
6	...	1	...	5	1	...	1	...	-	6	...	4	...	2	7
1	...	-	...	1	-	...	-	...	-	3	...	-	...	3	8
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	9
2	...	1	...	1	-	...	-	...	-	5	...	2	...	3	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
10	...	2	...	8	2	...	2	...	-	7	...	4	...	3	12
26	5	10	6	5	10	3	7	-	-	44	11	23	5	5	15
5	-	2	2	1	5	2	3	-	-	11	4	5	2	-	17
21	5	8	4	4	5	1	4	-	-	33	7	18	3	5	18
40	23	10	2	5	11	1	8	-	2	100	37	45	9	9	21
18	9	5	1	3	11	1	8	-	2	61	17	34	3	7	23
-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	24
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	25
2	1	1	-	-	-	-	-	-	-	3	3	-	-	-	26
12	9	2	1	-	-	-	-	-	-	20	15	3	1	1	27
7	4	1	-	2	-	-	-	-	-	12	2	6	4	-	28
248	99	82	38	29	76	39	32	2	3	410	181	154	46	29	31
18	7	9	1	1	8	2	5	1	-	40	13	25	2	-	33
23	6	6	7	4	4	1	3	-	-	56	15	24	10	7	34
121	51	37	15	18	35	21	12	1	1	212	92	75	26	19	35
86	35	30	15	6	29	15	12	-	2	102	61	30	8	3	36
890	294	188	235	173	254	138	93	11	12	1,351	567	375	244	165	38
548	82	42	232	192	90	50	22	11	7	1,078	395	290	218	175	40
10	1	1	4	4	7	3	1	1	2	81	26	39	5	11	42
538	81	41	228	188	83	47	21	10	5	997	369	251	213	164	43
2,020	827	330	606	257	640	435	137	53	15	2,649	1,488	606	389	166	46
1,578	651	277	431	219	538	357	121	46	14	1,979	1,094	505	236	144	48
20	8	2	8	2	3	2	-	1	-	28	20	2	6	-	49
720	366	120	174	60	260	172	56	24	8	906	571	215	92	28	50
709	359	118	172	60	251	167	53	23	8	883	557	210	89	27	51
23	11	10	2	-	6	3	3	-	-	26	11	10	3	2	52
137	57	16	46	18	20	12	3	4	1	143	76	32	29	6	53
155	72	30	37	16	131	89	34	7	1	401	252	108	29	12	54
113	63	15	29	6	80	51	11	12	6	283	200	50	26	7	55
281	156	47	58	20	14	12	2	-	-	30	18	10	2	-	56
11	7	2	2	-	9	5	3	1	-	23	14	5	3	1	57
7	1	1	4	1	2	1	-	1	-	5	1	2	2	-	59
27	14	-	13	-	2	2	-	-	-	22	19	3	-	-	60
7	6	-	1	-	44	44	-	-	-	20	18	2	-	-	61
29	7	7	11	4	3	1	2	-	-	46	24	10	6	6	62
7	4	-	2	1	5	4	1	-	-	15	11	3	-	1	63
173	59	81	16	17	64	30	29	4	1	275	103	147	11	14	64
40	21	7	10	2	15	8	4	2	1	78	42	26	5	5	65
34	9	20	2	3	12	5	7	-	-	60	15	38	3	4	66
99	29	54	4	12	37	17	18	2	-	137	46	83	3	5	67
22	10	-	12	-	16	16	-	-	-	28	22	1	5	-	69
16	8	-	8	-	22	18	3	1	-	49	41	3	5	-	70
10	7	1	2	-	4	4	-	-	-	18	13	2	3	-	71
156	30	17	40	69	18	10	4	4	-	207	55	45	48	59	72
10	-	2	7	1	2	1	1	-	-	13	3	3	4	3	73
65	31	3	26	5	12	8	2	2	-	50	35	5	7	3	74
34	8	5	9	12	9	6	2	1	-	38	20	12	4	2	75
116	46	11	54	5	14	8	1	5	-	96	63	11	17	5	76
4	1	1	2	-	1	1	-	-	-	1	-	-	1	-	77
14	4	9	-	1	7	4	2	-	1	22	6	7	5	4	78
141	41	17	42	41	50	25	18	3	4	140	69	32	20	19	79
178	117	35	21	5	79	67	9	3	-	406	311	70	24	1	82
26	18	7	1	-	12	10	2	-	-	53	29	23	1	-	83
16	9	4	2	1	20	17	2	1	-	44	36	5	3	-	84
127	87	20	17	3	42	38	4	-	-	269	221	32	16	-	85
9	3	4	1	1	5	2	1	2	-	40	25	10	4	1	86
264	59	18	154	33	23	11	7	4	1	263	82	31	129	21	88
196	45	16	115	20	15	8	5	1	1	175	64	25	73	13	89
35	6	1	24	4	3	2	1	-	-	53	4	1	42	6	90
28	7	1	11	9	5	1	1	3	-	28	13	5	8	2	91
3	-	-	3	-	-	-	-	-	-	7	1	-	6	-	92
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	80,752	39,705	28,086	7,032	5,929	6,322	3,567	2,623	91	41
I. INFECTIVE AND PARASITIC DISEASES	1,321	666	382	162	111	57	40	12	3	2
TUBERCULOSIS, ALL FORMS 001-019	506	303	129	45	29	16	16	-	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	466	281	117	45	23	16	16	-	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	23	12	8	-	3	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	3	1	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	2	1	1	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	4	3	1	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	7	3	1	-	3	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	188	86	29	54	19	6	4	1	1	-
CONGENITAL SYPHILIS 020	7	2	1	4	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	101	56	19	22	4	4	2	1	1	-
OTHER CARDIOVASCULAR SYPHILIS 023	52	20	5	19	8	-	-	-	-	-
TABES DORSALIS 024	3	1	-	2	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	7	-	-	3	4	1	1	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	13	4	4	3	2	1	1	-	-	-
ALL OTHER SYPHILIS 027-029	5	3	-	1	1	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	1	1	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	2	-	-	1	1	1	-	1	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	76	29	30	9	8	2	-	-	1	1
FOOD POISONING, INFECTION AND INTOXICATION 049	5	1	1	2	1	-	-	-	-	-
SCARLET FEVER 050	2	-	-	1	1	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	8	3	3	1	1	1	1	-	-	-
ERYSIPELAS 052	4	2	2	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	163	77	55	18	13	8	5	3	-	-
DIPHTHERIA 055	9	4	4	1	-	-	-	-	-	-
WHOOPING COUGH 056	6	2	1	-	3	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	29	13	10	1	5	2	1	-	1	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	1	1	-	-	-	-	-	-	-	-
TETANUS 061	52	21	15	7	9	1	1	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	13	8	4	1	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	7	2	5	-	-	1	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	31	12	15	-	4	5	4	-	-	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	1	-	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	59	19	28	5	7	1	-	1	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	55	25	27	3	-	2	2	-	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	1	1	-	-	-	-	-	-	-	-
MALARIA 110-117	3	1	-	2	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	3	1	-	2	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	97	54	24	9	10	10	6	4	-	-
II. NEOPLASMS	12,381	5,885	4,842	878	776	879	465	395	14	5
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	12,193	5,809	4,757	863	764	869	459	391	14	5
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	325	223	67	29	6	17	11	6	-	-
OF LIP 140	12	11	1	-	-	4	4	-	-	-
OF TONGUE 141	58	37	17	4	-	3	2	1	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	107	64	33	7	3	7	3	4	-	-
OF PHARYNX 145-148	148	111	16	18	3	3	2	1	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	3,648	1,669	1,475	279	225	268	152	110	3	3
OF ESOPHAGUS 150	200	128	33	33	6	10	9	1	-	-
OF STOMACH 151	835	398	289	92	56	71	42	28	1	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	35	14	18	2	1	3	2	1	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	1,094	406	565	48	75	90	42	47	1	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	135	48	73	3	11	9	2	6	1	-
TRANSVERSE COLON 153.1	54	17	30	3	4	2	1	1	-	-
DESCENDING COLON 153.2	49	14	31	1	3	-	-	-	-	-
SIGMOID COLON 153.3	159	73	67	10	9	16	9	7	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	1	-	1	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	656	245	338	27	46	57	27	30	-	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	40	9	25	4	2	6	3	3	-	-
OF RECTUM 154	268	126	115	12	15	26	16	9	-	1
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	363	162	159	24	18	17	8	9	-	-
LIVER 155.0	190	94	66	20	10	7	6	1	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	173	68	93	4	8	10	2	8	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	64	31	20	7	6	5	2	1	1	1
OF PANCREAS 157	718	368	250	58	42	44	29	14	-	1
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	71	36	26	3	6	2	2	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,355	2,358	1,983	9	5	35,658	15,140	11,280	5,076	4,162	27,383	15,758	10,760	551	314	1
															2
															3
40	26	13	-	1	435	150	93	122	70	207	123	60	15	9	4
															5
22	18	3	-	1	197	89	29	55	24	87	65	12	5	5	6
19	15	3	-	1	177	83	24	49	21	78	59	12	5	2	7
-	-	-	-	-	4	1	-	1	2	3	1	-	-	2	8
															9
-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	10
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	11
1	1	-	-	-	4	2	2	-	-	2	2	-	-	-	12
1	1	-	-	-	6	1	2	2	1	3	2	-	-	1	13
															14
4	2	2	-	-	64	10	5	36	13	37	21	11	4	1	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
4	2	2	-	-	28	5	3	16	4	23	12	8	3	-	18
-	-	-	-	-	25	2	-	16	7	9	5	2	1	1	19
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	20
-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	21
-	-	-	-	-	8	2	2	2	2	2	2	-	-	-	22
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	23
															24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	1	-	-	13	1	-	7	5	2	-	1	1	-	30
-	-	-	-	-	3	1	1	-	1	2	1	1	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	33
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	34
5	3	2	-	-	51	16	15	7	13	32	15	13	2	2	35
															36
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	37
-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	38
1	1	-	-	-	20	7	8	4	1	9	4	5	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	44
-	-	-	-	-	3	-	3	-	-	3	2	1	-	-	45
1	1	-	-	-	12	4	7	-	1	7	3	4	-	-	46
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	10	3	2	3	2	4	-	2	1	1	49
															50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	-	1	-	-	11	3	6	1	1	11	5	6	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	62
4	-	4	-	-	38	15	13	5	5	9	5	3	1	-	63
															64
727	361	363	1	2	5,263	2,186	1,955	603	519	4,418	2,409	1,899	66	44	65
															66
720	359	359	-	2	5,168	2,153	1,923	590	502	4,351	2,376	1,869	65	41	67
12	6	6	-	-	125	71	32	21	1	85	62	21	2	-	68
-	-	-	-	-	9	8	1	-	-	1	1	-	-	-	69
2	2	-	-	-	30	17	6	7	-	17	15	2	-	-	70
5	2	3	-	-	35	14	17	3	1	17	9	8	-	-	71
5	2	3	-	-	51	32	8	11	-	50	37	11	2	-	72
															73
															74
232	112	119	-	1	1,534	614	550	216	154	1,388	763	590	23	12	75
9	8	1	-	-	110	52	21	26	11	61	40	18	2	1	76
51	34	17	-	-	305	125	80	66	34	323	208	100	12	3	77
1	-	1	-	-	15	2	9	2	2	12	7	5	-	-	78
83	31	51	-	1	441	149	205	36	51	423	189	230	2	2	79
12	3	9	-	-	64	21	35	7	1	66	28	35	2	1	80
12	2	10	-	-	15	5	6	2	2	21	9	11	-	1	81
7	3	3	-	1	28	9	13	3	3	13	5	8	-	-	82
37	14	23	-	-	63	23	25	7	8	86	39	47	-	-	83
1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	84
11	7	4	-	-	252	84	118	15	35	216	96	120	-	-	85
3	1	2	-	-	18	6	8	2	2	19	11	8	-	-	86
															87
															88
42	16	26	-	-	155	67	53	18	17	157	97	56	4	-	89
11	4	7	-	-	92	33	40	15	4	97	46	48	1	2	90
4	3	1	-	-	40	18	11	8	3	24	16	7	1	-	91
7	1	6	-	-	52	15	29	7	1	73	30	41	-	2	92
4	1	3	-	-	72	30	24	13	5	23	9	13	1	-	93
28	18	10	-	-	315	146	105	37	27	271	162	104	1	4	94
3	-	3	-	-	29	10	13	3	3	21	5	16	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	2,082	1,562	279	199	42	92	73	13	6	-
OF LARYNX.....161	88	69	10	8	1	5	4	1	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	948	740	116	85	7	43	33	6	4	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	997	728	137	101	31	41	35	4	2	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	49	25	16	5	3	3	1	2	-	-
MALIGNANT NEOPLASM OF BREAST.....170	946	5	816	-	125	80	-	79	-	1
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,849	614	909	136	190	146	73	71	2	-
OF CERVIX UTERI.....171	417	...	330	...	87	26	...	26	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	254	...	195	...	59	22	...	22	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	390	...	355	...	35	21	...	21	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	38	...	29	...	9	2	...	2	...	-
OF PROSTATE.....177	704	575	...	129	...	70	68	...	2	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	46	39	...	7	...	5	5	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	524	290	165	47	22	43	23	17	2	1
OF KIDNEY.....180	238	126	83	19	10	19	9	9	-	1
OF BLADDER AND OTHER URINARY ORGANS.....181	286	164	82	28	12	24	14	8	2	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	1,503	750	569	92	92	116	70	46	-	-
OF SKIN.....190,191	306	199	90	12	5	16	11	5	-	-
OF EYE.....192	11	4	6	1	-	-	-	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	350	185	147	9	9	30	16	14	-	-
OF THYROID GLAND.....194	55	15	32	1	7	1	-	1	-	-
OF BONE.....196	91	45	30	6	10	7	5	2	-	-
OF CONNECTIVE TISSUE.....197	53	22	25	1	5	1	1	-	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	68	41	15	2	10	9	6	3	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	569	239	224	60	46	52	31	21	-	-
LEUKEMIA AND ALEUKEMIA.....204	688	370	253	35	30	50	26	24	-	-
LYMPHOSARCOMA, ETC.....200-203,205	628	326	224	46	32	57	31	25	1	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	284	156	103	14	11	33	13	19	1	-
HODGKINS DISEASE.....201	145	87	47	8	3	12	9	3	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	199	83	74	24	18	12	9	3	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	188	76	85	15	12	10	6	4	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	14	...	9	...	5	-	...	-	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	39	18	19	1	1	5	3	2	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	44	20	19	2	3	1	1	-	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	2	...	-	...	2	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	47	19	20	7	1	3	1	2	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	42	19	18	5	-	1	1	-	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,874	675	822	140	237	142	65	75	1	1
ASTHMA.....241	220	123	61	20	16	16	10	6	-	-
NONTOXIC GOITER.....250,251	1	-	-	-	1	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	7	2	1	3	1	2	-	1	-	1
ALL OTHER DISEASES OF THYROID GLAND.....253,254	18	3	14	-	1	1	1	-	-	-
DIABETES MELLITUS.....260	1,288	423	591	93	181	102	44	57	1	-
DISEASES OF THYMUS GLAND.....273	8	4	2	2	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS.....274	25	11	11	1	2	3	1	2	-	-
PELLAGRA.....281	6	1	2	-	3	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	157	62	70	13	12	4	3	1	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	144	46	70	8	20	14	6	8	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	297	131	116	27	23	25	13	12	-	-
ANEMIAS.....290-293	191	78	76	20	17	16	9	7	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	20	9	9	-	2	-	-	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	171	69	67	20	15	16	9	7	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	40	19	14	3	4	4	2	2	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	66	34	26	4	2	5	2	3	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	183	112	45	16	10	32	19	11	2	-
SENILE PSYCHOSIS.....304	12	2	8	1	1	4	1	3	-	-
ALCOHOLIC PSYCHOSIS.....307	15	14	-	-	1	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	25	10	11	2	2	5	5	-	-	-
ALCOHOLISM.....322	92	68	12	9	3	14	8	4	2	-
MENTAL DEFICIENCY.....325	35	15	13	4	3	9	5	4	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	4	3	1	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	10,258	4,051	4,377	850	980	686	298	381	7	-
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	9,487	3,708	4,093	768	918	613	258	348	7	-
SUBARACHNOID HEMORRHAGE.....330	372	140	158	26	48	12	4	7	1	-
CEREBRAL HEMORRHAGE.....331	5,816	2,238	2,482	500	596	363	143	217	3	-
CEREBRAL EMBOLISM AND THROMBOSIS.....332	2,173	912	965	141	155	182	84	96	2	-
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,126	418	488	101	119	56	27	28	1	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	156	51	56	32	17	10	4	6	-	-
MULTIPLE SCLEROSIS.....345	42	22	13	2	5	8	3	5	-	-
PARALYSIS AGITANS.....350	109	57	46	3	3	12	5	7	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	46	24	18	1	3	7	3	4	-	-
EPILEPSY.....353	87	37	29	15	6	16	7	9	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	1	-	1	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	1	1	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	9	3	3	2	1	1	1	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	321	149	118	27	27	18	16	2	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
105	83	22	-	-	903	632	133	117	21	678	563	96	18	1	4
3	2	1	-	-	48	34	8	6	-	24	20	4	-	-	5
34	31	3	-	-	285	216	34	34	1	334	283	40	10	1	6
65	49	16	-	-	553	373	86	76	18	306	250	48	8	-	7
3	1	2	-	-	17	9	5	1	2	14	10	4	-	-	8
77	1	76	-	-	416	3	336	2	75	370	-	363	-	7	9
118	48	69	-	1	773	225	336	94	118	627	292	318	7	10	11
34	...	33	...	1	196	...	138	...	58	122	...	118	...	4	12
19	...	19	...	-	93	...	62	...	31	82	...	78	...	4	13
14	...	14	...	-	147	...	122	...	25	114	...	112	...	2	14
3	...	3	...	-	18	...	14	...	4	10	...	10	...	-	15
48	48	...	-	...	299	208	...	91	...	280	274	...	6	...	16
-	-	...	-	...	20	17	...	3	...	19	18	...	1	...	17
41	23	18	-	-	216	102	60	31	23	228	155	69	2	2	18
11	5	6	-	-	83	32	29	11	11	88	53	32	1	2	19
30	18	12	-	-	133	70	31	20	12	140	102	37	1	-	20
67	42	25	-	-	719	276	294	67	82	512	276	223	8	5	22
9	5	4	-	-	75	44	27	1	3	57	29	28	-	-	23
1	-	1	-	-	7	2	4	1	-	7	5	2	-	-	24
8	3	5	-	-	118	57	48	10	3	132	79	50	1	2	25
2	-	2	-	-	27	6	14	1	6	11	5	6	-	-	26
6	3	3	-	-	45	15	19	5	6	21	9	11	1	-	27
2	2	-	-	-	24	5	12	1	6	19	12	6	1	-	28
3	2	1	-	-	32	12	10	5	5	22	10	9	1	2	29
36	27	9	-	-	391	135	160	43	53	243	127	111	4	1	30
30	18	12	-	-	232	113	93	12	14	235	136	97	-	2	31
38	26	12	-	-	250	117	89	30	14	228	129	92	5	2	32
18	13	5	-	-	115	59	47	6	3	103	57	42	3	1	33
5	4	1	-	-	51	24	17	7	3	60	33	25	1	1	34
15	9	6	-	-	84	34	25	17	8	65	39	25	1	-	35
7	2	4	1	-	95	33	32	13	17	67	33	30	1	3	36
1	...	1	...	-	8	...	2	...	6	1	...	-	...	1	37
-	-	-	-	-	15	7	6	1	1	7	3	3	-	1	38
3	-	3	-	-	15	7	5	1	2	9	4	4	1	-	39
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	40
2	1	-	1	-	37	15	15	3	4	35	18	16	-	1	41
1	1	-	-	-	20	4	4	8	4	13	8	5	-	-	42
78	35	43	-	-	720	226	266	82	146	666	289	354	12	11	43
13	8	5	-	-	88	35	30	12	11	100	65	32	2	1	44
-	-	-	-	-	4	-	3	-	1	-	-	-	-	-	45
-	-	-	-	-	8	2	4	-	2	6	-	6	-	-	46
1	1	-	-	-	4	1	2	-	1	3	1	2	-	-	47
58	22	36	-	-	524	158	198	53	115	475	186	272	8	9	48
-	-	-	-	-	1	1	-	-	-	4	1	3	-	-	49
-	-	-	-	-	5	2	3	-	-	8	4	4	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	51
3	1	2	-	-	29	6	8	5	10	30	17	11	2	-	52
3	3	-	-	-	56	20	18	12	6	40	15	24	-	1	53
13	8	5	-	-	97	32	45	9	11	92	57	34	-	1	54
9	7	2	-	-	70	22	30	8	10	62	40	22	-	-	55
2	1	1	-	-	4	-	4	-	-	11	5	6	-	-	56
7	6	1	-	-	66	22	26	8	10	51	35	16	-	-	57
2	-	2	-	-	7	4	3	-	-	12	4	7	-	1	58
2	1	1	-	-	20	6	12	1	1	18	13	5	-	-	59
9	5	3	1	-	147	66	28	31	22	141	97	34	8	2	60
-	-	-	-	-	3	-	2	1	-	3	1	2	-	-	61
2	1	1	-	-	12	6	1	4	1	9	6	2	1	-	62
4	2	2	-	-	14	3	6	-	5	20	8	11	1	-	63
3	2	-	1	-	99	52	12	22	13	96	75	14	6	1	64
-	-	-	-	-	15	5	3	4	3	12	7	4	-	1	65
-	-	-	-	-	4	-	4	-	-	1	-	1	-	-	66
542	238	304	-	-	4,423	1,488	1,636	635	664	3,612	1,758	1,760	62	32	67
501	216	285	-	-	4,112	1,354	1,548	582	628	3,333	1,611	1,637	56	29	68
23	5	18	-	-	236	85	85	27	39	156	67	84	3	2	69
239	103	136	-	-	2,305	729	842	370	364	1,980	929	997	36	18	70
205	95	110	-	-	1,173	423	467	140	143	933	488	425	14	6	71
34	13	21	-	-	398	117	154	45	82	264	127	131	3	3	72
5	-	5	-	-	56	21	14	13	8	27	15	9	2	1	73
5	3	2	-	-	23	7	11	3	2	35	13	22	-	-	74
5	3	2	-	-	49	25	18	3	3	80	40	38	-	2	75
2	2	-	-	-	18	7	6	2	3	10	8	2	-	-	76
4	3	1	-	-	50	14	8	20	8	38	21	14	3	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	5	3	1	-	1	1	1	-	-	-	81
19	10	9	-	-	110	57	30	12	11	87	49	37	1	-	82

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	30,487	15,909	10,133	2,349	2,096	2,342	1,358	964	12	8
DISEASES OF HEART....400-402,410-443	27,648	14,709	8,944	2,112	1,883	2,157	1,270	871	10	6
RHEUMATIC FEVER....400-402	21	5	4	4	8	3	1	2	-	-
CHRONIC RHEUMATIC HEART DISEASE....410-416	421	184	180	22	35	140	63	77	-	-
DISEASES OF MITRAL VALVE....410	168	68	80	6	14	38	15	23	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	56	41	11	2	2	9	8	1	-	-
DISEASES OF PULMONARY VALVE, ETC....413,414	27	8	17	-	2	20	11	9	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	170	67	72	14	17	73	29	44	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	20,573	11,853	6,197	1,372	1,151	1,535	996	528	8	3
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	6,483	3,268	2,350	461	404	623	360	259	2	2
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	14,066	8,571	3,845	905	745	912	636	269	6	1
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	24	14	2	6	2	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	152	72	46	19	15	17	6	9	-	2
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	6	3	1	1	1	1	1	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	87	51	22	8	6	8	2	5	-	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	59	18	23	10	8	8	3	4	-	1
OTHER MYOCARDIAL DEGENERATION....422	1,860	782	805	137	136	159	83	75	1	-
WITH ARTERIOSCLEROSIS....422.1	1,300	543	568	91	98	118	65	52	1	-
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	560	239	237	46	38	41	18	23	-	-
OTHER DISEASES OF HEART....430-434	2,384	1,125	781	262	216	98	48	50	-	-
ACUTE AND SUBACUTE ENDOCARDITIS....430	33	11	14	6	2	3	2	1	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	56	26	23	5	2	2	2	-	-	-
FUNCTIONAL DISEASE OF HEART....433	435	167	205	34	29	25	8	17	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART....434	1,860	921	539	217	183	68	36	32	-	-
HYPERTENSIVE HEART DISEASE....440-443	2,237	688	931	296	322	205	73	130	1	1
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	486	193	187	56	50	58	23	35	-	-
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	1,751	495	744	240	272	147	50	95	1	1
OTHER HYPERTENSIVE DISEASE....444-447	499	177	170	82	70	21	7	13	1	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	239	103	87	29	20	11	4	6	1	-
ESSENTIAL HYPERTENSION....444,445,447	260	74	83	53	50	10	3	7	-	-
DISEASES OF ARTERIES....450-456	1,882	822	858	94	108	114	56	55	1	2
GENERAL ARTERIOSCLEROSIS....450	1,396	543	711	69	73	71	27	41	1	2
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	307	194	85	15	13	27	21	6	-	-
GANGRENE OF UNSPECIFIED CAUSE....455	24	11	4	3	6	-	-	-	-	-
OTHER ARTERIAL DISEASES....452-454,456	155	74	58	7	16	16	8	8	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	458	201	161	61	35	50	25	25	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM	4,494	2,317	1,443	445	289	338	231	98	6	3
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	38	14	12	7	5	5	4	1	-	-
INFLUENZA....480-483	158	57	69	19	13	9	5	4	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	2,812	1,283	988	318	223	203	119	77	4	3
LOBAR PNEUMONIA....490	418	210	134	43	31	25	13	10	1	1
BRONCHOPNEUMONIA....491	1,303	600	475	137	91	111	66	42	2	1
PRIMARY ATYPICAL PNEUMONIA....492	198	89	76	20	13	22	16	5	-	1
PNEUMONIA, OTHER AND UNSPECIFIED....493	893	384	303	118	88	45	24	20	1	-
ACUTE BRONCHITIS....500	45	23	16	4	2	4	2	1	1	-
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	208	147	37	19	5	15	12	3	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS....510	7	3	2	-	2	1	-	1	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	48	28	11	7	2	6	4	2	-	-
PLEURISY....519	9	7	1	1	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	182	108	58	6	10	17	13	4	-	-
BRONCHIECTASIS....526	82	44	34	4	-	7	6	1	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	718	524	132	46	16	55	52	2	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	621	475	102	36	8	43	42	1	-	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	97	49	30	10	8	12	10	1	1	-
OTHER RESPIRATORY DISEASES....RESIDUAL	187	79	83	14	11	16	14	2	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	3,342	1,641	1,247	236	218	238	121	108	6	3
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	6	3	3	-	-	-	-	-	-	-
ULCER OF STOMACH....540	216	133	50	25	8	29	14	15	-	-
ULCER OF DUODENUM....541	177	133	28	9	7	27	19	7	1	-
GASTRITIS AND DUODENITIS....543	20	9	8	1	2	2	1	1	-	-
APPENDICITIS....550-553	83	39	25	9	10	7	4	3	-	-
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	461	165	221	37	38	34	14	20	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	502	209	195	48	50	20	7	7	3	3
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	138	58	67	4	9	10	7	3	-	-
CIRRHOSIS OF LIVER....581	845	497	261	51	36	52	30	20	2	-
WITHOUT MENTION OF ALCOHOLISM....581.0	603	344	204	30	25	35	20	14	1	-
WITH ALCOHOLISM....581.1	242	153	57	21	11	17	10	6	1	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	194	76	106	3	9	22	8	14	-	-
FIBROCYSTIC DISEASE OF PANCREAS....587B	34	16	15	1	2	5	2	3	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	666	303	268	48	47	30	15	15	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM	1,692	771	523	240	158	130	71	52	3	4
NEPHRITIS AND NEPHROSIS....590-594	744	302	238	112	92	57	29	24	2	2
ACUTE NEPHRITIS....590	55	22	19	10	4	6	4	2	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	54	31	20	2	1	7	4	2	-	1
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	635	249	199	100	87	44	21	20	2	1
INFECTIONS OF KIDNEY....600	476	176	213	44	43	39	16	21	1	1
CALCULI OF URINARY SYSTEM....602,604	52	26	17	6	3	5	3	2	-	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	135	73	31	20	11	8	7	1	-	-
HYPERPLASIA OF PROSTATE....610	203	154	...	49	...	16	16	...	-	...
DISEASES OF BREAST....620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	81	40	23	9	9	5	-	4	-	1

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,964	1,065	893	5	1	14,712	6,676	4,640	1,796	1,600	11,715	7,078	4,422	142	73	1
															2
															3
1,739	948	786	4	1	13,267	6,095	4,131	1,614	1,427	10,524	6,429	3,900	132	63	4
1	-	1	-	-	13	7	2	4	-	5	3	2	-	-	5
48	19	29	-	-	262	92	122	18	30	292	142	138	4	8	6
19	7	12	-	-	81	33	32	7	9	125	53	65	1	6	7
4	3	1	-	-	40	24	15	-	1	38	26	12	-	-	8
5	2	3	-	-	7	2	3	2	-	15	8	7	-	-	9
20	7	13	-	-	134	33	72	9	20	114	55	54	3	2	10
1,413	807	601	4	1	9,248	4,885	2,731	942	690	8,130	5,282	2,718	93	37	11
692	352	338	2	-	3,702	1,733	1,311	366	292	2,816	1,599	1,164	37	16	12
719	454	262	2	1	5,543	3,152	1,418	576	397	5,308	3,679	1,552	56	21	13
2	1	1	-	-	3	-	2	-	1	6	4	2	-	-	14
															15
13	6	7	-	-	86	29	21	21	15	78	45	33	-	-	16
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	17
5	3	2	-	-	50	25	13	5	7	48	33	15	-	-	18
8	3	5	-	-	36	4	8	16	8	28	11	17	-	-	19
97	45	52	-	-	1,308	451	504	162	191	688	353	328	6	1	20
74	32	42	-	-	1,039	355	414	121	149	521	267	249	5	-	21
23	13	10	-	-	269	96	90	41	42	167	86	79	1	1	22
															23
46	31	15	-	-	536	188	159	100	89	492	263	215	10	4	24
4	2	2	-	-	12	4	2	2	4	17	10	7	-	-	25
1	1	-	-	-	34	14	6	11	3	12	7	5	-	-	26
14	10	4	-	-	196	75	66	25	30	143	75	64	2	2	27
27	18	9	-	-	294	95	85	62	52	320	171	139	8	2	28
121	40	81	-	-	1,814	443	592	367	412	839	341	466	19	13	29
															30
29	12	17	-	-	463	137	157	76	93	314	140	165	7	2	31
92	28	64	-	-	1,351	306	435	291	319	525	201	301	12	11	32
															33
46	21	25	-	-	298	80	96	73	49	98	53	42	2	1	34
29	19	10	-	-	157	55	59	30	13	46	31	14	1	-	35
17	2	15	-	-	141	25	37	43	36	52	22	28	1	1	36
149	83	66	-	-	950	420	350	85	95	977	534	429	7	7	37
110	60	50	-	-	680	264	283	63	70	745	374	362	5	4	38
26	19	7	-	-	203	126	40	21	16	178	130	46	1	1	39
-	-	-	-	-	4	1	2	-	1	3	2	-	-	1	40
13	4	9	-	-	63	29	25	1	8	51	28	21	1	1	41
30	13	16	1	-	197	81	63	24	29	116	62	51	1	2	42
															43
246	164	81	1	-	1,891	897	516	283	195	1,480	910	496	47	27	44
															45
1	-	1	-	-	20	6	7	4	3	11	3	8	-	-	46
13	7	6	-	-	61	23	19	8	11	64	34	29	1	-	47
136	78	57	1	-	1,207	510	371	190	136	915	489	363	38	25	48
23	11	12	-	-	162	66	45	31	20	111	68	34	7	2	49
78	43	34	1	-	644	291	217	75	61	478	260	183	21	14	50
16	7	9	-	-	118	43	26	29	20	151	76	65	4	6	51
19	17	2	-	-	283	110	83	55	35	175	85	81	6	3	52
															53
1	-	1	-	-	12	5	6	1	-	19	9	10	-	-	54
14	12	2	-	-	91	47	23	13	8	51	42	8	1	-	55
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	56
2	1	1	-	-	17	8	1	4	4	11	8	3	-	-	57
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	58
14	11	3	-	-	89	38	19	17	15	49	32	15	2	-	59
11	8	3	-	-	37	25	7	5	-	31	22	9	-	-	60
48	41	7	-	-	312	216	47	38	11	282	240	37	4	1	61
43	38	5	-	-	256	193	40	19	4	252	224	27	1	-	62
5	3	2	-	-	56	23	7	19	7	30	16	10	3	1	63
6	6	-	-	-	43	17	16	3	7	43	27	14	1	1	64
															65
148	79	69	-	-	1,248	488	412	201	147	1,031	614	369	23	25	66
															67
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	68
11	8	3	-	-	98	44	23	21	10	114	75	32	6	1	69
12	6	6	-	-	83	46	22	12	3	115	93	20	2	-	70
1	1	-	-	-	11	7	3	-	1	11	6	5	-	-	71
4	3	1	-	-	35	12	11	7	5	29	17	11	1	-	72
26	12	14	-	-	185	56	73	24	32	146	77	65	1	3	73
															74
6	4	2	-	-	101	21	18	36	26	44	18	19	2	5	75
14	3	11	-	-	57	25	21	7	4	61	28	32	-	1	76
37	22	15	-	-	302	141	97	40	24	266	157	89	8	12	77
29	15	14	-	-	194	78	73	23	20	167	99	62	5	1	78
8	7	1	-	-	108	63	24	17	4	99	58	27	3	11	79
15	8	7	-	-	84	31	42	2	9	64	31	32	-	1	80
1	-	1	-	-	12	4	6	1	1	12	8	4	-	-	81
21	12	9	-	-	278	100	96	50	32	168	103	60	3	2	82
															83
72	48	23	-	1	789	296	229	157	107	370	209	142	12	7	84
															85
33	21	11	-	1	313	115	94	52	52	155	74	68	9	4	86
1	1	-	-	-	12	5	3	2	2	10	5	4	1	-	87
1	1	-	-	-	22	7	6	4	5	6	3	3	-	-	88
31	19	11	-	1	279	103	85	46	45	139	66	61	8	4	89
19	9	10	-	-	251	74	99	40	38	90	47	42	-	1	90
3	3	-	-	-	35	18	11	4	2	13	5	6	2	-	91
6	5	1	-	-	52	19	10	14	9	45	24	19	1	1	92
9	9	...	-	...	96	55	...	41	...	56	56	...	-	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
2	1	1	-	-	42	15	15	6	6	11	3	7	-	1	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	111	...	75	...	36	8	...	7	...	1
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	8	...	6	...	2	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	18	...	6	...	12	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	18	...	13	...	5	4	...	4	...	-
ECTOPIC PREGNANCY.....645	6	...	4	...	2	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	8	...	6	...	2	-	...	-	...	-
ABORTION WITH SEPSIS.....651	15	...	10	...	5	1	...	1	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	38	...	30	...	8	3	...	2	...	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	117	34	62	3	18	6	4	2	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	32	17	10	2	3	2	2	-	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	85	17	52	1	15	4	2	2	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	180	61	103	6	10	25	11	14	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	112	30	76	-	6	17	7	10	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	2	-	2	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	5	4	-	1	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	4	1	3	-	-	1	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	26	16	7	2	1	4	4	-	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	31	10	15	3	3	3	-	3	-	-
XIV. CONGENITAL MALFORMATIONS	1,193	594	447	82	70	143	85	58	-	-
SPINA BIFIDA AND MENINGOCELE.....751	94	42	48	2	2	8	1	7	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	123	57	53	4	9	12	6	6	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	567	279	203	49	36	72	50	22	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	409	216	143	27	23	51	28	23	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY	3,905	1,863	1,226	465	351	295	179	108	6	2
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	1,625	678	506	245	196	294	148	130	11	5
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	295	107	139	20	29	76	23	52	-	1
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,330	571	367	225	167	218	125	78	11	4
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	7,292	4,317	1,737	888	350	682	459	196	20	7
ACCIDENTS.....E800-E962	5,641	3,345	1,445	580	271	563	370	173	15	5
RAILWAY ACCIDENTS.....E800-E802	56	37	3	16	-	2	2	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	2,536	1,646	587	228	75	233	162	64	5	2
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	2,447	1,588	564	224	71	226	155	64	5	2
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	113	76	32	5	-	10	6	4	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	346	217	72	41	16	45	35	9	1	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,368	858	352	118	40	110	72	32	4	2
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	583	408	103	58	14	50	36	14	-	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	37	29	5	2	1	11	6	5	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	89	58	23	4	4	7	7	-	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	23	18	3	2	-	4	4	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	76	64	8	4	-	4	4	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	120	109	10	1	-	12	12	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	90	35	31	15	9	7	2	5	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	65	40	20	3	2	6	3	3	-	-
ACCIDENTAL FALLS.....E900-E904	772	333	371	32	36	94	35	57	2	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	192	113	55	15	9	37	20	15	2	-
FALL ON SAME LEVEL.....E903	197	83	100	7	7	24	5	19	-	-
UNSPECIFIED FALLS.....E904	383	137	216	10	20	33	10	23	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	76	62	4	9	1	12	11	-	1	-
ACCIDENT CAUSED BY MACHINERY.....E912	105	94	-	11	-	12	12	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	86	73	5	8	-	5	4	1	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	511	199	165	73	74	28	18	8	2	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	22	10	7	1	4	5	3	2	-	-
ACCIDENT CAUSED BY FIREARM.....E919	166	128	11	18	9	29	28	-	1	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	115	57	39	9	10	14	8	5	1	-
ACCIDENTAL DROWNING.....E929	333	202	50	70	11	30	20	9	1	-
EXCESSIVE HEAT AND INSOLATION.....E931	41	23	8	8	2	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	70	29	26	10	5	5	2	3	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	378	186	97	62	33	61	40	16	2	3
SUICIDE.....E963,E970-E979	913	674	205	24	10	99	78	18	1	2
SUICIDE BY POISONING.....E970-E973	187	100	82	3	2	22	14	8	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	88	65	20	1	2	15	12	2	-	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	584	472	87	19	6	58	50	6	1	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	54	37	16	1	-	4	2	2	-	-
HOMICIDE.....E964,E980-E985	738	298	87	284	69	20	11	5	4	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	495	207	61	186	41	12	7	4	1	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	147	46	8	73	20	2	1	1	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	80	36	18	18	8	5	3	-	2	-
INJURY BY INTERVENTION OF POLICE.....E984	6	4	-	2	-	1	-	-	1	-
EXECUTION.....E985	10	5	-	5	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2	...	2	...	-	35	...	13	...	22	8	...	6	...	2	3
-	...	-	...	-	7	...	4	...	3	-	...	-	...	-	5
-	...	-	...	-	4	...	1	...	3	2	...	1	...	1	6
2	...	2	...	-	1	...	-	...	1	-	...	-	...	-	7
-	...	-	...	-	6	...	2	...	4	-	...	-	...	-	8
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	9
-	...	-	...	-	4	...	1	...	3	2	...	2	...	-	10
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
-	...	-	...	-	11	...	5	...	6	4	...	3	...	1	12
5	-	5	-	-	57	18	23	7	9	38	15	20	1	2	15
1	-	1	-	-	14	5	5	2	2	9	5	2	1	1	17
4	-	4	-	-	43	13	18	5	7	29	10	18	-	1	18
8	3	5	-	-	97	40	37	8	12	47	24	23	-	-	21
3	1	2	-	-	61	26	24	3	8	32	13	19	-	-	23
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	24
-	-	-	-	-	4	1	1	2	-	2	2	-	-	-	25
-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	26
2	2	-	-	-	15	8	4	3	-	5	5	-	-	-	27
2	-	2	-	-	14	3	8	-	3	6	3	3	-	-	28
44	25	19	-	-	471	200	169	61	41	303	159	126	11	7	31
4	2	2	-	-	40	16	21	3	-	15	6	8	1	-	33
-	-	-	-	-	45	18	17	6	4	27	14	9	2	2	34
20	14	6	-	-	221	94	73	30	24	164	92	65	4	3	35
20	9	11	-	-	165	72	58	22	13	97	47	44	4	2	36
133	77	56	-	-	1,756	667	454	347	288	864	468	310	53	33	38
56	42	14	-	-	471	144	129	113	85	150	87	55	6	2	40
2	-	2	-	-	74	18	30	14	12	34	14	19	1	-	42
54	42	12	-	-	397	126	99	99	73	116	73	36	5	2	43
268	182	85	1	-	3,046	1,566	635	621	224	2,241	1,461	650	93	37	46
218	143	74	1	-	2,246	1,121	516	430	179	1,697	1,094	509	67	27	48
1	1	-	-	-	18	11	1	5	1	21	16	1	4	-	49
100	70	29	1	-	939	528	181	178	52	657	434	175	33	15	50
97	68	28	1	-	919	518	178	172	51	635	417	170	33	15	51
1	1	-	-	-	14	9	5	-	-	14	9	4	-	1	52
13	6	7	-	-	202	97	26	58	21	108	68	24	11	5	53
40	27	13	-	-	364	211	98	45	10	286	186	88	8	4	54
40	32	7	1	-	290	171	38	62	19	169	115	42	9	3	55
3	2	1	-	-	49	30	11	7	1	58	39	12	5	2	56
3	2	1	-	-	20	10	3	6	1	22	17	5	-	-	57
-	-	-	-	-	4	1	2	1	-	6	1	5	-	-	59
5	5	-	-	-	35	23	3	9	-	56	52	2	2	-	60
-	-	-	-	-	26	24	1	1	-	22	19	3	-	-	61
2	1	1	-	-	56	28	13	7	8	30	17	11	-	2	62
4	3	1	-	-	15	9	3	3	-	13	8	5	-	-	63
43	19	24	-	-	405	143	191	46	25	392	202	184	4	2	64
10	7	3	-	-	114	45	36	27	6	130	85	41	2	2	65
17	5	12	-	-	109	33	65	5	6	118	57	60	1	-	66
16	7	9	-	-	182	65	90	14	13	144	60	83	1	-	67
3	3	-	-	-	54	39	1	14	-	49	43	3	3	-	69
12	11	1	-	-	47	37	2	8	-	33	32	1	-	-	70
1	1	-	-	-	18	15	1	1	1	21	20	1	-	-	71
14	6	8	-	-	212	66	39	53	54	114	60	45	6	3	72
-	-	-	-	-	5	1	2	2	-	3	2	1	-	-	73
4	3	1	-	-	45	31	3	6	5	21	19	2	-	-	74
5	4	1	-	-	51	16	16	13	6	25	14	11	-	-	75
7	5	2	-	-	139	71	21	45	2	100	71	17	10	2	76
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	77
3	1	2	-	-	26	10	7	3	6	28	13	14	-	1	78
12	9	3	-	-	151	68	29	35	19	106	71	28	5	2	79
49	39	10	-	-	490	362	91	33	4	459	331	112	12	4	82
11	5	6	-	-	85	50	35	-	-	155	98	55	1	1	83
7	7	-	-	-	45	37	5	2	1	42	31	9	1	1	84
28	25	3	-	-	322	258	33	28	3	212	174	28	8	2	85
3	2	1	-	-	38	17	18	3	-	50	28	20	2	-	86
1	-	1	-	-	310	83	28	158	41	85	36	29	14	6	88
1	-	1	-	-	184	59	24	84	17	40	19	13	7	1	89
-	-	-	-	-	69	7	1	47	14	14	3	4	6	1	90
-	-	-	-	-	51	16	3	22	10	29	12	12	1	4	91
-	-	-	-	-	5	1	-	4	-	2	2	-	-	-	92
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi- did not require reporting of the

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	18,684	10,371	7,153	717	443	38,380	21,494	16,218	376	292
I. INFECTIVE AND PARASITIC DISEASES	247	146	68	25	8	256	142	99	9	6
TUBERCULOSIS, ALL FORMS 001-019	145	89	38	14	4	103	65	29	7	2
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	138	86	35	13	4	87	57	24	5	1
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	6	2	3	1	-	2	-	-	2	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	1	1	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	3	1	2	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	-	-	-	-	-	7	4	3	-	-
DISSEMINATED TUBERCULOSIS 019	1	1	-	-	-	3	2	-	-	1
SYPHILIS AND ITS SEQUELAE 020-029	39	22	9	7	1	33	23	9	-	1
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	22	15	6	1	-	16	12	4	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	9	5	2	2	-	8	4	3	-	1
TABES DORSALIS 024	-	-	-	-	-	3	3	-	-	-
GENERAL PARALYSIS OF INSANE 025	2	-	-	2	-	3	2	1	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	4	2	-	1	1	3	2	1	-	-
ALL OTHER SYPHILIS 027-029	2	-	1	1	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	1	-	-	1	-	1	-	-	-	1
TYPHOID FEVER 040	-	-	-	-	-	1	-	1	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	1	1	-	-	-
DYSENTERY, ALL FORMS 045-048	1	1	-	-	-	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	1	1	-	-	-	-	-	-	-	-
SCARLET FEVER 050	1	-	1	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	1	-	1	-	-	2	1	1	-	-
ERYSIPELAS 052	-	-	-	-	-	3	1	2	-	-
SEPTICEMIA AND PYEMIA 053	16	11	3	1	1	37	14	23	-	-
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	3	1	1	1	-
MENINGOCOCCAL INFECTIONS 057	4	3	-	1	-	10	5	5	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	2	1	1	-	-	3	2	1	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	1	1	-	-	-	1	1	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	3	1	2	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	7	2	3	1	1	16	7	9	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	1	-	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	3	2	1	-	-	2	2	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	10	3	6	-	1	10	4	6	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	1	-	1	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	1	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	14	9	5	-	-	25	14	8	1	2
II. NEOPLASMS	2,799	1,430	1,205	109	55	6,407	3,388	2,937	44	38
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	2,749	1,412	1,176	108	53	6,319	3,350	2,891	42	36
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	47	27	15	4	1	139	114	24	1	-
OF LIP 140	2	2	-	-	-	8	7	1	-	-
OF TONGUE 141	8	6	2	-	-	36	32	4	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	18	8	8	1	1	35	20	15	-	-
OF PHARYNX 145-148	19	11	5	3	-	60	55	4	1	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	865	413	404	32	16	2,289	1,271	998	14	6
OF ESOPHAGUS 150	32	14	14	4	-	119	95	17	6	1
OF STOMACH 151	179	95	73	9	2	529	322	205	2	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	2	2	-	-	-	15	6	9	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	253	104	138	6	5	770	386	380	3	1
CECUM, APPENDIX, AND ASCENDING COLON 153.0	31	14	17	-	-	116	53	63	-	-
TRANSVERSE COLON 153.1	13	5	8	-	-	38	23	14	1	-
DESCENDING COLON 153.2	11	6	5	-	-	36	14	22	-	-
SIGMOID COLON 153.3	37	12	24	1	-	195	100	95	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	1	1	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	142	60	72	5	5	341	175	163	2	1
INTESTINAL TRACT, PART UNSPECIFIED 153.9	19	7	12	-	-	43	20	23	-	-
OF RECTUM 154	90	45	41	2	2	274	173	100	1	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	59	23	34	1	1	168	68	96	1	3
LIVER 155.0	13	6	6	-	1	48	29	17	1	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	46	17	28	1	-	120	39	79	-	2
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	68	25	38	2	3	68	25	41	1	1
OF PANCREAS 157	160	91	58	8	3	313	180	133	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	22	14	8	-	-	33	16	17	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
2,746	1,653	1,034	34	25	1 2 3
32	19	12	1	-	4 5
4	2	1	1	-	6 7
3	2	1	-	-	8
-	-	-	-	-	9 10
-	-	-	-	-	11
-	-	-	-	-	12
-	-	-	-	-	13
1	-	-	1	-	14 15
7	5	2	-	-	16
-	-	-	-	-	17
-	-	-	-	-	18
5	3	2	-	-	19
2	2	-	-	-	20
-	-	-	-	-	21
-	-	-	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24 25
-	-	-	-	-	26
-	-	-	-	-	27
-	-	-	-	-	28
-	-	-	-	-	29
-	-	-	-	-	30
1	1	-	-	-	31
-	-	-	-	-	32
-	-	-	-	-	33
1	-	1	-	-	34
-	-	-	-	-	35
4	4	-	-	-	36 37
-	-	-	-	-	38
-	-	-	-	-	39
2	-	2	-	-	40
-	-	-	-	-	41
-	-	-	-	-	42
-	-	-	-	-	43
-	-	-	-	-	44
-	-	-	-	-	45
-	-	-	-	-	46
2	2	-	-	-	47
2	1	1	-	-	48
-	-	-	-	-	49
-	-	-	-	-	50 51
-	-	-	-	-	52
3	-	3	-	-	53
-	-	-	-	-	54
-	-	-	-	-	55
-	-	-	-	-	56
-	-	-	-	-	57
-	-	-	-	-	58
-	-	-	-	-	59
-	-	-	-	-	60
-	-	-	-	-	61
-	-	-	-	-	62
6	4	2	-	-	63 64
382	209	167	3	3	65 66 67
372	202	166	2	2	68
5	3	1	-	1	69
1	1	-	-	-	70
1	-	1	-	-	71
1	1	-	-	-	72
2	1	-	-	1	73 74 75
105	49	54	1	1	76
2	2	-	-	-	77
27	18	9	-	-	78
-	-	-	-	-	79
28	8	20	-	-	80
-	-	-	-	-	81
2	-	2	-	-	82
4	1	3	-	-	83
5	1	4	-	-	84
-	-	-	-	-	85
17	6	11	-	-	86
-	-	-	-	-	87 88
7	5	2	-	-	89
13	2	11	-	-	90
3	2	1	-	-	91
10	-	10	-	-	92
1	1	-	-	-	93
24	12	10	1	1	94
3	1	2	-	-	95

716 - 533 O - 64 - 16

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	475	387	54	30	4	759	634	111	13	1
OF LARYNX....161	16	13	3	-	-	45	41	4	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	173	149	13	10	1	492	414	67	10	1
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	277	220	34	20	3	207	169	35	3	-
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	9	5	4	-	-	15	10	5	-	-
MALIGNANT NEOPLASM OF BREAST....170	206	2	197	-	7	602	4	592	-	6
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	429	173	226	17	13	887	386	483	3	15
OF CERVIX UTERI....171	116	...	108	...	8	163	...	155	...	8
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	54	...	51	...	3	102	...	99	...	3
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	62	...	61	...	1	212	...	209	...	3
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	7	...	6	...	1	21	...	20	...	1
OF PROSTATE....177	182	165	...	17	...	367	364	...	3	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	8	8	...	-	...	22	22	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	98	57	33	7	1	338	226	106	6	-
OF KIDNEY....180	43	24	16	3	-	160	101	55	4	-
OF BLADDER AND OTHER URINARY ORGANS....181	55	33	17	4	1	178	125	51	2	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	382	206	159	9	8	638	349	285	2	2
OF SKIN....190,191	44	25	18	1	-	76	53	23	-	-
OF EYE....192	3	3	-	-	-	9	3	6	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	58	34	23	1	-	152	90	61	1	-
OF THYROID GLAND....194	5	3	1	-	1	30	13	17	-	-
OF BONE....196	26	20	5	-	1	34	23	11	-	-
OF CONNECTIVE TISSUE....197	13	6	5	1	1	29	18	11	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	20	14	6	-	-	31	21	10	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	213	101	101	6	5	277	128	146	1	2
LEUKEMIA AND ALEUKEMIA....204	132	79	46	5	2	315	180	129	2	4
LYMPHOSARCOMA, ETC....200-203,205	115	68	42	4	1	352	186	163	1	2
LYMPHOSARCOMA AND RETICULOSARCOMA....200	65	39	23	2	1	178	88	89	-	1
HODGKINS DISEASE....201	28	16	11	1	-	84	48	35	1	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	22	13	8	1	-	90	50	39	-	1
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	50	18	29	1	2	88	38	46	2	2
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	4	...	4	...	-	7	...	5	...	2
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	6	2	3	-	1	20	7	12	1	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	10	7	3	-	-	18	12	5	1	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	20	7	11	1	1	25	10	15	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	10	2	8	-	-	18	9	9	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	394	153	210	12	19	990	455	522	6	7
ASTHMA....241	58	29	27	2	-	99	63	35	-	1
NONTOXIC GOITER....250,251	-	-	-	-	-	3	-	3	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	7	1	6	-	-	9	2	7	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	3	1	2	-	-	9	3	6	-	-
DIABETES MELLITUS....260	273	97	148	10	18	768	333	425	4	6
DISEASES OF THYMUS GLAND....273	1	1	-	-	-	2	1	1	-	-
DISEASES OF ADRENAL GLANDS....274	3	2	1	-	-	12	8	4	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	22	10	12	-	-	16	11	5	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	27	12	14	-	1	72	34	36	2	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	49	28	19	2	-	120	65	51	2	2
ANEMIAS....290-293	37	22	15	-	-	77	37	38	-	2
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	8	5	3	-	-	22	11	11	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	29	17	12	-	-	55	26	27	-	2
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	5	1	4	-	-	16	13	2	1	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	7	5	-	2	-	27	15	11	1	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	46	26	18	2	-	80	51	21	6	2
SENILE PSYCHOSIS....304	7	3	3	1	-	6	4	2	-	-
ALCOHOLIC PSYCHOSIS....307	6	6	-	-	-	12	10	1	1	-
OTHER PSYCHOSES....300-303,305,306,308,309	7	1	6	-	-	6	2	4	-	-
ALCOHOLISM....322	18	15	2	1	-	36	28	3	4	1
MENTAL DEFICIENCY....325	5	1	4	-	-	17	6	10	1	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	3	-	3	-	-	3	1	1	-	1
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,296	1,118	1,016	85	77	4,975	2,379	2,527	36	33
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	2,160	1,051	960	76	73	4,638	2,203	2,372	34	29
SUBARACHNOID HEMORRHAGE....330	77	28	43	3	3	155	66	85	-	4
CEREBRAL HEMORRHAGE....331	1,199	584	520	48	47	2,469	1,199	1,251	11	8
CEREBRAL EMBOLISM AND THROMBOSIS....332	679	339	307	18	15	1,412	679	704	15	14
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	205	100	90	7	8	602	259	332	8	3
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	23	13	7	1	2	49	25	22	1	1
MULTIPLE SCLEROSIS....345	16	4	9	2	1	46	23	23	-	-
PARALYSIS AGITANS....350	16	5	11	-	-	74	33	40	-	1
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	7	4	3	-	-	12	5	6	-	1
EPILEPSY....353	21	11	5	5	-	42	22	19	1	-
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	2	-	1	-	1
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	-	-	-	-	-	2	2	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	53	30	21	1	1	110	66	44	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; see Technical Appendix)

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
					1
					2
57	50	7	-	-	3
3	2	1	-	-	4
25	22	3	-	-	5
28	25	3	-	-	6
1	1	-	-	-	7
33	1	32	-	-	8
					9
54	27	27	-	-	10
6	...	6	...	-	11
4	...	4	...	-	12
17	...	17	...	-	13
-	...	-	...	-	14
26	26	...	-	...	15
1	1	...	-	...	16
19	14	5	-	-	17
8	5	3	-	-	18
11	9	2	-	-	19
					20
					21
53	31	21	1	-	22
9	8	1	-	-	23
-	-	-	-	-	24
6	3	3	-	-	25
2	1	1	-	-	26
-	-	-	-	-	27
2	1	1	-	-	28
3	2	1	-	-	29
31	16	14	1	-	30
22	15	7	-	-	31
24	12	12	-	-	32
12	4	8	-	-	33
5	5	-	-	-	34
					35
7	3	4	-	-	36
					37
10	7	1	1	1	38
-	...	-	...	-	39
3	2	-	1	-	40
4	3	-	-	1	41
-	...	-	...	-	42
3	2	1	-	-	43
-	-	-	-	-	44
					45
					46
					47
78	37	39	-	2	48
					49
16	9	7	-	-	50
-	-	-	-	-	51
-	-	-	-	-	52
-	-	-	-	-	53
54	23	29	-	2	54
-	-	-	-	-	55
1	-	1	-	-	56
-	-	-	-	-	57
4	3	1	-	-	58
3	2	1	-	-	59
					60
10	6	4	-	-	61
					62
5	3	2	-	-	63
-	-	-	-	-	64
5	3	2	-	-	65
1	-	1	-	-	66
4	3	1	-	-	67
					68
					69
10	5	3	-	2	70
					71
1	1	-	-	-	72
-	-	-	-	-	73
-	-	-	-	-	74
9	4	3	-	2	75
-	-	-	-	-	76
-	-	-	-	-	77
					78
332	174	154	2	2	79
					80
308	158	147	1	2	81
11	5	6	-	-	82
179	88	89	1	1	83
90	46	43	-	1	84
28	19	9	-	-	85
3	2	-	1	-	86
4	3	1	-	-	87
5	3	2	-	-	88
2	2	-	-	-	89
4	3	1	-	-	90
-	-	-	-	-	91
-	-	-	-	-	92
-	-	-	-	-	93
-	-	-	-	-	94
6	3	3	-	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	8,183	4,612	3,118	276	177	17,195	9,922	7,088	103	82
DISEASES OF HEART....400-402,410-443	7,418	4,224	2,800	243	151	15,302	8,927	6,211	93	71
RHEUMATIC FEVER....400-402	6	6	-	-	-	12	5	6	1	-
CHRONIC RHEUMATIC HEART DISEASE....410-416	165	78	82	3	2	387	197	187	2	1
DISEASES OF MITRAL VALVE....410	64	30	31	1	2	137	64	72	1	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC....411	11	8	3	-	-	39	29	10	-	-
DISEASES OF PULMONARY VALVE, ETC....413,414	13	5	8	-	-	22	15	7	-	-
OTHER RHEUMATIC HEART DISEASES....412,415,416	77	35	40	2	-	189	89	98	1	1
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS....420	5,603	3,377	1,957	170	99	11,969	7,311	4,548	64	46
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED....420.0	2,268	1,192	965	72	39	5,079	2,719	2,315	24	21
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES..420.1	3,329	2,180	991	98	60	6,885	4,587	2,233	40	25
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS....420.2	6	5	1	-	-	5	5	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC....421	51	33	15	2	1	88	45	42	-	1
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC....421.0	3	1	2	-	-	2	-	2	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	27	21	4	1	1	35	25	10	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC....421.2-421.4	21	11	9	1	-	51	20	30	-	1
OTHER MYOCARDIAL DEGENERATION....422	517	256	240	17	4	1,155	568	584	1	2
WITH ARTERIOSCLEROSIS....422.1	413	200	196	13	4	838	402	434	-	2
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	104	56	44	4	-	317	166	150	1	-
OTHER DISEASES OF HEART....430-434	328	168	133	17	10	514	318	185	6	5
ACUTE AND SUBACUTE ENDOCARDITIS....430	8	6	2	-	-	24	18	4	1	1
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS..431,432	13	8	5	-	-	15	10	4	-	1
FUNCTIONAL DISEASE OF HEART....433	80	38	39	2	1	164	86	78	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART....434	227	116	87	15	9	311	204	99	5	3
HYPERTENSIVE HEART DISEASE....440-443	748	306	373	34	35	1,177	483	659	19	16
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	205	82	107	11	5	309	151	154	4	-
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	543	224	266	23	30	868	332	505	15	16
OTHER HYPERTENSIVE DISEASE....444-447	156	86	56	7	7	226	105	118	1	2
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	107	65	39	3	-	116	64	52	-	-
ESSENTIAL HYPERTENSION....444,445,447	49	21	17	4	7	110	41	66	1	2
DISEASES OF ARTERIES....450-456	491	245	210	22	14	1,360	712	636	5	7
GENERAL ARTERIOSCLEROSIS....450	388	178	182	17	11	1,053	501	545	4	3
AORTIC ANEURYSM, NONSYPHILITIC, ETC....451	70	49	17	3	1	229	176	51	1	1
GANGRENE OF UNSPECIFIED CAUSE....455	5	3	1	1	-	9	3	6	-	-
OTHER ARTERIAL DISEASES....452-454,456	28	15	10	1	2	69	32	34	-	3
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS....460-468	118	57	52	4	5	307	178	123	4	2
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,076	643	354	56	23	1,767	1,058	646	42	21
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	9	5	4	-	-	11	4	6	1	-
INFLUENZA....480-483	60	29	30	1	-	91	48	43	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN....490-493	632	327	257	29	19	1,136	606	478	32	20
LOBAR PNEUMONIA....490	106	62	32	6	6	139	77	56	4	2
BRONCHOPNEUMONIA....491	369	188	156	14	11	679	361	288	20	10
PRIMARY ATYPICAL PNEUMONIA....492	46	19	25	2	-	115	58	49	3	5
PNEUMONIA, OTHER AND UNSPECIFIED....493	111	58	44	7	2	203	110	85	5	3
ACUTE BRONCHITIS....500	10	7	3	-	-	27	12	14	1	-
BRONCHITIS, CHRONIC AND UNQUALIFIED....501,502	43	34	6	2	1	61	42	18	1	-
HYPERTROPHY OF TONSILS AND ADENOIDS....510	1	1	-	-	-	6	4	2	-	-
EMPYEMA AND ABSCESS OF LUNG....518,521	6	3	3	-	-	17	16	1	-	-
PLEURISY....519	1	1	-	-	-	5	2	3	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA....525	38	28	6	3	1	106	80	22	3	1
BRONCHIECTASIS....526	29	16	12	-	1	35	18	16	1	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY....527	180	138	26	15	1	231	195	33	3	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS....527.1	164	128	22	13	1	201	177	21	3	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY....527.0,527.2	16	10	4	2	-	30	18	12	-	-
OTHER RESPIRATORY DISEASES....RESIDUAL	67	54	7	6	-	41	31	10	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	596	338	221	29	8	1,442	854	552	20	16
DISEASES OF TEETH AND SUPPORTING STRUCTURES....530-535	2	1	1	-	-	1	-	-	-	1
ULCER OF STOMACH....540	55	36	15	3	1	147	104	39	3	1
ULCER OF DUODENUM....541	56	46	8	2	-	130	97	30	1	2
GASTRITIS AND DUODENITIS....543	3	3	-	-	-	7	4	3	-	-
APPENDICITIS....550-553	18	12	6	-	-	45	32	11	1	1
HERNIA AND INTESTINAL OBSTRUCTION....560,561,570	94	40	48	5	1	241	127	110	4	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER....571	34	21	10	3	-	59	28	26	5	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS....572	35	16	18	1	-	80	37	42	-	1
CIRRHOSIS OF LIVER....581	147	92	43	10	2	360	242	110	3	5
WITHOUT MENTION OF ALCOHOLISM....581.0	109	66	35	6	2	258	174	79	2	3
WITH ALCOHOLISM....581.1	38	26	8	4	-	102	68	31	1	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS....584,585	36	18	18	-	-	149	61	86	-	2
FIBROCYSTIC DISEASE OF PANCREAS....587B	8	2	6	-	-	15	4	10	1	-
OTHER DISEASES OF DIGESTIVE SYSTEM....RESIDUAL	108	51	48	5	4	208	118	85	2	3
X. DISEASES OF THE GENITOURINARY SYSTEM	329	199	97	22	11	527	352	164	6	5
NEPHRITIS AND NEPHROSIS....590-594	167	94	58	10	5	229	129	95	2	3
ACUTE NEPHRITIS....590	10	4	5	-	1	7	6	1	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS....591	6	3	3	-	-	15	8	6	-	1
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC....592-594	151	87	50	10	4	207	115	88	2	2
INFECTIONS OF KIDNEY....600	83	46	28	6	3	128	79	44	3	2
CALCULI OF URINARY SYSTEM....602,604	9	3	5	-	1	28	17	10	1	-
OTHER DISEASES OF URINARY SYSTEM....601,603,605-609	16	12	2	2	-	28	23	5	-	-
HYPERPLASIA OF PROSTATE....610	46	42	...	4	...	94	94	...	-	...
DISEASES OF BREAST....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS....RESIDUAL	8	2	4	-	2	20	10	10	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
					1
992	631	350	8	3	2
					3
878	570	299	7	2	4
2	-	2	-	-	5
24	12	12	-	-	6
14	5	9	-	-	7
1	-	1	-	-	8
-	-	-	-	-	9
9	7	2	-	-	10
706	487	212	6	1	11
246	157	86	2	1	12
459	330	125	4	-	13
1	-	1	-	-	14
					15
7	5	2	-	-	16
-	-	-	-	-	17
6	5	1	-	-	18
1	-	1	-	-	19
57	23	32	1	1	20
28	10	17	-	1	21
29	13	15	1	-	22
					23
35	20	15	-	-	24
-	-	-	-	-	25
2	2	-	-	-	26
9	5	4	-	-	27
24	13	11	-	-	28
47	23	24	-	-	29
					30
17	7	10	-	-	31
30	16	14	-	-	32
					33
17	8	9	-	-	34
10	7	3	-	-	35
7	1	6	-	-	36
75	37	37	1	-	37
52	25	26	1	-	38
13	8	5	-	-	39
-	-	-	-	-	40
10	4	6	-	-	41
22	16	5	-	1	42
					43
158	117	37	2	2	44
					45
2	1	-	-	1	46
10	8	2	-	-	47
79	50	26	2	1	48
11	7	4	-	-	49
38	24	11	2	1	50
9	5	4	-	-	51
21	14	7	-	-	52
					53
3	1	2	-	-	54
12	11	1	-	-	55
-	-	-	-	-	56
2	2	-	-	-	57
-	-	-	-	-	58
7	6	1	-	-	59
2	1	1	-	-	60
36	33	3	-	-	61
35	33	2	-	-	62
1	-	1	-	-	63
5	4	1	-	-	64
					65
132	72	50	8	2	66
					67
-	-	-	-	-	68
15	11	3	1	-	69
12	9	3	-	-	70
-	-	-	-	-	71
2	1	1	-	-	72
20	12	7	1	-	73
					74
7	3	2	1	1	75
8	3	5	-	-	76
33	15	16	2	-	77
23	9	12	2	-	78
10	6	4	-	-	79
7	4	3	-	-	80
-	-	-	-	-	81
28	14	10	3	1	82
					83
40	22	16	-	2	84
					85
20	11	8	-	1	86
1	-	1	-	-	87
2	1	1	-	-	88
17	10	6	-	1	89
5	1	4	-	-	90
-	-	-	-	-	91
3	1	2	-	-	92
7	7	...	-	...	93
-	-	-	-	-	94
5	2	2	-	1	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revi-
did not require reporting of the

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	18	...	13	...	5	28	...	26	...	2
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	4	...	1	5	...	5	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	1	...	1	2	...	2	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	6	...	5	...	1	5	...	5	...	-
ECTOPIC PREGNANCY.....645	1	...	-	...	1	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	2	...	1	...	1
ABORTION WITH SEPSIS.....651	1	...	-	...	1	2	...	2	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	1	...	1	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	2	...	2	...	-	12	...	11	...	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	17	11	6	-	-	33	14	19	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	5	4	1	-	-	10	5	5	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	12	7	5	-	-	23	9	14	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	34	14	17	1	2	81	37	44	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	22	7	13	1	1	46	15	31	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	-	1	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	1	-	-	-	1	2	1	1	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	2	-	2	-	-
INBORN DEFECT OF MUSCLE.....744.1	5	4	1	-	-	16	14	2	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	5	3	2	-	-	15	7	8	-	-
XIV. CONGENITAL MALFORMATIONS.....	212	125	83	3	1	476	249	208	11	8
SPINA BIFIDA AND MENINGOCELE.....751	17	11	6	-	-	32	18	14	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	14	9	5	-	-	47	23	23	1	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	113	61	51	1	-	244	134	102	5	3
OTHER CONGENITAL MALFORMATIONS.....750,755-759	68	44	21	2	1	153	74	69	5	5
XV. CERTAIN DISEASES OF EARLY INFANCY.....	588	333	223	16	16	1,244	676	468	50	50
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	401	231	126	26	18	215	117	98	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	45	17	27	-	1	81	29	52	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	356	214	99	26	17	134	88	46	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,399	964	359	53	23	2,544	1,735	748	41	20
ACCIDENTS.....E800-E962	1,144	768	312	42	22	2,064	1,383	632	30	19
RAILWAY ACCIDENTS.....E600-E802	18	16	-	2	-	13	11	1	1	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	437	324	93	15	5	966	702	245	13	6
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	431	322	91	14	4	937	679	239	13	6
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	8	7	1	-	-	46	32	14	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	82	58	17	6	1	147	108	30	7	2
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	108	75	29	1	3	458	319	133	2	4
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	121	100	19	2	-	270	212	54	4	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	112	82	25	5	-	16	8	8	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	6	2	2	1	1	29	23	6	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	7	7	-	-	-	2	2	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	10	9	1	-	-	41	36	5	-	-
AIRCRAFT ACCIDENTS.....E860-E866	4	4	-	-	-	22	20	2	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	15	5	9	1	-	25	11	11	2	1
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	34	22	11	1	-	40	30	9	-	1
ACCIDENTAL FALLS.....E900-E904	197	87	104	2	4	466	222	235	6	3
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	44	29	12	1	2	150	89	57	3	1
FALL ON SAME LEVEL.....E903	24	12	11	1	-	166	71	94	1	-
UNSPECIFIED FALLS.....E904	129	46	81	-	2	150	62	84	2	2
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	44	43	-	1	-	27	23	3	1	-
ACCIDENT CAUSED BY MACHINERY.....E912	30	29	1	-	-	65	61	3	1	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	12	11	1	-	-	10	9	1	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	123	63	46	5	9	99	56	36	3	4
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	1	1	-	-	-	2	1	1	-	-
ACCIDENT CAUSED BY FIREARM.....E919	23	19	-	4	-	26	23	1	2	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	19	7	12	-	-	25	13	10	-	2
ACCIDENTAL DROWNING.....E929	60	47	9	4	-	73	55	16	-	2
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	27	10	14	2	1	19	5	14	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	83	64	11	5	3	143	103	39	1	-
SUICIDE.....E963,E970-E979	183	148	33	2	-	433	326	103	3	1
SUICIDE BY POISONING.....E970-E973	22	15	7	-	-	102	64	38	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	21	17	4	-	-	118	85	32	1	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	124	106	16	2	-	160	143	17	-	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	16	10	6	-	-	53	34	16	2	1
HOMICIDE.....E964,E980-E985	71	47	14	9	1	47	26	13	8	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	44	27	11	5	1	24	14	6	4	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	8	4	1	3	-	8	6	-	2	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	16	13	2	1	-	13	5	7	1	-
INJURY BY INTERVENTION OF POLICE.....E984	3	3	-	-	-	2	1	-	1	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey because this State item; seeTechnical Appendix)

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
					1
3	...	3	...	-	2
					3
1	...	1	...	-	4
-	...	-	...	-	5
2	...	2	...	-	6
-	...	-	...	-	7
-	...	-	...	-	8
-	...	-	...	-	9
-	...	-	...	-	10
-	...	-	...	-	11
					12
					13
2	1	1	-	-	14
					15
2	1	1	-	-	16
-	-	-	-	-	17
					18
					19
2	-	2	-	-	20
					21
2	-	2	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24
-	-	-	-	-	25
-	-	-	-	-	26
-	-	-	-	-	27
					28
					29
45	24	20	1	-	30
					31
1	-	1	-	-	32
1	1	-	-	-	33
20	11	9	-	-	34
23	12	10	1	-	35
					36
153	83	64	4	2	37
					38
21	14	7	-	-	39
					40
6	3	3	-	-	41
15	11	4	-	-	42
					43
					44
354	239	105	5	5	45
					46
269	180	82	4	3	47
-	-	-	-	-	48
115	80	32	2	1	49
111	78	30	2	1	50
-	-	-	-	-	51
12	8	4	-	-	52
44	30	12	1	1	53
39	27	11	1	-	54
16	13	3	-	-	55
4	2	2	-	-	56
					57
2	1	1	-	-	58
-	-	-	-	-	59
2	2	-	-	-	60
2	1	1	-	-	61
6	6	-	-	-	62
40	17	22	1	-	63
12	7	5	-	-	64
8	2	5	1	-	65
20	8	12	-	-	66
					67
11	11	-	-	-	68
9	9	-	-	-	69
5	5	-	-	-	70
16	9	7	-	-	71
1	-	1	-	-	72
10	8	2	-	-	73
3	2	1	-	-	74
17	13	4	-	-	75
-	-	-	-	-	76
3	1	2	-	-	77
27	15	9	1	2	78
					79
					80
74	55	19	-	-	81
20	11	9	-	-	82
4	3	1	-	-	83
48	40	8	-	-	84
2	1	1	-	-	85
					86
11	4	4	1	2	87
4	2	2	-	-	88
3	1	1	1	-	89
4	1	1	-	2	90
-	-	-	-	-	91
-	-	-	-	-	92
					93
					94
-	-	-	-	-	95

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES	1,756,720	105,479	6,639	4,058	3,116	2,441	121,733	8,960	7,450	12,998
2	Male	994,789	60,939	3,522	2,218	1,734	1,362	69,775	5,145	4,773	9,124
3	Female	761,931	44,540	3,117	1,840	1,382	1,079	51,958	3,815	2,677	3,874
4	White Male	846,458	44,270	2,463	1,591	1,343	1,057	50,724	4,056	3,828	7,562
5	Female	641,655	31,542	2,228	1,307	985	810	36,872	2,912	2,131	3,057
6	Nonwhite Male	114,262	14,828	968	579	348	260	16,983	930	832	1,349
7	Female	92,321	11,707	801	480	351	232	13,571	796	474	713
8	Tuberculosis, all forms (001-019)	9,506	43	40	28	11	12	134	34	17	34
9	Male	6,942	25	23	15	5	6	74	20	11	10
10	Female	2,564	18	17	13	6	6	60	14	6	24
11	White Male	5,028	11	17	7	4	5	44	14	7	4
12	Female	1,704	8	9	7	2	2	28	9	3	10
13	Nonwhite Male	1,660	14	6	6	1	1	28	5	4	6
14	Female	767	7	7	6	4	4	28	5	1	13
15	Tuberculosis of respiratory system (001-008)	8,792	16	15	8	1	4	44	9	4	21
16	Male	6,531	9	8	3	-	4	24	4	3	5
17	Female	2,261	7	7	5	1	-	20	5	1	16
18	White Male	4,792	4	5	2	-	3	14	4	2	2
19	Female	1,552	3	3	2	1	-	9	3	1	6
20	Nonwhite Male	1,504	5	3	1	-	1	10	-	1	3
21	Female	635	2	4	3	-	-	9	2	-	9
22	Tuberculosis, other forms (010-019)	714	27	25	20	10	8	90	25	13	13
23	Male	411	16	15	12	5	2	50	16	8	5
24	Female	303	11	10	8	5	6	40	9	5	8
25	White Male	236	7	12	5	4	2	30	10	5	2
26	Female	152	5	6	5	1	2	19	6	2	4
27	Nonwhite Male	156	9	3	5	1	-	18	5	3	3
28	Female	132	5	3	3	4	4	19	3	1	4
29	Syphilis and its sequelae (020-029)	2,811	29	-	-	-	-	29	1	1	3
30	Male	1,998	20	-	-	-	-	20	1	-	2
31	Female	813	9	-	-	-	-	9	-	1	1
32	White Male	1,391	4	-	-	-	-	4	1	-	1
33	Female	527	3	-	-	-	-	3	-	1	-
34	Nonwhite Male	564	15	-	-	-	-	15	-	-	1
35	Female	264	6	-	-	-	-	6	-	-	1
36	Dysentery, all forms (045-048)	323	115	22	12	10	2	161	22	3	2
37	Male	183	67	12	4	5	2	90	15	1	1
38	Female	140	48	10	8	5	-	71	7	2	1
39	White Male	114	28	9	2	4	-	43	12	-	1
40	Female	79	24	2	4	2	-	32	4	2	-
41	Nonwhite Male	68	39	3	2	1	2	47	3	1	-
42	Female	61	24	8	4	3	-	39	3	-	1
43	Scarlet fever and streptococcal sore throat (050,051)	102	16	4	3	2	2	27	6	3	5
44	Male	51	8	2	1	1	1	13	2	-	1
45	Female	51	8	2	2	1	1	14	4	3	4
46	White Male	38	7	2	1	1	1	12	2	-	-
47	Female	37	6	2	1	-	-	9	2	2	4
48	Nonwhite Male	11	1	-	-	-	-	1	-	-	-
49	Female	13	2	-	1	1	1	5	2	1	-
50	Diphtheria (055)	41	-	4	3	4	7	18	12	3	1
51	Male	23	-	3	1	4	4	12	7	1	-
52	Female	18	-	1	2	-	3	6	5	2	1
53	White Male	11	-	1	-	2	2	5	3	1	-
54	Female	11	-	1	1	-	2	4	4	1	-
55	Nonwhite Male	12	-	2	1	2	2	7	4	-	-
56	Female	6	-	-	1	-	1	2	1	1	-
57	Whooping cough (056)	83	66	9	3	1	1	80	1	-	-
58	Male	45	37	5	-	-	1	43	1	-	-
59	Female	38	29	4	3	1	-	37	-	-	-
60	White Male	21	18	2	-	-	-	20	-	-	-
61	Female	13	8	2	2	-	-	12	-	-	-
62	Nonwhite Male	24	19	3	-	-	1	23	1	-	-
63	Female	25	21	2	1	1	-	25	-	-	-
64	Meningococcal infections (057)	649	189	101	64	44	20	418	60	25	31
65	Male	366	99	64	36	22	15	236	32	12	22
66	Female	283	90	37	28	22	5	182	28	13	9
67	White Male	294	77	55	29	17	13	191	22	9	20
68	Female	232	77	29	25	17	5	153	23	11	7
69	Nonwhite Male	57	17	8	7	3	1	36	8	3	2
70	Female	36	9	6	2	4	-	21	3	2	2
71	Acute poliomyelitis (080)	60	4	4	5	3	3	19	7	9	4
72	Male	37	3	2	2	2	1	10	5	6	3
73	Female	23	1	2	3	1	2	9	2	3	1
74	White Male	29	3	1	1	1	1	7	3	5	3
75	Female	17	1	1	3	1	-	6	1	3	-
76	Nonwhite Male	7	-	1	1	1	-	3	2	1	-
77	Female	5	-	1	-	-	1	2	1	-	1
78	Measles (085)	406	93	99	48	33	24	297	75	12	6
79	Male	180	37	52	23	13	9	134	33	4	3
80	Female	228	56	47	25	20	15	163	42	8	3
81	White Male	126	23	29	17	11	8	88	26	3	3
82	Female	153	36	23	16	12	13	100	36	5	2
83	Nonwhite Male	51	14	23	6	2	1	46	4	1	-
84	Female	69	19	22	8	8	1	58	5	3	1
85	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-139)	5,791	834	187	105	93	49	1,268	238	140	154
86	Male	3,013	455	85	49	52	30	671	120	64	74
87	Female	2,778	379	102	56	41	19	597	118	76	80
88	White Male	2,303	300	57	32	42	23	454	90	52	59
89	Female	2,137	240	76	45	28	12	401	94	55	61
90	Nonwhite Male	628	148	28	14	9	7	206	21	12	13
91	Female	563	128	25	11	12	5	181	22	16	19

Age Groups, Color, and Sex: United States, 1962

International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
14,347	13,774	18,521	29,316	43,521	64,129	92,811	118,769	154,104	199,065	228,973	230,833	195,634	130,815	54,806	13,375	2,207	579	1
10,150	8,922	11,357	17,600	26,597	40,433	60,376	77,978	98,151	122,963	131,960	122,730	93,193	56,398	21,482	4,639	709	334	2
4,197	4,852	7,164	11,716	16,924	23,696	32,435	40,791	55,953	76,102	97,013	108,103	102,441	74,417	33,324	8,736	1,498	245	3
8,047	6,682	8,421	13,249	20,787	32,748	49,449	65,615	82,493	105,584	115,767	110,495	84,825	51,701	19,607	4,090	497	231	4
3,091	3,406	4,876	8,125	12,276	17,982	24,747	31,761	44,017	63,246	83,872	97,131	93,766	68,584	30,631	7,847	1,164	161	5
1,843	2,002	2,601	3,786	4,910	6,264	8,649	9,502	11,805	12,792	11,324	8,109	5,493	3,081	1,287	433	191	96	6
1,001	1,312	2,050	3,162	4,036	4,785	6,467	7,391	9,756	9,673	9,216	7,076	5,099	3,210	1,564	596	292	81	7
56	156	245	440	546	713	908	984	1,145	1,207	1,085	893	566	260	64	15	3	1	8
27	77	123	263	317	487	687	794	930	990	861	673	386	163	38	9	1	1	9
29	79	122	177	229	226	221	190	215	217	224	220	180	97	26	6	2	-	10
11	29	56	127	181	325	465	568	697	756	701	548	323	129	33	8	1	1	11
10	28	61	86	126	141	155	128	136	160	172	191	152	84	20	4	-	-	12
16	41	60	124	124	143	193	188	201	188	142	110	51	30	5	1	-	-	13
17	47	54	81	97	78	59	50	70	52	45	26	25	11	5	1	2	-	14
40	137	221	411	502	669	864	931	1,076	1,121	1,022	852	542	251	60	11	3	1	15
20	67	111	250	292	467	660	761	889	928	822	648	379	156	35	8	1	1	16
20	70	110	161	210	202	204	170	187	193	200	204	163	95	25	3	2	-	17
9	27	52	121	171	317	449	548	671	718	678	529	318	123	30	7	1	1	18
8	27	60	80	121	131	145	120	123	141	153	178	141	83	20	2	-	-	19
11	34	52	119	112	131	182	177	187	169	127	105	49	29	5	1	-	-	20
11	39	45	73	84	66	53	41	56	47	40	23	19	11	4	1	2	-	21
16	19	24	29	44	44	44	53	69	86	63	41	24	9	4	4	-	-	22
7	10	12	13	25	20	27	33	41	62	39	25	7	7	3	1	-	-	23
9	9	12	16	19	24	17	20	28	24	24	16	17	2	1	3	-	-	24
2	2	4	6	10	8	16	20	26	38	23	19	5	6	3	1	-	-	25
2	1	1	6	5	10	10	8	13	19	19	13	11	1	-	2	-	-	26
5	7	8	5	12	12	11	11	14	19	15	5	2	1	-	-	-	-	27
6	8	9	8	13	12	6	9	14	5	5	3	6	-	1	-	-	-	28
7	11	7	40	59	104	228	326	456	502	437	315	177	88	15	4	-	1	29
6	4	5	21	35	69	163	249	334	393	325	195	121	44	9	2	-	-	30
1	7	2	19	24	35	65	77	122	109	112	120	56	44	6	2	-	1	31
5	3	5	11	17	30	95	159	231	280	248	158	99	35	7	2	-	-	32
-	4	1	7	7	15	29	44	73	70	82	102	46	35	5	2	-	1	33
1	-	-	9	18	38	67	84	96	108	68	30	19	8	2	-	-	-	34
1	3	1	10	17	19	35	29	45	34	27	18	9	8	1	-	-	-	35
3	3	5	7	1	8	12	11	17	16	11	14	13	10	3	1	-	-	36
2	-	5	3	1	6	8	8	11	6	6	8	7	5	-	-	-	-	37
1	3	-	4	-	2	4	3	6	10	5	6	6	5	3	1	-	-	38
1	-	5	3	1	4	8	7	8	3	4	4	6	4	-	-	-	-	39
1	2	-	2	-	2	3	2	3	6	3	5	5	3	3	1	-	-	40
1	-	-	-	-	1	-	1	3	3	2	4	1	1	-	-	-	-	41
-	1	-	2	-	-	1	1	3	4	2	1	1	2	-	-	-	-	42
6	2	3	4	3	-	4	3	6	3	6	8	5	5	3	-	-	-	43
4	-	2	2	3	-	2	3	5	2	3	3	3	2	1	-	-	-	44
2	2	1	2	-	-	2	-	1	1	3	5	2	3	2	-	-	-	45
3	-	2	1	1	-	2	-	4	-	2	3	3	2	1	-	-	-	46
2	1	1	1	-	-	1	-	-	1	3	3	2	3	2	-	-	-	47
1	-	-	1	2	-	-	3	-	2	1	-	-	-	-	-	-	-	48
-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	49
-	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	50
-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	51
-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	52
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	53
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	54
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	56
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
16	7	5	7	8	12	9	10	16	7	7	3	4	2	2	-	-	-	64
8	5	3	4	4	5	4	7	10	5	4	1	2	-	2	-	-	-	65
8	2	2	3	4	7	5	3	6	2	3	2	2	2	-	-	-	-	66
6	5	1	3	3	4	3	6	9	5	3	-	2	-	2	-	-	-	67
6	1	1	2	4	6	3	1	5	2	2	1	2	2	-	-	-	-	68
2	-	2	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	69
1	1	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	70
3	4	4	3	4	1	-	-	1	1	-	-	-	-	-	-	-	-	71
1	4	3	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	72
2	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	73
1	4	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	74
2	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
2	4	1	1	1	1	-	1	1	1	2	-	1	2	-	-	-	-	78
-	-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	79
2	4	-	1	1	-	-	-	1	1	1	-	-	1	-	-	-	-	80
-	-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	81
1	4	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	84
129	135	140	227	250	283	343	369	377	429	406	385	254	180	68	14	2	-	85
54	67	59	96	121	153	181	208	206	254	229	197	132	85	36	4	2	-	86
75	68	81	131	129	130	162	161	171	175	177	188	122	95	32	10	-	-	87
39	47	41	67	88	114	137	160	157	203	196	161	120	78	34	4	2	-	88
50	49	57	89	90	102	119	120	140	152	154	167	111	89	31	6	-	-	89
13	15	16	28	33	34	38	44	42	44	25	28	8	6	2	-	-	-	90
19	17	23	36	36	26	36	36	26	19	15	19	9	4	1	3	-	-	91

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	278,562	261	326	369	478	437	1,871	1,517	1,080	1,139
2	Male	150,009	124	172	188	260	259	1,003	842	584	676
3	Female	128,553	137	154	181	218	178	868	675	496	463
4	White—Male	130,050	110	149	167	232	228	886	727	495	580
5	Female	111,449	119	129	153	180	155	736	572	409	395
6	Nonwhite—Male	13,884	13	16	19	21	21	90	85	72	74
7	Female	11,856	16	24	20	28	11	99	84	72	53
8	Malignant neoplasm of buccal cavity and pharynx (140-148)	6,481	1	3	-	2	4	10	5	14	14
9	Male	4,920	-	1	-	1	3	5	4	6	9
10	Female	1,561	1	2	-	1	1	5	1	8	5
11	White—Male	4,253	-	1	-	-	3	4	4	5	7
12	Female	1,350	1	2	-	1	1	5	1	6	4
13	Nonwhite—Male	455	-	-	-	-	-	-	-	1	2
14	Female	145	-	-	-	-	-	-	-	2	-
15	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	92,047	21	25	12	8	5	71	26	26	48
16	Male	49,936	13	10	7	6	1	37	15	15	27
17	Female	42,111	8	15	5	2	4	34	11	11	21
18	White—Male	42,709	11	9	6	5	1	32	13	10	16
19	Female	36,729	6	11	4	2	4	27	10	8	14
20	Nonwhite—Male	5,026	2	-	1	1	-	4	-	5	10
21	Female	3,519	1	4	1	-	-	6	1	2	5
22	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	44,644	2	1	3	1	-	7	12	13	16
23	Male	38,050	2	1	1	1	-	5	5	7	6
24	Female	6,594	-	-	2	-	-	2	7	6	10
25	White—Male	33,193	2	1	1	1	-	5	5	4	5
26	Female	5,784	-	-	1	-	-	1	5	3	9
27	Nonwhite—Male	3,191	-	-	-	-	-	-	-	3	1
28	Female	565	-	-	1	-	-	1	2	3	1
29	Malignant neoplasm of breast (170)	24,958	2	-	-	-	-	2	-	2	4
30	Male	225	-	-	-	-	-	-	-	-	-
31	Female	24,733	2	-	-	-	-	2	-	2	4
32	White—Male	189	-	-	-	-	-	-	-	-	-
33	Female	21,732	-	-	-	-	-	-	-	1	3
34	Nonwhite—Male	22	-	-	-	-	-	-	-	-	-
35	Female	1,895	2	-	-	-	-	2	-	1	-
36	Malignant neoplasm of genital organs (171-179)	39,590	1	4	7	7	2	21	12	35	75
37	Male	16,111	-	2	4	4	2	12	2	7	39
38	Female	23,479	1	2	3	3	-	9	10	28	36
39	White—Male	13,505	-	1	4	4	2	11	2	7	37
40	Female	19,496	1	2	3	3	-	9	9	21	33
41	Nonwhite—Male	2,113	-	1	-	-	-	1	-	-	1
42	Female	3,123	-	-	-	-	-	-	-	6	3
43	Malignant neoplasm of urinary organs (180,181)	13,299	21	32	25	34	36	148	112	17	9
44	Male	8,818	12	16	9	19	16	72	49	8	6
45	Female	4,481	9	16	16	15	20	76	63	9	3
46	White—Male	7,843	11	14	8	16	16	65	40	5	5
47	Female	3,861	9	12	14	11	15	61	48	7	2
48	Nonwhite—Male	586	1	2	1	3	-	7	6	3	1
49	Female	427	-	4	2	4	4	14	14	2	1
50	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	30,791	91	110	135	138	112	586	448	388	439
51	Male	16,560	40	61	64	81	71	317	233	198	261
52	Female	14,231	51	49	71	57	41	269	215	190	178
53	White—Male	14,657	39	57	54	73	60	283	192	172	231
54	Female	12,414	47	45	58	43	34	227	177	161	153
55	Nonwhite—Male	1,337	1	3	8	8	6	26	31	19	23
56	Female	1,349	4	3	9	9	3	28	32	26	21
57	Leukemia and aleukemia (204)	12,997	93	126	163	260	258	900	768	403	333
58	Male	7,493	43	65	90	124	151	473	439	208	208
59	Female	5,504	50	61	73	136	107	427	329	195	125
60	White—Male	6,757	37	53	82	114	132	418	390	178	183
61	Female	4,881	41	49	64	116	96	366	290	167	105
62	Nonwhite—Male	491	6	10	8	6	14	44	38	24	19
63	Female	402	8	12	5	15	4	44	28	21	15
64	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	13,755	29	25	24	28	20	126	134	182	201
65	Male	7,896	14	16	13	24	15	82	95	135	120
66	Female	5,859	15	9	11	4	5	44	39	47	81
67	White—Male	6,944	10	13	12	19	14	68	81	114	96
68	Female	5,202	14	8	9	4	5	40	32	35	72
69	Nonwhite—Male	663	3	-	1	3	1	8	10	17	17
70	Female	431	1	1	2	-	-	4	7	9	7
71	Benign neoplasms and neoplasms of unspecified nature (210-239)	4,681	123	37	20	16	24	220	126	110	102
72	Male	2,137	58	16	9	7	10	100	67	65	48
73	Female	2,544	65	21	11	9	14	120	59	45	54
74	White—Male	1,816	49	12	5	5	8	79	49	51	43
75	Female	2,051	58	19	10	9	12	108	47	34	44
76	Nonwhite—Male	253	6	3	3	2	2	16	15	11	1
77	Female	409	5	2	1	-	2	10	11	8	9
78	Asthma (241)	4,896	22	17	17	8	11	75	48	45	42
79	Male	3,102	13	10	9	6	6	44	32	24	16
80	Female	1,794	9	7	8	2	5	31	16	21	26
81	White—Male	2,662	9	5	4	3	3	24	27	15	8
82	Female	1,425	7	7	4	2	2	22	11	11	13
83	Nonwhite—Male	376	4	5	5	2	3	19	5	7	8
84	Female	316	2	-	3	-	3	8	4	10	11
85	Diabetes mellitus (260)	31,222	23	9	9	9	6	56	43	69	74
86	Male	12,881	13	4	3	4	3	27	22	28	32
87	Female	18,341	10	5	6	5	3	29	21	41	42
88	White—Male	11,003	11	3	3	3	3	23	16	24	25
89	Female	14,983	7	5	5	5	3	25	18	37	31
90	Nonwhite—Male	1,403	2	1	-	1	-	4	5	3	6
91	Female	2,571	3	-	-	-	-	3	3	4	10

Age Groups, Color, and Sex: United States, 1962—Con.

International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,079	1,441	2,735	5,261	9,148	14,947	22,502	28,523	35,246	41,398	40,660	33,290	21,955	10,961	3,138	566	52	53	1
659	741	1,189	2,099	3,738	6,710	11,234	15,808	20,201	24,090	23,453	18,501	11,421	5,346	1,426	235	23	30	2
420	700	1,546	3,162	5,410	8,237	11,268	12,715	15,045	17,308	17,207	14,789	10,534	5,615	1,712	331	29	23	3
584	631	1,034	1,707	3,087	5,518	9,253	13,470	17,195	20,837	20,594	16,651	10,382	4,896	1,276	210	14	23	4
350	562	1,220	2,519	4,394	6,849	9,401	10,690	12,740	15,115	15,269	13,503	9,656	5,179	1,561	288	21	20	5
53	88	116	297	525	927	1,488	1,708	2,096	2,232	1,839	1,149	641	276	94	21	6	7	6
57	115	269	523	812	1,026	1,391	1,455	1,691	1,459	1,183	766	467	225	80	22	4	3	7
20	21	22	75	212	415	664	816	878	896	870	664	486	276	98	22	-	3	8
12	13	12	45	142	317	534	647	699	723	669	490	336	184	60	12	-	1	9
8	8	10	30	70	98	130	169	179	173	201	174	150	92	38	10	-	2	10
9	11	11	36	97	248	444	553	594	642	595	442	310	173	57	10	-	1	11
6	6	4	25	51	81	106	147	151	147	186	159	135	89	33	6	-	2	12
2	2	1	8	38	56	68	73	65	56	36	27	13	3	3	1	-	-	13
2	1	5	4	15	13	18	16	18	19	10	8	8	-	4	2	-	-	14
79	176	374	969	1,845	3,451	5,929	8,308	11,370	14,498	15,637	13,578	9,294	4,725	1,358	249	20	16	15
49	93	204	530	977	1,919	3,365	4,888	6,617	8,194	8,693	7,097	4,480	2,070	551	96	9	10	16
30	83	170	439	868	1,532	2,564	3,420	4,753	6,304	6,944	6,481	4,814	2,655	807	153	11	6	17
39	77	172	394	756	1,520	2,629	4,041	5,523	7,019	7,602	6,309	4,075	1,897	486	88	5	6	18
23	62	121	340	688	1,220	2,107	2,842	3,956	5,486	6,138	5,914	4,439	2,451	735	134	8	6	19
9	13	26	105	188	321	566	628	778	812	691	475	245	99	37	7	3	4	20
6	17	41	78	144	239	331	416	587	513	489	323	181	97	32	9	2	-	21
29	55	202	588	1,377	2,671	4,605	6,339	7,729	8,098	6,389	3,899	1,780	644	154	26	3	8	22
22	36	157	427	1,054	2,147	3,905	5,571	6,828	7,191	5,578	3,204	1,349	434	100	14	3	7	23
7	19	45	161	323	524	700	768	901	907	811	695	431	210	54	12	-	1	24
19	30	120	338	858	1,781	3,289	4,844	5,946	6,359	4,966	2,909	1,210	398	89	11	1	6	25
5	15	36	129	271	446	600	653	768	802	747	642	392	199	50	10	-	1	26
2	6	29	69	161	288	436	507	566	513	337	166	74	19	9	3	1	1	27
2	3	7	27	43	57	76	81	94	75	30	32	21	4	4	2	-	-	28
11	82	379	872	1,566	2,491	3,067	3,047	2,944	3,005	2,694	2,117	1,519	820	277	45	8	6	29
-	1	-	1	7	12	26	25	32	30	39	29	17	5	1	-	-	-	30
11	81	379	871	1,559	2,479	3,041	3,022	2,912	2,975	2,655	2,088	1,502	815	276	45	8	6	31
-	1	-	1	7	8	22	21	26	23	34	25	16	5	-	-	-	-	32
7	68	300	694	1,305	2,143	2,632	2,624	2,576	2,667	2,386	1,915	1,372	733	256	39	6	5	33
-	-	-	-	-	3	2	2	5	4	4	2	-	-	-	-	-	-	34
3	9	64	135	187	219	275	246	205	183	150	97	66	36	12	4	-	1	35
134	260	513	987	1,510	2,115	2,875	3,358	4,338	5,411	5,855	5,497	3,912	2,016	560	94	6	6	36
73	91	99	104	71	117	270	592	1,238	2,291	3,066	3,484	2,660	1,439	388	61	3	4	37
61	169	414	883	1,439	1,998	2,605	2,766	3,100	3,120	2,789	2,013	1,252	577	172	33	3	2	38
68	85	95	93	58	86	196	423	905	1,766	2,529	3,072	2,378	1,290	346	53	2	3	39
48	124	301	663	1,112	1,615	2,084	2,250	2,575	2,652	2,400	1,790	1,108	519	150	30	1	2	40
2	5	1	8	12	22	64	155	284	447	445	311	202	114	29	8	1	1	41
10	42	101	196	280	310	416	401	428	356	258	158	91	46	17	2	2	-	42
10	16	46	110	230	463	816	1,138	1,540	2,213	2,268	1,920	1,300	710	196	31	4	2	43
7	10	23	67	147	323	576	818	1,080	1,540	1,568	1,271	743	387	108	10	3	2	44
3	6	23	43	83	140	240	320	460	673	700	649	557	323	88	21	1	-	45
4	8	18	51	121	266	485	712	944	1,370	1,412	1,174	690	361	99	9	2	2	46
2	4	18	33	61	113	186	251	372	582	619	596	511	297	79	19	-	-	47
3	2	3	13	18	48	75	68	79	92	87	39	25	10	6	1	-	-	48
1	2	3	8	21	25	47	54	66	59	45	29	26	8	1	1	-	-	49
311	348	590	892	1,303	1,920	2,709	3,263	3,635	3,870	3,562	2,934	2,069	1,109	325	73	11	6	50
192	189	320	468	693	1,042	1,449	1,940	2,086	2,149	1,902	1,462	992	496	138	25	5	3	51
119	159	270	424	610	878	1,260	1,323	1,549	1,721	1,660	1,472	1,077	613	187	48	6	3	52
175	159	291	407	607	892	1,247	1,693	1,826	1,891	1,710	1,350	920	459	123	23	4	2	53
103	136	233	368	512	737	1,068	1,121	1,294	1,493	1,473	1,357	996	582	173	42	6	2	54
14	21	23	49	57	103	160	172	187	176	125	75	47	20	7	-	1	1	55
16	20	28	42	75	100	150	151	197	165	136	79	48	24	8	2	-	1	56
216	191	224	302	427	544	658	851	1,179	1,450	1,628	1,407	946	425	122	18	-	5	57
134	122	118	177	230	315	389	503	693	874	993	812	518	219	55	11	-	2	58
82	69	106	125	197	229	269	348	486	576	635	595	428	206	67	7	-	3	59
120	103	101	155	210	282	342	455	619	781	904	763	479	210	52	10	-	2	60
75	57	92	111	169	191	222	293	424	522	579	546	406	194	64	6	-	2	61
10	17	12	12	15	25	31	36	51	50	55	26	19	4	2	1	-	-	62
6	10	11	11	22	26	36	35	39	31	29	20	11	5	1	-	-	1	63
269	292	385	466	678	877	1,179	1,403	1,633	1,957	1,757	1,274	649	236	48	8	-	1	64
170	186	256	280	417	518	720	824	928	1,098	945	652	326	112	25	6	-	1	65
99	106	129	186	261	359	459	579	705	859	812	622	323	124	23	2	-	-	66
150	157	226	232	373	435	599	728	812	986	842	607	304	103	24	6	-	1	67
81	90	115	156	225	303	396	509	624	764	741	584	297	115	21	2	-	-	68
11	22	21	33	36	61	86	67	81	82	59	28	16	7	1	-	-	-	69
11	11	9	22	25	37	42	55	57	58	36	20	15	5	1	-	-	-	70
63	104	152	262	310	360	417	433	454	461	393	328	212	116	46	9	2	1	71
26	45	49	99	106	142	169	244	217	244	192	168	96	37	18	3	1	1	72
37	59	103	163	204	218	248	189	237	217	201	160	116	79	28	6	1	-	73
23	37	37	87	84	126	137	209	184	213	162	155	85	33	18	2	1	1	74
31	42	77	110	141	156	194	151	191	192	177	144	105	75	26	5	1	-	75
1	5	10	10	21	12	29	28	26	26	22	8	10	2	-	-	-	-	76
5	16	23	47	50	52	46	35	38	21	19	8	8	2	1	-	-	-	77
70	71	95	140	216	327	398	496	589	719	641	508	254	126	28	6	1	1	78
19	29	34	56	95	154	242	332	418	531	459	349	172	77	14	4	-	1	79
51	42	61	84	121	173	156	164	171	188	182	159	82	49	14	2	1	-	80
12	14	17	33	59	114	189	285	362	486	431	331	163	74	13	4	-	1	81
31	18	29	54	85	130	123	132	145	170	164	149	77	45	13	2	1	-	82
7	13	15	23	34	33	47	37	50	35	23	10	8	1	1	-	-	-	83
19	23	29	28	32	37	26	27	22	16	13	6	2	2	1	-	-	-	84
141	233	312	492	630	929	1,547	2,436	3,514	4,886	5,710	4,960	3,149	1,551	424	51	6	9	85
60	126	174	321	375	480	715	1,106	1,444	1,900	2,178	1,921	1,166	605	174	22	2	3	86
81	107	138	171	255	449	832	1,330	2,070	2,986	3,532	3,039	1,983	946	250	29	4	6	87
43	104	142	245	306	376	573	901	1,162	1,615	1,908	1,722	1,071	564	160	21	1	1	88
64	95	107	116	153	264	498	940	1,547	2,450	3,028	2,715	1,781	854	228	26	2	4	89
14	17	28	57	61	87	114	167	210	199	188	127	73	28	12	1	1	1	90
14	11	23	51	93	170	312	325	434	406	325	197	118	55	12	2	1	2	91

Table 1-25. Deaths From 60 Selected Causes,by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Anemias (290-293)	3,398	105	75	46	32	24	282	92	78	62
2	Male	1,620	56	43	21	15	7	142	41	45	35
3	Female	1,778	49	32	25	17	17	140	51	33	27
4	White-Male	1,294	27	17	5	7	3	59	27	28	23
5	White-Female	1,405	21	21	11	8	12	73	35	25	17
6	Nonwhite-Male	271	27	23	16	8	4	78	13	14	10
7	Nonwhite-Female	302	27	10	13	9	5	64	15	7	9
8	Meningitis, except meningococcal and tuberculous (340)	2,322	907	189	93	58	50	1,297	116	35	39
9	Male	1,315	510	107	54	29	32	732	63	21	28
10	Female	1,007	397	82	39	29	18	565	53	14	11
11	White-Male	678	311	75	38	19	19	462	43	12	20
12	White-Female	674	238	62	30	21	14	365	44	10	8
13	Nonwhite-Male	384	184	31	14	10	9	248	20	7	7
14	Nonwhite-Female	307	150	18	8	7	4	187	9	4	3
15	Major cardiovascular-renal diseases (330-334,400-468,592-594)	968,809	488	147	99	57	66	857	394	504	793
16	Male	536,486	280	77	51	32	36	476	198	244	422
17	Female	432,323	208	70	48	25	30	381	196	260	371
18	White-Male	467,179	191	54	35	23	30	333	137	185	327
19	White-Female	370,124	144	53	29	19	21	266	141	191	249
20	Nonwhite-Male	50,240	84	21	16	8	6	135	53	57	80
21	Nonwhite-Female	45,796	59	15	18	6	9	107	46	65	110
22	Diseases of cardiovascular system (330-334,400-468)	957,437	441	134	89	55	60	779	327	397	634
23	Male	530,155	254	67	45	32	32	430	163	196	328
24	Female	427,282	187	67	44	23	28	349	164	201	306
25	White-Male	462,325	173	46	31	23	28	301	112	152	251
26	White-Female	366,409	131	51	27	17	19	245	117	143	196
27	Nonwhite-Male	48,948	77	19	14	8	4	122	44	43	66
28	Nonwhite-Female	44,637	51	14	16	6	9	96	40	55	101
29	Vascular lesions affecting central nervous system (330-334)	197,451	128	49	39	19	29	264	136	144	173
30	Male	92,595	74	23	21	14	18	150	73	71	88
31	Female	104,856	54	26	18	5	11	114	63	73	85
32	White-Male	78,380	54	17	16	11	16	114	55	57	71
33	White-Female	88,718	38	19	15	5	6	83	52	59	62
34	Nonwhite-Male	11,815	19	5	5	3	2	34	16	13	14
35	Nonwhite-Female	13,080	15	6	2	-	5	28	10	14	18
36	Diseases of heart (400-402,410-443)	688,009	281	74	45	33	26	459	171	213	365
37	Male	400,672	155	40	21	17	10	243	82	111	207
38	Female	287,337	126	34	24	16	16	216	89	102	158
39	White-Male	352,160	104	26	13	12	9	164	50	82	157
40	White-Female	247,343	88	28	11	10	12	149	57	68	90
41	Nonwhite-Male	33,144	49	13	8	4	1	75	27	29	45
42	Nonwhite-Female	27,938	34	5	13	6	4	62	27	33	65
43	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	17,751	8	3	9	3	9	31	62	104	175
44	Male	8,166	5	2	3	1	5	16	26	56	85
45	Female	9,585	3	1	5	2	4	15	36	48	90
46	White-Male	7,187	1	2	2	-	5	10	14	38	62
47	White-Female	8,327	2	1	3	1	3	10	19	24	54
48	Nonwhite-Male	635	4	-	1	1	-	6	11	18	20
49	Nonwhite-Female	769	-	-	2	1	1	4	15	24	35
50	Arteriosclerotic heart disease, including coronary disease (420)	527,561	14	5	3	5	-	27	7	12	38
51	Male	324,183	8	4	1	2	-	15	4	7	22
52	Female	203,378	6	1	2	3	-	12	3	5	14
53	White-Male	291,009	4	4	1	2	-	11	3	2	19
54	White-Female	179,702	4	1	-	1	-	6	2	3	4
55	Nonwhite-Male	20,655	4	-	-	-	-	4	1	5	2
56	Nonwhite-Female	15,070	2	-	2	2	-	6	1	2	9
57	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	54,645	35	14	13	5	3	70	16	23	36
58	Male	26,915	22	7	7	2	-	38	9	11	26
59	Female	27,730	13	7	6	3	3	32	7	12	10
60	White-Male	22,570	11	3	3	2	-	19	7	11	20
61	White-Female	23,495	9	7	3	3	3	25	6	9	6
62	Nonwhite-Male	2,981	11	4	4	-	-	19	1	-	5
63	Nonwhite-Female	2,844	4	-	3	-	-	7	1	3	4
64	Other diseases of heart (430-434)	25,876	224	52	21	20	14	331	85	66	110
65	Male	14,754	120	27	10	12	5	174	43	36	68
66	Female	11,122	104	25	11	8	9	157	42	30	42
67	White-Male	11,939	88	17	7	8	4	124	26	30	51
68	White-Female	8,898	73	19	5	5	6	108	29	25	25
69	Nonwhite-Male	2,514	30	9	3	3	1	46	14	6	17
70	Nonwhite-Female	1,926	28	5	6	3	3	45	10	4	16
71	Hypertensive heart disease (440-443)	62,176	-	-	-	-	-	-	1	8	8
72	Male	26,654	-	-	-	-	-	-	-	1	6
73	Female	35,522	-	-	-	-	-	-	1	7	2
74	White-Male	19,455	-	-	-	-	-	-	-	1	5
75	White-Female	26,921	-	-	-	-	-	-	1	7	1
76	Nonwhite-Male	6,359	-	-	-	-	-	-	-	-	1
77	Nonwhite-Female	7,327	-	-	-	-	-	-	-	-	1
78	Other hypertensive disease (444-447)	12,497	-	-	-	1	-	1	1	-	7
79	Male	6,296	-	-	-	-	-	-	1	-	2
80	Female	6,201	-	-	-	1	-	1	-	-	5
81	White-Male	4,758	-	-	-	-	-	-	1	-	2
82	White-Female	4,815	-	-	-	1	-	1	-	-	4
83	Nonwhite-Male	1,354	-	-	-	-	-	-	-	-	-
84	Nonwhite-Female	1,193	-	-	-	-	-	-	-	-	1
85	General arteriosclerosis (450)	36,848	1	1	-	-	-	2	1	1	1
86	Male	16,855	-	-	-	-	-	-	1	1	-
87	Female	19,993	1	1	-	-	-	2	-	-	1
88	White-Male	15,018	-	-	-	-	-	-	1	1	-
89	White-Female	18,074	1	1	-	-	-	2	-	-	1
90	Nonwhite-Male	1,399	-	-	-	-	-	-	-	-	-
91	Nonwhite-Female	1,325	-	-	-	-	-	-	-	-	-

Age Groups, Color, and Sex: United States, 1962—Con.

International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
80	51	44	61	80	84	144	182	206	313	399	469	410	258	88	13	1	1	1
39	21	14	30	38	43	67	77	107	164	205	232	184	102	31	3	-	-	2
41	30	30	31	42	41	77	105	99	149	194	237	226	156	57	10	1	1	3
20	5	8	12	25	33	49	68	94	150	185	212	167	97	29	3	-	-	4
17	12	15	21	22	29	54	77	81	122	171	210	214	147	53	9	1	-	5
19	14	6	17	10	8	15	6	10	12	12	13	9	4	1	-	-	-	6
24	15	14	9	20	8	21	20	15	18	18	11	6	5	2	-	-	1	7
19	30	32	51	51	88	92	83	101	98	91	53	24	18	4	-	-	-	8
6	20	17	33	31	51	56	54	54	50	48	26	11	12	2	-	-	-	9
13	10	15	18	20	37	36	29	47	48	43	27	13	6	2	-	-	-	10
4	13	12	24	18	31	45	44	36	32	39	22	8	12	1	-	-	-	11
6	8	8	12	13	24	21	18	29	35	35	21	10	6	1	-	-	-	12
2	6	4	8	11	18	8	8	15	17	7	4	3	-	1	-	-	-	13
7	2	7	4	7	11	13	11	17	10	8	3	3	-	1	-	-	-	14
1,230	1,866	3,709	8,463	15,995	27,297	44,241	61,345	85,819	118,389	146,355	157,574	141,279	98,277	42,109	10,405	1,616	292	15
638	976	2,244	5,511	11,148	19,548	31,747	42,773	56,379	73,559	82,988	81,641	65,003	40,879	15,939	3,521	498	154	16
592	890	1,465	2,952	4,847	7,749	12,494	18,572	29,440	44,830	63,367	75,933	76,276	57,398	26,170	6,884	1,118	138	17
475	690	1,608	4,181	8,736	16,017	26,136	36,094	47,512	63,203	72,931	73,669	59,290	37,514	14,579	3,113	346	103	18
390	570	859	1,745	3,015	5,182	8,677	13,588	22,208	36,551	54,424	68,057	69,867	52,917	24,049	6,208	867	83	19
132	254	535	1,128	1,985	2,809	4,345	5,071	6,661	7,598	6,984	5,199	3,665	2,150	908	307	137	47	20
187	301	558	1,100	1,638	2,255	3,360	4,255	6,057	6,347	6,364	5,054	3,707	2,396	1,202	434	200	53	21
991	1,598	3,373	8,021	15,450	26,665	43,496	60,506	84,877	117,232	145,138	156,254	140,167	97,504	41,818	10,317	1,606	287	22
492	820	2,048	5,264	10,821	19,165	31,320	42,268	55,856	72,882	82,305	80,935	64,460	40,485	15,797	3,476	492	152	23
499	778	1,325	2,757	4,629	7,500	12,176	18,238	29,021	44,350	62,833	75,319	75,707	57,019	26,021	6,841	1,114	135	24
353	561	1,461	4,006	8,517	15,744	25,839	35,714	47,142	62,697	72,398	73,081	58,825	37,182	14,465	3,078	344	102	25
316	493	769	1,632	2,874	5,046	8,475	13,365	21,946	36,205	54,014	67,544	69,376	52,589	23,924	6,173	885	82	26
115	228	494	1,066	1,888	2,706	4,229	4,960	6,533	7,451	6,848	5,102	3,597	2,096	883	298	133	46	27
172	268	514	1,026	1,570	2,151	3,253	4,155	5,917	6,227	6,260	4,968	3,646	2,355	1,186	428	198	51	28
247	389	654	1,378	2,369	3,829	6,133	8,762	13,563	20,903	29,872	35,991	35,101	24,756	10,011	2,391	320	65	29
117	172	304	629	1,148	1,904	3,254	4,740	7,295	11,175	15,139	17,162	15,046	9,709	3,539	761	96	23	30
130	217	350	749	1,221	1,925	2,879	4,022	6,268	9,728	14,733	18,829	20,055	15,047	6,472	1,630	224	42	31
86	119	208	417	726	1,282	2,264	3,462	5,464	8,953	12,945	15,373	13,795	8,988	3,243	674	68	16	32
92	139	193	425	745	1,233	1,873	2,698	4,343	7,538	12,359	16,835	18,408	13,942	5,987	1,461	170	21	33
26	45	88	197	387	569	897	1,147	1,617	1,882	1,764	1,361	905	510	232	79	26	6	34
34	72	146	308	438	625	916	1,207	1,733	1,853	1,907	1,469	1,115	676	329	115	46	21	35
581	975	2,322	5,931	12,096	21,419	35,289	48,921	66,896	89,565	105,980	108,749	92,460	62,088	26,070	6,305	959	195	36
320	548	1,571	4,268	9,144	16,414	26,725	35,697	45,736	57,367	61,761	57,883	43,524	28,344	10,144	2,159	304	120	37
261	427	751	1,663	2,952	5,005	8,564	13,224	21,160	32,198	44,219	50,866	48,936	35,744	15,926	4,146	655	75	38
231	382	1,161	3,384	7,499	13,891	22,575	30,776	39,379	50,110	54,749	52,408	39,615	24,083	9,268	1,902	211	83	39
157	270	459	1,041	1,872	3,479	6,145	9,964	16,409	26,715	38,298	45,668	44,775	32,857	14,581	3,725	516	48	40
75	146	333	724	1,282	1,891	3,039	3,518	4,495	5,007	4,570	3,328	2,366	1,355	542	181	82	34	41
99	147	269	551	957	1,322	2,092	2,697	3,832	3,979	3,949	3,105	2,208	1,429	705	267	118	25	42
270	327	560	971	1,317	1,714	2,187	2,342	2,140	1,969	1,432	1,066	635	315	110	20	4	-	43
128	143	278	476	678	823	1,042	1,127	967	882	615	426	255	93	42	6	2	-	44
142	184	282	495	639	891	1,145	1,215	1,173	1,087	817	640	380	222	68	14	2	-	45
98	109	218	405	595	719	914	1,004	866	794	569	399	241	83	42	5	2	-	46
95	143	209	409	533	764	1,000	1,080	1,041	991	729	585	355	208	62	14	2	-	47
25	28	44	48	51	65	71	65	60	63	30	16	7	6	-	1	-	-	48
45	37	66	65	72	69	82	64	69	40	40	24	10	6	2	-	-	-	49
96	351	1,231	3,800	8,702	16,389	27,690	39,203	53,712	72,122	83,944	83,886	68,388	44,537	18,252	4,422	622	132	50
67	253	989	3,140	7,245	13,582	22,337	30,153	38,509	48,125	50,916	46,382	33,578	19,686	7,334	1,553	200	86	51
29	98	242	660	1,457	2,807	5,353	9,050	15,203	23,997	33,028	37,504	34,810	24,851	10,918	2,869	422	46	52
47	187	788	2,652	6,223	11,913	19,514	26,660	34,057	42,991	46,022	42,503	30,889	18,181	6,755	1,386	139	67	53
19	55	157	412	989	2,095	4,069	7,192	12,366	20,589	29,367	34,160	32,174	23,030	10,052	2,598	328	35	54
16	56	152	369	744	1,148	1,898	2,283	2,859	3,219	2,886	2,165	1,498	834	340	107	52	17	55
10	42	76	210	402	602	1,094	1,484	2,137	2,269	2,175	1,804	1,247	822	428	164	77	9	56
52	58	111	204	400	731	1,223	1,828	3,192	4,803	7,413	9,640	10,618	8,593	4,299	1,100	211	24	57
35	37	70	126	276	497	825	1,166	1,986	2,836	3,940	4,850	4,681	3,446	1,611	363	72	14	58
17	21	41	78	124	234	398	662	1,206	1,967	3,473	4,790	5,937	5,147	2,688	737	139	10	59
28	24	42	73	188	356	581	892	1,491	2,284	3,236	4,229	4,167	3,093	1,454	321	47	7	60
9	12	24	51	65	147	248	424	827	1,469	2,796	4,159	5,309	4,669	2,459	656	121	4	61
4	11	22	42	62	98	180	207	389	409	501	387	299	193	90	32	23	7	62
6	9	16	20	52	76	128	191	324	393	472	399	332	229	106	53	17	6	63
133	162	225	444	719	951	1,470	1,828	2,304	2,938	3,492	3,690	3,291	2,317	1,008	244	52	16	64
75	74	130	279	454	636	1,027	1,241	1,487	1,842	2,059	2,001	1,578	1,036	399	92	13	10	65
58	88	95	165	265	315	443	587	817	1,096	1,433	1,689	1,713	1,281	609	152	39	6	66
51	49	82	183	318	466	741	943	1,152	1,469	1,719	1,745	1,396	939	361	79	10	5	67
33	45	54	99	139	190	289	366	550	834	1,182	1,470	1,548	1,182	558	140	28	4	68
23	25	45	93	126	160	264	278	308	329	292	208	149	83	29	11	3	5	69
24	39	39	63	120	116	147	210	247	222	218	162	125	67	34	8	10	2	70
30	77	195	512	958	1,634	2,719	3,720	5,548	7,733	9,699	10,467	9,528	6,326	2,401	519	70	23	71
15	41	104	247	491	876	1,494	2,010	2,787	3,682	4,231	4,224	3,432	2,083	758	145	17	10	72
15	36	91	265	467	758	1,225	1,710	2,761	4,051	5,468	6,243	6,096	4,243	1,643	374	53	13	73
7	13	31	71	175	437	825	1,277	1,813	2,572	3,203	3,532	2,922	1,787	656	111	13	4	74
1	15	15	70	146	283	539	902	1,625	2,832	4,224	5,294	5,389	3,768	1,450	317	37	5	75
7	26	70	172	299	420	626	685	879	987	861	552	413	239	83	30	4	5	76
14	20	72	193	311	459	641	748	1,055	1,055	1,044	716	494	305	135	42	14	8	77
34	80	133	298	391	491	583	585	825	1,194	1,579	2,034	1,986	1,469	623	151	27	5	78
16	45	67	164	227	298	336	327	461	669	858	980	930	604	231	66	12	2	79
18	35	66	134	164	193	247	258	364	525	721	1,054	1,056	865	392	85	15	3	80
8	17	20	65	63	139	198	206	313	504	702	848	836	561	209	57	9	-	81
6	14	11	33	63	76	115	146	232	393	596	929	966	787	349	79	12	3	82
5	26	46	94	155	151	132	107	135	139	131	101	70	36	14	7	3	2	83
12	20	54	94	93	108	125	105	124	119	97	89	64	54	27	4	3	-	84
1	2	5	15	40	125	260	471	1,029	2,070	3,869	6,235	8,433	7,868	4,708	1,389	287	16	85
-	2	4	7	26	84	193	307	633	1,195	2,011	3,004	3,880	3,254	1,712	459	76	6	86
1	-	1	8	14	41	87	164	396	875	1,858	3,231	4,553	4,614	2,996	930	211	10	87
-	2	1	3	20	72	141	249	494	958	1,726	2,698	3,576	3,018	1,586	416	54	2	88
1	-	-	4	10	26	55	119	298	710	1,601	2,894	4,206	4,309	2,788	862	182	6	89
-	-	3	4	5	9	42	54	115	211	224	223	206	164	86	29	20	4	90
-	-	1	4	4	13	29	41	88	146	210	228	211	164	116	38	28	4	91

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Major cardiovascular-renal diseases—Con.										
	Diseases of cardiovascular system—Con.										
1	Other diseases of circulatory system (451-468)	22,632	31	10	5	2	5	53	18	39	88
2	Male	13,737	25	4	3	1	4	37	6	13	31
3	Female	8,895	6	6	2	1	1	16	12	26	57
4	White—Male	12,009	15	3	2	-	3	23	5	12	21
5	Female	7,459	4	3	1	1	1	10	8	16	39
6	Nonwhite—Male	1,236	9	1	1	1	1	13	1	1	7
7	Female	1,101	2	3	1	-	-	6	3	8	17
8	Chronic and unspecified nephritis and other renal sclerosis (592-594)	11,372	47	13	10	2	6	78	67	107	159
9	Male	6,331	26	10	6	-	4	46	35	48	94
10	Female	5,041	21	3	4	2	2	32	32	59	65
11	White—Male	4,854	18	8	4	-	2	32	25	33	76
12	Female	3,715	13	2	2	2	2	21	24	48	53
13	Nonwhite—Male	1,292	7	2	2	-	2	13	9	14	14
14	Female	1,159	8	1	2	-	-	11	6	10	9
15	Influenza and pneumonia, except pneumonia of newborn (480-493)	59,995	8,985	1,227	554	294	196	11,256	501	361	359
16	Male	33,517	5,128	639	318	167	93	6,345	258	184	209
17	Female	26,478	3,857	588	236	127	103	4,911	243	177	150
18	White—Male	26,618	3,112	365	187	118	66	3,848	176	141	168
19	Female	21,177	2,187	348	134	80	67	2,816	171	145	111
20	Nonwhite—Male	5,930	1,868	257	118	45	25	2,313	68	37	32
21	Female	4,542	1,564	220	97	42	28	1,951	63	28	33
22	Influenza (480-483)	3,431	284	71	20	16	16	407	37	40	41
23	Male	1,664	162	33	11	11	9	226	15	22	22
24	Female	1,767	122	38	9	5	7	181	22	18	19
25	White—Male	1,347	84	21	7	9	9	130	9	17	16
26	Female	1,422	57	27	2	3	5	94	16	14	14
27	Nonwhite—Male	300	77	12	3	2	-	94	5	5	5
28	Female	337	65	11	7	1	2	86	6	4	5
29	Pneumonia, except pneumonia of newborn (490-493)	56,564	8,701	1,156	534	278	180	10,849	464	321	318
30	Male	31,853	4,966	606	307	156	84	6,119	243	162	187
31	Female	24,711	3,735	550	227	122	96	4,730	221	159	131
32	White—Male	25,271	3,028	344	180	109	57	3,718	167	124	152
33	Female	19,755	2,130	321	132	77	62	2,722	155	131	97
34	Nonwhite—Male	5,630	1,791	245	115	43	25	2,219	63	32	27
35	Female	4,205	1,499	209	90	41	26	1,865	57	24	28
36	Bronchitis (500-502)	4,665	579	127	67	32	16	821	52	22	20
37	Male	3,321	342	79	37	23	8	489	29	16	15
38	Female	1,344	237	48	30	9	8	332	23	6	5
39	White—Male	2,899	246	56	28	18	7	355	27	15	11
40	Female	1,134	163	36	19	7	7	232	18	5	4
41	Nonwhite—Male	305	85	21	9	5	1	121	1	1	4
42	Female	166	67	11	9	2	1	90	5	1	1
43	Other bronchopulmonic diseases (525-527)	20,072	1,307	105	42	17	15	1,486	40	32	38
44	Male	15,838	765	58	26	14	10	873	21	23	20
45	Female	4,234	542	47	16	3	5	613	19	9	18
46	White—Male	14,335	538	31	21	11	9	610	16	18	17
47	Female	3,663	347	29	12	2	4	394	16	6	11
48	Nonwhite—Male	1,089	217	25	5	3	1	251	3	5	3
49	Female	475	191	18	4	1	1	215	3	2	5
50	Ulcer of stomach and duodenum (540,541)	12,228	65	15	3	3	2	88	6	13	12
51	Male	8,836	45	10	2	2	-	59	5	9	7
52	Female	3,392	20	5	1	1	2	29	1	4	5
53	White—Male	7,778	27	7	1	2	-	37	5	7	4
54	Female	3,022	12	3	1	1	1	18	1	4	4
55	Nonwhite—Male	719	15	1	1	-	-	17	-	2	1
56	Female	250	6	-	-	-	1	7	-	-	1
57	Appendicitis (550-553)	1,800	21	7	14	11	11	64	62	82	60
58	Male	1,095	10	2	7	8	7	34	34	48	39
59	Female	705	11	5	7	3	4	30	28	34	21
60	White—Male	904	8	2	6	4	5	25	28	38	28
61	Female	550	9	5	5	2	4	25	21	22	16
62	Nonwhite—Male	149	2	-	1	3	2	8	6	10	9
63	Female	130	2	-	2	1	-	5	6	12	5
64	Hernia and intestinal obstruction (560,561,570)	9,723	889	34	18	11	16	968	24	23	18
65	Male	4,715	521	23	13	5	8	570	16	15	6
66	Female	5,008	368	11	5	6	8	398	8	8	12
67	White—Male	3,958	431	16	12	4	7	470	10	13	4
68	Female	4,325	303	9	2	5	7	326	7	6	9
69	Nonwhite—Male	584	74	6	1	1	1	83	6	2	2
70	Female	506	51	2	3	1	1	58	-	2	2
71	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	8,194	2,342	354	85	42	22	2,845	88	45	50
72	Male	4,063	1,302	189	47	18	14	1,570	47	22	22
73	Female	4,131	1,040	165	38	24	8	1,275	41	23	28
74	White—Male	2,978	616	129	30	16	10	801	32	17	20
75	Female	3,126	490	112	28	12	7	647	31	19	25
76	Nonwhite—Male	935	852	52	16	2	4	726	14	4	2
77	Female	854	533	49	11	9	1	603	10	3	2
78	Cirrhosis of liver (581)	21,824	25	13	7	5	2	52	9	26	41
79	Male	14,329	14	6	6	2	1	29	5	12	20
80	Female	7,495	11	7	1	3	1	23	4	14	21
81	White—Male	12,242	8	5	5	1	1	20	4	12	13
82	Female	6,117	7	4	1	2	1	15	2	11	15
83	Nonwhite—Male	1,414	5	1	1	1	-	8	1	-	7
84	Female	1,010	4	3	-	1	-	8	1	2	6
85	Cholelithiasis, cholecystitis, and cholangitis (584,585)	4,831	5	-	-	-	-	5	1	1	9
86	Male	2,014	3	-	-	-	-	3	1	1	2
87	Female	2,817	2	-	-	-	-	2	-	-	7
88	White—Male	1,843	2	-	-	-	-	2	1	-	1
89	Female	2,538	2	-	-	-	-	2	-	-	7
90	Nonwhite—Male	100	1	-	-	-	-	1	-	1	1
91	Female	185	-	-	-	-	-	-	-	-	-

Age Groups, Color, and Sex: United States, 1962—Con.

International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
128	152	259	399	554	801	1,211	1,767	2,564	3,500	3,838	3,245	2,187	1,323	406	81	13	6	1
39	53	102	196	276	465	812	1,197	1,731	2,476	2,536	1,906	1,080	574	171	31	4	1	2
89	99	157	203	278	336	399	570	833	1,024	1,302	1,339	1,107	749	235	50	9	5	3
28	41	71	137	209	360	661	1,021	1,492	2,172	2,276	1,754	1,003	532	159	29	2	1	4
60	70	106	129	184	232	287	438	664	849	1,160	1,218	1,021	694	219	46	5	4	5
9	11	24	47	59	86	119	134	171	212	159	89	50	31	9	2	2	-	6
27	29	44	69	78	83	91	105	140	130	97	77	48	32	9	4	3	1	7
239	268	336	442	545	632	745	839	942	1,157	1,217	1,320	1,112	773	291	88	10	5	8
146	156	196	247	327	383	427	505	523	677	683	706	543	394	142	45	6	2	9
93	112	140	195	218	249	318	334	419	480	534	614	569	379	149	43	4	3	10
122	129	147	175	219	273	297	380	370	506	533	588	465	332	114	35	2	1	11
74	77	90	113	141	136	202	223	262	346	410	513	491	328	125	35	2	1	12
17	26	41	62	97	103	116	111	128	147	136	97	68	54	25	9	4	1	13
15	33	44	74	68	104	107	100	140	120	104	86	61	41	16	6	2	2	14
312	341	434	786	1,080	1,404	1,799	2,268	3,057	4,501	6,114	7,414	7,620	6,179	3,134	866	189	20	15
158	174	236	428	640	880	1,211	1,536	1,965	2,946	3,712	4,180	3,928	2,855	1,297	300	63	12	16
154	167	198	358	440	524	588	732	1,092	1,555	2,402	3,234	3,692	3,324	1,837	566	126	8	17
123	116	131	274	430	597	866	1,192	1,520	2,422	3,143	3,729	3,572	2,659	1,186	265	51	9	18
109	103	120	216	269	369	410	536	820	1,204	2,059	2,885	3,381	3,105	1,727	513	103	5	19
31	57	97	138	184	251	306	300	373	432	457	342	255	133	78	32	11	3	20
37	55	67	125	161	143	163	175	243	289	276	257	198	140	69	47	19	3	21
22	24	24	45	56	69	99	109	149	252	346	457	483	449	234	69	18	1	22
8	11	11	19	29	37	53	47	75	134	169	234	227	192	108	21	3	1	23
14	13	13	26	27	32	46	62	74	118	177	223	256	257	126	48	15	-	24
8	10	7	16	23	24	29	36	52	103	148	214	205	178	100	18	3	1	25
13	9	8	17	18	25	28	42	57	87	140	189	236	242	121	41	11	-	26
-	1	4	3	6	13	23	11	22	26	20	19	20	13	7	3	-	-	27
1	4	5	8	9	7	18	19	17	31	36	34	18	14	4	7	4	-	28
290	317	410	741	1,024	1,335	1,700	2,159	2,908	4,249	5,768	6,957	7,137	5,730	2,900	797	171	19	29
150	163	225	409	611	843	1,158	1,489	1,890	2,812	3,543	3,946	3,701	2,663	1,189	279	60	11	30
140	154	185	332	413	492	542	670	1,018	1,437	2,225	3,011	3,436	3,067	1,711	518	111	8	31
115	106	124	258	407	573	837	1,156	1,468	2,319	2,995	3,515	3,367	2,481	1,086	247	48	8	32
96	94	112	199	251	344	382	494	763	1,117	1,919	2,696	3,145	2,863	1,606	472	92	5	33
31	56	93	135	178	238	283	289	351	406	437	323	235	120	71	29	11	3	34
36	51	62	117	152	136	145	156	226	258	240	223	180	126	65	40	15	3	35
16	21	19	43	70	114	209	316	435	607	624	495	404	232	117	22	4	2	36
10	9	7	20	44	73	156	253	350	503	514	370	257	125	64	12	4	1	37
6	12	12	23	26	41	53	63	85	104	110	125	147	107	53	10	-	1	38
7	4	3	15	35	58	138	226	327	455	465	338	234	114	58	11	2	1	39
5	8	9	18	22	36	46	57	74	88	101	117	135	97	52	9	-	1	40
3	5	4	5	5	13	14	19	14	29	28	17	11	6	3	1	1	-	41
1	3	3	4	3	5	6	4	8	9	8	5	5	4	-	1	-	-	42
40	49	94	180	326	578	1,049	1,776	2,554	3,350	3,354	2,609	1,556	685	214	47	8	7	43
21	26	51	106	208	381	822	1,498	2,186	2,921	2,859	2,070	1,117	478	123	28	2	4	44
19	23	43	74	118	197	227	278	368	429	495	539	439	207	91	19	6	3	45
14	15	34	77	172	337	721	1,353	1,990	2,691	2,671	1,953	1,049	448	116	27	2	4	46
14	13	30	57	92	163	195	255	329	403	456	507	417	189	88	19	6	3	47
7	9	16	25	32	37	83	105	130	147	115	62	33	20	5	1	-	-	48
5	9	11	16	22	29	24	15	31	17	25	20	13	11	2	-	-	-	49
36	62	104	255	377	594	879	1,134	1,353	1,743	1,765	1,740	1,137	678	216	33	2	1	50
24	50	79	179	283	436	680	889	1,057	1,364	1,281	1,195	727	385	113	13	1	-	51
12	12	25	76	94	158	199	245	296	379	484	545	410	293	103	20	1	1	52
17	28	58	139	226	362	570	766	913	1,212	1,169	1,112	671	361	109	11	1	-	53
10	11	19	63	69	139	165	202	247	340	436	516	384	272	101	19	1	1	54
5	18	20	33	48	56	79	87	95	105	70	44	22	14	2	1	-	-	55
2	1	4	10	22	14	24	30	40	24	30	14	15	10	1	1	-	-	56
26	28	34	48	62	80	117	129	152	190	215	201	145	79	22	2	2	-	57
11	19	23	29	41	52	87	82	107	122	129	114	78	34	9	2	1	-	58
15	9	11	19	21	28	30	47	45	68	86	87	67	45	13	-	1	-	59
10	16	17	24	28	42	69	68	81	107	107	105	69	31	8	2	1	-	60
13	6	7	14	9	18	20	36	31	52	68	75	61	42	13	-	1	-	61
-	3	4	4	10	7	14	11	19	12	17	7	4	3	1	-	-	-	62
2	3	4	5	11	9	8	10	12	12	15	6	2	3	-	-	-	-	63
21	40	80	128	193	281	423	544	777	1,031	1,347	1,410	1,282	773	290	58	9	3	64
9	15	38	56	75	136	215	284	404	539	690	650	529	323	123	18	2	2	65
12	25	42	72	118	145	208	260	373	492	657	760	753	450	167	40	7	1	66
6	12	25	41	53	99	165	222	322	449	598	571	473	300	107	16	2	-	67
8	20	29	44	80	113	163	202	303	419	586	693	696	420	156	38	7	-	68
3	2	12	14	21	34	35	49	62	67	69	51	39	15	14	2	-	2	69
3	4	12	25	35	29	36	47	57	50	49	39	34	14	8	1	-	1	70
69	57	80	94	159	219	303	355	506	602	725	786	604	396	169	34	7	1	71
38	20	43	41	81	119	182	188	285	319	370	301	220	134	51	9	-	1	72
31	37	37	53	78	100	121	167	221	283	355	485	384	262	118	25	7	-	73
33	17	39	33	66	102	154	156	247	284	323	274	202	121	48	9	-	-	74
23	30	26	45	65	77	97	125	183	241	316	445	348	242	115	21	5	-	75
4	3	3	4	11	14	24	20	22	22	29	13	10	6	3	-	-	1	76
7	5	9	7	10	15	19	34	27	26	25	26	14	7	1	2	2	-	77
51	177	528	1,182	1,999	2,847	3,272	3,094	2,608	2,518	1,665	968	522	200	50	7	1	7	78
21	94	273	685	1,186	1,769	2,195	2,178	1,844	1,816	1,110	632	309	115	27	2	-	7	79
30	83	255	497	813	1,078	1,077	916	764	702	555	336	213	85	23	5	1	-	80
12	57	173	468	932	1,508	1,915	1,924	1,586	1,617	999	587	277	106	24	2	-	6	81
13	37	128	331	629	859	904	784	657	616	501	305	202	79	23	5	1	-	82
9	36	87	186	187	187	189	156	159	101	50	24	17	7	2	-	-	1	83
16	42	115	132	153	158	123	92	60	55	23	16	5	3	-	-	-	-	84
8	23	26	51	71	120	190	262	398	655	802	878	707	415	167	40	2	-	85
2	6	9	23	28	56	84	120	178	297	367	362	269	147	48	11	-	-	86
6	17	17	28	43	64	106	142	220	358	435	516	438	268	119	29	2	-	87
2	4	7	19	20	51	74	105	162	276	342	330	256	139	41	11	-	-	88
4	14	12	19	35	54	83	122	189	322	392	481	410	249	114	27	2	-	89
-	1	2	3	5	3	7	9	11	13	12	19	7	3	2	-	-	-	90
2	1	3	8	6	8	17	15	26	22	25	20	16	11	4	1	-	-	91

Table 1-25. Deaths From 60 Selected Causes,by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Acute nephritis, and nephritis with edema including nephrosis (590,591)--	1,573	42	20	16	24	19	121	67	45	48
2	Male----	901	20	10	14	13	12	69	36	25	31
3	Female--	672	22	10	2	11	7	52	31	20	17
4	White----------Male----	697	14	7	7	10	8	46	23	21	25
5	Female--	504	16	7	1	6	7	37	28	14	13
6	Nonwhite-------Male----	182	3	2	7	2	4	18	11	3	5
7	Female--	142	6	3	1	4	-	14	2	4	3
8	Infections of kidney (600)----------	8,744	41	7	6	3	4	61	18	22	35
9	Male----	4,306	30	1	4	-	1	36	9	13	15
10	Female--	4,438	11	6	2	3	3	25	9	9	20
11	White----------Male----	3,368	15	1	3	-	1	20	9	13	10
12	Female--	3,490	8	4	2	3	1	18	7	9	15
13	Nonwhite-------Male----	824	14	-	1	-	-	15	-	-	5
14	Female--	791	3	2	-	-	2	7	1	-	4
15	Hyperplasia of prostate (610)----------	4,283	-	-	-	-	-	-	-	-	-
16	White----------Male----	3,519	-	-	-	-	-	-	-	-	-
17	Nonwhite-------Male----	622	-	-	-	-	-	-	-	-	-
18	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)----------	1,465	-	-	-	-	-	-	-	3	112
19	White----------Female--	807	-	-	-	-	-	-	-	-	48
20	Nonwhite-------Female--	615	-	-	-	-	-	-	-	3	63
21	Abortion (650-652)----------	305	-	-	-	-	-	-	-	1	26
22	White----------Female--	149	-	-	-	-	-	-	-	-	7
23	Nonwhite-------Female--	148	-	-	-	-	-	-	-	1	19
24	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)----------	1,160	-	-	-	-	-	-	-	2	86
25	White----------Female--	658	-	-	-	-	-	-	-	-	41
26	Nonwhite-------Female--	467	-	-	-	-	-	-	-	2	44
27	Congenital malformations (750-759)----------	21,192	14,832	928	432	320	200	16,712	695	492	418
28	Male----	11,562	8,192	446	227	168	96	9,129	374	257	247
29	Female--	9,630	6,640	482	205	152	104	7,583	321	235	171
30	White----------Male----	9,671	6,835	348	176	135	74	7,568	318	222	216
31	Female--	8,141	5,618	401	157	121	86	6,383	267	203	137
32	Nonwhite-------Male----	1,519	1,096	79	46	30	17	1,268	46	25	27
33	Female--	1,192	829	68	39	25	17	978	43	22	27
34	Certain diseases of early infancy (760-776)----------	64,205	64,185	6	1	1	2	64,195	6	4	-
35	Male----	37,741	37,732	4	1	-	1	37,738	1	2	-
36	Female--	26,464	26,453	2	-	1	1	26,457	5	2	-
37	White----------Male----	28,058	28,050	3	1	-	1	28,055	1	2	-
38	Female--	19,059	19,050	2	-	-	1	19,053	4	2	-
39	Nonwhite-------Male----	8,478	8,477	1	-	-	-	8,478	-	-	-
40	Female--	6,573	6,571	-	-	1	-	6,572	1	-	-
41	Birth injuries, postnatal asphyxia, and atelectasis (760-762)----------	28,199	28,198	1	-	-	-	28,199	-	-	-
42	Male----	16,832	16,831	1	-	-	-	16,832	-	-	-
43	Female--	11,367	11,367	-	-	-	-	11,367	-	-	-
44	White----------Male----	12,974	12,973	1	-	-	-	12,974	-	-	-
45	Female--	8,536	8,536	-	-	-	-	8,536	-	-	-
46	Nonwhite-------Male----	3,239	3,239	-	-	-	-	3,239	-	-	-
47	Female--	2,416	2,416	-	-	-	-	2,416	-	-	-
48	Infections of newborn (763-768)----------	4,551	4,551	-	-	-	-	4,551	-	-	-
49	Male----	2,682	2,682	-	-	-	-	2,682	-	-	-
50	Female--	1,869	1,869	-	-	-	-	1,869	-	-	-
51	White----------Male----	1,678	1,678	-	-	-	-	1,678	-	-	-
52	Female--	1,112	1,112	-	-	-	-	1,112	-	-	-
53	Nonwhite-------Male----	936	936	-	-	-	-	936	-	-	-
54	Female--	718	718	-	-	-	-	718	-	-	-
55	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)----------	31,455	31,436	5	1	1	2	31,445	6	4	-
56	Male----	18,227	18,219	3	1	-	1	18,224	1	2	-
57	Female--	13,228	13,217	2	-	1	1	13,221	5	2	-
58	White----------Male----	13,406	13,399	2	1	-	1	13,403	1	2	-
59	Female--	9,411	9,402	2	-	-	1	9,405	4	2	-
60	Nonwhite-------Male----	4,303	4,302	1	-	-	-	4,303	-	-	-
61	Female--	3,439	3,437	-	-	1	-	3,438	1	-	-
62	Symptoms, senility, and ill-defined conditions (780-795)----------	19,730	2,266	173	91	51	36	2,617	91	83	147
63	Male----	11,468	1,266	101	52	31	20	1,470	54	48	88
64	Female--	8,262	1,000	72	39	20	16	1,147	37	35	59
65	White----------Male----	7,616	493	48	23	13	12	589	32	36	64
66	Female--	5,179	379	41	19	10	8	457	19	19	40
67	Nonwhite-------Male----	3,791	765	53	29	17	8	872	20	12	24
68	Female--	2,997	614	29	20	10	8	681	18	16	19
69	All other diseases (Residual)----------	52,173	2,710	614	407	295	237	4,263	841	669	795
70	Male----	28,569	1,622	322	216	146	134	2,440	431	390	491
71	Female--	23,604	1,088	292	191	149	103	1,823	410	279	304
72	White----------Male----	23,931	1,206	231	173	102	110	1,822	367	319	391
73	Female--	19,693	817	214	150	124	88	1,393	324	221	222
74	Nonwhite-------Male----	3,918	374	85	38	36	18	551	56	61	81
75	Female--	3,225	247	63	35	21	13	379	69	54	73
76	Accidents (E800-E962)----------	97,139	3,653	1,695	1,347	1,115	895	8,705	3,570	3,181	7,245
77	Male----	66,074	2,026	934	757	665	521	4,903	2,275	2,452	5,727
78	Female--	31,065	1,627	761	590	450	374	3,802	1,295	729	1,518
79	White----------Male----	55,036	1,415	713	552	527	398	3,595	1,771	1,946	4,942
80	Female--	26,074	1,068	553	421	290	255	2,587	918	590	1,332
81	Nonwhite-------Male----	9,429	559	204	192	126	116	1,197	445	452	671
82	Female--	4,099	514	189	156	146	110	1,115	349	121	153
83	Motor vehicle accidents (E810-E835)----------	40,904	336	402	405	405	355	1,903	1,700	1,328	4,950
84	Male----	29,639	178	203	220	247	207	1,055	1,068	964	3,737
85	Female--	11,265	158	199	185	158	148	848	632	364	1,213
86	White----------Male----	25,421	149	174	173	201	163	860	864	830	3,370
87	Female--	9,768	130	171	161	123	118	703	498	315	1,091
88	Nonwhite-------Male----	3,542	28	26	43	42	39	178	178	113	288
89	Female--	1,169	24	27	22	34	27	134	122	42	94

Age Groups, Color, and Sex: United States, 1962—Con.

International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
51	43	51	58	77	91	88	112	118	125	142	137	104	61	25	8	1	-	1
29	22	28	30	46	53	51	67	67	77	85	76	56	40	10	2	1	-	2
22	21	23	28	31	38	37	45	51	48	57	61	48	21	15	6	-	-	3
26	18	18	22	33	38	33	50	50	64	70	63	50	36	10	1	-	-	4
14	16	13	13	17	24	25	33	42	40	49	47	43	19	11	6	-	-	5
3	4	9	7	11	13	18	16	16	13	12	12	6	3	-	1	1	-	6
8	2	8	12	12	12	9	11	7	7	6	14	5	2	4	-	-	-	7
48	61	112	210	238	338	460	632	814	1,078	1,203	1,278	1,039	754	270	60	9	4	8
25	23	32	71	95	141	185	288	399	564	641	687	527	388	133	30	4	-	9
23	38	80	139	143	197	275	344	415	514	562	591	512	366	137	30	5	4	10
20	18	26	43	57	89	118	190	289	423	513	568	455	352	128	25	2	-	11
18	25	47	88	89	137	166	245	285	401	458	530	457	336	127	25	3	4	12
5	5	5	26	36	48	60	92	96	129	107	99	58	27	5	4	2	-	13
4	11	29	45	50	56	101	85	113	91	79	40	38	23	8	4	2	-	14
-	-	1	-	2	9	31	90	246	446	714	898	906	616	252	66	5	1	15
-	-	1	-	1	3	13	46	163	315	576	774	797	541	227	57	4	1	16
-	-	-	-	1	6	18	41	73	120	103	99	82	51	20	7	1	-	17
269	308	373	273	120	7	-	-	-	-	-	-	-	-	-	-	-	-	18
155	181	201	149	68	5	-	-	-	-	-	-	-	-	-	-	-	-	19
109	115	158	116	49	2	-	-	-	-	-	-	-	-	-	-	-	-	20
67	78	75	45	12	1	-	-	-	-	-	-	-	-	-	-	-	-	21
31	39	36	29	6	1	-	-	-	-	-	-	-	-	-	-	-	-	22
34	37	36	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-	23
202	230	298	228	108	6	-	-	-	-	-	-	-	-	-	-	-	-	24
124	142	165	120	62	4	-	-	-	-	-	-	-	-	-	-	-	-	25
75	78	122	101	43	2	-	-	-	-	-	-	-	-	-	-	-	-	26
307	216	237	273	288	329	304	257	187	190	127	74	51	27	6	1	-	1	27
183	104	128	155	156	173	165	132	99	106	67	45	27	13	2	-	-	-	28
124	112	109	118	132	156	139	125	88	84	60	29	24	14	4	1	-	1	29
153	92	107	132	132	156	145	114	87	92	59	37	26	13	2	-	-	-	30
103	93	90	99	109	137	123	111	81	81	54	27	23	14	4	1	-	1	31
24	9	17	19	18	13	13	12	10	9	5	3	1	-	-	-	-	-	32
13	18	15	14	19	14	9	12	4	1	1	1	1	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
214	255	383	544	691	914	1,125	1,292	1,567	1,640	1,817	1,768	1,729	1,397	930	325	145	56	62
124	141	194	301	390	594	771	868	1,069	1,102	1,159	1,005	878	660	360	117	45	30	63
90	114	189	243	301	320	354	424	498	538	658	763	851	737	570	208	100	26	64
85	80	106	191	252	379	533	612	714	765	817	749	685	515	289	80	21	22	65
53	63	117	122	173	190	197	241	244	297	426	557	662	597	470	160	59	16	66
39	59	86	107	136	209	233	254	349	332	340	253	188	142	68	36	24	8	67
36	48	68	119	122	125	156	180	248	233	229	197	187	129	90	45	41	10	68
704	866	1,208	1,787	2,355	2,907	3,470	3,889	4,519	5,466	5,651	5,073	3,901	2,404	1,059	272	60	14	69
382	452	618	961	1,283	1,647	2,034	2,241	2,646	3,203	3,189	2,644	1,873	1,069	448	92	26	9	70
322	414	590	826	1,072	1,260	1,436	1,648	1,873	2,263	2,462	2,429	2,028	1,335	611	180	34	5	71
283	316	393	689	964	1,293	1,647	1,877	2,220	2,795	2,846	2,384	1,725	976	415	84	22	3	72
220	290	378	555	811	981	1,139	1,357	1,574	1,937	2,195	2,213	1,879	1,253	560	162	25	4	73
83	119	205	240	286	289	315	294	351	306	257	190	112	78	28	6	4	6	74
92	116	194	247	221	238	252	247	248	241	195	147	98	53	37	16	7	1	75
7,312	4,989	4,678	5,103	5,185	5,258	5,341	4,899	4,837	4,903	5,246	5,349	5,070	3,850	1,824	441	78	75	76
6,082	4,111	3,791	3,943	3,942	3,952	4,062	3,634	3,372	3,194	3,130	2,790	2,332	1,485	682	128	27	60	77
1,230	878	887	1,160	1,243	1,306	1,279	1,265	1,465	1,709	2,116	2,559	2,738	2,365	1,142	313	51	15	78
5,154	3,357	3,077	3,167	3,228	3,244	3,368	3,027	2,823	2,707	2,747	2,542	2,134	1,387	637	117	23	43	79
1,049	715	699	915	1,011	1,108	1,077	1,067	1,242	1,470	1,839	2,315	2,552	2,192	1,061	288	37	10	80
787	665	632	702	615	607	596	502	449	393	284	166	143	62	30	11	3	17	81
160	147	173	204	197	173	164	158	174	193	201	157	106	87	33	16	14	4	82
5,207	3,053	2,535	2,619	2,494	2,331	2,284	2,159	2,038	1,938	1,758	1,362	752	308	64	7	-	14	83
4,291	2,469	1,997	1,943	1,810	1,656	1,660	1,530	1,344	1,257	1,171	901	513	213	43	5	-	12	84
916	584	538	676	684	675	624	629	694	681	587	461	239	95	21	2	-	2	85
3,724	2,089	1,664	1,612	1,506	1,399	1,391	1,289	1,158	1,077	1,044	832	476	202	42	4	-	8	86
804	504	459	556	590	593	541	559	627	621	536	438	222	90	20	-	-	1	87
465	348	289	295	255	219	226	205	151	149	95	48	28	6	1	1	-	4	88
99	68	71	101	81	73	73	56	47	47	31	18	9	1	-	1	-	1	89

716 - 533 O - 64 - 17

Table 1-25. Deaths From 60 Selected Causes,by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Accidents--Con.										
1	Other accidents (E800-E802,E840-E962)	56,335	3,317	1,293	942	710	540	6,802	1,870	1,853	2,295
2	Male	36,435	1,848	731	537	418	314	3,848	1,207	1,488	1,990
3	Female	19,900	1,469	562	405	292	226	2,954	663	365	305
4	White--Male	29,615	1,266	539	379	326	225	2,735	907	1,116	1,572
5	Female	16,306	938	382	260	167	137	1,884	420	275	241
6	Nonwhite--Male	5,887	531	178	149	84	77	1,019	267	339	383
7	Female	2,930	490	162	134	112	83	981	227	79	59
8	Suicide (E963,E970-E979)	20,207	...	...	...	...	...	...	1	102	556
9	Male	15,062	...	...	...	...	...	...	1	89	409
10	Female	5,145	...	...	...	...	...	...	-	13	147
11	White--Male	13,933	...	...	...	...	...	...	1	85	367
12	Female	4,744	...	...	...	...	...	...	-	12	126
13	Nonwhite--Male	738	...	...	...	...	...	...	-	3	32
14	Female	243	...	...	...	...	...	...	-	1	17
15	Homicide (E964,E980-E985)	9,013	214	44	44	33	30	365	96	110	544
16	Male	6,707	116	21	25	15	14	191	47	57	403
17	Female	2,306	98	23	19	18	16	174	49	53	141
18	White--Male	2,937	75	13	20	8	11	127	36	36	164
19	Female	1,291	69	19	11	14	13	126	37	43	81
20	Nonwhite--Male	3,633	34	7	4	6	3	54	9	21	235
21	Female	960	27	4	6	4	2	43	11	9	56

Age Groups, Color, and Sex: United States, 1962—Con.

International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,105	1,936	2,143	2,484	2,691	2,927	3,057	2,740	2,799	2,965	3,488	3,987	4,318	3,542	1,760	434	78	61	1
1,791	1,642	1,794	2,000	2,132	2,296	2,402	2,104	2,028	1,937	1,959	1,889	1,819	1,272	639	123	27	48	2
314	294	349	484	559	631	655	636	771	1,028	1,529	2,098	2,499	2,270	1,121	311	51	13	3
1,430	1,288	1,413	1,555	1,722	1,845	1,977	1,738	1,665	1,630	1,703	1,710	1,658	1,185	595	113	23	35	4
245	211	240	359	421	515	536	508	615	849	1,303	1,877	2,330	2,102	1,041	288	37	9	5
322	317	343	407	360	388	370	297	298	244	189	118	115	56	29	10	3	13	6
61	79	102	103	116	100	91	102	127	146	170	139	97	86	33	15	14	3	7
946	1,065	1,444	1,715	1,955	2,156	2,292	2,100	1,720	1,372	1,132	871	507	193	61	6	2	11	8
706	735	1,001	1,203	1,362	1,529	1 677	1,631	1,320	1,090	913	740	430	165	47	5	1	8	9
240	330	443	512	593	627	615	469	400	282	219	131	77	28	14	1	1	3	10
607	653	890	1,084	1,263	1,428	1,584	1,534	1,218	1,028	862	704	409	157	46	4	1	8	11
207	290	402	477	544	577	581	435	377	269	207	125	71	26	13	1	1	3	12
82	64	88	86	65	62	59	43	59	35	33	10	13	3	-	1	-	-	13
31	31	32	24	28	24	11	15	13	4	5	4	2	1	-	-	-	-	14
1,012	1,054	1,144	1,127	970	728	613	417	308	217	127	84	47	22	8	3	-	17	15
776	805	882	830	720	583	493	334	240	166	78	56	25	8	3	1	-	9	16
236	249	262	297	250	145	120	83	68	51	49	28	22	14	5	2	-	8	17
268	297	344	329	286	268	244	180	130	99	55	39	21	6	3	1	-	4	18
111	95	111	134	131	94	78	62	40	39	44	25	17	12	4	2	-	5	19
496	489	522	485	415	304	242	146	105	63	22	16	4	2	-	-	-	3	20
121	148	143	155	113	48	41	17	26	11	4	3	5	2	1	-	-	3	21

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	ALL CAUSES	945.4	2,530.1	98.1	45.5	42.1	87.7	123.8
2	Male	1,089.0	2,965.0	104.8	51.4	53.1	122.7	179.2
3	Female	806.5	2,181.2	91.1	39.4	30.8	52.4	70.8
4	White	938.9	2,226.5	86.4	42.6	40.2	84.1	112.7
5	Male	1,084.3	2,541.3	92.7	48.7	50.7	119.2	166.1
6	Female	797.8	1,896.7	79.8	36.3	28.4	48.7	61.4
7	Nonwhite	982.0	4,178.7	166.8	63.2	56.2	117.6	207.6
8	Male	1,118.8	4,648.3	178.8	68.1	71.5	155.2	283.1
9	Female	852.9	3,704.7	154.7	58.3	40.8	80.7	139.2
10	Tuberculosis, all forms (001-019)	5.1	1.0	0.5	0.2	0.1	0.2	0.5
11	Male	7.6	1.2	0.6	0.2	0.1	0.1	0.5
12	Female	2.7	0.9	0.5	0.1	0.1	0.3	0.5
13	White	4.2	0.6	0.4	0.1	0.1	0.1	0.2
14	Male	6.4	0.6	0.5	0.2	0.1	0.1	0.2
15	Female	2.1	0.5	0.3	0.1	0.0	0.2	0.2
16	Nonwhite	11.5	3.3	1.5	0.4	0.2	1.1	2.4
17	Male	16.3	4.4	1.2	0.4	0.3	0.7	2.5
18	Female	7.1	2.2	1.7	0.4	0.1	1.5	2.4
19	Tuberculosis of respiratory system (001-008)	4.7	0.4	0.2	0.0	0.0	0.1	0.3
20	Male	7.1	0.4	0.2	0.0	0.0	0.1	0.4
21	Female	2.4	0.3	0.2	0.1	0.0	0.2	0.3
22	White	4.0	0.2	0.1	0.0	0.0	0.1	0.2
23	Male	6.1	0.2	0.1	0.0	0.0	0.0	0.2
24	Female	1.9	0.2	0.1	0.0	0.0	0.1	0.2
25	Nonwhite	10.2	1.1	0.5	0.1	0.0	0.7	1.6
26	Male	14.7	1.6	0.4	-	0.1	0.3	1.7
27	Female	5.9	0.6	0.6	0.1	-	1.0	1.5
28	Tuberculosis, other forms (010-019)	0.4	0.6	0.4	0.1	0.1	0.1	0.1
29	Male	0.4	0.9	0.4	0.2	0.1	0.1	0.1
30	Female	0.3	0.5	0.4	0.1	0.1	0.1	0.2
31	White	0.2	0.4	0.3	0.1	0.0	0.0	0.0
32	Male	0.3	0.4	0.3	0.1	0.1	0.0	0.0
33	Female	0.2	0.3	0.2	0.1	0.0	0.1	0.0
34	Nonwhite	1.4	2.2	1.0	0.3	0.2	0.4	0.8
35	Male	1.5	2.8	0.7	0.4	0.3	0.3	0.8
36	Female	1.2	1.6	1.2	0.2	0.1	0.5	0.8
37	Syphilis and its sequelae (020-029)	1.5	0.7	-	0.0	0.0	0.0	0.1
38	Male	2.2	0.9	-	0.0	-	0.0	0.1
39	Female	0.9	0.4	-	-	0.0	0.0	0.0
40	White	1.2	0.2	-	0.0	0.0	0.0	0.1
41	Male	1.8	0.2	-	0.0	-	0.0	0.1
42	Female	0.7	0.2	-	-	0.0	-	-
43	Nonwhite	3.9	3.3	-	-	-	0.1	0.1
44	Male	5.5	4.7	-	-	-	0.1	0.2
45	Female	2.4	1.9	-	-	-	0.1	0.1
46	Dysentery, all forms (045-048)	0.2	2.8	0.3	0.1	0.0	0.0	0.0
47	Male	0.2	3.1	0.3	0.1	0.0	0.0	0.0
48	Female	0.1	2.4	0.3	0.1	0.0	0.0	0.0
49	White	0.1	1.5	0.2	0.1	0.0	0.0	0.0
50	Male	0.1	1.6	0.2	0.1	-	0.0	0.0
51	Female	0.1	1.4	0.1	0.0	0.0	-	0.0
52	Nonwhite	0.6	9.9	1.0	0.2	0.0	0.1	0.1
53	Male	0.7	12.2	0.7	0.2	0.1	-	0.2
54	Female	0.6	7.6	1.2	0.2	-	0.1	-
55	Scarlet fever and streptococcal sore throat (050,051)	0.1	0.4	0.1	0.0	0.0	0.0	0.1
56	Male	0.1	0.4	0.1	0.0	-	0.0	0.1
57	Female	0.1	0.4	0.1	0.0	0.0	0.1	0.0
58	White	0.0	0.4	0.1	0.0	0.0	0.0	0.1
59	Male	0.0	0.4	0.1	0.0	-	-	0.1
60	Female	0.0	0.4	0.0	0.0	0.0	0.1	0.0
61	Nonwhite	0.1	0.5	0.1	0.1	0.0	-	0.1
62	Male	0.1	0.3	-	-	-	-	0.2
63	Female	0.1	0.6	0.2	0.1	0.1	-	-
64	Diphtheria (055)	0.0	-	0.1	0.1	0.0	0.0	-
65	Male	0.0	-	0.1	0.1	0.0	-	-
66	Female	0.0	-	0.1	0.1	0.0	0.0	-
67	White	0.0	-	0.1	0.0	0.0	-	-
68	Male	0.0	-	0.1	0.0	0.0	-	-
69	Female	0.0	-	0.1	0.0	0.0	-	-
70	Nonwhite	0.1	-	0.4	0.2	0.0	-	-
71	Male	0.1	-	0.6	0.3	-	-	-
72	Female	0.1	-	0.2	0.1	0.1	-	-
73	Whooping cough (056)	0.0	1.6	0.1	0.0	-	-	0.0
74	Male	0.0	1.7	0.1	0.0	-	-	-
75	Female	0.0	1.4	0.1	-	-	-	0.0
76	White	0.0	0.8	0.0	-	-	-	0.0
77	Male	0.0	1.0	0.0	-	-	-	-
78	Female	0.0	0.5	0.1	-	-	-	0.0
79	Nonwhite	0.2	6.3	0.3	0.0	-	-	-
80	Male	0.2	6.0	0.3	0.1	-	-	-
81	Female	0.2	6.6	0.3	-	-	-	-
82	Meningococcal infections (057)	0.3	4.5	1.4	0.3	0.1	0.2	0.1
83	Male	0.4	4.7	1.6	0.3	0.1	0.3	0.1
84	Female	0.3	4.4	1.1	0.3	0.1	0.1	0.1
85	White	0.3	4.5	1.4	0.3	0.1	0.2	0.1
86	Male	0.4	4.4	1.6	0.3	0.1	0.3	0.1
87	Female	0.3	4.6	1.1	0.3	0.2	0.1	0.1
88	Nonwhite	0.4	4.1	1.3	0.4	0.2	0.2	0.2
89	Male	0.6	5.3	1.6	0.6	0.3	0.2	0.3
90	Female	0.3	2.8	1.0	0.2	0.2	0.2	0.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
128.3	160.9	236.3	362.1	576.0	923.8	1,359.5	2,087.3	3,175.9	4,578.5	6,982.2	11,166.3	20,510.0	1
169.3	201.5	291.1	454.3	741.2	1,225.9	1,831.8	2,790.0	4,247.4	5,828.6	8,440.9	12,766.2	21,902.1	2
88.8	122.0	184.2	274.6	417.3	633.2	910.7	1,447.7	2,256.2	3,544.5	5,837.1	10,023.6	19,629.8	3
110.6	135.9	201.2	319.3	526.6	848.9	1,277.6	1,949.6	3,039.2	4,483.2	6,995.5	11,368.0	20,970.5	4
148.0	174.3	254.4	410.6	692.1	1,153.2	1,769.1	2,673.1	4,117.9	5,751.0	8,499.6	13,050.0	22,454.1	5
73.9	98.4	150.1	232.0	366.9	555.7	811.7	1,293.5	2,113.8	3,436.0	5,823.2	10,180.9	20,041.9	6
264.5	356.7	528.0	744.9	1,020.2	1,609.8	2,114.3	3,460.8	4,584.7	5,462.8	6,573.6	8,406.3	14,397.3	7
343.4	433.5	617.6	866.0	1,209.3	1,892.6	2,411.7	3,883.2	5,537.7	6,470.9	7,439.4	9,310.2	16,103.2	8
195.5	291.2	449.1	636.6	845.4	1,338.9	1,824.9	3,058.3	3,754.7	4,608.0	5,800.0	7,498.5	13,481.0	9
1.5	2.1	3.5	4.5	6.4	9.0	11.3	15.5	19.3	21.7	27.0	32.3	34.9	10
1.5	2.2	4.3	5.4	8.9	13.9	18.7	26.4	34.2	38.0	46.3	52.9	55.5	11
1.4	2.1	2.8	3.7	4.0	4.3	4.2	5.6	6.4	8.2	11.9	17.6	21.8	12
0.6	1.2	2.0	3.0	4.8	7.1	9.1	12.8	16.5	19.6	24.9	30.2	31.8	13
0.6	1.2	2.4	3.6	6.9	10.8	15.3	22.6	29.5	34.8	42.2	49.7	50.6	14
0.6	1.2	1.6	2.4	2.9	3.5	3.3	4.0	5.3	7.0	11.5	16.5	20.0	15
7.0	8.7	15.6	18.4	20.4	26.8	29.8	43.5	49.0	49.7	58.9	60.3	74.3	16
7.0	10.0	20.2	21.9	27.6	42.2	47.7	66.1	81.4	81.1	100.9	86.4	116.1	17
7.0	7.7	11.5	15.3	13.8	12.2	12.3	21.9	20.1	22.5	21.3	36.8	45.2	18
1.3	1.9	3.3	4.2	6.0	8.6	10.7	14.6	17.9	20.4	25.8	30.9	33.1	19
1.3	2.0	4.1	5.0	8.6	13.4	17.9	25.3	32.1	36.3	44.6	51.9	52.6	20
1.3	1.9	2.5	3.4	3.6	4.0	3.8	4.8	5.7	7.3	11.0	15.9	20.8	21
0.6	1.1	1.9	2.8	4.7	6.8	8.8	12.2	15.5	18.7	23.8	29.2	30.3	22
0.6	1.1	2.3	3.4	6.7	10.5	14.8	21.7	28.0	33.7	40.7	48.9	47.6	23
0.6	1.2	1.5	2.3	2.7	3.3	3.1	3.6	4.7	6.3	10.7	15.3	19.4	24
5.8	7.4	14.6	16.3	18.2	25.0	27.3	39.0	44.1	44.4	55.4	54.0	71.6	25
5.8	8.7	19.4	19.8	25.3	39.8	44.9	61.5	73.2	72.6	96.3	83.1	112.9	26
5.8	6.4	10.4	13.2	11.7	11.0	10.1	17.6	18.1	20.0	18.9	27.9	42.9	27
0.2	0.2	0.2	0.4	0.4	0.4	0.6	0.9	1.4	1.3	1.2	1.4	1.7	28
0.2	0.2	0.2	0.4	0.4	0.5	0.8	1.2	2.1	1.7	1.7	1.0	2.9	29
0.2	0.2	0.3	0.3	0.4	0.3	0.4	0.7	0.7	0.9	0.9	1.7	1.0	30
0.0	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.0	0.9	1.1	1.0	1.5	31
0.0	0.1	0.1	0.2	0.2	0.4	0.5	0.8	1.5	1.1	1.5	0.8	3.0	32
0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.4	0.6	0.8	0.8	1.2	0.6	33
1.2	1.3	1.0	2.1	2.2	1.8	2.5	4.5	4.9	5.3	3.5	6.3	2.7	34
1.2	1.3	0.8	2.1	2.3	2.4	2.8	4.6	8.2	8.6	4.6	3.4	3.2	35
1.2	1.3	1.1	2.1	2.1	1.2	2.2	4.4	1.9	2.5	2.5	8.8	2.4	36
0.1	0.1	0.3	0.5	0.9	2.3	3.7	6.2	8.0	8.7	9.5	10.1	10.9	37
0.1	0.1	0.3	0.6	1.3	3.3	5.8	9.5	13.6	14.4	13.4	16.6	14.5	38
0.1	0.0	0.3	0.4	0.6	1.3	1.7	3.2	3.2	4.1	6.5	5.5	8.7	39
0.1	0.1	0.2	0.2	0.5	1,4	2.7	4.7	6.3	7.4	8.8	9.2	9.8	40
0.1	0.1	0.2	0.3	0.6	2.2	4.3	7.5	10.9	12.3	12.2	15.2	13.0	41
0.1	0.0	0.1	0.1	0.3	0.7	1.1	2.1	2.3	3.4	6.1	5.0	7.8	42
0.2	0.1	1.4	2.9	5.3	10.9	14.1	22.6	29.0	25.3	20.8	22.2	25.7	43
-	-	1.5	3.2	7.3	14.7	21.3	31.6	46.8	38.9	27.5	32.2	32.3	44
0.4	0.1	1.4	2.7	3.4	7.2	7.2	14.1	13.1	13.5	14.8	13.2	21.4	45
0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.2	0.4	0.7	1.4	46
-	0.1	0.0	0.0	0.1	0.2	0.2	0.3	0.2	0.3	0.6	1.0	1.3	47
0.1	-	0.1	-	0.0	0.1	0.1	0.2	0.3	0.2	0.3	0.6	1.5	48
0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.7	1.3	49
-	0.1	0.1	0.0	0.1	0.2	0.2	0.3	0.1	0.2	0.3	0.9	1.2	50
0.0	-	0.0	-	0.0	0.1	0.1	0.1	0.2	0.1	0.3	0.5	1.3	51
0.1	-	0.2	-	0.1	0.1	0.3	1.0	1.4	1.1	2.2	1.6	4.1	52
-	-	-	-	0.2	-	0.3	1.0	1.3	1.1	3.7	1.7	3.2	53
0.1	-	0.3	-	-	0.2	0.2	0.9	1.5	1.0	0.8	1.5	4.8	54
0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	0.0	0.1	0.2	0.3	0.8	55
-	0.0	0.0	0.1	-	0.0	0.1	0.1	0.1	0.1	0.2	0.4	0.8	56
0.0	0.0	0.0	-	-	0.0	-	0.0	0.0	0.1	0.3	0.2	0.8	57
0.0	0.0	0.0	0.0	-	0.0	-	0.1	0.0	0.1	0.2	0.3	0.9	58
-	0.0	0.0	0.0	-	0.0	-	0.1	-	0.1	0.2	0.5	0.9	59
0.0	0.0	0.0	-	-	0.0	-	-	0.0	0.1	0.2	0.2	0.9	60
0.1	-	0.2	0.2	-	0.1	0.4	0.2	0.4	0.3	0.4	-	-	61
-	-	0.2	0.4	-	-	0.8	-	0.9	0.6	-	-	-	62
0.1	-	0.1	-	-	0.2	-	0.3	-	-	0.8	-	-	63
0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-	64
0.0	-	-	0.0	-	-	0.0	-	-	-	-	-	-	65
-	0.0	-	-	0.0	0.0	-	-	0.0	-	-	-	-	66
-	0.0	-	0.0	0.0	-	0.0	-	-	-	-	-	-	67
-	-	-	0.0	-	-	0.0	-	-	-	-	-	-	68
-	0.0	-	-	0.0	-	-	-	-	-	-	-	-	69
0.1	-	-	-	-	0.1	-	-	0.2	-	-	-	-	70
0.2	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	0.2	-	-	0.4	-	-	-	-	72
-	0.0	-	-	-	-	-	-	-	-	-	-	-	73
-	0.0	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	0.0	-	-	-	-	-	-	-	-	-	-	-	76
-	0.0	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.4	82
0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.1	0.3	0.5	83
0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.3	84
0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.3	0.5	85
0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.1	-	0.3	0.6	86
0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.4	87
0.1	0.2	0.1	-	0.2	0.2	0.1	0.2	-	0.5	-	-	-	88
-	0.3	-	-	0.2	-	0.3	0.3	-	0.6	-	-	-	89
0.1	0.1	0.1	-	0.2	0.4	-	-	-	0.5	-	-	-	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)	0.0	0.1	0.1	0.0	0.1	0.0	0.0
2	Male	0.0	0.1	0.1	0.0	0.1	0.0	0.0
3	Female	0.0	0.0	0.1	0.0	0.0	0.0	0.0
4	White	0.0	0.1	0.1	0.0	0.1	0.0	0.0
5	Male	0.0	0.2	0.1	0.0	0.1	0.0	0.0
6	Female	0.0	0.1	0.1	0.0	0.0	-	0.0
7	Nonwhite	0.1	-	0.2	0.1	0.0	0.1	-
8	Male	0.1	-	0.2	0.1	0.1	-	-
9	Female	0.0	-	0.2	0.1	-	0.1	-
10	Measles (085)	0.2	2.2	1.2	0.4	0.1	0.0	0.0
11	Male	0.2	1.7	1.2	0.3	0.0	0.0	-
12	Female	0.2	2.7	1.3	0.4	0.1	0.0	0.0
13	White	0.2	1.7	0.9	0.4	0.1	0.0	0.0
14	Male	0.2	1.3	0.9	0.3	0.0	0.0	-
15	Female	0.2	2.2	1.0	0.4	0.1	0.0	0.0
16	Nonwhite	0.6	5.2	2.9	0.3	0.2	0.1	0.1
17	Male	0.5	4.4	2.7	0.3	0.1	-	-
18	Female	0.6	6.0	3.2	0.4	0.3	0.1	0.1
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	3.1	20.0	2.6	1.2	0.8	1.0	1.1
20	Male	3.3	21.4	2.6	1.2	0.7	1.0	1.0
21	Female	2.9	18.6	2.7	1.2	0.9	1.1	1.3
22	White	2.8	15.9	2.3	1.1	0.7	1.0	0.9
23	Male	2.9	17.2	2.2	1.1	0.7	0.9	0.8
24	Female	2.7	14.4	2.4	1.2	0.8	1.0	1.0
25	Nonwhite	5.7	43.5	4.6	1.6	1.2	1.8	2.3
26	Male	6.1	46.4	4.8	1.5	1.0	1.5	2.0
27	Female	5.2	40.5	4.4	1.6	1.4	2.1	2.6
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	149.9	6.3	9.7	7.7	6.1	7.7	9.3
29	Male	164.2	5.8	10.4	8.4	6.5	9.1	11.6
30	Female	136.1	6.7	9.0	7.0	5.7	6.3	7.1
31	White	152.4	6.7	10.2	7.9	6.1	7.7	9.5
32	Male	166.6	6.3	11.2	8.7	6.6	9.1	12.1
33	Female	138.6	7.2	9.2	7.1	5.6	6.3	7.0
34	Nonwhite	122.4	4.6	6.6	6.2	6.2	7.2	8.0
35	Male	135.9	4.1	6.4	6.2	6.2	8.5	8.1
36	Female	109.5	5.1	6.9	6.1	6.2	6.0	7.9
37	Malignant neoplasm of buccal cavity and pharynx (140-148)	3.5	0.0	0.1	0.0	0.1	0.1	0.2
38	Male	5.4	-	0.1	0.0	0.1	0.1	0.2
39	Female	1.7	0.0	0.0	0.0	0.1	0.1	0.1
40	White	3.5	0.0	0.1	0.0	0.1	0.1	0.2
41	Male	5.4	-	0.1	0.0	0.1	0.1	0.2
42	Female	1.7	0.1	0.1	0.0	0.1	0.1	0.1
43	Nonwhite	2.9	-	-	-	0.1	0.1	0.3
44	Male	4.5	-	-	-	0.1	0.2	0.3
45	Female	1.3	-	-	-	0.2	-	0.3
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	49.5	0.5	0.3	0.1	0.1	0.3	0.7
47	Male	54.7	0.6	0.3	0.1	0.2	0.4	0.9
48	Female	44.6	0.4	0.3	0.1	0.1	0.3	0.5
49	White	50.1	0.5	0.3	0.1	0.1	0.2	0.6
50	Male	54.7	0.6	0.3	0.2	0.1	0.3	0.8
51	Female	45.7	0.4	0.3	0.1	0.1	0.2	0.5
52	Nonwhite	40.6	0.5	0.3	0.0	0.3	0.9	1.1
53	Male	49.2	0.6	0.2	-	0.4	1.2	1.4
54	Female	32.5	0.3	0.4	0.1	0.2	0.6	0.8
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	24.0	0.0	0.0	0.1	0.1	0.1	0.3
56	Male	41.7	0.1	0.0	0.0	0.1	0.1	0.4
57	Female	7.0	-	0.0	0.1	0.1	0.1	0.1
58	White	24.6	0.1	0.0	0.1	0.0	0.1	0.2
59	Male	42.5	0.1	0.0	0.1	0.1	0.1	0.4
60	Female	7.2	-	0.0	0.1	0.0	0.1	0.1
61	Nonwhite	17.9	-	0.0	0.1	0.3	0.1	0.3
62	Male	31.2	-	-	-	0.3	0.1	0.3
63	Female	5.2	-	0.1	0.1	0.3	0.1	0.3
64	Malignant neoplasm of breast (170)	13.4	0.0	-	-	0.0	0.0	0.1
65	Male	0.2	-	-	-	-	-	-
66	Female	26.2	0.1	-	-	0.0	0.1	0.2
67	White	13.8	-	-	-	0.0	0.0	0.1
68	Male	0.2	-	-	-	-	-	-
69	Female	27.0	-	-	-	0.0	0.0	0.1
70	Nonwhite	9.1	0.3	-	-	0.0	-	0.2
71	Male	0.2	-	-	-	-	-	-
72	Female	17.5	0.6	-	-	0.1	-	0.4
73	Malignant neoplasm of genital organs (171-179)	21.3	0.0	0.1	0.1	0.2	0.5	1.2
74	Male	17.6	-	0.1	0.0	0.1	0.5	1.3
75	Female	24.9	0.0	0.1	0.1	0.3	0.5	1.0
76	White	20.6	0.0	0.1	0.1	0.2	0.6	1.2
77	Male	17.3	-	0.2	0.0	0.1	0.6	1.4
78	Female	24.2	0.1	0.1	0.1	0.3	0.5	1.0
79	Nonwhite	24.9	-	0.0	-	0.3	0.2	0.9
80	Male	20.7	-	0.1	-	-	0.1	0.3
81	Female	28.9	-	-	-	0.5	0.3	1.4
82	Malignant neoplasm of urinary organs (180,181)	7.2	0.5	0.8	0.6	0.1	0.1	0.1
83	Male	9.7	0.6	0.7	0.5	0.1	0.1	0.1
84	Female	4.7	0.4	0.8	0.7	0.1	0.0	0.1
85	White	7.4	0.6	0.8	0.5	0.1	0.1	0.1
86	Male	10.0	0.6	0.8	0.5	0.1	0.1	0.1
87	Female	4.8	0.5	0.8	0.6	0.1	0.0	0.0
88	Nonwhite	4.8	0.2	0.8	0.7	0.2	0.1	0.3
89	Male	5.7	0.3	0.5	0.4	0.3	0.1	0.5
90	Female	3.9	-	1.2	1.0	0.2	0.1	0.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.0	0.0	0.0	0.0	0.0	-	-	0.0	0.0	-	-	-	-	1
0.1	0.1	0.0	0.0	0.0	-	-	0.0	-	-	-	-	-	2
-	0.0	0.0	0.0	-	-	-	-	0.0	-	-	-	-	3
0.0	0.0	0.0	0.0	0.0	-	-	-	0.0	-	-	-	-	4
0.1	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	5
-	0.0	0.0	0.0	-	-	-	-	0.0	-	-	-	-	6
-	-	0.1	-	-	-	-	0.2	-	-	-	-	-	7
-	-	-	-	-	-	-	0.3	-	-	-	-	-	8
-	-	0.1	-	-	-	-	-	-	-	-	-	-	9
0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.1	0.2	10
-	0.0	-	-	0.0	-	0.0	-	-	0.0	-	0.1	0.3	11
0.1	-	0.0	0.0	-	-	-	0.0	0.0	0.0	-	-	0.2	12
0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	0.1	0.2	13
-	0.0	-	-	0.0	-	0.0	-	-	0.0	-	0.2	0.3	14
0.1	-	0.0	0.0	-	-	-	0.0	-	0.0	-	-	0.2	15
-	-	-	-	-	-	-	-	0.2	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	0.4	-	-	-	-	18
1.3	1.2	1.8	2.1	2.5	3.4	4.2	5.1	6.8	8.1	11.6	14.5	26.9	19
1.3	1.0	1.6	2.1	2.8	3.7	4.9	5.9	8.8	10.1	13.5	18.1	33.4	20
1.2	1.4	2.1	2.1	2.3	3.2	3.6	4.4	5.2	6.5	10.2	11.9	22.8	21
1.1	1.0	1.5	1.7	2.2	2.9	3.7	4.6	6.4	7.9	11.1	14.7	27.8	22
1.0	0.8	1.3	1.7	2.4	3.2	4.3	5.1	7.9	9.7	12.4	18.5	34.9	23
1.1	1.2	1.6	1.7	2.1	2.7	3.1	4.1	5.1	6.3	10.0	12.1	23.3	24
2.6	3.0	4.9	5.7	5.5	7.9	10.0	10.9	12.9	10.6	20.3	13.5	21.6	25
2.6	2.7	4.6	5.8	6.6	8.3	11.2	13.8	19.0	14.3	25.7	13.6	25.8	26
2.5	3.3	5.1	5.7	4.6	7.5	8.9	8.2	7.3	7.5	15.6	13.2	19.0	27
13.4	23.8	42.4	76.1	134.3	224.0	326.5	477.4	660.5	813.0	1,007.0	1,253.1	1,500.2	28
14.1	21.1	34.7	63.9	123.0	228.1	371.3	574.2	832.1	1,035.9	1,272.4	1,564.5	1,850.0	29
12.8	26.3	49.7	87.8	145.0	220.0	283.9	389.3	513.1	628.7	798.5	1,030.7	1,279.0	30
13.1	23.0	39.8	72.3	128.4	213.4	317.0	461.3	647.2	805.4	1,016.0	1,275.5	1,531.3	31
14.0	21.4	32.8	61.0	116.6	215.8	363.2	557.2	812.7	1,023.1	1,280.8	1,597.2	1,892.3	32
12.2	24.6	46.5	83.0	139.7	211.1	273.2	374.4	505.2	625.5	809.5	1,048.4	1,305.4	33
16.2	29.5	62.3	111.3	180.3	306.6	395.9	607.9	753.3	803.7	829.0	879.4	983.8	34
15.1	19.3	48.5	92.6	179.0	325.6	433.5	689.5	966.2	1,050.9	1,054.1	1,086.4	1,280.6	35
17.1	38.2	74.3	128.1	181.3	288.0	359.3	530.1	563.3	591.5	627.9	686.8	788.1	36
0.2	0.2	0.6	1.8	3.7	6.6	9.3	11.9	14.3	17.4	20.1	27.7	40.4	37
0.2	0.2	0.7	2.4	5.8	10.8	15.2	19.9	25.0	29.5	33.7	46.0	67.4	38
0.1	0.2	0.5	1.1	1.7	2.5	3.8	4.6	5.1	7.3	9.4	14.7	23.3	39
0.2	0.2	0.6	1.4	3.4	6.3	9.2	11.5	14.2	17.5	20.2	28.3	41.9	40
0.2	0.2	0.7	1.9	5.2	10.4	14.9	19.2	25.0	29.6	34.0	47.7	71.0	41
0.1	0.1	0.5	1.0	1.7	2.4	3.8	4.4	4.9	7.6	9.5	14.7	23.7	42
0.2	0.5	0.9	4.4	6.4	9.2	11.1	13.3	15.3	12.2	15.2	16.7	17.6	43
0.3	0.2	1.3	6.7	10.8	14.9	18.5	21.4	24.2	20.6	24.8	22.0	22.6	44
0.1	0.7	0.6	2.4	2.3	3.7	4.0	5.6	7.3	5.0	6.6	11.8	14.3	45
1.6	3.2	7.8	15.4	31.0	59.0	95.1	154.0	231.3	312.7	410.7	530.5	647.5	46
1.8	3.6	8.8	16.7	35.2	68.3	114.8	188.1	283.0	384.0	468.1	613.7	717.4	47
1.5	2.9	6.9	14.1	27.0	50.1	76.4	123.0	186.9	253.7	349.9	471.0	603.3	48
1.5	3.0	6.9	13.9	28.4	54.2	90.3	146.1	225.1	308.6	411.8	541.9	661.0	49
1.7	3.6	7.6	14.9	32.1	61.3	109.0	179.0	273.8	377.6	485.3	626.9	732.5	50
1.3	2.4	6.3	13.0	24.9	47.3	72.6	116.3	183.4	251.5	354.6	482.0	616.3	51
2.4	5.1	13.9	27.6	51.7	95.5	130.7	219.1	270.4	313.8	345.5	338.1	386.5	52
2.2	4.3	17.1	33.2	62.0	123.9	159.4	255.9	351.5	394.9	435.8	415.3	471.0	53
2.5	5.8	11.1	22.7	42.2	68.5	102.7	184.0	198.1	244.5	264.8	266.2	333.3	54
0.5	1.8	4.7	11.5	24.0	45.8	72.6	104.7	129.2	127.8	117.9	101.6	84.3	55
0.7	2.8	7.1	18.0	39.4	79.3	130.9	194.1	248.4	246.4	220.4	184.8	145.0	56
0.3	0.8	2.5	5.2	9.2	13.7	17.1	23.3	26.9	29.6	37.5	42.2	45.9	57
0.5	1.6	4.4	10.9	23.1	44.5	72.1	103.5	128.9	128.3	119.6	102.0	86.3	58
0.7	2.5	6.5	16.9	37.6	76.7	130.6	192.7	248.0	246.7	223.8	186.2	147.6	59
0.3	0.7	2.4	5.1	9.1	13.5	16.7	22.6	26.8	30.6	38.5	42.6	48.0	60
0.7	2.8	7.3	17.0	31.9	54.5	73.6	105.9	120.0	97.6	85.7	75.4	56.8	61
1.0	4.8	11.3	28.4	55.6	95.4	128.7	186.2	222.1	192.6	152.3	125.4	103.2	62
0.4	1.0	3.8	6.8	10.1	15.7	20.0	29.5	29.0	15.0	26.2	30.9	23.8	63
0.8	3.3	7.0	13.0	22.4	30.5	34.9	39.9	47.9	53.9	64.0	86.7	117.2	64
0.0	-	0.0	0.1	0.2	0.5	0.6	0.9	1.0	1.7	2.0	2.3	1.6	65
1.5	6.5	13.7	25.3	43.7	59.4	67.5	75.3	88.2	97.0	112.7	147.0	190.3	66
0.8	3.1	6.5	12.7	22.3	30.4	34.7	40.1	48.4	54.3	65.4	88.4	118.3	67
0.0	-	0.0	0.1	0.2	0.5	0.6	0.8	0.9	1.7	1.9	2.5	1.5	68
1.5	6.1	12.8	24.7	43.7	59.1	67.1	75.7	89.1	97.7	114.8	149.0	191.5	69
0.7	4.9	10.3	15.6	20.5	29.5	31.0	33.7	38.2	41.0	42.9	52.4	70.3	70
-	-	-	-	0.6	0.4	0.5	1.6	1.7	2.3	1.8	-	-	71
1.3	9.1	19.2	29.5	38.7	56.9	60.7	64.3	70.7	75.0	79.5	97.1	123.8	72
2.4	4.5	8.0	12.6	19.0	28.6	38.4	58.8	86.3	117.1	166.3	223.3	272.8	73
1.7	1.8	1.7	1.2	2.1	5.5	13.9	35.2	79.1	135.4	239.6	364.4	497.6	74
3.1	7.0	13.9	23.3	35.2	50.9	61.8	80.2	92.5	101.9	108.7	122.5	130.6	75
2.3	4.0	7.1	11.3	17.7	26.1	35.1	53.6	79.5	110.7	163.8	221.9	272.3	76
1.9	2.0	1.8	1.1	1.8	4.6	11.4	29.3	68.9	125.6	236.3	365.8	500.3	77
2.7	6.1	12.2	21.0	33.0	46.8	57.5	75.7	88.6	98.3	107.3	120.3	129.6	78
3.8	7.8	15.5	24.3	30.7	51.1	69.6	114.3	163.9	187.0	203.0	232.5	295.9	79
0.9	0.2	1.3	2.1	4.2	14.0	39.3	93.4	193.5	254.3	285.3	342.4	490.3	80
6.3	14.3	27.8	44.2	54.8	86.1	99.0	134.2	137.5	129.0	129.5	133.8	159.5	81
0.1	0.4	0.9	1.9	4.2	8.1	13.0	20.9	35.3	45.4	58.1	74.2	95.9	82
0.2	0.4	1.1	2.5	5.9	11.7	19.2	30.7	53.2	69.3	87.4	101.8	133.7	83
0.1	0.4	0.7	1.3	2.5	4.7	7.1	11.9	20.0	25.6	35.0	54.5	72.0	84
0.1	0.4	0.8	1.8	3.9	7.7	12.6	20.3	35.1	45.6	59.6	76.4	98.6	85
0.2	0.4	1.0	2.4	5.6	11.3	19.2	30.6	53.4	70.1	90.3	106.2	139.3	86
0.1	0.4	0.6	1.2	2.3	4.2	6.4	10.9	19.5	25.4	35.7	55.5	73.1	87
0.3	0.5	1.6	3.2	6.7	13.0	15.3	23.3	30.8	35.1	29.4	40.5	36.5	88
0.3	0.5	2.1	3.2	9.3	16.4	17.3	26.0	39.8	49.7	35.8	42.4	54.8	89
0.3	0.4	1.1	3.3	4.4	9.7	13.3	20.7	22.8	22.5	23.8	38.2	23.8	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.							
1	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	16.6	2.2	3.0	2.3	2.2	3.0	2.7
2	Male	16.1	1.9	3.3	2.3	2.2	3.5	3.4
3	Female	15.1	2.5	2.7	2.2	2.2	2.4	2.0
4	White	17.1	2.5	3.1	2.3	2.2	3.0	2.8
5	Male	15.8	2.2	3.5	2.3	2.3	3.6	3.6
6	Female	15.4	2.8	2.7	2.2	2.2	2.4	2.0
7	Nonwhite	12.8	0.8	2.0	2.3	1.9	2.5	2.2
8	Male	13.1	0.3	2.1	2.3	1.6	2.6	2.2
9	Female	12.5	1.3	2.0	2.3	2.2	2.4	2.2
10	Leukemia and aleukemia (204)	7.0	2.2	4.9	3.9	2.3	2.2	1.9
11	Male	8.2	3.0	5.1	4.4	2.3	2.8	2.4
12	Female	5.8	2.4	4.6	3.4	2.2	1.7	1.4
13	White	7.3	2.3	5.2	4.2	2.3	2.3	2.0
14	Male	8.7	2.1	5.5	4.7	2.4	2.9	2.5
15	Female	6.1	2.5	4.9	3.6	2.3	1.7	1.5
16	Nonwhite	4.2	2.2	3.1	2.4	1.9	1.9	1.2
17	Male	4.8	1.9	3.2	2.8	2.1	2.2	1.5
18	Female	3.7	2.5	3.0	2.0	1.8	1.7	0.8
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.4	0.7	0.6	0.7	1.0	1.4	2.3
20	Male	8.5	0.7	0.8	0.9	1.5	1.6	3.0
21	Female	6.2	0.7	0.4	0.4	0.5	1.1	1.7
22	White	7.7	0.7	0.6	0.7	1.0	1.3	2.3
23	Male	8.9	0.6	0.8	1.0	1.5	1.5	3.1
24	Female	6.5	0.8	0.4	0.4	0.5	1.1	1.6
25	Nonwhite	5.2	0.6	0.3	0.6	1.1	1.4	1.6
26	Male	6.5	0.9	0.4	0.7	1.5	2.0	1.7
27	Female	4.0	0.3	0.2	0.5	0.8	0.8	1.5
28	Benign neoplasms and neoplasms of unspecified nature (210-239)	2.5	3.0	0.6	0.6	0.6	0.7	0.5
29	Male	2.3	2.7	0.5	0.7	0.7	0.6	0.5
30	Female	2.7	3.2	0.7	0.6	0.5	0.7	0.6
31	White	2.4	3.1	0.6	0.6	0.6	0.7	0.5
32	Male	2.3	2.8	0.4	0.6	0.7	0.7	0.5
33	Female	2.5	3.5	0.7	0.6	0.5	0.7	0.6
34	Nonwhite	3.1	1.7	0.6	1.0	0.8	0.6	0.4
35	Male	2.5	1.9	0.6	1.1	0.9	0.1	0.2
36	Female	3.6	1.6	0.4	0.8	0.7	1.0	0.7
37	Asthma (241)	2.6	0.5	0.1	0.2	0.3	0.3	0.6
38	Male	3.4	0.6	0.4	0.3	0.3	0.2	0.3
39	Female	1.9	0.4	0.3	0.2	0.2	0.4	0.9
40	White	2.6	0.5	0.2	0.2	0.2	0.2	0.4
41	Male	3.4	0.5	0.2	0.3	0.2	0.1	0.2
42	Female	1.8	0.4	0.2	0.1	0.2	0.2	0.6
43	Nonwhite	3.3	0.9	0.9	0.3	0.7	1.1	1.9
44	Male	3.7	1.3	1.2	0.4	0.6	0.9	1.1
45	Female	2.9	0.6	0.5	0.2	0.9	1.2	2.6
46	Diabetes mellitus (260)	16.8	0.6	0.2	0.2	0.4	0.5	1.2
47	Male	14.1	0.6	0.2	0.2	0.3	0.4	1.1
48	Female	19.4	0.5	0.2	0.2	0.5	0.6	1.4
49	White	16.4	0.5	0.2	0.2	0.4	0.4	1.1
50	Male	14.1	0.6	0.2	0.2	0.3	0.4	0.9
51	Female	18.6	0.4	0.3	0.2	0.5	0.5	1.3
52	Nonwhite	16.9	0.8	0.1	0.3	0.3	0.9	2.0
53	Male	13.7	0.6	0.2	0.4	0.3	0.7	2.2
54	Female	23.8	0.9		0.2	0.3	1.1	1.9
55	Anemias (290-293)	1.6	2.5	1.1	0.5	0.4	0.4	0.7
56	Male	1.6	2.6	1.0	0.4	0.5	0.5	0.7
57	Female	1.9	2.4	1.1	0.5	0.4	0.4	0.7
58	White	1.7	1.4	0.6	0.4	0.4	0.3	0.4
59	Male	1.7	1.5	0.5	0.3	0.4	0.4	0.4
60	Female	1.7	1.3	0.8	0.4	0.3	0.3	0.3
61	Nonwhite	2.7	8.5	3.7	1.0	0.9	1.1	3.1
62	Male	2.7	8.5	4.2	1.0	1.2	1.2	2.9
63	Female	2.6	8.5	3.1	1.1	0.6	1.0	3.3
64	Meningitis, except meningococcal and tuberculous (340)	1.2	21.8	2.4	0.6	0.2	0.3	0.2
65	Male	1.4	24.0	2.6	0.6	0.2	0.4	0.1
66	Female	1.1	19.4	2.1	0.5	0.2	0.1	0.2
67	White	1.0	16.1	2.0	0.5	0.1	0.2	0.1
68	Male	1.1	17.9	2.2	0.5	0.2	0.3	0.1
69	Female	0.8	14.3	1.9	0.5	0.1	0.1	0.1
70	Nonwhite	3.3	52.6	4.2	1.1	0.5	0.6	0.7
71	Male	3.9	57.7	5.3	1.5	0.6	0.8	0.3
72	Female	2.8	47.5	3.1	0.7	0.3	0.3	1.0
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)	521.4	11.7	2.2	2.0	2.8	5.3	10.6
74	Male	587.3	13.2	2.3	2.0	2.7	5.7	11.3
75	Female	457.0	10.2	2.1	2.0	3.0	5.0	10.0
76	White	529.3	9.8	1.9	1.7	2.5	4.6	8.8
77	Male	598.4	11.0	2.0	1.6	2.4	5.2	9.8
78	Female	460.2	8.7	1.8	1.6	2.6	4.0	7.8
79	Nonwhite	456.5	22.5	4.1	3.6	5.2	10.8	23.3
80	Male	491.9	26.3	4.2	3.9	4.9	9.2	20.3
81	Female	423.1	18.7	4.0	3.4	5.6	12.4	26.0
82	Diseases of cardiovascular system (330-334, 400-468)	515.2	1[illegible]	2.0	1.7	2.2	4.3	8.5
83	Male	580.3	11.9	2.1	1.6	2.2	4.4	8.7
84	Female	452.3	9.2	2.0	1.7	2.3	4.1	8.4
85	White	522.9	8.9	1.8	1.4	2.0	3.5	6.8
86	Male	592.2	9.9	1.8	1.3	2.0	4.0	7.3
87	Female	455.5	7.9	1.7	1.5	2.0	3.1	6.3
88	Nonwhite	444.8	20.2	3.7	3.1	4.2	9.5	20.9
89	Male	479.3	24.1	3.7	3.2	3.7	7.6	17.7
90	Female	412.4	16.1	3.7	2.9	4.7	11.4	23.9

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.2	5.1	7.2	10.8	17.2	27.0	37.4	49.2	61.7	71.2	88.7	118.1	154.7	1
3.6	5.7	7.7	11.8	19.1	29.4	45.6	59.3	74.2	84.0	100.6	135.9	174.7	2
2.9	4.6	6.7	9.9	15.5	24.6	29.5	40.1	51.0	60.7	79.5	105.4	142.1	3
3.2	5.4	7.3	10.8	16.9	26.5	36.9	48.1	60.9	71.5	91.2	122.0	160.8	4
3.5	6.0	7.8	12.0	18.9	29.1	45.6	59.2	73.8	84.9	103.8	141.5	180.2	5
3.0	4.7	6.8	9.7	15.0	24.0	28.6	38.0	49.9	60.3	81.4	108.1	148.7	6
3.3	3.9	6.9	11.0	18.7	33.0	40.4	61.6	69.6	69.4	66.7	75.4	83.8	7
3.6	3.8	8.0	10.1	19.9	35.0	43.7	61.5	76.2	71.4	68.8	79.7	90.3	8
3.0	4.0	6.0	11.8	17.7	31.1	37.3	61.8	63.7	68.0	64.8	70.6	81.0	9
1.8	1.9	2.4	3.6	4.9	6.5	9.7	16.0	23.1	32.6	42.6	54.0	57.6	10
2.3	2.1	2.9	3.9	5.8	7.9	11.8	19.7	30.2	43.9	55.8	71.0	75.0	11
1.3	1.8	2.0	3.2	4.0	5.3	7.8	12.6	17.1	23.2	32.1	41.9	46.6	12
1.8	2.0	2.5	3.7	4.9	6.5	9.8	16.1	23.5	33.3	44.1	56.3	61.0	13
2.3	2.1	3.0	4.1	6.0	8.0	12.3	20.1	30.5	44.9	58.7	73.7	80.5	14
1.2	1.9	2.1	3.2	3.9	5.0	7.5	12.5	17.4	23.7	32.7	44.1	48.9	15
2.2	1.8	1.7	3.1	4.7	7.1	8.9	14.4	16.5	22.3	19.9	23.8	17.6	16
2.9	2.0	2.0	2.6	4.8	6.8	9.1	16.8	21.6	31.4	23.9	32.2	22.6	17
1.5	1.6	1.6	3.5	4.6	7.5	8.6	12.2	12.0	14.5	16.4	16.2	14.3	18
2.7	3.3	3.8	5.6	7.9	11.7	16.1	22.1	31.2	35.1	38.5	37.0	29.8	19
3.5	4.5	4.6	7.1	9.5	14.6	19.4	26.4	37.9	41.7	44.8	44.7	37.6	20
1.9	2.2	2.9	4.2	6.3	9.0	12.9	18.2	25.5	29.7	33.6	31.6	24.8	21
2.7	3.5	3.7	5.8	7.7	11.4	16.2	22.1	31.5	35.5	40.1	38.3	30.9	22
3.5	4.7	4.5	7.4	9.2	14.0	19.6	26.3	38.5	41.8	46.7	46.8	39.3	23
2.0	2.3	2.9	4.3	6.2	8.9	13.0	18.3	25.5	30.4	35.0	32.2	25.6	24
2.6	2.3	4.2	5.1	9.0	13.6	15.3	22.2	28.6	25.3	20.8	24.6	18.9	25
3.8	3.5	5.4	6.3	11.8	18.8	17.0	26.6	35.5	33.7	25.7	27.1	25.8	26
1.6	1.3	3.1	3.9	6.5	8.7	13.6	17.9	22.4	18.0	16.4	22.1	14.3	27
1.0	1.3	2.1	2.6	3.2	4.2	5.0	6.1	7.4	7.9	9.9	12.1	17.6	28
0.9	0.9	1.6	1.8	2.6	3.4	5.7	6.2	8.4	8.5	11.6	13.2	15.5	29
1.1	1.8	2.6	3.3	3.8	4.8	4.2	6.1	6.4	7.3	8.6	11.4	19.0	30
0.9	1.2	1.9	2.2	2.9	3.8	4.7	5.8	7.3	7.6	10.1	12.1	18.3	31
0.8	0.8	1.7	1.7	2.7	3.2	5.6	6.0	8.3	8.0	11.9	13.1	16.0	32
0.9	1.6	2.0	2.7	3.2	4.4	3.9	5.6	6.4	7.3	8.6	11.4	19.8	33
1.7	2.5	4.3	5.9	5.9	8.0	7.9	10.3	9.6	10.9	6.9	14.3	6.8	34
0.9	1.7	1.6	3.7	2.3	6.3	7.1	8.6	11.3	12.6	7.3	16.9	6.5	35
2.4	3.3	6.7	7.9	9.2	9.5	8.6	11.9	8.1	9.5	6.6	11.8	7.1	36
0.7	0.8	1.1	1.8	2.9	4.0	5.7	8.0	11.5	12.8	15.4	14.5	16.4	37
0.6	0.6	0.9	1.6	2.8	4.9	7.8	11.9	18.3	20.3	24.0	23.6	25.0	38
0.8	1.0	1.3	2.0	3.0	3.0	3.7	4.4	5.6	6.6	8.6	8.0	11.0	39
0.4	0.5	0.8	1.4	2.5	3.6	5.5	7.8	11.8	13.4	16.2	15.3	17.3	40
0.3	0.4	0.6	1.2	2.4	4.4	7.7	11.7	19.0	21.4	25.5	25.1	26.9	41
0.4	0.6	1.0	1.6	2.7	2.8	3.4	4.3	5.7	6.7	8.9	8.4	11.3	42
2.9	3.4	3.9	5.5	6.5	7.8	8.0	11.6	10.4	9.6	6.9	7.9	6.8	43
2.2	2.5	3.8	6.0	6.4	10.3	9.4	16.4	15.2	13.1	9.2	13.6	6.5	44
3.4	4.1	4.0	5.0	6.5	5.4	6.7	6.9	6.2	6.5	4.9	2.9	7.1	45
2.2	2.7	4.0	5.2	8.3	15.4	27.9	47.6	78.0	114.2	150.0	179.7	207.1	46
2.4	3.1	5.3	6.4	8.8	14.5	26.0	41.0	65.6	96.2	132.1	159.7	211.3	47
2.0	2.3	2.7	4.1	7.9	16.2	29.7	53.6	88.5	129.0	164.1	194.0	204.5	48
2.2	2.5	3.4	4.4	6.6	12.3	24.2	41.7	73.2	110.8	149.5	181.5	211.4	49
2.3	2.9	4.7	6.0	7.9	13.4	24.3	37.7	63.0	94.8	132.5	164.8	220.7	50
2.1	2.2	2.1	2.9	5.4	11.2	24.0	45.5	81.9	124.0	162.8	193.4	205.6	51
2.2	3.9	8.2	12.8	23.7	45.4	61.6	103.4	123.5	136.4	140.3	151.6	151.4	52
2.9	4.7	9.3	10.8	16.8	24.9	42.4	69.1	86.1	107.4	116.5	123.7	135.5	53
1.6	3.3	7.2	14.7	30.0	64.6	80.2	136.1	156.8	162.5	161.5	173.5	166.7	54
0.5	0.4	0.5	0.7	0.8	1.4	2.1	2.8	5.0	8.0	14.2	23.4	36.7	55
0.4	0.2	0.5	0.6	0.8	1.4	1.8	3.0	5.7	9.1	16.0	25.2	35.8	56
0.5	0.5	0.5	0.7	0.7	1.5	2.3	2.6	4.4	7.1	12.8	22.1	37.3	57
0.2	0.2	0.3	0.5	0.6	1.2	1.9	2.7	4.9	8.0	14.2	24.3	38.6	58
0.1	0.2	0.2	0.5	0.7	1.1	1.8	3.0	5.9	9.2	16.3	25.7	38.2	59
0.3	0.3	0.4	0.4	0.6	1.2	2.0	2.4	4.1	7.0	12.6	23.2	38.9	60
2.3	1.5	2.0	2.5	1.5	3.8	3.3	4.0	6.1	8.0	10.4	11.9	16.2	61
2.4	1.0	2.8	1.8	1.5	3.3	1.5	3.3	5.2	6.9	11.9	15.3	16.1	62
2.2	2.0	1.3	3.2	1.4	4.3	4.9	4.7	6.9	9.0	9.0	8.8	16.7	63
0.3	0.3	0.4	0.4	0.8	0.9	1.0	1.4	1.6	1.8	1.6	1.4	2.2	64
0.4	0.3	0.5	0.5	0.9	1.1	1.3	1.5	1.7	2.1	1.8	1.5	3.7	65
0.2	0.3	0.3	0.3	0.7	0.7	0.6	1.2	1.4	1.6	1.5	1.3	1.3	66
0.2	0.2	0.3	0.3	0.6	0.8	0.8	1.0	1.2	1.7	1.4	1.1	2.3	67
0.3	0.2	0.5	0.4	0.7	1.0	1.2	1.2	1.2	1.9	1.7	1.2	3.8	68
0.2	0.2	0.2	0.2	0.5	0.5	0.5	0.9	1.2	1.4	1.3	1.1	1.3	69
0.6	0.8	0.9	1.5	2.7	2.2	2.4	5.1	5.5	4.0	3.0	4.8	2.7	70
1.0	0.7	1.3	1.9	3.5	1.8	2.0	4.9	7.4	4.0	3.7	5.1	3.2	71
0.3	1.0	0.6	1.1	1.9	2.7	2.7	5.3	3.9	4.0	2.5	4.4	2.4	72
17.4	32.2	68.2	133.1	245.2	440.3	702.2	1,162.4	1,888.8	2,926.5	4,766.3	8,063.9	15,535.9	73
18.5	39.8	91.1	190.4	358.4	644.6	1,004.8	1,602.6	2,540.9	3,665.5	5,614.9	8,904.5	16,009.7	74
16.3	24.9	46.4	78.6	136.5	243.9	414.6	761.7	1,329.1	2,315.2	4,100.1	7,463.4	15,236.3	75
13.8	25.2	55.8	113.5	220.0	398.3	651.8	1,074.4	1,795.8	2,860.0	4,775.1	8,221.3	15,901.3	76
15.3	33.3	80.3	172.5	338.5	609.5	973.1	1,539.6	2,465.0	3,623.0	5,666.8	9,121.5	16,435.5	77
12.4	17.3	32.2	57.0	105.7	194.9	347.3	652.6	1,221.6	2,229.6	4,080.2	7,586.0	15,566.9	78
44.3	83.8	169.3	301.7	467.6	820.6	1,167.2	2,041.4	2,845.9	3,550.0	4,438.5	5,850.8	10,451.4	79
43.6	89.2	184.0	350.1	542.3	950.8	1,287.1	2,191.1	3,289.2	3,990.9	4,769.7	6,211.9	11,296.8	80
44.9	79.3	156.3	258.4	398.4	695.7	1,050.6	1,898.7	2,450.6	3,182.0	4,142.6	5,451.5	10,076.2	81
14.9	29.3	64.7	128.6	239.5	432.9	692.6	1,149.6	1,870.3	2,902.2	4,726.4	8,000.4	15,417.4	82
15.6	36.3	87.1	184.8	351.3	635.9	992.9	1,587.7	2,517.5	3,635.4	5,566.4	8,830.1	15,855.3	83
14.2	22.6	43.4	75.1	132.1	237.7	407.2	750.9	1,314.9	2,295.7	4,066.9	7,407.7	15,140.6	84
11.6	22.8	53.1	110.0	215.8	392.6	643.9	1,064.7	1,780.4	2,838.8	4,738.0	8,180.5	15,790.4	85
12.4	30.2	76.9	168.2	332.7	602.6	962.9	1,527.6	2,445.3	3,596.5	5,621.6	9,050.0	16,292.6	86
10.7	15.5	30.1	54.3	103.0	190.3	341.6	644.9	1,210.1	2,212.8	4,049.4	7,532.7	15,476.1	87
39.6	77.3	159.0	287.9	448.5	796.8	1,140.8	1,998.4	2,791.4	3,486.2	4,359.3	5,748.4	10,239.2	88
39.1	82.3	173.9	333.0	522.4	925.4	1,258.9	2,149.0	3,225.5	3,913.1	4,680.7	6,096.6	11,000.0	89
39.9	73.0	145.7	247.6	380.0	673.5	1,025.9	1,854.9	2,404.2	3,130.0	4,072.1	5,361.8	9,921.4	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases--Con.							
	Diseases of cardiovascular system--Con.							
1	Vascular lesions affecting central nervous system (330-334)	106.3	3.1	0.8	0.7	0.8	1.2	2.1
2	Male	101.4	3.5	0.9	0.7	0.8	1.2	2.1
3	Female	111.0	2.6	0.7	0.7	0.8	1.2	2.2
4	White	105.4	2.7	0.8	0.7	0.8	1.1	1.8
5	Male	100.4	3.1	0.9	0.7	0.8	1.1	1.8
6	Female	110.3	2.3	0.7	0.6	0.8	1.0	1.8
7	Nonwhite	118.3	5.4	1.2	1.0	1.2	1.8	4.4
8	Male	115.7	6.0	1.2	1.2	1.1	1.6	4.0
9	Female	120.8	4.7	1.1	0.7	1.2	2.0	4.7
10	Diseases of heart (400-402,410-443)	370.5	6.7	1.1	0.9	1.2	2.5	5.0
11	Male	438.6	7.3	1.0	0.8	1.2	2.8	5.6
12	Female	304.2	6.2	1.1	0.9	1.2	2.1	4.4
13	White	378.2	5.6	0.9	0.7	1.0	2.0	3.9
14	Male	451.1	6.0	0.9	0.6	1.1	2.5	4.8
15	Female	307.5	5.3	0.9	0.7	0.9	1.4	3.1
16	Nonwhite	290.3	13.1	2.2	2.0	2.7	6.3	12.7
17	Male	324.5	15.4	2.2	2.0	2.5	5.2	11.5
18	Female	258.1	10.8	2.3	2.0	2.8	7.4	13.8
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	9.6	0.2	0.1	0.3	0.6	1.2	2.3
20	Male	8.9	0.2	0.1	0.3	0.6	1.1	2.3
21	Female	10.1	0.1	0.1	0.4	0.6	1.2	2.4
22	White	9.8	0.1	0.1	0.2	0.4	0.9	2.0
23	Male	9.2	0.1	0.1	0.2	0.5	1.0	2.0
24	Female	10.4	0.1	0.1	0.2	0.3	0.9	1.9
25	Nonwhite	6.7	0.6	0.2	1.0	1.8	3.1	5.1
26	Male	6.2	1.3	0.2	0.8	1.5	2.3	3.8
27	Female	7.1	-	0.3	1.1	2.1	4.0	6.3
28	Arteriosclerotic heart disease, including coronary disease (420)	283.9	0.3	0.1	0.0	0.1	0.2	0.8
29	Male	354.9	0.4	0.1	0.0	0.1	0.3	1.2
30	Female	215.3	0.3	0.1	0.0	0.1	0.2	0.5
31	White	297.0	0.2	0.1	0.0	0.0	0.2	0.7
32	Male	372.8	0.2	0.1	0.0	0.0	0.3	1.0
33	Female	223.4	0.2	0.0	0.0	0.0	0.1	0.4
34	Nonwhite	169.8	0.9	0.2	0.1	0.3	0.6	1.9
35	Male	202.2	1.3	-	0.1	0.4	0.2	2.5
36	Female	139.2	0.6	0.3	0.1	0.2	1.0	1.4
37	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	29.4	0.8	0.2	0.1	0.1	0.2	0.4
38	Male	29.5	1.0	0.2	0.1	0.1	0.3	0.6
39	Female	29.4	0.6	0.2	0.1	0.1	0.1	0.3
40	White	29.1	0.6	0.2	0.1	0.1	0.2	0.4
41	Male	28.9	0.6	0.1	0.1	0.1	0.3	0.6
42	Female	29.2	0.5	0.2	0.1	0.1	0.1	0.2
43	Nonwhite	27.7	2.4	0.5	0.1	0.1	0.5	0.7
44	Male	29.2	3.4	0.7	0.1	-	0.6	0.6
45	Female	26.3	1.3	0.2	0.1	0.3	0.5	0.8
46	Other diseases of heart (430-434)	13.9	5.4	0.6	0.4	0.4	0.7	1.1
47	Male	16.2	5.6	0.6	0.4	0.4	0.9	1.3
48	Female	11.8	5.1	0.7	0.4	0.3	0.6	1.0
49	White	13.1	4.7	0.5	0.3	0.4	0.6	0.9
50	Male	15.3	5.1	0.5	0.3	0.4	0.8	1.1
51	Female	11.1	4.4	0.5	0.4	0.3	0.4	0.7
52	Nonwhite	21.1	9.1	1.4	0.9	0.4	1.9	3.4
53	Male	24.6	9.4	1.3	1.0	0.5	2.0	3.5
54	Female	17.8	8.9	1.4	0.7	0.3	1.8	3.3
55	Hypertensive heart disease (440-443)	33.5	-	-	0.0	0.0	0.1	0.3
56	Male	29.2	-	-	-	0.0	0.1	0.3
57	Female	37.8	-	-	0.0	0.1	0.0	0.3
58	White	29.3	-	-	0.0	0.1	0.0	0.1
59	Male	24.9	-	-	-	0.0	0.1	0.1
60	Female	33.5	-	-	0.0	0.1	0.0	0.0
61	Nonwhite	65.1	-	-	-	-	0.1	1.5
62	Male	62.3	-	-	-	-	0.1	1.1
63	Female	67.7	-	-	-	-	0.1	1.9
64	Other hypertensive disease (444-447)	6.7	-	0.0	0.0	-	0.0	0.3
65	Male	6.9	-	-	0.0	-	0.0	0.3
66	Female	6.6	-	0.0	-	-	0.1	0.3
67	White	6.0	-	0.0	0.0	-	0.0	0.1
68	Male	6.1	-	-	0.0	-	0.0	0.2
69	Female	6.0	-	0.0	-	-	0.1	0.1
70	Nonwhite	12.1	-	-	-	-	0.1	1.2
71	Male	13.3	-	-	-	-	-	0.8
72	Female	11.0	-	-	-	-	0.1	1.7
73	General arteriosclerosis (450)	19.8	0.0	0.0	0.0	0.0	0.0	0.0
74	Male	18.5	-	-	0.0	0.0	-	-
75	Female	21.2	0.0	0.0	-	-	0.0	0.0
76	White	20.9	0.0	0.0	0.0	0.0	0.0	0.0
77	Male	19.2	-	-	0.0	0.0	-	-
78	Female	22.5	0.1	0.0	-	-	0.0	0.0
79	Nonwhite	12.9	-	-	-	-	-	-
80	Male	13.7	-	-	-	-	-	-
81	Female	12.2	-	-	-	-	-	-
82	Other diseases of circulatory system (451-468)	12.2	0.7	0.1	0.1	0.2	0.6	1.1
83	Male	15.0	1.2	0.1	0.1	0.1	0.4	0.7
84	Female	9.4	0.3	0.1	0.1	0.3	0.8	1.5
85	White	12.3	0.6	0.1	0.1	0.2	0.5	0.9
86	Male	15.4	0.9	0.1	0.1	0.2	0.3	0.6
87	Female	9.3	0.2	0.1	0.1	0.2	0.6	1.2
88	Nonwhite	11.1	1.7	0.3	0.1	0.4	1.4	2.6
89	Male	12.1	2.8	0.3	0.1	0.1	0.8	1.4
90	Female	10.2	0.6	0.3	0.2	0.7	1.9	3.8

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.6	5.7	11.1	19.7	34.4	61.0	100.3	183.7	333.5	597.3	1,088.7	2,003.5	3,820.4	1
3.3	5.4	10.4	19.6	34.9	66.1	111.3	207.4	386.0	668.7	1,180.3	2,061.1	3,711.8	2
4.0	6.0	11.8	19.8	33.9	56.2	89.8	162.2	288.4	538.3	1,016.7	1,982.3	3,889.0	3
2.8	4.1	7.9	14.2	26.1	47.3	80.8	151.1	296.9	568.2	1,085.2	2,049.8	3,933.1	4
2.6	4.3	8.0	14.3	27.1	52.8	93.3	177.1	349.2	643.1	1,182.5	2,122.3	3,838.2	5
3.0	3.9	7.9	14.1	25.2	42.1	68.9	127.6	251.9	506.3	1,009.3	1,998.7	3,992.6	6
9.3	17.9	38.4	68.7	110.2	193.1	294.6	537.7	762.2	976.3	1,225.1	1,603.2	2,720.3	7
7.7	14.7	32.1	68.3	109.8	196.3	291.1	531.9	814.7	1,008.0	1,248.6	1,533.9	2,732.3	8
10.7	20.7	43.8	69.1	110.4	189.6	298.0	543.3	715.4	953.5	1,204.1	1,639.7	2,776.2	9
9.1	20.2	47.8	100.6	192.4	351.2	560.0	906.1	1,428.9	2,119.2	3,289.4	5,277.4	9,727.0	10
10.4	27.9	70.6	156.2	300.9	542.6	838.5	1,300.1	1,981.6	2,728.0	3,980.9	5,962.2	10,250.3	11
7.8	12.8	26.2	47.9	88.1	167.2	295.2	547.5	954.6	1,615.6	2,746.5	4,788.3	9,396.2	12
7.1	16.6	41.7	90.5	180.3	328.6	534.5	859.7	1,383.0	2,089.5	3,304.4	5,371.7	9,925.2	13
8.5	24.0	65.0	148.1	293.6	526.5	829.8	1,276.1	1,954.4	2,719.8	4,031.4	6,094.6	10,492.3	14
5.9	9.3	19.2	35.4	71.0	138.0	254.6	482.2	892.9	1,568.9	2,737.9	4,861.6	9,570.2	15
23.4	46.2	96.9	186.4	296.7	546.4	777.8	1,336.6	1,833.9	2,265.7	2,784.8	3,630.2	6,323.0	16
25.0	55.5	118.1	226.1	365.1	665.0	892.9	1,478.6	2,167.5	2,611.4	3,053.2	4,010.2	6,967.7	17
21.9	38.2	78.3	150.9	233.6	433.1	665.9	1,201.3	1,536.3	1,974.5	2,545.1	3,247.1	5,997.6	18
3.0	4.9	7.8	11.0	15.4	21.8	26.8	29.0	31.4	28.6	32.2	36.2	45.8	19
2.7	4.9	7.9	11.6	15.1	21.2	26.5	27.5	30.5	27.2	29.3	34.9	37.6	20
3.4	4.8	7.8	10.4	15.7	22.4	27.1	30.3	32.2	29.9	34.6	37.2	50.9	21
2.8	4.4	7.7	10.9	15.4	21.9	27.3	29.4	32.1	29.1	33.2	37.9	47.6	22
2.4	4.5	7.8	11.8	15.2	21.3	27.1	28.1	31.0	28.3	30.7	37.1	39.1	23
3.1	4.2	7.6	10.1	15.6	22.5	27.6	30.6	33.1	29.9	35.1	38.5	53.0	24
5.2	8.4	8.6	10.2	12.4	16.3	16.1	20.7	21.0	18.6	17.3	13.5	20.3	25
4.8	7.3	7.8	9.0	12.5	15.5	16.5	19.7	27.3	17.1	14.7	11.9	22.6	26
5.5	9.4	9.2	11.4	12.2	17.0	15.8	21.6	15.4	20.0	19.7	14.7	19.0	27
3.3	10.7	30.6	72.4	147.2	275.6	448.8	727.5	1,150.6	1,678.5	2,537.4	3,903.4	6,914.7	28
4.8	17.6	51.9	123.8	249.0	453.5	708.3	1,094.6	1,662.3	2,248.9	3,190.0	4,599.7	7,571.8	29
1.8	4.1	10.4	23.6	49.4	104.5	202.1	393.4	711.4	1,206.7	2,025.1	3,406.1	6,499.2	30
2.7	9.7	28.8	69.7	145.4	289.8	444.1	715.4	1,144.6	1,693.0	2,583.0	4,014.2	7,114.9	31
4.1	16.3	50.9	122.9	251.8	455.1	718.8	1,103.6	1,676.7	2,286.2	3,269.5	4,752.2	7,828.7	32
1.2	3.2	7.6	18.7	42.7	91.4	183.8	363.4	688.1	1,203.1	2,048.0	3,493.4	6,668.1	33
7.8	17.5	44.0	95.4	161.6	318.6	471.5	801.9	1,120.0	1,346.0	1,718.2	2,178.6	3,816.2	34
9.6	25.3	60.2	131.2	221.6	415.3	579.4	940.5	1,393.5	1,649.1	1,986.2	2,539.0	4,300.0	35
6.3	10.8	29.8	63.4	106.4	226.5	366.4	669.9	876.1	1,087.5	1,478.7	1,833.8	3,550.0	36
0.5	1.0	1.6	3.3	6.6	12.2	20.9	43.2	76.6	148.2	291.6	606.1	1,447.8	37
0.7	1.2	2.1	4.7	9.1	16.8	27.4	56.5	98.0	174.0	333.6	641.2	1,445.3	38
0.4	0.7	1.2	2.0	4.1	7.8	14.8	31.2	58.3	126.9	258.6	580.9	1,449.4	39
0.4	0.7	1.2	2.4	5.2	9.5	17.3	35.7	67.6	135.5	282.6	603.2	1,460.1	40
0.5	0.9	1.4	3.7	7.5	13.5	24.0	48.3	89.1	160.8	325.3	641.1	1,454.1	41
0.3	0.5	0.9	1.2	3.0	5.6	10.8	24.3	49.1	114.5	249.3	576.4	1,463.9	42
1.6	2.9	4.7	9.5	16.1	32.8	49.8	114.4	163.7	258.8	340.3	500.8	1,004.1	43
1.9	3.7	6.9	10.9	18.9	39.4	52.5	128.0	177.1	286.3	355.0	506.8	1,090.3	44
1.3	2.3	2.8	8.2	13.4	26.5	47.2	101.6	151.7	236.0	327.0	488.2	964.3	45
1.5	2.0	3.6	6.0	8.5	14.6	20.9	31.2	46.9	69.8	111.6	187.8	369.1	46
1.4	2.3	4.6	7.8	11.7	20.9	29.2	42.3	63.6	90.9	137.6	216.2	405.3	47
1.6	1.6	2.6	4.3	5.5	8.6	13.1	21.1	32.5	52.4	91.2	167.6	346.3	48
1.0	1.4	2.7	4.4	6.8	11.8	17.2	26.2	41.5	65.1	108.3	187.4	375.5	49
1.1	1.7	3.5	6.3	9.8	17.3	25.4	37.3	57.3	85.4	134.2	214.8	410.9	50
1.0	1.1	1.8	2.6	3.9	6.5	9.4	16.2	27.9	48.4	88.1	168.1	353.3	51
5.1	6.4	11.9	20.5	25.5	43.8	61.1	89.1	112.4	135.6	160.2	217.5	331.1	52
4.3	7.5	15.2	22.2	30.9	57.8	70.6	101.3	142.4	166.9	190.8	252.5	406.5	53
5.8	5.5	8.9	18.9	20.5	30.4	51.9	77.4	85.7	109.0	132.8	183.8	283.3	54
0.7	1.7	4.1	8.0	14.7	27.1	42.6	75.1	123.4	193.9	316.6	543.8	949.6	55
0.8	1.8	4.1	8.4	16.1	30.3	47.2	79.2	127.2	186.9	290.5	470.1	790.3	56
0.7	1.5	4.2	7.6	13.3	23.9	38.2	71.4	120.1	199.8	337.1	596.5	1,050.4	57
0.3	0.5	1.3	3.1	7.5	15.6	28.6	53.0	97.3	166.8	297.4	529.0	927.0	58
0.3	0.6	1.4	3.5	9.2	19.2	34.4	58.7	100.3	159.1	271.7	449.5	759.5	59
0.3	0.3	1.3	2.8	5.8	12.1	23.1	47.8	94.7	173.0	317.4	585.1	1,031.9	60
3.7	10.9	27.7	50.8	81.2	134.9	179.3	310.4	416.7	506.6	548.9	719.8	1,151.4	61
4.5	11.7	28.1	52.7	81.1	137.0	173.9	289.1	427.3	492.0	506.4	700.0	1,148.4	62
3.0	10.2	27.4	49.1	81.1	132.7	184.7	330.7	407.3	522.0	586.9	726.5	1,181.0	63
0.7	1.2	2.4	3.3	4.4	5.8	6.7	11.2	19.0	31.6	61.5	113.4	231.4	64
0.9	1.2	2.7	3.9	5.5	6.8	7.7	13.1	23.1	37.9	67.4	127.4	240.3	65
0.6	1.1	2.1	2.7	3.4	4.8	5.8	9.4	15.6	26.3	56.9	103.3	225.8	66
0.3	0.3	0.9	1.2	2.2	3.6	4.6	8.4	16.1	29.1	59.9	114.7	235.0	67
0.4	0.4	1.2	1.2	2.9	4.6	5.6	10.1	19.7	34.9	65.2	128.6	247.3	68
0.3	0.2	0.6	1.2	1.6	2.6	3.7	6.8	13.1	24.4	55.7	104.9	227.2	69
3.7	7.7	14.3	20.6	23.9	27.4	26.5	41.6	52.7	60.6	82.3	106.3	200.0	70
4.5	7.7	15.3	27.3	29.2	28.9	27.2	44.4	60.2	74.9	92.7	118.6	193.5	71
3.0	7.7	13.4	14.7	19.1	25.9	25.9	38.9	45.9	48.5	73.0	94.1	209.5	72
0.0	0.0	0.1	0.3	1.1	2.8	5.4	13.9	33.0	77.4	188.6	481.3	1,452.8	73
0.0	0.1	0.1	0.4	1.5	3.9	7.2	18.0	41.3	88.8	206.6	531.5	1,447.6	74
-	0.0	0.1	0.2	0.7	1.7	3.7	10.2	25.9	67.9	174.5	445.5	1,456.1	75
0.0	0.0	0.1	0.3	1.0	2.2	4.8	12.2	30.0	74.7	188.4	495.4	1,505.1	76
0.0	0.0	0.1	0.4	1.5	3.3	6.7	16.0	37.4	85.7	207.5	550.2	1,501.2	77
-	-	0.1	0.2	0.5	1.2	3.0	8.8	23.7	65.6	173.5	456.7	1,507.6	78
-	0.3	0.6	0.7	2.0	7.6	11.9	32.6	72.9	115.4	195.2	331.0	871.6	79
-	0.5	0.7	0.9	1.7	9.2	13.7	37.8	91.3	128.0	204.6	349.2	964.5	80
-	0.1	0.6	0.6	2.3	6.0	10.1	27.6	56.4	105.0	186.9	310.3	823.8	81
1.4	2.3	3.2	4.6	7.2	12.1	20.2	34.7	55.8	76.7	98.2	124.8	185.8	82
1.0	1.8	3.2	4.7	8.5	16.5	28.1	49.2	65.5	112.0	131.1	147.9	205.3	83
1.8	2.7	3.2	4.5	5.9	7.8	12.7	21.6	30.4	47.6	72.3	108.3	173.5	84
1.2	1.8	2.5	3.8	6.1	10.8	19.1	33.2	54.4	77.2	100.1	128.8	192.0	85
0.9	1.5	2.6	4.1	7.6	15.4	27.5	48.3	84.7	113.1	134.9	154.3	213.6	86
1.5	2.1	2.4	3.5	4.7	6.4	11.2	19.5	28.4	47.5	73.0	110.9	178.5	87
3.2	5.2	8.8	11.4	15.6	22.4	29.9	49.9	69.8	68.1	71.9	77.8	124.3	88
1.9	4.0	7.7	10.4	16.6	26.0	34.0	56.3	91.8	90.9	81.7	84.7	141.9	89
4.3	6.3	9.8	12.3	14.7	18.8	25.9	43.9	50.2	48.5	63.1	70.6	114.3	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases--Con.							
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)	6.1	1.1	0.2	0.3	0.6	1.1	2.1
2	Male	6.9	1.2	0.2	0.3	0.5	1.3	2.6
3	Female	5.3	1.0	0.1	0.3	0.7	0.9	1.6
4	White	5.4	0.9	0.2	0.3	0.5	1.0	2.0
5	Male	6.2	1.0	0.2	0.3	0.4	1.2	2.5
6	Female	4.6	0.8	0.1	0.3	0.7	0.8	1.5
7	Nonwhite	11.7	2.4	0.4	0.5	1.0	1.3	2.3
8	Male	12.7	2.2	0.5	0.7	1.2	1.6	2.6
9	Female	10.7	2.5	0.2	0.4	0.9	1.0	2.1
10	Influenza and pneumonia, except pneumonia of newborn (480-493)	32.3	215.5	13.7	2.5	2.0	2.4	2.7
11	Male	36.7	241.1	14.4	2.6	2.0	2.8	2.8
12	Female	28.0	188.9	12.9	2.5	2.0	2.0	2.6
13	White	30.2	155.6	10.0	2.1	1.9	2.2	2.3
14	Male	34.1	178.6	10.6	2.1	1.9	2.6	2.5
15	Female	26.3	131.5	9.4	2.1	2.0	1.8	2.2
16	Nonwhite	49.8	540.5	34.5	4.8	2.8	3.7	5.0
17	Male	58.1	585.6	36.9	5.0	3.2	3.7	4.8
18	Female	42.0	494.9	32.1	4.6	2.4	3.7	5.1
19	Influenza (480-483)	1.8	6.8	0.7	0.2	0.2	0.3	0.2
20	Male	1.8	7.6	0.8	0.1	0.2	0.3	0.1
21	Female	1.9	6.0	0.7	0.2	0.2	0.3	0.2
22	White	1.7	4.1	0.6	0.2	0.2	0.2	0.2
23	Male	1.7	4.8	0.7	0.1	0.2	0.3	0.2
24	Female	1.8	3.4	0.6	0.2	0.2	0.2	0.3
25	Nonwhite	3.0	22.4	1.6	0.4	0.4	0.6	0.1
26	Male	2.9	24.1	1.4	0.4	0.4	0.6	-
27	Female	3.1	20.6	1.7	0.4	0.3	0.6	0.1
28	Pneumonia, except pneumonia of newborn (490-493)	30.4	208.7	13.0	2.4	1.8	2.1	2.5
29	Male	34.9	233.5	13.7	2.4	1.8	2.5	2.6
30	Female	26.2	182.9	12.2	2.3	1.8	1.8	2.4
31	White	28.4	151.5	9.4	2.0	1.7	2.0	2.1
32	Male	32.4	173.8	9.9	2.0	1.6	2.4	2.4
33	Female	24.6	128.1	8.9	1.9	1.8	1.5	1.9
34	Nonwhite	46.7	518.1	32.9	4.4	2.4	3.1	4.9
35	Male	55.1	561.4	35.5	4.6	2.7	3.1	4.8
36	Female	38.8	474.4	30.4	4.2	2.1	3.2	5.0
37	Bronchitis (500-502)	2.5	13.9	1.5	0.3	0.1	0.1	0.1
38	Male	3.6	16.1	1.7	0.3	0.2	0.2	0.2
39	Female	1.4	11.6	1.2	0.2	0.1	0.1	0.1
40	White	2.5	12.0	1.3	0.3	0.1	0.1	0.1
41	Male	3.7	14.1	1.6	0.3	0.2	0.2	0.1
42	Female	1.4	9.8	1.0	0.2	0.1	0.1	0.1
43	Nonwhite	2.2	23.9	2.4	0.2	0.1	0.3	0.3
44	Male	3.0	26.6	3.0	0.1	0.1	0.5	0.5
45	Female	1.5	21.2	1.9	0.4	0.1	0.1	0.1
46	Other bronchopulmonic diseases (525-527)	10.8	31.4	1.1	0.2	0.2	0.3	0.3
47	Male	17.3	36.0	1.3	0.2	0.3	0.3	0.4
48	Female	4.5	26.5	0.9	0.2	0.1	0.2	0.3
49	White	11.4	26.0	0.9	0.2	0.2	0.2	0.3
50	Male	18.4	30.9	1.0	0.2	0.2	0.3	0.3
51	Female	4.6	20.9	0.7	0.2	0.1	0.2	0.3
52	Nonwhite	7.4	64.3	2.4	0.2	0.3	0.5	0.9
53	Male	10.7	68.0	2.8	0.2	0.4	0.3	1.1
54	Female	4.4	60.4	2.0	0.2	0.2	0.6	0.7
55	Ulcer of stomach and duodenum (540,541)	6.6	1.6	0.1	0.0	0.1	0.1	0.3
56	Male	9.7	2.1	0.2	0.0	0.1	0.1	0.4
57	Female	3.6	1.0	0.1	0.0	0.0	0.1	0.2
58	White	6.8	1.1	0.1	0.0	0.1	0.1	0.3
59	Male	10.0	1.5	0.1	0.1	0.1	0.1	0.4
60	Female	3.8	0.7	0.1	0.0	0.1	0.1	0.2
61	Nonwhite	4.6	3.3	0.1	-	0.1	0.1	0.5
62	Male	7.0	4.7	0.2	-	0.2	0.1	0.8
63	Female	2.3	1.9	0.1	-	-	0.1	0.3
64	Appendicitis (550-553)	1.0	0.5	0.3	0.3	0.5	0.4	0.2
65	Male	1.2	0.5	0.3	0.3	0.5	0.5	0.2
66	Female	0.7	0.5	0.2	0.3	0.4	0.3	0.3
67	White	0.9	0.5	0.2	0.3	0.4	0.3	0.2
68	Male	1.2	0.5	0.2	0.3	0.5	0.4	0.2
69	Female	0.7	0.5	0.2	0.3	0.3	0.3	0.3
70	Nonwhite	1.3	0.6	0.4	0.4	0.9	0.8	0.1
71	Male	1.5	0.6	0.5	0.4	0.9	1.0	-
72	Female	1.2	0.6	0.2	0.4	1.0	0.6	0.3
73	Hernia and intestinal obstruction (560,561,570)	5.2	21.3	0.5	0.1	0.1	0.1	0.2
74	Male	5.2	24.5	0.6	0.2	0.2	0.1	0.2
75	Female	5.3	18.0	0.4	0.1	0.1	0.2	0.2
76	White	5.2	21.6	0.5	0.1	0.1	0.1	0.1
77	Male	5.1	24.7	0.6	0.1	0.2	0.1	0.1
78	Female	5.4	18.2	0.3	0.1	0.1	0.1	0.2
79	Nonwhite	5.2	19.7	0.7	0.2	0.2	0.2	0.4
80	Male	5.7	23.2	0.7	0.4	0.2	0.2	0.5
81	Female	4.7	16.1	0.6	-	0.2	0.2	0.4
82	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.4	56.2	3.0	0.4	0.3	0.3	0.6
83	Male	4.4	61.2	3.2	0.5	0.2	0.3	0.7
84	Female	4.4	50.9	2.9	0.4	0.3	0.4	0.5
85	White	3.9	32.5	2.5	0.4	0.2	0.4	0.6
86	Male	3.8	35.4	2.7	0.4	0.2	0.3	0.7
87	Female	3.9	29.5	2.3	0.4	0.3	0.4	0.5
88	Nonwhite	8.5	186.6	6.0	0.9	0.3	0.2	0.8
89	Male	9.2	204.4	6.1	1.0	0.3	0.2	0.6
90	Female	7.9	168.7	5.8	0.7	0.3	0.2	1.0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.5	2.9	3.6	4.5	5.7	7.4	9.6	12.8	18.5	24.3	39.9	63.5	118.5	1
3.0	3.5	4.1	5.6	7.0	8.7	11.9	14.9	23.4	30.2	48.6	74.4	154.5	2
2.1	2.4	3.1	3.5	4.4	6.2	7.5	10.8	14.2	19.5	33.2	55.7	95.7	3
2.3	2.4	2.7	3.5	4.2	5.7	7.9	9.7	15.3	21.2	37.1	60.9	110.8	4
2.9	3.0	3.4	4.3	5.8	6.9	10.2	12.0	19.7	26.5	45.2	71.5	142.9	5
1.7	1.8	2.1	2.7	2.8	4.5	5.7	7.7	11.6	16.8	30.8	53.3	90.7	6
4.7	6.5	10.3	13.7	19.1	23.7	26.4	43.0	54.5	63.8	79.2	102.4	212.2	7
4.5	6.8	10.1	17.1	19.9	25.4	28.2	42.1	63.6	77.7	89.0	115.3	296.8	8
4.9	6.3	10.5	10.7	18.4	22.2	24.7	43.9	46.3	52.0	70.5	89.7	154.8	9
3.2	3.8	6.3	9.0	12.6	17.9	26.0	41.4	71.8	122.3	224.3	434.9	1,056.9	10
3.3	4.2	7.1	10.9	16.1	24.6	36.1	55.9	101.8	164.0	287.5	538.1	1,188.2	11
3.1	3.4	5.6	7.1	9.2	11.5	16.3	28.3	46.1	87.8	174.6	361.3	973.9	12
2.4	2.6	4.6	6.8	10.0	14.6	22.7	36.1	65.3	116.8	222.8	442.6	1,094.4	13
2.6	2.7	5.3	8.5	12.6	20.2	32.1	49.3	94.5	156.1	286.8	549.5	1,231.1	14
2.2	2.4	4.0	5.1	7.5	9.2	13.7	24.1	40.2	84.4	173.0	367.1	1,008.9	15
8.9	12.6	20.0	28.7	36.4	49.9	59.4	98.9	147.1	194.9	259.3	359.5	714.9	16
9.8	16.2	22.5	32.5	48.5	67.0	76.1	122.7	187.0	261.1	313.8	432.2	819.4	17
8.2	9.5	17.8	25.4	25.3	33.7	43.2	76.2	111.6	138.0	210.7	291.2	654.8	18
0.2	0.2	0.4	0.5	0.6	1.0	1.2	2.0	4.0	6.9	13.8	27.6	78.5	19
0.2	0.2	0.3	0.5	0.7	1.1	1.1	2.1	4.6	7.5	16.1	31.1	85.3	20
0.2	0.2	0.4	0.4	0.6	0.9	1.4	1.9	3.5	6.5	12.0	25.0	74.2	21
0.2	0.2	0.3	0.4	0.5	0.7	1.0	1.7	3.4	6.5	13.6	28.1	81.3	22
0.2	0.1	0.3	0.5	0.5	0.7	1.0	1.7	4.0	7.4	16.5	31.5	88.5	23
0.2	0.2	0.3	0.3	0.5	0.6	1.1	1.7	2.9	5.7	11.3	25.6	76.9	24
0.4	0.7	0.8	1.2	1.8	4.4	3.8	6.3	11.6	14.9	22.9	30.2	70.3	25
0.2	0.7	0.5	1.1	2.5	5.0	2.8	7.2	11.3	11.4	17.4	33.9	74.2	26
0.6	0.7	1.1	1.4	1.2	3.7	4.7	5.3	12.0	18.0	27.9	26.5	69.0	27
3.0	3.6	6.0	8.5	12.0	16.9	24.7	39.4	67.8	115.3	210.4	407.4	978.4	28
3.1	4.0	6.8	10.4	15.5	23.5	35.0	53.7	97.1	156.5	271.4	507.0	1,102.9	29
2.8	3.1	5.2	6.7	8.7	10.6	15.0	26.3	42.6	81.3	162.6	336.2	899.7	30
2.2	2.4	4.3	6.4	9.5	13.9	21.6	34.4	61.9	110.4	209.3	414.5	1,013.1	31
2.3	2.6	5.0	8.0	12.1	19.5	31.2	47.6	90.4	148.8	270.4	518.0	1,142.6	32
2.0	2.3	3.7	4.7	7.0	8.6	12.6	22.4	37.3	78.6	161.6	341.5	932.0	33
8.5	11.9	19.1	27.5	34.5	45.6	55.7	92.6	135.5	180.1	236.4	329.4	644.6	34
9.6	15.5	22.0	31.4	45.9	61.9	73.4	115.5	175.8	249.7	298.3	398.3	745.2	35
7.6	8.8	16.6	24.0	24.0	30.0	38.5	70.8	99.6	120.0	182.8	264.7	585.7	36
0.2	0.2	0.3	0.6	1.0	2.1	3.6	5.9	9.7	12.5	15.0	23.1	38.2	37
0.2	0.1	0.3	0.8	1.3	3.2	5.9	9.9	17.4	22.7	25.4	35.2	53.9	38
0.2	0.2	0.4	0.4	0.7	1.0	1.4	2.2	3.1	4.0	6.7	14.4	28.3	39
0.1	0.1	0.3	0.6	1.0	2.1	3.7	6.2	9.8	12.7	15.3	23.5	39.1	40
0.1	0.1	0.3	0.7	1.2	3.2	6.1	10.6	17.7	23.1	26.0	36.0	54.7	41
0.2	0.2	0.3	0.4	0.7	1.0	1.5	2.2	2.9	4.1	7.0	14.7	29.3	42
0.6	0.5	0.7	0.7	1.7	2.1	2.9	3.5	7.8	9.6	9.5	12.7	21.6	43
0.9	0.7	0.8	0.9	2.5	3.1	4.8	4.6	12.6	16.0	15.6	18.6	35.5	44
0.4	0.4	0.6	0.5	0.9	1.2	1.0	2.5	3.5	4.0	4.1	7.4	11.9	45
0.5	0.8	1.5	2.7	5.2	10.4	20.3	34.6	53.4	67.1	78.9	88.8	97.2	46
0.5	0.9	1.8	3.6	7.0	16.7	35.2	62.1	100.9	126.3	142.4	153.0	166.1	47
0.4	0.7	1.2	1.9	3.5	4.4	6.2	9.5	12.7	18.1	29.1	43.0	53.7	48
0.3	0.7	1.3	2.5	5.2	10.5	21.1	35.7	55.7	70.2	82.9	93.3	101.9	49
0.3	0.7	1.5	3.4	7.1	16.8	36.5	64.5	105.0	132.7	150.2	161.4	175.4	50
0.3	0.6	1.1	1.7	3.3	4.4	6.5	9.7	13.5	18.7	30.4	45.3	55.9	51
1.4	2.1	3.1	4.5	6.1	11.4	15.0	25.8	33.5	37.2	35.5	36.5	52.7	52
1.5	2.7	4.1	5.6	7.1	18.2	26.6	42.8	63.6	65.7	56.9	55.9	83.9	53
1.3	1.6	2.3	3.5	5.1	5.0	3.7	9.7	6.6	12.5	16.4	19.1	31.0	54
0.6	0.9	2.1	3.1	5.3	8.7	13.0	18.3	27.8	35.3	52.6	64.9	94.7	55
0.9	1.4	3.0	4.8	8.0	13.8	20.9	30.0	47.1	56.6	82.2	99.6	134.7	56
0.2	0.4	1.2	1.5	2.8	3.9	5.5	7.7	11.2	17.7	29.4	40.1	69.4	57
0.4	0.8	1.9	2.8	5.2	8.4	12.7	17.9	27.9	36.0	54.9	67.2	99.7	58
0.6	1.2	2.7	4.5	7.7	13.3	20.7	29.6	47.3	58.1	85.5	103.2	142.6	59
0.2	0.4	1.2	1.3	2.8	3.7	5.2	7.3	11.4	17.9	30.9	41.7	72.8	60
1.5	1.8	3.3	5.8	6.5	11.0	14.6	21.7	26.3	26.6	25.1	29.4	39.2	61
3.1	3.3	5.4	8.5	10.8	17.3	22.1	31.3	45.5	40.0	40.4	37.3	54.8	62
0.1	0.6	1.4	3.5	2.5	5.0	7.4	12.5	9.3	15.0	11.5	22.1	28.6	63
0.3	0.3	0.4	0.5	0.7	1.2	1.5	2.1	3.0	4.3	6.1	8.3	10.7	64
0.4	0.4	0.5	0.7	1.0	1.8	1.9	3.0	4.2	5.7	7.8	10.7	12.1	65
0.2	0.2	0.3	0.3	0.5	0.6	1.0	1.2	2.0	3.1	4.7	6.6	9.8	66
0.2	0.2	0.4	0.4	0.6	1.0	1.4	1.7	2.9	3.9	6.1	8.3	11.2	67
0.4	0.4	0.5	0.6	0.9	1.6	1.8	2.6	4.2	5.3	8.1	10.6	12.4	68
0.1	0.1	0.3	0.2	0.4	0.4	0.9	0.9	1.7	2.8	4.5	6.6	10.4	69
0.5	0.6	0.7	1.7	1.5	2.3	2.6	5.0	4.9	8.5	5.6	4.8	9.5	70
0.5	0.7	0.7	1.8	1.4	3.1	2.8	6.3	5.2	9.7	6.4	6.8	12.9	71
0.4	0.6	0.7	1.7	1.6	1.7	2.5	3.8	4.6	7.5	4.9	2.9	7.1	72
0.4	0.7	1.0	1.6	2.5	4.2	6.2	10.5	16.4	26.9	42.6	73.2	115.2	73
0.3	0.7	0.9	1.3	2.5	4.4	6.7	11.5	18.6	30.5	44.7	72.5	122.6	74
0.5	0.7	1.1	1.9	2.6	4.1	5.8	9.7	14.6	24.0	41.0	73.7	110.5	75
0.4	0.6	0.8	1.3	2.2	3.8	5.6	9.6	15.6	26.6	42.6	74.4	119.1	76
0.3	0.5	0.8	1.0	2.1	3.8	6.0	10.4	17.5	29.7	43.9	72.8	125.7	77
0.4	0.6	0.8	1.5	2.3	3.7	5.2	8.9	14.0	24.0	41.5	75.6	115.0	78
0.5	1.8	3.0	4.7	5.8	7.6	12.0	19.1	23.9	31.4	39.0	57.9	73.0	79
0.3	2.0	2.3	3.7	6.6	7.7	12.4	20.4	29.0	39.4	46.8	66.1	100.0	80
0.6	1.7	3.6	5.5	5.1	7.5	11.6	17.9	19.3	24.5	32.0	50.0	54.8	81
0.5	0.7	0.8	1.3	2.0	3.0	4.1	6.9	9.6	14.5	23.8	34.5	61.8	
0.4	0.8	0.7	1.4	2.2	3.7	4.4	8.1	11.0	16.3	20.7	30.1	51.1	83
0.7	0.6	0.8	1.3	1.8	2.4	3.7	5.7	8.4	13.0	26.2	37.6	68.6	84
0.5	0.7	0.7	1.3	1.9	2.9	3.7	6.6	9.5	14.3	24.2	35.0	63.9	85
0.4	0.8	0.6	1.3	2.2	3.6	4.2	8.0	11.1	16.0	21.1	31.1	52.7	86
0.7	0.5	0.8	1.2	1.6	2.2	3.2	5.4	8.1	12.9	26.7	37.8	70.9	87
0.6	0.9	0.8	1.7	2.7	4.6	6.8	7.9	9.8	14.4	16.9	19.0	28.4	88
0.5	0.5	0.7	1.9	2.7	5.3	5.1	7.2	9.5	16.6	11.9	16.9	29.0	89
0.7	1.3	1.0	1.6	2.7	3.9	8.4	8.5	10.0	12.5	21.3	20.6	28.6	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver (581)	11.7	0.6	0.2	0.0	0.1	0.3	0.4
2	Male	15.7	0.7	0.2	0.0	0.1	0.3	0.4
3	Female	7.9	0.5	0.1	0.0	0.2	0.3	0.5
4	White	11.6	0.4	0.1	0.0	0.2	0.2	0.3
5	Male	15.7	0.5	0.2	0.0	0.2	0.2	0.2
6	Female	7.6	0.4	0.1	0.0	0.2	0.2	0.3
7	Nonwhite	11.5	1.4	0.3	0.1	0.1	0.7	1.8
8	Male	13.8	1.6	0.2	0.1	-	0.8	1.4
9	Female	9.3	1.3	0.3	0.1	0.2	0.7	2.2
10	Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.6	0.1	-	0.0	0.0	0.1	0.1
11	Male	2.2	0.1	-	0.0	0.0	0.0	0.0
12	Female	3.0	0.1	-	-	-	0.1	0.1
13	White	2.8	0.1	-	0.0	-	0.1	0.1
14	Male	2.4	0.1	-	0.0	-	0.0	0.0
15	Female	3.2	0.1	-	-	-	0.1	0.1
16	Nonwhite	1.4	0.2	-	-	0.0	0.1	0.1
17	Male	1.0	0.3	-	-	0.1	0.1	-
18	Female	1.7	-	-	-	-	-	0.3
19	Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.8	1.0	0.5	0.3	0.3	0.3	0.4
20	Male	1.0	0.9	0.6	0.4	0.3	0.4	0.5
21	Female	0.7	1.1	0.4	0.3	0.2	0.2	0.4
22	White	0.8	0.9	0.4	0.3	0.2	0.3	0.4
23	Male	0.9	0.8	0.5	0.3	0.3	0.4	0.5
24	Female	0.6	1.0	0.3	0.3	0.2	0.2	0.3
25	Nonwhite	1.5	1.4	1.0	0.5	0.3	0.5	0.8
26	Male	1.8	0.9	1.2	0.8	0.3	0.6	0.5
27	Female	1.3	1.9	0.7	0.1	0.3	0.3	1.1
28	Infections of kidney (600)	4.7	1.0	0.1	0.1	0.1	0.2	0.4
29	Male	4.7	1.4	0.1	0.1	0.1	0.2	0.4
30	Female	4.7	0.5	0.2	0.1	0.1	0.3	0.4
31	White	4.3	0.7	0.1	0.1	0.1	0.2	0.4
32	Male	4.3	0.9	0.1	0.1	0.2	0.2	0.4
33	Female	4.3	0.5	0.1	0.1	0.1	0.2	0.4
34	Nonwhite	7.7	2.7	0.2	0.0	-	0.5	0.7
35	Male	8.1	4.4	0.1	-	-	0.6	0.8
36	Female	7.3	0.9	0.3	0.1	-	0.5	0.6
37	Hyperplasia of prostate (610)	2.3	-	-	-	-	-	-
38	Male	4.7	-	-	-	-	-	-
39	White	2.2	-	-	-	-	-	-
40	Male	4.5	-	-	-	-	-	-
41	Nonwhite	3.0	-	-	-	-	-	-
42	Male	6.1	-	-	-	-	-	-
43	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.8	-	-	-	0.0	0.8	2.3
44	Female	1.6	-	-	-	0.0	1.5	4.5
45	White	0.5	-	-	-	-	0.4	1.6
46	Female	1.0	-	-	-	-	0.8	3.1
47	Nonwhite	2.9	-	-	-	0.1	3.6	8.0
48	Female	5.7	-	-	-	0.3	7.1	15.2
49	Abortion (650-652)	0.2	-	-	-	0.0	0.2	0.6
50	Female	0.3	-	-	-	0.0	0.4	1.1
51	White	0.1	-	-	-	-	0.1	0.3
52	Female	0.2	-	-	-	-	0.1	0.6
53	Nonwhite	0.7	-	-	-	0.0	1.1	2.5
54	Female	1.4	-	-	-	0.1	2.1	4.7
55	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.6	-	-	-	0.0	0.6	1.7
56	Female	1.2	-	-	-	0.0	1.2	3.4
57	White	0.4	-	-	-	-	0.3	1.3
58	Female	0.8	-	-	-	-	0.7	2.5
59	Nonwhite	2.2	-	-	-	0.1	2.5	5.5
60	Female	4.3	-	-	-	0.2	5.0	10.4
61	Congenital malformations (750-759)	11.4	355.8	11.3	3.5	2.8	2.8	2.6
62	Male	12.7	385.1	11.1	3.7	2.9	3.3	3.2
63	Female	10.2	325.2	11.6	3.3	2.7	2.3	2.1
64	White	11.2	365.7	11.0	3.6	2.9	2.8	2.6
65	Male	12.4	392.4	10.5	3.8	2.9	3.4	3.2
66	Female	10.1	337.8	11.5	3.3	2.8	2.2	2.0
67	Nonwhite	12.9	303.1	13.3	3.3	2.0	3.1	2.7
68	Male	14.9	343.6	14.3	3.4	2.1	3.1	3.7
69	Female	11.0	262.3	12.4	3.1	1.9	3.1	1.8
70	Certain diseases of early infancy (760-776)	34.6	1,539.6	0.1	0.0	0.0	-	-
71	Male	41.3	1,774.0	0.1	0.0	0.0	-	-
72	Female	28.0	1,295.4	0.0	0.1	0.0	-	-
73	White	29.7	1,383.3	0.1	0.0	0.0	-	-
74	Male	35.9	1,610.2	0.1	0.0	0.0	-	-
75	Female	23.7	1,145.5	0.0	0.0	0.0	-	-
76	Nonwhite	71.5	2,369.8	0.1	0.0	-	-	-
77	Male	83.0	2,657.4	0.1	-	-	-	-
78	Female	60.7	2,079.4	0.1	0.1	-	-	-
79	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	15.2	676.4	0.0	-	-	-	-
80	Male	18.4	791.3	0.0	-	-	-	-
81	Female	12.0	556.7	-	-	-	-	-
82	White	13.6	631.7	0.0	-	-	-	-
83	Male	16.6	744.7	0.0	-	-	-	-
84	Female	10.6	513.3	-	-	-	-	-
85	Nonwhite	26.9	890.6	-	-	-	-	-
86	Male	31.7	1,015.4	-	-	-	-	-
87	Female	22.3	764.6	-	-	-	-	-

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
1.6	4.6	9.5	16.6	25.6	32.6	35.4	35.3	40.2	33.3	29.3	29.8	26.3	1
1.8	4.8	11.3	20.3	32.4	44.6	51.2	52.4	62.7	49.0	43.5	42.3	37.9	2
1.5	4.3	7.8	13.2	19.0	21.0	20.5	19.8	20.8	20.3	18.1	20.8	19.0	3
1.0	3.1	7.5	15.1	24.6	32.3	35.5	34.6	40.2	33.7	30.1	30.5	27.3	4
1.3	3.6	9.0	18.4	31.9	44.7	51.9	51.4	63.1	49.6	45.2	42.6	39.1	5
0.8	2.6	6.1	11.9	17.5	20.3	20.0	19.3	20.6	20.5	18.3	21.9	20.0	6
6.2	15.5	24.2	28.3	31.9	33.2	31.0	35.2	31.8	19.4	17.3	17.5	16.2	7
6.2	14.5	30.3	33.0	36.1	41.4	39.6	52.3	43.7	28.6	22.0	28.8	29.0	8
6.3	16.3	18.8	24.1	27.9	25.5	22.7	18.8	21.2	11.5	13.1	7.4	7.1	9
0.2	0.2	0.4	0.6	1.1	1.9	3.0	5.4	10.4	16.0	26.6	40.4	63.6	10
0.1	0.2	0.4	0.5	1.0	1.7	2.8	5.1	10.3	16.2	24.9	36.8	54.2	11
0.3	0.3	0.4	0.7	1.1	2.1	3.2	5.7	10.6	15.9	27.9	42.9	69.6	12
0.2	0.2	0.4	0.5	1.1	1.8	3.0	5.4	10.8	16.5	27.3	42.4	66.4	13
0.1	0.1	0.4	0.4	1.1	1.7	2.8	5.2	10.8	17.0	25.4	39.4	56.5	14
0.3	0.2	0.4	0.7	1.1	1.9	3.1	5.6	10.8	16.1	28.8	44.5	72.6	15
0.2	0.4	0.8	0.9	1.0	2.6	3.0	5.9	7.1	9.8	16.9	18.3	28.4	16
0.2	0.3	0.5	0.9	0.6	1.5	2.3	3.6	5.6	6.9	17.4	11.9	16.1	17
0.1	0.4	1.1	0.9	1.4	3.5	3.7	8.2	8.5	12.5	16.4	23.5	38.1	18
0.4	0.4	0.5	0.6	0.8	0.9	1.3	1.6	2.0	2.8	4.1	5.9	9.7	19
0.4	0.5	0.5	0.8	1.0	1.0	1.6	1.9	2.7	3.8	5.2	7.7	13.9	20
0.4	0.4	0.4	0.5	0.7	0.7	1.0	1.3	1.4	2.1	3.3	4.7	7.0	21
0.4	0.3	0.3	0.5	0.6	0.7	1.1	1.4	1.9	2.7	3.7	5.9	9.5	22
0.4	0.4	0.4	0.7	0.8	0.8	1.3	1.6	2.5	3.5	4.8	7.7	13.9	23
0.3	0.3	0.2	0.3	0.5	0.6	0.8	1.2	1.3	2.0	2.8	4.7	6.7	24
0.5	1.3	1.4	1.9	2.3	2.9	3.4	3.7	4.1	4.8	11.3	8.7	14.9	25
0.7	1.5	1.1	1.9	2.5	3.9	4.1	5.3	5.6	6.9	11.0	10.2	16.1	26
0.3	1.1	1.7	1.9	2.1	1.9	2.7	2.2	2.7	3.0	11.5	7.4	14.3	27
0.6	1.0	1.7	2.0	3.0	4.6	7.2	11.0	17.2	24.1	38.7	59.3	111.4	28
0.4	0.6	1.2	1.6	2.6	3.8	6.8	11.3	19.5	28.3	47.2	72.2	146.1	29
0.7	1.4	2.2	2.3	3.5	5.4	7.7	10.7	15.2	20.5	31.9	50.1	89.5	30
0.5	0.7	1.2	1.4	2.3	3.2	5.7	8.8	14.8	21.8	37.0	58.1	113.7	31
0.4	0.5	0.8	1.1	1.9	2.8	5.1	9.4	16.5	25.5	43.7	70.0	150.0	32
0.5	0.9	1.6	1.7	2.8	3.7	6.3	8.4	13.4	18.8	31.8	49.6	90.9	33
1.3	2.6	5.4	7.2	9.6	17.1	22.2	33.5	44.9	49.5	60.2	76.2	101.4	34
0.9	0.8	4.2	6.3	9.3	13.1	23.4	31.6	55.8	61.1	90.8	98.3	122.6	35
1.6	4.1	6.4	7.9	9.9	20.9	21.0	35.4	35.1	39.5	32.8	55.9	88.1	36
-	0.0	-	0.0	0.1	0.3	1.0	3.3	7.1	14.3	27.2	51.7	95.7	37
-	0.0	-	0.0	0.2	0.6	2.1	7.0	15.4	31.5	61.8	124.1	247.1	38
-	0.0	-	0.0	0.0	0.1	0.6	2.5	5.7	12.9	26.1	50.7	94.4	39
-	0.0	-	0.0	0.1	0.3	1.2	5.3	12.3	28.6	59.5	122.6	245.3	40
-	-	-	0.1	0.6	1.9	5.1	11.7	24.5	27.4	42.9	65.1	106.8	41
-	-	-	0.2	1.2	3.9	10.4	24.0	51.9	58.9	90.8	139.0	254.8	42
2.9	3.2	2.2	1.0	0.1	-	-	-	-	-	-	-	-	43
5.6	6.4	4.3	1.9	0.1	-	-	-	-	-	-	-	-	44
2.0	2.1	1.4	0.7	0.1	-	-	-	-	-	-	-	-	45
3.9	4.1	2.8	1.3	0.1	-	-	-	-	-	-	-	-	46
9.2	12.1	8.8	4.1	0.2	-	-	-	-	-	-	-	-	47
17.1	22.4	16.5	7.7	0.4	-	-	-	-	-	-	-	-	48
0.7	0.7	0.4	0.1	0.0	-	-	-	-	-	-	-	-	49
1.4	1.3	0.7	0.2	0.0	-	-	-	-	-	-	-	-	50
0.4	0.4	0.3	0.1	0.0	-	-	-	-	-	-	-	-	51
0.8	0.7	0.5	0.1	0.0	-	-	-	-	-	-	-	-	52
3.0	2.8	1.1	0.5	-	-	-	-	-	-	-	-	-	53
5.5	5.1	2.1	0.9	-	-	-	-	-	-	-	-	-	54
2.1	2.6	1.8	0.9	0.1	-	-	-	-	-	-	-	-	55
4.2	5.1	3.6	1.8	0.1	-	-	-	-	-	-	-	-	56
1.6	1.7	1.1	0.6	0.0	-	-	-	-	-	-	-	-	57
3.1	3.3	2.2	1.2	0.1	-	-	-	-	-	-	-	-	58
6.2	9.4	7.7	3.6	0.2	-	-	-	-	-	-	-	-	59
11.6	17.3	14.3	6.8	0.4	-	-	-	-	-	-	-	-	60
2.0	2.1	2.2	2.4	3.0	3.0	2.9	2.5	3.0	2.5	2.2	2.9	3.5	61
2.0	2.3	2.6	2.7	3.2	3.4	3.1	2.8	3.7	3.0	3.1	3.7	3.9	62
2.1	1.9	1.9	2.1	2.7	2.7	2.8	2.3	2.5	2.2	1.6	2.3	3.2	63
2.0	2.0	2.2	2.3	3.0	3.1	3.0	2.6	3.1	2.5	2.2	3.1	3.9	64
2.0	2.2	2.5	2.6	3.3	3.4	3.1	2.8	3.6	2.9	2.8	4.0	4.4	65
2.0	1.8	1.8	2.1	2.8	2.8	2.8	2.4	2.7	2.2	1.6	2.5	3.5	66
2.2	2.5	2.5	3.1	2.5	2.3	3.0	2.2	2.0	1.6	1.7	1.6	-	67
1.5	2.8	3.1	3.2	2.5	2.8	3.0	3.3	3.9	2.9	2.8	1.7	-	68
2.7	2.1	2.0	3.0	2.5	1.9	3.0	1.3	0.4	0.5	0.8	1.5	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	87

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of reporting of the item;

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Certain diseases of early infancy--Con.							
1	Infections of newborn (763-768)	2.4	109.2	-	-	-	-	-
2	Male	2.9	126.1	-	-	-	-	-
3	Female	2.0	91.5	-	-	-	-	-
4	White	1.8	81.9	-	-	-	-	-
5	Male	2.1	96.3	-	-	-	-	-
6	Female	1.4	66.9	-	-	-	-	-
7	Nonwhite	7.9	260.5	-	-	-	-	-
8	Male	9.2	293.4	-	-	-	-	-
9	Female	6.6	227.2	-	-	-	-	-
10	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	16.9	754.0	0.1	0.0	0.0	-	-
11	Male	20.0	856.6	0.1	0.0	0.0	-	-
12	Female	14.0	647.3	0.0	0.1	0.0	-	-
13	White	14.4	669.6	0.1	0.0	0.0	-	-
14	Male	17.2	769.2	0.1	0.0	0.0	-	-
15	Female	11.7	565.4	0.0	0.0	0.0	-	-
16	Nonwhite	36.8	1,216.7	0.1	0.0	-	-	-
17	Male	42.1	1,348.6	0.1	-	-	-	-
18	Female	31.8	1,087.7	0.1	0.1	-	-	-
19	Symptoms, senility, and ill-defined conditions (780-795)	10.6	54.4	2.1	0.5	0.5	1.0	1.8
20	Male	12.6	59.5	2.4	0.5	0.5	1.2	2.2
21	Female	8.7	49.0	1.8	0.4	0.4	0.8	1.5
22	White	8.1	25.6	1.3	0.3	0.4	0.8	1.4
23	Male	9.8	28.3	1.4	0.4	0.5	1.0	1.8
24	Female	6.4	22.8	1.2	0.2	0.3	0.6	1.1
25	Nonwhite	32.3	217.2	7.2	1.4	1.2	2.5	5.5
26	Male	37.1	239.8	8.9	1.5	1.0	2.8	6.0
27	Female	27.7	194.3	5.6	1.3	1.4	2.1	5.0
28	All other diseases (Residual)	28.1	65.0	9.4	4.3	3.8	5.4	6.1
29	Male	31.3	76.3	9.7	4.3	4.3	6.6	6.7
30	Female	25.0	52.3	9.0	4.2	3.2	4.1	5.4
31	White	27.5	59.4	8.7	4.2	3.6	4.9	5.1
32	Male	30.5	69.2	8.9	4.4	4.2	6.2	5.8
33	Female	24.5	49.1	8.6	4.0	3.0	3.5	4.4
34	Nonwhite	34.0	97.8	12.8	4.6	4.9	8.8	12.8
35	Male	38.4	117.2	14.7	4.1	5.2	9.3	12.7
36	Female	29.8	78.2	11.0	5.1	4.7	8.3	12.8
37	Accidents (E800-E962)	52.3	87.6	30.5	18.1	18.0	48.9	63.1
38	Male	72.3	95.3	34.1	22.7	27.3	77.0	107.4
39	Female	32.9	79.7	26.7	13.4	8.4	20.5	20.7
40	White	51.2	72.9	27.1	16.4	17.1	49.7	62.8
41	Male	70.5	81.2	31.3	21.3	25.8	77.9	106.4
42	Female	32.4	64.2	22.7	11.4	8.1	21.2	20.8
43	Nonwhite	64.3	169.0	51.4	29.1	24.6	47.0	69.1
44	Male	92.3	175.2	52.9	32.6	38.8	77.2	120.9
45	Female	37.9	162.7	49.9	25.5	10.4	17.3	22.3
46	Motor vehicle accidents (E810-E835)	22.0	8.1	9.5	8.6	7.5	33.4	44.9
47	Male	32.4	8.4	10.4	10.7	10.7	50.2	75.7
48	Female	11.6	7.7	8.5	6.5	4.2	16.4	15.5
49	White	22.2	8.2	9.4	8.3	7.7	35.3	45.8
50	Male	32.6	8.6	10.2	10.4	11.0	53.1	76.8
51	Female	12.1	7.8	8.6	6.2	4.3	17.4	16.0
52	Nonwhite	22.4	8.2	10.8	11.0	6.7	21.8	41.2
53	Male	34.7	8.8	12.4	13.0	9.7	33.1	71.4
54	Female	10.8	7.6	9.1	8.9	3.6	10.6	13.8
55	Other accidents (E800-E802,E840-E962)	30.3	79.6	21.0	9.5	10.5	15.5	18.2
56	Male	39.9	86.9	23.7	12.1	16.5	26.8	31.6
57	Female	21.1	71.9	18.2	6.8	4.2	4.1	5.3
58	White	29.0	64.7	17.7	8.1	9.4	14.4	17.0
59	Male	37.9	72.7	21.1	10.9	14.8	24.8	29.5
60	Female	20.3	56.4	14.2	5.2	3.8	3.8	4.9
61	Nonwhite	41.9	160.9	40.6	18.1	18.0	25.2	28.0
62	Male	57.6	166.5	40.5	19.6	29.1	44.1	49.5
63	Female	27.1	155.1	40.7	16.6	6.8	6.7	8.5
64	Suicide (E963,E970-E979)	10.9	...	...	0.0	0.6	3.8	8.2
65	Male	16.5	...	...	0.0	1.0	5.5	12.5
66	Female	5.4	...	...	-	0.1	2.0	4.0
67	White	11.8	...	...	0.0	0.7	3.9	8.2
68	Male	17.8	...	...	0.0	1.1	5.8	12.5
69	Female	5.9	...	...	-	0.2	2.0	4.1
70	Nonwhite	4.7	....	...	-	0.2	2.8	8.2
71	Male	7.2	...	..	-	0.3	3.7	12.6
72	Female	2.2	. .	...	-	0.1	1.9	4.3
73	Homicide (E964,E980-E985)	4.9	5.1	0.9	0.5	0.6	3.7	8.7
74	Male	7.3	5.5	0.9	0.5	0.6	5.4	13.7
75	Female	2.4	4.8	0.9	0.5	0.6	1.9	4.0
76	White	2.7	4.2	0.8	0.4	0.5	1.9	3.8
77	Male	3.8	4.3	0.7	0.4	0.5	2.6	5.5
78	Female	1.6	4.1	0.9	0.5	0.6	1.3	2.2
79	Nonwhite	21.8	9.6	1.5	0.7	1.3	16.6	45.0
80	Male	35.6	10.7	1.7	0.7	1.8	27.0	76.2
81	Female	8.9	8.5	1.3	0.8	0.8	6.3	16.8

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1962—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
2.4	3.3	4.4	5.7	8.2	11.2	14.8	21.2	26.2	36.3	53.5	98.7	285.1	19
2.7	3.4	5.0	6.7	10.9	15.7	20.4	30.4	38.1	51.2	69.1	120.3	311.1	20
2.1	3.2	3.8	4.9	5.6	6.9	9.5	12.9	16.0	24.0	41.2	83.3	268.7	21
1.6	2.3	2.9	4.1	5.9	8.4	11.2	14.8	19.1	27.9	44.0	85.7	249.5	22
1.8	2.2	3.7	5.0	8.0	12.4	16.5	23.1	29.8	40.6	57.6	105.4	267.8	23
1.4	2.4	2.3	3.3	3.9	4.4	6.2	7.2	9.9	17.5	33.4	71.9	238.1	24
8.5	11.8	17.2	21.5	30.8	41.4	54.3	95.8	115.3	151.3	194.8	297.6	777.0	25
10.1	14.3	17.5	24.0	40.3	51.0	64.5	114.8	143.7	194.3	232.1	318.6	871.0	26
7.2	9.7	16.9	19.2	22.1	32.3	44.4	77.7	90.0	114.5	161.5	275.0	726.2	27
8.1	10.5	14.4	19.6	26.1	34.5	44.5	61.2	87.2	113.0	153.4	222.7	386.9	28
8.6	11.0	15.9	21.9	30.2	41.3	52.6	75.2	110.6	140.9	181.8	256.6	430.3	29
7.6	10.0	13.0	17.4	22.2	28.0	36.8	48.5	67.1	90.0	131.2	198.4	359.4	30
6.6	7.9	11.7	17.1	23.6	31.9	42.4	58.5	85.2	113.2	154.9	229.4	398.3	31
7.0	8.1	13.2	19.0	27.3	38.4	50.6	71.9	109.0	141.4	183.4	265.4	442.9	32
6.3	7.6	10.3	15.3	20.0	25.6	34.7	46.3	64.7	89.9	132.7	204.0	370.4	33
18.8	30.6	37.0	42.2	48.7	60.4	67.7	95.1	111.6	120.2	145.9	166.7	309.5	34
20.4	34.2	39.2	50.4	55.8	68.9	74.6	115.5	132.5	146.9	174.3	189.8	374.2	35
17.3	27.6	35.1	34.9	42.0	52.2	61.0	77.7	93.1	97.5	120.5	144.1	269.0	36
46.5	40.6	41.1	43.1	47.2	53.2	56.1	65.5	78.2	104.9	161.8	289.4	631.3	37
78.0	67.3	65.2	67.3	72.4	82.5	85.4	95.8	110.3	138.3	191.9	319.5	611.1	38
16.1	15.1	18.2	20.2	23.0	25.0	28.2	37.9	50.7	77.3	138.2	267.9	644.1	39
44.6	38.6	38.4	40.9	45.2	50.9	53.7	62.6	75.2	103.0	163.6	298.3	654.0	40
74.4	63.7	60.8	63.8	68.6	78.5	81.6	91.5	105.6	136.5	195.5	328.3	640.2	41
15.5	14.1	16.9	19.1	22.6	24.2	27.3	36.5	49.1	75.3	138.8	277.1	662.6	42
64.8	61.7	68.8	67.6	72.0	80.9	82.6	100.0	119.6	129.0	139.8	197.6	345.9	43
114.1	105.3	114.5	108.5	117.2	130.4	127.4	147.7	170.1	162.3	152.3	242.4	341.9	44
21.9	24.6	29.0	31.1	30.6	34.0	39.0	54.5	74.5	100.5	128.7	155.9	357.1	45
28.4	22.0	21.1	20.8	20.9	22.7	24.7	27.6	30.9	35.2	41.2	42.9	38.6	46
46.9	35.4	32.1	30.9	30.4	33.7	35.9	38.2	43.4	51.7	62.0	70.3	68.7	47
10.7	9.2	10.6	11.1	11.9	12.2	14.0	18.0	20.2	21.4	24.9	23.4	19.6	48
28.2	21.7	20.4	20.2	20.7	22.1	24.2	27.5	30.6	35.5	42.8	44.4	40.8	49
45.8	34.4	31.0	29.7	29.6	32.4	34.8	37.5	42.0	51.9	64.0	73.2	73.4	50
10.9	9.3	10.3	11.1	12.1	12.1	14.3	18.4	20.8	22.0	26.3	24.1	20.4	51
33.2	27.6	30.1	28.0	27.0	31.8	32.7	31.8	40.0	33.5	28.6	29.4	13.5	52
59.7	48.2	48.1	45.0	42.3	49.5	52.0	49.7	64.5	54.3	44.0	47.5	25.8	53
10.1	10.1	14.3	12.8	12.9	15.1	13.8	14.7	18.1	15.5	14.8	13.2	4.8	54
18.0	18.6	20.0	22.4	26.3	30.4	31.4	37.9	47.3	69.7	120.6	246.5	592.7	55
31.2	31.8	33.1	36.4	42.1	48.8	49.4	57.6	66.9	86.5	129.9	249.2	542.4	56
5.4	5.9	7.6	9.1	11.1	12.8	14.2	19.9	30.5	55.9	113.3	244.5	624.5	57
16.4	16.9	18.0	20.7	24.5	28.8	29.5	35.1	44.6	67.5	120.9	253.9	613.2	58
28.5	29.2	29.9	34.0	39.0	46.1	46.9	54.0	63.6	84.6	131.5	255.1	566.9	59
4.6	4.8	6.6	8.0	10.5	12.0	13.0	18.1	28.4	53.4	112.5	253.0	642.2	60
31.6	34.1	38.8	39.6	45.1	49.1	49.9	68.2	79.6	95.5	111.3	168.3	332.4	61
54.4	57.2	66.4	63.5	74.9	81.0	75.4	98.0	105.6	108.0	108.3	194.9	316.1	62
11.8	14.5	14.6	18.3	17.7	18.8	25.2	39.8	56.4	85.0	113.9	142.6	352.4	63
9.9	12.5	13.8	16.3	19.4	22.8	24.0	23.3	21.9	22.6	26.3	28.9	26.7	64
13.9	17.8	19.9	23.3	28.0	34.1	38.3	37.5	37.7	40.3	50.9	58.9	57.4	65
6.0	7.5	8.1	9.6	11.0	12.0	10.5	10.3	8.4	8.0	7.1	7.5	7.3	66
10.3	13.2	14.7	17.5	20.8	24.8	25.8	24.6	23.3	24.0	27.9	30.6	28.4	67
14.5	18.4	20.8	24.9	30.2	36.9	41.4	39.5	40.1	42.8	54.2	62.9	61.5	68
6.3	8.1	8.8	10.3	11.8	13.0	11.1	11.1	9.0	8.5	7.5	7.7	7.6	69
7.6	9.2	8.4	7.7	7.9	7.5	7.3	11.6	8.0	10.1	6.1	11.9	6.8	70
11.0	14.7	14.0	11.5	12.0	12.9	10.9	19.4	15.2	18.9	9.2	22.0	12.9	71
4.6	4.5	3.4	4.4	4.2	2.3	3.7	4.1	1.5	2.5	3.3	2.9	2.4	72
9.8	9.9	9.1	8.1	6.5	6.1	4.8	4.2	3.5	2.5	2.5	2.7	3.4	73
15.3	15.7	13.7	12.3	10.7	10.0	7.8	6.8	5.7	3.4	3.9	3.4	3.2	74
4.6	4.5	4.7	4.1	2.6	2.3	1.9	1.8	1.5	1.8	1.5	2.2	3.5	75
4.3	4.6	4.4	4.0	3.8	3.7	3.2	2.6	2.5	2.2	2.2	2.4	3.2	76
6.6	7.1	6.3	5.6	5.7	5.7	4.9	4.2	3.9	2.7	3.0	3.2	3.0	77
2.1	2.2	2.5	2.5	1.9	1.8	1.6	1.2	1.3	1.8	1.5	1.8	3.3	78
50.8	51.0	48.6	44.0	32.5	30.1	20.4	21.0	15.1	6.9	8.2	7.1	6.8	79
83.9	87.0	79.1	73.2	58.7	53.0	37.1	34.5	27.3	12.6	14.7	6.8	6.5	80
22.1	20.3	22.0	17.8	8.5	8.5	4.2	8.2	4.2	2.0	2.5	7.4	7.1	81

716 - 533 O - 64 - 18

Table 1-27. Deaths From Selected Causes Among Armed Forces Abroad, by 5-Year Age Groups: United States, 1962

(Excludes all deaths occurring among Armed Forces in the United States, Virgin Islands, and Puerto Rico. Data represent deaths among males only; no deaths were reported among female Armed Forces abroad. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over
ALL CAUSES	1,120	120	331	213	151	116	118	71
Arteriosclerotic heart disease, including coronary disease ---420	122	3	3	5	12	18	45	36
Symptoms, senility, and ill-defined conditions ---780-795	9	1	4	2	-	2	-	-
All other diseases ---Residual	93	4	16	12	10	13	17	21
Accidents ---E800-E962	836	102	295	189	117	74	46	13
Railway accidents ---E800-E802	8	2	4	1	1	-	-	-
Motor vehicle accidents ---E810-E835	293	50	123	58	30	15	12	5
Motor vehicle traffic accidents ---E810-E825	283	45	120	58	29	14	12	5
Motor vehicle traffic accident involving collision with railway train ---E810	2	-	1	-	-	1	-	-
Motor vehicle traffic accident to pedestrian ---E812	14	4	4	2	3	-	1	-
Other motor vehicle traffic accidents involving collision ---E811,E813-E819	57	8	26	9	4	3	4	3
Motor vehicle noncollision traffic accidents ---E820-E824	128	22	55	26	14	5	6	-
Motor vehicle traffic accident of unspecified nature ---E825	82	11	34	21	8	5	1	2
Motor vehicle nontraffic accidents ---E830-E835	10	5	3	-	1	1	-	-
Other road vehicle accidents ---E840-E845	-	-	-	-	-	-	-	-
Water transport accidents ---E850-E858	42	11	23	3	2	3	-	-
Aircraft accidents ---E860-E866	363	17	98	108	71	40	25	4
Accidental poisoning by solid and liquid substances ---E870-E888	2	-	2	-	-	-	-	-
Accidental poisoning by gases and vapors ---E890-E895	14	3	3	2	3	1	1	1
Accidental falls ---E900-E904	17	-	8	1	2	1	4	1
Fall from one level to another ---E900-E902	11	-	7	-	1	-	3	-
Fall on same level ---E903	2	-	-	1	-	1	-	-
Unspecified falls ---E904	4	-	1	-	1	-	1	1
Blow from falling or projected object or missile ---E910	1	-	-	-	-	1	-	-
Accident caused by machinery ---E912	4	1	3	-	-	-	-	-
Accident caused by electric current ---E914	4	-	2	1	-	-	1	-
Accident caused by fire and explosion of combustible material ---E916	3	1	-	-	1	-	-	1
Accident caused by hot substance, corrosive liquid, steam, and radiation ---E917,E918	-	-	-	-	-	-	-	-
Accident caused by firearm ---E919	25	8	4	3	3	4	2	1
Inhalation and ingestion of food or other object causing obstruction or suffocation ---E921,E922	7	1	3	-	-	3	-	-
Accidental drowning ---E929	33	8	15	8	2	-	-	-
Excessive heat and insolation ---E931	2	-	2	-	-	-	-	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures ---E940-E959	-	-	-	-	-	-	-	-
All other accidents ---Residual	18	-	5	4	2	6	1	-
Suicide ---E963,E970-E979	41	7	7	3	10	5	8	1
Suicide by poisoning ---E970-E973	7	1	1	1	1	-	3	-
Suicide by hanging and strangulation ---E974	8	2	2	1	1	1	1	-
Suicide by firearm and explosive ---E976	24	4	3	1	7	4	4	1
Suicide by all other means ---E963,E975,E977-E979	2	-	1	-	1	-	-	-
Homicide ---E964,E980-E985	10	2	3	-	1	3	1	-
Assault by firearm and explosive ---E981	4	1	-	-	-	3	-	-
Assault by cutting and piercing instruments ---E982	2	-	2	-	-	-	-	-
Assault by other means ---E964,E980,E983	4	1	1	-	1	-	1	-
Injury by intervention of police ---E984	-	-	-	-	-	-	-	-
Execution ---E985	-	-	-	-	-	-	-	-
Injury resulting from operations of war ---E965,E990-E999	9	1	3	2	1	1	1	-

Source: Department of Defense, records

Section 2. Infant Mortality

Tables | Page

2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-62 --- 2-3

2-2. Infant mortality rates by age, color, and sex: United States, 1962 --- 2-3

2-3. Infant mortality rates by age and color: United States, 1953-62 --- 2-4

2-4. Infant mortality rates for 55 selected causes: United States, 1953-62 --- 2-5

2-5. Infant mortality rates by color: United States, each division and State, 1958-62 --- 2-6

2-6. Neonatal mortality rates by color: United States, each division and State, 1958-62 --- 2-7

2-7. Deaths under 1 year, by age, race, and sex: United States and each State, 1962 --- 2-8

2-8. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1962 --- 2-22

2-9. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1962 --- 2-29

2-10. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for urban and rural areas in metropolitan and nonmetropolitan counties: United States, 1962 --- 2-32

2-11. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1962 --- 2-38

2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1962 --- 2-56

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-62

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Excludes fetal deaths. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified color group)

YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE			YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE		
	Total	White	Non-White	Total	White	Non-White		Total	White	Non-White	Total	White	Non-White
1962[1]	25.3	22.3	41.4	18.3	16.9	26.1	1948	32.0	29.9	46.5	22.2	21.2	29.1
1961	25.3	22.4	40.7	18.4	16.9	26.2	1947	32.2	30.1	48.5	22.8	21.7	31.0
1960	26.0	22.9	43.2	18.7	17.2	26.9	1946	33.8	31.8	49.5	24.0	23.1	31.5
1959	26.4	23.2	44.0	19.0	17.5	27.7	1945	38.3	35.6	57.0	24.3	23.3	32.0
1958	27.1	23.8	45.7	19.5	17.8	29.0	1944	39.8	36.9	60.3	24.7	23.6	32.5
1957	26.3	23.3	43.7	19.1	17.5	27.8	1943	40.4	37.5	62.5	24.7	23.7	32.9
1956	26.0	23.2	42.1	18.9	17.5	27.0	1942	40.4	37.3	64.6	25.7	24.5	34.6
1955	26.4	23.6	42.8	19.1	17.7	27.2	1941	45.3	41.2	74.8	27.7	26.1	39.0
1954	26.6	23.9	42.9	19.1	17.8	27.0	1940	47.0	43.2	73.8	28.8	27.2	39.7
1953	27.8	25.0	44.7	19.6	18.3	27.4	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1952	28.4	25.5	47.0	19.8	18.5	28.0	1930-34[2]	60.4	55.2	98.6	34.4	32.5	48.2
1951	28.4	25.8	44.8	20.0	18.9	27.3	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1950	29.2	26.8	44.5	20.5	19.4	27.5	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1949	31.3	28.9	47.3	21.4	20.3	28.6	1915-19	95.7	92.8	149.7	43.4	42.3	58.1

[1]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[2]For 1932-34, Mexicans are included with "Nonwhite."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 live births in specified color-sex group. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNDER 1 YEAR	2,531.1	2,857.7	2,188.8	2,233.7	2,543.7	1,907.3	4,135.9	4,568.5	3,693.0
Under 28 days	1,832.0	2,086.8	1,565.0	1,685.9	1,935.6	1,423.0	2,605.1	2,893.7	2,309.7
Under 1 day	1,035.7	1,170.7	894.2	959.1	1,084.1	827.6	1,434.1	1,616.9	1,247.0
Under 1 hour	198.6	209.8	187.0	184.8	192.8	176.4	264.8	290.5	238.5
1-23 hours	837.1	961.0	707.2	774.4	891.4	651.2	1,169.3	1,326.4	1,008.5
1 day	262.0	301.6	220.6	247.4	291.3	201.2	337.8	358.0	317.0
2 days	173.1	206.9	137.7	165.2	200.9	127.6	215.4	242.8	187.4
3 days	77.4	92.1	62.1	73.3	87.7	58.2	100.8	119.2	82.0
4 days	43.6	51.2	35.7	39.3	47.7	30.5	66.1	69.3	62.8
5 days	31.2	35.4	26.8	27.7	31.5	23.6	50.2	57.0	43.2
6 days	22.8	24.7	20.8	19.4	21.2	17.5	41.6	44.1	39.1
7-13 days	91.5	100.0	82.7	77.4	85.6	68.8	168.8	181.2	156.1
14-20 days	53.0	58.6	47.2	42.7	47.5	37.7	109.1	116.8	101.3
21-27 days	41.5	45.8	37.1	34.3	38.0	30.3	81.2	88.4	73.8
28-59 days	161.5	188.2	133.5	129.3	152.1	105.2	337.6	385.1	289.0
2 months	132.4	149.8	114.3	104.5	120.2	87.9	289.3	317.3	260.6
3 months	96.8	106.0	87.1	74.7	82.9	66.2	219.8	235.7	203.5
4 months	71.4	77.0	65.4	53.7	57.7	49.3	169.3	185.2	153.0
5 months	55.6	57.6	53.6	41.3	42.6	39.9	133.4	140.2	126.5
6 months	44.3	46.1	42.5	34.7	36.8	32.5	93.7	95.2	92.1
7 months	35.7	39.7	31.6	28.2	31.2	25.0	77.5	88.1	66.6
8 months	30.4	33.2	27.4	23.6	25.1	22.1	68.1	79.2	56.8
9 months	26.0	27.6	24.2	21.1	22.7	19.4	52.4	54.5	50.2
10 months	23.1	23.3	22.9	19.1	18.7	19.6	46.1	49.3	42.9
11 months	21.9	22.3	21.5	17.6	18.1	17.2	43.6	45.0	42.3

Table 2-3. Infant Mortality Rates by Age and Color: United States, 1953-62

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Exclude fetal deaths. Rates per 100,000 live births in specified color group)

AGE AND COLOR	1962[1]	1961	1960	1959	1958	1957	1956	1955	1954	1953
TOTAL										
Under 1 year	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1
Under 28 days	1,832.0	1,838.7	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4	1,911.2	1,909.8	1,956.2
Under 1 day	1,035.7	1,025.8	1,034.2	1,027.8	1,021.5	994.8	992.7	1,000.2	962.6	965.5
1 day	262.0	266.5	271.2	277.7	277.0	275.2	282.1	288.9	287.2	296.0
2 days	173.1	172.0	176.9	182.3	186.0	183.3	174.5	184.0	193.8	202.0
3 days	77.4	79.1	82.6	85.2	93.9	89.6	89.1	93.5	97.0	107.5
4 days	43.6	44.3	46.3	50.1	57.7	53.8	53.2	55.1	58.1	61.9
5 days	31.2	34.7	34.2	36.8	44.5	42.0	41.5	43.0	43.1	47.4
6 days	22.8	24.1	25.0	28.3	32.7	31.9	32.2	31.6	32.7	31.1
7-13 days	91.5	93.5	99.0	105.2	118.9	118.9	116.4	108.1	119.6	121.9
14-20 days	53.0	56.2	58.2	59.8	64.2	65.9	61.1	61.2	64.2	70.5
21-27 days	41.5	42.5	45.0	47.8	49.5	50.3	46.8	45.7	49.3	52.3
28-59 days	161.5	162.0	170.8	172.5	177.1	166.2	161.8	162.4	163.1	173.3
2 months	132.4	129.4	132.9	132.8	137.1	126.6	122.5	123.7	122.9	136.4
3 months	96.8	97.6	100.7	102.3	104.7	97.8	94.3	95.3	99.6	108.3
4 months	71.4	70.6	77.2	74.8	78.8	78.3	74.7	77.2	79.2	88.0
5 months	55.6	55.6	57.4	62.5	61.6	59.4	57.6	62.2	64.5	72.3
6 months	44.3	43.6	47.2	47.1	50.8	49.4	47.7	51.7	54.8	60.2
7 months	35.7	34.5	39.2	38.3	39.0	39.2	40.1	41.5	43.6	46.0
8 months	30.4	29.7	33.2	32.5	33.4	34.5	34.4	36.0	37.4	42.3
9 months	26.0	24.9	26.7	26.9	29.5	29.6	27.6	29.1	31.4	35.9
10 months	23.1	21.4	23.0	23.8	25.3	23.8	25.0	25.9	26.1	25.4
11 months	21.9	21.2	22.9	22.3	23.8	23.9	23.5	25.1	25.8	28.8
WHITE										
Under 1 year	2,233.7	2,243.4	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6	2,361.8	2,387.0	2,503.6
Under 28 days	1,685.9	1,693.5	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6	1,773.6	1,778.8	1,829.3
Under 1 day	959.1	953.5	960.7	954.2	948.9	925.3	926.6	934.4	902.2	912.6
1 day	247.4	252.4	253.3	262.9	260.3	261.1	270.9	278.8	278.7	285.9
2 days	165.2	165.3	172.0	175.2	176.4	176.0	165.7	178.3	186.3	196.9
3 days	73.3	74.8	77.7	79.6	84.4	82.4	82.9	88.0	91.1	101.9
4 days	39.3	39.0	41.3	45.3	50.4	47.7	49.2	49.8	53.5	55.4
5 days	27.7	30.1	30.4	31.7	38.5	37.1	37.6	37.2	38.3	41.6
6 days	19.4	21.0	22.5	24.9	27.3	28.0	28.3	27.9	29.0	26.9
7-13 days	77.4	78.0	85.3	87.8	100.7	101.7	99.6	92.4	103.9	106.7
14-20 days	42.7	45.5	46.2	48.3	51.9	52.7	50.0	51.1	53.7	58.6
21-27 days	34.3	34.0	34.8	37.6	38.3	41.1	36.9	35.8	42.0	42.8
28-59 days	129.3	128.7	133.8	137.0	139.6	134.2	130.4	129.4	132.8	141.2
2 months	104.5	103.8	103.4	103.3	106.8	99.5	99.0	99.0	99.8	113.6
3 months	74.7	77.7	78.6	78.5	82.8	76.8	75.9	76.9	79.9	87.6
4 months	53.7	54.5	57.3	55.7	60.6	61.4	58.3	61.2	63.8	71.5
5 months	41.3	42.7	43.2	47.6	48.7	45.5	46.0	50.4	52.2	57.9
6 months	34.7	34.2	35.2	36.0	39.5	38.4	37.9	41.7	43.1	48.4
7 months	28.2	27.5	30.4	30.4	31.5	31.1	31.7	33.9	36.1	39.5
8 months	23.5	24.6	26.4	25.4	27.2	27.9	28.3	30.0	31.2	34.8
9 months	21.1	20.1	21.3	21.4	23.7	23.4	23.0	23.3	25.7	30.3
10 months	19.1	18.2	18.4	20.1	21.3	20.0	21.0	21.0	22.2	25.0
11 months	17.6	17.8	18.3	18.1	15.9	19.5	19.5	21.4	21.4	24.5
NONWHITE										
Under 1 year	4,135.9	4,071.4	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7	4,283.1	4,286.1	4,467.6
Under 28 days	2,605.1	2,621.9	2,665.7	2,766.9	2,900.5	2,778.5	2,703.2	2,719.0	2,696.4	2,736.8
Under 1 day	1,434.1	1,416.1	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6	1,386.4	1,325.2	1,291.5
1 day	337.8	342.0	369.5	360.1	371.8	356.1	346.4	348.0	352.1	356.3
2 days	215.4	208.4	203.9	221.7	239.9	225.0	225.2	218.1	238.8	233.6
3 days	100.8	102.3	109.4	116.5	147.4	130.7	124.6	125.7	132.3	141.7
4 days	66.1	72.7	73.8	76.3	98.7	89.2	76.1	86.6	85.6	102.0
5 days	50.2	59.6	55.4	65.7	78.7	70.1	63.6	77.1	72.0	83.1
6 days	41.6	41.1	38.3	47.3	63.3	54.2	54.6	53.2	54.9	56.8
7-13 days	168.8	177.7	173.9	202.2	221.5	217.3	212.5	200.1	215.1	215.6
14-20 days	109.1	113.7	124.3	123.6	133.5	140.8	124.5	120.4	127.2	143.8
21-27 days	81.2	88.2	100.4	104.1	113.2	103.3	104.1	103.6	93.2	110.4
28-59 days	337.6	341.3	373.5	369.7	389.1	349.1	342.1	355.9	345.1	371.0
2 months	289.3	267.7	294.8	297.2	308.5	281.5	257.2	269.2	261.4	276.5
3 months	219.8	204.8	221.7	234.8	228.7	217.7	200.1	203.6	218.0	235.6
4 months	169.3	157.8	186.3	180.9	181.9	174.8	168.7	171.4	171.7	189.8
5 months	133.4	125.3	135.6	144.9	134.9	139.3	124.0	131.4	138.2	160.6
6 months	93.7	94.7	113.2	108.9	114.3	112.6	104.3	110.6	124.6	133.3
7 months	77.5	72.1	87.5	82.0	81.1	85.7	88.1	86.1	88.9	100.1
8 months	68.1	56.8	70.5	71.8	68.1	72.5	69.8	71.5	74.3	88.8
9 months	52.4	50.9	58.3	57.3	62.2	65.2	54.1	63.2	65.5	70.6
10 months	46.1	38.7	43.2	44.6	48.0	45.3	47.8	54.5	49.5	49.3
11 months	43.6	39.6	47.8	45.7	51.8	48.6	46.5	46.7	52.5	55.2

[1]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item, see Technical Appendix.

Table 2-4. Infant Mortality Rates for 55 Selected Causes: United States, 1953-62

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1953-57 and according to the Seventh Revision for 1958-62. Asterisk indicates rate based on a frequency of less than 20)

CAUSE OF DEATH	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
ALL CAUSES	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1
Dysentery, all forms 045-048	2.8	2.4	3.3	4.0	4.4	5.1	5.2	6.7	7.5	12.5
Septicemia and pyemia 053	8.8	8.8	9.6	10.0	10.3	10.2	7.9	7.7	7.3	5.9
Whooping cough 056	1.6	1.3	1.7	4.3	3.1	2.9	4.1	8.3	6.5	4.7
Meningococcal infections 057	4.5	3.8	4.6	4.8	5.8	5.8	6.1	6.3	7.5	10.1
Tetanus 061	1.3	1.5	1.6	1.9	2.0	1.8	1.9	1.9	2.3	2.5
Other infective and parasitic diseases 001-044,049-052,054,055,058-060,062-138	14.4	12.7	13.1	13.1	13.8	12.5	15.2	13.6	17.4	18.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	6.3	6.9	7.0	6.6	6.2	6.6	7.2	7.1	7.6	7.7
Benign neoplasms and neoplasms of unspecified nature 210-239	3.0	2.9	3.2	3.0	3.2	3.1	3.8	4.0	4.2	4.0
Diseases of thymus gland 273	2.4	2.1	2.7	3.5	3.3	4.0	4.4	6.1	7.2	9.5
Meningitis, except meningococcal and tuberculous 340	21.8	20.5	20.5	19.7	20.9	18.1	17.9	16.7	16.1	17.6
Other diseases of nervous system and sense organs 330-334,341-398	18.4	20.1	22.3	22.0	22.9	20.0	19.2	20.4	20.8	21.0
Acute upper respiratory infections 470-475	9.7	9.1	9.8	11.7	10.8	10.8	9.9	10.4	10.0	10.8
Influenza and pneumonia, except pneumonia of newborn 480-493	215.6	215.6	230.8	229.6	235.9	225.9	207.4	205.5	206.3	232.5
Influenza 480-483	6.8	6.0	12.6	8.0	10.6	15.2	6.9	9.1	10.6	26.2
Pneumonia, except pneumonia of newborn 490-493	208.8	209.6	218.2	221.6	225.3	210.7	200.5	196.4	195.7	206.3
Bronchitis 500-502	13.9	14.0	15.4	17.3	18.6	18.0	18.8	16.6	17.1	17.1
Other diseases of respiratory system 510-522,525-527	38.2	37.3	36.1	35.5	36.3	61.6	54.4	46.4	38.3	31.9
Pulmonary congestion and hypostasis 522	4.3	5.1	4.3	3.7	---	---	---	---	---	---
Other chronic interstitial pneumonia 525	24.1	21.5	21.9	20.9	---	---	---	---	---	---
Bronchiectasis 526	*0.1	*0.0	*0.0	*0.0	---	---	---	---	---	---
Other diseases of lung and pleural cavity 527.2	5.7	6.2	5.5	5.9	---	---	---	---	---	---
All other diseases of respiratory system 510-521,527.1	4.0	4.5	4.3	4.9	---	---	---	---	---	---
Hernia and intestinal obstruction 560,561,570	21.3	21.8	21.7	22.5	22.6	24.5	25.9	23.6	25.5	25.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	56.2	53.8	61.6	60.1	63.5	72.8	67.4	80.5	89.4	108.0
Other diseases of digestive system 530-542,544-553,573-587	15.7	15.5	15.9	16.1	17.6	13.0	13.9	12.6	16.4	15.4
Congenital malformations 750-759	355.9	363.5	361.4	367.0	370.0	371.4	376.5	379.4	376.3	388.7
Spina bifida and meningocele 751	32.0	24.5	25.7	28.2	27.6	27.6	31.3	29.8	34.1	38.3
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	31.9	38.1	38.6	38.8	39.7	41.6	40.9	44.6	43.3	46.6
Congenital malformations of circulatory system 754	172.3	178.7	178.2	177.2	181.0	178.0	177.5	172.4	171.9	170.6
Other congenital malformations 750,755-759	119.8	122.3	118.8	122.8	121.8	124.2	126.9	132.6	127.0	133.1
Certain diseases of early infancy 760-776	1,540.2	1,538.4	1,575.3	1,600.0	1,639.9	1,564.2	1,549.7	1,581.7	1,579.4	1,625.3
Birth injuries 760,761	227.2	232.5	238.6	246.5	264.7	267.9	276.6	285.7	280.0	300.1
Without mention of immaturity (.0)	88.4	90.1	94.0	98.0	108.7	111.6	119.4	123.7	126.9	142.3
With immaturity (.5)	138.8	142.3	144.6	148.5	156.1	156.3	157.2	162.0	153.1	157.7
Intracranial and spinal injury at birth 760	69.6	70.6	74.6	80.7	92.9	97.3	104.1	109.6	109.5	122.8
Without mention of immaturity (.0)	41.7	40.4	43.6	48.1	56.5	60.0	66.3	70.6	73.6	85.2
With immaturity (.5)	27.9	30.2	31.0	32.6	36.3	37.3	37.7	38.9	36.0	37.6
Other birth injury 761	157.6	161.8	164.0	165.8	171.9	170.6	172.5	176.1	170.4	177.3
Without mention of immaturity (.0)	46.7	49.7	50.4	49.8	52.1	51.5	53.0	53.0	53.3	57.1
With immaturity (.5)	110.9	112.1	113.6	116.0	119.7	119.0	119.5	123.1	117.1	120.2
Postnatal asphyxia and atelectasis 762	449.4	445.7	458.9	466.1	485.2	443.6	434.2	436.9	432.7	424.2
Without mention of immaturity (.0)	119.9	119.5	123.4	129.4	138.9	126.1	124.0	138.2	145.5	152.0
With immaturity (.5)	329.5	326.1	335.5	336.6	346.2	317.5	310.2	298.6	287.3	272.1
Pneumonia of newborn 763	80.4	83.0	83.2	88.6	93.2	87.3	81.7	76.8	78.2	78.8
Without mention of immaturity (.0)	58.9	60.3	60.2	62.9	65.1	59.9	57.1	52.4	51.9	53.7
With immaturity (.5)	21.5	22.6	23.0	25.7	28.1	27.5	24.6	24.4	26.3	25.1
Diarrhea of newborn 764	9.8	9.8	10.9	11.6	12.6	12.1	12.7	13.5	17.4	17.9
Without mention of immaturity (.0)	7.6	7.7	8.5	9.1	10.2	9.4	10.2	10.6	13.2	12.8
With immaturity (.5)	2.2	2.2	2.4	2.5	2.5	2.7	2.5	2.9	4.2	5.1
Other infections of newborn 765-768	19.0	17.5	18.3	19.1	25.7	20.1	16.5	13.5	12.9	10.7
Without mention of immaturity (.0)	11.3	11.1	11.9	13.1	16.2	13.5	11.1	8.8	8.7	7.2
With immaturity (.5)	7.7	6.4	6.4	6.0	9.6	6.7	5.3	4.6	4.3	3.4
Neonatal disorders arising from certain diseases of mother during pregnancy 769	18.7	21.4	23.5	20.6	19.1	15.3	15.9	17.5	10.1	10.9
Without mention of immaturity (.0-.4)	6.8	7.8	8.3	6.9	6.5	4.7	4.7	5.5	5.3	6.3
With immaturity (.5-.9)	11.9	13.6	15.2	13.7	12.6	10.6	11.3	12.0	4.8	4.6
Hemolytic disease of newborn (erythroblastosis) 770	47.8	49.2	50.4	51.5	56.4	59.3	56.7	59.9	61.8	65.4
Without mention of immaturity (.0-.2)	37.5	38.6	40.0	40.9	45.8	48.0	45.1	47.2	49.8	52.7
With immaturity (.5-.7)	10.3	10.7	10.4	10.6	10.6	11.3	11.7	12.7	11.9	12.7
Hemorrhagic disease of newborn 771	12.8	13.2	14.6	15.9	16.2	17.4	17.3	18.9	21.1	20.4
Without mention of immaturity (.0)	7.5	8.1	9.2	9.6	9.8	10.8	11.0	11.5	13.3	12.9
With immaturity (.5)	5.3	5.1	5.3	6.3	6.4	6.5	6.3	7.4	7.8	7.6
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	222.4	198.9	189.2	179.7	159.5	95.3	93.0	82.2	82.8	87.3
Without mention of immaturity (.0)	60.3	57.4	55.3	52.7	49.1	23.1	23.2	23.4	24.8	29.2
With immaturity (.5)	162.0	141.5	134.0	127.0	110.4	72.2	69.7	58.8	57.9	58.1
Immaturity with mention of any other subsidiary condition 774	22.9	31.6	30.8	31.5	30.8	58.5	51.9	46.7	41.1	33.6
Immaturity, unqualified 776	429.7	435.7	457.0	468.9	476.4	487.3	493.2	530.1	541.4	576.1
Symptoms and ill-defined conditions 780-793,795	54.4	56.1	59.1	58.1	65.5	60.1	61.4	68.9	69.2	75.9
All other diseases Residual	32.2	32.6	32.6	33.6	33.8	33.1	33.4	31.7	33.6	36.7
Accidents E800-E962	87.7	83.9	90.0	90.9	93.2	86.3	84.0	81.7	89.1	93.0
Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	20.1	28.8	28.3	27.2	30.2	26.4	23.7	21.7	24.8	26.1
Accidental mechanical suffocation in bed and cradle E924	22.0	21.7	23.9	27.0	26.8	25.1	24.3	24.8	28.0	28.3
Other accidental causes E800-E920,E923,E925-E962	45.6	33.4	37.8	36.7	36.1	34.9	36.0	35.2	36.4	38.5
Homicide E964,E980-E984	5.1	4.5	4.7	3.5	3.2	2.9	3.0	3.2	3.3	2.8

Table 2-5. Infant Mortality Rates by Color: United States, Each Division and State, 1958-62

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20)

DIVISION AND STATE	1962			1961			1960			1959			1958		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1 2]	25.3	22.3	41.4	25.3	22.4	40.7	26.0	22.9	43.2	26.4	23.2	44.0	27.1	23.8	45.7
GEOGRAPHIC DIVISIONS:															
New England	22.7	22.0	37.8	22.6	22.0	34.6	22.2	21.7	35.2	22.9	22.1	43.4	23.4	22.6	44.5
Middle Atlantic	24.3	21.8	41.3	23.6	21.1	41.1	24.3	22.0	41.4	24.8	22.2	43.3	24.8	22.1	45.2
East North Central	23.2	21.4	37.5	23.7	22.1	36.2	24.0	22.1	39.4	24.5	22.7	39.0	24.8	23.1	38.6
West North Central	22.4	21.3	36.6	22.8	21.7	39.2	23.0	21.7	42.5	22.7	21.4	42.4	24.2	22.8	46.7
South Atlantic	29.2	22.9	44.6	29.1	22.8	44.3	30.0	23.6	47.2	31.6	24.6	47.9	31.3	24.5	47.4
East South Central	31.1	24.6	46.9	31.1	25.0	45.8	32.3	25.6	48.4	31.7	25.4	46.6	33.7	26.7	50.7
West South Central	27.7	24.0	41.8	27.2	23.3	41.2	29.0	24.9	44.3	28.7	24.4	45.0	30.7	26.2	47.6
Mountain	26.2	24.6	45.3	26.6	25.0	45.5	27.7	25.7	51.7	28.1	26.4	49.2	29.7	27.6	57.2
Pacific[2]	22.9	21.8	30.7	23.3	22.5	29.3	23.6	22.6	30.5	24.1	23.0	33.3	24.7	23.4	37.2
NEW ENGLAND:															
Maine	25.3	25.2	*32.8	25.3	25.2	*27.3	25.5	25.7	*12.9	26.1	26.2	*19.8	26.5	26.5	*31.0
New Hampshire	22.1	21.9	*43.5	24.4	24.4	*16.7	23.6	23.7	*10.6	22.1	22.0	*38.5	24.9	24.9	*29.4
Vermont	22.7	22.8	-	27.2	27.2	-	24.1	24.2	-	23.7	23.7	-	22.4	22.4	*41.7
Massachusetts	21.8	21.3	33.2	21.6	21.1	33.1	21.6	21.1	34.4	22.3	21.8	35.5	22.8	22.2	38.8
Rhode Island	25.5	24.5	48.6	22.5	22.3	26.6	23.3	22.4	44.4	24.0	23.7	31.7	21.3	20.0	53.1
Connecticut	22.7	21.0	41.2	22.3	20.9	38.6	21.1	20.0	36.9	22.4	20.3	60.0	23.8	22.2	51.2
MIDDLE ATLANTIC:															
New York	24.7	21.7	42.3	23.7	21.1	40.3	24.1	21.5	41.6	24.7	22.1	42.6	24.5	21.8	43.4
New Jersey	23.8	---	---	23.6	20.7	41.5	24.6	21.9	41.7	24.6	21.7	43.9	24.5	21.3	46.2
Pennsylvania	24.0	22.0	39.3	23.6	21.3	42.3	24.5	22.6	40.6	24.9	22.7	44.0	25.5	22.9	47.7
EAST NORTH CENTRAL:															
Ohio	22.8	21.0	37.9	23.1	21.7	35.4	24.0	22.2	39.4	25.0	23.0	41.3	25.3	23.3	42.9
Indiana	23.2	21.9	38.0	24.0	22.5	40.1	23.9	22.6	37.7	23.4	22.0	38.6	24.6	23.3	39.2
Illinois	24.0	21.3	37.5	24.3	21.8	37.2	25.0	22.2	39.6	25.0	22.4	38.6	24.9	22.4	38.5
Michigan	24.0	22.4	36.8	23.9	22.6	34.3	24.1	22.1	40.4	24.4	23.0	35.9	24.6	23.3	34.4
Wisconsin	20.7	19.9	39.0	22.7	22.3	31.7	21.8	21.2	35.3	23.4	22.6	45.7	23.6	23.1	35.9
WEST NORTH CENTRAL:															
Minnesota	20.9	20.6	33.9	22.2	22.0	34.1	21.6	21.6	22.6	21.1	20.8	34.7	22.8	22.7	29.0
Iowa	19.8	19.5	34.2	20.6	20.4	34.2	21.9	21.7	35.2	21.5	21.2	38.6	22.7	22.3	51.7
Missouri	25.4	23.1	39.1	24.7	21.9	42.4	24.7	21.4	45.4	24.5	21.6	42.6	26.4	23.2	46.5
North Dakota	22.6	22.0	35.7	23.2	22.2	45.6	24.8	24.1	43.3	23.7	23.0	42.3	24.9	23.6	65.8
South Dakota	25.3	22.9	54.2	25.1	22.7	53.2	28.1	24.2	76.0	22.9	20.1	61.4	26.3	23.0	70.9
Nebraska	20.8	20.0	35.9	22.8	22.2	33.4	21.9	21.3	34.3	23.5	22.6	42.8	24.7	23.5	52.6
Kansas	22.3	21.4	35.7	22.1	21.8	26.2	22.1	21.3	33.4	22.6	21.4	39.1	23.0	21.8	40.3
SOUTH ATLANTIC:															
Delaware	21.5	17.9	36.4	26.2	20.7	47.9	23.8	17.8	50.6	24.8	20.8	42.5	28.1	24.2	45.4
Maryland	26.8	22.4	42.5	25.7	21.0	41.7	27.3	22.3	44.6	28.6	23.1	46.9	28.8	23.9	45.6
District of Columbia	34.9	26.4	38.3	35.6	27.2	39.2	36.4	29.4	39.6	36.8	31.4	39.4	38.7	31.7	42.3
Virginia	29.2	23.9	45.8	28.0	23.1	43.1	29.8	24.6	45.5	31.0	24.8	49.0	31.1	25.0	49.2
West Virginia	26.5	26.1	34.3	26.7	26.3	33.7	25.5	24.8	37.7	27.2	26.9	32.8	26.4	25.8	37.5
North Carolina	30.5	22.2	46.7	30.7	22.6	48.3	31.7	22.3	52.4	32.7	24.4	50.2	32.6	24.5	49.2
South Carolina	31.5	23.5	42.8	32.4	22.7	45.7	34.3	23.9	48.5	35.0	23.6	50.1	33.9	23.1	48.3
Georgia	30.1	22.3	44.4	29.4	21.5	43.4	33.0	24.6	48.1	32.5	24.3	47.5	31.1	23.7	44.6
Florida	28.5	22.3	46.0	28.9	23.2	44.9	29.7	23.6	46.1	31.7	25.3	48.7	31.7	24.7	50.2
EAST SOUTH CENTRAL:															
Kentucky	26.9	25.1	45.6	27.8	26.1	46.0	27.9	26.0	48.3	27.3	26.3	37.9	29.1	27.5	46.8
Tennessee	28.7	24.8	42.2	29.2	25.5	42.3	29.4	25.3	43.5	30.3	26.4	43.6	30.9	26.4	47.6
Alabama	30.8	23.0	43.9	31.1	23.7	43.6	32.4	24.9	45.0	31.8	23.5	45.3	35.4	26.1	51.0
Mississippi	40.0	25.7	52.6	37.8	23.6	49.9	41.6	26.6	54.3	39.0	24.6	51.3	41.0	26.8	52.8
WEST SOUTH CENTRAL:															
Arkansas	28.8	24.3	39.9	27.5	21.8	40.9	27.4	22.5	38.7	26.5	22.4	36.2	26.3	21.5	37.5
Louisiana	31.3	21.8	45.9	30.3	21.6	43.7	32.0	22.6	46.9	32.9	21.9	50.1	34.7	25.2	49.6
Oklahoma	23.8	21.9	36.0	24.0	22.1	35.7	25.5	22.7	42.8	24.1	21.5	40.4	27.4	24.5	45.9
Texas	27.1	24.9	39.7	26.7	24.3	40.0	28.9	26.3	43.9	28.5	25.9	43.9	30.6	27.4	49.4
MOUNTAIN:															
Montana	25.9	24.0	48.8	25.6	23.7	47.5	25.0	24.2	34.5	24.5	22.6	50.8	25.7	24.3	47.2
Idaho	24.1	24.1	*23.5	23.1	23.0	*28.5	22.9	22.7	*33.3	22.2	21.8	*44.5	23.7	23.3	*45.2
Wyoming	30.3	29.7	*46.1	27.0	26.0	*52.3	28.2	27.5	*48.6	26.9	26.1	*52.0	27.8	27.0	*50.0
Colorado	25.2	24.4	45.5	26.2	25.8	37.1	27.5	26.9	44.0	26.8	28.3	41.8	30.6	30.4	35.0
New Mexico	30.0	28.5	41.2	29.6	28.2	40.3	33.2	30.9	52.8	32.9	31.2	47.3	37.3	33.3	72.8
Arizona	28.5	24.3	50.0	30.6	26.6	52.4	31.9	26.6	60.8	33.1	29.3	52.6	33.0	27.6	61.6
Utah	19.7	19.1	40.9	20.3	19.8	41.9	19.6	18.8	54.0	20.0	19.7	34.8	22.1	21.6	48.4
Nevada	29.7	28.8	36.3	28.3	26.6	41.1	30.1	29.6	33.9	32.4	28.9	56.8	31.9	30.5	42.1
PACIFIC:															
Washington	22.8	21.7	41.7	22.7	21.8	37.5	23.4	22.7	36.7	24.0	23.1	39.2	26.1	24.6	52.3
Oregon	21.9	21.6	31.5	22.9	22.6	31.8	23.2	23.0	29.2	25.1	24.8	35.4	23.4	22.6	52.3
California	22.9	21.9	30.7	23.3	22.5	28.9	23.3	22.5	29.7	23.6	22.8	30.5	24.6	23.3	35.5
Alaska[3]	34.2	22.2	59.0	37.0	25.7	60.2	40.5	27.9	68.2	42.9	26.9	72.9	38.7	27.7	63.0
Hawaii[4]	20.8	18.3	22.0	21.7	21.8	21.6	23.2	21.5	24.0	24.0	23.3	24.3	23.1	20.0	24.3

[1]Figures by color for 1962 exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[2]Excludes Alaska prior to 1959 and Hawaii prior to 1960.
[3]Figures for 1959 are by place of occurrence.
[4]Figures for 1958 and 1959 are by place of occurrence.

Table 2-6. Neonatal Mortality Rates by Color: United States, Each Division and State, 1958-62

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20)

DIVISION AND STATE	1962			1961			1960			1959			1958		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1,2]	18.3	16.9	26.1	18.4	16.9	26.2	18.7	17.2	26.9	19.0	17.5	27.7	19.5	17.8	29.0
GEOGRAPHIC DIVISIONS:															
New England	17.4	16.9	26.6	17.2	16.9	25.7	16.9	16.5	25.3	17.3	16.8	31.2	17.6	17.0	33.5
Middle Atlantic[1]	18.5	16.9	29.7	18.1	16.4	30.3	18.5	16.9	30.0	18.9	17.1	31.8	18.9	17.0	33.2
East North Central	17.5	16.3	26.7	17.8	16.7	26.1	18.0	16.8	27.3	18.3	17.2	27.0	18.5	17.4	26.8
West North Central	16.7	16.2	24.1	17.0	16.5	25.8	17.2	16.6	26.9	17.1	16.4	27.0	18.2	17.4	30.6
South Atlantic	19.9	17.4	25.8	20.1	17.5	26.5	20.6	17.7	27.5	21.3	18.6	27.8	21.2	18.4	27.9
East South Central	20.9	18.3	27.1	21.1	18.6	26.9	21.2	18.8	27.0	21.2	18.6	27.5	22.3	19.3	29.6
West South Central	19.4	17.6	26.2	18.8	17.0	25.5	19.9	18.2	26.5	19.7	17.6	27.2	20.9	18.6	29.8
Mountain	18.2	17.9	21.6	18.9	18.5	23.9	19.0	18.7	22.4	19.8	19.5	24.1	20.0	19.6	24.1
Pacific[2]	16.8	16.1	21.3	17.1	16.6	20.5	17.3	16.8	21.2	17.7	17.2	22.6	18.4	17.5	27.3
NEW ENGLAND:															
Maine	18.0	18.0	*18.2	18.7	18.7	*15.2	18.9	19.0	*6.5	19.0	19.0	*19.8	17.5	17.5	*22.1
New Hampshire	17.0	16.9	*32.6	17.3	17.3	*16.7	18.9	19.0	*10.6	16.4	16.4	*25.6	19.2	19.2	*29.4
Vermont	18.2	18.2	-	20.7	20.7	-	18.7	18.7	-	16.5	16.5	-	17.4	17.4	*41.7
Massachusetts	16.5	16.3	22.7	16.6	16.4	23.7	16.4	16.1	24.3	16.8	16.6	24.0	17.1	16.7	27.3
Rhode Island	20.0	19.5	31.9	16.9	17.0	*14.6	16.3	15.6	32.3	18.2	18.1	*20.3	15.7	14.6	42.2
Connecticut	17.8	16.7	30.3	17.3	16.3	30.7	16.4	15.7	27.1	17.6	16.1	45.6	18.9	17.7	40.4
MIDDLE ATLANTIC:															
New York	18.6	16.7	30.0	18.1	16.3	29.7	18.3	16.4	30.8	18.7	16.9	31.5	18.3	16.6	31.2
New Jersey	18.3	---	---	18.1	16.0	30.9	18.5	17.0	28.6	18.8	16.9	31.7	18.9	16.7	33.7
Pennsylvania	18.5	17.1	28.9	18.2	16.6	31.3	18.9	17.7	29.5	19.1	17.6	32.5	19.7	17.8	36.4
EAST NORTH CENTRAL:															
Ohio	17.7	16.4	28.4	17.9	16.8	27.3	18.4	17.1	29.8	19.3	17.9	31.2	19.3	17.9	31.2
Indiana	17.4	16.5	27.4	17.6	16.5	28.8	17.5	16.8	25.7	17.1	16.4	25.5	18.0	17.3	26.0
Illinois	17.7	16.1	25.5	17.8	16.3	25.3	18.1	16.8	25.3	18.0	16.8	24.6	18.0	16.6	25.6
Michigan	17.9	16.8	26.8	18.0	17.0	25.6	18.3	16.9	29.9	18.5	17.6	26.0	18.7	17.9	24.8
Wisconsin	15.8	15.3	27.6	17.2	17.0	22.8	16.5	16.3	22.2	17.6	17.1	32.2	17.6	17.3	24.9
WEST NORTH CENTRAL:															
Minnesota	15.7	15.6	20.0	16.4	16.4	19.8	16.0	16.1	*11.0	15.9	15.8	22.1	17.4	17.4	18.6
Iowa	15.0	14.8	24.7	15.6	15.5	21.8	16.7	16.6	24.1	16.6	16.5	25.4	17.4	17.0	40.2
Missouri	18.9	17.8	26.0	18.1	16.4	29.0	18.0	16.1	30.4	18.2	16.5	28.2	19.6	17.5	32.7
North Dakota	16.8	16.8	*17.1	17.8	17.4	*27.9	19.1	18.9	*22.4	18.1	18.1	*19.5	18.6	18.0	*35.7
South Dakota	17.4	17.4	17.8	18.3	17.6	26.2	19.6	18.6	32.0	15.4	14.8	23.4	17.6	16.7	29.6
Nebraska	15.5	15.0	24.3	17.6	17.4	22.1	17.3	17.0	24.4	17.5	17.1	26.2	18.6	18.2	27.8
Kansas	16.8	16.4	22.4	16.8	16.7	17.9	16.9	16.5	21.7	17.4	16.6	27.4	17.7	17.1	26.2
SOUTH ATLANTIC:															
Delaware	15.7	14.4	20.9	19.4	16.9	29.4	16.1	12.7	31.4	19.0	16.8	28.4	20.0	18.3	27.4
Maryland	20.3	17.7	29.6	19.3	16.4	29.0	20.0	17.2	29.7	20.8	17.9	30.5	20.9	17.6	32.2
District of Columbia	26.0	21.6	27.9	27.2	22.5	29.3	27.4	22.3	29.8	27.6	25.2	28.7	30.2	27.4	31.6
Virginia	21.0	18.3	29.3	20.1	17.7	27.4	21.0	18.6	28.3	21.6	18.3	31.2	21.8	19.0	30.3
West Virginia	19.3	19.1	21.6	19.6	19.5	21.8	18.1	18.0	18.8	18.6	18.6	18.4	18.3	18.2	20.8
North Carolina	19.7	16.7	26.4	20.4	17.2	27.4	20.2	16.5	28.2	21.2	18.6	26.9	21.1	18.4	26.6
South Carolina	17.8	17.3	18.6	19.6	16.7	23.6	20.3	17.4	24.3	20.2	16.8	24.8	20.3	16.9	24.8
Georgia	19.4	16.6	24.8	19.6	16.6	25.1	21.3	18.4	26.5	21.4	18.6	26.4	20.5	18.0	25.0
Florida	19.8	17.1	27.3	20.2	18.1	26.1	20.8	18.2	27.9	22.3	19.6	29.2	21.9	18.8	29.8
EAST SOUTH CENTRAL:															
Kentucky	19.2	18.1	30.8	20.4	19.3	31.8	19.6	18.7	29.9	19.0	18.5	24.3	20.0	19.2	28.0
Tennessee	20.1	18.1	26.9	20.3	18.7	25.6	20.2	18.6	25.9	21.2	19.6	26.7	21.6	19.0	31.3
Alabama	20.4	17.9	24.7	20.7	17.7	25.6	20.6	18.5	24.2	21.1	17.3	27.5	23.2	19.1	30.1
Mississippi	24.7	20.1	28.8	23.5	18.6	27.8	25.3	20.4	29.6	24.0	18.6	28.5	24.9	20.5	28.5
WEST SOUTH CENTRAL:															
Arkansas	19.2	17.8	22.5	17.4	16.0	20.6	17.6	16.5	20.2	17.2	16.2	19.5	17.2	16.1	19.8
Louisiana	21.9	17.1	29.2	21.7	16.9	29.0	21.7	17.5	28.5	22.7	17.3	31.1	24.5	20.0	31.6
Oklahoma	18.2	17.4	23.9	17.3	16.4	22.7	18.4	17.4	24.3	17.3	16.1	24.5	20.0	18.6	29.0
Texas	18.8	17.7	25.0	18.4	17.3	24.3	20.0	18.7	27.1	19.4	18.2	26.5	20.5	18.5	31.6
MOUNTAIN:															
Montana	17.7	17.6	19.7	18.4	17.4	31.2	17.1	17.3	*14.9	16.8	16.7	16.9	17.8	17.6	21.7
Idaho	17.7	17.9	* 8.8	17.4	17.5	* 9.5	17.3	17.3	*18.2	16.8	16.6	*24.0	17.4	17.3	*22.6
Wyoming	22.9	22.9	*23.0	21.0	20.5	*35.9	21.5	21.0	*34.7	19.8	20.0	*16.0	20.0	19.9	*25.0
Colorado	18.6	18.0	33.6	19.6	19.3	28.0	21.2	20.7	33.9	22.0	21.8	26.3	22.3	22.1	25.9
New Mexico	19.5	19.9	16.3	20.0	19.9	20.6	20.2	20.1	21.1	21.6	21.3	24.0	22.3	21.8	26.1
Arizona	17.9	17.1	21.8	19.7	19.0	23.3	19.3	18.8	22.0	21.4	20.6	25.6	19.2	18.3	24.1
Utah	14.3	14.2	*17.3	15.1	15.0	*21.0	14.5	14.3	*25.2	15.3	15.3	*15.8	16.7	16.7	*17.4
Nevada	22.9	22.4	26.7	21.3	20.8	24.6	21.0	21.8	*15.9	22.3	21.4	28.4	23.4	23.8	*21.0
PACIFIC:															
Washington	15.9	15.4	23.8	16.3	15.8	23.6	17.2	17.0	21.3	17.6	17.3	22.9	18.9	18.2	30.3
Oregon	15.0	14.9	18.1	16.0	16.0	15.5	16.6	16.5	18.0	18.0	18.0	19.4	16.5	16.1	30.7
California	17.0	16.3	22.3	17.2	16.7	21.2	17.2	16.7	21.8	17.5	17.0	21.8	18.6	17.6	26.9
Alaska[3]	18.6	16.9	21.9	21.8	19.4	26.7	22.7	21.0	26.7	25.7	19.5	37.3	24.5	22.7	28.5
Hawaii[4]	16.6	14.9	17.4	16.7	17.0	16.6	18.4	18.3	18.5	18.9	17.6	19.5	18.1	17.7	18.3

[1]Figures by color for 1962 exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[2]Excludes Alaska prior to 1959 and Hawaii prior to 1960.
[3]Figures for 1958 are by place of occurrence.
[4]Figures for 1958 and 1959 are by place of occurrence.

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	UNITED STATES	105,479	8,278	34,883	10,919	7,214	3,227	1,819	1,300	950
2	Male	60,939	4,473	20,492	6,431	4,412	1,963	1,092	754	526
3	Female	44,540	3,805	14,391	4,488	2,802	1,264	727	546	424
4	White	75,812	6,272	26,282	8,398	5,606	2,488	1,335	940	658
5	Male	44,270	3,355	15,513	5,070	3,496	1,526	831	549	369
6	Female	31,542	2,917	10,769	3,328	2,110	962	504	391	289
7	Negro	24,911	1,596	7,076	2,060	1,303	615	408	315	254
8	Male	13,905	888	4,035	1,100	747	360	216	183	137
9	Female	11,006	708	3,041	960	556	255	192	132	117
10	Other	1,624	103	426	107	79	32	16	7	13
11	Male	923	55	270	62	41	27	9	2	6
12	Female	701	48	156	45	38	5	7	5	7
13	ALABAMA	2,420	146	671	242	157	76	33	30	29
14	Male	1,384	82	389	143	101	51	19	15	16
15	Female	1,036	64	282	99	56	25	14	15	13
16	White	1,135	78	389	140	96	47	16	13	9
17	Male	667	43	232	79	62	36	10	7	6
18	Female	468	35	157	61	34	11	6	6	3
19	Negro	1,284	68	281	102	61	29	17	17	20
20	Male	716	39	156	64	39	15	9	8	10
21	Female	568	29	125	38	22	14	8	9	10
22	Other	1	-	1	-	-	-	-	-	-
23	Male	1	-	1	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	ALASKA	262	10	65	18	14	5	1	2	1
26	Male	156	4	36	12	10	5	1	2	1
27	Female	106	6	29	6	4	-	-	-	-
28	White	114	6	42	7	11	4	1	2	1
29	Male	75	3	26	6	8	4	1	2	1
30	Female	39	3	16	1	3	-	-	-	-
31	Negro	3	-	1	1	-	-	-	-	-
32	Male	2	-	-	1	-	-	-	-	-
33	Female	1	-	1	-	-	-	-	-	-
34	Other	145	4	22	10	3	1	-	-	-
35	Male	79	1	10	5	2	1	-	-	-
36	Female	66	3	12	5	1	-	-	-	-
37	ARIZONA	1,079	64	297	99	61	31	22	17	8
38	Male	636	37	174	66	43	17	15	10	3
39	Female	443	27	123	33	18	14	7	7	5
40	White	772	49	242	76	53	29	19	12	6
41	Male	457	26	144	50	37	16	13	7	1
42	Female	315	23	98	26	16	13	6	5	5
43	Negro	83	7	26	10	3	1	-	2	-
44	Male	49	5	14	6	1	1	-	1	-
45	Female	34	2	12	4	2	-	-	1	-
46	Other	224	8	29	13	5	1	3	3	2
47	Male	130	6	16	10	5	-	2	2	2
48	Female	94	2	13	3	-	1	1	1	-
49	ARKANSAS	1,207	53	322	140	85	44	23	21	11
50	Male	730	30	200	85	55	32	15	15	4
51	Female	477	23	122	55	30	12	8	6	7
52	White	731	36	218	104	57	31	13	9	7
53	Male	446	20	132	68	38	24	9	8	3
54	Female	285	16	86	36	19	7	4	1	4
55	Negro	476	17	104	36	28	13	10	12	4
56	Male	284	10	68	17	17	8	6	7	1
57	Female	192	7	36	19	11	5	4	5	3
58	Other	-	-	-	-	-	-	-	-	-
59	Male	-	-	-	-	-	-	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	CALIFORNIA	8,688	692	3,067	781	696	274	154	104	76
62	Male	5,034	364	1,803	463	415	169	94	67	42
63	Female	3,654	328	1,264	318	281	105	60	37	36
64	White	7,328	576	2,593	684	579	236	127	94	68
65	Male	4,242	289	1,517	412	343	145	84	61	37
66	Female	3,086	289	1,076	272	236	91	43	33	31
67	Negro	1,156	95	410	81	93	31	26	10	9
68	Male	676	63	247	43	58	18	9	6	5
69	Female	480	32	163	38	35	13	17	4	4
70	Other	204	19	64	16	24	7	1	-	1
71	Male	116	12	39	8	14	6	1	-	-
72	Female	88	7	25	8	10	1	-	-	1
73	COLORADO	1,099	97	397	109	72	42	14	8	8
74	Male	648	63	243	57	39	24	10	5	6
75	Female	451	34	154	52	33	18	4	3	2
76	White	1,022	87	367	103	69	40	14	8	7
77	Male	597	57	221	53	37	24	10	5	5
78	Female	425	30	146	50	32	16	4	3	2
79	Negro	63	10	23	6	3	2	-	-	1
80	Male	41	6	16	4	2	-	-	-	1
81	Female	22	4	7	2	1	2	-	-	-
82	Other	14	-	7	-	-	-	-	-	-
83	Male	10	-	6	-	-	-	-	-	-
84	Female	4	-	1	-	-	-	-	-	-
85	CONNECTICUT	1,259	110	501	140	97	22	18	10	15
86	Male	727	61	292	91	58	13	10	4	8
87	Female	532	49	209	49	39	9	8	6	7
88	White	1,074	94	424	121	92	20	15	9	12
89	Male	621	50	249	77	57	12	8	4	6
90	Female	453	44	175	44	35	8	7	5	6
91	Negro	180	16	74	18	5	2	3	1	3
92	Male	104	11	42	14	1	1	2	-	2
93	Female	76	5	32	4	4	1	1	1	1
94	Other	5	-	3	1	-	-	-	-	-
95	Male	2	-	1	-	-	-	-	-	-
96	Female	3	-	2	1	-	-	-	-	-

Sex: United States and Each State, 1962

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
68,590	3,815	2,210	1,731	76,346	6,730	5,519	4,034	2,974	2,318	1,847	1,489	1,265	1,082	962	913	1
40,143	2,132	1,249	976	44,500	4,014	3,194	2,261	1,643	1,228	983	846	708	589	497	476	2
28,447	1,683	961	755	31,846	2,716	2,325	1,773	1,331	1,090	864	643	557	493	465	437	3
51,979	2,628	1,449	1,163	57,219	4,387	3,546	2,537	1,821	1,402	1,178	956	802	716	649	599	4
30,709	1,490	826	662	33,687	2,647	2,092	1,443	1,005	742	640	543	436	395	325	315	5
21,270	1,138	623	501	23,532	1,740	1,454	1,094	816	660	538	413	366	321	324	284	6
13,637	1,036	675	495	15,833	2,057	1,732	1,316	992	790	538	452	380	305	262	254	7
7,666	568	367	273	8,874	1,191	962	716	552	420	272	261	221	163	142	131	8
5,961	468	308	222	6,959	866	770	600	440	370	266	191	159	142	120	123	9
783	47	25	26	881	109	124	94	94	66	63	45	57	31	34	26	10
472	20	12	14	518	59	68	49	49	35	37	25	36	14	18	15	11
311	27	13	12	363	50	56	45	45	31	26	20	21	17	16	11	12
1,384	104	69	46	1,603	177	133	116	87	69	60	42	49	26	32	26	13
816	67	42	24	949	99	72	51	50	35	27	23	30	15	19	14	14
568	37	27	22	654	78	61	65	37	34	33	19	19	11	13	12	15
788	50	25	18	881	52	40	34	25	21	23	19	8	12	12	8	16
475	33	19	9	536	29	22	18	14	7	8	11	3	6	9	4	17
313	17	6	9	345	23	18	16	11	14	15	8	5	6	3	4	18
595	54	44	28	721	125	93	82	62	48	37	23	41	14	20	18	19
340	34	23	15	412	70	50	33	36	28	19	12	27	9	10	10	20
255	20	21	13	309	55	43	49	26	20	18	11	14	5	10	8	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
116	13	7	6	142	29	22	12	10	5	8	10	3	7	7	7	25
71	9	4	3	87	15	16	8	6	1	3	3	3	4	5	5	26
45	4	3	3	55	14	6	4	4	4	5	7	-	3	2	2	27
74	7	2	4	87	13	9	1	1	-	-	1	-	1	-	1	28
51	5	1	2	59	8	6	1	-	-	-	-	-	-	-	1	29
23	2	1	2	28	5	3	-	1	-	-	1	-	1	-	-	30
2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	31
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	32
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
40	6	5	2	53	16	12	11	9	5	8	9	3	6	7	6	34
19	4	3	1	27	7	9	7	6	1	3	3	3	4	5	4	35
21	2	2	1	26	9	3	4	3	4	5	6	-	2	2	2	36
599	41	16	21	677	66	69	53	51	38	36	14	29	12	16	18	37
365	22	7	11	405	41	40	34	24	17	26	10	13	7	9	10	38
234	19	9	10	272	25	29	19	27	21	10	4	16	5	7	8	39
486	33	11	13	543	44	38	33	27	18	20	7	14	8	7	13	40
294	18	6	7	325	27	19	22	11	8	14	6	6	6	5	8	41
192	15	5	6	218	17	19	11	16	10	6	1	8	2	2	5	42
49	4	3	2	58	8	5	3	1	2	2	2	-	-	-	2	43
28	3	1	1	33	6	4	3	-	1	1	1	-	-	-	-	44
21	1	2	1	25	2	1	-	1	1	1	1	-	-	-	2	45
64	4	2	6	76	14	26	17	23	18	14	5	15	4	9	3	46
43	1	-	3	47	8	17	9	13	8	11	3	7	1	4	2	47
21	3	2	3	29	6	9	8	10	10	3	2	8	3	5	1	48
699	50	29	26	804	71	65	65	48	41	30	16	17	23	20	7	49
436	25	12	14	487	38	39	40	27	30	20	11	12	10	10	6	50
263	25	17	12	317	33	26	25	21	11	10	5	5	13	10	1	51
475	28	19	13	535	40	26	29	23	19	15	6	10	13	12	3	52
302	13	8	6	329	22	18	17	10	15	9	4	7	6	6	3	53
173	15	11	7	206	18	8	12	13	4	6	2	3	7	6	-	54
224	22	10	13	269	31	39	36	25	22	15	10	7	10	8	4	55
134	12	4	8	158	16	21	23	17	15	11	7	5	4	4	3	56
90	10	6	5	111	15	18	13	8	7	4	3	2	6	4	1	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
5,846	289	189	132	6,456	600	462	305	187	162	107	114	87	73	73	62	61
3,417	172	100	72	3,761	361	259	177	107	88	65	68	46	36	31	35	62
2,429	117	89	60	2,695	239	203	128	80	74	42	46	41	37	42	27	63
4,959	241	159	108	5,467	501	390	254	149	139	89	92	72	59	62	54	64
2,888	145	82	59	3,174	306	223	147	89	75	53	53	37	29	26	30	65
2,071	96	77	49	2,293	195	167	107	60	64	36	39	35	30	36	24	66
755	38	26	21	840	86	58	45	36	20	18	17	12	12	8	4	67
449	22	18	12	501	49	30	27	16	11	12	10	8	5	4	3	68
306	16	8	9	339	37	28	18	20	9	6	7	4	7	4	1	69
132	10	4	3	149	13	14	6	2	3	-	5	3	2	3	4	70
80	5	-	1	86	6	6	3	2	2	-	5	1	2	1	2	71
52	5	4	2	63	7	8	3	-	1	-	-	2	-	2	2	72
747	29	18	16	810	39	67	41	37	16	26	12	16	15	7	13	73
447	14	10	12	483	23	39	20	19	12	15	7	12	7	5	6	74
300	15	8	4	327	16	28	21	18	4	11	5	4	8	2	7	75
695	26	17	15	753	38	64	37	35	12	24	11	15	14	7	12	76
412	13	9	11	445	22	36	18	17	10	14	6	12	7	5	5	77
283	13	8	4	308	16	28	19	18	2	10	5	3	7	2	7	78
45	3	1	1	50	-	3	2	1	4	1	-	1	-	-	1	79
29	1	1	1	32	-	3	2	1	2	-	-	-	-	-	1	80
16	2	-	-	18	-	-	-	-	2	1	-	1	-	-	-	81
7	-	-	-	7	1	-	2	1	-	1	1	-	1	-	-	82
6	-	-	-	6	1	-	-	1	-	1	1	-	-	-	-	83
1	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	84
913	33	24	20	990	67	59	42	25	17	16	8	6	7	13	9	85
537	18	15	9	579	48	30	23	11	9	7	4	3	2	6	5	86
376	15	9	11	411	19	29	19	14	8	9	4	3	5	7	4	87
787	29	21	17	854	58	45	37	18	13	14	7	4	7	11	6	88
463	15	14	7	499	42	24	22	7	6	6	3	2	2	6	2	89
324	14	7	10	355	16	21	15	11	7	8	4	2	5	5	4	90
122	4	3	3	132	9	14	5	7	4	2	1	1	-	2	3	91
73	3	1	2	79	6	6	1	4	3	1	1	-	-	-	3	92
49	1	2	1	53	3	8	4	3	1	1	-	1	-	2	-	93
4	-	-	-	4	-	-	-	-	-	-	-	1	-	-	-	94
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	95
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	DELAWARE	245	19	69	31	19	9	7	4	2
2	Male	119	6	38	16	9	3	3	-	2
3	Female	126	12	31	15	10	6	4	4	-
4	White	163	16	46	27	14	8	6	3	2
5	Male	72	4	24	13	7	2	3	-	2
6	Female	91	12	22	14	7	6	3	3	-
7	Negro	82	2	23	4	5	1	1	1	-
8	Male	47	2	14	3	2	1	-	-	-
9	Female	35	-	9	1	3	-	1	1	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	DISTRICT OF COLUMBIA	700	46	289	62	35	21	9	13	9
14	Male	391	30	174	29	16	13	7	4	3
15	Female	309	16	115	33	19	8	2	9	6
16	White	154	14	62	19	4	5	2	3	3
17	Male	90	10	38	10	2	3	2	1	1
18	Female	64	4	24	9	2	2	-	2	2
19	Negro	543	32	225	42	31	16	7	10	6
20	Male	298	20	134	18	14	10	5	3	2
21	Female	245	12	91	24	17	6	2	7	4
22	Other	3	-	2	1	-	-	-	-	-
23	Male	3	-	2	1	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	FLORIDA	3,289	192	1,019	339	231	111	45	47	31
26	Male	1,899	117	588	210	147	63	21	23	18
27	Female	1,390	75	431	129	84	48	24	24	13
28	White	1,892	125	670	214	163	77	30	30	17
29	Male	1,126	74	404	134	110	44	14	14	7
30	Female	766	51	266	80	53	33	16	16	10
31	Negro	1,390	67	345	125	67	34	14	17	14
32	Male	770	43	183	76	37	19	6	9	11
33	Female	620	24	162	49	30	15	8	8	3
34	Other	7	-	4	-	1	-	1	-	-
35	Male	3	-	1	-	-	-	1	-	-
36	Female	4	-	3	-	1	-	-	-	-
37	GEORGIA	2,999	160	767	288	170	105	62	43	31
38	Male	1,705	92	436	176	112	71	38	28	12
39	Female	1,284	88	331	112	58	34	24	15	19
40	White	1,425	108	446	171	110	49	28	21	12
41	Male	841	53	250	114	80	33	18	13	7
42	Female	584	55	196	57	30	16	10	8	5
43	Negro	1,562	72	320	116	60	56	34	22	19
44	Male	862	39	185	61	32	38	20	15	5
45	Female	700	33	135	55	28	18	14	7	14
46	Other	2	-	1	1	-	-	-	-	-
47	Male	2	-	1	1	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	HAWAII	375	35	159	33	23	13	9	2	4
50	Male	219	18	106	19	9	9	4	1	2
51	Female	156	17	53	14	14	4	5	1	2
52	White	101	9	45	6	6	5	2	1	2
53	Male	50	4	23	3	3	3	1	1	1
54	Female	51	5	22	3	3	2	1	-	1
55	Negro	11	4	3	1	-	-	-	-	-
56	Male	7	2	2	1	-	-	-	-	-
57	Female	4	2	1	-	-	-	-	-	-
58	Other	263	22	111	26	17	8	7	1	2
59	Male	162	12	81	15	6	6	3	-	1
60	Female	101	10	30	11	11	2	4	1	1
61	IDAHO	395	32	114	49	34	18	8	2	4
62	Male	245	22	70	33	23	12	6	2	1
63	Female	150	10	44	16	11	6	2	-	3
64	White	387	32	113	48	33	18	8	2	4
65	Male	243	22	70	33	23	12	6	2	1
66	Female	144	10	43	15	10	6	2	-	3
67	Negro	-	-	-	-	-	-	-	-	-
68	Male	-	-	-	-	-	-	-	-	-
69	Female	-	-	-	-	-	-	-	-	-
70	Other	8	-	1	1	1	-	-	-	-
71	Male	2	-	-	-	-	-	-	-	-
72	Female	6	-	1	1	1	-	-	-	-
73	ILLINOIS	5,538	450	2,075	492	327	158	92	64	48
74	Male	3,186	227	1,221	274	185	89	57	40	36
75	Female	2,352	223	854	218	142	69	35	24	12
76	White	4,087	358	1,557	399	243	130	64	50	37
77	Male	2,383	183	936	230	139	75	40	31	27
78	Female	1,704	175	621	169	104	55	24	19	10
79	Negro	1,428	87	509	92	84	27	28	14	11
80	Male	792	44	280	44	46	13	17	9	9
81	Female	636	43	229	48	38	14	11	5	2
82	Other	23	5	9	1	-	1	-	-	-
83	Male	11	-	5	-	-	1	-	-	-
84	Female	12	5	4	1	-	-	-	-	-
85	INDIANA	2,524	217	871	291	174	67	46	31	23
86	Male	1,472	137	518	165	105	41	23	15	11
87	Female	1,052	80	353	126	69	26	23	16	12
88	White	2,192	197	750	257	154	62	43	25	18
89	Male	1,291	125	453	146	92	40	23	13	9
90	Female	901	72	297	111	62	22	20	12	9
91	Negro	331	20	120	34	20	5	3	6	5
92	Male	180	12	64	19	13	1	-	2	2
93	Female	151	8	56	15	7	4	3	4	3
94	Other	1	-	1	-	-	-	-	-	-
95	Male	1	-	1	-	-	-	-	-	-
96	Female	-	-	-	-	-	-	-	-	-

Sex: United States and Each State, 1962—Con.

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
159	9	6	4	178	12	7	13	12	7	5	3	2	2	2	2	1
77	4	3	1	85	7	3	6	5	4	3	-	2	1	2	1	2
82	5	3	3	93	5	4	7	7	3	2	3	-	1	-	1	3
122	2	5	2	131	7	3	7	6	4	2	-	-	-	2	1	4
55	1	2	-	58	4	-	4	1	2	1	-	-	-	2	-	5
67	1	3	2	73	3	3	3	5	2	1	-	-	-	-	1	6
37	7	1	2	47	5	4	6	6	3	3	3	2	2	-	1	7
22	3	1	1	27	3	3	2	4	2	2	-	2	1	-	1	8
15	4	-	1	20	2	1	4	2	1	1	3	-	1	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
484	19	10	10	523	38	43	25	22	8	14	4	5	5	7	6	13
276	11	5	6	298	21	20	12	14	4	8	3	3	2	4	2	14
208	8	5	4	225	17	23	13	8	4	6	1	2	3	3	4	15
112	8	2	4	126	10	6	3	2	2	3	-	-	1	1	-	16
67	3	2	3	75	7	2	2	-	2	2	-	-	-	-	-	17
45	5	-	1	51	3	4	1	2	-	1	-	-	1	1	-	18
369	11	8	6	394	28	37	22	20	6	11	4	5	4	6	6	19
206	8	3	3	220	14	18	10	14	2	6	3	3	2	4	2	20
163	3	5	3	174	14	19	12	6	4	5	1	2	2	2	4	21
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	22
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
2,015	136	75	58	2,284	249	173	130	110	79	68	59	47	33	25	32	25
1,187	78	41	34	1,340	146	101	69	58	43	30	34	25	19	19	15	26
828	58	34	24	944	103	72	61	52	36	38	25	22	14	6	17	27
1,326	69	31	29	1,455	100	78	56	52	25	32	32	24	9	10	19	28
801	39	18	14	872	64	55	27	26	14	17	17	13	5	7	9	29
525	30	13	15	583	36	23	29	26	11	15	15	11	4	3	10	30
683	67	44	29	823	148	95	74	58	54	36	27	23	24	15	13	31
384	39	23	20	466	81	46	42	32	29	13	17	12	14	12	6	32
299	28	21	9	357	67	49	32	26	25	23	10	11	10	3	7	33
6	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-	34
2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	35
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	36
1,646	141	84	58	1,929	233	190	161	118	93	68	52	42	39	33	31	37
965	83	40	28	1,116	134	111	88	68	53	32	31	18	22	18	14	38
681	58	44	30	813	99	79	73	50	40	36	21	24	17	15	17	39
945	63	36	19	1,063	74	63	54	41	28	22	23	16	16	12	13	40
568	36	19	7	630	48	40	30	24	16	14	12	8	7	6	6	41
377	27	17	12	433	26	23	24	17	12	8	11	8	9	6	7	42
699	78	48	39	864	159	127	107	77	65	46	29	26	23	21	18	43
395	47	21	21	484	86	71	58	44	37	18	19	10	15	12	8	44
304	31	27	18	380	73	56	49	33	28	28	10	16	8	9	10	45
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	46
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
278	9	4	8	299	15	12	11	7	6	8	3	6	4	1	3	49
168	5	2	4	179	8	7	7	3	2	4	1	4	1	1	2	50
110	4	2	4	120	7	5	4	4	4	4	2	2	3	-	1	51
76	2	2	2	82	5	4	2	1	1	1	-	2	2	-	1	52
39	1	1	1	42	2	2	1	-	-	-	-	1	1	-	1	53
37	1	1	1	40	3	2	1	1	1	1	-	1	1	-	-	54
8	-	-	-	8	-	1	1	-	-	-	-	1	-	-	-	55
5	-	-	-	5	-	1	-	-	-	-	-	1	-	-	-	56
3	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	57
194	7	2	6	209	10	7	8	6	5	7	3	3	2	1	2	58
124	4	1	3	132	6	4	6	3	2	4	1	2	-	1	1	59
70	3	1	3	77	4	3	2	3	3	3	2	1	2	-	1	60
261	14	6	9	290	20	22	11	5	11	8	5	7	4	6	6	61
169	8	2	7	186	12	12	7	3	6	5	2	5	2	3	2	62
92	6	4	2	104	8	10	4	2	5	3	3	2	2	3	4	63
258	14	6	9	287	20	22	8	5	11	7	5	7	4	6	5	64
169	8	2	7	186	12	12	6	3	6	4	2	5	2	3	2	65
89	6	4	2	101	8	10	2	2	5	3	3	2	2	3	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
3	-	-	-	3	-	-	3	-	-	1	-	-	-	-	1	70
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	71
3	-	-	-	3	-	-	2	-	-	-	-	-	-	-	1	72
3,706	171	121	80	4,078	368	300	197	139	113	80	75	50	51	49	38	73
2,129	98	69	50	2,346	220	185	114	74	61	42	46	25	27	29	17	74
1,577	73	52	30	1,732	148	115	83	65	52	38	29	25	24	20	21	75
2,838	115	80	58	3,091	249	199	132	96	74	56	46	40	37	37	30	76
1,661	62	51	35	1,809	149	124	72	56	40	30	26	19	19	24	15	77
1,177	53	29	23	1,282	100	75	60	40	34	26	20	21	18	13	15	78
852	56	39	22	969	119	99	64	42	38	24	29	10	14	12	8	79
462	36	16	15	529	71	59	41	18	21	12	20	6	8	5	2	80
390	20	23	7	440	48	40	23	24	17	12	9	4	6	7	6	81
16	-	2	-	18	-	2	1	1	1	-	-	-	-	-	-	82
6	-	2	-	8	-	2	1	-	-	-	-	-	-	-	-	83
10	-	-	-	10	-	-	-	1	1	-	-	-	-	-	-	84
1,720	88	41	43	1,892	138	126	74	60	55	45	33	25	38	15	23	85
1,015	51	20	21	1,107	82	77	43	39	26	22	20	18	19	8	11	86
705	37	21	22	785	56	49	31	21	29	23	13	7	19	7	12	87
1,506	77	35	35	1,653	114	107	63	52	49	37	30	23	32	14	18	88
901	44	16	19	980	69	65	36	33	22	19	19	16	16	7	9	89
605	33	19	16	673	45	42	27	19	27	18	11	7	16	7	9	90
213	11	6	8	238	24	19	11	8	6	8	3	2	6	1	5	91
113	7	4	2	126	13	12	7	6	4	3	1	2	3	1	2	92
100	4	2	6	112	11	7	4	2	2	5	2	-	3	-	3	93
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	94
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	IOWA	1,206	108	389	145	85	37	25	15	13
2	Male	742	61	247	94	54	22	14	11	10
3	Female	464	47	142	51	31	15	11	4	3
4	White	1,170	106	375	140	85	35	24	14	12
5	Male	719	60	238	91	54	22	13	10	9
6	Female	451	46	137	49	31	13	11	4	3
7	Negro	34	2	13	5	-	2	1	1	1
8	Male	23	1	9	3	-	-	1	1	1
9	Female	11	1	4	2	-	2	-	-	-
10	Other	2	-	1	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	2	-	1	-	-	-	-	-	-
13	KANSAS	1,086	78	394	108	73	37	24	18	4
14	Male	648	43	247	64	50	21	16	11	2
15	Female	438	35	147	44	23	16	8	7	2
16	White	973	67	365	101	68	33	21	13	4
17	Male	585	39	229	61	46	18	15	9	2
18	Female	388	28	136	40	22	15	6	4	2
19	Negro	108	11	27	7	5	3	3	5	-
20	Male	59	4	16	3	4	2	1	2	-
21	Female	49	7	11	4	1	1	2	3	-
22	Other	5	-	2	-	-	1	-	-	-
23	Male	4	-	2	-	-	1	-	-	-
24	Female	1	-	-	-	-	-	-	-	-
25	KENTUCKY	1,876	130	576	204	140	66	30	29	14
26	Male	1,047	70	327	120	88	36	19	14	7
27	Female	829	60	249	84	52	30	11	15	7
28	White	1,601	115	499	175	122	61	25	24	12
29	Male	887	61	286	106	77	34	16	10	6
30	Female	714	54	213	69	45	27	9	14	6
31	Negro	274	14	77	29	18	5	5	5	2
32	Male	159	8	41	14	11	2	3	4	1
33	Female	115	6	36	15	7	3	2	1	1
34	Other	1	1	-	-	-	-	-	-	-
35	Male	1	1	-	-	-	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-
37	LOUISIANA	2,755	173	855	259	189	87	49	38	20
38	Male	1,565	74	503	150	134	58	25	23	9
39	Female	1,190	99	352	109	55	29	24	15	11
40	White	1,167	81	442	140	100	39	13	16	7
41	Male	697	32	270	91	72	28	11	9	3
42	Female	470	49	172	49	28	11	2	7	4
43	Negro	1,583	91	413	119	88	48	36	22	13
44	Male	866	42	233	59	61	30	14	14	6
45	Female	717	49	180	60	27	18	22	8	7
46	Other	5	1	-	-	1	-	-	-	-
47	Male	2	-	-	-	1	-	-	-	-
48	Female	3	1	-	-	-	-	-	-	-
49	MAINE	581	70	177	49	42	21	12	7	1
50	Male	349	42	100	34	26	9	9	2	1
51	Female	232	28	77	15	16	12	3	5	-
52	White	572	70	174	48	42	21	12	7	1
53	Male	342	42	98	33	26	9	9	2	1
54	Female	230	28	76	15	16	12	3	5	-
55	Negro	7	-	3	-	-	-	-	-	-
56	Male	6	-	2	-	-	-	-	-	-
57	Female	1	-	1	-	-	-	-	-	-
58	Other	2	-	-	1	-	-	-	-	-
59	Male	1	-	-	1	-	-	-	-	-
60	Female	1	-	-	-	-	-	-	-	-
61	MARYLAND	2,041	176	709	225	134	63	38	30	15
62	Male	1,133	83	391	135	84	35	24	17	10
63	Female	908	93	318	90	50	28	14	13	5
64	White	1,323	123	485	150	90	47	30	18	12
65	Male	742	56	263	92	59	30	18	10	8
66	Female	581	67	222	58	31	17	12	8	4
67	Negro	715	53	222	75	44	16	8	12	3
68	Male	389	27	127	43	25	5	6	7	2
69	Female	326	26	95	32	19	11	2	5	1
70	Other	3	-	2	-	-	-	-	-	-
71	Male	2	-	1	-	-	-	-	-	-
72	Female	1	-	1	-	-	-	-	-	-
73	MASSACHUSETTS	2,443	200	850	284	217	67	35	20	14
74	Male	1,415	119	495	156	127	39	22	13	9
75	Female	1,028	81	355	128	90	28	13	7	5
76	White	2,298	187	801	270	208	63	32	16	13
77	Male	1,330	110	466	147	125	37	20	10	8
78	Female	958	77	335	123	83	26	12	6	5
79	Negro	148	11	47	13	9	4	3	4	1
80	Male	82	8	28	9	2	2	2	3	1
81	Female	66	3	19	4	7	2	1	1	-
82	Other	7	2	2	1	-	-	-	-	-
83	Male	3	1	1	-	-	-	-	-	-
84	Female	4	1	1	1	-	-	-	-	-
85	MICHIGAN	4,392	403	1,574	469	297	112	66	42	30
86	Male	2,572	217	951	265	199	66	40	23	20
87	Female	1,820	186	623	204	98	46	26	19	10
88	White	3,650	324	1,314	387	266	95	54	36	27
89	Male	2,166	177	805	222	177	57	32	20	18
90	Female	1,484	147	509	165	89	38	22	16	9
91	Negro	733	78	258	79	31	17	12	6	3
92	Male	400	39	144	42	22	9	8	3	2
93	Female	333	39	114	37	9	8	4	3	1
94	Other	9	1	2	3	-	-	-	-	-
95	Male	6	1	2	1	-	-	-	-	-
96	Female	3	-	-	2	-	-	-	-	-

Sex: United States and Each State, 1962—Con.

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
817	58	25	15	915	74	48	39	26	24	20	18	9	9	9	15	1
513	37	13	12	575	50	31	23	17	9	11	8	3	3	4	8	2
304	21	12	3	340	24	17	16	9	15	9	10	6	6	5	7	3
791	58	25	15	889	72	47	37	26	24	18	16	9	9	8	15	4
497	37	13	12	559	48	30	22	17	9	10	7	3	3	3	8	5
294	21	12	3	330	24	17	15	9	15	8	9	6	6	5	7	6
25	-	-	-	25	2	1	1	-	-	2	2	-	-	1	-	7
16	-	-	-	16	2	1	1	-	-	1	1	-	-	1	-	8
9	-	-	-	9	-	-	-	-	-	1	1	-	-	-	-	9
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	12
736	39	23	17	815	59	51	27	26	30	16	16	12	12	11	11	13
454	22	13	7	496	34	33	16	16	12	6	10	5	7	7	6	14
282	17	10	10	319	25	18	11	10	18	10	6	7	5	4	5	15
672	37	21	14	744	53	41	25	21	21	15	10	12	10	11	10	16
419	21	12	6	458	31	26	14	12	8	5	7	5	6	7	6	17
253	16	9	8	286	22	15	11	9	13	10	3	7	4	4	4	18
61	2	2	2	67	6	10	1	5	9	1	6	-	2	-	1	19
32	1	1	1	35	3	7	1	4	4	1	3	-	1	-	-	20
29	1	1	1	32	3	3	-	1	5	-	3	-	1	-	1	21
3	-	-	1	4	-	-	1	-	-	-	-	-	-	-	-	22
3	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	23
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	24
1,189	80	35	39	1,343	118	98	68	54	48	37	29	27	20	22	12	25
681	43	22	23	769	66	58	35	21	27	22	13	13	7	11	5	26
508	37	13	16	574	52	40	33	33	21	15	16	14	13	11	7	27
1,033	65	30	29	1,157	100	77	57	49	36	30	26	22	17	18	12	28
596	33	19	16	664	54	44	25	18	20	19	11	12	6	9	5	29
437	32	11	13	493	46	33	32	31	16	11	15	10	11	9	7	30
155	15	5	10	185	18	21	11	5	12	7	3	5	3	4	-	31
84	10	3	7	104	12	14	10	3	7	3	2	1	1	2	-	32
71	5	2	3	81	6	7	1	2	5	4	1	4	2	2	-	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1,670	123	77	55	1,925	169	136	125	111	71	40	43	30	29	42	34	37
976	65	41	31	1,113	105	81	69	44	37	20	28	14	18	20	16	38
694	58	36	24	812	64	55	56	67	34	20	15	16	11	22	18	39
838	33	19	24	914	50	43	32	33	21	16	12	7	9	19	11	40
516	20	11	13	560	29	26	18	13	11	9	9	4	6	8	4	41
322	13	8	11	354	21	17	14	20	10	7	3	3	3	11	7	42
830	90	58	31	1,009	119	93	93	77	50	24	31	22	19	23	23	43
459	45	30	18	552	76	55	51	31	26	11	19	9	12	12	12	44
371	45	28	13	457	43	38	42	46	24	13	12	13	7	11	11	45
2	-	-	-	2	-	-	-	1	-	-	-	1	1	-	-	46
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	47
1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	48
379	16	11	7	413	43	32	24	16	12	8	4	14	8	4	3	49
223	8	4	5	240	32	24	16	8	5	4	3	6	6	3	2	50
156	8	7	2	173	11	8	8	8	7	4	1	8	2	1	1	51
375	15	11	7	408	42	31	23	16	12	8	4	14	7	4	3	52
220	7	4	5	236	31	23	15	8	5	4	3	6	6	3	2	53
155	8	7	2	172	11	8	8	8	7	4	1	8	1	1	1	54
3	1	-	-	4	1	1	1	-	-	-	-	-	-	-	-	55
2	1	-	-	3	1	1	1	-	-	-	-	-	-	-	-	56
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	57
1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	58
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	60
1,390	93	34	31	1,548	107	86	81	55	42	30	23	24	15	7	23	61
779	48	15	24	866	60	47	39	31	28	17	14	14	6	4	7	62
611	45	19	7	682	47	39	42	24	14	13	9	10	9	3	16	63
955	53	18	22	1,048	63	42	48	29	19	19	13	13	10	5	14	64
536	29	6	16	587	34	27	20	19	13	11	10	9	4	3	5	65
419	24	12	6	461	29	15	28	10	6	8	3	4	6	2	9	66
433	40	16	9	498	44	44	33	26	23	10	10	11	5	2	9	67
242	19	9	8	278	26	20	19	12	15	5	4	5	2	1	2	68
191	21	7	1	220	18	24	14	14	8	5	6	6	3	1	7	69
2	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	70
1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	71
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
1,687	86	47	35	1,855	163	136	90	44	42	26	28	22	23	7	7	73
980	52	25	14	1,071	99	90	50	25	17	18	12	14	12	4	3	74
707	34	22	21	784	64	46	40	19	25	8	16	8	11	3	4	75
1,590	80	45	34	1,749	146	126	83	41	40	23	25	19	22	7	7	76
923	48	24	14	1,009	90	86	49	23	16	16	10	12	12	4	3	77
667	32	21	20	740	56	40	34	18	24	7	15	7	10	3	4	78
92	6	2	1	101	16	10	7	3	1	3	3	3	1	-	-	79
55	4	1	-	60	9	4	1	2	-	2	2	2	-	-	-	80
37	2	1	1	41	7	6	6	1	1	1	1	1	1	-	-	81
5	-	-	-	5	1	-	-	-	1	-	-	-	-	-	-	82
2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	83
3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	84
2,993	142	80	61	3,276	266	239	140	105	87	64	43	54	42	36	40	85
1,781	74	45	32	1,932	156	141	77	57	42	31	30	38	23	23	22	86
1,212	68	35	29	1,344	110	98	63	48	45	33	13	16	19	13	18	87
2,503	118	64	51	2,736	227	195	110	86	69	56	33	40	32	32	34	88
1,508	65	36	28	1,637	135	114	62	44	37	29	22	28	19	19	20	89
995	53	28	23	1,099	92	81	48	42	32	27	11	12	13	13	14	90
484	24	16	10	534	39	44	30	18	18	8	10	12	10	4	6	91
269	9	9	4	291	21	27	15	12	5	2	8	9	4	4	2	92
215	15	7	6	243	18	17	15	6	13	6	2	3	6	-	4	93
6	-	-	-	6	-	-	-	1	-	-	-	2	-	-	-	94
4	-	-	-	4	-	-	-	1	-	-	-	1	-	-	-	95
2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	MINNESOTA	1,772	198	622	177	110	46	32	24	12
2	Male	1,045	101	379	104	71	27	19	18	7
3	Female	727	97	243	73	39	19	13	6	5
4	White	1,716	194	607	173	107	45	32	23	12
5	Male	1,015	99	370	101	69	27	19	17	7
6	Female	701	95	237	72	38	18	13	6	5
7	Negro	32	2	11	3	3	1	-	1	-
8	Male	17	1	6	3	2	-	-	1	-
9	Female	15	1	5	-	1	1	-	-	-
10	Other	24	2	4	1	-	-	-	-	-
11	Male	13	1	3	-	-	-	-	-	-
12	Female	11	1	1	1	-	-	-	-	-
13	MISSISSIPPI	2,358	141	572	204	132	69	48	30	27
14	Male	1,291	79	333	107	69	42	27	20	12
15	Female	1,067	62	239	97	63	27	21	10	15
16	White	708	49	222	96	63	31	15	11	7
17	Male	400	22	138	53	40	19	10	5	3
18	Female	308	27	84	43	23	12	5	6	4
19	Negro	1,641	92	348	108	69	38	33	19	20
20	Male	883	57	193	54	29	23	17	15	9
21	Female	758	35	155	54	40	15	16	4	11
22	Other	9	-	2	-	-	-	-	-	-
23	Male	8	-	2	-	-	-	-	-	-
24	Female	1	-	-	-	-	-	-	-	-
25	MISSOURI	2,391	162	861	261	154	75	38	37	24
26	Male	1,395	85	518	163	86	39	23	20	14
27	Female	996	77	343	98	68	36	15	17	10
28	White	1,871	142	673	223	132	64	27	29	18
29	Male	1,110	74	408	140	71	34	17	16	11
30	Female	761	68	265	83	61	30	10	13	7
31	Negro	519	20	188	38	21	11	11	8	6
32	Male	284	11	110	23	14	5	6	4	3
33	Female	235	9	78	15	7	6	5	4	3
34	Other	1	-	-	-	1	-	-	-	-
35	Male	1	-	-	-	1	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-
37	MONTANA	436	36	114	51	29	13	6	3	6
38	Male	267	24	73	28	21	10	2	3	2
39	Female	169	12	41	23	8	3	4	-	4
40	White	374	33	105	47	28	12	5	3	5
41	Male	230	22	66	25	20	10	1	3	2
42	Female	144	11	39	22	8	2	4	-	3
43	Negro	5	-	2	1	-	-	-	-	-
44	Male	3	-	1	1	-	-	-	-	-
45	Female	2	-	1	-	-	-	-	-	-
46	Other	57	3	7	3	1	1	1	-	1
47	Male	34	2	6	2	1	-	1	-	-
48	Female	23	1	1	1	-	1	-	-	1
49	NEBRASKA	705	65	260	79	44	13	8	11	5
50	Male	395	35	145	48	27	8	7	6	3
51	Female	310	30	115	31	17	5	1	5	2
52	White	646	62	240	76	37	11	8	10	4
53	Male	358	33	133	46	22	7	7	5	2
54	Female	288	29	107	30	15	4	1	5	2
55	Negro	43	2	16	3	6	1	-	1	1
56	Male	26	1	10	2	4	-	-	1	1
57	Female	17	1	6	1	2	1	-	-	-
58	Other	16	1	4	-	1	1	-	-	-
59	Male	11	1	2	-	1	1	-	-	-
60	Female	5	-	2	-	-	-	-	-	-
61	NEVADA	257	18	95	20	30	5	6	3	2
62	Male	142	8	54	12	14	3	5	2	1
63	Female	115	10	41	8	16	2	1	1	1
64	White	219	15	86	19	25	4	5	2	2
65	Male	119	5	49	12	11	2	4	2	1
66	Female	100	10	37	7	14	2	1	-	1
67	Negro	30	3	7	1	4	1	1	1	-
68	Male	18	3	4	-	3	1	1	-	-
69	Female	12	-	3	1	1	-	-	1	-
70	Other	8	-	2	-	1	-	-	-	-
71	Male	5	-	1	-	-	-	-	-	-
72	Female	3	-	1	-	1	-	-	-	-
73	NEW HAMPSHIRE	310	24	117	36	17	4	6	4	5
74	Male	194	15	73	20	13	2	3	-	3
75	Female	116	9	44	16	4	2	3	4	2
76	White	306	24	115	36	16	4	6	4	5
77	Male	191	15	72	20	12	2	3	-	3
78	Female	115	9	43	16	4	2	3	4	2
79	Negro	4	-	2	-	1	-	-	-	-
80	Male	3	-	1	-	1	-	-	-	-
81	Female	1	-	1	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	NEW JERSEY[1]	3,132	307	1,099	354	226	92	60	38	25
86	Male	1,841	175	674	199	128	50	36	20	14
87	Female	1,291	132	425	155	98	42	24	16	11

[1]New Jersey did not require reporting of race; see Technical Appendix.

Sex: United States and Each State, 1962—Con.

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,221	53	24	32	1,330	110	72	82	42	36	19	19	12	20	16	14	1
726	34	18	21	799	60	43	46	22	20	9	11	6	15	4	10	2
495	19	6	11	531	50	29	36	20	16	10	8	6	5	12	4	3
1,193	51	22	31	1,297	104	70	77	39	34	17	18	12	19	15	14	4
709	34	18	21	782	59	41	41	21	19	8	10	6	14	4	10	5
484	17	4	10	515	45	29	36	18	15	9	8	6	5	11	4	6
21	-	2	-	23	4	-	3	1	1	-	-	-	-	-	-	7
13	-	-	-	13	1	-	3	-	-	-	-	-	-	-	-	8
8	-	2	-	10	3	-	-	1	1	-	-	-	-	-	-	9
7	2	-	1	10	2	2	2	2	1	2	1	-	1	1	-	10
4	-	-	-	4	-	2	2	1	1	1	1	-	1	-	-	11
3	2	-	1	6	2	-	-	1	-	1	-	-	-	1	-	12
1,223	117	74	43	1,457	191	147	121	100	85	54	57	49	37	30	30	13
689	54	34	20	797	109	86	67	59	38	27	33	28	16	14	17	14
534	63	40	23	660	82	61	54	41	47	27	24	21	21	16	13	15
494	27	17	14	552	32	33	21	13	11	10	10	6	12	5	3	16
290	12	5	6	313	17	20	14	4	4	7	6	5	6	2	2	17
204	15	12	8	239	15	13	7	9	7	3	4	1	6	3	1	18
727	90	57	28	902	158	113	100	87	74	44	47	41	25	24	26	19
397	42	29	13	481	91	66	53	55	34	20	27	21	10	11	14	20
330	48	28	15	421	67	47	47	32	40	24	20	20	15	13	12	21
2	-	-	1	3	1	1	-	-	-	-	-	2	-	1	1	22
2	-	-	1	3	1	-	-	-	-	-	-	2	-	1	1	23
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	24
1,612	84	45	43	1,784	138	115	85	67	53	41	24	21	24	20	19	25
948	44	29	23	1,044	89	67	48	36	26	19	16	15	18	8	9	26
664	40	16	20	740	49	48	37	31	27	22	8	6	6	12	10	27
1,308	65	32	33	1,438	92	84	55	55	35	29	16	17	19	15	16	28
771	36	22	18	847	62	53	34	30	19	15	11	13	13	5	8	29
537	29	10	15	591	30	31	21	25	16	14	5	4	6	10	8	30
303	19	13	10	345	46	31	30	12	18	12	8	4	5	5	3	31
176	8	7	5	196	27	14	14	6	7	4	5	2	5	3	1	32
127	11	6	5	149	19	17	16	6	11	8	3	2	-	2	2	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
258	21	10	10	299	30	32	19	11	7	12	9	6	4	4	3	37
163	13	6	4	186	19	19	14	6	5	6	5	3	1	1	2	38
95	8	4	6	113	11	13	5	5	2	6	4	3	3	3	1	39
238	17	9	10	274	23	24	16	6	5	11	4	5	1	3	2	40
149	10	5	4	168	17	14	13	4	4	5	2	2	-	-	1	41
89	7	4	6	106	6	10	3	2	1	6	2	3	1	3	1	42
3	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	43
2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	45
17	4	1	-	22	7	7	3	5	1	1	5	1	3	1	1	46
12	3	1	-	16	2	4	1	2	1	1	3	1	1	1	1	47
5	1	-	-	6	5	3	2	3	-	-	2	-	2	-	-	48
485	19	12	9	525	42	29	23	17	8	21	11	6	12	6	5	49
279	5	9	4	297	26	14	14	11	1	13	5	3	5	2	4	50
206	14	3	5	228	16	15	9	6	7	8	6	3	7	4	1	51
448	19	11	7	485	38	26	20	16	7	19	11	5	10	4	5	52
255	5	9	2	271	23	13	12	10	1	11	5	2	4	2	4	53
193	14	2	5	214	15	13	8	6	6	8	6	3	6	2	1	54
30	-	1	2	33	2	2	2	1	1	-	-	-	1	1	-	55
19	-	-	2	21	2	-	1	1	-	-	-	-	1	-	-	56
11	-	1	-	12	-	2	1	-	1	-	-	-	-	1	-	57
7	-	-	-	7	2	1	1	-	-	2	-	1	1	1	-	58
5	-	-	-	5	1	1	1	-	-	2	-	1	-	-	-	59
2	-	-	-	2	1	-	-	-	-	-	-	-	1	1	-	60
179	5	9	5	198	17	11	8	5	6	3	3	3	-	2	1	61
99	2	5	2	108	10	6	4	4	4	2	1	1	-	2	-	62
80	3	4	3	90	7	5	4	1	2	1	2	2	-	-	1	63
158	4	5	3	170	14	9	7	5	5	2	2	3	-	1	1	64
86	2	2	1	91	8	4	4	4	4	1	1	1	-	1	-	65
72	2	3	2	79	6	5	3	1	1	1	1	2	-	-	1	66
18	1	2	2	23	3	2	-	-	1	-	1	-	-	-	-	67
12	-	1	1	14	2	2	-	-	-	-	-	-	-	-	-	68
6	1	1	1	9	1	-	-	-	1	-	1	-	-	-	-	69
3	-	2	-	5	-	-	1	-	-	1	-	-	-	1	-	70
1	-	2	-	3	-	-	-	-	-	1	-	-	-	1	-	71
2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	72
213	14	9	3	239	16	16	8	4	7	3	4	7	3	1	2	73
129	8	8	2	147	11	13	6	3	3	2	3	1	3	-	2	74
84	6	1	1	92	5	3	2	1	4	1	1	6	-	1	-	75
210	14	9	3	236	16	15	8	4	7	3	4	7	3	1	2	76
127	8	8	2	145	11	12	6	3	3	2	3	1	3	-	2	77
83	6	1	1	91	5	3	2	1	4	1	1	6	-	1	-	78
3	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	79
2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	80
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2,201	104	61	47	2,413	177	117	87	67	60	68	36	26	30	17	34	85
1,296	54	44	27	1,421	117	72	53	37	31	34	17	15	17	12	15	86
905	50	17	20	992	60	45	34	30	29	34	19	11	13	5	19	87

716 - 533 O - 64 - 19

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NEW MEXICO	876	41	265	86	60	29	9	15	6
2	Male	486	21	151	53	35	20	5	7	3
3	Female	390	20	114	33	25	9	4	8	3
4	White	732	36	234	78	56	27	9	14	6
5	Male	411	17	135	49	34	18	5	7	3
6	Female	321	19	99	29	22	9	4	7	3
7	Negro	36	1	12	3	2	-	-	-	-
8	Male	16	-	3	2	-	-	-	-	-
9	Female	20	1	9	1	2	-	-	-	-
10	Other	108	4	19	5	2	2	-	1	-
11	Male	59	4	13	2	1	2	-	-	-
12	Female	49	-	6	3	1	-	-	1	-
13	NEW YORK	8,739	769	3,153	962	562	257	145	100	63
14	Male	5,033	410	1,805	583	340	160	95	57	30
15	Female	3,706	359	1,348	379	222	97	50	43	33
16	White	6,581	594	2,377	731	450	212	121	79	51
17	Male	3,814	314	1,356	473	270	132	76	45	23
18	Female	2,767	280	1,021	258	180	80	43	34	28
19	Negro	2,131	173	765	231	112	44	24	21	12
20	Male	1,205	95	441	110	70	27	17	12	7
21	Female	926	78	324	121	42	17	7	9	5
22	Other	27	2	11	-	-	1	-	-	-
23	Male	14	1	8	-	-	1	-	-	-
24	Female	13	1	3	-	-	-	-	-	-
25	NORTH CAROLINA	3,341	233	872	323	208	96	52	48	43
26	Male	1,890	110	510	188	129	68	29	32	18
27	Female	1,451	123	362	135	79	28	23	16	25
28	White	1,670	144	539	195	120	63	30	31	22
29	Male	956	69	321	119	79	43	19	19	11
30	Female	714	75	218	76	41	20	11	12	11
31	Negro	1,619	88	324	124	87	32	21	17	20
32	Male	906	41	185	66	50	24	10	13	7
33	Female	713	47	139	58	37	8	11	4	13
34	Other	52	1	9	4	1	1	1	-	1
35	Male	28	-	4	3	-	1	-	-	-
36	Female	24	1	5	1	1	-	1	-	1
37	NORTH DAKOTA	357	29	122	36	28	12	7	-	3
38	Male	212	14	77	20	17	6	4	-	1
39	Female	145	15	45	16	11	6	3	-	2
40	White	332	27	116	36	25	12	6	-	3
41	Male	195	12	72	20	17	6	3	-	1
42	Female	137	15	44	16	8	6	3	-	2
43	Negro	2	1	-	-	-	-	-	-	-
44	Male	2	1	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-
46	Other	23	1	6	-	3	-	1	-	-
47	Male	15	1	5	-	-	-	1	-	-
48	Female	8	-	1	-	3	-	-	-	-
49	OHIO	4,964	482	1,786	559	347	161	94	55	42
50	Male	2,851	265	993	343	199	105	58	31	27
51	Female	2,113	217	793	216	148	56	36	24	15
52	White	4,079	400	1,459	468	311	140	72	46	28
53	Male	2,344	216	812	291	181	92	44	26	16
54	Female	1,735	184	647	177	130	48	28	20	12
55	Negro	881	80	326	91	36	21	22	9	14
56	Male	505	47	181	52	18	13	14	5	11
57	Female	376	33	145	39	18	8	8	4	3
58	Other	4	2	1	-	-	-	-	-	-
59	Male	2	2	-	-	-	-	-	-	-
60	Female	2	-	1	-	-	-	-	-	-
61	OKLAHOMA	1,220	111	388	147	84	43	18	22	17
62	Male	685	61	224	81	54	28	13	11	10
63	Female	535	50	164	66	30	15	5	11	7
64	White	971	84	314	131	77	37	14	17	12
65	Male	551	48	182	71	51	23	9	11	6
66	Female	420	36	132	60	26	14	5	6	6
67	Negro	195	20	66	14	4	4	4	4	3
68	Male	105	10	37	8	2	3	4	-	3
69	Female	90	10	29	6	2	1	-	4	-
70	Other	54	7	8	2	3	2	-	1	2
71	Male	29	3	5	2	1	2	-	-	1
72	Female	25	4	3	-	2	-	-	1	1
73	OREGON	811	74	239	68	65	28	14	8	7
74	Male	463	39	134	39	45	18	10	3	3
75	Female	348	35	105	29	20	10	4	5	4
76	White	771	71	226	65	63	27	14	8	7
77	Male	443	37	125	38	44	17	10	3	3
78	Female	328	34	101	27	19	10	4	5	4
79	Negro	15	1	6	1	-	-	-	-	-
80	Male	6	1	4	-	-	-	-	-	-
81	Female	9	-	2	1	-	-	-	-	-
82	Other	25	2	7	2	2	1	-	-	-
83	Male	14	1	5	1	1	1	-	-	-
84	Female	11	1	2	1	1	-	-	-	-
85	PENNSYLVANIA	5,427	466	2,042	568	372	157	110	62	52
86	Male	3,180	257	1,169	348	233	100	68	36	29
87	Female	2,247	209	873	220	139	57	42	26	23
88	White	4,416	364	1,623	489	315	139	91	52	46
89	Male	2,624	207	941	306	200	89	62	27	26
90	Female	1,792	177	682	183	115	50	29	25	20
91	Negro	967	81	392	75	53	18	18	10	5
92	Male	533	49	215	39	31	11	6	9	3
93	Female	434	32	177	36	22	7	12	1	2
94	Other	44	1	27	4	4	-	1	-	1
95	Male	23	1	13	3	2	-	-	-	-
96	Female	21	-	14	1	2	-	1	-	1

Sex: United States and Each State, 1962—Con.

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
511	28	18	13	570	47	57	36	42	23	35	23	21	9	5	8	1
295	14	12	9	330	34	28	14	19	12	17	9	12	5	1	5	2
216	14	6	4	240	13	29	22	23	11	18	14	9	4	4	3	3
460	25	17	11	513	36	43	27	33	11	26	16	11	6	4	6	4
268	13	12	8	301	27	20	12	13	5	12	6	7	3	1	4	5
192	12	5	3	212	9	23	15	20	6	14	10	4	3	3	2	6
18	-	-	1	19	3	3	1	2	4	-	1	1	1	1	-	7
5	-	-	-	5	2	2	1	2	3	-	-	1	-	-	-	8
13	-	-	1	14	1	1	-	-	1	-	1	-	1	1	-	9
33	3	1	1	38	8	11	8	7	8	9	6	9	2	-	2	10
22	1	-	1	24	5	6	1	4	4	5	3	4	2	-	1	11
11	2	1	-	14	3	5	7	3	4	4	3	5	-	-	1	12
6,011	283	160	141	6,595	530	399	288	205	153	158	121	76	76	69	69	13
3,480	148	100	84	3,812	328	221	170	123	84	87	63	38	39	31	37	14
2,531	135	60	57	2,783	202	178	118	82	69	71	58	38	37	38	32	15
4,615	225	118	103	5,061	379	279	198	133	104	110	92	63	52	57	53	16
2,691	122	70	61	2,944	232	160	119	83	52	62	48	32	29	26	27	17
1,924	103	48	42	2,117	147	119	79	50	52	48	44	31	23	31	26	18
1,382	56	42	38	1,518	150	118	89	71	48	46	29	13	23	10	16	19
779	26	30	23	858	95	61	51	39	32	24	15	6	9	5	10	20
603	30	12	15	660	55	57	38	32	16	22	14	7	14	5	6	21
14	2	-	-	16	1	2	1	1	1	2	-	-	1	2	-	22
10	-	-	-	10	1	-	-	1	-	1	-	-	1	-	-	23
4	2	-	-	6	-	2	1	-	1	1	-	-	-	2	-	24
1,875	141	88	62	2,166	266	239	170	141	89	73	62	45	34	29	27	25
1,084	73	40	29	1,226	151	136	106	83	45	36	36	24	20	13	14	26
791	68	48	33	940	115	103	64	58	44	37	26	21	14	16	13	27
1,144	67	29	18	1,258	93	86	54	38	36	26	22	19	14	13	11	28
680	32	12	9	733	48	49	34	18	14	12	13	10	13	4	8	29
464	35	17	9	525	45	37	20	20	22	14	9	9	1	9	3	30
713	72	55	42	882	170	148	112	98	50	43	39	26	20	15	16	31
396	40	26	18	480	103	84	69	61	29	22	23	14	7	8	6	32
317	32	29	24	402	67	64	43	37	21	21	16	12	13	7	10	33
18	2	4	2	26	3	5	4	5	3	4	1	-	-	1	-	34
8	1	2	2	13	-	3	3	4	2	2	-	-	-	1	-	35
10	1	2	-	13	3	2	1	1	1	2	1	-	-	-	-	36
237	10	11	7	265	22	15	11	5	7	10	4	2	5	3	8	37
139	8	7	4	158	9	9	8	3	5	5	4	2	2	2	5	38
98	2	4	3	107	13	6	3	2	2	5	-	-	3	1	3	39
225	10	11	7	253	21	14	9	5	4	9	3	1	5	2	6	40
131	8	7	4	150	9	8	8	3	2	5	3	1	2	1	3	41
94	2	4	3	103	12	6	1	2	2	4	-	-	3	1	3	42
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
11	-	-	-	11	1	1	2	-	2	1	1	1	-	1	2	46
7	-	-	-	7	-	1	-	-	2	-	1	1	-	1	2	47
4	-	-	-	4	1	-	2	-	-	1	-	-	-	-	-	48
3,526	154	90	72	3,842	264	214	162	92	85	67	68	58	39	38	35	49
2,021	88	59	43	2,211	152	120	104	55	42	35	41	31	24	20	16	50
1,505	66	31	29	1,631	112	94	58	37	43	32	27	27	15	18	19	51
2,924	122	73	59	3,178	211	174	136	70	63	54	52	49	35	29	28	52
1,678	70	48	35	1,831	119	99	87	40	31	28	34	24	23	16	12	53
1,246	52	25	24	1,347	92	75	49	30	32	26	18	25	12	13	16	54
599	32	17	13	661	53	40	26	22	21	13	16	9	4	9	7	55
341	18	11	8	378	33	21	17	15	11	7	7	7	1	4	4	56
258	14	6	5	283	20	19	9	7	10	6	9	2	3	5	3	57
3	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	58
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	60
830	50	27	28	935	71	46	46	26	23	18	23	10	11	4	7	61
482	19	14	14	529	39	30	26	12	12	8	14	6	6	-	3	62
348	31	13	14	406	32	16	20	14	11	10	9	4	5	4	4	63
686	37	22	25	770	55	29	33	16	14	15	18	6	8	1	6	64
401	15	12	12	440	30	19	22	8	7	6	10	3	4	-	2	65
285	22	10	13	330	25	10	11	8	7	9	8	3	4	1	4	66
119	10	5	3	137	9	13	10	8	5	2	3	3	3	2	-	67
67	4	2	2	75	4	10	3	4	2	1	2	2	2	-	-	68
52	6	3	1	62	5	3	7	4	3	1	1	1	1	2	-	69
25	3	-	-	28	7	4	3	2	4	1	2	1	-	1	1	70
14	-	-	-	14	5	1	1	-	3	1	2	1	-	-	1	71
11	3	-	-	14	2	3	2	2	1	-	-	-	-	1	-	72
503	21	15	15	554	60	46	40	26	26	10	13	8	11	7	10	73
291	15	8	9	323	38	18	25	15	16	6	6	4	3	4	5	74
212	6	7	6	231	22	28	15	11	10	4	7	4	8	3	5	75
481	21	15	14	531	55	43	38	25	24	10	11	7	10	7	10	76
277	15	8	9	309	36	17	24	15	15	6	6	4	2	4	5	77
204	6	7	5	222	19	26	14	10	9	4	5	3	8	3	5	78
8	-	-	1	9	3	-	1	-	-	-	1	-	1	-	-	79
5	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-	80
3	-	-	1	4	3	-	1	-	-	-	1	-	-	-	-	81
14	-	-	-	14	2	3	1	1	2	-	1	1	-	-	-	82
9	-	-	-	9	2	1	1	-	1	-	-	-	-	-	-	83
5	-	-	-	5	-	2	-	1	1	-	1	1	-	-	-	84
3,829	177	103	72	4,181	294	254	162	138	97	61	66	53	50	37	34	85
2,240	100	67	46	2,453	179	150	97	85	49	30	42	30	32	15	18	86
1,589	77	36	26	1,728	115	104	65	53	48	31	24	23	18	22	16	87
3,139	150	87	61	3,437	238	192	126	113	69	49	52	43	42	30	25	88
1,858	87	56	39	2,040	149	118	78	70	39	23	33	24	26	13	11	89
1,281	63	31	22	1,397	89	74	48	43	30	26	19	19	16	17	14	90
652	26	15	10	703	55	62	36	25	28	12	14	9	7	7	9	91
363	13	11	6	393	29	32	19	15	10	7	9	5	5	2	7	92
289	13	4	4	310	26	30	17	10	18	5	5	4	2	5	2	93
38	1	1	1	41	1	-	-	-	-	-	-	1	1	-	-	94
19	-	-	1	20	1	-	-	-	-	-	-	1	1	-	-	95
19	1	1	-	21	-	-	-	-	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	RHODE ISLAND	468	35	170	60	34	9	10	6	6
2	Male	267	19	106	31	19	6	6	3	3
3	Female	201	16	64	29	15	3	4	3	3
4	White	433	30	160	59	33	9	9	6	6
5	Male	250	18	99	31	18	6	5	3	3
6	Female	183	12	61	28	15	3	4	3	3
7	Negro	33	5	9	1	1	-	1	-	-
8	Male	16	1	6	-	1	-	1	-	-
9	Female	17	4	3	1	-	-	-	-	-
10	Other	2	-	1	-	-	-	-	-	-
11	Male	1	-	1	-	-	-	-	-	-
12	Female	1	-	-	-	-	-	-	-	-
13	SOUTH CAROLINA	1,829	93	410	165	103	59	24	22	13
14	Male	1,039	43	249	92	60	35	17	11	9
15	Female	790	50	161	73	43	24	7	11	4
16	White	804	52	252	108	65	28	14	10	3
17	Male	472	24	160	61	39	17	10	7	2
18	Female	332	28	92	47	26	11	4	3	1
19	Negro	1,025	41	158	57	38	31	10	12	10
20	Male	567	19	89	31	21	18	7	4	7
21	Female	458	22	69	26	17	13	3	8	3
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	SOUTH DAKOTA	435	46	155	27	19	6	7	3	3
26	Male	246	29	89	21	13	3	4	1	1
27	Female	189	17	66	6	6	3	3	2	2
28	White	362	40	144	24	18	5	7	3	2
29	Male	213	27	82	19	13	2	4	1	1
30	Female	149	13	62	5	5	3	3	2	1
31	Negro	4	-	2	-	-	-	-	-	-
32	Male	4	-	2	-	-	-	-	-	-
33	Female	-	-	-	-	-	-	-	-	-
34	Other	69	6	9	3	1	1	-	-	1
35	Male	29	2	5	2	-	1	-	-	-
36	Female	40	4	4	1	1	-	-	-	1
37	TENNESSEE	2,320	181	656	264	172	93	34	34	24
38	Male	1,350	105	379	160	104	59	21	20	17
39	Female	970	76	277	104	68	34	13	14	7
40	White	1,562	126	464	188	128	60	25	28	14
41	Male	907	72	289	114	81	36	16	16	9
42	Female	655	54	195	74	47	24	9	12	5
43	Negro	757	55	192	76	44	33	9	6	9
44	Male	442	33	110	46	23	23	5	4	7
45	Female	315	22	82	30	21	10	4	2	2
46	Other	1	-	-	-	-	-	-	-	1
47	Male	1	-	-	-	-	-	-	-	1
48	Female	-	-	-	-	-	-	-	-	-
49	TEXAS	6,679	424	1,965	704	492	222	136	76	78
50	Male	3,881	227	1,197	401	308	128	74	48	46
51	Female	2,798	197	768	303	184	94	62	28	32
52	White	5,214	345	1,601	577	397	181	113	58	51
53	Male	3,056	182	976	338	258	102	65	40	33
54	Female	2,158	163	625	239	139	79	48	18	18
55	Negro	1,454	77	357	127	94	41	23	16	27
56	Male	820	45	216	63	50	26	9	8	13
57	Female	634	32	141	64	44	15	14	10	14
58	Other	11	2	7	-	1	-	-	-	-
59	Male	5	-	5	-	-	-	-	-	-
60	Female	6	2	2	-	1	-	-	-	-
61	UTAH	515	33	141	89	48	17	7	4	2
62	Male	316	14	91	53	33	12	4	4	1
63	Female	199	19	50	36	15	5	3	-	1
64	White	489	32	136	88	47	17	7	4	2
65	Male	300	13	87	53	32	12	4	4	1
66	Female	189	19	49	35	15	5	3	-	1
67	Negro	4	1	2	1	-	-	-	-	-
68	Male	3	1	2	-	-	-	-	-	-
69	Female	1	-	-	1	-	-	-	-	-
70	Other	22	-	3	-	1	-	-	-	-
71	Male	13	-	2	-	1	-	-	-	-
72	Female	9	-	1	-	-	-	-	-	-
73	VERMONT	210	15	75	27	15	10	3	2	3
74	Male	122	8	42	15	8	3	1	1	2
75	Female	88	7	33	12	7	7	2	1	1
76	White	210	15	75	27	15	10	3	2	3
77	Male	122	8	42	15	8	3	1	1	2
78	Female	88	7	33	12	7	7	2	1	1
79	Negro	-	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	VIRGINIA	2,818	214	885	289	201	77	48	34	30
86	Male	1,602	117	512	161	126	39	25	18	19
87	Female	1,216	97	373	128	75	38	23	16	11
88	White	1,746	143	603	203	143	52	30	19	19
89	Male	1,010	81	349	116	92	30	16	8	15
90	Female	736	62	254	87	51	22	14	11	4
91	Negro	1,069	71	281	86	58	25	18	15	11
92	Male	590	36	163	45	34	9	9	10	4
93	Female	479	35	118	41	24	16	9	5	7
94	Other	3	-	1	-	-	-	-	-	-
95	Male	2	-	-	-	-	-	-	-	-
96	Female	1	-	1	-	-	-	-	-	-

Sex: United States and Each State, 1962—Con.

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
330	19	9	10	368	27	15	20	15	5	6	1	2	3	5	1	1
193	8	3	9	213	15	8	11	10	1	4	-	1	2	2	-	2
137	11	6	1	155	12	7	9	5	4	2	1	1	1	3	1	3
312	18	7	8	345	23	13	19	13	4	5	1	2	3	5	-	4
183	8	2	8	201	14	8	11	8	-	3	-	1	2	2	-	5
129	10	5	-	144	9	5	8	5	4	2	1	1	1	3	-	6
17	1	2	2	22	4	2	1	2	1	1	-	-	-	-	-	7
9	-	1	1	11	1	-	-	2	1	1	-	-	-	-	-	8
8	1	1	1	11	3	2	1	-	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12
889	68	47	32	1,036	170	147	126	91	74	43	34	31	20	34	23	13
516	40	31	19	606	93	84	65	50	35	24	18	20	15	20	9	14
373	28	16	13	430	77	63	61	41	39	19	16	11	5	14	14	15
552	31	17	10	590	43	34	37	28	23	11	9	9	4	11	5	16
320	17	11	6	354	22	21	22	15	11	5	5	5	3	7	2	17
212	14	6	4	236	21	13	15	13	12	6	4	4	1	4	3	18
357	37	30	22	446	127	113	89	63	51	32	25	22	16	23	18	19
196	23	20	13	252	71	63	43	35	24	19	13	15	12	13	7	20
161	14	10	9	194	56	50	46	28	27	13	12	7	4	10	11	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
266	21	6	6	299	29	25	14	21	8	10	7	8	7	4	3	25
161	13	5	3	182	16	12	2	9	6	4	5	6	2	1	1	26
105	8	1	3	117	13	13	12	12	2	6	2	2	5	3	2	27
243	21	5	6	275	23	14	11	9	4	8	6	5	3	2	2	28
149	13	4	3	169	13	8	1	3	2	4	5	5	2	-	1	29
94	8	1	3	106	10	6	10	6	2	4	1	-	1	2	1	30
2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	31
2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
21	-	1	-	22	6	9	3	12	4	2	1	3	4	2	1	34
10	-	1	-	11	3	2	1	6	4	-	-	1	-	1	-	35
11	-	-	-	11	3	7	2	6	-	2	1	2	4	1	1	36
1,458	81	48	37	1,624	145	141	89	74	55	47	34	38	30	28	15	37
865	45	33	19	962	93	76	53	42	24	26	21	19	15	10	9	38
593	36	15	18	662	52	65	36	32	31	21	13	19	15	18	6	39
1,033	54	32	23	1,142	88	87	55	44	29	29	17	20	18	21	12	40
613	29	20	14	676	59	44	34	27	11	15	11	7	8	7	8	41
420	25	12	9	466	29	43	21	17	18	14	6	13	10	14	4	42
424	27	16	14	481	57	54	34	30	26	18	17	18	12	7	3	43
251	16	13	5	285	34	32	19	15	13	11	10	12	7	3	1	44
173	11	3	9	196	23	22	15	15	13	7	7	6	5	4	2	45
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	46
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
4,097	266	151	119	4,633	455	373	251	216	174	135	102	94	84	83	79	49
2,429	157	77	77	2,740	264	215	131	112	101	67	51	54	50	47	49	50
1,668	109	74	42	1,893	191	158	120	104	73	68	51	40	34	36	30	51
3,323	194	109	85	3,711	336	253	173	165	130	101	89	69	63	67	57	52
1,994	118	55	58	2,225	198	148	89	87	75	46	45	35	38	36	34	53
1,329	76	54	27	1,486	138	105	84	78	55	55	44	34	25	31	23	54
764	71	42	34	911	119	120	78	51	44	34	13	25	21	16	22	55
430	39	22	19	510	66	67	42	25	26	21	6	19	12	11	15	56
334	32	20	15	401	53	53	36	26	18	13	7	6	9	5	7	57
10	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	58
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	59
5	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	60
341	17	9	7	374	24	27	27	10	17	7	5	10	3	9	2	61
212	15	2	3	232	13	15	15	7	11	6	1	7	3	5	1	62
129	2	7	4	142	11	12	12	3	6	1	4	3	-	4	1	63
333	15	9	6	363	23	24	24	8	17	7	4	6	3	8	2	64
206	14	2	3	225	12	13	12	7	11	6	1	4	3	5	1	65
127	1	7	3	138	11	11	12	1	6	1	3	2	-	3	1	66
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	67
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	68
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
4	2	-	1	7	1	3	3	2	-	-	1	4	-	1	-	70
3	1	-	-	4	1	2	3	-	-	-	-	3	-	-	-	71
1	1	-	1	3	-	1	-	2	-	-	1	1	-	1	-	72
150	11	3	4	168	11	9	7	6	2	4	1	1	1	-	-	73
80	8	1	1	90	8	6	6	5	1	4	1	-	1	-	-	74
70	3	2	3	78	3	3	1	1	1	-	-	1	-	-	-	75
150	11	3	4	168	11	9	7	6	2	4	1	1	1	-	-	76
80	8	1	1	90	8	6	6	5	1	4	1	-	1	-	-	77
70	3	2	3	78	3	3	1	1	1	-	-	1	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1,778	122	68	56	2,024	189	155	116	79	49	47	47	35	31	29	17	85
1,017	74	42	26	1,159	108	86	64	46	26	22	27	19	19	14	12	86
761	48	26	30	865	81	69	52	33	23	25	20	16	12	15	5	87
1,212	68	33	25	1,338	94	79	58	41	25	29	26	12	18	19	7	88
707	43	20	11	781	50	40	37	27	16	13	16	6	11	8	5	89
505	25	13	14	557	44	39	21	14	9	16	10	6	7	11	2	90
565	54	35	31	685	95	74	58	38	24	18	21	23	13	10	10	91
310	31	22	15	378	58	44	27	19	10	9	11	13	8	6	7	92
255	23	13	16	307	37	30	31	19	14	9	10	10	5	4	3	93
1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	95
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	96

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by race for the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WASHINGTON	1,478	120	508	145	107	41	13	13	10
2	Male	873	68	311	82	66	29	7	8	5
3	Female	605	52	197	63	41	12	6	5	5
4	White	1,324	108	462	134	96	39	13	11	9
5	Male	787	62	284	75	59	27	7	7	4
6	Female	537	47	178	59	37	12	6	4	5
7	Negro	66	8	24	6	6	1	-	1	-
8	Male	37	4	16	4	3	1	-	1	-
9	Female	29	4	8	2	3	-	-	-	-
10	Other	88	3	22	5	5	1	-	1	1
11	Male	49	2	11	3	4	1	-	-	1
12	Female	39	1	11	2	1	-	-	1	-
13	WEST VIRGINIA	986	71	279	121	71	47	24	11	10
14	Male	579	39	166	72	42	29	19	6	5
15	Female	407	32	113	49	29	18	5	5	5
16	White	924	68	254	119	67	46	23	9	10
17	Male	542	37	158	71	41	28	19	4	5
18	Female	382	31	106	48	26	18	4	5	5
19	Negro	62	3	15	2	4	1	1	2	-
20	Male	37	2	8	1	1	1	-	2	-
21	Female	25	1	7	1	3	-	1	-	-
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	WISCONSIN	1,953	186	737	218	93	54	34	37	17
26	Male	1,134	96	435	136	53	32	16	22	7
27	Female	819	90	302	82	40	22	18	15	10
28	White	1,802	171	681	199	88	52	33	34	16
29	Male	1,052	91	402	128	50	30	15	22	6
30	Female	750	80	279	71	38	22	18	12	10
31	Negro	118	13	46	16	5	-	1	3	1
32	Male	62	5	26	6	3	-	1	-	1
33	Female	56	8	20	10	2	-	-	3	-
34	Other	33	2	10	3	-	2	-	-	-
35	Male	20	-	7	2	-	2	-	-	-
36	Female	13	2	3	1	-	-	-	-	-
37	WYOMING	243	24	88	22	19	6	4	1	2
38	Male	138	10	54	14	10	4	2	1	1
39	Female	105	14	34	8	9	2	2	-	1
40	White	229	22	85	22	19	6	4	1	2
41	Male	129	10	51	14	10	4	2	1	1
42	Female	100	12	34	8	9	2	2	-	1
43	Negro	5	1	1	-	-	-	-	-	-
44	Male	3	-	1	-	-	-	-	-	-
45	Female	2	1	-	-	-	-	-	-	-
46	Other	9	1	2	-	-	-	-	-	-
47	Male	6	-	2	-	-	-	-	-	-
48	Female	3	1	-	-	-	-	-	-	-

Sex: United States and Each State, 1962—Con.

United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
957	30	21	24	1,032	106	97	64	43	36	28	23	17	8	11	13	1
576	16	11	9	612	64	58	30	24	22	20	16	10	5	6	6	2
381	14	10	15	420	42	39	34	19	14	8	7	7	3	5	7	3
873	29	20	22	944	92	84	56	32	30	24	19	14	8	10	11	4
525	16	11	7	559	57	53	24	19	19	19	14	7	5	6	5	5
348	13	9	15	385	35	31	32	13	11	5	5	7	3	4	6	6
46	1	1	1	49	6	3	1	2	2	-	1	-	-	1	1	7
29	-	-	1	30	2	1	1	1	1	-	-	-	-	-	1	8
17	1	1	-	19	4	2	-	1	1	-	1	-	-	1	-	9
38	-	-	1	39	8	10	7	9	4	4	3	3	-	-	1	10
22	-	-	1	23	5	4	5	4	2	1	2	3	-	-	-	11
16	-	-	-	16	3	6	2	5	2	3	1	-	-	-	1	12
634	46	26	12	718	61	44	40	26	21	20	9	15	17	8	7	13
378	23	12	10	423	36	25	15	16	17	13	5	10	8	5	6	14
256	23	14	2	295	25	19	25	10	4	7	4	5	9	3	1	15
606	41	21	11	679	59	42	35	26	17	17	8	14	15	6	6	16
363	19	11	9	402	34	24	13	16	13	12	4	9	7	3	5	17
243	22	10	2	277	25	18	22	10	4	5	4	5	8	3	1	18
28	5	5	1	39	2	2	5	-	4	3	1	1	2	2	1	19
15	4	1	1	21	2	1	2	-	4	1	1	1	1	2	1	20
13	1	4	-	18	-	1	3	-	-	2	-	-	1	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,376	63	26	23	1,488	108	89	75	40	31	23	23	25	16	17	18	25
797	36	18	15	866	69	55	42	16	22	15	10	15	7	11	6	26
579	27	8	8	622	39	34	33	24	9	8	13	10	9	6	12	27
1,274	63	24	20	1,381	102	78	66	35	31	20	22	22	13	14	18	28
744	36	17	14	811	64	50	37	15	22	13	9	12	5	8	6	29
530	27	7	6	570	38	28	29	20	9	7	13	10	8	6	12	30
85	-	2	3	90	4	9	5	2	-	2	1	1	2	2	-	31
42	-	1	1	44	3	4	3	1	-	2	1	1	1	2	-	32
43	-	1	2	46	1	5	2	1	-	-	-	-	1	-	-	33
17	-	-	-	17	2	2	4	3	-	1	-	2	1	1	-	34
11	-	-	-	11	2	1	2	-	-	-	-	2	1	1	-	35
6	-	-	-	6	-	1	2	3	-	1	-	-	-	-	-	36
166	7	9	2	184	9	12	7	10	5	4	6	3	-	2	1	37
96	4	4	-	104	7	6	1	6	1	4	4	2	-	2	1	38
70	3	5	2	80	2	6	6	4	4	-	2	1	-	-	-	39
161	6	8	2	177	8	12	6	9	3	3	5	3	-	2	1	40
93	4	3	-	100	6	6	1	5	-	3	3	2	-	2	1	41
68	2	5	2	77	2	6	5	4	3	-	2	1	-	-	-	42
2	1	1	-	4	-	-	-	-	-	-	1	-	-	-	-	43
1	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	44
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	45
3	-	-	-	3	1	-	1	1	2	1	-	-	-	-	-	46
2	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	47
1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	48

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Total, under 1 year	105,479	9,817	8,207	8,959	8,420	8,746	8,441	8,677	8,593	8,503	8,857	8,614	9,645
White	75,812	6,743	5,994	6,465	6,119	6,384	6,152	6,299	6,233	6,119	6,383	6,160	6,781
Nonwhite	26,535	2,786	1,969	2,226	2,066	2,075	2,011	2,109	2,095	2,139	2,269	2,214	2,576
Under 28 days	76,346	6,258	5,534	6,228	5,992	6,598	6,669	6,813	6,782	6,561	6,499	6,099	6,313
White	57,219	4,623	4,254	4,688	4,478	4,993	4,944	5,087	5,067	4,889	4,885	4,576	4,735
Nonwhite	16,714	1,436	1,109	1,348	1,341	1,380	1,487	1,494	1,509	1,465	1,438	1,332	1,375
Under 7 days	68,590	5,524	4,959	5,622	5,421	5,979	6,073	6,209	6,097	5,876	5,773	5,443	5,614
White	51,979	4,169	3,834	4,268	4,073	4,551	4,544	4,674	4,628	4,438	4,381	4,125	4,274
Nonwhite	14,410	1,177	965	1,157	1,195	1,231	1,308	1,321	1,283	1,256	1,226	1,143	1,148
Under 1 hour	8,278	708	630	682	669	702	713	741	765	673	676	857	662
White	6,272	540	495	502	500	517	528	563	592	513	506	509	507
Nonwhite	1,699	143	111	144	150	151	157	155	151	135	144	131	127
1-23 hours	34,883	2,771	2,467	2,881	2,801	3,076	3,087	3,174	3,103	2,973	2,980	2,803	2,787
White	26,282	2,095	1,915	2,174	2,079	2,333	2,297	2,370	2,335	2,242	2,228	2,109	2,105
Nonwhite	7,502	576	475	629	639	644	676	700	664	649	646	610	594
1 day	10,919	886	770	890	845	971	1,024	995	947	945	880	840	926
White	8,398	680	593	706	660	757	778	754	737	705	672	633	723
Nonwhite	2,167	179	153	152	166	184	208	203	188	208	180	173	173
2 days	7,214	588	549	569	571	585	628	621	638	642	647	565	611
White	5,606	456	429	451	443	460	488	483	492	491	501	449	473
Nonwhite	1,382	120	101	99	110	107	116	115	138	131	136	95	114
3 days	3,227	242	249	259	226	296	282	267	280	290	292	265	259
White	2,488	176	191	199	177	233	217	225	209	228	236	200	199
Nonwhite	847	60	49	58	39	56	61	53	60	51	50	58	52
4 days	1,819	142	129	151	144	152	139	170	169	152	156	147	168
White	1,335	101	94	109	102	110	98	131	132	107	127	105	119
Nonwhite	424	39	34	36	38	37	33	32	33	39	27	36	40
5 days	1,300	105	102	114	87	113	114	124	116	120	99	89	117
White	940	66	72	89	60	77	81	86	94	90	73	64	88
Nonwhite	322	35	25	24	27	34	31	33	20	24	22	22	25
6 days	950	82	63	76	78	84	86	97	79	81	63	77	84
White	658	55	45	58	52	64	57	64	48	61	38	56	60
Nonwhite	267	25	17	15	26	18	26	30	29	19	21	18	23
7-13 days	3,815	342	266	314	277	325	296	311	359	355	342	301	327
White	2,628	211	196	213	195	239	203	213	225	240	256	214	221
Nonwhite	1,083	123	67	94	72	74	82	91	120	99	79	81	101
14-20 days	2,210	207	176	169	157	162	169	160	194	194	223	200	199
White	1,449	117	127	106	113	112	108	105	131	122	144	132	130
Nonwhite	700	82	45	60	35	43	58	51	60	64	76	61	65
21-27 days	1,731	185	133	123	137	132	131	133	132	136	161	155	173
White	1,163	126	97	79	97	91	69	95	83	89	102	105	110
Nonwhite	521	54	32	37	39	32	39	31	46	46	57	47	61
28-59 days	6,730	696	576	576	551	489	439	488	484	537	625	572	697
White	4,387	419	383	374	363	324	306	325	308	338	420	369	458
Nonwhite	2,166	257	180	188	176	146	118	154	155	182	199	189	222
2 months	5,519	656	472	544	469	385	301	310	332	363	486	514	687
White	3,546	387	306	350	313	260	217	216	224	218	303	320	432
Nonwhite	1,856	255	151	183	148	117	80	63	99	139	172	187	242
3 months	4,034	487	359	380	322	312	223	242	218	249	316	383	543
White	2,537	278	226	250	229	201	146	154	143	165	197	234	314
Nonwhite	1,410	199	126	114	89	104	73	85	68	80	110	142	220
4 months	2,974	425	252	279	245	214	165	175	163	162	228	267	399
White	1,821	251	162	159	155	143	106	99	99	100	139	166	242
Nonwhite	1,086	165	87	109	83	64	56	72	59	57	87	98	149
5 months	2,318	330	248	217	169	181	153	131	144	144	179	172	250
White	1,402	191	155	139	112	109	103	81	93	89	97	96	137
Nonwhite	856	127	87	73	50	68	48	47	47	52	75	75	107
6 months	1,847	239	197	177	167	140	123	126	111	97	111	145	214
White	1,178	141	122	117	119	96	83	85	71	58	72	93	131
Nonwhite	601	90	65	53	41	49	36	39	34	39	34	47	74
7 months	1,489	201	160	166	130	114	77	93	89	96	108	109	146
White	956	125	105	111	88	67	56	61	54	62	69	73	85
Nonwhite	497	72	50	49	37	45	19	32	32	34	38	35	56
8 months	1,265	157	129	119	120	91	90	83	74	81	88	113	120
White	802	94	83	82	86	61	59	49	43	52	46	70	77
Nonwhite	437	57	41	35	32	29	27	32	30	28	41	43	42
9 months	1,082	131	103	113	98	70	78	88	82	70	75	98	96
White	716	87	77	75	65	46	42	56	41	47	48	68	64
Nonwhite	336	41	24	35	30	21	35	30	21	22	26	23	28
10 months	962	123	90	89	84	75	65	65	55	76	76	72	92
White	649	75	67	68	55	54	49	46	35	55	46	47	52
Nonwhite	296	47	20	21	27	19	15	19	20	21	28	24	35
11 months	913	114	87	71	73	77	58	63	79	67	66	70	88
White	599	72	54	52	56	40	41	40	55	46	41	48	54
Nonwhite	280	40	29	18	12	33	17	22	21	20	23	19	26
Male													
Total, under 1 year	60,939	5,612	4,807	5,153	4,918	5,081	4,935	5,020	4,929	4,921	5,112	4,932	5,519
White	44,270	3,899	3,551	3,748	3,596	3,777	3,625	3,686	3,621	3,576	3,710	3,533	3,948
Nonwhite	14,828	1,551	1,103	1,245	1,180	1,142	1,141	1,192	1,161	1,202	1,273	1,247	1,391
Under 28 days	44,500	3,605	3,257	3,616	3,531	3,882	3,942	3,993	3,882	3,843	3,789	3,491	3,667
White	33,687	2,692	2,543	2,735	2,650	2,987	2,948	3,024	2,948	2,887	2,864	2,630	2,779
Nonwhite	9,392	798	612	767	767	771	852	845	819	838	818	744	761
Under 7 days	40,143	3,198	2,918	3,279	3,202	3,523	3,604	3,652	3,508	3,470	3,372	3,134	3,283
White	30,709	2,435	2,295	2,509	2,416	2,727	2,722	2,777	2,700	2,643	2,572	2,387	2,526
Nonwhite	8,138	659	529	663	684	688	750	758	708	721	699	641	638
Under 1 hour	4,473	383	335	385	374	387	394	400	383	361	355	345	371
White	3,355	284	272	269	276	289	294	298	298	276	262	259	276
Nonwhite	943	82	50	92	82	81	86	90	75	71	78	78	78

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Con.													
Male—Con.													
Under 28 days—Con.													
Under 7 days—Con.													
1-23 hours	20,492	1,603	1,455	1,673	1,636	1,817	1,811	1,876	1,825	1,772	1,751	1,627	1,646
White	15,513	1,219	1,130	1,264	1,216	1,404	1,357	1,411	1,377	1,349	1,319	1,228	1,239
Nonwhite	4,305	325	274	357	368	356	382	404	390	374	380	343	352
1 day	6,431	531	453	528	507	580	624	587	539	569	506	477	530
White	5,070	424	362	427	401	461	475	457	432	425	397	369	440
Nonwhite	1,162	93	76	84	91	106	125	115	96	126	92	88	70
2 days	4,412	360	339	342	350	357	407	380	386	392	380	350	369
White	3,496	287	279	275	281	284	316	300	300	307	293	281	293
Nonwhite	788	67	53	57	59	59	77	65	76	76	82	57	60
3 days	1,963	142	153	161	147	169	177	178	153	172	185	164	162
White	1,526	96	117	126	113	137	142	144	115	134	153	129	120
Nonwhite	387	41	30	35	27	30	32	30	33	32	28	31	38
4 days	1,092	79	87	85	91	99	83	102	105	89	99	84	89
White	831	56	68	65	64	74	61	79	90	64	83	58	69
Nonwhite	225	22	19	18	23	22	19	18	12	19	15	22	16
5 days	754	49	64	66	60	61	64	72	72	70	58	49	69
White	549	33	44	50	37	40	47	50	60	54	43	36	55
Nonwhite	185	15	19	15	23	19	15	19	11	13	12	12	12
6 days	526	51	32	39	37	53	44	57	45	45	38	38	47
White	369	36	23	33	26	38	30	38	28	34	22	27	34
Nonwhite	143	14	8	5	11	15	14	17	15	10	12	10	12
7-13 days	2,132	198	157	172	165	179	165	172	186	197	199	161	181
White	1,490	124	117	116	121	131	113	128	119	136	151	114	120
Nonwhite	588	72	39	52	40	41	47	40	58	53	45	44	57
14-20 days	1,249	111	100	96	87	98	98	94	112	99	134	111	109
White	826	62	73	62	60	72	58	61	78	63	90	73	74
Nonwhite	379	42	23	33	20	23	37	32	31	32	42	32	32
21-27 days	976	98	82	71	77	82	75	75	76	77	84	85	94
White	662	71	58	48	53	57	55	58	51	45	51	56	59
Nonwhite	287	25	21	19	23	19	18	15	22	32	32	27	34
28-59 days	4,014	413	358	342	324	307	253	305	299	328	365	336	384
White	2,647	253	240	223	214	213	182	197	189	212	255	218	251
Nonwhite	1,250	148	109	109	102	77	60	104	98	104	107	111	121
2 months	3,194	379	289	317	267	216	169	177	206	205	278	297	394
White	2,092	233	187	208	179	146	119	126	143	122	182	188	259
Nonwhite	1,030	138	92	101	83	66	47	44	58	79	90	105	127
3 months	2,261	264	206	228	188	160	128	116	132	146	178	208	307
White	1,443	150	132	151	137	109	84	75	84	95	113	127	186
Nonwhite	765	108	69	68	50	48	42	40	43	48	60	74	115
4 months	1,643	243	138	141	151	118	91	95	95	81	116	157	217
White	1,005	138	84	83	101	87	56	52	56	54	70	93	131
Nonwhite	601	100	52	53	46	28	33	42	37	22	46	61	81
5 months	1,228	179	130	118	78	97	82	75	74	70	97	91	137
White	742	106	80	75	49	57	60	47	46	42	56	45	79
Nonwhite	455	65	47	40	26	38	21	25	28	27	39	45	54
6 months	983	124	111	85	95	76	64	61	55	49	67	88	108
White	640	76	77	56	66	40	44	40	36	26	46	60	73
Nonwhite	309	44	26	28	26	32	18	20	16	23	21	25	30
7 months	846	116	98	86	77	59	38	56	49	54	57	65	91
White	543	72	63	61	52	33	27	37	32	39	32	42	53
Nonwhite	286	44	32	22	24	25	10	19	15	15	23	22	35
8 months	708	86	72	65	68	49	55	46	37	41	53	67	69
White	436	49	44	46	47	31	36	27	22	23	23	42	46
Nonwhite	257	36	24	17	20	17	16	18	14	18	29	25	23
9 months	589	74	63	68	56	35	42	35	32	33	40	54	57
White	395	47	47	49	42	24	22	21	19	25	24	36	39
Nonwhite	177	25	15	16	14	10	19	14	13	8	15	12	16
10 months	497	69	45	42	42	45	33	30	25	39	42	36	49
White	325	46	28	29	26	33	21	20	16	30	26	21	29
Nonwhite	160	23	15	13	14	11	11	10	9	9	15	14	16
11 months	476	60	40	43	41	37	38	31	43	32	30	42	39
White	315	37	26	32	33	17	26	20	30	21	19	31	23
Nonwhite	146	22	10	11	8	19	12	11	11	11	10	9	12
Female													
Total, under 1 year	44,540	4,205	3,400	3,806	3,502	3,665	3,506	3,657	3,664	3,582	3,745	3,682	4,126
White	31,542	2,844	2,443	2,717	2,523	2,607	2,527	2,613	2,612	2,543	2,653	2,627	2,833
Nonwhite	11,707	1,235	866	981	886	933	870	917	934	937	996	967	1,185
Under 28 days	31,846	2,653	2,277	2,610	2,461	2,716	2,727	2,820	2,900	2,718	2,710	2,608	2,646
White	23,532	1,931	1,711	1,953	1,828	2,006	1,996	2,063	2,119	2,002	2,021	1,946	1,956
Nonwhite	7,322	638	497	581	574	609	635	649	690	627	620	588	614
Under 7 days	28,447	2,326	2,041	2,343	2,219	2,456	2,469	2,557	2,589	2,406	2,401	2,309	2,331
White	21,270	1,734	1,539	1,779	1,657	1,824	1,822	1,897	1,928	1,795	1,809	1,738	1,748
Nonwhite	6,272	518	436	494	511	543	558	563	575	535	527	502	510
Under 1 hour	3,805	325	295	297	295	315	319	341	382	312	321	312	291
White	2,917	256	223	233	222	228	234	265	294	237	244	250	231
Nonwhite	756	61	61	52	68	70	71	65	76	64	66	53	49
1-23 hours	14,391	1,168	1,012	1,208	1,165	1,259	1,276	1,298	1,278	1,201	1,209	1,176	1,141
White	10,769	876	785	910	863	929	940	959	958	893	909	881	866
Nonwhite	3,197	251	201	272	271	288	294	296	274	275	266	267	242
1 day	4,488	355	317	362	338	391	400	408	408	376	374	363	396
White	3,328	256	231	279	259	296	303	297	305	280	275	264	283
Nonwhite	1,005	86	77	68	75	78	83	88	92	82	88	85	103
2 days	2,802	228	210	227	221	228	221	241	252	250	267	215	242
White	2,110	169	150	176	162	176	172	183	182	184	208	168	180
Nonwhite	594	53	48	42	51	48	39	50	62	55	54	38	54
3 days	1,264	100	96	98	79	127	105	109	127	118	107	101	97
White	962	80	74	73	64	96	75	79	93	95	83	71	79
Nonwhite	260	19	19	23	12	26	29	23	27	19	22	27	14

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Con.													
Female—Con.													
Under 28 days—Con.													
Under 7 days—Con.													
4 days	727	63	42	66	53	53	56	68	64	63	57	63	79
White	504	45	26	44	38	36	37	52	42	43	44	47	50
Nonwhite	199	17	15	18	15	15	14	14	21	20	12	14	24
5 days	546	56	38	48	27	52	50	52	44	50	41	40	48
White	391	33	28	39	23	37	34	36	34	36	30	28	33
Nonwhite	137	20	6	9	4	15	16	14	9	11	10	10	13
6 days	424	31	31	37	41	31	42	40	34	36	25	39	37
White	289	19	22	25	26	26	27	26	20	27	16	29	26
Nonwhite	124	11	9	10	15	3	12	13	14	9	9	8	11
7-13 days	1,683	144	109	142	112	146	131	139	173	158	143	140	146
White	1,138	87	79	97	74	108	90	85	106	104	107	100	101
Nonwhite	495	51	28	42	32	33	35	51	62	46	34	37	44
14-20 days	961	96	76	73	70	64	71	66	82	95	89	89	90
White	623	55	54	46	53	40	50	44	53	59	54	59	56
Nonwhite	321	40	22	27	15	20	21	19	29	32	34	29	33
21-27 days	755	87	51	52	60	50	56	58	56	59	77	70	79
White	501	55	39	31	44	34	34	37	32	44	51	49	51
Nonwhite	234	29	11	18	16	13	21	16	24	14	25	20	27
28-59 days	2,716	283	218	234	227	182	186	183	185	209	260	236	313
White	1,740	166	143	151	149	111	124	128	119	126	165	151	207
Nonwhite	916	109	71	79	74	69	58	50	57	78	92	78	101
2 months	2,325	277	183	227	202	169	132	133	126	156	208	217	293
White	1,454	154	119	142	134	114	98	90	81	96	121	132	173
Nonwhite	826	117	59	82	65	51	33	39	41	60	82	82	115
3 months	1,773	223	153	152	134	152	95	126	86	103	138	175	236
White	1,094	128	94	99	92	92	62	79	59	70	84	107	128
Nonwhite	645	91	57	46	39	56	31	45	25	32	50	68	105
4 months	1,331	182	114	138	94	96	74	80	68	81	112	110	182
White	816	113	78	76	54	56	50	47	43	46	69	73	111
Nonwhite	485	65	35	56	37	36	23	30	22	35	41	37	68
5 months	1,090	151	118	99	91	64	71	56	70	74	82	81	113
White	660	85	75	64	63	52	43	34	47	47	41	51	58
Nonwhite	401	62	40	33	24	30	27	22	19	25	36	30	53
6 months	864	115	86	92	72	64	59	65	56	48	44	57	106
White	538	65	45	61	53	46	39	45	35	32	26	33	58
Nonwhite	292	46	39	25	15	17	18	19	18	16	13	22	44
7 months	643	85	62	80	53	55	39	37	40	42	51	44	55
White	413	53	42	50	36	34	29	24	22	23	37	31	32
Nonwhite	211	28	18	27	13	20	9	13	17	19	13	13	21
8 months	557	71	57	54	52	42	35	37	37	40	35	46	51
White	366	45	39	36	39	30	23	22	21	29	23	28	31
Nonwhite	180	21	17	18	12	12	11	14	16	10	12	18	19
9 months	493	57	40	45	42	35	36	53	30	37	35	44	39
White	321	40	30	26	23	22	20	35	22	22	24	32	25
Nonwhite	159	16	9	19	16	11	16	16	8	14	11	11	12
10 months	465	54	45	47	42	30	32	35	30	37	34	36	43
White	324	29	39	39	29	21	28	26	19	25	20	26	23
Nonwhite	136	24	5	8	13	8	4	9	11	12	13	10	19
11 months	437	54	47	28	32	40	20	32	36	35	36	28	49
White	284	35	28	20	23	23	15	20	25	25	22	17	31
Nonwhite	134	18	19	7	4	14	5	11	10	9	13	10	14
ALABAMA													
Under 1 year	2,420	266	176	236	192	176	166	185	173	198	200	201	251
White	1,135	115	81	116	86	80	81	102	86	97	96	79	116
Nonwhite	1,285	151	95	120	106	96	85	83	87	101	104	122	135
Under 28 days	1,603	142	103	149	124	127	130	134	139	144	148	119	144
White	881	72	53	88	67	67	69	87	74	81	82	56	85
Nonwhite	722	70	50	61	57	60	61	47	65	63	66	63	59
ALASKA													
Under 1 year	262	28	23	24	24	25	22	23	18	22	18	18	17
White	114	14	10	7	6	14	10	10	7	12	7	10	7
Nonwhite	148	14	13	17	18	11	12	13	11	10	11	8	10
Under 28 days	142	13	9	12	16	17	16	15	8	11	9	8	8
White	87	10	7	5	5	13	9	7	6	8	6	6	5
Nonwhite	55	3	2	7	11	4	7	8	2	3	3	2	3
ARIZONA													
Under 1 year	1,079	95	68	95	94	95	86	92	94	88	96	74	102
White	772	75	49	71	70	70	58	68	60	63	64	53	71
Nonwhite	307	20	19	24	24	25	28	24	34	25	32	21	31
Under 28 days	677	55	45	65	59	63	61	62	58	52	60	41	56
White	543	47	36	52	46	52	45	53	44	44	46	33	45
Nonwhite	134	8	9	13	13	11	16	9	14	8	14	8	11
ARKANSAS													
Under 1 year	1,207	143	88	109	80	100	74	87	96	87	132	99	112
White	731	79	57	73	51	63	41	48	55	55	76	59	72
Nonwhite	476	64	31	36	29	37	33	39	41	32	54	40	40
Under 28 days	804	74	51	64	56	74	59	58	74	71	89	62	72
White	535	45	37	46	38	50	33	38	46	45	61	43	53
Nonwhite	269	29	14	18	18	24	26	20	28	26	28	19	19
CALIFORNIA													
Under 1 year	8,688	776	636	747	734	729	749	715	693	659	729	729	792
White	7,328	652	534	632	603	630	633	608	590	554	612	617	663
Nonwhite	1,360	124	102	115	131	99	116	107	103	105	117	112	129
Under 28 days	6,456	526	471	528	565	547	587	551	541	520	536	547	557
White	5,467	446	392	445	456	481	484	476	463	438	452	464	468
Nonwhite	989	78	79	83	109	66	83	75	78	82	84	83	89

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year	1,099	103	84	96	107	89	99	88	84	75	86	98	90
White	1,022	95	80	86	98	83	92	85	77	69	81	92	84
Nonwhite	77	8	4	10	9	6	7	3	7	6	5	6	6
Under 28 days	810	66	63	72	83	62	83	70	72	52	65	68	54
White	753	61	61	65	76	59	77	67	65	48	61	63	50
Nonwhite	57	5	2	7	7	3	6	3	7	4	4	5	4
CONNECTICUT													
Under 1 year	1,259	118	78	96	96	103	101	109	101	125	102	103	127
White	1,074	94	68	86	85	87	88	88	85	107	92	93	103
Nonwhite	185	24	12	10	11	16	13	21	16	18	10	10	24
Under 28 days	990	84	50	69	76	77	85	94	91	102	81	88	93
White	854	68	42	63	70	68	74	77	75	90	74	79	74
Nonwhite	136	16	8	6	6	9	11	17	16	12	7	9	19
DELAWARE													
Under 1 year	245	25	21	19	24	28	15	19	13	19	22	19	21
White	163	16	13	10	16	22	10	12	8	12	14	13	17
Nonwhite	82	9	8	9	8	6	5	7	5	7	8	6	4
Under 28 days	178	19	15	15	14	22	11	16	11	14	17	14	10
White	131	12	10	10	12	18	8	11	7	11	11	11	10
Nonwhite	47	7	5	5	2	4	3	5	4	3	6	3	-
DISTRICT OF COLUMBIA													
Under 1 year	700	63	48	46	61	67	50	68	51	64	59	61	62
White	154	15	11	12	6	13	11	12	15	18	14	12	15
Nonwhite	546	48	37	34	55	54	39	56	36	46	45	49	47
Under 28 days	523	45	30	29	45	51	42	52	41	56	42	48	42
White	126	11	6	9	4	11	10	7	13	17	12	11	15
Nonwhite	397	34	24	20	41	40	32	45	28	39	30	37	27
FLORIDA													
Under 1 year	3,289	324	246	274	220	289	268	261	303	254	263	288	299
White	1,892	185	140	155	129	168	159	163	171	149	150	160	163
Nonwhite	1,397	139	106	119	91	121	109	98	132	105	113	128	136
Under 28 days	2,284	203	153	158	144	198	207	195	234	205	192	206	189
White	1,455	135	103	101	99	128	134	135	146	119	120	124	111
Nonwhite	829	68	50	57	45	70	73	60	88	86	72	82	78
GEORGIA													
Under 1 year	2,989	305	254	244	228	230	231	256	215	236	241	247	302
White	1,425	123	124	122	115	123	119	126	121	103	109	118	122
Nonwhite	1,564	182	130	122	113	107	112	130	94	133	132	129	180
Under 28 days	1,929	143	160	144	165	168	182	182	158	157	160	158	152
White	1,063	77	89	82	84	98	102	99	97	79	91	87	78
Nonwhite	866	66	71	62	81	70	80	83	61	78	69	71	74
HAWAII													
Under 1 year	375	38	25	36	25	26	34	31	23	32	34	35	36
White	101	10	6	8	5	6	14	7	7	9	10	15	4
Nonwhite	274	28	19	28	20	20	20	24	16	23	24	20	32
Under 28 days	299	33	20	25	22	22	24	28	19	26	28	26	26
White	82	9	5	5	5	5	12	7	6	8	8	10	2
Nonwhite	217	24	15	20	17	17	12	21	13	18	20	16	24
IDAHO													
Under 1 year	395	34	37	21	24	40	25	39	34	31	38	32	40
White	387	33	36	20	24	39	25	36	34	31	37	32	40
Nonwhite	8	1	1	1	-	1	-	3	-	-	1	-	-
Under 28 days	290	26	30	13	18	32	19	27	28	21	23	25	28
White	287	26	29	13	18	32	19	25	28	21	23	25	28
Nonwhite	3	-	1	-	-	-	-	2	-	-	-	-	-
ILLINOIS													
Under 1 year	5,538	500	429	494	421	470	494	467	421	416	467	440	519
White	4,087	355	313	375	305	362	351	339	317	296	365	336	373
Nonwhite	1,451	145	116	119	116	108	143	128	104	120	102	104	146
Under 28 days	4,078	354	304	352	286	355	395	370	331	336	350	306	339
White	3,091	257	238	276	208	288	283	270	252	246	279	239	255
Nonwhite	987	97	66	76	78	67	112	100	79	90	71	67	84
INDIANA													
Under 1 year	2,524	211	209	181	180	222	207	212	218	210	242	209	223
White	2,192	175	190	160	156	189	184	189	191	180	203	179	196
Nonwhite	332	36	19	21	24	33	23	23	27	30	39	30	27
Under 28 days	1,892	142	130	126	140	172	170	182	181	164	168	165	152
White	1,653	117	118	110	120	147	151	160	161	142	146	145	136
Nonwhite	239	25	12	16	20	25	19	22	20	22	22	20	16
IOWA													
Under 1 year	1,206	96	109	100	96	101	88	108	99	107	103	106	93
White	1,170	95	102	95	91	99	84	103	97	107	100	106	91
Nonwhite	36	1	7	5	5	2	4	5	2	-	3	-	2
Under 28 days	915	67	82	73	66	84	66	88	83	84	85	81	56
White	889	66	76	69	64	83	65	83	81	84	82	81	55
Nonwhite	26	1	6	4	2	1	1	5	2	-	3	-	1

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962–Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year	1,086	77	76	80	85	103	80	88	93	105	99	94	106
White	973	66	69	74	73	95	71	79	85	96	92	82	91
Nonwhite	113	11	7	6	12	8	9	9	8	9	7	12	15
Under 28 days	815	49	54	53	56	84	65	69	81	82	75	76	71
White	744	44	50	49	52	77	60	62	74	75	71	67	63
Nonwhite	71	5	4	4	4	7	5	7	7	7	4	9	8
KENTUCKY													
Under 1 year	1,876	174	142	167	160	148	146	168	168	133	154	161	155
White	1,601	144	126	148	145	127	117	147	138	112	131	127	139
Nonwhite	275	30	16	19	15	21	29	21	30	21	23	34	16
Under 28 days	1,343	109	101	115	107	112	115	134	127	109	103	110	101
White	1,157	90	91	100	94	99	92	118	107	97	87	89	93
Nonwhite	186	19	10	15	13	13	23	16	20	12	16	21	8
LOUISIANA													
Under 1 year	2,755	323	202	237	197	207	215	212	219	209	253	229	252
White	1,167	124	85	99	84	87	102	92	90	92	109	108	95
Nonwhite	1,588	199	117	138	113	120	113	120	129	117	144	121	157
Under 28 days	1,925	183	126	153	130	149	171	166	181	153	191	159	163
White	914	90	62	66	68	70	85	81	79	71	82	86	74
Nonwhite	1,011	93	64	87	62	79	86	85	102	82	109	73	89
MAINE													
Under 1 year	581	56	52	49	38	46	51	45	59	55	40	39	51
White	572	55	50	46	38	46	49	45	59	54	40	39	51
Nonwhite	9	1	2	3	-	-	2	-	-	1	-	-	-
Under 28 days	413	38	30	40	31	30	41	33	43	43	25	24	35
White	408	37	30	39	31	30	39	33	43	42	25	24	35
Nonwhite	5	1	-	1	-	-	2	-	-	1	-	-	-
MARYLAND													
Under 1 year	2,041	174	153	160	172	145	147	182	184	199	172	162	191
White	1,323	121	101	119	107	91	91	117	130	121	105	104	116
Nonwhite	718	53	52	41	65	54	56	65	54	78	67	58	75
Under 28 days	1,548	113	111	115	132	110	123	151	146	162	129	124	132
White	1,048	86	76	91	86	69	81	94	105	102	86	86	86
Nonwhite	500	27	35	24	46	41	42	57	41	60	43	38	46
MASSACHUSETTS													
Under 1 year	2,443	211	192	194	203	204	197	209	185	223	205	197	223
White	2,288	192	178	181	193	191	185	198	175	205	194	183	213
Nonwhite	155	19	14	13	10	13	12	11	10	18	11	14	10
Under 28 days	1,855	138	131	138	152	155	159	157	154	187	163	151	170
White	1,749	130	120	134	144	145	150	148	147	173	154	141	163
Nonwhite	106	8	11	4	8	10	9	9	7	14	9	10	7
MICHIGAN													
Under 1 year	4,392	396	368	392	369	376	349	314	350	353	360	371	394
White	3,650	322	304	328	316	310	287	259	295	294	301	308	326
Nonwhite	742	74	64	64	53	66	62	55	55	59	59	63	68
Under 28 days	3,276	266	257	283	267	287	278	259	269	286	276	266	282
White	2,736	221	213	238	226	240	229	215	226	235	231	227	235
Nonwhite	540	45	44	45	41	47	49	44	43	51	45	39	47
MINNESOTA													
Under 1 year	1,772	133	147	140	147	142	150	165	168	138	150	139	153
White	1,716	131	141	136	144	139	141	160	163	134	148	133	146
Nonwhite	56	2	6	4	3	3	9	5	5	4	2	6	7
Under 28 days	1,330	93	106	103	115	115	108	121	134	112	112	101	110
White	1,297	92	103	102	112	113	103	118	130	109	111	98	106
Nonwhite	33	1	3	1	3	2	5	3	4	3	1	3	4
MISSISSIPPI													
Under 1 year	2,358	248	160	205	173	209	173	204	178	179	214	185	230
White	708	50	46	60	52	76	66	62	62	61	68	51	54
Nonwhite	1,650	198	114	145	121	133	107	142	116	118	146	134	176
Under 28 days	1,457	122	93	120	112	149	131	140	119	118	131	108	114
White	552	34	29	42	43	64	55	50	51	48	55	42	39
Nonwhite	905	86	64	78	69	85	76	90	68	70	76	66	75
MISSOURI													
Under 1 year	2,391	247	165	188	199	188	187	211	184	211	192	198	221
White	1,871	187	130	142	154	158	141	159	152	171	140	158	179
Nonwhite	520	60	35	46	45	30	46	52	32	40	52	40	42
Under 28 days	1,784	175	111	133	137	149	164	168	153	158	147	140	149
White	1,438	144	86	100	106	128	125	134	132	133	110	121	119
Nonwhite	346	31	25	33	31	21	39	34	21	25	37	19	30
MONTANA													
Under 1 year	436	36	28	17	45	44	45	34	36	42	37	30	42
White	374	30	25	15	40	39	39	32	30	30	29	28	37
Nonwhite	62	6	3	2	5	5	6	2	6	12	8	2	5
Under 28 days	299	26	19	13	33	36	30	21	29	27	20	19	26
White	274	23	19	12	31	31	28	20	25	25	19	17	24
Nonwhite	25	3	-	1	2	5	2	1	4	2	1	2	2

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year	705	48	49	62	63	55	46	38	80	67	78	54	65
White	646	44	45	56	60	51	42	36	69	63	68	50	62
Nonwhite	59	4	4	6	3	4	4	2	11	4	10	4	3
Under 28 days	525	35	38	40	44	45	31	29	66	53	57	44	43
White	485	32	35	36	41	41	30	28	58	51	51	41	41
Nonwhite	40	3	3	4	3	4	1	1	8	2	6	3	2
NEVADA													
Under 1 year	257	17	21	17	22	27	21	13	25	23	20	20	31
White	219	15	18	15	18	23	20	10	21	22	13	16	28
Nonwhite	38	2	3	2	4	4	1	3	4	1	7	4	3
Under 28 days	198	11	15	14	14	18	18	13	21	22	18	14	20
White	170	9	13	12	12	18	17	10	18	21	11	12	17
Nonwhite	28	2	2	2	2	-	1	3	3	1	7	2	3
NEW HAMPSHIRE													
Under 1 year	310	25	27	30	22	23	22	25	31	17	35	27	26
White	306	25	26	30	21	22	22	25	31	17	35	26	26
Nonwhite	4	-	1	-	1	1	-	-	-	-	-	1	-
Under 28 days	239	20	21	23	17	16	16	23	25	12	25	18	23
White	236	20	20	23	17	15	16	23	25	12	25	17	23
Nonwhite	3	-	1	-	-	1	-	-	-	-	-	1	-
NEW JERSEY[1]													
Under 1 year	3,132	288	244	268	235	287	276	269	265	245	225	240	288
Under 28 days	2,413	199	171	192	173	225	238	232	206	207	176	191	203
NEW MEXICO													
Under 1 year	876	63	64	74	41	72	79	73	77	65	92	82	94
White	732	59	58	61	36	61	67	62	62	54	65	67	80
Nonwhite	144	4	6	13	5	11	12	11	15	11	27	15	14
Under 28 days	570	45	44	48	28	50	55	58	51	44	52	41	54
White	513	44	42	42	24	46	49	50	43	41	44	39	49
Nonwhite	57	1	2	6	4	4	6	8	8	3	8	2	5
NEW YORK													
Under 1 year	8,739	766	720	812	724	710	693	728	698	716	678	722	772
White	6,581	572	571	623	536	525	518	560	500	550	533	529	564
Nonwhite	2,158	194	149	189	188	185	175	168	198	166	145	193	208
Under 28 days	6,595	540	502	585	535	542	537	602	567	569	524	534	558
White	5,061	410	409	461	404	422	410	475	403	439	416	390	422
Nonwhite	1,534	130	93	124	131	120	127	127	164	130	108	144	136
NORTH CAROLINA													
Under 1 year	3,341	365	282	276	241	231	247	273	249	253	301	267	356
White	1,670	156	140	137	132	111	142	142	136	132	137	135	170
Nonwhite	1,671	209	142	139	109	120	105	131	113	121	164	132	186
Under 28 days	2,166	194	147	171	152	164	201	201	195	180	208	168	185
White	1,258	111	93	91	93	87	115	115	120	106	110	107	110
Nonwhite	908	83	54	80	59	77	86	86	75	74	98	61	75
NORTH DAKOTA													
Under 1 year	357	22	23	36	27	30	39	34	21	30	29	36	30
White	332	22	22	35	25	27	37	33	21	26	26	31	27
Nonwhite	25	-	1	1	2	3	2	1	-	4	3	5	3
Under 28 days	265	17	20	27	17	23	32	25	16	22	19	27	20
White	253	17	19	26	16	23	30	25	16	20	19	23	19
Nonwhite	12	-	1	1	1	-	2	-	-	2	-	4	1
OHIO													
Under 1 year	4,964	435	387	438	421	432	404	398	399	397	440	396	417
White	4,079	351	331	360	353	350	333	320	321	326	363	325	346
Nonwhite	885	84	56	78	68	82	71	78	78	71	77	71	71
Under 28 days	3,842	295	277	329	315	340	341	343	316	325	347	318	298
White	3,178	240	242	267	269	273	281	279	261	269	288	260	249
Nonwhite	664	55	35	82	46	67	60	64	55	56	59	58	47
OKLAHOMA													
Under 1 year	1,220	118	83	98	90	97	95	107	122	113	99	82	116
White	971	91	64	75	69	75	75	88	106	92	82	65	89
Nonwhite	249	27	19	23	21	22	20	19	16	21	17	17	27
Under 28 days	935	82	57	72	69	75	80	81	106	96	78	63	76
White	770	69	46	58	52	60	65	66	93	78	65	54	64
Nonwhite	165	13	11	14	17	15	15	15	13	18	13	9	12
OREGON													
Under 1 year	811	59	75	76	77	67	59	69	64	68	57	63	77
White	771	57	68	71	73	63	56	68	63	62	54	60	76
Nonwhite	40	2	7	5	4	4	3	1	1	6	3	3	1
Under 28 days	554	37	51	52	59	48	37	53	46	48	39	39	45
White	531	36	49	51	55	46	34	52	45	43	38	38	44
Nonwhite	23	1	2	1	4	2	3	1	1	5	1	1	1
PENNSYLVANIA													
Under 1 year	5,427	448	433	454	477	464	498	451	454	445	448	416	439
White	4,416	368	354	367	387	379	419	369	363	353	363	339	355
Nonwhite	1,011	80	79	87	90	85	79	82	91	92	85	77	84
Under 28 days	4,181	308	286	339	343	366	412	364	384	367	362	320	330
White	3,437	252	240	274	277	306	342	303	314	295	298	266	270
Nonwhite	744	56	46	65	66	60	70	61	70	72	64	54	60

[1]New Jersey did not require reporting of color; see Technical Appendix .

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year	468	39	43	47	48	34	30	41	42	38	39	33	34
White	433	39	37	40	46	31	30	38	38	37	37	29	31
Nonwhite	35	-	6	7	2	3	-	3	4	1	2	4	3
Under 28 days	368	24	36	36	32	24	28	36	37	33	33	23	26
White	345	24	33	31	31	22	28	35	34	32	31	20	24
Nonwhite	23	-	3	5	1	2	-	1	3	1	2	3	2
SOUTH CAROLINA													
Under 1 year	1,829	238	163	157	123	138	119	135	127	131	153	156	189
White	804	81	70	73	53	74	65	70	58	50	70	65	75
Nonwhite	1,025	157	93	84	70	64	54	65	89	81	83	91	114
Under 28 days	1,036	97	79	87	62	103	71	101	93	79	85	88	91
White	590	50	47	55	29	62	45	58	49	35	53	53	54
Nonwhite	446	47	32	32	33	41	26	43	44	44	32	35	37
SOUTH DAKOTA													
Under 1 year	435	39	38	29	42	24	37	35	42	39	37	38	35
White	362	30	32	23	36	20	35	31	38	30	30	29	28
Nonwhite	73	9	6	6	6	4	2	4	4	9	7	9	7
Under 28 days	299	23	22	24	30	19	27	20	35	27	22	28	22
White	275	19	22	19	27	16	26	20	32	26	22	24	22
Nonwhite	24	4	-	5	3	3	1	-	3	1	-	4	-
TENNESSEE													
Under 1 year	2,320	222	190	201	185	188	166	169	178	202	192	189	238
White	1,562	158	138	135	130	138	104	108	98	129	131	130	163
Nonwhite	758	64	52	66	55	50	62	61	80	73	61	59	75
Under 28 days	1,624	136	126	136	120	142	140	135	142	138	141	130	138
White	1,142	106	96	88	89	105	91	91	84	95	102	92	103
Nonwhite	482	30	30	48	31	37	49	44	58	43	39	38	35
TEXAS													
Under 1 year	6,679	637	469	529	510	567	577	546	570	504	561	572	637
White	5,214	482	388	422	383	438	448	431	451	393	439	446	493
Nonwhite	1,465	155	81	107	127	129	129	115	119	111	122	126	144
Under 28 days	4,633	383	315	376	345	419	449	403	419	383	412	358	371
White	3,711	301	261	316	261	327	356	323	340	308	332	287	299
Nonwhite	922	82	54	60	84	92	93	80	79	75	80	71	72
UTAH													
Under 1 year	515	62	40	43	45	38	36	48	42	47	35	38	41
White	489	57	38	43	43	37	33	48	41	43	31	35	40
Nonwhite	26	5	2	-	2	1	3	-	1	4	4	3	1
Under 28 days	374	42	31	35	33	30	24	42	35	35	21	23	23
White	363	39	30	35	33	29	23	42	34	35	20	20	23
Nonwhite	11	3	1	-	-	1	1	-	1	-	1	3	-
VERMONT													
Under 1 year	210	15	18	14	16	30	14	13	23	23	17	12	15
White	210	15	18	14	16	30	14	13	23	23	17	12	15
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	168	12	14	12	12	26	11	11	20	19	14	10	7
White	168	12	14	12	12	26	11	11	20	19	14	10	7
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,818	265	220	239	232	216	184	242	239	216	265	263	237
White	1,746	152	137	135	160	144	119	151	135	131	167	165	150
Nonwhite	1,072	113	83	104	72	72	65	91	104	85	98	98	87
Under 28 days	2,024	160	146	165	167	161	149	188	200	156	190	174	168
White	1,338	102	97	99	119	111	101	123	118	106	131	116	115
Nonwhite	686	58	49	66	48	50	48	65	82	50	59	58	53
WASHINGTON													
Under 1 year	1,478	149	113	128	136	136	111	134	105	121	102	121	122
White	1,324	141	105	107	122	121	102	123	94	98	90	106	115
Nonwhite	154	8	6	21	14	15	9	11	11	23	12	15	7
Under 28 days	1,032	96	76	85	98	96	88	99	80	79	68	78	89
White	944	93	73	73	92	87	81	89	71	66	63	72	84
Nonwhite	88	3	3	12	6	9	7	10	9	13	5	6	5
WEST VIRGINIA													
Under 1 year	986	103	84	95	78	78	62	67	81	88	70	74	106
White	924	96	79	91	71	74	61	63	78	84	59	71	97
Nonwhite	62	7	5	4	7	4	1	4	3	4	11	3	9
Under 28 days	718	60	60	73	43	61	50	59	60	71	53	58	70
White	679	58	56	70	37	59	50	55	58	67	46	55	68
Nonwhite	39	2	4	3	6	2	-	4	2	4	7	3	2
WISCONSIN													
Under 1 year	1,953	176	187	170	151	177	158	150	174	166	159	131	154
White	1,802	163	171	158	138	161	144	138	163	153	147	118	148
Nonwhite	151	13	16	12	13	16	14	12	11	13	12	13	6
Under 28 days	1,488	128	134	131	117	139	119	131	137	127	116	98	111
White	1,381	118	125	122	108	128	108	119	129	117	107	92	108
Nonwhite	107	10	9	9	9	11	11	12	8	10	9	6	3
WYOMING													
Under 1 year	243	18	18	19	20	23	17	27	25	19	17	18	22
White	229	16	17	18	19	22	17	26	23	19	17	16	19
Nonwhite	14	2	1	1	1	1	-	1	2	-	-	2	3
Under 28 days	184	10	11	16	16	19	13	21	20	17	14	14	13
White	177	9	11	15	15	18	13	20	19	17	14	13	13
Nonwhite	7	1	-	1	1	1	-	1	1	-	-	1	-

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1962

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND AGE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR—ALL CAUSES	105,479	9,817	8,207	8,959	8,420	8,746	8,441	8,677	8,593	8,503	8,857	8,614	9,645
Dysentery, all forms---045-048	115	9	4	11	9	12	8	13	8	12	14	8	7
Septicemia and pyemia---053	366	38	35	39	26	30	28	22	26	30	28	30	34
Whooping cough---056	66	7	4	10	-	2	7	5	5	6	8	7	5
Meningococcal infections---057	189	22	16	18	20	13	12	14	8	10	15	16	25
Tetanus---061	54	4	3	6	4	5	6	5	2	5	6	4	4
Other infective and parasitic diseases---001-044,049-052,054,055,058-060,062-138	599	80	50	64	58	53	33	41	37	42	43	40	58
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	261	15	20	33	17	10	20	25	29	23	23	28	18
Benign neoplasms and neoplasms of unspecified nature-210-239	123	9	9	12	12	13	16	7	12	7	8	10	8
Diseases of thymus gland---273	98	16	9	8	5	7	5	10	6	7	9	8	8
Meningitis, except meningococcal and tuberculous---340	907	115	83	75	78	66	65	51	56	63	93	79	83
Other diseases of nervous system and sense organs---330-334,341-398	768	77	72	68	63	67	56	45	57	53	56	68	86
Acute upper respiratory infections---470-475	403	65	51	54	38	26	18	13	18	15	31	35	39
Influenza and pneumonia, except pneumonia of newborn-480-493	8,985	1,298	992	872	775	622	453	436	411	464	668	811	1,183
Influenza---480-483	284	64	74	32	17	11	7	4	4	9	13	25	24
Pneumonia, except pneumonia of newborn---490-493	8,701	1,234	918	840	758	611	446	432	407	455	655	786	1,159
Bronchitis---500-502	579	83	55	71	62	45	36	15	25	24	42	44	77
Other diseases of respiratory system---510-522,525-527	1,590	182	139	155	135	130	100	89	98	102	130	148	182
Pulmonary congestion and hypostasis---522	178	20	15	12	18	14	9	12	11	15	15	16	21
Other chronic interstitial pneumonia---525	1,003	117	85	104	80	84	65	52	58	60	85	99	114
Bronchiectasis---526	5	-	1	1	-	-	-	-	-	-	2	1	-
Other diseases of lung and pleural cavity---527.2	239	32	21	23	22	17	14	14	15	13	19	20	29
All other diseases of respiratory system---510-521,527.1	165	13	17	15	15	15	12	11	14	14	9	12	18
Hernia and intestinal obstruction---560,561,570	889	61	65	86	71	80	72	70	84	74	75	70	81
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	2,342	284	216	181	151	156	145	192	182	220	218	195	202
Other diseases of digestive system--530-542,544-553,573-587	654	56	46	45	56	53	38	55	55	68	50	60	72
Congenital malformations---750-759	14,832	1,304	1,120	1,270	1,174	1,213	1,164	1,206	1,252	1,246	1,283	1,243	1,357
Spina bifida and meningocele---751	1,333	128	88	117	107	84	110	100	130	114	119	116	120
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	1,328	122	94	115	91	106	112	112	121	107	119	98	131
Congenital malformations of circulatory system---754	7,180	626	580	636	603	602	565	570	577	567	582	592	680
Other congenital malformations---750,755-759	4,991	428	358	402	373	421	377	424	424	458	463	437	426
Certain diseases of early infancy---760-776	64,185	5,265	4,629	5,203	5,062	5,560	5,669	5,789	5,699	5,461	5,426	5,124	5,298
Birth injuries---760,761	9,470	734	696	766	808	762	842	851	816	870	800	770	755
Without mention of immaturity (.0)	3,686	290	282	303	323	266	301	346	323	343	333	300	276
With immaturity (.5)	5,784	444	414	463	485	496	541	505	493	527	467	470	479
Intracranial and spinal injury at birth---760	2,902	203	224	245	255	228	242	260	249	290	265	243	198
Without mention of immaturity (.0)	1,739	120	148	139	152	128	134	165	139	180	172	147	115
With immaturity (.5)	1,163	83	76	106	103	100	108	95	110	110	93	96	83
Other birth injury---761	6,568	531	472	521	553	534	600	591	567	580	535	527	557
Without mention of immaturity (.0)	1,947	170	134	164	171	138	167	181	184	163	161	153	161
With immaturity (.5)	4,621	361	338	357	382	396	433	410	383	417	374	374	396
Postnatal asphyxia and atelectasis---762	18,728	1,551	1,379	1,538	1,445	1,659	1,733	1,687	1,686	1,580	1,568	1,380	1,522
Without mention of immaturity (.0)	4,997	420	393	431	384	426	399	418	464	434	429	397	402
With immaturity (.5)	13,731	1,131	986	1,107	1,061	1,233	1,334	1,269	1,222	1,146	1,139	983	1,120
Pneumonia of newborn---763	3,350	347	260	270	236	234	256	275	291	288	298	276	319
Without mention of immaturity (.0)	2,454	263	194	209	175	167	178	198	208	203	214	206	239
With immaturity (.5)	896	84	66	61	61	67	78	77	83	85	84	70	80
Diarrhea of newborn---764	410	35	15	30	24	26	40	37	46	45	37	46	29
Without mention of immaturity (.0)	318	25	13	24	20	22	26	27	35	41	29	33	23
With immaturity (.5)	92	10	2	6	4	4	14	10	11	4	8	13	6
Other infections of newborn---765-768	791	66	43	60	54	75	59	70	80	76	68	83	57
Without mention of immaturity (.0)	470	42	30	36	33	44	35	37	42	47	37	52	35
With immaturity (.5)	321	24	13	24	21	31	24	33	38	29	31	31	22
Neonatal disorders arising from certain diseases of mother during pregnancy---769	780	86	60	63	65	75	51	68	72	62	64	55	59
Without mention of immaturity (.0-.4)	285	27	26	20	28	29	24	23	22	20	21	16	29
With immaturity (.5-.9)	495	59	34	43	37	46	27	45	50	42	43	39	30
Hemolytic disease of newborn (erythroblastosis)---770	1,992	183	176	150	139	174	149	183	156	182	181	153	166
Without mention of immaturity (.0-.2)	1,563	141	140	123	114	137	112	134	120	143	147	127	125
With immaturity (.5-.7)	429	42	36	27	25	37	37	49	36	39	34	26	41
Hemorrhagic disease of newborn---771	533	34	37	46	50	37	49	44	43	46	54	50	43
Without mention of immaturity (.0)	313	26	22	29	32	21	26	22	25	25	32	27	26
With immaturity (.5)	220	8	15	17	18	16	23	22	18	21	22	23	17
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	9,267	720	647	765	716	782	802	902	843	752	765	763	810
Without mention of immaturity (.0)	2,514	213	175	203	188	215	193	241	226	192	212	205	251
With immaturity (.5)	6,753	507	472	562	528	567	609	661	617	560	553	558	559
Immaturity with mention of any other subsidiary condition---774	955	96	87	59	67	65	73	91	88	75	88	92	74
Immaturity, unqualified---776	17,909	1,413	1,229	1,456	1,458	1,671	1,615	1,581	1,578	1,485	1,503	1,456	1,464
Symptoms and ill-defined conditions---780-793,795	2,266	296	192	218	173	155	133	146	151	160	184	179	279
All other diseases---Residual	1,341	147	111	120	105	126	85	116	89	102	115	108	117
Accidents---E800-E962	3,653	368	274	309	307	282	251	292	272	291	313	285	411
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	838	83	69	77	73	61	58	62	61	71	74	58	91
Accidental mechanical suffocation in bed and cradle--E924	915	102	78	72	81	71	66	58	62	58	83	76	108
Other accidental causes---E800-E920,E923,E925-E962	1,900	183	127	160	153	150	127	172	149	162	156	149	212
Homicide---E964,E980-E984	214	16	12	31	19	20	21	20	11	18	19	16	11

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1962—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND AGE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS—ALL CAUSES	76,346	6,258	5,534	6,228	5,992	6,598	6,669	6,813	6,782	6,561	6,499	6,099	6,313
Dysentery, all forms—045-048	12	-	-	-	1	2	2	1	2	3	-	-	1
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	15	1	-	2	3	-	3	-	1	-	2	3	-
Tetanus—061	53	4	3	6	4	5	6	5	2	5	6	4	3
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	108	9	6	7	10	9	7	9	13	10	9	8	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	35	2	1	3	4	-	1	10	2	-	2	8	2
Benign neoplasms and neoplasms of unspecified nature—210-239	64	7	7	7	6	4	11	3	6	2	3	5	3
Diseases of thymus gland—273	25	2	2	4	1	1	2	3	2	1	4	1	2
Meningitis, except meningococcal and tuberculous—340	241	30	18	17	16	19	20	15	19	27	21	19	20
Other diseases of nervous system and sense organs—330-334,341-398	55	4	6	7	5	6	3	1	6	4	5	6	2
Acute upper respiratory infections—470-475	43	9	5	5	4	3	1	2	6	2	1	2	3
Influenza and pneumonia, except pneumonia of newborn—480-493	23	4	8	4	1	2	1	-	-	-	1	-	2
Influenza—480-483	23	4	8	4	1	2	1	-	-	-	1	-	2
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	45	4	4	6	3	1	4	1	4	2	1	4	11
Other diseases of respiratory system—510-522,525-527	162	11	16	10	18	19	13	10	12	14	11	12	16
Pulmonary congestion and hypostasis—522	36	5	2	2	6	3	2	2	-	3	2	4	5
Other chronic interstitial pneumonia—525	12	1	2	1	1	1	1	-	1	-	1	2	1
Bronchiectasis—526	1	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of lung and pleural cavity—527.2	40	4	4	2	4	6	3	4	2	3	5	1	2
All other diseases of respiratory system—510-521,527.1	73	1	8	5	7	9	7	4	9	8	2	5	8
Hernia and intestinal obstruction—560,561.570	648	39	47	59	52	56	53	52	62	62	57	54	55
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	5	-	1	1	1	1	-	1	-	-	-	-	-
Other diseases of digestive system—530-542,544-553,573-587	312	25	19	22	24	25	21	28	27	36	27	29	29
Congenital malformations—750-759	9,695	831	712	793	731	802	795	833	838	864	871	793	832
Spina bifida and meningocele—751	732	72	49	65	60	46	53	55	70	70	65	56	69
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	741	64	45	56	45	60	71	76	66	61	73	53	71
Congenital malformations of circulatory system—754	4,174	355	332	349	332	353	348	343	342	351	359	346	364
Other congenital malformations—750,755-759	4,048	340	286	323	294	343	323	359	360	382	374	336	328
Certain diseases of early infancy—760-776	62,855	5,092	4,530	5,095	4,964	5,478	5,594	5,676	5,612	5,351	5,303	5,011	5,149
Birth injuries—760,761	9,458	730	695	766	806	761	841	850	815	870	800	770	754
Without mention of immaturity (.0)	3,679	287	281	303	322	266	301	345	322	343	333	300	276
With immaturity (.5)	5,779	443	414	463	484	495	540	505	493	527	467	470	478
Intracranial and spinal injury at birth—760	2,902	203	224	245	255	226	242	260	249	290	265	243	198
Without mention of immaturity (.0)	1,739	120	148	139	152	128	134	165	139	180	172	147	115
With immaturity (.5)	1,163	83	76	106	103	100	108	95	110	110	93	96	83
Other birth injury—761	6,556	527	471	521	551	533	599	590	566	580	535	527	556
Without mention of immaturity (.0)	1,940	167	133	164	170	138	167	180	163	163	161	153	161
With immaturity (.5)	4,616	360	338	357	381	395	432	410	383	417	374	374	395
Postnatal asphyxia and atelectasis—762	18,488	1,517	1,356	1,517	1,424	1,635	1,719	1,668	1,671	1,568	1,550	1,365	1,498
Without mention of immaturity (.0)	4,800	391	377	414	366	408	388	406	451	424	412	384	379
With immaturity (.5)	13,688	1,126	979	1,103	1,058	1,227	1,331	1,262	1,220	1,144	1,138	981	1,119
Pneumonia of newborn—763	3,350	347	260	270	236	234	256	275	291	288	298	276	319
Without mention of immaturity (.0)	2,454	263	194	209	175	167	178	198	208	203	214	206	239
With immaturity (.5)	896	84	66	61	61	67	78	77	83	85	84	70	80
Diarrhea of newborn—764	407	35	15	30	24	26	39	37	46	45	37	45	28
Without mention of immaturity (.0)	315	25	13	24	20	22	25	27	35	41	29	32	22
With immaturity (.5)	92	10	2	6	4	4	14	10	11	4	8	13	6
Other infections of newborn—765-768	785	65	42	60	53	74	59	70	80	76	68	82	56
Without mention of immaturity (.0)	464	41	29	36	32	43	35	37	42	47	37	51	34
With immaturity (.5)	321	24	13	24	21	31	24	33	38	29	31	31	22
Neonatal disorders arising from ceratin diseases of mother during pregnancy—769	773	86	59	62	64	74	50	68	72	61	63	55	59
Without mention of immaturity (.0-.4)	278	27	25	19	27	28	23	23	22	19	20	16	29
With immaturity (.5-.9)	495	59	34	43	37	46	27	45	50	42	43	39	30
Hemolytic disease of newborn (erythroblastosis)—770	1,973	181	175	149	137	174	149	180	156	178	179	151	164
Without mention of immaturity (.0-.2)	1,545	139	139	122	112	137	112	131	120	139	145	126	123
With immaturity (.5-.7)	428	42	36	27	25	37	37	49	36	39	34	25	41
Hemorrhagic disease of newborn—771	531	34	37	45	50	37	49	44	43	45	54	50	43
Without mention of immaturity (.0)	311	26	22	28	32	21	26	22	25	24	32	27	26
With immaturity (.5)	220	8	15	17	18	16	23	22	18	21	22	23	17
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	8,533	627	599	707	663	743	765	846	785	689	693	696	720
Without mention of immaturity (.0)	1,891	136	132	153	147	180	166	194	179	144	149	142	169
With immaturity (.5)	6,642	491	467	554	516	563	599	652	606	545	544	554	551
Immaturity with mention of any other subsidiary condition—774	764	64	71	48	54	54	64	72	77	58	68	78	56
Immaturity, unqualified—776	17,793	1,406	1,221	1,441	1,453	1,666	1,603	1,566	1,576	1,473	1,493	1,443	1,452
Symptons and ill-defined conditions—780-793,795	671	85	70	78	70	59	62	71	80	82	73	54	87
All other diseases—Residual	438	42	27	47	25	52	30	32	33	35	39	39	37
Accidents—E800-E962	507	45	43	38	37	43	27	47	46	51	47	39	44
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	143	9	8	11	10	11	9	15	18	11	17	13	11
Accidental mechanical suffocation in bed and cradle—E924	92	13	11	7	8	9	3	2	3	11	14	6	5
Other accidental causes—E800-E920,E923,E925-E962	272	23	24	20	19	23	15	30	25	29	16	20	28
Homicide—E964,E980-E984	134	12	9	17	12	11	13	13	9	10	16	8	4

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1962—Con.

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND AGE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS TO 11 MONTHS—ALL CAUSES	29,133	3,559	2,673	2,731	2,428	2,148	1,772	1,864	1,811	1,942	2,358	2,515	3,332
Dysentery, all forms—045-048	103	9	4	11	8	10	6	12	6	9	14	8	6
Septicemia and pyemia—053	366	38	35	39	26	30	28	22	26	30	28	30	34
Whooping cough—056	66	7	4	10	-	2	7	5	5	6	8	7	5
Meningococcal infections—057	174	21	16	16	17	13	9	14	7	10	13	13	25
Tetanus—061	1	-	-	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	491	71	44	57	48	44	26	32	24	32	34	32	47
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	226	13	19	30	13	10	19	15	27	23	21	20	16
Benign neoplasms and neoplasms of unspecified nature—210-239	59	2	2	5	6	9	5	4	6	5	5	5	5
Diseases of thymus gland—273	73	14	7	4	4	6	3	7	4	6	5	7	6
Meningitis, except meningococcal and tuberculous—340	666	85	65	58	62	47	45	36	37	36	72	60	63
Other diseases of nervous system and sense organs—330-334,341-398	713	73	66	61	58	61	53	44	51	49	51	62	84
Acute upper respiratory infections—470-475	360	56	46	49	34	23	17	11	12	13	30	33	36
Influenza and pneumonia, except pneumonia of newborn—480-493	8,962	1,294	984	868	774	620	452	436	411	464	667	811	1,181
Influenza—480-483	261	60	66	28	16	9	6	4	4	9	12	25	22
Pneumonia, except pneumonia of newborn—490-493	8,701	1,234	918	840	758	611	446	432	407	455	655	786	1,159
Bronchitis—500-502	534	79	51	65	59	44	32	14	21	22	41	40	66
Other diseases of respiratory system—510-522,525-527	1,428	171	123	145	117	111	87	79	86	88	119	136	166
Pulmonary congestion and hypostasis—522	142	15	13	10	12	11	7	10	11	12	13	12	16
Other chronic interstitial pneumonia—525	991	116	83	103	79	83	64	52	57	60	84	97	113
Bronchiectasis—526	4	-	1	1	-	-	-	-	-	-	1	1	-
Other diseases of lung and pleural cavity—527.2	199	28	17	21	18	11	11	10	13	10	14	19	27
All other diseases of respiratory system—510-521,527.1	92	12	9	10	8	6	5	7	5	6	7	7	10
Hernia and intestinal obstruction—560,561,570	241	22	18	27	19	24	19	18	22	12	18	16	26
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	2,337	284	215	180	150	155	145	191	182	220	218	195	202
Other diseases of digestive system—530-542,544-553,573-587	342	31	27	23	32	28	17	27	28	32	23	31	43
Congenital malformations—750-759	5,137	473	408	477	443	411	389	373	414	382	412	450	525
Spina bifida and meningocele—751	601	56	39	52	47	38	57	45	60	44	54	58	51
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	587	58	49	59	46	46	41	36	55	46	46	45	60
Congenital malformations of circulatory system—754	3,006	271	248	287	271	249	217	227	235	216	223	246	316
Other congenital malformations—750,755-759	943	88	72	79	79	78	54	65	64	76	89	101	98
Certain diseases of early infancy—760-776	1,330	173	99	108	98	82	75	113	87	110	123	113	149
Birth injuries—760,761	12	4	1	-	2	1	1	1	1	-	-	-	1
Without mention of immaturity (.0)	7	3	1	-	1	-	-	1	1	-	-	-	-
With immaturity (.5)	5	1	-	-	1	1	1	-	-	-	-	-	1
Intracranial and spinal injury at birth—760	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury—761	12	4	1	-	2	1	1	1	1	-	-	-	1
Without mention of immaturity (.0)	7	3	1	-	1	-	-	1	1	-	-	-	-
With immaturity (.5)	5	1	-	-	1	1	1	-	-	-	-	-	1
Postnatal asphyxia and atelectasis—762	240	34	23	21	21	24	14	19	15	12	18	15	24
Without mention of immaturity (.0)	197	29	16	17	18	18	11	12	13	10	17	13	23
With immaturity (.5)	43	5	7	4	3	6	3	7	2	2	1	2	1
Pneumonia of newborn—763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn—764	3	-	-	-	-	-	1	-	-	-	-	1	1
Without mention of immaturity (.0)	3	-	-	-	-	-	1	-	-	-	-	1	1
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn—765-768	6	1	1	-	1	1	-	-	-	-	-	1	1
Without mention of immaturity (.0)	6	1	1	-	1	1	-	-	-	-	-	1	1
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy—769	7	-	1	1	1	1	1	-	-	1	1	-	-
Without mention of immaturity (.0-.4)	7	-	1	1	1	1	1	-	-	1	1	-	-
With immaturity (.5-.9)	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)—770	19	2	1	1	2	-	-	3	-	4	2	2	2
Without mention of immaturity (.0-.2)	18	2	1	1	2	-	-	3	-	4	2	1	2
With immaturity (.5-.7)	1	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhagic disease of newborn—771	2	-	-	1	-	-	-	-	-	1	-	-	-
Without mention of immaturity (.0)	2	-	-	1	-	-	-	-	-	1	-	-	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	734	93	48	58	53	39	37	56	58	63	72	67	90
Without mention of immaturity (.0)	623	77	43	50	41	35	27	47	47	48	63	63	82
With immaturity (.5)	111	16	5	8	12	4	10	9	11	15	9	4	8
Immaturity with mention of any other subsidiary condition—774	191	32	16	11	13	11	9	19	11	17	20	14	18
Immaturity, unqualified—776	116	7	8	15	5	5	12	15	2	12	10	13	12
Symptoms and ill-defined conditions—780-793,795	1,395	211	122	140	103	96	71	75	71	78	111	125	192
All other diseases—Residual	903	105	84	73	80	74	55	84	56	67	76	69	80
Accidents—E800-E962	3,146	323	231	271	270	239	224	245	226	240	266	244	367
Inhalation and ingestion of food or other object causing obstruction of suffocation—E921,E922	695	74	61	66	63	50	49	47	43	60	57	45	80
Accidental mechanical suffocation in bed and cradle—E924	823	89	67	65	73	62	63	56	59	47	69	70	103
Other accidental causes—E800-E920,E923,E925-E962	1,628	160	103	140	134	127	112	142	124	133	140	129	184
Homicide—E964,E980-E984	80	4	3	14	7	9	8	7	2	8	3	8	7

716 - 533 O - 64 - 20

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item. For discussion of color item for New Jersey and definitions of areas, see Technical Appendix)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 1 YEAR—ALL CAUSES	105,479	66,827	38,652	65,104	51,105	13,999	40,375	15,722	24,653
Dysentery, all forms—045-048	115	44	71	29	19	10	86	25	61
Septicemia and pyemia—053	366	218	148	192	152	40	174	66	108
Whooping cough—056	66	24	42	22	16	6	44	8	36
Meningococcal infections—057	189	102	87	110	72	38	79	30	49
Tetanus—061	54	32	22	21	17	4	33	15	18
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	599	323	276	280	205	75	319	118	201
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	261	155	106	154	116	38	107	39	68
Benign neoplasms and neoplasms of unspecified nature—210-239	123	85	38	79	64	15	44	21	23
Diseases of thymus gland—273	98	55	43	52	35	17	46	20	26
Meningitis, except meningococcal and tuberculous—340	907	558	349	575	444	131	332	114	218
Other diseases of nervous system and sense organs—330-334,341-398	768	470	296	482	362	120	286	108	178
Acute upper respiratory infections—470-475	403	237	166	232	188	44	171	49	122
Influenza and pneumonia, except pneumonia of newborn—480-493	8,985	5,262	3,723	5,027	3,973	1,054	3,958	1,289	2,669
Influenza—480-483	284	99	185	70	40	30	214	59	155
Pneumonia, except pneumonia of newborn—490-493	8,701	5,163	3,538	4,957	3,933	1,024	3,744	1,230	2,514
Bronchitis—500-502	579	346	233	349	265	84	230	81	149
Other diseases of respiratory system—510-522,525-527	1,590	1,051	539	1,161	875	286	429	176	253
Pulmonary congestion and hypostatis—522	178	130	48	140	115	25	38	15	23
Other chronic interstitial pneumonia—525	1,003	668	335	783	571	212	220	97	123
Bronchiectasis—526	5	2	3	4	1	3	1	1	-
Other diseases of lung and pleural cavity—527.2	239	130	109	128	102	26	111	28	83
All other diseases of respiratory system—510-521,527.1	165	121	44	106	86	20	59	35	24
Hernia and intestinal obstruction—560,561,570	889	562	327	548	438	110	341	124	217
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	2,342	1,213	1,129	986	778	208	1,356	435	921
Other diseases of digestive system—530-542,544-553,573-587	654	403	251	414	320	94	240	83	157
Congenital malformations—750-759	14,832	9,460	5,372	9,543	7,259	2,284	5,289	2,201	3,088
Spina bifida and meningocele—751	1,333	816	517	835	606	229	498	210	288
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,328	829	499	854	628	226	474	201	273
Congenital malformations of circulatory system—754	7,180	4,570	2,610	4,661	3,556	1,105	2,519	1,014	1,505
Other congenital malformations—750,755-759	4,991	3,245	1,746	3,193	2,469	724	1,798	776	1,022
Certain diseases of early infancy—760-776	64,185	42,297	21,888	41,188	32,759	8,429	22,997	9,538	13,459
Birth injuries—760,761	9,470	6,067	3,403	5,916	4,583	1,333	3,554	1,484	2,070
Without mention of immaturity (.0)	3,686	2,254	1,432	2,178	1,667	511	1,508	587	921
With immaturity (.5)	5,784	3,813	1,971	3,738	2,916	822	2,046	897	1,149
Intracranial and spinal injury at birth—760	2,902	1,891	1,011	1,922	1,495	427	980	396	584
Without mention of immaturity (.0)	1,739	1,111	628	1,077	845	232	662	266	396
With immaturity (.5)	1,163	780	383	845	650	195	318	130	188
Other birth injury—761	6,568	4,176	2,392	3,994	3,088	906	2,574	1,088	1,486
Without mention of immaturity (.0)	1,947	1,143	804	1,101	822	279	846	321	525
With immaturity (.5)	4,621	3,033	1,588	2,893	2,266	627	1,728	767	961
Postnatal asphyxia and atelectasis—762	18,728	12,719	6,009	12,752	10,215	2,537	5,976	2,504	3,472
Without mention of immaturity (.0)	4,997	3,172	1,825	3,097	2,412	685	1,900	760	1,140
With immaturity (.5)	13,731	9,547	4,184	9,655	7,803	1,852	4,076	1,744	2,332
Pneumonia of newborn—763	3,350	2,102	1,248	2,017	1,596	421	1,333	506	827
Without mention of immaturity (.0)	2,454	1,533	921	1,479	1,173	306	975	360	615
With immaturity (.5)	896	569	327	538	423	115	358	146	212
Diarrhea of newborn—764	410	238	172	187	159	28	223	79	144
Without mention of immaturity (.0)	318	186	132	148	126	22	170	60	110
With immaturity (.5)	92	52	40	39	33	6	53	19	34
Other infections of newborn—765-768	791	533	258	500	417	83	291	116	175
Without mention of immaturity (.0)	470	309	161	278	230	48	192	79	113
With immaturity (.5)	321	224	97	222	187	35	99	37	62
Neonatal disorders arising from certain diseases of mother during pregnancy—769	780	484	296	439	333	106	341	151	190
Without mention of immaturity (.0-.4)	285	176	109	171	125	46	114	51	63
With immaturity (.5-.9)	495	308	187	268	208	60	227	100	127
Hemolytic disease of newborn (erythroblastosis)—770	1,992	1,231	761	1,284	969	315	708	262	446
Without mention of immaturity (.0-.2)	1,563	954	609	988	746	242	575	208	367
With immaturity (.5-.7)	429	277	152	296	223	73	133	54	79
Hemorrhagic disease of newborn—771	533	347	186	331	264	67	202	83	119
Without mention of immaturity (.0)	313	195	118	180	140	40	133	55	78
With immaturity (.5)	220	152	68	151	124	27	69	28	41
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	9,267	5,900	3,367	5,698	4,466	1,232	3,569	1,434	2,135
Without mention of immaturity (.0)	2,514	1,438	1,076	1,309	995	314	1,205	443	762
With immaturity (.5)	6,753	4,462	2,291	4,389	3,471	918	2,364	991	1,373
Immaturity with mention of any other subsidiary condition—774	955	632	323	608	483	125	347	149	198
Immaturity, unqualified—776	17,909	12,044	5,865	11,456	9,274	2,182	6,453	2,770	3,683
Symptoms and ill-defined conditions—780-793,795	2,266	977	1,289	832	621	211	1,434	356	1,078
All other diseases—Residual	1,341	823	518	829	634	195	512	189	323
Accidents—E800-E962	3,653	1,979	1,674	1,836	1,365	471	1,817	614	1,203
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	838	452	386	424	307	117	414	145	269
Accidental mechanical suffocation in bed and cradle—E924	915	435	480	399	283	116	516	152	364
Other accidental causes—E800-E920,E923,E925-E962	1,900	1,092	808	1,013	775	238	887	317	570
Homicide—E964,E980-E984	214	151	63	163	128	35	51	23	28

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1962—Continued

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 1 YEAR—ALL CAUSES	75,812	46,578	29,234	46,547	34,708	11,839	29,265	11,870	17,395
Dysentery, all forms—045-048	52	29	23	14	9	5	38	20	18
Septicemia and pyemia—053	218	125	93	116	85	31	102	40	62
Whooping cough—056	26	12	14	12	8	4	14	4	10
Meningococcal infections—057	154	80	74	88	53	35	66	27	39
Tetanus—061	22	16	6	11	9	2	11	7	4
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	402	216	186	198	137	61	204	79	125
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	229	135	94	132	98	34	97	37	60
Benign neoplasms and neoplasms of unspecified nature—210-239	107	73	34	70	55	15	37	18	19
Diseases of thymus gland—273	75	39	36	36	23	13	39	16	23
Meningitis, except meningococcal and tuberculous—340	549	328	221	358	261	97	191	67	124
Other diseases of nervous system and sense organs—330-334,341-398	572	346	226	361	261	100	211	85	126
Acute upper respiratory infections—470-475	258	152	106	163	127	36	95	25	70
Influenza and pneumonia, except pneumonia of newborn—480-493	5,299	3,083	2,216	3,063	2,284	779	2,236	799	1,437
Influenza—480-483	141	53	88	37	19	18	104	34	70
Pneumonia, except pneumonia of newborn—490-493	5,158	3,030	2,128	3,026	2,265	761	2,132	765	1,367
Bronchitis—500-502	409	235	174	241	177	64	168	58	110
Other diseases of respiratory system—510-522,525-527	1,089	684	405	787	551	236	302	133	169
Pulmonary congestion and hypostatis—522	134	94	40	106	85	21	28	9	19
Other chronic interstitial pneumonia—525	688	431	257	523	351	172	165	80	85
Bronchiectasis—526	5	2	3	4	1	3	1	1	-
Other diseases of lung and pleural cavity—527.2	146	78	68	79	58	21	67	20	47
All other diseases of respiratory system—510-521,527.1	116	79	37	75	56	19	41	23	18
Hernia and intestinal obstruction—560,561,570	734	455	279	458	356	102	276	99	177
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,106	612	494	522	395	127	584	217	367
Other diseases of digestive system—530-542,544-553,573-587	498	306	192	326	242	84	172	64	108
Congenital malformations—750-759	12,453	7,660	4,793	7,837	5,749	2,088	4,616	1,911	2,705
Spina bifida and meningocele—751	1,209	720	489	745	527	218	464	193	271
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,111	671	440	716	504	212	395	167	228
Congenital malformations of circulatory system—754	5,978	3,636	2,342	3,754	2,749	1,005	2,224	887	1,337
Other congenital malformations—750,755-759	4,155	2,633	1,522	2,622	1,969	653	1,533	664	869
Certain diseases of early infancy—760-776	47,100	29,631	17,469	29,417	22,188	7,229	17,683	7,443	10,240
Birth injuries—760,761	7,544	4,650	2,894	4,609	3,423	1,186	2,935	1,227	1,708
Without mention of immaturity (.0)	2,798	1,644	1,154	1,621	1,180	441	1,177	464	713
With immaturity (.5)	4,746	3,006	1,740	2,988	2,243	745	1,758	763	995
Intracranial and spinal injury at birth—760	2,131	1,300	831	1,353	983	370	778	317	461
Without mention of immaturity (.0)	1,296	785	511	782	580	202	514	205	309
With immaturity (.5)	835	515	320	571	403	168	264	112	152
Other birth injury—761	5,413	3,350	2,063	3,256	2,440	816	2,157	910	1,247
Without mention of immaturity (.0)	1,502	859	643	839	600	239	663	259	404
With immaturity (.5)	3,911	2,491	1,420	2,417	1,840	577	1,494	651	843
Postnatal asphyxia and atelectasis—762	13,965	8,988	4,977	9,203	6,991	2,212	4,762	1,997	2,765
Without mention of immaturity (.0)	3,710	2,259	1,451	2,237	1,658	579	1,473	601	872
With immaturity (.5)	10,255	6,729	3,526	6,966	5,333	1,633	3,289	1,396	1,893
Pneumonia of newborn—763	2,133	1,290	843	1,278	943	335	855	347	508
Without mention of immaturity (.0)	1,537	933	604	932	691	241	605	242	363
With immaturity (.5)	596	357	239	346	252	94	250	105	145
Diarrhea of newborn—764	169	99	70	77	62	15	92	37	55
Without mention of immaturity (.0)	129	75	54	59	48	11	70	27	43
With immaturity (.5)	40	24	16	18	14	4	22	10	12
Other infections of newborn—765-768	488	323	165	314	251	63	174	72	102
Without mention of immaturity (.0)	284	188	96	174	139	35	110	49	61
With immaturity (.5)	204	135	69	140	112	28	64	23	41
Neonatal disorders arising from certain diseases of mother during pregnancy—769	599	369	230	344	254	90	255	115	140
Without mention of immaturity (.0-.4)	206	132	74	131	92	39	75	40	35
With immaturity (.5-.9)	393	237	156	213	162	51	180	75	105
Hemolytic disease of newborn (erythroblastosis)—770	1,782	1,078	704	1,140	842	298	642	236	406
Without mention of immaturity (.0-.2)	1,389	831	558	871	643	228	518	188	330
With immaturity (.5-.7)	393	247	146	269	199	70	124	48	76
Hemorrhagic disease of newborn—771	366	235	131	223	172	51	143	63	80
Without mention of immaturity (.0)	211	129	82	120	88	32	91	41	50
With immaturity (.5)	155	106	49	103	84	19	52	22	30
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	6,846	4,212	2,634	4,130	3,088	1,042	2,716	1,124	1,592
Without mention of immaturity (.0)	1,708	973	735	926	674	252	782	299	483
With immaturity (.5)	5,138	3,239	1,899	3,204	2,414	790	1,934	825	1,109
Immaturity with mention of any other subsidiary condition—774	663	409	254	413	305	108	250	104	146
Immaturity, unqualified—776	12,545	7,978	4,567	7,686	5,857	1,829	4,859	2,121	2,738
Symptoms and ill-defined conditions—780-793,795	872	426	446	421	300	121	451	126	325
All other diseases—Residual	961	576	385	589	427	162	372	149	223
Accidents—E800-E962	2,483	1,269	1,214	1,225	839	386	1,258	430	828
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	604	298	306	288	192	96	316	106	210
Accidental mechanical suffocation in bed and cradle—E924	595	259	336	251	159	92	344	100	244
Other accidental causes—E800-E920,E923,E925-E962	1,284	712	572	686	488	198	598	224	374
Homicide—E964,E980-E984	144	90	54	102	74	28	42	16	26

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1962—Continued

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 1 YEAR—ALL CAUSES	26,535	17,703	8,832	16,102	14,240	1,862	10,433	3,463	6,970
Dysentery, all forms—045-048	63	15	48	15	10	5	48	5	43
Septicemia and pyemia—053	142	87	55	72	63	9	70	24	46
Whooping cough—056	40	12	28	10	8	2	30	4	26
Meningococcal infections—057	26	14	12	15	12	3	11	2	9
Tetanus—061	32	16	16	10	8	2	22	8	14
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	180	94	86	70	57	13	110	37	73
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	29	18	11	20	16	4	9	2	7
Benign neoplasms and neoplasms of unspecified nature—210-239	11	7	4	5	5	-	6	2	4
Diseases of thymus gland—273	18	14	4	12	10	2	6	4	2
Meningitis, except meningococcal and tuberculous—340	334	210	124	196	166	30	138	44	94
Other diseases of nervous system and sense organs—330-334,341-398	175	108	67	104	87	17	71	21	50
Acute upper respiratory infections—470-475	140	80	60	65	57	8	75	23	52
Influenza and pneumonia, except pneumonia of newborn—480-493	3,432	1,974	1,458	1,760	1,507	253	1,672	467	1,205
Influenza—480-483	142	45	97	32	20	12	110	25	85
Pneumonia, except pneumonia of newborn—490-493	3,290	1,929	1,361	1,728	1,487	241	1,562	442	1,120
Bronchitis—500-502	152	99	54	93	76	17	59	22	37
Other diseases of respiratory system—510-522,525-527	478	350	128	358	311	47	120	39	81
Pulmonary congestion and hypostatis—522	38	30	8	28	24	4	10	6	4
Other chronic interstitial pneumonia—525	306	234	72	255	218	37	51	16	35
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	90	49	41	47	42	5	43	7	36
All other diseases of respiratory system—510-521,527.1	44	37	7	28	27	1	16	10	6
Hernia and intestinal obstruction—560,561,570	125	83	42	69	64	5	56	19	37
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,185	556	629	419	342	77	766	214	552
Other diseases of digestive system—530-542,544-553,573-587	141	88	53	77	70	7	64	18	46
Congenital malformations—750-759	1,925	1,437	488	1,347	1,204	143	578	233	345
Spina bifida and meningocele—751	96	73	23	68	60	8	28	13	15
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	182	130	52	110	100	10	72	30	42
Congenital malformations of circulatory system—754	980	749	231	724	647	77	256	102	154
Other congenital malformations—750,755-759	667	485	182	445	397	48	222	88	134
Certain diseases of early infancy—760-776	15,048	11,000	4,048	10,191	9,176	1,015	4,857	1,824	3,033
Birth injuries—760,761	1,660	1,193	467	1,105	977	128	555	216	339
Without mention of immaturity (.0)	783	520	263	475	414	61	308	106	202
With immaturity (.5)	877	673	204	630	563	67	247	110	137
Intracranial and spinal injury at birth—760	680	512	168	493	444	49	187	68	119
Without mention of immaturity (.0)	397	284	113	257	230	27	140	54	86
With immaturity (.5)	283	228	55	236	214	22	47	14	33
Other birth injury—761	980	681	299	612	533	79	368	148	220
Without mention of immaturity (.0)	386	236	150	218	184	34	168	52	116
With immaturity (.5)	594	445	149	394	349	45	200	96	104
Postnatal asphyxia and atelectasis—762	3,995	3,087	908	2,914	2,650	264	1,081	437	644
Without mention of immaturity (.0)	1,046	714	332	657	574	83	389	140	249
With immaturity (.5)	2,949	2,373	576	2,257	2,076	181	692	297	395
Pneumonia of newborn—763	1,140	751	389	678	602	76	462	149	313
Without mention of immaturity (.0)	862	554	308	502	442	60	360	112	248
With immaturity (.5)	278	197	81	176	160	16	102	37	65
Diarrhea of newborn—764	231	130	101	101	89	12	130	41	89
Without mention of immaturity (.0)	181	104	77	82	72	10	99	32	67
With immaturity (.5)	50	26	24	19	17	2	31	9	22
Other infections of newborn—765-768	283	194	89	170	153	17	113	41	72
Without mention of immaturity (.0)	173	110	63	94	82	12	79	28	51
With immaturity (.5)	110	84	26	76	71	5	34	13	21
Neonatal disorders arising from certain diseases of mother during pregnancy—769	158	98	60	80	67	13	78	31	47
Without mention of immaturity (.0-.4)	70	38	32	35	29	6	35	9	26
With immaturity (.5-.9)	88	60	28	45	38	7	43	22	21
Hemolytic disease of newborn (erythroblastosis)—770	124	84	40	77	68	9	47	16	31
Without mention of immaturity (.0-.2)	106	70	36	64	57	7	42	13	29
With immaturity (.5-.7)	18	14	4	13	11	2	5	3	2
Hemorrhagic disease of newborn—771	149	98	51	94	80	14	55	18	37
Without mention of immaturity (.0)	87	54	33	49	42	7	38	12	26
With immaturity (.5)	62	44	18	45	38	7	17	6	11
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	2,201	1,519	682	1,403	1,243	160	798	276	522
Without mention of immaturity (.0)	735	409	326	330	276	54	405	133	272
With immaturity (.5)	1,466	1,110	356	1,073	967	106	393	143	250
Immaturity with mention of any other subsidiary condition—774	271	204	67	180	164	16	91	40	51
Immaturity, unqualified—776	4,836	3,642	1,194	3,389	3,083	306	1,447	559	888
Symptoms and ill-defined conditions—780-793,795	1,379	542	837	402	312	90	977	230	747
All other diseases—Residual	346	216	130	210	178	32	136	38	98
Accidents—E800-E962	1,073	631	442	528	453	75	545	178	367
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	206	132	74	112	95	17	94	37	57
Accidental mechanical suffocation in bed and cradle—E924	291	152	139	123	101	22	168	51	117
Other accidental causes—E800-E920,E923,E925-E962	576	347	229	293	257	36	283	90	193
Homicide—E964,E980-E984	61	53	8	54	48	6	7	5	2

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1962—Continued

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 28 DAYS—ALL CAUSES	76,346	49,825	26,521	48,710	38,465	10,245	27,636	11,360	16,276
Dysentery, all forms—045-048	12	4	8	3	1	2	9	3	6
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	15	7	8	10	6	4	5	1	4
Tetanus—061	53	31	22	21	17	4	32	14	18
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	108	65	43	45	34	11	63	31	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	35	18	17	18	12	6	17	6	11
Benign neoplasms and neoplasms of unspecified nature—210-239	64	43	21	37	29	8	27	14	13
Diseases of thymus gland—273	25	16	9	12	8	4	13	8	5
Meningitis, except meningococcal and tuberculous—340	241	161	80	164	135	29	77	26	51
Other diseases of nervous system and sense organs—330-334,341-398	55	31	24	33	22	11	22	9	13
Acute upper respiratory infections—470-475	43	23	20	23	18	5	20	5	15
Influenza and pneumonia, except pneumonia of newborn—480-493	23	5	18	4	3	1	19	2	17
Influenza—480-483	23	5	18	4	3	1	19	2	17
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	45	30	15	34	27	7	11	3	8
Other diseases of respiratory system—510-522,525-527	162	110	52	98	81	17	64	29	35
Pulmonary congestion and hypostatis—522	36	27	9	23	18	5	13	9	4
Other chronic interstitial pneumonia—525	12	7	5	8	5	3	4	2	2
Bronchiectasis—526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity—527.2	40	21	19	17	13	4	23	8	15
All other diseases of respiratory system—510-521,527.1	73	54	19	49	44	5	24	10	14
Hernia and intestinal obstruction—560,561,570	648	424	224	414	337	77	234	87	147
Castritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	5	2	3	3	1	2	2	1	1
Other diseases of digestive system—530-542,544-553,573-587	312	196	116	214	164	50	98	32	66
Congenital malformations—750-759	9,695	6,141	3,554	6,179	4,677	1,502	3,516	1,464	2,052
Spina bifida and meningocele—751	732	444	288	448	334	114	284	110	174
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	741	448	293	457	336	121	284	112	172
Congenital malformations of circulatory system—754	4,174	2,619	1,555	2,677	2,005	672	1,497	614	883
Other congenital malformations—750,755-759	4,048	2,630	1,418	2,597	2,002	595	1,451	628	823
Certain diseases of early infancy—760-776	62,855	41,571	21,284	40,543	32,245	8,298	22,312	9,326	12,986
Birth injuries—760,761	9,458	6,061	3,397	5,909	4,578	1,331	3,549	1,483	2,066
Without mention of immaturity (.0)	3,679	2,251	1,428	2,173	1,664	509	1,506	587	919
With immaturity (.5)	5,779	3,810	1,969	3,736	2,914	822	2,043	896	1,147
Intracranial and spinal injury at birth—760	2,902	1,891	1,011	1,922	1,495	427	980	396	584
Without mention of immaturity (.0)	1,739	1,111	628	1,077	845	232	662	266	396
With immaturity (.5)	1,163	780	383	845	650	195	318	130	188
Other birth injury—761	6,556	4,170	2,386	3,987	3,083	904	2,569	1,087	1,482
Without mention of immaturity (.0)	1,940	1,140	800	1,096	819	277	844	321	523
With immaturity (.5)	4,616	3,030	1,586	2,891	2,264	627	1,725	766	959
Postnatal asphyxia and atelectasis—762	18,488	12,557	5,931	12,590	10,079	2,511	5,898	2,478	3,420
Without mention of immaturity (.0)	4,800	3,039	1,761	2,963	2,301	662	1,837	738	1,099
With immaturity (.5)	13,688	9,518	4,170	9,627	7,778	1,849	4,061	1,740	2,321
Pneumonia of newborn—763	3,350	2,102	1,248	2,017	1,596	421	1,333	506	827
Without mention of immaturity (.0)	2,454	1,533	921	1,479	1,173	306	975	360	615
With immaturity (.5)	896	569	327	538	423	115	358	146	212
Diarrhea of newborn—764	407	236	171	187	159	28	220	77	143
Without mention of immaturity (.0)	315	184	131	148	126	22	167	58	109
With immaturity (.5)	92	52	40	39	33	6	53	19	34
Other infections of newborn—765-768	785	528	257	496	413	83	289	115	174
Without mention of immaturity (.0)	464	304	160	274	226	48	190	78	112
With immaturity (.5)	321	224	97	222	187	35	99	37	62
Neonatal disorders arising from certain diseases of mother during pregnancy—769	773	480	293	434	329	105	339	151	188
Without mention of immaturity (.0-.4)	278	172	106	166	121	45	112	51	61
With immaturity (.5-.9)	495	308	187	268	208	60	227	100	127
Hemolytic disease of newborn (erythroblastosis)—770	1,973	1,220	753	1,275	961	314	698	259	439
Without mention of immaturity (.0-.2)	1,545	944	601	980	739	241	565	205	360
With immaturity (.5-.7)	428	276	152	295	222	73	133	54	79
Hemorrhagic disease of newborn—771	531	345	186	330	263	67	201	82	119
Without mention of immaturity (.0)	311	193	118	179	139	40	132	54	78
With immaturity (.5)	220	152	68	151	124	27	69	28	41
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	8,533	5,554	2,979	5,418	4,255	1,163	3,115	1,299	1,816
Without mention of immaturity (.0)	1,891	1,137	754	1,071	815	256	820	322	498
With immaturity (.5)	6,642	4,417	2,225	4,347	3,440	907	2,295	977	1,318
Immaturity with mention of any other subsidiary condition—774	764	511	253	505	399	106	259	112	147
Immaturity, unqualified—776	17,793	11,977	5,816	11,382	9,213	2,169	6,411	2,764	3,647
Symptoms and ill-defined conditions—780-793,795	871	315	556	247	161	86	624	134	490
All other diseases—Residual	438	269	169	268	207	61	170	62	108
Accidents—E800-E962	507	272	235	239	181	58	268	91	177
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	143	67	76	55	37	18	88	30	58
Accidental mechanical suffocation in bed and cradle—E924	92	44	48	37	27	10	55	17	38
Other accidental causes—E800-E920,E923,E925-E962	272	161	111	147	117	30	125	44	81
Homicide—E964,E980-E984	134	91	43	101	79	22	33	12	21

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1962 —Continued

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 28 DAYS—ALL CAUSES	57,219	35,803	21,416	35,690	26,794	8,896	21,529	9,009	12,520
Dysentery, all forms—045-048	5	3	2	1	1	-	4	2	2
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	9	3	6	6	3	3	3	-	3
Tetanus—061	21	15	6	11	9	2	10	6	4
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	65	34	31	28	18	10	37	16	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	29	16	13	15	10	5	14	6	8
Benign neoplasms and neoplasms of unspecified nature—210-239	57	37	20	34	26	8	23	11	12
Diseases of thymus gland—273	20	12	8	8	5	3	12	7	5
Meningitis, except meningococcal and tuberculous—340	170	110	60	112	91	21	58	19	39
Other diseases of nervous system and sense organs—330-334,341-398	38	19	19	23	12	11	15	7	8
Acute upper respiratory infections—470-475	26	14	12	16	12	4	10	2	8
Influenza and pneumonia, except pneumonia of newborn—480-493	6	-	6	1	-	1	5	-	5
Influenza—480-483	6	-	6	1	-	1	5	-	5
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	33	24	9	24	21	3	9	3	6
Other diseases of respiratory system—510-522,525-527	114	75	39	69	54	15	45	21	24
Pulmonary congestion and hypostatis—522	25	17	8	14	10	4	11	7	4
Other chronic interstitial pneumonia—525	10	6	4	6	4	2	4	2	2
Bronchiectasis—526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity—527 2	26	14	12	13	9	4	13	5	8
All other diseases of respiratory system—510-521,527.1	52	37	15	35	30	5	17	7	10
Hernia and intestinal obstruction—560,561,570	567	360	207	360	286	74	207	74	133
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	4	2	2	3	1	2	1	1	-
Other diseases of digestive system—530-542,544-553,573-587	245	151	94	171	125	46	74	26	48
Congenital malformations—750-759	8,267	5,062	3,205	5,158	3,768	1,390	3,109	1,294	1,815
Spina bifida and meningocele—751	673	397	276	404	294	110	269	103	166
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	630	369	261	387	272	115	243	97	146
Congenital malformations of circulatory system—754	3,549	2,130	1,419	2,206	1,582	624	1,343	546	795
Other congenital malformations—750,755-759	3,415	2,166	1,249	2,161	1,620	541	1,254	546	708
Certain diseases of early infancy—760-776	46,494	29,308	17,186	29,104	21,958	7,146	17,390	7,348	10,042
Birth injuries—760,761	7,536	4,646	2,890	4,605	3,420	1,185	2,931	1,226	1,705
Without mention of immaturity (.0)	2,795	1,643	1,152	1,619	1,179	440	1,176	464	712
With immaturity (.5)	4,741	3,003	1,738	2,986	2,241	745	1,755	762	993
Intracranial and spinal injury at birth—760	2,131	1,300	831	1,353	983	370	778	317	461
Without mention of immaturity (.0)	1,296	785	511	782	580	202	514	205	309
With immaturity (.5)	835	515	320	571	403	168	264	112	152
Other birth injury—761	5,405	3,346	2,059	3,252	2,437	815	2,153	909	1,244
Without mention of immaturity (.0)	1,499	858	641	837	599	238	662	259	403
With immaturity (.5)	3,906	2,488	1,418	2,415	1,838	577	1,491	650	841
Postnatal asphyxia and atelectasis—762	13,810	8,889	4,921	9,106	6,913	2,193	4,704	1,976	2,728
Without mention of immaturity (.0)	3,578	2,175	1,403	2,154	1,592	562	1,424	583	841
With immaturity (.5)	10,232	6,714	3,518	6,952	5,321	1,631	3,280	1,393	1,887
Pneumonia of newborn—763	2,133	1,290	843	1,278	943	335	855	347	508
Without mention of immaturity (.0)	1,537	933	604	932	691	241	605	242	363
With immaturity (.5)	596	357	239	346	252	94	250	105	145
Diarrhea of newborn—764	169	99	70	77	62	15	92	37	55
Without mention of immaturity (.0)	129	75	54	59	48	11	70	27	43
With immaturity (.5)	40	24	16	18	14	4	22	10	12
Other infections of newborn—765-768	484	320	164	312	249	63	172	71	101
Without mention of immaturity (.0)	280	185	95	172	137	35	108	48	60
With immaturity (.5)	204	135	69	140	112	28	64	23	41
Neonatal disorders arising from certain diseases of mother during pregnancy—769	593	365	228	339	250	89	254	115	139
Without mention of immaturity (.0-.4)	200	128	72	126	88	38	74	40	34
With immaturity (.5-.9)	393	237	156	213	162	51	180	75	105
Hemolytic disease of newborn (erythroblastosis)—770	1,769	1,071	698	1,135	838	297	634	233	401
Without mention of immaturity (.0-.2)	1,377	825	552	867	640	227	510	185	325
With immaturity (.5-.7)	392	246	146	268	198	70	124	48	76
Hemorrhagic disease of newborn—771	365	234	131	223	172	51	142	62	80
Without mention of immaturity (.0)	210	128	82	120	88	32	90	40	50
With immaturity (.5)	155	106	49	103	84	19	52	22	30
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	6,571	4,086	2,485	4,016	3,010	1,006	2,555	1,076	1,479
Without mention of immaturity (.0)	1,478	865	613	829	603	224	649	260	389
With immaturity (.5)	5,093	3,221	1,872	3,187	2,405	782	1,906	816	1,090
Immaturity with mention of any other subsidiary condition—774	567	354	213	360	268	92	207	86	121
Immaturity, unqualified—776	12,497	7,952	4,545	7,653	5,833	1,820	4,844	2,119	2,725
Symptoms and ill-defined conditions—780-793,795	284	136	148	125	91	34	159	45	114
All other diseases—Residual	342	203	139	204	151	53	138	52	86
Accidents—E800-E962	333	169	164	154	106	48	179	63	116
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	101	46	55	37	25	12	64	21	43
Accidental mechanical suffocation in bed and cradle—E924	52	25	27	22	13	9	30	12	18
Other accidental causes—E800-E920,E923,E925-E962	180	98	82	95	68	27	85	30	55
Homicide—E964,E980-E984	90	52	38	63	46	17	27	6	21

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1962—Continued

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 28 DAYS—ALL CAUSES	16,714	12,050	4,664	11,135	10,014	1,121	5,579	2,036	3,543
Dysentery, all forms—045-048	7	1	6	2	-	2	5	1	4
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	6	4	2	4	3	1	2	1	1
Tetanus—061	32	16	16	10	8	2	22	8	14
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	41	29	12	15	14	1	26	15	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	5	2	3	3	2	1	2	-	2
Benign neoplasms and neoplasms of unspecified nature—210-239	5	4	1	2	2	-	3	2	1
Diseases of thymus gland—273	5	4	1	4	3	1	1	1	-
Meningitis, except meningococcal and tuberculous—340	58	41	17	39	34	5	19	7	12
Other diseases of nervous system and sense organs—330-334,341-398	16	11	5	9	9	-	7	2	5
Acute upper respiratory infections—470-475	17	9	8	7	6	1	10	3	7
Influenza and pneumonia, except pneumonia of newborn—480-493	17	5	12	3	3	-	14	2	12
Influenza—480-483	17	5	12	3	3	-	14	2	12
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	9	5	4	7	5	2	2	-	2
Other diseases of respiratory system—510-522,525-527	43	30	13	25	23	2	18	7	11
Pulmonary congestion and hypostatis—522	9	8	1	7	6	1	2	2	-
Other chronic interstitial pneumonia—525	2	1	1	2	1	1	-	-	-
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	14	7	7	4	4	-	10	3	7
All other diseases of respiratory system—510-521,527.1	18	14	4	12	12	-	6	2	4
Hernia and intestinal obstruction—560,561,570	61	46	15	37	35	2	24	11	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1	-	1	-	-	-	1	-	1
Other diseases of digestive system—530-542,544-553,573-587	57	39	18	36	34	2	21	5	16
Congenital malformations—750-759	1,119	827	292	778	698	80	341	129	212
Spina bifida and meningocele—751	43	34	9	30	28	2	13	6	7
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	90	60	30	53	48	5	37	12	25
Congenital malformations of circulatory system—754	496	379	117	366	330	36	130	49	81
Other congenital malformations—750,755-759	490	354	136	329	292	37	161	62	99
Certain diseases of early infancy—760-776	14,358	10,625	3,733	9,882	8,912	970	4,476	1,713	2,763
Birth injuries—760,761	1,656	1,191	465	1,102	975	127	554	216	338
Without mention of immaturity (.0)	779	518	261	472	412	60	307	106	201
With immaturity (.5)	877	673	204	630	563	67	247	110	137
Intracranial and spinal injury at birth—760	680	512	168	493	444	49	187	68	119
Without mention of immaturity (.0)	397	284	113	257	230	27	140	54	86
With immaturity (.5)	283	228	55	236	214	22	47	14	33
Other birth injury—761	976	679	297	609	531	78	367	148	219
Without mention of immaturity (.0)	382	234	148	215	182	33	167	52	115
With immaturity (.5)	594	445	149	394	349	45	200	96	104
Postnatal asphyxia and atelectasis—762	3,916	3,028	888	2,855	2,596	259	1,061	432	629
Without mention of immaturity (.0)	986	668	318	611	532	79	375	136	239
With immaturity (.5)	2,930	2,360	570	2,244	2,064	180	686	296	390
Pneumonia of newborn—763	1,140	751	389	678	602	76	462	149	313
Without mention of immaturity (.0)	862	554	308	502	442	60	360	112	248
With immaturity (.5)	278	197	81	176	160	16	102	37	65
Diarrhea of newborn—764	228	128	100	101	89	12	127	39	88
Without mention of immaturity (.0)	178	102	76	82	72	10	96	30	66
With immaturity (.5)	50	26	24	19	17	2	31	9	22
Other infections of newborn—765-768	282	193	89	169	152	17	113	41	72
Without mention of immaturity (.0)	172	109	63	93	81	12	79	28	51
With immaturity (.5)	110	84	26	76	71	5	34	13	21
Neonatal disorders arising from certain diseases of mother during pregnancy—769	157	98	59	80	67	13	77	31	46
Without mention of immaturity (.0-.4)	69	38	31	35	29	6	34	9	25
With immaturity (.5-.9)	88	60	28	45	38	7	43	22	21
Hemolytic disease of newborn (erythroblastosis)—770	118	80	38	73	64	9	45	16	29
Without mention of immaturity (.0-.2)	100	66	34	60	53	7	40	13	27
With immaturity (.5-.7)	18	14	4	13	11	2	5	3	2
Hemorrhagic disease of newborn—771	148	97	51	93	79	14	55	18	37
Without mention of immaturity (.0)	86	53	33	48	41	7	38	12	26
With immaturity (.5)	62	44	18	45	38	7	17	6	11
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	1,761	1,314	447	1,248	1,120	128	513	194	319
Without mention of immaturity (.0)	359	229	130	199	174	25	160	55	105
With immaturity (.5)	1,402	1,085	317	1,049	946	103	353	139	214
Immaturity with mention of any other subsidiary condition—774	180	142	38	133	120	13	47	22	25
Immaturity, unqualified—776	4,772	3,603	1,169	3,350	3,048	302	1,422	555	867
Symptoms and ill-defined conditions—780-793,795	577	172	405	115	83	32	462	89	373
All other diseases—Residual	86	57	29	55	48	7	31	9	22
Accidents—E800-E962	158	91	67	70	64	6	88	27	61
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	39	20	19	15	11	4	24	9	15
Accidental mechanical suffocation in bed and cradle—E924	35	15	20	10	10	-	25	5	20
Other accidental causes—E800-E920,E923,E925-E962	84	56	28	45	43	2	39	13	26
Homicide—E964,E980-E984	36	32	4	32	28	4	4	4	-

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, BOTH SEXES—ALL CAUSES	105,479	8,278	34,883	10,919	7,214	3,227	1,819	1,300	950
2	Dysentery, all forms 045-048	115	-	-	-	1	2	-	-	-
3	Septicemia and pyemia 053	366	-	-	-	-	-	-	-	-
4	Whooping cough 056	66	-	-	-	-	-	-	-	-
5	Meningococcal infections 057	189	-	1	-	1	1	-	-	1
6	Tetanus 061	54	-	-	-	1	-	-	5	8
7	Other infective and parasitic diseases 001-044,049-052,054,055,058-060,062-138	599	3	17	7	3	7	6	5	5
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	261	4	9	2	5	-	2	1	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	123	14	20	2	7	7	3	1	1
10	Diseases of thymus gland 273	98	1	13	1	2	1	1	-	-
11	Meningitis, except meningococcal and tuberculous 340	907	1	4	7	11	17	13	17	16
12	Other diseases of nervous system and sense organs 330-334,341-398	768	-	7	3	7	4	4	1	-
13	Acute upper respiratory infections 470-475	403	-	3	4	-	1	3	1	1
14	Influenza and pneumonia, except pneumonia of newborn 480-493	8,985	-	-	1	-	1	1	1	1
15	Influenza 480-483	284	-	-	1	-	1	1	1	1
16	Pneumonia, except pneumonia of newborn 490-493	8,701	...	...	...	...	...	...	...	...
17	Bronchitis 500-502	579	-	2	4	1	-	-	-	3
18	Other diseases of respiratory system 510-522,525-527	1,590	16	52	24	11	8	3	1	-
19	Pulmonary congestion and hypostasis 522	178	1	10	7	1	1	-	-	-
20	Other chronic interstitial pneumonia 525	1,003	-	2	2	-	2	1	-	-
21	Bronchiectasis 526	5	-	-	1	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	239	5	7	2	5	4	1	-	-
23	All other diseases of respiratory system 510-521,527.1	165	10	33	12	5	1	1	1	-
24	Hernia and intestinal obstruction 560,561,570	889	78	245	65	55	28	20	11	16
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	2,342	-	-	2	-	-	-	-	-
26	Other diseases of digestive system 530-542,544-553,573-587	654	4	13	15	26	31	30	29	20
27	Congenital malformations 750-759	14,832	1,330	2,706	951	986	655	410	273	208
28	Spina bifida and meningocele 751	1,333	102	161	47	37	35	20	15	16
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	1,328	156	260	90	58	26	24	13	7
30	Congenital malformations of circulatory system 754	7,180	149	840	538	659	406	223	147	107
31	Other congenital malformations 750,755-759	4,991	923	1,445	286	232	188	143	98	78
32	Certain diseases of early infancy 760-776	64,185	6,576	31,401	9,647	5,943	2,351	1,246	896	623
33	Birth injuries 760,761	9,470	1,634	4,701	1,310	879	328	169	111	66
34	Without mention of immaturity (.0)	3,686	655	1,449	592	463	185	97	55	34
35	With immaturity (.5)	5,784	979	3,252	718	416	143	72	56	32
36	Intracranial and spinal injury at birth 760	2,902	141	1,021	541	516	238	120	76	48
37	Without mention of immaturity (.0)	1,739	101	572	327	309	153	75	47	25
38	With immaturity (.5)	1,163	40	449	214	207	85	45	29	23
39	Other birth injury 761	6,568	1,493	3,680	769	363	90	49	35	18
40	Without mention of immaturity (.0)	1,947	554	877	265	154	32	22	8	9
41	With immaturity (.5)	4,621	939	2,803	504	209	58	27	27	9
42	Postnatal asphyxia and atelectasis 762	18,728	1,607	10,020	3,389	1,869	605	280	187	97
43	Without mention of immaturity (.0)	4,997	503	2,195	988	611	216	76	46	24
44	With immaturity (.5)	13,731	1,104	7,825	2,401	1,258	389	204	141	73
45	Pneumonia of newborn 763	3,350	42	467	346	339	202	157	125	101
46	Without mention of immaturity (.0)	2,454	34	319	241	229	136	110	78	65
47	With immaturity (.5)	896	8	148	105	110	66	47	47	36
48	Diarrhea of newborn 764	410	-	3	4	3	7	9	7	10
49	Without mention of immaturity (.0)	318	-	2	2	1	7	6	5	6
50	With immaturity (.5)	92	-	1	2	2	-	3	2	4
51	Other infections of newborn 765-768	791	42	111	61	71	62	41	41	32
52	Without mention of immaturity (.0)	470	13	43	37	52	43	20	28	17
53	With immaturity (.5)	321	29	68	24	19	19	21	13	15
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	780	107	390	121	77	38	12	9	1
55	Without mention of immaturity (.0-.4)	285	51	100	51	38	17	6	4	1
56	With immaturity (.5-.9)	495	56	290	70	39	21	6	5	-
57	Hemolytic disease of newborn (erythroblastosis) 770	1,992	419	939	169	131	96	62	35	27
58	Without mention of immaturity (.0-.2)	1,563	318	751	134	99	73	46	24	22
59	With immaturity (.5-.7)	429	101	188	35	32	23	16	11	5
60	Hemorrhagic disease of newborn 771	533	17	153	92	77	68	30	19	18
61	Without mention of immaturity (.0)	313	11	106	61	42	35	16	9	7
62	With immaturity (.5)	220	6	47	31	35	33	14	10	11
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	9,267	468	3,876	1,376	1,165	393	181	125	84
64	Without mention of immaturity (.0)	2,514	81	621	489	361	131	42	24	14
65	With immaturity (.5)	6,753	387	3,255	1,387	804	262	139	101	70
66	Immaturity with mention of any other subsidiary condition 774	955	55	299	104	78	46	28	30	22
67	Immaturity, unqualified 776	17,909	2,185	10,442	2,175	1,254	506	277	207	165
68	Symptoms and ill-defined conditions 780-793,795	2,266	130	239	86	72	52	26	25	15
69	All other diseases Residual	1,341	16	97	60	34	25	26	15	8
70	Accidents E800-E962	3,653	11	34	30	45	35	24	18	22
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	838	-	2	8	23	12	8	6	8
72	Accidental mechanical suffocation in bed and cradle E924	915	1	2	4	-	1	1	2	5
73	Other accidental causes E800-E920,E923,E925-E962	1,900	10	30	18	22	22	15	10	9
74	Homicide E964,E980-E984	214	92	20	8	3	1	1	-	2

by Age, Color, and Sex: United States, 1962

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
68,590	3,815	2,210	1,731	76,346	6,730	5,519	4,034	2,974	2,318	1,847	1,489	1,265	1,082	962	913	1
3	6	2	1	12	19	16	14	10	7	12	5	6	8	2	4	2
-	-	-	-	-	84	73	47	44	32	14	23	14	14	11	10	3
-	-	-	-	-	12	13	5	6	4	5	6	4	3	7	1	4
4	2	6	3	15	21	19	6	15	16	17	19	16	15	17	13	5
14	31	7	1	53	1	-	-	-	-	-	-	-	-	-	-	6
53	18	20	17	108	52	64	54	49	42	45	36	31	42	28	48	7
23	5	4	3	35	22	12	12	16	26	20	20	24	22	22	30	8
55	2	4	3	64	10	7	8	6	9	6	4	4	2	1	2	9
19	1	2	3	25	16	13	15	11	6	3	1	3	2	2	1	10
86	64	57	34	241	96	82	92	67	77	57	45	48	51	28	23	11
26	15	8	6	55	128	83	91	67	68	62	53	41	52	34	34	12
13	12	8	10	43	70	83	59	38	27	22	23	13	10	9	6	13
5	6	7	5	23	1,956	1,967	1,393	965	714	496	421	327	249	252	222	14
5	6	7	5	23	30	36	35	36	30	19	16	18	11	16	14	15
...	...	...	...	...	1,926	1,931	1,358	929	684	477	405	309	238	236	208	16
10	7	14	14	45	91	105	76	67	42	37	31	23	17	24	21	17
115	14	14	19	162	372	357	260	147	71	77	44	26	25	24	25	18
20	4	2	10	36	35	30	34	19	4	4	7	3	3	2	1	19
7	2	2	1	12	277	260	171	89	52	50	29	16	16	16	15	20
1	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	21
24	5	7	4	40	39	53	33	29	12	14	4	4	3	3	5	22
63	3	3	4	73	21	12	21	10	3	9	3	3	3	3	4	23
518	59	38	33	648	86	36	23	23	17	8	10	10	10	7	11	24
2	2	1	-	5	449	346	266	235	223	202	161	145	138	85	87	25
168	72	41	31	312	95	61	41	29	28	29	8	13	6	15	17	26
7,519	1,058	641	477	9,695	1,435	875	669	531	404	313	232	216	168	157	137	27
433	112	107	80	732	171	97	68	70	52	35	23	29	25	17	14	28
624	42	35	40	741	101	89	68	57	54	53	41	37	31	26	30	29
3,069	576	297	232	4,174	814	524	431	328	240	184	126	117	86	87	69	30
3,393	328	202	125	4,048	349	165	102	76	58	41	42	33	26	27	24	31
58,683	2,170	1,110	892	62,855	547	277	164	99	72	35	43	31	19	23	20	32
9,198	194	43	23	9,458	7	3	1	1	-	-	-	-	-	-	-	33
3,530	103	29	17	3,679	4	2	-	1	-	-	-	-	-	-	-	34
5,668	91	14	6	5,779	3	1	1	-	-	-	-	-	-	-	-	35
2,701	145	36	20	2,902	...	...	...	...	...	...	...	...	...	...	...	36
1,609	88	26	16	1,739	...	...	...	...	...	...	...	...	...	...	...	37
1,092	57	10	4	1,163	...	...	...	...	...	...	...	...	...	...	...	38
6,497	49	7	3	6,556	7	3	1	1	-	-	-	-	-	-	-	39
1,921	15	3	1	1,940	4	2	-	1	-	-	-	-	-	-	-	40
4,576	34	4	2	4,616	3	1	1	-	-	-	-	-	-	-	-	41
18,054	287	100	47	18,488	98	54	25	19	10	5	9	6	6	6	2	42
4,659	78	43	20	4,800	66	47	23	19	9	5	8	6	6	6	2	43
13,395	209	57	27	13,688	32	7	2	-	1	-	1	-	-	-	-	44
1,779	601	494	476	3,350	...	...	...	...	...	...	...	...	...	...	...	45
1,212	444	392	406	2,454	...	...	...	...	...	...	...	...	...	...	...	46
567	157	102	70	896	...	...	...	...	...	...	...	...	...	...	...	47
43	125	118	121	407	2	-	1	-	-	-	-	-	-	-	-	48
29	91	93	102	315	2	-	1	-	-	-	-	-	-	-	-	49
14	34	25	19	92	-	-	-	-	-	-	-	-	-	-	-	50
461	174	87	63	785	3	2	-	1	-	-	-	-	-	-	-	51
253	108	59	44	464	3	2	-	1	-	-	-	-	-	-	-	52
208	66	28	19	321	-	-	-	-	-	-	-	-	-	-	-	53
755	9	4	5	773	4	2	-	1	-	-	-	-	-	-	-	54
268	7	2	1	278	4	2	-	1	-	-	-	-	-	-	-	55
487	2	2	4	495	-	-	-	-	-	-	-	-	-	-	-	56
1,878	68	14	13	1,973	4	6	4	1	2	-	-	1	-	1	-	57
1,467	54	13	11	1,545	4	6	3	1	2	-	-	1	-	1	-	58
411	14	1	2	428	-	-	1	-	-	-	-	-	-	-	-	59
474	37	12	8	531	-	-	-	-	-	1	-	1	-	-	-	60
287	12	6	6	311	-	-	-	-	-	1	-	1	-	-	-	61
187	25	6	2	220	-	-	-	-	-	-	-	-	-	-	-	62
8,168	218	89	58	8,533	227	164	103	67	56	25	31	22	13	13	13	63
1,763	67	39	22	1,891	173	145	92	52	52	23	28	22	11	13	12	64
6,405	151	50	36	6,642	54	19	11	15	4	2	3	-	2	-	1	65
662	60	24	18	764	128	31	20	5	2	1	1	1	-	1	1	66
17,211	397	125	60	17,793	74	15	10	4	2	3	2	-	-	2	4	67
645	102	67	57	871	337	341	218	155	103	76	49	43	29	30	14	68
283	63	58	34	438	175	120	106	74	78	79	64	68	48	50	41	69
219	104	98	86	507	645	557	407	310	243	228	182	158	143	131	142	70
67	33	24	19	143	158	163	113	73	46	45	23	24	21	11	18	71
16	19	23	34	92	243	183	134	84	64	46	25	17	11	9	7	72
136	52	51	33	272	244	211	160	153	133	137	134	117	111	111	117	73
127	2	3	2	134	11	12	8	10	9	4	9	1	9	3	4	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, MALE--ALL CAUSES	80,939	4,473	20,492	6,431	4,412	1,963	1,092	754	526
2	Dysentery, all forms--045-048	67	-	-	-	1	1	-	-	-
3	Septicemia and pyemia--053	211	-	-	-	-	-	-	-	-
4	Whooping cough--056	37	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	99	-	-	-	1	1	-	-	1
6	Tetanus--061	27	-	-	-	1	-	-	2	3
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	310	3	10	4	2	4	6	2	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	124	1	5	1	2	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	58	7	11	1	3	2	1	1	-
10	Diseases of thymus gland--273	64	1	7	-	-	1	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	510	-	2	6	6	7	9	11	8
12	Other diseases of nervous system and sense organs--330-334,341-398	450	-	5	1	4	4	3	1	-
13	Acute upper respiratory infections--470-475	249	-	1	3	-	-	1	1	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	5,128	-	-	-	-	1	-	-	1
15	Influenza--480-483	162	-	-	-	-	1	-	-	1
16	Pneumonia, except pneumonia of newborn--490-493	4,966	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	342	-	1	3	1	-	-	-	2
18	Other diseases of respiratory system--510-522,525-527	945	8	32	17	8	7	1	-	-
19	Pulmonary congestion and hypostasis--522	114	-	7	7	1	1	-	-	-
20	Other chronic interstitial pneumonia--525	568	-	1	-	-	2	-	-	-
21	Bronchiectasis--526	4	-	-	1	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	161	5	6	2	3	3	1	-	-
23	All other diseases of respiratory system--510-521,527.1	98	3	18	7	4	1	-	-	-
24	Hernia and intestinal obstruction--560,561,570	521	47	135	38	28	15	11	6	9
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,302	-	-	2	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	365	1	7	8	10	19	21	16	11
27	Congenital malformations--750-759	8,192	592	1,525	543	601	413	239	157	116
28	Spina bifida and meningocele--751	565	42	67	17	16	17	5	8	7
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	680	81	128	40	31	17	13	7	2
30	Congenital malformations of circulatory system--754	4,202	75	518	337	428	256	135	85	65
31	Other congenital malformations--750,755-759	2,745	394	812	149	126	123	86	57	42
32	Certain diseases of early infancy--760-776	37,732	3,682	18,541	5,695	3,651	1,406	754	522	350
33	Birth injuries--760,761	5,681	954	2,806	795	547	210	94	70	42
34	Without mention of immaturity (.0)	2,296	391	882	379	318	125	58	33	19
35	With immaturity (.5)	3,385	563	1,924	416	229	85	36	37	23
36	Intracranial and spinal injury at birth--760	1,825	96	615	343	341	159	67	47	35
37	Without mention of immaturity (.0)	1,119	73	341	216	215	106	45	28	18
38	With immaturity (.5)	706	23	274	127	126	53	22	19	17
39	Other birth injury--761	3,856	858	2,191	452	206	51	27	23	7
40	Without mention of immaturity (.0)	1,177	318	541	163	103	19	13	5	1
41	With immaturity (.5)	2,679	540	1,650	289	103	32	14	18	6
42	Postnatal asphyxia and atelectasis--762	11,150	879	6,004	2,052	1,148	351	170	103	52
43	Without mention of immaturity (.0)	3,000	246	1,306	610	401	135	50	29	16
44	With immaturity (.5)	8,150	633	4,698	1,442	747	216	120	74	36
45	Pneumonia of newborn--763	1,961	23	278	202	219	121	105	69	61
46	Without mention of immaturity (.0)	1,449	18	192	150	147	80	76	42	38
47	With immaturity (.5)	512	5	86	52	72	41	29	27	23
48	Diarrhea of newborn--764	234	-	1	2	1	3	5	6	6
49	Without mention of immaturity (.0)	174	-	-	-	-	3	3	4	2
50	With immaturity (.5)	60	-	1	2	1	-	2	2	4
51	Other infections of newborn--765-768	487	26	65	37	47	43	28	26	24
52	Without mention of immaturity (.0)	296	7	26	22	32	30	13	19	13
53	With immaturity (.5)	191	19	39	15	15	13	15	7	11
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	436	59	209	66	46	25	9	5	1
55	Without mention of immaturity (.0-.4)	165	26	62	26	23	12	4	2	1
56	With immaturity (.5-.9)	271	33	147	40	23	13	5	3	-
57	Hemolytic diseases of newborn (erythroblastosis)--770	1,073	202	479	90	88	66	48	18	16
58	Without mention of immaturity (.0-.2)	838	152	384	71	65	47	35	13	14
59	With immaturity (.5-.7)	235	50	95	19	23	19	13	5	2
60	Hemorrhagic disease of newborn--771	323	8	81	57	52	41	18	15	10
61	Without mention of immaturity (.0)	187	7	52	37	28	26	11	6	3
62	With immaturity (.5)	136	1	29	20	24	15	7	9	7
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	5,630	256	2,335	1,145	761	261	115	74	46
64	Without mention of immaturity (.0)	1,576	43	375	301	266	94	28	16	5
65	With immaturity (.5)	4,054	213	1,960	844	495	167	87	58	41
66	Immaturity with mention of any other subsidiary condition--774	561	36	184	61	48	28	16	14	11
67	Immaturity, unqualified--776	10,196	1,239	6,099	1,198	694	257	146	122	81
68	Symptoms and ill-defined conditions--780-795,795	1,266	68	124	52	37	42	15	19	7
69	All other diseases--Residual	798	9	52	34	23	18	16	8	7
70	Accidents--E800-E962	2,026	7	21	20	32	22	13	8	7
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	479	-	1	8	16	8	3	4	2
72	Accidental mechanical suffocation in bed and cradle--E924	519	1	-	1	-	-	1	1	-
73	Other accidental causes--E800-E920,E923,E925-E962	1,028	6	20	11	16	14	9	3	5
74	Homicide--E964,E980-E984	116	47	13	3	1	-	1	-	2

by Age, Color, and Sex: United States, 1962 –Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
40,143	2,132	1,249	976	44,500	4,014	3,194	2,261	1,643	1,228	983	846	708	589	497	476	1
2	4	1	-	7	14	10	8	3	5	6	1	5	5	1	2	2
-	-	-	-	-	55	39	31	24	15	5	18	6	8	5	5	3
-	-	-	-	-	9	10	2	2	4	4	2	1	2	1	-	4
3	-	2	1	6	12	9	3	6	11	10	11	9	6	10	6	5
6	16	3	1	26	1	-	-	-	-	-	-	-	-	-	-	6
33	12	6	8	59	33	35	29	23	16	17	15	17	24	16	26	7
10	3	2	2	17	13	8	5	8	12	9	7	13	11	10	11	8
26	2	2	2	32	3	4	3	3	2	4	3	1	1	1	1	9
9	1	2	2	14	14	8	11	5	2	3	1	3	1	2	-	10
49	34	30	14	127	53	48	55	37	39	37	26	29	28	16	15	11
18	8	7	2	35	81	47	50	45	36	37	29	24	30	18	18	12
6	9	6	6	27	44	50	41	24	15	12	12	10	5	6	3	13
2	3	2	1	8	1,174	1,167	787	536	380	260	258	177	144	137	100	14
2	3	2	1	8	18	19	21	22	20	12	12	10	5	10	5	15
...	...	...	...	...	1,156	1,148	766	514	360	248	246	167	139	127	95	16
7	5	9	10	31	50	61	40	40	26	23	21	14	11	13	12	17
73	5	10	7	95	223	217	156	89	41	41	25	16	15	16	11	18
16	1	2	5	24	19	23	24	13	4	-	3	2	-	1	1	19
3	1	1	-	5	155	150	93	47	31	28	18	11	14	10	6	20
1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	21
20	3	4	-	27	31	36	24	23	5	7	2	2	-	2	2	22
33	-	3	2	38	18	6	14	6	1	6	2	1	1	3	2	23
289	29	24	23	365	55	25	16	16	10	3	6	5	8	6	6	24
2	1	1	-	4	267	182	144	129	128	94	99	86	78	39	52	25
93	42	19	19	173	46	38	27	16	16	13	5	9	4	8	10	26
4,186	592	380	267	5,405	842	489	362	282	197	158	120	117	75	73	72	27
179	48	49	32	308	80	35	28	37	15	12	10	15	11	8	6	28
319	22	18	15	374	48	47	38	27	25	26	25	23	14	15	18	29
1,899	332	171	145	2,547	485	309	233	171	124	97	61	60	38	42	35	30
1,789	190	122	75	2,176	229	98	63	47	33	23	24	19	12	8	13	31
34,601	1,219	621	526	36,967	335	171	86	52	35	24	21	17	9	9	6	32
5,518	114	30	13	5,675	5	1	-	-	-	-	-	-	-	-	-	33
2,205	61	18	9	2,293	3	-	-	-	-	-	-	-	-	-	-	34
3,313	53	12	4	3,382	2	1	-	-	-	-	-	-	-	-	-	35
1,703	85	26	11	1,825	...	...	...	...	...	...	...	...	...	...	...	36
1,042	51	18	8	1,119	...	...	...	...	...	...	...	...	...	...	...	37
661	34	8	3	706	...	...	...	...	...	...	...	...	...	...	...	38
3,815	29	4	2	3,850	5	1	-	-	-	-	-	-	-	-	-	39
1,163	10	-	1	1,174	3	-	-	-	-	-	-	-	-	-	-	40
2,652	19	4	1	2,676	2	1	-	-	-	-	-	-	-	-	-	41
10,759	162	59	25	11,005	61	35	17	8	5	3	5	3	3	4	1	42
2,793	50	27	11	2,881	42	31	16	8	4	3	4	3	3	4	1	43
7,966	112	32	14	8,124	19	4	1	-	1	-	1	-	-	-	-	44
1,078	336	263	284	1,961	...	...	...	...	...	...	...	...	...	...	...	45
743	254	210	242	1,449	...	...	...	...	...	...	...	...	...	...	...	46
335	82	53	42	512	...	...	...	...	...	...	...	...	...	...	...	47
24	70	67	72	233	-	-	1	-	-	-	-	-	-	-	-	48
12	47	56	58	173	-	-	1	-	-	-	-	-	-	-	-	49
12	23	11	14	60	-	-	-	-	-	-	-	-	-	-	-	50
296	95	53	38	482	3	1	-	1	-	-	-	-	-	-	-	51
162	61	39	29	291	3	1	-	1	-	-	-	-	-	-	-	52
134	34	14	9	191	-	-	-	-	-	-	-	-	-	-	-	53
420	6	4	3	433	2	-	-	1	-	-	-	-	-	-	-	54
156	4	2	-	162	2	-	-	1	-	-	-	-	-	-	-	55
264	2	2	3	271	-	-	-	-	-	-	-	-	-	-	-	56
1,007	43	7	7	1,064	2	3	1	-	2	-	-	1	-	-	-	57
781	34	7	7	829	2	3	1	-	2	-	-	1	-	-	-	58
226	9	-	-	235	-	-	-	-	-	-	-	-	-	-	-	59
282	28	7	6	323	-	-	-	-	-	-	-	-	-	-	-	60
170	9	4	4	187	-	-	-	-	-	-	-	-	-	-	-	61
112	19	3	2	136	-	-	-	-	-	-	-	-	-	-	-	62
4,993	122	55	36	5,206	141	107	54	37	26	17	15	13	6	3	5	63
1,128	42	26	16	1,212	114	95	45	30	23	16	15	13	5	3	5	64
3,865	80	29	20	3,994	27	12	9	7	3	1	-	-	1	-	-	65
398	29	10	11	448	81	16	9	3	2	1	-	-	-	1	-	66
9,826	214	66	31	10,137	40	8	4	2	-	3	1	-	-	1	-	67
364	55	41	22	482	201	181	117	82	55	47	29	26	19	19	8	68
167	36	41	19	263	111	72	63	48	45	40	35	38	28	28	27	69
130	56	57	43	286	374	315	220	168	131	136	97	84	71	62	82	70
42	18	18	11	89	85	93	69	43	25	31	13	9	10	2	10	71
4	11	12	18	45	146	104	76	45	35	28	15	13	7	2	3	72
84	27	27	14	152	143	118	75	80	71	77	69	62	54	58	69	73
67	-	3	1	71	4	8	5	5	7	-	5	1	6	1	3	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, FEMALE--ALL CAUSES	44,540	3,805	14,391	4,488	2,802	1,264	727	546	424
2	Dysentery, all forms-045-048	48	-	-	-	-	1	-	-	-
3	Septicemia and pyemia-053	155	-	-	-	-	-	-	-	-
4	Whooping cough-056	29	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	90	-	1	-	-	-	-	-	-
6	Tetanus-061	27	-	-	-	-	-	-	3	5
7	Other infective and parasitic diseases-001-044,049-052,054,055,058-060,062-138	289	-	7	3	1	3	-	3	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissued-140-205	137	3	4	1	3	-	1	1	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	65	7	9	1	4	5	2	-	1
10	Diseases of thymus gland-273	34	-	6	1	2	-	1	-	-
11	Meningitis, except meningococcal and tuberculous-340	397	1	2	1	5	10	4	6	8
12	Other diseases of nervous system and sense organs-330-334,341-398	318	-	2	2	3	-	1	-	-
13	Acute upper respiratory infections-470-475	154	-	2	1	-	1	2	-	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	3,857	-	-	1	-	-	1	1	-
15	Influenza-480-483	122	-	-	1	-	-	1	1	-
16	Pneumonia, except pneumonia of newborn-490-493	3,735	...	...	...	...	...	...	...	...
17	Bronchitis-500-502	237	-	1	1	-	-	-	-	1
18	Other diseases of respiratory system-510-522,525-527	645	8	20	7	3	1	2	1	-
19	Pulmonary congestion and hypostasis-522	64	1	3	-	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	435	-	1	2	-	-	1	-	-
21	Bronchiectasis-526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	78	-	1	-	2	1	-	-	-
23	All other diseases of respiratory system-510-521,527.1	67	7	15	5	1	-	1	1	-
24	Hernia and intestinal obstruction-560,561,570	368	31	110	27	27	13	9	5	7
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	1,040	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	289	3	6	7	16	12	9	13	9
27	Congenital malformations-750-759	6,640	738	1,181	408	385	242	171	116	92
28	Spina bifida and meningocele-751	768	60	94	30	21	18	15	7	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	648	75	132	40	27	9	11	6	5
30	Congenital malformations of circulatory system-754	2,978	74	322	201	231	150	88	62	42
31	Other congenital malformations-750,755-759	2,246	529	633	137	106	65	57	41	36
32	Certain diseases of early infancy-760-776	26,453	2,894	12,860	3,952	2,292	945	492	374	273
33	Birth injuries-760-761	3,789	680	1,895	515	332	118	75	41	24
34	Without mention of immaturity (.0)	1,390	264	567	213	145	60	39	22	15
35	With immaturity (.5)	2,399	416	1,328	302	187	58	36	19	9
36	Intracranial and spinal injury at birth-760	1,077	45	406	198	175	79	53	29	13
37	Without mention of immaturity (.0)	620	28	231	111	94	47	30	19	7
38	With immaturity (.5)	457	17	175	87	81	32	23	10	6
39	Other birth injury-761	2,712	635	1,489	317	157	39	22	12	11
40	Without mention of immaturity (.0)	770	236	336	102	51	13	9	3	8
41	With immaturity (.5)	1,942	399	1,153	215	106	26	13	9	3
42	Postnatal asphyxia and atelectasis-762	7,578	728	4,016	1,337	721	254	110	84	45
43	Without mention of immaturity (.0)	1,997	257	889	378	210	81	26	17	8
44	With immaturity (.5)	5,581	471	3,127	959	511	173	84	67	37
45	Pneumonia of newborn-763	1,389	19	169	144	120	81	52	56	40
46	Without mention of immaturity (.0)	1,005	16	127	91	82	56	34	36	27
47	With immaturity (.5)	384	3	62	53	38	25	18	20	13
48	Diarrhea of newborn-764	176	-	2	2	2	4	4	1	4
49	Without mention of immaturity (.0)	144	-	2	2	1	4	3	1	4
50	With immaturity (.5)	32	-	-	-	1	-	1	-	-
51	Other infections of newborn-765-768	304	16	46	24	24	19	13	15	8
52	Without mention of immaturity (.0)	174	6	17	15	20	13	7	9	4
53	With immaturity (.5)	130	10	29	9	4	6	6	6	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	344	48	181	55	31	13	3	4	-
55	Without mention of immaturity (.0-.4)	120	25	38	25	15	5	2	2	-
56	With immaturity (.5-.9)	224	23	143	30	16	8	1	2	-
57	Hemolytic diseases of newborn (erythroblastosis)-770	919	217	460	79	43	30	14	17	11
58	Without mention of immaturity (.0-.2)	725	166	367	63	34	26	11	11	8
59	With immaturity (.5-.7)	194	51	93	16	9	4	3	6	3
60	Hemorrhagic disease of newborn-771	210	9	72	35	25	27	12	4	8
61	Without mention of immaturity (.0)	126	4	54	24	14	9	5	3	4
62	With immaturity (.5)	84	5	19	11	11	18	7	1	4
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	3,637	212	1,541	731	404	132	66	51	38
64	Without mention of immaturity (.0)	936	38	246	188	95	37	14	8	9
65	With immaturity (.5)	2,699	174	1,295	543	309	95	52	43	29
66	Immaturity with mention of any other subsidiary condition-774	394	19	115	43	30	18	12	16	11
67	Immaturity, unqualified-776	7,713	946	4,343	967	560	249	131	85	84
68	Symptoms and ill-defined conditions-780-793,795	1,000	62	115	34	35	10	11	6	8
69	All other diseases-Residual	543	9	45	26	11	7	10	7	1
70	Accidents-E800-E962	1,627	4	13	10	13	13	11	10	15
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	359	-	1	-	7	4	5	2	6
72	Accidental mechanical suffocation in bed and cradle-E924	396	-	2	3	-	1	-	1	5
73	Other accidental causes-E800-E920,E923,E925-E962	872	4	10	7	6	8	6	7	4
74	Homicide-E964,E980-E984	98	45	7	5	2	1	-	-	-

by Age, Color, and Sex: United States, 1962—Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
28,447	1,683	961	755	31,846	2,716	2,325	1,773	1,331	1,090	864	643	557	493	465	437	1
1	2	1	1	5	5	6	6	7	2	6	4	1	3	1	2	2
-	-	-	-	-	29	34	16	20	17	9	5	8	6	6	5	3
-	-	-	-	-	3	3	3	4	-	1	4	3	1	6	1	4
1	2	4	2	9	9	10	3	9	5	7	8	7	9	7	7	5
8	15	4	-	27	-	-	-	-	-	-	-	-	-	-	-	6
20	6	14	9	49	19	29	25	26	26	28	21	14	18	12	22	7
13	2	2	1	18	9	4	7	8	14	11	13	11	11	12	19	8
29	-	2	1	32	7	3	5	3	7	2	1	3	1	-	1	9
10	-	-	1	11	2	5	4	6	4	-	-	-	1	-	1	10
37	30	27	20	114	43	34	37	30	38	20	19	19	23	12	8	11
8	7	1	4	20	47	36	41	22	32	25	24	17	22	16	16	12
7	3	2	4	16	26	33	18	14	12	10	11	3	5	3	3	13
3	3	5	4	15	782	800	606	429	334	236	163	150	105	115	122	14
3	3	5	4	15	12	17	14	14	10	7	4	8	6	6	9	15
...	...	...	...	...	770	783	592	415	324	229	159	142	99	109	113	16
3	2	5	4	14	41	44	36	27	16	14	10	9	6	11	9	17
42	9	4	12	67	149	140	104	58	30	36	19	10	10	8	14	18
4	3	-	5	12	16	7	10	6	-	4	4	1	3	1	-	19
4	1	1	1	7	122	110	78	42	21	22	11	5	2	6	9	20
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
4	2	3	4	13	8	17	9	6	7	7	2	2	3	1	3	22
30	3	-	2	35	3	6	7	4	2	3	1	2	2	-	2	23
229	30	14	10	283	31	11	7	7	7	5	4	5	2	1	5	24
-	1	-	-	1	182	164	122	106	95	108	62	59	60	46	35	25
75	30	22	12	139	49	23	14	13	12	16	3	4	2	7	7	26
3,333	466	281	210	4,290	593	386	307	249	207	155	112	99	93	84	65	27
254	64	58	48	424	91	62	40	33	37	23	13	14	14	9	8	28
305	20	17	25	367	53	42	30	30	29	27	16	14	17	11	12	29
1,170	244	126	87	1,627	329	215	198	157	116	87	65	57	48	45	34	30
1,604	138	80	50	1,872	120	67	39	29	25	18	18	14	14	19	11	31
24,082	951	489	366	25,888	212	106	78	47	37	11	22	14	10	14	14	32
3,680	80	13	10	3,783	2	2	1	1	-	-	-	-	-	-	-	33
1,325	42	11	8	1,386	1	2	-	1	-	-	-	-	-	-	-	34
2,355	38	2	2	2,397	1	-	1	-	-	-	-	-	-	-	-	35
998	60	10	9	1,077	...	...	...	...	...	...	...	...	...	...	...	36
567	37	8	8	620	...	...	...	...	...	...	...	...	...	...	...	37
431	23	2	1	457	...	...	...	...	...	...	...	...	...	...	...	38
2,682	20	3	1	2,706	2	2	1	1	-	-	-	-	-	-	-	39
758	5	3	-	766	1	2	-	1	-	-	-	-	-	-	-	40
1,924	15	-	1	1,940	1	-	1	-	-	-	-	-	-	-	-	41
7,295	125	41	22	7,483	37	19	8	11	5	2	4	3	3	2	1	42
1,866	28	16	9	1,919	24	16	7	11	5	2	4	3	3	2	1	43
5,429	97	25	13	5,564	13	3	1	-	-	-	-	-	-	-	-	44
701	265	231	192	1,389	...	...	...	...	...	...	...	...	...	...	...	45
469	190	182	164	1,006	...	...	...	...	...	...	...	...	...	...	...	46
232	75	49	28	384	...	...	...	...	...	...	...	...	...	...	...	47
19	55	51	49	174	2	-	-	-	-	-	-	-	-	-	-	48
17	44	37	44	142	2	-	-	-	-	-	-	-	-	-	-	49
2	11	14	5	32	-	-	-	-	-	-	-	-	-	-	-	50
165	79	34	25	303	-	1	-	-	-	-	-	-	-	-	-	51
91	47	20	15	173	-	1	-	-	-	-	-	-	-	-	-	52
74	32	14	10	130	-	-	-	-	-	-	-	-	-	-	-	53
335	3	-	2	340	2	2	-	-	-	-	-	-	-	-	-	54
112	3	-	1	116	2	2	-	-	-	-	-	-	-	-	-	55
223	-	-	1	224	-	-	-	-	-	-	-	-	-	-	-	56
871	25	7	6	909	2	3	3	1	-	-	-	-	-	1	-	57
686	20	6	4	716	2	3	2	1	-	-	-	-	-	1	-	58
185	5	1	2	193	-	-	1	-	-	-	-	-	-	-	-	59
192	9	5	2	208	-	-	-	-	-	1	-	1	-	-	-	60
117	3	2	2	124	-	-	-	-	-	1	-	1	-	-	-	61
75	6	3	-	84	-	-	-	-	-	-	-	-	-	-	-	62
3,175	96	34	22	3,327	86	57	49	30	30	8	16	9	7	10	8	63
635	25	13	6	679	59	50	47	22	29	7	13	9	6	10	7	64
2,540	71	21	16	2,648	27	7	2	8	1	1	3	-	1	-	1	65
264	31	14	7	316	47	15	11	2	-	-	1	1	-	-	1	66
7,385	183	59	29	7,656	34	7	6	2	2	-	1	-	-	1	4	67
281	47	26	35	389	136	160	101	73	48	29	20	17	10	11	6	68
116	27	17	15	175	64	48	43	26	33	39	29	30	20	22	14	69
89	48	41	43	221	271	242	187	142	112	92	85	74	72	69	60	70
25	15	6	8	54	73	70	44	30	21	14	10	15	11	9	8	71
12	8	11	16	47	97	79	58	39	29	18	10	4	4	7	4	72
52	25	24	19	120	101	93	85	73	62	60	65	55	57	53	48	73
60	2	-	1	63	7	4	3	5	2	4	4	-	3	2	1	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, BOTH SEXES--ALL CAUSES	75,812	6,272	26,282	8,398	5,606	2,488	1,335	940	658
2	Dysentery, all forms--045-048	52	-	-	-	1	1	-	-	-
3	Septicemia and pyemia--053	218	-	-	-	-	-	-	-	-
4	Whooping cough--056	26	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	154	-	-	-	1	1	-	-	-
6	Tetanus--061	22	-	-	-	-	-	-	2	3
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	402	1	8	4	2	5	3	2	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	229	3	8	2	5	-	1	1	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	107	12	20	2	5	7	1	1	1
10	Diseases of thymus gland--273	75	-	9	1	2	1	1	-	-
11	Meningitis, except meningococcal and tuberculous--340	549	-	3	6	6	12	9	12	11
12	Other diseases of nervous system and sense organs--330-334,341-398	572	-	5	1	7	2	3	1	-
13	Acute upper respiratory infections--470-475	258	-	2	2	-	1	2	1	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	5,299	-	-	1	-	-	-	-	-
15	Influenza--480-483	141	-	-	1	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	5,158	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	409	-	2	3	-	-	-	-	2
18	Other diseases of respiratory system--510-522,525-527	1,089	13	37	19	6	6	2	1	-
19	Pulmonary congestion and hypostasis--522	134	1	7	4	-	1	-	-	-
20	Other chronic interstitial pneumonia--525	688	-	1	2	-	2	1	-	-
21	Bronchiectasis--526	5	-	-	1	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	146	4	4	2	2	3	-	-	-
23	All other diseases of respiratory system--510-521,527.1	116	8	25	10	4	-	1	1	-
24	Hernia and intestinal obstruction--560,561,570	734	71	221	56	50	24	14	9	16
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,106	-	-	1	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	498	3	12	12	20	24	23	20	12
27	Congenital malformations--750-759	12,453	1,165	2,321	803	829	572	344	236	172
28	Spina bifida and meningocele--751	1,209	97	150	43	33	32	18	13	14
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	1,111	135	222	65	48	23	19	11	5
30	Congenital malformations of circulatory system--754	5,978	121	704	450	559	358	196	131	94
31	Other congenital malformations--750,755-759	4,155	812	1,245	245	189	159	111	81	59
32	Certain diseases of early infancy--760-776	47,100	4,879	23,452	7,386	4,597	1,774	886	621	415
33	Birth injuries--760,761	7,544	1,259	3,848	1,040	697	240	132	87	48
34	Without mention of immaturity (.0)	2,798	478	1,122	455	363	128	75	44	22
35	With immaturity (.5)	4,746	781	2,726	585	334	112	57	43	26
36	Intracranial and spinal injury at birth--760	2,131	101	737	404	393	166	95	58	37
37	Without mention of immaturity (.0)	1,296	71	426	243	242	104	60	39	18
38	With immaturity (.5)	835	30	311	161	151	62	35	19	19
39	Other birth injury--761	5,413	1,158	3,111	636	304	74	37	29	11
40	Without mention of immaturity (.0)	1,502	407	696	212	121	24	15	5	4
41	With immaturity (.5)	3,911	751	2,415	424	183	50	22	24	7
42	Postnatal asphyxia and atelectasis--762	13,965	1,136	7,414	2,646	1,450	457	202	139	65
43	Without mention of immaturity (.0)	3,710	347	1,603	771	488	166	58	33	16
44	With immaturity (.5)	10,255	789	5,811	1,875	962	291	144	106	49
45	Pneumonia of newborn--763	2,133	22	296	230	245	142	104	75	69
46	Without mention of immaturity (.0)	1,537	16	204	149	167	92	71	44	43
47	With immaturity (.5)	596	6	92	81	78	50	33	31	26
48	Diarrhea of newborn--764	169	-	1	1	-	5	3	4	5
49	Without mention of immaturity (.0)	129	-	1	1	-	5	1	3	3
50	With immaturity (.5)	40	-	-	-	-	-	2	1	2
51	Other infections of newborn--765-768	488	29	69	43	45	49	25	24	14
52	Without mention of immaturity (.0)	284	9	23	28	28	34	13	16	5
53	With immaturity (.5)	204	20	46	15	17	15	12	8	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	599	77	308	96	60	25	8	7	1
55	Without mention of immaturity (.0-.4)	206	35	76	39	25	10	4	4	1
56	With immaturity (.5-.9)	393	42	232	57	35	15	4	3	-
57	Hemolytic disease of newborn (erythroblastosis)--770	1,782	388	856	153	118	82	50	30	19
58	Without mention of immaturity (.0-.2)	1,389	292	683	120	89	61	37	21	14
59	With immaturity (.5-.7)	393	96	173	33	29	21	13	9	5
60	Hemorrhagic disease of newborn--771	366	12	115	56	46	53	19	12	13
61	Without mention of immaturity (.0)	211	7	76	40	24	28	9	5	6
62	With immaturity (.5)	155	5	39	16	22	25	10	7	7
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	6,846	360	2,931	1,500	985	321	139	90	54
64	Without mention of immaturity (.0)	1,708		471	402	314	107	36	18	7
65	With immaturity (.5)	5,138		2,460	1,098	671	214	103	72	47
66	Immaturity with mention of any other subsidiary condition--774		50	219	80	61	33	21	22	12
67	Immaturity, unqualified--776		1,546	7,395	1,541	890	367	183	131	115
68	Symptoms and ill-defined conditions--780-793,79		42	70	31	21	17	8	7	4
69	All other diseases--Residu	951	15	79	48	20	19	22	14	7
70	Accidents--E800-E	4,483	7	18	16	31	22	15	12	12
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,	604	-	1	5	18	8	4	5	5
72	Accidental mechanical suffocation in bed and cradle	595	1	1	2	-	-	-	1	2
73	Other accidental causes--E800-E920,E923,E925-E	1,284	6	16	9	13	14	11	6	5
74	Homicide--E964,E980-E9	144	61	15	4	3	-	1	-	1

by Age, Color, and Sex: United States, 1962 –Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
51,979	2,628	1,449	1,163	57,219	4,387	3,546	2,537	1,821	1,402	1,178	956	802	716	649	599	1
2	2	-	1	5	8	5	9	3	4	7	3	2	4	2	-	2
-	-	-	-	-	45	51	26	20	20	10	13	11	10	5	7	3
-	-	-	-	-	8	4	2	1	3	2	1	1	1	2	1	4
2	1	5	1	9	21	12	4	10	14	15	17	15	12	15	10	5
5	13	3	-	21	1	-	-	-	-	-	-	-	-	-	-	6
27	13	15	10	65	40	45	36	33	27	30	22	23	24	22	35	7
20	4	2	3	29	20	10	11	12	23	19	18	21	19	20	27	8
49	2	4	2	57	8	5	8	5	9	5	2	3	2	1	2	9
14	1	2	3	20	10	12	11	9	4	3	1	3	1	-	1	10
59	47	36	28	170	68	46	56	41	39	28	25	25	27	12	12	11
19	10	5	4	38	93	55	69	54	48	47	43	28	39	29	29	12
8	5	5	8	26	45	53	42	24	16	14	13	8	7	6	4	13
1	2	1	2	6	1,181	1,253	814	520	391	295	248	174	141	154	122	14
1	2	1	2	6	14	20	15	20	14	14	5	9	9	9	6	15
...	...	...	...	...	1,167	1,233	799	500	377	281	243	165	132	145	116	16
7	4	10	12	33	73	74	52	45	28	28	18	15	14	16	13	17
84	10	10	10	114	274	237	176	96	48	47	34	18	18	12	15	18
13	3	2	7	25	26	21	29	15	3	3	6	3	3	-	-	19
6	2	1	1	10	208	172	113	58	37	30	20	10	11	11	8	20
1	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	21
15	4	6	1	26	26	34	19	15	7	7	4	3	2	-	3	22
49	1	1	1	52	14	8	14	8	1	7	3	2	2	1	4	23
461	45	32	29	567	64	24	17	11	11	7	7	5	8	5	8	24
1	2	1	-	4	179	137	126	105	99	106	82	80	86	50	52	25
126	55	36	28	245	73	46	31	21	17	23	5	10	3	13	11	26
6,442	895	533	397	8,267	1,207	722	531	429	317	246	176	173	145	136	104	27
400	105	94	74	673	157	84	64	58	43	32	22	26	23	15	12	28
528	35	29	38	630	87	75	57	47	39	43	29	31	29	20	24	29
2,613	496	252	188	3,549	690	431	328	266	188	144	93	91	73	77	48	30
2,901	259	158	97	3,415	273	132	82	58	47	27	32	25	20	24	20	31
44,010	1,362	612	510	46,494	250	121	79	49	51	13	21	15	8	11	8	32
7,351	140	30	15	7,536	5	2	1	-	-	-	-	-	-	-	-	33
2,687	78	19	11	2,795	2	1	-	-	-	-	-	-	-	-	-	34
4,664	62	11	4	4,741	3	1	1	-	-	-	-	-	-	-	-	35
1,991	102	26	12	2,131	...	...	...	...	...	...	...	...	...	...	...	36
1,203	65	18	10	1,296	...	...	...	...	...	...	...	...	...	...	...	37
788	37	8	2	835	...	...	...	...	...	...	...	...	...	...	...	38
5,360	38	4	3	5,405	5	2	1	-	-	-	-	-	-	-	-	39
1,484	13	1	1	1,499	2	1	-	-	-	-	-	-	-	-	-	40
3,876	25	3	2	3,906	3	1	1	-	-	-	-	-	-	-	-	41
13,509	211	60	30	13,810	65	33	17	13	5	2	6	5	3	4	2	42
3,482	57	25	14	3,578	48	29	16	13	4	2	6	5	3	4	2	43
10,027	154	35	16	10,232	17	4	1	-	1	-	-	-	-	-	-	44
1,183	367	285	298	2,133	...	...	...	...	...	...	...	...	...	...	...	45
786	258	233	260	1,537	...	...	...	...	...	...	...	...	...	...	...	46
397	109	52	38	596	...	...	...	...	...	...	...	...	...	...	...	47
19	54	50	46	169	-	-	-	-	-	-	-	-	-	-	-	48
14	40	37	38	129	-	-	-	-	-	-	-	-	-	-	-	49
5	14	13	8	40	-	-	-	-	-	-	-	-	-	-	-	50
298	106	47	33	484	2	1	-	1	-	-	-	-	-	-	-	51
156	68	33	23	280	2	1	-	1	-	-	-	-	-	-	-	52
142	38	14	10	204	-	-	-	-	-	-	-	-	-	-	-	53
582	6	3	2	593	3	2	-	1	-	-	-	-	-	-	-	54
194	5	1	-	200	3	2	-	1	-	-	-	-	-	-	-	55
388	1	2	2	393	-	-	-	-	-	-	-	-	-	-	-	56
1,696	54	8	11	1,769	2	4	3	1	2	-	-	1	-	-	-	57
1,317	43	8	9	1,377	2	4	2	1	2	-	-	1	-	-	-	58
379	11	-	2	392	-	-	1	-	-	-	-	-	-	-	-	59
326	23	8	8	365	-	-	-	-	-	-	-	1	-	-	-	60
195	5	4	6	210	-	-	-	-	-	-	-	1	-	-	-	61
131	18	4	2	155	-	-	-	-	-	-	-	-	-	-	-	62
6,380	127	42	22	6,571	75	57	44	31	20	10	15	8	5	6	4	63
1,416	37	19	6	1,478	52	51	38	25	18	9	14	8	5	6	4	64
4,964	90	23	16	5,093	23	6	6	6	2	1	1	-	-	-	-	65
498	42	16	11	567	67	16	9	-	2	1	-	-	-	1	-	66
12,168	232	63	34	12,497	31	6	5	2	2	-	-	-	-	-	2	67
200	29	26	29	284	154	151	88	62	38	29	21	15	12	14	4	68
224	45	46	27	342	119	92	80	52	50	51	44	42	28	35	26	69
133	79	63	58	333	438	387	264	211	158	149	136	114	103	86	104	70
46	27	15	13	101	114	123	80	55	33	33	17	17	12	7	12	71
7	12	12	21	52	161	128	80	55	37	32	17	12	8	7	6	72
80	40	36	24	180	163	136	104	101	88	84	102	85	83	72	86	73
85	2	2	1	90	8	4	5	8	7	4	6	1	4	3	4	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, MALE--ALL CAUSES	44,270	3,355	15,513	5,070	3,496	1,526	831	549	369
2	Dysentery, all forms--045-048	28	-	-	-	1	-	-	-	-
3	Septicemia and pyemia--053	130	-	-	-	-	-	-	-	-
4	Whooping cough--056	18	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	77	-	-	-	1	1	-	-	-
6	Tetanus--061	13	-	-	-	-	-	-	1	2
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	205	1	5	3	1	2	3	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	110	1	5	1	2	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	49	6	11	1	2	2	-	1	-
10	Diseases of thymus gland--273	52	-	6	-	-	1	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	311	-	1	5	3	5	7	6	5
12	Other diseases of nervous system and sense organs--330-334,341-398	337	-	3	-	4	2	3	1	-
13	Acute upper respiratory infections--470-475	156	-	-	1	-	-	1	1	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	3,112	-	-	-	-	-	-	-	-
15	Influenza--480-483	84	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	3,028	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	246	-	1	2	-	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	667	7	25	13	6	5	-	-	-
19	Pulmonary congestion and hypostasis--522	90	-	5	4	-	1	-	-	-
20	Other chronic interstitial pneumonia--525	402	-	1	-	-	2	-	-	-
21	Bronchiectasis--526	4	-	-	1	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	106	4	4	2	2	2	-	-	-
23	All other diseases of respiratory system---510-521,527.1	65	3	15	6	4	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	431	42	123	35	26	14	8	6	9
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	616	-	-	1	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	276	1	6	7	8	15	15	12	6
27	Congenital malformations--750-759	6,835	514	1,286	461	507	365	199	138	95
28	Spina bifida and meningocele--751	500	37	63	16	15	15	4	8	7
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	567	70	109	35	26	15	9	6	1
30	Congenital malformations of circulatory system--754	3,520	64	429	284	370	228	121	76	57
31	Other congenital malformations--750,755-759	2,248	343	685	126	96	107	65	48	30
32	Certain diseases of early infancy--760-776	28,050	2,721	13,939	4,482	2,890	1,073	563	365	236
33	Birth injuries--760,761	4,535	724	2,303	635	437	154	76	55	31
34	Without mention of immaturity (.0)--	1,747	281	682	293	252	88	46	25	13
35	With immaturitiy (.5)--	2,788	443	1,621	342	185	66	30	30	18
36	Intracranial and spinal injury at birth--760	1,348	62	447	259	264	115	56	34	26
37	Without mention of immaturity (.0)--	834	46	254	164	169	76	37	21	12
38	With immaturity (.5)--	514	16	193	95	95	39	19	13	14
39	Other birth injury--761	3,187	662	1,856	376	173	39	20	21	5
40	Without mention of immaturity (.0)--	913	235	428	129	83	12	9	4	1
41	With immaturity (.5)--	2,274	427	1,428	247	90	27	11	17	4
42	Postnatal asphyxia and atelectasis--762	8,438	615	4,468	1,651	919	277	127	78	36
43	Without mention of immaturity (.0)--	2,273	167	969	487	332	109	41	20	9
44	With immaturity (.5)--	6,165	448	3,499	1,164	587	168	86	58	27
45	Pneumonia of newborn--763	1,269	13	182	136	152	83	72	44	41
46	Without mention of immaturity (.0)--	921	10	129	93	106	52	50	24	24
47	With immaturity (.5)--	348	3	53	43	46	31	22	20	17
48	Diarrhea of newborn--764	102	-	-	-	-	3	1	4	3
49	Without mention of immaturity (.0)--	75	-	-	-	-	3	-	3	1
50	With immaturity (.5)--	27	-	-	-	-	-	1	1	2
51	Other infections of newborn--765-768	307	17	41	26	31	35	19	17	10
52	Without mention of immaturity (.0)--	175	4	12	16	18	23	9	12	4
53	With immaturity (.5)--	132	13	29	10	13	12	10	5	6
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	338	42	166	56	36	17	6	4	1
55	Without mention of immaturity (.0-.4)--	128	19	51	24	15	7	3	2	1
56	With immaturity (.5-.9)--	210	23	115	32	21	10	3	2	-
57	Hemolytic disease of newborn (erythroblastosis)--770	955	182	434	85	80	58	39	16	10
58	Without mention of immaturity (.0-.2)--	742	136	349	67	58	41	27	11	8
59	With immaturity (.5-.7)--	213	46	85	18	22	17	12	5	2
60	Hemorrhagic disease of newborn--771	232	4	64	37	34	33	12	10	7
61	Without mention of immaturity (.0)--	131	3	40	24	17	22	7	4	2
62	With immaturity (.5)--	101	1	24	13	17	11	5	6	5
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	4,226	195	1,787	943	652	213	91	50	30
64	Without mention of immaturity (.0)--	1,091	32	292	253	231	77	24	12	2
65	With immaturity (.5)--	3,135	163	1,495	690	421	136	67	38	28
66	Immaturity with mention of any other subsidiary condition--774	398	33	135	51	38	21	12	10	5
67	Immaturity, unqualified--776	7,250	896	4,359	862	511	179	108	77	62
68	Symptoms and ill-defined conditions--760-793,795	493	22	37	21	10	14	7	4	3
69	All other diseases--Residual	568	7	42	26	13	13	15	8	6
70	Accidents--E800-E962	1,415	4	12	10	21	14	9	6	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	358	-	1	5	11	6	2	3	1
72	Accidental mechanical suffocation in bed and cradle--E924	354	1	-	1	-	-	-	1	-
73	Other accidental causes--E800-E920,E923,E925-E962	703	3	11	4	10	8	7	2	3
74	Homicide--E964,E980-E984	75	29	11	1	1	-	1	-	1

by Age, Color, and Sex: United States, 1962—Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
30,709	1,490	826	662	33,687	2,647	2,092	1,443	1,005	742	640	543	436	395	325	315	1
1	2	-	-	3	7	3	4	1	2	2	1	2	2	1	-	2
-	-	-	-	-	33	27	19	12	8	4	12	5	6	1	3	3
-	-	-	-	-	6	3	1	-	3	2	1	-	1	1	-	4
2	-	1	-	3	12	4	2	2	9	9	9	8	6	8	5	5
3	8	1	-	12	1	-	-	-	-	-	-	-	-	-	-	6
16	8	4	5	33	23	24	22	13	13	13	9	11	15	11	18	7
9	3	1	2	15	12	6	4	6	11	8	6	11	11	10	10	8
23	2	2	1	28	2	3	3	3	2	3	1	1	1	1	1	9
7	1	2	2	12	10	8	8	4	2	3	1	3	1	-	-	10
32	27	17	11	87	40	26	31	22	21	19	18	16	15	6	10	11
13	7	5	1	26	60	32	38	34	27	29	22	14	23	15	17	12
3	5	4	4	16	26	31	28	15	9	7	7	7	4	4	2	13
-	1	1	-	2	727	777	469	300	212	163	146	94	85	85	52	14
-	1	1	-	2	10	11	8	11	12	10	4	4	3	7	2	15
...	...	...	...	...	717	766	461	289	200	153	142	90	82	78	50	16
4	3	6	9	22	44	48	24	26	18	18	13	7	9	10	7	17
56	4	6	5	71	169	149	111	60	27	24	20	11	10	9	6	18
10	-	2	5	17	14	18	21	12	3	-	3	2	-	-	-	19
3	1	-	-	4	120	102	66	33	21	15	13	7	10	8	3	20
1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	21
14	3	3	-	20	23	25	15	11	3	4	2	2	-	-	1	22
28	-	1	-	29	12	2	8	4	-	5	2	-	-	1	2	23
263	23	20	19	325	39	16	11	6	8	3	5	3	6	4	5	24
1	1	1	-	3	109	67	70	53	56	52	53	49	54	18	32	25
70	30	15	17	132	36	29	21	12	11	9	3	6	3	7	7	26
3,565	502	297	224	4,588	703	401	286	221	151	124	90	92	62	60	57	27
165	43	42	28	278	73	27	26	29	11	11	10	13	9	8	5	28
271	18	14	15	318	42	38	34	21	19	22	18	18	12	11	14	29
1,629	288	149	119	2,185	409	255	177	135	96	75	46	48	32	35	27	30
1,500	153	92	62	1,807	179	81	49	36	25	16	16	13	9	6	11	31
26,269	774	355	306	27,704	151	71	45	26	13	12	11	6	4	4	3	32
4,415	86	21	8	4,530	4	1	-	-	-	-	-	-	-	-	-	33
1,680	48	11	6	1,745	2	-	-	-	-	-	-	-	-	-	-	34
2,735	38	10	2	2,785	2	1	-	-	-	-	-	-	-	-	-	35
1,263	61	18	6	1,348	...	...	...	...	...	...	...	...	...	...	...	36
779	39	11	5	834	...	...	...	...	...	...	...	...	...	...	...	37
484	22	7	1	514	...	...	...	...	...	...	...	...	...	...	...	38
3,152	25	3	2	3,182	4	1	-	-	-	-	-	-	-	-	-	39
901	9	-	1	911	2	-	-	-	-	-	-	-	-	-	-	40
2,251	16	3	1	2,271	2	1	-	-	-	-	-	-	-	-	-	41
8,171	122	36	14	8,343	44	22	10	6	2	1	4	2	1	2	1	42
2,134	37	14	7	2,192	33	20	10	6	1	1	4	2	1	2	1	43
6,037	85	22	7	6,151	11	2	-	-	1	-	-	-	-	-	-	44
723	202	156	188	1,269	...	...	...	...	...	...	...	...	...	...	...	45
488	141	127	165	921	...	...	...	...	...	...	...	...	...	...	...	46
235	61	29	23	348	...	...	...	...	...	...	...	...	...	...	...	47
11	29	32	30	102	-	-	-	-	-	-	-	-	-	-	-	48
7	20	25	23	75	-	-	-	-	-	-	-	-	-	-	-	49
4	9	7	7	27	-	-	-	-	-	-	-	-	-	-	-	50
196	61	29	17	303	2	1	-	1	-	-	-	-	-	-	-	51
98	39	22	12	171	2	1	-	1	-	-	-	-	-	-	-	52
98	22	7	5	132	-	-	-	-	-	-	-	-	-	-	-	53
328	4	3	1	336	1	-	-	1	-	-	-	-	-	-	-	54
122	3	1	-	126	1	-	-	1	-	-	-	-	-	-	-	55
206	1	2	1	210	-	-	-	-	-	-	-	-	-	-	-	56
904	34	4	5	947	1	3	1	-	2	-	-	1	-	-	-	57
697	28	4	5	734	1	3	1	-	2	-	-	1	-	-	-	58
207	6	-	-	213	-	-	-	-	-	-	-	-	-	-	-	59
201	19	6	6	232	-	-	-	-	-	-	-	-	-	-	-	60
119	5	3	4	131	-	-	-	-	-	-	-	-	-	-	-	61
82	14	3	2	101	-	-	-	-	-	-	-	-	-	-	-	62
3,961	66	31	14	4,072	43	33	28	17	7	10	7	3	3	1	2	63
923	22	14	5	964	30	29	22	16	5	9	7	3	3	1	2	64
3,038	44	17	9	3,108	13	4	6	1	2	1	-	-	-	-	-	65
305	22	6	8	341	40	8	5	-	2	1	-	-	-	1	-	66
7,054	129	31	15	7,229	16	3	1	1	-	-	-	-	-	-	-	67
118	19	16	12	165	96	83	44	33	17	17	13	7	9	8	1	68
130	26	31	15	202	73	57	50	32	26	25	24	24	16	21	18	69
80	44	39	28	191	266	226	148	121	90	94	74	56	49	40	58	70
29	14	11	8	62	64	72	54	34	19	23	10	6	6	1	7	71
3	7	6	9	25	101	74	46	32	24	22	11	8	6	2	3	72
48	23	22	11	104	101	80	48	55	47	49	53	44	37	37	48	73
44	-	2	1	47	2	1	4	3	6	-	4	1	3	1	3	74

716 - 533 O - 64 - 21

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, FEMALE--ALL CAUSES	31,542	2,917	10,769	3,328	2,110	962	504	391	269
2	Dysentery, all forms--045-048	24	-	-	-	-	1	-	-	-
3	Septicemia and pyemia--053	88	-	-	-	-	-	-	-	-
4	Whooping cough--056	8	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	77	-	-	-	-	-	-	-	-
6	Tetanus--061	9	-	-	-	-	-	-	1	1
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	197	-	3	1	1	3	-	2	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	119	2	3	1	3	-	1	1	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	58	6	9	1	3	5	1	-	1
10	Diseases of thymus gland--273	23	-	3	1	2	-	1	-	-
11	Meningitis, except meningococcal and tuberculous--340	238	-	2	1	3	7	2	6	6
12	Other diseases of nervous system and sense organs--330-334,341-398	235	-	2	1	3	-	-	-	-
13	Acute upper respiratory infections--470-475	102	-	2	1	-	1	1	-	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	2,187	-	-	1	-	-	-	-	-
15	Influenza--480-483	57	-	-	1	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn--490-493	2,130	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	163	-	1	1	-	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	422	6	12	6	-	1	2	1	-
19	Pulmonary congestion and hypostasis--522	44	1	2	-	-	-	-	-	-
20	Other chronic interstitial pneumonia--525	286	-	-	2	-	-	1	-	-
21	Bronchiectasis--526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	40	-	-	-	-	1	-	-	-
23	All other diseases of respiratory system--510-521,527.1	51	5	10	4	-	-	1	1	-
24	Hernia and intestinal obstruction--560,561,570	303	29	98	21	24	10	6	3	7
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	490	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	222	2	6	5	12	9	8	8	6
27	Congenital malformations--750-759	5,618	651	1,035	342	322	207	145	98	77
28	Spina bifida and meningocele--751	709	60	87	27	18	17	14	5	7
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	544	65	113	30	22	8	10	5	4
30	Congenital malformations of circulatory system--754	2,458	57	275	166	189	130	75	55	37
31	Other congenital malformations--750,755-759	1,907	469	560	119	93	52	46	33	29
32	Certain diseases of early infancy--760-776	19,050	2,158	9,513	2,904	1,707	701	323	256	179
33	Birth injuries--760,761	3,009	535	1,545	405	260	86	56	32	17
34	Without mention of immaturity (.0)	1,051	197	440	162	111	40	29	19	9
35	With immaturity (.5)	1,958	338	1,105	243	149	46	27	13	8
36	Intracranial and spinal injury at birth--760	783	39	290	145	129	51	39	24	11
37	Without mention of immaturity (.0)	462	25	172	79	73	28	23	18	6
38	With immaturity (.5)	321	14	118	66	56	23	16	6	5
39	Other birth injury--761	2,226	496	1,255	260	131	35	17	8	6
40	Without mention of immaturity (.0)	589	172	268	83	38	12	6	1	3
41	With immaturity (.5)	1,637	324	987	177	93	23	11	7	3
42	Postnatal asphyxia and atelectasis--762	5,527	521	2,946	995	531	180	75	61	29
43	Without mention of immaturity (.0)	1,437	180	634	284	156	57	17	13	7
44	With immaturity (.5)	4,090	341	2,312	711	375	123	58	48	22
45	Pneumonia of newborn--763	864	9	114	94	93	59	32	31	28
46	Without mention of immaturity (.0)	616	6	75	56	61	40	21	20	19
47	With immaturity (.5)	248	3	39	38	32	19	11	11	9
48	Diarrhea of newborn--764	67	-	1	1	-	2	2	-	2
49	Without mention of immaturity (.0)	54	-	1	1	-	2	1	-	2
50	With immaturity (.5)	13	-	-	-	-	-	1	-	-
51	Other infections of newborn--765-768	181	12	28	17	14	14	6	7	4
52	Without mention of immaturity (.0)	109	5	11	12	10	11	4	4	1
53	With immaturity (.5)	72	7	17	5	4	3	2	3	3
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	261	35	142	40	24	8	2	3	-
55	Without mention of immaturity (.0-.4)	78	16	25	15	10	3	1	2	-
56	With immaturity (.5-.9)	183	19	117	25	14	5	1	1	-
57	Hemolytic disease of newborn (erythroblastosis)--770	827	206	422	68	38	24	11	14	9
58	Without mention of immaturity(.0-.2)	647	156	334	53	31	20	10	10	6
59	With immaturity (.5-.7)	180	50	88	15	7	4	1	4	3
60	Hemorrhagic disease of newborn--771	134	8	51	19	12	20	7	2	6
61	Without mention of immaturity (.0)	80	4	36	16	7	6	2	1	4
62	With immaturity (.5)	54	4	15	3	5	14	5	1	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,620	165	1,144	557	333	108	48	40	24
64	Without mention of immaturity (.0)	617	29	179	149	83	30	12	6	5
65	With immaturity (.5)	2,003	136	965	408	250	78	36	34	19
66	Immaturity with mention of any other subsidiary condition--774	265	17	84	29	23	12	9	12	7
67	Immaturity, unqualified--776	5,295	650	3,036	679	379	188	75	54	53
68	Symptoms and ill-defined conditions--780-793,795	379	20	33	10	11	3	1	3	1
69	All other diseases--Residual	393	8	37	22	7	6	7	6	1
70	Accidents--E800-E962	1,068	3	6	6	10	8	6	6	8
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	246	-	-	-	7	2	2	2	4
72	Accidental mechanical suffocation in bed and cradle--E924	241	-	1	1	-	-	-	-	2
73	Other accidental causes--E800-E920,E923,E925-E962	581	3	5	5	3	6	4	4	2
74	Homicide--E964,E980-E984	69	32	4	3	2	-	-	-	-

by Age, Color, and Sex: United States, 1962—Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
21,270	1,138	623	501	23,532	1,740	1,454	1,094	816	660	538	413	366	321	324	284	1
1	-	-	1	2	1	2	5	2	2	5	2	-	2	1	-	2
-	-	-	-	-	12	24	7	8	12	6	1	6	4	4	4	3
-	-	-	-	-	2	1	1	1	-	-	-	1	-	1	1	4
-	1	4	1	6	9	8	2	8	5	6	8	7	6	7	5	5
2	5	2	-	9	-	-	-	-	-	-	-	-	-	-	-	6
11	5	11	5	32	17	21	14	20	14	17	13	12	9	11	17	7
11	1	1	1	14	8	4	7	6	12	11	12	10	8	10	17	8
26	-	2	1	29	6	2	5	2	7	2	1	2	1	-	1	9
7	-	-	1	8	-	4	3	5	2	-	-	-	-	-	1	10
27	20	19	17	83	28	20	25	19	18	9	7	9	12	6	2	11
6	3	-	3	12	33	23	31	20	21	18	21	14	16	14	12	12
5	-	1	4	10	19	22	14	9	7	7	6	1	3	2	2	13
1	1	-	2	4	454	476	345	220	179	132	102	80	56	69	70	14
1	1	-	2	4	4	9	7	9	2	4	1	5	6	2	4	15
...	...	...	...	...	450	467	338	211	177	128	101	75	50	67	66	16
3	1	4	3	11	29	26	28	19	10	10	5	8	5	6	6	17
28	6	4	5	43	105	88	65	36	21	23	14	7	8	3	9	18
3	3	-	2	8	12	3	8	3	-	3	3	1	3	-	-	19
3	1	1	1	6	88	70	47	25	16	15	7	3	1	3	5	20
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
1	1	3	1	6	3	9	4	4	4	3	2	1	2	-	2	22
21	1	-	1	23	2	6	6	4	1	2	1	2	2	-	2	23
198	22	12	10	242	25	8	6	5	3	4	2	2	2	1	3	24
-	1	-	-	1	70	70	56	52	43	54	29	31	32	32	20	25
56	25	21	11	113	37	17	10	9	6	14	2	4	-	6	4	26
2,877	393	236	173	3,679	504	321	245	208	166	122	86	81	83	76	47	27
235	62	52	46	395	84	57	38	29	32	21	12	13	14	7	7	28
257	17	15	23	312	45	37	23	26	20	21	11	13	17	9	10	29
984	208	103	69	1,364	281	176	151	131	92	69	47	43	41	42	21	30
1,401	106	66	35	1,608	94	51	33	22	22	11	16	12	11	18	9	31
17,741	588	257	204	18,790	99	50	34	23	18	1	10	9	4	7	5	32
2,936	54	9	7	3,006	1	1	1	-	-	-	-	-	-	-	-	33
1,007	30	8	5	1,050	-	1	-	-	-	-	-	-	-	-	-	34
1,929	24	1	2	1,956	1	-	1	-	-	-	-	-	-	-	-	35
728	41	8	6	783	...	...	...	...	...	...	...	...	...	...	...	36
424	26	7	5	462	...	...	...	...	...	...	...	...	...	...	...	37
304	15	1	1	321	...	...	...	...	...	...	...	...	...	...	...	38
2,208	13	1	1	2,223	1	1	1	-	-	-	-	-	-	-	-	39
583	4	1	-	588	-	1	-	-	-	-	-	-	-	-	-	40
1,625	9	-	1	1,635	1	-	1	-	-	-	-	-	-	-	-	41
5,338	89	24	16	5,467	21	11	7	7	3	1	2	3	2	2	1	42
1,348	20	11	7	1,386	15	9	6	7	3	1	2	3	2	2	1	43
3,990	69	13	9	4,081	6	2	1	-	-	-	-	-	-	-	-	44
460	165	129	110	864	...	...	...	...	...	...	...	...	...	...	...	45
298	117	106	95	616	...	...	...	...	...	...	...	...	...	...	...	46
162	48	23	15	248	...	...	...	...	...	...	...	...	...	...	...	47
8	25	18	16	67	-	-	-	-	-	-	-	-	-	-	-	48
7	20	12	15	54	-	-	-	-	-	-	-	-	-	-	-	49
1	5	6	1	13	-	-	-	-	-	-	-	-	-	-	-	50
102	45	18	16	181	-	-	-	-	-	-	-	-	-	-	-	51
58	29	11	11	109	-	-	-	-	-	-	-	-	-	-	-	52
44	16	7	5	72	-	-	-	-	-	-	-	-	-	-	-	53
254	2	-	1	257	2	2	-	-	-	-	-	-	-	-	-	54
72	2	-	-	74	2	2	-	-	-	-	-	-	-	-	-	55
182	-	-	1	183	-	-	-	-	-	-	-	-	-	-	-	56
792	20	4	6	822	1	1	2	1	-	-	-	-	-	-	-	57
620	15	4	4	643	1	1	1	1	-	-	-	-	-	-	-	58
172	5	-	2	179	-	-	1	-	-	-	-	-	-	-	-	59
125	4	2	2	133	-	-	-	-	-	-	-	1	-	-	-	60
76	-	1	2	79	-	-	-	-	-	-	-	1	-	-	-	61
49	4	1	-	54	-	-	-	-	-	-	-	-	-	-	-	62
2,419	61	11	8	2,499	32	24	16	14	13	-	8	5	2	5	2	63
493	15	5	1	514	22	22	16	9	13	-	7	5	2	5	2	64
1,926	46	6	7	1,985	10	2	-	5	-	-	1	-	-	-	-	65
193	20	10	3	226	27	8	4	-	-	-	-	-	-	-	-	66
5,114	103	32	19	5,268	15	3	4	1	2	-	-	-	-	-	2	67
82	10	10	17	119	58	68	44	29	21	12	8	8	3	6	3	68
94	19	15	12	140	46	35	30	20	24	26	20	18	12	14	8	69
53	35	24	30	142	172	161	116	90	68	55	62	56	54	46	46	70
17	13	4	5	39	50	51	26	21	14	10	7	11	6	6	5	71
4	5	6	12	27	60	54	34	23	13	10	6	4	2	5	3	72
32	17	14	13	76	62	56	56	46	41	35	49	41	46	35	38	73
41	2	-	-	43	6	3	1	5	1	4	2	-	1	2	1	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, BOTH SEXES--ALL CAUSES	26,535	1,699	7,502	2,167	1,382	647	424	322	267
2	Dysentery, all forms--045-048	63	-	-	-	-	1	-	-	-
3	Septicemia and pyemia--053	142	-	-	-	-	-	-	-	-
4	Whooping cough--056	40	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	26	-	1	-	-	-	-	-	1
6	Tetanus--061	32	-	-	-	1	-	-	3	5
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-136	180	2	9	2	1	2	3	3	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	29	1	-	-	-	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	11	2	-	-	1	-	1	-	-
10	Diseases of thymus gland--273	18	1	4	-	-	-	-	-	-
11	Meningitis, except meningoccal and tuberculous--340	334	-	-	1	5	3	4	5	5
12	Other diseases of nervous system and sense organs--330-334,341-398	175	-	2	2	-	1	1	-	-
13	Acute upper respiratory infections--470-475	140	-	1	2	-	-	1	-	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	3,432	-	-	-	-	1	1	1	1
15	Influenza--480-483	142	-	-	-	-	1	1	1	1
16	Pneumonia, except pneumonia of newborn--490-493	3,290	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	152	-	-	-	1	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	478	3	13	4	4	1	1	-	-
19	Pulmonary congestion and hypostasis--522	38	-	3	2	-	-	-	-	-
20	Other chronic interstitial pneumonia--525	306	-	1	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	90	1	3	-	3	1	1	-	-
23	All other diseases of respiratory system--510-521,527.1	44	2	6	2	1	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	125	5	16	7	4	4	3	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,185	-	-	1	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	141	1	1	3	5	5	7	8	5
27	Congenital malformations--750-759	1,925	122	298	113	122	65	49	33	27
28	Spina bifida and meningocele--751	96	3	9	3	4	2	1	2	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	182	16	29	12	9	3	3	2	1
30	Congenital malformations of circulatory system--754	980	21	106	68	76	37	23	12	10
31	Other congenital malformations--750,755-759	667	82	154	30	33	23	22	17	14
32	Certain diseases of early infancy--760-776	15,048	1,445	6,954	1,951	1,162	510	323	245	196
33	Birth injuries--760,761	1,660	312	730	245	157	75	34	19	17
34	Without mention of immaturity (.0)	783	153	288	123	91	47	21	8	11
35	With immaturity (.5)	877	159	442	122	66	28	13	11	6
36	Intracranial and spinal injury at birth--760	680	35	253	123	105	62	22	14	10
37	Without mention of immaturity (.0)	397	27	129	78	61	41	14	6	6
38	With immaturity (.5)	283	8	124	45	44	21	8	8	4
39	Other birth injury--761	980	277	477	122	52	13	12	5	7
40	Without mention of immaturity (.0)	386	126	159	45	30	6	7	2	5
41	With immaturity (.5)	594	151	318	77	22	7	5	3	2
42	Postnatal asphyxia and atelectasis--762	3,995	378	2,219	612	344	122	63	39	28
43	Without mention of immaturity (.0)	1,046	132	476	176	100	40	13	8	6
44	With immaturity (.5)	2,949	246	1,743	436	244	82	50	31	22
45	Pneumonia of newborn--763	1,140	20	162	103	85	59	50	48	32
46	Without mention of immaturity (.0)	862	18	109	83	56	44	37	33	22
47	With immaturity (.5)	278	2	53	20	29	15	13	15	10
48	Diarrhea of newborn--764	331	-	-	2	3	2	6	3	5
49	Without mention of immaturity (.0)	181	-	-	-	1	2	5	2	3
50	With immaturity (.5)	50	-	-	2	2	-	1	1	2
51	Other infections of newborn--765-768	283	11	40	17	26	12	14	17	18
52	Without mention of immaturity (.0)	173	4	19	9	24	8	6	12	12
53	With immaturity (.5)	110	7	21	8	2	4	8	5	6
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	158	27	73	19	14	13	4	1	-
55	Without mention of immaturity (.0-.4)	70	15	23	8	11	7	2	-	-
56	With immaturity (.5-.9)	88	12	50	11	3	6	2	1	-
57	Hemolytic disease of newborn (erythroblastosis)--770	124	14	36	7	7	13	9	5	8
58	Without mention of immaturity (.0-.2)	106	11	33	6	6	11	7	3	8
59	With immaturity (.5-.7)	18	3	3	1	1	2	2	2	-
60	Hemorrhagic disease of newborn--771	149	4	32	31	28	13	11	6	5
61	Without mention of immaturity (.0)	87	3	24	18	15	6	7	3	1
62	With immaturity (.5)	62	1	8	13	13	7	4	3	4
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,201	101	852	322	161	60	39	31	28
64	Without mention of immaturity (.0)	735	19	132	71	39	20	5	5	7
65	With immaturity (.5)	1,466	82	720	251	122	40	34	26	21
66	Immaturity with mention of any other subsidiary condition--774	271	5	74	22	17	11	5	6	7
67	Immaturity, unqualified--776	4,836	573	2,736	571	320	130	88	70	48
68	Symptoms and ill-defined conditions--780-793,795	1,379	85	166	54	51	35	17	17	10
69	All other diseases--Residual	346	3	18	10	11	6	3	1	1
70	Accidents--E800-E962	1,073	4	14	14	14	12	9	6	10
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	206	-	1	3	5	3	4	1	3
72	Accidental mechanical suffocation in bed and cradle--E924	291	-	1	2	-	1	1	1	3
73	Other accidental causes--E800-E920,E923,E925-E962	576	4	12	9	9	8	4	4	4
74	Homicide--E964,E980-E984	61	25	5	3	-	1	-	-	1

by Age, Color, and Sex: United States, 1962 —Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
14,410	1,083	700	521	16,714	2,166	1,856	1,410	1,086	856	601	497	437	336	296	280	1
1	4	2	-	7	11	11	5	7	3	5	2	4	4	-	4	2
-	-	-	-	-	38	22	21	21	11	3	10	3	4	6	3	3
-	-	-	-	-	4	9	3	5	1	3	5	3	2	5	-	4
2	1	1	2	6	-	5	2	4	2	-	2	-	2	2	1	5
9	18	4	1	32	-	-	-	-	-	-	-	-	-	-	-	6
25	5	5	6	41	11	18	17	15	11	12	14	7	18	6	10	7
2	1	2	-	5	1	2	1	4	3	1	1	3	3	2	3	8
4	-	-	1	5	1	1	-	1	-	1	2	-	-	-	-	9
5	-	-	-	5	5	-	2	1	2	-	-	-	1	2	-	10
23	16	14	5	58	27	32	35	24	38	27	20	23	23	16	11	11
6	5	3	2	16	33	24	21	12	16	14	10	10	11	4	4	12
5	7	3	2	17	23	30	17	14	10	7	10	5	2	3	2	13
4	4	6	3	17	710	666	546	420	298	180	164	147	99	94	91	14
4	4	6	3	17	16	15	20	16	16	5	11	9	2	7	8	15
...	...	...	...	...	694	651	526	404	282	175	153	138	97	87	83	16
2	1	4	2	9	17	27	23	21	12	9	12	8	3	6	5	17
26	4	4	9	43	91	116	84	50	23	27	9	7	7	12	9	18
5	1	-	3	9	7	9	5	3	1	1	-	-	-	2	1	19
1	-	1	-	2	67	84	58	31	15	19	9	5	5	5	6	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	1	1	3	14	12	19	14	14	5	5	-	1	1	3	2	22
11	2	2	3	18	5	4	7	2	2	2	-	1	1	2	-	23
39	12	6	4	61	20	12	6	10	4	1	3	4	1	2	1	24
1	-	-	-	1	262	205	135	123	123	89	72	63	47	33	32	25
35	14	5	3	57	21	13	10	8	11	5	3	2	3	2	6	26
829	138	89	63	1,119	190	134	117	88	73	52	47	39	19	17	30	27
26	5	10	2	43	13	10	4	9	6	3	1	3	1	1	2	28
75	7	6	2	90	13	12	9	8	13	10	10	5	2	4	6	29
353	69	35	39	496	99	80	87	56	45	29	26	24	10	9	19	30
375	57	38	20	490	65	32	17	15	9	10	10	7	6	3	3	31
12,786	743	469	360	14,358	280	147	83	49	39	22	21	16	10	11	12	32
1,589	47	12	8	1,656	2	1	-	1	-	-	-	-	-	-	-	33
742	22	9	6	779	2	1	-	1	-	-	-	-	-	-	-	34
847	25	3	2	877	-	-	-	-	-	-	-	-	-	-	-	35
624	39	9	8	680	...	...	...	...	...	...	...	...	...	...	...	36
362	22	7	6	397	...	...	...	...	...	...	...	...	...	...	...	37
262	17	2	2	283	...	...	...	...	...	...	...	...	...	...	...	38
965	8	3	-	976	2	1	-	1	-	-	-	-	-	-	-	39
380	-	2	-	382	2	1	-	1	-	-	-	-	-	-	-	40
585	8	1	-	594	-	-	-	-	-	-	-	-	-	-	-	41
3,805	63	31	17	3,916	30	19	7	6	5	3	3	1	3	2	-	42
951	16	13	6	986	16	16	6	6	5	3	2	1	3	2	-	43
2,854	47	18	11	2,930	14	3	1	-	-	-	1	-	-	-	-	44
559	217	199	165	1,140	...	...	...	...	...	...	...	...	...	...	...	45
402	171	153	136	862	...	...	...	...	...	...	...	...	...	...	...	46
157	46	46	29	278	...	...	...	...	...	...	...	...	...	...	...	47
21	70	66	71	228	2	-	1	-	-	-	-	-	-	-	-	48
13	50	54	61	178	2	-	1	-	-	-	-	-	-	-	-	49
8	20	12	10	50	-	-	-	-	-	-	-	-	-	-	-	50
155	63	37	27	282	-	1	-	-	-	-	-	-	-	-	-	51
94	36	23	19	172	-	1	-	-	-	-	-	-	-	-	-	52
61	27	14	8	110	-	-	-	-	-	-	-	-	-	-	-	53
151	3	1	2	157	1	-	-	-	-	-	-	-	-	-	-	54
66	2	1	-	69	1	-	-	-	-	-	-	-	-	-	-	55
85	1	-	2	88	-	-	-	-	-	-	-	-	-	-	-	56
99	11	6	2	118	2	2	1	-	-	-	-	-	-	1	-	57
85	8	5	2	100	2	2	1	-	-	-	-	-	-	1	-	58
14	3	1	-	18	-	-	-	-	-	-	-	-	-	-	-	59
130	14	4	-	148	-	-	-	-	-	1	-	-	-	-	-	60
77	7	2	-	86	-	-	-	-	-	1	-	-	-	-	-	61
53	7	2	-	62	-	-	-	-	-	-	-	-	-	-	-	62
1,594	87	45	35	1,761	146	100	58	35	34	15	15	14	7	7	9	63
298	28	18	15	359	116	87	53	27	32	14	13	14	5	7	8	64
1,296	59	27	20	1,402	30	13	5	8	2	1	2	-	2	-	1	65
147	18	8	7	180	57	15	11	5	-	-	1	1	-	-	1	66
4,536	150	60	26	4,772	40	9	5	2	-	3	2	-	-	1	2	67
435	73	41	28	577	181	189	129	93	65	47	28	28	16	16	10	68
53	16	12	5	86	51	24	26	20	27	25	16	24	20	15	12	69
83	21	30	24	158	187	161	124	94	82	71	43	41	36	42	34	70
20	6	7	6	39	38	36	28	15	12	11	5	5	8	3	6	71
9	4	11	11	35	76	51	46	28	25	12	8	5	3	2	-	72
54	11	12	7	84	73	74	50	51	45	48	30	31	25	37	28	73
35	-	-	1	36	2	8	3	2	2	-	3	-	5	-	-	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, MALE--ALL CAUSES	14,828	943	4,305	1,162	788	387	225	185	143
2	Dysentery, all forms--045-048	39	-	-	-	-	1	-	-	-
3	Septicemia and pyemia--053	80	-	-	-	-	-	-	-	-
4	Whooping cough--056	19	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	17	-	-	-	-	-	-	-	1
6	Tetanus--061	14	-	-	-	1	-	-	1	1
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	98	2	5	1	1	2	3	2	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	13	-	-	-	-	-	1	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	6	1	-	-	-	-	1	-	-
10	Diseases of thymus gland--273	9	1	1	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	164	-	-	1	3	1	2	5	3
12	Other diseases of nervous system and sense organs--330-334,341-398	101	-	2	1	-	1	-	-	-
13	Acute upper respiratory infections--470-475	90	-	1	2	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	1,868	-	-	-	-	1	-	-	1
15	Influenza--480-483	77	-	-	-	-	1	-	-	1
16	Pneumonia, except pneumonia of newborn--490-493	1,791	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	85	-	-	-	1	-	-	-	1
18	Other diseases of respiratory system--510-522,525-527	261	1	6	3	1	1	1	-	-
19	Pulmonary congestion and hypostasis--522	20	-	2	2	-	-	-	-	-
20	Other chronic interstitial pneumonia--525	159	-	-	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	53	1	2	-	1	1	1	-	-
23	All other diseases of respiratory system--510-521,527.1	29	-	2	1	-	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	74	3	8	2	2	1	1	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	652	-	-	1	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	77	-	1	1	2	2	6	3	3
27	Congenital malformations--750-759	1,096	56	181	62	73	37	30	16	17
28	Spina bifida and meningocele--751	52	3	3	1	1	2	-	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	94	7	13	5	4	2	3	1	1
30	Congenital malformations of circulatory system--754	553	9	69	38	44	21	12	6	7
31	Other congenital malformations--750,755-759	397	37	96	18	24	12	15	9	9
32	Certain diseases of early infancy--760-776	8,477	817	3,995	1,039	659	299	169	142	107
33	Birth injuries--760,761	983	189	429	142	96	49	17	12	10
34	Without mention of immaturity (.0)	479	94	175	75	59	32	11	6	5
35	With immaturity (.5)	504	95	254	67	37	17	6	6	5
36	Intracranial and spinal injury at birth--760	426	29	153	74	68	40	10	10	8
37	Without mention of immaturity (.0)	256	24	78	47	42	27	7	5	5
38	With immaturity (.5)	170	5	75	27	26	13	3	5	3
39	Other birth injury--761	557	160	276	68	28	9	7	2	2
40	Without mention of immaturity (.0)	223	70	97	28	17	5	4	1	-
41	With immaturity (.5)	334	90	179	40	11	4	3	1	2
42	Postnatal asphyxia and atelectasis--762	2,256	214	1,287	332	188	63	33	21	14
43	Without mention of immaturity (.0)	583	69	263	102	56	21	5	6	6
44	With immaturity (.5)	1,673	145	1,024	230	132	42	28	15	8
45	Pneumonia of newborn--763	647	10	93	60	63	37	30	24	20
46	Without mention of immaturity (.0)	493	8	61	51	38	28	24	17	14
47	With immaturity (.5)	154	2	32	9	25	9	6	7	6
48	Diarrhea of newborn--764	125	-	-	2	1	-	4	2	3
49	Without mention of immaturity (.0)	94	-	-	-	-	-	3	1	1
50	With immaturity (.5)	31	-	-	2	1	-	1	1	2
51	Other infections of newborn--765-768	164	7	23	10	16	7	8	9	14
52	Without mention of immaturity (.0)	110	3	13	6	14	6	4	7	9
53	With immaturity (.5)	54	4	10	4	2	1	4	2	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	87	15	38	8	9	8	3	-	-
55	Without mention of immaturity (.0-.4)	35	7	11	1	7	5	1	-	-
56	With immaturity (.5-.9)	52	8	27	7	2	3	2	-	-
57	Hemolytic disease of newborn (erythroblastosis)--770	73	9	21	2	4	8	7	2	6
58	Without mention of immaturity (.0-.2)	65	6	21	2	4	6	7	2	6
59	With immaturity (.5-.7)	8	3	-	-	-	2	-	-	-
60	Hemorrhagic disease of newborn--771	83	3	13	19	16	8	6	5	3
61	Without mention of immaturity (.0)	49	3	8	13	9	4	4	2	1
62	With immaturity (.5)	34	-	5	6	7	4	2	3	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	1,274	57	495	170	98	41	22	21	15
64	Without mention of immaturity (.0)	437	10	73	37	29	14	3	3	3
65	With immaturity (.5)	837	47	422	133	69	27	19	18	12
66	Immaturity with mention of any other subsidiary condition--774	151	3	46	9	10	6	3	3	4
67	Immaturity, unqualified--776	2,634	310	1,550	285	158	72	36	43	18
68	Symptoms and ill-defined conditions--780-793,795	765	45	86	30	27	28	7	14	3
69	All other diseases--Residual	210	2	10	7	7	5	-	-	1
70	Accidents--E800-E962	559	3	7	10	11	8	4	2	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	108	-	-	3	5	2	1	1	1
72	Accidental mechanical suffocation in bed and cradle--E924	147	-	-	-	-	-	1	-	-
73	Other accidental causes--E800-E920,E923,E925-E962	304	3	7	7	6	6	2	1	2
74	Homicide--E964,E980-E984	34	12	2	2	-	-	-	-	1

by Age, Color, and Sex: United States, 1962 —Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
8,138	588	379	287	9,392	1,250	1,030	765	601	455	309	286	257	177	160	146	1
1	2	1	-	4	7	7	4	2	3	4	-	3	3	-	2	2
-	-	-	-	-	22	12	12	11	7	1	6	1	2	4	2	3
-	-	-	-	-	3	7	1	2	1	2	1	1	1	-	-	4
1	-	1	1	3	-	4	1	3	2	-	2	-	-	2	-	5
3	8	2	1	14	-	-	-	-	-	-	-	-	-	-	-	6
17	4	2	3	26	9	10	6	9	2	4	6	5	9	5	7	7
1	-	1	-	2	1	2	1	2	1	1	-	2	-	-	1	8
2	-	-	1	3	-	-	-	-	-	1	2	-	-	-	-	9
2	-	-	-	2	3	-	2	-	-	-	-	-	-	2	-	10
15	6	8	2	31	13	20	24	14	18	16	8	13	12	10	5	11
4	1	2	1	8	21	11	11	10	8	7	7	8	7	2	1	12
3	4	2	2	11	17	19	13	9	5	5	5	3	-	2	1	13
2	2	1	1	6	404	360	298	224	152	88	107	82	53	49	45	14
2	2	1	1	6	8	7	13	11	8	2	8	6	2	3	3	15
...	...	...	...	...	396	353	285	213	144	86	99	76	51	46	42	16
2	1	3	1	7	6	11	15	13	7	5	7	7	2	1	4	17
13	1	4	2	20	47	65	45	29	14	15	5	4	5	7	5	18
4	1	-	-	5	3	5	3	1	1	-	-	-	-	1	1	19
-	-	1	-	1	33	45	27	14	10	12	5	3	4	2	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	-	1	-	7	7	11	9	12	2	2	-	-	-	2	1	22
3	-	2	2	7	4	4	6	2	1	1	-	1	1	2	-	23
17	5	4	4	30	14	9	5	8	2	-	1	2	1	2	-	24
1	-	-	-	1	152	112	70	72	72	37	42	36	20	20	18	25
18	10	4	2	34	9	7	6	4	5	3	2	2	1	1	3	26
472	80	52	35	639	114	78	62	54	40	25	27	22	11	10	14	27
10	5	6	2	23	6	7	2	6	3	1	-	2	1	-	1	28
36	4	4	-	44	6	7	3	6	6	4	6	4	2	2	4	29
206	39	17	23	285	60	47	45	34	24	16	13	11	5	6	7	30
220	32	25	10	287	42	17	12	8	7	4	8	5	3	2	2	31
7,227	408	243	204	8,082	173	92	41	25	20	12	9	11	5	4	3	32
944	25	8	5	982	1	-	-	-	-	-	-	-	-	-	-	33
457	12	6	3	478	1	-	-	-	-	-	-	-	-	-	-	34
487	13	2	2	504	-	-	-	-	-	-	-	-	-	-	-	35
392	22	7	5	426	...	...	...	...	...	...	...	...	...	...	...	36
235	12	6	3	256	...	...	...	...	...	...	...	...	...	...	...	37
157	10	1	2	170	...	...	...	...	...	...	...	...	...	...	...	38
552	3	1	-	556	1	-	-	-	-	-	-	-	-	-	-	39
222	-	-	-	222	1	-	-	-	-	-	-	-	-	-	-	40
330	3	1	-	334	-	-	-	-	-	-	-	-	-	-	-	41
2,152	32	16	11	2,211	14	11	7	2	3	2	1	1	2	2	-	42
528	8	9	4	549	7	9	6	2	3	2	-	1	2	2	-	43
1,624	24	7	7	1,662	7	2	1	-	-	-	1	-	-	-	-	44
337	124	100	86	647	...	...	...	...	...	...	...	...	...	...	...	45
241	104	79	69	493	...	...	...	...	...	...	...	...	...	...	...	46
96	20	21	17	154	...	...	...	...	...	...	...	...	...	...	...	47
12	40	33	39	124	-	-	1	-	-	-	-	-	-	-	-	48
5	26	29	33	93	-	-	1	-	-	-	-	-	-	-	-	49
7	14	4	6	31	-	-	-	-	-	-	-	-	-	-	-	50
94	30	22	18	164	-	-	-	-	-	-	-	-	-	-	-	51
62	18	15	15	110	-	-	-	-	-	-	-	-	-	-	-	52
32	12	7	3	54	-	-	-	-	-	-	-	-	-	-	-	53
81	2	1	2	86	1	-	-	-	-	-	-	-	-	-	-	54
32	1	1	-	34	1	-	-	-	-	-	-	-	-	-	-	55
49	1	-	2	52	-	-	-	-	-	-	-	-	-	-	-	56
59	8	3	2	72	1	-	-	-	-	-	-	-	-	-	-	57
54	5	3	2	64	1	-	-	-	-	-	-	-	-	-	-	58
5	3	-	-	8	-	-	-	-	-	-	-	-	-	-	-	59
73	9	1	-	83	-	-	-	-	-	-	-	-	-	-	-	60
44	4	1	-	49	-	-	-	-	-	-	-	-	-	-	-	61
29	5	-	-	34	-	-	-	-	-	-	-	-	-	-	-	62
919	53	22	22	1,016	96	68	26	19	17	7	7	10	3	2	3	63
172	18	10	11	211	82	60	23	14	16	7	7	10	2	2	3	64
747	35	12	11	805	14	8	3	5	1	-	-	-	1	-	-	65
84	7	4	3	98	38	8	4	3	-	-	-	-	-	-	-	66
2,472	78	33	16	2,599	22	5	3	1	-	3	1	-	-	-	-	67
240	36	25	10	311	103	98	73	49	38	30	16	19	10	11	7	68
32	9	10	3	54	35	14	13	14	18	14	10	12	12	7	7	69
48	11	14	14	87	95	85	61	45	39	39	22	24	20	21	21	70
13	4	5	3	25	17	19	13	8	6	7	3	2	4	1	3	71
1	3	6	8	18	40	28	25	12	9	5	4	5	1	-	-	72
34	4	3	3	44	38	38	23	25	24	27	15	17	15	20	18	73
17	-	-	-	17	2	7	1	2	1	-	1	-	3	-	-	74

Table 2-11. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

	CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, FEMALE--ALL CAUSES	11,707	756	3,197	1,005	594	260	199	137	124
2	Dysentery, all forms--045-046	24	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	62	-	-	-	-	-	-	-	-
4	Whooping cough--056	21	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	9	-	1	-	-	-	-	-	-
6	Tetanus--061	18	-	-	-	-	-	-	2	4
7	Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	82	-	4	1	-	-	-	1	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	16	1	-	-	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	5	1	-	-	1	-	-	-	-
10	Diseases of thymus gland--273	9	-	3	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	150	-	-	-	2	2	2	-	2
12	Other diseases of nervous system and sense organs--330-334,341-398	74	-	-	1	-	-	1	-	-
13	Acute upper respiratory infections--470-475	50	-	-	-	-	-	1	-	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	1,564	-	-	-	-	-	1	1	-
15	Influenza--480-483	65	-	-	-	-	-	1	1	-
16	Pneumonia, except pneumonia of newborn--490-493	1,499	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	67	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system--510-522,525-527	217	2	7	1	3	-	-	-	-
19	Pulmonary congestion and hypostasis--522	18	-	1	-	-	-	-	-	-
20	Other chronic interstitial pneumonia--525	147	-	1	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	37	-	1	-	2	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	15	2	4	1	1	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	51	2	8	5	2	3	2	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	533	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	64	1	-	2	3	3	1	5	2
27	Congenital malformations--750-759	829	66	117	51	49	28	19	17	10
28	Spina bifida and meningocele--751	44	-	6	2	3	-	1	2	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	88	9	16	7	5	1	-	1	-
30	Congenital malformations of circulatory system--754	427	12	37	30	32	16	11	6	3
31	Other congenital malformations--750,755-759	270	45	58	12	9	11	7	8	5
32	Certain diseases of early infancy--760-776	6,571	628	2,959	912	503	211	154	103	89
33	Birth injuries--760,761	677	123	301	103	61	26	17	7	7
34	Without mention of immaturity (.0)	304	59	113	48	32	15	10	2	6
35	With immaturity (.5)	373	64	188	55	29	11	7	5	1
36	Intracranial and spinal injury at birth--760	254	6	100	49	37	22	12	4	2
37	Without mention of immaturity (.0)	141	3	51	31	19	14	7	1	1
38	With immaturity (.5)	113	3	49	18	18	8	5	3	1
39	Other birth injury--761	423	117	201	54	24	4	5	3	5
40	Without mention of immaturity (.0)	163	56	62	17	13	1	3	1	5
41	With immaturity (.5)	260	61	139	37	11	3	2	2	-
42	Postnatal asphyxia and atelectasis--762	1,739	164	932	280	156	59	30	18	14
43	Without mention of immaturity (.0)	463	63	213	74	44	19	8	2	-
44	With immaturity (.5)	1,276	101	719	206	112	40	22	16	14
45	Pneumonia of newborn--763	493	10	69	43	22	22	20	24	12
46	Without mention of immaturity (.0)	369	10	48	32	18	16	13	16	8
47	With immaturity (.5)	124	-	21	11	4	6	7	8	4
48	Diarrhea of newborn--764	106	-	-	-	2	2	2	1	2
49	Without mention of immaturity (.0)	87	-	-	-	1	2	2	1	2
50	With immaturity (.5)	19	-	-	-	1	-	-	-	-
51	Other infections of newborn--765-768	119	4	17	7	10	5	6	8	4
52	Without mention of immaturity (.0)	63	1	6	3	10	2	2	5	3
53	With immaturity (.5)	56	3	11	4	-	3	4	3	1
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	71	12	35	11	5	5	1	1	-
55	Without mention of immaturity (.0-.4)	35	8	12	7	4	2	1	-	-
56	With immaturity (.5-.9)	36	4	23	4	1	3	-	1	-
57	Hemolytic disease of newborn (erythroblastosis)--770	51	5	15	5	3	5	2	3	2
58	Without mention of immaturity (.0-.2)	41	5	12	4	2	5	-	1	2
59	With immaturity (.5-.7)	10	-	3	1	1	-	2	2	-
60	Hemorrhagic disease of newborn--771	66	1	19	12	12	5	5	1	2
61	Without mention of immaturity (.0)	38	-	16	5	6	2	3	1	-
62	With immaturity (.5)	28	1	3	7	6	3	2	-	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	927	44	357	152	53	19	17	10	13
64	Without mention of immaturity (.0)	298	9	59	34	10	6	2	2	4
65	With immaturity (.5)	629	35	298	118	53	13	15	8	9
66	Immaturity with mention of any other subsidiary condition--774	120	2	28	13	7	5	2	3	3
67	Immaturity, unqualified--776	2,202	263	1,186	286	162	58	52	27	30
68	Symptoms and ill-defined conditions--780-793,795	614	40	80	24	24	7	10	3	7
69	All other diseases--Residual	136	1	6	3	4	1	3	1	-
70	Accidents--E800-E962	514	1	7	4	3	4	5	4	7
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	98	-	1	-	-	1	3	-	2
72	Accidental mechanical suffocation in bed and cradle--E924	144	-	1	2	-	1	-	1	3
73	Other accidental causes--E800-E920,E923,E925-E962	272	1	5	2	3	2	2	3	2
74	Homicide--E964,E980-E984	27	13	3	1	-	1	-	-	-

by Age, Color, and Sex: United States, 1962 –Con.

the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,272	495	321	234	7,322	916	826	645	485	401	292	211	180	159	136	134	1
-	2	1	-	3	4	4	1	5	-	1	2	1	1	-	2	2
-	-	-	-	-	16	10	9	10	4	2	4	2	2	2	1	3
-	-	-	-	-	1	2	2	3	-	1	4	2	1	5	-	4
1	1	-	1	3	-	1	1	1	-	-	-	-	2	-	1	5
6	10	2	-	18	-	-	-	-	-	-	-	-	-	-	-	6
8	1	3	3	15	2	8	11	6	9	8	8	2	9	1	3	7
1	1	1	-	3	-	-	-	2	2	-	1	1	3	2	2	8
2	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	9
3	-	-	-	3	2	-	-	1	2	-	-	-	1	-	-	10
8	10	6	3	27	14	12	11	10	20	11	12	10	11	6	6	11
2	4	1	1	8	12	13	10	2	8	7	3	2	4	2	3	12
2	3	1	-	6	6	11	4	5	5	2	5	2	2	1	1	13
2	2	5	2	11	306	306	248	196	146	92	57	65	46	45	46	14
2	2	5	2	11	8	8	7	5	8	3	3	3	-	4	5	15
...	...	...	...	...	298	298	241	191	138	89	54	62	46	41	41	16
-	-	1	1	2	11	16	8	8	5	4	5	1	1	5	1	17
13	3	-	7	23	44	51	39	21	9	12	4	3	2	5	4	18
1	-	-	3	4	4	4	2	2	-	1	-	-	-	1	-	19
1	-	-	-	1	34	39	31	17	5	7	4	2	1	3	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	-	3	7	5	8	5	2	3	3	-	1	1	1	1	22
8	2	-	1	11	1	-	1	-	1	1	-	-	-	-	-	23
22	7	2	-	31	6	3	1	2	2	1	2	2	-	-	1	24
-	-	-	-	-	110	93	65	51	51	52	30	27	27	13	14	25
17	4	1	1	23	12	6	4	4	6	2	1	-	2	1	3	26
357	58	37	28	480	76	56	55	34	33	27	20	17	8	7	16	27
16	-	4	-	20	7	3	2	3	3	2	1	1	-	1	1	28
39	3	2	2	46	7	5	6	2	7	6	4	1	-	2	2	29
147	30	18	16	211	39	33	42	22	21	13	13	13	5	3	12	30
155	25	13	10	203	23	15	5	7	2	6	2	2	3	1	1	31
5,559	335	226	156	6,276	107	55	42	24	19	10	12	5	5	7	9	32
645	22	4	3	674	1	1	-	1	-	-	-	-	-	-	-	33
285	10	3	3	301	1	1	-	1	-	-	-	-	-	-	-	34
360	12	1	-	373	-	-	-	-	-	-	-	-	-	-	-	35
232	17	2	3	254	...	...	...	...	...	...	...	...	...	...	...	36
127	10	1	3	141	...	...	...	...	...	...	...	...	...	...	...	37
105	7	1	-	113	...	...	...	...	...	...	...	...	...	...	...	38
413	5	2	-	420	1	1	-	1	-	-	-	-	-	-	-	39
158	-	2	-	160	1	1	-	1	-	-	-	-	-	-	-	40
255	5	-	-	260	-	-	-	-	-	-	-	-	-	-	-	41
1,653	31	15	6	1,705	16	8	-	4	2	1	2	-	1	-	-	42
423	8	4	2	437	9	7	-	4	2	1	2	-	1	-	-	43
1,230	23	11	4	1,268	7	1	-	-	-	-	-	-	-	-	-	44
222	93	99	79	493	...	...	...	...	...	...	...	...	...	...	...	45
161	67	74	67	369	...	...	...	...	...	...	...	...	...	...	...	46
61	26	25	12	124	...	...	...	...	...	...	...	...	...	...	...	47
9	30	33	32	104	2	-	-	-	-	-	-	-	-	-	-	48
8	24	25	28	85	2	-	-	-	-	-	-	-	-	-	-	49
1	6	8	4	19	-	-	-	-	-	-	-	-	-	-	-	50
61	33	15	9	118	-	1	-	-	-	-	-	-	-	-	-	51
32	18	8	4	62	-	1	-	-	-	-	-	-	-	-	-	52
29	15	7	5	56	-	-	-	-	-	-	-	-	-	-	-	53
70	1	-	-	71	-	-	-	-	-	-	-	-	-	-	-	54
34	1	-	-	35	-	-	-	-	-	-	-	-	-	-	-	55
36	-	-	-	36	-	-	-	-	-	-	-	-	-	-	-	56
40	3	3	-	46	1	2	1	-	-	-	-	-	-	1	-	57
31	3	2	-	36	1	2	1	-	-	-	-	-	-	1	-	58
9	-	1	-	10	-	-	-	-	-	-	-	-	-	-	-	59
57	5	3	-	65	-	-	-	-	-	1	-	-	-	-	-	60
33	3	1	-	37	-	-	-	-	-	1	-	-	-	-	-	61
24	2	2	-	28	-	-	-	-	-	-	-	-	-	-	-	62
675	34	23	13	745	50	32	32	16	17	8	8	4	4	5	6	63
126	10	8	4	148	34	27	30	13	16	7	6	4	3	5	5	64
549	24	15	9	597	16	5	2	3	1	1	2	-	1	-	1	65
63	11	4	4	82	19	7	7	2	-	-	1	1	-	-	1	66
2,064	72	27	10	2,173	18	4	2	1	-	-	1	-	-	1	2	67
195	37	16	18	266	78	91	56	44	27	17	12	9	6	5	3	68
21	7	2	2	32	16	10	13	6	9	11	6	12	8	8	5	69
35	10	16	10	71	92	76	63	49	43	32	21	17	16	21	13	70
7	2	2	3	14	21	17	15	7	6	4	2	3	4	2	3	71
8	1	5	3	17	36	23	21	16	16	7	4	-	2	2	-	72
20	7	9	4	40	35	36	27	26	21	21	15	14	10	17	10	73
18	-	-	1	19	-	1	2	-	1	-	2	-	2	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	UNITED STATES						
		Total, under 1 year	Under 28 days			28 days-11 months		
			Total	White	Non-white	Total	White	Non-white
1	ALL CAUSES	105,479	76,346	57,219	16,714	29,133	19,593	9,821
2	Dysentery, all forms-045-046	115	12	5	7	103	47	56
3	Septicemia and pyemia-053	366	-	-	-	366	218	142
4	Whooping cough-056	66	-	-	-	66	26	40
5	Meningococcal infections-057	189	15	9	6	174	145	20
6	Tetanus-061	54	53	21	32	1	1	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	599	108	65	41	491	337	139
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	261	35	29	5	226	200	24
9	Benign neoplasms and neoplasms of unspecified nature-210-239	123	64	57	5	59	50	6
10	Diseases of thymus gland-273	98	25	20	5	73	55	13
11	Meningitis, except meningococcal and tuberculous-340	907	241	170	58	666	379	276
12	Other diseases of nervous system and sense organs-330-334,341-398	768	55	38	16	713	534	159
13	Acute upper respiratory infections-470-475	403	43	26	17	360	232	123
14	Influenza and pneumonia, except pneumonia of newborn-480-493	8,985	23	6	17	8,962	5,293	3,415
15	Influenza-480-483	284	23	6	17	261	135	125
16	Pneumonia, except pneumonia of newborn-490-493	8,701	...	...	...	8,701	5,158	3,290
17	Bronchitis-500-502	579	45	33	9	534	376	143
18	Other diseases of respiratory system-510-522,525-527	1,590	162	124	43	1,428	975	435
19	Pulmonary congestion and hypostasis-522	178	36	25	9	142	109	29
20	Other chronic interstitial pneumonia-525	1,003	12	10	2	991	678	304
21	Bronchiectasis-526	5	1	1	-	4	4	-
22	Other diseases of lung and pleural cavity-527.2	139	40	26	14	199	120	76
23	All other diseases of respiratory system-510-521,527.1	165	73	52	16	92	64	26
24	Hernia and intestinal obstruction-560,561,570	889	648	567	61	241	167	64
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	2,342	5	4	1	2,337	1,102	1,184
26	Other diseases of digestive system-530-542,544-553,573-587	654	312	245	57	342	253	84
27	Congenital malformations-750-759	14,832	9,695	8,267	1,119	5,137	4,186	936
28	Spina bifida and meningocele-751	1,333	732	673	43	601	536	53
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	1,328	741	630	90	587	461	92
30	Congenital malformations of circulatory system-754	7,180	4,174	3,549	496	3,006	2,429	484
31	Other congenital malformations-750,755-759	4,991	4,048	3,415	490	943	740	177
32	Certain diseases of early infancy-760-776	64,185	62,855	46,494	14,358	1,330	606	690
33	Birth injuries-760,761	9,470	9,458	7,536	1,656	12	8	4
34	Without mention of immaturity (0)	3,686	3,679	2,795	779	7	3	4
35	With immaturity (.5)	5,784	5,779	4,741	877	5	5	-
36	Intracranial and spinal injury at birth-760	2,902	2,902	2,131	680	...	...	...
37	Without mention of immaturity (0)	1,739	1,739	1,296	397	...	...	...
38	With immaturity (.5)	1,163	1,163	835	283	...	...	...
39	Other birth injury-761	6,568	6,556	5,405	976	12	8	4
40	Without mention of immaturity (0)	1,947	1,940	1,499	382	7	3	4
41	With immaturity (.5)	4,621	4,616	3,906	594	5	5	-
42	Postnatal asphyxia and atelectasis-762	18,728	18,488	13,810	3,916	240	155	79
43	Without mention of immaturity (.0)	4,997	4,800	3,578	986	197	132	60
44	With immaturity (.5)	13,731	13,688	10,232	2,930	43	23	19
45	Pneumonia of newborn-763	3,350	3,350	2,133	1,140	...	...	...
46	Without mention of immaturity (.0)	2,454	2,454	1,537	862	...	...	...
47	With immaturity (.5)	896	896	596	278	...	...	...
48	Diarrhea of newborn-764	410	407	169	228	3	-	3
49	Without mention of immaturity (.0)	318	315	129	178	3	-	3
50	With immaturity (.5)	92	92	40	50	-	-	-
51	Other infections of newborn-765-768	791	785	464	282	6	4	1
52	Without mention of immaturity (.0)	470	464	280	172	6	4	1
53	With immaturity (.5)	321	321	204	110	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	780	773	593	157	7	6	1
55	Without mention of immaturity (.0-.4)	285	278	200	69	7	6	1
56	With immaturity (.5-.9)	495	495	393	88	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	1,992	1,973	1,769	118	19	13	6
58	Without mention of immaturity (.0-.2)	1,563	1,545	1,377	100	18	12	6
59	With immaturity (.5-.7)	429	428	392	18	1	1	-
60	Hemorrhagic disease of newborn-771	533	531	365	146	2	1	1
61	Without mention of immaturity (.0)	313	311	210	86	2	1	1
62	With immaturity (.5)	220	220	155	62	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	9,267	8,533	6,571	1,761	734	275	440
64	Without mention of immaturity (.0)	2,514	1,891	1,478	359	623	230	376
65	With immaturity (.5)	6,753	6,642	5,093	1,402	111	45	64
66	Immaturity with mention of any other subsidiary condition-774	955	764	567	180	191	96	91
67	Immaturity, unqualified-776	17,909	17,793	12,497	4,772	116	48	64
68	Symptoms and ill-defined conditions-780-793,795	2,266	871	284	577	1,395	588	802
69	All other diseases-Residual	1,341	438	342	86	903	619	280
70	Accidents-E800-E962	3,653	507	333	156	3,146	2,150	915
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	858	143	101	39	695	503	167
72	Accidental mechanical suffocation in bed and cradle-E924	915	92	52	35	823	543	256
73	Other accidental causes-E800-E920,E923,E925-E962	1,900	272	180	84	1,628	1,104	492
74	Homicide-E964,E980-E984	214	134	90	36	80	54	25

From 55 Selected Causes, by Color: United States and Each State, 1962

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

ALABAMA					ALASKA					ARIZONA					ARKANSAS					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,420	881	722	254	563	262	87	55	27	93	1,079	543	134	229	173	1,207	535	269	196	207	1
4	-	-	1	3	-	-	-	-	-	9	-	-	3	6	2	-	-	1	1	2
11	-	-	5	6	4	-	-	-	4	5	-	-	2	3	4	-	-	2	2	3
2	-	-	2	-	7	-	-	-	7	-	-	-	-	-	3	-	-	-	3	4
1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	5	1	-	3	1	5
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	6
15	1	2	5	7	5	-	-	-	5	12	-	-	6	6	7	1	-	2	4	7
8	2	-	4	2	1	-	-	-	1	2	-	-	2	-	3	-	-	3	-	8
2	-	-	1	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	10
21	2	2	1	16	16	-	-	1	15	16	1	1	3	11	19	4	2	4	9	11
10	2	-	5	3	3	-	-	2	1	14	-	-	9	5	13	1	1	7	4	12
6	-	1	3	2	5	1	-	2	2	3	-	-	1	2	5	-	-	3	2	13
233	-	2	64	167	30	-	1	5	24	107	-	-	69	38	103	-	-	46	57	14
21	-	2	4	15	4	-	1	-	3	1	-	-	1	-	9	-	-	4	5	15
212	...	...	60	152	26	...	...	5	21	106	...	...	68	38	94	...	...	42	52	16
3	-	-	1	2	3	-	-	2	1	4	-	-	3	1	6	-	-	5	1	17
20	-	-	6	14	5	-	1	2	2	6	-	-	4	2	10	1	2	6	1	18
2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	19
12	-	-	4	8	2	-	-	1	1	4	-	-	2	2	5	-	-	4	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	5	1	2	2	-	22
2	-	-	2	-	2	-	1	-	1	2	-	-	2	-	-	-	-	-	-	23
11	7	-	3	1	3	1	1	1	-	8	5	-	1	2	13	5	1	4	3	24
96	-	-	14	82	9	-	-	1	8	73	-	-	31	42	47	-	-	15	32	25
14	5	1	4	4	1	-	-	-	1	1	-	-	-	1	6	2	-	2	2	26
266	131	46	59	30	20	10	3	3	4	135	70	10	43	12	139	85	19	29	6	27
23	10	-	13	-	-	-	-	-	-	10	4	-	5	1	17	12	1	3	1	28
22	7	3	5	7	5	1	2	1	1	16	5	3	6	2	14	8	1	5	-	29
115	53	21	27	14	9	4	1	2	2	65	35	2	20	8	63	35	8	16	4	30
106	61	22	14	9	6	5	-	-	1	44	26	5	12	1	45	30	9	5	1	31
1,313	693	561	10	49	120	70	46	1	3	584	450	113	14	7	654	416	211	8	19	32
160	101	58	-	1	16	10	6	-	-	76	66	10	-	-	90	62	28	-	-	33
78	45	32	-	1	8	6	2	-	-	34	26	8	-	-	45	31	14	-	-	34
82	56	26	-	-	8	4	4	-	-	42	40	2	-	-	45	31	14	-	-	35
49	27	22	...	...	7	5	2	...	...	30	24	6	...	...	37	24	13	...	...	36
35	18	17	...	...	6	4	2	...	...	21	15	6	...	...	25	17	8	...	...	37
14	9	5	...	...	1	1	-	...	...	9	9	-	...	...	12	7	5	...	...	38
111	74	36	-	1	9	5	4	-	-	46	42	4	-	-	53	38	15	-	-	39
43	27	15	-	1	2	2	-	-	-	13	11	2	-	-	20	14	6	-	-	40
68	47	21	-	-	7	3	4	-	-	33	31	2	-	-	33	24	9	-	-	41
299	198	98	1	2	23	17	5	-	1	111	86	23	2	-	182	132	49	1	-	42
101	55	43	1	2	8	6	1	-	1	28	20	7	1	-	62	44	17	1	-	43
198	143	55	-	-	15	11	4	-	-	83	66	16	1	-	120	88	32	-	-	44
98	35	63	...	...	4	1	3	...	...	31	23	8	...	...	29	13	16	...	...	45
62	17	45	...	...	4	1	3	...	...	23	19	4	...	...	21	13	8	...	...	46
36	18	18	...	...	-	-	-	...	...	8	4	4	...	...	8	-	8	...	...	47
20	2	18	-	-	1	-	1	-	-	3	2	1	-	-	10	4	6	-	-	48
16	2	14	-	-	1	-	1	-	-	3	2	1	-	-	9	4	5	-	-	49
4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
20	8	12	-	-	1	1	-	-	-	16	11	5	-	-	16	2	14	-	-	51
15	6	9	-	-	1	1	-	-	-	11	6	5	-	-	12	2	10	-	-	52
5	2	3	-	-	-	-	-	-	-	5	5	-	-	-	4	-	4	-	-	53
16	10	5	-	1	1	-	1	-	-	7	6	1	-	-	6	5	1	-	-	54
6	3	2	-	1	-	-	-	-	-	3	3	-	-	-	2	1	1	-	-	55
10	7	3	-	-	1	-	1	-	-	4	3	1	-	-	4	4	-	-	-	56
20	17	3	-	-	3	2	1	-	-	14	13	1	-	-	25	21	3	1	-	57
15	13	2	-	-	1	1	-	-	-	12	11	1	-	-	25	21	3	1	-	58
5	4	1	-	-	2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	59
14	5	9	-	-	-	-	-	-	-	4	3	1	-	-	4	2	2	-	-	60
14	5	9	-	-	-	-	-	-	-	4	3	1	-	-	2	2	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	62
183	103	42	7	31	23	14	8	-	1	89	66	10	8	5	109	59	28	4	18	63
76	30	15	3	28	7	2	4	-	1	33	18	4	7	4	49	21	9	4	15	64
107	73	27	4	3	16	12	4	-	-	56	48	6	1	1	60	38	19	-	3	65
15	2	5	1	7	6	-	4	1	1	11	6	2	2	1	6	4	-	2	-	66
468	212	248	1	7	42	25	17	-	-	222	168	51	2	1	177	112	64	-	1	67
246	25	92	29	100	9	1	3	1	4	32	5	5	5	17	75	4	27	13	31	68
33	9	4	9	11	5	-	-	1	4	16	6	2	4	4	14	6	-	6	2	69
101	4	7	28	62	16	4	-	5	7	44	4	2	26	12	74	8	3	36	27	70
18	1	-	1	16	-	-	-	-	-	13	2	1	7	3	14	2	2	8	2	71
32	-	3	9	20	2	-	-	1	1	7	1	-	4	2	21	2	-	9	10	72
51	3	4	18	26	14	4	-	4	6	24	1	1	15	7	39	4	1	19	15	73
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	CALIFORNIA					COLORADO				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	8,888	5,467	989	1,861	371	1,099	753	57	289	20
2	Dysentery, all forms-045-048	2	-	1	-	1	2	-	-	1	1
3	Septicemia and pyemia-053	19	-	-	15	4	7	-	-	6	1
4	Whooping cough-056	3	-	-	3	-	1	-	-	1	-
5	Meningococcal infections-057	22	-	1	19	2	1	-	-	1	-
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis -001-044,049-052,054.055,058-060.062-138	50	10	2	34	4	8	-	-	7	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	20	3	-	15	2	4	-	-	4	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	13	7	-	6	-	3	1	-	2	-
10	Diseases of thymus gland-273	4	1	-	2	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	79	21	3	45	10	12	2	-	7	3
12	Other diseases of nervous system and sense organs-330-334,341-398	63	1	1	54	7	21	-	-	20	1
13	Acute upper respiratory infections-470-475	15	2	-	11	2	16	-	-	14	2
14	Influenza and pneumonia, except pneumonia of newborn-480-493	699	-	-	577	122	75	-	-	69	6
15	Influenza-480-483	3	-	-	3	-	3	-	-	3	-
16	Pneumonia, except pneumonia of newborn-490-493	696	...	...	574	122	72	...	...	66	6
17	Bronchitis-500-502	75	4	1	53	17	8	1	-	7	-
18	Other diseases of respiratory system-510-522,525-527	303	16	3	230	54	5	2	-	2	1
19	Pulmonary congestion and hypostasis-522	14	1	1	7	5	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	269	1	-	219	49	2	-	-	1	1
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	6	2		4	-	-	-	-	-	-
23	All other diseases of respiratory system-510-521,527.1	14	12	2	-	-	3	2	-	1	-
24	Hernia and intestinal obstruction-560,561,570	89	65	3	20	1	7	5	1	1	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	68	-	-	52	16	17	-	-	17	-
26	Other diseases of digestive system-530-542.544-553,573-587	59	25	2	27	5	5	1	-	3	1
27	Congenital malformations-750-759	1,386	807	96	422	61	160	103	4	52	1
28	Spina bifida and meningocele-751	88	42	6	35	5	5	4	-	1	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752.753	109	60	4	42	3	9	4	-	4	1
30	Congenital malformations of circulatory system-754	714	377	44	254	39	95	56	3	36	-
31	Other congenital malformations-750,755-759	475	328	42	91	14	51	39	1	11	-
32	Certain diseases of early infancy-760-776	5,352	4,442	864	32	14	690	631	51	8	-
33	Birth injuries-760,761	965	805	157	2	1	107	100	7	-	-
34	Without mention of immaturity (.0)	318	263	53	1	1	25	24	1	-	-
35	With immaturity (.5)	647	542	104	1	-	82	76	6	-	-
36	Intracranial and spinal injury at birth-760	322	237	85	...	...	39	36	3	...	...
37	Without mention of immaturity (.0)	163	132	31	...	...	17	17	-	...	...
38	With immaturity (.5)	159	105	54	...	...	22	19	3	...	...
39	Other birth injury-761	643	566	72	2	1	68	64	4	-	-
40	Without mention of immaturity (.0)	155	131	22	1	1	8	7	1	-	-
41	With immaturity (.5)	488	437	50	1	-	60	57	3	-	-
42	Postnatal asphyxia and atelectasis-762	1,540	1,330	202	7	1	173	161	12	-	-
43	Without mention of immaturity (.0)	409	346	56	7	-	23	20	3	-	-
44	With immaturity (.5)	1,131	984	146	-	1	150	141	9	-	-
45	Pneumonia of newborn-763	292	239	53	...	...	23	22	1	...	...
46	Without mention of immaturity (.0)	229	187	42	...	...	18	17	1	...	...
47	With immaturity (.5)	63	52	11	...	...	5	5	-	...	...
48	Diarrhea of newborn-764	11	8	3	-	-	3	2	1	-	-
49	Without mention of immaturity (.0)	9	6	3	-	-	3	2	1	-	-
50	With immaturity (.5)	2	2	-	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	62	48	14	-	-	13	12	-	1	-
52	Without mention of immaturity (.0)	32	25	7	-	-	6	5	-	1	-
53	With immaturity (.5)	30	23	7	-	-	7	7	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	62	55	7	-	-	8	8	-	-	-
55	Without mention of immaturity (.0-.4)	28	22	6	-	-	2	2	-	-	-
56	With immaturity (.5-.9)	34	33	1	-	-	6	6	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	174	164	5	1	-	20	19	1	-	-
58	Without mention of immaturity (.0-.2)	115	113	1	1	-	13	12	1	-	-
59	With immaturity (.5-.7)	55	51	4	-	-	7	7	-	-	-
60	Hemorrhagic disease of newborn-771	43	32	11	-	-	12	11	1	-	-
61	Without mention of immaturity (.0)	23	16	7	-	-	2	2	-	-	-
62	With immaturity (.5)	20	16	4	-	-	10	9	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	787	649	122	11	5	150	139	6	5	-
64	Without mention of immaturity (.0)	143	116	13	10	4	21	18	-	3	-
65	With immaturity (.5)	644	533	109	1	1	129	121	6	2	-
66	Immaturity with mention of any other subsidiary condition-774	118	84	22	7	5	9	8	-	1	-
67	Immaturity, unqualified-776	1,302	1,028	258	4	2	172	149	22	1	-
68	Symptoms and ill-defined conditions-780-793,795	20	8	1	10	1	4	2	-	2	-
69	All other diseases-Residual	102	2	8	53	15	12	2	-	10	-
70	Accidents-E800-E962	228	24	2	172	30	40	3	1	34	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	35	3	1	26	5	17	2	-	15	-
72	Accidental mechanical suffocation in bed and cradle-E924	30	3	-	24	3	8	1	-	7	-
73	Other accidental causes-E800-E920,E923,E925-E962	163	18	1	122	22	15	-	1	12	2
74	Homicide-E964,E980-E984	17	5	1	9	2	1	-	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1962—Con.

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					FLORIDA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,259	854	136	220	49	245	131	47	32	35	700	126	397	28	149	3,289	1,455	829	437	568	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	4	2
8	-	-	7	1	-	-	-	-	-	1	-	-	-	1	16	-	-	6	10	3
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	1	1	4
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	6
5	2	-	2	1	-	-	-	-	-	3	-	1	-	2	17	-	1	9	7	7
2	-	-	2	-	-	-	-	-	-	1	-	-	-	1	6	-	-	5	1	8
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	10
13	5	-	8	-	2	-	-	-	2	4	-	1	-	3	31	1	2	12	16	11
7	-	-	7	-	2	-	-	1	1	2	-	-	-	2	16	2	1	10	3	12
4	-	-	3	1	-	-	-	-	-	-	-	-	-	-	8	-	-	2	6	13
71	-	-	56	15	24	-	-	9	15	30	-	-	6	24	259	-	1	89	169	14
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	13	-	1	2	10	15
70	...	...	55	15	24	...	...	9	15	29	...	...	5	24	246	...	...	87	159	16
5	-	1	3	1	3	-	-	3	-	1	-	-	-	1	20	2	-	8	10	17
9	2	-	6	1	3	-	-	2	1	34	-	-	8	26	93	4	2	47	40	18
2	1	-	-	1	1	-	-	1	-	-	-	-	-	-	18	1	2	7	8	19
1	-	-	1	-	2	-	-	1	1	33	-	-	8	25	62	-	-	34	28	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
5	1	-	4	-	-	-	-	-	-	1	-	-	-	1	6	-	-	3	3	22
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	6	3	-	2	1	23
11	10	-	1	-	5	-	2	3	-	5	3	1	-	1	33	19	6	2	6	24
10	-	-	7	3	7	-	-	2	5	10	-	-	-	10	127	-	-	21	106	25
6	3	-	2	1	4	-	1	1	2	5	1	3	1	-	20	5	5	5	5	26
201	125	9	60	7	47	27	7	8	5	64	16	22	7	19	422	206	58	118	40	27
16	8	-	7	1	4	1	-	3	-	3	-	2	-	1	36	21	-	14	1	28
21	9	-	9	3	4	2	-	1	1	7	4	-	1	2	53	20	7	22	4	29
82	42	5	33	2	17	8	2	4	3	38	9	11	6	12	188	79	25	59	25	30
82	66	4	11	1	22	16	5	-	1	16	3	9	-	4	145	86	26	23	10	31
827	694	124	5	4	137	101	36	-	-	474	103	356	2	13	1,954	1,190	715	11	38	32
116	98	18	-	-	18	14	4	-	-	40	16	24	-	-	258	173	84	-	1	33
45	37	8	-	-	9	7	2	-	-	21	9	12	-	-	126	72	53	-	1	34
71	61	10	-	-	9	7	2	-	-	19	7	12	-	-	132	101	31	-	-	35
41	31	10	...	...	14	10	4	...	...	26	8	18	...	...	98	68	30	...	...	36
24	17	7	...	...	7	5	2	...	...	16	7	9	...	...	56	34	22	...	...	37
17	14	3	...	...	7	5	2	...	...	10	1	9	...	...	42	34	8	...	...	38
75	67	8	-	-	4	4	-	-	-	14	8	6	-	-	160	105	54	-	1	39
21	20	1	-	-	2	2	-	-	-	5	2	3	-	-	70	38	31	-	1	40
54	47	7	-	-	2	2	-	-	-	9	6	3	-	-	90	67	23	-	-	41
250	219	30	1	-	60	45	15	-	-	253	35	217	-	1	575	381	190	3	1	42
44	41	2	1	-	6	4	2	-	-	23	6	16	-	1	173	110	59	3	1	43
206	178	28	-	-	54	41	13	-	-	230	29	201	-	-	402	271	131	-	-	44
30	20	10	...	...	6	4	2	...	...	22	4	18	...	...	117	53	64	...	...	45
22	14	8	...	...	3	3	-	...	...	14	3	11	...	...	86	37	49	...	...	46
8	6	2	...	...	3	1	2	...	...	8	1	7	...	...	31	16	15	...	...	47
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	24	3	21	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23	3	20	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
15	12	3	-	-	-	-	-	-	-	6	1	5	-	-	27	14	13	-	-	51
11	8	3	-	-	-	-	-	-	-	5	1	4	-	-	18	9	9	-	-	52
4	4	-	-	-	-	-	-	-	-	1	-	1	-	-	9	5	4	-	-	53
7	5	2	-	-	1	1	-	-	-	1	1	-	-	-	24	14	10	-	-	54
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	55
5	3	2	-	-	1	1	-	-	-	1	1	-	-	-	18	10	8	-	-	56
37	37	-	-	-	6	5	1	-	-	5	2	3	-	-	38	26	11	-	1	57
30	30	-	-	-	3	3	-	-	-	4	2	2	-	-	31	21	9	-	1	58
7	7	-	-	-	3	2	1	-	-	1	-	1	-	-	7	5	2	-	-	59
7	7	-	-	-	1	1	-	-	-	3	1	2	-	-	21	13	8	-	-	60
4	4	-	-	-	-	-	-	-	-	2	1	1	-	-	12	9	3	-	-	61
3	3	-	-	-	1	1	-	-	-	1	-	1	-	-	9	4	5	-	-	62
128	99	23	3	3	13	10	3	-	-	36	10	13	2	11	359	207	121	5	26	63
24	17	4	1	2	5	4	1	-	-	17	3	2	2	10	100	55	18	5	22	64
104	82	19	2	1	8	6	2	-	-	19	7	11	-	1	259	152	103	-	4	65
17	12	3	1	1	-	-	-	-	-	4	1	2	-	1	33	14	10	2	7	66
220	185	35	-	-	32	21	11	-	-	103	32	71	-	-	478	292	183	1	2	67
19	2	-	13	4	1	1	-	-	-	4	1	3	-	-	77	9	21	9	38	68
24	8	-	12	4	2	-	1	-	1	8	-	1	-	7	53	7	4	23	19	69
29	1	1	21	6	6	1	-	3	2	49	-	6	4	39	119	6	10	56	47	70
11	-	-	10	1	1	-	-	1	-	14	-	2	2	10	25	3	2	13	7	71
4	-	-	3	1	3	1	-	1	1	25	-	2	2	21	27	1	-	13	13	72
14	1	1	8	4	2	-	-	1	1	10	-	2	-	8	67	2	8	30	27	73
5	2	1	2	-	1	1	-	-	-	4	2	2	-	-	2	-	1	-	1	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	GEORGIA					HAWAII				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,989	1,063	866	362	698	375	82	217	19	57
2	Dysentery, all forms-045-048	7	-	-	1	6	-	-	-	-	-
3	Septicemia and pyemia-053	14	-	-	5	9	2	-	-	-	2
4	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	7	-	1	5	1	2	-	-	2	-
6	Tetanus-061	2	-	2	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	19	1	2	8	8	2	-	-	-	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	8	-	-	4	4	1	-	-	-	1
9	Benign neoplasms and neoplasms of unspecified nature-210-239	4	2	1	1	-	1	1	-	-	-
10	Diseases of thymus gland-273	4	1	-	1	2	1	-	1	-	-
11	Meningitis, except meningococcal and tuberculous-340	38	3	5	9	21	4	-	1	1	2
12	Other diseases of nervous system and sense organs-330-334,341-398	23	2	-	13	8	1	-	1	-	-
13	Acute upper respiratory infections-470-475	11	-	-	4	7	2	-	-	-	2
14	Influenza and pneumonia, except pneumonia of newborn-480-493	389	-	-	93	296	21	-	-	6	15
15	Influenza-480-483	16	-	-	2	14	1	-	-	-	1
16	Pneumonia, except pneumonia of newborn-490-493	373	...	...	91	282	20	...	...	6	14
17	Bronchitis-500-502	14	-	-	1	13	1	-	-	-	1
18	Other diseases of respiratory system-510-522,525-527	64	5	4	17	38	4	-	-	2	2
19	Pulmonary congestion and hypostasis-522	2	1	-	-	1	-	-	-	-	-
20	Other chronic interstitial pneumonia-525	24	1	-	12	11	3	-	-	1	2
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	35	2	3	4	26	-	-	-	-	-
23	All other diseases of respiratory system-510-521,527.1	3	1	1	1	-	1	-	-	1	-
24	Hernia and intestinal obstruction-560,561,570	21	9	3	6	3	1	1	-	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	102	1	-	15	86	1	-	-	-	1
26	Other diseases of digestive system-530-542,544-553,573-587	14	1	4	5	4	2	1	-	1	-
27	Congenital malformations-750-759	328	138	47	105	38	73	20	28	4	20
28	Spina bifida and meningocele-751	52	26	1	23	2	6	2	2	1	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	33	13	2	14	4	6	3	2	-	1
30	Congenital malformations of circulatory system-754	163	57	25	56	25	40	10	13	2	15
31	Other congenital malformations-750,755-759	80	42	19	12	7	21	5	12	1	3
32	Certain diseases of early infancy-760-776	1,669	882	731	5	51	240	59	181	-	-
33	Birth injuries-760,761	180	112	68	-	-	32	6	26	-	-
34	Without mention of immaturity (.0)	80	48	32	-	-	14	2	12	-	-
35	With immaturity (.5)	100	64	36	-	-	18	4	14	-	-
36	Intracranial and spinal injury at birth-760	59	33	26	...	...	9	4	5	...	...
37	Without mention of immaturity (.0)	41	24	17	...	...	5	2	3	...	...
38	With immaturity (.5)	18	9	9	...	...	4	2	2	...	...
39	Other birth injury-761	121	79	42	-	-	23	2	21	-	-
40	Without mention of immaturity (.0)	39	24	15	-	-	9	-	9	-	-
41	With immaturity (.5)	82	55	27	-	-	14	2	12	-	-
42	Postnatal asphyxia and atelectasis-762	438	272	164	-	2	55	8	47	-	-
43	Without mention of immaturity (.0)	135	73	61	-	1	14	2	12	-	-
44	With immaturity (.5)	303	199	103	-	1	41	6	35	-	-
45	Pneumonia of newborn-763	135	53	82	...	...	7	2	5	...	...
46	Without mention of immaturity (.0)	99	36	63	...	...	6	2	4	...	...
47	With immaturity (.5)	36	17	19	...	...	1	-	1	...	...
48	Diarrhea of newborn-764	27	4	23	-	-	1	-	1	-	-
49	Without mention of immaturity (.0)	18	3	15	-	-	1	-	1	-	-
50	With immaturity (.5)	9	1	8	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	38	12	26	-	-	4	1	3	-	-
52	Without mention of immaturity (.0)	19	5	14	-	-	2	-	2	-	-
53	With immaturity (.5)	19	7	12	-	-	2	1	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	24	11	13	-	-	1	-	1	-	-
55	Without mention of immaturity (.0-.4)	13	6	7	-	-	-	-	-	-	-
56	With immaturity (.5-.9)	11	5	6	-	-	1	-	1	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	28	19	9	-	-	2	1	1	-	-
58	Without mention of immaturity (.0-.2)	24	18	6	-	-	2	1	1	-	-
59	With immaturity (.5-.7)	4	1	3	-	-	-	-	-	-	-
60	Hemorrhagic disease of newborn-771	14	9	5	-	-	1	-	1	-	-
61	Without mention of immaturity (.0)	11	8	3	-	-	-	-	-	-	-
62	With immaturity (.5)	3	1	2	-	-	1	-	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	316	155	123	3	35	27	4	23	-	-
64	Without mention of immaturity (.0)	87	35	24	2	26	4	1	3	-	-
65	With immaturity (.5)	229	120	99	1	9	23	3	20	-	-
66	Immaturity with mention of any other subsidiary condition-774	34	11	14	2	7	-	-	-	-	-
67	Immaturity, unqualified-776	435	224	204	-	7	110	37	73	-	-
68	Symptoms and ill-defined conditions-780-793,795	66	2	38	4	24	1	-	-	1	-
69	All other diseases-Residual	40	9	5	8	18	7	-	3	-	4
70	Accidents-E800-E962	138	6	21	51	60	7	-	1	1	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	29	1	8	13	7	2	-	-	-	2
72	Accidental mechanical suffocation in bed and cradle-E924	40	1	3	11	25	1	-	-	-	1
73	Other accidental causes-E800-E920,E923,E925-E962	69	4	10	27	28	4	-	1	1	2
74	Homicide-E964,E980-E984	7	1	4	1	1	1	-	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1962 —Continued

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

IDAHO					ILLINOIS					INDIANA					IOWA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
395	287	3	100	5	5,538	3,091	987	996	464	2,524	1,653	239	539	93	1,206	889	26	281	10	1
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2
-	-	-	-	-	5	-	-	3	2	3	-	-	3	-	4	-	-	4	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	7	1	-	6	-	5	-	-	5	-	4	-	-	3	1	5
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
2	1	-	1	-	23	1	-	18	4	16	1	-	14	1	6	-	-	6	-	7
1	-	-	1	-	12	1	-	10	1	6	3	-	3	-	3	-	-	3	-	8
3	1	-	2	-	4	2	-	2	-	2	1	-	1	-	1	-	-	1	-	9
1	-	-	1	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1	-	10
6	1	-	5	-	32	6	1	15	10	20	5	-	14	1	4	2	-	2	-	11
2	-	-	2	-	26	1	1	20	4	17	-	-	15	2	11	2	-	8	1	12
-	-	-	-	-	4	1	-	3	-	7	-	-	5	2	8	1	-	7	-	13
30	-	-	28	2	705	-	-	406	299	216	-	-	170	46	89	-	-	85	4	14
-	-	-	-	-	2	-	-	2	-	3	-	-	3	-	2	-	-	2	-	15
30	...	...	28	2	703	...	...	404	299	213	...	...	167	46	87	...	...	83	4	16
-	-	-	-	-	38	2	1	29	6	13	3	-	8	2	3	-	-	3	-	17
6	2	-	3	1	31	2	-	27	2	28	3	1	22	2	15	1	-	14	-	18
-	-	-	-	-	2	-	-	2	-	4	1	1	2	-	1	1	-	-	-	19
4	-	-	3	1	20	-	-	20	-	15	-	-	13	2	11	-	-	11	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	1	1	-	-	-	6	1	-	5	-	1	-	-	1	-	22
1	1	-	-	-	8	1	-	5	2	3	1	-	2	-	2	-	-	2	-	23
2	2	-	-	-	46	29	5	9	3	17	10	-	7	-	11	9	-	2	-	24
7	-	-	6	1	83	-	-	55	28	30	-	-	24	6	7	-	-	7	-	25
3	2	-	1	-	26	9	1	13	3	19	7	3	9	-	3	1	-	2	-	26
69	50	1	18	-	791	448	64	230	49	370	238	13	106	13	217	136	1	79	1	27
5	4	-	1	-	66	43	3	18	2	27	14	1	11	1	19	7	1	11	-	28
8	7	-	1	-	82	43	2	34	3	41	23	3	13	2	14	9	-	4	1	29
38	30	-	8	-	396	182	29	148	37	175	97	5	64	9	108	61	-	47	-	30
18	9	1	8	-	247	180	30	30	7	127	104	4	18	1	76	59	-	17	-	31
219	216	2	1	-	3,492	2,552	902	24	14	1,603	1,358	216	23	6	753	721	24	7	1	32
35	35	-	-	-	422	354	68	-	-	223	196	26	1	-	152	145	6	1	-	33
8	8	-	-	-	163	130	33	-	-	86	73	13	-	-	57	54	2	1	-	34
27	27	-	-	-	259	224	35	-	-	137	123	13	1	-	95	91	4	-	-	35
8	8	-	...	...	138	109	29	...	...	48	42	6	...	...	50	48	2	...	...	36
3	3	-	...	...	86	66	20	...	...	34	30	4	...	...	28	26	2	...	...	37
5	5	-	...	...	52	43	9	...	...	14	12	2	...	...	22	22	-	...	...	38
27	27	-	-	-	284	245	39	-	-	175	154	20	1	-	102	97	4	1	-	39
5	5	-	-	-	77	64	13	-	-	52	43	9	-	-	29	28	-	1	-	40
22	22	-	-	-	207	181	26	-	-	123	111	11	1	-	73	69	4	-	-	41
60	59	1	-	-	1,734	1,204	515	13	2	541	460	68	11	2	189	182	5	2	-	42
13	12	1	-	-	284	231	41	11	1	160	133	18	7	2	63	61	-	2	-	43
47	47	-	-	-	1,450	973	474	2	1	381	327	50	4	-	126	121	5	-	-	44
5	5	-	...	...	279	149	130	...	...	65	52	13	...	...	32	31	1	...	...	45
3	3	-	...	...	225	116	109	...	...	44	35	9	...	...	25	25	-	...	...	46
2	2	-	...	...	54	33	21	...	...	21	17	4	...	...	7	6	1	...	...	47
1	1	-	-	-	9	5	4	-	-	9	5	4	-	-	3	3	-	-	-	48
1	1	-	-	-	8	5	3	-	-	7	4	3	-	-	2	2	-	-	-	49
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	1	1	-	-	-	50
1	1	-	-	-	14	10	4	-	-	11	8	3	-	-	5	5	-	-	-	51
-	-	-	-	-	9	6	3	-	-	9	6	3	-	-	2	2	-	-	-	52
1	1	-	-	-	5	4	1	-	-	2	2	-	-	-	3	3	-	-	-	53
2	2	-	-	-	29	21	8	-	-	20	18	2	-	-	17	16	1	-	-	54
2	2	-	-	-	8	6	2	-	-	12	10	2	-	-	3	3	-	-	-	55
-	-	-	-	-	21	15	6	-	-	8	8	-	-	-	14	13	1	-	-	56
-	-	-	-	-	146	141	5	-	-	64	62	1	1	-	24	24	-	-	-	57
-	-	-	-	-	124	120	4	-	-	48	46	1	1	-	20	20	-	-	-	58
-	-	-	-	-	22	21	1	-	-	16	16	-	-	-	4	4	-	-	-	59
-	-	-	-	-	33	27	6	-	-	9	6	3	-	-	7	6	1	-	-	60
-	-	-	-	-	18	14	4	-	-	5	3	2	-	-	4	3	1	-	-	61
-	-	-	-	-	15	13	2	-	-	4	3	1	-	-	3	3	-	-	-	62
34	34	-	-	-	214	175	27	6	6	168	137	19	8	4	130	125	5	-	-	63
11	11	-	-	-	78	62	5	6	5	51	39	2	6	4	17	16	1	-	-	64
23	23	-	-	-	136	113	22	-	1	117	98	17	2	-	113	109	4	-	-	65
5	4	-	1	-	25	17	2	3	3	16	14	-	2	-	13	10	-	2	1	66
76	75	1	-	-	587	449	133	2	3	477	400	77	-	-	181	174	5	2	-	67
5	2	-	3	-	21	5	4	10	2	13	4	-	9	-	4	2	-	2	-	68
10	3	-	7	-	54	13	1	31	9	35	7	2	24	2	20	7	-	12	1	69
26	5	-	20	1	124	12	4	80	28	95	6	3	76	10	37	4	1	32	-	70
3	1	-	2	-	25	4	1	15	5	17	4	1	11	1	5	1	1	3	-	71
5	-	-	5	-	32	2	-	26	4	23	1	1	19	2	13	1	-	12	-	72
18	4	-	13	1	67	6	3	39	19	55	1	1	46	7	19	2	-	17	-	73
2	2	-	-	-	11	6	2	3	-	8	7	1	-	-	5	3	-	1	1	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	KANSAS					KENTUCKY				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,086	744	71	229	42	1,876	1,157	186	444	89
2	Dysentery, all forms 045-048	-	-	-	-	-	3	-	-	2	1
3	Septicemia and pyemia 053	3	-	-	3	-	7	-	-	4	3
4	Whooping cough 056	-	-	-	-	-	3	-	-	2	1
5	Meningococcal infections 057	1	1	-	-	-	4	-	-	4	-
6	Tetanus 061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis. 001-044,049-052,054,055,058-060,062-138	3	-	-	2	1	12	1	-	11	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	5	1	-	4	-	4	2	1	1	-
9	Benign neoplasms and neoplasms of unspecified nature 210-239	1	-	-	1	-	1	1	-	-	-
10	Diseases of thymus gland 273	3	1	-	-	2	4	-	-	4	-
11	Meningitis, except meningococcal and tuberculous 340	9	1	-	8	-	15	4	2	9	-
12	Other diseases of nervous system and sense organs 330-334,341-398	12	1	-	9	2	16	2	-	12	2
13	Acute upper respiratory infections 470-475	3	-	-	2	1	6	-	-	5	1
14	Influenza and pneumonia, except pneumonia of newborn 480-493	59	-	-	47	12	179	-	-	141	38
15	Influenza 480-483	2	-	-	2	-	11	-	-	11	-
16	Pneumonia, except pneumonia of newborn 490-493	57	...	...	45	12	168	...	...	130	38
17	Bronchitis 500-502	5	-	-	5	-	5	-	-	4	1
18	Other diseases of respiratory system 510-522,525-527	18	4	-	13	1	13	5	-	7	1
19	Pulmonary congestion and hypostasis 522	4	2	-	1	1	1	1	-	-	-
20	Other chronic interstitial pneumonia 525	9	-	-	9	-	2	1	-	1	-
21	Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity 527.2	4	1	-	3	-	7	1	-	6	-
23	All other diseases of respiratory system 510-521,527.1	1	1	-	-	-	3	2	-	-	1
24	Hernia and intestinal obstruction 560,561,570	9	6	-	1	2	8	5	-	2	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	10	-	-	8	2	49	-	1	35	13
26	Other diseases of digestive system 530-542,544-553,573-587	9	2	1	6	-	15	5	-	9	1
27	Congenital malformations 750-759	191	119	10	56	6	283	172	13	94	4
28	Spina bifida and meningocele 751	9	6	-	2	1	29	13	-	15	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752,753	19	11	-	8	-	28	15	2	11	-
30	Congenital malformations of circulatory system 754	103	60	2	37	4	131	69	6	56	-
31	Other congenital malformations 750,755-759	60	42	8	9	1	95	75	5	12	3
32	Certain diseases of early infancy 760-776	670	596	57	13	4	1,129	939	163	18	9
33	Birth injuries 760,761	106	99	8	-	-	144	127	17	-	-
34	Without mention of immaturity (.0)	39	34	5	-	-	70	58	12	-	-
35	With immaturity (.5)	67	64	3	-	-	74	69	5	-	-
36	Intracranial and spinal injury at birth 760	23	21	2	...	...	45	35	10	...	...
37	Without mention of immaturity (.0)	17	15	2	...	...	33	24	9	...	...
38	With immaturity (.5)	6	6	-	...	...	12	11	1	...	...
39	Other birth injury 761	83	77	6	-	-	99	92	7	-	-
40	Without mention of immaturity (.0)	22	19	3	-	-	37	34	3	-	-
41	With immaturity (.5)	61	58	3	-	-	62	58	4	-	-
42	Postnatal asphyxia and atelectasis 762	170	149	16	5	-	284	251	30	2	1
43	Without mention of immaturity (.0)	43	35	5	3	-	90	80	7	2	1
44	With immaturity (.5)	127	114	11	2	-	194	171	23	-	-
45	Pneumonia of newborn 763	27	24	3	...	...	68	56	12	...	...
46	Without mention of immaturity (.0)	17	14	3	...	...	45	35	10	...	...
47	With immaturity (.5)	10	10	-	...	...	23	21	2	...	...
48	Diarrhea of newborn 764	2	2	-	-	-	11	5	6	-	-
49	Without mention of immaturity (.0)	1	1	-	-	-	7	2	5	-	-
50	With immaturity (.5)	1	1	-	-	-	4	3	1	-	-
51	Other infections of newborn 765-768	7	4	2	-	1	8	4	4	-	-
52	Without mention of immaturity (.0)	6	3	2	-	1	4	1	3	-	-
53	With immaturity (.5)	1	1	-	-	-	4	3	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy 769	14	11	3	-	-	13	13	-	-	-
55	Without mention of immaturity (.0-.4)	4	3	1	-	-	3	3	-	-	-
56	With immaturity (.5-.9)	10	8	2	-	-	10	10	-	-	-
57	Hemolytic disease of newborn (erythroblastosis) 770	25	25	-	-	-	45	43	1	1	-
58	Without mention of immaturity (.0-.2)	19	19	-	-	-	35	33	1	1	-
59	With immaturity (.5-.7)	6	6	-	-	-	10	10	-	-	-
60	Hemorrhagic disease of newborn 771	4	4	-	-	-	24	22	2	-	-
61	Without mention of immaturity (.0)	3	3	-	-	-	16	14	2	-	-
62	With immaturity (.5)	1	1	-	-	-	8	8	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	125	110	9	3	3	160	127	13	12	8
64	Without mention of immaturity (.0)	29	23	1	3	2	56	34	3	12	7
65	With immaturity (.5)	96	87	8	-	1	104	93	10	-	1
66	Immaturity with mention of any other subsidiary condition 774	11	8	-	3	-	19	16	1	2	-
67	Immaturity, unqualified 776	179	161	16	2	-	353	275	77	1	-
68	Symptoms and ill-defined conditions 780-793,795	10	1	-	6	3	22	6	3	10	3
69	All other diseases Residual	17	5	-	10	2	24	7	2	15	-
70	Accidents E800-E962	48	6	3	35	4	72	6	1	55	10
71	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	5	1	-	2	2	18	1	-	14	3
72	Accidental mechanical suffocation in bed and cradle E924	12	-	1	9	2	23	2	1	19	1
73	Other accidental causes E800-E920,E923,E925-E962	31	5	2	24	-	31	3	-	22	6
74	Homicide E964,E980-E984	-	-	-	-	-	2	2	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1962—Continued

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

LOUISIANA					MAINE					MARYLAND					MASSACHUSETTS					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,755	914	1,011	253	577	581	408	5	164	4	2,041	1,048	500	275	218	2,443	1,749	106	539	49	1
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
19	-	-	6	13	3	-	-	3	-	7	-	-	2	5	5	-	-	5	-	3
1	-	-	-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	4
6	1	-	2	3	2	-	-	2	-	5	-	-	5	-	3	-	-	3	-	5
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
14	2	4	3	5	2	-	-	2	-	12	3	-	7	2	15	3	-	12	-	7
3	-	-	2	1	4	-	-	4	-	7	-	-	6	1	10	1	-	8	1	8
5	4	1	-	-	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	9
3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
31	2	2	12	15	5	-	-	5	-	17	4	-	4	9	20	8	-	11	1	11
29	-	-	10	19	8	-	-	8	-	26	2	1	14	9	16	3	-	13	-	12
2	-	1	-	1	1	-	-	1	-	22	3	1	9	9	8	1	-	7	-	13
293	-	-	52	241	59	-	-	58	1	107	-	-	50	57	229	-	-	199	30	14
4	-	-	-	4	3	-	-	3	-	-	-	-	-	-	1	-	-	1	-	15
289	...	...	52	237	56	...	...	55	1	107	...	...	50	57	228	...	...	198	30	16
5	-	-	4	1	5	-	-	5	-	10	-	3	5	2	13	4	-	9	-	17
52	2	4	16	30	10	-	-	10	-	76	2	-	31	43	55	5	-	46	4	18
3	1	-	-	2	2	-	-	2	-	1	-	-	1	-	1	-	-	1	-	19
43	-	1	16	26	7	-	-	7	-	69	-	-	28	41	27	3	-	20	4	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	1	-	1	1	-	-	1	-	3	1	-	-	2	24	-	-	24	-	22
3	-	2	-	1	-	-	-	-	-	3	1	-	2	-	3	2	-	1	-	23
25	9	5	7	4	3	3	-	-	-	20	10	2	4	4	21	16	-	4	1	24
62	-	-	9	53	6	-	-	5	1	27	1	-	8	18	13	1	-	10	2	25
20	3	4	6	7	3	1	-	2	-	14	10	1	2	1	15	7	-	8	-	26
336	140	77	69	50	89	67	-	22	-	277	147	30	72	28	364	229	9	124	2	27
22	11	2	8	1	8	7	-	1	-	33	18	1	12	2	50	28	-	22	-	28
31	8	8	8	7	5	3	-	2	-	19	9	2	5	3	29	15	1	13	-	29
158	56	33	42	27	42	26	-	16	-	131	56	13	42	20	185	107	5	72	1	30
125	65	34	11	15	34	31	-	3	-	94	64	14	13	3	100	79	3	17	1	31
1,672	733	882	11	46	342	332	5	5	-	1,323	846	459	7	11	1,562	1,452	96	12	2	32
205	104	101	-	-	53	53	-	-	-	222	168	54	-	-	238	230	8	-	-	33
98	44	54	-	-	19	19	-	-	-	84	68	16	-	-	59	57	2	-	-	34
107	60	47	-	-	34	34	-	-	-	138	100	38	-	-	179	173	6	-	-	35
96	44	52	...	...	20	20	-	...	...	88	71	17	...	...	62	59	3	...	...	36
52	27	25	...	...	8	8	-	...	...	46	40	6	...	...	25	24	1	...	...	37
44	17	27	...	...	12	12	-	...	...	42	31	11	...	...	37	35	2	...	...	38
109	60	49	-	-	33	33	-	-	-	134	97	37	-	-	176	171	5	-	-	39
46	17	29	-	-	11	11	-	-	-	38	28	10	-	-	34	33	1	-	-	40
63	43	20	-	-	22	22	-	-	-	96	69	27	-	-	142	138	4	-	-	41
513	231	273	4	5	110	108	1	1	-	297	203	92	1	1	404	379	23	1	1	42
154	71	77	2	4	29	27	1	1	-	78	50	26	1	1	94	89	3	1	1	43
359	160	196	2	1	81	81	-	-	-	219	153	66	-	-	310	290	20	-	-	44
132	29	103	...	...	11	10	1	...	...	58	31	27	...	...	74	70	4	...	...	45
84	16	68	...	...	9	8	1	...	...	41	26	15	...	...	55	52	3	...	...	46
48	13	35	...	...	2	2	-	...	...	17	5	12	...	...	19	18	1	...	...	47
26	3	23	-	-	1	1	-	-	-	10	7	3	-	-	3	3	-	-	-	48
16	3	13	-	-	1	1	-	-	-	9	7	2	-	-	2	2	-	-	-	49
10	-	10	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	50
37	11	26	-	-	4	4	-	-	-	28	12	16	-	-	19	19	-	-	-	51
27	7	20	-	-	3	3	-	-	-	9	3	6	-	-	12	12	-	-	-	52
10	4	6	-	-	1	1	-	-	-	19	9	10	-	-	7	7	-	-	-	53
18	8	10	-	-	8	7	1	-	-	11	10	1	-	-	14	14	-	-	-	54
13	5	8	-	-	2	1	1	-	-	4	3	1	-	-	1	1	-	-	-	55
5	3	2	-	-	6	6	-	-	-	7	7	-	-	-	13	13	-	-	-	56
29	21	7	-	1	17	17	-	-	-	50	44	6	-	-	68	66	2	-	-	57
22	15	6	-	1	14	14	-	-	-	43	37	6	-	-	45	43	2	-	-	58
7	6	1	-	-	3	3	-	-	-	7	7	-	-	-	23	23	-	-	-	59
22	6	16	-	-	1	1	-	-	-	12	10	2	-	-	14	13	1	-	-	60
13	5	8	-	-	-	-	-	-	-	9	7	2	-	-	7	6	1	-	-	61
9	1	8	-	-	1	1	-	-	-	3	3	-	-	-	7	7	-	-	-	62
221	120	71	5	25	52	49	-	3	-	197	114	70	3	10	182	162	13	6	1	63
69	29	17	5	18	16	14	-	2	-	48	28	7	3	10	40	31	2	6	1	64
152	91	54	-	7	36	35	-	1	-	149	86	63	-	-	142	131	11	-	-	65
24	5	8	1	10	4	3	-	1	-	17	9	5	3	-	34	30	1	3	-	66
445	195	244	1	5	81	79	2	-	-	421	238	183	-	-	512	466	44	2	-	67
19	2	9	1	7	-	-	-	-	-	5	2	1	1	1	7	2	-	5	-	68
57	9	10	12	26	4	1	-	2	1	19	8	-	8	3	32	9	-	20	3	69
93	4	10	31	48	34	3	-	30	1	56	6	1	36	13	52	7	-	42	3	70
13	1	2	7	3	12	2	-	10	-	13	1	-	10	2	22	5	-	17	-	71
27	-	4	12	11	13	1	-	12	-	10	1	-	7	2	12	1	-	11	-	72
53	3	4	12	34	9	-	-	8	1	33	4	1	19	9	18	1	-	14	3	73
1	-	-	-	1	-	-	-	-	-	7	3	1	1	2	3	1	1	1	-	74

716 - 533 O - 64 - 22

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	MICHIGAN					MINNESOTA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	4,392	2,736	540	914	202	1,772	1,297	33	419	23
2	Dysentery, all forms---045-048	-	-	-	-	-	1	-	-	-	1
3	Septicemia and pyemia---053	7	-	-	6	1	2	-	-	2	-
4	Whooping cough---056	1	-	-	1	-	1	-	-	1	-
5	Meningococcal infections---057	6	-	-	6	-	3	-	-	3	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	28	5	-	19	4	8	-	-	5	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	21	-	1	20	-	11	-	-	11	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	4	3	-	1	-	4	2	-	2	-
10	Diseases of thymus gland---273	9	2	1	6	-	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	22	5	2	10	5	12	1	-	10	1
12	Other diseases of nervous system and sense organs---330-334,341-398	26	2	2	20	2	14	1	-	12	1
13	Acute upper respiratory infections---470-475	12	-	-	10	2	5	-	-	4	1
14	Influenza and pneumonia, except pneumonia of newborn---480-493	363	1	-	283	79	103	-	-	98	5
15	Influenza---480-483	11	1	-	9	1	5	-	-	4	1
16	Pneumonia, except pneumonia of newborn---490-493	352	...	...	274	78	98	...	...	94	4
17	Bronchitis---500-502	34	2	-	27	5	11	-	-	10	1
18	Other diseases of respiratory system---510-522,525-527	51	1	-	31	19	58	4	1	52	1
19	Pulmonary congestion and hypostasis---522	2	-	-	2	-	40	4	-	35	1
20	Other chronic interstitial pneumonia---525	39	-	-	21	18	11	-	-	11	-
21	Bronchiectasis---526	1	-	-	1	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	3	-	-	3	-	6	-	-	6	-
23	All other diseases of respiratory system---510-521,527.1	6	1	-	4	1	1	-	1	-	-
24	Hernia and intestinal obstruction---560,561,570	47	37	2	6	2	13	10	-	3	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	52	1	-	45	6	12	-	-	10	2
26	Other diseases of digestive system---530-542,544-553,573-587	25	12	2	10	1	5	1	-	4	-
27	Congenital malformations---750-759	722	396	46	257	33	302	195	1	105	1
28	Spina bifida and meningocele---751	68	29	2	35	2	29	17	-	12	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	72	39	6	22	5	27	15	-	12	-
30	Congenital malformations of circulatory system---754	364	163	19	163	19	151	89	1	60	1
31	Other congenital malformations---750,755-759	218	155	19	37	7	95	74	-	21	-
32	Certain diseases of early infancy---760-776	2,754	2,243	476	24	11	1,106	1,061	29	15	1
33	Birth injuries---760,761	515	420	94	1	-	214	210	4	-	-
34	Without mention of immaturity (.0)---	204	162	41	1	-	62	60	2	-	-
35	With immaturity (.5)---	311	258	53	-	-	152	150	2	-	-
36	Intracranial and spinal injury at birth---760	98	74	24	...	...	38	37	1	...	...
37	Without mention of immaturity (.0)---	70	52	18	...	...	23	23	-	...	...
38	With immaturity (.5)---	28	22	6	...	...	15	14	1	...	...
39	Other birth injury---761	417	346	70	1	-	176	173	3	-	-
40	Without mention of immaturity (.0)---	134	110	23	1	-	39	37	2	-	-
41	With immaturity (.5)---	283	236	47	-	-	137	136	1	-	-
42	Postnatal asphyxia and atelectasis---762	699	584	107	8	-	278	263	8	6	1
43	Without mention of immaturity (.0)---	157	113	36	8	-	62	55	1	5	1
44	With immaturity (.5)---	542	471	71	-	-	216	208	7	1	-
45	Pneumonia of newborn---763	117	90	27	...	...	36	35	1	...	...
46	Without mention of immaturity (.0)---	89	67	22	...	...	29	28	1	...	...
47	With immaturity (.5)---	28	23	5	...	...	7	7	-	...	...
48	Diarrhea of newborn---764	4	3	1	-	-	3	3	-	-	-
49	Without mention of immaturity (.0)---	2	2	-	-	-	1	1	-	-	-
50	With immaturity (.5)---	2	1	1	-	-	2	2	-	-	-
51	Other infections of newborn---765-768	39	30	9	-	-	12	11	1	-	-
52	Without mention of immaturity (.0)---	16	12	4	-	-	9	9	-	-	-
53	With immaturity (.5)---	23	18	5	-	-	3	2	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	34	27	7	-	-	18	18	-	-	-
55	Without mention of immaturity (.0-.4)---	12	10	2	-	-	5	5	-	-	-
56	With immaturity (.5-.9)---	22	17	5	-	-	13	13	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	98	94	4	-	-	65	65	-	-	-
58	Without mention of immaturity (.0-.2)---	80	76	4	-	-	48	48	-	-	-
59	With immaturity (.5-.7)---	18	18	-	-	-	17	17	-	-	-
60	Hemorrhagic disease of newborn---771	18	15	3	-	-	7	7	-	-	-
61	Without mention of immaturity (.0)---	9	8	1	-	-	2	2	-	-	-
62	With immaturity (.5)---	9	7	2	-	-	5	5	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	313	249	51	6	7	147	138	5	4	-
64	Without mention of immaturity (.0)---	63	49	5	3	6	39	36	1	2	-
65	With immaturity (.5)---	250	200	46	3	1	108	102	4	2	-
66	Immaturity with mention of any other subsidiary condition---774	40	27	5	5	3	12	7	1	4	-
67	Immaturity, unqualified---776	877	704	168	4	1	314	304	9	1	-
68	Symptoms and ill-defined conditions---780-793,795	22	5	4	7	6	25	8	1	14	2
69	All other diseases---Residual	41	15	1	21	4	30	7	-	22	1
70	Accidents---E800-E962	137	11	3	103	20	45	6	1	36	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	42	4	-	31	7	13	1	-	10	2
72	Accidental mechanical suffocation in bed and cradle---E924	29	1	-	25	3	7	-	1	6	-
73	Other accidental causes---E800-E920,E923,E925-E962	66	6	3	47	10	25	5	-	20	-
74	Homicide---E964,E980-E984	8	5	-	1	2	-	-	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1962—Con.

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

MISSISSIPPI					MISSOURI					MONTANA					NEBRASKA				
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,358	552	905	156	745	2,391	1,438	346	433	174	436	274	25	100	37	705	485	40	161	19	1
9	-	1	-	8	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2
9	-	-	2	7	5	-	-	4	1	3	-	-	2	1	3	-	-	2	1	3
6	-	-	-	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4
4	-	-	4	-	4	-	1	2	1	2	-	-	2	-	1	-	-	1	-	5
6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
15	-	-	4	11	6	-	-	4	2	4	1	-	1	2	3	-	-	3	-	7
2	-	1	1	-	8	-	-	8	-	3	1	-	2	-	1	-	-	1	-	8
1	1	-	-	-	1	1	-	-	-	1	-	-	1	-	2	-	-	2	-	9
-	-	-	-	-	15	2	1	8	4	1	-	-	1	-	-	-	-	-	-	10
24	-	3	4	17	14	6	-	6	2	2	-	-	1	1	4	1	-	2	1	11
17	1	-	4	12	19	3	-	13	3	6	-	-	6	-	2	-	-	2	-	12
9	-	1	-	8	12	2	-	7	3	3	-	2	1	-	9	1	-	7	1	13
209	-	1	31	177	177	-	1	124	52	27	-	-	18	9	52	1	-	47	4	14
19	-	1	-	18	7	-	1	5	1	1	-	-	1	-	2	1	-	1	-	15
190	...	...	31	159	170	...	...	119	51	26	...	...	17	9	50	...	...	46	4	16
16	-	2	4	10	10	3	-	2	5	10	1	-	9	-	4	1	-	2	1	17
13	2	1	5	5	30	4	3	11	12	4	-	-	3	1	13	2	-	10	1	18
2	-	-	-	2	2	-	1	1	-	-	-	-	-	-	10	-	-	9	1	19
2	-	-	2	-	17	-	-	6	11	3	-	-	3	-	1	-	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	1	-	2	2	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	22
4	1	1	1	1	5	1	1	2	1	1	-	-	-	1	2	2	-	-	-	23
17	5	2	3	7	25	17	3	5	-	3	2	-	1	-	6	4	1	1	-	24
158	-	-	10	148	40	-	-	23	17	14	-	-	2	12	5	-	-	1	4	25
9	3	1	2	3	20	10	1	5	4	2	1	-	1	-	3	-	1	2	-	26
189	79	36	34	40	355	217	20	106	12	64	33	5	23	3	99	50	1	48	-	27
14	6	1	5	2	27	15	2	9	1	7	2	1	4	-	10	3	-	7	-	28
14	3	1	3	7	30	11	1	17	1	4	2	1	1	-	6	2	-	4	-	29
96	34	18	19	25	177	103	8	58	8	32	18	1	11	2	50	21	-	29	-	30
65	36	16	7	6	121	88	9	22	2	21	11	2	7	1	33	24	1	8	-	31
1,158	437	659	7	55	1,513	1,154	310	22	27	250	227	17	5	1	454	416	35	2	1	32
114	50	64	-	-	194	158	36	-	-	43	40	2	1	-	106	100	6	-	-	33
64	28	36	-	-	90	73	17	-	-	9	8	1	-	-	27	23	4	-	-	34
50	22	28	-	-	104	85	19	-	-	34	32	1	1	-	79	77	2	-	-	35
35	13	22	...	...	61	38	23	...	...	7	6	1	...	...	15	13	2	...	...	36
27	8	19	...	...	34	23	11	...	...	2	1	1	...	...	7	6	1	...	...	37
8	5	3	...	...	27	15	12	...	...	5	5	-	...	...	8	7	1	...	...	38
79	37	42	-	-	133	120	13	-	-	36	34	1	1	-	91	87	4	-	-	39
37	20	17	-	-	56	50	6	-	-	7	7	-	-	-	20	17	3	-	-	40
42	17	25	-	-	77	70	7	-	-	29	27	1	1	-	71	70	1	-	-	41
263	114	142	1	6	471	359	96	9	7	54	48	5	1	-	108	99	9	-	-	42
105	39	60	1	5	124	94	17	8	5	22	19	2	1	-	24	23	1	-	-	43
158	75	82	-	1	347	265	79	1	2	32	29	3	-	-	84	76	8	-	-	44
79	19	60	...	...	89	71	18	...	...	13	12	1	...	...	14	12	2	...	...	45
66	15	51	...	...	65	52	13	...	...	8	7	1	...	...	5	4	1	...	...	46
13	4	9	...	...	24	19	5	...	...	5	5	-	...	...	9	8	1	...	...	47
18	1	15	-	2	6	3	3	-	-	3	3	-	-	-	-	-	-	-	-	48
16	1	13	-	2	4	1	3	-	-	3	3	-	-	-	-	-	-	-	-	49
2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	50
15	5	10	-	-	16	13	3	-	-	1	1	-	-	-	3	2	-	1	-	51
12	3	9	-	-	5	4	1	-	-	1	1	-	-	-	3	2	-	1	-	52
3	2	1	-	-	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	53
17	4	13	-	-	22	18	4	-	-	3	2	1	-	-	3	3	-	-	-	54
6	1	5	-	-	8	6	2	-	-	2	1	1	-	-	-	-	-	-	-	55
11	3	8	-	-	14	12	2	-	-	1	1	-	-	-	3	3	-	-	-	56
25	15	10	-	-	53	48	2	3	-	11	11	-	-	-	19	19	-	-	-	57
23	13	10	-	-	46	41	2	3	-	8	8	-	-	-	12	12	-	-	-	58
2	2	-	-	-	7	7	-	-	-	3	3	-	-	-	7	7	-	-	-	59
14	6	8	-	-	9	4	5	-	-	2	-	1	1	-	2	2	-	-	-	60
10	4	6	-	-	5	2	3	-	-	1	-	-	1	-	1	1	-	-	-	61
4	2	2	-	-	4	2	2	-	-	1	-	1	-	-	1	1	-	-	-	62
211	99	71	5	36	264	209	31	6	18	38	34	3	-	1	65	61	3	-	1	63
103	31	36	4	32	62	35	6	5	16	7	6	-	-	1	15	14	-	-	1	64
108	68	35	1	4	202	174	25	1	2	31	28	3	-	-	50	47	3	-	-	65
16	6	6	-	4	32	18	9	4	1	8	4	2	2	-	5	3	1	1	-	66
386	118	260	1	7	357	253	103	-	1	74	72	2	-	-	129	115	14	-	-	67
352	10	175	14	153	36	6	5	19	6	3	-	-	2	1	7	1	1	4	1	68
23	2	4	5	12	25	2	1	21	1	5	1	-	3	1	4	2	-	2	-	69
111	12	11	22	66	70	10	-	40	20	27	6	1	15	5	31	4	1	22	4	70
17	6	2	2	7	12	5	-	4	3	11	3	1	7	-	2	1	-	1	-	71
35	-	5	7	23	20	1	-	12	7	5	-	-	3	2	9	1	-	7	1	72
59	6	4	13	36	38	4	-	24	10	11	3	-	5	3	20	2	1	14	3	73
1	-	1	-	-	4	1	-	1	2	2	1	-	1	-	1	1	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh
see Technical

	CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	257	170	28	49	10	310	236	3	70	1
2	Dysentery, all forms---045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia---053	-	-	-	-	-	-	-	-	-	-
4	Whooping cough---056	1	-	-	-	1	-	-	-	-	-
5	Meningococcal infections---057	-	-	-	-	-	2	-	-	2	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	2	-	1	1	-	-	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	-	-	-	-	-	2	-	-	2	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	-	-	-	-	-	1	1	-	-	-
10	Diseases of thymus gland---273	1	1	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	4	1	-	1	2	1	-	-	-	1
12	Other diseases of nervous system and sense organs---330-334,341-398	1	-	-	1	-	1	-	-	1	-
13	Acute upper respiratory infections---470-475	-	-	-	-	-	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn---480-493	14	-	-	13	1	18	-	-	18	-
15	Influenza---480-483	-	-	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn---490-493	14	...	...	13	1	18	...	...	18	-
17	Bronchitis---500-502	-	-	-	-	-	1	-	-	1	-
18	Other diseases of respiratory system---510-522,525-527	3	-	-	3	-	6	-	-	6	-
19	Pulmonary congestion and hypostasis---522	-	-	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia---523	3	-	-	3	-	6	-	-	6	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.0	-	-	-	-	-	-	-	-	-	-
23	All other diseases of respiratory system---510-521,527.1	-	-	-	-	-	-	-	-	-	-
24	Hernia and intestinal obstruction---560,561,570	3	1	-	2	-	3	3	-	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	3	-	-	1	2	1	-	-	1	-
26	Other diseases of digestive system---530-542,544-553,573-587	3	1	-	2	-	2	-	-	2	-
27	Congenital malformations---750-759	36	20	3	12	1	61	42	-	19	-
28	Spina bifida and meningocele---751	2	1	-	1	-	4	3	-	1	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	5	3	-	2	-	5	2	-	3	-
30	Congenital malformations of circulatory system---754	20	8	2	9	1	34	25	-	9	-
31	Other congenital malformations---750,755-759	9	8	1	-	-	18	12	-	6	-
32	Certain diseases of early infancy---760-776	167	139	24	3	1	194	189	3	2	-
33	Birth injuries---760,761	18	15	3	-	-	26	26	-	-	-
34	Without mention of immaturity (0)	7	6	1	-	-	8	8	-	-	-
35	With immaturity (.5)	11	9	2	-	-	18	18	-	-	-
36	Intracranial and spinal injury at birth---760	4	2	2	...	...	5	5	-	...	...
37	Without mention of immaturity (.0)	1	1	-	...	...	2	2	-	...	...
38	With immaturity (.5)	3	1	2	...	...	3	3	-	...	...
39	Other birth injury---761	14	13	1	-	-	21	21	-	-	-
40	Without mention of immaturity (.0)	6	5	1	-	-	6	6	-	-	-
41	With immaturity (.5)	8	8	-	-	-	15	15	-	-	-
42	Postnatal asphyxia and atelectasis---762	46	37	7	2	-	32	30	2	-	-
43	Without mention of immaturity (0)	9	7	-	2	-	12	10	2	-	-
44	With immaturity (.5)	37	30	7	-	-	20	20	-	-	-
45	Pneumonia of newborn---763	9	5	4	...	...	8	8	-	...	...
46	Without mention of immaturity (.0)	5	2	3	...	...	6	6	-	...	...
47	With immaturity (.5)	4	3	1	...	...	2	2	-	...	...
48	Diarrhea of newborn---764	2	-	2	-	-	-	-	-	-	-
49	Without mention of immaturity (.0)	2	-	2	-	-	-	-	-	-	-
50	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
51	Other infections of newborn---765-768	1	1	-	-	-	3	2	-	1	-
52	Without mention of immaturity (.0)	-	-	-	-	-	2	1	-	1	-
53	With immaturity (.5)	1	1	-	-	-	1	1	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	2	2	-	-	-	2	2	-	-	-
55	Without mention of immaturity (.0-.4)	2	2	-	-	-	-	-	-	-	-
56	With immaturity (5-.9)	-	-	-	-	-	2	2	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	7	7	-	-	-	5	4	1	-	-
58	Without mention of immaturity (.0-.2)	7	7	-	-	-	4	3	1	-	-
59	With immaturity (.5- 7)	-	-	-	-	-	1	1	-	-	-
60	Hemorrhagic disease of newborn---771	1	1	-	-	-	2	2	-	-	-
61	Without mention of immaturity (.0)	-	-	-	-	-	1	1	-	-	-
62	With immaturity (.5)	1	1	-	-	-	1	1	-	-	-
63	Ill-defined diseases peculiar to early infancy, includir nutritional maladjustment---772,773	30	26	2	1	1	40	40	-	-	-
64	Without mention of immaturity (.0)	8	6	-	1	1	7	7	-	-	-
65	With immaturity (.5)	22	20	2	-	-	33	33	-	-	-
66	Immaturity with mention of any other subsidiary condition---774	1	1	-	-	-	2	1	-	1	-
67	Immaturity, unqualified---776	50	44	6	-	-	74	74	-	-	-
68	Symptoms and ill-defined conditions---780-793,795	2	2	-	-	-	6	-	-	6	-
69	All other diseases---Residual	2	1	-	-	1	1	-	-	1	-
70	Accidents---E800-E962	15	4	-	10	1	9	1	-	8	-
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	5	2	-	2	1	2	-	-	2	-
72	Accidental mechanical suffocation in bed and cradle---E924	5	1	-	4	-	3	-	-	3	-
73	Other accidental causes---E800-E920,E923,E925-E962	5	1	-	4	-	4	1	-	3	-
74	Homicide---E964,E980-E984	-	-	-	-	-	-	-	-	-	-

[1]New Jersey did not require reporting of color, see Technical Appendix.

From 55 Selected Causes, by Color: United States and Each State, 1962—Continued

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

NEW JERSEY[1]			NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total, under 1 year	Under 28 days	28 days-11 months	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
				White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
3,132	2,413	719	876	513	57	219	87	8,739	5,061	1,534	1,520	624	3,341	1,258	908	412	763	1
-	-	-	5	-	1	1	3	1	-	-	1	-	2	-	-	-	2	2
6	-	6	3	-	-	1	2	29	-	-	19	10	36	-	-	13	23	3
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	4
9	-	9	2	-	-	1	1	9	1	1	7	-	5	-	1	3	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
17	2	15	6	-	1	2	3	40	6	2	23	9	16	1	3	5	7	7
3	1	2	2	-	-	2	-	24	4	-	18	2	7	-	-	6	1	8
5	2	3	1	-	-	1	-	13	5	-	8	-	4	-	1	1	2	9
5	-	5	-	-	-	-	-	4	1	-	3	-	1	1	-	-	-	10
24	13	11	9	1	-	4	4	64	15	5	31	13	30	4	2	9	15	11
21	1	20	8	-	-	3	5	45	-	1	36	8	20	-	1	7	12	12
5	-	5	2	-	-	2	-	38	4	2	23	9	23	-	3	5	15	13
254	-	254	84	1	-	61	22	652	-	-	430	222	420	-	3	115	302	14
1	-	1	4	1	-	2	1	7	-	-	6	1	19	-	3	3	13	15
253	...	253	80	...	...	59	21	645	...	...	424	221	401	...	...	112	289	16
18	3	15	1	-	-	1	-	60	4	1	38	17	9	-	-	4	5	17
23	5	18	18	-	-	17	1	83	12	4	53	14	39	2	2	15	20	18
6	2	4	-	-	-	-	-	31	6	3	18	4	3	-	1	1	1	19
9	-	9	18	-	-	17	1	29	1	-	24	4	17	-	-	9	8	20
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	21
3	-	3	-	-	-	-	-	13	2	-	7	4	14	1	1	4	8	22
5	3	2	-	-	-	-	-	9	3	1	3	2	5	1	-	1	3	23
30	20	10	17	11	-	3	3	67	48	5	12	2	29	17	3	7	2	24
51	-	51	48	-	-	29	19	164	-	-	95	69	112	-	-	19	93	25
15	10	5	11	6	-	5	-	59	28	4	21	6	25	8	5	7	5	26
454	309	145	93	59	3	24	7	1,308	748	90	389	81	378	203	43	87	45	27
28	16	12	4	2	-	2	-	136	62	3	62	9	55	25	3	18	9	28
35	21	14	4	2	-	1	1	115	47	8	53	7	28	11	3	9	5	29
222	129	93	49	31	2	14	2	599	299	38	220	42	148	70	13	44	21	30
169	143	26	36	24	1	7	4	458	340	41	54	23	147	97	24	16	10	31
2,037	2,003	34	489	423	51	14	1	5,574	4,099	1,388	47	40	1,846	998	777	10	61	32
266	266	-	60	53	7	-	-	786	652	134	-	-	252	163	89	-	-	33
105	105	-	20	16	4	-	-	290	240	50	-	-	106	56	50	-	-	34
161	161	-	40	37	3	-	-	496	412	84	-	-	146	107	39	-	-	35
91	91	...	19	14	5	...	...	312	237	75	...	...	77	49	28	...	...	36
46	46	...	10	7	3	...	...	171	139	32	...	...	53	32	21	...	...	37
45	45	...	9	7	2	...	...	141	98	43	...	...	24	17	7	...	...	38
175	175	-	41	39	2	-	-	474	415	59	-	-	175	114	61	-	-	39
59	59	-	10	9	1	-	-	119	101	18	-	-	53	24	29	-	-	40
116	116	-	31	30	1	-	-	355	314	41	-	-	122	90	32	-	-	41
768	762	6	141	127	14	-	-	1,627	1,251	339	22	15	518	296	212	4	6	42
241	236	5	42	39	3	-	-	446	331	80	21	14	158	65	88	2	3	43
527	526	1	99	88	11	-	-	1,181	920	259	1	1	380	231	124	2	3	44
77	77	...	18	13	5	...	...	271	199	72	...	...	103	35	68	...	...	45
55	55	...	12	8	4	...	...	213	157	56	...	...	73	24	49	...	...	46
22	22	...	6	5	1	...	...	58	42	16	...	...	30	11	19	...	...	47
10	10	-	6	6	-	-	-	30	12	18	-	-	25	4	21	-	-	48
8	8	-	2	2	-	-	-	22	8	14	-	-	19	3	16	-	-	49
2	2	-	4	4	-	-	-	8	4	4	-	-	6	1	5	-	-	50
20	19	1	3	3	-	-	-	47	36	10	1	-	23	9	14	-	-	51
13	12	1	2	2	-	-	-	28	21	6	1	-	19	7	12	-	-	52
7	7	-	1	1	-	-	-	19	15	4	-	-	4	2	2	-	-	53
23	23	-	7	5	2	-	-	43	34	6	3	-	39	18	21	-	-	54
9	9	-	1	-	1	-	-	17	13	1	3	-	11	3	8	-	-	55
14	14	-	6	5	1	-	-	26	21	5	-	-	28	15	13	-	-	56
86	86	-	16	15	1	-	-	189	171	13	4	1	37	33	4	-	-	57
68	68	-	9	9	-	-	-	147	130	13	3	1	28	24	4	-	-	58
18	18	-	7	6	1	-	-	42	41	-	1	-	9	9	-	-	-	59
18	18	-	3	3	-	-	-	46	36	9	-	1	15	7	8	-	-	60
15	15	-	1	1	-	-	-	21	17	3	-	1	9	2	7	-	-	61
3	3	-	2	2	-	-	-	25	19	6	-	-	6	5	1	-	-	62
220	201	19	75	58	9	8	-	614	440	164	7	3	311	166	99	3	43	63
71	54	17	15	9	1	5	-	125	92	25	5	3	102	36	26	3	37	64
149	147	2	60	49	8	3	-	489	348	139	2	-	209	130	73	-	6	65
21	17	4	5	2	-	3	-	86	52	19	7	8	26	8	9	1	8	66
528	524	4	155	138	13	3	1	1,835	1,216	604	3	12	497	259	232	2	4	67
15	10	5	36	5	1	20	10	167	19	9	73	66	141	7	41	23	70	68
34	10	24	11	4	-	6	1	104	31	8	52	13	41	8	6	11	16	69
97	16	81	30	3	-	22	5	195	14	3	139	39	150	7	16	63	64	70
28	3	25	7	1	-	6	-	45	5	-	34	6	37	1	6	18	12	71
29	5	24	4	-	-	4	-	43	2	-	33	8	44	3	3	15	23	72
40	8	32	19	2	-	12	5	107	7	3	72	25	69	3	7	30	29	73
9	8	1	-	-	-	-	-	39	22	11	2	4	5	2	1	1	1	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	NORTH DAKOTA					OHIO				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	357	253	12	79	13	4,964	3,178	664	901	221
2	Dysentery, all forms-045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	4	-	-	4	-	10	-	-	10	-
4	Whooping cough-056	-	-	-	-	-	3	-	-	1	2
5	Meningococcal infections-057	-	-	-	-	-	17	2	-	13	2
6	Tetanus-061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	5	1	-	2	2	16	2	-	12	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	2	-	-	2	-	9	1	-	8	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	2	1	-	-	1	10	7	-	3	-
10	Diseases of thymus gland-273	-	-	-	-	-	4	2	-	2	-
11	Meningitis, except meningococcal and tuberculous-340	2	1	-	1	-	33	7	5	10	11
12	Other diseases of nervous system and sense organs-330-334,341-398	4	1	-	3	-	44	3	2	33	6
13	Acute upper respiratory infections-470-475	2	-	-	2	-	57	6	2	34	15
14	Influenza and pneumonia, except pneumonia of newborn-480-493	23	-	-	20	3	295	-	-	243	52
15	Influenza-480-483	1	-	-	1	-	12	-	-	11	1
16	Pneumonia, except pneumonia of newborn-490-493	22	...	...	19	3	283	...	...	232	51
17	Bronchitis-500-502	-	-	-	-	-	35	1	-	24	10
18	Other diseases of respiratory system-510-522,525-527	2	1	-	1	-	96	4	2	63	27
19	Pulmonary congestion and hypostasis-522	-	-	-	-	-	1	-	-	1	-
20	Other chronic interstitial pneumonia-525	1	-	-	1	-	68	-	-	52	16
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	-	-	-	-	-	10	2	1	2	5
23	All other diseases of respiratory system-510-521,527.1	1	1	-	-	-	17	2	1	8	6
24	Hernia and intestinal obstruction-560,561,570	2	2	-	-	-	42	30	2	8	2
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	10	-	-	6	4	56	-	-	48	8
26	Other diseases of digestive system-530-542,544-553,573-587	5	-	-	5	-	21	8	3	9	1
27	Congenital malformations-750-759	53	33	-	18	2	773	470	45	227	31
28	Spina bifida and meningocele-751	5	3	-	2	-	54	32	3	17	2
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	6	4	-	2	-	88	52	3	31	2
30	Congenital malformations of circulatory system-754	28	14	-	12	2	378	189	23	143	23
31	Other congenital malformations-750,755-759	14	12	-	2	-	253	197	16	36	4
32	Certain diseases of early infancy-760-776	221	208	12	1	-	3,205	2,574	591	30	10
33	Birth injuries-760,761	43	39	4	-	-	535	451	83	1	-
34	Without mention of immaturity (.0)	20	17	3	-	-	174	149	25	-	-
35	With immaturity (.5)	23	22	1	-	-	361	302	58	1	-
36	Intracranial and spinal injury at birth-760	10	9	1	...	...	113	89	24	...	...
37	Without mention of immaturity (.0)	7	6	1	...	...	65	54	11	...	...
38	With immaturity (.5)	3	3	-	...	...	48	35	13	...	...
39	Other birth injury-761	33	30	3	-	-	422	362	59	1	-
40	Without mention of immaturity (0)	13	11	2	-	-	109	95	14	-	-
41	With immaturity (.5)	20	19	1	-	-	313	267	45	1	-
42	Postnatal asphyxia and atelectasis-762	66	60	5	1	-	972	828	140	4	-
43	Without mention of immaturity (.0)	15	12	2	1	-	237	204	29	4	-
44	With immaturity (.5)	51	48	3	-	-	735	624	111	-	-
45	Pneumonia of newborn-763	12	12	-	...	...	138	106	32	...	...
46	Without mention of immaturity (.0)	8	8	-	...	...	87	67	20	...	...
47	With immaturity (5)	4	4	-	...	...	51	39	12	...	...
48	Diarrhea of newborn-764	1	1	-	-	-	8	6	2	-	-
49	Without mention of immaturity (.0)	1	1	-	-	-	6	4	2	-	-
50	With immaturity (.5)	-	-	-	-	-	2	2	-	-	-
51	Other infections of newborn-765-768	3	3	-	-	-	44	30	14	-	-
52	Without mention of immaturity (.0)	3	3	-	-	-	13	10	3	-	-
53	With immaturity (.5)	-	-	-	-	-	31	20	11	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	3	3	-	-	-	40	34	5	1	-
55	Without mention of immaturity (.0-.4)	2	2	-	-	-	14	10	3	1	-
56	With immaturity (.5-.9)	1	1	-	-	-	26	24	2	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	7	7	-	-	-	115	106	8	-	1
58	Without mention of immaturity (.0-.2)	6	6	-	-	-	88	80	7	-	1
59	With immaturity (.5-.7)	1	1	-	-	-	27	26	1	-	-
60	Hemorrhagic disease of newborn-771	2	2	-	-	-	22	17	5	-	-
61	Without mention of immaturity (.0)	2	2	-	-	-	14	11	3	-	-
62	With immaturity (.5)	-	-	-	-	-	8	6	2	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	32	32	-	-	-	490	390	81	13	6
64	Without mention of immaturity (0)	9	9	-	-	-	107	80	11	10	6
65	With immaturity (.5)	23	23	-	-	-	383	310	70	3	-
66	Immaturity with mention of any other subsidiary condition-774	2	2	-	-	-	37	24	7	3	3
67	Immaturity, unqualified-776	50	47	3	-	-	804	582	214	8	-
68	Symptoms and ill-defined conditions-780-793,795	3	2	-	1	-	60	17	3	26	14
69	All other diseases-Residual	5	2	-	3	-	46	15	1	22	8
70	Accidents-E800-E962	12	1	-	10	1	120	24	4	74	18
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	4	-	-	3	1	24	7	1	13	3
72	Accidental mechanical suffocation in bed and cradle-E924	3	-	-	3	-	27	4	-	19	4
73	Other accidental causes-E800-E920,E923,E925-E962	5	1	-	4	-	69	13	3	42	11
74	Homicide-E964,E980-E984	-	-	-	-	-	12	5	4	1	2

From 55 Selected Causes, by Color: United States and Each State, 1962—Continued

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

OKLAHOMA					OREGON					PENNSYLVANIA					RHODE ISLAND					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,220	770	165	201	84	811	531	23	240	17	5,427	3,437	744	979	267	468	345	23	88	12	1
3	-	-	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2
3	-	-	2	1	2	-	-	2	-	7	-	-	6	1	3	-	-	3	-	3
2	-	-	1	1	1	-	-	1	-	4	-	-	4	-	-	-	-	-	-	4
1	-	-	1	-	1	-	-	-	1	7	-	-	7	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
11	2	2	4	3	8	1	-	6	1	18	3	1	13	1	3	1	-	1	1	7
1	-	-	1	-	-	-	-	-	-	16	2	-	13	1	-	-	-	-	-	8
4	1	1	2	-	1	1	-	-	-	4	-	-	3	1	-	-	-	-	-	9
1	-	1	-	-	2	-	-	2	-	10	2	-	8	-	-	-	-	-	-	10
17	3	1	8	5	12	5	-	7	-	44	11	3	21	9	4	1	-	3	-	11
9	-	1	7	1	10	-	-	9	1	38	1	-	30	7	8	-	-	8	-	12
4	1	-	3	-	1	-	-	1	-	9	1	-	7	1	4	-	-	3	1	13
66	1	-	41	24	83	-	-	77	6	334	-	-	259	75	26	-	-	21	5	14
4	1	-	1	2	-	-	-	-	-	6	-	-	6	-	-	-	-	-	-	15
62	...	...	40	22	83	...	...	77	6	328	...	...	253	75	26	...	...	21	5	16
1	-	-	-	1	13	-	-	12	1	22	3	-	15	4	1	-	-	-	1	17
9	-	1	7	1	8	1	-	7	-	53	7	1	39	6	4	1	-	3	-	18
-	-	-	-	-	2	1	-	1	-	9	2	-	7	-	-	-	-	-	-	19
5	-	-	4	1	3	-	-	3	-	24	-	-	21	3	3	-	-	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	-	1	1	-	2	-	-	2	-	7	-	1	5	1	-	-	-	-	-	22
2	-	-	2	-	1	-	-	1	-	13	5	-	6	2	1	1	-	-	-	23
10	8	-	2	-	8	6	1	1	-	49	38	1	8	2	2	2	-	-	-	24
29	-	-	19	10	9	-	-	6	3	62	-	-	47	15	1	-	-	1	-	25
13	4	1	7	1	6	4	-	2	-	41	23	2	13	3	6	2	-	4	-	26
143	96	10	32	5	144	93	1	49	1	801	499	59	222	21	79	54	2	20	3	27
6	3	1	2	-	12	4	-	8	-	87	57	1	28	1	9	3	-	6	-	28
14	9	1	3	1	18	12	-	6	-	68	38	5	23	2	5	3	-	1	1	29
71	41	3	23	4	70	41	1	27	1	398	226	27	129	16	30	17	-	11	2	30
52	43	5	4	-	44	36	-	8	-	248	178	26	42	2	35	31	2	2	-	31
779	630	140	3	6	445	413	21	11	-	3,481	2,783	656	27	15	305	282	20	3	-	32
98	86	12	-	-	89	86	3	-	-	541	460	80	-	1	46	46	-	-	-	33
44	38	6	-	-	26	24	2	-	-	214	181	32	-	1	12	12	-	-	-	34
54	48	6	-	-	63	62	1	-	-	327	279	48	-	-	34	34	-	-	-	35
28	26	2	...	...	23	22	1	...	...	165	131	34	...	...	11	11	-	...	...	36
14	12	2	...	...	10	9	1	...	...	110	91	19	...	...	4	4	-	...	...	37
14	14	-	...	...	13	13	-	...	...	55	40	15	...	...	7	7	-	...	...	38
70	60	10	-	-	66	64	2	-	-	376	329	46	-	1	35	35	-	-	-	39
30	26	4	-	-	16	15	1	-	-	104	90	13	-	1	8	8	-	-	-	40
40	34	6	-	-	50	49	1	-	-	272	239	33	-	-	27	27	-	-	-	41
188	147	39	1	1	133	119	7	7	-	1,001	819	167	8	7	104	98	6	-	-	42
58	48	8	1	1	32	25	-	7	-	266	211	44	6	5	25	24	1	-	-	43
130	99	31	-	-	101	94	7	-	-	735	608	123	2	2	79	74	5	-	-	44
49	43	6	...	...	24	22	2	...	...	131	108	23	...	...	19	17	2	...	...	45
31	26	5	...	...	18	16	2	...	...	93	75	18	...	...	14	12	2	...	...	46
18	17	1	...	...	6	6	-	...	...	38	33	5	...	...	5	5	-	...	...	47
3	2	1	-	-	-	-	-	-	-	11	9	2	-	-	3	3	-	-	-	48
3	2	1	-	-	-	-	-	-	-	8	6	2	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	2	2	-	-	-	50
11	9	2	-	-	1	1	-	-	-	31	23	8	-	-	4	2	2	-	-	51
7	7	-	-	-	-	-	-	-	-	20	15	5	-	-	-	-	-	-	-	52
4	2	2	-	-	1	1	-	-	-	11	8	3	-	-	4	2	2	-	-	53
14	12	2	-	-	12	11	1	-	-	40	35	4	1	-	1	1	-	-	-	54
6	5	1	-	-	5	5	-	-	-	15	12	2	1	-	-	-	-	-	-	55
8	7	1	-	-	7	6	1	-	-	25	23	2	-	-	1	1	-	-	-	56
15	14	1	-	-	12	12	-	-	-	91	91	-	-	-	12	12	-	-	-	57
14	13	1	-	-	10	10	-	-	-	74	74	-	-	-	7	7	-	-	-	58
1	1	-	-	-	2	2	-	-	-	17	17	-	-	-	5	5	-	-	-	59
4	1	3	-	-	4	4	-	-	-	18	14	4	-	-	2	1	1	-	-	60
1	1	-	-	-	3	3	-	-	-	13	11	2	-	-	1	-	1	-	-	61
3	-	3	-	-	1	1	-	-	-	5	3	2	-	-	1	1	-	-	-	62
138	110	22	1	5	76	70	3	3	-	562	438	106	14	4	29	24	2	3	-	63
30	21	3	1	5	16	14	-	2	-	144	101	29	11	3	11	10	-	1	-	64
108	89	19	-	-	60	56	3	1	-	418	337	77	3	1	18	14	2	2	-	65
13	9	3	1	-	9	8	-	1	-	54	42	8	2	2	2	2	-	-	-	66
246	197	49	-	-	85	80	5	-	-	1,001	744	254	2	1	83	76	7	-	-	67
23	3	3	13	4	5	3	-	2	-	142	15	14	49	64	-	-	-	-	-	68
23	12	1	8	2	10	-	-	8	2	77	26	3	41	7	7	-	-	7	-	69
67	9	2	39	17	42	4	-	37	1	179	14	3	134	28	14	2	1	10	1	70
20	4	1	8	7	9	2	-	6	1	54	3	-	45	6	4	1	-	2	1	71
15	1	-	10	4	13	1	-	12	-	47	1	-	41	5	5	1	-	4	-	72
32	4	1	21	6	20	1	-	19	-	78	10	3	48	17	5	-	1	4	-	73
1	-	1	-	-	-	-	-	-	-	28	9	1	13	5	1	-	-	1	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	SOUTH CAROLINA					SOUTH DAKOTA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,829	590	446	214	579	435	275	24	87	49
2	Dysentery, all forms-045-048	4	-	-	-	4	-	-	-	-	-
3	Septicemia and pyemia-053	5	-	-	-	5	2	-	-	1	1
4	Whooping cough-056	6	-	-	-	6	-	-	-	-	-
5	Meningococcal infections-057	4	-	-	4	-	2	-	-	-	2
6	Tetanus-061	3	-	3	-	-	-	-	-	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	13	1	3	4	5	6	-	-	2	4
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	2	1	-	1	-	1	-	-	1	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	1	1	-	-	-	-	-	-	-	-
10	Diseases of thymus gland-273	-	-	-	-	-	1	-	-	1	-
11	Meningitis, except meningococcal and tuberculous-340	12	1	3	2	6	6	1	-	3	2
12	Other diseases of nervous system and sense organs-330-334,341-398	9	-	-	6	3	2	-	-	1	1
13	Acute upper respiratory infections-470-475	13	-	-	2	11	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	307	-	3	68	236	43	-	-	26	17
15	Influenza-480-483	29	-	3	5	21	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-490-493	278	...	...	63	215	43	...	...	26	17
17	Bronchitis-500-502	8	-	-	3	5	1	-	-	1	-
18	Other diseases of respiratory system-510-522,525-527	20	-	3	4	13	7	1	-	4	2
19	Pulmonary congestion and hypostasis-522	1	-	-	1	-	1	1	-	-	-
20	Other chronic interstitial pneumonia-525	8	-	1	1	6	2	-	-	1	1
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	11	-	2	2	7	3	-	-	2	1
23	All other diseases of respiratory system-510-521,527.1	-	-	-	-	-	1	-	-	1	-
24	Hernia and intestinal obstruction-560,561,570	17	8	4	2	3	2	1	-	1	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	78	-	-	11	67	13	-	-	4	9
26	Other diseases of digestive system-530-542,544-553,573-587	12	1	1	5	5	2	1	-	1	-
27	Congenital malformations-750-759	171	92	23	38	18	61	41	2	15	3
28	Spina bifida and meningocele-751	17	11	1	4	1	8	6	1	1	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	18	5	6	4	3	4	3	-	1	-
30	Congenital malformations of circulatory system-754	74	36	8	24	6	31	17	-	12	2
31	Other congenital malformations-750,755-759	62	40	8	6	8	18	15	1	1	1
32	Certain diseases of early infancy-760-776	890	476	358	6	50	254	226	21	5	2
33	Birth injuries-760,761	98	61	37	-	-	51	48	2	1	-
34	Without mention of immaturity (.0)	48	24	24	-	-	20	18	2	-	-
35	With immaturity (.5)	50	37	13	-	-	31	30	-	1	-
36	Intracranial and spinal injury at birth-760	35	21	14	...	...	9	9	-	...	...
37	Without mention of immaturity (.0)	25	14	11	...	...	7	7	-	...	...
38	With immaturity (.5)	10	7	3	...	...	2	2	-	...	...
39	Other birth injury-761	63	40	23	-	-	42	39	2	1	-
40	Without mention of immaturity (.0)	23	10	13	-	-	13	11	2	-	-
41	With immaturity (.5)	40	30	10	-	-	29	28	-	1	-
42	Postnatal asphyxia and atelectasis-762	240	143	91	1	5	56	50	5	1	-
43	Without mention of immaturity (.0)	92	52	35	1	4	13	9	3	1	-
44	With immaturity (.5)	148	91	56	-	1	43	41	2	-	-
45	Pneumonia of newborn-763	64	18	46	...	...	14	12	2	...	...
46	Without mention of immaturity (.0)	56	15	41	...	...	8	7	1	...	...
47	With immaturity (.5)	8	3	5	...	...	6	5	1	...	...
48	Diarrhea of newborn-764	18	2	15	-	1	-	-	-	-	-
49	Without mention of immaturity (.0)	16	2	13	-	1	-	-	-	-	-
50	With immaturity (.5)	2	-	2	-	-	-	-	-	-	-
51	Other infections of newborn-765-768	10	5	5	-	-	2	2	-	-	-
52	Without mention of immaturity (.0)	5	3	2	-	-	2	2	-	-	-
53	With immaturity (.5)	5	2	3	-	-	-	-	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	14	6	8	-	-	1	1	-	-	-
55	Without mention of immaturity (.0-.4)	5	2	3	-	-	1	1	-	-	-
56	With immaturity (.5-.9)	9	4	5	-	-	-	-	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	12	9	2	-	1	16	15	1	-	-
58	Without mention of immaturity (.0-.2)	11	8	2	-	1	12	11	1	-	-
59	With immaturity (.5-.7)	1	1	-	-	-	4	4	-	-	-
60	Hemorrhagic disease of newborn-771	11	4	7	-	-	-	-	-	-	-
61	Without mention of immaturity (.0)	7	2	5	-	-	-	-	-	-	-
62	With immaturity (.5)	4	2	2	-	-	-	-	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	122	54	29	3	36	47	40	4	1	2
64	Without mention of immaturity (.0)	59	16	14	2	27	11	6	2	1	2
65	With immaturity (.5)	63	38	15	1	9	36	34	2	-	-
66	Immaturity with mention of any other subsidiary condition-774	15	6	4	2	3	2	1	-	1	-
67	Immaturity, unqualified-776	286	168	114	-	4	65	57	7	1	-
68	Symptoms and ill-defined conditions-780-793,795	118	1	33	11	73	4	1	1	-	2
69	All other diseases-Residual	25	2	2	13	8	5	2	-	2	1
70	Accidents-E800-E962	110	6	10	33	61	22	1	-	18	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	24	2	3	8	11	4	1	-	3	-
72	Accidental mechanical suffocation in bed and cradle-E924	30	-	1	7	22	5	-	-	5	-
73	Other accidental causes-E800-E920,E923,E925-E962	56	4	6	18	28	13	-	-	10	3
74	Homicide-E964,E980-E984	1	-	-	1	-	-	-	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1962—Con.

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

TENNESSEE					TEXAS					UTAH					VERMONT					
Total, Under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,320	1,142	482	420	276	6,679	3,711	922	1,503	543	515	363	11	126	15	210	168	-	42	-	1
3	1	-	2	-	34	3	2	27	2	1	-	-	-	1	-	-	-	-	-	2
15	-	-	8	7	35	-	-	28	7	1	-	-	1	-	2	-	-	2	-	3
2	-	-	-	2	5	-	-	2	3	-	-	-	-	-	-	-	-	-	-	4
4	-	-	4	-	9	1	-	8	-	1	-	-	-	1	-	-	-	-	-	5
-	-	-	-	-	31	19	11	1	-	-	-	-	-	-	-	-	-	-	-	6
18	1	3	12	2	60	7	8	38	7	3	-	1	2	-	1	-	-	1	-	7
3	1	-	1	1	12	4	1	5	2	1	-	-	1	-	2	1	-	1	-	8
2	1	-	-	1	5	1	-	4	-	-	-	-	-	-	-	-	-	-	-	9
1	-	-	1	-	6	2	-	2	2	-	-	-	-	-	-	-	-	-	-	10
13	2	2	2	7	69	14	6	32	17	5	-	-	5	-	1	-	-	1	-	11
26	2	2	12	10	50	3	1	36	10	3	-	-	3	-	1	-	-	1	-	12
10	1	1	5	3	13	1	-	6	6	4	-	-	4	-	-	-	-	-	-	13
207	2	3	104	98	523	-	2	364	157	28	-	-	25	3	9	-	-	9	-	14
19	2	3	8	6	17	-	2	12	3	2	-	-	2	-	-	-	-	-	-	15
188	...	...	96	92	506	...	...	352	154	26	...	...	23	3	9	...	...	9	-	16
9	1	-	5	3	25	1	-	16	8	5	-	-	4	1	1	-	-	1	-	17
13	2	3	8	-	63	7	3	39	14	6	1	-	5	-	2	-	-	2	-	18
3	1	-	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	19
1	-	-	1	-	37	1	-	28	8	2	-	-	2	-	-	-	-	-	-	20
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	21
3	-	-	3	-	11	2	1	5	3	3	1	-	2	-	2	-	-	2	-	22
6	1	3	2	-	12	3	2	4	3	-	-	-	-	-	-	-	-	-	-	23
14	6	3	3	2	43	30	2	8	3	5	4	-	1	-	4	4	-	-	-	24
60	-	-	27	33	354	-	-	280	74	13	-	-	8	5	1	-	-	1	-	25
6	-	2	3	1	55	22	6	17	10	4	2	-	2	-	-	-	-	-	-	26
288	150	26	89	23	870	517	75	236	42	99	67	-	32	-	39	26	-	13	-	27
37	18	1	18	-	84	48	1	32	3	7	5	-	2	-	4	2	-	2	-	28
33	10	2	13	8	72	38	5	28	1	8	8	-	-	-	-	-	-	-	-	29
146	74	16	44	12	397	207	41	123	26	50	28	-	22	-	17	10	-	7	-	30
72	48	7	14	3	317	224	28	53	12	34	26	-	8	-	18	14	-	4	-	31
1,349	924	394	16	15	3,904	2,991	758	97	58	294	284	8	2	-	133	133	-	-	-	32
161	138	23	-	-	553	462	91	-	-	33	32	1	-	-	29	29	-	-	-	33
78	69	9	-	-	279	229	50	-	-	13	12	1	-	-	7	7	-	-	-	34
83	69	14	-	-	274	233	41	-	-	20	20	-	-	-	22	22	-	-	-	35
48	37	11	...	...	206	172	34	...	...	5	5	-	...	...	8	8	-	...	...	36
37	30	7	...	...	148	123	25	...	...	4	4	-	...	...	5	5	-	...	...	37
11	7	4	...	...	58	49	9	...	...	1	1	-	...	...	3	3	-	...	...	38
113	101	12	-	-	347	290	57	-	-	28	27	1	-	-	21	21	-	-	-	39
41	39	2	-	-	131	106	25	-	-	9	8	1	-	-	2	2	-	-	-	40
72	62	10	-	-	216	184	32	-	-	19	19	-	-	-	19	19	-	-	-	41
309	241	65	3	-	1,019	859	149	9	2	110	107	2	1	-	34	34	-	-	-	42
87	70	14	3	-	347	293	46	7	1	31	30	-	1	-	7	7	-	-	-	43
222	171	51	-	-	672	566	103	2	1	79	77	2	-	-	27	27	-	-	-	44
66	40	26	...	...	240	171	69	...	...	4	3	1	...	...	6	6	-	...	...	45
49	29	20	...	...	174	121	53	...	...	4	3	1	...	...	3	3	-	...	...	46
17	11	6	...	...	66	50	16	...	...	-	-	-	...	...	3	3	-	...	...	47
6	4	2	-	-	47	37	10	-	-	1	1	-	-	-	2	2	-	-	-	48
5	3	2	-	-	41	33	8	-	-	-	-	-	-	-	1	1	-	-	-	49
1	1	-	-	-	6	4	2	-	-	1	1	-	-	-	1	1	-	-	-	50
17	11	6	-	-	81	50	31	-	-	1	1	-	-	-	1	1	-	-	-	51
10	6	4	-	-	55	37	18	-	-	1	1	-	-	-	1	1	-	-	-	52
7	5	2	-	-	26	13	13	-	-	-	-	-	-	-	-	-	-	-	-	53
13	9	3	1	-	50	45	5	-	-	5	5	-	-	-	3	3	-	-	-	54
4	2	1	1	-	17	16	1	-	-	1	1	-	-	-	1	1	-	-	-	55
9	7	2	-	-	33	29	4	-	-	4	4	-	-	-	2	2	-	-	-	56
29	24	3	1	1	90	85	4	1	-	9	9	-	-	-	5	5	-	-	-	57
25	21	2	1	1	72	67	4	1	-	7	7	-	-	-	3	3	-	-	-	58
4	3	1	-	-	18	18	-	-	-	2	2	-	-	-	2	2	-	-	-	59
15	11	4	-	-	33	24	9	-	-	3	3	-	-	-	-	-	-	-	-	60
9	8	1	-	-	18	13	5	-	-	1	1	-	-	-	-	-	-	-	-	61
6	3	3	-	-	15	11	4	-	-	2	2	-	-	-	-	-	-	-	-	62
194	139	35	8	12	705	462	121	78	44	47	44	3	-	-	14	14	-	-	-	63
76	44	12	8	12	238	102	25	71	40	12	12	-	-	-	2	2	-	-	-	64
118	95	23	-	-	467	360	96	7	4	35	32	3	-	-	12	12	-	-	-	65
18	16	-	1	1	67	30	21	8	8	3	1	1	1	-	2	2	-	-	-	66
521	291	227	2	1	1,019	766	248	1	4	78	78	-	-	-	37	37	-	-	-	67
150	29	36	51	34	129	25	26	42	36	10	1	1	7	1	3	-	-	3	-	68
30	10	2	9	9	94	22	7	45	20	5	4	-	1	-	1	1	-	-	-	69
96	9	5	57	25	282	38	13	167	64	27	-	1	23	3	10	3	-	7	-	70
30	3	-	21	6	51	8	1	30	12	6	-	-	5	1	3	-	-	3	-	71
34	1	3	21	9	62	8	5	35	14	6	-	-	5	1	2	1	-	1	-	72
32	5	2	15	10	169	22	7	102	38	15	-	1	13	1	5	2	-	3	-	73
1	-	-	1	-	8	3	1	3	1	-	-	-	-	-	-	-	-	-	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh see Technical

	CAUSE OF DEATH	VIRGINIA					WASHINGTON				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,818	1,338	686	408	386	1,478	944	88	380	66
2	Dysentery, all forms---045-048	7	-	2	1	4	2	-	-	1	1
3	Septicemia and pyemia---053	11	-	-	5	6	9	-	-	7	2
4	Whooping cough---056	3	-	-	-	3	-	-	-	-	-
5	Meningococcal infections---057	5	1	1	3	-	3	-	-	3	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055.058-060,062-138	16	3	3	4	6	4	1	-	2	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	5	-	1	4	-	4	-	-	4	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	2	2	-	-	-	1	1	-	-	-
10	Diseases of thymus gland---273	1	-	-	1	-	4	-	-	4	-
11	Meningitis, except meningococcal and tuberculous---340	22	2	2	8	10	16	8	-	5	3
12	Other diseases of nervous system and sense organs---330-334,341-398	19	-	-	16	3	7	1	-	6	-
13	Acute upper respiratory infections---470-475	14	-	2	8	4	9	-	-	9	-
14	Influenza and pneumonia, except pneumonia of newborn---480-493	228	-	-	97	131	184	-	-	158	26
15	Influenza---480-483	6	-	-	2	4	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn---490-493	222	...	...	95	127	184	...	...	158	26
17	Bronchitis---500-502	7	-	-	3	4	17	-	-	17	-
18	Other diseases of respiratory system---510-522,525-527	49	1	1	19	28	17	1	1	13	2
19	Pulmonary congestion and hypostasis---522	1	-	-	1	-	1	-	-	1	-
20	Other chronic interstitial pneumonia---525	39	1	-	16	22	3	-	-	3	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	8	-	-	2	6	8	-	-	6	2
23	All other diseases of respiratory system---510-521,527.1	1	-	1	-	-	5	1	1	3	-
24	Hernia and intestinal obstruction---560,561,570	15	8	2	2	3	17	12	-	5	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	75	-	-	22	53	12	-	-	6	6
26	Other diseases of digestive system---530-542,544-553,573-587	20	9	2	5	4	3	1	-	2	-
27	Congenital malformations---750-759	346	171	44	110	21	193	127	6	51	9
28	Spina bifida and meningocele---751	37	12	2	22	1	13	5	-	7	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	28	11	5	11	1	11	4	1	5	1
30	Congenital malformations of circulatory system---754	156	67	19	56	14	101	63	2	32	4
31	Other congenital malformations---750,755-759	125	81	18	21	5	68	55	3	7	3
32	Certain diseases of early infancy---760-776	1,756	1,109	599	12	36	863	771	79	6	7
33	Birth injuries---760,761	213	141	72	-	-	144	133	11	-	-
34	Without mention of immaturity (.0)---	94	52	42	-	-	51	49	2	-	-
35	With immaturity (.5)---	119	89	30	-	-	93	84	9	-	-
36	Intracranial and spinal injury at birth---760	57	36	21	...	...	37	34	3	...	...
37	Without mention of immaturity (.0)---	35	20	15	...	...	20	19	1	...	...
38	With immaturity (.5)---	22	16	6	...	...	17	15	2	...	...
39	Other birth injury---761	156	105	51	-	-	107	99	8	-	-
40	Without mention of immaturity (.0)---	59	32	27	-	-	31	30	1	-	-
41	With immaturity (.5)---	97	73	24	-	-	76	69	7	-	-
42	Postnatal asphyxia and atelectasis---762	497	320	168	2	7	250	221	23	4	2
43	Without mention of immaturity (.0)---	144	93	45	2	4	79	70	6	2	1
44	With immaturity (.5)---	353	227	123	-	3	171	151	17	2	1
45	Pneumonia of newborn---763	88	43	45	...	...	21	20	1	...	...
46	Without mention of immaturity (.0)---	63	28	35	...	...	17	16	1	...	...
47	With immaturity (.5)---	25	15	10	...	...	4	4	-	...	...
48	Diarrhea of newborn---764	20	3	17	-	-	1	-	1	-	-
49	Without mention of immaturity (.0)---	14	2	12	-	-	-	-	-	-	-
50	With immaturity (.5)---	6	1	5	-	-	1	-	1	-	-
51	Other infections of newborn---765-768	30	16	14	-	-	6	3	3	-	-
52	Without mention of immaturity (.0)---	16	10	6	-	-	4	2	2	-	-
53	With immaturity (.5)---	14	6	8	-	-	2	1	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	17	13	4	-	-	13	11	2	-	-
55	Without mention of immaturity (.0-.4)---	10	6	4	-	-	3	3	-	-	-
56	With immaturity (.5-.9)---	7	7	-	-	-	10	8	2	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	35	32	3	-	-	31	31	-	-	-
58	Without mention of immaturity (.0-.2)---	30	27	3	-	-	29	29	-	-	-
59	With immaturity (.5-.7)---	5	5	-	-	-	2	2	-	-	-
60	Hemorrhagic disease of newborn---771	20	11	9	-	-	3	3	-	-	-
61	Without mention of immaturity (.0)---	11	7	4	-	-	2	2	-	-	-
62	With immaturity (.5)---	9	4	5	-	-	1	1	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	332	161	121	6	24	149	131	13	1	4
64	Without mention of immaturity (.0)---	90	40	23	6	21	39	30	5	1	3
65	With immaturity (.5)---	242	141	98	-	3	110	101	8	-	1
66	Immaturity with mention of any other subsidiary condition---774	22	11	3	3	5	10	7	1	1	1
67	Immaturity, unqualified---776	482	338	143	1	-	235	211	24	-	-
68	Symptoms and ill-defined conditions---780-793,795	85	20	17	27	21	14	3	-	9	2
69	All other diseases---Residual	40	6	4	16	14	27	11	2	13	1
70	Accidents---E800-E962	90	6	6	43	35	70	6	-	58	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	31	1	3	18	9	16	2	-	14	-
72	Accidental mechanical suffocation in bed and cradle---E924	18	2	2	6	8	11	1	-	9	1
73	Other accidental causes---E800-E920,E923,E925-E962	41	3	1	19	18	43	3	-	35	5
74	Homicide---E964,E980-E984	2	-	-	2	-	2	1	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1962—Con.

Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; Appendix)

WEST VIRGINIA					WISCONSIN					WYOMING					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
986	679	39	245	23	1,953	1,381	107	421	44	243	177	7	52	7	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	-	-	2	-	4	-	-	4	-	1	-	-	1	-	3
-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	4
2	-	-	2	-	3	-	-	3	-	2	-	-	2	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	-	1	6	-	13	1	-	10	2	4	1	-	2	1	7
1	-	-	1	-	7	1	-	5	1	-	-	-	-	-	8
2	-	-	2	-	2	2	-	-	-	-	-	-	-	-	9
1	-	-	1	-	2	-	-	2	-	-	-	-	-	-	10
11	2	2	7	-	15	6	-	9	-	1	-	-	1	-	11
1	-	-	1	-	16	1	-	15	-	3	-	-	3	-	12
3	-	-	3	-	3	-	-	2	1	1	-	1	-	-	13
81	-	-	73	8	151	-	-	130	21	17	-	-	15	2	14
3	-	-	3	-	8	-	-	8	-	-	-	-	-	-	15
78	...	...	70	8	143	...	...	122	21	17	...	...	15	2	16
2	-	-	1	1	16	-	-	16	-	2	-	-	2	-	17
12	1	-	10	1	25	1	-	23	1	3	2	-	1	-	18
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	19
7	-	-	6	1	17	-	-	16	1	2	1	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	-	-	2	-	4	1	-	3	-	-	-	-	-	-	22
2	1	-	1	-	3	-	-	3	-	1	1	-	-	-	23
9	7	-	2	-	16	13	-	2	1	5	4	-	1	-	24
21	-	-	18	3	24	-	-	19	5	3	-	-	1	2	25
6	3	-	2	1	11	4	-	6	1	-	-	-	-	-	26
149	96	2	50	1	303	195	8	94	6	31	24	-	6	1	27
14	3	-	11	-	27	15	-	12	-	-	-	-	-	-	28
10	6	-	4	-	25	11	-	13	1	-	-	-	-	-	29
78	46	-	31	1	143	92	1	47	3	14	11	-	3	-	30
47	41	2	4	-	108	77	7	22	2	17	13	-	3	1	31
588	547	32	9	-	1,244	1,137	99	7	1	153	144	6	3	-	32
96	94	2	-	-	264	248	16	-	-	24	22	2	-	-	33
49	48	1	-	-	71	64	7	-	-	8	7	1	-	-	34
47	46	1	-	-	193	184	9	-	-	16	15	1	-	-	35
27	26	1	...	...	45	40	5	...	...	4	3	1	...	...	36
22	22	-	...	...	29	25	4	...	...	3	2	1	...	...	37
5	4	1	...	...	16	15	1	...	...	1	1	-	...	...	38
69	68	1	-	-	219	208	11	-	-	20	19	1	-	-	39
27	26	1	-	-	42	39	3	-	-	5	5	-	-	-	40
42	42	-	-	-	177	169	8	-	-	15	14	1	-	-	41
194	181	11	2	-	255	233	19	3	-	34	32	2	-	-	42
55	51	2	2	-	64	59	3	2	-	9	9	-	-	-	43
139	130	9	-	-	191	174	16	1	-	25	23	2	-	-	44
36	34	2	...	...	51	46	5	...	...	8	7	1	...	...	45
26	24	2	...	...	37	33	4	...	...	5	5	-	...	...	46
10	10	-	...	...	14	13	1	...	...	3	2	1	...	...	47
3	2	1	-	-	3	2	1	-	-	-	-	-	-	-	48
3	2	1	-	-	2	1	1	-	-	-	-	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
5	5	-	-	-	8	8	-	-	-	1	1	-	-	-	51
5	5	-	-	-	5	5	-	-	-	-	-	-	-	-	52
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	53
8	7	1	-	-	25	24	1	-	-	4	4	-	-	-	54
3	2	1	-	-	10	10	-	-	-	1	1	-	-	-	55
5	5	-	-	-	15	14	1	-	-	3	3	-	-	-	56
16	16	-	-	-	45	45	-	-	-	5	5	-	-	-	57
12	12	-	-	-	33	33	-	-	-	5	5	-	-	-	58
4	4	-	-	-	12	12	-	-	-	-	-	-	-	-	59
4	4	-	-	-	5	4	1	-	-	-	-	-	-	-	60
3	3	-	-	-	4	3	1	-	-	-	-	-	-	-	61
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	62
69	59	4	6	-	200	166	30	3	1	30	29	-	1	-	63
19	13	-	6	-	47	44	-	2	1	6	6	-	-	-	64
50	46	4	-	-	153	122	30	1	-	24	23	-	1	-	65
7	6	-	1	-	14	12	1	1	-	3	1	-	2	-	66
150	139	11	-	-	374	349	25	-	-	44	43	1	-	-	67
39	13	1	24	1	9	2	-	7	-	-	-	-	-	-	68
11	3	1	6	1	23	11	-	11	1	3	-	-	3	-	69
36	6	-	24	6	58	4	-	52	2	13	2	-	10	1	70
10	3	-	7	-	13	-	-	11	2	2	-	-	2	-	71
8	1	-	6	1	25	2	-	23	-	1	-	-	1	-	72
18	2	-	11	5	20	2	-	18	-	10	2	-	7	1	73
2	1	-	1	-	5	3	-	2	-	1	-	-	1	-	74

Section 3. Fetal Mortality

Tables | Page

3-1. Minimum period of gestation for which fetal death registration is required and fetal deaths by period of gestation: United States and each State, 1962 ---------- 3-3

3-2. Fetal deaths and fetal death ratios by color: Birth-registration States, 1922-32, and United States, 1933-62- 3-4

3-3. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1962 ---------- 3-4

3-4. Fetal deaths and fetal death ratios, by legitimacy status, age of mother, and color: Total of 34 reporting States, 1962 ---------- 3-5

3-5. Fetal deaths and fetal death rates, by plurality of birth, color, and sex: United States, 1962 ---------- 3-5

3-6. Fetal deaths and fetal death ratios, by period of gestation and color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for urban and rural areas in the United States: 1962 ---------- 3-6

3-7. Fetal death ratios by color: United States, each division and State, 1958-62 ---------- 3-8

3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1962 ---------- 3-9

3-9. Fetal deaths by month and color: United States and each State, 1962 ---------- 3-12

3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1962 ---------- 3-14

3-11. Fetal deaths by age of mother and color: United States and each State, 1962 ---------- 3-16

3-12. Fetal deaths by total-birth order and color: United States and each State, 1962 ---------- 3-19

3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1962 ---------- 3-21

3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1962 ---------- 3-24

3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1962 ---------- 3-25

3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1962 ---------- 3-26

3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1962 ---------- 3-29

Table 3-1. Minimum Period of Gestation for Which Fetal Death Registration is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1962

(By place of occurrence)

AREA	Minimum period of gestation for which fetal death registration is required	Total fetal deaths	PERIOD OF GESTATION[1]											
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
UNITED STATES	...	95,841	24,488	4,932	7,816	6,886	7,426	8,461	4,739	7,629	13,569	2,131	938	6,826
Alabama	Advanced through 5th month (20 weeks)	1,586	6	10	134	163	203	214	134	108	485	21	8	100
Alaska	After 20 weeks	97	-	2	6	11	11	13	8	11	23	4	2	6
Arizona	Advanced to 20th week	503	2	2	40	38	61	69	36	74	136	23	5	17
Arkansas	All periods of gestation	933	[2]138	62	74	72	81	68	54	39	181	10	3	151
California	Advanced to 20th week	4,786	9	45	315	384	434	670	232	815	258	347	196	1,081
Colorado	All periods of gestation	2,335	[2]1,335	214	103	70	64	85	52	75	91	20	10	216
Connecticut	20 weeks	739	2	7	89	94	95	108	54	90	161	11	6	22
Delaware	After 20 weeks	171	-	4	18	14	17	28	15	16	36	2	-	21
District of Columbia	After 5th month	540	3	9	50	43	69	108	38	81	30	36	14	59
Florida	Advanced to 20th week	1,784	-	3	212	185	218	230	174	188	525	36	6	7
Georgia	All periods of gestation	3,389	[2]1,062	335	314	240	259	202	125	176	460	26	13	177
Hawaii	All periods of gestation	1,224	[2]904	80	52	34	32	30	12	20	42	11	2	5
Idaho	After 20 weeks	159	-	-	15	13	11	15	14	10	24	-	1	56
Illinois	Advanced to 5th month (20 weeks)	3,407	10	27	392	384	369	458	286	393	979	66	28	15
Indiana	20 weeks	1,566	4	12	114	147	148	188	98	161	353	53	10	278
Iowa	Advanced to 5th month (20 weeks)	702	1	1	48	61	80	100	53	107	150	28	7	66
Kansas	After 20 weeks[3]	574	-	7	48	74	66	77	51	92	121	29	6	3
Kentucky	20 weeks	971	1	3	97	109	137	118	83	85	295	23	3	17
Louisiana	After 20 weeks	1,454	3	14	123		192	207	143	164	414	21	3	17
Maine	All periods of gestation	403	[2]35	15	38	23	28	32	33	35	58	5	5	96
Maryland	20 weeks[4]	1,117	3	5	72	45	155	172	51	199	54	131	145	85
Massachusetts	20 weeks	1,439	3	18	149	146	173	251	87	224	206	62	21	99
Michigan	After 20 weeks	2,740	2	23	256	305	312	366	256	347	581	95	27	170
Minnesota	After 20 weeks	1,048	2	8	82	87	105	145	83	136	189	35	15	161
Mississippi	All periods of gestation	2,786	[2]972	219	215	159	183	156	112	74	507	8	5	176
Missouri	After 20 weeks	1,513	28	37	131	135	171	196	121	162	329	46	23	134
Montana	After 20 weeks	211	-	3	9	17	14	34	14	34	42	13	7	24
Nebraska	5 months	389	2	4	42	35	33	66	21	60	79	15	6	26
Nevada	After 20 weeks	148	1	-	25	14	14	19	22	14	24	2	-	13
New Hampshire	Advanced to 20th week	222	6	3	13	20	24	34	18	39	31	11	3	20
New Jersey	After 20 weeks	1,933	13	22	199	209	209	221	135	235	407	81	27	175
New Mexico	Advanced to 20th week	420	1	3	32	49	41	58	35	41	91	11	4	54
New York (excl. N.Y.C.)	20 weeks	2,720	5	15	297	293	298	407	192	395	613	98	31	76
New York City	All periods of gestation	22,187	[2]14,510	2,249	1,284	680	516	506	167	517	190	239	110	1,219
North Carolina	Advanced to 20th week	2,004	2	3	191	229	258	251	162	220	622	33	17	16
North Dakota	Advanced to 20th week	203	4	4	17	19	25	28	13	29	55	3	1	5
Ohio	20 weeks	3,149	-	4	389	347	353	452	255	405	616	86	25	217
Oklahoma	After 20 weeks	622	1	4	43	44	58	71	28	33	166	6	4	164
Oregon	All periods of gestation	1,296	[2]500	129	95	46	66	55	41	61	81	13	5	204
Pennsylvania	After 16 weeks	4,451	12	618	695	441	458	459	278	431	872	118	37	32
Rhode Island	After 20 weeks[3]	589	238	38	34	23	28	48	19	47	55	9	5	45
South Carolina	Advanced to 20th week	1,022	6	6	63	96	138	132	72	67	327	9	3	103
South Dakota	After 20 weeks	244	12	12	23	15	28	27	14	30	64	11	2	6
Tennessee	After 20 weeks	1,483	-	-	190	164	218	176	102	127	472	14	19	1
Texas	After 20 weeks	3,760	9	35	363	421	459	472	372	406	1,083	75	16	49
Utah	After 20 weeks	292	-	-	21	28	27	33	22	41	57	10	2	51
Vermont	All periods of gestation	376	[2]170	30	21	11	19	22	6	13	21	5	2	56
Virginia	All periods of gestation	7,612	[2]4,468	576	316	222	178	223	131	161	340	34	18	945
Washington	After 20 weeks	716	2	5	77	69	77	105	71	107	145	18	10	30
West Virginia	5 months[5]	527	-	6	61	68	62	74	40	71	190	22	4	29
Wisconsin	After 20 weeks	1,111	1	-	119	128	143	171	91	151	218	46	16	27
Wyoming	After 20 weeks	88	-	1	10	9	8	11	13	12	20	-	-	4

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 1-3 months to "Under 16 weeks"; 4 months to "16-19 weeks"; 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "43 weeks and over."

[2]For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas	2	27	55	54
Colorado	11	234	661	429
Georgia	7	195	522	338
Hawaii	4	153	457	290
Maine	-	8	8	19
Mississippi	21	247	410	294
New York City	393	2,454	6,667	4,996
Oregon	3	87	215	195
Vermont	-	14	96	60
Virginia	61	1,069	2,147	1,191

[3]Asks but does not require that all fetal deaths be reported irrespective of the month of uterogestation.

[4]Further specifies that at 20 weeks "fetus averages 10 inches in length, 9 ounces in weight."

[5]Further specifies "or total length of 10 inches."

Table 3-2. Fetal Deaths and Fetal Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-62

(Data refer only to fetal deaths occurring within the specified area. Ratios per 1,000 live births in specified group)

AREA AND YEAR	ALL FETAL DEATHS REPORTED REGARDLESS OF PERIOD OF GESTATION						FETAL DEATHS AT GESTATIONS OF 20 WEEKS OR MORE AND NOT STATED					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES[1]												
1962[2]	95,841	68,178	25,498	23.0	20.1	39.7	66,421	47,326	17,128	15.9	13.9	26.7
1961	97,007	71,219	25,788	22.7	19.8	38.6	68,767	50,728	18,039	16.1	14.1	27.0
1960	94,452	69,116	25,336	22.2	19.2	38.6	68,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	38.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,636	20,677	22.1	19.6	37.8	69,393	53,252	16,141	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,262	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,831	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,690	15,164	26.6	24.1	44.6	65,513	51,242	14,271	23.9	21.4	42.0
1944	75,495	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES[3]												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	38.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[3]Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1962

(By place of residence. Includes fetal deaths for those areas in the United States which required reporting of all periods of gestation. The areas are: Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia. Figures for age of mother not stated are distributed)

AGE OF MOTHER	NUMBER				PERCENT			
	Total	Period of gestation			Total	Period of gestation		
		Under 20 weeks	20 weeks and over	Not stated		Under 20 weeks	20 weeks and over	Not stated
TOTAL	41,307	26,939	11,184	3,184	100.0	100.0	100.0	100.0
Under 15 years	89	40	37	11	0.2	0.1	0.3	0.3
15-19 years	4,329	2,503	1,464	362	10.5	9.3	13.1	11.4
20-24 years	11,821	7,918	3,030	873	28.6	29.4	27.1	27.4
25-29 years	10,258	7,001	2,484	773	24.8	26.0	22.2	24.3
30-34 years	7,647	5,025	2,071	551	18.5	18.7	18.5	17.3
35-39 years	5,057	3,159	1,485	413	12.2	11.7	13.3	13.0
40-44 years	1,924	1,173	569	182	4.7	4.4	5.1	5.7
45 years and over	183	120	44	19	0.4	0.4	0.4	0.6

Table 3-4. Fetal Deaths and Fetal Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 34 Reporting States, 1962

(By place of residence. Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item. Figures for age of mother not stated are distributed. For discussion of color item for New Jersey and for States reporting legitimacy status, see Technical Appendix)

AGE OF MOTHER AND COLOR	NUMBER			RATIO		
	Total	Legitimate[1]	Illegitimate	Total	Legitimate[1]	Illegitimate
TOTAL	41,429	37,043	4,386	15.3	14.6	26.1
Under 15 years	126	26	100	25.0	19.1	27.1
15-19 years	5,423	4,028	1,395	13.7	12.2	21.2
20-24 years	10,686	9,538	1,148	11.4	10.8	21.9
25-29 years	9,171	8,498	673	13.6	13.1	29.3
30-34 years	7,698	7,178	520	18.8	18.1	38.4
35-39 years	5,794	5,397	397	26.7	25.8	52.1
40 years and over	2,531	2,378	153	40.0	39.0	69.1
White	28,432	27,149	1,283	13.3	13.0	22.1
Under 15 years	42	18	24	23.2	18.5	28.6
15-19 years	3,407	3,027	380	11.5	11.1	16.6
20-24 years	7,614	7,220	394	10.0	9.7	20.1
25-29 years	6,440	6,248	192	11.9	11.7	26.8
30-34 years	5,261	5,117	144	16.3	16.1	34.2
35-39 years	3,900	3,792	108	23.0	22.7	44.4
40 years and over	1,768	1,727	41	35.3	35.1	46.1
Nonwhite	11,030	8,089	2,941	25.8	25.0	28.2
Under 15 years	81	8	73	26.1	22.2	26.7
15-19 years	1,840	874	966	21.2	18.8	23.8
20-24 years	2,588	1,885	703	19.1	18.0	22.9
25-29 years	2,242	1,786	456	23.4	22.2	30.2
30-34 years	2,016	1,657	359	32.4	31.1	40.1
35-39 years	1,618	1,343	275	46.8	45.4	55.0
40 years and over	645	536	109	64.4	61.3	85.8

[1]Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal Death Rates, by Plurality of Birth, Color, and Sex: United States, 1962

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

PLURALITY OF BIRTH AND COLOR	NUMBER				RATE[1]		
	Total	Male	Female	Sex not stated	Total	Male	Female
TOTAL	66,421	33,238	28,423	4,760	15.7	16.5	14.8
Fetal deaths in single deliveries	62,811	31,387	26,803	4,621	15.1	15.9	14.3
Fetal deaths in twin deliveries	3,533	1,814	1,587	132	42.2	44.6	39.8
Fetal deaths in other plural deliveries	77	37	33	7	64.0	72.3	56.6
White	47,326	23,578	20,433	3,315	13.8	14.4	13.1
Fetal deaths in single deliveries	44,806	22,267	19,314	3,225	13.3	13.8	12.7
Fetal deaths in twin deliveries	2,464	1,281	1,096	87	38.3	40.7	35.9
Fetal deaths in other plural deliveries	56	30	23	3	62.1	75.5	50.2
Nonwhite	17,128	8,598	7,127	1,403	26.0	28.0	23.9
Fetal deaths in single deliveries	16,160	8,128	6,676	1,356	25.2	27.3	23.1
Fetal deaths in twin deliveries	948	463	442	43	56.6	58.8	54.6
Fetal deaths in other plural deliveries	20	7	9	4	75.2	69.8	80.3

[1]Figures for "Sex not stated" are distributed.

716 - 533 O - 64 - 23

Table 3-6. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER					RATIO				
	Total	Period of gestation				Total	Period of gestation			
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated		20-23 weeks	24-27 weeks	28 weeks and over	Not stated
UNITED STATES[1]	66,421	7,816	6,866	44,893	6,826	15.9	1.9	1.7	10.8	1.6
White	47,326	5,252	4,690	32,381	5,003	13.9	1.5	1.4	9.5	1.5
Nonwhite	17,128	2,342	1,985	11,161	1,640	26.7	3.7	3.1	17.4	2.6
Urban	42,803	5,534	4,634	28,113	4,522	16.4	2.1	1.8	10.8	1.7
White	29,398	3,521	3,001	19,697	3,179	14.3	1.7	1.5	9.6	1.5
Nonwhite	11,767	1,818	1,447	7,302	1,200	26.3	4.1	3.2	16.3	2.7
Rural	23,618	2,282	2,252	16,780	2,304	15.2	1.5	1.4	10.8	1.5
White	17,928	1,731	1,689	12,684	1,824	13.4	1.3	1.3	9.5	1.4
Nonwhite	5,361	524	538	3,859	440	27.5	2.7	2.8	19.8	2.3
Metropolitan counties	42,436	5,453	4,546	27,995	4,442	16.0	2.1	1.7	10.5	1.7
White	29,947	3,578	3,026	20,180	3,163	14.0	1.7	1.4	9.4	1.5
Nonwhite	10,926	1,692	1,340	6,735	1,159	26.0	4.0	3.2	16.0	2.8
Urban	33,858	4,573	3,721	21,955	3,609	16.7	2.3	1.8	10.8	1.8
White	22,639	2,829	2,324	15,035	2,451	14.5	1.8	1.5	9.6	1.6
Nonwhite	9,834	1,579	1,227	5,977	1,051	26.4	4.2	3.3	16.0	2.8
Rural	8,578	880	825	6,040	833	13.5	1.4	1.3	9.5	1.3
White	7,308	749	702	5,145	712	12.7	1.3	1.2	9.0	1.2
Nonwhite	1,092	113	113	758	108	23.2	2.4	2.4	16.1	2.3
Nonmetropolitan counties	23,985	2,363	2,340	16,898	2,394	15.9	1.6	1.6	11.2	1.6
White	17,379	1,674	1,664	12,201	1,840	13.8	1.3	1.3	9.7	1.5
Nonwhite	6,202	650	645	4,426	481	28.0	2.9	2.9	20.0	2.2
Urban	8,945	961	913	6,158	913	15.3	1.6	1.6	10.5	1.6
White	6,759	692	677	4,662	728	13.7	1.4	1.4	9.4	1.5
Nonwhite	1,933	239	220	1,325	149	26.1	3.2	3.0	17.9	2.0
Rural	15,040	1,402	1,427	10,740	1,471	16.3	1.5	1.5	11.7	1.6
White	10,6[illegible]	982	987	7,539	1,112	13.9	1.3	1.3	9.9	1.5
Nonwhite	4,2[illegible]	411	425	3,101	332	28.9	2.8	2.9	21.0	2.2
NEW ENGLAND	3,1[illegible]5	339	317	2,193	336	13.7	1.5	1.4	9.4	1.4
White	2,9[illegible]7	302	279	2,059	327	13.4	1.4	1.3	9.3	1.5
Nonwhite	218	37	38	134	9	21.2	3.6	3.7	13.0	0.9
Metropolitan counties	2,339	260	249	1,060	170	13.3	1.5	1.4	9.4	1.0
White	2,144	226	214	1,538	166	12.9	1.4	1.3	9.2	1.0
Nonwhite	195	34	35	122	4	20.9	3.6	3.7	13.1	0.4
Nonmetropolitan counties	846	79	68	533	166	15.0	1.4	1.2	9.4	2.9
White	823	76	65	521	161	14.8	1.4	1.2	9.4	2.9
Nonwhite	23	3	3	12	5	24.8	3.2	3.2	13.0	5.4
MIDDLE ATLANTIC[1]	13,851	2,479	1,614	9,251	1,507	19.4	3.5	2.3	11.6	2.1
White	9,020	1,528	1,022	5,640	830	17.9	3.0	2.0	11.2	1.6
Nonwhite	2,864	729	381	1,260	494	37.3	9.5	5.0	16.4	6.4
Metropolitan counties	11,817	2,228	1,413	6,778	1,398	20.4	3.9	2.4	11.7	2.4
White	7,458	1,325	863	4,463	787	18.5	3.3	2.1	11.1	2.0
Nonwhite	2,796	720	370	1,215	491	37.7	9.7	5.0	16.4	6.6
Nonmetropolitan counties	2,034	251	201	1,473	109	15.2	1.9	1.5	11.0	0.8
White	1,562	203	159	1,157	43	15.5	2.0	1.6	11.5	0.4
Nonwhite	68	9	11	45	3	26.8	3.5	4.3	17.7	1.2
EAST NORTH CENTRAL	11,965	1,280	1,326	8,646	713	14.3	1.5	1.6	10.4	0.9
White	9,704	996	995	7,106	607	13.1	1.3	1.3	9.6	0.8
Nonwhite	2,261	284	331	1,540	106	23.8	3.0	3.5	16.2	1.1
Metropolitan counties	8,299	916	973	6,038	372	14.6	1.6	1.7	10.6	0.7
White	6,176	652	665	4,584	275	12.9	1.4	1.4	9.5	0.6
Nonwhite	2,123	264	308	1,454	97	23.8	3.0	3.4	16.3	1.1
Nonmetropolitan counties	3,666	364	353	2,608	341	13.8	1.4	1.3	9.8	1.3
White	3,528	344	330	2,522	332	13.6	1.3	1.3	9.7	1.3
Nonwhite	138	20	23	86	9	24.9	3.6	4.2	15.5	1.6
WEST NORTH CENTRAL	4,504	388	416	3,305	395	12.7	1.1	1.2	9.3	1.1
White	3,989	331	358	2,941	359	12.0	1.0	1.1	8.8	1.1
Nonwhite	515	57	58	364	36	22.5	2.5	2.5	15.9	1.6
Metropolitan counties	2,174	210	204	1,652	108	12.9	1.2	1.2	9.8	0.6
White	1,797	162	158	1,380	97	11.9	1.1	1.0	9.1	0.6
Nonwhite	377	48	46	272	11	22.4	2.9	2.7	16.2	0.7
Nonmetropolitan counties	2,330	178	212	1,653	287	12.5	1.0	1.1	8.8	1.5
White	2,192	169	200	1,561	262	12.1	0.9	1.1	8.6	1.4
Nonwhite	138	9	12	92	25	22.9	1.5	2.0	15.3	4.1
SOUTH ATLANTIC	11,769	1,291	1,148	7,891	1,439	18.9	2.1	1.8	12.7	2.3
White	6,745	746	642	4,411	946	15.3	1.7	1.5	10.0	2.1
Nonwhite	5,024	545	506	3,480	493	27.5	3.0	2.8	19.1	2.7
Metropolitan counties	5,879	655	537	3,786	901	18.3	2.0	1.7	11.8	2.8
White	3,536	403	318	2,187	628	15.3	1.7	1.4	9.4	2.7
Nonwhite	2,343	252	219	1,599	273	26.3	2.8	2.5	17.9	3.1
Nonmetropolitan counties	5,890	636	611	4,105	538	19.4	2.1	2.0	13.6	1.8
White	3,209	343	324	2,224	318	15.3	1.6	1.5	10.6	1.5
Nonwhite	2,681	293	287	1,881	220	28.7	3.1	3.1	20.2	2.4
EAST SOUTH CENTRAL	5,575	629	593	4,061	292	19.3	2.2	2.1	14.1	1.0
White	2,929	327	320	2,148	134	14.4	1.6	1.6	10.6	0.7
Nonwhite	2,646	302	273	1,913	158	31.3	3.6	3.2	22.6	1.9
Metropolitan counties	1,876	251	209	1,355	63	17.8	2.4	2.0	12.8	0.6
White	989	138	109	716	26	13.4	1.9	1.5	9.7	0.4
Nonwhite	889	113	100	639	37	28.0	3.6	3.1	20.1	1.2

[1]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.

Table 3-6. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1962—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER					RATIO				
	Total	Period of gestation				Total	Period of gestation			
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated		20-23 weeks	24-27 weeks	28 weeks and over	Not stated
EAST SOUTH CENTRAL—Con.										
Nonmetropolitan counties	3,697	378	384	2,706	229	20.2	2.1	2.1	14.8	1.3
White	1,940	189	211	1,432	108	15.0	1.5	1.6	11.0	0.8
Nonwhite	1,757	189	173	1,274	121	33.3	3.6	3.3	24.1	2.3
WEST SOUTH CENTRAL	6,538	609	696	4,849	384	15.3	1.4	1.6	11.3	0.9
White	4,293	368	437	3,211	277	12.7	1.1	1.3	9.5	0.8
Nonwhite	2,245	241	259	1,638	107	24.8	2.7	2.9	18.1	1.2
Metropolitan counties	3,539	346	404	2,670	119	14.5	1.4	1.7	10.9	0.5
White	2,376	212	257	1,827	80	12.2	1.1	1.3	9.4	0.4
Nonwhite	1,163	134	147	843	39	23.8	2.7	3.0	17.3	0.8
Nonmetropolitan counties	2,999	263	292	2,179	265	16.3	1.4	1.6	11.8	1.4
White	1,917	156	180	1,384	197	13.5	1.1	1.3	9.7	1.4
Nonwhite	1,082	107	112	795	68	26.0	2.6	2.7	19.1	1.6
MOUNTAIN	2,586	254	234	1,663	435	13.8	1.4	1.3	8.9	2.3
White	2,327	232	214	1,460	421	13.5	1.3	1.2	8.5	2.4
Nonwhite	259	22	20	203	14	17.3	1.5	1.3	13.6	0.9
Metropolitan counties	1,349	151	120	853	225	14.4	1.6	1.3	9.1	2.4
White	1,234	134	107	772	221	14.0	1.5	1.2	8.8	2.5
Nonwhite	115	17	13	81	4	21.1	3.1	2.4	14.9	0.7
Nonmetropolitan counties	1,237	103	114	810	210	13.2	1.1	1.2	8.7	2.2
White	1,093	98	107	688	200	13.0	1.2	1.3	8.2	2.4
Nonwhite	144	5	7	122	10	15.2	0.5	0.7	12.9	1.1
PACIFIC	6,448	547	542	4,034	1,325	12.7	1.1	1.1	8.0	2.6
White	5,352	422	423	3,405	1,102	12.1	1.0	1.0	7.7	2.5
Nonwhite	1,096	125	119	629	223	17.0	1.9	1.9	9.8	3.5
Metropolitan counties	5,162	436	437	3,203	1,086	12.8	1.1	1.1	7.9	2.7
White	4,237	326	335	2,693	883	12.1	0.9	1.0	7.7	2.5
Nonwhite	925	110	102	510	203	16.8	2.0	1.9	9.3	3.7
Nonmetropolitan counties	1,286	111	105	831	239	12.5	1.1	1.0	8.1	2.3
White	1,115	96	88	712	219	12.0	1.0	0.9	7.6	2.3
Nonwhite	171	15	17	119	20	18.4	1.6	1.8	12.8	2.2

Table 3-7. Fetal Death Ratios by Color: United States, Each Division and State, 1958-62

(By place of residence. Data refer only to fetal deaths occurring with the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20)

DIVISION AND STATE	1962			1961			1960			1959			1958		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1] [2]	15.9	13.9	26.7	16.1	14.1	27.0	16.1	14.1	26.8	16.2	14.2	27.3	16.5	14.5	27.5
GEOGRAPHIC DIVISIONS:															
New England	13.7	13.4	21.2	13.7	13.4	21.0	13.6	13.4	19.2	13.5	13.3	19.9	15.1	14.8	22.2
Middle Atlantic[1]	19.4	17.9	37.3	19.6	17.3	35.0	19.7	17.5	35.6	19.6	17.3	36.8	19.8	17.7	35.5
East North Central	14.3	13.1	23.8	14.0	12.8	23.2	14.6	13.5	23.7	14.5	13.4	22.8	14.9	13.8	23.7
West North Central	12.7	12.0	22.5	12.9	12.1	24.1	13.2	12.5	23.3	13.5	12.9	21.9	13.9	13.3	23.1
South Atlantic	18.9	15.3	27.5	19.9	16.0	29.1	18.6	14.7	28.1	18.5	14.3	28.2	18.4	14.3	28.1
East South Central	19.3	14.4	31.3	19.6	14.9	30.7	19.8	14.8	31.7	20.0	14.8	32.2	20.1	15.1	32.1
West South Central	15.3	12.7	24.8	15.8	13.4	24.8	15.3	12.9	24.1	16.0	13.4	25.4	16.2	13.8	25.1
Mountain	13.8	13.5	17.3	13.0	12.6	17.6	13.4	13.2	15.5	13.9	13.7	16.6	14.6	14.2	19.7
Pacific[2]	12.7	12.1	17.0	12.9	12.3	17.3	12.9	12.4	16.6	12.9	12.5	17.3	13.1	12.5	18.6
NEW ENGLAND:															
Maine[3]	15.3	15.3	*21.9	14.2	14.3	* 6.1	14.3	14.4	* 6.5	15.0	15.0	15.9	15.2	15.2	*17.7
New Hampshire	15.5	15.6	*10.9	15.4	15.2	*66.7	12.7	12.7	*10.6	13.1	13.1	*25.6	14.0	14.0	*14.7
Vermont[3]	19.0	19.1	-	18.8	18.8	-	15.0	15.0	-	17.1	17.2	-	20.4	20.3	*41.7
Massachusetts	12.4	12.1	18.4	13.4	13.1	21.5	13.7	13.5	18.7	13.2	13.0	18.7	16.4	16.2	21.9
Rhode Island	16.5	15.5	43.1	14.6	14.2	*22.6	14.8	14.5	*22.8	14.1	13.7	*21.6	13.1	13.0	*15.0
Connecticut	13.4	12.7	20.9	12.5	11.8	20.8	12.9	12.4	20.5	12.7	12.2	21.4	12.2	11.5	24.6
MIDDLE ATLANTIC:															
New York[3]	22.8	19.5	42.3	22.9	19.9	42.2	23.2	19.9	45.7	23.3	19.8	46.7	23.0	20.1	44.0
New Jersey	14.9	---	---	15.3	13.8	25.0	15.3	14.1	23.1	15.1	13.8	23.7	15.9	14.6	25.2
Pennsylvania	16.8	15.5	27.4	16.9	15.5	28.4	17.0	15.9	25.7	16.7	15.4	27.8	17.0	15.8	27.7
EAST NORTH CENTRAL:															
Ohio	14.5	13.5	22.5	13.9	13.1	20.9	14.5	13.8	20.7	14.9	13.9	23.4	14.9	14.1	21.2
Indiana	14.4	13.5	24.8	13.8	12.8	24.9	14.0	13.1	23.4	13.8	13.0	23.3	14.4	13.4	26.4
Illinois	14.7	13.0	23.3	14.7	13.0	23.4	15.0	13.2	24.2	14.7	13.3	22.2	15.5	13.8	24.7
Michigan	15.0	13.6	26.0	14.0	12.8	24.2	15.5	14.1	26.4	14.9	13.9	22.9	15.4	14.2	24.5
Wisconsin	11.8	11.3	23.8	12.7	12.1	26.5	13.3	12.8	23.2	12.7	12.3	22.4	12.8	12.5	18.5
WEST NORTH CENTRAL:															
Minnesota	12.3	12.2	18.7	12.4	12.3	20.4	12.0	11.9	17.7	13.2	13.1	20.8	13.0	12.8	23.4
Iowa	11.3	11.2	19.0	11.6	11.5	*17.1	11.6	11.5	21.1	11.7	11.6	*14.2	12.4	12.3	*20.7
Missouri	15.0	13.2	25.8	14.7	12.6	27.1	15.2	13.7	24.2	15.0	13.7	23.6	15.8	14.3	25.0
North Dakota	11.8	11.7	*14.3	13.2	13.0	*17.6	13.0	12.7	*20.8	11.9	11.7	*16.3	13.6	13.6	*13.2
South Dakota[4]	12.5	11.8	20.8	13.2	13.0	14.6	12.7	11.9	22.4	15.3	14.4	27.5	16.9	17.0	*15.2
Nebraska	11.5	11.3	16.4	12.1	11.7	20.2	12.3	12.1	17.8	13.5	13.3	16.6	12.6	12.3	19.5
Kansas	11.7	11.2	17.7	11.9	11.1	22.8	13.9	13.1	26.1	13.0	12.6	18.8	13.9	13.3	21.9
SOUTH ATLANTIC:															
Delaware	14.7	12.9	21.8	14.2	12.1	22.3	15.0	12.5	26.2	13.9	11.9	22.4	17.4	14.6	29.8
Maryland	16.0	14.0	23.1	15.7	13.4	23.6	15.8	13.6	23.4	16.4	14.4	23.0	15.9	13.2	24.8
District of Columbia	18.0	13.9	19.7	18.6	15.1	20.0	20.0	16.3	21.7	18.2	14.6	20.0	16.1	13.9	17.2
Virginia[3]	27.4	24.0	38.0	29.6	26.5	39.0	22.1	19.3	30.3	18.3	14.8	28.5	18.2	14.6	28.7
West Virginia	16.0	15.8	21.6	17.7	17.5	21.8	15.0	14.4	27.2	16.7	16.1	26.5	17.3	17.1	21.2
North Carolina	18.2	13.8	27.8	19.6	14.5	31.0	19.0	14.1	29.5	19.3	13.9	30.7	19.7	14.5	30.5
South Carolina	17.7	10.9	27.4	19.9	12.5	30.0	21.1	13.3	31.7	20.2	12.6	30.4	20.7	13.0	31.0
Georgia[3]	19.7	15.3	27.8	19.8	14.6	29.0	20.5	15.3	30.1	21.2	16.1	30.6	20.5	15.2	30.1
Florida	15.6	11.9	25.9	16.5	12.6	27.3	15.9	12.3	25.6	17.0	13.1	27.4	17.0	13.2	27.1
EAST SOUTH CENTRAL:															
Kentucky	13.7	13.0	21.5	15.9	15.0	26.4	15.2	14.3	25.0	16.1	15.2	25.4	15.9	15.1	24.1
Tennessee	17.8	15.0	27.6	16.9	14.5	25.4	17.1	14.6	25.8	16.5	13.8	25.9	17.7	15.0	27.6
Alabama	20.1	14.0	30.5	21.2	14.8	32.0	21.9	15.1	33.4	21.6	15.0	32.6	21.0	14.6	31.7
Mississippi[3]	27.0	16.8	35.9	25.3	15.9	33.3	26.1	16.0	34.7	27.2	16.1	36.8	27.5	16.6	36.6
WEST SOUTH CENTRAL:															
Arkansas[3]	17.7	13.7	27.7	18.3	15.1	25.7	16.4	12.6	25.2	16.4	11.9	26.9	14.9	10.8	24.7
Louisiana	16.3	11.0	24.5	16.5	10.8	25.3	16.1	11.0	24.2	16.8	12.1	24.1	18.0	12.6	26.4
Oklahoma	12.3	10.9	21.2	12.8	11.4	21.2	13.6	12.1	23.0	13.5	12.4	20.4	13.3	11.8	23.4
Texas	15.1	13.4	24.8	15.8	14.2	24.6	15.1	13.6	23.9	16.1	14.2	27.0	16.3	15.0	24.3
MOUNTAIN:															
Montana	12.3	12.1	*15.0	11.2	11.1	*11.9	10.8	10.5	*14.9	12.7	12.1	21.2	13.5	12.7	25.5
Idaho	9.9	9.8	*14.7	10.5	10.4	*15.8	12.1	11.8	*24.2	11.5	11.4	*20.5	12.1	12.0	*16.1
Wyoming	10.6	10.6	* 9.9	13.0	13.0	*13.1	11.2	11.1	*13.9	14.4	14.3	*16.0	15.4	15.2	*21.4
Colorado[3]	17.6	17.6	18.3	16.4	16.0	24.6	17.2	17.0	22.6	16.6	16.5	19.7	17.5	17.3	22.7
New Mexico	14.3	14.1	16.3	13.0	12.7	14.6	14.1	14.0	15.0	13.7	13.8	13.6	14.5	14.0	18.5
Arizona	13.3	12.7	16.4	13.9	12.7	20.3	12.7	12.4	14.5	14.2	13.6	17.0	14.4	13.9	17.4
Utah	11.2	11.0	*20.4	9.9	9.8	*16.1	10.5	10.5	* 7.2	11.6	11.4	*15.8	12.4	12.0	*31.0
Nevada	16.8	15.1	28.8	10.1	10.1	*10.3	13.9	13.8	*14.8	14.3	14.6	*12.5	14.3	13.5	*19.9
PACIFIC:															
Washington	11.0	10.7	14.6	11.7	11.3	19.4	11.5	11.1	18.2	11.6	11.2	18.2	11.8	11.5	17.3
Oregon[3]	17.9	17.4	31.5	15.7	15.2	30.2	16.1	16.1	17.2	14.7	14.6	18.5	14.4	13.9	32.8
California	12.5	11.8	17.6	12.8	12.1	18.0	12.8	12.2	17.1	13.0	12.5	17.5	13.1	12.5	18.3
Alaska[5]	12.3	8.6	19.9	11.8	11.4	12.5	12.0	10.2	16.1	13.5	14.4	11.8	11.6	10.9	13.1
Hawaii[3] [6]	13.3	12.2	13.8	14.4	15.3	13.9	15.3	17.9	14.1	15.3	16.4	14.9	13.0	13.0	13.0

[1] Figures by color for 1962 exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix.
[2] Excludes Alaska prior to 1959 and Hawaii prior to 1960.
[3] Maine, Vermont, New York City, Virginia (effective July 1, 1960), Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of gestation period. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, ratios for these areas may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.
[4] Required reporting of all fetal deaths through June 1959, after which the registration requirement was limited to fetal deaths at gestations of 20 weeks or more.
[5] Figures for 1958 are by place of occurrence.
[6] Figures for 1958 and 1959 are by place of occurrence.

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1962

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	Total fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	FETAL DEATHS TO NONRESIDENTS															
			Total	Intra-state non-residents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	66,421	55,756	10,665	9,129	1,536	36	-	8	35	20	9	25	8	18	30	22	-	13
Alabama	1,570	1,367	203	179	24	...	-	-	-	-	-	-	-	-	9	4	-	-
Alaska	95	78	17	16	1	-	...	-	-	1	-	-	-	-	-	-	-	-
Arizona	499	472	27	23	4	-	-	...	-	1	-	-	-	-	-	-	-	-
Arkansas	733	598	135	108	27	-	-	-	...	-	-	-	-	-	-	-	-	-
California	4,732	4,450	282	272	10	-	-	1	-	...	-	-	-	-	-	1	-	-
Colorado	786	609	177	152	25	-	-	-	-	-	...	-	-	-	-	-	-	1
Connecticut	730	663	67	56	11	-	-	-	-	-	-	...	-	-	-	-	-	-
Delaware	167	151	16	8	8	-	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	528	343	185	...	185	-	-	-	-	-	-	-	-	...	-	-	-	-
Florida	1,781	1,609	172	160	12	2	-	-	-	-	1	1	-	-	...	1	-	-
Georgia	1,992	1,491	501	445	56	15	-	-	-	-	-	-	-	-	8	...	-	-
Hawaii	240	238	2	1	1	-	-	-	-	1	-	-	-	-	-	-	...	-
Idaho	159	122	37	28	9	-	-	-	-	-	-	-	-	-	-	-	-	...
Illinois	3,370	3,044	326	277	49	-	-	-	1	2	-	-	-	-	-	1	-	1
Indiana	1,550	1,353	197	167	30	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	700	507	193	158	35	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	567	449	118	81	37	-	-	-	-	-	3	-	-	-	-	-	-	-
Kentucky	967	727	240	193	47	1	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	1,437	926	511	498	13	1	-	-	4	-	-	-	-	-	-	-	-	-
Maine	353	306	47	34	13	-	-	-	-	-	-	3	-	-	-	-	-	-
Maryland	1,109	791	318	279	39	-	-	-	-	-	-	-	2	15	-	1	-	-
Massachusetts	1,418	1,164	254	210	44	1	-	-	-	1	1	9	1	-	-	-	-	-
Michigan	2,715	2,293	422	407	15	-	-	-	-	-	-	-	-	-	-	-	-	-
Minnesota	1,038	767	271	243	28	1	-	1	-	-	-	-	-	-	-	-	-	-
Mississippi	1,595	1,281	314	283	31	10	-	-	2	-	-	-	-	-	-	-	-	-
Missouri	1,448	1,033	415	335	80	-	-	-	2	1	-	-	-	-	-	-	-	-
Montana	208	174	34	29	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Nebraska	383	293	90	80	10	1	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	147	131	16	10	6	-	-	-	-	5	-	-	-	-	-	-	-	-
New Hampshire	213	179	34	15	19	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,898	1,607	291	267	24	-	-	-	-	-	-	-	1	-	1	-	-	-
New Mexico	416	374	42	34	8	-	-	3	-	-	3	-	-	-	-	-	-	-
New York	8,128	7,537	591	495	96	-	-	-	-	-	-	8	-	-	4	1	-	-
North Carolina	1,999	1,673	326	294	32	-	-	-	-	-	-	-	-	-	1	2	-	-
North Dakota	195	126	69	49	20	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,145	2,711	434	381	53	-	-	-	-	1	-	-	-	-	-	-	-	-
Oklahoma	617	496	121	107	14	-	-	1	1	1	-	-	-	-	-	-	-	-
Oregon	667	571	96	84	12	-	-	-	-	1	-	-	-	-	-	-	-	6
Pennsylvania	3,821	3,271	550	469	81	-	-	-	-	1	-	-	3	3	-	-	-	-
Rhode Island	313	261	52	36	16	-	-	-	-	-	-	3	-	-	-	-	-	-
South Carolina	1,010	887	123	104	19	-	-	-	-	-	-	-	-	-	3	2	-	-
South Dakota	220	147	73	63	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,483	1,224	259	175	84	4	-	1	21	-	-	1	-	-	-	8	-	-
Texas	3,716	3,356	360	337	23	-	-	-	4	1	-	-	-	-	2	-	-	-
Utah	292	255	37	32	5	-	-	1	-	-	-	-	-	-	-	-	-	2
Vermont	176	130	46	35	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,568	1,415	1,153	1,098	55	-	-	-	-	-	-	-	1	-	2	1	-	-
Washington	709	648	61	53	8	-	-	-	-	1	-	-	-	-	-	-	-	3
West Virginia	621	454	167	105	62	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	1,110	929	181	159	22	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	87	75	12	5	7	-	-	-	-	1	1	-	-	-	-	-	-	-

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1962—Con.

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Con.																		
	Interstate nonresidents—Con.																		
	State of residence—Con.																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	80	46	27	37	40	15	12	146	17	37	31	25	44	5	18	4	24	93	11
Alabama	-	1	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Arkansas	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
California	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Colorado	1	-	-	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	113	-	-	1	-	-	-	-	-	-	-	-
Florida	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Georgia	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Illinois	...	16	4	-	1	-	-	-	-	-	-	-	9	-	1	-	-	-	-
Indiana	9	...	-	-	3	-	-	-	-	11	-	-	-	-	-	-	-	-	-
Iowa	14	-	...	-	-	-	-	-	-	-	8	-	3	-	9	-	-	-	-
Kansas	-	-	-	...	-	-	-	-	-	-	-	-	27	-	1	-	-	-	-
Kentucky	3	12	1	-	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	...	1	-	1	-	-	-	-	-	-	7	-	-
Maryland	-	1	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	-	1	-	...	-	-	-	-	-	-	-	14	1	-
Michigan	4	2	-	-	-	1	-	-	-	...	-	-	-	-	-	-	-	-	-
Minnesota	1	-	4	-	-	-	-	-	-	-	...	-	-	1	-	-	-	-	-
Mississippi	-	1	-	-	-	10	-	-	-	-	-	...	-	-	-	-	-	-	-
Missouri	34	2	3	27	-	1	-	-	-	1	2	-	...	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-
Nebraska	-	1	7	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-
Nevada	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-
New Hampshire	-	-	-	-	-	-	8	-	1	-	-	-	-	-	-	-	...	1	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
New York	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	54	-
North Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	13	-	-	2	-	-	-	-	-
Ohio	1	6	-	-	10	-	-	-	-	16	-	-	-	-	-	-	-	-	-
Oklahoma	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	-	-	34	-
Rhode Island	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	-	1	-
South Carolina	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
South Dakota	-	-	3	-	-	1	-	-	-	-	-	-	-	1	4	-	-	-	-
Tennessee	2	1	-	-	8	-	-	-	-	-	-	18	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	8
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Vermont	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	3	-	-
Virginia	-	1	-	-	7	-	1	3	-	1	-	-	-	-	-	-	-	1	-
Washington	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	1	-	-	-	9	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	9	-	5	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1962—Con.

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Con.																			Total fetal deaths to residents
	Interstate nonresidents—Con.																			
	State of residence—Con.																			
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	46	29	11	58	27	8	66	7	39	5	45	35	6	11	131	9	39	23	5	66,421
Alabama	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1,582
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
Arizona	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	503
Arkansas	-	-	-	-	12	-	1	-	-	-	5	5	-	-	-	-	-	-	-	741
California	-	-	-	-	-	5	-	-	-	-	-	-	2	-	-	-	-	-	-	4,742
Colorado	2	-	-	-	1	-	1	-	-	-	-	7	-	-	-	1	1	1	2	770
Connecticut	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744
Delaware	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	167
District of Columbia	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70	-	-	-	-	361
Florida	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1,799
Georgia	-	3	-	2	-	-	-	-	20	-	3	-	-	-	-	-	-	-	-	1,958
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	239
Idaho	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	1	163
Illinois	1	-	-	2	-	-	3	-	-	-	1	2	-	-	1	-	-	3	-	3,401
Indiana	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,566
Iowa	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	692
Kansas	-	-	-	-	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	567
Kentucky	-	-	-	5	-	-	-	-	-	-	19	1	-	-	2	-	2	-	-	960
Louisiana	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1,439
Maine	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	352
Maryland	-	1	-	-	-	-	3	-	-	-	-	-	-	-	12	-	4	-	-	1,216
Massachusetts	6	-	-	-	-	-	-	6	-	-	1	-	-	2	-	-	-	-	-	1,391
Michigan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	2,737
Minnesota	-	-	7	-	-	-	-	-	-	2	-	1	-	-	-	-	-	10	-	1,041
Mississippi	-	-	-	-	-	-	-	-	-	-	7	1	-	-	-	-	-	-	-	1,589
Missouri	2	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1,412
Montana	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	208
Nebraska	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	391
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	145
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	218
New Jersey	7	-	-	1	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	1,967
New Mexico	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	419
New York	...	-	-	1	-	-	23	-	2	-	-	-	-	-	1	-	-	-	-	8,078
North Carolina	-	...	-	-	-	-	2	-	15	-	2	-	-	-	10	-	-	-	-	1,996
North Dakota	-	-	...	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	186
Ohio	1	-	-	...	-	-	7	-	-	-	-	-	-	-	1	-	10	-	-	3,150
Oklahoma	-	-	-	1	...	-	-	-	-	-	-	4	-	-	-	-	-	-	-	630
Oregon	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	5	-	-	-	663
Pennsylvania	10	1	-	3	1	-	...	-	-	-	-	-	-	-	3	-	2	-	-	3,806
Rhode Island	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	304
South Carolina	-	11	-	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	-	1,030
South Dakota	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	215
Tennessee	-	1	-	-	1	-	-	-	-	-	...	-	-	-	18	-	-	-	-	1,444
Texas	-	-	-	-	5	-	-	-	-	-	-	...	-	-	-	-	-	-	-	3,728
Utah	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	1	-	-	-	293
Vermont	3	-	-	-	-	-	-	-	-	-	-	1	-	...	-	-	-	-	-	176
Virginia	2	9	-	-	-	-	4	-	1	-	3	-	-	-	...	-	18	-	-	2,644
Washington	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	...	-	-	-	710
West Virginia	-	1	-	33	-	-	4	-	-	-	-	-	-	-	11	-	...	-	-	598
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	...	-	1,111
Wyoming	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	...	85

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	66,421	5,736	4,938	5,536	5,369	5,507	5,308	5,896	5,989	5,776	5,717	5,421	5,228
White	47,326	4,096	3,544	3,982	3,829	3,935	3,792	4,116	4,312	4,118	4,046	3,824	3,732
Nonwhite	17,128	1,481	1,249	1,390	1,358	1,418	1,354	1,596	1,531	1,481	1,502	1,437	1,331
Alabama	1,582	154	116	104	120	135	123	148	130	154	128	133	137
White	690	80	52	44	47	61	55	73	52	65	53	52	56
Nonwhite	892	74	64	60	73	74	68	75	78	89	75	81	81
Alaska	94	9	6	8	6	9	8	9	10	5	10	9	5
White	44	4	3	6	3	3	1	4	4	2	5	5	4
Nonwhite	50	5	3	2	3	6	7	5	6	3	5	4	1
Arizona	503	48	45	29	31	36	47	40	51	58	36	46	36
White	402	38	38	29	24	29	34	27	40	50	28	35	30
Nonwhite	101	10	7	-	7	7	13	13	11	8	8	11	6
Arkansas	741	57	51	64	44	67	57	72	88	59	56	61	65
White	410	36	26	33	23	41	35	39	56	28	35	26	32
Nonwhite	331	21	25	31	21	26	22	33	32	31	21	35	33
California	4,742	410	335	385	387	373	380	435	423	401	389	403	421
White	3,962	337	283	301	322	316	331	352	355	340	334	335	356
Nonwhite	780	73	52	84	65	57	49	83	68	61	55	68	65
Colorado	770	66	54	91	75	61	46	61	52	68	70	60	66
White	739	62	52	86	71	61	42	58	50	67	67	58	65
Nonwhite	31	4	2	5	4	-	4	3	2	1	3	2	1
Connecticut	744	76	39	68	68	57	57	59	68	60	70	54	68
White	650	70	32	57	63	52	48	46	54	57	60	49	60
Nonwhite	94	6	7	11	5	5	9	11	14	3	10	5	8
Delaware	167	16	15	14	18	5	11	7	18	10	21	20	12
White	118	8	13	9	14	4	4	7	14	9	18	9	9
Nonwhite	49	8	2	5	4	1	7	-	4	1	3	11	3
District of Columbia	361	27	24	33	28	28	33	43	38	27	29	28	23
White	81	4	7	6	6	6	9	8	9	9	6	8	3
Nonwhite	280	23	17	27	22	22	24	35	29	18	23	20	20
Florida	1,799	162	127	145	125	136	131	157	169	160	179	156	152
White	1,011	91	74	79	77	81	81	82	92	81	91	94	88
Nonwhite	788	71	53	66	48	55	50	75	77	79	88	62	64
Georgia	1,958	179	138	166	154	175	152	163	173	153	169	149	187
White	978	90	64	89	72	84	74	74	90	91	86	73	91
Nonwhite	980	89	74	77	82	91	78	89	83	62	83	76	96
Hawaii	239	29	18	21	12	16	22	17	28	21	13	21	21
White	67	8	6	7	2	5	10	5	3	6	3	4	8
Nonwhite	172	21	12	14	10	11	12	12	25	15	10	17	13
Idaho	163	9	21	17	11	10	21	14	11	15	16	8	10
White	158	9	20	17	11	9	19	14	11	15	16	8	9
Nonwhite	5	-	1	-	-	1	2	-	-	-	-	-	1
Illinois	3,401	273	253	273	270	304	254	278	299	281	340	319	257
White	2,500	198	191	210	194	230	188	203	222	223	243	221	177
Nonwhite	901	75	62	63	76	74	66	75	77	58	97	98	80
Indiana	1,566	132	110	133	124	138	131	138	125	125	130	150	130
White	1,349	109	95	119	108	120	114	119	106	108	114	129	108
Nonwhite	217	23	15	14	16	18	17	19	19	17	16	21	22
Iowa	692	66	60	61	57	51	59	60	71	53	56	46	52
White	672	64	59	60	54	50	58	57	71	51	51	46	51
Nonwhite	20	2	1	1	3	1	1	3	-	2	5	-	1
Kansas	567	40	34	48	48	48	46	54	46	53	54	39	57
White	511	37	31	45	45	40	44	48	45	45	47	33	51
Nonwhite	56	3	3	3	3	8	2	6	1	8	7	6	6
Kentucky	960	82	89	87	76	75	86	90	107	84	78	76	30
White	830	71	80	76	62	64	73	84	92	68	65	68	27
Nonwhite	130	11	9	11	14	11	13	6	15	16	13	8	3
Louisiana	1,439	116	124	93	118	118	87	139	138	136	143	123	104
White	589	48	55	37	45	42	42	62	53	62	54	49	40
Nonwhite	850	68	69	56	73	76	45	77	85	74	89	74	64
Maine	352	28	32	34	23	29	22	39	36	33	23	22	31
White	346	28	30	33	23	29	22	38	36	33	23	22	29
Nonwhite	6	-	2	1	-	-	-	1	-	-	-	-	2
Maryland	1,216	91	76	103	82	120	112	106	125	108	98	101	94
White	826	51	50	79	56	80	73	67	85	83	70	70	62
Nonwhite	390	40	26	24	26	40	39	39	40	25	28	31	32
Massachusetts	1,391	117	119	92	96	122	119	129	118	129	118	121	111
White	1,305	111	113	90	91	113	108	121	113	120	106	115	102
Nonwhite	86	6	6	2	5	9	11	8	5	9	10	6	9
Michigan	2,737	232	207	229	230	230	204	229	277	221	225	238	215
White	2,212	185	165	182	195	187	163	189	233	164	176	191	180
Nonwhite	525	47	42	47	35	43	41	40	44	57	47	47	35
Minnesota	1,041	81	73	95	89	79	87	89	105	96	98	85	64
White	1,010	77	72	93	86	77	85	86	101	93	95	84	61
Nonwhite	31	4	1	2	3	2	2	3	4	3	3	1	3
Mississippi	1,589	117	131	136	110	127	126	169	140	129	133	138	133
White	461	31	34	37	35	29	33	48	40	46	49	46	33
Nonwhite	1,128	86	97	99	75	98	93	121	100	83	84	92	100

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1962—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,412	105	112	113	113	116	124	132	160	121	118	117	81
White	1,069	73	85	90	83	86	99	102	119	95	82	96	59
Nonwhite	343	32	27	23	30	30	25	30	41	26	36	21	22
Montana	208	22	12	13	15	20	16	19	22	19	22	13	15
White	189	20	12	11	14	15	13	18	20	16	22	13	15
Nonwhite	19	2	-	2	1	5	3	1	2	3	-	-	-
Nebraska	391	37	26	23	35	33	30	28	36	36	44	24	39
White	364	36	23	21	32	31	25	26	35	32	43	22	38
Nonwhite	27	1	3	2	3	2	5	2	1	4	1	2	1
Nevada	145	13	8	13	10	16	17	7	9	9	13	17	13
White	115	12	5	11	7	12	15	7	5	7	8	15	11
Nonwhite	30	1	3	2	3	4	2	-	4	2	5	2	2
New Hampshire	218	20	20	20	20	14	11	23	22	17	12	20	19
White	217	20	20	20	20	14	10	23	22	17	12	20	19
Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-
New Jersey[1]	1,967	159	145	164	182	154	162	184	146	177	169	160	165
New Mexico	419	48	31	42	31	41	38	24	40	33	34	34	23
White	362	44	26	38	28	35	31	17	33	30	31	27	22
Nonwhite	57	4	5	4	3	6	7	7	7	3	3	7	1
New York	8,078	700	539	726	718	682	650	723	687	705	684	652	612
White	5,918	520	398	521	532	503	478	501	498	515	494	493	465
Nonwhite	2,160	180	141	205	186	179	172	222	189	190	190	159	147
North Carolina	1,996	175	158	151	163	165	132	142	177	186	176	179	192
White	1,043	89	76	87	81	83	75	71	98	97	98	88	100
Nonwhite	953	86	82	64	82	82	57	71	79	89	78	91	92
North Dakota	186	17	21	13	11	19	18	16	16	17	13	15	10
White	176	17	19	11	11	19	18	15	15	16	12	14	9
Nonwhite	10	-	2	2	-	-	-	1	1	1	1	1	1
Ohio	3,150	273	270	252	230	250	219	296	281	304	267	248	260
White	2,624	230	224	205	202	199	174	249	241	259	222	204	215
Nonwhite	526	43	46	47	28	51	45	47	40	45	45	44	45
Oklahoma	630	57	51	67	39	45	49	63	56	55	56	49	43
White	483	49	38	51	29	37	38	50	41	44	43	34	29
Nonwhite	147	8	13	16	10	8	11	13	15	11	13	15	14
Oregon	663	51	47	58	54	60	55	59	56	58	52	53	60
White	623	45	46	53	53	58	53	55	54	56	48	50	52
Nonwhite	40	6	1	5	1	2	2	4	2	2	4	3	8
Pennsylvania	3,806	344	252	320	308	306	342	343	340	367	314	284	286
White	3,102	294	206	263	251	244	267	281	275	292	249	234	246
Nonwhite	704	50	46	57	57	62	75	62	65	75	65	50	40
Rhode Island	304	31	21	40	26	26	18	19	19	25	21	27	31
White	273	28	20	39	21	23	18	14	17	24	19	24	26
Nonwhite	31	3	1	1	5	3	-	5	2	1	2	3	5
South Carolina	1,030	102	75	79	81	97	101	92	90	102	98	59	54
White	374	27	29	23	31	35	38	28	39	38	42	20	24
Nonwhite	656	75	46	56	50	62	63	64	51	64	56	39	30
South Dakota	215	21	14	17	20	16	16	23	24	22	17	13	12
White	187	20	11	13	18	14	15	20	21	19	13	12	11
Nonwhite	28	1	3	4	2	2	1	3	3	3	4	1	1
Tennessee	1,444	131	119	123	114	131	106	107	137	118	119	116	123
White	948	83	80	78	70	85	74	64	99	72	84	69	90
Nonwhite	496	48	39	45	44	46	32	43	38	46	35	47	33
Texas	3,728	315	256	277	287	295	317	382	348	337	323	311	280
White	2,811	238	193	220	215	232	228	280	273	237	237	233	225
Nonwhite	917	77	63	57	72	63	89	102	75	100	86	78	55
Utah	293	29	16	23	28	31	30	20	20	20	35	23	18
White	280	29	15	21	25	30	29	20	19	20	33	21	18
Nonwhite	13	-	1	2	3	1	1	-	1	-	2	2	-
Vermont	176	21	10	16	14	14	12	17	19	16	20	8	9
White	176	21	10	16	14	14	12	17	19	16	20	8	9
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,644	215	243	249	241	212	201	211	240	199	222	197	214
White	1,755	140	179	175	156	148	127	144	159	120	140	119	148
Nonwhite	889	75	64	74	85	64	74	67	81	79	82	78	66
Washington	710	56	50	62	71	61	61	63	63	52	54	63	54
White	656	55	48	56	63	59	58	57	58	45	49	55	53
Nonwhite	54	1	2	6	8	2	3	6	5	7	5	8	1
West Virginia	598	57	64	54	48	44	41	47	44	61	46	47	45
White	559	51	61	50	46	44	39	43	40	56	45	42	42
Nonwhite	39	6	3	4	2	-	2	4	4	5	1	5	3
Wisconsin	1,111	110	74	81	98	105	114	101	86	78	101	77	86
White	1,019	98	68	74	88	98	105	91	81	76	97	72	71
Nonwhite	92	12	6	7	10	7	9	10	5	2	4	5	15
Wyoming	85	10	7	11	10	5	7	10	5	3	5	9	3
White	82	10	7	11	10	4	7	10	4	3	4	9	3
Nonwhite	3	-	-	-	-	1	-	-	1	-	1	-	-

[1]New Jersey did not require reporting of color; see Technical Appendix.

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1962

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Figures for age of mother not stated are distributed. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
TOTAL	66,421	15,805	10,347	9,902	7,974	5,991	4,201	2,994	6,945	2,262
Under 15 years	187	167	15	1	-	-	-	-	-	4
15-19 years	8,345	5,413	1,773	572	171	58	9	2	3	344
20-24 years	17,251	5,799	4,217	3,190	1,760	932	413	192	120	628
25-29 years	14,992	2,231	2,287	2,879	2,439	1,782	1,188	750	941	495
30-34 years	12,475	1,196	1,139	1,827	1,939	1,604	1,328	935	2,108	399
35-39 years	9,212	719	662	1,055	1,222	1,180	901	762	2,438	273
40-44 years	3,658	250	239	360	410	411	338	329	1,221	100
45-49 years	290	30	15	16	33	23	23	23	109	18
50 years and over	11	-	-	2	-	1	1	1	5	1
Male	33,238	7,874	5,207	4,872	3,940	3,063	2,128	1,489	3,637	1,028
Under 15 years	102	92	8	-	-	-	-	-	-	2
15-19 years	4,230	2,755	910	272	84	29	4	1	1	174
20-24 years	8,597	2,916	2,101	1,590	851	474	205	96	65	299
25-29 years	7,429	1,062	1,127	1,419	1,221	891	616	396	481	216
30-34 years	6,277	574	591	908	966	841	660	457	1,116	164
35-39 years	4,646	347	347	507	610	602	455	372	1,286	120
40-44 years	1,810	115	114	168	197	213	178	154	629	42
45-49 years	143	13	9	8	11	13	9	12	57	11
50 years and over	4	-	-	-	-	-	1	1	2	-
Female	28,423	6,586	4,379	4,319	3,498	2,552	1,836	1,339	3,031	883
Under 15 years	79	70	6	1	-	-	-	-	-	2
15-19 years	3,622	2,377	748	264	74	24	3	1	2	129
20-24 years	7,359	2,401	1,843	1,389	788	394	180	77	45	242
25-29 years	6,388	897	975	1,253	1,052	774	507	315	417	198
30-34 years	5,328	469	454	787	849	667	604	430	915	153
35-39 years	3,929	265	245	466	531	509	391	349	1,057	116
40-44 years	1,591	96	103	153	185	175	140	156	544	39
45-49 years	123	11	5	6	19	8	11	11	48	4
50 years and over	4	-	-	-	-	1	-	-	3	-
Sex not stated	4,760	1,345	761	711	536	376	237	166	277	351
Under 15 years	6	5	1	-	-	-	-	-	-	-
15-19 years	493	281	115	36	13	5	2	-	-	41
20-24 years	1,295	482	273	211	121	64	28	19	10	87
25-29 years	1,175	272	185	207	166	117	65	39	43	81
30-34 years	870	153	94	132	124	96	64	48	77	82
35-39 years	637	107	70	82	81	69	55	41	95	37
40-44 years	257	39	22	39	28	23	20	19	48	19
45-49 years	24	6	1	2	3	2	3	-	4	3
50 years and over	3	-	-	2	-	-	-	-	-	1
WHITE	47,326	11,828	7,736	7,650	5,949	4,323	2,801	1,893	3,452	1,694
Under 15 years	59	54	3	-	-	-	-	-	-	2
15-19 years	5,428	3,717	1,080	308	70	20	5	2	-	226
20-24 years	12,599	4,606	3,227	2,358	1,097	510	195	79	32	495
25-29 years	10,892	1,768	1,816	2,326	1,821	1,285	728	404	364	380
30-34 years	8,919	917	898	1,487	1,604	1,199	928	596	992	298
35-39 years	6,510	540	507	854	985	948	667	537	1,278	194
40-44 years	2,686	200	190	302	345	339	260	256	711	83
45-49 years	225	26	15	13	27	21	17	18	73	15
50 years and over	8	-	-	2	-	1	1	1	2	1
Male	23,578	5,869	3,885	3,785	2,956	2,197	1,420	921	1,774	772
Under 15 years	31	29	1	-	-	-	-	-	-	1
15-19 years	2,713	1,864	549	146	33	8	2	1	-	110
20-24 years	6,267	2,323	1,607	1,173	528	262	94	37	11	232
25-29 years	5,403	836	902	1.160	931	632	379	208	180	175
30-34 years	4,475	450	460	746	796	638	457	282	524	122
35-39 years	3,268	264	264	406	496	470	342	264	676	86
40-44 years	1,311	91	93	147	162	175	139	119	347	38
45-49 years	107	11	9	7	10	12	6	9	35	8
50 years and over	3	-	-	-	-	-	1	1	1	-
Female	20,433	4,976	3,321	3,377	2,638	1,872	1,244	860	1,519	626
Under 15 years	27	24	2	-	-	-	-	-	-	1
15-19 years	2,408	1,882	456	139	33	10	2	1	-	85
20-24 years	5,464	1,929	1,436	1,055	510	206	92	32	15	189
25-29 years	4,686	723	784	1,032	786	574	310	175	160	142
30-34 years	3,810	351	364	640	706	508	434	280	423	102
35-39 years	2,775	184	192	385	428	423	291	242	553	77
40-44 years	1,166	74	82	122	159	143	106	121	333	26
45-49 years	95	9	5	4	14	7	9	9	34	4
50 years and over	2	-	-	-	-	1	-	-	1	-
Sex not stated	3,315	984	530	488	355	254	137	112	159	296
Under 15 years	1	1	-	-	-	-	-	-	-	-
15-19 years	307	171	75	23	4	2	1	-	-	31
20-24 years	868	354	184	130	59	42	9	10	6	74
25-29 years	803	209	130	134	104	79	39	21	24	63
30-34 years	634	116	74	101	100	53	37	34	45	74
35-39 years	467	92	51	63	61	55	34	31	49	31
40-44 years	209	35	15	33	24	21	15	16	31	19
45-49 years	23	6	1	2	3	2	2	-	4	3
50 years and over	3	-	-	2	-	-	-	-	-	1

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1962—Con.

(See headnote at beginning of table)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
NONWHITE	17,128	3,465	2,281	1,922	1,768	1,519	1,292	1,031	3,386	464
Under 15 years	125	111	12	1	-	-	-	-	-	1
15-19 years	2,741	1,587	659	252	99	38	4	-	3	99
20-24 years	4,168	992	870	763	618	410	212	110	86	107
25-29 years	3,611	380	378	439	533	460	436	330	567	88
30-34 years	3,135	209	195	262	272	347	359	327	1,080	84
35-39 years	2,426	146	131	159	190	206	205	195	1,125	69
40-44 years	863	39	36	43	51	58	70	64	487	15
45-49 years	57	1	-	3	5	-	6	5	36	1
50 years and over	2	-	-	-	-	-	-	-	2	-
Male	8,598	1,727	1,143	913	854	776	647	525	1,808	205
Under 15 years	69	62	7	-	-	-	-	-	-	-
15-19 years	1,414	824	344	119	50	21	2	-	1	53
20-24 years	2,069	489	430	379	295	205	107	56	53	55
25-29 years	1,770	177	172	209	250	236	222	178	296	30
30-34 years	1,569	92	107	114	137	168	181	166	572	32
35-39 years	1,235	66	69	77	94	116	97	92	594	30
40-44 years	439	16	14	14	27	30	35	30	269	4
45-49 years	32	1	-	1	1	-	3	3	22	1
50 years and over	1	-	-	-	-	-	-	-	1	-
Female	7,127	1,387	913	795	742	622	547	452	1,462	207
Under 15 years	51	45	4	1	-	-	-	-	-	1
15-19 years	1,144	655	275	120	40	14	1	-	2	37
20-24 years	1,678	379	352	303	261	183	86	45	29	40
25-29 years	1,485	141	153	163	226	186	188	134	253	41
30-34 years	1,340	82	70	118	114	137	152	147	476	44
35-39 years	1,027	66	44	64	77	76	88	93	486	33
40-44 years	377	19	15	24	20	26	30	31	201	11
45-49 years	24	-	-	2	4	-	2	2	14	-
50 years and over	1	-	-	-	-	-	-	-	1	-
Sex not stated	1,403	351	225	214	172	121	98	54	116	52
Under 15 years	5	4	1	-	-	-	-	-	-	-
15-19 years	183	108	40	13	9	3	1	-	-	9
20-24 years	421	124	88	81	62	22	19	9	4	12
25-29 years	356	62	53	67	57	38	26	18	18	17
30-34 years	226	35	18	30	21	42	26	14	32	8
35-39 years	164	14	18	18	19	14	20	10	45	6
40-44 years	47	4	7	5	4	2	5	3	17	-
45-49 years	1	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures for age of mother not stated are distributed. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
UNITED STATES	66,421	187	8,345	17,251	14,992	12,475	9,212	3,658	290	11
White	47,326	59	5,428	12,599	10,892	8,919	6,510	2,686	225	8
Nonwhite	17,128	125	2,741	4,168	3,611	3,135	2,426	863	57	2
Alabama	1,582	11	263	399	341	257	207	94	9	1
White	690	2	121	196	157	91	87	33	3	-
Nonwhite	892	9	142	203	184	166	120	61	6	1
Alaska	94	-	12	29	23	16	10	3	1	-
White	44	-	6	18	8	9	2	1	-	-
Nonwhite	50	-	6	11	15	7	8	2	1	-
Arizona	503	2	63	128	120	95	54	40	1	-
White	402	1	55	106	100	67	43	29	1	-
Nonwhite	101	1	8	22	20	28	11	11	-	-
Arkansas	741	7	136	177	145	125	114	33	4	-
White	410	1	81	121	87	61	46	12	1	-
Nonwhite	331	6	55	56	59	64	68	21	3	-
California	4,742	11	606	1,207	1,109	853	658	217	21	-
White	3,962	3	504	1,055	939	712	546	186	17	-
Nonwhite	780	8	102	212	170	141	112	31	4	-
Colorado	770	1	90	209	155	152	98	57	8	-
White	739	1	82	202	151	145	93	56	8	-
Nonwhite	31	-	7	7	4	7	5	1	-	-
Connecticut	744	-	59	168	178	168	120	46	4	1
White	650	-	46	146	159	148	106	40	4	1
Nonwhite	94	-	13	22	19	20	14	6	-	-
Delaware	167	1	18	45	36	34	19	14	-	-
White	118	-	7	35	30	21	13	12	-	-
Nonwhite	49	1	11	10	6	13	6	2	-	-
District of Columbia	361	2	58	97	70	73	46	13	2	-
White	81	-	10	29	11	16	11	3	1	-
Nonwhite	280	2	48	68	59	57	35	10	1	-
Florida	1,799	9	270	490	387	321	236	80	6	-
White	1,011	2	152	273	232	178	126	45	3	-
Nonwhite	788	7	118	217	155	143	110	35	3	-
Georgia	1,956	15	311	534	422	315	251	101	9	-
White	978	4	156	312	208	145	106	44	3	-
Nonwhite	980	11	155	222	214	170	145	57	6	-
Hawaii	239	-	18	59	59	55	32	13	3	-
White	67	-	5	17	20	14	7	4	-	-
Nonwhite	172	-	13	42	39	41	25	9	3	-
Idaho	163	-	18	50	31	32	23	9	-	-
White	158	-	17	50	30	31	21	9	-	-
Nonwhite	5	-	1	-	1	1	2	-	-	-
Illinois	3,401	9	381	896	817	605	505	172	15	1
White	2,500	2	253	661	613	456	358	144	12	1
Nonwhite	901	7	128	235	204	149	147	28	3	-
Indiana	1,566	4	210	399	352	312	197	86	6	-
White	1,349	3	176	345	309	260	177	73	6	-
Nonwhite	217	1	34	54	43	52	20	13	-	-
Iowa	692	-	90	185	165	116	95	36	5	-
White	672	-	86	179	159	113	95	35	5	-
Nonwhite	20	-	4	6	6	3	-	1	-	-
Kansas	567	-	81	167	122	98	69	27	3	-
White	511	-	69	152	116	88	59	24	3	-
Nonwhite	56	-	12	15	6	10	10	3	-	-
Kentucky	960	1	160	241	171	180	143	53	11	-
White	830	1	131	212	158	154	118	46	10	-
Nonwhite	130	-	29	29	13	26	25	7	1	-
Louisiana	1,439	9	209	356	312	279	189	80	5	-
White	589	3	74	166	124	124	65	31	2	-
Nonwhite	850	6	135	190	188	155	124	49	3	-
Maine	352	-	46	99	87	53	44	21	2	-
White	346	-	45	97	85	52	44	21	2	-
Nonwhite	6	-	1	2	2	1	-	-	-	-
Maryland	1,216	3	194	312	256	255	143	51	2	-
White	826	1	101	225	189	176	95	37	2	-
Nonwhite	390	2	93	87	67	79	48	14	-	-
Massachusetts	1,391	3	104	304	374	297	218	86	5	-
White	1,305	2	93	282	353	285	203	82	5	-
Nonwhite	86	1	11	22	21	12	15	4	-	-
Michigan	2,737	4	293	682	617	576	387	168	10	-
White	2,212	-	215	573	500	464	313	138	9	-
Nonwhite	525	4	78	109	117	112	74	30	1	-
Minnesota	1,041	-	91	250	262	198	171	63	6	-
White	1,010	-	83	248	249	195	167	62	6	-
Nonwhite	31	-	8	2	13	3	4	1	-	-

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1962—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures for age of mother not stated are distributed. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
Mississippi	1,589	8	285	361	314	270	250	94	6	1
White	461	-	85	118	92	85	62	18	1	-
Nonwhite	1,128	8	200	243	222	185	188	76	5	1
Missouri	1,412	2	192	372	296	243	209	91	7	-
White	1,069	1	142	279	227	183	159	73	5	-
Nonwhite	343	1	50	93	69	60	50	18	2	-
Montana	208	-	25	60	47	36	32	5	3	-
White	189	-	22	55	41	34	29	5	3	-
Nonwhite	19	-	3	5	6	2	3	-	-	-
Nebraska	391	-	44	101	82	82	58	21	3	-
White	364	-	37	96	78	77	54	20	2	-
Nonwhite	27	-	7	5	4	5	4	1	1	-
Nevada	145	-	14	40	46	24	17	4	-	-
White	115	-	10	36	33	19	13	4	-	-
Nonwhite	30	-	4	4	13	5	4	-	-	-
New Hampshire	218	-	26	64	50	40	24	14	-	-
White	217	-	26	64	49	40	24	14	-	-
Nonwhite	1	-	-	-	1	-	-	-	-	-
New Jersey[1]	1,967	3	176	484	489	421	276	109	8	1
New Mexico	419	-	64	103	98	72	51	27	4	-
White	362	-	55	94	84	63	40	23	3	-
Nonwhite	57	-	9	9	14	9	11	4	1	-
New York	8,078	14	672	2,099	1,981	1,680	1,162	434	33	3
White	5,918	3	425	1,458	1,441	1,270	918	367	33	3
Nonwhite	2,160	11	247	641	540	410	244	67	-	-
North Carolina	1,996	17	301	556	429	318	253	114	8	-
White	1,043	5	135	345	231	164	110	51	2	-
Nonwhite	953	12	166	211	198	154	143	63	6	-
North Dakota	186	-	16	48	41	34	30	13	4	-
White	176	-	16	44	39	31	29	13	4	-
Nonwhite	10	-	-	4	2	3	1	-	-	-
Ohio	3,150	4	362	831	711	612	445	178	7	-
White	2,624	2	292	709	586	507	363	158	7	-
Nonwhite	526	2	70	122	125	105	82	20	-	-
Oklahoma	630	-	117	176	152	85	64	33	3	-
White	483	-	89	149	109	64	46	23	3	-
Nonwhite	147	-	28	27	43	21	18	10	-	-
Oregon	663	-	84	203	140	100	84	50	2	-
White	623	-	80	191	136	89	80	45	2	-
Nonwhite	40	-	4	12	4	11	4	5	-	-
Pennsylvania	3,806	11	387	906	844	802	597	241	18	-
White	3,102	5	271	746	694	674	496	200	16	-
Nonwhite	704	6	116	160	150	128	101	41	2	-
Rhode Island	304	2	30	73	79	50	51	16	3	-
White	273	1	28	65	68	45	49	14	3	-
Nonwhite	31	1	2	8	11	5	2	2	-	-
South Carolina	1,030	5	191	278	197	152	144	60	3	-
White	374	2	65	111	88	48	41	18	1	-
Nonwhite	656	3	126	167	109	104	103	42	2	-
South Dakota	215	1	21	50	51	44	36	11	1	-
White	187	1	19	44	44	37	31	10	1	-
Nonwhite	28	-	2	6	7	7	5	1	-	-
Tennessee	1,444	8	274	375	301	239	168	73	6	-
White	948	4	172	266	205	148	100	48	5	-
Nonwhite	496	4	102	109	96	91	68	25	1	-
Texas	3,728	12	590	947	793	677	506	193	10	-
White	2,811	6	382	735	645	502	383	149	9	-
Nonwhite	917	6	208	212	148	175	123	44	1	-
Utah	293	1	26	90	66	60	33	15	2	-
White	280	1	23	89	65	56	29	15	2	-
Nonwhite	13	-	3	1	1	4	4	-	-	-
Vermont	176	-	19	49	34	33	25	15	1	-
White	176	-	19	49	34	33	25	15	1	-
Nonwhite	-	-	-	-	-	-	-	-	-	-
Virginia	2,644	5	374	764	587	457	323	123	11	-
White	1,755	1	212	521	400	307	215	88	11	-
Nonwhite	889	4	162	243	187	150	108	35	-	-
Washington	710	-	83	216	185	108	83	33	2	-
White	656	-	80	205	168	99	76	27	1	-
Nonwhite	54	-	3	11	17	9	7	6	1	-

[1]New Jersey did not require reporting of color; see Technical Appendix.

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1962—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures for age of mother not stated are distributed. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
West Virginia	598	1	75	156	117	127	74	42	3	3
White	559	1	69	149	112	119	67	36	3	3
Nonwhite	39	-	6	7	5	8	7	6	-	-
Wisconsin	1,111	1	103	282	237	227	177	80	4	-
White	1,019	-	92	257	223	203	160	80	4	-
Nonwhite	92	1	11	25	14	24	17	-	-	-
Wyoming	85	-	13	24	14	17	11	6	-	-
White	82	-	13	24	13	17	10	5	-	-
Nonwhite	3	-	-	-	1	-	1	1	-	-

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
UNITED STATES	66,421	15,805	10,347	9,902	7,974	5,991	4,201	2,994	6,945	2,262
White	47,326	11,828	7,736	7,650	5,949	4,323	2,801	1,893	3,452	1,694
Nonwhite	17,128	3,465	2,281	1,922	1,768	1,519	1,292	1,031	3,386	464
Alabama	1,582	364	228	216	165	133	104	71	279	22
White	690	212	140	118	83	53	17	18	39	10
Nonwhite	892	152	88	98	82	80	87	53	240	12
Alaska	94	28	11	11	11	4	5	6	17	1
White	44	16	9	9	4	1	1	1	2	1
Nonwhite	50	12	2	2	7	3	4	5	15	-
Arizona	503	112	68	72	57	46	35	23	78	12
White	402	101	58	66	51	37	30	12	38	9
Nonwhite	101	11	10	6	6	9	5	11	40	3
Arkansas	741	166	89	95	70	62	46	32	151	30
White	410	113	58	68	53	34	22	12	33	17
Nonwhite	331	53	31	27	17	28	24	20	118	13
California	4,742	1,242	820	805	600	431	255	155	323	111
White	3,962	1,069	699	703	508	355	190	114	239	85
Nonwhite	780	173	121	102	92	76	65	41	84	26
Colorado	770	164	73	75	82	49	46	25	55	201
White	739	161	66	72	77	48	44	22	49	200
Nonwhite	31	3	7	3	5	1	2	3	6	1
Connecticut	744	160	107	146	94	90	51	31	53	12
White	650	141	98	132	85	76	45	28	35	10
Nonwhite	94	19	9	14	9	14	6	3	18	2
Delaware	167	45	20	28	19	16	9	8	17	5
White	118	35	15	20	15	11	7	5	6	4
Nonwhite	49	10	5	8	4	5	2	3	11	1
District of Columbia	361	104	64	48	32	31	22	15	31	14
White	81	30	16	14	4	4	4	2	3	4
Nonwhite	280	74	48	34	28	27	18	13	28	10
Florida	1,799	402	300	254	200	178	142	83	221	19
White	1,011	272	200	170	119	96	67	34	41	12
Nonwhite	788	130	100	84	81	82	75	49	180	7
Georgia	1,958	416	293	272	190	182	123	106	328	48
White	978	249	189	172	100	101	44	34	75	14
Nonwhite	980	167	104	100	90	81	79	72	253	34
Hawaii	239	42	51	38	35	14	21	11	27	-
White	67	13	15	13	11	4	3	4	4	-
Nonwhite	172	29	36	25	24	10	18	7	23	-
Idaho	163	35	19	24	26	18	12	4	17	8
White	158	34	19	24	24	18	11	4	16	8
Nonwhite	5	1	-	-	2	-	1	-	1	-
Illinois	3,401	779	556	543	447	314	237	174	286	65
White	2,500	594	417	434	341	242	161	105	148	58
Nonwhite	901	185	139	109	106	72	76	69	138	7
Indiana	1,566	391	238	236	189	150	107	60	150	45
White	1,349	346	207	223	161	129	84	50	107	42
Nonwhite	217	45	31	13	28	21	23	10	43	3
Iowa	692	146	125	103	92	70	51	38	55	12
White	672	143	118	101	92	68	50	37	51	12
Nonwhite	20	3	7	2	-	2	1	1	4	-
Kansas	567	143	94	84	80	45	37	30	48	6
White	511	131	84	75	78	39	34	29	36	5
Nonwhite	56	12	10	9	2	6	3	1	12	1
Kentucky	960	216	142	113	97	83	51	54	111	93
White	830	186	129	103	85	69	43	44	91	80
Nonwhite	130	30	13	10	12	14	8	10	20	13
Louisiana	1,439	315	197	151	130	116	108	76	279	67
White	589	135	98	83	76	57	47	18	48	27
Nonwhite	850	180	99	68	54	59	61	58	231	40
Maine	352	89	37	55	52	37	27	13	35	7
White	346	86	36	54	52	37	27	13	34	7
Nonwhite	6	3	1	1	-	-	-	-	1	-
Maryland	1,216	292	200	167	148	116	79	52	93	69
White	826	196	144	128	113	84	51	31	31	48
Nonwhite	390	96	56	39	35	32	28	21	62	21
Massachusetts	1,391	294	195	213	211	127	95	51	99	106
White	1,305	269	181	199	200	123	90	50	90	103
Nonwhite	86	25	14	14	11	4	5	1	9	3
Michigan	2,737	554	397	432	356	294	215	138	277	74
White	2,212	452	320	361	299	239	180	97	201	63
Nonwhite	525	102	77	71	57	55	35	41	76	11
Minnesota	1,041	204	147	161	128	126	91	63	109	12
White	1,010	193	144	158	126	122	90	62	104	11
Nonwhite	31	11	3	3	2	4	1	1	5	1
Mississippi	1,589	307	208	168	131	107	102	98	408	60
White	461	127	79	78	44	36	23	26	29	19
Nonwhite	1,128	180	129	90	87	71	79	72	379	41

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,412	312	229	194	181	128	90	76	165	37
White	1,069	254	188	163	128	94	63	50	95	34
Nonwhite	343	58	41	31	53	34	27	26	70	3
Montana	208	39	28	45	33	12	18	12	17	4
White	189	38	21	43	30	11	17	11	14	4
Nonwhite	19	1	7	2	3	1	1	1	3	-
Nebraska	391	79	63	70	51	36	29	19	36	8
White	364	73	61	66	50	33	26	17	31	7
Nonwhite	27	6	2	4	1	3	3	2	5	1
Nevada	145	41	21	21	20	14	4	6	13	5
White	115	37	18	18	15	11	2	5	7	2
Nonwhite	30	4	3	3	5	3	2	1	6	3
New Hampshire	218	60	35	33	27	22	15	8	11	7
White	217	60	35	33	27	22	14	8	11	7
Nonwhite	1	-	-	-	-	-	1	-	-	-
New Jersey[1]	1,967	512	330	330	257	149	108	70	107	104
New Mexico	419	78	60	69	49	25	34	23	71	10
White	362	69	51	64	44	23	31	19	52	9
Nonwhite	57	9	9	5	5	2	3	4	19	1
New York	8,078	2,081	1,439	1,399	1,051	714	422	313	484	175
White	5,918	1,582	1,069	1,055	767	493	280	213	323	136
Nonwhite	2,160	499	370	344	284	221	142	100	161	39
North Carolina	1,996	482	319	298	236	176	100	102	277	6
White	1,043	304	204	202	134	86	29	36	45	3
Nonwhite	953	178	115	96	102	90	71	66	232	3
North Dakota	186	41	27	23	27	12	24	10	21	1
White	176	36	27	22	26	12	23	9	20	1
Nonwhite	10	5	-	1	1	-	1	1	1	-
Ohio	3,150	725	464	475	394	291	217	145	298	141
White	2,624	630	399	401	322	243	164	122	218	125
Nonwhite	526	95	65	74	72	48	53	23	80	16
Oklahoma	630	194	93	100	58	47	38	20	57	23
White	483	164	66	89	43	35	28	13	26	19
Nonwhite	147	30	27	11	15	12	10	7	31	4
Oregon	663	155	126	90	82	75	44	37	46	8
White	623	150	116	84	81	66	43	35	40	8
Nonwhite	40	5	10	6	1	9	1	2	6	-
Pennsylvania	3,806	886	572	591	519	358	250	174	323	133
White	3,102	725	484	510	443	284	202	137	215	102
Nonwhite	704	161	88	81	76	74	48	37	108	31
Rhode Island	304	70	54	45	38	29	21	15	28	4
White	273	65	50	42	32	27	20	12	21	4
Nonwhite	31	5	4	3	6	2	1	3	7	-
South Carolina	1,030	273	124	110	99	78	61	52	197	36
White	374	123	66	46	45	27	14	14	21	18
Nonwhite	656	150	58	64	54	51	47	38	176	18
South Dakota	215	37	36	29	23	29	18	13	30	-
White	187	30	35	25	19	28	14	11	25	-
Nonwhite	28	7	1	4	4	1	4	2	5	-
Tennessee	1,444	424	222	204	134	98	88	74	154	46
White	948	321	164	144	92	62	46	33	52	34
Nonwhite	496	103	58	60	42	36	42	41	102	12
Texas	3,728	862	604	552	430	315	228	149	497	91
White	2,811	666	468	450	333	236	171	101	318	68
Nonwhite	917	196	136	102	97	79	57	48	179	23
Utah	293	62	43	45	35	33	18	18	26	13
White	280	59	41	42	35	32	18	17	24	12
Nonwhite	13	3	2	3	-	1	-	1	2	1
Vermont	176	38	26	25	19	25	12	12	16	3
White	176	38	26	25	19	25	12	12	16	3
Nonwhite	-	-	-	-	-	-	-	-	-	-
Virginia	2,644	787	385	288	256	229	143	106	249	201
White	1,755	588	266	208	165	149	79	52	96	152
Nonwhite	889	199	119	80	91	80	64	54	153	49
Washington	710	172	124	104	100	70	47	32	55	6
White	656	156	114	102	95	67	44	30	44	4
Nonwhite	54	16	10	2	5	3	3	2	11	2
West Virginia	598	146	92	75	68	52	32	23	94	16
White	559	139	87	70	66	48	29	20	85	15
Nonwhite	39	7	5	5	2	4	3	3	9	1
Wisconsin	1,111	218	140	161	137	128	67	63	112	85
White	1,019	197	130	152	129	119	65	59	90	78
Nonwhite	92	21	10	9	8	9	2	4	22	7
Wyoming	85	21	12	16	8	7	2	5	14	-
White	82	20	11	16	8	7	2	5	13	-
Nonwhite	3	1	1	-	-	-	-	-	1	-

[1]New Jersey did not require reporting of color; see Technical Appendix.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV). Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA AND COLOR	ALL FETAL DEATHS, IN GROUPS II, III, AND IV				Group II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
UNITED STATES	66,421	62,488	2,277	894	14,702	13,541	793	185	44,893	42,676	1,120	756
White	47,326	45,900	1,069	79	9,942	9,452	411	11	32,381	31,750	454	64
Nonwhite	17,128	14,687	1,159	915	4,327	3,691	358	174	11,161	9,594	652	692
Alabama	1,582	1,220	110	208	298	222	28	36	1,182	934	66	156
White	690	664	19	1	142	132	7	1	504	495	8	-
Nonwhite	892	556	91	207	156	90	21	35	678	439	58	156
Alaska	94	88	-	4	16	14	-	1	72	69	-	2
White	44	43	-	-	9	8	-	-	33	33	-	-
Nonwhite	50	45	-	4	7	6	-	1	39	36	-	2
Arizona	503	491	9	1	76	75	-	-	408	401	6	1
White	402	394	6	1	66	65	-	-	325	320	4	1
Nonwhite	101	97	3	-	10	10	-	-	83	81	2	-
Arkansas	741	616	51	44	148	129	5	9	448	355	37	35
White	410	394	14	-	90	88	2	-	220	211	8	-
Nonwhite	331	222	37	44	58	41	3	9	228	144	29	35
California	4,742	4,607	96	-	704	674	24	-	2,958	2,931	26	-
White	3,962	3,858	71	-	552	531	15	-	2,536	2,516	19	-
Nonwhite	780	749	25	-	152	143	9	-	422	415	7	-
Colorado	770	746	18	2	168	160	8	-	387	380	3	2
White	739	717	16	2	152	146	6	-	372	365	3	2
Nonwhite	31	29	2	-	16	14	2	-	15	15	-	-
Connecticut	744	732	9	-	188	182	4	-	535	530	4	-
White	650	644	5	-	156	154	1	-	474	471	3	-
Nonwhite	94	88	4	-	32	28	3	-	61	59	1	-
Delaware	167	160	7	-	34	32	2	-	111	109	2	-
White	118	115	3	-	23	21	2	-	80	80	-	-
Nonwhite	49	45	4	-	11	11	-	-	31	29	2	-
District of Columbia	361	346	8	-	69	69	-	-	256	249	6	-
White	81	76	1	-	21	21	-	-	52	51	1	-
Nonwhite	280	270	7	-	48	48	-	-	204	198	5	-
Florida	1,799	1,656	74	56	400	347	37	10	1,390	1,302	37	44
White	1,011	982	26	1	219	200	18	-	786	776	8	1
Nonwhite	788	674	48	55	181	147	19	10	604	526	29	43
Georgia	1,958	1,729	91	56	545	494	23	9	1,238	1,081	59	39
White	978	960	12	3	285	282	1	-	619	606	9	3
Nonwhite	980	769	79	53	260	212	22	9	619	475	50	36
Hawaii	239	235	4	-	85	82	3	-	149	149	-	-
White	67	67	-	-	26	26	-	-	41	41	-	-
Nonwhite	172	168	4	-	59	56	3	-	108	108	-	-
Idaho	163	158	5	-	29	28	1	-	79	77	2	-
White	158	153	5	-	28	27	1	-	75	73	2	-
Nonwhite	5	5	-	-	1	1	-	-	4	4	-	-
Illinois	3,401	3,226	124	-	785	709	48	-	2,597	2,501	74	-
White	2,500	2,418	51	-	545	502	26	-	1,942	1,905	24	-
Nonwhite	901	808	73	-	240	207	22	-	655	596	50	-
Indiana	1,566	1,506	54	1	269	246	21	-	1,017	988	28	-
White	1,349	1,307	38	1	222	205	16	-	905	885	19	-
Nonwhite	217	199	16	-	47	41	5	-	112	103	9	-
Iowa	692	675	16	-	104	98	6	-	524	515	8	-
White	672	656	15	-	100	95	5	-	511	502	8	-
Nonwhite	20	19	1	-	4	3	1	-	13	13	-	-
Kansas	567	557	8	-	120	117	3	-	439	432	5	-
White	511	501	8	-	102	99	3	-	401	394	5	-
Nonwhite	56	56	-	-	18	18	-	-	38	38	-	-
Kentucky	960	905	23	24	209	191	9	6	733	701	13	16
White	830	789	17	18	185	170	8	5	629	607	9	11
Nonwhite	130	116	6	6	24	21	1	1	104	94	4	5
Louisiana	1,439	1,333	52	30	282	245	19	4	1,138	1,072	31	26
White	589	574	8	1	106	99	3	-	479	472	5	1
Nonwhite	850	759	44	29	176	146	16	4	659	600	26	25
Maine	352	341	10	-	59	53	6	-	195	195	-	-
White	346	335	10	-	58	52	6	-	191	191	-	-
Nonwhite	6	6	-	-	1	1	-	-	4	4	-	-
Maryland	1,216	1,161	45	4	131	125	4	-	988	967	15	4
White	826	798	21	1	99	95	2	-	650	644	3	1
Nonwhite	390	363	24	3	32	30	2	-	338	323	12	3

See footnotes at end of table.

716 - 533 O - 64 - 24

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
Massachusetts	1,391	1,336	26	-	290	279	11	-	1,000	987	12	-
White	1,305	1,252	24	-	257	247	10	-	950	938	11	-
Nonwhite	86	84	2	-	33	32	1	-	50	49	1	-
Michigan	2,737	2,678	51	-	563	531	26	-	2,002	1,981	20	-
White	2,212	2,174	33	-	427	406	17	-	1,633	1,620	12	-
Nonwhite	525	504	18	-	136	125	9	-	369	361	8	-
Minnesota	1,041	1,011	28	-	167	159	7	-	713	698	16	-
White	1,010	982	27	-	160	153	7	-	694	678	15	-
Nonwhite	31	29	1	-	7	6	-	-	19	18	1	-
Mississippi	1,589	1,158	90	341	366	255	27	81	1,055	750	50	244
White	461	441	12	4	106	102	3	1	284	274	6	3
Nonwhite	1,128	697	78	337	260	153	24	80	771	476	44	241
Missouri	1,412	1,352	32	2	262	244	7	-	1,025	991	19	2
White	1,069	1,040	21	1	194	186	7	-	773	758	10	1
Nonwhite	343	312	11	1	68	58	-	-	252	233	9	1
Montana	208	206	1	-	26	27	1	-	157	157	-	-
White	189	188	-	-	25	25	-	-	142	142	-	-
Nonwhite	19	18	1	-	3	2	1	-	15	15	-	-
Nebraska	391	380	11	-	84	79	5	-	281	275	6	-
White	364	354	10	-	73	69	4	-	266	260	6	-
Nonwhite	27	26	1	-	11	10	1	-	15	15	-	-
Nevada	145	141	2	-	41	39	1	-	91	91	-	-
White	115	112	2	-	34	33	1	-	70	70	-	-
Nonwhite	30	29	-	-	7	6	-	-	21	21	-	-
New Hampshire	218	216	2	-	34	33	1	-	165	165	-	-
White	217	215	2	-	34	33	1	-	164	164	-	-
Nonwhite	1	1	-	-	-	-	-	-	1	1	-	-
New Jersey[4]	1,967	1,901	49	-	433	398	24	-	1,351	1,332	14	-
New Mexico	419	403	8	1	82	79	3	-	283	275	3	1
White	362	346	8	1	78	75	3	-	233	225	3	1
Nonwhite	57	57	-	-	4	4	-	-	50	50	-	-
New York	8,078	7,740	315	1	2,533	2,390	138	-	4,255	4,157	88	-
White	5,918	5,727	175	1	1,712	1,629	79	-	3,400	3,341	51	-
Nonwhite	2,160	2,013	140	-	821	761	59	-	855	816	37	-
North Carolina	1,996	1,805	122	57	417	370	37	6	1,559	1,418	82	51
White	1,043	1,027	13	1	199	195	3	-	835	823	10	1
Nonwhite	953	778	109	56	218	175	34	6	724	595	72	50
North Dakota	186	181	4	-	31	30	1	-	150	147	3	-
White	176	171	4	-	30	29	1	-	142	139	3	-
Nonwhite	10	10	-	-	1	1	-	-	8	8	-	-
Ohio	3,150	3,078	67	-	739	708	28	-	2,197	2,162	34	-
White	2,624	2,574	48	-	570	551	18	-	1,858	1,830	28	-
Nonwhite	526	504	19	-	169	157	10	-	339	332	6	-
Oklahoma	630	610	12	4	86	82	2	2	380	373	4	1
White	483	473	9	-	59	58	1	-	295	292	3	-
Nonwhite	147	137	3	4	27	24	1	2	85	81	1	1
Oregon	663	649	14	-	140	132	8	-	323	318	5	-
White	623	610	13	-	126	119	7	-	304	299	5	-
Nonwhite	40	39	1	-	14	13	1	-	19	19	-	-
Pennsylvania	3,806	3,689	95	1	1,127	1,062	54	1	2,645	2,596	40	-
White	3,102	3,014	73	-	838	793	39	-	2,240	2,199	34	-
Nonwhite	704	675	22	1	289	269	15	1	405	397	6	-
Rhode Island	304	296	8	-	55	50	5	-	207	205	2	-
White	273	265	8	-	46	41	5	-	189	187	2	-
Nonwhite	31	31	-	-	9	9	-	-	18	18	-	-
South Carolina	1,030	833	78	71	163	129	19	9	764	624	51	57
White	374	367	7	-	66	62	4	-	280	277	3	-
Nonwhite	656	466	71	71	97	67	15	9	484	347	48	57
South Dakota	215	209	4	1	36	35	1	-	173	169	2	1
White	187	183	4	-	30	29	1	-	154	152	2	-
Nonwhite	28	26	-	1	6	6	-	-	19	17	-	1
Tennessee	1,444	1,373	41	24	349	327	16	3	1,091	1,042	25	21
White	948	924	17	4	214	206	6	1	731	715	11	3
Nonwhite	496	449	24	20	135	121	10	2	360	327	14	18
Texas	3,728	3,465	111	55	789	724	42	7	2,883	2,690	69	48
White	2,811	2,639	73	35	550	512	26	3	2,217	2,087	47	32
Nonwhite	917	826	36	20	239	212	16	4	666	603	22	16

See footnotes at end of table.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
Utah	293	285	7	-	48	46	2	-	193	189	3	-
White	280	272	7	-	47	45	2	-	181	177	3	-
Nonwhite	13	13	-	-	1	1	-	-	12	12	-	-
Vermont	176	171	5	-	30	29	1	-	91	90	1	-
White	176	171	5	-	30	29	1	-	91	90	1	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,644	2,419	220	3	552	496	55	1	1,151	1,033	115	2
White	1,755	1,680	74	-	354	330	24	-	707	687	20	-
Nonwhite	889	739	146	3	198	166	31	1	444	346	95	2
Washington	710	698	9	-	144	139	4	-	532	526	5	-
White	656	646	8	-	132	129	3	-	491	485	5	-
Nonwhite	54	52	1	-	12	10	1	-	41	41	-	-
West Virginia	598	569	25	3	128	124	4	-	434	414	17	3
White	559	531	24	3	122	118	4	-	402	383	16	3
Nonwhite	39	38	1	-	6	6	-	-	32	31	1	-
Wisconsin	1,111	1,084	25	-	250	237	12	-	833	821	11	-
White	1,019	996	21	-	227	214	12	-	768	759	8	-
Nonwhite	92	88	4	-	23	23	-	-	65	62	3	-
Wyoming	85	84	1	-	16	16	-	-	65	64	1	-
White	82	81	1	-	16	16	-	-	62	61	1	-
Nonwhite	3	3	-	-	-	-	-	-	3	3	-	-

[1]Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."
[2]It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.
[3]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months or more to "28 weeks or more."
[4]New Jersey did not require reporting of color; see Technical Appendix.

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1962

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	BIRTH WEIGHT[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
TOTAL	66,421	4,926	9,361	6,604	6,433	7,191	6,800	6,649	3,925	1,580	737	515	11,700
Fetal deaths in single deliveries	62,811	4,296	8,606	6,161	6,026	6,762	6,529	6,546	3,901	1,572	736	514	11,162
Fetal deaths in twin deliveries	3,533	619	736	436	394	419	270	101	24	8	1	1	524
Fetal deaths in other plural deliveries	77	11	19	7	13	10	1	2	-	-	-	-	14
Male	33,238	2,579	4,946	3,439	3,323	3,717	3,553	3,504	2,230	969	443	308	4,227
Fetal deaths in single deliveries	31,387	2,254	4,557	3,223	3,122	3,501	3,394	3,448	2,214	965	442	308	3,959
Fetal deaths in twin deliveries	1,814	320	386	213	192	207	158	56	16	4	1	-	261
Fetal deaths in other plural deliveries	37	5	3	3	9	9	1	-	-	-	-	-	7
Female	28,423	1,935	4,240	3,093	3,052	3,436	3,209	3,124	1,688	603	291	206	3,546
Fetal deaths in single deliveries	26,803	1,682	3,890	2,874	2,850	3,224	3,099	3,077	1,680	599	291	206	3,331
Fetal deaths in twin deliveries	1,587	251	334	216	198	211	110	45	8	4	-	-	210
Fetal deaths in other plural deliveries	33	2	16	3	4	1	-	2	-	-	-	-	5
Sex not stated	4,760	412	175	72	58	38	38	21	7	8	3	1	3,927
Fetal deaths in single deliveries	4,621	360	159	64	54	37	36	21	7	8	3	-	3,872
Fetal deaths in twin deliveries	132	48	16	7	4	1	2	-	-	-	-	1	53
Fetal deaths in other plural deliveries	7	4	-	1	-	-	-	-	-	-	-	-	2
WHITE	47,326	3,545	6,290	4,502	4,440	5,117	4,923	5,012	3,013	1,156	512	339	8,477
Fetal deaths in single deliveries	44,806	3,098	5,812	4,213	4,142	4,821	4,724	4,935	2,996	1,148	511	338	8,068
Fetal deaths in twin deliveries	2,464	444	469	282	285	286	198	75	17	8	1	1	398
Fetal deaths in other plural deliveries	56	3	9	7	13	10	1	2	-	-	-	-	11
Male	23,578	1,847	3,315	2,326	2,315	2,651	2,518	2,607	1,691	688	321	204	3,095
Fetal deaths in single deliveries	22,267	1,621	3,065	2,182	2,162	2,495	2,409	2,567	1,681	684	320	204	2,877
Fetal deaths in twin deliveries	1,281	224	249	141	144	147	108	40	10	4	1	-	213
Fetal deaths in other plural deliveries	30	2	1	3	9	9	1	-	-	-	-	-	5
Female	20,433	1,408	2,871	2,134	2,087	2,442	2,383	2,390	1,318	464	189	134	2,613
Fetal deaths in single deliveries	19,314	1,220	2,651	1,990	1,946	2,303	2,295	2,353	1,311	460	189	134	2,462
Fetal deaths in twin deliveries	1,096	188	212	141	137	138	88	35	7	4	-	-	146
Fetal deaths in other plural deliveries	23	-	8	3	4	1	-	2	-	-	-	-	5
Sex not stated	3,315	290	104	42	38	24	22	15	4	4	2	1	2,769
Fetal deaths in single deliveries	3,225	257	96	41	34	23	20	15	4	4	2	-	2,729
Fetal deaths in twin deliveries	87	32	8	-	4	1	2	-	-	-	-	1	39
Fetal deaths in other plural deliveries	3	1	-	1	-	-	-	-	-	-	-	-	1
NONWHITE	17,128	1,217	2,779	1,920	1,784	1,884	1,880	1,438	816	370	206	156	2,878
Fetal deaths in single deliveries	16,160	1,057	2,532	1,783	1,688	1,764	1,614	1,414	809	370	206	156	2,767
Fetal deaths in twin deliveries	948	152	238	137	96	120	66	24	7	-	-	-	108
Fetal deaths in other plural deliveries	20	8	9	-	-	-	-	-	-	-	-	-	3
Male	8,598	634	1,474	1,004	896	969	929	794	481	242	108	92	976
Fetal deaths in single deliveries	8,128	552	1,351	943	856	913	884	779	475	242	108	92	933
Fetal deaths in twin deliveries	463	79	121	61	40	55	45	15	6	-	-	-	41
Fetal deaths in other plural deliveries	7	3	2	-	-	-	-	-	-	-	-	-	2
Female	7,127	469	1,235	886	868	903	735	638	332	124	97	64	776
Fetal deaths in single deliveries	6,676	408	1,118	817	812	838	714	629	331	124	97	64	723
Fetal deaths in twin deliveries	442	59	109	69	56	65	21	9	1	-	-	-	53
Fetal deaths in other plural deliveries	9	2	7	-	-	-	-	-	-	-	-	-	-
Sex not stated	1,403	114	70	30	20	13	16	6	3	4	1	-	1,126
Fetal deaths in single deliveries	1,356	97	62	23	20	13	16	6	3	4	1	-	1,111
Fetal deaths in twin deliveries	43	14	8	7	-	-	-	-	-	-	-	-	14
Fetal deaths in other plural deliveries	4	3	-	-	-	-	-	-	-	-	-	-	1

[1]Equivalents of the gram weights in terms of pounds and ounces are as follows:

500 grams or less = 1 lb. 1 oz. or less
501-1,000 grams = 1 lb. 2 oz.-2 lb. 3 oz.
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1962

(Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
TOTAL	66,421	7,816	6,886	7,426	8,461	4,739	7,629	13,569	3,069	6,826
Fetal deaths in single deliveries	62,811	7,195	6,364	6,952	7,939	4,516	7,263	13,020	2,998	6,564
Fetal deaths in twin deliveries	3,533	607	505	464	503	220	358	543	71	262
Fetal deaths in other plural deliveries	77	14	17	10	19	3	8	6	-	-
Male	33,238	3,833	3,504	3,836	4,424	2,485	4,065	7,042	1,560	2,469
Fetal deaths in single deliveries	31,387	3,498	3,237	3,591	4,158	2,388	3,894	6,752	1,529	2,340
Fetal deaths in twin deliveries	1,814	330	259	242	253	95	187	288	31	129
Fetal deaths in other plural deliveries	37	5	8	3	13	2	4	2	-	-
Female	28,423	2,721	2,878	3,322	3,873	2,200	3,463	6,468	1,456	2,042
Fetal deaths in single deliveries	26,803	2,482	2,644	3,106	3,629	2,077	3,298	6,218	1,419	1,930
Fetal deaths in twin deliveries	1,587	231	226	210	239	122	164	246	37	112
Fetal deaths in other plural deliveries	33	8	8	6	5	1	1	4	-	-
Sex not stated	4,760	1,262	504	268	164	54	81	59	53	2,315
Fetal deaths in single deliveries	4,621	1,215	483	255	152	51	71	50	50	2,294
Fetal deaths in twin deliveries	132	46	20	12	11	3	7	9	3	21
Fetal deaths in other plural deliveries	7	1	1	1	1	-	3	-	-	-
WHITE	47,326	5,252	4,690	4,960	6,212	3,387	5,959	9,391	2,472	5,003
Fetal deaths in single deliveries	44,806	4,822	4,317	4,666	5,827	3,222	5,680	9,035	2,410	4,827
Fetal deaths in twin deliveries	2,464	429	359	286	367	162	273	350	62	176
Fetal deaths in other plural deliveries	56	1	14	8	18	3	6	6	-	-
Male	23,578	2,624	2,360	2,556	3,320	1,765	3,145	4,757	1,253	1,798
Fetal deaths in single deliveries	22,267	2,384	2,180	2,399	3,121	1,688	2,993	4,571	1,226	1,705
Fetal deaths in twin deliveries	1,281	239	174	155	186	75	148	184	27	93
Fetal deaths in other plural deliveries	30	1	6	2	13	2	4	2	-	-
Female	20,433	1,823	1,990	2,216	2,774	1,586	2,756	4,591	1,187	1,510
Fetal deaths in single deliveries	19,314	1,663	1,814	2,085	2,598	1,501	2,634	4,429	1,155	1,435
Fetal deaths in twin deliveries	1,096	160	168	126	172	84	121	158	32	75
Fetal deaths in other plural deliveries	23	-	8	5	4	1	1	4	-	-
Sex not stated	3,315	805	340	188	118	36	58	43	32	1,695
Fetal deaths in single deliveries	3,225	775	323	182	108	33	53	35	29	1,687
Fetal deaths in twin deliveries	87	30	17	5	9	3	4	8	3	8
Fetal deaths in other plural deliveries	3	-	-	1	1	-	1	-	-	-
NONWHITE	17,128	2,342	1,985	2,249	2,028	1,215	1,423	3,767	479	1,640
Fetal deaths in single deliveries	16,160	2,171	1,861	2,086	1,905	1,164	1,358	3,582	470	1,563
Fetal deaths in twin deliveries	948	158	121	162	122	51	63	185	9	77
Fetal deaths in other plural deliveries	20	13	3	1	1	-	2	-	-	-
Male	8,598	1,086	1,022	1,150	995	643	797	2,070	247	588
Fetal deaths in single deliveries	8,128	1,004	953	1,070	937	624	771	1,970	243	556
Fetal deaths in twin deliveries	463	78	67	79	58	19	26	100	4	32
Fetal deaths in other plural deliveries	7	4	2	1	-	-	-	-	-	-
Female	7,127	821	801	1,020	990	554	604	1,681	211	445
Fetal deaths in single deliveries	6,676	747	750	944	927	522	570	1,597	206	413
Fetal deaths in twin deliveries	442	66	51	76	62	32	34	84	5	32
Fetal deaths in other plural deliveries	9	8	-	-	1	-	-	-	-	-
Sex not stated	1,403	435	162	79	43	18	22	16	21	607
Fetal deaths in single deliveries	1,356	420	158	72	41	18	17	15	21	594
Fetal deaths in twin deliveries	43	14	3	7	2	-	3	1	-	13
Fetal deaths in other plural deliveries	4	1	1	-	-	-	2	-	-	-

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
UNITED STATES	66,421	4,926	9,361	6,804	6,433	7,191	6,800	6,649	3,925	1,580	737	515	11,700
White	47,326	3,545	6,290	4,502	4,440	5,117	4,923	5,012	3,013	1,156	512	339	8,477
Nonwhite	17,128	1,217	2,779	1,920	1,784	1,884	1,680	1,438	816	370	206	156	2,878
Male	33,238	2,579	4,946	3,439	3,323	3,717	3,553	3,504	2,230	969	443	309	4,227
White	23,578	1,947	3,315	2,326	2,315	2,651	2,518	2,607	1,691	688	321	204	3,095
Nonwhite	8,598	634	1,474	1,004	896	968	929	794	481	242	108	92	976
Female	28,423	1,935	4,240	3,093	3,052	3,436	3,209	3,124	1,688	603	291	206	3,546
White	20,433	1,408	2,871	2,134	2,087	2,442	2,383	2,390	1,318	464	189	134	2,613
Nonwhite	7,127	469	1,235	886	868	903	735	638	332	124	97	64	776
Sex not stated	4,760	412	175	72	58	38	38	21	7	8	3	1	3,927
White	3,315	290	104	42	38	24	22	15	4	4	2	1	2,769
Nonwhite	1,403	114	70	30	20	13	16	6	3	4	1	-	1,126
Alabama	1,582	67	192	189	181	201	190	176	112	61	16	16	181
White	690	38	88	82	78	84	75	68	49	22	7	7	92
Nonwhite	892	29	104	107	103	117	115	108	63	39	9	9	89
Alaska	94	5	12	6	12	13	5	15	13	3	-	2	8
White	44	3	9	2	8	5	2	5	6	-	-	1	3
Nonwhite	50	2	3	4	4	8	3	10	7	3	-	1	5
Arizona	503	21	65	50	62	63	56	57	33	16	6	7	67
White	402	20	55	40	46	45	40	49	27	14	5	5	56
Nonwhite	101	1	10	10	16	18	16	8	6	2	1	2	11
Arkansas	741	46	92	72	72	79	71	60	48	15	13	8	145
White	410	35	41	39	36	45	40	36	26	8	6	2	96
Nonwhite	331	11	51	33	36	34	31	44	22	7	7	6	49
California	4,742	290	377	510	520	566	548	547	330	114	54	42	324
White	3,962	236	690	429	427	504	466	473	291	104	44	35	263
Nonwhite	780	54	187	81	93	82	82	74	39	10	10	7	61
Colorado	770	42	89	53	54	61	61	52	20	6	4	2	326
White	739	35	78	47	53	60	59	51	20	5	4	2	325
Nonwhite	31	7	11	6	1	1	2	1	-	1	-	-	1
Connecticut	744	93	137	86	75	89	89	61	39	17	4	3	51
White	650	82	110	75	66	83	78	56	35	16	1	1	47
Nonwhite	94	11	27	11	9	6	11	5	4	1	3	2	4
Delaware	167	6	27	11	15	16	23	12	12	3	4	1	37
White	118	3	21	6	12	12	15	10	8	2	3	1	25
Nonwhite	49	3	6	5	3	4	8	2	4	1	1	-	12
District of Columbia	361	32	70	39	41	49	33	32	17	7	3	-	39
White	81	11	21	6	9	6	9	6	2	2	-	-	10
Nonwhite	280	21	49	33	32	42	25	26	15	5	3	-	29
Florida	1,799	101	288	247	225	233	240	216	138	42	24	25	20
White	1,011	52	166	152	120	117	134	134	80	27	13	6	10
Nonwhite	788	49	122	95	105	116	106	82	58	15	11	19	10
Georgia	1,958	142	270	173	153	190	195	161	92	43	25	14	500
White	978	90	129	83	59	85	89	84	54	19	13	5	268
Nonwhite	980	52	141	90	94	105	106	77	38	24	12	9	232
Hawaii	239	29	32	21	17	23	16	17	14	4	3	1	62
White	67	4	13	6	5	9	3	5	4	-	-	-	18
Nonwhite	172	25	19	15	12	14	13	12	10	4	3	1	44
Idaho	163	5	14	7	9	13	14	16	8	3	2	1	71
White	158	5	13	7	9	12	13	15	8	2	2	1	71
Nonwhite	5	-	1	-	-	1	1	1	-	1	-	-	-
Illinois	3,401	310	617	361	381	449	393	399	241	70	50	25	85
White	2,500	229	411	252	274	342	297	323	195	54	39	17	67
Nonwhite	901	81	206	129	107	107	96	76	46	16	11	8	18
Indiana	1,566	82	220	152	141	190	156	165	124	46	26	18	248
White	1,349	69	180	125	117	165	144	154	114	44	24	15	198
Nonwhite	217	13	40	27	24	25	12	11	10	2	2	3	48
Iowa	692	37	86	61	71	97	91	74	48	25	6	6	90
White	672	34	81	58	69	94	89	74	48	25	6	6	88
Nonwhite	20	3	5	3	2	3	2	-	-	-	-	-	2
Kansas	567	36	101	50	61	71	72	69	48	17	5	8	29
White	511	34	83	39	54	63	65	69	46	17	5	7	29
Nonwhite	56	2	18	11	7	8	7	-	2	-	-	1	-
Kentucky	960	46	135	113	107	94	111	111	68	32	18	11	114
White	830	43	115	91	93	80	96	96	65	27	14	7	103
Nonwhite	130	3	20	22	14	14	15	15	3	5	4	4	11
Louisiana	1,439	32	205	202	174	206	200	160	79	42	21	11	107
White	589	17	72	56	71	76	91	76	30	21	9	4	66
Nonwhite	850	15	133	146	103	130	109	84	49	21	12	7	41
Maine	352	16	26	21	24	27	34	20	14	6	6	3	155
White	346	15	26	20	24	27	34	20	14	6	6	2	152
Nonwhite	6	1	-	1	-	-	-	-	-	-	-	1	3

See footnotes at end of table.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1962—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
Maryland	1,216	126	215	158	146	117	116	107	57	21	3	11	139
White	826	87	130	106	96	77	80	86	39	13	3	6	103
Nonwhite	390	39	85	52	50	40	36	21	18	8	-	5	36
Massachusetts	1,391	101	225	150	148	150	137	137	82	27	13	10	211
White	1,305	91	201	143	138	144	129	134	77	26	11	10	201
Nonwhite	86	10	24	7	10	6	8	3	5	1	2	-	10
Michigan	2,737	176	401	271	300	293	273	291	179	85	37	23	408
White	2,212	135	308	213	246	232	234	241	149	69	30	17	338
Nonwhite	525	41	93	58	54	61	39	50	30	16	7	6	70
Minnesota	1,041	79	130	95	102	100	91	95	73	28	19	9	220
White	1,010	77	124	91	100	97	89	92	71	28	18	9	214
Nonwhite	31	2	6	4	2	3	2	3	2	-	1	-	6
Mississippi	1,589	86	166	159	125	178	177	125	86	42	17	19	409
White	461	29	41	42	33	34	45	39	26	8	3	6	155
Nonwhite	1,128	57	125	117	92	144	132	86	60	34	14	13	254
Missouri	1,412	72	183	139	125	180	152	171	83	36	19	11	241
White	1,069	58	123	100	79	141	113	147	73	31	14	10	180
Nonwhite	343	14	60	39	46	39	39	24	10	5	5	1	61
Montana	208	7	23	10	13	22	28	25	16	9	1	1	53
White	189	6	20	8	13	21	28	24	15	4	-	1	49
Nonwhite	19	1	3	2	-	1	-	1	1	5	1	-	4
Nebraska	391	31	65	38	32	38	50	56	19	12	6	4	40
White	364	27	58	35	31	36	48	52	18	12	6	4	37
Nonwhite	27	4	7	3	1	2	2	4	1	-	-	-	3
Nevada	145	16	24	15	9	21	23	8	8	1	2	1	17
White	115	14	19	13	6	15	18	7	5	1	1	1	15
Nonwhite	30	2	5	2	3	6	5	1	3	-	1	-	2
New Hampshire	218	10	28	23	22	23	22	16	20	4	3	-	47
White	217	10	28	22	22	23	22	16	20	4	3	-	47
Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-
New Jersey[2]	1,967	164	292	182	209	190	197	199	96	54	19	20	345
New Mexico	419	27	54	44	43	51	41	29	29	9	2	2	88
White	362	26	50	33	33	39	33	26	25	7	2	2	86
Nonwhite	57	1	4	11	10	12	8	3	4	2	-	-	2
New York	8,078	757	910	610	569	606	588	560	315	132	52	40	2,939
White	5,918	565	656	450	425	487	465	475	274	115	41	33	1,932
Nonwhite	2,160	192	254	160	144	119	123	85	41	17	11	7	1,007
North Carolina	1,996	116	351	258	227	256	228	236	151	60	30	16	67
White	1,043	63	172	136	117	150	119	126	84	33	11	5	27
Nonwhite	953	53	179	122	110	106	109	110	67	27	19	11	40
North Dakota	186	16	26	19	14	16	22	23	24	9	3	1	13
White	176	16	24	19	13	15	21	22	22	8	3	1	12
Nonwhite	10	-	2	-	1	1	1	1	2	1	-	-	1
Ohio	3,150	287	433	301	307	321	307	312	171	65	34	29	583
White	2,624	234	317	237	246	272	265	281	152	54	29	24	513
Nonwhite	526	53	116	64	61	49	42	31	19	11	5	5	70
Oklahoma	630	22	60	48	54	55	67	54	37	17	8	3	205
White	483	17	47	38	37	44	61	42	25	8	5	2	157
Nonwhite	147	5	13	10	17	11	6	12	12	9	3	1	48
Oregon	663	64	60	48	32	53	48	40	24	8	3	3	280
White	623	58	51	41	31	49	48	39	22	8	3	2	271
Nonwhite	40	6	9	7	1	4	-	1	2	-	-	1	9
Pennsylvania	3,806	567	571	350	347	375	393	363	227	102	44	29	438
White	3,102	422	427	276	281	308	350	325	205	91	34	23	360
Nonwhite	704	145	144	74	66	67	43	38	22	11	10	6	78
Rhode Island	304	17	43	26	35	31	29	30	23	2	3	3	62
White	273	15	38	23	30	24	27	29	22	2	3	3	57
Nonwhite	31	2	5	3	5	7	2	1	1	-	-	-	5
South Carolina	1,030	48	102	99	127	133	118	119	53	25	9	3	194
White	374	24	35	39	47	52	45	39	25	9	3	1	55
Nonwhite	656	24	67	60	80	81	73	80	28	16	6	2	139
South Dakota	215	15	21	23	26	26	21	34	17	4	2	2	24
White	187	11	18	22	24	23	17	30	17	4	2	-	19
Nonwhite	28	4	3	1	2	3	4	4	-	-	-	2	5
Tennessee	1,444	101	230	175	174	190	159	177	89	34	18	9	88
White	948	57	140	101	108	118	112	134	70	23	12	7	66
Nonwhite	496	44	90	74	66	72	47	43	19	11	6	2	22
Texas	3,728	180	519	446	394	490	459	489	246	106	48	35	316
White	2,811	129	348	328	291	381	350	380	200	87	37	29	251
Nonwhite	917	51	171	118	103	109	109	109	46	19	11	6	65

See footnotes at end of table.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1962—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
Utah	293	9	25	26	23	26	22	28	12	5	3	1	113
White	280	9	24	25	22	25	20	27	11	4	2	1	110
Nonwhite	13	-	1	1	1	1	2	1	1	1	1	-	3
Vermont	176	20	18	8	13	15	10	13	7	8	2	-	62
White	176	20	28	8	13	15	10	13	7	8	2	-	62
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,644	225	279	196	206	202	168	189	90	42	20	10	1,017
White	1,755	146	156	119	129	119	100	116	57	25	11	2	775
Nonwhite	889	79	123	77	77	83	68	73	33	17	9	8	242
Washington	710	42	110	65	67	101	83	91	55	15	4	2	75
White	656	41	99	57	61	95	78	86	52	14	2	2	69
Nonwhite	54	1	11	8	6	6	5	5	3	1	2	-	6
West Virginia	598	33	78	52	46	76	67	73	54	13	3	3	100
White	559	32	74	47	45	69	63	71	49	12	2	3	92
Nonwhite	39	1	4	5	1	7	4	2	5	1	1	-	8
Wisconsin	1,111	68	152	120	98	94	98	109	92	31	19	11	229
White	1,019	65	130	109	83	85	87	101	77	31	17	11	218
Nonwhite	92	3	22	11	10	9	11	8	5	-	2	-	11
Wyoming	85	6	12	6	5	13	8	10	2	2	1	-	20
White	82	6	12	6	5	13	8	8	2	2	1	-	19
Nonwhite	3	-	-	-	-	-	-	2	-	-	-	-	1

[1]Equivalents of the gram weight in terms of pounds and ounces are as follows:

500 grams or less	1 lb. 1 oz. or less	3,001-3,500 grams	6 lb. 10 oz.-7 lb. 11 oz.
501-1,000 grams	1 lb. 2 oz.-2 lb. 3 oz.	3,501-4,000 grams	7 lb. 12 oz.-8 lb. 13 oz.
1,001-1,500 grams	2 lb. 4 oz.-3 lb. 4 oz.	4,001-4,500 grams	8 lb. 14 oz.-9 lb. 14 oz.
1,501-2,000 grams	3 lb. 5 oz.-4 lb. 6 oz.	4,501-5,000 grams	9 lb. 15 oz.-11 lb. 0 oz.
2,001-2,500 grams	4 lb. 7 oz.-5 lb. 8 oz.	5,001 grams or more	11 lb. 1 oz. or more
2,501-3,000 grams	5 lb. 9 oz.-6 lb. 9 oz.		

[2]New Jersey did not require reporting of color; see Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1962

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
UNITED STATES	66,421	7,816	6,886	7,426	8,461	4,739	7,629	13,569	3,069	6,826
White	47,326	5,252	4,690	4,960	6,212	3,387	5,959	9,391	2,472	5,003
Nonwhite	17,128	2,342	1,985	2,249	2,028	1,215	1,423	3,767	479	1,640
Male	33,238	3,833	3,504	3,836	4,424	2,485	4,085	7,042	1,560	2,469
White	23,578	2,624	2,360	2,556	3,320	1,765	3,145	4,757	1,253	1,798
Nonwhite	8,598	1,086	1,022	1,150	995	643	797	2,070	247	588
Female	28,423	2,721	2,878	3,322	3,873	2,200	3,463	6,468	1,458	2,042
White	20,433	1,823	1,990	2,216	2,774	1,586	2,756	4,591	1,187	1,510
Nonwhite	7,127	821	801	1,020	990	554	604	1,681	211	445
Sex not stated	4,760	1,262	504	268	164	54	81	59	53	2,315
White	3,315	805	340	188	118	36	58	43	32	1,695
Nonwhite	1,403	435	162	79	43	18	22	16	21	607
Alabama	1,582	137	161	201	220	134	110	488	29	102
White	690	69	73	79	104	51	59	192	19	44
Nonwhite	892	68	88	122	116	83	51	296	10	58
Alaska	94	5	11	11	13	8	11	23	6	6
White	44	3	6	6	6	5	7	6	3	2
Nonwhite	50	2	5	5	7	3	4	17	3	4
Arizona	503	39	37	63	69	35	73	140	28	19
White	402	34	32	53	56	30	60	101	25	11
Nonwhite	101	5	5	10	13	5	13	39	3	8
Arkansas	741	76	72	84	70	56	39	189	10	145
White	410	43	47	34	35	34	26	85	6	100
Nonwhite	331	33	25	50	35	22	13	104	4	45
California	4,742	320	384	435	674	230	817	259	543	1,080
White	3,962	254	298	369	557	200	712	224	474	874
Nonwhite	780	66	86	66	117	30	105	35	69	206
Colorado	770	101	67	65	82	52	74	86	28	215
White	739	92	60	59	81	49	72	84	27	215
Nonwhite	31	9	7	6	1	3	2	2	1	-
Connecticut	744	92	96	96	112	53	92	164	18	21
White	650	76	80	84	101	49	81	144	15	20
Nonwhite	94	16	16	12	11	4	11	20	3	1
Delaware	167	18	16	17	26	14	15	37	2	22
White	118	11	12	14	16	10	11	27	2	15
Nonwhite	49	7	4	3	10	4	4	10	-	7
District of Columbia	361	42	27	52	76	26	51	17	34	36
White	81	15	6	11	19	4	9	2	7	8
Nonwhite	280	27	21	41	57	22	42	15	27	28
Florida	1,799	212	188	223	233	175	187	531	41	9
White	1,011	116	103	121	135	85	132	283	30	6
Nonwhite	788	96	85	102	98	90	55	248	11	3
Georgia	1,958	305	240	259	194	124	170	451	40	175
White	978	167	118	121	110	49	94	220	25	74
Nonwhite	980	138	122	138	84	75	76	231	15	101
Hawaii	239	51	34	32	30	12	20	42	13	5
White	67	15	11	7	10	1	12	5	6	-
Nonwhite	172	36	23	25	20	11	8	37	7	5
Idaho	163	14	15	12	15	14	12	25	1	55
White	158	14	14	12	15	14	12	21	1	55
Nonwhite	5	-	1	-	-	-	-	4	-	-
Illinois	3,401	398	387	374	455	285	397	988	98	19
White	2,500	288	257	242	333	211	326	748	82	13
Nonwhite	901	110	130	132	122	74	71	240	16	6
Indiana	1,566	117	152	150	193	99	158	356	61	280
White	1,349	97	125	129	165	87	145	320	59	222
Nonwhite	217	20	27	21	28	12	13	36	2	58
Iowa	692	49	55	79	100	52	109	149	35	64
White	672	48	52	77	98	51	104	146	35	61
Nonwhite	20	1	3	2	2	1	5	3	-	3
Kansas	567	50	70	61	78	49	94	121	36	8
White	511	41	61	56	66	45	85	114	35	8
Nonwhite	56	9	9	5	12	4	9	7	1	-
Kentucky	960	97	112	130	114	85	79	299	26	18
White	830	85	100	107	94	74	72	257	25	16
Nonwhite	130	12	12	23	20	11	7	42	1	2
Louisiana	1,439	127	155	193	207	141	164	410	23	19
White	589	49	57	63	94	64	89	152	17	4
Nonwhite	850	78	98	130	113	77	75	258	6	15
Maine	352	35	24	29	32	33	36	57	8	98
White	346	35	23	29	31	31	35	57	8	97
Nonwhite	6	-	1	-	1	2	1	-	-	1

See footnotes at end of table.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1962-Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	1,216	74	57	168	192	63	213	70	282	97
White	826	53	46	81	143	38	102	65	221	77
Nonwhite	390	21	11	87	49	25	111	5	61	20
Massachusetts	1,391	144	146	170	244	85	220	200	81	101
White	1,305	130	127	157	232	83	214	186	78	98
Nonwhite	86	14	19	13	12	2	6	14	3	3
Michigan	2,737	258	305	314	370	255	353	587	123	172
White	2,212	197	230	245	300	205	310	464	109	152
Nonwhite	525	61	75	69	70	50	43	123	14	20
Minnesota	1,041	97	80	108	149	81	135	192	48	161
White	1,010	85	75	106	144	79	131	186	48	156
Nonwhite	31	2	5	2	5	2	4	6	-	5
Mississippi	1,589	210	156	179	156	116	76	513	15	168
White	461	67	39	39	65	28	34	110	8	71
Nonwhite	1,128	143	117	140	91	88	42	403	7	97
Missouri	1,412	124	139	172	190	123	154	319	67	125
White	1,069	91	103	105	141	91	124	255	57	102
Nonwhite	343	33	35	67	49	32	30	64	10	23
Montana	208	10	18	15	31	14	34	43	20	23
White	189	9	16	14	30	12	31	38	17	22
Nonwhite	19	1	3	1	1	2	3	5	3	1
Nebraska	391	44	40	33	66	22	60	80	20	26
White	364	38	35	31	62	21	57	75	20	25
Nonwhite	27	6	5	2	4	1	3	5	-	1
Nevada	145	27	14	13	19	21	12	24	2	13
White	115	23	11	9	14	19	9	18	1	11
Nonwhite	30	4	3	4	5	2	3	6	1	2
New Hampshire	218	14	20	24	34	20	38	33	16	19
White	217	14	20	24	34	20	38	33	15	19
Nonwhite	1	-	-	-	-	-	-	-	1	-
New Jersey[2]	1,967	222	211	217	221	137	247	411	118	183
New Mexico	419	33	49	40	61	36	40	92	14	54
White	362	31	47	33	51	29	34	74	12	51
Nonwhite	57	2	2	7	10	7	6	18	2	3
New York	8,076	1,568	965	810	914	360	904	799	468	1,290
White	5,918	1,025	687	602	709	288	731	700	370	806
Nonwhite	2,160	543	278	208	205	72	173	99	98	484
North Carolina	1,996	191	226	254	252	161	225	618	49	20
White	1,043	90	109	114	144	94	142	305	36	9
Nonwhite	953	101	117	140	108	67	83	313	13	11
North Dakota	186	14	17	19	29	15	28	54	5	5
White	176	14	16	19	27	15	26	50	5	4
Nonwhite	10	-	1	-	2	-	2	4	-	1
Ohio	3,150	390	349	353	446	257	411	618	112	214
White	2,624	307	263	289	364	220	346	539	100	196
Nonwhite	526	83	86	64	82	37	65	79	12	18
Oklahoma	630	41	45	60	72	29	36	171	12	164
White	483	28	31	47	53	24	28	132	11	129
Nonwhite	147	13	14	13	19	5	8	39	1	35
Oregon	663	95	45	65	56	42	61	80	19	200
White	623	82	44	61	50	41	57	77	18	193
Nonwhite	40	13	1	4	6	1	4	3	1	7
Pennsylvania	3,806	689	438	459	465	272	428	868	153	34
White	3,102	503	335	358	397	227	370	753	135	24
Nonwhite	704	186	103	101	68	45	58	115	18	10
Rhode Island	304	33	22	28	46	19	45	54	15	42
White	273	26	20	27	40	17	41	53	11	38
Nonwhite	31	7	2	1	6	2	4	1	4	4
South Carolina	1,030	67	96	137	137	75	67	336	12	103
White	374	26	40	41	54	28	31	118	8	28
Nonwhite	656	41	56	96	83	47	36	218	4	75
South Dakota	215	20	16	29	25	14	30	62	13	6
White	187	14	16	26	21	14	27	53	13	3
Nonwhite	28	6	-	3	4	-	3	9	-	3
Tennessee	1,444	185	164	218	173	98	124	444	34	4
White	949	106	108	124	111	66	98	303	29	3
Nonwhite	496	79	56	94	62	32	26	141	5	1
Texas	3,728	365	424	460	468	371	408	1,064	92	56
White	2,811	248	302	319	369	285	339	830	75	44
Nonwhite	917	117	122	141	99	86	69	254	17	12

See footnotes at end of table.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1962 —Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah	293	21	27	27	32	23	41	57	13	52
White	280	20	27	26	31	21	38	54	11	52
Nonwhite	13	1	-	1	1	2	3	3	2	-
Vermont	176	21	9	19	22	6	14	22	8	55
White	176	21	9	19	22	6	14	22	8	55
Nonwhite	-	-	-	-	-	-	-	-	-	-
Virginia	2,644	322	230	181	241	134	183	349	63	941
White	1,755	211	143	102	152	75	129	202	47	694
Nonwhite	889	111	87	79	89	59	54	147	16	247
Washington	710	76	68	78	105	70	107	144	28	34
White	656	68	64	71	95	64	103	132	26	33
Nonwhite	54	8	4	7	10	6	4	12	2	1
West Virginia	598	60	68	60	70	38	62	178	26	36
White	559	57	65	56	63	38	58	165	22	35
Nonwhite	39	3	3	4	7	-	4	13	4	1
Wisconsin	1,111	117	133	142	169	91	153	217	61	28
White	1,019	107	120	134	156	81	142	195	60	24
Nonwhite	92	10	13	8	13	10	11	22	1	4
Wyoming	85	9	7	8	13	14	12	18	-	4
White	82	9	7	8	12	14	12	16	-	4
Nonwhite	3	-	-	-	1	-	-	2	-	-

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

[2]New Jersey did not require reporting of color; see Technical Appendix.

Section 4. Accident Mortality

Tables | Page

4-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1962 ---------- 4-3

4-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1962 ---------- 4-6

4-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, 5-year age groups, race, and sex: United States, 1962 ---------- 4-12

4-4. Deaths from nontransport accidents, by place of accident, 5-year age groups, race, and sex: United States, 1962 ---------- 4-18

4-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1962 ---------- 4-22

4-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1962 ---------- 4-27

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Includes each three-digit category from E810 to E835. Numbers after types of vehicle are fourth-digit subcategory numbers of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
E810-E825	MOTOR VEHICLE TRAFFIC ACCIDENTS	39,775	3,165	3,913	30	177	30,510	144	349	176	4	1,307
	Male	28,888	2,768	2,741	21	145	21,785	103	233	114	4	974
	Female	10,887	397	1,172	9	32	8,725	41	116	62	-	333
	White—Male	24,771	2,323	2,406	21	131	18,727	83	201	86	4	789
	Female	9,515	317	1,045	8	28	7,645	36	100	53	-	283
	Nonwhite—Male	3,456	405	300	-	10	2,575	14	17	23	-	112
	Female	1,148	75	109	1	2	918	4	7	7	-	25
E810	Involving collision with railway train	1,245	228	-	-	-	992	-	-	-	-	25
	Male	885	215	-	-	-	655	-	-	-	-	15
	Female	360	13	-	-	-	337	-	-	-	-	10
	White—Male	813	190	-	-	-	609	-	-	-	-	14
	Female	341	13	-	-	-	318	-	-	-	-	10
	Nonwhite—Male	63	22	-	-	-	41	-	-	-	-	-
	Female	15	-	-	-	-	15	-	-	-	-	-
E811	Involving collision with streetcar	3	1	-	-	-	2	-	-	-	-	-
	Male	2	1	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
	White—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	7,410	898	7	-	1	5,972	2	-	133	-	397
	Male	5,335	683	6	-	-	4,260	1	-	89	-	296
	Female	2,075	215	1	-	1	1,712	1	-	44	-	101
	White—Male	4,150	538	6	-	-	3,323	1	-	71	-	211
	Female	1,630	164	-	-	1	1,343	1	-	37	-	84
	Nonwhite—Male	1,018	128	-	-	-	818	-	-	13	-	59
	Female	368	46	1	-	-	305	-	-	5	-	11
E813	To pedal cyclist	505	78	-	-	-	406	-	-	4	-	17
	Male	450	67	-	-	-	366	-	-	4	-	13
	Female	55	11	-	-	-	40	-	-	-	-	4
	White—Male	369	51	-	-	-	303	-	-	4	-	11
	Female	53	10	-	-	-	39	-	-	-	-	4
	Nonwhite—Male	64	14	-	-	-	49	-	-	-	-	1
	Female	2	1	-	-	-	1	-	-	-	-	-
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object	34	-	-	-	-	34	-	-	-	-	-
	Male	33	-	-	-	-	33	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
	White—Male	30	-	-	-	-	30	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	462	-	77	-	-	367	2	16	-	-	-
	Male	432	-	75	-	-	339	2	16	-	-	-
	Female	30	-	2	-	-	28	-	-	-	-	-
	White—Male	410	-	69	-	-	325	2	14	-	-	-
	Female	29	-	2	-	-	27	-	-	-	-	-
	Nonwhite—Male	17	-	4	-	-	12	-	1	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
E816	Other, involving two or more motor vehicles	14,251	442	3,829	30	176	8,942	140	333	-	4	355
	Male	9,468	401	2,660	21	145	5,673	100	217	-	4	247
	Female	4,783	41	1,169	9	31	3,269	40	116	-	-	108
	White—Male	8,366	352	2,331	21	131	5,049	80	187	-	4	211
	Female	4,339	32	1,043	8	27	3,003	35	100	-	-	91
	Nonwhite—Male	905	43	296	-	10	511	14	16	-	-	15
	Female	361	9	108	1	2	228	4	7	-	-	2
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle	59	15	-	-	-	44	-	-	-	-	-
	Male	47	15	-	-	-	32	-	-	-	-	-
	Female	12	-	-	-	-	12	-	-	-	-	-
	White—Male	35	12	-	-	-	23	-	-	-	-	-
	Female	10	-	-	-	-	10	-	-	-	-	-
	Nonwhite—Male	12	3	-	-	-	9	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
E819	Involving collision with fixed or unspecified object	1,672	118	-	-	-	1,496	-	-	-	-	58
	Male	1,315	110	-	-	-	1,155	-	-	-	-	50
	Female	357	8	-	-	-	341	-	-	-	-	8
	White—Male	1,117	88	-	-	-	989	-	-	-	-	40
	Female	314	7	-	-	-	299	-	-	-	-	8
	Nonwhite—Male	173	20	-	-	-	145	-	-	-	-	8
	Female	37	1	-	-	-	36	-	-	-	-	-

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1962 —Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	MOTOR VEHICLE TRAFFIC ACCIDENTS—Con.											
E820	While boarding and alighting	43	3	-	-	-	30	-	-	9	-	1
	Male	25	3	-	-	-	15	-	-	6	-	1
	Female	18	-	-	-	-	15	-	-	3	-	-
	White—Male	19	2	-	-	-	13	-	-	4	-	-
	Female	17	-	-	-	-	14	-	-	3	-	-
	Nonwhite—Male	5	-	-	-	-	2	-	-	2	-	1
	Female	1	-	-	-	-	1	-	-	-	-	-
E821	To rider of motorcycle not involving collision	244	-	-	-	-	244	-	-	-	-	-
	Male	222	-	-	-	-	222	-	-	-	-	-
	Female	22	-	-	-	-	22	-	-	-	-	-
	White—Male	207	-	-	-	-	207	-	-	-	-	-
	Female	19	-	-	-	-	19	-	-	-	-	-
	Nonwhite—Male	11	-	-	-	-	11	-	-	-	-	-
	Female	3	-	-	-	-	3	-	-	-	-	-
E822	Involving overturning in roadway	1,210	271	-	-	-	893	-	-	4	-	42
	Male	972	247	-	-	-	689	-	-	1	-	35
	Female	238	24	-	-	-	204	-	-	3	-	7
	White—Male	869	214	-	-	-	622	-	-	1	-	32
	Female	216	22	-	-	-	184	-	-	3	-	7
	Nonwhite—Male	96	32	-	-	-	62	-	-	-	-	2
	Female	19	2	-	-	-	17	-	-	-	-	-
E823	Involving running off roadway	8,836	761	-	-	-	7,773	-	-	8	-	294
	Male	6,945	712	-	-	-	5,995	-	-	4	-	234
	Female	1,891	49	-	-	-	1,778	-	-	4	-	60
	White—Male	5,989	629	-	-	-	5,162	-	-	2	-	196
	Female	1,615	42	-	-	-	1,525	-	-	2	-	46
	Nonwhite—Male	760	79	-	-	-	661	-	-	2	-	18
	Female	239	7	-	-	-	219	-	-	2	-	11
E824	Other noncollision accident	840	285	-	-	-	514	-	-	16	-	25
	Male	618	251	-	-	-	342	-	-	9	-	16
	Female	222	34	-	-	-	172	-	-	7	-	9
	White—Male	498	191	-	-	-	290	-	-	3	-	14
	Female	182	25	-	-	-	141	-	-	7	-	9
	Nonwhite—Male	112	59	-	-	-	45	-	-	6	-	2
	Female	36	9	-	-	-	27	-	-	-	-	-
E825	Of unspecified nature	2,961	65	-	-	-	2,801	-	-	2	-	93
	Male	2,139	63	-	-	-	2,008	-	-	1	-	67
	Female	822	2	-	-	-	793	-	-	1	-	26
	White—Male	1,898	55	-	-	-	1,782	-	-	1	-	60
	Female	749	2	-	-	-	722	-	-	1	-	24
	Nonwhite—Male	218	5	-	-	-	207	-	-	-	-	6
	Female	65	-	-	-	-	64	-	-	-	-	1
E830-E835	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1,029	424	5	-	-	570	-	-	8	-	22
	Male	751	354	5	-	-	368	-	-	6	-	18
	Female	278	70	-	-	-	202	-	-	2	-	4
	White—Male	650	301	5	-	-	324	-	-	4	-	16
	Female	253	65	-	-	-	182	-	-	2	-	4
	Nonwhite—Male	86	44	-	-	-	38	-	-	2	-	2
	Female	21	4	-	-	-	17	-	-	-	-	-
E830	To pedestrian	608	254	1	-	-	335	-	-	5	-	13
	Male	405	202	1	-	-	187	-	-	4	-	11
	Female	203	52	-	-	-	148	-	-	1	-	2
	White—Male	344	175	1	-	-	156	-	-	2	-	10
	Female	186	48	-	-	-	135	-	-	1	-	2
	Nonwhite—Male	51	21	-	-	-	27	-	-	2	-	1
	Female	14	3	-	-	-	11	-	-	-	-	-
E831	To pedal cyclist	3	2	-	-	-	-	-	-	-	-	1
	Male	2	1	-	-	-	-	-	-	-	-	1
	Female	1	1	-	-	-	-	-	-	-	-	-
	White—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Female	1	1	-	-	-	-	-	-	-	-	-
E832	To rider or passenger of motorcycle	19	-	-	-	-	19	-	-	-	-	-
	Male	19	-	-	-	-	19	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	19	-	-	-	-	19	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1962 —Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	MOTOR VEHICLE NONTRAFFIC ACCIDENTS—Con.											
E833	Other, involving two or more motor vehicles	28	14	4	-	-	10	-	-	-	-	-
	Male	26	14	4	-	-	8	-	-	-	-	-
	Female	2	-	-	-	-	2	-	-	-	-	-
	White—Male	23	11	4	-	-	8	-	-	-	-	-
	Female	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite—Male	3	3	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	14	1	-	-	-	12	-	-	1	-	-
	Male	7	1	-	-	-	6	-	-	-	-	-
	Female	7	-	-	-	-	6	-	-	1	-	-
	White—Male	7	1	-	-	-	6	-	-	-	-	-
	Female	6	-	-	-	-	5	-	-	1	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-
E835	Of other and unspecified nature	357	153	-	-	-	194	-	-	2	-	8
	Male	292	136	-	-	-	148	-	-	2	-	6
	Female	65	17	-	-	-	46	-	-	-	-	2
	White—Male	256	113	-	-	-	135	-	-	2	-	6
	Female	59	17	-	-	-	40	-	-	-	-	2
	Nonwhite—Male	31	20	-	-	-	11	-	-	-	-	-
	Female	5	-	-	-	-	5	-	-	-	-	-

716 - 533 O - 64 - 25

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1962

(Data refer only to deaths occurring within the United States. Includes each three-digit category from E870 to E936. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955. Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES	1,833	946	23	-	10	3	21	60	29	45	696
	Male	1,098	495	20	-	10	2	20	49	18	38	446
	Female	735	451	3	-	-	1	1	11	11	7	250
	White—Male	815	365	13	-	8	2	18	41	16	27	325
	White—Female	538	338	2	-	-	1	-	9	10	6	172
	Nonwhite—Male	256	119	7	-	-	-	2	7	2	10	109
	Nonwhite—Female	167	99	1	-	-	-	1	1	1	1	63
E870	Accidental poisoning by morphine and other opium derivatives	73	28	-	-	-	1	6	5	-	6	27
	Male	63	22	-	-	-	-	6	4	-	6	25
	Female	10	6	-	-	-	1	-	1	-	-	2
	White—Male	37	11	-	-	-	-	5	3	-	5	13
	White—Female	6	2	-	-	-	1	-	1	-	-	2
	Nonwhite—Male	24	11	-	-	-	-	1	1	-	1	10
	Nonwhite—Female	4	4	-	-	-	-	-	-	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives	401	248	1	-	1	-	3	23	3	6	116
	Male	176	90	1	-	1	-	2	20	1	5	56
	Female	225	158	-	-	-	-	1	3	2	1	60
	White—Male	162	80	1	-	1	-	2	20	1	5	52
	White—Female	204	147	-	-	-	-	-	3	2	1	51
	Nonwhite—Male	11	8	-	-	-	-	-	-	-	-	3
	Nonwhite—Female	12	6	-	-	-	-	1	-	-	-	5
E872	Accidental poisoning by aspirin and salicylates	174	103	2	-	-	-	1	1	2	-	65
	Male	86	50	1	-	-	-	1	1	-	-	33
	Female	88	53	1	-	-	-	-	-	2	-	32
	White—Male	63	36	-	-	-	-	1	1	-	-	25
	White—Female	61	33	-	-	-	-	-	-	2	-	26
	Nonwhite—Male	22	13	1	-	-	-	-	-	-	-	8
	Nonwhite—Female	22	17	1	-	-	-	-	-	-	-	4
E873	Accidental poisoning by bromides	6	2	-	-	-	-	-	-	-	-	4
	Male	4	1	-	-	-	-	-	-	-	-	3
	Female	2	1	-	-	-	-	-	-	-	-	1
	White—Male	4	1	-	-	-	-	-	-	-	-	3
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	2	1	-	-	-	-	-	-	-	-	1
E874	Accidental poisoning by other analgesic and soporific drugs	267	110	-	-	-	-	3	7	7	6	134
	Male	169	57	-	-	-	-	3	6	4	6	93
	Female	98	53	-	-	-	-	-	1	3	-	41
	White—Male	124	50	-	-	-	-	3	6	4	4	57
	White—Female	78	49	-	-	-	-	-	1	3	-	25
	Nonwhite—Male	34	2	-	-	-	-	-	-	-	1	31
	Nonwhite—Female	19	4	-	-	-	-	-	-	-	-	15
E875	Accidental poisoning by sulfonamides	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	8	7	-	-	-	-	-	-	-	-	1
	Male	2	2	-	-	-	-	-	-	-	-	-
	Female	6	5	-	-	-	-	-	-	-	-	1
	White—Male	2	2	-	-	-	-	-	-	-	-	-
	White—Female	6	5	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	1	1	-	-	-	-	-	-	-	-	-
	Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	164	80	-	-	-	-	-	-	2	2	80
	Male	80	37	-	-	-	-	-	-	-	2	41
	Female	84	43	-	-	-	-	-	-	2	-	39
	White—Male	65	28	-	-	-	-	-	-	-	2	35
	White—Female	67	36	-	-	-	-	-	-	2	-	29
	Nonwhite—Male	13	8	-	-	-	-	-	-	-	-	5
	Nonwhite—Female	15	7	-	-	-	-	-	-	-	-	8
E879	Accidental poisoning by noxious foodstuffs	10	7	-	-	-	-	-	1	-	-	2
	Male	8	5	-	-	-	-	-	1	-	-	2
	Female	2	2	-	-	-	-	-	-	-	-	-
	White—Male	8	5	-	-	-	-	-	1	-	-	2
	White—Female	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	235	92	1	-	-	1	7	10	6	15	103
	Male	188	71	1	-	-	1	7	8	6	13	81
	Female	47	21	-	-	-	-	-	2	-	2	22
	White—Male	128	44	-	-	-	1	6	5	5	9	58
	White—Female	22	10	-	-	-	-	-	1	-	2	9
	Nonwhite—Male	57	26	1	-	-	-	1	2	1	4	22
	Nonwhite—Female	22	11	-	-	-	-	-	1	-	-	10

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT: Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES—Con.											
E881	Accidental poisoning by petroleum products	47	38	1	-	1	-	-	-	-	1	6
	Male	33	24	1	-	1	-	-	-	-	1	6
	Female	14	14	-	-	-	-	-	-	-	-	-
	White—Male	18	13	1	-	1	-	-	-	-	1	2
	White—Female	4	4	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	15	11	-	-	-	-	-	-	-	-	4
	Nonwhite—Female	10	10	-	-	-	-	-	-	-	-	-
E882	Accidental poisoning by industrial solvents	51	23	1	-	2	-	-	2	2	1	20
	Male	39	13	1	-	2	-	-	2	2	1	18
	Female	12	10	-	-	-	-	-	-	-	-	2
	White—Male	35	13	1	-	1	-	-	1	2	-	17
	White—Female	10	8	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	3	-	-	-	-	-	-	1	-	1	1
	Nonwhite—Female	2	2	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	47	26	-	-	2	-	-	1	1	-	17
	Male	36	23	-	-	2	-	-	-	-	-	11
	Female	11	3	-	-	-	-	-	1	1	-	6
	White—Male	26	16	-	-	2	-	-	-	-	-	8
	White—Female	6	2	-	-	-	-	-	1	-	-	3
	Nonwhite—Male	9	7	-	-	-	-	-	-	-	-	2
	Nonwhite—Female	5	1	-	-	-	-	-	-	1	-	3
E884	Accidental poisoning by mercury and its compounds	3	2	-	-	-	-	-	-	-	-	1
	Male	1	-	-	-	-	-	-	-	-	-	1
	Female	2	2	-	-	-	-	-	-	-	-	-
	White—Male	1	-	-	-	-	-	-	-	-	-	1
	White—Female	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E885	Accidental poisoning by lead and its compounds	90	54	1	-	3	-	-	-	-	-	32
	Male	49	27	1	-	3	-	-	-	-	-	18
	Female	41	27	-	-	-	-	-	-	-	-	14
	White—Male	25	12	1	-	2	-	-	-	-	-	10
	White—Female	6	2	-	-	-	-	-	-	-	-	4
	Nonwhite—Male	23	15	-	-	-	-	-	-	-	-	8
	Nonwhite—Female	27	19	-	-	-	-	-	-	-	-	8
E886	Accidental poisoning by arsenic and antimony, and their compounds	49	25	5	-	-	-	-	1	1	2	15
	Male	30	12	5	-	-	-	-	1	1	1	10
	Female	19	13	-	-	-	-	-	-	-	1	5
	White—Male	23	10	3	-	-	-	-	1	1	-	8
	White—Female	15	10	-	-	-	-	-	-	-	1	4
	Nonwhite—Male	6	1	2	-	-	-	-	-	-	1	2
	Nonwhite—Female	4	3	-	-	-	-	-	-	-	-	1
E887	Accidental poisoning by fluorides	5	3	-	-	-	-	-	2	-	-	-
	Male	3	2	-	-	-	-	-	1	-	-	-
	Female	2	1	-	-	-	-	-	1	-	-	-
	White—Male	3	2	-	-	-	-	-	1	-	-	-
	White—Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	202	97	11	-	1	1	1	7	5	6	73
	Male	130	58	9	-	1	1	1	5	4	3	48
	Female	72	39	2	-	-	-	-	2	1	3	25
	White—Male	91	42	6	-	1	1	1	2	3	1	34
	White—Female	48	25	2	-	-	-	-	2	1	2	16
	Nonwhite—Male	38	16	3	-	-	-	-	3	1	2	13
	Nonwhite—Female	23	14	-	-	-	-	-	-	-	1	8
E890-E895	ACCIDENTAL POISONING BY GASES AND VAPORS	1,376	837	31	4	78	1	113	79	9	119	105
	Male	1,023	594	29	3	73	1	87	60	8	91	77
	Female	353	243	2	1	5	-	26	19	1	28	28
	White—Male	853	496	23	3	58	1	75	49	7	74	67
	White—Female	282	198	2	-	2	-	20	15	1	23	21
	Nonwhite—Male	136	79	2	-	13	-	11	7	1	14	9
	Nonwhite—Female	64	41	-	1	3	-	6	3	-	3	7
E890	Accidental poisoning by utility (illuminating) gas	359	299	5	1	3	-	1	32	1	13	4
	Male	233	189	5	-	3	-	1	21	1	10	3
	Female	126	110	-	1	-	-	-	11	-	3	1
	White—Male	175	142	1	-	2	-	1	18	1	8	2
	White—Female	93	82	-	-	-	-	-	8	-	2	1
	Nonwhite—Male	45	39	-	-	1	-	-	2	-	2	1
	Nonwhite—Female	28	24	-	1	-	-	-	2	-	1	-
E891	Accidental poisoning by motor vehicle exhaust gas	601	297	12	-	43	1	99	35	1	75	38
	Male	472	235	10	-	38	1	74	29	1	56	28
	Female	129	62	2	-	5	-	25	6	-	19	10
	White—Male	410	216	10	-	27	1	65	21	1	47	22
	White—Female	108	58	2	-	2	-	19	5	-	17	5
	Nonwhite—Male	46	13	-	-	9	-	8	5	-	6	5
	Nonwhite—Female	20	4	-	-	3	-	6	1	-	1	5

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1962-Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL POISONING BY GASES AND VAPORS—Con.											
E892	Accidental poisoning by other carbon monoxide gas	288	205	2	1	8	-	6	10	2	19	35
	Male	208	141	2	1	8	-	5	9	2	14	26
	Female	80	64	-	-	-	-	1	1	-	5	9
	White—Male	173	114	2	1	6	-	4	9	2	10	25
	Female	64	51	-	-	-	-	1	1	-	4	7
	Nonwhite—Male	32	24	-	-	2	-	1	-	-	4	1
	Female	16	13	-	-	-	-	-	-	-	1	2
E893	Accidental poisoning by cyanide gas	3	1	-	-	2	-	-	-	-	-	-
	Male	3	1	-	-	2	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	3	1	-	-	2	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	113	32	12	2	20	-	7	2	5	11	22
	Male	99	25	12	2	20	-	7	1	4	10	18
	Female	14	7	-	-	-	-	-	1	1	1	4
	White—Male	84	20	10	2	19	-	5	1	3	8	16
	Female	13	7	-	-	-	-	-	1	1	-	4
	Nonwhite—Male	13	3	2	-	1	-	2	-	1	2	2
	Female	-	-	-	-	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	12	3	-	-	2	-	-	-	-	1	6
	Male	8	3	-	-	2	-	-	-	-	1	2
	Female	4	-	-	-	-	-	-	-	-	-	4
	White—Male	8	3	-	-	2	-	-	-	-	1	2
	Female	4	-	-	-	-	-	-	-	-	-	4
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E900-E904	ACCIDENTAL FALLS	19,589	10,493	175	23	499	87	947	653	2,995	630	3,097
	Male	9,662	4,523	158	23	494	67	708	476	1,202	528	1,483
	Female	9,927	5,960	17	-	5	20	239	177	1,793	102	1,614
	White—Male	8,416	3,929	148	22	421	56	585	413	1,099	429	1,317
	Female	9,025	5,343	17	-	5	17	198	161	1,670	90	1,524
	Nonwhite—Male	898	418	10	-	56	9	81	47	65	83	129
	Female	506	353	-	-	-	2	23	9	43	12	64
E900	Fall on stairs	2,292	1,876	6	1	9	1	8	190	70	57	74
	Male	1,341	1,064	4	1	8	1	6	132	36	41	48
	Female	951	812	2	-	1	-	2	58	34	16	26
	White—Male	1,120	879	4	1	8	1	4	115	33	34	41
	Female	835	707	2	-	1	-	1	53	33	14	24
	Nonwhite—Male	155	129	-	-	-	-	1	13	3	6	3
	Female	67	60	-	-	-	-	-	3	-	2	2
E901	Fall from ladders	334	208	13	3	45	1	4	27	1	19	13
	Male	307	181	13	3	45	1	4	27	1	19	13
	Female	27	27	-	-	-	-	-	-	-	-	-
	White—Male	285	166	13	3	41	1	4	26	1	17	13
	Female	26	26	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	9	6	-	-	2	-	-	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,275	1,397	103	18	359	53	74	159	677	338	97
	Male	2,198	790	98	18	357	42	67	143	310	309	64
	Female	1,077	607	5	-	2	11	7	16	367	29	33
	White—Male	1,827	622	90	17	304	33	56	113	285	256	51
	Female	942	513	5	-	2	10	6	14	341	25	26
	Nonwhite—Male	304	141	8	-	40	8	9	23	18	45	12
	Female	96	68	-	-	-	1	1	2	14	4	6
E903	Fall on same level	5,589	3,120	29	-	33	21	771	148	1,235	98	134
	Male	2,451	1,107	22	-	32	15	559	96	487	63	70
	Female	3,138	2,013	7	-	1	6	212	52	748	35	64
	White—Male	2,221	1,033	21	-	26	14	468	89	459	50	61
	Female	2,939	1,888	7	-	1	5	177	52	716	33	60
	Nonwhite—Male	162	51	1	-	6	1	55	6	22	11	9
	Female	130	85	-	-	-	1	19	-	21	2	2
E904	Unspecified falls	8,099	3,882	24	1	53	11	90	129	1,012	118	2,779
	Male	3,365	1,381	21	1	52	8	72	78	368	96	1,288
	Female	4,734	2,501	3	-	1	3	18	51	644	22	1,491
	White—Male	2,965	1,228	20	1	42	7	53	70	321	72	1,151
	Female	4,283	2,209	3	-	1	2	14	42	580	18	1,414
	Nonwhite—Male	268	91	1	-	8	-	16	5	22	20	105
	Female	213	140	-	-	-	-	3	4	8	4	54
E910-E936	OTHER ACCIDENTS	27,376	11,918	2,017	556	1,804	655	714	558	927	4,843	3,384
	Male	19,948	6,873	1,880	537	1,791	536	627	455	601	4,283	2,365
	Female	7,428	5,045	137	19	13	119	87	103	326	560	1,019
	White—Male	15,505	5,092	1,585	498	1,473	430	498	383	510	3,282	1,754
	Female	5,227	3,359	116	13	8	105	77	91	281	464	713
	Nonwhite—Male	4,020	1,629	283	37	276	94	111	62	82	884	562
	Female	2,004	1,557	21	6	3	9	10	9	36	79	274

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	OTHER ACCIDENTS—Con.											
E910	Blow from falling or projected object or missile	1,515	278	140	186	480	21	83	50	2	218	57
	Male	1,438	234	135	186	478	19	76	45	2	210	53
	Female	77	44	5	-	2	2	7	5	-	8	4
	White—Male	1,217	204	122	182	385	19	62	39	2	159	43
	White—Female	59	35	5	-	2	1	4	3	-	7	2
	Nonwhite—Male	200	27	10	4	86	-	13	5	-	46	9
	Nonwhite—Female	15	8	-	-	-	-	3	1	-	1	2
E911	Accident caused by vehicle	73	4	1	43	23	-	-	1	-	-	1
	Male	71	3	1	43	22	-	-	1	-	-	1
	Female	2	1	-	-	1	-	-	-	-	-	-
	White—Male	67	3	1	43	19	-	-	-	-	-	1
	White—Female	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite—Male	4	-	-	-	3	-	-	1	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	1,922	96	852	77	539	15	129	24	2	119	69
	Male	1,856	79	816	77	537	15	124	23	2	118	65
	Female	66	17	36	-	2	-	5	1	-	1	4
	White—Male	1,641	69	749	72	463	11	108	19	1	94	57
	White—Female	60	16	32	-	2	-	5	1	-	1	3
	Nonwhite—Male	191	8	64	5	63	4	14	4	1	20	8
	Nonwhite—Female	5	-	4	-	-	-	-	-	-	-	1
E913	Accident caused by cutting and piercing instruments	113	67	4	-	1	2	9	9	-	5	16
	Male	85	44	4	-	1	-	9	8	-	5	14
	Female	28	23	-	-	-	2	-	1	-	-	2
	White—Male	61	33	4	-	1	-	5	6	-	3	9
	White—Female	21	18	-	-	-	2	-	-	-	-	1
	Nonwhite—Male	21	10	-	-	-	-	3	2	-	1	5
	Nonwhite—Female	7	5	-	-	-	-	-	1	-	-	1
E914	Accident caused by electric current	849	241	56	17	198	13	79	21	7	175	42
	Male	787	187	54	17	197	12	78	21	7	175	39
	Female	62	54	2	-	1	1	1	-	-	-	3
	White—Male	686	168	50	15	161	10	73	17	5	154	33
	White—Female	57	49	2	-	1	1	1	-	-	-	3
	Nonwhite—Male	90	18	4	2	31	-	4	3	2	20	6
	Nonwhite—Female	3	3	-	-	-	-	-	-	-	-	-
E915	Accident caused by explosion of pressure vessel	61	5	4	1	22	-	1	25	1	2	-
	Male	37	3	3	1	21	-	1	5	1	2	-
	Female	24	2	1	-	1	-	-	20	-	-	-
	White—Male	32	3	2	1	17	-	1	5	1	2	-
	White—Female	19	1	-	-	-	-	-	18	-	-	-
	Nonwhite—Male	5	-	1	-	4	-	-	-	-	-	-
	Nonwhite—Female	3	1	1	-	-	-	-	1	-	-	-
E916	Accident caused by fire and explosion of combustible material	7,534	6,240	99	63	218	9	39	195	157	173	341
	Male	4,241	3,226	88	62	216	6	28	164	113	144	194
	Female	3,293	3,014	11	1	2	3	11	31	44	29	147
	White—Male	3,065	2,216	73	59	178	6	20	140	102	118	153
	White—Female	2,088	1,891	10	-	1	3	10	29	37	21	86
	Nonwhite—Male	1,074	932	13	3	27	-	8	20	8	24	39
	Nonwhite—Female	1,119	1,043	1	1	-	-	1	1	7	7	58
E917	Accident caused by hot substance, corrosive liquid, and steam	414	295	2	2	52	1	1	4	33	7	17
	Male	226	137	2	2	52	-	1	2	15	7	8
	Female	188	158	-	-	-	1	-	2	18	-	9
	White—Male	164	97	2	2	37	-	1	2	14	4	5
	White—Female	133	107	-	-	-	1	-	2	17	-	6
	Nonwhite—Male	57	38	-	-	12	-	-	-	1	3	3
	Nonwhite—Female	49	46	-	-	-	-	-	-	-	-	3
E918	Accident caused by radiation	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,092	1,022	219	8	33	17	92	59	6	367	269
	Male	1,854	846	214	8	32	15	86	51	6	346	250
	Female	238	176	5	-	1	2	6	8	-	21	19
	White—Male	1,526	685	194	8	30	15	66	40	3	308	177
	White—Female	169	127	4	-	-	1	6	5	-	15	11
	Nonwhite—Male	307	148	19	-	2	-	20	11	3	33	71
	Nonwhite—Female	65	45	1	-	1	1	-	3	-	6	8
E920	Foreign body entering eye and adnexa	1	-	-	-	-	-	-	-	-	-	1
	Male	1	1	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,452	742	1	-	-	6	7	57	318	24	297
	Male	854	405	1	-	-	5	5	44	206	14	174
	Female	598	337	-	-	-	1	2	13	112	10	123
	White—Male	697	318	1	-	-	5	3	41	179	13	137
	White—Female	456	240	-	-	-	1	2	13	96	9	95
	Nonwhite—Male	134	76	-	-	-	-	1	2	24	1	30
	Nonwhite—Female	117	86	-	-	-	-	-	-	10	1	20

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	OTHER ACCIDENTS—Con.											
E922	Inhalation and ingestion of other object causing obstruction or suffocation	361	173	2	-	2	2	-	7	48	7	120
	Male	233	108	1	-	2	-	-	6	31	7	78
	Female	128	65	1	-	-	2	-	1	17	-	42
	White—Male	187	87	-	-	2	-	-	6	23	4	65
	Female	99	48	1	-	-	2	-	1	14	-	33
	Nonwhite—Male	41	20	1	-	-	-	-	-	6	3	11
	Female	26	16	-	-	-	-	-	-	3	-	7
E923	Foreign body entering other orifice	1,036	238	-	-	-	1	3	13	184	6	591
	Male	622	129	-	-	-	1	3	10	116	4	359
	Female	414	109	-	-	-	-	-	3	68	2	232
	White—Male	478	92	-	-	-	1	3	10	89	4	279
	Female	300	75	-	-	-	-	-	2	56	1	166
	Nonwhite—Male	129	34	-	-	-	-	-	-	26	-	69
	Female	101	31	-	-	-	-	-	1	11	1	57
E924	Accidental mechanical suffocation in bed and cradle	947	884	1	-	-	3	1	2	7	9	40
	Male	537	494	1	-	-	2	1	2	3	5	29
	Female	410	390	-	-	-	1	-	-	4	4	11
	White—Male	368	338	-	-	-	2	1	2	3	5	17
	Female	251	239	-	-	-	-	-	-	3	4	5
	Nonwhite—Male	150	137	1	-	-	-	-	-	-	-	12
	Female	148	140	-	-	-	1	-	-	1	-	6
E925	Accidental mechanical suffocation in other and unspecified circumstances	535	228	28	17	77	2	23	6	8	78	68
	Male	412	133	27	16	76	2	23	4	6	74	51
	Female	123	95	1	1	1	-	-	2	2	4	17
	White—Male	314	95	24	16	58	2	17	3	6	52	41
	Female	77	57	1	1	-	-	-	2	2	3	11
	Nonwhite—Male	91	34	2	-	17	-	6	1	-	21	10
	Female	43	35	-	-	1	-	-	-	-	1	6
E926	Lack of care of infants under 1 year of age	6	3	-	-	-	-	-	-	-	-	3
	Male	4	2	-	-	-	-	-	-	-	-	2
	Female	2	1	-	-	-	-	-	-	-	-	1
	White—Male	2	1	-	-	-	-	-	-	-	-	1
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	2	1	-	-	-	-	-	-	-	-	1
	Female	1	1	-	-	-	-	-	-	-	-	-
E927	Accidents caused by bites and stings of venomous animals and insects	54	21	8	-	2	1	1	-	-	8	13
	Male	45	18	6	-	2	1	1	-	-	7	10
	Female	9	3	2	-	-	-	-	-	-	1	3
	White—Male	33	13	6	-	1	1	1	-	-	3	8
	Female	4	1	2	-	-	-	-	-	-	-	1
	Nonwhite—Male	11	5	-	-	1	-	-	-	-	3	2
	Female	5	2	-	-	-	-	-	-	-	1	2
E928	Other accidents caused by animals	157	19	100	-	1	7	1	2	-	10	17
	Male	123	10	85	-	1	7	1	2	-	6	11
	Female	34	9	15	-	-	-	-	-	-	4	6
	White—Male	111	8	78	-	1	6	1	2	-	6	9
	Female	30	6	15	-	-	-	-	-	-	4	5
	Nonwhite—Male	10	2	6	-	-	-	-	-	-	-	2
	Female	4	3	-	-	-	-	-	-	-	-	1
E929	Accidental drowning	5,161	543	366	114	42	494	13	25	16	3,365	183
	Male	4,277	298	318	100	42	392	11	20	14	2,927	155
	Female	884	245	48	14	-	102	2	5	2	438	28
	White—Male	3,181	260	189	79	33	299	10	18	11	2,179	103
	Female	761	217	38	9	-	91	1	5	2	375	23
	Nonwhite—Male	990	33	128	19	9	85	1	2	3	659	51
	Female	105	26	10	5	-	7	1	-	-	51	5
E930	High and low air pressure	5	-	-	-	-	-	-	-	-	4	1
	Male	5	-	-	-	-	-	-	-	-	4	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	White—Male	3	-	-	-	-	-	-	-	-	3	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	-	-	-	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	154	19	12	-	5	3	4	2	11	14	84
	Male	121	12	11	-	5	3	3	2	8	11	66
	Female	33	7	1	-	-	-	1	-	3	3	18
	White—Male	77	8	3	-	2	3	1	2	6	5	47
	Female	27	5	1	-	-	-	1	-	3	1	16
	Nonwhite—Male	42	4	8	-	3	-	1	-	2	6	18
	Female	6	2	-	-	-	-	-	-	-	2	2
E932	Excessive cold	423	140	19	3	9	-	41	1	2	74	134
	Male	327	93	18	-	8	-	33	1	1	65	108
	Female	96	47	1	3	1	-	8	-	1	9	26
	White—Male	195	48	12	-	6	-	20	-	1	44	64
	Female	53	21	1	3	-	-	6	-	1	4	17
	Nonwhite—Male	125	43	6	-	2	-	13	1	-	19	41
	Female	41	26	-	-	1	-	2	-	-	3	9

See footnotes at end of table.

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1962—Con.

(See headnote at beginning of table)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	OTHER ACCIDENTS—Con.											
E933	Hunger, thirst, and exposure	189	22	11	-	3	2	4	-	3	41	103
	Male	130	15	9	-	2	2	2	-	2	33	65
	Female	59	7	2	-	1	-	2	-	1	8	38
	White—Male	85	10	5	-	-	2	2	-	2	26	38
	Female	34	4	1	-	1	-	1	-	1	6	20
	Nonwhite—Male	41	5	4	-	2	-	-	-	-	6	24
	Female	23	3	1	-	-	-	1	-	-	2	16
E934	Cataclysm	104	34	2	1	5	2	29	4	2	21	4
	Male	66	14	2	1	5	1	20	3	2	14	4
	Female	38	20	-	-	-	1	9	1	-	7	-
	White—Male	51	9	2	1	5	1	15	3	2	9	4
	Female	31	15	-	-	-	1	9	1	-	5	-
	Nonwhite—Male	8	5	-	-	-	-	-	-	-	3	-
	Female	5	5	-	-	-	-	-	-	-	-	-
E935	Lightning	153	16	53	1	8	15	9	2	1	41	7
	Male	135	6	49	1	8	15	8	2	1	38	7
	Female	18	10	4	-	-	-	1	-	-	3	-
	White—Male	102	4	37	1	5	14	4	2	1	29	5
	Female	13	9	1	-	-	-	1	-	-	2	-
	Nonwhite—Male	32	2	12	-	3	1	3	-	-	9	2
	Female	5	1	3	-	-	-	-	-	-	1	-
E936	Other and unspecified accidents	2,065	588	37	23	84	39	145	49	119	75	906
	Male	1,461	377	35	23	84	38	113	39	65	67	620
	Female	604	211	2	-	-	1	32	10	54	8	286
	White—Male	1,162	323	31	19	69	33	86	26	59	58	458
	Female	482	177	2	-	-	1	30	9	49	6	208
	Nonwhite—Male	263	47	4	4	11	4	24	10	6	6	147
	Female	108	29	-	-	-	-	2	1	4	2	70

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the International Lists, 1955. Numbers after types Technical

	TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL MOTOR VEHICLE ACCIDENTS (E810-E835)	40,804	336	402	405	405	355	1,903	1,700	1,328	4,950
2	Male	29,639	178	203	220	247	207	1,055	1,068	964	3,737
3	Female	11,165	158	199	185	158	148	848	632	364	1,213
4	White—Male	25,421	149	174	173	201	163	860	864	830	3,370
5	Female	9,768	130	171	161	123	118	703	498	315	1,091
6	Negro—Male	3,163	23	22	39	41	37	162	165	106	254
7	Female	1,019	20	24	18	31	23	116	115	40	73
8	Other—Male	379	5	4	4	1	2	16	13	7	34
9	Female	150	4	3	4	3	4	18	7	2	21
10	Goods transport vehicle(s), but no other motor vehicle (.0)	3,589	11	58	64	71	57	261	221	190	255
11	Male	3,122	4	29	33	48	39	153	147	160	219
12	Female	467	7	29	31	23	18	108	74	30	36
13	White—Male	2,624	2	23	25	41	30	121	113	131	192
14	Female	382	4	27	25	21	14	91	56	21	31
15	Negro—Male	407	-	4	8	6	9	27	30	23	23
16	Female	66	1	2	3	2	4	12	17	9	4
17	Other—Male	42	2	2	-	-	-	4	3	3	1
18	Female	13	2	-	1	-	-	3	1	-	1
19	Goods transport vehicle and passenger motor vehicle (.1)	3,918	42	24	21	24	17	128	75	82	417
20	Male	2,746	18	11	11	11	9	60	35	51	293
21	Female	1,172	24	13	10	13	8	68	40	31	124
22	White—Male	2,411	16	9	8	10	9	52	25	45	266
23	Female	1,045	22	12	9	12	5	60	33	24	110
24	Negro—Male	265	1	2	3	1	-	7	8	4	16
25	Female	93	2	1	1	-	3	7	6	5	6
26	Other—Male	35	1	-	-	-	-	1	1	1	5
27	Female	16	-	-	-	1	-	1	-	-	3
28	Goods transport vehicle and motorbus (.2)	30	-	-	-	-	-	-	-	3	3
29	Male	21	-	-	-	-	-	-	-	1	3
30	Female	9	-	-	-	-	-	-	-	2	-
31	White—Male	21	-	-	-	-	-	-	-	1	3
32	Female	8	-	-	-	-	-	-	-	2	-
33	Negro—Male	-	-	-	-	-	-	-	-	-	-
34	Female	-	-	-	-	-	-	-	-	-	-
35	Other—Male	-	-	-	-	-	-	-	-	-	-
36	Female	1	-	-	-	-	-	-	-	-	-
37	Goods transport vehicle and unspecified motor vehicle (.3)	177	-	-	-	1	1	2	2	1	12
38	Male	145	-	-	-	1	1	2	1	1	9
39	Female	32	-	-	-	-	-	-	1	-	3
40	White—Male	131	-	-	-	1	1	2	1	1	9
41	Female	28	-	-	-	-	-	-	1	-	3
42	Negro—Male	8	-	-	-	-	-	-	-	-	-
43	Female	1	-	-	-	-	-	-	-	-	-
44	Other—Male	2	-	-	-	-	-	-	-	-	-
45	Female	1	-	-	-	-	-	-	-	-	-
46	Passenger motor vehicle(s), but no other motor vehicle (.4)	31,080	272	307	305	291	261	1,436	1,328	998	4,063
47	Male	22,153	150	153	164	175	149	791	837	716	3,063
48	Female	8,927	122	154	141	116	112	645	491	282	1,000
49	White—Male	19,051	127	133	133	140	117	650	686	621	2,771
50	Female	7,827	101	129	124	85	92	531	386	251	904
51	Negro—Male	2,333	20	16	23	31	26	116	120	77	209
52	Female	819	16	21	14	28	14	93	88	26	60
53	Other—Male	280	2	2	4	1	2	11	9	2	26
54	Female	116	2	3	3	2	3	13	6	1	17
55	Passenger motor vehicle and motorbus (.5)	144	2	-	-	2	-	4	4	1	13
56	Male	103	1	-	-	-	-	1	3	1	9
57	Female	41	1	-	-	2	-	3	1	-	4
58	White—Male	83	1	-	-	-	-	1	3	1	9
59	Female	36	1	-	-	2	-	3	1	-	4
60	Negro—Male	12	-	-	-	-	-	-	-	-	-
61	Female	4	-	-	-	-	-	-	-	-	-
62	Other—Male	2	-	-	-	-	-	-	-	-	-
63	Female	-	-	-	-	-	-	-	-	-	-
64	Passenger motor vehicle and unspecified motor vehicle (.6)	349	2	2	1	1	4	10	5	10	39
65	Male	233	2	-	-	1	2	5	4	3	29
66	Female	116	-	2	1	-	2	5	1	7	10
67	White—Male	201	2	-	-	1	2	5	4	3	24
68	Female	100	-	2	1	-	2	5	1	6	9
69	Negro—Male	15	-	-	-	-	-	-	-	-	-
70	Female	7	-	-	-	-	-	-	-	-	-
71	Other—Male	2	-	-	-	-	-	-	-	-	-
72	Female	-	-	-	-	-	-	-	-	-	-
73	Motorbus(es), but no other motor vehicle (.7)	184	-	1	3	6	4	14	20	9	13
74	Male	120	-	1	2	3	2	8	13	8	8
75	Female	64	-	-	1	3	2	6	7	1	5
76	White—Male	90	-	1	1	2	1	5	12	7	6
77	Female	55	-	-	1	3	-	4	7	-	4
78	Negro—Male	22	-	-	1	1	1	3	1	1	2
79	Female	5	-	-	-	-	1	1	-	-	1
80	Other—Male	3	-	-	-	-	-	-	-	-	-
81	Female	2	-	-	-	-	1	1	-	1	-
82	Motorbus and unspecified motor vehicle (.8)	4	-	-	-	-	-	-	-	-	-
83	Male	4	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-	-
85	White—Male	4	-	-	-	-	-	-	-	-	-
86	Female	-	-	-	-	-	-	-	-	-	-
87	Negro—Male	-	-	-	-	-	-	-	-	-	-
88	Female	-	-	-	-	-	-	-	-	-	-
89	Other—Male	-	-	-	-	-	-	-	-	-	-
90	Female	-	-	-	-	-	-	-	-	-	-

Vehicle Involved, 5-Year Age Groups, Race, and Sex: United States, 1962

of vehicle are fourth-digit subcategory numbers. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5,207	3,053	2,535	2,619	2,494	2,331	2,284	2,159	2,038	1,938	1,758	1,362	752	308	64	7	-	14	1
4,291	2,469	1,997	1,943	1,810	1,656	1,660	1,530	1,344	1,257	1,171	901	513	213	43	5	-	12	2
916	584	538	676	684	675	624	629	694	681	587	461	239	95	21	2	-	2	3
3,724	2,069	1,664	1,612	1,506	1,399	1,391	1,289	1,158	1,077	1,044	832	476	202	42	4	-	8	4
804	504	459	556	590	593	541	559	627	621	536	438	222	90	20	-	-	1	5
397	305	250	266	228	199	217	179	135	135	87	42	24	6	1	1	-	4	6
81	56	59	79	73	67	70	53	42	38	29	16	9	1	-	1	-	1	7
68	43	39	29	27	20	9	26	16	14	8	6	4	-	-	-	-	-	8
18	12	12	22	8	6	3	3	5	9	2	2	-	-	-	-	-	-	9
251	260	247	265	249	292	256	219	181	159	125	85	44	22	4	-	-	3	10
237	245	232	246	233	272	246	193	159	139	108	72	38	17	3	-	-	3	11
14	15	15	19	16	20	10	26	22	20	17	13	6	5	1	-	-	-	12
197	195	199	207	197	232	211	160	139	119	92	68	32	15	3	-	-	1	13
12	9	13	18	15	14	9	19	19	16	16	11	6	3	1	-	-	-	14
28	43	28	33	31	33	27	26	14	18	12	4	4	1	-	-	-	2	15
2	3	1	1	1	4	1	5	2	2	-	1	-	1	-	-	-	-	16
9	3	3	2	2	3	1	4	1	1	2	-	-	-	-	-	-	-	17
-	2	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	18
498	313	271	307	282	277	265	232	236	184	168	124	45	11	2	-	-	1	19
397	240	209	225	205	178	185	163	165	107	107	91	26	7	1	-	-	1	20
101	73	62	82	77	99	80	69	71	77	61	33	19	4	1	-	-	-	21
346	203	180	188	176	156	158	145	155	93	101	88	26	7	1	-	-	-	22
87	68	56	69	65	89	69	62	67	73	59	32	17	4	1	-	-	-	23
42	30	23	34	22	16	21	14	7	12	6	2	-	-	-	-	-	1	24
7	4	4	10	11	9	10	6	3	2	2	1	-	-	-	-	-	-	25
5	6	3	3	1	-	3	2	2	1	-	1	-	-	-	-	-	-	26
5	-	2	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	27
2	1	1	4	1	-	3	3	3	4	2	-	-	-	-	-	-	-	28
1	1	1	3	1	-	1	1	3	4	1	-	-	-	-	-	-	-	29
1	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	30
1	1	1	3	1	-	1	1	3	4	1	-	-	-	-	-	-	-	31
-	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
27	19	19	16	17	18	9	7	12	9	2	2	3	-	-	-	-	-	37
23	15	18	13	15	15	9	3	8	7	2	1	3	-	-	-	-	-	38
4	4	1	3	2	3	-	4	4	2	-	1	-	-	-	-	-	-	39
20	15	14	13	13	13	8	3	7	7	2	1	2	-	-	-	-	-	40
4	3	1	3	1	3	-	3	3	2	-	1	-	-	-	-	-	-	41
1	-	2	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	42
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	43
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4,196	2,321	1,858	1,912	1,808	1,633	1,638	1,561	1,480	1,474	1,361	1,075	617	252	53	7	-	9	46
3,437	1,858	1,428	1,375	1,245	1,112	1,137	1,069	931	931	888	690	418	176	39	5	-	7	47
759	463	430	537	563	521	501	492	549	543	473	385	199	76	14	2	-	2	48
2,995	1,573	1,190	1,140	1,030	930	942	900	792	795	797	634	389	168	38	4	-	6	49
669	397	364	439	486	462	437	441	493	495	431	366	186	74	14	-	-	1	50
308	213	180	187	162	142	159	129	108	98	65	33	19	5	1	1	-	1	51
68	47	51	63	60	50	55	38	37	32	26	14	9	-	-	1	-	1	52
52	30	27	23	24	16	5	18	12	12	5	5	3	-	-	-	-	-	53
12	10	9	20	6	4	3	-	4	8	2	1	-	-	-	-	-	-	54
20	17	15	6	11	10	5	7	7	8	5	7	3	-	-	-	-	1	55
16	13	11	5	9	6	4	5	3	3	4	6	3	-	-	-	-	1	56
4	4	4	1	2	4	1	2	4	5	1	1	-	-	-	-	-	-	57
15	8	6	3	7	5	4	4	2	2	3	6	3	-	-	-	-	1	58
4	4	3	-	2	2	-	2	4	5	1	1	-	-	-	-	-	-	59
1	3	3	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	60
-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	61
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
36	18	30	18	19	22	27	22	28	25	11	12	10	7	-	-	-	-	64
25	12	22	13	10	18	23	15	16	16	8	5	5	4	-	-	-	-	65
11	6	8	5	9	4	4	7	12	9	3	7	5	3	-	-	-	-	66
20	11	16	11	8	17	22	11	16	14	7	4	5	3	-	-	-	-	67
10	6	7	3	6	3	3	5	11	8	3	6	5	3	-	-	-	-	68
2	1	4	2	2	-	1	2	-	1	-	-	-	-	-	-	-	-	69
1	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	70
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
6	6	3	6	7	9	9	17	18	11	13	11	5	6	1	-	-	-	73
5	5	2	5	7	5	6	12	13	7	4	5	3	4	-	-	-	-	74
1	1	1	1	-	4	3	5	5	4	9	6	2	2	1	-	-	-	75
3	3	2	2	6	3	4	9	7	6	3	5	3	4	-	-	-	-	76
1	1	1	1	-	3	2	4	5	4	8	6	2	1	1	-	-	-	77
1	1	-	3	-	2	2	2	2	1	1	-	-	-	-	-	-	-	78
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	79
-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	82
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the International Lists, 1955. Numbers after types Technical

	TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	ALL MOTOR VEHICLE ACCIDENTS (E810-E835)—Con.										
1	Unspecified motor vehicles (.9)	1,329	7	10	11	9	11	48	45	34	135
2	Male	992	3	9	10	8	5	35	28	23	104
3	Female	337	4	1	1	1	6	13	17	11	31
4	White—Male	805	1	8	6	6	3	24	20	20	90
5	Female	287	2	1	1	-	5	9	13	11	26
6	Negro—Male	101	2	-	4	2	1	9	6	1	4
7	Female	24	1	-	-	1	1	3	4	-	2
8	Other—Male	13	-	-	-	-	-	-	-	1	2
9	Female	1	-	-	-	-	-	-	-	-	-
10	Motor vehicle traffic accidents (E810-E825)	39,775	322	256	319	360	329	1,586	1,653	1,299	4,901
11	Male	28,888	168	134	169	222	194	887	1,036	940	3,695
12	Female	10,887	154	122	150	138	135	699	617	359	1,206
13	White—Male	24,771	140	116	132	180	152	720	837	809	3,330
14	Female	9,515	127	101	129	105	108	570	484	312	1,084
15	Negro—Male	3,085	23	14	30	37	35	139	161	104	253
16	Female	1,001	20	18	17	29	22	106	114	38	73
17	Other—Male	371	4	2	3	1	2	12	13	7	34
18	Female	147	3	3	3	3	3	15	7	2	21
19	Goods transport vehicle(s), but no other motor vehicle (.0)	3,165	10	24	38	51	44	167	200	175	242
20	Male	2,768	3	14	20	37	31	105	131	147	206
21	Female	397	7	10	18	14	13	62	69	28	36
22	White—Male	2,323	2	11	15	30	23	81	100	120	179
23	Female	317	4	8	14	12	9	47	51	20	31
24	Negro—Male	366	-	2	5	6	8	21	27	21	23
25	Female	63	1	2	3	2	4	12	17	8	4
26	Other—Male	39	1	1	-	-	-	2	3	3	1
27	Female	12	2	-	-	-	-	2	1	-	1
28	Goods transport vehicle and passenger motor vehicle (.1)	3,913	42	24	21	24	17	128	75	82	417
29	Male	2,741	18	11	11	11	9	60	35	51	293
30	Female	1,172	24	13	10	13	8	68	40	31	124
31	White—Male	2,406	16	9	8	10	9	52	25	45	266
32	Female	1,045	22	12	9	12	5	60	33	24	110
33	Negro—Male	265	1	2	3	1	-	7	8	4	16
34	Female	93	2	1	1	-	3	7	6	5	6
35	Other—Male	35	1	-	-	-	-	1	1	1	5
36	Female	16	-	-	-	1	-	1	-	-	3
37	Goods transport vehicle and motorbus (.2)	30	-	-	-	-	-	-	-	3	3
38	Male	21	-	-	-	-	-	-	-	1	3
39	Female	9	-	-	-	-	-	-	-	2	-
40	White—Male	21	-	-	-	-	-	-	-	1	3
41	Female	8	-	-	-	-	-	-	-	2	-
42	Negro—Male	-	-	-	-	-	-	-	-	-	-
43	Female	-	-	-	-	-	-	-	-	-	-
44	Other—Male	-	-	-	-	-	-	-	-	-	-
45	Female	1	-	-	-	-	-	-	-	-	-
46	Goods transport vehicle and unspecified motor vehicle (.3)	177	-	-	-	1	1	2	2	1	12
47	Male	145	-	-	-	1	1	2	1	1	9
48	Female	32	-	-	-	-	-	-	1	-	3
49	White—Male	131	-	-	-	1	1	2	1	1	9
50	Female	28	-	-	-	-	-	-	1	-	3
51	Negro—Male	8	-	-	-	-	-	-	-	-	-
52	Female	1	-	-	-	-	-	-	-	-	-
53	Other—Male	2	-	-	-	-	-	-	-	-	-
54	Female	1	-	-	-	-	-	-	-	-	-
55	Passenger motor vehicle(s), but no other motor vehicle (.4)	30,510	260	200	251	268	249	1,228	1,302	966	4,028
56	Male	21,785	141	104	130	163	145	683	821	707	3,034
57	Female	8,725	119	96	121	105	104	545	481	279	994
58	White—Male	18,727	118	92	105	130	114	559	672	613	2,744
59	Female	7,645	99	78	105	76	87	445	377	249	898
60	Negro—Male	2,300	20	10	16	29	25	102	119	77	208
61	Female	804	16	15	13	26	13	83	87	25	60
62	Other—Male	275	2	1	3	1	2	9	9	2	26
63	Female	114	1	3	3	2	2	11	6	1	17
64	Passenger motor vehicle and motorbus (.5)	144	2	-	-	2	-	4	4	1	13
65	Male	103	1	-	-	-	-	1	3	1	9
66	Female	41	1	-	-	2	-	3	1	-	4
67	White—Male	83	1	-	-	-	-	1	3	1	9
68	Female	36	1	-	-	2	-	3	1	-	4
69	Negro—Male	12	-	-	-	-	-	-	-	-	-
70	Female	4	-	-	-	-	-	-	-	-	-
71	Other—Male	2	-	-	-	-	-	-	-	-	-
72	Female	-	-	-	-	-	-	-	-	-	-
73	Passenger motor vehicle and unspecified motor vehicle (.6)	349	2	2	1	1	4	10	5	10	39
74	Male	233	2	-	-	1	2	5	4	3	29
75	Female	116	-	2	1	-	2	5	1	7	10
76	White—Male	201	2	-	-	1	2	5	4	3	24
77	Female	100	-	2	1	-	2	5	1	6	9
78	Negro—Male	15	-	-	-	-	-	-	-	-	-
79	Female	7	-	-	-	-	-	-	-	-	-
80	Other—Male	2	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-	-
82	Motorbus(es), but no other motor vehicle (.7)	176	-	1	2	5	4	12	20	8	13
83	Male	114	-	1	2	2	2	7	13	7	8
84	Female	62	-	-	-	3	2	5	7	1	5
85	White—Male	86	-	1	1	2	1	5	12	6	6
86	Female	53	-	-	-	3	-	3	7	-	4
87	Negro—Male	20	-	-	1	-	1	2	1	1	2
88	Female	5	-	-	-	-	1	1	-	-	1
89	Other—Male	3	-	-	-	-	-	-	-	-	-
90	Female	2	-	-	-	-	1	1	-	1	-

Involved, 5-Year Age Groups, Race, and Sex: United States, 1962 —Con.

of vehicle are fourth-digit subcategory numbers. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
169	98	91	84	100	70	72	91	73	64	71	45	25	10	4	-	-	-	1
148	80	74	57	85	50	49	69	46	43	49	30	17	5	-	-	-	-	2
21	18	17	27	15	20	23	22	27	21	22	15	8	5	4	-	-	-	3
125	60	56	44	68	43	41	56	37	37	38	25	16	5	-	-	-	-	4
17	16	14	22	15	17	19	21	25	16	17	15	6	5	3	-	-	-	5
14	14	10	6	9	4	6	5	3	4	3	3	-	-	-	-	-	-	6
3	2	1	3	-	2	1	-	-	2	1	-	-	-	-	-	-	-	7
-	3	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	8
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
5,142	3,000	2,496	2,570	2,450	2,275	2,231	2,101	2,005	1,896	1,712	1,343	735	302	59	7	-	12	10
4,230	2,421	1,962	1,898	1,778	1,606	1,615	1,483	1,316	1,229	1,140	887	502	208	39	5	-	11	11
912	579	534	672	672	669	616	618	689	667	572	456	233	94	20	2	-	1	12
3,668	2,029	1,635	1,575	1,478	1,355	1,354	1,250	1,133	1,051	1,016	818	465	198	38	4	-	8	13
800	500	455	552	579	587	533	549	623	608	521	433	216	89	19	-	-	1	14
394	297	245	262	226	193	211	172	134	133	85	42	24	5	1	1	-	3	15
81	55	59	79	73	67	70	52	41	37	29	16	9	1	-	1	-	-	16
66	43	39	28	26	20	9	26	16	14	8	6	4	-	-	-	-	-	17
18	12	12	22	8	6	3	3	5	9	2	2	-	-	-	-	-	-	18
230	233	226	242	226	258	226	188	159	141	107	80	39	21	3	-	-	2	19
216	219	212	224	214	239	217	165	139	122	91	67	33	17	2	-	-	2	20
14	14	14	18	12	19	9	23	20	19	16	13	6	4	1	-	-	-	21
178	175	183	190	181	203	188	137	121	103	76	63	27	15	2	-	-	1	22
12	8	12	17	11	13	8	17	18	17	15	11	6	2	1	-	-	-	23
27	37	25	30	29	29	23	22	14	17	11	4	4	1	-	-	-	1	24
2	3	1	1	1	4	1	4	1	2	-	1	-	1	-	-	-	-	25
8	3	3	2	2	3	1	4	1	1	2	-	-	-	-	-	-	-	26
-	2	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	27
497	313	271	306	281	276	264	232	236	184	168	124	45	11	2	-	-	1	28
396	240	209	224	204	177	184	163	165	107	107	91	26	7	1	-	-	1	29
101	73	62	82	77	99	80	69	71	77	61	33	19	4	1	-	-	-	30
345	203	180	187	175	155	157	145	155	93	101	88	26	7	1	-	-	-	31
87	68	56	69	65	89	69	62	67	73	59	32	17	4	1	-	-	-	32
42	30	23	34	22	16	21	14	7	12	6	2	-	-	-	-	-	1	33
7	4	4	10	11	9	10	6	3	2	2	1	-	-	-	-	-	-	34
5	6	3	3	1	-	3	2	2	1	-	1	-	-	-	-	-	-	35
5	-	2	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	36
2	1	1	4	1	-	3	3	3	4	2	-	-	-	-	-	-	-	37
1	1	1	3	1	-	1	1	3	4	1	-	-	-	-	-	-	-	38
1	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	39
1	1	1	3	1	-	1	1	3	4	1	-	-	-	-	-	-	-	40
-	-	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
27	19	19	16	17	18	9	7	12	9	2	2	3	-	-	-	-	-	46
23	15	18	13	15	15	9	3	8	7	2	1	3	-	-	-	-	-	47
4	4	1	3	2	3	-	4	4	2	-	1	-	-	-	-	-	-	48
20	15	14	13	13	13	8	3	7	7	2	1	2	-	-	-	-	-	49
4	3	1	3	1	3	-	3	3	2	-	1	-	-	-	-	-	-	50
1	-	2	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	51
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	52
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
4,154	2,295	1,840	1,887	1,789	1,613	1,618	1,537	1,469	1,452	1,334	1,062	605	247	49	7	-	8	55
3,399	1,836	1,413	1,353	1,234	1,097	1,124	1,053	923	920	875	682	412	171	36	5	-	7	56
755	459	427	534	555	516	494	484	546	532	459	380	193	76	13	2	-	1	57
2,960	1,553	1,177	1,121	1,020	916	931	887	785	785	786	626	383	164	35	4	-	6	58
665	394	361	436	479	457	430	433	490	485	417	361	180	74	13	-	-	1	59
306	211	178	186	162	141	157	126	107	97	64	33	19	4	1	1	-	1	60
68	46	51	63	60	50	55	38	37	31	26	14	9	-	-	1	-	-	61
51	30	27	22	23	16	5	18	12	12	5	5	3	-	-	-	-	-	62
12	10	9	20	6	4	3	-	4	8	2	1	-	-	-	-	-	-	63
20	17	15	6	11	10	5	7	7	8	5	7	3	-	-	-	-	1	64
16	13	11	5	9	6	4	5	3	3	4	6	3	-	-	-	-	1	65
4	4	4	1	2	4	1	2	4	5	1	1	-	-	-	-	-	-	66
15	8	6	3	7	5	4	4	2	2	3	6	3	-	-	-	-	1	67
4	4	3	-	2	2	-	2	4	5	1	1	-	-	-	-	-	-	68
1	3	3	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	69
-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
36	18	30	18	19	22	27	22	28	25	11	12	10	7	-	-	-	-	73
25	12	22	13	10	18	23	15	16	16	8	5	5	4	-	-	-	-	74
11	6	8	5	9	4	4	7	12	9	3	7	5	3	-	-	-	-	75
20	11	16	11	8	17	22	11	16	14	7	4	5	3	-	-	-	-	76
10	6	7	3	6	3	3	5	11	8	3	6	5	3	-	-	-	-	77
2	1	4	2	2	-	1	2	-	1	-	-	-	-	-	-	-	-	78
1	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	79
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
6	6	3	6	7	8	9	15	18	10	12	11	5	6	1	-	-	-	82
5	5	2	5	7	4	6	10	13	7	3	5	3	4	-	-	-	-	83
1	1	1	1	-	4	3	5	5	3	9	6	2	2	1	-	-	-	84
3	3	2	2	6	3	4	7	7	6	2	5	3	4	-	-	-	-	85
1	1	1	1	-	3	2	4	5	3	8	6	2	1	1	-	-	-	86
1	1	-	3	-	1	2	2	2	1	1	-	-	-	-	-	-	-	87
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	88
-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the International Lists, 1955. Numbers after types Technical

	TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Motor vehicle traffic accidents (E810-E825)—Con.										
1	Motorbus and unspecified motor vehicle (.8)	4	-	-	-	-	-	-	-	-	-
2	Male	4	-	-	-	-	-	-	-	-	-
3	Female	-	-	-	-	-	-	-	-	-	-
4	White—Male	4	-	-	-	-	-	-	-	-	-
5	Female	-	-	-	-	-	-	-	-	-	-
6	Negro—Male	-	-	-	-	-	-	-	-	-	-
7	Female	-	-	-	-	-	-	-	-	-	-
8	Other—Male	-	-	-	-	-	-	-	-	-	-
9	Female	-	-	-	-	-	-	-	-	-	-
10	Unspecified motor vehicles (.9)	1,307	8	5	6	8	10	35	45	33	134
11	Male	974	3	4	6	7	4	24	28	22	104
12	Female	333	3	1	-	1	6	11	17	11	30
13	White—Male	789	1	3	3	6	2	15	20	19	90
14	Female	283	1	1	-	-	5	7	13	11	25
15	Negro—Male	99	2	-	3	1	1	7	6	1	4
16	Female	24	1	-	-	1	1	3	4	-	2
17	Other—Male	13	-	-	-	-	-	-	-	1	2
18	Female	1	-	-	-	-	-	-	-	-	-
19	Motor vehicle nontraffic accidents (E830-E835)	1,029	14	146	86	45	26	317	47	29	49
20	Male	751	10	69	51	25	13	168	32	24	42
21	Female	278	4	77	35	20	13	149	15	5	7
22	White—Male	650	9	58	41	21	11	140	27	21	40
23	Female	253	3	70	32	18	10	133	14	3	7
24	Negro—Male	78	-	8	9	4	2	23	4	2	1
25	Female	18	-	6	1	2	1	10	1	2	-
26	Other—Male	8	1	2	1	-	-	4	-	-	-
27	Female	3	1	-	1	-	1	3	-	-	-
28	Goods transport vehicle(s), but no other motor vehicle (.0)	424	1	34	28	20	13	94	21	15	13
29	Male	354	1	15	13	11	8	48	16	13	13
30	Female	70	-	19	13	9	5	46	5	2	-
31	White—Male	301	-	12	10	11	7	40	13	11	13
32	Female	65	-	19	11	9	5	44	5	1	-
33	Negro—Male	41	-	2	3	-	1	6	3	2	-
34	Female	3	-	-	-	-	-	-	-	1	-
35	Other—Male	3	1	1	-	-	-	2	-	-	-
36	Female	1	-	-	1	-	-	1	-	-	-
37	Goods transport vehicle and passenger motor vehicle (.1)	5	-	-	-	-	-	-	-	-	-
38	Male	5	-	-	-	-	-	-	-	-	-
39	Female	-	-	-	-	-	-	-	-	-	-
40	White—Male	5	-	-	-	-	-	-	-	-	-
41	Female	-	-	-	-	-	-	-	-	-	-
42	Negro—Male	-	-	-	-	-	-	-	-	-	-
43	Female	-	-	-	-	-	-	-	-	-	-
44	Other—Male	-	-	-	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-	-
46	Goods transport vehicle and motorbus (.2)	-	-	-	-	-	-	-	-	-	-
47	Goods transport vehicle and unspecified motor vehicle (.3)	-	-	-	-	-	-	-	-	-	-
48	Passenger motor vehicle(s), but no other motor vehicle (.4)	570	12	107	54	23	12	208	26	12	35
49	Male	368	9	49	34	12	4	108	16	9	29
50	Female	202	3	58	20	11	8	100	10	3	6
51	White—Male	324	9	41	28	10	3	91	14	8	27
52	Female	182	2	51	19	9	5	86	9	2	6
53	Negro—Male	33	-	6	5	2	1	14	1	-	1
54	Female	15	-	6	1	2	1	10	1	1	-
55	Other—Male	5	-	1	1	-	-	2	-	-	-
56	Female	2	1	-	-	-	1	2	-	-	-
57	Passenger motor vehicle and motorbus (.5)	-	-	-	-	-	-	-	-	-	-
58	Passenger motor vehicle and unspecified motor vehicle (.6)	-	-	-	-	-	-	-	-	-	-
59	Motorbus(es), but no other motor vehicle (.7)	8	-	-	1	1	-	2	-	1	-
60	Male	6	-	-	-	1	-	1	-	1	-
61	Female	2	-	-	1	-	-	1	-	-	-
62	White—Male	4	-	-	-	-	-	-	-	1	-
63	Female	2	-	-	1	-	-	1	-	-	-
64	Negro—Male	2	-	-	-	1	-	1	-	-	-
65	Female	-	-	-	-	-	-	-	-	-	-
66	Other—Male	-	-	-	-	-	-	-	-	-	-
67	Female	-	-	-	-	-	-	-	-	-	-
68	Motorbus and unspecified motor vehicle (.8)	-	-	-	-	-	-	-	-	-	-
69	Unspecified motor vehicle (.9)	22	1	5	5	1	1	13	-	1	1
70	Male	18	-	5	4	1	1	11	-	1	-
71	Female	4	1	-	1	-	-	2	-	-	1
72	White—Male	16	-	5	3	-	1	9	-	1	-
73	Female	4	1	-	1	-	-	2	-	-	1
74	Negro—Male	2	-	-	1	1	-	2	-	-	-
75	Female	-	-	-	-	-	-	-	-	-	-
76	Other—Male	-	-	-	-	-	-	-	-	-	-
77	Female	-	-	-	-	-	-	-	-	-	-

Involved, 5-Year Age Groups, Race, and Sex: United States, 1962 —Con.

of vehicle are fourth-digit subcategory numbers. Figures by race exclude data for residents of New Jersey because this State did not require reporting of the item; see Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
168	98	91	84	99	70	70	90	73	63	71	44	25	10	4	-	-	-	10
147	80	74	57	84	50	47	68	46	43	49	29	17	5	-	-	-	-	11
21	18	17	27	15	20	23	22	27	20	22	15	8	5	4	-	-	-	12
124	60	56	44	67	43	39	55	37	37	38	24	16	5	-	-	-	-	13
17	16	14	22	15	17	19	21	25	15	17	15	6	5	3	-	-	-	14
14	14	10	6	9	4	6	5	3	4	3	3	-	-	-	-	-	-	15
3	2	1	3	-	2	1	-	-	2	1	-	-	-	-	-	-	-	16
-	3	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	17
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
65	53	39	49	44	56	53	58	33	42	46	19	17	6	5	-	-	2	19
61	48	35	45	32	50	45	47	28	28	31	14	11	5	4	-	-	1	20
4	5	4	4	12	6	8	11	5	14	15	5	6	1	1	-	-	1	21
56	40	29	37	28	44	37	39	25	26	28	14	11	4	4	-	-	-	22
4	4	4	4	11	6	8	10	4	13	15	5	6	1	1	-	-	-	23
3	8	5	4	2	6	6	7	1	2	2	-	-	1	-	-	-	1	24
-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	25
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
21	27	21	23	23	34	30	31	22	18	18	5	5	1	1	-	-	1	28
21	26	20	22	19	33	29	28	20	17	17	5	5	-	1	-	-	1	29
-	1	1	1	4	1	1	3	2	1	1	-	-	1	-	-	-	-	30
19	20	16	17	16	29	23	23	18	16	16	5	5	-	1	-	-	-	31
-	1	1	1	4	1	1	2	1	1	1	-	-	1	-	-	-	-	32
1	6	3	3	2	4	4	4	-	1	1	-	-	-	-	-	-	1	33
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	34
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	37
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
42	26	18	25	19	20	20	24	11	22	27	13	12	5	4	-	-	1	48
38	22	15	22	11	15	13	16	8	11	13	8	6	5	3	-	-	-	49
4	4	3	3	8	5	7	8	3	11	14	5	6	-	1	-	-	1	50
35	20	13	19	10	14	11	13	7	10	11	8	6	4	3	-	-	-	51
4	3	3	3	7	5	7	8	3	10	14	5	6	-	1	-	-	-	52
2	2	2	1	-	1	2	3	1	1	1	-	-	1	-	-	-	-	53
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	54
1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	59
-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	63
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
1	-	-	-	1	-	2	1	-	1	-	1	-	-	-	-	-	-	69
1	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	71
1	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 4-4. Deaths From Nontransport Accidents, by Place of Accident,

(Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. the item; see Tech-

	PLACE OF ACCIDENT, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL NONTRANSPORT ACCIDENTS (E870-E936)	50,174	3,264	1,263	917	687	520	6,651	1,694	1,643	2,021
2	Male	31,731	1,816	711	521	404	305	3,757	1,090	1,329	1,769
3	Female	18,443	1,448	552	396	283	215	2,894	604	314	252
4	White-----Male	25,591	1,245	520	369	314	218	2,666	816	994	1,378
5	Female	15,072	924	374	252	162	128	1,840	379	236	194
6	Negro-----Male	4,937	492	165	135	76	72	940	233	295	337
7	Female	2,603	463	145	123	105	78	914	203	65	50
8	Other-----Male	373	28	13	9	6	3	59	13	14	25
9	Female	138	21	15	10	4	3	53	9	6	5
10	Home[1] (.0)	24,184	2,451	975	647	475	363	4,911	849	478	426
11	Male	12,485	1,333	530	351	259	195	2,668	430	347	318
12	Female	11,699	1,118	445	296	216	168	2,243	419	131	108
13	White-----Male	9,881	905	370	228	187	124	1,814	306	271	253
14	Female	9,238	708	292	177	107	93	1,377	231	85	79
15	Negro-----Male	2,121	373	142	113	82	63	753	111	64	54
16	Female	1,969	367	126	106	95	67	761	174	40	28
17	Other-----Male	124	18	6	5	3	3	35	4	5	5
18	Female	81	14	13	6	4	2	39	5	2	1
19	Farm[2] (.1)	2,246	6	39	39	40	21	145	106	227	259
20	Male	2,087	4	32	28	30	17	111	92	196	252
21	Female	159	2	7	11	10	4	34	14	31	7
22	White-----Male	1,769	1	29	26	27	14	97	71	157	196
23	Female	137	2	6	9	9	4	30	12	24	6
24	Negro-----Male	286	3	2	1	2	3	11	20	39	54
25	Female	19	-	1	-	1	-	2	2	7	1
26	Other-----Male	16	-	1	1	1	-	3	1	-	-
27	Female	3	-	-	2	-	-	2	-	-	-
28	Mine and quarry (.2)	583	1	1	1	3	-	6	21	30	47
29	Male	563	-	-	1	2	-	3	17	26	46
30	Female	20	1	1	-	1	-	3	4	4	1
31	White-----Male	523	-	-	1	2	-	3	14	17	42
32	Female	13	-	1	-	1	-	2	3	2	1
33	Negro-----Male	35	-	-	-	-	-	-	3	8	4
34	Female	6	1	-	-	-	-	1	1	1	-
35	Other-----Male	2	-	-	-	-	-	-	-	-	-
36	Female	1	-	-	-	-	-	-	-	1	-
37	Industrial place and premises (.3)	2,391	-	2	-	2	2	6	14	14	66
38	Male	2,368	-	1	-	2	2	5	14	13	63
39	Female	23	-	1	-	-	-	1	-	1	3
40	White-----Male	1,960	-	1	-	2	2	5	11	10	52
41	Female	15	-	1	-	-	-	1	-	1	1
42	Negro-----Male	328	-	-	-	-	-	-	2	3	9
43	Female	6	-	-	-	-	-	-	-	-	2
44	Other-----Male	17	-	-	-	-	-	-	-	-	1
45	Female	-	-	-	-	-	-	-	-	-	-
46	Place for recreation and sport (.4)	746	8	5	6	19	20	58	105	154	146
47	Male	606	5	5	2	13	16	41	79	115	132
48	Female	140	3	-	4	6	4	17	26	39	14
49	White-----Male	489	5	5	2	13	13	38	64	83	103
50	Female	123	2	-	4	6	4	16	25	34	10
51	Negro-----Male	94	-	-	-	-	2	2	14	30	23
52	Female	10	-	-	-	-	-	-	1	4	3
53	Other-----Male	9	-	-	-	-	-	-	-	-	4
54	Female	1	1	-	-	-	-	1	-	-	-
55	Street and highway (.5)	1,795	8	6	4	6	8	32	33	30	80
56	Male	1,442	6	2	2	3	4	17	26	25	71
57	Female	353	2	4	2	3	4	15	7	5	9
58	White-----Male	1,176	5	-	2	3	4	14	22	18	61
59	Female	295	2	4	1	3	3	13	5	5	8
60	Negro-----Male	187	1	2	-	-	-	3	3	6	8
61	Female	34	-	-	1	-	1	2	1	-	-
62	Other-----Male	18	-	-	-	-	-	-	1	-	-
63	Female	6	-	-	-	-	-	-	1	-	1
64	Public building (.6)	1,350	6	7	5	1	3	22	14	29	57
65	Male	1,040	5	6	3	-	1	15	10	27	43
66	Female	310	1	1	2	1	2	7	4	2	14
67	White-----Male	886	5	6	3	-	-	14	8	22	35
68	Female	276	1	1	2	1	2	7	4	1	12
69	Negro-----Male	109	-	-	-	-	1	1	2	4	5
70	Female	21	-	-	-	-	-	-	-	-	1
71	Other-----Male	14	-	-	-	-	-	-	-	-	1
72	Female	1	-	-	-	-	-	-	-	-	-
73	Resident institution (.7)	3,960	118	6	6	4	2	136	19	17	31
74	Male	1,829	72	3	3	3	1	82	10	11	23
75	Female	2,131	46	3	3	1	1	54	9	6	8
76	White-----Male	1,632	47	3	2	2	1	55	8	11	19
77	Female	1,962	31	2	2	1	-	36	8	6	8
78	Negro-----Male	130	22	-	1	1	-	24	2	-	4
79	Female	79	12	-	1	-	1	14	1	-	-
80	Other-----Male	20	2	-	-	-	-	2	-	-	-
81	Female	1	1	-	-	-	-	1	-	-	-
82	Other specified places (.8)	5,637	32	79	115	86	67	379	424	549	751
83	Male	4,940	15	55	81	62	52	265	348	474	685
84	Female	697	17	24	34	24	15	114	76	75	66
85	White-----Male	3,812	14	49	74	57	44	238	259	324	520
86	Female	583	16	22	30	22	13	103	64	63	57
87	Negro-----Male	908	-	3	2	3	3	11	69	132	142
88	Female	79	1	1	2	1	1	6	7	9	7
89	Other-----Male	83	1	3	3	1	-	8	5	6	12
90	Female	16	-	1	2	-	1	4	2	2	1

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

5-Year Age Groups, Race, and Sex: United States, 1962

Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey because this State did not require reporting of
nical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,682	1,442	1,621	1,965	2,167	2,408	2,642	2,378	2,491	2,664	3,186	3,721	4,131	3,415	1,715	423	73	41	1
1,428	1,203	1,329	1,563	1,697	1,872	2,070	1,821	1,806	1,738	1,758	1,748	1,730	1,224	620	121	26	32	2
254	239	292	402	470	536	572	557	685	926	1,428	1,973	2,401	2,191	1,095	302	47	9	3
1,107	906	1,010	1,181	1,348	1,484	1,702	1,502	1,483	1,457	1,525	1,584	1,576	1,140	579	111	22	20	4
188	164	193	297	352	438	465	448	537	763	1,215	1,761	2,237	2,028	1,017	280	34	6	5
269	236	264	332	294	313	298	238	240	209	155	96	97	45	24	9	2	11	6
56	64	87	78	89	80	77	79	121	133	152	130	87	78	32	14	12	2	7
15	31	26	17	14	23	24	22	24	14	16	11	11	9	2	1	1	1	8
2	7	5	6	8	2	6	7	1	-	6	3	5	6	-	-	1	-	9
397	391	488	661	768	927	1,068	949	1,154	1,361	1,743	2,058	2,338	1,912	987	255	49	14	10
263	256	323	418	474	563	691	575	703	764	865	852	892	641	343	71	17	11	11
134	135	165	243	294	364	377	374	451	597	878	1,206	1,446	1,271	644	184	32	3	12
196	181	243	317	372	431	568	471	561	614	733	759	805	586	320	62	14	4	13
106	93	112	187	226	296	305	294	338	466	730	1,047	1,325	1,157	596	166	20	2	14
50	61	69	86	85	109	105	80	111	113	95	55	58	32	15	8	1	6	15
26	35	47	42	50	58	53	59	95	108	114	103	69	58	24	13	11	1	16
6	6	4	7	4	5	9	3	7	6	5	5	2	2	1	1	1	1	17
-	3	1	1	4	1	3	7	1	-	2	1	4	5	-	-	1	-	18
96	78	99	118	115	113	184	138	166	126	118	83	54	14	6	-	1	-	19
93	72	95	110	110	102	179	136	160	122	114	78	46	12	6	-	1	-	20
3	6	4	8	5	11	5	2	6	4	4	5	8	2	-	-	-	-	21
71	58	76	89	92	83	160	120	146	112	106	74	43	12	6	-	-	-	22
3	3	3	7	5	11	4	1	5	4	4	5	8	2	-	-	-	-	23
19	14	16	19	14	17	16	14	10	10	6	3	3	-	-	-	1	-	24
-	3	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	25
1	-	3	1	1	2	1	-	2	-	1	-	-	-	-	-	-	-	26
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
32	33	49	55	65	84	69	49	26	8	2	3	3	-	-	1	-	-	28
31	33	47	54	65	83	69	48	26	7	2	3	3	-	-	-	-	-	29
1	-	2	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-	30
27	32	43	51	62	79	67	46	26	6	2	3	3	-	-	-	-	-	31
-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	32
4	-	4	3	3	3	2	1	-	-	-	-	-	-	-	-	-	-	33
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
212	234	228	259	271	270	288	233	179	59	31	12	8	4	2	-	-	1	37
211	233	227	257	269	269	283	231	179	57	31	12	8	3	2	-	-	1	38
1	1	1	2	2	1	5	2	-	2	-	-	-	1	-	-	-	-	39
187	194	189	202	226	223	239	186	147	44	23	11	8	2	1	-	-	-	40
-	1	-	1	2	1	3	1	-	2	-	-	-	1	-	-	-	-	41
19	32	32	47	39	35	35	33	24	9	6	1	-	1	-	-	-	1	42
1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	43
1	5	2	1	-	-	2	5	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
57	29	29	29	24	25	18	15	18	12	12	6	7	2	-	-	-	-	46
53	24	22	24	22	24	17	9	14	8	11	3	6	2	-	-	-	-	47
4	5	7	5	2	1	1	6	4	4	1	3	1	-	-	-	-	-	48
41	19	18	22	20	21	14	7	13	7	10	3	4	2	-	-	-	-	49
3	4	7	3	2	1	-	5	4	4	1	3	1	-	-	-	-	-	50
10	3	2	2	1	2	3	1	-	1	-	-	-	-	-	-	-	-	51
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
91	85	102	107	114	138	143	117	118	127	143	123	117	68	23	2	-	2	55
75	77	92	99	101	128	128	105	96	102	91	82	69	43	12	1	-	2	56
16	8	10	8	13	10	15	12	22	25	52	41	48	25	11	1	-	-	57
61	56	66	76	72	97	101	87	78	89	86	75	64	39	11	1	-	2	58
12	4	9	7	9	10	13	10	19	21	45	31	45	20	8	1	-	-	59
11	15	20	18	19	27	21	9	9	7	2	3	4	2	-	-	-	-	60
4	2	1	1	3	-	1	1	1	4	4	4	2	3	-	-	-	-	61
1	2	3	1	3	2	-	1	-	1	1	-	1	1	-	-	-	-	62
-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	63
61	51	77	95	91	125	128	129	105	95	74	92	54	38	8	3	-	2	64
48	41	64	79	78	107	103	113	81	69	50	55	28	20	4	3	-	2	65
13	10	13	16	13	18	25	16	24	26	24	37	26	18	4	-	-	-	66
36	35	50	60	66	89	93	97	74	61	45	50	23	20	4	2	-	2	67
11	9	10	11	11	14	20	13	22	26	22	37	26	16	4	-	-	-	68
9	4	9	14	11	15	6	12	5	6	2	2	1	-	-	1	-	-	69
2	1	3	5	1	1	3	2	1	-	-	-	-	1	-	-	-	-	70
-	2	2	1	-	1	1	2	-	1	2	-	1	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
40	34	31	49	46	69	73	96	160	238	396	599	755	732	347	80	10	2	73
32	30	20	31	28	53	48	57	100	137	178	275	304	262	118	25	4	1	74
8	4	11	18	18	16	25	39	60	101	218	324	451	470	229	55	6	1	75
24	20	13	26	23	42	42	45	84	124	156	262	282	251	115	25	4	1	76
6	3	8	17	16	12	23	35	55	90	195	298	427	452	208	52	6	1	77
6	10	7	5	4	5	5	7	11	9	11	5	9	3	3	-	-	-	78
2	1	3	1	2	3	1	4	3	7	14	10	5	3	4	1	-	-	79
-	-	-	-	-	5	1	1	1	1	-	2	4	3	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
500	338	315	321	339	341	311	284	230	188	134	110	65	31	12	2	-	13	82
465	308	296	294	302	305	291	257	208	157	111	83	52	18	9	1	-	11	83
35	30	19	27	37	36	20	27	22	31	23	27	13	13	3	1	-	2	84
355	228	229	221	228	240	225	209	163	128	97	67	47	17	9	1	-	7	85
22	24	13	19	27	30	15	24	17	28	21	27	13	11	3	1	-	1	86
98	59	51	64	64	52	48	35	32	22	7	12	5	1	-	-	-	4	87
9	5	4	5	8	3	4	1	3	3	2	-	-	2	-	-	-	1	88
4	9	7	2	4	7	5	2	7	1	3	1	-	-	-	-	-	-	89
-	1	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	90

Table 4-4. Deaths From Nontransport Accidents, by Place of Accident,

(Data refer only to deaths occurring within the United States Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. the item; see Tech-

	PLACE OF ACCIDENT, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Place not specified (.9)----------	7,282	634	143	94	51	34	956	109	115	158
2	Male----	4,371	376	77	50	30	17	550	64	95	136
3	Female--	2,911	258	66	44	21	17	406	45	20	22
4	White-----Male----	3,463	263	57	31	21	16	388	53	81	97
5	Female--	2,430	162	45	27	12	9	255	27	15	12
6	Negro-----Male----	739	93	16	18	8	-	135	7	9	34
7	Female--	380	82	17	13	8	8	128	16	4	8
8	Other-----Male----	70	7	3	-	1	-	11	2	3	2
9	Female--	28	5	1	-	-	-	6	1	1	2

5-Year Age Groups, Race, and Sex: United States, 1962—Con.

Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey because this State did not require reporting of
nical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
196	169	203	271	334	316	360	368	335	450	533	635	730	614	330	80	13	7	1
157	129	143	197	248	238	261	290	239	315	305	305	322	223	126	20	4	4	2
39	40	60	74	86	78	99	78	96	135	228	330	408	391	204	60	9	3	3
109	83	83	117	187	179	193	234	191	272	267	280	297	211	113	20	4	4	4
25	23	30	45	54	62	82	64	77	121	197	313	392	369	198	59	8	2	5
43	38	54	74	54	48	57	46	38	32	26	15	17	6	6	-	-	-	6
10	16	26	22	25	15	13	11	17	11	18	13	11	11	4	-	1	-	7
1	5	3	4	2	1	5	6	7	4	4	3	3	3	1	-	-	-	8
2	1	2	1	3	-	2	-	-	-	4	1	1	1	-	-	-	-	9

716 - 533 O - 64 - 26

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
UNITED STATES	40,004	3,569	3,918	30	177	31,080	144	349	184	4	1,329
Male	29,639	3,122	2,746	21	145	22,153	103	233	120	4	992
Female	11,165	467	1,172	9	32	8,927	41	116	64	-	337
White Male	25,421	2,624	2,411	21	131	19,051	83	201	90	4	805
White Female	9,768	382	1,045	8	28	7,827	36	100	55	-	287
Nonwhite Male	3,542	449	300	-	10	2,613	14	17	25	-	114
Nonwhite Female	1,169	79	109	1	2	935	4	7	7	-	25
Alabama	999	86	110	1	1	767	-	12	2	-	20
Male	748	79	82	1	1	564	-	6	-	-	15
Female	251	7	28	-	-	203	-	6	2	-	5
White Male	553	53	66	1	1	417	-	4	-	-	11
White Female	201	5	23	-	-	161	-	5	2	-	5
Nonwhite Male	195	26	16	-	-	147	-	2	-	-	4
Nonwhite Female	50	2	5	-	-	42	-	1	-	-	-
Alaska	42	5	1	-	-	33	-	-	-	-	3
Male	33	5	1	-	-	25	-	-	-	-	2
Female	9	-	-	-	-	8	-	-	-	-	1
White Male	27	4	-	-	-	21	-	-	-	-	2
White Female	8	-	-	-	-	7	-	-	-	-	1
Nonwhite Male	6	1	1	-	-	4	-	-	-	-	-
Nonwhite Female	1	-	-	-	-	4	-	-	-	-	-
Arizona	443	51	36	-	1	336	1	2	1	-	15
Male	322	36	27	-	1	244	1	-	1	-	12
Female	121	15	9	-	-	92	-	2	-	-	3
White Male	253	23	18	-	1	200	1	-	1	-	9
White Female	91	6	3	-	-	77	-	2	-	-	3
Nonwhite Male	69	13	9	-	-	44	-	-	-	-	3
Nonwhite Female	30	9	6	-	-	15	-	-	-	-	-
Arkansas	505	69	30	1	-	387	1	2	1	1	13
Male	370	59	20	1	-	275	1	2	-	1	11
Female	135	10	10	-	-	112	-	-	1	-	2
White Male	308	41	16	1	-	237	-	2	-	1	10
White Female	109	7	8	-	-	91	-	-	1	-	2
Nonwhite Male	62	18	4	-	-	38	1	-	-	-	1
Nonwhite Female	26	3	2	-	-	21	-	-	-	-	-
California	4,312	292	433	3	27	3,111	19	53	26	1	347
Male	3,043	257	307	1	21	2,141	13	40	15	1	247
Female	1,269	35	126	2	6	970	6	13	11	-	100
White Male	2,805	227	283	1	20	1,991	9	36	13	1	224
White Female	1,202	33	122	2	6	913	6	13	11	-	96
Nonwhite Male	238	30	24	-	1	150	4	4	2	-	23
Nonwhite Female	67	2	4	-	-	57	-	-	-	-	4
Colorado	483	48	41	-	-	389	-	1	2	-	2
Male	348	42	31	-	-	273	-	-	2	-	-
Female	135	6	10	-	-	116	-	1	-	-	2
White Male	333	41	30	-	-	260	-	-	2	-	-
White Female	130	6	9	-	-	112	-	1	-	-	2
Nonwhite Male	15	1	1	-	-	13	-	-	-	-	-
Nonwhite Female	5	-	1	-	-	4	-	-	-	-	-
Connecticut	357	20	28	-	2	299	1	2	1	-	4
Male	258	17	20	-	2	211	1	2	1	-	4
Female	99	3	8	-	-	88	-	-	-	-	-
White Male	246	15	19	-	2	202	1	2	1	-	4
White Female	94	3	8	-	-	83	-	-	-	-	-
Nonwhite Male	12	2	1	-	-	9	-	-	-	-	-
Nonwhite Female	5	-	-	-	-	5	-	-	-	-	-
Delaware	91	4	7	-	3	73	-	1	-	-	3
Male	60	4	6	-	2	46	-	1	-	-	1
Female	31	-	1	-	1	27	-	-	-	-	2
White Male	46	3	5	-	2	36	-	-	-	-	-
White Female	27	-	1	-	1	23	-	-	-	-	2
Nonwhite Male	14	1	1	-	-	10	-	1	-	-	1
Nonwhite Female	4	-	-	-	-	4	-	-	-	-	-
District of Columbia	101	11	4	-	-	81	2	-	3	-	-
Male	70	8	3	-	-	56	1	-	2	-	-
Female	31	3	1	-	-	25	1	-	1	-	-
White Male	26	1	-	-	-	25	-	-	2	-	-
White Female	10	1	1	-	-	7	-	-	1	-	-
Nonwhite Male	42	7	3	-	-	31	1	-	-	-	-
Nonwhite Female	21	2	-	-	-	18	1	-	-	-	-
Florida	1,380	103	103	1	9	959	8	30	8	1	158
Male	986	90	68	1	7	667	6	20	5	1	121
Female	394	13	35	-	2	292	2	10	3	-	37
White Male	786	65	57	1	4	541	5	19	1	1	92
White Female	319	8	30	-	2	239	2	8	2	-	28
Nonwhite Male	200	25	11	-	3	126	1	1	4	-	29
Nonwhite Female	75	5	5	-	-	53	-	2	1	-	9

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Georgia	1,131	127	126	-	1	863	3	5	-	-	6
Male	840	116	93	-	1	621	2	2	-	-	5
Female	291	11	33	-	-	242	1	3	-	-	1
White—Male	592	72	72	-	1	440	2	1	-	-	4
Female	217	7	25	-	-	180	1	3	-	-	1
Nonwhite—Male	248	44	21	-	-	181	-	1	-	-	1
Female	74	4	8	-	-	62	-	-	-	-	-
Hawaii	86	3	8	-	1	70	-	-	2	-	2
Male	65	2	6	-	1	52	-	-	2	-	2
Female	21	1	2	-	-	18	-	-	-	-	-
White—Male	27	-	4	-	-	21	-	-	1	-	1
Female	8	1	-	-	-	7	-	-	-	-	-
Nonwhite—Male	38	2	2	-	1	31	-	-	1	-	1
Female	13	-	2	-	-	11	-	-	-	-	-
Idaho	274	26	19	-	-	227	-	1	-	-	1
Male	205	22	11	-	-	170	-	1	-	-	1
Female	69	4	8	-	-	57	-	-	-	-	-
White—Male	195	22	11	-	-	160	-	1	-	-	1
Female	65	4	8	-	-	53	-	-	-	-	-
Nonwhite—Male	10	-	-	-	-	10	-	-	-	-	-
Female	4	-	-	-	-	4	-	-	-	-	-
Illinois	1,908	152	221	-	6	1,440	7	16	16	-	50
Male	1,365	130	154	-	6	1,000	6	13	10	-	46
Female	543	22	67	-	-	440	1	3	6	-	4
White—Male	1,277	123	145	-	6	937	6	13	10	-	37
Female	506	21	63	-	-	409	1	3	6	-	3
Nonwhite—Male	88	7	9	-	-	63	-	-	-	-	9
Female	37	1	4	-	-	31	-	-	-	-	1
Indiana	1,187	76	147	1	18	895	5	16	2	-	27
Male	856	66	97	1	15	635	3	13	2	-	24
Female	331	10	50	-	3	260	2	3	-	-	3
White—Male	815	65	93	1	13	604	3	13	2	-	21
Female	315	9	47	-	3	249	2	2	-	-	3
Nonwhite—Male	41	1	4	-	2	31	-	-	-	-	3
Female	16	1	3	-	-	11	-	1	-	-	-
Iowa	658	101	61	-	4	456	2	14	1	-	19
Male	473	93	43	-	3	309	2	10	1	-	12
Female	185	8	18	-	1	147	-	4	-	-	7
White—Male	471	93	43	-	3	307	2	10	1	-	12
Female	182	8	17	-	1	145	-	4	-	-	7
Nonwhite—Male	2	-	-	-	-	2	-	-	-	-	-
Female	3	-	1	-	-	2	-	-	-	-	-
Kansas	586	69	82	2	2	420	3	3	2	-	3
Male	418	61	62	2	1	285	2	1	2	-	2
Female	168	8	20	-	1	135	1	2	-	-	1
White—Male	406	61	58	2	1	277	2	1	2	-	2
Female	162	8	20	-	1	129	1	2	-	-	1
Nonwhite—Male	12	-	4	-	-	8	-	-	-	-	-
Female	6	-	-	-	-	6	-	-	-	-	-
Kentucky	784	89	46	-	3	630	4	2	-	-	10
Male	601	75	32	-	3	478	3	1	-	-	9
Female	183	14	14	-	-	152	1	1	-	-	1
White—Male	557	68	29	-	3	444	3	1	-	-	9
Female	172	13	11	-	-	145	1	1	-	-	1
Nonwhite—Male	44	7	3	-	-	34	-	-	-	-	-
Female	11	1	3	-	-	7	-	-	-	-	-
Louisiana	765	82	43	1	9	586	1	21	2	-	20
Male	583	74	35	-	8	437	1	12	1	-	15
Female	182	8	8	1	1	149	-	9	1	-	5
White—Male	408	44	27	-	8	307	1	9	1	-	11
Female	132	5	5	1	1	110	-	6	-	-	4
Nonwhite—Male	175	30	8	-	-	130	-	3	-	-	4
Female	50	3	3	-	-	39	-	3	1	-	1
Maine	192	19	20	-	2	136	1	1	-	-	13
Male	132	18	14	-	1	90	1	-	-	-	8
Female	60	1	6	-	1	46	-	1	-	-	5
White—Male	131	18	14	-	1	89	1	-	-	-	8
Female	59	1	6	-	1	45	-	1	-	-	5
Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
Maryland	615	47	40	-	2	502	2	3	4	-	15
Male	438	40	23	-	2	358	2	2	2	-	9
Female	177	7	17	-	-	144	-	1	2	-	6
White—Male	351	33	16	-	2	289	1	1	1	-	8
Female	135	5	12	-	-	113	-	1	-	-	4
Nonwhite—Male	87	7	7	-	-	69	1	1	1	-	1
Female	42	2	5	-	-	31	-	-	2	-	2
Massachusetts	730	41	28	-	2	620	2	2	3	-	32
Male	515	34	19	-	2	431	1	2	2	-	24
Female	215	7	9	-	-	189	1	-	1	-	8
White—Male	502	33	19	-	2	421	1	2	2	-	22
Female	208	7	9	-	-	183	1	-	1	-	7
Nonwhite—Male	13	1	-	-	-	10	-	-	-	-	2
Female	7	-	-	-	-	6	-	-	-	-	1

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Michigan	1,654	68	151	-	1	1,406	7	9	2	-	10
Male	1,142	58	108	-	1	956	3	8	1	-	7
Female	512	10	43	-	-	450	4	1	1	-	3
White—Male	1,057	55	101	-	1	885	1	7	-	-	7
Female	478	8	42	-	-	422	3	1	1	-	3
Nonwhite—Male	85	3	7	-	-	71	2	1	1	-	-
Female	34	4	1	-	-	28	1	-	-	-	-
Minnesota	781	70	68	-	1	609	2	4	1	-	26
Male	572	60	52	-	1	438	2	2	-	-	17
Female	209	10	16	-	-	171	-	2	1	-	9
White—Male	560	59	52	-	1	428	2	2	-	-	16
Female	208	10	16	-	-	170	-	2	1	-	9
Nonwhite—Male	12	1	-	-	-	10	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-
Mississippi	619	91	99	-	1	419	-	1	2	-	6
Male	472	78	79	-	1	306	-	1	1	-	4
Female	147	13	20	-	-	111	-	-	1	-	2
White—Male	300	40	60	-	1	195	-	1	-	-	3
Female	109	8	17	-	-	82	-	-	1	-	1
Nonwhite—Male	172	38	19	-	-	113	-	-	1	-	1
Female	38	5	3	-	-	29	-	-	-	-	1
Missouri	1,028	102	146	1	1	768	1	-	4	-	5
Male	755	97	105	1	1	551	1	-	4	-	5
Female	273	15	41	-	-	217	-	-	-	-	-
White—Male	690	78	93	1	1	507	1	-	4	-	5
Female	245	12	36	-	-	197	-	-	-	-	-
Nonwhite—Male	65	9	12	-	-	44	-	-	-	-	-
Female	26	3	5	-	-	20	-	-	-	-	-
Montana	230	36	33	2	-	157	1	-	-	-	1
Male	171	32	22	-	-	115	1	-	-	-	1
Female	59	4	11	2	-	42	-	-	-	-	-
White—Male	165	31	22	-	-	110	1	-	-	-	1
Female	52	3	11	2	-	36	-	-	-	-	-
Nonwhite—Male	6	1	-	-	-	5	-	-	-	-	-
Female	7	1	-	-	-	6	-	-	-	-	-
Nebraska	406	43	65	-	1	294	-	2	1	-	-
Male	283	41	39	-	1	199	-	2	1	-	-
Female	123	2	26	-	-	95	-	-	-	-	-
White—Male	270	40	39	-	1	187	-	2	1	-	-
Female	118	2	26	-	-	90	-	-	-	-	-
Nonwhite—Male	13	1	-	-	-	12	-	-	-	-	-
Female	5	-	-	-	-	5	-	-	-	-	-
Nevada	132	4	4	-	-	117	-	-	2	-	5
Male	103	4	3	-	-	91	-	-	-	-	5
Female	29	-	1	-	-	26	-	-	2	-	-
White—Male	89	4	2	-	-	79	-	-	-	-	4
Female	26	-	1	-	-	23	-	-	2	-	-
Nonwhite—Male	14	-	1	-	-	12	-	-	-	-	1
Female	3	-	-	-	-	3	-	-	-	-	-
New Hampshire	101	4	3	-	-	90	3	-	-	-	1
Male	74	3	2	-	-	65	3	-	-	-	1
Female	27	1	1	-	-	25	-	-	-	-	-
White—Male	74	3	2	-	-	65	3	-	-	-	1
Female	27	1	1	-	-	25	-	-	-	-	-
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey[1]	904	55	53	-	6	654	7	24	7	-	98
Male	676	49	35	-	4	489	6	15	5	-	73
Female	228	6	18	-	2	165	1	9	2	-	25
New Mexico	373	56	61	-	-	249	1	-	1	-	5
Male	275	47	46	-	-	177	-	-	-	-	5
Female	98	9	15	-	-	72	1	-	1	-	-
White—Male	246	42	43	-	-	156	-	-	-	-	5
Female	81	6	12	-	-	62	1	-	-	-	-
Nonwhite—Male	29	5	3	-	-	21	-	-	-	-	-
Female	17	3	3	-	-	10	-	-	1	-	-
New York	2,531	182	124	2	11	2,017	9	30	38	1	117
Male	1,816	148	84	2	10	1,437	7	18	25	1	84
Female	715	34	40	-	1	580	2	12	13	-	33
White—Male	1,626	132	72	2	9	1,289	7	17	18	1	79
Female	656	31	35	-	1	534	2	12	11	-	30
Nonwhite—Male	190	16	12	-	1	148	-	1	7	-	5
Female	59	3	5	-	-	46	-	-	2	-	3
North Carolina	1,343	149	146	-	1	1,020	7	1	5	-	14
Male	1,043	129	112	-	1	779	5	1	5	-	11
Female	300	20	34	-	-	241	2	-	-	-	3
White—Male	739	96	90	-	1	538	5	-	4	-	5
Female	219	13	28	-	-	174	2	-	-	-	2
Nonwhite—Male	304	33	22	-	-	241	-	1	1	-	6
Female	81	7	6	-	-	67	-	-	-	-	1

[1]New Jersey did not require reporting of color; see Technical Appendix.

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
North Dakota	190	23	25	-	-	141	-	-	-	-	1
Male	147	20	18	-	-	109	-	-	-	-	-
Female	43	3	7	-	-	32	-	-	-	-	1
White—Male	136	18	16	-	-	102	-	-	-	-	-
Female	39	3	6	-	-	29	-	-	-	-	1
Nonwhite—Male	11	2	2	-	-	7	-	-	-	-	-
Female	4	-	1	-	-	3	-	-	-	-	-
Ohio	1,959	137	213	1	17	1,498	3	30	5	-	55
Male	1,376	121	136	-	15	1,048	-	18	3	-	35
Female	583	16	77	1	2	450	3	12	2	-	20
White—Male	1,282	107	125	-	15	981	-	18	3	-	33
Female	553	15	75	-	2	425	2	12	2	-	20
Nonwhite—Male	94	14	11	-	-	67	-	-	-	-	2
Female	30	1	2	1	-	25	1	-	-	-	-
Oklahoma	708	95	106	1	-	498	3	-	2	-	3
Male	499	83	61	1	-	349	2	-	-	-	3
Female	209	12	45	-	-	149	1	-	2	-	-
White—Male	432	77	54	1	-	297	1	-	-	-	2
Female	191	11	41	-	-	136	1	-	2	-	-
Nonwhite—Male	67	6	7	-	-	52	1	-	-	-	1
Female	18	1	4	-	-	13	-	-	-	-	-
Oregon	467	37	40	-	1	370	3	4	1	-	11
Male	311	30	24	-	1	242	2	3	1	-	8
Female	156	7	16	-	-	128	1	1	-	-	3
White—Male	302	30	24	-	1	235	1	3	-	-	8
Female	153	7	15	-	-	126	1	1	-	-	3
Nonwhite—Male	9	-	-	-	-	7	1	-	1	-	-
Female	3	-	1	-	-	2	-	-	-	-	-
Pennsylvania	1,789	137	154	2	24	1,364	7	9	14	-	78
Male	1,317	125	106	1	17	982	5	7	11	-	63
Female	472	12	48	1	7	382	2	2	3	-	15
White—Male	1,226	114	97	1	15	916	5	7	9	-	62
Female	432	10	44	1	5	351	1	2	3	-	15
Nonwhite—Male	91	11	9	-	2	66	-	-	2	-	1
Female	40	2	4	-	2	31	1	-	-	-	-
Rhode Island	91	11	8	-	-	71	-	-	-	-	1
Male	56	8	5	-	-	44	-	-	-	-	1
Female	33	3	3	-	-	27	-	-	-	-	-
White—Male	55	8	3	-	-	43	-	-	-	-	1
Female	32	3	3	-	-	26	-	-	-	-	-
Nonwhite—Male	3	-	2	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
South Carolina	720	61	30	1	-	619	1	-	1	-	7
Male	540	53	22	1	-	455	1	-	1	-	7
Female	180	8	8	-	-	164	-	-	-	-	-
White—Male	366	37	13	1	-	311	1	-	-	-	3
Female	120	3	6	-	-	111	-	-	-	-	-
Nonwhite—Male	174	16	9	-	-	144	-	-	1	-	4
Female	60	5	2	-	-	53	-	-	-	-	-
South Dakota	260	26	22	-	2	174	-	29	-	-	7
Male	196	23	16	-	1	133	-	18	-	-	5
Female	64	3	6	-	1	41	-	11	-	-	2
White—Male	172	21	13	-	1	115	-	17	-	-	5
Female	56	3	6	-	1	33	-	11	-	-	2
Nonwhite—Male	24	2	3	-	-	18	-	1	-	-	-
Female	8	-	-	-	-	8	-	-	-	-	-
Tennessee	906	91	111	4	1	681	5	-	6	-	7
Male	663	78	80	3	1	486	4	-	6	-	5
Female	243	13	31	1	-	195	1	-	-	-	2
White—Male	571	68	76	3	1	413	4	-	3	-	3
Female	215	13	29	1	-	169	1	-	-	-	2
Nonwhite—Male	92	10	4	-	-	73	-	-	3	-	2
Female	28	-	2	-	-	26	-	-	-	-	-
Texas	2,536	329	344	3	1	1,817	9	3	6	-	24
Male	1,874	291	242	2	1	1,303	7	3	5	-	20
Female	662	38	102	1	-	514	2	-	1	-	4
White—Male	1,646	253	204	2	1	1,155	6	3	5	-	17
Female	587	33	89	1	-	458	2	-	1	-	3
Nonwhite—Male	228	38	38	-	-	148	1	-	-	-	3
Female	75	5	13	-	-	56	-	-	-	-	1
Utah	233	14	18	-	-	193	2	-	-	-	6
Male	167	12	13	-	-	137	1	-	-	-	4
Female	66	2	5	-	-	56	1	-	-	-	2
White—Male	162	12	13	-	-	132	1	-	-	-	4
Female	64	2	4	-	-	55	1	-	-	-	2
Nonwhite—Male	5	-	-	-	-	5	-	-	-	-	-
Female	2	-	1	-	-	1	-	-	-	-	-
Vermont	100	9	9	-	-	67	-	2	-	-	13
Male	71	8	6	-	-	48	-	2	-	-	7
Female	29	1	3	-	-	19	-	-	-	-	6
White—Male	70	8	6	-	-	47	-	2	-	-	7
Female	29	1	3	-	-	19	-	-	-	-	6
Nonwhite—Male	1	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Virginia	939	76	77	-	4	748	2	1	3	-	28
Male	706	66	54	-	4	560	2	1	1	-	18
Female	233	10	23	-	-	188	-	-	2	-	10
White—Male	528	49	44	-	4	415	1	1	1	-	13
Female	181	7	20	-	-	143	-	-	2	-	9
Nonwhite—Male	178	17	10	-	-	145	1	-	-	-	5
Female	52	3	3	-	-	45	-	-	-	-	1
Washington	657	43	46	3	2	538	4	5	5	-	11
Male	467	39	32	3	1	375	1	4	1	-	11
Female	190	4	14	-	1	163	3	1	4	-	-
White—Male	434	38	32	3	1	343	1	4	1	-	11
Female	175	4	14	-	1	148	3	1	4	-	-
Nonwhite—Male	33	1	-	-	-	32	-	-	-	-	-
Female	15	-	-	-	-	15	-	-	-	-	-
West Virginia	437	31	33	-	3	354	2	1	1	-	12
Male	339	28	20	-	3	276	1	-	1	-	10
Female	98	3	13	-	-	78	1	1	-	-	2
White—Male	324	27	20	-	3	262	1	-	1	-	10
Female	93	3	12	-	-	74	1	1	-	-	2
Nonwhite—Male	15	1	-	-	-	14	-	-	-	-	-
Female	5	-	1	-	-	4	-	-	-	-	-
Wisconsin	966	70	81	-	6	799	1	7	1	-	11
Male	715	59	59	-	4	580	1	2	-	-	10
Female	251	11	22	-	2	209	-	5	1	-	1
White—Male	702	59	59	-	4	567	1	2	-	-	10
Female	245	10	22	-	2	204	-	5	1	-	1
Nonwhite—Male	13	-	-	-	-	13	-	-	-	-	-
Female	6	1	-	-	-	5	-	-	-	-	-
Wyoming	115	18	14	-	-	78	2	-	-	-	3
Male	82	14	11	-	-	53	2	-	-	-	2
Female	33	4	3	-	-	25	-	-	-	-	1
White—Male	80	13	11	-	-	52	2	-	-	-	2
Female	32	4	3	-	-	24	-	-	-	-	1
Nonwhite—Male	2	1	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
UNITED STATES	50,174	24,184	2,246	583	2,391	746	1,795	1,350	3,960	5,637	7,282
Male	31,731	12,485	2,087	563	2,368	606	1,442	1,040	1,829	4,940	4,371
Female	18,443	11,699	159	20	23	140	353	310	2,131	697	2,911
White Male	25,591	9,881	1,769	523	1,960	489	1,176	886	1,632	3,812	3,463
White Female	15,072	9,238	137	13	15	123	295	276	1,962	583	2,430
Nonwhite Male	5,310	2,245	302	37	345	103	205	123	150	991	809
Nonwhite Female	2,741	2,050	22	7	6	11	40	22	80	95	408
Alabama	1,059	577	59	16	49	13	31	18	43	142	111
Male	681	291	54	14	49	11	24	14	21	130	73
Female	378	286	5	2	-	2	7	4	22	12	38
White Male	386	151	33	8	30	7	21	12	14	75	35
White Female	204	143	2	-	-	2	4	3	20	7	23
Nonwhite Male	295	140	21	6	19	4	3	2	7	55	38
Nonwhite Female	174	143	3	2	-	-	3	1	2	5	15
Alaska	112	53	-	-	6	1	1	1	5	28	17
Male	79	30	-	-	6	1	1	1	4	24	12
Female	33	23	-	-	-	-	-	-	1	4	5
White Male	48	16	-	-	6	1	1	1	4	13	6
White Female	20	14	-	-	-	-	-	-	1	1	4
Nonwhite Male	31	14	-	-	-	-	-	-	-	11	6
Nonwhite Female	13	9	-	-	-	-	-	-	-	3	1
Arizona	415	181	18	9	15	20	14	13	10	86	49
Male	291	105	16	9	15	17	11	10	7	66	35
Female	124	76	2	-	-	3	3	3	3	20	14
White Male	243	88	15	8	14	17	9	8	6	54	24
White Female	102	67	1	-	-	3	3	2	3	16	7
Nonwhite Male	48	17	1	1	1	-	2	2	1	12	11
Nonwhite Female	22	9	1	-	-	-	-	1	-	4	7
Arkansas	691	258	44	4	37	3	19	15	29	73	209
Male	462	145	40	4	36	3	18	10	16	61	129
Female	229	113	4	-	1	-	1	5	13	12	80
White Male	332	96	23	3	30	2	15	8	12	42	101
White Female	164	70	4	-	1	-	1	5	11	11	61
Nonwhite Male	130	49	17	1	6	1	3	2	4	19	28
Nonwhite Female	65	43	-	-	-	-	-	-	2	1	19
California	3,663	1,751	73	14	202	75	167	160	345	436	440
Male	2,432	978	69	13	202	60	145	123	170	391	281
Female	1,231	773	4	1	-	15	22	37	175	45	159
White Male	2,210	887	64	13	183	52	129	111	158	360	253
White Female	1,157	720	3	1	-	15	20	35	174	42	147
Nonwhite Male	222	91	5	-	19	8	16	12	12	31	28
Nonwhite Female	74	53	1	-	-	-	2	2	1	3	12
Colorado	590	247	20	12	25	11	31	19	99	43	83
Male	368	144	19	12	25	8	24	15	44	38	39
Female	222	103	1	-	-	3	7	4	55	5	44
White Male	354	140	19	12	25	8	22	15	40	37	36
White Female	214	98	1	-	-	3	6	4	55	5	42
Nonwhite Male	14	4	-	-	-	-	2	-	4	1	3
Nonwhite Female	8	5	-	-	-	-	1	-	-	-	2
Connecticut	565	302	9	3	22	9	17	16	44	68	75
Male	331	147	8	3	22	6	11	13	23	55	43
Female	234	155	1	-	-	3	6	3	21	13	32
White Male	301	132	8	2	20	5	10	12	22	50	40
White Female	215	139	1	-	-	3	6	2	21	12	31
Nonwhite Male	30	15	-	1	2	1	1	1	1	5	3
Nonwhite Female	19	16	-	-	-	-	-	1	-	1	1
Delaware	155	54	5	2	6	-	2	1	18	24	43
Male	91	23	5	2	6	-	2	1	5	24	23
Female	64	31	-	-	-	-	-	-	13	-	20
White Male	59	15	4	2	4	-	1	1	5	12	15
White Female	54	27	-	-	-	-	-	-	12	-	15
Nonwhite Male	32	8	1	-	2	-	1	-	-	12	8
Nonwhite Female	10	4	-	-	-	-	-	-	1	-	5
District of Columbia	291	158	-	-	8	4	15	12	21	31	42
Male	179	80	-	-	8	4	10	6	12	29	30
Female	112	78	-	-	-	-	5	6	9	2	12
White Male	71	28	-	-	2	1	5	5	9	12	9
White Female	58	36	-	-	-	-	2	5	6	1	8
Nonwhite Male	108	52	-	-	6	3	5	1	3	17	21
Nonwhite Female	54	42	-	-	-	-	3	1	3	1	4
Florida	1,542	801	25	17	65	42	31	48	89	259	165
Male	1,004	433	25	16	65	34	23	42	44	225	97
Female	538	368	-	1	-	8	8	6	45	34	68
White Male	703	298	17	10	52	22	19	37	41	140	67
White Female	399	270	-	1	-	5	7	5	44	25	42
Nonwhite Male	301	135	8	6	13	12	4	5	3	85	30
Nonwhite Female	139	98	-	-	-	3	1	1	1	9	26

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Georgia	1,289	701	86	5	61	18	40	31	70	165	112
Male	840	356	79	5	61	16	39	24	35	148	77
Female	449	345	7	-	-	2	1	7	35	17	35
White—Male	486	215	38	3	29	11	22	16	27	61	43
Female	255	179	4	-	-	1	1	6	26	15	23
Nonwhite—Male	354	141	40	2	32	5	17	8	8	67	34
Female	194	166	3	-	-	1	-	1	9	2	12
Hawaii	128	49	-	1	2	9	4	6	9	34	14
Male	97	30	-	1	2	8	4	6	8	28	10
Female	31	19	-	-	-	1	-	-	1	6	4
White—Male	27	8	-	-	-	2	-	2	1	13	1
Female	13	8	-	-	-	1	-	-	-	3	1
Nonwhite—Male	70	22	-	1	2	6	4	4	7	15	9
Female	18	11	-	-	-	-	-	-	1	3	3
Idaho	279	83	35	3	15	-	14	3	7	63	56
Male	203	46	32	3	15	-	9	3	4	52	39
Female	76	37	3	-	-	-	5	-	3	11	17
White—Male	201	46	32	3	15	-	9	3	3	51	39
Female	75	37	3	-	-	-	5	-	3	10	17
Nonwhite—Male	2	-	-	-	-	-	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	1	-
Illinois	2,327	1,164	95	28	149	53	107	92	155	232	252
Male	1,604	690	89	27	147	47	76	69	83	208	168
Female	723	474	6	1	2	6	31	23	72	24	84
White—Male	1,329	544	88	27	123	37	62	58	80	172	138
Female	584	365	6	1	-	6	23	21	67	21	74
Nonwhite—Male	275	146	1	-	24	10	14	11	3	36	30
Female	139	109	-	-	2	-	8	2	5	3	10
Indiana	1,298	632	62	18	52	17	35	31	113	125	213
Male	787	320	57	18	49	12	32	28	54	107	110
Female	511	312	5	-	3	5	3	3	59	18	103
White—Male	730	297	57	17	42	12	31	24	47	98	105
Female	480	287	5	-	3	5	3	3	57	17	100
Nonwhite—Male	57	23	-	1	7	-	1	4	7	9	5
Female	31	25	-	-	-	-	-	-	2	1	3
Iowa	846	378	106	7	29	12	30	27	85	80	92
Male	511	172	100	4	29	7	24	21	37	67	50
Female	335	206	6	3	-	5	6	6	48	13	42
White—Male	504	170	99	4	28	7	23	21	37	65	50
Female	333	204	6	3	-	5	6	6	48	13	42
Nonwhite—Male	7	2	1	-	1	-	1	-	-	2	-
Female	2	2	-	-	-	-	-	-	-	-	-
Kansas	647	321	47	7	47	10	17	15	62	49	72
Male	414	168	43	6	46	9	13	11	51	44	43
Female	233	153	4	1	1	1	4	4	31	5	29
White—Male	396	153	43	5	44	9	12	11	29	42	38
Female	223	146	4	-	1	1	4	4	31	5	27
Nonwhite—Male	28	15	-	1	2	-	1	-	2	2	5
Female	10	7	-	1	-	-	-	-	-	-	2
Kentucky	988	498	88	55	29	13	33	12	48	117	95
Male	633	240	81	55	27	13	30	10	19	99	59
Female	355	258	7	-	2	-	3	2	29	18	36
White—Male	570	211	76	55	24	12	27	10	18	83	54
Female	307	222	6	-	2	-	2	2	27	14	32
Nonwhite—Male	63	29	5	-	3	1	3	-	1	16	5
Female	48	36	1	-	-	-	1	-	2	4	4
Louisiana	1,047	505	46	2	76	11	28	20	33	151	175
Male	677	232	42	2	76	9	23	17	15	141	120
Female	370	273	4	-	-	2	5	3	18	10	55
White—Male	400	130	20	1	59	7	18	12	10	76	67
Female	231	157	3	-	-	2	5	3	16	8	37
Nonwhite—Male	277	102	22	1	17	2	5	5	5	65	53
Female	139	116	1	-	-	-	-	-	2	2	18
Maine	297	170	9	2	17	3	6	4	12	35	39
Male	200	105	9	2	17	2	5	3	7	32	18
Female	97	65	-	-	-	1	1	1	5	3	21
White—Male	197	104	9	2	17	2	5	3	7	30	18
Female	96	64	-	-	-	1	1	1	5	3	21
Nonwhite—Male	3	1	-	-	-	-	-	-	-	2	-
Female	1	1	-	-	-	-	-	-	-	-	-
Maryland	865	489	18	5	41	15	46	27	49	77	98
Male	562	280	15	4	40	10	40	24	26	71	52
Female	303	209	3	1	1	5	6	3	23	6	46
White—Male	406	204	13	2	22	9	31	17	23	50	35
Female	229	146	3	1	-	4	6	3	23	6	37
Nonwhite—Male	156	76	2	2	18	1	9	7	3	21	17
Female	74	63	-	-	1	1	-	-	-	-	9

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Massachusetts	1,509	754	3	4	39	15	36	37	252	130	239
Male	762	324	3	4	37	13	27	26	90	108	130
Female	747	430	-	-	2	2	9	11	162	22	109
White—Male	733	314	3	4	36	13	27	23	88	103	122
Female	732	423	-	-	2	2	8	10	162	21	104
Nonwhite—Male	29	10	-	-	1	-	-	3	2	5	8
Female	15	7	-	-	-	-	1	1	-	1	5
Michigan	1,890	854	72	27	76	22	63	33	122	209	412
Male	1,196	503	65	24	75	14	49	23	66	178	199
Female	694	351	7	3	1	8	14	10	56	31	213
White—Male	1,073	436	65	23	69	14	43	19	59	160	185
Female	639	317	7	3	1	7	14	9	54	29	198
Nonwhite—Male	123	67	-	1	6	-	6	4	7	18	14
Female	55	34	-	-	-	1	-	1	2	2	15
Minnesota	853	324	76	8	32	9	35	21	111	111	124
Male	565	170	71	8	32	6	28	17	58	100	75
Female	288	154	7	-	-	3	7	4	53	11	49
White—Male	555	166	71	8	32	6	28	17	58	96	73
Female	278	145	7	-	-	3	6	4	53	11	49
Nonwhite—Male	10	4	-	-	-	-	-	-	-	4	2
Female	10	9	-	-	-	-	1	-	-	-	-
Mississippi	838	439	73	1	47	5	18	12	41	83	119
Male	534	211	67	1	47	5	14	9	27	78	75
Female	304	228	6	-	-	-	4	3	14	5	44
White—Male	250	87	24	-	26	3	7	7	21	43	32
Female	126	87	3	-	-	-	-	2	12	4	18
Nonwhite—Male	284	124	43	1	21	2	7	2	6	35	43
Female	178	141	3	-	-	-	4	1	2	1	26
Missouri	1,439	767	93	2	58	12	45	33	119	119	191
Male	854	386	88	2	58	11	29	24	47	97	112
Female	585	381	5	-	-	1	16	9	72	22	79
White—Male	723	306	87	2	47	8	28	23	44	79	99
Female	512	329	5	-	-	1	16	8	70	16	67
Nonwhite—Male	131	80	1	-	11	3	1	1	3	18	13
Female	73	52	-	-	-	-	-	1	2	6	12
Montana	286	92	25	5	26	-	15	9	13	55	46
Male	197	44	22	5	26	-	14	7	7	41	31
Female	89	48	3	-	-	-	1	2	6	14	15
White—Male	183	43	20	5	24	-	12	6	6	39	28
Female	85	47	3	-	-	-	1	2	6	13	13
Nonwhite—Male	14	1	2	-	2	-	2	1	1	2	3
Female	4	1	-	-	-	-	-	-	-	1	2
Nebraska	477	215	49	4	27	12	23	18	75	26	28
Male	322	116	47	3	27	11	22	17	36	23	20
Female	155	99	2	1	-	1	1	1	39	3	8
White—Male	314	116	47	3	26	10	20	16	36	21	19
Female	149	94	2	1	-	1	1	1	39	3	7
Nonwhite—Male	8	-	-	-	1	1	2	1	-	2	1
Female	6	5	-	-	-	-	-	-	-	-	1
Nevada	115	64	2	5	1	2	6	4	3	8	20
Male	73	34	2	5	1	1	5	2	2	7	14
Female	42	30	-	-	-	1	1	2	1	1	6
White—Male	63	29	2	5	1	1	4	1	2	6	12
Female	38	26	-	-	-	1	1	2	1	1	6
Nonwhite—Male	10	5	-	-	-	-	1	1	-	1	2
Female	4	4	-	-	-	-	-	-	-	-	-
New Hampshire	160	83	4	2	5	1	5	1	19	22	18
Male	104	48	4	2	5	1	4	1	9	20	10
Female	56	35	-	-	-	-	1	-	10	2	8
White—Male	103	48	4	2	4	1	4	1	9	20	10
Female	56	35	-	-	-	-	1	-	10	2	8
Nonwhite—Male	1	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey[3]	1,460	770	16	3	65	20	79	43	136	156	172
Male	830	359	16	3	63	14	61	31	47	137	99
Female	630	411	-	-	2	6	18	12	89	19	73
New Mexico	341	142	21	14	22	5	17	12	15	35	58
Male	252	82	20	14	22	4	13	11	8	32	46
Female	89	60	1	-	-	1	4	1	7	3	12
White—Male	222	76	17	14	21	3	12	9	8	25	37
Female	83	55	1	-	-	1	4	-	7	3	12
Nonwhite—Male	30	6	3	-	1	1	1	2	-	7	9
Female	6	5	-	-	-	-	-	1	-	-	-
New York	4,272	1,882	80	6	166	69	200	151	433	493	792
Male	2,585	912	78	5	162	56	147	97	181	433	514
Female	1,687	970	2	1	4	13	53	54	252	60	278
White—Male	2,187	792	76	5	138	44	117	83	168	353	411
Female	1,525	869	2	1	3	11	52	53	239	52	243
Nonwhite—Male	398	120	2	-	24	12	30	14	13	80	103
Female	162	101	-	-	1	2	1	1	13	8	35

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
North Carolina	1,214	599	111	6	56	15	25	25	48	133	196
Male	832	334	105	5	56	13	23	22	24	126	124
Female	382	265	6	1	-	2	2	3	24	7	72
White—Male	488	198	59	4	35	6	14	17	15	70	70
Female	249	172	3	-	-	2	1	3	19	4	45
Nonwhite—Male	344	136	46	1	21	7	9	5	9	56	54
Female	133	93	3	1	-	-	1	-	5	3	27
North Dakota	177	78	30	3	9	6	9	6	14	15	7
Male	137	48	29	3	9	6	8	6	7	15	6
Female	40	30	1	-	-	-	1	-	7	-	1
White—Male	130	45	29	3	9	6	8	5	7	13	5
Female	34	25	1	-	-	-	-	-	7	-	1
Nonwhite—Male	7	3	-	-	-	-	-	1	-	2	1
Female	6	5	-	-	-	-	1	-	-	-	-
Ohio	2,438	1,263	90	19	134	43	90	75	245	192	287
Male	1,424	598	81	19	134	39	68	54	112	159	160
Female	1,014	665	9	-	-	4	22	21	133	33	127
White—Male	1,284	532	81	17	118	31	61	51	109	139	145
Female	934	600	9	-	-	4	21	21	129	31	119
Nonwhite—Male	140	66	-	2	16	8	7	3	3	20	15
Female	80	65	-	-	-	-	1	-	4	2	8
Oklahoma	811	351	50	5	45	7	15	22	55	55	206
Male	522	180	45	5	45	6	12	16	27	50	136
Female	289	171	5	-	-	1	3	6	28	5	70
White—Male	459	156	41	5	43	6	10	15	26	41	116
Female	250	146	5	-	-	1	3	5	27	5	58
Nonwhite—Male	63	24	4	-	2	-	2	1	1	9	20
Female	39	25	-	-	-	-	-	1	1	-	12
Oregon	573	234	24	3	73	3	25	17	53	92	49
Male	395	121	23	3	73	2	17	14	28	84	30
Female	178	113	1	-	-	1	8	3	25	8	19
White—Male	383	118	22	3	73	2	17	13	28	80	27
Female	172	110	1	-	-	1	8	3	25	7	17
Nonwhite—Male	12	3	1	-	-	-	-	1	-	4	3
Female	6	3	-	-	-	-	-	-	-	1	2
Pennsylvania	3,116	1,516	79	104	116	31	124	66	237	260	583
Male	1,942	819	73	101	115	26	100	53	105	236	314
Female	1,174	697	6	3	1	5	24	13	132	24	269
White—Male	1,738	732	71	99	106	22	86	50	99	203	271
Female	1,073	622	6	1	1	5	21	12	126	21	258
Nonwhite—Male	204	87	2	2	10	4	14	3	6	33	43
Female	101	75	-	2	-	-	3	1	6	3	11
Rhode Island	210	116	-	-	12	4	8	8	35	19	8
Male	117	55	-	-	12	4	7	6	13	14	6
Female	93	61	-	-	-	-	1	2	22	5	2
White—Male	109	53	-	-	12	3	6	6	12	11	6
Female	87	58	-	-	-	-	1	2	21	4	1
Nonwhite—Male	8	2	-	-	-	1	1	-	1	3	-
Female	6	3	-	-	-	-	-	-	1	1	1
South Carolina	771	394	33	-	23	13	23	14	11	107	153
Male	472	187	30	-	22	11	19	13	6	93	91
Female	299	207	3	-	1	2	4	1	5	14	62
White—Male	245	97	8	-	11	9	13	9	3	53	42
Female	144	101	2	-	-	1	1	1	2	8	28
Nonwhite—Male	227	90	22	-	11	2	6	4	3	40	49
Female	155	106	1	-	1	1	3	-	3	6	34
South Dakota	214	75	35	6	8	3	5	6	14	20	42
Male	150	44	31	6	8	2	4	5	6	18	26
Female	64	31	4	-	-	1	1	1	8	2	16
White—Male	130	38	31	6	8	2	4	5	5	12	19
Female	59	30	4	-	-	1	-	-	8	2	14
Nonwhite—Male	20	6	-	-	-	-	-	-	1	6	7
Female	5	1	-	-	-	-	1	1	-	-	2
Tennessee	954	548	61	14	48	8	27	24	40	104	80
Male	579	249	57	14	47	7	27	17	19	88	54
Female	375	299	4	-	1	1	-	7	21	16	26
White—Male	452	179	46	13	39	7	23	16	15	72	42
Female	286	208	4	-	-	1	-	6	18	10	19
Nonwhite—Male	127	70	11	1	8	-	4	1	4	16	12
Female	109	91	-	-	1	-	-	1	3	6	7
Texas	2,727	1,330	166	8	143	52	60	53	160	360	395
Male	1,741	658	151	8	142	37	55	49	85	322	234
Female	986	672	15	-	1	15	5	4	75	38	161
White—Male	1,428	528	128	8	123	30	47	43	80	249	194
Female	797	529	10	-	1	14	4	4	73	31	131
Nonwhite—Male	313	130	23	2	19	7	8	6	5	73	40
Female	189	143	5	-	-	1	1	-	2	7	30

See footnotes at end of table.

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Utah	300	142	16	6	19	12	12	9	23	42	19
Male	191	71	15	6	19	9	8	9	11	31	12
Female	109	71	1	-	-	3	4	-	12	11	7
White—Male	181	65	14	6	19	9	8	9	10	29	12
Female	108	70	1	-	-	2	4	-	12	11	6
Nonwhite—Male	10	6	1	-	-	-	-	-	1	2	-
Female	3	1	-	-	-	1	-	-	-	-	1
Vermont	109	43	8	1	4	-	5	1	14	12	21
Male	66	24	7	1	4	-	5	-	1	9	15
Female	43	19	1	-	-	-	-	1	13	3	6
White—Male	66	24	7	1	4	-	5	-	1	9	15
Female	43	19	1	-	-	-	-	1	13	3	6
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,170	577	60	25	41	8	33	19	116	163	128
Male	737	289	57	25	41	7	28	17	47	149	77
Female	433	288	3	-	-	1	5	2	69	14	51
White—Male	510	192	40	24	29	6	21	12	37	95	54
Female	313	195	3	-	-	1	3	1	64	12	34
Nonwhite—Male	227	97	17	1	12	1	7	5	10	54	23
Female	120	93	-	-	-	-	2	1	5	2	17
Washington	894	386	23	7	61	10	42	28	94	122	121
Male	583	212	21	7	61	7	37	22	40	108	68
Female	311	174	2	-	-	3	5	6	54	14	53
White—Male	555	203	21	7	58	7	36	22	39	96	66
Female	301	167	2	-	-	3	5	5	54	13	52
Nonwhite—Male	28	9	-	-	3	-	1	-	1	12	2
Female	10	7	-	-	-	-	-	1	-	1	1
West Virginia	638	240	19	72	30	4	19	12	16	62	162
Male	417	119	19	72	30	4	17	8	9	51	88
Female	219	121	-	-	-	-	2	4	7	11	74
White—Male	396	112	19	69	30	4	15	8	9	46	84
Female	203	110	-	-	-	-	2	4	7	11	69
Nonwhite—Male	21	7	-	3	-	-	2	-	-	5	4
Female	16	11	-	-	-	-	-	-	-	-	5
Wisconsin	982	495	74	10	42	12	37	19	95	86	112
Male	610	253	71	9	42	10	26	12	44	71	72
Female	372	242	3	1	-	2	11	7	51	15	40
White—Male	594	243	71	9	41	10	25	12	43	71	69
Female	359	231	3	-	-	2	11	7	51	14	40
Nonwhite—Male	16	10	-	-	1	-	1	-	1	-	3
Female	13	11	-	1	-	-	-	-	-	1	-
Wyoming	144	39	6	3	10	4	6	1	5	28	42
Male	96	20	6	3	10	3	4	1	2	22	25
Female	48	19	-	-	-	1	2	-	3	6	17
White—Male	94	20	6	3	10	3	3	1	2	22	24
Female	46	19	-	-	-	1	1	-	3	6	16
Nonwhite—Male	2	-	-	-	-	-	1	-	-	-	1
Female	2	-	-	-	-	-	1	-	-	-	1

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.
[3] New Jersey did not require reporting of color; see Technical Appendix.

Section 5. Life Tables

Page

Explanation of the columns of the life table---------- 5-2

Tables

5-1. Abridged life tables for total, male, and female population: United States, 1962---------- 5-3

5-2. Abridged life tables by color and sex: United States, 1962---------- 5-4

5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1962---------- 5-5

5-4. Expectation of life at single years of age, by color and sex: United States, 1962---------- 5-6

5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1962---------- 5-7

5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-62---------- 5-8

Explanation of the Columns of the Life Table

Column 1—Age interval (x to x + n).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying ($_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for white males in the age interval 20-25, the proportion dying is 0.0082—out of every 1,000 white males alive and exactly 20 years old at the beginning of the period, 8.2 will die before reaching their 25th birthday. In other words, the $_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the $_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 white male babies born alive, 97,462 will complete the first year of life and enter the second; 97,106 will begin the sixth year; 96,051 will reach age 20; and 13,309 will live to age 85.

Column 4—Number dying ($_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 white males born alive, 2,538 die in the first year of life, 356 in the succeeding 4 years, 787 in the 5-year period between exact ages 20 and 25, and 13,309 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population ($_nL_x$ *and* T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for white males in the age interval 20-25 is 478,312. This means that in a stationary population of white males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 478,312 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of white males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,825,961 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,763,164.

Column 7—Average remaining lifetime ($\overset{o}{e}_x$).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus, the figure 478,312 for white males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,051 (column 3) who reached the 20th birthday out of 100,000 white males born alive. The corresponding figure (4,825,961) in column 6 is the total number of years lived after attaining age 20 by the 96,051 reaching that age. This number of years divided by the number of persons (4,825,961 divided by 96,051) gives 50.2 years as the average remaining lifetime of white males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus, in observing that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among whites than among nonwhites; yet the average length of life remaining at age 65 is nearly the same for both groups.

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1962

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age intervals
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	${}_l{}_x$	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
TOTAL						
0-1	0.0252	100,000	2,525	97,774	7,003,503	70.0
1-5	.0039	97,475	375	388,994	6,905,729	70.8
5-10	.0023	97,100	219	484,912	6,516,735	67.1
10-15	.0021	96,881	206	483,928	6,031,823	62.3
15-20	.0043	96,675	420	482,400	5,547,895	57.4
20-25	.0061	96,255	590	479,834	5,065,495	52.6
25-30	.0064	95,665	614	476,823	4,585,661	47.9
30-35	.0081	95,051	766	473,429	4,108,838	43.2
35-40	.0118	94,285	1,112	468,821	3,635,409	38.6
40-45	.0180	93,173	1,674	461,966	3,166,588	34.0
45-50	.0285	91,499	2,611	451,375	2,704,622	29.6
50-55	.0453	88,888	4,023	434,971	2,253,247	25.3
55-60	.0660	84,865	5,599	411,056	1,818,276	21.4
60-65	.0994	79,266	7,880	377,433	1,407,220	17.8
65-70	.1483	71,386	10,588	331,461	1,029,787	14.4
70-75	.2068	60,798	12,575	273,458	698,326	11.5
75-80	.2984	48,223	14,391	205,311	424,868	8.8
80-85	.4354	33,832	14,731	131,232	219,557	6.5
85 and over	1.0000	19,101	19,101	88,325	88,325	4.6
MALE						
0-1	0.0285	100,000	2,851	97,474	6,684,905	66.8
1-5	.0041	97,149	399	387,639	6,587,431	67.8
5-10	.0026	96,750	247	483,093	6,199,792	64.1
10-15	.0027	96,503	260	481,920	5,716,699	59.2
15-20	.0061	96,243	585	479,865	5,234,779	54.4
20-25	.0088	95,658	846	476,214	4,754,914	49.7
25-30	.0085	94,812	803	472,072	4,278,700	45.1
30-35	.0101	94,009	945	467,785	3,806,628	40.5
35-40	.0145	93,064	1,350	462,164	3,338,843	35.9
40-45	.0225	91,714	2,064	453,775	2,876,679	31.4
45-50	.0366	89,650	3,280	440,585	2,422,904	27.0
50-55	.0611	86,370	5,281	419,429	1,982,319	23.0
55-60	.0878	81,089	7,119	388,487	1,562,890	19.3
60-65	.1308	73,970	9,678	346,483	1,174,403	15.9
65-70	.1931	64,292	12,414	291,225	827,920	12.9
70-75	.2559	51,878	13,276	226,699	536,695	10.3
75-80	.3485	38,602	13,454	159,049	309,996	8.0
80-85	.4812	25,148	12,101	94,216	150,947	6.0
85 and over	1.0000	13,047	13,047	56,731	56,731	4.3
FEMALE						
0-1	0.0218	100,000	2,183	98,089	7,343,662	73.4
1-5	.0036	97,817	351	390,413	7,245,573	74.1
5-10	.0020	97,466	190	486,814	6,855,160	70.3
10-15	.0016	97,276	151	486,023	6,368,346	65.5
15-20	.0026	97,125	252	485,036	5,882,323	60.6
20-25	.0035	96,873	342	483,538	5,397,287	55.7
25-30	.0044	96,531	429	481,624	4,913,749	50.9
30-35	.0061	96,102	589	479,112	4,432,125	46.1
35-40	.0092	95,513	879	475,499	3,953,013	41.4
40-45	.0136	94,634	1,291	470,148	3,477,514	36.7
45-50	.0207	93,343	1,936	462,153	3,007,366	32.2
50-55	.0312	91,407	2,853	450,299	2,545,213	27.8
55-60	.0447	88,554	3,960	433,437	2,094,914	23.7
60-65	.0699	84,594	5,917	408,929	1,661,477	19.6
65-70	.1079	78,677	8,491	373,313	1,252,548	15.9
70-75	.1640	70,186	11,512	323,444	879,235	12.5
75-80	.2565	58,674	15,052	256,494	555,791	9.5
80-85	.4009	43,622	17,486	173,609	299,297	6.9
85 and over	1.0000	26,136	26,136	125,688	125,688	4.8

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1962

(Figures exclude data for residents of New Jersey because this State did not require reporting of the color item, see Technical Appendix)

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
TOTAL WHITE						
0-1	0.0223	100,000	2,228	98,006	7,089,361	70.9
1-5	.0034	97,772	333	390,292	6,991,355	71.5
5-10	.0021	97,439	206	486,645	6,601,063	67.7
10-15	.0020	97,233	198	485,702	6,114,418	62.9
15-20	.0042	97,035	404	484,231	5,628,716	58.0
20-25	.0056	96,631	540	481,829	5,144,485	53.2
25-30	.0055	96,091	532	479,149	4,662,656	48.5
30-35	.0068	95,559	647	476,256	4,183,507	43.8
35-40	.0100	94,912	953	472,339	3,707,251	39.1
40-45	.0159	93,959	1,493	466,332	3,234,912	34.4
45-50	.0260	92,466	2,408	456,711	2,768,580	29.9
50-55	.0417	90,058	3,758	441,490	2,311,869	25.7
55-60	.0621	86,300	5,363	418,856	1,870,379	21.7
60-65	.0932	80,937	7,542	386,684	1,451,523	17.9
65-70	.1424	73,395	10,449	341,950	1,064,839	14.5
70-75	.2031	62,946	12,784	283,783	722,889	11.5
75-80	.2989	50,162	14,994	213,557	439,106	8.8
80-85	.4415	35,168	15,526	135,867	225,549	6.4
85 and over	1.0000	19,642	19,642	89,682	89,682	4.6
WHITE MALE						
0-1	0.0254	100,000	2,538	97,716	6,763,164	67.6
1-5	.0036	97,462	356	389,006	6,665,448	68.4
5-10	.0024	97,106	234	484,909	6,276,442	64.6
10-15	.0026	96,872	250	483,786	5,791,533	59.8
15-20	.0059	96,622	571	481,786	5,307,747	54.9
20-25	.0082	96,051	787	478,312	4,825,961	50.2
25-30	.0074	95,264	706	474,565	4,347,649	45.6
30-35	.0087	94,558	820	470,933	3,873,084	41.0
35-40	.0127	93,738	1,188	465,929	3,402,251	36.3
40-45	.0204	92,550	1,887	457,515	2,936,322	31.7
45-50	.0341	90,663	3,092	446,115	2,478,807	27.3
50-55	.0563	87,571	4,930	426,305	2,032,692	23.2
55-60	.0850	82,641	7,021	396,548	1,606,387	19.4
60-65	.1257	75,620	9,508	355,229	1,209,839	16.0
65-70	.1878	66,112	12,417	300,421	854,610	12.9
70-75	.2530	53,695	13,584	235,100	554,189	10.3
75-80	.3505	40,111	14,060	165,092	319,089	8.0
80-85	.4691	26,051	12,742	97,048	153,997	5.9
85 and over	1.0000	13,309	13,309	56,949	56,949	4.3
WHITE FEMALE						
0-1	0.0190	100,000	1,903	98,309	7,441,281	74.4
1-5	.0031	98,097	309	391,640	7,342,972	74.9
5-10	.0018	97,788	176	488,465	6,951,332	71.1
10-15	.0015	97,612	144	487,714	6,462,867	66.2
15-20	.0024	97,468	235	486,784	5,975,153	61.3
20-25	.0031	97,233	298	485,442	5,488,369	56.4
25-30	.0037	96,935	359	483,813	5,002,927	51.6
30-35	.0049	96,576	474	481,758	4,519,114	46.8
35-40	.0075	96,102	720	478,823	4,037,356	42.0
40-45	.0116	95,382	1,104	474,336	3,558,533	37.3
45-50	.0182	94,278	1,716	467,368	3,084,197	32.7
50-55	.0275	92,562	2,543	456,845	2,616,829	28.3
55-60	.0400	90,019	3,598	441,679	2,159,984	24.0
60-65	.0628	86,421	5,423	419,323	1,718,305	19.9
65-70	.1014	80,998	8,212	385,701	1,296,982	16.0
70-75	.1596	72,786	11,615	336,303	913,281	12.5
75-80	.2560	61,171	15,662	267,557	576,972	9.4
80-85	.4059	45,509	18,472	180,549	309,415	6.8
85 and over	1.0000	27,037	27,037	128,866	128,866	4.8

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
TOTAL NONWHITE						
0-1	0.0413	100,000	4,132	96,518	6,408,163	64.1
1-5	.0065	95,868	623	381,922	6,311,645	65.8
5-10	.0031	95,245	298	475,404	5,929,723	62.3
10-15	.0029	94,947	271	474,132	5,454,319	57.4
15-20	.0059	94,676	555	472,132	4,980,187	52.6
20-25	.0103	94,121	969	468,292	4,508,055	47.9
25-30	.0132	93,152	1,226	462,790	4,039,763	43.4
30-35	.0176	91,926	1,615	455,767	3,576,973	38.9
35-40	.0268	90,311	2,419	455,796	3,121,206	34.6
40-45	.0359	87,892	3,159	431,982	2,675,410	30.4
45-50	.0509	84,733	4,317	413,408	2,243,428	26.5
50-55	.0769	80,416	6,185	387,256	1,830,020	22.8
55-60	.1005	74,231	7,463	352,949	1,442,764	19.4
60-65	.1599	66,768	10,612	307,497	1,089,815	16.3
65-70	.2091	56,156	11,685	251,473	782,318	13.9
70-75	.2397	44,471	10,660	195,505	530,845	11.9
75-80	.2822	33,811	9,543	144,765	335,340	9.9
80-85	.3462	24,268	8,401	99,612	190,575	7.9
85 and over	1.0000	15,867	15,867	90,963	90,963	5.7
NONWHITE MALE						
0-1	0.0456	100,000	4,565	96,143	6,149,591	61.5
1-5	.0070	95,435	663	380,080	6,053,448	63.4
5-10	.0034	94,772	321	472,991	5,673,368	59.9
10-15	.0036	94,451	342	471,486	5,200,377	55.1
15-20	.0078	94,109	731	468,908	4,728,891	50.2
20-25	.0140	93,378	1,304	463,774	4,259,983	45.6
25-30	.0171	92,074	1,573	456,536	3,796,209	41.2
30-35	.0211	90,501	1,914	447,904	3,339,673	36.9
35-40	.0313	88,587	2,769	436,315	2,891,769	32.6
40-45	.0419	85,818	3,592	420,578	2,455,454	28.6
45-50	.0602	82,226	4,951	399,394	2,034,876	24.7
50-55	.0897	77,275	6,933	369,773	1,635,482	21.2
55-60	.1137	70,342	7,996	332,167	1,265,709	18.0
60-65	.1771	62,346	11,044	284,217	933,542	15.0
65-70	.2443	51,302	12,534	224,956	649,325	12.7
70-75	.2790	38,768	10,816	166,462	424,369	10.9
75-80	.3133	27,952	8,757	117,336	257,907	9.2
80-85	.3765	19,195	7,227	77,196	140,571	7.3
85 and over	1.0000	11,968	11,968	63,375	63,375	5.3
NONWHITE FEMALE						
0-1	0.0369	100,000	3,689	96,902	6,677,799	66.8
1-5	.0060	96,311	582	383,808	6,580,897	68.3
5-10	.0029	95,729	276	477,869	6,197,089	64.7
10-15	.0021	95,453	199	476,829	5,719,220	59.9
15-20	.0040	95,254	382	475,409	5,242,391	55.0
20-25	.0069	94,872	658	472,791	4,766,982	50.2
25-30	.0097	94,214	918	468,861	4,294,191	45.6
30-35	.0145	93,296	1,349	463,270	3,825,330	41.0
35-40	.0228	91,947	2,099	454,758	3,362,060	36.6
40-45	.0307	89,848	2,758	442,715	2,907,302	32.4
45-50	.0423	87,090	3,685	426,667	2,464,587	28.3
50-55	.0644	83,405	5,374	404,115	2,037,920	24.4
55-60	.0876	78,031	6,832	373,512	1,633,805	20.9
60-65	.1414	71,199	10,065	331,105	1,260,293	17.7
65-70	.1740	61,134	10,637	279,106	929,188	15.2
70-75	.2048	50,497	10,342	226,563	650,082	12.9
75-80	.2535	40,155	10,180	174,999	423,519	10.5
80-85	.3148	29,975	9,436	125,631	248,520	8.3
85 and over	1.0000	20,539	20,539	122,889	122,889	6.0

Table 5-3. Number of Survivors at Single Years of Age, out of 100,000 Born Alive, by Color and Sex: United States, 1962

(Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,475	97,149	97,817	97,772	97,462	98,097	95,868	95,435	96,311
2	97,325	96,994	97,672	97,641	97,329	97,969	95,606	95,151	96,071
3	97,230	96,892	97,584	97,558	97,240	97,892	95,438	94,968	95,919
4	97,157	96,813	97,518	97,492	97,165	97,835	95,326	94,857	95,806
5	97,100	96,750	97,466	97,439	97,106	97,788	95,245	94,772	95,729
6	97,040	96,678	97,418	97,383	97,038	97,744	95,159	94,677	95,651
7	96,991	96,622	97,376	97,337	96,985	97,705	95,092	94,605	95,587
8	96,950	96,577	97,339	97,298	96,942	97,671	95,037	94,548	95,535
9	96,914	96,539	97,306	97,264	96,906	97,640	94,990	94,499	95,491
10	96,881	96,503	97,276	97,233	96,872	97,612	94,947	94,451	95,453
11	96,849	96,466	97,248	97,202	96,837	97,585	94,904	94,401	95,417
12	96,815	96,425	97,221	97,169	96,798	97,559	94,858	94,344	95,382
13	96,776	96,376	97,192	97,132	96,751	97,532	94,806	94,278	95,344
14	96,730	96,316	97,161	97,088	96,693	97,502	94,746	94,200	95,302
15	96,675	96,243	97,125	97,035	96,622	97,468	94,676	94,109	95,254
16	96,610	96,155	97,084	96,972	96,535	97,429	94,595	94,003	95,197
17	96,535	96,052	97,037	96,899	96,433	97,385	94,500	93,880	95,131
18	96,450	95,934	96,986	96,817	96,317	97,337	94,391	93,737	95,055
19	96,356	95,802	96,931	96,727	96,189	97,286	94,265	93,570	94,969
20	96,255	95,658	96,873	96,631	96,051	97,233	94,121	93,378	94,872
21	96,147	95,501	96,811	96,529	95,902	97,178	93,958	93,158	94,763
22	96,031	95,332	96,746	96,422	95,743	97,121	93,776	92,912	94,641
23	95,910	95,157	96,677	96,311	95,580	97,061	93,578	92,644	94,508
24	95,787	94,982	96,605	96,200	95,419	96,999	93,369	92,363	94,365
25	95,665	94,812	96,531	96,091	95,264	96,935	93,152	92,074	94,214
26	95,545	94,648	96,453	95,985	95,117	96,869	92,927	91,778	94,054
27	95,425	94,489	96,372	95,880	94,976	96,800	92,693	91,472	93,884
28	95,304	94,332	96,287	95,775	94,838	96,729	92,449	91,158	93,702
29	95,180	94,173	96,197	95,669	94,700	96,654	92,194	90,835	93,507
30	95,051	94,009	96,102	95,559	94,558	96,576	91,926	90,501	93,296
31	94,915	93,839	96,000	95,444	94,410	96,494	91,645	90,158	93,070
32	94,772	93,661	95,892	95,324	94,256	96,407	91,350	89,804	92,827
33	94,621	93,474	95,776	95,196	94,094	96,313	91,034	89,430	92,563
34	94,459	93,276	95,650	95,059	93,922	96,212	90,690	89,027	92,271
35	94,285	93,064	95,513	94,912	93,738	96,102	90,311	88,587	91,947
36	94,096	92,835	95,364	94,752	93,539	95,982	89,894	88,105	91,588
37	93,892	92,587	95,202	94,579	93,323	95,850	89,439	87,582	91,195
38	93,671	92,319	95,027	94,390	93,088	95,707	88,950	87,023	90,770
39	93,432	92,029	94,838	94,184	92,831	95,551	88,433	86,433	90,320
40	93,173	91,714	94,634	93,959	92,550	95,382	87,892	85,818	89,848
41	92,893	91,371	94,415	93,714	92,242	95,198	87,326	85,176	89,352
42	92,589	90,997	94,178	93,445	91,904	94,998	86,731	84,502	88,829
43	92,257	90,588	93,922	93,150	91,531	94,779	86,103	83,790	88,279
44	91,895	90,140	93,645	92,825	91,119	94,540	85,439	83,034	87,700
45	91,499	89,650	93,343	92,466	90,663	94,278	84,733	82,226	87,090
46	91,066	89,116	93,016	92,071	90,161	93,991	83,985	81,368	86,448
47	90,594	88,532	92,661	91,638	89,608	93,677	83,192	80,456	85,771
48	90,078	87,888	92,277	91,161	88,997	93,335	82,342	79,479	85,048
49	89,511	87,171	91,860	90,636	88,320	92,964	81,420	78,422	84,263
50	88,888	86,370	91,407	90,058	87,571	92,562	80,416	77,275	83,405
51	88,204	85,478	90,915	89,424	86,744	92,125	79,318	76,028	82,464
52	87,457	84,495	90,382	88,731	85,838	91,652	78,130	74,684	81,441
53	86,649	83,428	89,809	87,979	84,851	91,142	76,869	73,268	80,349
54	85,785	82,290	89,200	87,169	83,785	90,598	75,564	71,813	79,209
55	84,865	81,089	88,554	86,300	82,641	90,019	74,231	70,342	78,051
56	83,888	79,826	87,871	85,370	81,415	89,402	72,883	68,867	76,827
57	82,849	78,495	87,144	84,374	80,103	88,741	71,505	67,373	75,584
58	81,739	77,084	86,363	83,307	78,703	88,029	70,059	65,822	74,264
59	80,548	75,579	85,516	82,163	77,210	87,258	68,492	64,159	72,814
60	79,266	73,970	84,594	80,937	75,620	86,421	66,768	62,346	71,199
61	77,892	72,257	83,590	79,628	73,936	85,512	64,877	60,377	69,406
62	76,425	70,441	82,501	78,232	72,157	84,525	62,839	58,270	67,457
63	74,857	68,514	81,322	76,737	70,270	83,451	60,681	56,039	65,392
64	73,179	66,466	80,049	75,128	68,258	82,278	58,442	53,709	63,269
65	71,386	64,292	78,677	73,395	66,112	80,998	56,156	51,302	61,134
66	69,474	61,989	77,201	71,533	63,828	79,603	53,833	48,823	59,001
67	67,446	59,567	75,616	69,546	61,417	78,087	51,477	46,265	56,866
68	65,314	57,053	73,920	67,443	58,904	76,448	49,113	43,730	54,736
69	63,094	54,481	72,111	65,239	56,321	74,682	46,770	41,211	52,612
70	60,798	51,878	70,186	62,946	53,695	72,786	44,471	38,768	50,497
71	58,434	49,258	68,145	60,571	51,040	70,760	42,230	36,421	48,400
72	56,001	46,624	65,986	58,113	48,358	68,600	40,050	34,170	46,325
73	53,494	43,973	63,696	55,565	45,646	66,292	37,927	32,014	44,266
74	50,903	41,300	61,262	52,917	42,898	63,819	35,850	29,944	42,212
75	48,223	38,602	58,674	50,162	40,111	61,171	33,811	27,952	40,155
76	45,459	35,886	55,932	47,306	37,292	58,347	31,808	26,037	38,095
77	42,621	33,165	53,043	44,360	34,456	55,355	29,846	24,202	36,038
78	39,726	30,456	50,019	41,342	31,624	52,207	27,932	22,449	33,993
79	36,791	27,778	46,874	38,272	28,816	48,920	26,072	20,781	31,969
80	33,832	25,148	43,622	35,168	26,051	45,509	24,268	19,195	29,975
81	30,864	22,579	40,275	32,047	23,345	41,989	22,519	17,682	28,017
82	27,899	20,081	36,845	28,924	20,711	38,372	20,819	16,228	26,097
83	24,946	17,659	33,340	25,810	18,158	34,669	19,155	14,811	24,214
84	22,012	15,315	29,768	22,714	15,690	30,888	17,512	13,402	22,364
85	19,101	13,047	26,136	19,642	13,309	27,037	15,867	11,968	20,539

716 - 533 O - 64 - 27

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1962

(Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1	70.8	67.8	74.1	71.5	68.4	74.9	65.8	63.4	68.3
2	70.0	66.9	73.2	70.6	67.5	74.0	65.0	62.6	67.5
3	69.0	66.0	72.2	69.7	66.5	73.0	64.1	61.7	66.6
4	68.1	65.0	71.3	68.7	65.6	72.1	63.2	60.8	65.7
5	67.1	64.1	70.3	67.7	64.6	71.1	62.3	59.9	64.7
6	66.2	63.1	69.4	66.8	63.7	70.1	61.3	58.9	63.8
7	65.2	62.2	68.4	65.8	62.7	69.1	60.4	58.0	62.8
8	64.2	61.2	67.4	64.8	61.7	68.2	59.4	57.0	61.9
9	63.2	60.2	66.4	63.9	60.8	67.2	58.4	56.0	60.9
10	62.3	59.2	65.5	62.9	59.8	66.2	57.4	55.1	59.9
11	61.3	58.3	64.5	61.9	58.8	65.2	56.5	54.1	58.9
12	60.3	57.3	63.5	60.9	57.8	64.2	55.5	53.1	58.0
13	59.3	56.3	62.5	59.9	56.9	63.3	54.5	52.2	57.0
14	58.4	55.3	61.5	59.0	55.9	62.3	53.6	51.2	56.0
15	57.4	54.4	60.6	58.0	54.9	61.3	52.6	50.2	55.0
16	56.4	53.4	59.6	57.0	54.0	60.3	51.6	49.3	54.1
17	55.5	52.5	58.6	56.1	53.0	59.4	50.7	48.4	53.1
18	54.5	51.6	57.6	55.1	52.1	58.4	49.8	47.4	52.1
19	53.6	50.6	56.7	54.2	51.2	57.4	49.8	46.5	51.2
20	52.6	49.7	55.7	53.2	50.2	56.4	47.9	45.6	50.2
21	51.7	48.8	54.8	52.3	49.3	55.5	47.0	44.7	49.3
22	50.7	47.9	53.8	51.4	48.4	54.5	46.1	43.8	48.4
23	49.8	47.0	52.8	50.4	47.5	53.5	45.2	43.0	47.4
24	48.9	46.0	51.9	49.5	46.6	52.6	44.3	42.1	46.5
25	47.9	45.1	50.9	48.5	45.6	51.6	43.4	41.2	45.6
26	47.0	44.2	49.9	47.6	44.7	50.6	42.5	40.4	44.7
27	46.1	43.3	49.0	46.6	43.8	49.7	41.6	39.5	43.7
28	45.1	42.4	48.0	45.7	42.8	48.7	40.7	38.6	42.8
29	44.2	41.4	47.1	44.7	41.9	47.8	39.8	37.8	41.9
30	43.2	40.5	46.1	43.8	41.0	46.8	38.9	36.9	41.0
31	42.3	39.6	45.2	42.8	40.0	45.8	38.0	36.0	40.1
32	41.4	38.6	44.2	41.9	39.1	44.9	37.2	35.2	39.2
33	40.4	37.7	43.3	40.9	38.2	43.9	36.3	34.3	38.3
34	39.5	36.8	42.3	40.0	37.2	43.0	35.4	33.5	37.4
35	38.6	35.8	41.4	39.1	36.3	42.0	34.6	32.6	36.6
36	37.6	35.0	40.5	38.1	35.4	41.1	33.7	31.8	35.7
37	36.7	34.1	39.5	37.2	34.5	40.1	32.9	31.0	34.9
38	35.8	33.2	38.6	36.3	33.5	39.2	32.1	30.2	34.0
39	34.9	32.3	37.7	35.3	32.6	38.2	31.3	29.4	33.2
40	34.0	31.4	36.7	34.4	31.7	37.3	30.4	28.6	32.4
41	33.1	30.5	35.8	33.5	30.8	36.4	29.6	27.8	31.5
42	32.2	29.6	34.9	32.6	29.9	35.5	28.8	27.0	30.7
43	31.3	28.7	34.0	31.7	29.1	34.5	28.0	26.3	29.9
44	30.4	27.8	33.1	30.8	28.2	33.6	27.3	25.5	29.1
45	29.6	27.0	32.2	29.9	27.3	32.7	26.5	24.7	28.3
46	28.7	26.2	31.3	29.1	26.5	31.8	25.7	24.0	27.5
47	27.8	25.4	30.4	28.2	25.7	30.9	24.9	23.3	26.7
48	27.0	24.5	29.6	27.3	24.8	30.0	24.2	22.6	25.9
49	26.2	23.7	28.7	26.5	24.0	29.1	23.5	21.8	25.2
50	25.3	22.9	27.8	25.7	23.2	28.3	22.8	21.2	24.4
51	24.5	22.2	27.0	24.8	22.4	27.4	22.1	20.5	23.7
52	23.7	21.4	26.1	24.0	21.7	26.5	21.4	19.9	23.0
53	23.0	20.7	25.3	23.2	20.9	25.7	20.7	19.2	22.3
54	22.2	20.0	24.5	22.5	20.2	24.8	20.1	18.6	21.6
55	21.4	19.3	23.7	21.7	19.4	24.0	19.4	18.0	20.9
56	20.7	18.6	22.8	20.9	18.7	23.2	18.8	17.4	20.3
57	19.9	17.9	22.0	20.1	18.0	22.3	18.1	16.7	19.6
58	19.2	17.2	21.2	19.4	17.3	21.5	17.5	16.1	18.9
59	18.5	16.5	20.4	18.7	16.7	20.7	16.9	15.5	18.3
60	17.8	15.9	19.6	17.9	16.0	19.9	16.3	15.0	17.7
61	17.1	15.2	18.9	17.2	15.4	19.1	15.8	14.4	17.1
62	16.4	14.6	18.1	16.5	14.7	18.3	15.3	14.0	16.6
63	15.7	14.0	17.4	15.8	14.1	17.5	14.8	13.5	16.1
64	15.1	13.4	16.6	15.2	13.5	16.8	14.4	13.1	15.7
65	14.4	12.9	15.9	14.5	12.9	16.0	13.9	12.7	15.2
66	13.8	12.3	15.2	13.9	12.4	15.3	13.5	12.3	14.7
67	13.2	11.8	14.5	13.3	11.9	14.6	13.1	11.9	14.3
68	12.6	11.3	13.8	12.7	11.3	13.9	12.7	11.6	13.8
69	12.0	10.8	13.2	12.1	10.8	13.2	12.3	11.3	13.3
70	11.5	10.3	12.5	11.5	10.3	12.5	11.9	10.9	12.9
71	10.9	9.9	11.9	10.9	9.8	11.9	11.5	10.6	12.4
72	10.4	9.4	11.3	10.4	9.3	11.3	11.1	10.3	11.9
73	9.8	8.9	10.6	9.8	8.9	10.6	10.7	9.9	11.5
74	9.3	8.5	10.1	9.3	8.4	10.0	10.3	9.6	11.0
75	8.8	8.0	9.5	8.8	8.0	9.4	9.9	9.2	10.5
76	8.3	7.6	9.9	8.3	7.5	8.9	9.5	8.9	10.1
77	7.8	7.2	8.4	7.8	7.1	8.3	9.1	8.5	9.6
78	7.4	6.8	7.9	7.3	6.7	7.8	8.7	8.1	9.2
79	6.9	6.4	7.3	6.9	6.3	7.3	8.3	7.7	8.7
80	6.5	6.0	6.9	6.4	5.9	6.8	7.9	7.3	8.3
81	6.1	5.6	6.4	6.0	5.5	6.3	7.4	6.9	7.8
82	5.7	5.3	6.0	5.6	5.2	5.9	7.0	6.5	7.4
83	5.3	4.9	5.5	5.2	4.9	5.5	6.6	6.1	6.9
84	4.9	4.6	5.2	4.9	4.5	5.1	6.1	5.7	6.5
85	4.6	4.3	4.8	4.6	4.3	4.8	5.7	5.3	6.0

Table 5-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1962

(Alaska included beginning 1959, and Hawaii, 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhites cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population)

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($\mathring{e}_x$)							
	1962[1]	1961	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1962[1]	1961	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE MALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.6	67.8	66.31	62.81	59.12	56.34	50.23	48.23
1	97,462	97,458	96,931	95,188	93,768	91,975	87,674	86,655	68.4	68.5	67.41	64.98	62.04	60.24	56.26	54.61
5	97,106	97,080	96,403	94,150	91,738	88,842	82,972	80,864	64.6	64.8	63.77	61.68	59.38	58.31	55.37	54.43
10	96,872	96,839	96,069	93,601	90,810	87,530	81,519	79,109	59.8	60.0	58.98	57.03	54.96	54.15	51.32	50.59
15	96,622	96,592	95,728	93,089	90,074	86,546	80,549	78,037	54.9	55.1	54.18	52.33	50.39	49.74	46.91	46.25
20	96,051	96,023	95,104	92,293	88,904	84,997	79,116	76,376	50.2	50.4	49.52	47.76	46.02	45.60	42.71	42.19
25	95,264	95,248	94,294	91,241	87,371	83,061	77,047	73,907	45.6	45.8	44.93	43.28	41.78	41.60	38.79	38.52
30	94,558	94,554	93,489	90,092	85,707	80,888	74,810	71,219	41.0	41.1	40.29	38.80	37.54	37.65	34.87	34.88
35	93,738	93,751	92,543	88,713	83,812	78,441	72,108	68,245	36.3	36.5	35.68	34.36	33.33	33.74	31.08	31.29
40	92,550	92,601	91,173	86,880	81,457	75,733	68,848	64,954	31.7	31.9	31.17	30.03	29.22	29.86	27.43	27.74
45	90,663	90,719	89,002	84,285	78,345	72,696	65,115	61,369	27.3	27.5	26.87	25.87	25.28	26.00	23.86	24.21
50	87,571	87,665	85,601	80,521	74,288	69,107	60,741	57,274	23.2	23.3	22.83	21.96	21.51	22.22	20.39	20.76
55	82,641	82,770	80,496	75,156	68,981	64,574	55,622	52,491	19.4	19.6	19.11	18.34	17.97	18.59	17.03	17.42
60	75,620	75,900	73,172	67,787	61,933	58,498	48,987	46,452	16.0	16.1	15.76	15.05	14.72	15.25	13.98	14.35
65	66,112	66,314	63,541	58,305	52,964	50,663	40,862	39,245	12.9	13.1	12.75	12.07	11.77	12.21	11.25	11.51
70	53,695	54,125	51,735	46,739	41,880	40,873	31,527	30,640	10.3	10.4	10.07	9.42	9.20	9.51	8.83	9.03
75	40,111	40,596	38,104	33,404	29,471	29,205	21,585	21,387	8.0	8.0	7.77	7.17	7.02	7.30	6.75	6.84
80	26,051	26,475	24,005	19,860	17,221	17,655	12,160	12,266	5.9	6.0	5.88	5.38	5.26	5.47	5.09	5.10
85	13,309	13,520	12,015	9,013	7,572	8,154	5,145	5,252	4.3	4.5	4.35	4.02	3.99	4.06	3.88	3.81
NONWHITE MALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	61.5	61.9	58.91	52.33	47.55	47.14	34.05	32.54
1	95,435	95,500	94,911	91,696	91,268	89,499	78,065	74,674	63.4	63.8	61.06	56.05	51.08	51.63	42.53	42.46
5	94,772	94,835	93,921	89,920	88,412	85,195	68,589	64,385	59.9	60.3	57.69	53.13	48.69	50.18	44.25	45.06
10	94,451	94,524	93,453	89,211	87,311	83,768	66,377	61,730	55.1	55.5	52.96	48.54	44.27	45.99	40.65	41.90
15	94,109	94,188	92,965	88,417	86,152	82,332	64,478	59,667	50.2	50.7	48.23	43.95	39.83	41.75	36.77	38.26
20	93,378	93,459	91,941	86,770	83,621	79,057	61,426	56,733	45.6	46.0	43.73	39.74	35.95	38.36	33.46	35.11
25	92,074	92,186	90,285	84,055	79,516	74,540	57,736	53,285	41.2	41.6	39.49	35.94	32.67	35.54	30.44	32.21
30	90,501	90,640	88,327	80,865	75,083	70,344	54,073	49,867	36.9	37.3	35.31	32.25	29.45	32.51	27.33	29.25
35	88,587	88,736	85,940	77,185	70,049	65,873	49,865	46,541	32.6	33.0	31.21	28.67	26.39	29.54	24.42	26.16
40	85,818	86,062	82,832	72,830	64,710	61,353	45,414	42,989	28.6	29.0	27.29	25.23	23.36	26.53	21.57	23.12
45	82,226	82,461	78,686	67,514	58,432	56,589	40,563	39,230	24.7	25.1	23.59	22.02	20.59	23.55	18.85	20.09
50	77,275	77,644	72,891	60,766	51,748	51,880	35,427	34,766	21.2	21.5	20.25	19.18	17.92	20.47	16.21	17.34
55	70,342	70,909	65,122	52,867	44,436	46,581	29,754	29,987	18.0	18.3	17.36	16.67	15.46	17.50	13.82	14.69
60	62,346	63,015	55,535	44,370	36,790	40,506	23,750	24,194	15.0	15.3	14.91	14.38	13.15	14.74	11.67	12.62
65	51,302	51,910	45,198	35,912	29,314	34,042	17,806	19,015	12.7	13.0	12.75	12.18	10.87	12.07	9.74	10.38
70	38,768	39,808	35,018	27,688	21,741	26,923	12,295	13,829	10.9	11.2	10.74	10.06	8.78	9.58	8.00	8.33
75	27,952	29,215	25,472	19,765	14,419	18,854	7,494	8,892	9.2	9.4	8.83	8.09	6.99	7.61	6.58	6.60
80	19,195	20,349	16,904	12,352	8,239	11,615	3,894	4,831	7.3	7.5	7.07	6.46	5.42	5.83	5.53	5.12
85	11,968	12,797	9,898	6,492	3,660	5,605	1,747	2,030	5.3	5.5	5.38	5.08	4.30	4.53	4.48	4.04
WHITE FEMALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	74.4	74.5	72.03	67.29	62.67	58.53	53.62	51.08
1	98,097	98,071	97,645	96,211	95,037	93,608	89,774	88,939	74.9	75.0	72.77	68.93	64.93	61.51	58.69	56.39
5	97,788	97,759	97,199	95,309	93,216	90,721	85,349	83,426	71.1	71.2	69.09	65.57	62.17	59.43	57.67	56.03
10	97,612	97,582	96,960	94,890	92,466	89,564	83,979	81,723	66.2	66.3	64.26	60.85	57.65	55.17	53.57	52.15
15	97,468	97,437	96,756	94,534	91,894	88,712	83,093	80,680	61.3	61.4	59.39	56.07	53.00	50.67	49.12	47.79
20	97,233	97,207	96,454	93,984	90,939	87,281	81,750	78,978	56.4	56.6	54.56	51.38	48.52	46.46	44.88	43.77
25	96,935	96,926	96,072	93,228	89,524	85,163	79,865	76,588	51.6	51.7	49.77	46.78	44.25	42.55	40.88	40.05
30	96,576	96,563	95,605	92,320	87,972	82,740	77,676	73,887	46.8	46.9	45.00	42.21	39.99	38.72	36.96	36.42
35	96,102	96,114	94,977	91,211	86,248	80,206	75,200	70,971	42.0	42.1	40.28	37.70	35.73	34.86	33.09	32.82
40	95,382	95,410	94,080	89,805	84,256	77,624	72,425	67,935	37.3	37.4	35.64	33.25	31.52	30.94	29.26	29.17
45	94,278	94,334	92,725	87,920	81,780	74,871	69,341	64,677	32.7	32.8	31.12	28.90	27.39	26.98	25.45	25.51
50	92,562	92,639	90,685	85,267	78,572	71,547	65,629	61,005	28.3	28.4	26.76	24.72	23.41	23.12	21.74	21.89
55	90,019	90,105	87,699	81,520	74,321	67,323	61,053	56,509	24.0	24.1	22.58	20.73	19.60	19.40	18.18	18.43
60	86,421	86,584	83,279	76,200	68,462	61,704	54,900	50,752	19.9	20.0	18.64	17.00	16.05	15.93	14.92	15.23
65	80,998	81,126	76,773	68,701	60,499	54,299	47,086	43,806	16.0	16.1	15.00	13.56	12.81	12.75	11.97	12.23
70	72,786	72,928	67,545	58,363	49,932	44,638	37,482	35,206	12.5	12.6	11.68	10.50	9.98	9.94	9.38	9.59
75	61,171	61,267	54,397	44,685	37,024	32,777	26,569	25,362	9.4	9.5	8.87	7.92	7.56	7.62	7.20	7.33
80	45,509	45,642	38,026	28,882	23,053	20,492	15,929	15,349	6.8	6.9	6.59	5.88	5.63	5.70	5.35	5.50
85	27,037	27,163	21,348	14,487	10,937	9,909	7,152	7,149	4.8	5.0	4.83	4.34	4.24	4.24	4.06	4.10
NONWHITE FEMALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	66.8	67.0	62.70	55.51	49.51	46.92	37.67	35.04
1	96,311	96,338	95,913	93,318	92,796	91,251	81,493	78,525	68.3	68.6	64.37	58.47	52.33	50.39	45.15	43.54
5	95,729	95,742	95,055	91,710	90,185	87,149	72,768	68,056	64.7	65.0	60.93	55.47	49.81	48.70	46.42	46.04
10	95,453	95,496	94,679	91,092	89,201	85,607	70,508	65,111	59.9	60.2	56.17	50.63	45.33	44.54	42.84	43.02
15	95,254	95,303	94,343	90,363	88,088	83,954	68,218	62,384	55.0	55.3	51.36	46.22	40.87	40.36	39.18	39.79
20	94,872	94,923	93,544	88,505	85,078	80,154	64,764	59,053	50.2	50.5	46.77	42.14	37.22	37.15	36.14	36.89
25	94,214	94,288	92,336	85,961	81,067	75,359	61,430	55,795	45.6	45.8	42.35	38.31	33.93	34.35	32.97	33.90
30	93,296	93,378	90,799	83,147	76,816	70,633	58,281	52,773	41.0	41.2	38.02	34.52	30.67	31.48	29.61	30.70
35	91,947	92,004	88,805	79,879	72,192	65,857	54,595	49,567	36.6	36.8	33.82	30.83	27.47	28.58	26.44	27.52
40	89,848	90,005	86,052	75,908	67,271	61,130	50,568	46,146	32.4	32.6	29.82	27.31	24.30	25.60	23.34	24.37
45	87,090	87,247	82,257	71,061	61,365	56,230	45,947	42,279	28.3	28.5	26.07	24.00	21.39	22.61	20.43	21.36
50	83,405	83,530	77,007	64,836	54,920	50,780	40,886	37,681	24.4	24.7	22.67	21.04	18.60	19.76	17.65	18.67
55	78,031	78,086	70,196	57,419	47,074	44,742	35,415	33,124	20.9	21.2	19.62	18.44	16.27	17.09	14.98	15.88
60	71,199	71,357	61,758	49,102	38,761	37,954	28,908	27,524	17.7	18.0	16.95	16.14	14.22	14.69	12.78	13.60
65	61,134	61,258	52,358	40,718	30,852	31,044	22,302	21,995	15.2	15.5	14.54	13.95	12.24	12.41	10.82	11.38
70	50,497	51,343	42,612	32,579	23,341	24,107	15,871	16,140	12.9	13.0	12.29	11.81	10.38	10.25	9.22	9.62
75	40,155	41,037	32,981	24,668	16,576	17,216	10,657	11,066	10.5	10.7	10.15	9.80	8.62	8.37	7.55	7.90
80	29,975	30,900	23,712	17,157	10,822	11,151	6,324	6,708	8.3	8.4	8.15	8.00	6.90	6.58	6.05	6.48
85	20,539	21,093	15,550	10,658	6,033	5,972	3,029	3,567	6.0	6.1	6.15	6.38	5.48	5.22	5.09	5.10

[1]Figures exclude data for residents of New Jersey because this State did not require reporting of the color item; see Technical Appendix.

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-62

(Estimates based on life table values shown in table 5-5)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]									
1962[2]	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.6	74.2	63.8	61.4	66.5
1958	69.4	66.4	72.7	70.3	67.2	73.7	63.0	60.6	65.5
1957	69.3	66.3	72.5	70.0	67.1	73.5	62.7	60.3	65.2
1956	69.6	66.6	72.8	70.2	67.3	73.7	63.2	61.1	65.9
1955	69.5	66.6	72.7	70.2	67.3	73.6	63.2	61.2	65.9
1954	69.6	66.7	72.7	70.3	67.4	73.6	63.1	61.0	65.8
1953	68.8	65.9	71.9	69.6	66.8	72.9	61.7	59.7	64.4
1952	68.6	65.7	71.6	69.4	66.6	72.7	61.1	59.1	63.7
1951	68.4	65.6	71.3	69.2	66.5	72.4	61.0	59.1	63.3
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.6	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.0	57.1	59.6	48.3	47.7	48.9
1922	59.6	53.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.3	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.6	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.6	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	46.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Figures by color exclude data for residents of New Jersey because this State did not require reporting of the item, see Technical Appendix.

Section 6. Technical Appendix

Page

Sources of data ---- 6-3
Death and fetal death statistics ---- 6-3
Standard certificates ---- 6-3
History ---- 6-4
Classification of data ---- 6-7
Classification by occurrence and residence ---- 6-7
Geographic classification ---- 6-8
Age ---- 6-8
Race and color ---- 6-9
Fetal deaths ---- 6-10
Cause of death ---- 6-11
Quality control procedures ---- 6-17
Interpretation of data ---- 6-17
Completeness of registration ---- 6-17
Population bases for death rates ---- 6-18
Age-adjusted death rates ---- 6-18
Symbols used in tables ---- 6-18

Figures

6-A. Standard Certificate of Death ---- 6-4

6-B. Standard Certificate of Fetal Death ---- 6-5

Population Tables

6-1. Inclusion of checkbox item for usual residence on certificates of birth, death, and fetal death: United States, 1962 ---- 6-6

6-2. Comparison of deaths from selected causes assigned according to rules used for 1961 and 1962 in coding according to the Seventh Revision of the International Lists, for a 10-percent sample of deaths: United States, 1962 ---- 6-13

6-3. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1962 ---- 6-19

6-4. Estimates of the total population of the United States including Armed Forces abroad, by age, color, and sex: July 1, 1962 ---- 6-19

6-5. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1962 ---- 6-20

6-6. Estimates of the total resident population of the United States, excluding New Jersey, by age, color, and sex: July 1, 1962 ---- 6-20

6-7. Provisional estimates of the total resident population of the United States, each division and State, Puerto Rico, and Virgin Islands: July 1, 1962 ---- 6-21

SECTION 6. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal death statistics

With the exception noted in the next paragraph, tabulations of deaths and fetal deaths for 1962 are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, the District of Columbia, Puerto Rico, and the Virgin Islands. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Vital Statistics Division (NVSD).

The 1962 death statistics for California were produced by a somewhat different procedure. The vital statistics office of this State coded the information on its certificates according to the rules followed in NVSD. From punchcards prepared for its own use, California reproduced the information required for national tabulations on uniform punchcard forms. The reproduced cards were verified and tabulated with the cards for all the other areas.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Tabulations for Puerto Rico and the Virgin Islands are shown separately in Section 8, Part B, Volume II, *Vital Statistics of the United States, 1962.*

Mortality data for the United States are confined to events registered within the United States and include events occurring to nonresident aliens. The data do not cover vital events for U.S. citizens occurring outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are confined to events registered in these areas.

However, beginning with the 1962 data year, NVSD has received individual copies of death reports of members of the Armed Forces of the United States whose deaths were recorded in other than the 50 States, the District of Columbia, Puerto Rico, or the Virgin Islands. These reports were coded and tabulated and the data are shown in Section I in table 1-27, "Deaths from selected causes among Armed Forces abroad, by 5-year age groups: United States, 1962."

Standard certificates

Standard certificates of death and fetal death, issued by the National Vital Statistics Division, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the Standard Certificate of Death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956.

The current standard certificates of death and fetal death are shown in figures 6-A and 6-B. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death.

With a few exceptions, only minor changes in content and format were made in the 1956 revision of the standard certificates. In an effort to obtain a more accurate designation for place of residence, the question "Is residence inside city limits?" was added. Studies conducted in a few States had indicated that this question helped to correctly locate the residence of persons who had lived near but outside the corporate limits of cities. Table 6-1 indicates the States that did and those that did not include the checkbox item on city of residence on all or some of the certificate forms used during 1962.

The wording of the cause-of-death item on the death certificate was changed to improve its clarity. The separate questions on operations were dropped.

The cause item on the fetal death certificate was revised to conform to the wording used on the death certificate.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the Bureau of the Census established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities which had efficient systems for the registration of deaths, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States

FIGURE 6-A

CERTIFICATE OF DEATH

Form approved. Budget Bureau No. 68-R375.2.

BIRTH NO. STATE OF STATE FILE NO.

1. **PLACE OF DEATH** a. COUNTY
b. CITY, TOWN, OR LOCATION
c. LENGTH OF STAY IN 1b
d. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*)
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES ☐ NO ☐

2. **USUAL RESIDENCE** (*Where deceased lived. If institution: Residence before admission*) a. STATE b. COUNTY
c. CITY, TOWN, OR LOCATION
d. STREET ADDRESS
e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐
f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. **NAME OF DECEASED** (*Type or print*) *First* *Middle* *Last*
4. DATE OF DEATH *Month* *Day* *Year*
5. SEX
6. COLOR OR RACE
7. MARRIED ☐ NEVER MARRIED ☐ WIDOWED ☐ DIVORCED ☐
8. DATE OF BIRTH
9. AGE (*In years last birthday*) IF UNDER 1 YEAR *Months* *Days* IF UNDER 24 HRS. *Hours* *Min.*
10a. USUAL OCCUPATION (*Give kind of work done during most of working life, even if retired*)
10b KIND OF BUSINESS OR INDUSTRY
11 BIRTHPLACE (*State or foreign country*)
12. CITIZEN OF WHAT COUNTRY?
13. FATHER'S NAME
14. MOTHER'S MAIDEN NAME
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (*Yes, no, or unknown*) (*If yes, give war or dates of service*)
16 SOCIAL SECURITY NO.
17 **INFORMANT** *Address*

MEDICAL CERTIFICATION

18. **CAUSE OF DEATH** [*Enter only one cause per line for (a), (b), and (c).*]
PART I. DEATH WAS CAUSED BY:
IMMEDIATE CAUSE (a) _____
Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. DUE TO (b) _____
DUE TO (c) _____
INTERVAL BETWEEN ONSET AND DEATH
PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)
19. WAS AUTOPSY PERFORMED? YES ☐ NO ☐
20a. ACCIDENT ☐ SUICIDE ☐ HOMICIDE ☐
20b DESCRIBE HOW INJURY OCCURRED (*Enter nature of injury in Part I or Part II of item 18.*)
20c TIME OF INJURY *Hour* *a. m.* *p. m.* *Month, Day, Year*
20d INJURY OCCURRED WHILE AT WORK ☐ NOT WHILE AT WORK ☐
20e. PLACE OF INJURY (*e. g., in or about home, farm, factory, street, office bldg., etc.*)
20f. CITY, TOWN, OR LOCATION COUNTY STATE
21. *I attended the deceased from* _____, *to* _____ *and last saw her/him alive on* _____
Death occurred at _____ *m on the date stated above; and to the best of my knowledge, from the causes stated.*
22a. **SIGNATURE** (*Degree or title*)
22b ADDRESS
22c. DATE SIGNED
23a. BURIAL, CREMATION, REMOVAL (*Specify*)
23b DATE
23c NAME OF CEMETERY OR CREMATORY
23d LOCATION (*City, town, or county*) (*State*)
24. FUNERAL DIRECTOR ADDRESS
25 DATE RECD. BY LOCAL REG.
26. REGISTRAR'S SIGNATURE

1956 REVISION OF STANDARD CERTIFICATE
DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE
PHS-798 REV. 11/54
GPO 1955 O - 335174

and cities included in this expanding area, but death figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-3.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration

FIGURE 6-B

CERTIFICATE OF FETAL DEATH[1]

Form approved. Budget Bureau No.

STATE OF — STATE FILE NO.

1. **PLACE OF DELIVERY** a. COUNTY
b. CITY, TOWN, OR LOCATION
c. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*)
d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES ☐ NO ☐

2. **USUAL RESIDENCE OF MOTHER** (*Where does mother live?*) a. STATE b. COUNTY
c. CITY, TOWN, OR LOCATION
d. STREET ADDRESS
e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐
f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. **NAME OF FETUS** (*If given*)
4. SEX OF FETUS MALE ☐ FEMALE ☐ ☐ UNDETERMINED
5a. THIS DELIVERY SINGLE ☐ TWIN ☐ TRIPLET ☐
5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST ☐ 2D ☐ 3D ☐
6. DATE OF DELIVERY (*Month*) (*Day*) (*Year*)

FATHER
7. NAME *First* *Middle* *Last*
8. COLOR OR RACE.
9. AGE (*At time of delivery*) YEARS
10. BIRTHPLACE (*State or foreign country*)
11a. USUAL OCCUPATION
11b. KIND OF BUSINESS OR INDUSTRY

MOTHER
12. MAIDEN NAME *First* *Middle* *Last*
13. COLOR OR RACE
14. AGE (*At time of delivery*) YEARS
15. BIRTHPLACE (*State or foreign country*)
16. PREVIOUS DELIVERIES TO MOTHER (*Do NOT include this fetus*)
a. *How many children are now living?*
b. *How many children were born alive but are now dead?*
c. *How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)?*

17. **INFORMANT**

18a. LENGTH OF PREGNANCY COMPLETED WEEKS
18b. WEIGHT OF FETUS LB. OZ.
19. LEGITIMATE YES ☐ NO ☐
20. WHEN DID FETUS DIE? BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐
21. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

22. CAUSE OF FETAL DEATH
PART I. FETAL DEATH WAS CAUSED BY: (*Enter only one cause per line for (a), (b), and (c)*)
Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity). IMMEDIATE CAUSE (a) ____
Fetal and/or maternal conditions, if any, GIVING RISE TO THE ABOVE CAUSE *(a) stating* THE UNDERLYING CAUSE LAST. DUE TO (b) ____ DUE TO (c) ____
PART II. OTHER SIGNIFICANT CONDITIONS *of fetus or mother which may have* CONTRIBUTED *to fetal death, but, in so far as is known, were not related to cause given in* PART I (a).

I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.
23a. **ATTENDANT'S SIGNATURE** (*Specify if M. D., D. O., midwife, or other*)
23b. DATE SIGNED
23c. ATTENDANT'S ADDRESS
If not attended by physician
24. SIGNATURE OF AUTHORIZED OFFICIAL TITLE

25a. BURIAL, CREMATION, REMOVAL (*Specify*)
25b. DATE
25c. NAME OF CEMETERY OR CREMATORY
25d. LOCATION (*City, town, or county*) (*State*)

26. FUNERAL DIRECTOR ADDRESS
DATE REC'D BY LOCAL REG.
REGISTRAR'S SIGNATURE

[1] Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

1955 REVISION OF STANDARD CERTIFICATE (*Amended*) — DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE — 16—72175-1 — U. S. GOVERNMENT PRINTING OFFICE — PHS-797 REV. 11-55

Table 6-1. INCLUSION OF CHECKBOX ITEM FOR USUAL RESIDENCE ON CERTIFICATES OF BIRTH, DEATH, AND FETAL DEATH: UNITED STATES, 1962

(In general, certificates containing checkbox item on usual residence are those certificates revised since the 1956 revisions of the standard certificates. Data were abstracted from copies of certificates received in the National Vital Statistics Division and include only those certificates used by the areas during all or part of 1962. Certificates revised in 1962 but not in use during the year are not included)

REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF—			REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF—		
	Live birth	Death	Fetal death		Live birth	Death	Fetal death
Alabama		X		Nebraska	X	X	X
Alaska	X	X	X	Nevada	X	X	X
Arizona	X	X	X	New Hampshire			
Arkansas	X	X	X	New Jersey			
California	X	X	X	New Mexico			
Colorado	X	X	X	New York (excl. N.Y.C.)	X	X	X
Connecticut	X	X	X	New York City, N.Y.			
Delaware	X	X	X	North Carolina	X	X	X
District of Columbia	X	X	X	North Dakota	X	X	X
Florida	X	X	X	Ohio	X	X	
Georgia	X	X	X	Oklahoma	X	X	X
Hawaii	X	X	X	Oregon			
Idaho				Pennsylvania	X		
Illinois	X	X	X	Rhode Island			X
Indiana	X	X	X	South Carolina	X	X	X
Iowa	X	X	X	South Dakota			
Kansas	X	X	X	Tennessee	X	X	X
Kentucky	X	X	X	Texas	X	X	X
Louisiana	X	X	X	Utah	X	X	X
Maine		X		Vermont			
Maryland (excl. Baltimore)	X		X	Virginia	X	X	X
Baltimore, Md.			X	Washington	X	X	X
Massachusetts				West Virginia	X	X	X
Michigan	X	X	X	Wisconsin		X	
Minnesota	X	X	X	Wyoming	X	X	X
Mississippi	X	X					
Missouri	X	X	X	Puerto Rico			
Montana	X	X	X	Virgin Islands			X

area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If those reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States was much lower, representing 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths (stillbirths) have been published each year for the birth-registration areas.

Table 6-3 presents for each year through 1933 the estimated midyear population of the United States and the estimated midyear population of those States included in the registration system.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas, but beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area in 1933 omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of

cities in nonregistration States, but it has its advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the orginial registration States or the registration States of 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is obtained through the presentation of such data in the form of rates, which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must, therefore, be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The complete rules used in the classification of geographic and personal items for deaths are set forth in the *Vital Statistics Instruction Manual* "Coding and Punching Geographic and Personal Particulars for Deaths Occurring in 1962," 1962. Comparable rules for coding and punching fetal deaths are outlined in two other manuals—"Coding and Punching Geographic and Personal Particulars for Births Occurring in 1962," 1962, and "Coding and Punching Geographic and Personal Particulars for Fetal Deaths Occurring in 1962," 1963. The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

For the 1962 statistics by place of occurrence, events are classified according to the county in which the vital event took place but are not classified to any smaller geographic unit. In the vital statistics for years prior to 1960, place of occurrence was classified by smaller units within the county in the same detail as are statistics by place of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, all deaths are allocated to the usual place of residence of the decedent as reported on the death certificate.

The data by place of residence are classified to units within a county as follows: (1) each incorporated place of 10,000 inhabitants or more, (2) each unincorporated place of 10,000 inhabitants or more classified as urban under special rule, (3) the aggregate of incorporated places of 2,500 to 10,000 inhabitants and unincorporated places of this size defined as urban under special rule, and (4) the residual part of the county. For vital statistics purposes, the residual part of the county is referred to as rural.

Deaths of residents and nonresidents occurring within a State are compared with deaths of residents of the same State which occurred within or outside of the State in table 1-16 in Section 1. For most States the number of deaths of residents occurring outside of a State is about the same as the number of deaths of nonresidents occurring within the State.

For residence statistics, all events occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to a place of residence within the United States. For nonresident aliens, the place of residence is considered to be the same as the place of occurrence.

Residence error.—A nationwide test of birth registration completeness in 1950 has provided measures of residence error for natality statistics. Comparable measures are not available for deaths. However, many of the qualifications of residence data noted in the birth registration test apply to mortality statistics.

The 1950 test indicates that for the country as a whole, errors in residence reporting result in a significant overstatement of births to residents of urban places and a corresponding understatement in the number to residents of areas classified as rural. The extent of bias varies from State to State and from city to city in the same State. Residence errors occur largely because of the major growth in population areas close to cities. Frequently, parts of these surrounding areas have city mailing addresses, and unless special care is taken in asking for residence information, they could be identified as being inside the cities. This situation has assumed special importance because of a concomitant development, the increased utilization of hospitals in cities by residents of nearby places. Misstatements of residence are more likely to remain undetected in such cases than when the birth occurs in the place of residence.

With respect to this latter type of error, the amount of movement for hospitalization from place of residence to place of occurrence is smaller for deaths than for births.[1] Therefore the error may be assumed to be less for deaths than for births.

As a result of the findings of the 1950 test, an effort was made to obtain a more accurate designation of place of residence by incorporating in the 1956 revisions of standard certificates of birth, death, and fetal death the question "Is residence inside city limits?" Studies conducted in a few States indicate that this question on city limits helped to locate correctly the residence of persons living near cities but outside their corporate limits. Even with the improvement in accuracy stemming from the addition of the checkbox item, the problem of correctly allocating residence still exists.

There is the question of the consistency of residence reporting for live births on one hand and infant or fetal deaths on the other. For those States in which the checkbox item is carried on one type of certificate but not on the other, the possibility of error is obvious. In some instances, the unusually high or low infant death rate shown for rural areas of metropolitan counties may be due to this factor.

[1] See table 1-16 in Section 1 of this volume and table 1-29 in Section 1 of Volume I.

Geographic classification[2]

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) used in this report are the same as those established by the Bureau of the Budget and used by the Bureau of the Census except in the new England States.

In the other 44 States, an SMSA is a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition, contiguous counties are included in an SMSA if, according to specified criteria, they are (a) essentially metropolitan in character and (b) socially and economically integrated with the central city or cities.[3]

In New England the Bureau of the Budget uses as geographic components of the SMSA, towns and cities rather than counties. The National Vital Statistics Division cannot use the SMSA classification in these States because its data are not coded to identify all towns. Instead, the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.[4]

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.[5]

Metropolitan and nonmetropolitan counties.—Counties which are included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Urban and rural areas.—Vital statistics data for 1962 are classified as urban or rural according to the population of the area enumerated in the 1960 census. The urban population consists of inhabitants residing in the following places:

1. Each incorporated city, borough, village, and town of 2,500 inhabitants or more (except towns in New England, New York, and Wisconsin).
2. Each town in New England and each township in New Jersey and Pennsylvania that has no incorporated municipality as a subdivision and has either 25,000 inhabitants or more or a population of 2,500 to 25,000 and a density of 1,500 persons or more per square mile.[6]
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that has no incorporated municipality within its boundary and has a density of 1,500 persons or more per square mile.[7]

The rural population consists of inhabitants residing in all other areas.

This classification differs from the 1960 census definition of urban population. The latter definition includes, in addition, persons living in (a) unincorporated places of 2,500 inhabitants or more not included in the above definition of "urban" and (b) incorporated and unincorporated places of less than 2,500 inhabitants located within urban fringes of urbanized areas.

It was not feasible to use the 1960 census definitions of urban and rural for classifying vital statistics data since (a) boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only; many unincorporated places do not conform to political units and their boundaries change with population growth; in most instances the residence information on vital records is insufficient to allocate residence to arbitrary delimitations of unincorporated areas; and (b) vital statistics were not tabulated separately for places of less than 2,500 inhabitants. The difference in the percent distribution of the population in 1960 according to NVSD and the Bureau of the Census is as follows:

	Census	*NVSD*	*Percent difference*[8]
Total	100.0	100.0	...
Urban	69.9	61.1	-12.6
Rural	30.1	38.9	+29.2

Age

The age reported on vital records is the age at last birthday. It has been found that a characteristic error in reported age is an excess of ages ending in 0 or 5. To minimize the effect of this error, age is usually tabulated in 5- or 10-year groups.

With respect to computation of death rates, the age classification used by the Bureau of the Census is also based on the age of the person in completed years. The results of the 1960 census show that there is less heaping than in

[2]The rules followed in the classification of geographic areas for deaths are set forth in the instruction manuals cited previously. The geographic code structure is given in *Vital Statistics Instruction Manual*, Part II, Section C, "Geographic Code—Final—Births, Deaths, and Fetal Deaths Occurring in 1960-61," National Office of Vital Statistics, 1961; and supplements for use with the 1962 data.

[3]For a more complete discussion, see *United States Census of Population: 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, U.S. Bureau of the Census. Washington, U.S. Government Printing Office, 1960; and *Standard Metropolitan Statistical Areas*, Bureau of the Budget. Washington, U.S. Government Printing Office, 1961.

[4]For discussion of MSEA's, see *State Economic Areas*, U.S. Bureau of the Census. Washington, U.S. Government Printing Office, 1951; and the first reference cited in footnote 3. For the 1960 listing of MSEA's used for New England, see *Vital Statistics Instruction Manual*, Part II, Supplement No. 3 to Section C, "Geographic Code—1960-61 (Final)," National Vital Statistics Division, 1961.

[5]See footnote 3.

[6]These areas are identified by the symbol (UT) in table 30 of the U.S. Bureau of the Census publication cited in footnote 3.

[7]Arlington County, Virginia, is the only county in this category.

[8]Census figures used as the base.

earlier census years in the population base at digits 0 and 5.[9]

Race and color

Deaths in the United States in 1962 are classified for vital statistics into white, Negro, American Indian, Chinese, Japanese, Aleut, Eskimo, Hawaiian and Part-Hawaiian (combined), and "other nonwhite."

The category "white" includes, in addition to persons reported as "white," those reported as Mexican or Puerto Rican. If the racial entry on the death record indicates a mixture of Hawaiian and any other race, the race is classified as Part-Hawaiian. If race is given as a mixture of Negro with any other race, except Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as " other nonwhite."

In some tables an extended classification is not needed and the divisions are "white," "Negro," and "other." In tables where the main purpose is to isolate the major group, the classifications are simply "white" and "nonwhite."

The correct designation of race is a difficult and complex problem, but classification from vital statistics records into the broad groups used in this volume is relatively simple. Difficulties may arise in computing rates based on populations classified by race or color because of differences resulting from the registration and enumeration methods used to collect this information.

The 1960 census was the first in which respondents classified themselves with respect to race—in the past censuses the racial classification was generally made by the enumerator on the basis of observation. Since the distribution of the population by white and nonwhite in 1960 was nearly the same as that shown by the postcensal estimates for 1960 it appears that the self-enumeration procedure may have had no effect on the comparability of vital rates for the white and nonwhite groups between 1960 and previous years. Likewise, the increase in the Negro population was consistent with statistics on its natural increase during the past 10 years. Increases in both the Chinese and Japanese populations were large, but high rates of natural increase and substantial immigration during the decade obscure any effects of self-enumeration.

Self-enumeration procedures may have increased the accuracy of the count of the Indian population in 1960. In past censuses the enumerator often failed to identify off-reservation Indians. In several Southern States, groups of persons of mixed stock of Indian and other races who for the purpose of reporting vital events consider themselves Indian had been classified in the 1950 census as "other nonwhite." In censuses prior to 1950, these groups have been variously classified as Negro or Indian. In 1960, the groups in question, with minor exceptions, were classified as Indian.[10]

Observed differences in vital statistics rates for various racial groups should not be interpreted as being necessarily due to inherent racial causes. Race is not independent of other factors, and the economic, social, and medical circumstances of one racial group may be quite different from those of another. For example, an observed difference in mortality by race may be no more than a difference of mortality for different economic classes.

New Jersey.—The State of New Jersey omitted the item on color or race from its certificates of live birth, death, and fetal death in 1962. Therefore, it was necessary to make certain changes in processing and publishing the statistics.

In all tables giving data for individual States or their geographic subdivisions, the "color or race" classification is not shown for New Jersey.

In tables by place of residence all events for residents of States other than New Jersey have been classified by color or race. In the relatively infrequent cases where the event occurred in New Jersey to a resident of another State it was arbitrarily classified as "white." This was done to eliminate the "not stated" category in the many tables by place of residence.

In tables by place of occurrence the figures for "white" and "nonwhite" do not add to the total for some areas. This results from a decision to classify all residents of New Jersey as "color or race not stated," including cases in which the birth, death, or fetal death occurred in another State.

All statistics for the United States as a whole by color or race are affected by the lack of this information for New Jersey residents. As stated previously, all events to residents of New Jersey were classified as "color or race not stated." In the annual volume tables this "not stated" category is not shown in the interest of space conservation; however, the frequencies of events classified as "color or race not stated" can be obtained in each table by subtracting from the totals for all races the sum of the events classified by color or race. For example, in table 1-1 in Section 1 the total number of deaths for the United States is 1,756,720, of which 1,694,696 are classified by color—1,488,113 as white and 206,583 as nonwhite. The difference between the sum of the events classified by color and the total events—62,024—represents the deaths to residents of New Jersey, events which were classified as "color or race not stated."

The absence of color or race information for New Jersey deaths affects all death rates and life table values classified by color or race for the total United States. This results from the fact that it was not possible to obtain denominators by color to correspond to the mortality data with New Jersey excluded because intercensal population estimates by age, color, and sex are not available for individual States. Therefore, in order to prepare death rates by color for the

[9] For a further discussion of age heaping and digit preference in the population, see the U.S. Bureau of the Census publication *United States Census of Population: 1960, Detailed Characteristics, United States Summary*, Final Report PC(1)-1D. Washington, U.S. Government Printing Office, 1963.

[10] U.S. Bureau of the Census, *United States Census of Population: 1960, General Population Characteristics, United States Summary*, Final Report PC(1)-1B. Washington, U.S. Government Printing Office, 1961.

United States it was necessary to make estimates of the United States population by age, color, and sex excluding New Jersey. The procedure used to make these estimates rests on the assumption that the ratio of the population of the United States excluding New Jersey in 1962 classified by age, color, and sex to the total population of the United States in 1962 classified by age, color, and sex can be represented by a ratio based on corresponding data from the 1960 Census of Population.

Ratios derived in this manner were applied to the 1962 U.S. population in each specific age, sex, and color group to obtain the population denominators which exclude New Jersey. The estimated 1962 populations used to compute death rates and life table values for each color group are shown in table 6-6. Consideration of the relatively small proportion of the United States population contributed by New Jersey and the maximum probable degree of error in the estimation procedure justified the conclusion that these measures approximate closely those that would have been obtained if mortality data by color had been available for New Jersey.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy. . . ." The term "fetal death" was defined on an all-inclusive basis to end confusion arising from the use of a variety of terms such as stillbirth, abortion, and miscarriage. The definition has been adopted by nearly half the States.[11] In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)	Group II
28 completed weeks of gestation and over (late fetal deaths)	Group III
Gestation period not classifiable in Groups I, II, and III	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live birth and death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was introduced. This was revised in 1949 and 1955 and amended in 1956 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation for which fetal death registration is required by each State.

There is substantial evidence that not all fetal deaths for which registration is required are reported.[12]

Underregistration is more of a problem near the lower limit for those States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are certain inaccuracies in the reporting of length of gestation. The comparatively large proportion of fetal deaths at 36 weeks of gestation is believed to result from erroneous conversion of 9-month gestations to 36 weeks. In addition, the heavy concentrations at 40 weeks result partly from failure to calculate the exact period of gestation for fetuses of normal size. In an effort to eliminate these inaccuracies, four areas—California, the District of Columbia, Maryland (including Baltimore), and New York City—specify "date of last menses" on their certificate in place of the usual "length of pregnancy" item or its equivalent.

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestations of 20 weeks or more. These tables include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those who are born prematurely and die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. For these States,

[11] Prior to the adoption of this definition the nationally recommended definition of a fetal death (stillbirth) for registration purposes was as follows: "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth."

[12] Unpublished fetal mortality data—derived from work sheets used in preparing a thesis for Harvard School of Public Health, April 1962—supplied in a letter of August 9, 1962, from Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

transposed

the proportion of mothers of first liveborn children reported as having had previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for the years prior to 1956.

The following States requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death for the 1962 data year:

Alabama	Nevada
Alaska	New Jersey
Delaware	North Carolina
District of Columbia	North Dakota
Florida	Ohio
Hawaii	Oregon
Illinois	Pennsylvania
Indiana	Rhode Island
Iowa	South Carolina
Kansas	South Dakota
Kentucky	Tennessee
Louisiana	Texas
Maine	Utah
Michigan	Washington
Minnesota	West Virginia
Mississippi	Wisconsin
Missouri	Wyoming

Alaska, Maryland, Massachusetts, Nebraska, Pennsylvania, and Wisconsin require this information only on the certificates of fetal deaths. Pennsylvania requires reporting on the birth record of all fetal deaths of gestations of more than 16 weeks. New York City has for many years required reporting of all previous fetal deaths on certificates of both live birth and fetal death. The other States require reporting for fetal deaths at gestations of 20 weeks or more. Massachusetts is the only State for which the birth record does not request previous fetal loss.

Period of gestation.—The period of gestation is the number of completed weeks which have elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life.

Total-birth order.—The number of a birth or fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

Legitimacy status.—Tabulations which include legitimacy as a factor exclude those States which did not provide for the reporting of this item. The following States included this item on their birth and fetal death certificates in 1962:

Arkansas	Montana
Colorado	Nevada
Connecticut	North Carolina
Delaware	Ohio
Florida	Oklahoma
Georgia	Oregon
Hawaii	Rhode Island
Indiana	South Carolina
Iowa	South Dakota
Kansas	Utah
Louisiana	Vermont
Maine	Virginia
Minnesota	Washington
Mississippi	West Virginia
Missouri	Wyoming

There are no quantitative data on the characteristics of the unwed mothers who may be misreporting legitimacy status. Another source of error is the failure to register fetal deaths at all. It may well be that underregistration is greater in the illegitimate group than in the legitimate.

Cause of death

Beginning with 1958, the cause-of-death statistics published by the National Vital Statistics Division have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955).[13]

The Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality. These lists have been adapted for use in NVSD.

The List of 258 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by a simple addition of titles. The List of 60 Selected Causes of Death is an extension of List B, except that certain causes of very low frequency in this country (typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria) are not shown in this list and four categories were added (asthma, other bronchopulmonic diseases, infections of kidney, and cholelithiasis, cholecystitis, and cholangitis). In addition, rheumatic fever

[13] For a history and description of both the Sixth and Seventh Revisions, see *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1, World Health Organization. Geneva, Switzerland, 1957.

was included under the rubric diseases of heart for the first time in 1958. The List of 55 Selected Causes of Infant Death was taken by the National Vital Statistics Division from the Detailed List.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the most part, the continuity in the mortality trends has not been considered a problem of great concern. Van Buren[14] described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley[15] measured the change in mortality by cause due to the Fifth Revision. This was done by coding mortality data for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

The Sixth Revision of the International Lists of Diseases and Causes of Death adopted by the World Health Organization in July 1948 was used for mortality data in the United States from 1949 to 1957. This revision represented a more sweeping change than any of the previous revisions. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for morbidity as well as for mortality.

In addition to the sweeping change in the International Classification itself, there was a major change in the methods of selection of the cause of death for primary tabulations for use with the Sixth Revision. A large proportion of the death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, and it is necessary to employ a selection process to determine the one cause to which the death will be assigned. The method of selection used has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death to be used internationally. The form of medical certification is shown in the Standard Certificate of Death (figure 6-A). It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are jointly recorded. In general, if the certification is completed properly, the underlying cause of death indicated by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs sharply from that used in previous years. Formerly definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

In order to make it possible to maintain a comparable time series of mortality rates by cause, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 should be coded according to both the Sixth and Fifth Revisions. In the United States deaths in 1950 were used for dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause by the Fifth Revision. All data for 1950 are classified by both revisions, and the results are shown in two reports in Volume 51 of *Vital Statistics—Special Reports* now in preparation —"Comparability of Mortality Statistics for the Fifth and Sixth Revisions" and "Comparability Ratios Based on Mortality Statistics for the Fifth and Sixth Revisions."

Beginning with 1955, the decennial conferences for revision of the International Lists are to be held in years ending in 5, rather than later in the decade, as had been done previously. This is to make possible the use of the revised classification for mortality data at the beginning of years ending in 8. The new cycle provides time for sufficient experience with the new classification for fluctuations resulting from variations in interpretations of new provisions to level off by the year ending in 0. Thus, stable mortality data will be available for comparison with population figures from the decennial censuses.

In compliance with a recommendation of the Expert Committee on Health Statistics, the Seventh Revision of the International Lists was of limited scope, consisting of essential changes and amendments of errors and inconsistencies. This restriction was set forth because the change in the revision cycle resulted in a relatively short period between the effective date (1949) of the Sixth Revision and the Seventh Revision Conference in 1955 and thus resulted in limited experience with the Sixth Revision.

The amendments of the Seventh Revision included the integration into the manual of the provisions contained in an addendum[16] which, having been used with the Sixth Revision, did not represent classification changes. The only change made in the three-digit categories consisted of the rewording of a few titles. In a few cases the rewording included redefining the morbid conditions classifiable to these categories and the transfer of certain terms from one category to another. The three-digit categories affected are listed in Section 1, Volume I, *Vital Statistics of the United States, 1958*. There were also a number of alterations in four-digit categories, mostly consisting of the addition of

[14] George H. Van Buren, "Some Things You Can't Prove by Mortality Statistics," *Vital Statistics—Special Reports*, Vol. 12, No. 13, 1940.

[15] Halbert L. Dunn and William Shackley, "Comparison of Cause-of-Death Assignments by the 1929 and 1938 Revisions of the International Lists: Deaths in the United States, 1940," *Vital Statistics—Special Reports*, Vol. 19, No. 14, 1944.

[16] World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death*, Addendum 1, "Supplementary Interpretations and Instructions for Coding Causes of Death." Geneva, Switzerland, 1953.

Table 6-2. Comparison of Deaths From Selected Causes Assigned According to Rules Used for 1961 and 1962 in Coding According to the Seventh Revision of the International Lists, for a 10-Percent Sample of Deaths: United States, 1962

(Includes only deaths occurring within the United States. Excludes fetal deaths. The sample consists of one-tenth of the death certificates received in State vital statistics offices)

CAUSE OF DEATH		NUMBER OF DEATHS ASSIGNED ACCORDING TO RULES FOR— 1962	1961	Comparability ratio
Tuberculosis, all forms	001-019	951	957	0.99
Tuberculosis of respiratory system	001-008	881	888	0.99
Tuberculosis, other forms	010-019	70	69	1.01
Syphilis and its sequelae	020-029	293	293	1.00
Dysentery, all forms	045-048	44	44	1.00
Scarlet fever and streptococcal sore throat	050,051	7	7	1.00
Diphtheria	055	2	2	1.00
Whooping cough	056	10	10	1.00
Meningococcal infections	057	74	74	1.00
Acute poliomyelitis	080	6	6	1.00
Measles	085	38	38	1.00
Infectious hepatitis	092	108	106	1.02
Other infective and parasitic diseases	030-044,049,052-054,058-074,081-084,086-091,093-138	517	520	0.99
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	27,666	27,656	1.00
Malignant neoplasm of buccal cavity and pharynx	140-148	635	635	1.00
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	150-156A,157-159	9,044	9,037	1.00
Malignant neoplasm of respiratory system, not specified as secondary	160-164	4,427	4,426	1.00
Malignant neoplasm of breast	170	2,413	2,411	1.00
Malignant neoplasm of genital organs	171-179	3,954	3,952	1.00
Malignant neoplasm of urinary organs	180,181	1,247	1,247	1.00
Malignant neoplasm of other and unspecified sites	156B,165,190-199	3,176	3,181	1.00
Leukemia and aleukemia	204	1,333	1,332	1.00
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues	200-203,205	1,437	1,435	1.00
Benign neoplasms and neoplasms of unspecified nature	210-239	495	495	1.00
Asthma	241	491	487	1.01
Diabetes mellitus	260	3,147	3,138	1.00
Anemias	290-293	363	361	1.01
Meningitis, except meningococcal and tuberculous	340	225	218	1.03
Major cardiovascular-renal diseases	330-334,400-468,592-594	96,454	96,425	1.00
Diseases of cardiovascular system	330-334,400-468	95,285	95,255	1.00
Vascular lesions affecting central nervous system	330-334	19,717	19,680	1.00
Diseases of heart	400-402,410-443	68,390	68,394	1.00
Rheumatic fever and chronic rheumatic heart disease	400-402,410-416	1,724	1,757	0.98
Arteriosclerotic heart disease, including coronary disease	420	52,343	52,183	1.00
Nonrheumatic chronic endocarditis and other myocardial degeneration	421,422	5,480	5,531	0.99
Other diseases of heart	430-434	2,610	2,694	0.97
Hypertensive heart disease	440-443	6,233	6,229	1.00
Other hypertensive disease	444-447	1,274	1,276	1.00
General arteriosclerosis	450	3,665	3,674	1.00
Other diseases of circulatory system	451-468	2,239	2,231	1.00
Chronic and unspecified nephritis and other renal sclerosis	592-594	1,169	1,170	1.00
Influenza and pneumonia, except pneumonia of newborn	480-493	6,074	6,157	0.99
Influenza	480-483	356	354	1.01
Pneumonia, except pneumonia of newborn	490-493	5,718	5,803	0.99
Bronchitis	500-502	449	447	1.00
Other bronchopulmonic diseases	525-527	1,940	1,952	0.99
Ulcer of stomach and duodenum	540,541	1,189	1,177	1.01
Appendicitis	550-553	157	157	1.00
Hernia and intestinal obstruction	560,561,570	1,002	1,003	1.00
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	543,571,572	830	828	1.00
Cirrhosis of liver	581	2,127	2,114	1.01
Cholelithiasis, cholecystitis, and cholangitis	584,585	448	449	1.00
Acute nephritis, and nephritis with edema including nephrosis	590,591	145	142	1.02
Infections of kidney	600	798	798	1.00
Hyperplasia of prostate	610	413	413	1.00
Deliveries and complications of pregnancy, childbirth, and the puerperium	640-689	128	125	1.02
Abortion	650-652	28	28	1.00
Other complications	640-649,660-689	100	97	1.03
Congenital malformations	750-759	2,103	2,092	1.01
Certain diseases of early infancy	760-776	6,538	6,517	1.00
Birth injuries, postnatal asphyxia, and atelectasis	760-762	2,916	2,862	1.02
Infections of newborn	763-768	441	434	1.02
Other diseases peculiar to early infancy, and immaturity unqualified	769-776	3,181	3,221	0.99
Symptoms, senility, and ill-defined conditions	780-795	2,337	2,356	0.99
Accidents	E800-E962	9,699	9,636	1.01
Motor vehicle accidents	E810-E835	3,961	3,959	1.00
Nonmotor vehicle accidents	E800-E802,E840-E962	5,738	5,677	1.01
Accidents in the home	E870-E936(.0)	2,275	2,262	1.01
Other nonmotor vehicle accidents	E800-E802,E840-E866,E870-E936(.1-.9),E940-E962	3,463	3,415	1.01
Suicide	E963,E970-E979	2,018	2,018	1.00
Homicide	E964,E980-E985	894	894	1.00

[1] Ratio between deaths assigned according to the 1962 rules and deaths assigned according to the 1961 rules, based on the 10-percent sample for 1962.

716 - 533 O - 64 - 28

four-digit subdivisions providing more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for the selection of the cause of death for primary mortality classification were recast for use with the Seventh Revision in order to simplify the prior rules and to organize them from the point of view of the steps which a coder must take in making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made. These mainly involved the selection of the underlying cause for improperly completed certifications. There have been some changes in interpretations for use in adapting coding procedures to reporting practices in the United States.

In the majority of cases, application of the rules for the Seventh Revision results in the same code assignment as that of the Sixth Revision rules. There are some differences in individual assignments affecting a number of categories. Many of these individual assignments are compensatory and result in no break in continuity of trends for various causes of death; the comparability of a number of categories is affected to a limited extent.

In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified by both the Sixth and Seventh Revisions. The comparability ratios for selected causes are shown in table 1-H, Section I, Volume I, *Vital Statistics of the United States, 1958*, and the results are discussed on pages 1-19 to 1-21 of the same report.

Coding in 1962.—The National Vital Statistics Division annually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that will apply in that year. For 1960 and 1961 no revisions were made in coding procedures which affected code assignments. For prior years changes which may have affected code assignments are noted in the introduction to *Vital Statistics of the United States* for the appropriate years.

The 1962 revision of the instruction manual for coding causes of death incorporated a number of procedures which differed slightly from rules used in coding causes for deaths occurring in 1961. These changes were made chiefly to bring coding procedures into alinement with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate some inconsistencies in coding procedures. Procedures which changed for 1962 are indicated in *Vital Statistics Instruction Manual*, Part II, Section D, "Cause-of-Death Coding for Deaths Occurring in 1962."

In order to evaluate the effect of the changes, causes of death for a 10-percent sample of deaths in 1962 were coded by the 1962 procedures and also by the procedures in effect for deaths occurring in 1961. The sample used for this dual coding was comprised of 175,416 death certificates submitted by the registration areas for the *Monthly Vital Statistics Report*. There were differences in cause-of-death classification resulting from coding by the two sets of rules for 1,078 of these certificates, slightly more than 0.61 percent. This does not include deaths classified to new four-digit subdivisions of 002, 008, and 751 for 1962 which were assigned to these three-digit categories by the 1961 procedures.

Comparability ratios were computed for causes in a selected list by dividing the number of deaths assigned to a particular cause using the 1962 procedures by the number of deaths assigned to that cause using the 1961 procedures. The resulting ratios, shown in table 6-2, reflect the net change in cause-of-death assignments for the listed causes produced by the differences in coding procedures. The causes included are those in the List of 60 Selected Causes of Death with the following exceptions: Infectious hepatitis (092) is shown separately instead of being included with other infective and parasitic diseases; the residual "All other diseases" has been omitted; and the category nonmotor vehicle accidents is shown in two parts—accidents in the home and other nonmotor vehicle accidents.

The results of the dual coding indicate that a majority of the differences were either compensatory or were widely scattered throughout the classification. The comparability ratios for a large majority of causes as grouped for table 6-2 are very close to 1.00 with no ratio differing from 1.00 by more than .03. The dual coding shows differences for many of the more detailed causes and for many of the causes as grouped for the List of 258 Selected Causes of Death. However, comparability ratios are estimated to differ from 1.00 by less than 0.1 for most causes with the majority differing from 1.00 by less than .03. On the other hand, for a few causes the ratios differ from 1.00 by somewhat larger magnitudes.

The net differences and the ratios for causes of death computed from the dual coding are, of course, subject to sampling variability since they are based on a 10-percent sample of deaths occurring in 1962. Hence, the differences for some of the causes may be explained by sampling variability. This is particularly true for causes resulting in relatively few deaths with small numbers of differences resulting from the use of the two sets of rules, even though the ratios may differ from 1.00 by relatively large magnitudes.

The changes in coding procedures outlined below are those which resulted in a comparability ratio estimated from the dual coding to differ from 1.00 by at least 0.1 for a cause of death category in either the Detailed List or the 258-cause list. The causes of death included in the discussion are those to which 200 or more of the total deaths for 1962 were assigned and which showed a net difference of at least 5 cases in the 10-percent sample which was coded by the two sets of rules. Some causes with fewer differences and/or fewer deaths are also mentioned incidental to the explanation.

Causes of death with estimated comparability ratios of 0.90 or less:

193.9, Malignant neoplasm of brain and other parts of nervous system, site unspecified: For 1962, malignant neoplasms whose histological type indicates origin in the nervous

system qualified only by an adjective, such as frontal, prefrontal, parietal, temporal, or occipital, which indicates intracranial, were classified under malignant neoplasm of brain (193.0). For 1961, these neoplasms were classified under 193.9.

344, Late effects of intracranial abscess or pyogenic infection: See 344A.

344A, Hydrocephalus (internal) (external) NOS (ages 4 weeks and over): See 751 under causes with comparability ratios of 1.10 or more.

355, Other diseases of brain: For 1962, "cerebral damage" without indication of cause in decedents under 4 weeks of age was assigned to 760, Intracranial and spinal injury at birth, and to 351, Cerebral spastic infantile paralysis, in decedents 4 weeks of age and over. For 1961, this diagnosis was assigned to 355 regardless of age.

390-398, Diseases of ear and mastoid process: See 391-393.

391-393, Otitis media and mastoiditis: For 1962, assignment for meningitis due to otitis media was made to the resulting meningitis, that is, to 340, Meningitis, except meningococcal and tuberculous. For 1961, assignment for this sequence was made to the presumptive underlying cause, 391, Otitis media without mention of mastoiditis.

421, Chronic endocarditis not specified as rheumatic: For 1962, reports of coronary disease (any) due to valvular heart disease or endocarditis except bacterial endocarditis underlying coronary embolism, occlusion, infarction, or thrombosis were classified to 420.1, Heart disease specified as involving coronary arteries. For 1961, endocarditis and valvular heart conditions were coded as the underlying cause of certain coronary diseases, for example, occlusion, embolism, thrombosis, and infarction. This change in procedure affected the ratios for rheumatic endocarditis (410-414) to a lesser extent.

421.1, Chronic endocarditis of aortic valve, not specified as rheumatic: See 421.

421.4, Other and ill-defined chronic endocarditis, not specified as rheumatic: See 421.

421.2-421.4, Chronic endocarditis of other valves not specified as rheumatic: See 421.

434.4, Unspecified disease of heart: For 1962, the interpretation of a rule whereby a more precise description of a disease is preferred to a selected underlying cause which describes the disease in general terms was expanded. This expansion resulted in the classification of causes of death to the more specific heart conditions, for example, to 420.1, Heart disease specified as involving coronary arteries, 433.1, Other disorders of heart rhythm, and 434.1, Congestive heart failure, which under procedures for previous years were classified under 434.4. This change in interpretation brought about decreases in the residual categories for other organs and systems, for example, 527.2, Other diseases of lung and pleural cavity, with an estimated effect upon the comparability ratio of less than 0.10.

542, Gastrojejunal ulcer: For 1962, an internal ulcer with site unspecified was classified to 540, Ulcer of stomach. For 1961, these ulcers were classified to 542.

752, Congenital hydrocephalus: See 751 under causes with comparability ratios of 1.10 or more.

759.3, Other and unspecified congenital malformations: For 1962, an expansion of the interpretation of a rule pertaining to precise descriptions of a disease compared with a general description resulted in decreases for a number of residual categories for organs or systems. Some causes of death were classified to categories for specific congenital malformations in 1962, for example, to 757, Congenital malformation of genitourinary system, and 756, Congenital malformation of digestive system, which had been classified to 759.3 in 1961.

774, Immaturity with mention of any other subsidiary condition: For 1962, cerebral anoxia with prematurity was classified to 762.5, Postnatal asphyxia and atelectasis with prematurity; for 1961, this diagnosis was coded to 774. For 1962, "cerebral damage" with mention of immaturity was assigned to 760.5, Intracranial and spinal injury at birth with immaturity; for 1961, assignment was usually made to 774.

795.0, Other ill-defined conditions: For 1962, "cerebral anoxia" NOS in decedents under 1 year of age was classified to 762.0, Postnatal asphyxia and atelectasis without mention of immaturity. For 1961, classification was made to 795.0 regardless of age.

E904, Unspecified falls: See E903 under causes with comparability ratios of 1.10 or more.

E921 and E922, Inhalation and ingestion of food and of other objects causing obstruction or suffocation: See E923 under causes with comparability ratios of 1.10 or more.

Causes of death with estimated comparability ratios of 1.10 or more:

351, Cerebral spastic infantile paralysis: See 355 under causes with comparability ratios of 0.90 or less.

462, Varicose veins of other specified sites: See 462.1.

462.1, Varicose veins of esophagus: For 1962, esophageal varices reported as due to arteriosclerosis, heart disease, or diabetes are considered as "highly improbable" sequences, with assignment to varicose veins of the esophagus. For 1961, the presumptive underlying cause as reported was coded.

587B, Cystic fibrosis: For 1962, "meconium ileus" was assigned to cystic fibrosis. For 1961, this diagnosis was coded to 587A, Other diseases of pancreas, except fibrocystic disease.

751, Spina bifida and meningocele: For 1962, this category was subdivided into four-digit subcategories providing a special subdivision (751B) for spina bifida and meningocele with mention of hydrocephalus. This resulted in the assignment to this subcategory of combinations of these conditions which in prior years were coded to 752, Congenital hydrocephalus, or to 344A, Hydrocephalus not specified as to whether congenital or acquired.

768, Other sepsis of newborn: For 1962, "amnionitis" as a cause of infant death was coded under this category. For 1961, this diagnosis for an infant was coded to 769, Neonatal disorders arising from certain diseases of the mother during pregnancy.

768.5, Other sepsis of newborn with immaturity: See 768.

E903, Fall on same level: For 1962, falls with certain

qualifications, for example, "to floor" or "slipped and fell" without evidence of a difference in level, were assumed to be on the same level and classified to this category. For 1961, such falls were classified under E904, Unspecified falls.

E923, Foreign body entering other orifice: For 1962, this category was defined to include injuries from accidental entrance of any foreign body, including food, into any orifice of the body except the eye and adnexa *unless* asphyxia, obstruction, or suffocation was specifically mentioned. This resulted in classification to this category of some causes of death which in previous years would have been coded to E921, Inhalation and ingestion of food causing obstruction or suffocation, or to E922, Inhalation and ingestion of other object causing obstruction or suffocation.

E911, E913, E915, E920, E923-E928, E930, E932-E936, E960-E962, All other accidents: See E923.

The causes listed below are taken from either the Detailed List or the 258-cause list. They are the causes to which 200 or more of the total deaths for 1962 were assigned and which showed a net difference of at least 5 cases in the 10-percent sample coded by the two sets of rules with comparability ratios falling between 0.97 and 0.91 inclusive and between 1.03 and 1.09 inclusive. A cause is not shown here if it appears in table 6-2.

Causes with comparability ratios falling between 0.97 and 0.91 inclusive:

082.3, Other and unspecified infectious encephalitis.
286, Other avitaminosis and nutritional deficiency states.
286.5, Malnutrition, unqualified.
280, 282-286, Other avitaminosis and nutritional deficiency states.
350-357, Other diseases of central nervous system.
350, Paralysis agitans.
341-344,352,354-369,380-384,386, 388-390, 394-398, Other diseases of nervous system and sense organs.
410, Diseases of mitral valve.
413, 414, Diseases of pulmonary valve and other endocarditis, specified as rheumatic.
414, Other endocarditis specified as rheumatic.
430-434, Other diseases of heart.
434, Other and unspecified diseases of heart.
527.2, Other diseases of lung and pleural cavity.
527.0, 527.2, All other diseases of lung and pleural cavity.
583, Other diseases of liver.
536-539, 542, 544, 545,573-580, 582, 583, 586, 587.0, 587.1, 587A, Other diseases of digestive system.
752, 753, Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.
759, Other and unspecified congenital malformations not elsewhere classified.
769, Neonatal disorders arising from certain diseases of the mother during pregnancy.
769 (.5-.9), Neonatal disorders arising from certain diseases of mother during pregnancy with immaturity.

Causes with comparability ratios falling between 1.03 and 1.09 inclusive:

340.3, Meningitis with no organism specified as cause.
353, Epilepsy.
353.3, Epilepsy, other and unspecified.
433, Functional disease of heart.
433.1, Other disorders of heart rhythm.
540.1, Ulcer of stomach with perforation.
762, Postnatal asphyxia and atelectasis.
762.0, Postnatal asphyxia and atelectasis without mention of immaturity.
E900-E904, Accidental falls.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out.

The quality of the basic data reported on the death certificate is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made on the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. The studies on the accuracy of cause-of-death statements have taken clinical or pathological reports as the point of departure for comparison with the medical returns on the death certificate. By necessity, these studies have been limited to deaths on which hospital records or autopsy reports were available. Since less than two-thirds of all deaths in 1958 occurred in hospitals and autopsies were reported as having been performed on only about 19 percent of all cases (see table 6-0, Section 6, in Volume I, *Vital Statistics of the United States, 1958,* and table 68 in Volume II), studies based on such data may be subject to considerable bias.

A more satisfactory evaluation of the quality of the cause-of-death statement may be made by including all deaths in the study rather than hospital deaths only. Such a pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956.[17] For particular causes of death, a representative sample of certificates was selected. Questionnaires were sent to the physicians signing the certificates selected asking for the diagnostic methods, with pertinent findings, on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause

[17] For a more complete report, see "Inquiry Into diagnostic Evidence Supporting Medical Certifications of Death," by Iwao M. Moriyama, William S. Baum, William M. Haenszel, and Berwyn F. Mattison, *American Journal of Public Health,* Vol. 48, No. 10, October 1958, pp. 1376-1387.

of death. The authors concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.

One index of the quality of reporting of causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the cause of death, this proportion does indicate the care and consideration given to the certification of causes of death by the attending physician. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas. In 1962 only 1.0 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.2 to 7.8 percent, reflecting differences in the quality of reporting.

Ranking causes of death.—The causes included in the List of 60 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each. Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the single title symptoms, senility, and ill-defined conditions, are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (in this case, tuberculosis of respiratory system and tuberculosis, other forms), are not ranked.

Ranking causes of death is a popular method of presenting mortality statistics. The list of causes and the rules of ranking used were recommended by the Public Health Conference on Records and Statistics at its 1951 meeting. To obtain results that are comparable, the same basic list of causes and rules of ranking must be used in comparisons of areas or of years.

Quality control procedures

The underlying cause of death was coded separately from all other items on the death certificate. For 70 percent of the records the initial cause-of-death codes were assigned in the registration areas. For the remaining 30 percent of the records the original coding was done in the NVSD. Seventy-four percent of the codes assigned in the registration area and in the NVSD were verified on a 100-percent basis. The remaining 26 percent were verified by inspecting a 10-percent systematic sample of the work.

The coding of all other death data was done simultaneously with card punching from microfilm images (transcripts for the Virgin Islands) of the original certificates. Approximately 52 percent of all cards punched were verified using an independently coded and punched 10-percent systematic sample. The expected result from this system of sampling inspection is that on the average 2.25 percent of the cards will contain one or more errors. The rest of the cards were verified completely and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error, coding and punching, at the same time. The error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the card, this assumption cannot be made as readily for coding errors. It is possible for systematic errors in coding rare events to escape detection during sample verification. For cause-of-death coding, this is controlled by listing out the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This is partially controlled for the other items by reverification of randomly selected lots from each operator's work.

The coding and simultaneous punching of fetal deaths was verified completely because of their relatively small number.

After completion of the coding and punching, card counts are balanced against checklists for each registration area which gives county totals for each month. Impossible codes, including missing items, are selected out during the card-to-tape conversion on the computer. Most of these (except for causes of death) are adjusted by arbitrary code assignments. All subsequent operations involved in tabulating and table preparation are verified either by the computer or by statistical clerks.

INTERPRETATION OF DATA

While vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors, in addition to methods of classification, are taken into account. The factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of the data arise from imperfections in the original records or from the impracticability of tabulating these data in very detailed categories. These defects should not be ignored, but their existence does not vitiate the value of the data for most general purposes. Analysis of small differences or exact evaluation of vital statistics requires careful study of many related elements. However, the major trends and differences will not usually be changed materially by finer analysis.

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete

than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.[18] A similar situation may exist in other States.

Population bases

Death rates shown in this report for the United States and the individual States are based on the populations present in the respective areas. These populations exclude the Armed Forces overseas and persons living abroad but include the Armed Forces stationed in each area.

The estimates of the total population of the United States by age, color, and sex in 1962 are published in *Current Population Reports,* Series P-25, No. 265, by the Bureau of the Census and are shown in tables 6-4 and 6-5. These figures are based on data from the 1960 census, final counts of births and deaths for 1960 and preliminary counts through June 1962, statistics on the number of immigrant aliens admitted to the United States as reported by the Immigration and Naturalization Service, and data on the size and distribution of the Armed Forces.

Estimates of the total resident population in each State for 1962 are shown in table 6-7. These estimates are consistent with the 1960 census counts, and with the revised estimates of these areas for July 1, 1961, and with the national estimates in P-25, No. 265.

Population estimates for 1962 excluding New Jersey.—As indicated in the section on race and color, the birth, death, and fetal death records of the State of New Jersey did not contain the race item in 1962. Therefore, this office estimated a comparable population base by color which excluded New Jersey. These estimates are shown in table 6-6. The procedure used to make these estimates rests on the assumption that the ratio of the population of the United States excluding New Jersey in 1962 classified by age, color, and sex to the total population of the United States in 1962 classified by age, color, and sex can be represented by a ratio based on corresponding data from the 1960 Census of Population. Ratios derived in this manner were applied to the 1962 U.S. population in each specific age, sex, and color group[19] to obtain the population denominators which exclude New Jersey.

Revised rates for 1961.—Death rates for 1961 in this report differ from those shown in *Vital Statistics of the United States, 1961,* Volume II, because the 1961 rates in this report are based on revised populations. Although the differences in the U.S. total and the differences by age between the provisional series (P-25, No. 246) used in the 1961 annual report and the revised series (P-25, No. 265) are negligible, changes in a few State estimates are about 5 percent. The revised State estimates appear in Nos. 259 and 267, P-25, and the provisional figures used for computing rates in the 1961 report appear in No. 239, P-25.

Age-adjusted death rates

Age-adjusted death rates shown in this report are the death rates that would have been obtained if the age-specific rates for 1962, computed for 10 year-age intervals, prevailed in a standard population whose age distribution was the same as that of the enumerated population in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare directly age-adjusted death rates with the crude rates shown in other tables.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

[18] Tennessee Department of Public Health, "Results of Survey of Death Registration Completeness," *The Spotlight,* January 1954.

[19] U.S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1950 to 1962," *Current Population Reports,* Series P-25, No. 265, 1963.

Table 6-3. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1962

(Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years)

YEAR	UNITED STATES[1]		YEAR	UNITED STATES[1]		BIRTH-REGISTRATION STATES		DEATH-REGISTRATION STATES	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States[2]	Population residing in area	Number of States[2]	Population residing in area
1962	186,591,000	185,822,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1961	183,642,000	182,953,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1960	180,004,000	179,323,175	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1959	177,261,000	176,511,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1958	174,060,000	173,239,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1957	171,198,000	170,295,000	1927	---	119,038,062	40	104,320,830	42	107,084,532
1956	168,176,000	167,261,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1955	165,270,000	164,302,000	1925	---	115,831,963	33	88,294,564	40	102,031,555
1954	162,417,000	161,191,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1953	159,636,000	158,313,000	1923	---	111,949,945	30	81,072,123	38	96,788,197
1952	157,028,000	155,761,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1951	154,360,000	153,384,000	1921	---	108,541,489	27	70,807,090	34	87,814,447
1950	151,132,000	150,697,361	1920	---	106,466,420	23	63,597,307	34	86,079,263
1949	149,188,000	148,665,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1948	146,631,000	146,093,000	1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1947	144,126,000	143,446,000	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1946	141,389,000	140,054,000	1916	---	101,965,984	11	32,944,013	26	86,971,177
1945	139,928,000	132,481,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1944	138,397,000	132,865,000	1914	---	99,117,567	---	---	24	60,963,309
1943	136,739,000	134,245,000	1913	---	97,226,814	---	---	23	58,156,740
1942	134,860,000	133,920,000	1912	---	95,331,300	---	---	22	54,847,700
1941	133,402,000	133,121,000	1911	---	93,867,814	---	---	22	53,929,644
1940	131,820,000	131,669,275	1910	---	92,406,536	---	---	20	47,470,437
1939	131,028,000	130,879,718	1909	---	90,491,525	---	---	18	44,223,513
1938	129,969,000	129,824,939							
			1908	---	88,708,976	---	---	17	38,634,759
1937	128,961,000	128,824,829	1907	---	87,000,271	---	---	15	34,552,837
1936	128,181,000	128,053,180	1906	---	85,436,556	---	---	15	33,782,288
1935	127,362,000	127,250,232	1905	---	83,819,666	---	---	10	21,767,980
1934	126,485,000	126,373,773							
1933	125,690,000	125,578,763	1904	---	82,164,974	---	---	10	21,332,076
			1903	---	80,632,152	---	---	10	20,943,222
			1902	---	79,160,196	---	---	10	20,582,907
			1901	---	77,585,128	---	---	10	20,237,453
			1900	---	76,094,134	---	---	10	19,965,446

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.
Source: U.S. Bureau of the Census, Vital Statistics Rates in the United States, 1900-1940; Historical Statistics of the United States, Colonial Times to 1957; Statistical Abstract of the United States, 1962; Current Population Reports, Series P-25, Nos. 98 and 265.

Table 6-4. Estimates of the Total Population of the United States Including Armed Forces Abroad, by Age, Color, and Sex: July 1, 1962

(Figures represent the sum of the total resident population and Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	186,591,000	92,117,000	94,473,000	164,930,000	81,570,000	83,360,000	21,660,000	10,547,000	11,114,000
Under 1 year	4,169,000	2,127,000	2,042,000	3,518,000	1,800,000	1,718,000	651,000	327,000	324,000
1-4 years	16,577,000	8,432,000	8,145,000	14,105,000	7,195,000	6,909,000	2,472,000	1,236,000	1,236,000
5-9 years	19,696,000	10,010,000	9,686,000	16,901,000	8,613,000	8,288,000	2,796,000	1,397,000	1,398,000
10-14 years	17,688,000	8,997,000	8,691,000	15,311,000	7,807,000	7,504,000	2,377,000	1,190,000	1,187,000
15-19 years	14,965,000	7,576,000	7,389,000	13,162,000	6,677,000	6,484,000	1,803,000	898,000	905,000
20-24 years	11,875,000	5,945,000	5,929,000	10,440,000	5,251,000	5,189,000	1,434,000	694,000	741,000
25-29 years	10,854,000	5,391,000	5,463,000	9,543,000	4,774,000	4,770,000	1,311,000	618,000	693,000
30-34 years	11,602,000	5,727,000	5,874,000	10,248,000	5,100,000	5,148,000	1,354,000	628,000	726,000
35-39 years	12,469,000	6,110,000	6,360,000	11,108,000	5,473,000	5,635,000	1,362,000	637,000	725,000
40-44 years	12,066,000	5,902,000	6,164,000	10,827,000	5,315,000	5,512,000	1,239,000	587,000	652,000
45-49 years	11,150,000	5,471,000	5,679,000	10,037,000	4,939,000	5,098,000	1,113,000	532,000	581,000
50-54 years	10,052,000	4,930,000	5,122,000	9,087,000	4,461,000	4,626,000	964,000	469,000	496,000
55-59 years	8,736,000	4,257,000	4,479,000	7,917,000	3,853,000	4,063,000	820,000	404,000	416,000
60-64 years	7,383,000	3,518,000	3,865,000	6,744,000	3,206,000	3,538,000	639,000	312,000	327,000
65-69 years	6,268,000	2,895,000	3,373,000	5,767,000	2,660,000	3,108,000	501,000	236,000	265,000
70-74 years	5,001,000	2,264,000	2,737,000	4,617,000	2,085,000	2,532,000	384,000	179,000	205,000
75-79 years	3,306,000	1,454,000	1,852,000	3,069,000	1,343,000	1,727,000	236,000	111,000	125,000
80-84 years	1,752,000	730,000	1,022,000	1,622,000	670,000	952,000	129,000	60,000	70,000
85 years and over	981,000	380,000	601,000	906,000	348,000	558,000	75,000	32,000	43,000

Source: U.S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1950 to 1962," Current Population Reports, Series P-25, No. 265, 1963.

Table 6-5. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1962

(Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	185,822,000	91,353,000	94,469,000	164,228,000	80,872,000	83,356,000	21,594,000	10,481,000	11,113,000
Under 1 year	4,169,000	2,127,000	2,042,000	3,518,000	1,800,000	1,718,000	651,000	327,000	324,000
1-4 years	16,577,000	8,432,000	8,145,000	14,105,000	7,195,000	6,908,000	2,472,000	1,236,000	1,236,000
5-9 years	19,696,000	10,010,000	9,686,000	16,901,000	8,613,000	8,288,000	2,796,000	1,397,000	1,398,000
10-14 years	17,686,000	8,997,000	8,691,000	15,311,000	7,807,000	7,504,000	2,377,000	1,190,000	1,187,000
15-19 years	14,825,000	7,437,000	7,388,000	13,032,000	6,549,000	6,483,000	1,793,000	888,000	905,000
20-24 years	11,593,000	5,665,000	5,928,000	10,183,000	4,995,000	5,187,000	1,411,000	670,000	741,000
25-29 years	10,732,000	5,270,000	5,462,000	9,437,000	4,668,000	4,769,000	1,295,000	602,000	693,000
30-34 years	11,509,000	5,635,000	5,874,000	10,163,000	5,015,000	5,148,000	1,346,000	620,000	726,000
35-39 years	12,406,000	6,047,000	6,359,000	11,050,000	5,415,000	5,634,000	1,357,000	632,000	725,000
40-44 years	12,018,000	5,854,000	6,164,000	10,782,000	5,270,000	5,512,000	1,236,000	584,000	652,000
45-49 years	11,133,000	5,455,000	5,678,000	10,021,000	4,923,000	5,098,000	1,112,000	532,000	581,000
50-54 years	10,047,000	4,925,000	5,122,000	9,082,000	4,457,000	4,626,000	964,000	469,000	496,000
55-59 years	8,736,000	4,257,000	4,479,000	7,916,000	3,853,000	4,063,000	820,000	404,000	416,000
60-64 years	7,383,000	3,518,000	3,865,000	6,744,000	3,206,000	3,538,000	639,000	312,000	327,000
65-69 years	6,288,000	2,895,000	3,373,000	5,767,000	2,660,000	3,108,000	501,000	236,000	265,000
70-74 years	5,001,000	2,264,000	2,737,000	4,617,000	2,085,000	2,532,000	384,000	179,000	205,000
75-79 years	3,306,000	1,454,000	1,852,000	3,069,000	1,343,000	1,727,000	236,000	111,000	125,000
80-84 years	1,752,000	730,000	1,022,000	1,622,000	670,000	952,000	129,000	60,000	70,000
85 years and over	981,000	380,000	601,000	906,000	348,000	558,000	75,000	32,000	43,000

Source. U.S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1950 to 1962." Current Population Reports, Series P-25, No. 265, 1963.

Table 6-6. Estimates of the Total Resident Population of the United States, Excluding New Jersey, by Age, Color, and Sex: July 1, 1962

(Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to nearest thousand, detailed figures may not add to totals)

AGE	WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	158,501,000	78,068,000	80,433,000	21,038,000	10,213,000	10,824,000
Under 1 year	3,405,000	1,742,000	1,663,000	635,000	319,000	316,000
1-4 years	13,641,000	6,959,000	6,681,000	2,410,000	1,205,000	1,205,000
5-9 years	16,352,000	8,333,000	8,020,000	2,732,000	1,365,000	1,366,000
10-14 years	14,811,000	7,552,000	7,260,000	2,325,000	1,164,000	1,161,000
15-19 years	12,627,000	6,345,000	6,282,000	1,753,000	869,000	884,000
20-24 years	9,880,000	4,846,000	5,032,000	1,370,000	651,000	719,000
25-29 years	9,121,000	4,514,000	4,606,000	1,253,000	583,000	671,000
30-34 years	9,786,000	4,832,000	4,955,000	1,304,000	600,000	704,000
35-39 years	10,621,000	5,207,000	5,413,000	1,316,000	613,000	704,000
40-44 years	10,354,000	5,063,000	5,292,000	1,201,000	567,000	634,000
45-49 years	9,634,000	4,732,000	4,901,000	1,083,000	518,000	566,000
50-54 years	8,740,000	4,288,000	4,453,000	939,000	457,000	483,000
55-59 years	7,622,000	3,709,000	3,913,000	799,000	394,000	405,000
60-64 years	6,489,000	3,086,000	3,403,000	623,000	304,000	319,000
65-69 years	5,555,000	2,564,000	2,992,000	490,000	231,000	259,000
70-74 years	4,453,000	2,013,000	2,441,000	376,000	175,000	200,000
75-79 years	2,366,000	1,300,000	1,668,000	231,000	109,000	122,000
80-84 years	1,571,000	650,000	921,000	126,000	59,000	68,000
85 years and over	978,000	338,000	540,000	74,000	31,000	42,000

Source: Estimates prepared by the National Vital Statistics Division: for method of estimation, see text on population bases in this section.

Table 6-7. Provisional Estimates of the Total Resident Population of the United States, Each Division and State, Puerto Rico, and Virgin Islands: July 1, 1962

(Figures include Armed Forces stationed in each area and exclude Armed Forces stationed abroad. Due to rounding to nearest thousand, detailed figures may not add to totals)

AREA	Population
UNITED STATES	185,822,000
GEOGRAPHIC DIVISIONS:	
New England	10,644,000
Middle Atlantic	35,023,000
East North Central	37,041,000
West North Central	15,664,000
South Atlantic	27,121,000
East South Central	12,323,000
West South Central	17,718,000
Mountain	7,510,000
Pacific	22,779,000
NEW ENGLAND:	
Maine	999,000
New Hampshire	632,000
Vermont	390,000
Massachusetts	5,161,000
Rhode Island	865,000
Connecticut	2,597,000
MIDDLE ATLANTIC:	
New York	17,402,000
New Jersey	6,245,000
Pennsylvania	11,376,000
EAST NORTH CENTRAL:	
Ohio	10,097,000
Indiana	4,715,000
EAST NORTH CENTRAL—Con.	
Illinois	10,146,000
Michigan	7,991,000
Wisconsin	4,092,000
WEST NORTH CENTRAL:	
Minnesota	3,475,000
Iowa	2,777,000
Missouri	4,346,000
North Dakota	642,000
South Dakota	721,000
Nebraska	1,484,000
Kansas	2,219,000
SOUTH ATLANTIC:	
Delaware	469,000
Maryland	3,191,000
District of Columbia	784,000
Virginia	4,177,000
West Virginia	1,773,000
North Carolina	4,731,000
South Carolina	2,436,000
Georgia	4,100,000
Florida	5,459,000
EAST SOUTH CENTRAL:	
Kentucky	3,082,000
Tennessee	3,634,000
Alabama	3,358,000
EAST SOUTH CENTRAL—Con.	
Mississippi	2,248,000
WEST SOUTH CENTRAL:	
Arkansas	1,823,000
Louisiana	3,330,000
Oklahoma	2,448,000
Texas	10,116,000
MOUNTAIN:	
Montana	709,000
Idaho	698,000
Wyoming	365,000
Colorado	1,907,000
New Mexico	1,020,000
Arizona	1,509,000
Utah	967,000
Nevada	335,000
PACIFIC:	
Washington	3,006,000
Oregon	1,864,000
California	16,970,000
Alaska	246,000
Hawaii	693,000
Puerto Rico	2,458,000
Virgin Islands	35,700

Source: U.S. Bureau of the Census, "Provisional Estimates of the Population of States: July 1, 1962," Current Population Reports, Series P-25, No. 259, 1962.

U. S. GOVERNMENT PRINTING OFFICE : 1964 O - 716-533